

**Notice of Determination**

**Appendix D**

**To:**  
 Office of Planning and Research  
 U.S. Mail: \_\_\_\_\_ Street Address: \_\_\_\_\_  
 P.O. Box 3044 1400 Tenth St., Rm 113  
 Sacramento, CA 95812-3044 Sacramento, CA 95814

County Clerk  
 County of: \_\_\_\_\_  
 Address: \_\_\_\_\_

**From:**  
 Public Agency: Central Valley Region. Water Board  
 Address: 11020 Sun Center Drive # 200  
 Rancho Cordova, CA 95670  
 Contact: Nicholas White  
 Phone: (916) 464-4856

Lead Agency (if different from above):  
 California Department of Fish and Wildlife  
 Address: \_\_\_\_\_  
 Contact: \_\_\_\_\_  
 Phone: \_\_\_\_\_

**SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.**


State Clearinghouse Number (if submitted to State Clearinghouse): 2004042009  
 Project Title: R-469 DFM 1615-01 Exposed Pipeline Removal Stanislaus River Crossing  
 Project Applicant: Pacific Gas & Electric  
 Project Location (include county): 37°43'21.8"N, 121°07'47.1"W (San Joaquin/ Stanislaus)

**Project Description:**  
 The R-469 DFM 1615-01 Exposed Pipeline Removal Stanislaus River Crossing consists of maintenance and removal of an exposed section of retired 12-inch diameter steel pipeline crossing the Stanislaus River. Approximately 770 feet of retired pipeline will be cleaned, flushed, and filled with cement slurry. After the cement slurry has cured, the approximately 20-foot long exposed section of pipeline will be cut and removed.

This is to advise that the Central Valley Regional Water Quality Control Board has approved the above  
 ( Lead Agency or  Responsible Agency)  
 described project on 11 December 2019 and has made the following determinations regarding the above  
 (date)  
 described project.

1. The project [ will  will not] have a significant effect on the environment.
2.  An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA.  
 A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures [ were  were not] made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan [ was  was not] adopted for this project.
5. A statement of Overriding Considerations [ was  was not] adopted for this project.
6. Findings [ were  were not] made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:  
1416 Ninth Street, Room 1280 Sacramento, CA 95814

Signature (Public Agency):  Title: Water Resource Control Engineer

Governor's Office of Planning & Research

Date: 12 December 2019 Date Received for filing at OPR: DEC 12 2019

Authority cited: Sections 21083, Public Resources Code.  
 Reference Section 21000-21174, Public Resources Code.

**STATE CLEARINGHOUSE**  
 Revised 2011