
FINAL ENVIRONMENTAL IMPACT REPORT

JACKSON TOWNSHIP SPECIFIC PLAN



Control Number: PLNP2011-00095
State Clearinghouse Number: 2013082017
November 2022

COUNTY OF SACRAMENTO
OFFICE OF PLANNING AND ENVIRONMENTAL REVIEW
827 7TH STREET, ROOM 225
SACRAMENTO, CALIFORNIA 95814



BOARD OF SUPERVISORS

1st District: Phil Serna

2nd District: Patrick Kennedy

3rd District: Rich Desmond

4th District: Sue Frost

5th District: Don Nottoli

COUNTY EXECUTIVE

Ann Edwards, County Executive

PREPARED BY

Office of Planning and Environmental Review

WITH ASSISTANCE FROM

Ascent Environmental

FINAL ENVIRONMENTAL IMPACT REPORT

JACKSON TOWNSHIP SPECIFIC PLAN

Control Number: PLNP2011-00095

State Clearinghouse Number: 2013082017

This Environmental Impact Report has been prepared pursuant to the California Environmental Quality Act of 1970 (Public Resources Code Division 13). An Environmental Impact Report is an informational document which, when this Department requires its preparation shall be considered by every public agency prior to its approval or disapproval of a project. The purpose of an Environmental Impact Report is to provide public agencies with detailed information about the effect that a proposed project is likely to have on the environment; to list ways in which any adverse effects of such a project might be minimized; and to suggest alternatives to such a project.

Prepared by the

COUNTY OF SACRAMENTO

OFFICE OF PLANNING AND ENVIRONMENTAL REVIEW

www.PER.saccounty.net

827 7TH STREET, ROOM 225

SACRAMENTO, CALIFORNIA 95814

GLOSSARY OF ACRONYMS / ABBREVIATIONS

°C	degrees Celsius
°F	degrees Fahrenheit
AB	Assembly Bill
ACE	Affordable Clean Energy
ACHP	Advisory Council on Historic Preservation
ADA	Americans with Disabilities Act
ADT	Average Daily Trips
afy	acre-feet per year
ALUC	Airport Land Use Commission
ALUCP	airport land use compatibility plans
APE	Area of Potential Effect
APPA	Airport Planning Policy Area
AQMP	Air Quality Mitigation Plan
ARA	Aggregate Resource Areas
ATCM	Asbestos Airborne Toxic Control Measure
BMO	Basin Management Objective
BMP	best management practices
BSL	Beach Stone Lakes
Btu	British thermal unit
C&D	Construction and Demolition
CAA	Clean Air Act
CAAQS	California ambient air quality standards
CAFE	Corporate Average Fuel Economy
CAL FIRE	California Department of Forestry and Fire Protection
Cal/EPA	California Environmental Protection Agency
Cal/OSHA	California Occupational Safety and Health Administration
CalEEMod	California Emissions Estimator Model

CalEPA	California EPA
Caltrans	California Department of Transportation
CAMx	Compressive Air Quality Model
CAP	Climate Action Plan
CAPCOA	California Air Pollution Control Officers Association
CARB	California Air Resources Board
CBC	California Uniform Building Code
CCAA	California Clean Air Act
CCR	California Code of Regulations
CDFW	California Department of Fish and Wildlife
CEC	California Energy Commission
CEQA	California Environmental Quality Act
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
CESA	California Endangered Species Act
CFC	California Fire Code
CFR	Code of Federal Regulations
CGS	California Geological Survey
CH ₄	methane
CHP	California Highway Patrol
CLOMR	Conditional Letter of Map Revision
CLUP	comprehensive land use plans
CNDDB	California Natural Diversity Database
CNEL	community noise equivalent level
CNG	compressed natural gas
CNPS	California Native Plant Society
CO	carbon monoxide
CO ₂	carbon dioxide
CO ₂ e	carbon dioxide-equivalent
CPUC	California Public Utilities Commission
CRHR	California Register of Historical Resources
CRPD	Cordova Recreation and Park District
CSCGMP	Central Sacramento County Groundwater Management Plan

CSMP	US 50 Corridor System Management Plan
CSWMP	Comprehensive Stormwater Management Program
CTC	California Transportation Commission
CVP	Central Valley Project
CWA	Clean Water Act
CWPP	Community Wildfire Protection Plan
dB	decibel
diesel PM	diesel particulate matter
DS/FDR	Dam Safety and Flood Damage Reduction Project
DTS	California Department of Toxic Substance Control
du/ac	dwelling units per acre
DUE	dwelling unit equivalent
DWR	California Department of Water Resources
EAP	Energy Action Plan
EGU	electric generating units
EGUSD	Elk Grove Unified School District
EIR	environmental impact report
EMD	Environmental Management Department
EMFAC	EMissions FACtor
EO	Executive Order
EPA	U.S. Environmental Protection Agency
EPAct	Energy Policy Act of 1992
ESA	Environmental Site Assessment
ESA	federal Endangered Species Act
EV	electric vehicle
FEMA	Federal Emergency Management Agency
FMMP	Farmland Mapping and Monitoring Program
FR	Federal Register

GHG	greenhouse gas
GHGRP	greenhouse gas reduction plan
gpm	gallons per minute
HARP	Hotspots Analysis and Reporting Program
HCM	<i>Highway Capacity Manual</i>
HCP	habitat conservation plan
HMP	<i>Hydromodification Management Plan</i>
HOV	high-occupancy vehicle
HRI	heat rate improvement
Hz	hertz
I-80	Interstate 80
ICM	integrated corridor management
IEPR	Integrated Energy Policy Report
IMP	infrastructure master plan
in/sec	inches per second
ITS	Caltrans intelligent transportation systems
Jackson Township	Jackson Township Specific Plan
Joint TIS	Joint Transportation Impact Study
JPA	Capital SouthEast Connector Joint Powers Authority
kV	kilovolt
LAFCo	local agency formation commission
lb/day	pounds per day
LCFS	Low Carbon Fuel Standard
LID	Low Impact Development
LOS	level of service
LZ	lighting zone

Mather South Project	Mather South Community Master Plan
Metro Fire	Sacramento Metropolitan Fire District
mgd	million gallons per day
MMT	million metric tons
MMTCO _{2e}	million metric tons of CO ₂ equivalents
mph	miles per hour
MPO	metropolitan planning organization
MRZ	Mineral Resource Zones
MS4	municipal separate storm sewer system
MSAT	Mobile Source Air Toxics
MTCO _{2e} /Ksf	MTCO _{2e} per thousand square feet of floor space
MTIP	Metropolitan Transportation Improvement Program
MTP/SCS	<i>Metropolitan Transportation Plan/Sustainable Communities Strategy 2035</i>
MWELO	California Model Water Efficient Landscape Ordinance
N ₂ O	nitrous oxide
NAAQS	national ambient air quality standards
NAHC	Native American Heritage Commission
NewBridge	NewBridge Specific Plan
NFIP	National Flood Insurance Program
NHPA	National Historic Preservation Act
NMFS	National Oceanic and Atmospheric Administration, National Marine Fisheries Service
NO	nitric oxide
NO ₂	nitrogen dioxide
NOC	Notice of Completion
NOI	Notice of Intent
NOP	Notice of Preparation
NO _x	nitrogen oxides
NPDES	National Pollutant Discharge Elimination System
NRHP	National Register of Historic Places
NSA	North Service Area

OEHHA	Office of Environmental Health Hazard Assessment
OES	California Office of Emergency Services
OPR	Governor's Office of Planning and Research
OSHA	federal Occupational Safety and Health Administration
ozone	photochemical smog
PCB	polychlorinated biphenyl
PEA	preliminary endangerment assessment
PG&E	Pacific Gas & Electric Company
PM ₁₀ and PM _{2.5})	particulate matter
PM _{2.5}	Fine particulate matter
Porter-Cologne Act	Porter-Cologne Water Quality Control Act of 1969
PPV	peak particle velocity
PRC	Public Resources Code
Project	Jackson Township Specific Plan
RCP	Representative Concentration Pathway
RCRA	Resource Conservation and Recovery Act
Recovery Plan	<i>Recovery Plan for Vernal Pool Ecosystems of California and Southern Oregon</i>
Regional San or SRCSD	Sacramento Regional County Sanitation District
RMS	root-mean-square
ROG	reactive organic gases
RPS	renewable portfolio standard
RWQCB	regional water quality control board
SacDOT	Sacramento County Department of Transportation
SacOES	Sacramento County Office of Emergency Services
SACOG	Sacramento area Council of Government
SacRT	Sacramento Regional Transit District
SAF Plan	State Alternative Fuels Plan
SARA	Superfund Amendments and Reauthorization Act

SASD	Sacramento Area Sewer District
SB	Senate Bill
SCBMP	Sacramento County Bicycle Master Plan
SCGA	Sacramento Central Groundwater Authority
SCPMP	Sacramento County Pedestrian Master Plan
SCS	sustainable communities strategies
SCTDF	Sacramento County Transportation Development Fee
SCTMF	Sacramento Countywide Transportation Mitigation Fee
SCWA	Sacramento County Water Agency
SFNA	Sacramento Federal Nonattainment Area for ozone
SGMA	Sustainable Groundwater Management Act of 2014
SMAQMD	Sacramento Metropolitan Air Quality Management District
SMUD	Sacramento Metropolitan <u>Municipal</u> Utility District
SO ₂	sulfur dioxide
SOI	sphere of influence
SPA	Special Planning Area
SPL	sound pressure level
SPLS	Sacramento Public Library System
SR	State Route
SR 16	Jackson Road
SRFECC	Sacramento Regional Fire/EMS Communications Center
SRWTP	Sacramento Regional Wastewater Treatment Plant
SSCA	South Sacramento Conservation Agency
SSD	Sacramento County Sheriff's Department
SSHCP	South Sacramento Habitat Conservation Plan
SSQP	Sacramento Stormwater Quality Partnership
SVAB	Sacramento Valley Air Basin
SVE	soil vapor extraction
SWPPP	stormwater pollution prevention plan
SWRCB	State Water Resource Control Board
TAC	toxic air contaminant
TCR	Caltrans' US 50 Transportation Concept Report

TDS	total dissolved solids
TMA	Transportation Management Association
tons/year	tons per year
Tool	Dynamic Implementation Tool
Transportation Report	<i>Jackson Township Specific Plan Amendment Transportation Impact Report</i>
UBC	Uniform Building Code
ULOP	Urban level of flood protection
UPA	Urban Policy Area
US 50	U.S. Highway 50
USACE	U.S. Army Corps of Engineers
USB	Urban Services Boundary
USDA	U.S. Department of Agriculture
USDOT	U.S. Department of Transportation
USFWS	U.S. Fish and Wildlife Service
UWMP	urban water management plan
V/C	volume-to-capacity
VdB	vibration decibels
VMT	vehicle miles traveled
VOC	volatile organic compounds
VSOTP	Vineyard Surface Water Treatment Plant
WDR	waste discharge requirement
West Jackson	West Jackson Highway Master Plan
WRCC	Western Regional Climate Center
WSA	water supply assessment
WSMP	water supply master plan

Table of Contents

EXECUTIVE SUMMARY	ES-1
Summary of the Proposed Project.....	ES-1
Alternative 2: SSHCP-Consistent Wetland Preserve	ES-1
Alternatives.....	ES-2
Areas of Controversy and Issues to be Resolved.....	ES-3
Organization of the Draft Environmental Impact Report	ES-4
Impact and Mitigation Summary Table.....	ES-4
Mitigation Monitoring and Reporting Program	ES-55
Terminology Used in this EIR	ES-55
 1 INTRODUCTION	 1-1
Summary of the Proposed Project.....	1-1
Environmental Impact Report Scope and Process	1-1
Lead, Responsible, and Trustee Agencies	1-2
Type of Environmental Impact Report.....	1-3
Scope of this Environmental Impact Report.....	1-4
Content of the Final EIR	1-6
Public and Environmental Review Process.....	1-6
Intended Uses of the EIR	1-8
 2 PROJECT DESCRIPTION.....	 2-1
Introduction.....	2-2
Project Setting	2-2
Project Location	2-2
Existing Conditions	2-2
Project Background	2-13
Regional Growth Projections and Planning Context	2-13
Application and Project Initiation	2-17
Project Objectives.....	2-17
Requested Entitlements	2-18
Sacramento LAFCO Entitlements	2-29
Buildout and Operation.....	2-29
Project Design	2-29
Proposed Land Use Plan and Land Use Designations.....	2-33
Infrastructure.....	2-42
 3 ALTERNATIVES.....	 3-1
Introduction.....	3-1
Regulatory Context.....	3-1
California Environmental Quality Act Requirements	3-1

Considerations for Selection of Alternatives.....	3-2
Range of Alternatives	3-3
Project Development	3-4
Alternatives Dismissed from Further Evaluation	3-5
Description of Alternatives	3-6
No Project Alternative	3-6
Alternative 1A: Increased Office	3-7
Alternative 1B: Northwest Corner Residential-Commercial Swap	3-10
Alternative 1C: Increased Office with Northwest Corner Residential- Commercial Swap	3-13
Alternative 2: SSHCP-Consistent Wetland Preserve	3-16
Alternative 2A: SSHCP-Consistent Wetland Preserve Thumb with Increased Office	3-21
Alternative 3: Increased Wetland Preserve	3-24
Alternative 4: Centralized Light Industrial	3-27
Evaluation of Alternatives	3-30
Aesthetics	3-30
Agricultural Resources	3-32
Air Quality	3-33
Airport Compatibility.....	3-36
Biological Resources	3-38
Climate Change	3-45
Cultural Resources	3-46
Energy.....	3-48
Geology, Soils, and Mineral Resources	3-49
Hazardous Materials.....	3-51
Hydrology and Water Quality.....	3-54
Land Use	3-56
Noise.....	3-59
Public Services	3-63
Water Supply	3-68
Wastewater and Solid Waste	3-70
Traffic and Transportation	3-73
Comparative Evaluation of Environmental Effects.....	3-75
Environmentally Superior Alternative.....	3-77
4 AESTHETICS	4-1
Introduction.....	4-1
Environmental Setting	4-1
Visual Character of the Region.....	4-1
Visual Character of the Plan Area	4-2

Light and Glare Sources	4-11
Viewer Groups and Sensitivity	4-11
Regulatory Setting	4-12
Federal	4-12
State	4-12
Local	4-12
Impacts and Analysis	4-14
Significance Criteria	4-14
Issues Not Discussed Further	4-14
Methodology	4-15
Impact: Substantially Degrade Existing Visual Character or Quality	4-15
Impact: New Sources of Light	4-17
Impact: New Sources of Glare	4-19
5 AGRICULTURAL RESOURCES	5-1
Introduction	5-1
Environmental Setting	5-1
Protected Farmland	5-1
Regulatory Setting	5-6
Federal	5-6
State	5-6
Local	5-7
Impacts and Analysis	5-9
Significance Criteria	5-9
Issues not Discussed Further	5-10
Methodology	5-10
Impact: Convert Protected Onsite Farmland to Non-Agricultural Uses....	5-11
Impact: Conflict with Existing, Adjacent Agricultural Use and Zoning	5-12
6 AIR QUALITY	6-1
Introduction	6-1
Environmental Setting	6-2
Location, Climate, and Atmospheric Conditions	6-2
Criteria Air Pollutants	6-3
Existing Air Quality Conditions	6-7
Regulatory Setting	6-10
Federal	6-10
State	6-10
Local	6-11
Impacts and Analysis	6-15
Significance Criteria	6-15
Issues not discussed Further	6-16

Methodology	6-16
Impact: Construction Emissions of Criteria Air Pollutants and Precursors (ROG, NO _x , PM ₁₀ , and PM _{2.5})	6-21
Impact: Long-term Operational Emissions of Criteria Pollutants and Precursors (NO _x , ROG, PM ₁₀ , and PM _{2.5})	6-28
Impact: Criteria Pollutant Health Risks	6-38
Impact: Mobile-Source CO Concentrations.....	6-45
Impact: Exposure of Sensitive Receptors to TACs	6-47
Impact: Consistency with an Applicable Air Quality Plan	6-51
Impact: Exposure to Objectionable Odors.....	6-54
7 AIRPORT COMPATIBILITY	7-1
Introduction.....	7-1
Environmental Setting	7-1
Airport Land Use Compatibility Planning.....	7-1
Mather Airport	7-2
Regulatory Setting	7-9
Federal.....	7-9
State.....	7-10
Local	7-11
Impacts and Analysis.....	7-14
Significance Criteria.....	7-14
Issues not Discussed Further	7-15
Methodology	7-15
Impact: Safety Hazards to People Living and Working in the Vicinity of an Airport.....	7-15
Impact: Exposure to Excessive Noise Levels Associated with Airport Operations.....	7-16
Impact: Effects on Safe and Efficient Use of Navigable Airspace.....	7-17
8 BIOLOGICAL RESOURCES	8-1
Introduction.....	8-1
Environmental Setting	8-2
Habitats.....	8-3
Special-Status Species	8-14
Regulatory Setting	8-24
Federal.....	8-24
Clean Water Act.....	8-24
State	8-26
Local	8-27
Impacts and Analysis.....	8-35
Significance Criteria	8-35

Methodology	8-36
Impact: Loss of Habitat for Vernal Pool Invertebrates.....	8-37
Impact: Special-Status Plants	8-42
Impact: Loss of Habitat for Valley Elderberry Longhorn Beetle.....	8-44
Impact: Loss of Burrowing Owls and Habitat	8-44
Impact: Loss of Tricolored Blackbird Nesting and Foraging Habitat	8-45
Impact: Loss of Swainson's Hawk Foraging Habitat	8-46
Impact: Loss of Swainson's Hawk Nesting Habitat	8-50
Impact: Disturbance or Loss of Other Special-Status Bird Nests.....	8-51
Impact: Loss of Foraging Habitat for Other Special-Status Birds.....	8-52
Impact: Loss of Common Raptor and Other Common Bird Nests	8-53
Impact: Loss of American Badger and Dens.....	8-55
Impact: Loss of Special-Status Bat Roosts	8-55
Impact: Loss of Western Pond Turtle Habitat and Individuals.....	8-57
Impact: Loss of Western Spadefoot Habitat and Individuals.....	8-58
Impact: Loss of Wetlands and Other Waters	8-59
Impact: Disturbance of Riparian Habitats.....	8-63
Impact: Interference with the Movement of any Native Resident or Migratory Species.....	8-64
Impact: Loss of Native Trees	8-65
Impact: Loss of Non-Native Tree Canopy	8-69
Impact: South Sacramento Habitat Conservation Plan Consistency	8-70
9 CLIMATE CHANGE.....	9-1
Introduction.....	9-1
Environmental Setting	9-2
Greenhouse Gas Emissions and Climate Change	9-2
Regulatory Setting.....	9-5
Federal.....	9-5
State.....	9-6
Local	9-9
Impacts and Analysis.....	9-13
Significance Criteria.....	9-13
Issues Not Discussed Further	9-15
Proposed Project Methodology	9-16
Alternative 2 Methodology	9-18
Raceway Emissions	9-19
Impact: Project Greenhouse Gas Emissions	9-19
Sacramento Raceway Emissions.....	9-32
Impact: Climate Change Effects on the Project	9-33

10 CULTURAL RESOURCES	10-1
Introduction.....	10-1
Environmental Setting	10-3
Resources within the APE	10-3
Regulatory Setting.....	10-4
Federal.....	10-4
State.....	10-5
Local	10-7
Impacts and Analysis.....	10-8
Significance Criteria.....	10-8
Methodology	10-8
Impact: Cause a Substantial Adverse Change in the Significance to a Historical Resource	10-11
Impact: Cause a Substantial Change to Archaeological Resources	10-12
Impact: Disturbance of Human Remains.....	10-14
Impact: Change in Significance of a Tribal Resource	10-14
11 ENERGY	11-1
Introduction.....	11-1
Environmental Setting	11-1
Physical Setting	11-1
Regulatory Setting.....	11-3
Federal.....	11-3
State.....	11-3
Local	11-9
Impacts and Analysis.....	11-11
Significance Criteria.....	11-11
Issues Not Discussed Further	11-11
Methodology	11-11
Impact: Wasteful, Inefficient, or Unnecessary Consumption of Energy, During Project Construction or Operation.....	11-12
Impact: Obstruct a State or Local Plan for Renewable Energy or Energy Efficiency	11-20
12 GEOLOGY, SOILS, AND MINERAL RESOURCES	12-1
Introduction.....	12-1
Environmental Setting	12-1
Regional Geology	12-1
Soils and Soil Hazards	12-4
Mineral Resources.....	12-9
Paleontological Resources Background.....	12-12
Regulatory Setting.....	12-12

Federal.....	12-12
State.....	12-13
Local	12-14
Impacts and Analysis.....	12-15
Significance Criteria.....	12-15
Issues Not Discussed Further	12-16
Methodology	12-16
Impact: Soil Erosion, Siltation, or Loss of Topsoil	12-16
Impact: Exacerbation of Exposure to Hazards Associated with Expansive Soils.....	12-17
Impact: Potential Destruction of Buried Paleontological Resources	12-18
13 HAZARDOUS MATERIALS	13-1
Introduction.....	13-1
Environmental Setting	13-1
Plan Area Hazards.....	13-2
Transport of Hazardous Materials	13-5
Schools	13-5
Wildland Fire Hazards	13-5
Regulatory Setting	13-6
Federal.....	13-6
State.....	13-8
Local	13-10
Impacts and Analysis.....	13-12
Significance Criteria.....	13-12
Issues not Discussed Further	13-13
Methodology	13-13
Impact: Accidental Release Due to Transport, Use, or Disposal of Hazardous Materials During Construction	13-13
Impact: Accidental Release of Hazardous Materials During Operation ..	13-14
Impact: Potential for release of hazardous materials from undocumented or documented sites of contamination	13-16
Impact: Result in hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within 0.25 mile within an existing or proposed school	13-21
Impact: Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan ..	13-23
Impact: Expose people or structures to wildland fires.....	13-24
14 HYDROLOGY, DRAINAGE, AND WATER QUALITY.....	14-1
Introduction.....	14-1
Environmental Setting	14-1

Existing Conditions	14-1
Regulatory Setting	14-7
Federal.....	14-7
State.....	14-9
Local	14-11
Significance Criteria	14-16
Methodology	14-16
Issues Not Discussed Further	14-17
Impacts and Analysis.....	14-17
Impact: Substantial Erosion, Siltation, or Environmental Harm due to Alteration of the Existing Drainage Pattern	14-17
Impact: Contribution to Polluted Runoff or Violation of A Water Quality Standard.....	14-24
Impact: Increase the Potential for Flooding within the Plan Area	14-27
Impact: Contribute to Flooding of Adjacent Parcels	14-28
Impact: Contribute to Flooding of Beach Stone Lakes.....	14-29
Impact: Release of Pollutants Associated with Flooding due to Dam or Levee Failure	14-31
Impact: Potential for Flooding due to Climate Change.....	14-32
15 LAND USE, POPULATION, AND HOUSING	15-1
Introduction.....	15-1
Environmental Setting	15-1
Existing Land Use Designations and Zoning	15-2
Regulatory Setting	15-3
Federal.....	15-3
State.....	15-3
Local	15-3
Impacts and Analysis.....	15-20
Significance Criteria.....	15-20
Issues not Discussed Further	15-20
Methodology	15-21
Impact: Conflict with Sacramento County’s Land Use Plans	15-21
Impact: Conflict with Sacramento County’s Urban Policy Area/General Plan Growth Management Policy	15-27
Impact: Conflict with SACOG Blueprint and MTP/SCS.....	15-35
16 NOISE	16-1
Introduction.....	16-1
Environmental Setting	16-1
Acoustic Fundamentals	16-1
Human Response to Changes in Noise Levels.....	16-3

Existing Conditions	16-7
Regulatory Setting	16-14
Federal.....	16-14
State.....	16-14
Local	16-15
Impacts and Analysis.....	16-24
Significance Criteria.....	16-24
Issues not Discussed Further	16-25
Methodology	16-25
Impact: Construction Noise that Exceeds County Standards	16-26
Impact: Generate Construction Vibration	16-31
Impact: Operational Traffic Noise	16-34
Impact: Expose New or Existing Sensitive Receptors to New Stationary Noise Sources.....	16-40
Impact: Substantial Increase in Existing Ambient Noise Levels	16-48
17 PUBLIC SERVICES.....	17-1
Introduction.....	17-1
Environmental Setting	17-1
Fire Protection and Emergency Response	17-1
Law Enforcement.....	17-2
Schools	17-2
Parks and Recreation Services	17-2
Libraries	17-3
Regulatory Setting	17-3
Federal.....	17-3
State.....	17-3
Local	17-4
Impacts and Mitigation.....	17-9
Significance Criteria.....	17-9
Issues not discussed Further.....	17-9
Methodology	17-9
Impact: Result in Substantial Adverse Physical Impacts Associated With the Provision of Fire Protection and Emergency Services	17-10
Impact: Impair Emergency Response	17-11
Impact: Result in Substantial Adverse Physical Impacts Associated With the Provision of Law Enforcement.....	17-13
Impact: Result in Substantial Adverse Physical Impacts Associated With the Provision of Schools	17-14
Impact: Result in Substantial Adverse Physical Impacts Associated With the Provision of Parks and Recreation Services	17-16

Impact: Result in Substantial Adverse Physical Impacts Associated With the Provision of Libraries	17-19
18 WATER SUPPLY.....	18-1
Introduction.....	18-1
Environmental Setting	18-1
Sacramento County Water Agency	18-1
Surface Water Sources	18-3
Groundwater Conditions.....	18-3
Regional Infrastructure	18-6
Existing Infrastructure in the Plan Area	18-7
Regulatory Setting	18-7
Federal.....	18-7
State.....	18-7
Local	18-10
Impacts and Analysis.....	18-13
Significance Criteria.....	18-13
Issues not Discussed Further	18-13
Methodology	18-13
Impact: Environmental Effects Due to the Construction of New or the Expansion of Existing Water Facilities	18-13
Impact: Result in Demand for Water That Cannot be Met by Existing or Reasonably Foreseeable Future Service Capacity	18-21
Impact: Contribute to Groundwater Pumping Such That the Average Annual Sustainable Yield for the Central Sacramento Groundwater Basin is Exceeded.....	18-25
Impact: Interfere Substantially with Groundwater Recharge.....	18-26
19 WASTEWATER AND SOLID WASTE UTILITIES.....	19-1
Introduction.....	19-1
Environmental Setting	19-1
Urban Services Boundary.....	19-1
Sewer Service.....	19-1
Solid Waste.....	19-3
Regulatory Setting	19-3
Federal.....	19-3
State.....	19-3
Local	19-4
Impacts and Analysis.....	19-7
Significance Criteria.....	19-7
Issues not Discussed Further	19-7
Methodology	19-8

Impact: Adverse Effects Associated with Construction of Wastewater Treatment and Disposal Infrastructure	19-8
Impact: Exceed the Capacity of the Wastewater Treatment Provider ...	19-12
Impact: Solid Waste Services and Landfill Capacity	19-12
20 TRAFFIC AND CIRCULATION.....	20-1
Introduction.....	20-1
Analysis Scenarios	20-2
Jackson Corridor Projects	20-2
Environmental Setting	20-3
Project Study Area.....	20-3
Existing Roadway Network.....	20-4
Traffic Operations Analysis.....	20-21
Existing Operating Conditions	20-25
Existing VMT Conditions	20-38
Regulatory Setting	20-41
Federal.....	20-41
State.....	20-41
Local	20-42
Impacts and Analysis.....	20-51
Significance Criteria.....	20-51
Issues Not Discussed Further	20-54
Methodology	20-54
Jackson Corridor Development Projects Transportation LOS-based Reduction Strategy.....	20-78
Impact: VMT Impacts.....	20-90
Effects to Roadway Segment Operations	20-95
Effects to Intersection Operations	20-106
Freeway Facility Effects.....	20-115
Impact: Bicycle and Pedestrian Impacts	20-127
Impact: Transit Impacts	20-128
Impact: Roadway Functionality Impacts.....	20-129
Impact: Emergency Access and Hazardous Design Feature Impacts	20-138
21 SUMMARY OF IMPACTS AND THEIR DISPOSITION	21-1
Summary of Impacts by Significance Determination	21-1
Significant Effects Which Cannot be Avoided	21-1
Significant Effects Which Could be Avoided with Implementation of Mitigation Measures	21-7
Effects Found Not to be Significant	21-18
Irreversible Environmental Changes.....	21-29
Changes in Land Use Which Commit Future Generations	21-30

Irreversible Damage from Environmental Accidents	21-30
Consumption of Nonrenewable Resources	21-30
Cumulative Impacts	21-30
Cumulative Impact Analysis Methodology	21-31
Scope of the Cumulative Analysis	21-32
Cumulative Issue Areas	21-37
Aesthetics	21-37
Agricultural Resources	21-38
Air Quality	21-39
Airport Compatibility	21-46
Biological Resources	21-47
Climate Change	21-55
Cultural Resources	21-56
Geology, Soils, and Paleontological Resources	21-57
Hazards and Hazardous Materials	21-58
Hydrology, Drainage, Water Quality	21-58
Land Use	21-59
Noise	21-60
Public Services	21-65
Wastewater and Solid Waste	21-66
Traffic and Circulation	21-66
Water Supply	21-219
Energy	21-220
Cumulative Impacts Summary	21-226
Mitigation	21-233
22 ADDITIONAL ANALYSIS	22-1
Socioeconomics	22-1
Plan Area Demographics	22-1
Affordable Housing	22-3
Growth Inducement	22-3
Conversion of Open Space	22-4
Environmental Justice	22-5
23 RESPONSE TO COMMENTS	23-1
List of Written Comment Letters	23-2
24 BIBLIOGRAPHY	23-1
25 ACKNOWLEDGEMENTS	24-1
MITIGATION MONITORING AND REPORTING PROGRAM	

List of Plates

Plate PD-1: Regional Location	2-3
Plate PD-2: Plan Area Vicinity.....	2-4
Plate PD-3: Community Plan Areas	2-5
Plate PD-4: Plan Area Aerial - Participating and Non-Participating Properties.....	2-6
Plate PD-5: Existing General Plan Land Use Designations.....	2-9
Plate PD-6: Existing Community Plan Land Use Designations	2-10
Plate PD-7: Existing Zoning	2-11
Plate PD-8: SSHCP Planned Hardline Preserves	2-15
Plate PD-9: Proposed Urban Policy Area (UPA) Amendment.....	2-19
Plate PD-10: Proposed General Plan Land Use Diagram Amendment.....	2-20
Plate PD-11: Proposed General Plan Transportation Diagram Amendment.....	2-21
Plate PD-12: Proposed Bicycle Master Plan Amendment.....	2-22
Plate PD-13: Proposed Community Plan Amendments – Cordova and Vineyard Community Plans.....	2-24
Plate PD-14: Proposed Rezone	2-25
Plate PD-15: Proposed Large Lot Tentative Map.....	2-27
Plate PD-16: Project Phasing.....	2-31
Plate PD-17: Proposed Land Use Diagram.....	2-32
 Plate Alt-1: Alternative 1A Land Use Diagram.....	 3-9
Plate Alt-2: Alternative 1B Land Use Diagram.....	3-11
Plate Alt-3: Alternative 1C Land Use Diagram	3-14
Plate Alt-4: Alternative 2 Land Use Diagram	3-18
Plate Alt-5: Comparison between Project and Alternative 2 Land Use Proposals.....	3-19
Plate Alt-6: Alternative 2A Land Use Diagram.....	3-23
Plate Alt-7: Alternative 3 Land Use Diagram	3-26
Plate Alt-8: Alternative 4 Land Use Diagram.....	3-29
 Plate AE-1: Plan Area Viewpoints on Aerial Photo.....	 4-4
Plate AE-2: Viewpoint 1 Part 1	4-5
Plate AE-3: Viewpoint 1 Part 2	4-6
Plate AE-4: Viewpoint 2.....	4-7
Plate AE-5: Viewpoint 3.....	4-8
Plate AE-6: Viewpoint 4.....	4-9
Plate AE-7: Viewpoint 5.....	4-10
 Plate AG-1: Farmland Mapping and Monitoring Program Designations	 5-3
 Plate AC-1: Mather Airport Safety Zones in the Plan Area.....	 7-5

Plate AC-2: Mather Airport Theoretic Capacity Noise Contours.....	7-6
Plate AC-3: Mather Airport Height Restrictions with Proposed Land Uses.....	7-7
Plate AC-4: Population Potentially Awakened by Aircraft Noise from Mather Airport...	7-8
Plate BR-1: Wetland Delineation	8-5
Plate BR-2: Mather Core Recovery Area	8-8
Plate BR-3: Critical Habitat and Mather Core Recovery Area	8-9
Plate BR-4: Tree Survey	8-13
Plate BR-5: Vernal Pool Invertebrate Habitat Map	8-39
Plate BR-6: Proposed Project Vernal Pool Invertebrate Habitat Impact Map	8-40
Plate BR-7: Swainson's Hawk Impact Map	8-47
Plate BR-8: South Sacramento Habitat Conservation Plan Land Cover in the Plan Area	8-49
Plate BR-9: Waters of the United States Impact Map	8-61
Plate CR-1: Excelsior Estates APE	10-2
Plate GS-1: Earthquake Shaking Potential for Sacramento County	12-3
Plate GS-2: Soils in the Plan Area	12-5
Plate GS-3: Plan Area and Sacramento County MRZ Zones	12-10
Plate GS-4: Aggregate Resource Areas Map.....	12-11
Plate HAZ-1: Documented Sites of Hazardous Material Release	13-19
Plate HYD 1: Existing Plan Area Hydrology	14-2
Plate HYD 2: Plan Area FEMA Floodplains.....	14-5
Plate HYD 3: Proposed Drainage Collection System	14-19
Plate HYD 4: Proposed Drainageway Cross Section	14-20
Plate NOI-1: Noise Measurement Locations	16-8
Plate NOI-2: Sacramento Raceway Noise Contours (Drag Strip Race)	16-11
Plate NOI-3: Sacramento Raceway Noise Contours (Street Legal Drag Strip)	16-12
Plate NOI-4: Sacramento Raceway Noise Contours (Motorcycle Race)	16-13
Plate WS-1: Sacramento County Water Agency Service Areas.....	18-2
Plate WS-2: Sacramento County Groundwater Basins	18-4
Plate WS-3: SCWA Phase 1 Capital Improvement Projects	18-15
Plate WS-4: NSA Buildout Water System	18-16
Plate WS-5: Offsite Water Supply Infrastructure	18-18
Plate WS-6: Potable Water Distribution System.....	18-19

Plate WU-1: Proposed Onsite Wastewater System	19-9
Plate WU-2: Proposed Wastewater Trunkline Extension	19-10
Plate TC-1: Regional Transportation Network.....	20-5
Plate TC-2: Study Area Roadway Segments	20-7
Plate TC-3: Freeway Study Area.....	20-9
Plate TC-4: Study Area Intersections	20-11
Plate TC-5: Existing Conditions Roadway Network.....	20-13
Plate TC-6: Existing Conditions Transit Network.....	20-17
Plate TC-7: Existing Bicycle Network	20-19
Plate TC-8: Existing Conditions Roadway Segment and Intersection LOS	20-27
Plate TC-9: Existing Substandard Roadways.....	20-39
Plate TC-10: Existing Plus Proposed Project Trip Distribution	20-59
Plate TC-11: Existing Plus Alternative 2 Trip Distribution.....	20-61
Plate TC-12: Project Transit Network Existing Plus Proposed Project	20-69
Plate TC-13: Project Transit Network Existing Plus Alternative 2.....	20-71
Plate TC-14: Proposed Active Transportation Plan Proposed Project	20-73
Plate TC-15: Proposed Active Transportation Plan Alternative 2	20-75
Plate TC-16: Existing Plus Proposed Project Functionality Impacts.....	20-131
Plate TC-17: Existing Plus Alternative 2 Functionality Impacts	20-139
Plate SI-1: Cumulative No Project - Roadway Network.....	21-71
Plate SI-2: Cumulative No Project – Roadway Segment and Intersection LOS	21-73
Plate SI-3: Jackson Corridor Projects - Project Location.....	21-74
Plate SI-4: Cumulative Plus Jackson Corridor Projects (Project) - Roadway Network .	21-75
Plate SI-5: Cumulative Plus Jackson Corridor Projects (Alternative 2) - Roadway Network.....	21-77
Plate SI-6: Cumulative Plus Jackson Corridor Projects - Transit Network.....	21-79
Plate SI-7: Cumulative Plus Jackson Corridor Projects (Project) Trip Distribution ...	21-85
Plate SI-8: Cumulative Plus Jackson Corridor Projects (Alternative 2) Trip Distribution.....	21-87
Plate SI-9: Cumulative Plus Jackson Township Project (Project) – Trip Distribution	21-91
Plate SI-10: Cumulative Plus Jackson Township Project (Alternative 2) – Trip Distribution.....	21-93
Plate SI-11: Cumulative Plus Jackson Corridor Projects (Project) – Roadway Segment and Intersection LOS and Impacts	21-95
Plate SI-12: Cumulative Plus Jackson Corridor Projects (Alternative 2) – Roadway Segment and Intersection LOS and Impacts	21-97
Plate SI-13: Cumulative Plus Jackson Corridor Projects (Project) – Functionality Impacts	21-183
Plate SI-14: Cumulative Plus Jackson Corridor Projects (Alternative 2) – Functionality Impacts	21-189

List of Tables

Table ES-1: Executive Summary of Impacts and Mitigation	ES-5
Table PD-1: Area Parcel Numbers	2-7
Table PD-2: Proposed Project Land Use Summary	2-34
Table PD-3: Proposed Project Phasing	2-36
Table PD-4: Proposed Project Population Projections	2-37
Table Alt-1: Alternative 1A Land Use Summary	3-8
Table Alt-2: Alternative 1A Population Projections	3-10
Table Alt-3: Alternative 1B Land Use Summary	3-12
Table Alt-4: Alternative 1B Population Projections	3-13
Table Alt-5: Alternative 1C Land Use Summary	3-15
Table Alt-6: Alternative 1C Population Projections	3-16
Table Alt-7: Alternative 2 Land Use Summary	3-17
Table Alt-8: Alternative 2 Population Projections	3-21
Table Alt-9: Alternative 2A Land Use Summary	3-21
Table Alt-10: Alternative 2A Population Projections	3-22
Table Alt-11: Alternative 3 Land Use Summary	3-24
Table Alt-12: Alternative 3 Population Projections	3-25
Table Alt-13: Alternative 4 Land Use Summary	3-27
Table Alt-14: Alternative 4 Population Projections	3-28
Table Alt-15: Preserve Area by Alternative	3-38
Table Alt-16: Impacts to Suitable Vernal Pool Invertebrate Habitat by Alternative	3-38
Table Alt-17: Potential Impacts to Jurisdictional Features on Applicant-Owned Properties By Alternative	3-39
Table Alt-18: Potential Preservation of Jurisdictional Features on Applicant-Owned Properties By Alternative	3-39
Table Alt-19: Project Alternative Consistency with General Plan Policy	3-57
Table Alt-20: Parkland Dedication Requirements for Alternatives 1A, 1B, 1C, 2A, 3, and 4	3-67
Table Alt-21: Comparison of Alternatives and Project Objectives Met	3-75
Table Alt-22: Comparison of the Environmental Impacts of the Alternatives Relative to the Project	3-76
Table AG-1: Farmland Conversion in Sacramento County, 2006-2016	5-4
Table AG-2: LAFCo-defined Prime Agricultural Land in the Plan Area	5-6
Table AQ 1: State and Federal Ambient Air Quality Standards	6-3
Table AQ 2: Sacramento County Attainment Status	6-5

Table AQ 3: Summary of Maximum Daily Emissions of Criteria Air Pollutants and Precursors Associated with Project Construction (2020–2034)	6-23
Table AQ 4: Summary of Maximum Daily Emissions of Criteria Air Pollutants and Precursors Associated with Alternative 2 Construction (2025–2039) ...	6-25
Table AQ 5: Summary of Project Maximum Daily (Unmitigated) Operational Emissions of Criteria Air Pollutants at Full Buildout (2035).....	6-28
Table AQ 6: Summary of Project Annual (Unmitigated) Operational Emissions of Criteria Air Pollutants and Precursors at Full Buildout (2035).....	6-29
Table AQ 7: ROG and NOx Mobile-Only Emissions Reductions for Alternative 2 Modeled VMT compared to Default VMT.....	6-32
Table AQ 8: Alternative 2 Maximum Daily (Mitigated) Operational Emissions of Criteria Air Pollutants and Precursors at Full Buildout (2040)	6-40
Table AQ 9: Potential Annual Incremental Health Incidences for Alternative 2 (Mitigated).....	6-42
Table AQ 10: Summary of Emissions Associated with the Sacramento Raceway	6-43
Table AQ 11: Potential Annual Incremental Health Incidences from Maximum Daily Sacramento Raceway Operations	6-44
 Table AC-1: Land Use Compatibility for Airport Noise.....	 7-13
 Table BR-1: Waters of the United States	 8-4
Table BR-2: Tree Inventory of Applicant-Owned Properties.....	8-11
Table BR-3: Tree Inventory of Non-Participating Properties	8-12
Table BR-4: Special-Status Species	8-16
Table BR-5: Swainson's Hawk Mitigation Values	8-33
Table BR-6: Preserve Area, Project and Alternative 2	8-37
Table BR-7: Impacts to Suitable Vernal Pool Invertebrate Habitat, Project and Alternative 2.....	8-41
Table BR-8: Swainson's Hawk Impacts from Proposed Project.....	8-46
Table BR-9: Potential Impacts to Jurisdictional Features on Applicant-Owned Properties for the Project and Alternative 2	8-60
Table BR-10: Potential Preservation of Jurisdictional Features on Applicant-Owned Properties for the Project and Alternative 2	8-60
 Table CC-1 Statewide GHG Emissions by Economic Sector in 2016	 9-3
Table CC-2 Sacramento County GHG Emissions by Economic Sector in 2015	9-3
Table CC-3: Draft 2030 Greenhouse Gas Significance Thresholds (Annual Metric Tons CO ₂ e).....	9-15
Table CC-4: Summary of Residential Energy-Related Greenhouse Gas Emissions for the Project in 2035.....	9-20
Table CC-5: Summary of Nonresidential Energy-Related Greenhouse Gas Emissions in 2035.....	9-20

Table CC-6: Summary of Transportation-Related Greenhouse Gas Emissions in 2035..	9-21
Table CC-7: Summary of Unmitigated Annual Greenhouse Gas Emissions Associated with the Project at Full Buildout (2035).....	9-21
Table CC-8: GHG Emissions Reductions for Alternative 2 Modeled VMT Compared to Default VMT	9-25
Table CC-9: Summary of Emissions Associated with the Sacramento Raceway.....	9-33
Table EN-1: Project Construction Energy Use	11-13
Table EN-2: Project Operational Energy Use.....	11-14
Table EN-3: Project Annual Operational Transportation Energy Use.....	11-15
Table EN-4: Project Operational Energy Use with Mitigation	11-17
Table EN-5: Alternative 2 Construction Energy Use	11-17
Table EN-6: Alternative 2 Operational Energy Use (Alternative 2).....	11-18
Table EN-7: Alternative 2 Annual Operational Transportation Energy (Alternative 2)	11-19
Table EN-8: Alternative 2 Operational Energy Use with Mitigation	11-20
Table GS-1: Plan Area Soil Types	12-6
Table LU-1: Project Consistency with General Plan Policy	15-22
Table LU-2: Project LU-120 Consistency	15-29
Table LU-3: Criteria-Based Standards Determination for the Project.....	15-32
Table NOI-1: Typical A-Weighted Noise Levels	16-3
Table NOI-2: Federal Interagency Committee on Noise Recommended Criteria for Evaluation of Increases in Ambient Noise Levels	16-4
Table NOI-3: Human Response to Different Levels of Ground Noise and Vibration ..	16-5
Table NOI-4: Summary of Existing Background Noise Measurement Data	16-9
Table NOI-5: Caltrans Recommendations Regarding Levels of Vibration Exposure ...	16-14
Table NOI-6: Noise Standards for New Uses Affected by Traffic and Railroad Noise..	16-15
Table NOI-7: Sacramento County Non-Transportation Noise Standards	16-16
Table NOI-8: Sacramento County Noise Significance Thresholds	16-17
Table NOI-9: Sacramento County Noise Ordinance.....	16-19
Table NOI-10: Maximum Transportation Noise Exposure	16-21
Table NOI-11: Typical Construction Equipment Noise Levels.....	16-27
Table NOI-12: Typical Construction Equipment Vibration Levels.....	16-31
Table NOI-13: Predicted Existing Plus Project Traffic Noise Levels.....	16-35
Table NOI-14: Predicted Existing Plus Alternative 2 Traffic Noise Levels	16-37
Table NOI-15: Summary of Modeled Substantial Traffic Noise Level Increases from Existing to Existing Plus Project Conditions.....	16-48
Table NOI-16: Summary of Modeled Substantial Traffic Noise Level Increases from Existing to Existing Plus Alternative 2 Conditions.....	16-50

Table PS 1: Title 22 Parkland Dedication Requirements for Cordova Park and Recreation District	17-4
Table PS 2: Estimated Student Generation and School Site Demands	17-14
Table PS-3: Parkland Dedication Requirements for the Project.....	17-17
Table PS-4: Parkland Dedication Requirements for Alternative 2	17-18
Table WS-1: SCWA Projected Groundwater Supply Availability	18-6
Table WS-2: Proposed Land Use and Water Demands Estimate for the Project.....	18-22
Table WS-3: Zone 40 Water Supply Sufficiency Analysis, in 5-Year Increments	18-23
Table WS-4: Proposed Land Use and Water Demands Estimate for Alternative 2 ..	18-24
Table TC-1: Daily Volume Threshold for Roadway Segments (Sacramento County)20-22	
Table TC-2: Daily Volume Threshold for Roadway Segments (City of Sacramento)20-23	
Table TC-3: Daily Volume Threshold for Roadway Segments (Connector JPA).....	20-23
Table TC-4: Level of Service Criteria (Intersections).....	20-24
Table TC-5: Level of Service Criteria (Freeway Mainline).....	20-25
Table TC-6: Existing Roadway Segments Operating at Deficient Level of Service..	20-29
Table TC-7: Existing Intersections Operating at Deficient Level of Service.....	20-30
Table TC-8: Existing Peak Hour Freeway Basic Segment Level of Service	20-32
Table TC-9: Existing Peak Hour Freeway Merge/Diverge/Weave Segment Level of Service	20-33
Table TC-10: Existing Peak Hour Freeway Ramp Termini Queuing	20-35
Table TC-11: Existing Substandard Roadway Segments.....	20-36
Table TC-12: Existing Regional Average VMT Per Capita	20-38
Table TC-13: Level of Service Standards.....	20-52
Table TC-14: Estimated Person Trip Generation with Project Implementation	20-54
Table TC-15: Estimated Person Trip Generation with Alternative 2 Implementation	20-55
Table TC-16: Mode Split Proposed Project	20-55
Table TC-17: Mode Split with Alternative 2 Implementation	20-55
Table TC-18: Project Estimated Daily Vehicle Trip Generation.....	20-56
Table TC-19: Alternative 2 Estimated Daily Vehicle Trip Generation	20-56
Table TC-20: Existing and Existing Plus Proposed Project Intersection Geometrics ...	20-63
Table TC-21: Existing and Existing Plus Alternative 2 Intersection Geometrics.....	20-66
Table TC-212: VMT Analysis Results.....	20-90
Table TC-23: Existing Plus Proposed Project Deficient Roadway Segment Operations	20-98
Table TC-24: Existing Plus Proposed Project Roadway Segment Operations with LOS Improvement Measures	20-99
Table TC-25: Existing Plus Alternative 2 Deficient Roadway Segment Operations	20-102

Table TC-26: Existing Plus Alternative 2 Roadway Segment Operations with LOS Improvement Measures	20-104
Table TC-27: Existing Plus Proposed Project Deficient Intersection Operations....	20-107
Table TC-28: Existing Plus Proposed Project Intersection Operations with LOS Improvement Measures	20-109
Table TC-29: Existing Plus Alternative 2 Intersection Operations	20-112
Table TC-30: Existing Plus Alternative 2 Intersection Operations with LOS Improvement Measures	20-114
Table TC-31: Existing Plus Proposed Project Freeway Segment Operations	20-116
Table TC-32: Existing Plus Proposed Project Freeway Ramp Termini Queuing....	20-117
Table TC-33: Existing Plus Proposed Project Freeway Merge/Diverge/Weave Segment Operations	20-118
Table TC-34: Existing Plus Alternative 2 Freeway Segment Operations.....	20-122
Table TC-35: Existing Plus Alternative 2 Freeway Ramp Termini Queuing	20-123
Table TC-36: Existing Plus Alternative 2 Freeway Merge/Diverge/Weave Segment Operations	20-124
Table TC-37: Proposed Project Functionality Impacts	20-133
Table TC-38: Proposed Project Functionality Impacts with Mitigation.....	20-135
Table TC-39: Alternative 2 Functionality Impacts	20-141
Table TC-40: Alternative 2 Functionality Impacts with Mitigation	20-143
 Table SI-1: Cumulative Project List	 21-33
Table SI-2: ROG and NOx Mobile-Only Emissions Reductions for Alternative 2 Modeled Cumulative VMT compared to Default VMT	21-43
Table SI-3: Summary of Modeled Substantial Traffic Noise Level Increases under Cumulative Existing Plus Project Conditions	21-63
Table SI-4: Summary of Modeled Substantial Traffic Noise Level Increases under Cumulative Existing Plus Alternative 2 Conditions.....	21-63
Table SI-5: Cumulative No Project Regional Average VMT Per Capita	21-68
Table SI-6: Estimated Daily Person Trip Generation (Cumulative plus Jackson Corridor Projects Scenarios).....	21-70
Table SI-7: Mode Split (Cumulative plus Jackson Corridor Projects [Project] Scenario)	21-70
Table SI-8: Mode Split (Cumulative plus Jackson Corridor Projects [Alternative 2] Scenario)	21-70
Table SI-9: Estimated Daily Vehicle Trip Generation (Cumulative plus Jackson Corridor Projects [Project] Scenario)	21-81
Table SI-10: Estimated Daily Vehicle Trip Generation (Cumulative plus Jackson Corridor Projects [Alternative 2] Scenario).....	21-81
Table SI-11: Estimated Daily Person Trip Generation (Cumulative Plus Jackson Township Project Scenarios)	21-84
Table SI-12: Mode Split (Cumulative Plus Jackson Township Project [Project] Scenario)	21-84

Table SI-13: Mode Split (Cumulative Plus Jackson Township Project [Alternative 2] Scenario).....	21-89
Table SI-14: Estimated Daily Vehicle Trip Generation (Cumulative Plus Jackson Township Project [Project] Scenario).....	21-89
Table SI-15: Estimated Daily Vehicle Trip Generation (Cumulative Plus Jackson Township Project [Alternative 2] Scenario)	21-89
Table SI-16: Cumulative No Project and Cumulative Plus Jackson Corridor Projects (Project) Roadway Segment Levels of Service	21-99
Table SI-17: Cumulative No Project and Cumulative Plus Jackson Corridor Projects (Alternative 2) Roadway Segment Levels of Service	21-104
Table SI-18: Cumulative Plus Jackson Corridor Projects (Project) Roadway Segment Mitigations LOS Improvement Measures.....	21-111
Table SI-19: Cumulative Plus Jackson Corridor Projects (Alternative 2) Roadway Segment Mitigations LOS Improvement Measures.....	21-115
Table SI-20: Cumulative Plus Jackson Corridor Projects (Project) Intersection Levels of Service	21-121
Table SI-21: Cumulative No Project and Cumulative Plus Jackson Corridor Projects (Project) Intersection Geometrics.....	21-128
Table SI-22: Cumulative Plus Jackson Corridor Projects (Alternative 2) Intersection Levels of Service	21-134
Table SI-23: Cumulative No Project and Cumulative Plus Jackson Corridor Projects (Alternative 2) Intersection Geometrics.....	21-141
Table SI-24a: Cumulative Plus Jackson Corridor Projects (Project) Impacted Intersections Operations and County Standard Intersection Geometry	21-151
Table SI-24b: Cumulative Plus Jackson Corridor Projects (Project) County Standard and Ultimate LOS Improvement Measures	21-153
Table SI-25a: Cumulative Plus Jackson Corridor Projects (Project) Intersection and Improvement Measures	21-154
Table SI-25b: Cumulative Plus Jackson Corridor Projects (Project) Intersection LOS Deficiencies and Improvement Measures.....	21-156
Table SI-26a: Cumulative Plus Jackson Corridor Projects (Alternative 2) Intersections Operations and County Standard Intersection Geometry	21-158
Table SI-26b: Cumulative Plus Jackson Corridor Projects (Alternative 2) County Standard and Ultimate LOS Improvement Measures	21-160
Table SI-27a: Cumulative Plus Jackson Corridor Projects (Alternative 2) Intersection LOS Deficiencies and Improvement Measures	21-161
Table SI-27b: Cumulative Plus Jackson Corridor Projects (Alternative 2) Intersection LOS Deficiencies and Improvement Measures	21-163
Table SI-28: Cumulative Plus Jackson Corridor Projects (Project) Peak Hour Freeway Basic Segment Level of Service.....	21-166
Table SI-29: Cumulative No Project Peak Hour Freeway Ramp Termini Queuing	21-167
Table SI-30: Cumulative Plus Jackson Corridor Projects (Project) Peak Hour Freeway Ramp Termini Queuing	21-168

Table SI-31: Cumulative Plus Jackson Corridor Projects (Project) Peak Hour Freeway Merge/Diverge/Weave Segment Level of Service.....	21-171
Table SI-32: Cumulative Plus Jackson Corridor Projects (Alternative 2) Peak Hour Freeway Basic Segment Level of Service.....	21-173
Table SI-33: Cumulative No Project Peak Hour Freeway Ramp Termini Queuing.	21-174
Table SI-34: Cumulative Plus Jackson Corridor Projects (Alternative 2) Peak Hour Freeway Ramp Termini Queuing.....	21-175
Table SI-35: Cumulative Plus Jackson Corridor Projects (Alternative 2) Peak Hour Freeway Merge/Diverge/Weave Segment Level of Service	21-176
Table SI-36: Cumulative Plus Jackson Corridor Projects (Project) Roadway Functionality Impacts	21-181
Table SI-37: Cumulative Plus Jackson Corridor Projects (Alternative 2) Roadway Functionality Impacts	21-187
Table SI-38: Cumulative Plus Jackson Corridor Projects (Project) Functionality Mitigations.....	21-191
Table SI-39: Cumulative Plus Jackson Corridor Projects (Alternative 2) Functionality Mitigations.....	21-189
Table SI-40: Cumulative Roadway Segment Levels of Service - LOS Deficiencies Triggered by Jackson Township Project (Project)	21-193
Table SI-441: Cumulative Roadway Segment Levels of Service - LOS Deficiencies Triggered by Jackson Township Project (Alternative 2)	21-197
Table SI-42: Cumulative Plus Jackson Corridor Projects Roadway Segment LOS Improvement Measures - LOS Deficiencies Triggered by Jackson Township Project (Project).....	21-198
Table SI-43: Cumulative Plus Jackson Corridor Projects Roadway Segment LOS Improvement Measures –LOS Deficiencies Triggered by Jackson Township Project (Alternative 2).....	21-203
Table SI-44: Cumulative Plus Jackson Corridor Projects Intersection Levels of Service - LOS Deficiencies Triggered by Jackson Township Project (Project)	21-203
Table SI-45: Cumulative Plus Jackson Corridor Projects Intersection Geometrics - LOS Deficiencies Triggered by Jackson Township Project (Project) ..	21-204
Table SI-46: Cumulative Plus Jackson Corridor Projects Intersection Levels of Service - LOS Deficiencies Triggered by Jackson Township Project (Alternative 2).....	21-204
Table SI-47: Cumulative Plus Jackson Corridor Projects Intersection Geometrics - LOS Deficiencies Triggered by Jackson Township Project (Alternative 2).....	21-204
Table SI-48a: Cumulative Plus Jackson Corridor Projects Intersection Level of Service - LOS Deficiencies Triggered by Jackson Township (Project) .	21-205
Table SI-48b: Cumulative Plus Jackson Corridor Projects Intersection Level of Service - LOS Deficiencies Triggered by Jackson Township (Project) .	21-205
Table SI-49a: Cumulative Plus Jackson Corridor Projects Intersection Level of Service - LOS Deficiencies Triggered by Jackson Township (Project)	21-206

Table SI-49b: Cumulative Plus Jackson Corridor Projects Intersection Level of Service - LOS Deficiencies Triggered by Jackson Township (Project)	21-206
Table SI-50a: Cumulative Plus Jackson Corridor Projects Intersection Level of Service - LOS Deficiencies Triggered by Jackson Township (Alternative 2)	21-207
Table SI-50b: Cumulative Plus Jackson Corridor Projects Intersection Level of Service - LOS Deficiencies Triggered by Jackson Township (Alternative 2)	21-207
Table SI-51a: Cumulative Plus Jackson Corridor Projects Intersection Level of Service - LOS Deficiencies Triggered by Jackson Township (Alternative 2)	21-207
Table SI-51b: Cumulative Plus Jackson Corridor Projects Intersection Level of Service - LOS Deficiencies Triggered by Jackson Township (Alternative 2)	21-208
Table SI-52: Cumulative Plus Jackson Corridor Projects Functionality - Impacts Triggered by Jackson Township (Project).....	21-213
Table SI-53: Cumulative Plus Jackson Corridor Projects Functionality – Impacts Triggered by Jackson Township (Alternative 2)	21-214
Table SI-54: Cumulative Plus Jackson Corridor Projects Functionality Mitigations - Impacts Triggered by Jackson Township (Project)	21-215
Table SI-55: VMT Analysis Results	21-217
Table SI-56: Planned SCWA Water Supply Expansion Projects	21-220
Table SI-57: Summary of Potential Environmental Impacts from Jackson Bulk Substation Construction and Operation	21-227
Table 22-1: Population Characteristics of Census Tract 90.05 and Sacramento County	22-2
Table 22-2: Demographics of Census Tract 90.05 and Sacramento County	22-2

List of Appendices

INT-1: Initial Study

INT-2: Notice of Preparation and Comments

PD-1: Jackson Township Specific Plan

AQ-1: Air Quality Mitigation Plan and Greenhouse Gas Reduction Plan

AQ-2: Analysis of Potential Health Effects Related to the Air Quality Effects of the Jackson Township Specific Plan

AQ-3: Air Quality Health Effects Assessment of the Sacramento Raceway

AQ-4: Potential Odors from the Sacramento Rendering Company at the Proposed Jackson Township Development

BR-1: Biological Resources Assessment

BR-2: Special-Status Species Descriptions

BR-3: South Sacramento Habitat Conservation Plan Conditions Avoidance and Minimization Measures

CC-1: GHG Emissions from the Existing Sacramento Raceway

EN-1: Energy Consumption Estimates

HM-1: Phase 1 Environmental Site Assessment

HYD-1: Drainage Report

HYD-2: Climate Change Technical Evaluation

NOI-1: Environmental Noise Analysis

TR-1: Transportation Impact Report

TR-2: Transportation Mitigation Strategy

TR-3: Jackson Township Specific Plan Revised VMT Analysis

TR-4: Roadway and Bicycle Network Characteristics Assumed in the Travel Demand Model for the VMT Analysis

WS-1: Potable Water System Study

WS-2: Water Supply Assessment

WS-3: Zone 40 Water Supply Master Plan Amendment

RTC-1: Comments on the Draft and Recirculated Draft EIR

EXECUTIVE SUMMARY

This Environmental Impact Report (EIR) describes the potential environmental impacts of developing the Jackson Township Specific Plan (referred to throughout this ~~Recirculated Draft EIR~~ as the Project). The purpose of an EIR is to evaluate the project's effects on environmental resources, both singularly and in a cumulative context, to examine alternatives to the Project as proposed, and identify mitigation measures to reduce or avoid potentially significant effects. The Draft EIR was prepared in compliance with the California Environmental Quality Act (CEQA; Sections 21000-21189 of the Public Resources Code [PRC]) and the State CEQA Guidelines (Title 14, Sections 15000-15387 of the California Code of Regulations). This ~~Recirculated Draft~~ Final EIR is part of the ongoing environmental review process for the Project and has been prepared to address public comments, clarify and expand upon the analysis in the Draft EIR, and reflect the updated regulatory context.

SUMMARY OF THE PROPOSED PROJECT

The Project is a specific plan for the development of 1,391 acres in unincorporated Sacramento County (hereinafter referred to as the Plan Area). The Project includes a land use plan that would provide for a range of different uses, including a variety of residential, public, park, open space, and employment-generating uses such as office, commercial, and retail. The Project is intended to provide for a diverse community that can accommodate a wide range of residents in various housing types in proximity to existing and planned job centers, including new jobs created within the Plan Area. The Plan Area has been designed to create two distinctive “hubs” that would serve as the focus of the community and allow for people to live, work, shop, and recreate in the same place: a Town Center along Jackson Road and a smaller village along Excelsior Road at the northwest corner of the Plan Area.

Another key feature of the Plan Area is a large, centrally located greenway/drainage corridor with a trail on one side that has been designed to provide easy, non-vehicular linkages from one end of the community to the other. Most residential units within the Plan Area would be located within 0.25 mile of an open space area, park, or linear parkway; and within 0.5 mile of retail and employment land uses. In addition, much of the eastern portion and the area north of Kiefer Boulevard in the Plan Area would be a wetland and habitat preserve. The proposed preserve location is part of a regional wetland and habitat conservation strategy that was developed by the County as part of the South Sacramento Habitat Conservation Plan process.

ALTERNATIVE 2: SSHCP-CONSISTENT WETLAND PRESERVE

As described in Chapter 3, “Alternatives,” of the Draft EIR, Alternative 2 was developed to address concerns over the potential loss of some wetlands and habitat areas located east of the future Grenville Drive adjacent to, but outside of, the wetland preserve proposed as part of the Project. The wetland preserve in Alternative 2 was designed to be consistent

with the South Sacramento Habitat Conservation Plan (SSHCP) preserve boundary. Under this alternative, a large portion of the area designated as Low Density Residential as part of the Project would be included as an additional wetland preserve area. To account for the loss of land designated for Low Density Residential to accommodate the additional preserve area, one of the large parcels adjacent to Kiefer Road would change from Medium Density Residential to Low Density Residential, which would result in an increase in the amount of Low Density Residential and a decrease in Medium Density Residential. In addition, approximately 35.1 acres of land intended to remain designated as Agriculture under the Project would be re-designated to Low Density Residential. Aside from those changes, the land use plan would remain consistent with the land use plan for the Project.

Overall, Alternative 2 would increase the size of the wetland preserve from 214.3 acres to approximately 259.8 acres and would preserve a cluster of additional vernal pools, for an additional 4.6 acres of waters of the U.S. on property owned by the Applicant. The size of the larger Community Park would increase from 28.6 acres to approximately 30.0 acres. The acreage of Low Density Residential would go from 355.7 acres with 2,134 units under the Project to 382.6 acres with 2,295 units. Land designated for Medium Density Residential would go from 136.3 acres with 1,772 units to 124.5 acres with 1,245 units. Land designated for High Density Residential would go from 85.5 acres with 2,137 units to 82.0 acres with 2,050 units. Like the Project, Alternative 2 would include 100 units on the mixed-use parcel.

The analysis of Alternative 2 can be found along with the Project analysis in Chapters 4 through 20 of the Draft EIR. This equal-level review was done because of uncertainty regarding adoption of the SSHCP, the parallel US Army Corps of Engineers Clean Water Act permitting process being undertaken, and to identify the potential environmental impacts associated with possible land use plan modifications. The Draft EIR concludes that Alternatives 2 and 2A are environmentally superior to the proposed Project because they are consistent with the SSHCP and would reduce impacts to biological resources.

In October of 2019, County staff requested that the Applicant confirm which land use alternative(s) should be used as the basis for staff's continuing analysis of the Project. In January of 2021, the Applicant provided the County with written confirmation of their intent to proceed with Alternative 2.

ALTERNATIVES

Chapter 3, "Alternatives," includes evaluation of eight alternatives to the Jackson Township Specific Plan.

- No Project Alternative
- Alternative 1A: Increased Office Space
- Alternative 1B: Northwest Corner Residential-Commercial Swap

- Alternative 1C: Increased Office with Northwest Corner Residential-Commercial Swap
- Alternative 2: SSHCP-Consistent Wetland Preserve
- Alternative 2A: SSHCP-Consistent Wetland Preserve Thumb with Increased Office
- Alternative 3: Increased Wetland Preserve
- Alternative 4: Centralized Light Industrial

Alternatives 2, 2A, and 3 would slightly reduce impacts to biology, noise, and water supply when compared to the Project and would be consistent with Project Objectives. Although Alternative 3 would result in slightly reduced effects to biological resources due to the larger area set aside for preservation, the parcels north of Kiefer Boulevard remaining industrial would break up continuity of the Mather Preserve and would be inconsistent with the SSHCP. This alternative would also introduce a higher likelihood that industrial uses could be developed adjacent to the existing preserve and near residences (due to access improvements).

Among the alternatives evaluated in this EIR, Alternatives 2 and 2A are environmentally superior because they are consistent with the hardline preserve established in the SSHCP and would reduce impacts to biological resources due to the additional area set aside as wetland preserve. The expansion of the wetland preserve would also result in reduced development in the Plan Area overall, which would reduce effects related to ground disturbance (i.e., effects of wind erosion on air quality during construction) and reduce the residents and employees of the Plan Area, which would reduce demand for public services and utilities and decrease VMT. This would result in secondary benefits to air quality, energy use, and noise when compared to the Project. Alternatives 2 and 2A are preferred by the Office of Planning and Environmental Review due to their consistency with the SSHCP.

AREAS OF CONTROVERSY AND ISSUES TO BE RESOLVED

A notice of preparation (NOP) of a Draft EIR was circulated to the public on July 19, 2013, in accordance with the State CEQA Guidelines. A public scoping meeting was held on August 29, 2013. The purpose of the NOP and the scoping meeting was to provide notification that an EIR for was being prepared for the project and to solicit input on the scope and content of the environmental document. The NOP and responses to the NOP are included in Appendix INT-2.

Key areas of concern identified during the public outreach process and through responses to the NOP and comments received at the August 2013 scoping meeting were traffic congestion, consistency with the South Sacramento Habitat Conservation Plan, and water supply. Other areas of controversy have included the methodology use in the greenhouse gas analysis and the status of the County's Climate Action Plan.

Issues to be resolved include choosing among alternatives to the Project. Additionally, if it adopts the project, the Sacramento County Board of Supervisors must decide whether specific social, economic, or other benefits of the Project outweigh its significant unavoidable environmental impacts; if so, the Board of Supervisors must adopt a Statement of Overriding Considerations.

ORGANIZATION OF THE DRAFT ENVIRONMENTAL IMPACT REPORT

The remainder of this document includes a detailed description of the Project, analysis of potential environmental impacts that could result from Project implementation, discussion of cumulative and growth-inducing impacts, and evaluation of potential alternatives to the Project. This information is organized as detailed below.

Chapter 2: Describes the location of the Project, Project background, existing conditions in the Plan Area, and the nature and location of specific elements of the Project.

Chapter 3: Describes feasible alternatives to the Project, including the no project alternative, describing the consequences of taking no action.

Chapters 4 through 20: Include a topic-by-topic analysis of impacts that would or could result from Project implementation. Each chapter includes a discussion of the environmental and regulatory setting, impact analysis, and mitigation measures.

Chapter 21: Provides an overview of the environmental evaluation, including impact conclusions and cumulative impacts.

Chapter 22: Provides additional analysis about the Project's potential effects in the region, including socioeconomic considerations, potential growth inducement, and environmental justice issues.

Chapter 23: Lists all resources used to prepare the Draft EIR.

Chapter 24: Identifies preparers of the Draft EIR.

The appendices contain several reference items providing support and documentation of the analyses performed for this report.

IMPACT AND MITIGATION SUMMARY TABLE

The following environmental impact and mitigation summary table (Table ES-1) briefly describes the Project impacts and the mitigation measures recommended to eliminate or reduce the impacts. The residual impact after mitigation is also identified.

Immediately following the summary table is a list of recommendations/requirements of various agencies pertaining to the project, and a description of mandated mitigation monitoring requirements. Detailed discussions of each of the identified impacts and mitigation measures, including pertinent support data, can be found in the specific topic chapters in the remainder of this report.

Table ES-1: Executive Summary of Impacts and Mitigation

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
AESTHETICS			
IMPACT: SUBSTANTIALLY DEGRADE EXISTING VISUAL CHARACTER OR QUALITY	Proposed Project = S Alt. 2 = S	No mitigation is available.	Proposed Project = SU Alt. 2 = SU
IMPACT: NEW SOURCES OF LIGHT	Proposed Project = S Alt. 2 = S	No mitigation is available.	Proposed Project = SU Alt. 2 = SU
IMPACT: NEW SOURCES OF GLARE	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
AGRICULTURAL RESOURCES			
IMPACT: CONVERT PROTECTED ONSITE FARMLAND TO NON-AGRICULTURAL USES	Proposed Project = S Alt. 2 = S	AG-1: Prior to Sacramento County's approval of onsite grading permits or improvement plans, building permits, or recordation of the final map within the portion of the Plan Area where Prime or Local Importance Farmland is impacted, whichever occurs first, the Project Applicant developers of the Jackson Township Specific Plan shall demonstrate that adequate land has been set aside through participation in the South Sacramento Habitat Conservation Plan to offset the loss of Important Farmland within the portion of the Plan Area proposed for development. Acreage of land preserved shall, at a minimum, result in a 1:1 preservation ratio for the portion of the Plan Area under consideration. <u>through 1:1 preservation of farmland within a permanent conservation easement. The impact acreage requiring offset shall be based on the most current FMMP at the time of the County's approval. Preservation land must be in-kind or of similar resource value.</u>	Proposed Project = SU Alt. 2 = SU

¹ S = Significant

SU = Significant and Unavoidable

LTS = Less Than Significant

NA = Not Applicable

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
IMPACT: CONFLICT WITH EXISTING, ADJACENT AGRICULTURAL USE AND ZONING	Proposed Project = LTS Alt. 2 = LTS	AG-2: To ensure compliance with Sacramento County General Plan Policy AG-4, all prospective buyers of properties within 500 feet to the east of Excelsior Road and north of Jackson Road shall receive a recorded notice that would appear in the Title Report that they could be subject to inconvenience or discomfort resulting from accepted farming activities as per provisions of the Sacramento County Right-To-Farm Ordinance.	Proposed Project = LTS Alt. 2 = LTS
AIR QUALITY			
IMPACT: CONSTRUCTION EMISSIONS OF CRITERIA AIR POLLUTANTS AND PRECURSORS (ROG, NO _x , PM ₁₀ , AND PM _{2.5})	Proposed Project = S Alt. 2 = S	<p>AQ-1a: For all future land use development applications processed within the Plan Area, the Project Applicant, its designee, or subsequent developer(s), shall require its construction contractors to implement SMAQMD's Basic Construction Emission Control Practices in place at the time of construction, which currently include the following:</p> <ul style="list-style-type: none"> • water all exposed surfaces two times daily. Exposed surfaces include, but are not limited to soil piles, graded areas, unpaved parking areas, staging areas, and access roads; • cover or maintain at least two feet or of free board space on haul trucks transporting soil, sand, or other loose material on the site. Any haul trucks that would be traveling along freeways or major roadways should be covered; • use wet power vacuum street sweepers to remove any visible trackout mud or dirt onto adjacent public roads at least once a day. Use of dry power sweeping is prohibited; • limit vehicle speeds on unpaved roads to 15 miles per hour (mph); • complete construction of all roadways, driveways, sidewalks, parking lots as soon as possible. In addition, building pads should be laid as soon as possible after grading unless seeding or soil binders are used; • minimize idling time either by shutting equipment off when not in use or reducing the time of idling to 5 minutes [required by California Code of Regulations, Title 13, sections 2449(d)(3) and 	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p>2485]. Provide clear signage that posts this requirement for workers at the entrances to the site; and</p> <ul style="list-style-type: none"> maintain all construction equipment is in proper working condition according to manufacturer's specifications. The equipment must be checked by a certified mechanic and determined to be running in proper condition before it is operated. <p>These measures shall be included in Project improvement plans as a condition of approval.</p> <p>AQ-1b: The Project Applicant, its designee, or subsequent developer(s), shall implement SMAQMD's Enhanced Exhaust Control Practices for NO_x and exhaust PM emissions. Before the issuance of grading and/or building permits, Project Applicant, or its designee, shall submit to the County and SMAQMD an initial report of all off-road construction equipment, equal to or greater than 50 horsepower, that will be used 8 hours or more during any portion of the construction project before any grading activities. The initial report shall include the horsepower rating, engine model year, and projected hours of use for each piece of equipment. The Project Applicant shall provide the anticipated construction timeline including start date, and name and phone number of the project manager and on-site foreman. The information shall be submitted at least 4 business days before the use of subject heavy-duty off-road equipment. The report shall be updated and submitted monthly throughout the duration of the project, except that an inventory shall not be required for any 30-day period in which no construction activity occurs.</p> <p>Before any grading activities, the Project Applicant, or its designee, shall provide a plan for approval by the County and SMAQMD demonstrating that the heavy-duty off-road vehicles (50 horsepower or more) to be used in the construction project, including owned, leased, and subcontractor vehicles, will achieve a project-wide fleet-average of 10 percent NO_x reduction (depending on available technology and engine Tier) compared to the most recent CARB fleet average. This plan shall be submitted in conjunction with the equipment inventory. Acceptable options for reducing emissions may include use of late model engines, low-emission diesel products, alternative fuels, engine retrofit technology, after-treatment</p>	

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p>products, and/or other options as they become available. If achievement of the aforementioned reductions over the statewide average are deemed infeasible by the County, SMAQMD, or construction contractor, the Applicant shall ensure the construction fleet meets the lowest fleetwide emissions average possible, through the use of all available on-site emissions reduction measures (e.g., highest tier engines, emission control devices, cleaner burning fuel).</p> <p>The Project Applicant, or its designee, shall submit a final report at the end of the job, phase, or calendar year, as pre-arranged with SMAQMD staff and documented in the approval letter, to demonstrate continued project compliance. If modeled construction-generated emissions of NO_x are not reduced to a level below SMAQMD's thresholds of significance by the application of the aforementioned mitigation measures, then the project developer must pay a mitigation fee into SMAQMD's off-site mitigation program. By paying the appropriate off-site mitigation fee, construction-generated emissions of NO_x would be reduced to a less-than-significant level. The fee calculation to offset daily NO_x emissions shall be based on the SMAQMD-determined cost to reduce one ton of NO_x applicable at the time (currently \$30,000 per ton but subject to change in future years).</p> <p>Once initial construction activities are finalized by the developer, and before the issuance of grading and/or building permits, quantification of construction-related emissions shall be verified at the project level. As each project-level construction phase is finalized throughout the duration of the project buildout, the mitigation fee shall be calculated based on current information, available construction equipment, and proposed construction activities. As construction activities occur over the buildout period, the developer shall work with SMAQMD to continually update mitigation fees based on actual on-the-ground emissions. The final mitigation fees shall be based on the contractor equipment report provided by the developer to SMAQMD and shall reconcile any fee discrepancies due to schedule adjustments and increased or decreased equipment inventories. Equipment inventories and NO_x emission estimates for subsequent construction phases shall be coordinated with SMAQMD, and the off-site mitigation fee measure shall be assessed to</p>	

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		any construction phase that would result in an exceedance of SMAQMD's mass emission threshold for NO _x .	
IMPACT: LONG-TERM OPERATIONAL EMISSIONS OF CRITERIA POLLUTANTS AND PRECURSORS (ROG, NO _x , PM ₁₀ , AND PM _{2.5})	Proposed Project = S Alt. 2 = S	<p>AQ-2a: If the Project is approved (<u>instead of Alternative 2, which is the subject of the AQMP in Appendix AQ-1</u>), the Project Applicant or subsequent developer(s) shall prepare an AQMP that demonstrates a 35 percent reduction from an "unmitigated" project scenario consistent with guidance from SMAQMD for the Project within 6 months following approval. The AQMP shall compare the Project's emissions using vehicle miles traveled (VMT) values from a traffic study conducted for the Project against an "unmitigated" scenario that utilizes default VMT values using the latest version of the California Emissions Estimator Model (CalEEMod) computer program. If the comparison does not demonstrate a 35 percent reduction, the Project Applicant shall develop feasible on-site reduction measures that reduce emissions to meet the 35 percent reduction target as mandated by SMAQMD. The AQMP shall undergo review by SMAQMD and shall only be applied to the Project following formal verification from SMAQMD in letter form. This measure shall apply only to the Project as proposed and would not apply to Alternative 2, because SMAQMD verified the technical adequacy of the AQMP prepared for Alternative 2 on June 12, 2019 <u>August 30, 2022</u>.</p> <p>AQ-2b: Alternative 2 shall include the following quantifiable reduction measures included in the AQMP prepared for Alternative 2 (Appendix AQ-1 of the EIR), which would reduce Alternative 2's operational criteria air pollutants and ozone precursors by <u>at least</u> 35 percent in comparison to the "unmitigated" Alternative 2, as conditions of approval:</p> <p><u>Transportation</u></p> <ul style="list-style-type: none"> The Project Applicant or subsequent developer(s) shall implement a program to provide a non-revocable funding mechanism (<u>administered and funded through a finance plan between the Project Applicant and the County</u>) to that would pay for bus and/or shuttle operations between the project and the Manlove Light Rail Station. The nonrevocable funding mechanism would be administered by the County <u>under contract with Regional Transit</u> and would provide residents and employees of Jackson Township 	Proposed Project = SU Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p>Alternative 2 with transit passes that would access the entire Regional Transit system.</p> <ul style="list-style-type: none"> The Project Applicant or subsequent developer(s) shall install at least 40 <u>15</u> percent of all parking spaces with <u>Tier 2 or an equivalent standard</u> electric vehicle (EV) charging stations at commercial, retail, and office parking lots. and up to <u>In addition, the Project Applicant and EGUSD would establish an agreement to provide for at least 5 percent EV charging stations at school parking lots or an alternative method to achieve equivalent reductions</u> for Alternative 2. Each EV charging station shall have 2 connections. <u>In total, this will result in the Plan Area providing 805 EV charging stations serving 1,610 non-residential parking spaces.</u> The Project Applicant or subsequent developer(s) shall prewire all single-family housing low density and medium density dwelling units (3,540 dwelling units for Alternative 2) <u>plus 10 77 percent of the high density multi-family residential housing (10 percent of 2,050 dwelling units for Alternative 2, or 205 units in high density housing)</u> to be conducive to installation of electric charging stations of Tier 2 or an equivalent standard. <p><u>Energy</u></p> <ul style="list-style-type: none"> The Project Applicant or subsequent developer(s) shall install energy efficient <u>electric</u> boilers as applicable in high-density housing (mid-rise apartments), discount club, office, high school, and supermarket land uses for Alternative 2. The Project Applicant or subsequent developer(s) shall install electric hot water heaters in all single and multi-family housing units (low, medium, and high density), or a total of 5,690 dwelling units for Alternative 2. <p><u>Project Design</u></p> <ul style="list-style-type: none"> The Project Applicant or subsequent developer(s) shall install low-flow bathroom, kitchen, and shower fixtures; and low-flow toilets in all residential units and commercial buildings. 	

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<ul style="list-style-type: none"> The Project Applicant or subsequent developer(s) shall reduce the total square footage of residential turf associated with increased housing density. The Project Applicant or subsequent developer(s) shall install water efficient irrigation systems and water efficient landscaping for non-residential areas. The Project Applicant or subsequent developer(s) shall preserve wetlands and create new greenbelts, parking, and other vegetative areas totaling approximately 400 acres for Alternative 2. The Project Applicant or subsequent developer(s) shall reduce VMT through membership in a Transportation Management Association (TMA). (This measure is also included as a component of Mitigation Measure TR-2 in Chapter 20, "Traffic and Circulation," which identifies participation in a TMA as a Trip Reduction Service option to reduce the Project's VMT.) 	
IMPACT: CRITERIA POLLUTANT HEALTH RISKS	Proposed Project = NA Alt. 2 = NA	No mitigation is required.	Proposed Project = NA Alt. 2 = NA
IMPACT: MOBILE-SOURCE CO CONCENTRATIONS	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: EXPOSURE OF SENSITIVE RECEPTORS TO TACS	Proposed Project = S Alt. 2 = S	<p>AQ-3: Before Design Review approval, the Project Applicant, its designee, or subsequent developer(s), shall implement design features to reduce TAC exposure during operation.</p> <ul style="list-style-type: none"> Consistent with guidance in CARB's <i>Air Quality and Land Use Handbook</i>, proposed commercial and educational land uses that have the potential to emit TACs or host TAC-generating activity (e.g., loading docks that accommodate more than 100 trucks per day, more than 40 trucks with operating transport refrigeration units per day, or where transport refrigeration unit operations exceed 300 hours per week) shall be located at least 1,000 feet from existing and proposed on-site sensitive receptors (<u>i.e., residential dwellings, schools, hospitals, playgrounds, nursing homes, senior care and</u> 	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p>living centers, and similar facilities) as possible such that they do not expose sensitive receptors to TAC emissions that exceed an incremental increase of 10 in 1 million for the cancer risk and/or a noncarcinogenic Hazard Index of 1.0 (CARB 2005).</p> <ul style="list-style-type: none"> • Loading dock design shall incorporate the use of buildings or walls to shield commercial activity from nearby residences or other sensitive land uses. • Signs shall be posted at all loading docks and truck loading areas which indicate that diesel-powered delivery trucks must be shut off when not in use for longer than 5 minutes on the premises to reduce idling emissions. • Sensitive receptors, such as residential units and daycare centers, shall not be in the same building as dry cleaning operations that use perchloroethylene. Dry cleaning operations that use perchloroethylene shall not be located within 300 feet of any sensitive receptor. A setback of 500 feet shall be provided for operations with two or more machines. • Plant and maintain a vegetative buffer between the truck loading/unloading facility and nearby sensitive residences, schools, <u>nursing homes, senior care and living centers, hospitals, playgrounds</u> and daycare facilities. As part of detailed site design, a landscape architect licensed by the California Landscape Architects Technical Committee shall identify all locations where trees should be located, accounting for areas where shade is desired such as along pedestrian and bicycle routes, the locations of solar photovoltaic panels, and other infrastructure. <u>Special consideration shall be given to SMAQMD's Recommended Guidance for Improving Air Quality Near Roadways: Plant Species and Best Practices for the Sacramento Region.</u> 	
IMPACT: CONSISTENCY WITH AN APPLICABLE AIR QUALITY PLAN	Proposed Project = S Alt. 2 = S	AQ-4: The Project Applicant, or subsequent developer(s), shall implement Mitigation Measures AQ-1a, AQ-1b, and AQ-2a (for the Proposed Project) and or AQ-2b (for Alternative 2) to reduce emissions to the extent feasible.	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
IMPACT: EXPOSURE TO OBJECTIONABLE ODORS	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
Airport Compatibility			
IMPACT: SAFETY HAZARDS TO PEOPLE LIVING AND WORKING IN THE VICINITY OF AN AIRPORT	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: EXPOSURE TO EXCESSIVE NOISE LEVELS ASSOCIATED WITH AIRPORT OPERATIONS	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: EFFECTS ON SAFE AND EFFICIENT USE OF NAVIGABLE AIRSPACE	Proposed Project = S Alt. 2 = S	AC-1: Upon acceptance of a complete application for development within the Plan Area, staff from the Sacramento County Office of Planning and Environmental Review shall transmit the completed Project application to the ALUC.	Proposed Project = LTS Alt. 2 = LTS
BIOLOGICAL RESOURCES			
IMPACT: LOSS OF HABITAT FOR VERNAL POOL INVERTEBRATES	Proposed Project = S Alt. 2 = S	BR-1: Obtain coverage for the Project under the SSHCP. In addition to payment of development fees and dedication of land in accordance with the SSHCP, the Project Applicant <u>developers of the Jackson Township Specific Plan</u> shall implement all applicable Avoidance and Minimization Measures codified in the SSHCP at the time permits are obtained. Draft Avoidance and Minimization Measures currently provided in the SSHCP are included in Appendix BR-3.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: SPECIAL-STATUS PLANTS	Proposed Project = S Alt. 2 = S	Implement Mitigation Measure BR-1.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: LOSS OF HABITAT FOR VALLEY ELDERBERRY LONGHORN BEETLE	Proposed Project = S Alt. 2 = S	Implement Mitigation Measure BR-1.	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
IMPACT: LOSS OF BURROWING OWLS AND HABITAT	Proposed Project = S Alt. 2 = S	Implement Mitigation Measure BR-1.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: LOSS OF TRICOLORED BLACKBIRD NESTING AND FORAGING HABITAT	Proposed Project = S Alt. 2 = S	Implement Mitigation Measure BR-1	Proposed Project = LTS Alt. 2 = LTS
IMPACT: LOSS OF SWAINSON'S HAWK FORAGING HABITAT	Proposed Project = S Alt. 2 = S	Implement Mitigation Measure BR-1.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: LOSS OF SWAINSON'S HAWK NESTING HABITAT	Proposed Project = S Alt. 2 = S	Implement Mitigation Measure BR-1.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: DISTURBANCE OR LOSS OF OTHER SPECIAL-STATUS BIRD NESTS	Proposed Project = S Alt. 2 = S	<p>BR-2: To avoid impacts to special-status nesting non-raptors <u>birds</u> the following shall apply:</p> <ol style="list-style-type: none"> 1. If construction activity (which includes clearing, grubbing, or grading) is to commence within 500 feet of nesting habitat between February 1 and August 31, a survey for active migratory bird nests shall be conducted no more than 14 day before construction by a qualified biologist. 2. Trees slated for removal shall be removed during the period of September through January, to avoid the nesting season. Any trees that are to be removed during the nesting season, which is February through August, shall be surveyed by a qualified biologist and will only be removed if no active nests are found. 3. If active nest(s) are found in the survey area, a non-disturbance buffer, the size of which has been determined by a qualified biologist, shall be established and maintained around the nest to prevent nest failure. All construction activities shall be avoided within this buffer area until a qualified biologist determines that nestlings have fledged, or until September 1. If construction activities cause the nesting bird to vocalize, make defensive flights at intruders, get up from a brooding position, or fly off the nest, then the no-disturbance buffer shall be increased until the agitated behavior ceases. 	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		And, Implement Mitigation Measure BR-1.	
IMPACT: LOSS OF FORAGING HABITAT FOR OTHER SPECIAL-STATUS BIRDS	Proposed Project = S Alt. 2 = S	Implement Mitigation Measure BR-1.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: LOSS OF COMMON RAPTOR AND OTHER COMMON BIRD NESTS	Proposed Project = S Alt. 2 = S	<p>BR-3: The Project Applicant and all future proponents of development on non-participating properties shall implement the following measures to avoid the removal of active raptor nests.</p> <ul style="list-style-type: none"> For project activities, including tree removal, that begin between March 1 and September 15, qualified biologists will conduct preconstruction surveys for nesting raptors and to identify active nests on and within 0.5 mile of the project site. Impacts to nesting raptors will be avoided by establishing appropriate buffers around active nest sites identified during preconstruction raptor surveys. No project activity will commence within the buffer areas until a qualified biologist has determined, in coordination with CDFW, the young have fledged, the nest is no longer active, or reducing the buffer would not likely result in nest abandonment. CDFW guidelines recommend implementation of a buffer of 500-feet for raptors unless there is a species- specific buffer, but the size of the buffer may be adjusted if a qualified biologist, in consultation with CDFW, determines that such an adjustment would not be likely to adversely affect the nest. Monitoring of the nest by a qualified biologist during and after construction activities will be required if the activity has potential to adversely affect the nest. If construction activities cause the nesting bird to vocalize, make defensive flights at intruders, get up from a brooding position, or fly off the nest, then the no-disturbance buffer shall be increased until the agitated behavior ceases. Trees will not be removed during the breeding season for nesting raptors unless a survey by a qualified biologist verifies that there is not an active nest in the tree. 	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		And, Implement Mitigation Measures BR-1 and BR-2.	
IMPACT: LOSS OF AMERICAN BADGER <u>AND</u> DENS	Proposed Project = S Alt. 2 = S	Implement Mitigation Measure BR-1.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: LOSS OF SPECIAL-STATUS BAT ROOSTS	Proposed Project = S Alt. 2 = S	<p>BR-4: The Project Applicant or subsequent developer(s) shall implement the following measures to minimize pallid bat mortality due to roost disturbance or destruction.</p> <ul style="list-style-type: none"> • If suitable roosting habitat for pallid bat will be affected by Project construction (e.g., removal of trees or buildings, modification of bridges/box culverts), a qualified wildlife biologist will conduct surveys for pallid bat during the appropriate time of year to maximize detectability to determine if pallid bats are roosting near the work area no less than 7 days and no more than 14 days before beginning vegetation removal, ground disturbance, and/or construction. Survey methodology may include visual surveys of bats (e.g., observation of bats during foraging period), inspection for suitable habitat, bat sign (e.g., guano), or use of ultrasonic detectors (e.g., Anabat, etc.). Visual surveys will include trees within 0.25 mile of Project construction activities if the potential roost could be disturbed by construction activity. If the potential roost is separated from the construction site by topographic, vegetation, structural, or other visual barriers or by areas of routine human disturbances that are greater than the project construction disturbances, surveys of those potential roosts will not be necessary. The type of survey will depend on the condition of the potential roosting habitat. If no bat roosts are found, then no further study is required. • If evidence of pallid bat or other special-status bat use is observed, the number and species of bats using the roost will be determined. Bat detectors may be used to supplement survey efforts. • If roosts are determined to be present and must be removed, the bats will be excluded from the roosting site before the facility is 	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p>removed. A mitigation program addressing compensation, exclusion methods, and roost removal procedures will be developed and submitted to CDFW for approval, before implementation. Exclusion methods may include use of one-way doors at roost entrances (bats may leave, but not reenter), or sealing roost entrances when the site can be confirmed to contain no bats. Exclusion efforts may be restricted during periods of sensitive activity (e.g., during hibernation or while females in maternity colonies are nursing young). Loss of roosting habitat may be compensated with permanent, elevated bat houses or condos installed outside of, but near the construction area. Placement and height shall be determined based on species evicted or as determined by a qualified biologist in consultation with CDFW. Bat houses will be multi-chambered and be purchased or constructed in accordance with CDFW standards. The number of bat houses required will be dependent upon the size and number of colonies found, but at least one bat house will be installed for each pair of bats (if occurring individually), or of sufficient number to accommodate each colony of bats to be relocated.</p> <p>And, Implement Mitigation Measure BR-1.</p>	
IMPACT: LOSS OF WESTERN POND TURTLE HABITAT AND INDIVIDUALS	Proposed Project = S Alt. 2 = S	Implement Mitigation Measure BR-1.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: LOSS OF WESTERN SPADEFOOT HABITAT AND INDIVIDUALS	Proposed Project = S Alt. 2 = S	Implement Mitigation Measure BR-1.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: LOSS OF WETLANDS AND OTHER WATERS	Proposed Project = S Alt. 2 = S	Implement Mitigation Measure BR-1 and comply with USACE 404 permit strategy.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: DISTURBANCE OF RIPARIAN HABITATS	Proposed Project = S Alt. 2 = S	BR-5: If Project activities will disturb the bed, bank, or associated riparian vegetation of any stream or pond on the Plan Area, the Project Applicant or subsequent developers of the specific plan shall notify the CDFW	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		pursuant to Section 1602 of the Fish and Game Code before engaging in such activities. If appropriate, the Project Applicant or subsequent developers of the specific plan shall enter into a Streambed Alteration Agreement with CDFW and coordinate with CDFW in developing appropriate mitigation at a minimum 1:1 ratio of habitat lost or degraded to habitat restored and should abide by the conditions of any executed agreements.	
IMPACT: INTERFERENCE WITH THE MOVEMENT OF ANY NATIVE RESIDENT OR MIGRATORY SPECIES	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: LOSS OF NATIVE TREES	Proposed Project = S Alt. 2 = S	<p>BR-6: Before execution of any and all development projects within the Plan Area, the Project Applicant or subsequent developer(s) shall submit an arborist report for the project impact areas when appropriate habitat exists. The report shall be prepared by an ISA certified arborist and include the species, diameter, dripline, and health of all trees found within the project impact area. The report shall include an exhibit that shows the trees and their driplines in proximity to the project improvements. The report shall identify any tree proposed for removal and shall quantify any encroachment from project equipment or facilities within driplines of any tree. All native trees identified shall be mitigated for as follows:</p> <p>A. With the exception of the oak trees removed and compensated for through Part B below, all healthy native oak trees that are 6 inches dbh or larger on the Plan Area, all portions of adjacent off-site healthy native oak trees that are 6 inches dbh or larger which have driplines that extend onto the Plan Area, and all off-site healthy native oak trees that are 6 inches dbh or larger which may be impacted by utility installation and/or improvements associated with this Project, shall be preserved and protected as follows:</p> <p>1. A circle with a radius measurement from the trunk of the tree to the tip of its longest limb shall constitute the dripline protection area of the tree. Limbs must not be cut back to change the dripline. The area beneath the dripline is a critical portion of the root zone and</p>	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p>defines the minimum protected area of the tree. Removing limbs which make up the dripline does not change the protected area.</p> <ol style="list-style-type: none"> 2. Chain link fencing or a similar protective barrier shall be installed 1 foot outside the driplines of the oak trees before initiating project construction, to avoid damage to the trees and their root systems. 3. Any removal of paving or structures (i.e., demolition) that occurs within the dripline of a protected oak tree shall be done under the direct supervision of a certified arborist. To the maximum extent feasible, demolition work within the dripline protection area of the oak tree shall be performed by hand. If the certified arborist determines that it is not feasible to perform some portion(s) of this work by hand, then the smallest/lightest weight equipment that will adequately perform the demolition work shall be used. 4. No signs, ropes, cables (except cables which may be installed by a certified arborist to provide limb support) or any other items shall be attached to the oak trees. 5. No vehicles, construction equipment, mobile home/office, supplies, materials or facilities shall be driven, parked, stockpiled or located within the dripline of the oak trees. 6. Any soil disturbance (scrapping, grading, trenching, and excavation) is to be avoided within the dripline of the oak trees. Where this is necessary, an ISA Certified Arborist will provide specifications for this work, including methods for root pruning, backfill specifications and irrigation management guidelines. 7. Before grading, excavation or trenching within 5 feet outside the driplines of protected oak trees, root pruning shall be required at the limits of grading or excavation to cut roots cleanly to a depth of the excavation or 36 inches (whichever is less). Roots shall be cut by manually digging a trench and cutting exposed roots with a saw, vibrating knife, rock saw, narrow trencher with sharp blades or other approved root-pruning equipment under the supervision of an ISA Certified Arborist. 8. All underground utilities and drain or irrigation lines shall be routed outside the driplines of oak trees. If lines must encroach upon the 	

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p>dripline, they should be tunneled or bored under the tree under the supervision of a certified arborist.</p> <p>9. Any herbicides placed under paving materials must be safe for use around trees and labeled for that use. Any pesticides used on site must be tree-safe and not easily transported by water.</p> <p>10. Drainage patterns on the site shall not be modified so that water collects or stands within, or is diverted across, the dripline of the oak tree.</p> <p>11. No sprinkler or irrigation system shall be installed in such a manner that it sprays water within the dripline of the oak tree.</p> <p>12. Tree pruning required for clearance during construction must be performed by an ISA Certified Arborist or Tree Worker.</p> <p>13. Landscaping beneath the oak tree may include non-plant materials such as boulders, decorative rock, wood chips, organic mulch, non-compacted decomposed granite, etc. Landscape materials shall be kept 2 feet away from the base of the trunk. The only plant species which shall be planted within the dripline of the oak tree are those which are tolerant of the natural semi-arid environs of the trees. Limited drip irrigation approximately twice per summer is recommended for the understory plants.</p> <p>B. To the maximum extent feasible, all on-site healthy native oak trees shall be protected and preserved. Any substantial (>20%) encroachment and/or removal of native oak trees shall be compensated by planting native trees (valley oak/<i>Quercus lobata</i>, interior live oak/<i>Quercus wislizenii</i>, blue oak/<i>Quercus douglasii</i>), equivalent to the dbh inches lost, based on the ratios listed below, at locations that are authorized by the Environmental Coordinator. Encroachment of over 20 percent within the dripline radius of native trees will require compensatory mitigation based on the percentage of encroachment multiplied by the dbh. Encroachment over 50 percent will require compensation for the entire tree.</p> <p>Equivalent compensation based on the following ratio is required:</p> <ul style="list-style-type: none"> one D-pot seedling (40 cubic inches or larger) = 1 inch dbh 	

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<ul style="list-style-type: none"> • one 15-gallon tree = 1 inch dbh • one 24-inch box tree = 2 inches dbh • one 36-inch box tree = 3 inches dbh <p>Replacement tree planting shall be completed before the issuance of building permits or a bond shall be posted by the Project Applicant to provide funding for purchase, planting, irrigation, and 3-year maintenance period, should the Project Applicant default on replacement tree mitigation. The bond shall be in an amount equal to the prevailing rate of the County Tree Preservation Fund.</p> <p>Before the approval of Improvement Plans or building permits, a Replacement Oak Tree Planting Plan shall be prepared by a certified arborist or licensed landscape architect and shall be submitted to the Environmental Coordinator for approval. The Replacement Oak Tree Planting Plan(s) shall include the following minimum elements:</p> <ol style="list-style-type: none"> 1. Species, size and locations of all replacement plantings; 2. Method of irrigation; 3. The Sacramento County Standard Tree Planting Detail L-1, including the 10-foot-deep boring hole to provide for adequate drainage; 4. Planting, irrigation, and maintenance schedules; 5. Identification of the maintenance entity and a written agreement with that entity to provide care and irrigation of the trees for a 3-year establishment period, and to replace any of the replacement oak trees which do not survive during that period. <p>No replacement tree shall be planted within 15 feet of the driplines of existing oak trees or landmark size trees that are retained onsite, or within 15 feet of a building foundation or swimming pool excavation. The minimum spacing for replacement oak trees shall be 20 feet on-center. Examples of acceptable planting locations are publicly owned lands, common areas, and landscaped frontages (with adequate spacing). Generally unacceptable locations are utility easements</p>	

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		(PUE, sewer, storm drains), under overhead utility lines, private yards of single-family lots (including front yards), and roadway medians. If oak tree replacement plantings are demonstrated to the satisfaction of the Environmental Coordinator to be infeasible for any or all trees removed, then compensation shall be through payment into the County Tree Preservation Fund. Payment shall be made at a rate of \$325.00 per dbh inch removed but not otherwise compensated, or at the prevailing rate at the time payment into the fund is made.	
IMPACT: LOSS OF NON-NATIVE TREE CANOPY	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: SOUTH SACRAMENTO HABITAT CONSERVATION PLAN CONSISTENCY	Proposed Project = S Alt. 2 = S	Implement Mitigation Measures BR-1 through BR-5.	Proposed Project = SU Alt. 2 = LTS
CLIMATE CHANGE			
IMPACT: PROJECT GREENHOUSE GAS EMISSIONS	Proposed Project = S Alt. 2 = S	CC-1: Developers of the Jackson Township Specific Plan The Project Applicant shall implement the measures contained in the GHGRP prepared for Alternative 2 (deemed technically adequate by SMAQMD on January 7, 2024 August 30, 2022). As evaluated and quantified in the GHGRP, Alternative 2 shall be required to comply with the best management practices (BMPs) included in Tier 1 of SMAQMD's CEQA Guidance. The Tier 1 BMPs are as follows: <ul style="list-style-type: none"> BMP 1: No natural gas (unless exempted by SMAQMD): Projects shall be designed and constructed without natural gas infrastructure. <u>Alternatively, individual developments requiring natural gas infrastructure must demonstrate emissions reductions equivalent to the emissions anticipated from use of natural gas.</u> BMP 2: Electric vehicle (EV) ready: Projects shall meet the current California Green Building Code (CalGreen) Tier 2 standards <u>in place at the time of subsequent small lot tentative subdivision map or design review approval</u>, except all EV capable spaces shall instead be EV ready as defined in the California Green Building 	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p>Code. Further, projects shall provide <u>prewiring of all single-family and 77 percent of high-density multi-family housing to support Tier 2 charging space requirements. To the extent practicable, such spaces shall be evenly distributed throughout the parking area provided.</u></p> <p>The Project shall also be required to comply with the second tier of SMAQMD's updated thresholds, including:</p> <ul style="list-style-type: none"> • BMP 3: Residential projects shall achieve a 15 percent reduction in VMT per resident, and office projects should achieve a 15 percent reduction in VMT per worker compared to existing average VMT per capita for the county, or for the city if a more local SB 743 target has been established. Retail projects should achieve no net increase in total VMT, as required to show consistency with SB 743. <u>To reduce VMT, projects shall implement Mitigation Measures TR-2 and TR-3.</u> <p>These reductions can be achieved by many strategies, such as:</p> <ul style="list-style-type: none"> ○ Locate in an area that already has low VMT due to location, transit service, etc.; ○ Adopt California Air Pollution Control Officers Association measures; ○ Adopt measures noted in Sacramento's CAP checklist; ○ Join a Transportation Management Association; ○ Incorporate traffic calming measures; ○ Incorporate pedestrian facilities and connections to public transportation; and/or ○ Promote electric bicycle or other micro-mobility options. <p>The GHGRP, or on-site mitigation measures, shall demonstrate that the Project's operational emissions would not exceed the applicable thresholds for the aforementioned sectors.</p>	

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p>CC-2: Future developments for residential (tentative maps) and nonresidential projects (Design Review) shall demonstrate consistency with the GHGRP for Alternative 2 <u>by incorporating the following measures included in the GHGRP</u>: Examples of measures that may be used by future development projects include, the following:</p> <ul style="list-style-type: none"> • Multifamily residential buildings, nonresidential buildings, and nonresidential land uses shall design at least to Tier 2 charging space requirements (20 percent of parking spaces). These spaces shall be "EV Ready" instead of "EV Capable." Such spaces shall be evenly distributed throughout the parking area provided; • <u>Elimination of all on-site natural gas (unless exempted by SMAQMD);</u> • <u>Electrification of construction equipment and improved fuel efficiency for equipment to the extent practicable;</u> • <u>Installation of non-residential EV charging stations in 15% of provided parking spaces;</u> • <u>Preservation of vegetated land;</u> • <u>Use of electric landscaping equipment;</u> • Electrifying loading docks to reduce emission from engine idling of Transport Refrigeration Units; • All electric building envelope systems, including water heaters and HVAC systems, or appliances, including clothes dryers and cooking equipment, in commercial developments; • Inclusion of on-site carbon-zero renewable energy systems capable of serving energy needs of any urban development within the Project, including energy needed for streetlights, sewer pumps, drainage pumps, traffic signals, water pumps, and commercial developments; • Residential photovoltaic systems designed to be scalable over time to accommodate varying energy demands; • Nonresidential buildings, and residential buildings of more than three stories, shall include photovoltaic or other on-site renewable 	

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p>energy to provide at least 1 percent of their electrical power demand, in compliance with technical standards specified in CalGreen Appendix 5, section A5.211.1, "On-site renewable energy;"</p> <ul style="list-style-type: none"> • Cool pavement, as defined by the Capital Region Climate Readiness Collaborative and SMAQMD, shall be used for all hard-surfaced roadways, parking areas, walkways, and bicycle paths. High albedo materials shall have reflectance values at a minimum in compliance with requirements of CalGreen Appendix 4, Section A4.106.7, "Reduction of Heat Island Effect for Nonroof Areas." Other cool pavement technologies of equivalent or greater effectiveness may be substituted with approval of Sacramento County and SMAQMD; • Indoor water use efficiency; <u>and</u> • Planting of on-site trees and other native and/or drought tolerant landscaping pursuant to Sacramento County Zoning Code Section 5.2.4; and • Institute a composting and recycling program in excess of local standards. <p>Or,</p> <p>CC-3: If <u>When</u> the County adopts a Communitywide Final Climate Action Plan, future development projects within the Jackson Township Specific Plan shall may incorporate comply with the GHG emissions reductions measures contained therein. Such participation shall be subject to a demonstration that the emissions reductions measures selected are equivalent to or more effective than Mitigation Measures CC-1 and CC-2 for the portion of the Plan Area in question.</p>	
IMPACT: CLIMATE CHANGE EFFECTS ON THE PROJECT	Proposed Project = NA Alt. 2 = NA	No mitigation is required.	Proposed Project = NA Alt. 2 = NA

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
CULTURAL RESOURCES			
IMPACT: CAUSE A SUBSTANTIAL ADVERSE CHANGE IN THE SIGNIFICANCE OF A HISTORICAL RESOURCE	Proposed Project = S Alt. 2 = S	<p>CR-1: Cultural resources studies shall be prepared for each future development application for non-participating properties, the property containing P-34-2106, and the 25-acre parcel within the Plan Area. All cultural resources studies shall be prepared by a cultural resources professional that meets the Secretary of the Interior's Professional Qualifications Standards. Studies should include a full pedestrian survey of the subject property.</p> <p>A historic resource evaluation report shall be completed prior to development of the 25-acre property added to the Excelsior Estates APE that provides an eligibility analysis for the historic structures located within that property. The studies should provide mitigation strategies where required for resources.</p>	Proposed Project = LTS Alt. 2 = LTS
IMPACT: CAUSE A SUBSTANTIAL CHANGE TO ARCHAEOLOGICAL RESOURCES	Proposed Project = S Alt. 2 = S	<p>CR-2: In the event that human remains are discovered in any location other than a dedicated cemetery, work shall be halted and the County Coroner contacted. For all other unexpected cultural resources discovered during Project construction, work shall be halted until a qualified archaeologist may evaluate the resource encountered.</p> <p>1. Pursuant to Sections 5097.97 and 5097.98 of the State Public Resources Code, and Section 7050.5 of the State Health and Safety Code, if a human bone or bone of unknown origin is found during construction, all work is to stop and the County Coroner and the Office of Planning and Environmental Review shall be immediately notified. If the remains are determined to be Native American, the coroner shall notify the Native American Heritage Commission within 24 hours, and the Native American Heritage Commission shall identify the person or persons it believes to be the most likely descendent from the deceased Native American. The most likely descendent may make recommendations to the landowner or the person responsible for the excavation work, for means of treating or disposition of, with appropriate dignity, the human remains and any associated grave goods.</p>	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p>2. In the event of an inadvertent discovery of cultural resources (excluding human remains) during construction, all work must halt within a 100-foot radius of the discovery. A qualified professional archaeologist, meeting the Secretary of the Interior's Professional Qualification Standards for prehistoric and historic archaeology, shall be retained at the Project Applicant's expense to evaluate the significance of the find. If it is determined due to the types of deposits discovered that a Native American monitor is required, the Guidelines for Monitors/Consultants of Native American Cultural, Religious, and Burial Sites as established by the Native American Heritage Commission shall be followed, and the monitor shall be retained at the Project Applicant's expense.</p> <p>a. Work cannot continue within the 100-foot radius of the discovery site until the archaeologist and/or tribal monitor conducts sufficient research and data collection to make a determination that the resource is either 1) not cultural in origin; or 2) not potentially eligible for listing on the National Register of Historic Places or California Register of Historical Resources.</p> <p>b. If a potentially-eligible resource is encountered, then the archaeologist and/or tribal monitor, Planning and Environmental Review staff, and Project proponent shall arrange for either 1) total avoidance of the resource, if possible; or 2) test excavations or total data recovery as mitigation. The determination shall be formally documented in writing and submitted to the County Environmental Coordinator as verification that the provisions of CEQA for managing unanticipated discoveries have been met.</p>	
IMPACT: DISTURBANCE OF HUMAN REMAINS	Proposed Project = S Alt. 2 = S	Implement Mitigation Measure CR-2.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: CHANGE IN SIGNIFICANCE OF A TRIBAL RESOURCE	Proposed Project = S Alt. 2 = S	Implement Mitigation Measures CR-1 and CR-2.	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
ENERGY			
IMPACT: WASTEFUL, INEFFICIENT, OR UNNECESSARY CONSUMPTION OF ENERGY, DURING PROJECT CONSTRUCTION OR OPERATION	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: OBSTRUCT A STATE OR LOCAL PLAN FOR RENEWABLE ENERGY OR ENERGY EFFICIENCY	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
GEOLOGY, SOILS, AND MINERAL RESOURCES			
IMPACT: SOIL EROSION, SILTATION, OR LOSS OF TOPSOIL	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: EXACERBATION OF EXPOSURE TO HAZARDS ASSOCIATED WITH EXPANSIVE SOILS	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: POTENTIAL DESTRUCTION OF BURIED PALEONTOLOGICAL RESOURCES	Proposed Project = S Alt. 2 = S	GS-1: The Project Applicant <u>or subsequent developers of the specific plan</u> shall retain a qualified paleontologist to conduct an on-site training that will alert all construction personnel and operational staff about the possibility of encountering fossils. The appearance and types of fossils likely to be seen during construction will be described. Construction personnel shall be trained about the proper notification procedures should fossils be encountered. If paleontological resources are discovered during earthmoving activities, the Project Applicant <u>or subsequent developers of the specific plan</u> shall immediately halt operations within 100 feet of the find and notify the Environmental Coordinator. The Project Applicant <u>or subsequent developers of the specific plan</u> shall retain a qualified paleontologist for	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p>identification and salvage of fossils so that construction delays can be minimized. If large specimens are discovered, the paleontologist shall have the authority to halt or divert grading and construction equipment while the finds are removed. The paleontologist shall be responsible for implementing all tasks summarized below:</p> <ul style="list-style-type: none"> • In the event of discovery, salvage of unearthed fossil remains, typically involving simple excavation of the exposed specimen but possibly also plaster-jacketing of large and/or fragile specimens, or more elaborate quarry excavations of richly fossiliferous deposits. • Recovery of stratigraphic and geologic data to provide a context for the recovered fossil remains, typically including description of lithologies of fossil-bearing strata, measurement and description of the overall stratigraphic section, and photographic documentation of the geologic setting. • Laboratory preparation (cleaning and repair) of collected fossil remains to a point of curation, generally involving removal of enclosing rock material, stabilization of fragile specimens (using glues and other hardeners), and repair of broken specimens. • Cataloging and identification of prepared fossil remains, typically involving scientific identification of specimens, inventory of specimens, assignment of catalog numbers, and entry of data into an inventory database. • Preparation of a final report summarizing the field and laboratory methods used, the stratigraphic units inspected, the types of fossils recovered, and the significance of the curated collection. 	

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
HAZARDOUS MATERIALS			
IMPACT: ACCIDENTAL RELEASE DUE TO TRANSPORT, USE, OR DISPOSAL OF HAZARDOUS MATERIALS DURING CONSTRUCTION	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: ACCIDENTAL RELEASE OF HAZARDOUS MATERIALS DURING OPERATION	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: POTENTIAL FOR RELEASE OF HAZARDOUS MATERIALS FROM UNDOCUMENTED OR DOCUMENTED SITES OF CONTAMINATION	Proposed Project = S Alt. 2 = S	<p>HM-1: The future project applicant(s) or subsequent developers for all non-participating properties shall have a Phase I ESA prepared by a qualified professional in accordance with the American Society for Testing and Materials' E-1527-05 standard before or at the time of application. All applications for future development of such properties shall not be deemed complete until a Phase I ESA that includes analysis of potential for soil and groundwater contamination has been completed and submitted to the Sacramento County Office of Planning and Environmental Review.</p> <p>Once a Phase I ESA that meets the satisfaction of the Environmental Coordinator has been submitted to the Office of Planning and Environmental Review, all applicable recommendations from the Phase I ESA shall be incorporated into the future project as required conditions of approval. If a Phase I ESA indicates the presence or likely presence of contamination, the County shall require a Phase II ESA, and recommendations of the Phase II ESA shall be fully implemented prior to ground disturbance.</p> <p>For work requiring any demolition, the Phase I ESA shall make recommendations for any hazardous building materials survey work that shall be completed.</p> <p>If the Phase I ESA indicates the potential for the presence of hazardous materials within the property or possible groundwater contamination, a focused CEQA analysis addressing hazardous materials shall be</p>	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p>prepared for the future project. Any hazardous materials identified through this process shall be remediated consistent with applicable regulations.</p> <p>HM-2: A Phase II ESA that includes soil and groundwater contamination sampling and analysis shall be submitted with all future applications for development within the Plan Area, including Applicant-owned properties, based on the recommendations within the Phase I ESA. Applications will not be considered complete until a Phase II ESA covering the entire property proposed for development is provided as required by the Phase I ESA.</p> <p>Once a Phase II ESA with analyses of soil and groundwater contamination has been submitted to the satisfaction of the Environmental Coordinator, all recommendations for remediation activities and additional studies from the Phase II ESA shall be incorporated into the future project as required conditions of approval.</p> <p>HM-3: At the time of any application to develop properties within the Plan Area, the County shall require that the Project Applicant or subsequent developer(s) <u>shall</u> provide a hazardous materials contingency plan to Sacramento County EMD. The plan will describe the necessary actions that would be taken if evidence of contaminated soil or groundwater is encountered during construction. The contingency plan shall identify conditions that could indicate potential hazardous materials contamination, including soil discoloration, petroleum or chemical odors, and presence of underground storage tanks or buried building material.</p> <p>The plan shall include the provision that, if at any time during the course of constructing the Project, evidence of soil and/or groundwater contamination with hazardous material is encountered, the Project Applicant <u>the Project Applicant developers of the specific plan</u> shall immediately halt construction and contact Sacramento County EMD. Work shall not recommence until the discovery has been assessed/treated appropriately (through such mechanisms as soil or groundwater sampling and remediation if potentially hazardous materials are detected above threshold levels) to the satisfaction of Sacramento County EMD, RWQCB, and DTSC (as applicable). The plan, and obligations to abide by and</p>	

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		implement the plan, shall be incorporated into the construction and contract specifications of the Project.	
IMPACT: RESULT IN HAZARDOUS EMISSIONS OR HANDLE HAZARDOUS OR ACUTELY HAZARDOUS MATERIALS, SUBSTANCES, OR WASTE WITHIN 0.25 MILE WITHIN AN EXISTING OR PROPOSED SCHOOL	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: IMPAIR IMPLEMENTATION OF OR PHYSICALLY INTERFERE WITH AN ADOPTED EMERGENCY RESPONSE PLAN OR EMERGENCY EVACUATION PLAN	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: EXPOSE PEOPLE OR STRUCTURES TO WILDLAND FIRES	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
Hydrology and Water Quality			
IMPACT: SUBSTANTIAL EROSION, SILTATION, OR ENVIRONMENTAL HARM DUE TO ALTERATION OF THE EXISTING DRAINAGE PATTERN	Proposed Project = S Alt. 2 = S	HYD-1a: Before approval of future tentative maps, the Project Applicant or future developer(s) shall submit a drainage study in accordance with the requirements outlined in the Sacramento Stormwater Quality Partnership's 2018 Stormwater Quality Design Manual (or subsequent updates). The study shall describe permanent stormwater quality treatment facilities capable of treating stormwater to the satisfaction of County DWR. HYD 1b: Prior to construction of the Jackson Township Drainage Master Plan improvements, detailed plans for the design of the improvements, accompanied by geomorphic, hydrologic, soils, and vegetation analyses that demonstrate the proposed improvements will achieve the primary	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		functions of flood conveyance and stormwater quality treatment while minimizing maintenance requirements, shall be submitted to the County DWR for review and approval.	
IMPACT: CONTRIBUTION TO POLLUTED RUNOFF OR VIOLATION OF A WATER QUALITY STANDARD	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: INCREASE THE POTENTIAL FOR FLOODING WITHIN THE PLAN AREA	Proposed Project = S Alt. 2 = S	HYD-2: Prior to any modification of the existing FEMA mapped floodplain in the Morrison Creek and Elder Creek watersheds in the Plan Area, the Project Applicant or subsequent developers of the specific plan shall obtain approval of a Conditional Letter of Map Revision (CLOMR) from FEMA. In addition, the Project Applicant and subsequent developers of the specific plan shall provide in-kind replacement for any loss in flood storage capacity resulting from floodplain modifications.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: CONTRIBUTE TO FLOODING OF ADJACENT PARCELS	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: CONTRIBUTE TO FLOODING OF BEACH STONE LAKES	Proposed Project = S Alt. 2 = S	HYD-3: The Project Applicant or subsequent developers of the specific plan shall mitigate downstream impacts by either of the following options: a. Payment of the Beach Stone Lakes Mitigation Fee (Sacramento County Water Agency Zone 11A). b. Ensuring no net project-related increase in volume in Beach Stone Lakes by metering outflow from the Plan Area, increasing storage capacity of onsite facilities, directing drainage into downstream facilities offsite, or other regional drainage solutions as determined by the County Department of Water Resources.	Proposed Project = SU Alt. 2 = SU
IMPACT: RELEASE OF POLLUTANTS ASSOCIATED WITH FLOODING DUE TO DAM OR LEVEE FAILURE	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
IMPACT: POTENTIAL FOR FLOODING DUE TO CLIMATE CHANGE	<u>Proposed Project = NA</u> <u>Alt. 2 = NA</u>	<p>HYD-4: At the time of submittal of backbone infrastructure plans, the Project Applicant <u>or subsequent developers of the specific plan</u> shall submit a hydrologic analysis that is based upon adopted County guidance regarding a reasonably foreseeable climate change scenario. Based on the results of the hydrologic analysis and if impacts are identified, the Project Applicant shall implement all feasible design measures within the Project's drainage system to adequately maintain pre-project flows with consideration of climate change effects. Potential improvements could include larger and additional culverts at roadway crossings and deepening the existing basin(s) within the Plan Area that would be subject to over-topping. Basin deepening would require minimal construction-related impacts including excavation and hauling of an additional increment of soil from the site. These construction-related impacts have been evaluated throughout this EIR.</p> <p>Alternatively, if the County has adopted a regional solution for flooding related to climate-change, the Project Applicant <u>or subsequent developers of the specific plan</u> shall contribute its fair share towards funding the construction of the regional solution.</p> <p>If the County has not developed a regional solution or has not adopted guidance for evaluating hydrologic climate-related impacts, the Project Applicant <u>or subsequent developers of the specific plan</u> shall prepare and submit a hydrologic analysis that is based on the best available technical information at that time, in consultation with the County's Department of Water Resources and the Office of Planning and Environmental Review.</p>	<u>Proposed Project = NA</u> <u>Alt. 2 = NA</u>
LAND USE, POPULATION, AND HOUSING			
IMPACT: CONFLICT WITH SACRAMENTO COUNTY'S LAND USE PLANS	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: CONFLICT WITH SACRAMENTO COUNTY'S URBAN POLICY AREA/GENERAL PLAN GROWTH MANAGEMENT POLICY	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
IMPACT: CONFLICT WITH SACOG BLUEPRINT AND MTP/SCS	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
NOISE			
IMPACT: CONSTRUCTION NOISE THAT EXCEEDS COUNTY STANDARDS	Proposed Project = S Alt. 2 = S	<p>NOI-1: Reduce sensitive receptor exposure to construction noise during noise-sensitive time periods.</p> <p>Consistent with County Noise Control Ordinance Section 6.68.090 Exemptions, when an unforeseen or unavoidable condition occurs during a construction project and the nature of the project necessitates that work in process be continued until a specific phase is completed, the contractor or owner shall be allowed to continue work after 8:00 p.m. and to operate machinery and equipment necessary until completion of the specific work in progress can be brought to conclusion under conditions which will not jeopardize inspection acceptance or create undue financial hardships for the contractor or owner.</p> <p>For all outdoor construction/decommissioning activity that is to take place outside of the Sacramento County construction noise exception timeframes (i.e., between 6:00 a.m. and 8:00 p.m., Monday through Friday, and between 7:00 a.m. and 8:00 p.m. on Saturdays and Sunday), the contractor shall ensure that a noise monitoring plan is prepared by a qualified acoustical engineer and approved by the Project Applicant <u>or specific plan developer</u> and Sacramento County. The noise monitoring plan shall, at a minimum, include the following components:</p> <ul style="list-style-type: none"> • detailed description of the proposed nighttime construction/decommissioning activities, • list of equipment used during all nighttime construction/decommissioning activities, • projected noise levels generated during the nighttime construction/decommissioning activities at surrounding noise-sensitive land uses, • location of sensitive receptors in relation to the proposed nighttime construction/decommissioning activities, and 	Proposed Project = SU Alt. 2 = SU

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<ul style="list-style-type: none"> • detailed description of the location and times that noise monitors would be deployed. <p>Subsequently, during any nighttime construction, noise shall be monitored and documented for the nearest sensitive land use to ensure that the County's exterior noise standards for non-transportation noise sources are not exceeded. In the event that monitored noise levels exceed applicable noise standards, onsite construction activities shall cease operations immediately. Before resuming nighttime construction activities, noise-control measures shall be implemented to reduce operational noise levels to below acceptable levels.</p> <p>Noise control measures could include the following:</p> <ul style="list-style-type: none"> • All equipment shall be properly maintained and equipped with noise-reduction intake and exhaust mufflers and engine shrouds, in accordance with manufacturers' recommendations. Equipment engine shrouds shall be closed during equipment operation. • Where available and feasible, equipment with back-up alarms shall be equipped with either audible self-adjusting backup alarms or alarms that only sound when an object is detected. Self-adjusting backup alarms shall automatically adjust to 5 dBA over the surrounding background levels. All non-self-adjusting backup alarms shall be set to the lowest setting required to be audible above the surrounding noise levels. • To the extent that noise-generating outdoor construction activity needs to occur at night as part of a continuous construction activity, the activity shall be planned such that the portion that needs to take place closest to residential receptors takes place during less noise-sensitive daytime hours. • Noise-reducing enclosures and techniques shall be used around stationary noise-generating equipment (e.g., concrete mixers, generators, compressors). • Heavy-duty equipment shall be operated at the lowest operating power possible. 	

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<ul style="list-style-type: none"> No pile driving activity shall occur in the between 8:00 p.m. and 6:00 a.m. on Monday through Friday, and between 8:00 p.m. and 7:00 a.m. on Saturday and Sunday. Temporary noise curtains shall be installed as close as possible to the noise-generating activity such that the curtains obstruct the direct line of sight between the noise-generating construction/decommissioning activity and the nearby sensitive receptors. Temporary noise curtains shall consist of durable, flexible composite material featuring a noise barrier layer bounded to sound-absorptive material on one side. The noise barrier layer shall consist of rugged, impervious, material with a surface weight of at least one pound per square foot and be designed to result in a 10-dBA reduction at the sensitive receptor location. 	
IMPACT: GENERATE CONSTRUCTION VIBRATION	Proposed Project = S Alt. 2 = S	<p>NOI-2: Develop and implement a vibration control plan.</p> <p>This mitigation measure would apply to construction activity involving pile-driving activities located within 100 feet of any building, to reduce the potential for structural damage, and within 550 feet of an occupied residence/building, to minimize disturbance from pile-driving activities.</p> <p>A vibration control plan shall be developed by the Project Applicant and his/her construction contractors to be submitted to and approved by Sacramento County before issuance of any Improvement Plans or Grading Permits for the Project. The plan shall consider all potential vibration-inducing activities that would occur within the distance parameters described above and include various measures, setback distances, precautions, monitoring programs, and alternative methods to traditional pile-driving activities with the potential to result in structural damage or excessive noise. The following vibration control measures (or other equally effective measures approved by the County) shall be included in the plan:</p> <ul style="list-style-type: none"> To prevent structural damage, minimum setback requirements for different types of ground vibration-producing activities (e.g., pile driving) for the purpose of preventing damage to nearby structures shall be established based on the proposed pile-driving activities and locations, once determined. Factors to be considered include 	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p>the specific nature of the vibration producing activity (e.g., type and duration of pile driving), local soil conditions, and the fragility/resiliency of the nearby structures. Established setback requirements (i.e., 100 feet) can be breached if a project-specific, site-specific analysis is conducted by a qualified geotechnical engineer or ground vibration specialist that indicates that no structural damage would occur at nearby buildings or structures.</p> <ul style="list-style-type: none"> • To prevent disturbance to sensitive land uses, minimum setback requirements for different types of ground vibration producing activities (e.g., pile driving) shall be established based on the proposed pile-driving activities and locations, once determined. Established setback requirements (i.e., 550 feet) can be breached only if a project-specific, site-specific, technically adequate ground vibration study indicates that the buildings would not be exposed to ground vibration levels in excess of 72 VdB, and ground vibration measurements performed during the construction activity confirm that the buildings are not being exposed to levels in excess of 72 VdB. • All vibration-inducing activity within the distance parameters described above shall be monitored and documented for ground vibration noise and vibration noise levels at the nearest sensitive land use and associated recorded data submitted to Sacramento County so as not to exceed the recommended FTA and Caltrans levels. • Alternatives to traditional pile driving (e.g., sonic pile driving, jetting, cast-in-place or auger cast piles, non-displacement piles, pile cushioning, torque or hydraulic piles) shall be considered and implemented where feasible to reduce vibration levels. • Limit pile-driving activities to the daytime hours between 6:00 a.m. and 8:00 p.m. Monday through Friday and between 8:00 a.m. and 8:00 p.m. Saturday and Sunday. • Predrill pile holes to the maximum feasible depth to reduce the number of blows required to seat a pile. 	

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<ul style="list-style-type: none"> • Operate all vibration inducing impact equipment as far away from vibration-sensitive sites as reasonably possible from nearby structures. • Phase pile-driving and high-impact activities so as not to occur simultaneously with other construction activities, to the extent feasible. The total vibration level produced could be significantly less when each vibration source is operated at separate times. 	
IMPACT: OPERATIONAL TRAFFIC NOISE	Proposed Project = S Alt. 2 = LTS	<p>NOI-3: At the time of roadway improvements associated with the Project or Alternative 2, or implementation of the transportation mitigation strategy, install outdoor sound barriers at residential land uses along Excelsior Road between Jackson Road and Elder Creek Road to reduce increases in traffic noise levels associated with those improvements. The sound barriers must be constructed of solid material (e.g., brick, concrete) and designed to reduce noise by at least 5 dB. All barriers shall blend into the overall landscape and have an aesthetically pleasing appearance that agrees with the color and rural character of the houses and the general area, and not become the dominant visual element of the community.</p> <p>NOI-4: Use rubberized hot-mix asphalt along the affected roadway (Excelsior Road between Jackson Road and Elder Creek Road) either (a) at the time the next repaving of this roadway segment occurs or, (b) during any roadway widening project that would occur on this roadway segment.</p> <p>Pave the nearby segment of roadway with rubberized hot-mix asphalt (RHMA) or equivalent surface treatment with known noise-reducing properties on top of the roadway surface. The RHMA overlay shall be designed with appropriate thickness and rubber component quantity (typically 15 percent by weight of the total blend), such that traffic noise levels are reduced by an average of 4 to 6 dB (noise levels vary depending on travel speeds, meteorological conditions, and pavement quality) as compared to noise levels generated by vehicle traffic traveling on standard asphalt. RHMA has been found to achieve this level of noise reduction in other parts of California (Sacramento County 1999). Pavement will require more frequent than normal maintenance and repair to maintain its noise attenuation effectiveness.</p>	Proposed Project = SU Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
IMPACT: EXPOSE NEW OR EXISTING SENSITIVE RECEPTORS TO NEW STATIONARY NOISE SOURCES	Proposed Project = S Alt. 2 = S	<p>NOI-5: Conduct site-specific noise study and implement recommendations. To prevent future sensitive receptors from disturbance during the sensitive times of the day, all applicants of a residential land use or a structure containing residential units shall, before the issuance of building permits, provide to the County a site-specific noise study prepared by a qualified acoustical engineer addressing interior noise levels in residential units. The noise study shall consider the types of land uses being proposed in the same building or in the vicinity as the residential units in a mixed-use structure and existing noise sources adjacent to the proposed structure. The noise study shall confirm, using approved calculation methodologies, that building design (e.g., building orientation) and building materials as well as exterior design features (e.g., fences, walls, and landscaping features) are sufficient to maintain exterior noise levels on the property of 55 L50 and 75 Lmax during the daytime and 50 L50 and 70 Lmax during the nighttime and an interior noise level of (L50) of 35 and maximum (Lmax) of 55 Ldn /CNEL, with windows closed, in residential units given the reasonably foreseeable noise generation sources within the building, and existing noise sources adjacent to the building. If the study shows such standards would not be met with the design as proposed, the Project Applicant or subsequent developer(s) shall implement recommendations of the study that are shown to achieve the standards.</p> <p>NOI-6: Reduce noise exposure to existing sensitive receptors from proposed stationary noise sources in non-residential land uses. The siting of new stationary sources in non-residential land uses shall first consider providing adequate distance between the noise source and residential land uses. Siting distance recommendations for each source type are provided below.</p> <ul style="list-style-type: none"> • New loading dock or commercial delivery sources shall be located a minimum of 1,600 feet from existing residential land uses. • New HVAC units shall be located a minimum of 62 feet from existing residential land uses. 	Proposed Project = SU Alt. 2 = SU

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<ul style="list-style-type: none"> • New mechanical generators shall be located a minimum of 1,800 feet from existing residential land uses. • New overhead transmissions lines and substations shall be located a minimum of 16 feet from existing residential land uses. <p>If the above siting requirements cannot be achieved because of specific building locations or other site-specific constraints, the following measures shall be required for future development applications including stationary sources.</p> <ul style="list-style-type: none"> • Routine testing and preventive maintenance of emergency electrical generators shall be conducted during the less sensitive daytime hours (i.e., 6:00 a.m. to 8:00 p.m.), per the Sacramento County Noise Ordinance. All electrical generators shall be equipped with noise control (e.g., muffler) devices in accordance with manufacturers' specifications. • External mechanical equipment, including HVAC units, associated with buildings shall incorporate features designed to reduce noise emissions below the stationary noise source criteria. These features may include, but are not limited to, locating equipment within equipment rooms or enclosures that incorporate noise reduction features, such as acoustical louvers, and exhaust and intake silencers. Equipment enclosures shall be oriented so that major openings (i.e., intake louvers, exhaust) are directed away from nearby noise-sensitive receptors. In addition, when locating HVAC units on buildings adjacent to residential land uses, HVAC units shall not be located directly adjacent to windows of residential units. HVAC locations shall be chosen to minimize noise at nearby residential land uses. • Loading docks shall be located and designed so that noise emissions do not exceed the stationary noise source criteria established in this analysis (i.e., exterior daytime [6:00 a.m. to 8:00 p.m.] standards of 55 dB Leq/70 dB Lmax and the exterior nighttime [8:00 p.m. to 6:00 a.m.] standards of 50 dB Leq /70 dB Lmax) at any existing sensitive receptor. At the time of conformity review application submittal for discretionary entitlement, the 	

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p>Project Applicant or subsequent developer(s) shall provide to the County a specialized noise study to evaluate the specific design and ensure compliance with Sacramento County noise standards. Reduction of loading dock noise can be achieved by locating loading docks as far away as possible from noise sensitive land uses, constructing noise barriers between loading docks and noise-sensitive land uses, or using buildings and topographic features to provide acoustic shielding for noise-sensitive land uses. Final design, location, and orientation shall be dictated by findings in the noise study, if applicable.</p> <ul style="list-style-type: none"> • Parking lots and structures shall be located and designed so that noise emissions do not exceed the stationary noise source criteria identified in this analysis (i.e., exterior daytime [6:00 a.m. to 8:00 p.m.] standards of 55 dB Leq/70 dB Lmax and the exterior nighttime [8:00 p.m. to 6:00 a.m.] standards of 50 dB Leq/ 70 dB Lmax) at any existing sensitive receptor. At the time of conformity review application submittal for discretionary entitlement, the Project Applicant or subsequent developer(s) shall provide to the County a specialized noise study to evaluate specific design and ensure compliance with Sacramento County noise standards. Reduction of parking lot noise can be achieved by locating parking lots away from noise sensitive land uses, constructing noise barriers between parking lots/structures and noise-sensitive land uses, incorporating noise barriers into parking structure designs (e.g., providing solid walls around the top levels of parking structures), or using buildings and topographic features to provide acoustic shielding for noise-sensitive land uses. Final design, location, and orientation shall be dictated by findings in the noise study, if applicable. <p>NOI-7: This mitigation measure would apply to noise sensitive land uses to be developed as part of the Project that would be located in close proximity to the Sacramento Raceway and within the 55 L50 or 75 dBA Lmax contour lines, as depicted in Plate NOI-3, Plate NOI-4, and Plate NOI-5 in the Environmental Settings section of this chapter and in Appendix NOI-1 of this EIR. To prevent future noise sensitive receptors</p>	

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p>from disturbance associated with the Sacramento Raceway, site design shall adhere to the Jackson Township Specific Plan Design Guidelines and Sacramento County Countywide Design Guidelines to identify design principles and strategies to reduce noise exposure from the Sacramento Raceway to noise sensitive land uses developed as part of the Project. Common design principles to reduce noise exposure to noise sensitive land uses that should be considered during the site design process include:</p> <ul style="list-style-type: none"> • increasing the distance between the noise source and the receiver; • placing nonresidential land uses such as parking lots, maintenance facilities, and utility areas between the source and the receiver; • locating barrier-type buildings parallel to the noise source; • orienting the residences and outdoor activity areas for these residences away from the noise source; and • arranging the site plan to use buildings as noise barriers. <p>All applicants proposing a noise-sensitive land use in the portion of the Plan Area applicable to this mitigation measure shall, before the issuance of building permits, provide to the County a site-specific noise study prepared by a qualified acoustical engineer addressing exterior noise levels for applicable noise sensitive land uses and interior noise levels in residential units. The noise study shall confirm, using approved calculation methodologies, that building design (e.g., building orientation) and building materials as well as exterior design features (e.g., fences, walls, and landscaping features) are sufficient to maintain, consistent with Sacramento County non-transportation noise standards, exterior noise levels of 55 L50 and 75 Lmax during the daytime and 50 L50 and 70 Lmax during the nighttime and an interior noise level of (L50) of 35 and maximum (Lmax) of 55 dB Ldn /CNEL, with windows closed, in residential units given the reasonably foreseeable noise generation sources within the building, and existing noise sources adjacent to the building. If the study shows such standards would not be met with the design as proposed, the Project Applicants or subsequent developer(s) shall implement recommendations of the study that are shown to achieve the</p>	

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		standards or implement all recommendations to reduce noise exposure from the Sacramento Raceway to the extent feasible.	
IMPACT: SUBSTANTIAL INCREASE IN EXISTING AMBIENT NOISE LEVELS	Proposed Project = S Alt. 2 = S	<p>Implement Mitigation Measure NOI-6 and:</p> <p>NOI-8: At the time of roadway improvements associated with the Project or Alternative 2, or implementation of the transportation mitigation strategy, outdoor sound barriers shall be installed along roadway segments demonstrated to result in a substantial noise level increase as indicated in Table NOI-15 for the Project and Table NOI-16 for Alternative 2. The sound barriers must be constructed of solid material (e.g., wood, brick, adobe, an earthen berm, or combination thereof) and designed to ensure that the incremental increase in traffic noise would be less than 5 dB L_{dn}. All barriers shall blend into the overall landscape and have an aesthetically pleasing appearance that agrees with the color and rural character of the houses and the general area, and not become the dominant visual element of the community.</p> <p>NOI-9: Use rubberized hot-mix asphalt along the affected roadway (Excelsior Road between Jackson Road and Elder Creek Road) either (a) at the time that the next repaving of this roadway segment occurs, (b) during any roadway widening project that would occur on this roadway segment. If option (b) is chosen, the Project Applicant <u>or subsequent developer(s)</u> shall conduct a traffic noise analysis every 2 years after Project approval to determine whether the Projects contribution to roadway volumes results in traffic noise levels along this roadway segment exceeding 65 dB L_{dn}. Pave the nearby segment of roadway with rubberized hot-mix asphalt (RHMA) or equivalent surface treatment with known noise-reducing properties on top of the roadway surface. The RHMA overlay shall be designed with appropriate thickness and rubber component quantity (typically 15 percent by weight of the total blend), such that traffic noise levels are reduced by an average of 4 to 6 dB (noise levels vary depending on travel speeds, meteorological conditions, and pavement quality) as compared to noise levels generated by vehicle traffic traveling on standard asphalt. RHMA has been found to achieve this level of noise reduction in other parts of California (Sacramento County 1999). Pavement will require more frequent than normal maintenance and repair to maintain its noise attenuation effectiveness.</p>	Proposed Project = SU Alt. 2 = SU

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
PUBLIC SERVICES			
IMPACT: RESULT IN SUBSTANTIAL ADVERSE PHYSICAL IMPACTS ASSOCIATED WITH THE PROVISION OF FIRE PROTECTION AND EMERGENCY SERVICES	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: IMPAIR EMERGENCY RESPONSE	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: RESULT IN SUBSTANTIAL ADVERSE PHYSICAL IMPACTS ASSOCIATED WITH THE PROVISION OF LAW ENFORCEMENT	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: RESULT IN SUBSTANTIAL ADVERSE PHYSICAL IMPACTS ASSOCIATED WITH THE PROVISION OF SCHOOLS	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: RESULT IN SUBSTANTIAL ADVERSE PHYSICAL IMPACTS ASSOCIATED WITH THE PROVISION OF PARKS AND RECREATION SERVICES	Proposed Project = S Alt. 2 = LTS	PS-1: At the time a small lot tentative map is submitted to the County, the developer of the property shall demonstrate that either (1) park acreage to meet the individual parkland requirements pursuant to Title 22 of the Sacramento County Code has been provided within the mapped area, or (2) in-lieu fees will be paid in an amount equivalent to any shortfalls in parkland dedication. Appropriate parkland dedication and/or adequacy of fees shall be verified by CRPD prior to the County's approval of the small lot tentative map. This requirement shall be met for all small lot tentative maps, including those located in portions of the Plan Area that do not include planned park facilities per the Specific Plan.	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
IMPACT: RESULT IN SUBSTANTIAL ADVERSE PHYSICAL IMPACTS ASSOCIATED WITH THE PROVISION OF LIBRARIES	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
WATER SUPPLY			
IMPACT: ENVIRONMENTAL EFFECTS DUE TO THE CONSTRUCTION OF NEW OR THE EXPANSION OF EXISTING WATER FACILITIES	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: RESULT IN DEMAND FOR WATER THAT CANNOT BE MET BY EXISTING OR REASONABLY FORESEEABLE FUTURE SERVICE CAPACITY	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: CONTRIBUTE TO GROUNDWATER PUMPING SUCH THAT THE AVERAGE ANNUAL SUSTAINABLE YIELD FOR THE CENTRAL SACRAMENTO GROUNDWATER BASIN IS EXCEEDED	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: INTERFERE SUBSTANTIALLY WITH GROUNDWATER RECHARGE	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
WASTEWATER AND SOLID UTILITIES			
IMPACT: ADVERSE EFFECTS ASSOCIATED WITH CONSTRUCTION OF WASTEWATER TREATMENT AND DISPOSAL INFRASTRUCTURE	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: EXCEED THE CAPACITY OF THE WASTEWATER TREATMENT PROVIDER	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
IMPACT: SOLID WASTE SERVICES AND LANDFILL CAPACITY	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS
TRAFFIC AND CIRCULATION			
IMPACT: VMT IMPACTS	Proposed Project = NA Alt. 2 = S	<p>TR-1: Implement Enhanced Transit Program of Mitigation Measure AQ-2b</p> <p>As detailed in MM AQ-2b, in Chapter 6, "Air Quality," the Applicant <u>or subsequent developer(s)</u> shall implement a program to provide a non-revocable funding mechanism that would pay for bus and/or shuttle operations between the Project and the Manlove Light Rail Station. The non-revocable funding mechanism would be administered by the County and would provide residents and employees of Jackson Township with transit passes that would access the entire Regional Transit system.</p> <p>TR-2: Trip Reduction Services</p> <p>Jackson Township shall cooperate with the County in establishing a special financing mechanism for the Project area to fund the TRS described in, and consistent with, the approvals for the Project, the USP, and the Public Facilities Financing Plan. Such financing mechanism shall be established and the resulting annual service charge, fee, tax, or other mechanism shall be imposed on each residential unit and nonresidential unit to fund all aspects of the TRS, including, capital, maintenance, and</p>	Proposed Project = NA Alt. 2 = SU

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p>operational costs. This mechanism shall be approved prior to the recordation of the first final small lot subdivision map or issuance of any building permit within the project area, whichever may occur first. Grading permits may be issued within the Project area prior to implementation of the financing mechanism.</p> <p>The TRS shall be provided to the residents and non-residential uses within the project area. TRS shall be phased as development occurs and supported by transit funds generated from the Project as it builds out, such that services are available to establish trip reduction behavior within Project phases. TRS may include, but shall not be limited to, membership in a transportation management association (as detailed in MM AQ-2b, in Chapter 6, "Air Quality"), commute trip reduction, transit services, transit improvements, rideshare matching and vanpool coordination, commuter financial incentives, telework and/or flextime support, guaranteed ride home programs, parking management, shared parking coordination, special event transport management, transportation access guides, wayfinding, and multi-modal navigation tools.</p> <p><u>The TMA shall include, at a minimum, the following programs:</u></p> <ul style="list-style-type: none"> • <u>Commute Trip Reduction Marketing. Through this program, employers share information to promote trip reduction and educate employees about their travel choices to the employment location beyond driving such as carpooling, taking transit, walking, and biking. The program must include a onsite or online commuter information services, employee transportation coordinators, and a guaranteed ride home service (as described below).</u> • <u>Guaranteed Ride Home. To ensure that employees have the flexibility to adapt to the challenges and circumstances they are presented with day-to-day, they must be sure that if they are without a personal vehicle, they are always able to return home. The program, at a minimum, shall be developed and implemented to include the following elements:</u> 	

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<ul style="list-style-type: none"> ○ <u>Determination of who is eligible. The program could cover all employees, or only those who use alternative modes for a specified portion of commuting.</u> ○ <u>Determination of what trips are eligible. The program could cover any trip, or it could be limited to unexpected business appointments, employee or family member sickness.</u> ○ <u>Maximum number of uses allowed during a certain period, maximum miles within a period, or maximum cost per trip.</u> ○ <u>Implementation responsibility.</u> ○ <u>Procedures for using the service.</u> ○ <u>Appropriate forms (e.g. registration and reimbursement vouchers).</u> • <u>Employer-Sponsored Vanpool. Each employer will be required to sponsor participation in a vanpool program. Vanpooling is a flexible form of public transportation that provides groups of 5 to 15 people with a cost-effective and convenient rideshare option for commuting. The mode shift from long-distance, single-occupied vehicles to shared vehicles reduces overall commute VMT, thereby reducing GHG emissions. Employer costs primarily include the capital costs of vehicle acquisition and the labor costs of drivers, either through incentives to current employees or the hiring of dedicated drivers. The program, at a minimum, shall be developed and implemented to include the following elements:</u> <ul style="list-style-type: none"> ○ <u>Identification of a group transportation manager.</u> ○ <u>Selection and procurement of vans and equipment.</u> ○ <u>Development and implementation of financial structure of the program.</u> ○ <u>Driver and route selection.</u> ○ <u>Development of coordination agreements and responsibilities.</u> ○ <u>Development of procedures, agreements, and forms.</u> • <u>Electric Bike Share Program. This measure will establish an electric bikeshare program. Electric bikeshare programs provide users with</u> 	

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p><u>on-demand access to electric pedal assist bikes for short-term rentals. This encourages a mode shift from vehicles to electric bicycles, reducing VMT.</u></p> <ul style="list-style-type: none"> • <u>Establish an Electric Scooter Share Program. This measure will establish a scooter share program. Scooter share programs provide users with on-demand access to electric scooters for short-term rentals. This encourages a mode shift from vehicles to scooters, reducing VMT.</u> • <u>Employee Ridesharing Program. This measure will implement a ridesharing program. Ridesharing encourages carpooled vehicle trips in place of single-occupied vehicle trips, thereby reducing the number of trips, VMT, and GHG emissions.</u> <p><u>Each employer in the Plan Area will be required to participate in the Jackson Township TMA and develop an individual Transportation System Monitoring (TSM) plan to track compliance and participation in the programs established in the Jackson Township TMA.</u></p> <p>As noted above, these measures are potential components that could be included in the larger TRS but are not meant to serve as a required or complete list of such measures. Alternatives to these TRS may be considered by the County if it can be demonstrated that an equivalent reduction in VMT or transportation mode split, as documented in the project Transportation Report, can be achieved. The final TRS shall be developed in coordination with, and approved by, the County.</p> <p>TR-3: Annexation into or Formation of an Active Benefit Zone of County Service Area Number 10</p> <p>The Applicant shall provide funding for the VMT reducing services of the AQMP, the GHGRP, or the Development Agreement through annexation into, or formation of, an active benefit zone of CSA 10 (or similar non-revocable funding mechanism). The funding for these specific VMT reducing services tied to the Air Quality Mitigation Plan, the GHRP, or the Development Agreement may be contracted through a transportation management association. This non-revocable funding mechanism shall be developed in coordination with, and approved, by the County.</p>	

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
EFFECTS TO ROADWAY SEGMENT OPERATIONS	Proposed Project = NA Alt. 2 = NA	<p>TR-4: Jackson Corridor Transportation Mitigation Strategy Participation</p> <p>The Project Applicant shall participate in the implementation of the Jackson Corridor Transportation Mitigation Strategy as approved by the Board of Supervisors on July 23, 2019 <u>and amended on March 9, 2021</u> by constructing or providing funding for its fair share of transportation improvements identified in the master list of cumulative improvements (see Appendix TR-1 of this EIR) and shown in Table TC-234 and Table TC-256 for the Proposed Project and Alternative 2, respectively. The Project Applicant shall enter into an agreement at the time of Project approval to use the Tool to identify improvements for each phase or development increment of the Project. The project Applicant shall also agree that required improvements will be constructed concurrent with each phase. For subsequent projects or phases with less than 300 dwelling unit equivalents (DUEs), at the discretion of the Director of the SacDOT, specific improvements may not be required to be constructed, but instead collected fair-share mitigation revenue shall be allowed to accrue in the mitigation budget that the County would manage to address unforeseen capacity and operations issues. For projects or phases with 300 DUEs or more, the Project Applicant may have the option to advance fund mitigation improvements for each phase of development or portions thereof, as identified by the Tool. Advanced funding could be provided through the creation of a Community Facilities District or similar financial mechanism, through a cash contribution upfront, and/or through the construction of the required improvements.</p> <p>NOTE: The Jackson Corridor Transportation Mitigation Strategy was amended on March 9, 2021 to specify that Jackson Highway transportation projects are high priority projects and when triggered by the Dynamic Implementation Tool, the County will work diligently on implementing those projects, including seeking outside funding sources (including Regional Transportation Improvement Program funds), if necessary.</p> <p>TR-5: Use of Dynamic Implementation Tool</p> <p>The Project Applicant shall, at the time of Project approval, enter into an agreement acknowledging that the project-specific list of improvements specified in LOS Improvement Measure TR-44 may be modified over time</p>	Proposed Project = NA Alt. 2 = NA

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<p>through the use of the Tool at each phase of project development, subject to the approval of the SacDOT.</p> <p>As development proceeds, the Tool will be used to select which improvements the project would be required to fair-share fund and/or construct if its previously assigned improvement or improvements have already been constructed by another project.</p> <p>TR-6: Roadway Segment LOS Improvement</p> <p>The Project Applicant shall implement the set of improvements assigned to the project by the Tool (LOS Improvement Measure TR-1). Where feasible, the number of roadway lanes would be increased to reduce the effect. However, the roadways cannot be widened such that they exceed the maximum General Plan standards and designations of the appropriate jurisdictions.</p>	
EFFECTS TO INTERSECTION OPERATIONS	Proposed Project = NA Alt. 2 = NA	<p>TR-7: Intersection Operations Effects</p> <p>The Project Applicant <u>or subsequent developers</u> shall implement the set of intersection improvements assigned to the project by the Tool (LOS Improvement Measure TR-4) and shown in Table TC-27 and Table TC-29 for the Proposed Project and Alternative 2, respectively. Where feasible, the number of roadway lanes would be increased to reduce the effect. In locations where the LOS effect could not be improved to acceptable levels by implementing the County's standard number of approach lanes, the County would propose alternative LOS improvement measures. These generally include providing additional turn lanes, carrying an additional through lane past the intersection, or designating the intersection as a High Capacity Intersection.</p>	Proposed Project = NA Alt. 2 = NA
FREEWAY FACILITY EFFECTS	Proposed Project = NA Alt. 2 = NA	<p>TR-8: Freeway Improvements</p> <p>To alleviate the impacts of the Jackson Corridor Developments, the Sacramento County Department of Transportation has consulted with Caltrans and they have identified the following improvements. The Applicant shall provide a fair share contribution toward Caltrans' freeway facilities to the satisfaction of the Sacramento County Department of Transportation and Caltrans:</p>	Proposed Project = NA Alt. 2 = NA

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
		<ul style="list-style-type: none"> • Pay fair share toward the future conversion of HOV lanes to Toll Lanes or a Reversible Lane along U.S. Highway 50 from I-5 to Watt Avenue. • Pay fair share toward the U.S. Highway 50 Integrated Corridor Management for the deployment of various Intelligent Transportation System improvements along U.S. Highway 50 and the City of Rancho Cordova, and regionally significant corridors in Sacramento County and the City of Folsom for incident management (non-capacity increasing) [Caltrans ID SAC25113]. <p>Capacity improvements such as widening of the freeway and freeway junctions would reduce the severity of the effects but were considered infeasible due to right-of-way restrictions, legal and jurisdictional constraints, and potential economic infeasibility. Potential alternative improvements have been identified from Caltrans' US 50 Transportation Concept Report (TCR) and CSMP. The TCR and CSMP are focused on ITS and integrated corridor management (ICM) projects. ITS is the application of technology to ground transportation to improve safety, mobility, and efficiency. ICM projects focus on the management of corridors as a multimodal system and make operational decisions for the benefit of the corridor as a whole. ITS and ICM projects would have operational benefits to US 50 without adding additional capacity. The TCR and CSMP also identify potential improvements to parallel local facilities that would be expected to reduce travel demand on US 50.</p>	
IMPACT: BICYCLE AND PEDESTRIAN IMPACTS	Proposed Project = S Alt. 2 = S	<p>TR-9: Bicycle and Pedestrian Improvements</p> <p>Before approval of any tentative map, the Project Applicant or subsequent developer(s) shall coordinate with Sacramento County to identify the necessary on- and offsite pedestrian and bicycle facilities to serve the individual project and which would ensure bicycle and pedestrian safety. These facilities could include sidewalks, stop signs, standard pedestrian and school crossing warning signs, lane striping to provide a bicycle lane, bicycle parking, signs to identify pedestrian and bicycle paths, raised crosswalks, pedestrian signal heads, and all appropriate traffic calming measures as defined in the County's Neighborhood Traffic Management Program.</p>	Proposed Project = LTS Alt. 2 = LTS

Impacts	Level of Significance before Mitigation ¹	Mitigation Measure	Level of Significance after Mitigation
IMPACT: TRANSIT IMPACTS	Proposed Project = LTS Alt. 2 = LTS	<p>TR-10: Transit Improvements</p> <p>The Project Applicant shall coordinate with Sacramento County and Sacramento Regional Transit District (or other transit operators) to provide the additional transit facilities and services assumed in the transportation analysis, or a cost-effective equivalent level of transit facilities and services. Ultimate transit service consists of 15- minute headways during peak hours and 30-minute headways during non-peak hours on weekdays. The implementation of the transit routes and service frequency must be phased with development of the project and the ultimate service will be required at full buildout of the Project. This shall be accomplished through the annexation to CSA 10 or formation of a transportation services district. Such annexation or formation shall occur prior to recordation of any final small lot subdivision map for the Project.</p>	Proposed Project = LTS Alt. 2 = LTS
IMPACT: ROADWAY FUNCTIONALITY IMPACTS	Proposed Project = S Alt. 2 = S	<p>TR-11: Roadway Functionality Improvements</p> <p>The Project Applicant <u>or subsequent developers</u> shall implement LOS Improvement Measures TR-4 and TR-5 and the associated functionality improvements shown in Table TC-37 and Table TC-39 for the Proposed Project and Alternative 2, respectively. The Project Applicant <u>or subsequent developers</u> shall consult with the County on the timing needs of proposed improvements and shall either submit their fair share payment and/or enter into an agreement to construct the assigned improvements. Improvements would include widening the deficient rural roadway segments to County standards.</p> <p>As development in the area is approved and proceeds to construction, the timing or assignment of specific traffic improvements may change but would nonetheless be assigned to each project based on their fair-share contribution to the overall area impacts.</p>	Proposed Project = SU Alt. 2 = SU
IMPACT: EMERGENCY ACCESS AND HAZARDOUS DESIGN FEATURE IMPACTS	Proposed Project = LTS Alt. 2 = LTS	No mitigation is required.	Proposed Project = LTS Alt. 2 = LTS

MITIGATION MONITORING AND REPORTING PROGRAM

It shall be the responsibility of the Project Applicant to comply with the Mitigation Monitoring and Reporting Program (MMRP) for this Project and to reimburse the County for all expenses incurred in the implementation of the MMRP, including any necessary enforcement actions. The Project Applicant shall pay an initial deposit of \$20,000.00. This deposit includes administrative costs of \$900.00, which must be paid to the Office of Planning and Environmental Review prior to recordation of the MMRP and prior to recordation of any final parcel or subdivision map. The remaining balance will be due prior to review of any plans by the Environmental Coordinator or issuance of any building, grading, work authorization, occupancy or other Project-related permits. Over the course of the Project, the Office of Planning and Environmental Review will regularly conduct cost accountings and submit invoices to the Project Applicant when the County monitoring costs exceed the initial deposit.

TERMINOLOGY USED IN THIS EIR

This draft EIR uses the following terminology to describe environmental effects of the project.

Significance Criteria. A set of criteria used by the lead agency to determine at what level, or “threshold,” an impact would be considered significant. Significance criteria used in this EIR include those that are set forth in the CEQA Guidelines or can be discerned from the CEQA Guidelines; criteria based on factual or scientific information; criteria based on regulatory standards of local, State, and federal agencies; and criteria based on goals and policies identified in the Sacramento County 2030 General Plan.

Less-than-Significant Impact. A Project impact is considered less than significant when it does not reach the standard of significance and would, therefore, cause no substantial change in the environment. No mitigation is required for less-than-significant impacts.

Potentially Significant Impact. A potentially significant impact is a substantial, or potentially substantial, adverse change in the environment. Physical conditions that exist within the area could be directly or indirectly affected by the Project. Impacts may also be short-term or long-term. A Project impact is considered significant if it reaches the threshold of significance identified in the EIR. Mitigation measures may reduce a potentially significant impact to less than significant.

Significant Unavoidable Impact. A Project impact is considered significant and unavoidable if it is significant and cannot be avoided or mitigated to a less-than-significant level once the Project is implemented.

Cumulative Significant Impact. A cumulative impact can result when a change in the environment results from the incremental impact of a project when added to other

related past, present or reasonably foreseeable future projects. Significant cumulative impacts may result from individually minor but collectively significant effects.

Mitigation. Mitigation measures are revisions to the Project that would minimize, avoid, or reduce a significant effect on the environment. CEQA Guidelines Section 15370 identifies the following five types of mitigation:

- Avoiding the impact altogether by not taking a certain action or parts of an action.
- Minimizing impacts by limiting the degree or magnitude of the action and its implementation.
- Rectifying the impact by repairing, rehabilitating, or restoring the impacted environment.
- Reducing or eliminating the impact over time by preservation and maintenance operations during the life of the action.
- Compensating for the impact by replacing or providing substitute resources or environments.

1 INTRODUCTION

~~This Recirculated Draft Environmental Impact Report (EIR) is part of the ongoing environmental review process for the Jackson Township Specific Plan (Project) and was prepared in accordance with the California Environmental Quality Act (CEQA) to evaluate the potential environmental impacts associated with the implementation of the Project (State Clearinghouse Number 2013082017). This document is prepared in conformance with CEQA (California Public Resources Code Section 21000 et seq.) and the State CEQA Guidelines (California Code of Regulations, Title 14, Section 15000 et seq.).~~

SUMMARY OF THE PROPOSED PROJECT

The Jackson Township Specific Plan (hereinafter referred to as the Project) is a specific plan for the development of 1,391 acres in unincorporated Sacramento County (hereinafter referred to as the Plan Area). The Project includes a land use plan that would provide for a range of different uses, including a variety of residential, public, park, open space, and employment-generating uses such as office, commercial, and retail. The Project is intended to provide for a diverse community that can accommodate a wide range of residents in various housing types in proximity to existing and planned job centers, including new jobs created within the Plan Area. The Plan Area has been designed to create two distinctive “hubs” that would serve as the focus of the community and allow for people to live, work, shop, and recreate in the same place: a Town Center along Jackson Road (also referred to as Jackson Highway) and a smaller village along Excelsior Road at the northwest corner of the Plan Area.

Another key feature of the Plan Area is a large, centrally located greenway/drainage corridor with a trail on one side that has been designed to provide easy, non-vehicular linkages from one end of the community to the other. Most residential units within the Plan Area would be located within 0.25 mile of an open space area, park, or linear parkway; and within 0.5 mile of retail and employment land uses. In addition, much of the eastern portion and the area north of Kiefer Boulevard in the Plan Area would be occupied by a wetland and habitat preserve. The proposed preserve location is part of a regional wetland and habitat conservation strategy that was developed by the County as part of the South Sacramento Habitat Conservation Plan process.

ENVIRONMENTAL IMPACT REPORT SCOPE AND PROCESS

PURPOSE OF THIS ENVIRONMENTAL IMPACT REPORT

This environmental impact report (EIR) has been prepared in compliance with the California Environmental Quality Act (CEQA) to evaluate the potential environmental impacts associated with the development and implementation of the Project. An EIR discloses known or possible impacts on the environment that may result from a project

and measures to mitigate those impacts to decision makers (e.g., the Sacramento County Board of Supervisors), public agencies, and the general public. The intent of the EIR is to provide objective information to allow the Sacramento County Board of Supervisors to make an informed decision when considering whether to approve or deny the Project. The EIR does not comment on the merits of the Project and does not make a recommendation for or against its approval.

~~PURPOSE OF THIS RECIRCULATED DRAFT ENVIRONMENTAL IMPACT REPORT~~

~~The Draft EIR was circulated for public review and comment for a period of 45 days that began on September 16, 2019, and ended on October 31, 2019. During the review period, written and oral comments were received on the Draft EIR. After the end of the Draft EIR public review period, the Applicant requested preparation of a Recirculated Draft EIR to address public comments, clarify and expand upon the analysis in the Draft EIR, and reflect the updated regulatory context.~~

~~CEQA requires recirculation of an EIR when the lead agency adds “significant new information” to an EIR regarding changes to the project description or the environmental setting after public notice is given of the availability of a draft EIR for public review (State CEQA Guidelines Section 15087) but before EIR certification (State CEQA Guidelines Section 15088.5[a]). Recirculation is not required unless the EIR is changed in a way that would deprive the public of the opportunity to comment on significant new information, including a new significant impact for which no feasible mitigation is available to fully mitigate the impact (thus resulting in a significant and unavoidable impact), a substantial increase in the severity of a disclosed environmental impact, or development of a new feasible alternative or mitigation measures that would clearly lessen environmental impacts but that the project proponent declines to adopt (State CEQA Guidelines Section 15088.5[a]). Recirculation is not required when the new information added to the EIR merely clarifies or amplifies or makes insignificant modifications in an adequate EIR (State CEQA Guidelines Section 15088.5[b]).~~

LEAD, RESPONSIBLE, AND TRUSTEE AGENCIES

Sacramento County is the Lead Agency under CEQA for this EIR because it has discretionary authority to determine whether or how to approve the Project. Responsible Agencies are other agencies that are responsible for carrying out or implementing a specific component of the specific plan or for approving a project (such as an annexation) that implements the goals and policies of the specific plan. Based on the potential effects known at this time, responsible agencies may include: U.S. Army Corps of Engineers, U.S. Fish and Wildlife Service, the California Department of Transportation, the California Department of Fish and Wildlife, the California Regional Water Quality Control Board, Pacific Gas and Electric Company, Sacramento Municipal Utility District, Sacramento County Water Authority, Cordova Recreation and Park District, Sacramento Metropolitan Air Quality Management District, and the Elk Grove Unified School District. Trustee agencies have jurisdiction over certain resources held in trust for the people of California, but do not have a legal authority over approving or carrying out the project.

TYPE OF ENVIRONMENTAL IMPACT REPORT

This EIR fulfills the requirements for a Program EIR. Although the legally required contents of a Program EIR are the same as those of a Project EIR, Program EIRs typically cover broad programs or large projects, such as a specific plan, and contain a more general discussion of impacts, alternatives, and mitigation measures than a Project EIR. As provided in Section 15168 of the State CEQA Guidelines, a Program EIR may be prepared on a series of actions that could be characterized as one large project. Impacts may be generally characterized, and mitigation measures may include programs and performance standards that address the impacts. Use of a Program EIR provides the County (as Lead Agency) with the opportunity to consider broad policy alternatives and program-wide mitigation measures and provides the County with greater flexibility to address environmental issues and/or cumulative impacts on a comprehensive basis. Agencies generally prepare Program EIRs for programs or a series of related actions that are linked geographically, are logical parts of a chain of contemplated events, rules, regulations, or plans that govern the conduct of a continuing program, or are individual activities carried out under the same authority and having generally similar environmental effects that can be mitigated in similar ways. By its nature, a Program EIR considers the overall effects associated with implementing a program and does not, and is not intended to, examine individual projects that may be implemented pursuant to the specific plan.

Once a Program EIR has been prepared, subsequent activities within the program must be evaluated to determine if additional CEQA documentation is required to address the significant impacts of such activities. Subsequent activities could be found to be within the Program EIR scope and additional environmental documents may not be required (State CEQA Guidelines Section 15168[c]). When a Program EIR is relied on for a subsequent activity, the Lead Agency must incorporate feasible mitigation measures and alternatives developed in the Program EIR into the subsequent activities (State CEQA Guidelines Section 15168[c][3]). If a subsequent activity could result in effects not within the scope of the Program EIR, including new or more severe significant impacts than identified in the Program EIR, the Lead Agency must prepare a Negative Declaration, Mitigated Negative Declaration, or a project-level subsequent or supplemental EIR. The County's Initial Study Checklist is used to determine if a subsequent activity is within the scope of the Program EIR and if not, what type of CEQA document is needed to address its effects.

The process described above, initiated with preparation of an initial study, provides a road map for consideration of subsequent projects and the associated CEQA documentation. Future projects within the specific plan area that are consistent with the approved specific plan and the analysis found in the Program EIR do not require additional CEQA review. If a future project within the specific plan was not considered in this EIR, is inconsistent with the specific plan, or may result in additional or more severe impacts or require more mitigation than is identified in this EIR, additional CEQA analysis will be required.

CONTENT OF THIS RECIRCULATED DRAFT EIR

The full Draft EIR is being recirculated to facilitate review and provide context for the proposed revisions. All chapter numbering is consistent with the chapter numbering in the Draft EIR (released September 2019). Many of these chapters do not contain new information or new circumstances that warrant revision.

The following chapters provide significant new information, as defined in Section 15088.5(a) of the State CEQA Guidelines:

~~“Executive Summary.”~~ The Executive Summary has been updated to provide the new and revised impact conclusions described in the recirculated chapters.

~~Chapter 1, “Introduction.”~~ This chapter describes the purpose and organization of this Recirculated Draft EIR.

~~Chapter 2, “Project Description.”~~ This chapter describes the location, background, and goals and objectives for the Jackson Township Specific Plan. The chapter has been modified to acknowledge an agreement between the Applicant and the County to propose approval of Alternative 2: SSHCP Consistent Wetland Preserve, as described in Chapter 3, “Alternatives,” and analyzed in Chapters 4 through 20 of this Recirculated Draft EIR.

~~Chapter 6, “Air Quality.”~~ This chapter assesses the potential air quality effects caused by stationary, mobile, and area sources related to construction and operation of the Project or Alternative 2, as well as the potential for the Project to generate objectionable odors, in consideration of the updated 2019 CEQA Guidelines questions. This chapter also describes the climate in the Plan Area; existing air quality conditions in the Plan Area for criteria air pollutants and toxic air contaminants; odors; and applicable federal, state, and regional air quality standards. Mitigation is provided, where necessary and appropriate, to address impacts. The chapter has been revised to include the Sacramento Metropolitan Air Quality Management District’s new (October 2020) guidance and incorporate a new technical analysis for Alternative 2 and revised mitigation measures.

~~Chapter 8, “Biological Resources.”~~ This chapter identifies and analyzes impacts to biological resources that could occur as the result of the Project or Alternative 2. The analysis focuses on impacts to the grassland and wetland habitats, which dominate the Plan Area, and the special-status species that rely on these habitats. Species covered include a variety of special-status plants, invertebrates, birds, amphibians, reptiles, and mammals. The chapter has been revised to include expanded discussions of the potential effects of fracturing of the hardpan that supports vernal pool hydrology in the project area; and the potential impact of artificial nighttime lighting that can have adverse effects to essential wildlife behaviors in surrounding areas.

~~Chapter 9, “Climate Change.”~~ This chapter presents a summary of regulations applicable to greenhouse gas (GHG) emissions; a summary of climate change science and GHG sources in California; quantification of GHGs generated by the Project or Alternative 2 and discussion about their contribution to global climate change in accordance with the 2019 State CEQA Guidelines; and analysis of the Project’s

resiliency to climate change-related risks. The discussion has been modified to reflect a revised GHG analysis conducted pursuant to Sacramento Metropolitan Air Quality Management District's most recent GHG guidance (April 2020) and Senate Bill 743 vehicle miles traveled (VMT) targets, as well as comments received on the Draft EIR, and responds to comments received on the Draft EIR. The chapter has also been updated to reflect the status of the County's Communitywide Climate Action Plan.

Chapter 15, "Land Use, Population, and Housing." This chapter addresses potential physical environmental impacts related to land use and land use policy. Areas of analysis include compatibility of the Project and Alternative 2 with adopted Sacramento County General Plan (2030 General Plan) policies and other local land use plans, division or disruption of an established neighborhood, and the displacement of housing. In response to recent updates to the Sacramento General Plan, Table LU-1: Project Consistency with General Plan Policy, has been updated to reflect changes to the Safety and Circulation Elements.

Chapter 18, "Water Supply." This chapter addresses the ability of the existing water service provider to supply drinking water to the Project or Alternative 2. The analysis describes relevant master planning of the utility services and whether the infrastructure and demands of the Project or Alternative 2 are consistent with the utility master plans. The potential physical impacts of constructing facilities are described. The analysis in this chapter has been modified to expand upon the discussion of sustainable yield and the thresholds used in the analysis.

Chapter 20, "Traffic and Circulation." This chapter includes consideration of motorized vehicle traffic impacts on roadway capacity and functionality, freeway facility operations, potential impacts to transit, bicycle, and pedestrian facilities, and impacts related to emergency access and hazards related to design for the Project and Alternative 2. This chapter has been revised to include an analysis of VMT and provide additional clarification regarding the design of State Route 16 and anticipated relinquishment.

Chapter 21, "Summary of Impacts and Their Disposition." This chapter has been updated to reflect changes in the impact analysis.

Chapter 23, "Bibliography." This chapter identifies the documents and individuals used as sources for the analysis.

Appendix PD-1, "Jackson Township Specific Plan." The most current version of the specific plan is provided.

Appendix AQ-1, "Air Quality Mitigation Plan and Greenhouse Gas Reduction Plan." Supplemental technical data related to the potential health effects attributable to the emissions from the Project and the updated greenhouse gas reduction plan are provided in this appendix.

Appendix AQ-2, "Analysis of Potential Health Effects Related to the Air Quality Effects of the Jackson Township Specific Plan." A technical analysis of the health effects potentially attributable to the Project's air emissions is provided.

Appendix AQ-3, “Air Quality Health Effects Assessment of the Sacramento Raceway.” For informational purposes, the health effects potentially attributable to continued operation of the Sacramento Raceway is provided.

Appendix AQ-4, “Potential Odors from the Sacramento Rendering Company at the Proposed Jackson Township Development.” The evaluation of odors is now provided as an appendix to facilitate review.

Appendix BR-3, “South Sacramento Habitat Conservation Plan Conditions Avoidance and Minimization Measures.” This appendix has been updated to reflect the adopted avoidance and minimization measures.

Appendix CC-1, “GHG Emissions from the Existing Sacramento Raceway.” For informational purposes, a technical analysis of the GHG emissions potentially attributable to continued operation of the Sacramento Raceway is provided.

Appendix TR-2, “Transportation Mitigation Strategy.” This appendix has been revised to include recent updates to the County’s mitigation strategy.

Appendix TR-3, “Jackson Township Specific Plan Revised VMT Analysis.” This new appendix provides technical information in support of the VMT analysis included in this Recirculated Draft EIR.

CONTENT OF THIS FINAL EIR

This Final EIR republishes the entirety of the Draft EIR, as reflected in the May 2021 recirculation. Changes made to the text of the EIR since publication of the Recirculated Draft EIR are identified with strikethrough for deletions and underline for additions. Key updates have been made in the analysis and quantification of vehicle miles traveled (VMT), greenhouse gas emissions, and air quality. These changes refine the analysis and conclusions of the Recirculated Draft EIR but do not constitute significant new information, as defined in Section 15088.5(a) of the State CEQA Guidelines.

PUBLIC AND ENVIRONMENTAL REVIEW PROCESS

A Notice of Preparation (NOP) of an EIR for the Project was released for a 30-day review by public agencies and the general public on July 19, 2013. A public scoping meeting was held on August 29, 2013. The NOP and copies of the comments received in response to the NOP are provided in Appendix INT-2. All NOP comments were considered by the EIR preparers. The introduction of each environmental resource area chapter (Chapters 4 through 20) identifies NOP comment topics addressed in the respective chapter.

Upon completion of the Draft Recirculated EIR, Sacramento County filed a Notice of Completion (NOC) with the Governor’s Office of Planning and Research to begin the public review period (Public Resources Code Section 21161). Concurrent with the NOC, this Draft EIR has been distributed to responsible and trustee agencies, other affected agencies, and interested parties in accordance with Public Resources Code Section 21092(b)(3).

Consistent with the requirements of Sections 15087 and 15088.5(d) of the State CEQA Guidelines, the Recirculated Draft EIR ~~is being~~ was made available on May 14, 2021, for public review for a period of 45 days. During this period, the general public, agencies, and organizations ~~may could~~ submit written comments on the content of ~~this the~~ Recirculated Draft EIR to Sacramento County. Pursuant to procedures set forth in Section 15088.5(f)(2) of the State CEQA Guidelines, reviewers ~~are~~ were directed to limit their comments to the revised information contained in this Recirculated Draft EIR. Reviewers need not resubmit comments on the Draft EIR. Comments received on the Draft EIR, as well as comments on this Recirculated Draft EIR, ~~will all be~~ are responded in to Chapter 23, “Response to Comments,” ~~with the responses provided in the~~ of this Final EIR.

During the 45-day public review period, the Draft EIR ~~is~~ was available for review between 8:30 am and 4:30 pm Monday through Friday at the County Office of Planning and Environmental Review located at:

827 7th Street, Room 225
Sacramento, CA 95814

In addition, a hard copy of the Draft EIR ~~can be~~ was available for reviewed at the following Sacramento Public Library locations:

Central Library
828 I Street
Sacramento, CA 95814

Rancho Cordova Library Branch
9545 Folsom Boulevard
Sacramento, CA 95827

The Draft EIR ~~is~~ was also available online at:

<http://www.per.saccounty.net/PlansandProjectsIn-Progress/Pages/JacksonTownshipSpecificPlan.aspx>.

All agencies, organizations, and interested parties, have the opportunity to comment on the Draft EIR during the public review period.

Written comments on this Draft EIR should be addressed to:

Todd Smith, ~~Principal Planner~~ Planning Director
Sacramento County Office of Planning and Environmental Review
827 7th Street, Room 225
Sacramento, CA 95814

Written comments may also be submitted to CEQA@saccounty.net.

Following the close of the public comment period, the County ~~will prepared~~ a this Final EIR, which ~~will includes~~ written responses to comments on the Draft EIR and Recirculated Draft EIR and ~~will identify~~ ies any changes to the EIR that may be required to address comments or new information, if applicable. Once the Final EIR is completed, the Board of Supervisors must certify the EIR and adopt Findings of Fact before it can approve the Project. If the EIR finds that the Project would result in any significant and unavoidable impacts, then the Board of Supervisors must also adopt a Statement of Overriding Considerations.

INTENDED USES OF THE EIR

The Sacramento County Board of Supervisors will use the information contained in this EIR to evaluate the Project and render a decision to approve or deny the requested entitlements (as described further in Chapter 2, “Project Description”).

Responsible agencies may also use the EIR for the following, if not additional, planning or permitting purposes:

- Federal Clean Water Act Section 404 Permit (U.S. Army Corps of Engineers)
- Federal Endangered Species Act Section 7 Consultation (U.S. Fish and Wildlife Service)
- Section 401 Water Quality Certification (Regional Water Quality Control Board—Central Valley Region)
- California Endangered Species Act Incidental Take Permit (California Department of Fish and Wildlife)
- Streambed Alteration Agreement (California Department of Fish and Wildlife)
- Section 402 National Pollutant Discharge Elimination System Permit (Regional Water Quality Control Board—Central Valley Region)
- Encroachment Permit (California Department of Transportation)
- Annexations (Local Agency Formation Commission)
- Electric utilities services, utilities, and future facilities (Sacramento Municipal Utility District)
- Sacramento Metropolitan Air Quality District permits
- Future actions by the California Department of Transportation

2 PROJECT DESCRIPTION

This Final EIR acknowledges the Applicant's intent to proceed with Alternative 2 (SSHCP-Consistent Wetland Preserve). As described in Chapter 3, "Alternatives," Alternative 2 was developed to address concerns over the potential loss of some wetlands and habitat areas located east of the future Grenville Drive adjacent to, but outside of, the wetland preserve proposed as part of the Project. Under this alternative, a large portion of the area designated as Low Density Residential as part of the Project would be included as an additional wetland preserve area. The wetland preserve in Alternative 2 was designed to be consistent with the South Sacramento Habitat Conservation Plan (SSHCP) hardline preserve boundary on the Project site. The SSHCP was adopted by Sacramento County and the Plan Partners in September and October 2018. To account for the loss of land designated for Low Density Residential necessary to accommodate the additional preserve area, the designation of one of the large parcels adjacent to Kiefer Boulevard would be changed from Medium Density Residential to Low Density Residential, which would result in an increase in the amount of Low Density Residential development and a decrease in the amount of Medium Density Residential development in the Plan Area. In addition, approximately 35.1 acres of land intended to remain designated as Agriculture under the Project would be redesignated as Low Density Residential. Aside from those changes, the land use plan would remain consistent with the land use plan for the Project.

Overall, implementing Alternative 2 would increase the size of the wetland preserve from 214.3 acres to approximately 259.8 acres and would preserve an additional cluster of vernal pools, resulting in preservation of an additional 4.6 acres of waters of the United States on property owned by the Applicant. The size of the larger Community Park would increase from 28.6 acres to approximately 30.0 acres. The acreage of Low Density Residential would increase from 355.7 acres with 2,134 units under the Project to 382.6 acres with 2,295 units. Land designated for Medium Density Residential would decrease from 136.3 acres with 1,772 units to 124.5 acres with 1,245 units. Land designated for High Density Residential would also decrease, from 85.5 acres with 2,137 units to 82.0 acres with 2,050 units. Like the Project, Alternative 2 would include 100 units on the mixed-use parcel.

The analysis of Alternative 2 can be found along with the Project analysis in Chapters 4–20 of this Draft EIR. This equal-level review was provided because of uncertainty regarding adoption of the SSHCP, because the parallel U.S. Army Corps of Engineers Clean Water Act permitting process was being undertaken, and to identify the potential environmental impacts associated with possible land use plan modifications. The Draft EIR concludes that Alternatives 2 and 2A are environmentally superior to the Project because they are consistent with the SSHCP and would reduce impacts on biological resources.

In October 2019, County staff requested that the Applicant confirm which land use alternative(s) should be used as the basis for staff's continuing analysis of the Project. In January 2021, the Applicant provided the County with written confirmation of its intent to proceed with Alternative 2, based upon the analysis that was provided in the Draft EIR, comments from various environmental groups, and adoption of the SSHCP.

INTRODUCTION

The Jackson Township Specific Plan (hereinafter referred to as the Project) is a master plan for the development of 1,391 acres in unincorporated Sacramento County (hereinafter referred to as the Plan Area). The Project includes a land use plan that would provide for a range of different uses, including a variety of residential, public, park, open space, and employment-generating uses such as office, commercial, and retail.

The Project Applicant is Tsakopoulos Investments, which owns a majority of the acreage (64 percent) included in the Plan Area. Sacramento County is the Lead Agency for the purpose of this EIR.

PROJECT SETTING

PROJECT LOCATION

The Plan Area is located in an unincorporated area southwest of the City of Rancho Cordova, east of the City of Sacramento, and north of the City of Elk Grove. The Plan Area is also southeast of, but not directly adjacent to, Mather Airport (Plate PD-1).

The Plan Area is bound by Excelsior Road to the west and Jackson Road (also referred to as Jackson Highway) to the south. The eastern boundary follows parcel lines roughly 0.5 mile east of Eagles Nest Road. The northern boundary also follows parcel lines and is bounded by Kiefer Boulevard in the west and extends north of the planned extension of Kiefer Boulevard in the east (Plate PD-2).

The Mather Field Specific Plan Area is located in the unincorporated area north of the Plan Area. As discussed further below, the proposed NewBridge Specific Plan area is immediately east of the Plan Area and the proposed West Jackson Highway Master Plan area is located immediately west of the Plan Area (Plate PD-2).

The majority of the Plan Area is located within the Vineyard Community. However, the northeast corner of the Plan Area that would extend north of the future alignment of Kiefer Boulevard is located within the Cordova Community (Plate PD-3). The Plan Area is located outside, but immediately adjacent to, the existing Urban Policy Area (UPA) and is within the Urban Services Boundary (USB).

EXISTING CONDITIONS

PARCELS IN THE PLAN AREA

The Plan Area is made up of a total of 39 parcels. Of these, the Project Applicant owns and/or controls 13 parcels totaling approximately 883 acres, or 64 percent of the Plan Area (Plate PD-4). Properties not owned by the Project Applicant, hereinafter referred to as non-participating properties, are included in the proposed specific plan per Sacramento County 2030 General Plan (2030 General Plan) requirements and would be the subject of future entitlement applications for rezoning consistent with the County's adopted Land Use Plan.




Plate PD-1: Regional Location




Plate PD-2: Plan Area Vicinity




Plate PD-3: Community Plan Areas




Plate PD-4: Plan Area Aerial - Participating and Non-Participating Properties

The Assessor's Parcel Numbers (APNs) included within the Plan Area are listed in Table PD-1, below. Bold text indicates parcels owned and/or controlled by the Project Applicant.

Table PD-1: Area Parcel Numbers

067-0050-002	067-0060-007	067-0080-032
067-0050-004	067-0060-008	067-0080-033
067-0050-005	067-0060-010	067-0080-039
067-0050-019	067-0060-011	067-0080-040
067-0050-020	067-0060-012	067-0080-042
067-0050-021	067-0060-013	067-0080-045
067-0050-022	067-0060-014	067-0080-048
067-0050-028	067-0060-016	067-0080-049
067-0050-029	067-0070-002	067-0080-050
067-0050-045	067-0080-004	067-0080-051
067-0050-047	067-0080-023	067-0080-057
067-0050-051	067-0080-028	067-0080-059
067-0050-058	067-0080-031	067-0080-061

EXISTING LAND USES

As shown in Plate PD-4, the Plan Area is largely undeveloped. Current land uses on the properties within the Plan Area are predominantly grazing, small ranches, and agricultural-residential homes. A portion of the Plan Area includes the Sacramento Raceway, which hosts regular stock car and drag racing events several times a month throughout the year. Operation of the raceway is not a County-permitted land use in the area, and the ongoing racing activities have been the source of several Code Enforcement actions over many years.

To the west of the Plan Area, land uses are characterized by agricultural uses, mining activities, and commercial sales of landscaping materials. Lands to the east are generally similar to the Plan Area, with grazing and agricultural-residential uses predominating. The property to the east also includes the Sacramento Rendering Company plant, a facility that accepts animal tissue, processes it, and then distributes the byproduct for use in the manufacture of other goods. Land to the north is dominated by the presence of Mather Airport and appurtenant facilities and includes the Independence at Mather residential subdivision and a wetland and nature preserve. Mather Golf Course is located further to the northeast. Properties to the south of the Plan Area are generally in agricultural or agricultural-residential use or are within a wetland preserve.

The Plan Area consists primarily of rolling terrain and grasslands, with elevations ranging from approximately 75 feet above mean sea level in the western portion of the Plan Area to 145 feet above mean sea level in the eastern portion of the Plan Area. Most of the Plan Area is grassland with interspersed wetlands, portions of which have historically been disturbed by agricultural activities. The southwestern portion of the Plan Area is within the headwaters of Elder Creek, and a small bend in Morrison Creek runs through the northeastern corner of the Plan Area. The Plan Area is a tributary to

both of these watersheds. However, the portion of the Plan Area in the Morrison Creek watershed actually drains west to a low-lying pond created from surface aggregate mining on properties to the west of Excelsior Road and does not flow directly to Morrison Creek. The majority of the Plan Area falls within the Elder Creek watershed, draining in a northeast to southwest direction. The primary discharge is through a double box culvert located at the intersection of Jackson Highway and Excelsior Road.

EXISTING LAND USE DESIGNATIONS AND ZONING

The Plan Area is currently designated as Extensive Industrial and General Agriculture (minimum parcel sizes of 20 acres) on the 2030 General Plan Land Use Diagram (Plate PD-5). The three parcels located north of the Kiefer Boulevard alignment are designated as Light Industrial and Industrial Reserve in the Cordova Community Plan, and the remainder of the Plan Area is designated as Permanent Agricultural (minimum parcel sizes of 80 acres), and Light Industrial in the Vineyard Community Plan (Plate PD-6).

The Plan Area is zoned Light Industrial (M-1), Agricultural 80 (AG-80), and Interim Agricultural Reserve (IR). See Plate PD-7. The M-1 zone provides for a variety of industrial uses that do not create smoke, odors, gas, dust, etc. The AG-80 zone promotes long-term agricultural use and discourages premature and unnecessary conversion of land. The IR zone is reserved for future industrial uses (Sacramento County 2015, Table 2-2). In addition, portions of the Plan Area are located within two combining zoning districts: Flood and Surface Mining. The Flood Combining Zoning District is intended to comprise all land covered by rivers, creeks, and streams, as well as land subject to flooding. Areas within the Flood Combining Zoning District are subject to special development standards. The Surface Mining Combining Zoning District is designed to protect mineral resources in the county from incompatible uses, manage mineral resources, assure access to the resources, and provide for the restoration of mined lands. Mining operations can be permitted within this district, subject to approval of a conditional use permit and reclamation plan. For further discussion of mineral resources, refer to EIR Chapter 12, "Geology, Soils, and Mineral Resources."

EXISTING INFRASTRUCTURE

CIRCULATION AND TRANSPORTATION

As stated above, Excelsior Road and Jackson Highway make up the western and southern boundaries of the Plan Area, respectively. There is no road located along the eastern boundary of the Plan Area, though Eagles Nest Road is located 0.5 mile to the east. There is also no paved road on the northern property boundary, but the 2030 General Plan Transportation Diagram shows that Kiefer Boulevard will be extended as a 4-lane arterial through the Plan Area post 2030 (Sacramento County 2011). Currently, there is an unmaintained dirt road along the future Kiefer Boulevard alignment on County-owned right-of-way.




Plate PD-5: Existing General Plan Land Use Designations




Plate PD-6: Existing Community Plan Land Use Designations




Plate PD-7: Existing Zoning

Jackson Highway is primarily a two-lane facility without a center left-turn lane where it is adjacent to the Plan Area, though it is four lanes for a short distance on either side of the intersection of Jackson Highway and Excelsior Road. Jackson Highway is currently a state highway (State Route 16) in the vicinity of the Plan Area. In 2015, the State Legislature authorized the California Transportation Commission (CTC) to relinquish the segment of State Route 16 from west of Watt Avenue to east of Grant Line Road to Sacramento County and the City of Rancho Cordova upon a determination by CTC that it is in the best interests of the state to do so. Since that time, Sacramento County, the California Department of Transportation, and CTC have been in discussions regarding the relinquishment. The total relinquishment process is estimated to take between 30 and 48 months for completion, well in advance of the construction phase for any of the Jackson Corridor Master Plan projects. Excelsior Road is also a two-lane facility adjacent to the Plan Area.

UTILITIES

GAS AND ELECTRICITY

The Plan Area is within the service areas of the Pacific Gas & Electric Company (PG&E) for natural gas and the Sacramento Municipal Utility District (SMUD) for electricity. An existing 6-inch steel main gas line traverses the northern portion of the Plan Area within the Kiefer Boulevard right of way. A SMUD/PG&E transmission corridor traverses the southern portion of the Plan Area and contains four overhead transmission circuits (two of which are owned by SMUD and two are owned by PG&E). There are also 12 kilovolt SMUD distribution facilities running along Jackson Highway and Excelsior Road.

EXISTING WATER SUPPLY INFRASTRUCTURE

The Plan Area is located within Zone 40 of the North Service Area of the Sacramento County Water Agency (SCWA). Although it does not currently serve the Plan Area, SCWA does own and operate water supply infrastructure in the vicinity, including the Vineyard Surface Water Treatment Plant located off of Florin Road west of Excelsior Road, Excelsior Well Field, and the Anatolia Terminal Storage and Pumping Facilities located east of Sunrise Boulevard in the City of Rancho Cordova. These facilities are connected via transmission line, including a portion that follows Excelsior Road along the Plan Area's western boundary and through the Plan Area along the Kiefer Boulevard alignment out to Sunrise Boulevard. Individual groundwater wells currently supply water to the Plan Area.

EXISTING WASTEWATER INFRASTRUCTURE

The Plan Area is outside of the Sacramento Area Sewer District's service area. The Bradshaw Interceptor is located approximately 2 miles west of the Plan Area. There is no existing wastewater service in the Plan Area. Existing residences located within the Plan Area are served by individual septic systems.

PROJECT BACKGROUND

REGIONAL GROWTH PROJECTIONS AND PLANNING CONTEXT

County staff prepared the Jackson Highway Visioning Study for approximately 12,000 acres in central Sacramento County along Jackson Road as part of the General Plan Update process. This study was initiated in response to the Sacramento Region Blueprint, which was adopted by the Sacramento Area Council of Governments (SACOG) in 2004. The Sacramento County 1993 General Plan had assumed the need for approximately 29,000 new residential units in the unincorporated county, but the Blueprint assumed nearly 100,000 new units, more than triple the previously assumed demand, amidst a housing boom in the region. The County began updating the General Plan in the early 2000s based on this increased growth assumption.

The Jackson Highway Visioning Study and a concurrent visioning study completed for 10,000 acres along Grant Line Road were developed as part of the General Plan Update process to provide a guide for long-term future growth, based on the Blueprint's housing demand projections. The Jackson Highway Visioning Study was completed in 2008.

In 2008, the housing boom ended and was followed by an unprecedented recession. In addition to the extreme economic fluctuations of the time, during the same period, the State adopted several sweeping regulatory changes that forced local governments to drastically change their approach to land use planning, including Assembly Bill (AB) 32 in 2006 and Senate Bill (SB) 375 in 2008. SACOG's regional growth projections were adjusted to reflect the major shifts in the economy and regulatory environment. By the time the 2030 General Plan was adopted in 2011, SACOG's growth demand projections for new housing for the unincorporated county had been reduced from nearly 100,000 to less than 50,000 during a six-year period. This resulted in the need to change the County's approach to approving new growth, which resulted in some variations from intent of the visioning studies and from the direction originally considered during the beginning of the General Plan Update process.

This revised approach to new growth areas incorporates strict criteria for growth based on smart growth principles that are intended to assist the County in meeting its obligations to reduce greenhouse gas emissions under AB 32 and SB 375. Additional information on this topic and the analysis of the Project's ability to meet the criteria can be found in Chapter 15, "Land Use."

The most current SACOG growth forecast at the time the Draft EIR was prepared was created for the Metropolitan Transportation Plan/Sustainable Communities Strategy (MTP/SCS) adopted in February 2016. This forecast uses a 2012 base year estimate with projections to 2036 for household population, housing units, and employment. These projections estimate demand for 49,665 new residential units in unincorporated Sacramento County between 2012 and 2036 (SACOG 2016). ~~SACOG is currently in the process of updating~~ adopted the MTP/SCS for 2020 in November 2019.

DOUGLAS ROAD EXTENSION

The Sacramento County Department of Transportation (DOT) is currently scoping the Douglas Road Extension. This project would extend Douglas Road as an arterial roadway, from Mather Boulevard to Excelsior Road. Construction dates and costs have not been established (Sacramento County DOT 2018).

This project is a County-initiated transportation improvement that is separate from the Jackson Township Specific Plan, and its potential impacts are not analyzed in this EIR. However, because the Douglas Road Extension would intersect with Excelsior Road at the northwest corner of the Plan Area, it may affect future conditions in the Plan Area.

SOUTH SACRAMENTO HABITAT CONSERVATION PLAN

The SSHCP was developed through an iterative process that began in 1992. The current conservation plan concept was initiated in 2012. The SSHCP was adopted by the partner agencies, and permit preparation is currently underway.


The Plan Area is within the Urban Development Area identified in the SSHCP, and the Project is included as a covered activity (under the category “Master Plans Known at the Time of SSHCP Preparation”). Covered Activities provide for the expansion of urbanizing areas within the county’s existing USB. Within the Urban Development Area, the SSHCP identifies a system of preserves designed to protect high quality habitat and provide linked habitat corridors. One such preserve is identified in the eastern portion of the Plan Area (Plate PD-8).

In anticipation of SSHCP adoption, the County requested that the Applicant develop a Project Alternative consistent with SSHCP requirements, including compliance with the Covered Activity descriptions and the SSHCP Avoidance and Minimization Measures listed in the SSHCP. In response, the Applicant developed Alternatives 2 and 2A, which are discussed in Chapter 3, “Alternatives,” of this EIR.

CONCURRENT PLANNING PROCESSES

The Project is one of four major planning applications currently in process for future urban growth areas located along the Jackson Highway corridor, which are collectively referred to as the Jackson Highway Master Plans. The other three plans are the West Jackson Highway Master Plan, the NewBridge Specific Plan, and the Mather South Community Master Plan. The West Jackson Highway Master Plan area is located just west of the Plan Area and includes approximately 5,900 acres on both the north and south sides of Jackson Highway. The NewBridge Specific Plan area is located just east of the Plan Area and includes approximately 1,095 acres north of Jackson Highway. The Mather South Community Master Plan includes approximately 884 acres northeast of the Plan Area (refer to Plate PD-2).

In total, the four master plans cover approximately 9,250 acres and would provide for: the development of more than 27,000 new housing units of varying densities; nearly 6.8 million square feet of commercial space, employment-generating uses, and mixed-use space; 12 schools; approximately 322 acres of developed parkland; and approximately 2,390 acres of designated open space. The master plans were initiated at the request of each of the project applicants in response to long term growth projections and, if approved, are anticipated to build out over several decades. Economic and market conditions would determine when future projects are built. Applications for each of the Jackson Highway Master Plans are in various stages of processing by the County. These master plans are considered in the cumulative context and infrastructure planning for the Project. At this time, it is unknown when any of the master plans will be presented at a hearing to the Board of Supervisors for consideration and potential approval.



Source: Figure provided by County of Sacramento in 2019. X15010101 09 098

Plate PD-8: SSHCP Planned Hardline Preserves



APPLICATION AND PROJECT INITIATION

The Project Applicant began informal coordination with County staff prior to submittal of a project application. Initially the Project was referred to as Excelsior Estates and had a different project boundary. Additional properties were added to the Plan Area through several years of planning to ensure an orderly growth pattern along the Jackson Highway corridor.

In May of 2011, the Sacramento County Board of Supervisors agreed to allow the initiation of a pre-application process to develop a new specific plan for the Plan Area. The Project Applicant collaborated with County staff for approximately one year on design before filing a formal application in April of 2012. The specific plan process was initiated in June of 2012 following the Sacramento County Board of Supervisors' review and acceptance of the application to expand the UPA pursuant to 2030 General Plan Policy LU-119.

CEQA NOTICING AND PUBLIC INVOLVEMENT

A Notice of Preparation (NOP) for this EIR was published on August 5, 2013. An agency scoping meeting was held at the California Office of Planning and Research on August 28, 2013, and a public scoping meeting was held at the Sacramento County University of California Cooperative Extension on August 29, 2013. The NOP was also heard as an informational item before the Vineyard Community Planning Advisory Council (CPAC) and the Cordova CPAC on August 6 and August 15, 2013, respectively. Comments on the NOP are summarized in the applicable technical chapters of this EIR.

In 2013 and 2016, the County held four joint Vineyard and Cordova CPAC workshops for the Jackson Highway Master Plans that covered: the planning and environmental review process for master plans; transportation planning in the area; water supply, sewer, and drainage in the area; and infrastructure financing.

PROJECT OBJECTIVES

The following summarizes the Project objectives that guided the planning of the Jackson Township Specific Plan:


1. Develop an economically viable mixed-use project in close proximity to the urban core.
2. Develop a marketable project which minimizes greenhouse gas emissions.
3. Develop an economically-stable community where property values are retained over time.
4. Develop a project containing a variety of housing types so as to create a demographically mixed community.
5. Develop a project which allows for easy access to green space, schools, and a town center containing various retail, dining, and other commercial services.

6. Develop a project which provides employment opportunities for workers of all income levels.
7. Develop a project which promotes a jobs-housing balance in the Jackson Highway/Mather area.
8. Develop a project which allows residents to engage in short, non-vehicle commutes.
9. Develop a project which utilizes proven design practices which result in the creation of strong communities that remain economically stable over time.
10. Develop a project which contains a circulation system that promotes walking, biking, and the use of public transit.
11. Develop a project which contains a comprehensively planned infrastructure system.
12. Develop a project which ensures funding for the on-going maintenance needs of parks, open space facilities, public services and other infrastructure.
13. Develop a project which preserves, to the extent feasible, the area's most important and valuable biological resources with a wetlands preserve.
14. Develop a project which contains adequate school facilities for community residents and assists in meeting the school facility needs of surrounding projects.
15. Develop a project which includes a community park and a variety of neighborhood parks sufficient to meet park district requirements.


REQUESTED ENTITLEMENTS

To approve the Project or any of the Project Alternatives, the following entitlements must be approved by the Sacramento County Board of Supervisors:


- A **General Plan Amendment** to move the UPA boundary south to include approximately 1,391 acres encompassing the Jackson Township Specific Plan (Plate PD-9).
- A **General Plan Amendment** to amend the Land Use Diagram designations within the Jackson Township Specific Plan from General Agriculture (20 acres) (568 acres) and Extensive Industrial (823 acres) to Low Density Residential, Medium Density Residential, Commercial and Office, Mixed Use, Recreation, and Natural Preserve (Plate PD-10). The southeast portion (110 acres) of the Plan Area would remain designated as General Agriculture (20 acres).
- A **General Plan Amendment** to amend the 2030 General Plan, including the Land Use Diagram, to include a Mixed Use Land Use Designation.
- A **General Plan Amendment** to amend the Transportation Diagram to reflect proposed roadway alignments (Plate PD-11).
- A **General Plan Amendment** to amend the Active Transportation ~~Bicycle Master~~ Plan to add on- and off-street bikeways (Plate PD-12).



EXISTING URBAN POLICY AREA




PROPOSED URBAN POLICY AREA



Source: Figure provided by Tsakopoulos Investments in 2021.

X15010101 09 024

Plate PD-9: Proposed Urban Policy Area (UPA) Amendment




EXISTING GENERAL PLAN LAND USE DESIGNATION



PROPOSED GENERAL PLAN LAND USE DESIGNATION

LEGEND:



LDR	LOW DENSITY RESIDENTIAL (1-12 DU/AC)	POP	CEMETERY, PUBLIC + QUASI PUBLIC
MDR	MEDIUM DENSITY RESIDENTIAL (13-30/AC)	EXT IND	EXTENSIVE INDUSTRIAL
CO	COMMERCIAL AND OFFICES	GA 20	GENERAL AGRICULTURE (20AC)
MU	MIXED USE		
NP	NATURAL PRESERVE		
REC	RECREATIONAL		



Source: Figure provided by Tsakopoulos Investments in 2019.

X15010101 09 021

Plate PD-10: Proposed General Plan Land Use Diagram Amendment




EXISTING TRANSPORTATION PLAN

PROPOSED TRANSPORTATION PLAN

LEGEND:

	PRE 2030 THOROUGHFARE
	POST 2030 THOROUGHFARE
	PRE 2030 2-LANE COLLECTOR
	PRE 2030 4-LANE ARTERIAL
	POST 2030 4-LANE ARTERIAL
	POST 2030 TRANSIT




Source: Figure provided by Tsakopoulos Investments in 2019.

X15010101 09 023

Plate PD-11: Proposed General Plan Transportation Diagram Amendment


- A **Community Plan Amendment** to the Vineyard Community Plan to change the community plan designations of the parcels located within the Jackson Township Specific Plan area (1,297.5 acres) from Permanent Agriculture (AG-80) (772.5 acres) and Light Industrial (525 acres) to Jackson Township Specific Plan Area (1,297.5 acres) (Plate PD-13).
- A **Community Plan Amendment** to the Cordova Community Plan to change the community plan designations of the parcels located within the Jackson Township Specific Plan Area (93.5 acres) from Light Industrial (71.4 acres) and Industrial Reserve (IR) (22.1 acres) to Jackson Township Specific Plan Area (93.5 acres) (Plate PD-13).
- **Adoption of the Jackson Township Specific Plan** for the approximately 1,391-acre Jackson Township Specific Plan area, including a Specific Plan land use diagram, Design Guidelines, and Development Standards.
- A **Zoning Ordinance Amendment** to establish a Special Planning Area (SPA) Ordinance for the Jackson Township Specific Plan and a **Rezone** for a 575-acre portion (owned by the Project Applicant) of the Jackson Township Specific Plan Area from AG-80 (221 acres), M-1 (330.5 acres) and IR (23.5 acres) to Jackson Township SPA (Plate PD-14).
- A **Large Lot Tentative Subdivision Map** for most of the lands owned by the Project Applicant, consisting of 12 existing parcels of approximately 864 acres, to be divided into 26 parcels totaling approximately 860 acres for the purpose of creating legal parcels corresponding to land use blocks within the Jackson Township Specific Plan (Plate PD-15).
- **Adoption of an Affordable Housing Strategy** for the Jackson Township Specific Plan.
- **Adoption of a Development Agreement** for the Jackson Township Specific Plan by and between the County of Sacramento and Tsakopoulos Investments, LLC. or Excelsior Estates, LLC., both of which are owned by the Project Applicant, for the acreage within the Plan Area owned by the Project Applicant.
- **Adoption of a Public Facilities Financing Plan** for the Jackson Township Specific Plan that includes a Capital Improvement Program and Financing Plan.
- **Adoption of a Water Supply Master Plan Amendment** to amend the existing Zone 40 Water Supply Master Plan to include provision of water service to the Jackson Township Specific Plan Area. This action requires Sacramento County Water Agency Board of Directors approval.
- **Approval of a Water Supply Assessment** for the Jackson Township Specific Plan required by the California Water Code to link land use and water supply planning activities. This action requires Sacramento County Water Agency Board of Directors approval.

It should be noted that this application request does not include rezone of the properties not owned by the Project Applicant, and that any subsequent rezones would be the subject of future applications and CEQA review.




EXISTING COMMUNITY PLAN LAND USE DESIGNATIONS

LEGEND:	
AG-80	PERMANENT AGRICULTURE
M-1	LIGHT INDUSTRIAL
IR	INDUSTRIAL RESERVE




PROPOSED COMMUNITY PLAN LAND USE DESIGNATIONS



Source: Figure provided by Tsakopoulos Investments in 2019.


X15010101 09 020

Plate PD-13: Proposed Community Plan Amendments – Cordova and Vineyard Community Plans




EXISTING ZONING

LEGEND:	
-----	REZONE BOUNDARY
AG-80	PERMANENT AGRICULTURE
M-1	LIGHT INDUSTRIAL
-----	PLAN AREA BOUNDARY
SPA	SPECIAL PLANNING AREA



PROPOSED ZONING



Source: Figure provided by Tsakopoulos Investments in 2019.


X15010101 09 022

Plate PD-14: Proposed Rezone

This page intentionally left blank.

LEGEND:

- EXISTING CONTOUR MAJOR
- EXISTING CONTOUR MINOR
- EXISTING SWALE/POND
- EXISTING FENCE
- EXISTING TOWER
- EXISTING EASEMENT
- EXISTING STRUCTURE
- EXISTING PARCEL NUMBER
- FUTURE RIGHT OF WAY W/
CENTERLINE
- PROPOSED RIGHT OF WAY W/
CENTERLINE
- PROPOSED LOT NUMBER
- WETLAND/PRESERVE
- PROPOSED PARK
- PROPOSED GREENBELT
- PROPOSED ELEMENTARY SCHOOL
- PROPOSED HIGH SCHOOL/MIDDLE SCHOOL
- PROPOSED COMMUNITY PARK
- RIGHT OF WAY



2
WP
P
GB
ES
HS/MS
CP
R.O.W.



PARCEL	USE/ZONE	ACRES
1	AG-80	191.8
2	WP	23.5
3	GB	5.2
4	HS/MS	70.0
5	P	28.6
6	GB	1.9
7	GB	3.1
8	GB	10.1
9	GB	11.6
10	MD-RESIDENTIAL	34.2
11	AG-80	80.1
12	HD-RESIDENTIAL	16.9
13	MD-RESIDENTIAL	22.3
14	HD-RESIDENTIAL	10.7
15	ES	10.0
16	P	9.5
17	LD-RESIDENTIAL	57.5
18	LD-RESIDENTIAL	14.4
19	LD-RESIDENTIAL	30.0
20	GB	0.6
21	GB	1.0
22	LD-RESIDENTIAL	9.2
23	LD-RESIDENTIAL	6.1
24	GB	4.0
25	LD-RESIDENTIAL	35.1
26	WP	121.8
R/W	R/W	50.4
TOTAL:		859.6

Source: Figure provided by Tsakopoulos Investments in 2019.

X15010101 09 025

Plate PD-15: Proposed Large Lot Tentative Map



SACRAMENTO LAFCO ENTITLEMENTS

In addition to the above listed entitlements, separate annexation requests to the Sacramento Local Agency Formation Commission (LAFCo) for the Project and the Project Alternatives will include:

- A Sphere of Influence Amendment (SOIA) and concurrent Annexation to County Service Area (CSA) 10 or creation of a new CSA. Note: a separate subsequent action may be required by the Sacramento County Board of Supervisors to establish a Benefit Zone to implement funding and service provision.
- Annexation to Sacramento Regional County Sanitation District (SRCSD).
- Annexation to Sacramento Area Sewer District (SASD).

Concurrent with, or subsequent to, the Sacramento County entitlement process, an annexation application to LAFCo must be submitted to amend the service boundaries of SRCSD and SASD to provide wastewater services to the Plan Area. This process would include the definition of the ultimate geographical boundaries of SRCSD and SASD, disclose the present and planned land uses in the area, describe the present and probable need of public services and facilities in the area, describe the present capacity of those services and facilities and disclose the presence of any relevant social or economic communities of interest in the area. LAFCo would also review the SOIA and CSA annexations. LAFCo has sole authority and discretion to act on the aforementioned request, and as a responsible agency, will contribute to and rely on this EIR.

BUILDOUT AND OPERATION

The Project provides for a comprehensively planned infrastructure system with coordinated sequencing and construction of facilities. The Project has been analyzed based on the assumption that construction phasing would begin in approximately ~~2020~~ 2025. Plate PD-16 illustrates the geographic boundaries of the four development areas (Area 1A/B, Area 2, Area 3, and Area 4). These areas were selected based on infrastructure service, logical development areas, and property ownership. The sequencing has also been set up so that any phase can be constructed once 1A/B has been completed because the major sewer and water supply infrastructure will be available for subsequent phases. This sequencing facilitates the completion of major backbone infrastructure improvements, provides internal access from both Jackson Highway and Kiefer Boulevard and provides early access to the high school/middle school site. Full buildout of the specific plan is anticipated to occur over 35 years, in response to market demand.

PROJECT DESIGN

The Project design was influenced by the vernal pool complex in the eastern area of the Plan Area, the Morrison and Elder Creek drainages, and existing and planned roadways. The Project is intended to provide for a diverse community that can accommodate a wide range of residents in various housing types in proximity to existing

and planned job centers, including new jobs created within the Plan Area. The Plan Area has been designed to create two distinctive “hubs” that would serve as the focus of the community and allow for people to live, work, shop, and recreate in the same place. A Town Center hub is proposed along Jackson Highway between Excelsior Road and Tree View Lane (to be renamed Greenville Drive), which runs north-south near the center of the Plan Area. The Town Center hub is designed as a gridded, compact block area that contains the more intensive land uses to serve the community and beyond. The Town Center contains the proposed Office, General Commercial, and Mixed Use areas; these uses would be generally surrounded by the more dense residential uses, with lower densities further from the Town Center (see Plate PD-17). The higher intensity uses within the Town Center would help support transit uses along Jackson Highway.

The second hub is comprised of a smaller village along Excelsior Road at the northwest corner of the Plan Area. This village is designed to provide a moderate intensity community with Community Commercial uses and high and medium density residential (see Plate PD-17). This village would also serve residents of the existing Independence at Mather subdivision. Like the Town Center, the intensities and densities would reduce further away from the village center.

A key feature of the Plan Area is a large, centrally located greenway/drainage corridor with a trail on one side that has been designed to provide easy, non-vehicular linkages from one end of the community to the other. Most residential units within the Plan Area would be located within 0.25 mile of an open space area, park, or linear parkway; and within 0.5 mile of retail and employment land uses. Similarly, each of the elementary school sites would be within 0.25 mile of most of the proposed residential units.

Much of the eastern portion and the area north of Kiefer Boulevard within the Plan Area would be occupied by a wetland and habitat preserve, which includes the segment of Morrison Creek that flows through the Plan Area. The proposed preserve location is part of a regional wetland and habitat conservation strategy developed by the County as part of the South Sacramento Habitat Conservation Plan (SSHCP) process. As part of the SSHCP, the preserve would extend south of Jackson Highway, as well as into the adjacent plan areas to the east and northeast, including connected preserve areas within the adjacent NewBridge Specific Plan area, Mather South plan area, and the existing Mather Field Special Planning Area. The preserve corridor would connect to another wetland preserve located within the partially-developed Anatolia community east of Sunrise Boulevard in the City of Rancho Cordova and potentially further to the east.


The southeastern corner of the Plan Area (approximately 110 acres) would be designated Agriculture under the Project, which reflects the existing agricultural-residential use. In the future, this area could be incorporated into the larger wetland preserve located to the north and south. It is also foreseeable that this area could be converted to residential and/or commercial use because it fronts Jackson Highway. However, development of this area is not considered as part of this Project, and it is not included in the SPA.

LEGEND:

PROJECT SEQUENCE BOUNDARY 

PROJECT SEQUENCE NUMBER 1A

ZONING LD



Source: Figure prepared by Tsakopoulos Investments in 2019 for the Jackson Township Specific Plan.

X15010101 09 026

Plate PD-16: Project Phasing




Plate PD-17: Proposed Land Use Diagram

For the purpose of infrastructure planning, the technical studies prepared for the Project assume the potential for the development of six units per gross acre in the agriculture area. The Project Applicant has also included this area within the UPA amendment request, at the request of the County to comply with 2030 General Plan Policy LU-119. This provides the foundation for coherent infrastructure if some portion of the area is eventually proposed for development. Note, however, that although the infrastructure studies assume development of this area, all future development proposals within this area would be required to undergo a separate entitlement process and CEQA review through Sacramento County. Any future development proposals located within this area could potentially tier off of this EIR if they are consistent with the development assumptions made in this EIR.

PROPOSED LAND USE PLAN AND LAND USE DESIGNATIONS

As shown in Plate PD-14, the majority of the Plan Area owned by the Project Applicant is proposed to be divided into 26 large-lot parcels, also referred to as builder parcels. Each of these builder parcels is assigned a land use. The intent is that a builder could purchase one or more large-lot parcels to subdivide, if necessary, and develop the land consistent with the designated land use. A separate entitlement process for non-participating properties could similarly divide those properties into legal parcels.

The Project includes a land use plan that would provide for a range of different uses, including Low Density Residential, Medium Density Residential, High Density Residential, General Commercial, Community Commercial, Mixed Use, Office, schools, a fire station, parks, a wetland preserve, a greenbelt/drainage corridor, landscaping, detention, agriculture, and associated roadways.

Specifically, the land use plan provides for a total of 6,143 residential units. Of those, there would be 2,134 Low Density Residential units covering 355.7 acres with an average density of six units per acre; 1,772 Medium Density Residential units covering 136.3 acres with an average density of 13 units per acre; 2,137 High Density Residential units on 85.5 acres with an average density of 25 units per acre; and 100 Mixed Use units within one of the Mixed Use parcels.

The proposed land use plan also includes 59.3 acres of General Commercial uses on three large-lot parcels, one 17.6-acre parcel of Community Commercial, and two Office parcels totaling 33.6 acres. The proposed Floor-to-Area Ratio (FAR) of both commercial designations would be 0.25, with approximately 645,700 square feet of space allowable in the General Commercial designation and 191,600 square feet of space allowable within the Community Commercial designation. The Office designation would also provide for 731,800 square feet of space with a FAR of 0.50. In addition to the 100 potential residential units mentioned above, the Mixed Use parcels would provide 427,000 square feet of non-residential space with a proposed FAR of 0.50 on a total of 19.6 acres.

The Project includes four school sites, approximately 78.3 acres of developed park land, and a 214.3-acre wetland preserve along the eastern and northern boundaries of the Plan Area. Approximately 60.9 acres are also set aside in three greenbelt/drainage corridor areas that are generally located in the northern, central, and southeastern portions of the Plan Area, along with 3.2 acres for detention basins. The Plan Area would also include 14.5 acres of landscape corridors.

See Table PD-2 for a detailed Land Use summary and Plate PD-16 for the proposed Land Use Plan.

Table PD-2: Proposed Project Land Use Summary

Residential Designations	Acres	Average Density	Density Range (DU/acre)	DU	% of DU	Jobs
LD-Low Density Residential	355.7	6.0	1.0–10.9	2,134	34.7%	
MD-Medium Density Residential	136.3	13.0	11.0–19.9	1,772	28.9%	
HD-High Density Residential	85.5	25.0	20.0–30.0	2,137	34.8% ⁴	
Subtotal	577.5	--	--	6,043	98.4%	
Commercial + Office Zones	Acres	FAR	Square Footage	DU	% of DU	
GC-General Commercial	59.3	0.25	645,700	n/a ¹	--	1,291
CC-Community Commercial	17.6	0.25	191,600	n/a ¹	--	383
MU-Mixed Use	19.6	0.50	427,000	100 ²	1.6% ⁷	854
O-Office	33.6	0.50	731,800	n/a ¹	--	2,613
Subtotal	130.1	--	1,996,100	100	1.6%	5,141⁴
Public/Quasi Public Zones	Acres					
PQP-Tank Site	1.0					0
PQP-High School/Middle School	70.0					274
PQP-Elementary School	30.0					198
Subtotal	101.0					472⁵
Park + Open Space Zones	Acres					
CP-Community Park	39.2					
P-Neighborhood Park	39.1					
OS-Wetland Preserve	214.3					
OS-Greenbelt/Drainage Corridor	60.9					
OS-Landscape Corridor	14.5					
Subtotal	368.0					
AG-Agriculture	109.8					
RW-Primary Roadways	104.6					
	Acres		Density Range (DU/acre)	DU	% of DU	Jobs
TOTAL	1,391.0		10.5³	6,143	100%	5,613

Notes: DU = dwelling unit, FAR = Floor-Area Ratio (i.e., a FAR of 0.25 means that for every 1 acre of land in the category-like General Commercial–0.25 acre will be used for a structure)

1. Dwelling units are not permitted in these designations.

2. 100 dwelling units are assigned to the 8.2-acre MU parcel only, and zero units are assigned to the 11.4-acre parcel.

3. Double-net density calculation: 6,143 DU/585.7 acres (577.5 acres+8.2 acres of MU) = **10.5 DU/acre**. Note: This does not include the 109.3 acres of AG or the 10% net residential acreage exclusion allowed per Policy LU-120 CB-1.

4. Job generation is based on 1 employee per 500 s.f. in GC, CC, MU, and 1 employee per 280 s.f. in Office.

5. Job generation in PQP Schools is based on data provided by Elk Grove Unified School District.

6. A minimum 34.8% of a Master Plan's units must be accommodated on multi-family zoned land. This includes HD and MU parcel allocations, for a total of 2,237 DU or 36.4%.

The Land Use Plan, shown on Plate PD-16, illustrates the arrangement of land uses, transportation networks and open space that would comprise the Plan Area. Table PD-2 provides a detailed summary of the land use zones, acres and dwelling uses allocated in the Land Use Plan and evaluated in the EIR analysis.

As described above, the Project would be constructed in phases (see Exhibit PD-15 and Table PD-3). The first phase (Area 1A/B) would include approximately 270 acres of residential development and nearly 2,800 dwelling units (divided roughly evenly between low, medium, and high-density designations); the middle school/high school site; and 93 acres of parks, greenbelts, and landscape corridors. Area 2 would include approximately 121 acres of residential development and nearly 1,260 dwelling units (divided roughly evenly between low, medium, and high-density designations), approximately 18 acres of community commercial development, a neighborhood park, and 13 acres of the greenbelt/drainage corridor. Area 3 would include 171 acres of residential development and 1,637 dwelling units (683 low density, 516 medium density, and 438 high density), 10 acres of community park, and 10 acres of neighborhood park. Area 4 would include 376 high density residential units on 15 acres; all of the general commercial, mixed use, and office area proposed in the Plan Area (a total of 1,804,500 square feet on 113 acres); and 6 acres of the greenbelt/drainage corridor. The non-phased areas include the wetland preserve and agricultural parcels, for which no development is proposed.

Table PD-3: Proposed Project Phasing

Residential Designations	Total Acres	Area 1A/B Acres	Area 1A/B DU	Area 2 Acres	Area 2 DU/SF	Area 3 Acres	Area 3 DU/SF	Area 4 Acres	Area 4 DU	Area 4 SF	Non-phased Areas
LD-Low Density Residential	355.7	168.2	1,009.2	73.6	441.6	113.9	683.4	0	0	0	0
MD-Medium Density Residential	136.3	65.6	852.8	31.0	403.0	39.7	516.1	0	0	0	0
HD-High Density Residential	85.5	36.3	907.5	16.6	415.0	17.5	437.5	15.1	376.0	0	0
Subtotal	577.5	270.1	2,769.5	121.2	1,259.6	171.1	1,637.0	15.1	376.0	0	0
Commercial + Office Zones	Acres										
GC-General Commercial	59.3	0	0	0	0	0	0	59.3	0	645,700	0
CC-Community Commercial	17.6	0	0	17.6	191,600	0	0	0	0	0	0
MU-Mixed Use	19.6	0	0	0	0	0	0	19.6	100.0	427,000	0
O-Office	33.6	0	0	0	0	0	0	33.6	0	731,800	0
Subtotal	130.1	0	0	17.6	191,600	0	0	112.5	100.0	1,804,500	0
Public/Quasi Public Zones	Acres										
PQP-Tank Site	1.0	1.0	0	0	0	0	0	0	0	0	1.0
PQP-High School/Middle School	70.0	70.0	0	0	0	0	0	0	0	0	0
PQP-Elementary School	30.0	10.0	0	10.0	0	10.0	0	0	0	0	0
Subtotal	101.0	81.0	0	10.0	0	10.0	0	0	0	0	1.0
Park + Open Space Zones	Acres										
CP-Community Park	39.2	28.6	0	0	0	10.6	0	0	0	0	0
P-Neighborhood Park	39.1	14.6	0	14.5	0	0	0	0	0	0	0
OS-Wetland Preserve	214.3	0	0	0	0	0	0	0	0	0	214.3
OS-Greenbelt/Drainage Corridor	60.9	41.5	0	13.0	0	0	0	6.4	0	0	0
OS-Landscape Corridor	14.5	8.7	0	3.8	0	2.0	0	0	0	0	0
Subtotal	368.0	93.4	0	31.3	0	12.6	0	6.4	0	0	214.3
AG-Agriculture	109.8	0	0	0	0	0	0	0	0	0	109.8
RW-Primary Roadways	104.6	0	0	0	0	0	0	0	0	0	104.6
	Acres	0	0	0	0	0	0	0	0	0	214.4
TOTAL	1,391.0	444.5	2,770	180.1	1,260	193.7	1,637	134.0	476	1,804,500	429.7

At buildout, the population of the Plan Area is anticipated to be approximately 16,498 residents (see Table PD-4).

Table PD-4: Proposed Project Population Projections

Residential Designations	DU	Person per DU	Population
LD-Low Density Residential	2,134	3.1	6,615
MD-Medium Density Residential	1,772	2.8	4,962
HD-High Density Residential	2,137	2.2	4,921
Total	6,043		16,498

Source: Jackson Township Specific Plan, Chapter 6

RESIDENTIAL LAND USE

LOW DENSITY RESIDENTIAL (LD)

The LD land use category provides for single-family detached homes on standard suburban size lots; however, attached homes are also allowed. Alternative lot configurations such as alley, cluster, or halfplex lots may also occur. The density range is 1.0 to 10.9 dwelling units per gross acre (du/ac) and the projected average density is 6.0 du/ac.

MEDIUM DENSITY RESIDENTIAL (MD)

The MD land use category accommodates a variety of housing types. This density allows for single-family detached housing, as well as attached housing types. Lot configurations associated with MD housing types may include standard, halfplex, cluster, alley, courtyard, greencourt, zero-lot line, brownstones, townhomes, or condominiums. The density range is 11.0 to 19.9 du/ac and the projected average density is 13.0 du/ac.

HIGH DENSITY RESIDENTIAL (HD)

The HD land use category anticipates a variety of attached and multi-family housing types. The HD sites are strategically located in the Town Center and near the Village Center to promote alternative transportation through the proximity to jobs, goods, services, and transportation hubs. The HD sites provide both rental and for-sale housing opportunities. HD sites may be identified to provide affordable housing units in conformance with the Affordable Housing Ordinance, Title 22.35. The density range is 20.0 to 30.0 du/ac and the projected average density is 25 du/ac.

AFFORDABLE HOUSING

Affordable housing obligations are a component of new development projects, as outlined in the Affordable Housing Ordinance, Title 22 of the Code, Chapter 22.35. The ordinance outlines a variety of options with which to satisfy the obligation. The Project would meet its affordable housing obligation by paying the Affordability Fee on all newly-constructed market rate units at the time building permits are paid. The County establishes this fee and adjusts it annually. The ordinance requires at least 50 percent of the funds collected from large development projects (750 dwelling units or larger) shall be used by the Sacramento Housing and Redevelopment Agency to construct the affordable units within the development.

The ordinance describes the characteristics of the land to be considered as appropriate for the construction for affordable housing. These characteristics include a minimum size of 4 acres and a minimum density of 20 units per acre. The area should be free of environmental constraints and be within 0.25 mile of at least three existing or planned amenities, such as schools, parks, transit, grocery store, or public library. The seven HD sites in the Plan Area all meet these criteria.

COMMERCIAL AND OFFICE LAND USES

GENERAL COMMERCIAL

The General Commercial (GC) land use category is designated for larger, visible sites within the Town Center and along Jackson Highway. The three GC commercial sites are targeted to serve the immediate region and the Jackson Township community, including shopping centers, larger format retailers, and a range of freestanding uses such as banks, restaurants, entertainment, offices, and public uses. The target FAR is 0.25.

COMMUNITY COMMERCIAL

The Community Commercial (CC) site serves as the Village Center for the Plan Area and neighboring communities. The 17.6-acre site is strategically located on Excelsior Road so that it serves as a close destination for Project neighborhoods, as well as for the Independence at Mather community to the north. The CC designation provides the opportunity for both community and local oriented uses, including retail and services such as a grocery store, restaurants, professional and personal services. The target FAR is 0.35.

MIXED USE

The two Mixed Use (MU) sites form the geographic and cultural hub of the Town Center, serving as a gateway to the community. Anticipated uses include retail commercial, services, civic, and quasi-public uses in a compact, urban style setting. The northern MU site permits integrated residential uses, in both vertical (different uses stacked above one another) and horizontal (different uses on a single parcel) mixed use opportunities. The southern MU site has the constraint of overhead power line easements, which prohibits residential uses. However, this MU site is envisioned to provide an urban style plaza in the center, which enriches its function as a centerpiece of the Town Center. The target FAR for the non-residential uses is 0.50.

OFFICE

The three office sites are located on Jackson Highway within the Town Center. Uses anticipated within this area generally include professional offices, research/development campuses, medical offices and clinics; hospitals; law firms; accountant offices; insurance, real estate, and financial offices; governmental offices; social services; and non-profit organizations. Retail commercial activities that complement or are accessory to the primary uses of the zone are also appropriate. The target FAR is 0.50.

PARKS AND OPEN SPACE

Parks provide locations in the Plan Area for recreation and community gathering. Two community parks and six neighborhood parks are distributed throughout the Plan Area. This category is intended to provide locations for parks and other related compatible public services/uses. The proposed parks meet the parkland requirements of the Cordova Recreation and Park District. Both active and passive recreational activities are permitted.

COMMUNITY PARKS

Two Community Park sites are provided. The larger of the two Community Parks (Park A) is approximately 28.6 acres, located in the eastern quadrant of the Plan Area, directly adjacent to the joint High School/Middle School site and the wetland preserve. The placement of Community Park A is intended to create a prominent community gathering area of complementary public uses, which is easily accessible for the entire Plan Area. Community Park A is envisioned to provide for large active facilities, such as lighted softball, baseball and soccer fields, basketball courts, parking, restrooms, large-covered picnic area and playgrounds, water playground, and an off-leash dog area. This park is strategically located adjacent to the primary Central Greenbelt and the East Greenbelt along the wetland preserve, making a convenient biking, walking or running circuit and a good location for amenities such as a trailhead and nature/wildlife interpretive facilities.

The second Community Park (Park B) is approximately 10.6 acres in size and is located near the center of the Plan Area. The facilities in this park may include soccer fields, basketball courts, large-covered picnic area, restrooms, playground and parking.

NEIGHBORHOOD PARKS

The six neighborhood parks are planned to provide a balance between passive and active recreation uses, as well as create a sense of place for the Plan Area. The neighborhood parks would be easily accessible through the use of the greenbelt trails, bikeways, sidewalks or residential streets. A range of recreation elements are planned for the four smaller neighborhood parks (approximately 5 acres each), including play areas for children, multi-purpose turf areas for youth sports and practice fields, half-basketball courts, and picnic areas and covered spaces for small groups of people to gather. Three of the neighborhood parks are located adjacent to the elementary schools to provide joint-use facilities and to reinforce them as focal points for the neighborhoods. Two of these joint located parks are larger in size (9.5 acres) and could possibly accommodate soccer and baseball fields, a restroom, and parking lot in addition to the type of facilities in the smaller neighborhood parks.

OPEN SPACE

The Project designates approximately 290 acres of open space. Open space within the Plan Area is organized into three categories: wetland preserve, multi-functional greenbelts, and landscape corridors. Open space allows for multi-use functions including passive recreation opportunities, wildlife habitat, corridors for pedestrian and bicycle trails, storm water conveyance, and water quality treatment.

WETLAND PRESERVE

The approximately 214-acre wetland preserve abuts the east and north boundaries of the Plan Area. The function of the wetland preserve is to preserve and protect existing natural resources, while also providing visual open space for the Plan Area. Uses within, and access into, the wetland preserve areas would be restricted pursuant to the SSHCP and/or the United States Army Corps of Engineers (USACE).

Consistent with the conservation strategy in the SSHCP, the Project's wetland preserve would be contiguous with a wetland preserve located on the Mather Field property to the north, as well as a large, proposed preserve located on the neighboring NewBridge Specific Plan area to the east. The SSHCP further requires that projects include a variety of measures to minimize the impact of development on sensitive resources, such as vernal pools. Examples of resource avoidance and minimization measures from the SSHCP that have been incorporated into the design of the Plan Area include the following:

- inclusion of a minimum 50-foot wide setback between development and the Preserve;
- controlling public access to the Preserve through permanent fencing along the boundaries;
- educational signage provided in key areas of Preserve;
- control of invasive species and management of nonnative vegetation within the setback area and Preserve;
- minimization of road and trail crossings of wetlands and other waters within the Preserve; and
- compliance with state and local stormwater regulations.

The Project Applicant intends to dedicate the Applicant-owned preserve lands to the South Sacramento Conservation Agency (SSCA). The remaining onsite preserve acreage would be acquired by the SSCA. The SSCA would implement measures identified in the SSHCP to ensure the long-term viability of the protected and restored vernal pool and wetland resources within the preserve. These measures include routine management activities, as well as adaptive management practices. Detailed avoidance and minimization measures that would apply to all lands abutting the preserve are included in the Development Standards, which are provided in Appendix PD-1.

Pursuant to the SSHCP, the preserve would be routinely monitored to ensure habitat health and functionality. At the time of preserve dedication, the Project Applicant would pay a fee to help fund these long-term maintenance and monitoring activities in perpetuity.

MULTI-FUNCTIONAL GREENBELTS

The larger greenbelts are multi-use corridors that combine drainage, detention basins, water quality basins, local and regional trails and nodes. The greenbelts form the overall pedestrian and bikeway trail network and provide passive recreation opportunities.

Greenbelts may also provide space for compatible recreation amenities, such as benches and gathering areas for the adjacent neighborhoods.

The proposed greenbelts provide trails, passive recreation, and drainage conveyance within linear corridors. The objective is to create multifunctional facilities for stormwater conveyance and water quality treatment in a naturalized corridor which provides trails, landscaping, passive and active amenities in the upland portions.

The largest greenbelt is the Central Greenbelt, which provides the majority of the drainage conveyance for the Plan Area and traverses nearly the width of the Plan Area east to west. This greenbelt/drainage corridor would be approximately 1.5 miles in length and would have a width that varies from 100 to 200 feet. The North Greenbelt is also a multi-purpose greenbelt, providing drainage conveyance from a neighborhood park west to Excelsior Road. It would be approximately 0.5 mile in length and 200 feet wide. The North Greenbelt is aligned to continue to the west to link with the planned West Jackson Plan Area. The East Greenbelt is adjacent to the wetland preserve south of Kiefer Road. This greenbelt serves as a transition and buffer between the habitat area and the adjacent land uses, including simple features such as a Class I trail, post and cable fencing and minimal landscaping. The South Greenbelt is located under a large power line corridor in the southeast quadrant of the Plan Area. This greenbelt provides a linkage from the Town Center to the East Greenbelt, which leads to the Community Park and High School/Middle School. The South Greenbelt trail is designated to continue beyond the Plan Area boundary to the east, to link to the NewBridge Plan area. The greenbelts include a pedestrian and/or bicycle circulation trail system that connects the open space network, parks, schools, commercial and employment areas to the residential neighborhoods. Examples of active recreation envisioned to be accommodated within the upland portion of the greenbelts are disc golf, parcourse, and water stations. The portions of the greenbelts that directly abut a park site are anticipated to be granted park credit by the Cordova Recreation and Park District.

The Class 1 trails within the greenbelts are designed to function as maintenance/service access where appropriate. Sacramento County Parks Department will maintain trails within the greenbelts. Trail alignments shall meander to create a natural appearance. Pedestrian/bicycle trail nodes will be integrated at important/appropriate locations. Additional greenbelts and linear parkways would be used to extend the trail/pathway system into individual neighborhoods and non-residential developments. They may also be used as access into, and as connections between, greenbelts. Additional trail corridors, greenbelts, and linear parkways would be designated at the neighborhood level.

LANDSCAPE CORRIDORS

Landscape corridors are separate parcels that parallel larger roadways and act to buffer adjacent land uses and enhance the Plan Area aesthetics. Landscape corridors are designated along primary street corridors to provide pedestrian friendly streets with large, shaded walkways that are accessible to residents, encouraging use of non-vehicular modes of transportation.

INFRASTRUCTURE

An infrastructure master plan (IMP), prepared for the Project, identifies the infrastructure requirements for Phase 1A/1B and the remainder of the Project area, including on-site and off-site facilities necessary for each phase to proceed. Identified improvements include roadways, wastewater, water, storm drainage, and dry utilities. The IMP itemizes facilities required to support each phase, along with any over sizing of infrastructure which may be required for adjacent areas that would be served by the same facilities. The infrastructure required to initiate development of Area 1A/B is a significant portion of the overall Plan Area backbone facilities (approximately 80 percent, while Area 1A/B comprises approximately 45 percent of the total Plan Area).

CIRCULATION AND TRANSPORTATION

PROPOSED ROADWAY NETWORK

A network of primary streets, including the existing roads that border the Plan Area (i.e., Jackson Highway, Excelsior Road and Kiefer Boulevard) would provide primary vehicle access to and from the Plan Area. Grenville Drive (currently named Tree View Lane) would traverse the Plan Area north to south and would have both four-lane and two-lane segments. The remainder of the new internal collector and local residential streets would be two-lane streets on a grid pattern. Roadways in the Town Center would feature diagonal and parallel parking, wide sidewalks and slower traffic speeds, which would enhance the bicycle and pedestrian travel in the Town Center.

PROPOSED BIKE AND PEDESTRIAN NETWORK

CLASS I FACILITIES

Numerous Class I trails are provided throughout the Plan Area. The Class I trails are predominantly located within the greenbelts traversing the Plan Area and along Jackson Highway and Grenville Drive. The signature trails that are designed to provide significant connectivity are located within three primary greenbelts. The Class I trails located within the greenbelts would have minimal street crossings, elevating the safety and ease of use. These trails are envisioned to provide convenient opportunities for pedestrians and cyclists to use alternative modes to reach frequent destinations within the Plan Area, such as to schools, parks, shopping and transit. The Regional Trail within the Central Greenbelt is anticipated to connect with the planned West Jackson Master Plan Area to the west and the NewBridge Specific Plan area to the east. In addition, the paths provide emergency and maintenance vehicle access to open space areas.

Where a street is adjacent to open space, a park or a walkway, the Class I bike path (separated from the street) may replace the standard sidewalk. Where a cul-de-sac or loop street, multi-family or non-residential project is adjacent to the Class I path, a paved connection would be provided. The Class I system within a greenbelt may meander to minimize environmental impacts and create visual interest.

CLASS II BICYCLE LANES

Class II bicycle lanes are provided on expected bicycle commute corridors on Jackson Highway, Excelsior Road, and Kiefer Boulevard, which border the Plan Area. Internal to the Plan Area, several collector streets would have Class II bicycle lanes to provide ample routes for users to reach destinations, such as shopping, schools and parks. The Class II lanes also provide users with opportunities to use the on-street lane to reach the Class I off-street trails.

CLASS III BICYCLE ROUTES

Class III (shared use of general-purpose lane) facilities may also be provided on local streets. Class III routes are not identified on the Mobility Plan but would be determined in conjunction with the individual tentative maps.

PROPOSED REGIONAL TRANSIT PLAN

The Project would include a public transportation plan that meets the 2030 General Plan requirement that development outside the urban policy area locate 65 percent or more of all residential units within 0.5 mile of planned transit. The designated service transit service provider has not yet been confirmed but could potentially be Sacramento Regional Transit (SacRT).

The Project Applicant would develop a property-based funding mechanism that provides for long-term, perpetual funding of transit service in cooperation with SacRT. Initially, the Transit Enhancement Program would involve establishment of a funding mechanism(s) that would pay for bus and/or shuttle operations between the Plan Area and the Manlove Light Rail Station. The funding mechanism would be administered by the County and provide transit passes to residents and employees within the Plan Area to provide for access to the entire SacRT system.

Upon reaching 20 percent build-out of dwelling unit equivalents, program revenue would be sufficient to support peak-only bus service. At 40 percent build-out, SacRT would add additional peak-only trips and reverse-commute service. At 60 percent, SacRT would introduce all-day service with regular headways. At full build-out, the route would have 15-minute peak headways, with 30-minute base headways.

The Mobility Plan included in Chapter 4 of the specific plan (Appendix PD-1) designates a transit route that loops through the Plan Area and a Transit Center/stop in the Town Center on "Main Street." The anticipated loop transit pattern would provide bus service within 0.25 mile of 90 percent of residences.

UTILITIES**GAS AND ELECTRICITY**

SMUD owns and maintains power lines within the Plan Area and would be the provider of electrical service. Planned electric backbone facilities include a new substation at the northwest corner of the General Commercial site located at Jackson Road and Grenville Drive, just north of and adjacent to the SMUD/PG&E transmission corridor. Overhead 69 kV sub-transmission facilities would extend to and from the substation, in addition to

running along Jackson Highway, Excelsior Road and Kiefer Boulevard. Peak electric demand at buildout is estimated at 44 megavolt amperes (MVA).

PG&E would provide natural gas in the Plan Area upon request and in accordance with the tariffs on file with the California Public Utilities Commission (CPUC). Service would be extended from the existing gas main that traverses the northern portion of the Plan Area within the Kiefer Boulevard right-of-way to individual parcels in conjunction with roadway improvements.

WATER SUPPLY

Two transmission mains would be extended to the Plan Area from SWCA's existing Anatolia Terminal Storage and Pumping Facilities, which are located north of Kiefer Boulevard on Sunrise Boulevard. One main would be extended along Jackson Road and a second main would be extended along Kiefer Blvd.

Within the Plan Area, a new municipal water distribution network would be constructed. The distribution system was designed pursuant to the County's Standard Specifications related to peaking factors, fire flow requirements, and pressure range. New 12-inch "backbone" water lines would form the basis of a grid extending through the Plan Area as the backbone roads are constructed. Within neighborhoods, local distribution lines would be a minimum of 8-inches in diameter.

WASTEWATER

Most of the Plan Area would be served by a gravity collection system. The exception is 237-acres at the northwest corner of the Plan Area that requires a sewer pump station. Here, a force main would be extended from the pump station south along Excelsior Road for approximately 2,600 lineal feet to a discharge manhole in Excelsior Road, where it would enter the gravity system and continue to the trunk line at the intersection of Jackson Highway. In order to serve the Plan Area, an offsite sewer trunk line must be extended from the Bradshaw Interceptor to the intersection of Jackson Road and Excelsior Road, in the southwest corner of the Plan Area.

DRAINAGE FACILITIES

The planned drainage system improvements include a storm water pipe collection network and two constructed drainageways (the North Drainage Way and the Central Drainage Way), which would provide flood control and water quality treatment. Generally, these drainageways would be designed as wide, integrated drainage corridors, with meandering low flow swales to provide conveyance of small storm events and water quality and detention basins to provide treatment and peak flow attenuation. At-grade, flat benches would be provided on both sides of the channelized drainageways, with a Class I trail along one side that would also provide access to the drainage facilities for maintenance. The drainage corridors were analyzed for the 10, 100, and 200-year level of flood protection in accordance with the County Department of Water Resources and the Regional Water Quality Control Board standards.

The North Drainage Way (Morrison Creek tributary) would extend through the northwest quadrant of the Plan Area to the discharge point at Excelsior Road. A small tributary shed area north of Kiefer Boulevard would also be piped to the North Drainage Way. This drainage would have one detention basin.

The Central Drainage Way (Elder Creek tributary) would accept most of the drainage collection for the Plan Area. The drainageway would extend the length of the Plan Area, with the discharge point located at the intersection of Excelsior and Jackson Roads. The Central Drainage Way varies in width, getting progressively larger in size as it extends from east to west. The three detention basins proposed in the Central Drainage Way basins may be constructed as part of the initial phase of development or may be sequenced, as needed, as development progresses.

PUBLIC SERVICES

The Project also includes a total of four school sites; three elementary schools spread throughout the Plan Area and one combined high school/middle school near the northeastern corner of the Plan Area. Each school site would be co-located with a park. The land use plan also provides for a 1.0-acre site for a water storage tank north of Kiefer Boulevard.

In addition, the Sacramento Metropolitan Fire District (Metro Fire) has identified the need for a new fire station within the Plan Area. The final location and site plan for the new fire station will ultimately be determined based on the location of a new fire station within the adjacent NewBridge Specific Plan area; negotiations on the exact location of that station are currently in progress. Metro Fire has opted not to identify a specific site within the Plan Area at this time; however, they are committed to developing a new station within the Plan Area, most likely somewhere within the Town Center with access to Jackson Highway. The station would be a minimum of 3.0 acres, although it could ultimately be up to 5.0 acres. Metro Fire intends to purchase the property at fair market value using development impact fees once the most appropriate location can be determined. The Project provides for several potential sites that would be suitable for the new fire station.

This page intentionally left blank.

3 ALTERNATIVES

INTRODUCTION

This chapter describes alternative versions of the Project described in Chapter 2, “Project Description,” that could lessen impacts or that provide meaningful information to foster informed decisions. The following impact discussions focus on a comparative evaluation of potential effects. For additional background and context, the reader is encouraged to consult the topical chapters that follow (i.e., Chapters 4 through 20).

REGULATORY CONTEXT

CALIFORNIA ENVIRONMENTAL QUALITY ACT REQUIREMENTS

The State CEQA Guidelines require analysis of a range of reasonable alternatives to a project, or to the location of the project, which would feasibly attain most of the project’s basic objectives and avoid or substantially lessen any of the significant effects of the Project (Section 15126.6[a]). The range of potentially feasible alternatives required in an EIR is governed by a “rule of reason” that requires the EIR to set forth only those alternatives necessary to permit a reasoned choice. The potential feasibility of an alternative may be determined based on a variety of factors, including economic viability, availability of infrastructure, and other plans or regulatory limitations. The feasible alternatives to be considered must focus on alternatives that are capable of eliminating or substantially reducing the significant adverse impacts caused by implementation of the Project (Guidelines Section 15126.6(c)), and alternatives to the “whole of the project” rather than the project’s component parts¹. The ultimate determination as to whether an alternative is feasible or infeasible is made by the lead agency’s decision-making body (see PRC Section 21081[a] [3].).

In determining what alternatives should be considered in the EIR, it is important to acknowledge the objectives of the project, the project’s significant effects, and unique project considerations. These factors are crucial to the development of alternatives that meet the criteria specified in Section 15126.6(a). The State CEQA Guidelines further require that the alternatives be compared to the project’s environmental impacts and that a “No Project” Alternative is considered (Section 15126.6[d] [e]).

LEVEL OF ANALYSIS

An EIR need not evaluate the environmental effects of alternatives in the same level of detail as the project, but must include enough information to allow meaningful evaluation, analysis, and comparison with the project. The primary intent of the alternatives analysis is to disclose other ways that the objectives of the project could be attained while reducing the magnitude of, or avoiding, the environmental impacts of the Project.

¹ Big Rock Mesas Property Association v. Board of Supervisors of the County of Santa Barbara (2d Dist. 1977) 73 Cal. App. 3d 218)

CONSIDERATIONS FOR SELECTION OF ALTERNATIVES

ATTAINMENT OF PROJECT OBJECTIVES

As described above, one factor that must be considered in selection of alternatives is the ability of a specific alternative to attain most of the basic objectives of the Project (CEQA Guidelines Section 15126.6[a]). Chapter 2, "Project Description," articulates the following Project objectives:

1. Develop an economically viable mixed-use project in close proximity to the urban core.
2. Develop a marketable project which minimizes greenhouse gas (GHG) emissions.
3. Develop an economically-stable community where property values are retained over time.
4. Develop a project containing a variety of housing types so as to create a demographically mixed community.
5. Develop a project which allows for easy access to green space, schools, and a town center containing various retail, dining, and other commercial services.
6. Develop a project which provides employment opportunities for workers of all income levels.
7. Develop a project which promotes a jobs-housing balance in the Jackson Highway/Mather area.
8. Develop a project which allows residents to engage in short, non-vehicle commutes.
9. Develop a project which utilizes proven design practices which result in the creation of strong communities that remain economically stable over time.
10. Develop a project which contains a circulation system that promotes walking, biking, and the use of public transit.
11. Develop a project which contains a comprehensively planned infrastructure system.
12. Develop a project which ensures funding for the on-going maintenance needs of parks, open space facilities, public services and other infrastructure.
13. Develop a project which preserves, to the extent feasible, the area's most important and valuable biological resources with a wetland preserve.
14. Develop a project which contains adequate school facilities for community residents and assists in meeting the school facility needs of surrounding projects.
15. Develop a project which includes a community park and a variety of neighborhood parks sufficient to meet park district requirements.

ENVIRONMENTAL IMPACTS OF THE PROJECT

Chapters 4 through 20 of this Draft EIR address the environmental impacts of implementing the Project. Potentially feasible alternatives were developed with consideration of avoiding or lessening the significant adverse impacts of the project, as identified in this Draft EIR. In summary, the significant and unavoidable impacts of the Project are:

- Degradation of Existing Visual Character or Quality
- Introduction of New Sources of Light
- Conversion of Protected Farmland to Non-Agricultural Uses
- Operational Emissions of Criteria Pollutants and Precursors
- Inconsistency with an Applicable Air Quality Plan
- Exposure to Objectionable Odors
- Loss of Habitat for Vernal Pool Invertebrates
- Loss of Wetlands and Other Waters
- Inconsistency with the South Sacramento Habitat Conservation Plan (SSHCP)
- Potential for Flooding of Adjacent Parcels
- Potential for Flooding of Beach Stone Lakes
- Construction Noise
- Operational Traffic Noise
- Stationary Noise Sources
- Substantial Increase in Existing Ambient Noise Levels
- Roadway Segment Operations
- Intersection Operations
- Congestion of Freeway Facilities
- Roadway Function

RANGE OF ALTERNATIVES

In accordance with Section 15126.6(a) of the State CEQA Guidelines, an EIR must describe a range of reasonable alternatives to the Project that would feasibly attain most of the basic objectives of the Project but would avoid or substantially lessen any of the significant effects of the Project and evaluate the comparative merits of the alternatives. Section 15126.6(a) also provides that an EIR need not consider every conceivable alternative to a project. Instead, the EIR must consider a reasonable range of potentially feasible alternatives that will foster informed decision-making and public participation.

The Project and alternatives contemplated in this EIR are the product of a planning process that has included a variety of stakeholders and has evolved in response to

changes in regulation and direction. As discussed further below, the extensive planning process included preliminary evaluation of alternatives to the whole of the Project, including different land uses and alternative project locations. The Project is now sufficiently defined. Feasible alternatives are generally limited to property owned by the Project Applicant and surrounding properties and the general parameters of the best uses of this property have been defined.

An EIR need not evaluate an alternative that is considered speculative, theoretical, or unreasonable (State CEQA Guidelines Section 15126.6(f)(3)). As such, the range of alternatives evaluated in this analysis includes: three alternatives that closely resemble the Project, but propose focused changes in land uses (Alternatives 1A, 1B, and 1C); two alternatives that increase the portion of the Plan Area set aside as wetland preserve (Alternatives 2 and 2A) and are consistent with the SSHCP; an alternative that provides a larger preserve area than required by the SSHCP (Alternative 3); and an alternative that does not change the light industrial land use designation of the large parcel currently occupied by Sacramento Raceway (Alternative 4). The following evaluation also includes a “No Project” Alternative, the purpose of which is to allow the hearing body to compare the impact of approving the Project to the impacts of not approving the Project. The No Project Alternative describes what could occur under existing zoning.

As described above, the Project would result in significant and unavoidable impacts related to aesthetics, agricultural resources, air quality, biological resources, hydrology and water quality, noise, and traffic and circulation. Many of these impacts are the inevitable result of developing such a large master planned community. As demonstrated through the evaluation below, changing the layout of the Project could reduce impacts to some degree, but it is unlikely that the impacts could be reduced to levels which are not significant without radically changing the objectives and scope of the Project.

PROJECT DEVELOPMENT

The Jackson Township Specific Plan evolved substantially prior to the filing of the plan application in 2013 as a result of several planning efforts involving the greater project area that were occurring during the period leading up to the 2013 submittal. The result was a submitted plan that is more environmentally sensitive than the one which had first been under consideration by the Project Applicant. Three major planning efforts are relevant in that context and influenced the development of the submitted plan. They are:

- The adopted Sacramento Area Council of Governments (SACOG’s) Sacramento Region Blueprint
- The adopted Sacramento County’s 2030 General Plan Update
- The adopted SSHCP

The first two plans (Sacramento Blueprint and 2030 General Plan) adopted and encourage various smart growth principals to combat global warming. The SSHCP resulted in the development of a comprehensive program to assure compliance with the Federal Endangered Species Act and similar State requirements. Each of these planning efforts were in development and public review concurrent with the development of the submitted Project and were closely monitored by the Project

Applicant as it developed the plan. As a result, the Project Applicant modified design features within the plan to be consistent with the adopted smart growth principals and habitat conservation strategies. These modifications were incorporated into the modified design features to the plan that was ultimately submitted to the County in 2013.

The Sacramento Blueprint was a comprehensive planning effort involving the entire Sacramento Region with an emphasis on “smart growth” principles. These principles are design measures intended to reduce vehicle miles traveled (VMT) and decrease GHG emissions. The Jackson Township Specific Plan, as submitted in 2013, reflects many of those design principles. Similarly, influential was the ongoing discussion which was occurring regarding the 2030 General Plan Update. That update effort centered on a desire to address AB 32 and SB 375 requirements to reduce GHG emissions. Ultimately, the Jackson Township Specific Plan was developed to include design features that reflected this guidance, including: high average density per acre, mixed use development; intensity hubs; jobs/housing linkage, service and recreation within walking distance of all residences, a robust transit plan, and a robust pedestrian and bike trail system. These various design features all are considered “smart growth” measures which would assist with decreasing GHG emissions by reducing VMT. Together they are intended to produce more compact development with a mixture of uses, including employment and residential, which would lessen the need for vehicle travel.

Finally, during the time the Jackson Township Specific Plan was under preparation, the County and other local entities were simultaneously working with the United States Army Corps of Engineers and the community on the SSHCP. The purpose of the SSHCP is to preserve significant habitat for protected species found in the southern portion of Sacramento County. As the work on the SSHCP progressed, various discussions occurred between the Project Applicant and the preparers of the SSHCP. These discussions resulted in the Jackson Township Plan submitted in 2013 providing for a preserve area of 214± acres and a later prepared alternative plan (Alternative 2) with an even larger preserve consisting of 260± acres. Alternative 2 is consistent with the preserve area ultimately included in the SSHCP, as adopted in 2018, and provides an alternative consistent with the SSHCP that may be considered for approval by the Board of Supervisors.

As indicated above, the Project, as currently proposed, is the result of discussions between the Project Applicant and County staff, as well as input from other regulatory agencies and the public. Through this process, the severity of effects has been reduced due to the use of a more efficient land use pattern, inclusion of a multi-modal trail system, expansion of the wetland preserve, and incorporation of public transportation.

ALTERNATIVES DISMISSED FROM FURTHER EVALUATION

Consistent with CEQA Guidelines Section 15126.6(c), a brief discussion of those alternatives considered but rejected as infeasible follows. An alternative may be considered but not carried forward for various reasons, such as not meeting the objective(s) of the Project; not being feasible; conditions outside the control of the Project Applicant (e.g., land ownership, right of way acquisition); or other constraints.

OFFSITE ALTERNATIVE

Under an offsite alternative, the Project would be developed on a separate site within the unincorporated county. An alternative site would need to be of a similar size as the Plan Area (1,391 acres) and would need to be able to be acquired, at least in part, by the Project Applicant. Further, the alternative site would need to be located a similar distance from downtown Sacramento to provide the similar benefits to residents, including short commute times and future transit access. The offsite alternative would also need to be within the Urban Services Boundary (USB) and either within the Urban Policy Area (UPA) or adjacent to the UPA such that incorporation into the UPA would be a logical extension. As described further in Chapter 15, "Land Use," Sacramento County 2030 General Plan Policy LU-119 establishes that proposed UPA expansions must have significant borders that are adjacent to the existing UPA or a city boundary. The boundary of the UPA expansion must be logical and consistent with LU-119 for the County Board of Supervisors to approve the Project.

Although there are other areas within the county that could potentially be developed to accommodate the anticipated growth in the Jackson Corridor, the Plan Area is intended to make use of property already owned by the Project Applicant. With such a large project area, it is difficult to bring together multiple property owners for a large-scale planning process. With the Project Applicant owning 64 percent of the Plan Area, the planning process is simpler and more likely to eventually build out successfully.

Moreover, while an offsite alternative could feasibly achieve many of the Project objects, one of the stated objectives of the Project is to "develop a project which promotes a jobs-housing balance in the Jackson Highway/Mather area." The County has directed long-term planning efforts to prepare for future development along Jackson Road (also referred to as Jackson Highway). Despite the area's proximity to urban development and jobs in Sacramento, Rancho Cordova, and Elk Grove, development potential has been limited due to the proximity of mining activities and military operations at the former Mather Air Force Base. However, with the decommissioning of Mather Air Force Base, many of the prior limitations on the land have been lifted, making this area an acceptable and convenient location for new development. Maintaining consistency with this goal would dramatically reduce the potential locations of an offsite alternative.

There are limited areas of land of a similar size adjacent to, or within, the UPA, most of which are already under consideration as other potential growth areas, and this is the only area that meets the Project's objectives and is also majority owned by the Project Applicant. For these reasons, an offsite alternative was determined to be infeasible.

DESCRIPTION OF ALTERNATIVES

NO PROJECT ALTERNATIVE

Section 15126.6(e) of the CEQA Guidelines requires that an EIR evaluate and analyze the environmental impacts of the No Project Alternative to examine and compare the potential environmental consequences associated with not approving the Project. For the purposes of this analysis, the No Project Alternative would allow for development

consistent with the existing entitlements on properties within the Plan Area. The Plan Area is zoned Light Industrial (M-1), Agricultural 80 (AG-80), and Interim Agricultural Reserve (IR). Refer to Chapter 2, "Project Description," for additional information about existing zoning.

It is assumed that the western portion of the Plan Area, including the triangle of property north of Kiefer Boulevard, would be built out with light industrial uses. Assuming the minimum lot size of 6,000 square feet, this roughly 413-acre area could be subdivided into nearly 3,000 parcels. Alternatively, fewer large buildings could be constructed in this portion of the Plan Area. Generally, permitted uses in this zone consist of the manufacturing and assembly of processed materials within an enclosed area. It is assumed for the purpose of this analysis that the raceway parcel would continue to operate in a manner consistent with existing conditions.

Similarly, the rural residences currently located along Jackson and Excelsior Roads would remain under the No Project Alternative. The AG-80 designation permits one single-family residence per 80-acre parcel. There are only three parcels of at least 80 acres with the AG-80 zoning in the Plan Area. An 80-acre parcel near the center of the Plan Area could support a residence, subject to consistency with the Surface Mining Combining Zoning District, and a 200-acre parcel with one existing residence could be divided to support an additional residence. The parcel in the northwest corner of the Plan Area is roughly 149 acres and already includes a residence. Therefore, development consistent with existing zoning could result in industrialization and relatively intense use of the northwest corner of the Plan Area but would generate little land use change in the remainder of the Plan Area.

ALTERNATIVE 1A: INCREASED OFFICE

Alternative 1A would replace an approximately 22.3-acre Medium Density Residential parcel, a 16.9-acre High Density Residential parcel, and a proposed roadway between the two parcels with one approximately 40.1-acre Office parcel. The remaining land uses would be consistent with the Project land use plan. Overall, this alternative would result in a reduction of 438 residential units (290 medium density units and 148 high-density units) when compared to the Project. In their place, there could be an increase of up to 873,300 square feet of office space developed within the Plan Area. A detailed land use summary of Alternative 1A is provided in Table Alt-1, and a land use plan is provided in Plate Alt-1. As shown in the table, overall, Alternative 1A could result in the development of 5,705 residential units, and 2,869,400 square feet of commercial, office, and mixed-use space.

Table Alt-1: Alternative 1A Land Use Summary

Residential Designations	Acres	Average Density	Density Range (DU/acre)	DU	% of DU
LD-Low Density Residential	355.7	6.0	1.0–10.9	2,134	37.4%
MD-Medium Density Residential	114.0	13.0	11.0–19.9	1,482	26.0%
HD-High Density Residential	68.6	29.0	20.0–30.0	1,989	34.9% ⁷
Subtotal	538.3			5,605	98.3%
Commercial + Office Zones	Acres	FAR	Square Footage	DU	% of DU
GC-General Commercial	59.3	0.25	645,700	n/a ¹	1.7% ⁷
CC-Community Commercial	17.6	0.25	191,600	n/a ¹	
MU-Mixed Use	19.6	0.50	427,000	100 ⁵	
O-Office	73.7	0.50	1,605,100	n/a ¹	
Subtotal	170.2		2,869,400	100	1.7%
Public/Quasi Public Zones	Acres				
PQP-Tank Site	1.0				
PQP-High School/Middle School	70.0				
PQP-Elementary School	30.0				
Subtotal	101.0				
Park + Open Space Zones	Acres				
CP-Community Park	39.2 ³				
P-Neighborhood Park	39.1 ³				
OS-Wetland Preserve	214.3				
OS-Greenbelt/Drainage Corridor	60.9				
OS-Landscape Corridor	14.5				
Subtotal	368.0				
AG-Agriculture	109.8				
RW-Primary Roadways	103.7				
TOTAL	1,391.0		10.4⁶	5,705	100%

Notes: DU = dwelling unit, FAR = Floor-Area Ratio (i.e. a FAR of 0.25 means that for every 1 acre of land in the category—like General Commercial—0.25 acres will be used for a structure)

1. Dwelling units are not permitted in these designations.
2. Park requirement calculation (not including AG zoning): LD/MD 3,616 DU x 0.0142 for a total of 51.4 acres and HD/MU 2,089 DU x 0.0119 for a total of 24.9 acres. Total acres = **76.3 acres**.
3. Park credit calculations: 78.3 acres of Community/Neighborhood Parks + 3.0 acres Greenbelt where abutting the 28.6-acre Community Park = **81.3 acres**.
4. 100 dwelling units are assigned to the 8.2-acre MU parcel only, 0 units assigned to the 11.4-acre parcel.
5. Double net density calculation: 5,705 DU/546.5 acres (538.3 acres + 8.2 acres of MU) for a total of **10.4 DU/acres**. Note: this does not include the 109.3 acres of AG or the 10% net residential acreage exclusion allowed per Policy LU 120 CB-1.
6. A minimum 34.8% of a Master Plan's units must be accommodated on multi-family zoned land, this includes HD and MU parcel allocations of 2,089 DU or 36.6%.




Plate Alt-1: Alternative 1A Land Use Diagram

At buildout, the population of the Plan Area is anticipated to be approximately 15,361 residents with implementation of Alternative 1A (see Table Alt-2).

Table Alt-2: Alternative 1A Population Projections

Residential Designations	DU	Person per DU	Population
LD-Low Density Residential	2,134	3.1	6,615
MD-Medium Density Residential	1,482	2.8	4,150
HD-High Density Residential ¹	2,089	2.2	4,596
Total	5,705		15,361

Source: Prepared by Ascent based on metrics provided in the Jackson Township Specific Plan, Chapter 6

¹: Includes 100 Mixed-Use units.

ALTERNATIVE 1B: NORTHWEST CORNER RESIDENTIAL-COMMERCIAL SWAP

The Project Applicant designed Alternative 1B based on feedback from the residents of the Independence at Mather community: the community expressed a desire to see the Medium Density Residential proposed at the northwest corner of the Plan Area under the Project located elsewhere. Alternative 1B would reposition the three parcels in the northwestern corner of the Plan Area. The 17.6-acre Community Commercial parcel would be replaced with a 17.6-acre Medium Density Residential parcel. Likewise, the 14.1-acre Medium Density Residential parcel proposed under the Project would be replaced with a 16.1-acre Community Commercial parcel under this alternative. Simply put, the two proposed uses would switch locations within the Plan Area. Under Alternative 1B, the size of the parcel that would now contain Community Commercial uses would increase in size from 14.1 acres to 16.1 acres to accommodate a large commercial area. The High-Density Residential parcel proposed between these two parcels would remain in the same location but would decrease in size from 16.6 acres to 14.6 acres to accommodate the increase in the new Community Commercial parcel.

Similar to Alternative 1A, this would result in some adjustments to the number of proposed residential units and commercial square footage. Under Alternative 1B, the larger Medium Density Residential parcel would result in an increase of 45 medium density units over the Project. The number of high-density units would decrease by 50, resulting in an overall decrease of five residential units. Overall, Alternative 1B would result in up to 6,138 units (Table Alt-3 and Plate Alt-2). The proposed amount of Community Commercial space would decrease by 16,300 square feet when compared to the Project. Like Alternative 1A, the remaining proposed land uses, including Public/Quasi Public, Park and Open Space, and Agricultural uses, would be unchanged. Unlike Alternative 1A, this alternative would not result in a change in the acreage of land for Primary Roadways.




Plate Alt-2: Alternative 1B Land Use Diagram

Table Alt-3: Alternative 1B Land Use Summary

Residential Designations	Acres	Average Density	Density Range (DU/acre)	DU	% of DU
LD- Low Density Residential	355.7	6.0	1.0–10.9	2,134	34.8%
MD-Medium Density Residential	139.8	13.0	11.0–19.9	1,817	29.6%
HD- High Density Residential	83.5	25.0	20.0–30.0	2,087	34.0% ⁷
Subtotal	579.0			6,038	98.4%
Commercial + Office Zones	Acres	FAR	Square Footage	DU	% of DU
GC-General Commercial	59.3	0.25	645,700	n/a ¹	1.6% ⁷
CC-Community Commercial	16.1	0.25	175,300	n/a ¹	
MU-Mixed Use	19.6	0.50	427,000	100 ⁵	
O- Office	33.6	0.50	731,800	n/a ¹	
Subtotal	128.6		1,979,800	100	1.6%
Public/Quasi Public Zones	Acres				
PQP-Tank Site	1.0				
PQP-High School/Middle School	70.0				
PQP-Elementary School	30.0				
Subtotal	101.0				
Park + Open Space Zones	Acres				
CP- Community Park	39.2 ³				
P- Neighborhood Park	39.1 ³				
OS- Wetland Preserve	214.3				
OS- Greenbelt/Drainage Corridor	60.0				
OS- Landscape Corridor	14.5				
Subtotal	368.0				
AG-Agriculture	109.8				
RW- Primary Roadways	104.6				
TOTAL	1,391.0		10.45⁶	6,138	100%

Notes: DU = dwelling unit, FAR = Floor-Area Ratio (i.e. a FAR of 0.25 means that for every 1 acre of land in the category-like General Commercial–0.25 acre will be used for a structure)

¹. Dwelling units are not permitted in these designations.

². Park requirement calculation (not including AG zoning): LD/MD 3,951 DU x 0.0142 for a total of 56.1 acres and HD/MU 2,187 DU x 0.0119 for a total of 26.0 acres, for a combined total of 82.1 acres.

³. Park credit calculations: 78.3 acres of Community/Neighborhood Parks + 3.0 acres of Greenbelt where abutting the 28.6-acre Community Park = 81.3 acres

⁴. 100 dwelling units are assigned to the 8.2-acre MU parcel only, 0 units assigned to the 11.4-acre parcel.

⁵. Double net density calculation: 6,138 DU/587.2 acres (579 acres + 8.2 acres of MU) for a total of 10.45 DU/acres. Note: this does not include the 109.8 acres of AG or the 10% net residential acreage exclusion allowed per Policy LU 120 CB-1.

⁶. A minimum 34.8% of a Master Plan's units must be accommodated on multi-family zoned land, this includes HD and MU parcel allocations of 2,187 DU or 35.6%.

At buildout, the population of the Plan Area is anticipated to be approximately 16,514 residents with implementation of Alternative 1B (see Table Alt-4). The requested entitlements would be the same as the Project under this alternative.

Table Alt-4: Alternative 1B Population Projections

Residential Designations	DU	Person per DU	Population
LD-Low Density Residential	2,134	3.1	6,615
MD-Medium Density Residential	1,817	2.8	5,088
HD-High Density Residential ¹	2,187	2.2	4,811
Total	6,138		16,514

Source: Prepared by Ascent based on metrics provided in the Jackson Township Specific Plan, Chapter 6

¹: Includes 100 Mixed-Use units.

ALTERNATIVE 1C: INCREASED OFFICE WITH NORTHWEST CORNER RESIDENTIAL-COMMERCIAL SWAP

Alternative 1C is a combination of Alternatives 1A and 1B. Like Alternative 1A, this alternative would replace a 22.3-acre Medium Density Residential parcel, 16.9-acre High Density Residential parcel, and bisecting roadway with a 40.1-acre Office parcel with an additional 873,300 square feet of office space. Alternative 1C also incorporates the three repositioned parcels in the northwest corner of the Plan Area, including the reduction of community commercial space to 175,300 square feet. Overall, Alternative 1C would result in the development of 5,692 residential units, including 2,134 low density, 1,527 medium density, 1,931 high-density units, and 100 mixed use residential units. This represents an overall reduction of 451 units, including 245 fewer medium density units and 206 high-density units compared to the Project. Community commercial space would decrease by 16,300 square feet and office space would increase by 873,300 square feet. All other proposed land uses would remain consistent with the proposed Project. See Table Alt-5 for the detailed land use summary and Plate Alt-3 for the land use plan.




Plate Alt-3: Alternative 1C Land Use Diagram

Table Alt-5: Alternative 1C Land Use Summary

Residential Designations	Acres	Average Density	Density Range (DU/acre)	DU	% of DU
LD- Low Density Residential	355.7	6.0	1.0–10.9	2,134	37.5%
MD-Medium Density Residential	117.5	13.0	11.0–19.9	1,527	26.8%
HD- High Density Residential	66.6	29.0	20.0–30.0	1,931	33.9% ⁷
Subtotal	539.8			5,592	98.2%
Commercial + Office Zones	Acres	FAR	Square Footage	DU	% of DU
GC-General Commercial	59.3	0.25	645,700	n/a ¹	1.8% ⁷
CC-Community Commercial	16.1	0.25	175,300	n/a ¹	
MU-Mixed Use	19.6	0.50	427,000	100 ⁵	
O- Office	73.7	0.50	1,605,100	n/a ¹	
Subtotal	168.7		2,853,100	100	1.8%
Public/Quasi Public Zones	Acres				
PQP-Tank Site	1.0				
PQP-High School/Middle School	70.0				
PQP-Elementary School	30.0				
Subtotal	101.0				
Park + Open Space Zones	Acres				
CP- Community Park	39.2 ³				
P- Neighborhood Park	39.1 ³				
OS- Wetland Preserve	214.3				
OS- Greenbelt/Drainage Corridor	60.9				
OS- Landscape Corridor	14.5				
Subtotal	368.0				
AG-Agriculture	109.8				
RW- Primary Roadways	103.7				
TOTAL	1,391.0		10.4⁶	5,692	100%

Notes: DU = dwelling unit, FAR = Floor-Area Ratio (i.e. a FAR of 0.25 means that for every 1 acre of land in the category—like General Commercial—0.25 acre will be used for a structure)

¹. Dwelling units are not permitted in these designations.

². Park requirement calculation (not including AG zoning): LD/MD 3,661 DU x 0.0142 for a total of 52.0 acres and HD/MU 2,031 DU x 0.0119 for a total of 24.2 acres, for a combined total of **76.2 acres**.

³. Park credit calculations: 78.3 acres of Community/Neighborhood Parks + 3.0 acres of Greenbelt where abutting the 28.6-acre Community park or a total of **81.3 acres**

⁴. 100 dwelling units are assigned to the 8.2-acre MU parcel only, 0 units assigned to the 11.4-acre parcel.

⁵. Double net density calculation: 5,692 DU/548 acres (539.8 acres + 8.2 acres of MU) for a total of **10.4 DU/acres**. Note: this does not include the 109.3 acres of AG or the 10% net residential acreage exclusion allowed per Policy LU 120 CB-1.

⁶. A minimum 34.8% of a Master Plan's units must be accommodated on multi-family zoned land, this includes HD and MU parcel allocations of 2,031 DU or 35.7%.

At buildout, the population of the Plan Area is anticipated to be approximately 15,359 residents with implementation of Alternative 1C (see Table Alt-6).

Table Alt-6: Alternative 1C Population Projections

Residential Designations	DU	Person per DU	Population
LD-Low Density Residential	2,134	3.1	6,615
MD-Medium Density Residential	1,527	2.8	4,276
HD-High Density Residential ¹	2,031	2.2	4,468
Total	5,692		15,359

Source: Prepared by Ascent based on metrics provided in the Jackson Township Specific Plan, Chapter 6.

¹: Includes 100 Mixed-Use units.

ALTERNATIVE 2: SSHCP-CONSISTENT WETLAND PRESERVE

The analysis of Alternative 2 can be found along with the Project analysis in Chapters 4 through 20 of this EIR, but a brief description is provided here. Alternative 2 was developed to address concerns over the potential loss of some wetlands and habitat areas located east of the future Greenville Drive adjacent to, but outside of, the wetland preserve proposed as part of the Project (see Plate Alt-4). Under this alternative, a large portion of the area designated as Low Density Residential as part of the Project and Alternatives 1A through 1C would be included as an additional wetland preserve area. The area, referred to as “the thumb,” would jut out to the west from the proposed wetland preserve to include a cluster of vernal pools not proposed for preservation under the Project and would nearly reach Tree View Lane (to be renamed Greenville Drive). The thumb would be immediately surrounded by a greenbelt area, with Low Density Residential surrounding it. This reconfiguration of uses immediately surrounding the expanded preserve area would result in a slight increase in size and change in configuration of the proposed Community Park. To account for the loss of land designated for Low Density Residential to accommodate the additional preserve area, one of the large parcels adjacent to Kiefer Road would change from Medium Density Residential to Low Density Residential, which would result in an increase in the amount of Low Density Residential and a decrease in Medium Density Residential. In addition, approximately 35.1 acres of land intended to remain designated as Agriculture under the Project would be re-designated to Low Density Residential. Aside from those changes, the Land Use plan would remain consistent with the Land Use plan for the Project. Plate Alt-5 graphically summarizes the differences between the Project and Alternative 2.

Overall, Alternative 2 would increase the size of the wetland preserve from 214.3 acres to approximately 259.8 acres and would preserve a cluster of additional vernal pools, for an additional 4.6 acres of waters of the U.S. on property owned by the Project Applicant. The size of the larger Community Park would increase from 28.6 acres to approximately 30.0 acres. The acreage of Low Density Residential would go from 355.7 acres with 2,134 units under the Project to 382.6 acres with 2,295 units. Land designated for Medium Density Residential would go from 136.3 acres with 1,772 units to 124.5 acres with 1,245 units. Land designated for High Density Residential would go from 85.5 acres with 2,137 units to 82.0 acres with 2,050 units. Like the Project, Alternative 2 would include 100 units in the mixed-use parcel.

The wetland preserve in Alternative 2 was designed to be consistent with the SSHCP preserve boundary. With the 45.5-acre increase in area designated Wetland Preserve, Alternative 2 would result in a net decrease in areas designated for Agriculture (35.1 acres) and Primary Roadways (17.9 acres) (Table Alt-7).

Table Alt-7: Alternative 2 Land Use Summary

Residential Designations	Acres	Average Density	Density Range (DU/acre)	DU	% of DU
LD- Low Density Residential	382.6	6.0	1.0-8.9	2,295	40.3%
MD-Medium Density Residential	124.5	10.0	9.0-15.9	1,245	21.9%
HD- High Density Residential	82.0	25.0	16.0-30.0	2,050	36.0%
Subtotal	589.1			5,590	98.2%
Commercial + Office Zones	Acres	FAR	Square Footage	DU	% of DU
GC-General Commercial	59.7	0.25	650,100	n/a ¹	1.8%
CC-Community Commercial	16.2	0.25	176,400	n/a ¹	
MU-Mixed Use	19.7	0.50	429,000	100 ⁵	
O- Office	35.2	0.50	766,600	n/a ¹	
Subtotal	130.8		2,022,100	100	1.8%
Public/Quasi Public Zones	Acres				
PQP-Water Tank Site	1.0				
PQP-High School/Middle School	70.0				
PQP-Elementary School	30.0				
Subtotal	101.0				
Park + Open Space Zones	Acres				
CP- Community Park	40.6				
P- Neighborhood Park	38.2				
OS- Wetland Preserve	259.8				
OS- Greenbelt/Drainage Corridor	55.6				
OS- Landscape Corridor	14.5				
Subtotal	408.7				
AG-Agriculture	74.7				
RW- Primary Roadways	86.7				
TOTAL	1,391.0		10.6⁵	5,690	100%

¹. Dwelling units are not permitted in these designations.

². Park requirement calculation (not including AG zoning): LD/MD 3540 DU x .0142= 50.3 ac. and HD/MU 2,150 DU x .0119=25.6
Total acres= **75.9**

³. Park credit calculations: Comm/ Neigh. Parks=**78.8 acres**

⁴. 100 dwelling units are assigned to the 7.5-acre MU parcel only, 0 units assigned to the 12.2-acre parcel.

⁵. Double net residential density is calculated as follows: Base residential acreage is 589.1 acres + 7.5 MU= 596.6 – 59.6 (10% net residential acreage exclusion allowed per Policy LU 120 CB-1.) = **537.0**. Total units of 5,690/537 acres= 10.6 du/acre

⁶. A minimum 34.8% of a Master Plan's units must be accommodated on multi-family zoned land, this includes HD and MU parcel allocations of 2,150 DU =37.7%.




Plate Alt-4: Alternative 2 Land Use Diagram





Plate Alt-5: Comparison between Project and Alternative 2 Land Use Proposals

At buildout, the population of the Plan Area is anticipated to be approximately 15,331 residents with implementation of Alternative 2 (see Table Alt-8).

Table Alt-8: Alternative 2 Population Projections

Residential Designations	DU	Person per DU	Population
LD-Low Density Residential	2,295	3.1	7,115
MD-Medium Density Residential	1,245	2.8	3,486
HD-High Density Residential ¹	2,150	2.2	4,730
Total	5,690		15,331

Source: Prepared by Ascent based on metrics provided in the Jackson Township Specific Plan, Chapter 6

¹: Includes 100 Mixed-Use units.

ALTERNATIVE 2A: SSHCP-CONSISTENT WETLAND PRESERVE THUMB WITH INCREASED OFFICE

The Project Applicant designed Alternative 2A to combine Alternatives 1C and 2. This alternative combines the larger preserve area found in Alternative 2 with the increased office space and location of the Community Commercial parcel in the northwest corner of the plan area as shown in Alternative 1C. Like Alternative 2, the larger preserve area was designed to be consistent with the SSHCP. Alternative 2A would modify the wetland preserve on the eastern boundary of the Plan Area, creating a “thumb” that includes the protection of an additional 4.6 acres of vernal pools along the existing drainage corridor on property owned by the Project Applicant.

Alternative 2A would also replace an approximately 22.3-acre Medium Density Residential parcel, a 16.9-acre High Density Residential parcel, and a proposed roadway between the two parcels with one approximately 39.1-acre Office parcel, as well as replace a parcel designed for Medium Density Residential under the Project with Low Density Residential directly south of Kiefer Boulevard (Plate Alt-6). As with Alternative 2, Alternative 2A would result in a 45.5-acre increase in area designated Wetland Preserve from what is proposed by the Project. The alternative would also result in a decrease in areas designated for Residential (26.3 acres), Agriculture (35.1 acres), and Primary Roadways (19.1 acres) compared to the Project (Table Alt-9).

Table Alt-9: Alternative 2A Land Use Summary

Residential Designations	Acres	Average Density	Density Range (DU/acre)	DU	% of DU
LD- Low Density Residential	382.6	6.0	1.0-8.9	2,295	45.2%
MD-Medium Density Residential	102.2	10.0	9.0-15.9	1,022	20.1%
HD- High Density Residential	66.4	25.0	16.0-30.0	1,660	32.7%
Subtotal	551.2			4,977	98.0%
Commercial + Office Zones	Acres	FAR	Square Footage	DU	% of DU
GC-General Commercial	59.7	0.25	650,100	n/a ¹	
CC-Community Commercial	16.2	0.25	176,400	n/a ¹	
MU-Mixed Use	19.7	0.50	429,000	100 ⁵	2.0%

Residential Designations	Acres	Average Density	Density Range (DU/acre)	DU	% of DU
O- Office	74.3	0.50	1,618,200	n/a ¹	
Subtotal	169.9		2,873,700	100	2.0%
Public/Quasi Public Zones	Acres				
PQP-Water Tank Site	1.0				
PQP-High School/Middle School	70.0				
PQP-Elementary School	30.0				
Subtotal	101.0				
Park + Open Space Zones	Acres				
CP- Community Park	40.6				
P- Neighborhood Park	38.2				
OS- Wetland Preserve	259.8				
OS- Greenbelt/Drainage Corridor	55.6				
OS- Landscape Corridor	14.5				
Subtotal	408.7				
AG-Agriculture	74.7				
RW- Primary Roadways	85.5				
TOTAL	1,391.0		10.1⁵	5,077	100%

¹. Dwelling units are not permitted in these designations.

². Park requirement calculation (not including AG zoning): LD/MD 3,317 DU x .0142= 47.1 ac. and HD/MU 1,760 DU x .0119 = 21.0 Total acres= **68.1**.

³. Park credit calculations: Comm/ Neigh. Parks=**78.8 acres**.

⁴. 100 dwelling units are assigned to the 7.5-acre MU parcel only, 0 units assigned to the 12.2-acre parcel.

⁵. Double net residential density is calculated as follows: Base residential acreage is 551.2 acres + 7.5 MU= 558.7 – 55.9 (10% net residential acreage exclusion allowed per Policy LU 120 CB-1.) = **502.8**. Total units of 5,077/502.8 acres= 10.1 du/acre.

⁶. A minimum 34.8% of a Master Plan's units must be accommodated on multi-family zoned land, this includes HD and MU parcel allocations of 1,760 DU =34.7%.

At buildout, the population of the Plan Area is anticipated to be approximately 13,848 residents with implementation of Alternative 2A (see Table Alt-10).

Table Alt-10: Alternative 2A Population Projections

Residential Designations	DU	Person per DU	Population
LD-Low Density Residential	2,295	3.1	7,115
MD-Medium Density Residential	1,022	2.8	2,862
HD-High Density Residential ¹	1,760	2.2	3,872
Total	5,077		13,848

Source: Prepared by Ascent based on metrics provided in the Jackson Township Specific Plan, Chapter 6

¹. Includes 100 Mixed-Use units.




Plate Alt-6: Alternative 2A Land Use Diagram

ALTERNATIVE 3: INCREASED WETLAND PRESERVE

Alternative 3 would include an increase in the size of the wetland preserve area at the eastern edge of the Plan Area to maximize the protection of vernal pools and seasonal wetlands (Plate Alt-7). Under Alternative 3, most of the land (291.9 acres) located east of Tree View Lane (to be renamed Grenville Drive) would be designated for protection, an additional 77.6 acres over what is proposed by the Project. The land use designations for this alternative would be adjusted to accommodate the increase in area designated Wetland Preserve and provide appropriate buffers. Residential land use would decrease by 85.9 acres, nearly all of which would be Low Density Residential. There would be a corresponding reduction in area for community and neighborhood parks, as well as schools. To accommodate this much larger preserve area, the high school/middle school site would be moved to the west side of Tree View Lane/Grenville Drive. The community park would be moved north to the southeast corner of the intersection of Tree View Lane/Grenville Drive and Kiefer Boulevard. Approximately 24.4 acres of land proposed for Agricultural designation would be put into wetland preserve, which would extend the preserve all the way south to Jackson Road. There would also be areas of Low Density Residential east of Tree View Lane/Grenville Drive adjacent to the wetland preserve.

One major difference between Alternative 3 and the other alternatives would be that instead of the area north of Kiefer Road being an extension of the wetland preserve, this area would be designated for Light Industrial uses, with 805,800 square feet of space with a FAR of 0.20. This is consistent with the existing General Plan designations of these nonparticipating parcels. Therefore, although this alternative increases the wetland preserve area, it would not be consistent with the SSHCP preserve strategy.

Overall, this alternative would result in the development of 1,605 Low Density Residential units, 1,798 Medium Density Residential units, 2,137 High Density Residential units, and 100 Mixed Use units, for a total of 5,640 residential units. There would also be approximately 2.8 million square feet of commercial and industrial space. Although there would be a net increase in park and open space zones compared to the Project, there would be less area devoted to parks and greenbelts. Agricultural areas would also decrease (a 24.4-acre reduction) compared to the Project, as would the area used for Primary Roadways (17.0 acre reduction) (Table Alt-11).

Table Alt-11: Alternative 3 Land Use Summary

Residential Designations	Acres	Average Density	Density Range (DU/acre)	DU	% of DU
LD- Low Density Residential	267.8	6.0	1.0-10.9	1,605	28.5%
MD-Medium Density Residential	138.3	13.0	11.0-19.9	1,798	31.9%
HD- High Density Residential	85.5	25.0	20.0-30.0	2,137	37.9%
Subtotal	491.6			5,540	98.3%
Commercial + Office Zones	Acres	FAR	Square Footage	DU	% of DU
GC-General Commercial	59.3	0.25	645,700	n/a ¹	
CC-Community Commercial	17.6	0.25	191,600	n/a ¹	

Residential Designations	Acres	Average Density	Density Range (DU/acre)	DU	% of DU
MU-Mixed Use	19.6	0.50	427,000	100	1.7%
O- Office	33.6	0.50	731,800	n/a ¹	
LI-Light Industrial	92.5	0.20	805,800	n/a ¹	
Subtotal	222.6		2,801,900	100	1.7%
Public/Quasi Public Zones	Acres				
PQP-Tank Site	1.0				
PQP-High School/Middle School	70.0				
PQP-Elementary School	20.0				
Subtotal	91.0				
Park + Open Space Zones	Acres				
CP- Community Park	33.6				
P- Neighborhood Park	30.9				
OS- Wetland Preserve	291.9				
OS- Greenbelt/Drainage Corridor	41.9				
OS- Landscape Corridor	14.5				
Subtotal	412.8				
AG-Agriculture	85.4				
RW- Primary Roadways	87.6				
TOTAL	1,391.0		11.28	5,640	100%

¹. Dwelling units are not permitted in these designations.

². Park requirement calculation (not including AG zoning): LD/MD 3403 DU x .0142 =48.4ac. and HD/MU 2237 DU x .0122= 26.6 Total acres= 75.0.

³. Park credit calculations: 64.5 acres of Comm/ Neigh. Parks.

⁴. 100 dwelling units are assigned to the 8.2-acre MU parcel only, 0 units assigned to the 11.4-acre parcel.

⁵. Double net density calculation: 5640/499.8 acres= (491.6 ac.+8.2 ac. of MU)= 11.28 du/acre Note: this does not include the AG or the 10% net residential acreage exclusion allowed per Policy LU 120 CB-1.

⁶. A minimum 34.8% of a Master Plan's units must be accommodated on multi-family zoned land, this includes HD and MU parcel allocations of 2237 DU = 39.6%.

At buildout, the population of the Plan Area is anticipated to be approximately 14,931 residents with implementation of Alternative 3 (see Table Alt-12).

Table Alt-12: Alternative 3 Population Projections

Residential Designations	DU	Person per DU	Population
LD-Low Density Residential	1,605	3.1	4,976
MD-Medium Density Residential	1,798	2.8	5,034
HD-High Density Residential ¹	2,237	2.2	4,921
Total	5,640		14,931

Source: Prepared by Ascent based on metrics provided in the Jackson Township Specific Plan, Chapter 6

¹. Includes 100 Mixed-Use units.




Plate Alt-7: Alternative 3 Land Use Diagram

ALTERNATIVE 4: CENTRALIZED LIGHT INDUSTRIAL

Alternative 4 would designate APN 067-0050-005, currently occupied by the Sacramento Raceway, as Light Industrial, consistent with its current zoning. The area north of this parcel would be reconfigured, moving the greenbelts and parks directly adjacent to it, to provide a buffer between future industrial and residential uses (Plate Alt-8). The Village Center and surrounding properties in the northwest corner of the Plan Area would be reconfigured, but the uses would remain relatively consistent with the proposed Project. The areas east of Tree View Lane, including the wetland preserve, and the areas south of the proposed Light Industrial property would be similar to those proposed under the Project.

Residential area would decrease by 147.2 acres compared to the Project, and there would be a corresponding reduction in area for community and neighborhood parks, as well as schools. There would be a total of 186.7 acres designated Light Industrial in the Plan Area. There would also be a reduction in area used for Primary Roadways (17.4 acres) (Table Alt-13).

Table Alt-13: Alternative 4 Land Use Summary

Residential Designations	Acres	Average Density	Density Range (DU/acre)	DU	% of DU
LD- Low Density Residential	269.2	6.0	1.0-10.9	1,615	35.8%
MD-Medium Density Residential	102.6	13.0	11.0-19.9	1,334	29.6%
HD- High Density Residential	58.5	25.0	20.0-30.0	1,462	32.4%
Subtotal	430.3			4,411	97.8%
Commercial + Office Zones	Acres	FAR	Square Footage	DU	% of DU
GC-General Commercial	61.0	0.25	664,300	n/a ¹	2.2%
CC-Community Commercial	18.6	0.25	202,500	n/a ¹	
MU-Mixed Use	19.6	0.50	427,000	100 ⁵	
O- Office	33.6	0.50	731,800	n/a ¹	
LI- Light Industrial	186.7	0.20	1,626,500		
Subtotal	319.5		3,652,100	100	2.2%
Public/Quasi Public Zones	Acres				
PQP-Tank Site	1.0				
PQP-High School/Middle School	70.0				
PQP-Elementary School	20.0				
Subtotal	91.0				
Park + Open Space Zones	Acres				
CP- Community Park	28.6				
P- Neighborhood Park	30.6				
OS- Wetland Preserve	214.3				
OS- Greenbelt/Drainage Corridor	65.2				

Residential Designations	Acres	Average Density	Density Range (DU/acre)	DU	% of DU
OS- Landscape Corridor	14.5				
Subtotal	353.2				
AG-Agriculture	109.8				
RW- Primary Roadways	87.2				
TOTAL	1,391.0		10.28	4,511	100%

- ¹. Dwelling units are not permitted in these designations.
- ². Park requirement calculation (not including AG zoning): LD/MD 2,949 DU x .0142=41.9 ac. and HD/MU 1562 DU x .0119=18.6 Total acres= 60.5.
- ³. Park credit calculations: 59.2 acres of Comm/ Neigh. Parks + 3 ac. credit for GB adjacent to 28.6-acre Comm Park 62.2 acres.
- ⁴. 100 dwelling units are assigned to the 8.2-acre MU parcel only, 0 units assigned to the 11.4-acre parcel.
- ⁵. Double net density calculation: 4,511 DU/ 438.5 acres (430.3 ac.+8.2 ac. of MU) = 10.28 du/ac. Note: this does not include the 109.3 acres of AG or the 10% net residential acreage exclusion allowed per Policy LU 120 CB-1.
- ⁶. A minimum 34.8% of a Master Plan's units must be accommodated on multi-family zoned land, this includes HD and MU parcel allocations of 1,562 DU = 34.6%.
- ⁷. New Double net density- 4511/438.7 acres= 10.28 du/acre.

At buildout, the population of the Plan Area is anticipated to be approximately 12,178 residents with implementation of Alternative 4 (see Table Alt-14).

Table Alt-14: Alternative 4 Population Projections

Residential Designations	DU	Person per DU	Population
LD-Low Density Residential	1,615	3.1	5,007
MD-Medium Density Residential	1,334	2.8	3,735
HD-High Density Residential ¹	1,562	2.2	3,436
Total	4,511		12,178

Source: Prepared by Ascent based on metrics provided in the Jackson Township Specific Plan, Chapter 6

¹. Includes 100 Mixed-Use units.




Plate Alt-8: Alternative 4 Land Use Diagram

EVALUATION OF ALTERNATIVES

This analysis addresses the effects of the No Project Alternative and the following Alternatives:

- Alternative 1A: Increased Office
- Alternative 1B: Northwest Corner Residential-Commercial Swap
- Alternative 1C: Increased Office with Northwest Corner Residential-Commercial Swap
- Alternative 2: SSHCP-Consistent Wetland Preserve
- Alternative 2A: SSHCP-Consistent Wetland Preserve Thumb with Increased Office
- Alternative 3: Increased Wetland Preserve
- Alternative 4: Centralized Light Industrial

Alternative 2 is not addressed in this chapter: please refer to Chapters 4 through 20 of this EIR for the analysis. Although the SSHCP was not adopted at the time that the Project Applicant filed a formal application for the Project in April of 2012, the Plan Area is within the Urban Development Area identified in the SSHCP, and the Project is included as a covered activity (under the category “Master Plans Known at the Time of SSHCP Preparation”). In anticipation of the adoption of the SSHCP, the County requested that the Project Applicant develop a project alternative that would be consistent with SSHCP requirements, including compliance with the Covered Activity descriptions and the SSHCP Avoidance and Minimization Measures listed in the SSHCP. This alternative is evaluated at an equal level of detail as the Project in this EIR because it responds to recent regional planning efforts. Therefore, Alternative 2 is not addressed further in this chapter.

AESTHETICS

NO PROJECT ALTERNATIVE

Development of the Plan Area according to the existing zoning would result in limited potential for changes in the portion of the Plan Area designated for agricultural use. The addition of two residences in this area would not substantially affect visual character or quality, nor is there a potential for the introduction of new sources of substantial light or glare. The western area of the Plan Area could be developed for industrial uses, which would be a substantial change to the character and quality of the area and could introduce sources of light or glare. Because the potential for changes to the visual character of the Plan Area would be less overall, the visual and lighting impacts of the No Project Alternative would be less than anticipated for the Project.

ALTERNATIVES 1A, 1B, AND 1C

Under Alternatives 1A, 1B, and 1C, development would occur at a similar level to, but in slightly different configurations than, the Project. Overall, these alternatives would result in the near complete conversion of the Plan Area from undeveloped rural land to a fully developed urban community, which would result in a permanent substantial alteration to

existing viewsheds within the area, as well as introducing new sources of light and glare. Like the Project, Development Standards and Design Guidelines would be incorporated into Alternatives 1A, 1B, and 1C so that they would be designed to be consistent with the design aesthetic of the community to create a cohesive and unified presentation across the development. Nonetheless, substantial degradation of the character and visual quality of the Plan Area could occur.

Alternatives 1A, 1B, and 1C would also comply with the Design Guidelines that require lighting to be focused downward whenever possible to avoid light pollution and require parking lighting to have automatic controls to dim lights after certain hours or when no one is present. Overall, there would not be a substantial difference in the potential for creation of new sources of daytime glare in comparison to the Project. However, there would be no mitigation available to address the existing lighting on the raceway parcel. Alternatives 1A, 1B, and 1C would result in effects on aesthetics that would be similar to the Project.

ALTERNATIVE 2A

Alternative 2A would result in less development at the eastern boundary of the Plan Area than the Project. This could result in slightly less offsite lighting effects to the east of the Plan Area. However, like the Project, this alternative would introduce a substantial amount of new lighting to an area that is currently rural and largely unlit. In addition, although Alternative 2A would result in less residential development and associated photovoltaic (PV) panels than the Project, implementation of Alternative 2A would not result in a substantial difference in the potential for creation of new sources of daytime glare in comparison to the Project because the overall level of development would be similar. In addition, although Alternative 2A would increase the area set aside for open space, it would also result in the near complete conversion of the Plan Area from undeveloped rural land to a fully developed urban community, which would result in a permanent, substantial alteration to existing viewsheds within the area. Development Standards and Design Guidelines would create a cohesive and unified presentation across the development and regulate lighting. However, there would be no mitigation available to address the existing lighting on the raceway parcel. Overall, impacts would be similar to the Project.

ALTERNATIVE 3

Alternative 3 would increase the area set aside for open space, which could reduce the potential for degradation of views on the eastern edge of the Plan Area. This could result in slightly less offsite lighting effects to the east of the Plan Area and less residential development and associated PV panels. However, this alternative would allow for Light Industrial development north of Kiefer Boulevard, which could result in an increase in lighting in the northeast corner of the Plan Area, adjacent to the existing Mather Preserve, and nearby the existing Independence at Mather community.

Overall, this alternative would result in the near complete conversion of the Plan Area from undeveloped rural land to a fully developed urban community, which would result in a permanent, substantial alteration to existing viewsheds within the area. Like the Project, Development Standards and Design Guidelines would be incorporated into Alternative 3 so that they would be designed to be consistent with the design aesthetic

of the community to create a cohesive and unified presentation across the development. Design Guidelines also require lighting to be focused downward whenever possible to avoid light pollution and parking lighting to have automatic controls to dim lights after certain hours or when no one is present. Alternative 3 would have a similar effect on the degradation of the character and visual quality of the Plan Area but could result in additional lighting adjacent to the Mather Preserve on the parcels north of Kiefer Boulevard. There would be no mitigation available to address the existing lighting on the raceway parcel. Overall, there would not be a substantial difference in the potential for effects to aesthetics in comparison to the Project; impacts would be similar.

ALTERNATIVE 4

Alternative 4 would result in similar levels of development to the Project but would not change the designation of the raceway parcel. Overall, this alternative would result in the near complete conversion of the Plan Area from undeveloped rural land to a fully developed urban community, which would result in a permanent substantial alteration to existing viewsheds within the area. Like the Project, Development Standards and Design Guidelines would be incorporated into Alternative 4 so that they would be designed to be consistent with the aesthetic of the community to create a cohesive and unified presentation across the development.

Alternative 4 would result in less residential development and associated PV panels than the Project. Further, residential land uses would be setback from the central industrial parcel, which would reduce the potential for lighting effects if the raceway remains in operation during early phases of development. Overall, there would not be a substantial difference in the potential for creation of new sources of daytime glare in comparison to the Project. The effects on aesthetics would be similar to the Project.

AGRICULTURAL RESOURCES

NO PROJECT ALTERNATIVE

The No Project Alternative would allow for the continued use of the Plan Area for agriculture. While the Project would result in the loss of Farmland to non-agricultural uses, this alternative would not result in the conversion of agricultural lands. Overall, the agricultural resource impacts of the No Project Alternative would be less than the Project.

ALTERNATIVES 1A, 1B, 1C, 2A, 3, AND 4

Alternatives 1A, 1B, 1C, 2A, 3, and 4 would all result in the conversion of more than 50 acres of Prime Farmland and Farmland of Local Importance to non-agricultural uses. Implementation of Mitigation Measure AG-1 would require preservation of Farmland at a 1:1 ratio, consistent with Policy AG-5 of the 2030 General Plan. However, because prime soils are a finite resource and new agricultural soils would not be created there would be a substantial net-loss of agricultural production within Sacramento County. The current agricultural operations on adjacent and non-participating properties are limited and include mostly small agricultural residential lots. In addition, buyers of properties adjacent to Excelsior Road, Jackson Road, and a non-participating property are required to receive notice through the title report that they could be subject to

inconvenience or discomfort resulting from accepted farming activities as per provisions of the County Right-To-Farm Ordinance (Sacramento County Code Chapter 14.05) and 2030 General Plan Policy AG-4, as proposed in Mitigation Measure AG-2. Overall, impacts to agricultural resources would be similar to the Project because these alternatives would result in conversion of the same amount of Farmland as the Project and there would be the same potential for conflict with existing, adjacent agricultural uses.

AIR QUALITY

NO PROJECT ALTERNATIVE

The No Project Alternative would generate lower air pollutant emissions (particulate matter and ozone precursors) because of continued agricultural activities and rural residential use of the majority of the Plan Area. This alternative would avoid project air quality impacts related to TAC and potential odor generation. The significant construction, operational, and cumulative air quality impacts identified for the project would not occur. Therefore, the air quality impacts of the No Project Alternative would be less than those that would occur with the Project.

ALTERNATIVES 1A, 1B, AND 1C

Although Alternatives 1A, 1B, and 1C differ from the Project in their mix of land uses and trip generation, construction impacts are likely to be similar due to the size and scale of the overall development under these alternatives. Application of Mitigation Measures AQ-1a and AQ-1b would be sufficient to reduce construction impacts to levels below SMAQMD mass emissions thresholds. Operational impacts are also likely to be similar to the Project due to the size and scale of the overall development. Implementation of Mitigation Measure AQ-2b would reduce operational emissions as; however, this reduction would not be sufficient to reduce emissions of NO_x and PM₁₀ below SMAQMD's operational mass emissions threshold. Alternatives 1A, 1B, and 1C would be beholden to the same air quality plans cited in the discussion of the Project's consistency with applicable air quality plans. Because operational emissions of NO_x and PM₁₀ could not be reduced to below SMAQMD's operational mass emissions thresholds, despite the application of mitigation, Alternatives 1A, 1B, and 1C would not be consistent with local plans to improve air quality.

Due to the size and scale of the overall development, Alternatives 1A, 1B, and 1C would also result in the addition of new trips of similar volume to the Project. As discussed for the Project, the number of new daily trips would not meet SMAQMD's Second-Tier criteria (i.e., intersections that accommodate 31,600 or more vehicles per hour) to trigger an adverse CO impact. TAC exposure impacts are also likely to be similar. Implementation of Mitigation Measure AQ-3 would be sufficient to reduce potential TAC exposure by providing guidelines when siting sensitive land uses near land uses that could be sources of diesel PM and TACs.

Alternatives 1A, 1B, and 1C would be located within the 4-mile buffer zone to the existing Sacramento Rendering Company's Rendering Plant (i.e., 0.5 mile to the west) recommended by SMAQMD. Due to the odors produced by the Sacramento Rendering Plant, which is exempt from then SMAQMD nuisance rule by the Right to Farm Act,

odor impacts could affect future residents of the Plan Area in a similar manner as described for the Project. Overall, the Air Quality impacts of Alternatives 1A, 1B, and 1C would be similar to the Project.

ALTERNATIVE 2A

Although Alternative 2A differs from the Project in the mix of land uses and trip generation, construction impacts are likely to be similar due to the size and scale of the overall development under these alternatives. Application of Mitigation Measures AQ-1a and AQ-1b would be sufficient to reduce construction impacts to levels below SMAQMD mass emissions thresholds. Operational impacts are also likely to be similar to the Project due to the size and scale of the overall development. Implementation of Mitigation Measure AQ-2b would reduce operational emissions as; however, this reduction would not be sufficient to reduce emissions of NO_x and PM₁₀ below SMAQMD's operational mass emissions threshold. Alternative 2A would be beholden to the same air quality plans cited in the discussion of the Project's consistency with applicable air quality plans. Because operational emissions of NO_x and PM₁₀ could not be reduced to below SMAQMD's operational mass emissions thresholds, despite the application of mitigation, Alternative 2A would not be consistent with local plans to improve air quality.

Alternative 2A would result in fewer residences and more acreage dedicated to wetlands preservation, which would generate fewer additional daily trips than the Project. As discussed for the Project, the number of new daily trips would not meet SMAQMD's Second-Tier criteria (i.e., intersections that accommodate 31,600 or more vehicles per hour) to trigger an adverse CO impact. TAC exposure impacts are also likely to be similar due to the size and scale of the overall development. Implementation of Mitigation Measure AQ-3 would be sufficient to reduce potential TAC exposure by providing guidelines when siting sensitive land uses near land uses that could be sources of diesel PM and TACs.

Alternative 2A would be located within the 4-mile buffer zone to the existing Sacramento Rendering Company's Rendering Plant (i.e., 0.5 mile to the west) recommended by SMAQMD. Due to the odors produced by the Sacramento Rendering Plant, which is exempt from then SMAQMD nuisance rule by the Right to Farm Act, odor impacts would affect future residents of the Plan Area in a similar manner as described for the Project. Overall, the Air Quality impacts of Alternative 2A would be similar to the Project.

ALTERNATIVE 3

Although Alternative 3 differs from the Project in the mix of land uses and trip generation, construction impacts are likely to be similar due to the size and scale of the overall development under these alternatives. Application of Mitigation Measures AQ-1a and AQ-1b would be sufficient to reduce construction impacts to levels below SMAQMD mass emissions thresholds. Operational impacts are also likely to be similar to the Project due to the size and scale of the overall development. Implementation of Mitigation Measure AQ-2b would reduce operational emissions as; however, this reduction would not be sufficient to reduce emissions of NO_x and PM₁₀ below SMAQMD's operational mass emissions threshold. Alternative 3 would be beholden to the same air quality plans cited in the discussion of the Project's consistency with applicable air quality plans. Because

operational emissions of NO_x and PM₁₀ could not be reduced to below SMAQMD's operational mass emissions thresholds, despite the application of mitigation, Alternative 3 would not be consistent with local plans to improve air quality.

Alternative 3 would result in fewer residences and more acreage dedicated to wetlands preservation, which would generate fewer additional daily than the Project. As discussed for the Project, the number of new daily trips would not meet SMAQMD's Second-Tier criteria (i.e., intersections that accommodate 31,600 or more vehicles per hour) to trigger an adverse CO impact. TAC exposure impacts are also likely to be similar due to the size and scale of the overall development. Implementation of Mitigation Measure AQ-3 would be sufficient to reduce potential TAC exposure by providing guidelines when siting sensitive land uses near land uses that could be sources of diesel PM and TACs.

Alternative 3 would be located within the 4-mile buffer zone to the existing Sacramento Rendering Company's Rendering Plant (i.e., 0.5 mile to the west) recommended by SMAQMD. Due to the odors produced by the Sacramento Rendering Plant, which is exempt from then SMAQMD nuisance rule by the Right to Farm Act, odor impacts would affect future residents of the Plan Area in a similar manner as described for the Project. Overall, the Air Quality impacts of Alternative 4 would be similar to the Project.

ALTERNATIVE 4

Although Alternative 4 differs from the Project in the mix of land uses and trip generation, construction impacts are likely to be similar due to the size and scale of the overall development under these alternatives. Application of Mitigation Measures AQ-1a and AQ-1b would be sufficient to reduce construction impacts to levels below SMAQMD mass emissions thresholds. Operational impacts are also likely to be similar to the Project due to the size and scale of the overall development. Implementation of Mitigation Measure AQ-2b would reduce operational emissions as; however, this reduction would not be sufficient to reduce emissions of NO_x and PM₁₀ below SMAQMD's operational mass emissions threshold. Alternative 4 would be beholden to the same air quality plans cited in the discussion of the Project's consistency with applicable air quality plans. Because operational emissions of NO_x and PM₁₀ could not be reduced to below SMAQMD's operational mass emissions thresholds, despite the application of mitigation, Alternative 4 would not be consistent with local plans to improve air quality.

As discussed for the Project, the number of new daily vehicle trips would not meet SMAQMD's Second-Tier criteria (i.e., intersections that accommodate 31,600 or more vehicles per hour) to trigger an adverse CO impact. TAC exposure impacts are also likely to be similar due to the size and scale of the overall development. Implementation of Mitigation Measure AQ-3 would be sufficient to reduce potential TAC exposure by providing guidelines when siting sensitive land uses near land uses that could be sources of diesel PM and TACs.

Alternative 4 would be located within the 4-mile buffer zone to the existing Sacramento Rendering Company's Rendering Plant (i.e., 0.5 mile to the west) recommended by SMAQMD. Due to the odors produced by the Sacramento Rendering Plant, which is exempt from then SMAQMD nuisance rule by the Right to Farm Act, odor impacts

would affect future residents of the Plan Area in a similar manner as described for the Project. Overall, the Air Quality impacts of Alternative 4 would be similar to the Project.

AIRPORT COMPATIBILITY

NO PROJECT ALTERNATIVE

Under the No Project Alternative, it is assumed that development could occur in a manner consistent with the current zoning designations. This would result in limited potential for changes in land use in most of the Plan Area but would allow for light industrial development along the eastern boundary of the Plan Area and in the northeast corner, which is within the overflight zone. Such development would not be anticipated to result in any incompatible land use.

Development would be implemented in a manner consistent with the Airport Planning Policy Area (APPA), 2030 General Plan, and zoning code. Further, development in the Overflight Zone would be subject to SACOG review. This review process would ensure that development would not interfere with the safe and efficient use of navigable air space. Development of the portion of the Plan Area that is zoned industrial would also in a net reduction of wetland features with the potential to serve as wildlife attractants, which could improve safe and efficient use of navigable airspace. Therefore, the No Project Alternative would not create substantial safety hazards to people living and working in the vicinity of an airport, expose sensitive receptors to excessive noise, or impair the safe and efficient use of navigable air space. Impacts would be similar to, but less than, those anticipated with implementation of the Project.

ALTERNATIVES 1A, 1B, AND 1C

Proposed land uses within the Overflight Zone include low, medium, and high density residential; a portion of the wetland preserve, five park sites, two greenbelts, two schools, the joint high school/middle school site, the Village Center, and other commercial uses. The school sites would be subject to the review detailed in the Education Code. The Town Center and all industrial uses would be located outside of the Overflight zone. None of the restricted uses cited in the CLUP land use compatibility table are proposed within the area located within the Overflight Zone. Therefore, these alternatives would not create substantial safety hazards to people living and working near an airport.

Alternatives 1A, 1B, and 1C would be implemented in a manner consistent with the APPA and 2030 General Plan, including the use of noise insulation. Alternatives 1A, 1B, and 1C would also be governed by the zoning code or CLUP restrictions on building height, whichever is more conservative. With implementation of Mitigation Measure AC-1, upon acceptance of completed applications for development within the Plan area, the County would send the project information to the Airport Land Use Commission (ALUC) for consistency review. This review process would ensure that development would not interfere with the safe and efficient use of navigable air space. Impacts would be similar to those anticipated with implementation of the Project.

ALTERNATIVE 2A

Alternative 2A would not create substantial safety hazards to people living and working in the vicinity because proposed land uses would be compatible with the Overflight Zone. Alternative 2A would be implemented in a manner consistent with the APPA and 2030 General Plan, including the use of noise insulation. The height of structures under Alternative 2A would be governed by the zoning code or CLUP restrictions, whichever is more conservative. Further, although Alternative 2A would increase the amount of land designated for wetland preserve, development of the Plan Area would result in a net reduction of wetland features with the potential to serve as wildlife attractants.

With implementation of Mitigation Measure AC-1, upon acceptance of completed applications for development within the Plan Area, the County would send the project information to the ALUC for consistency review. This review process would ensure that development would not interfere with the safe and efficient use of navigable air space. Therefore, this alternative would not create substantial safety hazards to people living and working near an airport, expose sensitive receptors to excessive noise, or impair the safe and efficient use of navigable air space. Impacts would be similar to those anticipated with implementation of the Project.

ALTERNATIVE 3

Alternative 3 would be governed by the zoning code or CLUP restrictions on building height, whichever is more conservative. Alternative 3 would increase the amount of land designated for wetland preserve. However, development of the remainder of the Plan Area would result in a net reduction of wetland features with the potential to serve as wildlife attractants.

With implementation of Mitigation Measure AC-1, upon acceptance of completed applications for development within the Plan area, the County would send the project information to the ALUC for consistency review. This review process would ensure that development would not interfere with the safe and efficient use of navigable air space. Therefore, this alternative would not create substantial safety hazards to people living and working near an airport, expose sensitive receptors to excessive noise, or impair the safe and efficient use of navigable air space. Impacts would be similar to those anticipated with implementation of the Project.

ALTERNATIVE 4

Alternative 4 includes industrial land uses within the Overflight Zone, but would not be anticipated to result in any incompatible uses. Alternative 4 would be implemented in a manner consistent with the APPA and 2030 General Plan, including the use of noise insulation. Alternative 4 would be governed by the zoning code or CLUP restrictions on building height, whichever is more conservative. Development of the Plan Area would result in a net reduction of wetland features with the potential to serve as wildlife attractants. With implementation of Mitigation Measure AC-1, upon acceptance of completed applications for development within the Plan area, the County would send the project information to the ALUC for consistency review. This review process would ensure that development would not interfere with the safe and efficient use of navigable air space. Therefore, this alternative would not create substantial safety hazards to

people living and working near an airport, expose sensitive receptors to excessive noise, or impair the safe and efficient use of navigable air space. Impacts would be similar to those anticipated with implementation of the Project.

BIOLOGICAL RESOURCES

The Project and Alternatives 1A, 1B, 1C, and 4 would include 214.3 acres of wetland preserve, while Alternatives 2, 2A, and 3 would contain larger wetland preserves (Table Alt-15).

Table Alt-15: Preserve Area by Alternative

Alternatives	Direct Impact Area from Development (acres)	Preserved Area (acres)	Agricultural Area (acres)
Proposed Project, Alternative 1A, Alternative 1B, Alternative 1C, Alternative 4	1,176.7	214.3	109.8
Alternative 2, Alternative 2A	1,131.2	259.8	74.7
Alternative 3	1,099.4	291.6	85.4

The acreage of potential direct and indirect effects to habitat for vernal pool invertebrates are summarized in Table Alt-16. Direct effects would occur if habitat for vernal pool invertebrates is affected by site grading or other ground disturbing activities. Alternatives 1A, 1B, 1C, and 4 would have the same effects as the Project; Alternatives 2, 2A, and 3 would result in fewer direct impacts, more indirect impacts, and more preservation.

Table Alt-16: Impacts to Suitable Vernal Pool Invertebrate Habitat by Alternative

Alternatives	Suitable Habitat for Vernal Pool Crustaceans			
	Direct Impact (acres)	Indirect Impact (acres)	Preserved Vernal Pools (acres)	Preserved Vernal Pools, Possible Impact from Eastern Development (acres)
Proposed Project, Alternative 1A, Alternative 1B, Alternative 1C, Alternative 4	30.30	1.47	4.19	1.89
Alternative 2, Alternative 2A	25.61	4.13	6.22	1.89
Alternative 3	21.10	5.14	9.72	1.89

Tables Alt-17 and Alt-18 provide the potential impacts and planned preservation of jurisdictional features under each of the Alternatives.

Table Alt-17: Potential Impacts to Jurisdictional Features on Applicant-Owned Properties By Alternative

Alternatives	Wetland Impacts (acres)						Other Waters Impacts (acres)					Total Direct Impact (acres)
	Depressional Seasonal Wetlands	Depressional Perennial Marsh	Vernal Pool	Riverine Seasonal Wetland	Riverine Perennial Wetland	Total Wetlands	Intermittent Drainage	Ephemeral Drainage	Pond	Ditch/Canal	Total Other Waters	
Proposed Project, Alternative 1A, Alternative 1B, Alternative 1C, Alternative 4	4.20	1.03	22.83	3.26	10.05	41.38	0.08	0.23	5.04	0.31	5.65	47.03
Alternative 2, Alternative 2A	4.08	1.03	18.39	3.14	10.05	36.69	0.08	0.23	5.04	0.31	5.65	42.35
Alternative 3	3.66	1.03	14.89	2.55	10.05	32.18	0.54	0.23	5.04	0.31	6.12	38.30

Note: Information in this table reflects the Applicant-owned and non-participating properties as of the last supplement to the Delineation Report, October 29, 2015

Table Alt-18: Potential Preservation of Jurisdictional Features on Applicant-Owned Properties By Alternative

Alternatives	Wetland Preserved (acres)						Other Waters Preserved (acres)					Total Preserved (acres)
	Depressional Seasonal Wetlands	Depressional Perennial Marsh	Vernal Pool	Riverine Seasonal Wetland	Riverine Perennial Marsh	Total Wetlands	Intermittent Drainage	Ephemeral Drainage	Pond	Ditch/Canal	Total Other Waters	
Proposed Project, Alternative 1A, Alternative 1B, Alternative 1C, Alternative 4	0.21	0.0	5.02	0.44	0.0	5.67	1.11	0.00	0.00	0.00	1.11	6.78
Alternative 2, Alternative 2A	0.33	0.0	9.46	0.56	0.0	10.35	1.11	0.00	0.00	0.00	1.11	11.46
Alternative 3	0.75	0.0	12.96	1.15	0.0	14.86	0.65	0.00	0.00	0.00	0.65	15.51

Note: Information in this table reflects the Applicant-owned and non-participating properties as of the last supplement to the Delineation Report, October 29, 2015

NO PROJECT ALTERNATIVE

Under the No Project Alternative, activity within the Plan Area would be limited to the continued operation of agricultural and rural residential uses, with potential for industrial development in the western portion of the Plan Area. This would retain the grasslands, agricultural habitat, and trees in some of the Plan Area that support special-status plant and wildlife species known to occur in the region. However, industrial development could occur in the area with the most valuable wetlands and would be inconsistent with the SSHCP. Although the total area of development would be less, due to the potential for loss of the highest value habitat, the biological resource impacts of the No Project Alternative would be similar to, but less than, the Project overall.

ALTERNATIVES 1A, 1B, AND 1C

The development proposed under Alternatives 1A, 1B, and 1C may have slightly different placement of land uses than the Project; however, the location and level of development is generally the same throughout the Plan Area. Therefore, these alternatives would result in the same level of impact to vernal pool invertebrate habitat. Alternatives 1A, 1B, and 1C would result in loss of habitat for vernal pool invertebrates and death of listed vernal pool invertebrates that could cause substantial reductions in the populations of these species and inhibit their recovery.

These alternatives would result in the same level of impact to special-status plant, valley elderberry longhorn beetle, burrowing owl, and tricolored blackbird habitat when compared to the Project. Although the total acreage of impact may vary by alternative, all of these alternatives would result in a loss of potential habitat that could reduce local and regional populations of these special-status species.

Impacts to Swainson's hawk foraging habitat would also remain the same as they would under the Project because impacts are dependent on where the development would occur within the current zoning of the of the various portions of the Plan Area. Alternatives 1A, 1B, and 1C would have the same development footprint as the Project, although the placement of land uses within the footprint would differ from the Project. Therefore, Alternatives 1A, 1B, and 1C would result in the same impact of 516.7 acres of foraging habitat, consistent with the Project.

If Alternative 1A, 1B, or 1C is adopted in lieu of the Project, impacts to Cooper's hawk, white-tailed kite, grasshopper sparrow, song sparrow (Modesto population), yellow-headed blackbird, northern harrier, or loggerhead shrike nests may differ from those under the Project because the likelihood that nests would be subject to adverse effects is dependent on the area of impact. Although the total acreage of impact may vary by alternative, all of these alternatives would result in a potential loss of active nests. Although the total acreage of impact may vary, all of these alternatives would also result in a loss of foraging habitat for other special-status birds and the loss of active common raptor and other common bird nests.

Alternatives 1A, 1B, and 1C would each also result in a similar potential for loss of American badger dens and special status bat roosts. The impacts to western pond turtle are likely to be the same for these alternatives because the perennial marsh areas and

the pond on the southern side of the Plan Area along with associated uplands would be developed under all of these alternatives. These alternatives would also result in loss and degradation of habitat for western spadefoot that could cause substantial reductions in population numbers, which could contribute to a trend toward State or federal listing.

The impacts related to the loss of wetlands and other waters associated with Alternatives 1A, 1B, and 1C would be the same as under the Project. Fill of wetlands and other waters within the Plan Area under each of these Alternatives would constitute a substantial reduction in the quantity of wetlands and other waters within the region.

The impacts to riparian habitat are likely to be the same for these alternatives because the large irrigation pond and other small ponds within the Plan Area where riparian habitat may occur would be developed. While the area of development and the wetland preserve proposed under Alternatives 1A, 1B, and 1C would differ, all of these alternatives would include a wetland preserve that would allow for the continued use of the Plan Area for movement of terrestrial and aquatic species between existing and planned preserves under the SSHCP and would, therefore, not interfere substantially with the movement of native resident or migratory species. Impacts associated with loss of native trees and non-native native tree canopy would remain the same as under the Project.

As described for the Project, Alternatives 1A, 1B, and 1C would not strictly conform to the requirements for stream channel re-routing, widening, or deepening set forth in the SSHCP. However, Appendix K to the SSHCP includes a variance to Avoidance and Minimization Measure STREAM-5 for the Project that would also apply to these alternatives, and this inconsistency would be addressed through implementation of Mitigation Measures BR-18 through BR-20. Alternatives 1A, 1B, and 1C would preserve 214.3 acres which does not meet the 225 acres called for in the Conservation Strategy of the SSHCP, as discussed for the Project. Alternatives 1A, 1B, and 1C would have similar effects on biological resources when compared to the Project.

ALTERNATIVE 2A

Alternative 2A proposes the same larger wetland preserve as Alternative 2 and is also consistent with the SSHCP. Alternative 2A would also have a reduced acreage of impact to vernal pool invertebrate habitat when compared to the Project. Alternative 2A would result in loss of habitat for vernal pool invertebrates and death of listed vernal pool invertebrates that could cause substantial reductions in the populations of these species and inhibit their recovery.

The location and level of development throughout the Plan Area under the Project and Alternative 2A would be similar and, therefore, this alternative would result in the same level of impact to special-status plant, valley elderberry longhorn beetle, burrowing owl, and tricolored blackbird habitat. Alternative 2A would result in a loss of potential habitat that could reduce local and regional populations of these special-status species.

Impacts to Swainson's hawk foraging habitat would also remain the same as they would under the Project because impacts are dependent on where the development occurs. While Alternative 2A would result in a larger wetland preserve and a smaller area of development than the Project, the additional area of preserve would be in the portion of

the Plan Area zoned M-1, which is assumed to provide no habitat value in the impact analysis based on the County's methodology as described in the Biological Resources chapter. Therefore, this alternative would result in the same impact of 516.7 acres of foraging habitat.

If Alternative 2A is adopted in lieu of the Project, impacts would still be anticipated to Cooper's hawk, white-tailed kite, grasshopper sparrow, song sparrow (Modesto population), yellow-headed blackbird, northern harrier, or loggerhead shrike nests, as well as loss of foraging habitat for other special-status birds and the loss of active common raptor and other common bird nests. These impacts may differ from those under the Project because the likelihood that nests would be subject to adverse effects is dependent on the area of impact and Alternative 2A would develop less of the Plan Area than the Project.

Alternative 2A would also result in a similar potential for loss of American badger dens and special status bat roosts as anticipated with the Project. The impacts to western pond turtle are likely to be the same as those described for the Project because the perennial marsh areas and the pond on the southern side of the Plan Area along with associated uplands would still be developed. Alternative 2A would also result in loss and degradation of habitat for western spadefoot that could cause substantial reductions in population numbers, which could contribute to a trend toward State or federal listing.

Alternative 2A would have a reduced acreage of impact on wetlands and other waters when compared to the Project (Table Alt-17) and would include a larger area of wetland preserve (Table Alt-18). Like Alternative 2, this alternative is also consistent with the SSHCP. Fill of wetlands and other waters within the Plan Area under Alternative 2A would constitute a substantial reduction in the quantity of wetlands and other waters within the region.

The impacts to riparian habitat are likely to be the same as anticipated with the Project because the large irrigation pond and other small ponds within the Plan Area where riparian habitat may occur would be developed. While the area of development and the wetland preserve proposed under Alternative 2 would differ, this alternative would include a wetland preserve that would allow for the continued use of the Plan Area for movement of terrestrial and aquatic species between existing and planned preserves under the SSHCP and would, therefore, not interfere substantially with the movement of native resident or migratory species. Impacts associated with loss of native trees and non-native native tree canopy would remain the same as they would under the Project.

As described for the Project, Alternative 2A would not strictly conform to the requirements for stream channel re-routing, widening, or deepening in the SSHCP Conservation Strategy. However, Appendix K to the SSHCP includes a variance to Avoidance and Minimization Measure STREAM-5 for the Project that would also apply to this alternative, and this inconsistency would be addressed by implementation of Mitigation Measures BR-18 through BR-20. Alternative 2A would set aside 259.8 acres, which is more than the 225 acres called for in the SSHCP Conservation Strategy, and this preserve area includes the portion of the important core preserve within Preserve Planning Unit 2 adjacent to the Mather Preserve planned as part of the SSHCP.

conservation strategy. Effects on biological resources of implementing Alternative 2A would be similar to, but less than, the Project.

ALTERNATIVE 3

While all of the alternatives would result in loss of habitat for vernal pool invertebrates and death of listed vernal pool invertebrates that could cause substantial reductions in the populations of these species and inhibit their recovery, Alternative 3 would have the lowest acreage of impact of all the alternatives.

The location and level of development throughout the Plan Area would be similar and, therefore, this alternative would result in the same level of impact to special-status plant, valley elderberry longhorn beetle, burrowing owl, and tricolored blackbird habitat as anticipated with the Project. Alternative 3 would result in a loss of potential habitat that could reduce local and regional populations of these special-status species.

Impacts to Swainson's hawk foraging habitat would also remain the same as they would under the Project because impacts are dependent on where the development would occur within the current zoning of the of the various portions of the Plan Area. While Alternative 3 would result in a larger wetland preserve and a smaller area of development than the Project, the additional area of preserve would be in the portion of the Plan Area zoned M-1, which is assumed to provide no habitat value in the impact analysis based on the County's methodology as described in the Biological Resources chapter. Therefore, Alternative 3 would result in the same impact of 516.7 acres of foraging habitat.

If Alternative 3 is adopted in lieu of the Project, impacts to Cooper's hawk, white-tailed kite, grasshopper sparrow, song sparrow (Modesto population), yellow-headed blackbird, northern harrier, or loggerhead shrike nests may differ from those under the Project because the likelihood that nests would be subject to adverse effects is dependent on the area of impact. Alternative 3 would result in a potential loss of active nests. Alternative 3 would also result in a loss of foraging habitat for other special-status birds and the loss of active common raptor and other common bird nests.

Alternative 3 would also result in a similar potential for loss of American badger dens and special status bat roosts. The impacts to western pond turtle are likely to be the same as anticipated with the Project because the perennial marsh areas and the pond on the southern side of the Plan Area along with associated uplands would be developed. Alternative 3 would result in loss and degradation of habitat for western spadefoot that could cause substantial reductions in population numbers, which could contribute to a trend toward State or federal listing.

Alternative 3 would have the lowest acreage of impact (Table Alt-17) and largest wetland preserve of all alternatives to the Project evaluated in this analysis (Table Alt-18). However, fill of wetlands and other waters associated with this alternative would still constitute a substantial reduction in the quantity of wetlands and other waters within the region.

The impacts to riparian habitat are likely to be the same for Alternative 3 as anticipated with the Project because the large irrigation pond and other small ponds within the Plan Area where riparian habitat may occur would be developed. While the area of

development and the wetland preserve proposed under Alternative 3 would differ from that proposed for the Project, this alternative would include a wetland preserve that would allow for the continued use of the Plan Area for movement of terrestrial and aquatic species between existing and planned preserves under the SSHCP and would, therefore, not interfere substantially with the movement of native resident or migratory species. Impacts associated with loss of native trees and non-native native tree canopy would remain the same as they would under the Project.

As described for the Project, Alternative 3 would not strictly conform to the requirements for stream channel re-routing, widening, or deepening in the SSHCP Conservation Strategy. However, Appendix K to the SSHCP includes a variance to Avoidance and Minimization Measure STREAM-5 for the Project that would also apply to this alternative, and this inconsistency would be addressed by implementation of Mitigation Measures BR-18 through BR-20. Alternative 3 would set aside 291.9 acres in a wetland preserve which would exceed the 225 acres called for in the SSHCP Conservation Strategy. However, the wetland preserve under Alternative 3 does not include a portion of the planned core preserve within Preserve Planning Unit 2 of the SSHCP that abuts the existing Mather Preserve. This inconsistency could result in increased indirect effects on the Mather Preserve when compared to the SSHCP conservation strategy due to additional development on the edge of the Mather Preserve. Overall, Alternative 3 would have similar effects on biological resources when compared to the Project.

ALTERNATIVE 4

The development proposed under Alternative 4 may have slightly different placement of land uses than the Project; however, the location and level of development is generally the same throughout the site. Therefore, these alternatives would result in the same level of impact to vernal pool invertebrate habitat. Alternative 4 would result in loss of habitat for vernal pool invertebrates and death of listed vernal pool invertebrates that could cause substantial reductions in the populations of these species and inhibit their recovery.

The location and level of development throughout the Plan Area would be similar under Alternative 4 and the Project and, therefore, this alternative would result in the same level of impact to special-status plant, valley elderberry longhorn beetle, burrowing owl, and tricolored blackbird habitat. Alternative 4 would result in a loss of potential habitat that could reduce local and regional populations of these special-status species.

Under Alternative 4, impacts to Swainson's hawk foraging and nesting habitat would also remain the same as they would under the Project because impacts are dependent on where the development would occur within the current zoning of the of the various portions of the Plan Area. Alternative 4 would have the same development footprint as the Project, although the placement of land uses within the footprint would differ from the Project. Therefore, this alternative would result in the same impact of 516.7 acres of foraging habitat.

If Alternative 4 is adopted in lieu of the Project, impacts to Cooper's hawk, white-tailed kite, grasshopper sparrow, song sparrow (Modesto population), yellow-headed blackbird, northern harrier, and loggerhead shrike nests are anticipated to be similar to the Project because the likelihood that nests would be subject to adverse effects is

dependent on the area of impact and Alternative 4 would result in the developing the same portions of the Plan Area as the Project. Alternative 4 would also result in a loss of foraging habitat for other special-status birds and the loss of active common raptor and other common bird nests.

Alternative 4 would also result in a similar potential for loss of American badger dens and special status bat roosts. The impacts to western pond turtle are likely to be the same for Alternative 4 as anticipated with the Project because the perennial marsh areas and the pond on the southern side of the Plan Area along with associated uplands would be developed. Alternative 4 would result in loss and degradation of habitat for western spadefoot that could cause substantial reductions in population numbers, which could contribute to a trend toward State or federal listing.

For Alternative 4, the impacts related to the loss of wetlands and other waters would be the same as those under the Project. Fill of wetlands and other waters within the Plan Area would constitute a substantial reduction in the quantity of wetlands and other waters within the region.

The impacts to riparian habitat are likely to be the same as anticipated with the Project because the large irrigation pond and other small ponds within the Plan Area where riparian habitat may occur would be developed. Like the Project, Alternative 4 would include a wetland preserve that would allow for the continued use of the Plan Area for movement of terrestrial and aquatic species between existing and planned preserves under the SSHCP and would, therefore, not interfere substantially with the movement of native resident or migratory species. Impacts associated with loss of native trees and non-native native tree canopy would remain the same as they would under the Project.

As described for the Project, Alternative 4 would not strictly conform to the requirements for stream channel re-routing, widening, or deepening in the SSHCP Conservation Strategy. However, Appendix K to the SSHCP includes a variance to Avoidance and Minimization Measure STREAM-5 for the Project that would also apply to this alternative, and This inconsistency would be addressed by implementation of Mitigation Measures BR-18 through BR-20. Alternative 4 would preserve 214.3 acres which does not meet the 225 acres called for in the Conservation Strategy of the SSHCP, as discussed for the Project. Alternative 4 would have similar effects on biological resources when compared to the Project.

CLIMATE CHANGE

NO PROJECT ALTERNATIVE

The No Project Alternative would generate lower GHG emissions from continued agricultural operations in the Plan Area. Overall, the GHG emission impacts of the No Project Alternative would be less than those that would occur with the Project.

ALTERNATIVES 1A, 1B, 1C, 2A, 3, AND 4

Although Alternatives 1A, 1B, 1C, 2A, 3, and 4 differ from the Project in the mix of land uses and trip generation, construction and operational GHG impacts are likely to be similar due to the size and scale of the overall development. Similar to the Project,

application of Mitigation Measure CC-1a may not reduce the effects of Alternatives 1A, 1B, 1C, 2A, 3, and 4 to Sacramento County's per capita thresholds (Mitigation Measure CC-1a would reduce climate change impacts to levels below SMAQMD per capita thresholds). Mitigation Measure CC-1b would require that the Project Applicant develop a Project-specific GHGRP and/or other feasible, onsite GHG reduction mitigation measures sufficient to reduce operational GHG emissions to Sacramento County's per capita thresholds of significance for residential and nonresidential energy, and transportation. The contribution to global climate change would be similar to the Project.

CULTURAL RESOURCES

NO PROJECT ALTERNATIVE

Under the No Project Alternative, ground disturbance would be largely concentrated in the area zoned for industrial uses. Overall, impacts to archaeological, historical, paleontological, and tribal cultural resources under the No Project Alternative would be less than under the Project due to the reduced ground disturbance.

ALTERNATIVES 1A, 1B AND 1C

Development of Alternatives 1A, 1B, and 1C would result in the same areas being subject to ground disturbing activities as the Project and would, therefore, have the same potential to encounter unknown archaeological resources and result in the potential for demolition of historic structures. Impacts to unevaluated resources within the 25-acre parcel added to the Area of Potential Effect (APE), and unknown resources within non-participating properties would require further evaluation.

There are no known burials of human remains within the Plan Area, but it is possible that unknown remains could be uncovered during ground disturbing activities. As with the Project, compliance with California Health and Safety Code Sections 7050.5 and 7052 and PRC Section 5097 would address this impact. Implementation and build-out of Alternative 1A may be subject to subsequent discretionary projects that would require site-specific, project-level analysis to fulfill CEQA requirements. This would include AB 52 consultation that could lead to the identification of TCRs. As with the Project, this would be addressed through compliance with PRC Sections 21074, 21080.3.1, 21080.3.2, and 21082.3. Effects on cultural resources would, therefore, be similar to the Project.

ALTERNATIVE 2A

Alternative 2A would have a reduced development footprint due to the additional area of wetland preserve. Development of Alternative 2A would result in demolition of the same historic structures as the Project, however, because there are not structures in the "thumb" area that would be preserved under these alternatives. There are no known archaeological resources within the Plan Area, but it is possible that unknown resources could be uncovered during ground disturbing activities. Impacts to unevaluated resources within the 25-acre parcel added to the APE, and unknown resources within non-participating properties would require further evaluation.

There are no known burials of human remains within the Plan Area, but it is possible that unknown remains could be uncovered during ground disturbing activities. As with the Project, compliance with California Health and Safety Code Sections 7050.5 and 7052 and PRC Section 5097 would address this impact.

Development of Alternative 2A would result in the same areas being subject to ground disturbing activities as the Project and would, therefore, have the same potential to encounter unknown archaeological resources and result in the potential for demolition of historic structures. Impacts to unevaluated resources within the 25-acre parcel added to the APE, and unknown resources within non-participating properties would require further evaluation. Implementation and build-out of Alternative 2A may be subject to subsequent discretionary projects that would require site-specific, project-level analysis to fulfill CEQA requirements. This would include AB 52 consultation that could lead to the identification of TCRs. As with the Project, this would be addressed through compliance with PRC Sections 21074, 21080.3.1, 21080.3.2, and 21082.3. Effects on cultural resources would, therefore, be similar to the Project.

ALTERNATIVE 3

Alternative 3 would result in a reduced development footprint that may decrease the potential to encounter unanticipated archaeological resources within the Plan Area. Nonetheless the potential to uncover undocumented resources would occur throughout the majority of the Plan Area. Further, the non-participating areas have not been subject to archaeological survey. Impacts to unevaluated resources within the 25-acre parcel added to the APE, and unknown resources within non-participating properties would require further evaluation.

There are no known burials of human remains within the Plan Area, but it is possible that unknown remains could be uncovered during ground disturbing activities. As with the Project, compliance with California Health and Safety Code Sections 7050.5 and 7052 and PRC Section 5097 would address this impact. Implementation and build-out of Alternative 3 may be subject to subsequent discretionary projects that would require site-specific, project-level analysis to fulfill CEQA requirements. This would include AB 52 consultation that could lead to the identification of TCRs. As with the Project, this would be addressed through compliance with PRC Sections 21074, 21080.3.1, 21080.3.2, and 21082.3. Effects on cultural resources would, therefore, be similar to the Project.

ALTERNATIVE 4

Development of Alternative 4 result in the same areas being subject to ground disturbing activities as the Project and would, therefore, have the same potential to encounter unknown archaeological resources and result in the potential for demolition of historic structures. Further, the non-participating areas have not been subject to archaeological survey. Impacts to unevaluated resources within the 25-acre parcel added to the APE, and unknown resources within non-participating properties would require further evaluation.

There are no known burials of human remains within the Plan Area, but it is possible that unknown remains could be uncovered during ground disturbing activities. As with the Project, compliance with California Health and Safety Code Sections 7050.5 and 7052

and PRC Section 5097 would address this impact. Implementation and build-out of Alternative 4 may be subject to subsequent discretionary projects that would require site-specific, project-level analysis to fulfill CEQA requirements. This would include AB 52 consultation that could lead to the identification of TCRs. As with the Project, this would be addressed through compliance with PRC Sections 21074, 21080.3.1, 21080.3.2, and 21082.3. Effects on cultural resources would, therefore, be similar to the Project.

ENERGY

NO PROJECT ALTERNATIVE

The No Project Alternative would result in less operational and transportation energy demand than the Project because the potential for development would be reduced compared to the Project.

ALTERNATIVES 1A, 1B, AND 1C

Alternatives 1A, 1B, and 1C would allow for similar levels of development, but in slightly different land use configurations when compared to the Project. There would be no major reduction in the amount and type of land developed under Alternatives 1A, 1B, and 1C and, therefore, no major increase or decrease in energy use under these alternatives. Similar to the Project, these alternatives would also include measures that would reduce Project-related energy use. Energy use associated with construction and operation of land uses under these alternatives would be considered necessary and would not result in the wasteful, inefficient, or unnecessary consumption of energy resources during Project construction or operation. These alternatives would comply with the California Energy Code and SMUD would comply with the State's Renewable Portfolio Standard. As a result, these alternatives would not conflict with or obstruct a State or local plan for renewable energy or energy efficiency. This impact would be similar to the Project.

ALTERNATIVE 2A

Alternative 2A would result in a 45.5-acre increase in an area designated Wetland Preserve compared to the Project. Alternative 2A would include design features from the Jackson Township Specific Plan document that would increase energy efficiency in the buildings and facilities when compared to the original Project. Alternative 2A would also include design features to reduce the Project's anticipated annual VMT and, therefore, reduce transportation-related energy demand when compared to the original Project. This alternative would not result in the wasteful, inefficient, or unnecessary consumption of energy resources during Project construction or operation. This alternative would comply with the California Energy Code and SMUD would comply the State's Renewable Portfolio Standard. As a result, this alternative would not conflict with or obstruct a State or local plan for renewable energy or energy efficiency. This impact would be similar to the Project.

ALTERNATIVE 3

Alternatives 3 would result in less development at the eastern boundary of the Plan Area by increasing the open space. Total area of land to be developed under Alternatives 3 would be less than the Project and would, therefore, result in the less energy use associated with construction and operation of the alternative. Energy use associated with construction and operation of land uses under Alternative 3 and 4 would be considered a necessary part of the Project and would not result in the wasteful, inefficient, or unnecessary consumption of energy resources during Project construction or operation. This alternative would comply with the California Energy Code and SMUD would comply the State's Renewable Portfolio Standard. As a result, the Project would not conflict with or obstruct a State or local plan for renewable energy or energy efficiency. This impact would be similar to the Project.

ALTERNATIVE 4

Alternative 4 retains the existing zoning of one larger parcel in the western portion of the Plan Area, which is currently occupied by the Sacramento Raceway. Energy use associated with construction and operation of land uses under Alternative 4 would be considered a necessary part of the Project and would not result in the wasteful, inefficient, or unnecessary consumption of energy resources during Project construction or operation.

Due to the similar mix of land uses, compared to the Project, it is anticipated that, generally, a similar level of energy infrastructure would be required for the development of this alternative. Similar to the Project, this alternative would comply with the California Energy Code and SMUD would comply the State's Renewable Portfolio Standard. As a result, this alternative would not conflict with or obstruct a State or local plan for renewable energy or energy efficiency. This impact would be similar to the Project.

GEOLOGY, SOILS, AND MINERAL RESOURCES

NO PROJECT ALTERNATIVE

The No Project Alternative would substantially reduce the potential for development in the Plan Area. Development would be subject to the same regulations as the Project, including the UBC and CBC, which would ensure the maximum necessary protection available for development within areas known to contain expansive soils. Due to the reduction in development, impacts associated with soil erosion, siltation, loss of topsoil, exposure to expansive soils, and destruction of paleontological resources would be less than those associated with development of the Project.

ALTERNATIVES 1A, 1B, AND 1C

Impacts associated with soil erosion, siltation, and loss of topsoil would be the same as the impact of Project. Minor shifts in land uses would not result in changes to the level of impact, as the soil within the Plan Area would be affected in the same way, regardless of specific type of land use. Development would be subject to the same regulations as the Project, including the UBC and CBC, which would ensure the

maximum necessary protection available for development within areas known to contain expansive soils.

The potential to encounter unanticipated paleontological resources would also remain the same as under the Project. Minor shifts in land uses would result in no changes to the level of impact, because the potential is associated with land disturbance and Alternatives 1A, 1B, and 1C include substantial areas of excavation and development. With the implementation of the Mitigation Measure GS-1 construction workers and operational personnel would be alerted to the possibility of encountering paleontological resources and professionally accepted and legally compliant procedures for the discovery of paleontological resources would be implemented in the event of a find. The effects on geology, soils, and paleontological resources would be similar to the Project.

ALTERNATIVE 2A

The wetland preserve would be expanded under Alternative 2A, and there would be slightly less development than under the Project, which would result in reduced potential for erosion due to less ground disturbance. Development would be subject to the same regulations as the Project, including the UBC and CBC, which would ensure the maximum necessary protection available for development within areas known to contain expansive soils.

The potential to encounter unanticipated paleontological resources would also remain the same as under the Project. Minor shifts in land uses would result in no changes to the level of impact, because the potential is associated with land disturbance and Alternative 2A includes substantial areas of excavation and development, though at a slightly lower level than the Project. With the implementation of the Mitigation Measure GS-1, impacts would be reduced because construction workers and operational personnel would be alerted to the possibility of encountering paleontological resources and professionally-accepted and legally-compliant procedures for the discovery of paleontological resources would be implemented in the event of a find. The effects on geology, soils, and paleontological resources would be similar to the Project.

ALTERNATIVE 3

Alternative 3 would result in slightly less potential for erosion because there would be less ground disturbance due to an increase in the area set aside as wetland preserve and development would be subject to the same regulations as the Project. Any development would need to adhere to the UBC and CBC, which would ensure the maximum necessary protection available for development within areas known to contain expansive soils.

The potential to encounter unanticipated paleontological resources would also remain the same as under the Project. Minor shifts in land uses would result in no changes to the level of impact, because the potential is associated with land disturbance and Alternative 3 includes substantial areas of excavation and development. With the implementation of the Mitigation Measure GS-1, impacts would be reduced because construction workers and operational personnel would be alerted to the possibility of encountering paleontological resources and professionally-accepted and legally-compliant procedures for the discovery of paleontological resources would be

implemented in the event of a find. The effects on geology, soils, and paleontological resources would be similar to the Project.

ALTERNATIVE 4

With implementation of Alternative 4, the same Plan Area would be potentially subject to ground disturbance as the Project and development would be subject to the same regulations as the Project. Any development would need to adhere to the UBC and CBC, which would ensure the maximum necessary protection available for development within areas known to contain expansive soils.

The potential to encounter unanticipated paleontological resources would also remain the same as under the Project. Minor shifts in land uses would result in no changes to the level of impact, because the potential is associated with land disturbance and Alternative 4 includes substantial areas of excavation and development. With the implementation of the Mitigation Measure GS-1, impacts would be reduced because construction workers and operational personnel would be alerted to the possibility of encountering paleontological resources and professionally-accepted and legally-compliant procedures for the discovery of paleontological resources would be implemented in the event of a find. The effects on geology, soils, and paleontological resources would be similar to the Project.

HAZARDOUS MATERIALS

NO PROJECT ALTERNATIVE

The No Project Alternative could result in development of a portion of the Plan Area for light industrial use. This zoning generally allows for the assembly of manufactured goods and is not associated with use of large quantities of potentially hazardous materials. Further, any construction and operation of light industrial uses would be subject to existing regulations governing the use, transport, and disposal of hazardous materials. New land uses could occur without improvements to area roadways or the provision of additional firefighting equipment, however, which could affect the implementation of an emergency response plan or increase exposure to wildland fire hazards. Effects would be similar to those anticipated with the Project.

ALTERNATIVES 1A, 1B, AND 1C

Alternatives 1A, 1B, and 1C would be subject to the same strict regulations that control the transport, use, and disposal of hazardous materials, and would not result in the development of different types of land uses that would be subject to greater risk from accidental release than the Project. Implementation of Mitigation Measures HM-1 through HM-3 would require further evaluation and characterization of the Plan Area.

Although there are differences in the land use pattern and the number of residents anticipated, there are no substantial differences in factors affecting emergency response between the Project and Alternatives 1A, 1B, and 1C. The basic roadway network would be substantially similar to the Project (a connected grid pattern, consistent with County DOT standards) and implementation would be phased so that the County's emergency planning could incorporate the growth in the Plan Area gradually.

Alternatives 1A, 1B, and 1C would urbanize the same portion of the Plan Area as the Project. It would also include the same mix of school facilities as the Project, including an elementary school on the Sacramento Raceway property. The school sites would be generally surrounded by commercial, mixed-use, and residential development; no industrial land use is proposed. The California Education Code includes requirements for evaluation and remediation of new school sites. These alternatives would also include a new fire station with equipment designed to fight grass fires. All development would be subject to regulations that require safety measures to minimize the threat of fire. Impacts would be similar to the Project.

ALTERNATIVE 2A

With the 45.5-acre increase in area designated Wetland Preserve, Alternative 2A would result in slightly less potential for ground disturbance than the Project. However, the remainder of the Plan Area would remain subject to the potential for discovery of, and exposure to, contaminated soils and/or groundwater. Alternative 2A would be subject to the same strict regulations that control the transport, use, and disposal of hazardous materials, and would not result in the development of different types of land uses that would be subject to greater risk from accidental release than the Project. Implementation of Mitigation Measures HM-1 and HM-2 would require further evaluation and characterization of the Plan Area.

The effects of Alternative 2A on emergency response and evacuation plans would be similar to the Project because the basic roadway network would be substantially similar to the Project and implementation would be phased so that the County's emergency planning could incorporate the growth in the Plan Area gradually.

Alternative 2A would have similar potential for conflict with schools as discussed for the Project in Chapter 13, "Hazardous Materials." This alternative proposes the same mix of school facilities as the Project, including an elementary school on the Sacramento Raceway property. The school sites would be generally surrounded by commercial, mixed-use, and residential development; no industrial land use is proposed. The California Education Code includes requirements for evaluation and remediation of new school sites.

Alternative 2A would also increase the proportion of the Plan Area that is set aside as open space, which would translate to an increased potential for wildland fire in the Plan Area. However, this alternative would include a new fire station with equipment designed to fight grass fires, and all development would be subject to regulations that require safety measures to minimize the threat of fire. Therefore, the overall impact associated with Alternative 2A would be similar to the Project.

ALTERNATIVE 3

Each of the alternatives would result in the same areas being subject to the accidental release of hazardous materials. Alternative 3 would be subject to the same strict regulations that control the transport, use, and disposal of hazardous materials, and would not result in the development of different types of land uses that would be subject to greater risk from accidental release than the Project. Implementation of Mitigation Measures HM-1 and HM-2 would require further evaluation and characterization of the Plan Area.

Although there are differences in the land use pattern and the number of residents anticipated, there are no substantial differences in factors affecting emergency response between the Project and Alternative 3. The basic roadway network would be substantially similar to the Project (a connected grid pattern, consistent with County DOT standards) and implementation would be phased so that the County's emergency planning could incorporate the growth in the Plan Area gradually.

Alternative 3 would increase the proportion of the Plan Area that is set aside as open space. Under Alternative 3, there would be one less elementary school constructed. In addition, the joint high school and middle school campus would be located near areas designated for light industrial land use. However, the California Education Code includes requirements for evaluation and remediation of new school sites. The additional open space would also result in an increased potential for wildland fire in the Plan Area. However, Alternative 3 would include a new fire station with equipment designed to fight grass fires, and all development would be subject to regulations that require safety measures to minimize the threat of fire. Overall, impacts would be similar to the Project.

ALTERNATIVE 4

This alternative would result in development of the same Plan Area as the Project, which would result in the same areas being subject to the accidental release of hazardous materials. Alternative 4 would be subject to the same strict regulations that control the transport, use, and disposal of hazardous materials, and would not result in the development of different types of land uses that would be subject to greater risk from accidental release than the Project. Implementation of Mitigation Measures HM-1 and HM-2 would require further evaluation and characterization of the Plan Area.

Although there are differences in the land use pattern and the number of residents anticipated, there are no substantial differences in factors affecting emergency response between the Project and Alternative 4. The basic roadway network would be substantially similar to the Project (a connected grid pattern, consistent with County DOT standards) and implementation would be phased so that the County's emergency planning could incorporate the growth in the Plan Area gradually.

Alternative 4 would urbanize the same portion of the Plan Area as the Project. Under Alternative 4, however, there would be one less elementary school constructed. In addition, the joint high school and middle school campus would be located near areas designated for light industrial land use. The California Education Code includes requirements for evaluation and remediation of new school sites. This alternative would also include a new fire station with equipment designed to fight grass fires. All development would be subject to regulations that require safety measures to minimize the threat of fire. Impacts would be similar to the Project.

HYDROLOGY AND WATER QUALITY

NO PROJECT ALTERNATIVE

The No Project Alternative would result in less impervious surface area as compared to future development potential under the Project. This would increase surface water infiltration and reduce sedimentation and other pollutants in stormwater runoff. Overall, the hydrology and water quality impacts of the No Project Alternative would be less than those of the Project.

ALTERNATIVES 1A, 1B, AND 1C

Alternatives 1A, 1B, and 1C would include modifications to the existing drainage and overall development of the Plan Area in a manner similar to the Project. Alternatives 1A, 1B, and 1C would implement the same Drainage Plan and result in a similar conversion of the Plan Area to impervious surfaces when compared to the Project. LID improvements would be incorporated, as discussed for the Project. Mitigation Measure HYD-1a and HYD-1b would require demonstration that the design features described above would mitigate for the development's potential effects on water quality.

Alternatives 1A, 1B, and 1C would include modifications to the existing drainage and overall development of the Plan Area at a level that is similar to the Project, and would not increase flows to the adjacent aggregate quarry. As described in HYD-2, approval of a Conditional Letter of Map Revision (CLOMR) from the Federal Emergency Management Agency (FEMA) would be required prior to any modifications to the existing floodplain.

Alternatives 1A, 1B, and 1C would occur in the same location as the Project and would have similar effects associated with the potential for flooding because of dam or levee failure due to recently completed flood protection projects and distance from dams and levees. Alternatives 1A, 1B, and 1C would result in a similar amount of impervious surface as the Project. Therefore, flooding effects in the Beach Stone Lakes (BSL) area would be similar. Alternatives 1A, 1B, and 1C would be required to comply with the same stormwater quality regulations as the Project. The effects on hydrology and water quality would be similar to the Project.

ALTERNATIVE 2A

Alternative 2A would increase the amount of undeveloped land in the eastern portion of the Plan Area, which could contribute to attenuation of stormwater and a reduction in stormwater flows. Further, the main design features of the Drainage Plan that contribute to stormwater quality and hydromodification attenuation are proposed in the western (downstream) portion of the Plan Area and would not be affected. Mitigation Measure HYD-1a and HYD-1b would require demonstration that the design features described above would mitigate for the development's potential effects on water quality.

Alternative 2A would also include modifications to the existing drainage and overall development of the Plan Area at a level that is similar to the Project, including the consolidation of Morrison Creek flows. Alternative 2A would occur in the same location as the Project and would have a similar impact associated with the potential for flooding

because of dam or levee failure due to recently completed flood protection projects and distance from dams and levees. Alternative 2A would be required to comply with the same stormwater quality regulations as the Project. The effects on hydrology and water quality would be similar to the Project.

ALTERNATIVE 3

Alternative 3 would include modifications to the existing drainage and overall development of the Plan Area in a manner similar to the Project. Alternative 3 would increase the undeveloped portion of the Plan Area, which could contribute to attenuation of stormwater and a reduction in stormwater flows. These changes would occur in the eastern portion of the Plan Area. The main design features of the Drainage Plan that contribute to stormwater quality and hydromodification attenuation are proposed in the western (downstream) portion of the Plan Area and would not be affected. LID improvements would be incorporated, as discussed for the Project. Mitigation Measure HYD-1a and HYD-1b would require demonstration that the design features described above would mitigate for the development's potential effects on water quality.

Alternative 3 would include modifications to the existing drainage and overall development of the Plan Area at a level that is similar to the Project, and would not increase flows to the adjacent aggregate quarry. As described in HYD-2, approval of a CLOMR from FEMA would be required prior to any modifications to the existing floodplain.

Alternative 3 would occur in the same location as the Project and would have similar effects associated with the potential for flooding because of dam or levee failure due to recently completed flood protection projects and distance from dams and levees. Alternative 3 would result in a similar amount of impervious surface as the Project. Therefore, flooding effects in the BSL area would be similar. Alternative 3 would be required to comply with the same stormwater quality regulations as the Project. The effects on hydrology and water quality would be similar to the Project.

ALTERNATIVE 4

Alternative 4 would include modifications to the existing drainage and overall development of the Plan Area in a manner similar to the Project. Alternative 4 would implement the same Drainage Plan and result in a similar conversion of the Plan Area to impervious surfaces when compared to the Project. LID improvements would be incorporated, as discussed for the Project. Mitigation Measure HYD-1a and HYD-1b would require demonstration that the design features described above would mitigate for the development's potential effects on water quality.

Alternative 4 would include modifications to the existing drainage and overall development of the Plan Area at a level that is similar to the Project, and not increase flows to the adjacent aggregate quarry. As described in HYD-2, approval of a CLOMR from FEMA would be required prior to any modifications to the existing floodplain.

Alternative 4 would occur in the same location as the Project and would have similar effects associated with the potential for flooding because of dam or levee failure due to recently completed flood protection projects and distance from dams and levees. Alternative 4 would result in a similar amount of impervious surface as the Project. Therefore, flooding effects in the BSL area would be similar. Alternative 4 would be required to comply with the same stormwater quality regulations as the Project. The effects on hydrology and water quality would be similar to the Project.

LAND USE

NO PROJECT ALTERNATIVE

This alternative would not result in any conflicts with existing land uses or divide an established community. No conflicts with adopted plans would occur. The No Project Alternative would avoid the loss of open space lands identified for the Project. Overall, land use impacts under this alternative would be less than, but similar to, the Project.

ALTERNATIVES 1A, 1B, 1C, 3, AND 4

The SACOG Blueprint, adopted in 2005, acknowledged the Jackson Highway Corridor as an appropriate and logical area to urbanize. The 2030 General Plan, adopted in 2011, contemplated new growth areas to occur via expansion of the UPA, including the Jackson Highway area. Specific plans provide an opportunity to creatively implement the intent of the General Plan and serve as a refinement of General Plan policies. The alternatives would all establish a development framework for land use, community design and character, infrastructure improvements and a subsequent project approval structure for orderly development within the approximately 1,400-acre Plan Area that is generally consistent with the applicable policies in the 2030 General Plan (see Table Alt-19), although conformity cannot be determined at the Plan Level for all land use policies. Consistency with the 2030 General Plan is required by State law. Furthermore, no zoning, tentative maps, parcel maps, or public works projects can be approved, adopted, or undertaken unless they are consistent with the adopted specific plan.

Alternatives 1A, 1B, 1C, 3, and 4 are substantially consistent with the Project because they all require expansion of the UPA and would include similar smart growth principles. The alternatives would result in more than 10 dwelling units per acre if using “double net” methodology (see Tables Alt-1, Alt-3, Alt-5, Alt-11, and Alt-13) and would follow similar principles as the Project related to proximity to amenities, the amount of mixed use proposed, transit service, and proximity to existing employment centers. The alternatives would also score 19 points and exceed the criteria-based standards under the LU-120 evaluation. Alternatives 1A, 1B, 1C, 3, and 4 are substantially consistent with the Project with respect to the principals of the Blueprint and the land use forecasts in the MTP/SCS. Effects on land use would be similar to the Project.

Table Alt-19: Project Alternative Consistency with General Plan Policy

Policy		Consistency Discussion
		Project Alternatives 1A, 1B, 1C, 2A, 3, and 4
OS-1	Actively plan to protect, as open space, areas of natural resource value, which may include but are not limited to wetlands preserves, riparian corridors, woodlands, and floodplains associated with riparian drainages.	All the alternatives include the protection of open space, including a wetland preserve that would be contiguous with existing and planned preserves and a network of greenbelts. All alternatives would be consistent with this policy.
OS-13	<p>Permit development clustering in urban areas where grouping of units at a higher density would facilitate on-site protection of woodlands, wetlands, steep slopes, urban stream corridors, scenic areas, or other appropriate natural features as open space, provided that:</p> <ul style="list-style-type: none"> • Urban infrastructure capacity is available for urban use. • Onsite resource protection is appropriate and consistent with other General Plan Policies. • General Plan policies pertaining to floodplain fill or natural preserves would not preclude development of the proposed use in the area to be protected as open space. • The architecture and scale of development is appropriate for the area. • Development rights for open space areas are permanently dedicated via conservation easements and appropriate long-term management is provided for by either a public agency or other appropriate entity. (Please also refer to the Conservation Element for related policies). 	<p>Alternative lot configurations, including clustering, may occur in the Low Density Residential and Medium Density Residential land use designations.</p> <p>This EIR evaluates the protection of resources at the Plan level. The alternatives would all provide adequate infrastructure capacity and provides design guidelines applicable to the Plan Area overall. Should development clustering be proposed for individual projects within the Low Density Residential and Medium Density Residential land use designations, consistency with this Policy will be required.</p>
LU-1	The County shall not provide urban services beyond the Urban Policy Area, except when the County determines the need for health and safety purposes and the extension provisions as provided in Policy LU-1.1.	All of the alternatives include a request to expand the UPA, so if approved, each of the alternatives would be consistent with this policy.
LU-3	It is the intent of the County to focus investment of public resources on revitalization efforts within existing communities, especially within commercial corridors, while also allowing planning and development to occur within strategic new growth areas.	Each of the alternatives are located within the same Plan Area as the Project and Alternative 2, so are not located within a commercial corridor.

Policy	Consistency Discussion
	Project Alternatives 1A, 1B, 1C, 2A, 3, and 4
<p>LU-15 Planning and development of new growth areas should be consistent with Sacramento County-adopted Habitat Conservation Plans and other efforts to preserve and protect natural resources.</p>	<p>Although each of the alternatives include a preserve area, none of them are consistent with the SSHCP hardline preserve strategy.</p>
<p>LU-26 When planning for new development in new communities, the features below shall be incorporated for their public health benefits and ability to encourage more active lifestyles, unless environmental constraints make this infeasible. In existing communities, the features below shall be considered, as appropriate and feasible:</p> <ul style="list-style-type: none"> • Where appropriate, compact, mixed use development and a balance of land uses including schools, parks, jobs, retail and grocery stores, so that everyday needs are within walking distance of homes. • Grid or modified-grid pattern streets, integrated pathways and public transportation that connect multiple destinations and provide for alternatives to the automobile. • Wide sidewalks, shorter blocks, well-marked crosswalks, on-street parking, shaded streets and traffic-calming measures to encourage pedestrian activity. • Walkable commercial areas with features that may include doors and windows fronting on the street, street furniture, pedestrian-scale lighting, and served by transit when feasible. • Open space, including important habitat, wildlife corridors, and agricultural areas incorporated as community separators and appropriately accessible via non-vehicular pathways. 	<p>The alternative land use plans incorporate all features outlined in Policy LU-26. Alternatives 1A, 1B, 1C, 2A, 3, and 4 would be consistent with this policy.</p>
<p>LU-27 Provide safe, interesting and convenient environments for pedestrians and bicyclists, including inviting and adequately-lit streetscapes, networks of trails, paths and parks and open spaces located near residences, to encourage regular exercise and reduce vehicular emissions.</p>	<p>The alternatives all include greenbelts, landscaped corridors, and parks. Most residential units within the Plan Area would be located within 0.25 mile of an open space area, park, or linear parkway; and within 0.5 mile of retail and employment land uses. Therefore, the alternatives would be consistent with this policy.</p>
<p>LU-113 The County shall work with SACOG to support implementation of Blueprint's policies and land use objectives.</p>	<p>The alternatives all have the same project boundary as the Project and Alternative 2, so each is located in an area shown as a future growth area in the SACOG Blueprint map.</p>

du/ac = dwelling units per acre

ALTERNATIVE 2A

Alternative 2A would also require expansion of the UPA and would include similar smart growth principles. Alternative 2 would result in more than 10 dwelling units per acre if using “double net” methodology (see Table Alt-19). However, Alternative 2A would provide for fewer high-density uses, only accounting for approximately 34.7 percent of all residential units, which does not meet the performance standard for PC-4 (requiring 34.8 percent high-density). Like the Project and all the alternatives, Alternative 2A would score 19 points in the criteria-based standards. However, because it would not meet performance standard PC-4 unless additional high-density housing is added to the design, effects on land use would be greater than the Project.

NOISE

NO PROJECT ALTERNATIVE

The No Project Alternative would generally reduce the potential for construction and operation noise compared to that identified for the Project. As described above, the western portion of the Plan Area, including the triangle of property north of Kiefer Boulevard, could be built out with light industrial uses, which may result in short-term construction noise. Because permitted uses in this zone tend to consist of manufacturing and assembly within an enclosed area, operational noise is not assumed to be substantial.

Further, although raceway operations are not permitted, because the facility is currently in operation, it is assumed that events could continue at the Sacramento Raceway under the No Project Alternative. Under this alternative, however, there would not be development of adjacent residential land uses, which would limit the potential for impacts. Therefore, the noise impacts of the No Project Alternative would be less than those anticipated with implementation of the Project.

ALTERNATIVES 1A, 1B, AND 1C

These alternatives would result in a similar mix of land uses and the introduction of new noise-sensitive land uses. Introduction of sensitive land uses under these alternatives could result in sensitive land uses (e.g., residential) being developed and occupied before the development of adjacent land uses. Similar to the Project, sensitive receptors could be exposed to construction noise levels above the Sacramento County noise standards if the development of land uses adjacent to the sensitive receptors were to occur during nighttime hours. Implementation of the noise control measures identified in Mitigation Measure NOI-1 would substantially reduce construction noise levels and, subsequently, levels of annoyance and potential sleep disruption to occupants of nearby residential dwellings. Similar to the Project, vibration-inducing construction activity could occur within 550 feet or within 100 feet of sensitive land uses with new sensitive receptors, resulting in disturbance or possible structural damage. Mitigation Measure NOI-2 would reduce potential impacts by requiring minimum setbacks to sensitive land uses, impact monitoring during pile driving activity, use of alternative equipment when appropriate, and restrictions on hours of use to avoid annoyance to sensitive receptors.

These alternatives would generate the same general traffic volume increases, and subsequent traffic noise level increases, along affected roadways surrounding the Plan Area. Mitigation Measures NOI-3 could reduce traffic noise levels along affected roadways. However, it is not known whether the mitigation measure would fully reduce traffic noise levels along affected roadways to below Sacramento County's transportation noise standard of 65 dB L_{dn} because there is no guarantee that residents would accept the offer of a sound barrier. Mitigation Measure NOI-4 would reduce the traffic noise levels between 4 to 6 dB along this segment of Excelsior Road, resulting in a noise level of 60 to 62 dB L_{dn} and below Sacramento County's transportation noise standard of 65 dB L_{dn} . Similar to the Project scenario, the traffic noise impact occurring on this roadway segment (Excelsior Road between Jackson Road and Elder Creek Road) may occur before Mitigation Measures NOI-3 is implemented, resulting in an impact to sensitive receptors along this roadway segment. Because these alternatives would allow for similar levels of development, traffic increases and subsequent traffic noise level increases along project-affected roadways under these alternatives would be similar to those modeled for the Project. As a result, the impact on existing ambient noise levels for these alternatives would be the same as the Project. Mitigation Measure NOI-8 could reduce the incremental increase in traffic noise levels along affected roadways. However, it is not known whether the mitigation measure would fully reduce traffic noise levels along affected roadways to a less than significant level for all affected sensitive receptors because there is no guarantee that residents would accept the offer of a sound barrier. Mitigation Measure NOI-9 would reduce incremental traffic noise level increases along affected roadways through the use of rubberized asphalt. However, it is not known whether Mitigation Measure NOI-9 would reduce the incremental traffic noise increase to less than significant levels on affected roadways.

These alternatives would still include a land use configuration that includes land uses that would be located adjacent to the existing single-family homes along Jackson Road including low- and high-density residential, mixed-use, general commercial, and office. These new land uses could include stationary noise sources (e.g., HVAC equipment) which generate noise up to 70 dB. Similar to the Project, new stationary noise sources would be at a distance at which noise levels from these sources would not exceed Sacramento County's exterior noise standard for daytime noise (i.e., 55 dBA) or Construction and operational noise would be similar to the Project.

ALTERNATIVE 2A

Alternative 2A would increase the wetland preserve on the eastern boundary of the Plan Area, but would include a similar mix and configuration of land uses compared to Project. Introduction of new noise sensitive land uses could still result in noise sensitive land uses (e.g., residential, schools) being developed and occupied before the development of adjacent land uses. Similar to this impact under the Project, sensitive receptors could be exposed to construction noise levels above the Sacramento County noise standards if development of land uses adjacent to the sensitive receptors were to occur during nighttime hours. Implementation of the noise control measures identified in Mitigation Measure NOI-1 would substantially reduce construction noise levels and, subsequently, levels of annoyance and potential sleep disruption to occupants of nearby residential dwellings.

Similar to the Project, vibration-inducing construction activity could occur within 550 feet or within 100 feet of sensitive land uses with new sensitive receptors, resulting in disturbance or possible structural damage. Mitigation Measure NOI-2 would reduce potential impacts by requiring minimum setbacks to sensitive land uses, impact monitoring during pile driving activity, use of alternative equipment when appropriate, and restrictions on hours of use to avoid annoyance to sensitive receptors.

Alternative 2A would result in a 45.5-acre increase in area designated wetland preserve compared to the Project and decrease the overall area that would be developed in the Plan Area. As a result, associated traffic volume increases would be less than those compared to the Project. Table NOI-14 includes roadway segments that would experience traffic-related noise increases as a result of implementation of Alternative 2A. The effects of Alternative 2A would be substantially the same because they are associated with the overall level of development within the Plan Area. As shown in Table NOI-14, implementation of Alternative 2A would not result in traffic-related noise increases that would exceed any Sacramento County noise standard. In regard to the City of Rancho Cordova transportation noise standard, several of the affected roadway segments exceed the City's standard of 60 dB L_{dn} under existing conditions. However, under existing plus Alternative 2A conditions, no roadway segments in Rancho Cordova would experience an increase in traffic noise levels above 60 dB L_{dn} that were below this level under existing conditions.

Similar to the Project, new stationary noise sources would be at a distance at which noise levels from these sources would not exceed Sacramento County's exterior noise standard for daytime noise (i.e., 55 dBA) or nighttime noise (i.e., 50 dBA); however Alternative 2A would result in a substantial increase in noise levels within the surrounding area. Mitigation Measure NOI-8 could reduce the incremental increase in traffic noise levels for sensitive receptors along affected roadways. However, it is not known whether the mitigation measure would fully reduce traffic noise levels along affected roadways to a less than significant level for all affected sensitive receptors because there is no guarantee that residents would accept the offer of a sound barrier. Mitigation Measure NOI-9 would reduce incremental traffic noise level increases along affected roadways through the use of rubberized asphalt. However, it is not known whether Mitigation Measure NOI-9 would reduce the incremental traffic noise increase to less than significant levels on affected roadways. Overall, the Noise effects of Alternative 2 would be slightly less than the Project due to the decreased traffic volumes during operation.

ALTERNATIVE 3

This alternative would result in a similar mix of land uses and the introduction of new noise-sensitive land uses. Introduction of sensitive land uses under these alternatives could result in sensitive land uses (e.g., residential) being developed and occupied before the development of adjacent land uses. Similar to the Project, sensitive receptors could be exposed to construction noise levels above the Sacramento County noise standards if the development of land uses adjacent to the sensitive receptors were to occur during nighttime hours. Implementation of the noise control measures identified in Mitigation Measure NOI-1 would substantially reduce construction noise levels and,

subsequently, levels of annoyance and potential sleep disruption to occupants of nearby residential dwellings. Similar to the Project, vibration-inducing construction activity could occur within 550 feet or within 100 feet of sensitive land uses with new sensitive receptors, resulting in disturbance or possible structural damage. Mitigation Measure NOI-2 would reduce potential impacts by requiring minimum setbacks to sensitive land uses, impact monitoring during pile driving activity, use of alternative equipment when appropriate, and restrictions on hours of use to avoid annoyance to sensitive receptors.

Alternative 3 would result in less development at the eastern boundary of the Plan Area by preserving more land as open space. Because this alternative would result in less development in the Plan Area compared to the Project, traffic volume increases and subsequent traffic-related noise increases would also be reduced. The traffic modeling for Alternative 3 demonstrates that the reduced level of development, compared to the Project, is anticipated to sufficiently reduce traffic such that operational traffic noise levels would not exceed the County's transportation noise standard of 65 dB L_{dn}. However, Alternative 3 includes a Light Industrial land use area in the northeast corner of the Plan Area on the north side of Kiefer Boulevard with noise sensitive land uses (high school or middle school) located adjacent on the south side of Kiefer Boulevard. As a result, ambient noise levels could increase in this area above applicable County noise standards. Mitigation Measure NOI-8 could reduce the incremental increase in traffic noise levels along affected roadways. However, it is not known whether the mitigation measure would fully reduce traffic noise levels along affected roadways to a less than significant level for all affected sensitive receptors because there is no guarantee that residents would accept the offer of a sound barrier. Mitigation Measure NOI-9 would reduce incremental traffic noise level increases along affected roadways through the use of rubberized asphalt. However, it is not known whether Mitigation Measure NOI-9 would reduce the incremental traffic noise increase to less than significant levels on affected roadways.

Overall, the Noise effects of Alternative 3 would be slightly less than the Project due to the decreased traffic volumes during operation.

ALTERNATIVE 4

This alternative would result in a similar mix of land uses and the introduction of new noise-sensitive land uses. Introduction of sensitive land uses under these alternatives could result in sensitive land uses (e.g., residential) being developed and occupied before the development of adjacent land uses. Similar to the Project, sensitive receptors could be exposed to construction noise levels above the Sacramento County noise standards if the development of land uses adjacent to the sensitive receptors were to occur during nighttime hours. Implementation of the noise control measures identified in Mitigation Measure NOI-1 would substantially reduce construction noise levels and, subsequently, levels of annoyance and potential sleep disruption to occupants of nearby residential dwellings. Similar to the Project, vibration-inducing construction activity could occur within 550 feet or within 100 feet of sensitive land uses with new sensitive receptors, resulting in disturbance or possible structural damage. Mitigation Measure NOI-2 would reduce potential impacts by requiring minimum setbacks to sensitive land

uses, impact monitoring during pile driving activity, use of alternative equipment when appropriate, and restrictions on hours of use to avoid annoyance to sensitive receptors.

Alternative 4 retains the existing zoning of Light Industrial of one larger parcel in the western portion of the Plan Area and would result in less residential development compared to the Project and Alternative 2. Because this alternative would result in less development in the Plan Area compared to the Project, traffic volume increases and subsequent traffic-related noise increases would also be reduced. The traffic modeling for Alternative 2 (below) demonstrates that the reduced level of development, compared to the Project, is anticipated to sufficiently reduce traffic such that operational traffic noise levels would not exceed the County's transportation noise standard of 65 dB L_{dn}.

Under this alternative, it is possible that the Sacramento Raceway could be replaced by new Light Industrial uses and result in an increase the number of trips generated from this land use. Additionally, this alternative would still result in development of a considerable portion of land to be developed in the Plan Area, resulting in traffic volume increases along affected roadways. Mitigation Measure NOI-8 could reduce the incremental increase in traffic noise levels along affected roadways. However, it is not known whether the mitigation measure would fully reduce traffic noise levels along affected roadways to a less than significant level for all affected sensitive receptors because there is no guarantee that residents would accept the offer of a sound barrier. Mitigation Measure NOI-9 would reduce incremental traffic noise level increases along affected roadways through the use of rubberized asphalt. However, it is not known whether Mitigation Measure NOI-9 would reduce the incremental traffic noise increase to less than significant levels on affected roadways.

Overall, the Noise effects of Alternative 4 would be slightly less than the Project due to the decreased traffic volumes during operation.

PUBLIC SERVICES

NO PROJECT ALTERNATIVE

The No Project Alternative would have less potential to trigger the need for new or improved fire, law enforcement, or park facilities because a maximum of 2 residences and 413 acres of light industrial development would occur. Overall, the public service impacts of the No Project Alternative would be less than with implementation of the Project.

ALTERNATIVE 1A

Alternative 1A would generate fewer residents than the Project. Alternative 1A would result in a buildout maximum of 5,705 residential units, a reduction of 438 homes from the Project. The overall land use types would be roughly the same, however, and demand for public services would be generally consistent with the demand generated by the Project. Further, Alternative 1A would likely be referred to as Jackson Township, if constructed, and there are no differences in factors affecting emergency response between the Project and Alternative 1A.

Alternative 1A would also include the same fire protection facilities as the Project, which would be adequate to serve Alternative 1A without any reductions in response time or level of service. As described for the Project, a fire station would be constructed within the Plan Area, the final location of which would be determined by Sacramento Metro Fire District. Funding mechanisms, policies, and regulations would assist the Sacramento County Sheriff's Department (SSD) in adequately serving new growth and demand under Alternative 1A without the construction of new facilities. SSD has indicated that the existing substation could accommodate new staffing and equipment that may be needed to serve the growth in the area.

Alternative 1A would result in similar levels of demand for school services as the Project and include the same general school sites. Adequate school facilities would be accommodated within the Plan Area and this alternative would be subject to State-mandated funding mechanism to provide for ongoing services.

Alternative 1A includes the same acreage of dedicated parkland as the Project, but would develop fewer residential units than the Project. As shown in Table Alt-20, Alternative 1A would result in parkland dedications in excess of requirements by approximately 5.1 acres. Alternative 1A would result in similar levels of demand for library services as the Project. This alternative would also include the same funding mechanism to provide for ongoing services. Impacts would be similar to the Project.

ALTERNATIVE 1B

Alternative 1B is similar to the Project in terms of the number of proposed residential units. Overall, Alternative 1B would include a maximum of 6,138 residential units, a reduction of only 5 units. Alternative 1B would result in slightly a slightly larger population than the Project; an estimated 15 additional residents. The overall land use types would be roughly the same and demand for law enforcement services would be generally consistent with the demand generated by the Project. Further, Alternative 1B would also be referred to as Jackson Township, if constructed, and there are no differences in factors affecting emergency response between the Project and Alternative 1B.

Alternative 1B would generate a demand for fire protection and law enforcement that would be similar to the Project. As described for the Project, Alternative 1B would result in the construction of a fire station within the Plan Area, the final location of which would be determined by Sacramento Metro Fire District. Alternative 1B would include the same fire protection facilities as the Project, which would be adequate to serve the alternative without any reductions in response time or level of service. Funding mechanisms, policies, and regulations would assist SSD in adequately serving new growth and demand under Alternative 1B without the construction of new facilities. SSD has indicated that the existing substation could accommodate new staffing and equipment that may be needed to serve the growth in the area.

Alternative 1B would result in similar levels of demand for school services as the Project and include the same general school sites. Adequate school facilities would be accommodated within the Plan Area and this alternative would be subject to State-mandated funding mechanism to provide for ongoing services.

Like the Project, full buildout of Alternative 1B would require 82.1 acres of dedicated parkland, but the alternative would only include 81.3 acres, leaving a shortfall of 0.8 acre. With implementation of Mitigation Measure PS-1, this impact would be addressed. This alternative would also result in similar levels of demand for library services as the Project and would include the same funding mechanism to provide for ongoing services. Impacts would be similar to the Project.

ALTERNATIVE 1C

Alternative 1C would generate fewer residents than the Project. The overall land use types would be roughly the same, however, and demand for public services would be generally consistent with the demand generated by the Project. Alternative 1C would likely also be referred to as Jackson Township, if constructed, and there are no differences in factors affecting emergency response between the Project and Alternative 1C.

Alternative 1C would also include the same fire protection facilities, which would be adequate to serve the alternative without any reductions in response time or level of service. As described for the Project, Alternative 1C would result in the construction of a fire station within the Plan Area, the final location of which would be determined by Sacramento Metro Fire District. Funding mechanisms, policies, and regulations would assist SSD in adequately serving new growth and demand under Alternative 1C without the construction of new facilities. SSD has indicated that the existing substation could accommodate new staffing and equipment that may be needed to serve the growth in the area.

Alternative 1C would result in similar levels of demand for school services as the Project and include the same general school sites. Adequate school facilities would be accommodated within the Plan Area and this alternative would be subject to State-mandated funding mechanism to provide for ongoing services.

Alternative 1C includes the same acreage of dedicated parkland as the Project but would develop fewer residential units than the Project. Alternative 1C would result in a buildout maximum of 5,692 homes, a reduction of 451 homes from the Project. However, this alternative would include the same acreage of parkland dedication as the Project. As shown in Table Alt-20, Alternative 1C would result in parkland dedications in excess of requirements by approximately 5.1 acres.

Alternative 1C would result in similar levels of demand for library services as the Project. Each alternative would also include the same funding mechanism to provide for ongoing services. Impacts would be similar to the Project.

ALTERNATIVE 2A

The overall land uses proposed under Alternative 2A types would be roughly the same as proposed for the Project, and demand for public services would be generally consistent with the demand generated by the Project. Alternative 2A would likely also be referred to as Jackson Township, if constructed, and there are no differences in factors affecting emergency response between the Project and Alternative 2A.

Alternative 2A would result in fewer residents than the Project, but would include the same fire protection facilities. As described for the Project, Alternative 2A would result in the construction of a fire station within the Plan Area, the final location of which would

be determined by Sacramento Metro Fire District. The proposed fire protection facility would be adequate without any reductions in response time or level of service. Funding mechanisms, policies, and regulations would assist SSD in adequately serving new growth and demand under Alternative 2A without the construction of new facilities. SSD has indicated that the existing substation could accommodate new staffing and equipment that may be needed to serve the growth in the area.

Alternative 2A would result in similar levels of demand for school services and proposes the same general school sites as the Project. As indicated in the evaluation of the Project, adequate school facilities would be accommodated within the Plan Area.

Alternative 2A would dedicate 0.5 acre more parkland than the Project while constructing fewer residences, which would result in a surplus of parkland above County requirements. This alternative would also result in similar levels of demand for library services as the Project and would also include the same funding mechanism to provide for ongoing services. Impacts would be similar to the Project.

ALTERNATIVE 3

Alternative 3 would generate fewer residents than the Project. The overall land use types would be roughly the same, however, and demand for public services would be generally consistent with the demand generated by the Project. Alternative 3 would also likely be referred to as Jackson Township, if constructed, and there are no differences in factors affecting emergency response between the Project and the Alternative 3.

Alternative 3 would also include the same fire protection facilities, which would be adequate to serve the Plan Area without any reductions in response time or level of service. As described for the Project, Alternative 3 would result in the construction of a fire station within the Plan Area, the final location of which would be determined by Sacramento Metro Fire District. Funding mechanisms, policies, and regulations would assist SSD in adequately serving new growth and demand under Alternative 3 without the construction of new facilities. SSD has indicated that the existing substation could accommodate new staffing and equipment that may be needed to serve the growth in the area.

Because Alternative 3 would result in fewer residences (roughly 500 fewer low- and medium-density single-family residences and the same amount of high-density and mixed-use multi-family housing as the Project), demand on schools, parks, and libraries would be reduced. As such, this alternative would include one less elementary school. Adequate school facilities would be accommodated within the Plan Area and each of this alternative would be subject to State-mandated funding mechanism to provide for ongoing services.

Alternative 3 would reduce parkland by over 19 acres when compared to the Project. The resulting land use plan does not meet County requirements for parkland (see Table Alt-20). With implementation of Mitigation Measure PS-1, this impact would be reduced. Each alternative would also include the same funding mechanism to provide for ongoing library services. Impacts would be similar to the Project.

Table Alt-20: Parkland Dedication Requirements for Alternatives 1A, 1B, 1C, 2A, 3, and 4

Land Use/ Housing Type	Factor	Dwelling Units	Acres Required	Dwelling Units	Acres Required	Dwelling Units	Acres Required	Dwelling Units	Acres Required	Dwelling Units	Acres Required	Dwelling Units	Acres Required
		Alternative 1A		Alternative 1B		Alternative 1C		Alternative 2A		Alternative 3		Alternative 4	
Single family: LD/MD	0.0142	3,616	51.3	3,951	56.1	3,661	52.0	3,317	47.1	3,403	48.3	2,949	41.9
Multi family: HD/MU	0.0119	2,089	24.9	2,187	26.0	2,031	24.2	1,760	21.0	2,237	26.6	1,562	18.6
Total		5,705	76.2	6,138	82.1	5,692	76.2	5,077	68.1	5,640	75.0	4,511	60.5
Park Acreage Provided (including 3.0 acres trail)			81.3		81.3		81.3		81.8		67.5		62.2
Difference			+ 5.1 acres		- 0.8 acre		+ 5.1 acres		+ 13.8 acres		- 7.4 acres		+ 1.7 acres

ALTERNATIVE 4

Alternative 4 would generate fewer residents than the Project. The overall land use types would be roughly the same, however, and demand for public services would be generally consistent with the demand generated by the Project. Alternative 4 would also likely be referred to as Jackson Township, if constructed, and there are no differences in factors affecting emergency response between the Project and Alternative 4.

Alternative 4 would also include the same fire protection facilities, which would be adequate to serve the Plan Area without any reductions in response time or level of service. As described for the Project, Alternative 4 would result in the construction of a fire station within the Plan Area, the final location of which would be determined by Sacramento Metro Fire District. Funding mechanisms, policies, and regulations would assist SSD in adequately serving new growth and demand under Alternative 1C without the construction of new facilities. SSD has indicated that the existing substation could accommodate new staffing and equipment that may be needed to serve the growth in the area.

Because Alternative 4 would result in fewer residences, demand on schools, parks, and libraries would be reduced. As such, this alternative would include one less elementary school. Adequate school facilities would be accommodated within the Plan Area and each of this alternative would be subject to State-mandated funding mechanism to provide for ongoing services. Alternative 4 would include 1.7 acres more parkland than required. This alternative would also include the same funding mechanism to provide for ongoing library services. Impacts would be similar to the Project.

WATER SUPPLY

NO PROJECT ALTERNATIVE

Under the No Project Alternative, the potential for development of the Plan Area and corresponding water demand would be considerably reduced. If the industrial area in the northeast corner of the Plan Area were to develop, offsite water infrastructure would be required. Due to the reduced development footprint, the No Project Alternative would also result in less potential to affect groundwater recharge. Overall, the effect on water supply would be less than with implementation of the Project.

ALTERNATIVES 1A, 1B, AND 1C

The overall level of development under Alternatives 1A, 1B, and 1C (and corresponding water demand) would be similar to, or less than, the Project. Offsite and onsite infrastructure improvements are anticipated to be substantially the same as discussed for the Project. Implementation of planned offsite expansion projects would be conducted by the Sacramento County Water Agency (SCWA) and would be subject to separate environmental review and approval. Development of onsite water supply infrastructure would not result in utility-specific adverse physical impacts.

As with the Project, part of the water supplied to Alternatives 1A, 1B, and 1C would be obtained from groundwater. As discussed for the Project, SWCA manages the groundwater basin to maintain a sustainable yield as a signatory to the Water Forum

Agreement (WFA) and member of the Sacramento Central Groundwater Authority. Like the Project, Alternatives 1A, 1B, and 1C include 368 acres (26 percent of the Plan Area) in primarily undeveloped space and would include drainage basins that would allow for onsite recharge and attenuation of stormwater. Therefore, impacts related to the groundwater recharge potential would be similar to the Project.

ALTERNATIVE 2A

Alternative 2A includes 27 acres less residential development with a density 0.4 DU per acre less than the Project, and 40 additional acres of commercial and office uses. The overall level of development under Alternative 2A (and corresponding water demand) would be similar to the Project. Alternative 2A would require a similar amount of water from SCWA as the Project, and impacts related to the demand for groundwater would be similar.

Offsite and onsite infrastructure improvements are anticipated to be substantially the same as discussed for the Project in Chapter 18, "Water Supply." Implementation of planned offsite expansion projects would be conducted by SCWA and would be subject to separate environmental review and approval. Development of onsite water supply infrastructure would not result in utility-specific adverse physical impacts.

Alternative 2A would include nearly 408 acres in park and open space zones (29 percent of the Plan Area). There would be similar effect on groundwater recharge in the Plan Area because the portion of the Plan Area available for recharge would be similar and the surface water would be collected in basins, as described for the Project, which would allow additional infiltration. Impacts related to the groundwater recharge potential would be similar to, but slightly less than, the Project.

ALTERNATIVE 3

The overall level of development under Alternative 3 (and corresponding water demand) would be similar to, or less than, the Project. As with the Project, part of the water supplied to the Alternative 3 would be obtained from groundwater. Offsite and onsite infrastructure improvements are anticipated to be substantially the same as discussed for the Project in Chapter 18, "Water Supply." Implementation of planned offsite expansion projects would be conducted by SCWA and would be subject to separate environmental review and approval. Development of onsite water supply infrastructure would not result in utility-specific adverse physical impacts.

As discussed for the Project, SWCA manages the groundwater basin to maintain a sustainable yield as a signatory to the WFA and member of the Sacramento Central Groundwater Authority. Alternative 3 includes the most open space and park acreage (roughly 413 acres, 30 percent of the Plan Area) and would have less potential than the Project to inhibit groundwater recharge. The alternative would also include drainage basins that would allow for onsite recharge and attenuation of stormwater. Therefore, impacts related to the groundwater recharge potential would be similar to, slightly less than, the Project.

ALTERNATIVE 4

The overall level of development under Alternative 4 (and corresponding water demand) would be similar to, or less than, the Project. As with the Project, part of the water supplied to Alternative 4 would be obtained from groundwater. Offsite and onsite infrastructure improvements are anticipated to be substantially the same as discussed for the Project in Chapter 18, "Water Supply." Implementation of planned offsite expansion projects would be conducted by SCWA and would be subject to separate environmental review and approval. Development of onsite water supply infrastructure would not result in utility-specific adverse physical impacts.

As discussed for the Project, SWCA manages the groundwater basin to maintain a sustainable yield as a signatory to the WFA and member of the Sacramento Central Groundwater Authority. Alternative 4 would result a similar amount of impervious surface as the Project. Alternative 4 includes slightly less area in park and open space zones (roughly 353 acres, 25 percent of the Plan Area), but would include drainage basins that would allow for onsite recharge and attenuation of stormwater. Overall, impacts related to the groundwater recharge potential would be similar to the Project.

WASTEWATER AND SOLID WASTE

NO PROJECT ALTERNATIVE

Under the No Project Alternative, the potential for development in the Plan Area would be substantially reduced. Development of the industrially zoned areas could result in additional solid waste and wastewater generation, which could require limited onsite and offsite infrastructure, including septic systems. A comprehensive onsite wastewater system similar to that evaluated for the Project would not be constructed, nor would the wastewater trunkline extension along Jackson Road. Effects would be less than those anticipated with implementation of the Project.

ALTERNATIVE 1A

Alternative 1A would result in a level of development substantially similar to the Project and is anticipated to require the same level of wastewater service as the Project. As identified for the Project, it is anticipated that the Sacramento Regional Water Treatment Plant (SRWTP) would have adequate capacity to treat wastewater flows generated by future development.

Alternative 1A would require construction of the Jackson Road trunk line extension and development of an internal collection system. Implementation of the mitigation measures identified throughout this EIR and compliance with the County Code would address areas of potential effects associated with the offsite construction of the Jackson Road trunk lines.

Based on population projections and assuming a daily disposal rate of 6 pounds per person, Alternative 1A would result in a daily solid waste generation rate of 46 tons. This rate would be similar to, and slightly less than, those estimated for the Project (49 tons/day). These disposal rates would account for less than 1 percent of the permitted capacity of the landfill serving the area. As identified for the Project, it is anticipated that

Kiefer Landfill would have adequate capacity to accept waste generated by future development. Impact on wastewater and solid waste service capacity would be similar to the Project.

ALTERNATIVE 1B

Alternative 1B would result in a level of development substantially similar to the Project and is anticipated to require the same level of wastewater service as the Project. As identified for the Project, it is anticipated that the SRWTP would have adequate capacity to treat wastewater flows generated by future development. Alternative 1B would require construction of the Jackson Road trunk line extension and development of an internal collection system. Implementation of the mitigation measures identified throughout this EIR and compliance with the County Code would address areas of potential effects associated with the offsite construction of the Jackson Road trunk lines.

Based on population projections and assuming a daily disposal rate of 6 pounds per person, Alternative 1B would result in a daily solid waste generation rate of 50 tons. This rate would be similar to, and slightly more than, those estimated for the Project (49 tons/day). These disposal rates would account for less than 1 percent of the permitted capacity of the landfill serving the area. As identified above for the Project, it is anticipated that Kiefer Landfill would have adequate capacity to accept waste generated by future development. Impact on wastewater and solid waste service capacity would be similar to the Project.

ALTERNATIVE 1C

Alternative 1C would result in a level of development substantially similar to the Project and is anticipated to require the same level of wastewater service as the Project. As identified for the Project, it is anticipated that the SRWTP would have adequate capacity to treat wastewater flows generated by future development. Alternative 1C would require construction of the Jackson Road trunk line extension and development of an internal collection system. Implementation of the mitigation measures identified throughout this EIR and compliance with the County Code would address areas of potential effects associated with the offsite construction of the Jackson Road trunk lines.

Based on population projections and assuming a daily disposal rate of 6 pounds per person, Alternative 1C would result in a daily solid waste generation rate of 46 tons. This rate would be similar to, and slightly less than, those estimated for the Project (49 tons/day). These disposal rates would account for less than 1 percent of the permitted capacity of the landfill serving the area. As identified above for the Project, it is anticipated that Kiefer Landfill would have adequate capacity to accept waste generated by future development. Impact on wastewater and solid waste service capacity would be similar to the Project.

ALTERNATIVE 2A

Alternative 2A would result in slightly less development and would likely require slightly less wastewater treatment capacity than the Project. The SRWTP would have adequate capacity to treat wastewater flows generated by future development. Alternative 2A would require construction of the Jackson Road trunk line extension and development

of an internal collection system. Implementation of the mitigation measures identified throughout this EIR and compliance with the County Code would address areas of potential effects associated with the offsite construction of the Jackson Road trunk lines.

Alternative 2A would result in lower disposal rates than the Project. Assuming a daily disposal rate of 6 pounds per person, Alternative 2A would result in a daily solid waste generation rate of 42 tons, compared to 49 tons per day for the Project. These disposal rates would account for less than 1 percent of the permitted capacity of the landfill serving the area. As identified above for the Project, it is anticipated that Kiefer Landfill would have adequate capacity to accept waste generated by future development. Impact on wastewater and solid waste service capacity would be similar to the Project.

ALTERNATIVE 3

Alternative 3 would result in slightly less development and may, consequently, require slightly less wastewater treatment capacity than the Project. It is anticipated that the SRWTP would have adequate capacity to treat wastewater flows generated by future development.

Alternative 3 would require construction of the Jackson Road trunk line extension and development of an internal collection system. Implementation of the mitigation measures identified throughout this EIR and compliance with the County Code would address areas of potential effects associated with the offsite construction of the Jackson Road trunk lines.

Based on population projections, Alternative 3 would result in solid waste generation rates that are similar to, and slightly less than, those evaluated for the Project. Assuming a daily disposal rate of 6 pounds per person, Alternative 2A would result in a daily solid waste generation rate of 45 tons, compared to 49 tons per day for the Project. These disposal rates would account for less than 1 percent of the permitted capacity of the landfill serving the area. As identified above for the Project, it is anticipated that Kiefer Landfill would have adequate capacity to accept waste generated by future development. Impact on wastewater and solid waste service capacity would be similar to the Project.

ALTERNATIVE 4

Alternative 4 would result in slightly less development and may, consequently, require slightly less wastewater treatment capacity than the Project. It is anticipated that the SRWTP would have adequate capacity to treat wastewater flows generated by future development. Alternative 4 would require construction of the Jackson Road trunk line extension and development of an internal collection system. Implementation of the mitigation measures identified throughout this EIR and compliance with the County Code would address areas of potential effects associated with the offsite construction of the Jackson Road trunk lines.

Based on population projections, Alternative 4 would result in lower disposal rates than the Project. Assuming a daily disposal rate of 6 pounds per person, Alternative 4 would result in a daily solid waste generation rate of 37 tons, compared to 49 tons per day for the Project. However, actual rates of disposal could vary widely depending on the type

of industrial use developed. As identified above for the Project, it is anticipated that Kiefer Landfill would have adequate capacity to accept waste generated by future development. Impact on wastewater and solid waste service capacity would be similar to the Project.

TRAFFIC AND TRANSPORTATION

NO PROJECT ALTERNATIVE

The No Project Alternative would have limited potential to effect the operation of area roadways and would not change conditions relative to bicycle, pedestrian, or transit facilities. The extension of Kiefer Road through the Plan Area would be required to facilitate access to the industrial area in the northwest corner; without this improvement, additional development of the Plan Area would be limited. It is expected that the No Project Alternative would have less impact on traffic and transportation than the Project.

ALTERNATIVES 1A, 1B, 1C, 2A, 3, AND 4

~~The impacts to roadway segment and intersection operations are likely to be similar to those of the Project due to the size and scale of the overall development under these alternatives. Therefore, impacts associated with roadway segment operations are anticipated to generate a volume of trips that would result in area roadways that would not meet applicable LOS and V/C thresholds. Although implementation of Mitigation Measures TR-1 through TR-4 would result in fair share payment toward improvements that would reduce impacts to ten roadway segments to a less-than-significant level, it cannot be guaranteed that all of these improvements would be implemented concurrent with the phasing of development because of the dynamic and interrelated nature of mitigation improvements that would serve multiple development projects.~~

~~Impacts to freeway facility operations are also likely to be similar due to the size and scale of the overall development under these alternatives. Implementation of Mitigation Measure TR-5 would result in fair share payment toward improvements that would reduce the impact to the westbound US 50 weave between Watt Avenue and Howe Avenue under all the alternatives. However, the amount by which these improvements would improve operating conditions at the facilities detailed above are unknown at this time. Additionally, because these improvements are outside of Sacramento County's jurisdictional control, and while the appropriate jurisdictions can and should implement feasible mitigation to reduce impacts, it cannot be guaranteed that any of these improvements would be implemented or implemented in time for project development.~~

VMT is dependent on multiple, interrelated local and regional factors and includes consideration of data points such as the jobs/housing balance and availability of services. No VMT modeling of the alternatives was conducted; however, the VMT that would result from Alternatives 1A, 1B, 1C, 2A, 3, and 4 would be substantially similar at the specific plan level because the same level general types and pattern are development would occur. Mitigation Measures TR-1, TR-2 and TR-3 would result in comparable VMT reduction. The increased office space considered in Alternatives 1A, 1C, and 2A could reduce VMT by providing additional employment opportunities near

residential development. The increased area designated for light industrial in Alternatives 3 and 4 may generate greater VMT because these employment centers can represent a regional draw. Conversely, the reduced development overall under Alternative 3 could reduce VMT attributable to the Plan Area.

Alternatives 1A, 1B, 1C, 2A, 3, and 4 would include the provision of new bicycle and pedestrian facilities throughout the Plan Area, and between the Plan Area and other nearby land uses. Each of these alternatives would also provide sidewalks, on-street (Class II) bike lanes on all collector, arterial and thoroughfare roadways, and off-street (Class I) multi-purpose trails. Sidewalks would be required as part of the frontage improvements along all new roadway construction in the Project vicinity in conformance with County design standards. Additionally, circulation and access to all proposed public spaces would include sidewalks that meet Americans with Disabilities Act standards. However, because the specific design of facilities are not currently known, the planned bicycle and pedestrian improvements could potentially result in an increase in pedestrian/bicycle-vehicle conflict points and, thus, could result in a degradation of bicycle and pedestrian safety. Implementation of Mitigation Measure TR-6 would ensure that the new pedestrian and bicycle facilities constructed under any of these alternatives would minimize pedestrian/bicycle-vehicle conflict points; and thus, ensure bicycle and pedestrian safety.

Public transit is not currently provided to, or in the vicinity of, the Plan Area. The proposed transit systems would be a condition of approval for the project under any of these alternatives, and the assumed transit routes and service frequency would be required at full development of Alternatives 1A, 1B, 1C, 2A, 3, and 4.

~~Alternatives 1A, 1B, 1C, 2A, 3, and 4 would construct travel lanes on roadway segments that are internal to, or on the boundary of the Plan Area, and the entire roadway segment would be reconstructed to County standards. Similar to the Project, the timing of implementation of these additional traffic lanes on these internal or boundary roadway segments would affect whether or not impacts would occur at some point before full build out of the alternatives. Although implementation of Mitigation Measures TR-1, TR-2, and TR-8 would result in fair share payment toward improvements that would reduce impacts to roadway functionality to a less-than-significant level, it cannot be guaranteed that all of these improvements would be implemented concurrent with the phasing of development because of the dynamic and interrelated nature of mitigation improvements that would serve multiple development projects.~~

Alternatives 1A, 1B, 1C, 2A, 3, and 4 would be designed to meet all the design and safety standards established by the County, which requires coordination with Sacramento Metro Fire District to ensure that the design of local roads will accommodate emergency vehicles. Adherence to these design standards would ensure that adequate site distances and access for vehicles entering and leaving the site is provided for safe travel. Additionally, before construction activities, project proponents are required to coordinate with emergency service providers to ensure that there are no impediments to the provision of emergency services during and after project related construction activities. The transportation effects of this alternative would be similar to the Project.

COMPARATIVE EVALUATION OF ENVIRONMENTAL EFFECTS

Table Alt-21 summarizes which Project Objectives are met by the identified alternatives. As demonstrated in the table, alternatives 1A, 1B, 1C, 2, 2A, and 4 would meet the Project Objectives. Alternative 3 would not meet the objective of economic viability because the proposed industrial use north of Kiefer would not be fiscally sound due to lack of connectivity. The No Project alternative would not meet any of the objectives of the Project.

Table Alt-21: Comparison of Alternatives and Project Objectives Met

Project Objectives	Objective Met?				
	No Project Alt.	Alts. 1A, 1B, 1C	Alts. 2, 2A	Alt. 3	Alt. 4
Develop an economically viable mixed-use project in close proximity to the urban core.	No	Yes	Yes	No	Yes
Develop a marketable project which minimizes greenhouse gas emissions.	No	Yes	Yes	Yes	Yes
Develop an economically-stable community where property values are retained over time.	No	Yes	Yes	Yes	Yes
Develop a project containing a variety of housing types so as to create a demographically mixed community.	No	Yes	Yes	Yes	Yes
Develop a project which allows for easy access to green space, schools, and a town center containing various retail, dining, and other commercial services.	No	Yes	Yes	Yes	Yes
Develop a project which provides employment opportunities for workers of all income levels.	No	Yes	Yes	Yes	Yes
Develop a project which promotes a jobs-housing balance in the Jackson Highway/Mather area.	No	Yes	Yes	Yes	Yes
Develop a project which allows residents to engage in short, non-vehicle commutes.	No	Yes	Yes	Yes	Yes
Develop a project which utilizes proven design practices which result in the creation of strong communities that remain economically stable over time.	No	Yes	Yes	Yes	Yes
Develop a project which contains a circulation system that promotes walking, biking, and the use of public transit.	No	Yes	Yes	Yes	Yes
Develop a project which contains a comprehensively planned infrastructure system.	No	Yes	Yes	Yes	Yes
Develop a project which ensures funding for the on-going maintenance needs of parks, open space facilities, public services and other infrastructure.	No	Yes	Yes	Yes	Yes
Develop a project which preserves, to the extent feasible, the area's most important and valuable biological resources with a wetland preserve.	No	Yes	Yes	Yes	Yes

Project Objectives	Objective Met?				
	No Project Alt.	Alts. 1A, 1B, 1C	Alts. 2, 2A	Alt. 3	Alt. 4
Develop a project which contains adequate school facilities for community residents and assists in meeting the school facility needs of surrounding projects.	No	Yes	Yes	Yes	Yes
Develop a project which includes a community park and a variety of neighborhood parks sufficient to meet park district requirements.	No	Yes	Yes	Yes	Yes

Table Alt-22 summarizes the environmental analyses provided above for the alternatives. As indicated in the table, the impacts of the alternatives would be relatively similar to the Project. Alternatives 2, 2A, and 3 would slightly reduce impacts in three resource areas: biology, noise, and water supply.

Table Alt-22: Comparison of the Environmental Impacts of the Alternatives Relative to the Project

Environmental Topic	Project	No Project Alternative	1A	1B	1C	2	2A	3	4
Aesthetics	SU	Less	Similar	Similar	Similar	Similar	Similar	Similar	Similar
Agricultural Resources	SU	Less	Similar	Similar	Similar	Similar	Similar	Similar	Similar
Air Quality	SU	Less	Similar	Similar	Similar	Similar <u>Less</u>	Similar	Similar	Similar
Airport Compatibility	LTSM	Similar, slightly less	Similar	Similar	Similar	Similar	Similar	Similar	Similar
Biological Resources	SU	Similar, slightly less	Similar	Similar	Similar	Similar, slightly less <u>Less</u>	Similar, slightly less	Similar, slightly less	Similar
Climate Change	LTSM	Less	Similar	Similar	Similar	Similar	Similar	Similar	Similar
Cultural Resources	LTSM	Less	Similar	Similar	Similar	Similar	Similar	Similar	Similar
Energy	LTS	Less	Similar	Similar	Similar	Similar	Similar	Similar	Similar
Geology, Soils, and Mineral Resources	LTSM	Less	Similar	Similar	Similar	Similar	Similar	Similar	Similar
Hazardous Materials	LTSM	Similar	Similar	Similar	Similar	Similar	Similar	Similar	Similar
Hydrology and Water Quality	SU	Less	Similar	Similar	Similar	Similar	Similar	Similar	Similar
Land Use	LTS	Less	Similar	Similar	Similar	Similar	Similar	Similar	Similar
Noise	SU	Less	Similar	Similar	Similar	Similar, slightly less	Similar, slightly less	Similar, slightly less	Similar, slightly less

Environmental Topic	Project	No Project Alternative	1A	1B	1C	2	2A	3	4
Public Services	LTSM	Less	Similar	Similar	Similar	Similar	Similar	Similar	Similar
Water Supply	LTS	Less	Similar	Similar	Similar	Similar, slightly less	Similar, slightly less	Similar, slightly less	Similar
Wastewater and Solid Waste	LTS	Less	Similar	Similar	Similar	Similar	Similar	Similar	Similar
Traffic and Transportation	SU	Less	Similar	Similar	Similar	Similar	Similar	Similar	Similar

LTS = less than significant; LTSM = less than significant with mitigation; SU = significant and unavoidable

Source: Data compiled by Ascent Environmental

ENVIRONMENTALLY SUPERIOR ALTERNATIVE

Table Alt-23 provides a summary comparison of the impacts of the Project and alternatives. As indicated therein, the No Project Alternative would reduce impacts to all resource areas. As a result, this alternative would be environmentally superior. However, as indicated in Table Alt-22, the No Project Alternative would not meet any of the Project Objectives. CEQA Guidelines Section 15126.6(e)(2) requires that if an EIR determines that the No Project Alternative is environmentally superior to the Project, the EIR must identify an environmentally superior alternative among the other alternatives considered.

As identified above, Alternatives 2, 2A, and 3 would slightly reduce impacts to biology, noise, and water supply when compared to the Project and would be consistent with Project Objectives. Although Alternative 3 would result in slightly reduced effects to biological resources due to the larger area set aside for preservation, the parcels north of Kiefer Boulevard remaining industrial would break up continuity of the Mather Preserve and would be inconsistent with the SSHCP. This alternative would also introduce a higher likelihood that industrial uses could be developed adjacent to the existing preserve and near residences (due to access improvements).

Among the alternatives evaluated in this EIR, Alternatives 2 and 2A are environmentally superior because they are consistent with the hardline preserve established in the SSHCP and would reduce impacts to biological resources due to the additional area set aside as wetland preserve. The expansion of the wetland preserve would also result in reduced development in the Plan Area overall, which would reduce effects related to ground disturbance (i.e., effects of wind erosion on air quality during construction) and reduce the residents and employees of the Plan Area, which would reduce demand for public services and utilities and decrease VMT. This would result in secondary benefits to air quality, energy use, and noise when compared to the Project. Alternatives 2 and 2A are preferred by the Office of Planning and Environmental Review due to their consistency with the SSHCP.

This page intentionally left blank.

4 AESTHETICS

INTRODUCTION

This chapter addresses aesthetics and visual quality issues resulting from development of the Project or Alternative 2. Existing aesthetic and visual resources of the Plan Area are described. No comments regarding aesthetics, lighting, or visual character were received in response to the Notice of Preparation.

ENVIRONMENTAL SETTING

Aesthetic resources are generally defined as both the natural and built features of the landscape that contribute to the public's experience and appreciation of the environment. Therefore, the environmental setting consists of the quality and character of the Plan Area and its surroundings, as well as sensitivity of viewers.

VISUAL CHARACTER OF THE REGION

Sacramento County lies near the center of California's Central Valley, at the southern end of the Sacramento Valley. Open space views within the undeveloped areas of the valley region are generally characterized by broad sweeping panoramas of flat agricultural lands and open space dotted with trees, with concentrations of vegetation surrounding water ways. The valley region is divided by numerous rivers and creeks. To the east, the Sierra Nevada mountains and its foothills are visible on clear days, as is the Coastal Range on the western horizon.

Developed areas in the region are generally characterized by low- to medium-density urban residential and commercial development. The City of Sacramento contains a dense, urban core area. However, other cities within the region, such as Rancho Cordova, the nearest city to the Plan Area, are generally less dense and dominated by low- and medium-density suburban residential development with some commercial centers.

Aggregate mining and industrial uses dominate areas along the south side of State Route (SR) 16 (also known as Jackson Road or Jackson Highway) and are clearly visible from area roads. Some aggregate mining, Mather Field, and associated uses and open space areas lie on the north side of SR 16. Site topography is generally level. Due to the relatively level topography and dominance of agricultural uses in this area, views are mainly characterized by broad horizontal panoramas of rangeland and grassland occasionally dotted with trees, barns, and farmsteads. Grazing cattle, horses, and sheep contribute to the rural nature of the area along Excelsior Road and east to Sunrise Boulevard. Natural scenic resources and viewpoints include portions of Morrison Creek, Elder Creek, and a small segment of Laguna Creek; and the vernal pools and swales that lie in the adjacent grassland areas (Sacramento County 2010).

VISUAL CHARACTER OF THE PLAN AREA

The visual character of the Plan Area is typical of unincorporated Sacramento County, with areas of flat topography, rolling hills, grasslands and few scattered trees, as well as concentrations of vegetation around waterways and homes. Two large, high-voltage electrical transmission lines run parallel (southwest to northeast) across the southeastern portion of the Plan Area. Smaller overhead electrical distribution lines are located along Excelsior Road, Jackson Road, and the Kiefer Boulevard alignment. The Kiefer Boulevard alignment along the northern border of the Plan Area is currently a dirt road that is gated off and inaccessible to the public.

The eastern portion of Plan Area contains some wetland areas, as described further in Chapter 8, "Biological Resources." Agricultural residential homes, including some hobby farms, exist in areas fronting Jackson Road and Excelsior Road. The Sacramento Raceway is located within the Plan Area along Excelsior Road. The Raceway contains a racetrack, drag strip, motocross track, bleachers for spectators, and associated outbuildings and lighting. It is lined with trees and large shrubs along Excelsior Road, which provide visual screening for motorists along Excelsior Road; however, it is visible from higher-elevation locations within the Plan Area.

Mather Airport can also be seen from higher-elevation areas of the Plan Area, particularly from properties located along Excelsior Road in the western portion of the Plan Area. Views of the airport from the eastern portion of the Plan Area are more limited due to variations in topography. A large former aggregate mining pit can also be seen to the west from the northwest portion of the Plan Area, and a large landscaping materials business is located on Excelsior Road just west of the Sacramento Raceway. Views from the Plan Area to the north are generally of the Mather Preserve area, with the Independence at Mather subdivision visible surrounded by the preserve. Views to the east are dominated by grasslands, a wetland preserve, and grazing land. The Sacramento Rendering Plant, located approximately 1 mile to the east, is visible from the eastern portion of the Plan Area, and in some areas, rooftops of residential development in the City of Rancho Cordova may be visible just beyond. To the east, the Sierra Nevada Mountains can be seen in the background on clear days from higher-elevation areas. Views to the south of the Plan Area are dominated by open grasslands, a large wetland preserve, and a few agricultural residential properties located along Jackson Road.

VIEWPOINTS

Five viewpoints were selected that are representative of the existing visual character of the site as well as the most publicly-accessible viewpoints (Plate AE-1). Plates AE-2 through AE-7 provide photographs of the views from these viewpoints. Each viewpoint is discussed below in terms of visual character and quality. Visual quality depends on the following attributes:

- **Vividness:** The extent to which the landscape is memorable, which is associated with the distinctiveness, diversity, and contrast of visual elements.
- **Intactness:** The integrity of visual order in the landscape and the extent to which the existing landscape is free from non-typical visual intrusions.

- **Unity:** The extent to which visual intrusions are sensitive to and in visual harmony with the existing landscape.

Additionally, the viewer's distance from landscape elements plays an important role in the determination of an area's visual quality. Visibility and visual dominance of landscape elements depend on their placement within a viewshed.

VIEWPOINT 1: JACKSON ROAD AT EXCELSIOR ROAD

From the intersection of Jackson and Excelsior Roads, views of the Plan Area and adjacent areas are generally intact and unified. In the foreground, open grasslands are punctuated by creeks and occasional rural-residential structures. Powerlines traverse the area and the Sierra Nevada Mountains can be seen in the distance. These views are typical of the area and are not notably unique or vivid.

VIEWPOINT 2: EXCELSIOR ROAD AT KIEFER BOULEVARD

From the northwest corner of the Plan Area, the adjacent area has a rural character. Natural landscape features in the foreground are accompanied by fencing and interrupted by evidence of former use. Urban development is visible on the horizon. Views to the north and west of the Plan Area are moderately intact and unified. As with the views discussed above, vividness is low.

VIEWPOINT 3: EAGLES NEST ROAD

From Eagles Nest Road, the Plan Area is in the middle ground of views. The foreground is land within the NewBridge Specific Plan area. These views are generally intact and unified. They also provide greater vividness due to the expanse of the viewshed.

VIEWPOINT 4: JACKSON ROAD AT TREE VIEW ROAD

From the southern boundary of the Plan Area, the interior area appears to be vacant grassland. The view is intact and unified, and moderately vivid. The area south of the Plan Area is similar in character and quality; although somewhat less unified due to the large residence in the foreground.

VIEWPOINT 5: KIEFER BOULEVARD ALIGNMENT

At the northeast corner of the Plan Area, views are dominated by grasslands with occasional oak trees. The Independence at Mather community to the north is largely shielded from view by mature trees, and the Sierra Nevada mountains are visible in the east. These views are generally intact and unified. They also provide greater vividness due to the expanse of the viewshed.




Plate AE-1: Plan Area Viewpoints on Aerial Photo



Viewpoint 1. View Northeast from intersection of Jackson Road and Excelsior Road. Low lying portion of Elder Creek and Sierra Nevada Mountains in far distance.



Viewpoint 1. View East from intersection of Jackson Road and Excelsior Road. Traffic along Jackson Road, with slight rise toward east. 12 kV electrical transmission lines along north side of Jackson Road, with larger 230 kV electrical transmission lines visible in distance south of Jackson Road. Portion of Elder Creek visible in lower left corner of photo.

Source: Provided by Sacramento County in 2018

X15010101_09_013



Viewpoint 1. View Southwest from Northeast corner of intersection of Jackson Road and Excelsior Road. Proposed West Jackson Highway Master Plan area visible west of Excelsior Road with 230 kV electrical transmission lines visible south of Jackson Road in distance.



Viewpoint 1. View North along Excelsior Road from intersection of Jackson Road and Excelsior Road. Agricultural and Agricultural-Residential properties shown along east side of road. West Jackson Highway Master Plan Area and 12 kV electrical transmission lines visible west of Excelsior Road, with distant views of Mather Airport property in the distance.

Source: Provided by Sacramento County in 2018

X15010101_09_014

Plate AE-3: Viewpoint 1 Part 2





Viewpoint 2. View North along Excelsior Road toward Independence at Mather community. Plan Area and 12 kV electrical transmission lines are located east of Excelsior Road with the West Jackson Highway Master Plan Area located to the west of Excelsior Road.



Viewpoint 2. View west across Excelsior Road toward West Jackson Highway Master Plan Area with former aggregate mining pit visible and Mather Airport in the distance.

Source: Provided by Sacramento County in 2018

X15010101_09_015



Viewpoint 3. View Northwest from Eagle's Nest Road (offsite within the proposed NewBridge Specific Plan Area). View depicts the generally flat nature of the Plan Area toward the proposed wetland preserve. The Coastal Range is visible in the far distance.



Viewpoint 3. View from Eagle's Nest Road (offsite within the proposed NewBridge Specific Plan area) southwest toward the 230 kV electrical transmission lines that bisect the Plan Area. Wetlands within the proposed NewBridge wetland preserve visible in the foreground.

Source: Provided by Sacramento County in 2018

X15010101_09_016

Plate AE-5: Viewpoint 3





Viewpoint 4. Looking Northwest toward proposed Town Center area with 230 kV electrical transmission lines visible. Light towers at Sacramento Raceway visible in distance.



Viewpoint 4. Looking toward Southwest across Jackson Road with neighboring home in view.

Source: Provided by Sacramento County in 2018

X15010101_09_017

Plate AE-6: Viewpoint 4





Viewpoint 5. View looking Northeast toward Mather South Community Plan Area from northern Plan Area boundary adjacent to Kiefer Boulevard alignment. Distant view of Sierra Nevada Mountains.



Viewpoint 5. Looking North from northern boundary of Plan Area through Mather Preserve toward Independence at Mather community. Kiefer Boulevard alignment in foreground.

Source: Provided by Sacramento County in 2018

X15010101_09_018

LIGHT AND GLARE SOURCES

The unincorporated areas of Sacramento County include existing sources of daytime glare and nighttime lighting. Sources of daytime glare include direct beam sunlight and reflections from windows, architectural coatings, glass and other shiny reflective surfaces. In the region, such glare usually only effects the immediate environment. Nighttime light and associated glare can be from stationary or mobile sources. Stationary sources of nighttime light include structure illumination, decorative landscape lighting, and lighted parking lots. Mobile sources are vehicles traveling on roadways. Rural land uses typically do not generate substantial amounts of glare, lighting, or illumination, and the ambient nighttime lighting and illumination levels are very low in the area.

Within the Plan Area, the primary source of nighttime lighting is the stadium lighting at the Sacramento Raceway, which regularly hosts evening events¹. Other sources of nighttime lighting include small-scale lighting of homes and outbuildings within the agricultural residential properties. Lighting from Mather Airport is visible from the Plan Area in the distance, along with skyglow from nearby urban development at the Independence at Mather subdivision and the City of Rancho Cordova. Nighttime views to the south are darker due to the lack of urban development. There are no major existing sources of glare within the Plan Area or vicinity.

VIEWER GROUPS AND SENSITIVITY

Viewer groups in this area predominantly consist of: motorists traveling along area roadway; residents within, and adjacent to, the Plan Area; and those recreating in established open spaces.

Because of the limited number of residences in the area, it is likely that most motorists are not local residents but instead are commuters or travelers from outside the local area. Although they may be frequently exposed to the views in the area, they would be expected to have reduced visual expectations or concerns because they are commuting, and views are temporary. Motorists are, therefore, of moderately low viewer sensitivity. Some activities at the Mather Preserve, such as hiking and bird watching, are related to aesthetic qualities of the area. These recreationists are generally considered to have high sensitivity; however, public use of the area is limited.

Area residents are the most sensitive to changes in the Plan Area. There are three reasons for this sensitivity: in the existing condition the entire site is visible, the viewers are relatively close to the site, and the viewpoints are from residences. Residents usually consider the surrounding views to be part of their property and are thus more protective of existing scenic views. Residents also observe views for much longer periods of time, and during times of relaxation and enjoyment when scenic resources are typically more appreciated.

¹ according to the schedule at www.sacramentoraceway.com (accessed March 11, 2019)

REGULATORY SETTING

FEDERAL

There are no roadways that are part of the National Highway System or part of the National System of Interstate and Defense Highways in the vicinity of the Plan Area and the Project would occur on private property. Therefore, there are no federal plans, policies, or laws related to aesthetics and visual resources that are applicable to the Project.

STATE

CALIFORNIA SCENIC HIGHWAY PROGRAM

The California Department of Transportation manages the California Scenic Highway Program. The goal of the program is to preserve and protect scenic highway corridors from changes that would affect the aesthetic value of the land adjacent to the highways. The closest highway that is designated scenic is SR 160. SR 160 is an officially designated State Scenic Highway from the Contra Costa County line to the southern city limit of Sacramento (Caltrans 2019). At the northern-most point, SR 160 is over 10 miles southwest of the Plan Area, and the Plan Area is not visible from this location. No other state-designated scenic highways are near the Plan Area.

TITLE 24 OUTDOOR LIGHTING

The 2019 Building Energy Efficiency Standards of Title 24 include regulations for outdoor lighting characteristics such as maximum power and brightness, shielding, and sensor controls to turn lighting on and off. Different lighting standards are set by classifying areas by lighting zone (LZ), which are zones LZ0 through LZ4. The ambient illumination for LZ-0 is “very low,” LZ1 is “low,” for LZ2 is “moderate,” for LZ3 is “moderately high,” and for LZ4 is “high” (see Table 10-114-A of the 2019 Building Efficiency Standards). Lighting regulations for areas of lower ambient lighting are stricter – providing lower wattage allowances – in order to protect those areas from new sources of light pollution and light trespass. According to the 2010 US Census map for the Sacramento region, the Plan Area is designated as Rural. Therefore, the Plan Area is located within lighting zone LZ2 (moderate ambient illumination).

LOCAL

SACRAMENTO COUNTY 2030 GENERAL PLAN

The following 2030 General Plan policies pertaining to aesthetics and lighting are applicable to the Project:

- LU-18. Encourage development that complements the aesthetic style and character of existing development nearby to help build a cohesive identity for the area.
- LU-31. Strive to achieve a natural nighttime environment and an uncompromised public view of the night sky by reducing light pollution.

OS-13. Permit development clustering in urban areas where grouping of units at a higher density would facilitate on-site protection of woodlands, wetlands, steep slopes, urban stream corridors, scenic areas, or other appropriate natural features as open space, provided that:

- Urban infrastructure capacity is available for urban use.
- On-site resource protection is appropriate and consistent with other 2030 General Plan Policies.
- 2030 General Plan policies pertaining to floodplain fill or natural preserves would not preclude development of the proposed use in the area to be protected as open space.
- The architecture and scale of development is appropriate for the area.
- Development rights for open space areas are permanently dedicated via conservation easements and appropriate long-term management is provided for by either a public agency or other appropriate entity. (Please also refer to the Conservation Element for related policies).

SACRAMENTO COUNTY ZONING CODE

Chapter 5 (Development Standards) of the Zoning Code contains standards requiring that illumination of buildings, landscaping, signs, and parking and loading areas be shielded and directed so that no light trespasses onto adjacent properties. The Development Standards also require that lighting shall be directed away from residential areas and public streets so that glare is not produced that could impact the general safety of vehicular traffic and the privacy and well-being of residents.

COMMUNITY PLANS

CORDOVA COMMUNITY PLAN

The Cordova Community Plan, which was last updated in 2003, provides guidance for both new development and the redevelopment of existing land uses within the community planning area. Objectives identified in the plan that are applicable to the Project include:

- LU-6: Promote high quality, efficient and cohesive land utilization that minimizes negative impacts on adjacent neighborhoods and infrastructure (e.g., traffic congestion and visual blight).
- UDNC-5: Ensure that new development reflects local history and architecture, neighborhood concerns, and incorporates features that will help integrate the development into the fabric of the community.
- UDNC-6: Promote the installation of landscaped medians and meandering or separated sidewalks to create a more attractive and active streetscape environment, particularly along the Folsom Boulevard Corridor.
- UDNC-8: Promote high quality architecture, landscape, and streetscape features that enhance the character and identity of activity areas.

UDNC-9: Promote pedestrian-friendly, human-scale urban environments that provide safe and pleasant places for people to live and work.

UDNC-12/PS-15: Encourage screening of visibly large or tall structures such as water tanks or cellular facilities, by either locating them in areas seen by few people or “hidden” such as with the placement on the roof of a building or integration into the building’s design and architecture.

UDNC-13/PS-16: Promote the undergrounding of all electrical utilities.

VINEYARD COMMUNITY PLAN

The Vineyard Community Plan does not contain policies related to aesthetics that would apply to the Project.

IMPACTS AND ANALYSIS

SIGNIFICANCE CRITERIA

Based on the CEQA Guidelines and Sacramento County’s standard Initial Study checklist, an aesthetics impact is significant if implementation of the Project would:

1. Substantially alter existing viewsheds such as scenic highways, corridors or vistas;
2. Have a substantial adverse effect on a scenic vista;
3. Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway;
4. Substantially degrade the existing visual character or quality of public views of the site and its surroundings; or
5. Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area.

ISSUES NOT DISCUSSED FURTHER

The Plan Area is not visible from a designated state scenic highway or county scenic corridor. Therefore, the Project would not result in damage to scenic resources within view of a state scenic highway or locally designated roadways. Impacts related to state scenic highways or county scenic roads would not occur and are not discussed further in this EIR.

A scenic vista is generally considered to be a location from which the public can experience unique and exemplary high-quality views—typically from elevated vantage points that offer panoramic views of great breadth and depth. The primary visual character of the site is that of undeveloped flat grasslands, with rural residences and limited development – including the existing racetrack. Views of the Plan Area are not unique in the eastern portion of the county and do not constitute a scenic vista. Impacts to scenic vistas are not discussed further in this EIR.

METHODOLOGY

The quality of the visual experience associated with a Project is not only dependent on the character of a Plan Area, but also the individual perspective and values of the viewer. When a viewer perceives a negative change in the viewshed, this is not necessarily because the new development is unattractive. If a viewer had never seen pre-project conditions, their perception of the visual quality of a given project might be high. Thus, the impact typically occurs not because of the quality of the project in question, but rather because of the degree of change in the nature of the view. Many viewers value undisturbed open space views more highly than views of urbanized or developed property, however well-designed and visually balanced the development may be.

Sacramento County has not adopted a formal methodology to address aesthetic and visual impact issues for CEQA evaluation purposes. Based on this, the aesthetic and visual impacts of the Project have been evaluated in a qualitative manner, based on the degree of change and changes in key visual elements and features resulting from implementation of the Project. Due to the subjective nature of aesthetics, the analysis does not consider whether proposed changes are positive or negative in nature, as what one person may find visually appealing may be considered to be unattractive by another. In determining the extent and implications of the anticipated visual changes, consideration was given to:

- existing visual qualities of the affected environment and specific changes in the visual character and qualities of the affected environment;
- the visual context of the affected environment;
- the extent to which the affected environment contains places or features that provide unique visual experiences or that have been designated in plans and policies for protection or special consideration; and
- the sensitivity of viewers, access of viewers, their activities, and the extent to which these activities are related to the aesthetic qualities affected by the project-related changes.

The United States Department of Transportation, Federal Highway Administration (FHWA) developed a manual to aid in the preparation of visual assessments for highway projects. Although the proposed Project is not for a highway or other roadway, the key concepts established by FHWA apply to all visual settings and were used to help evaluate the visual character and quality of the region and the Plan Area. Many of these same key concepts are used to evaluate aesthetics in many contexts, including artistic compositions, architecture, and residential landscaping design.

IMPACT: SUBSTANTIALLY DEGRADE EXISTING VISUAL CHARACTER OR QUALITY

PROPOSED PROJECT

Implementation of the Project could result in the eventual development and urbanization of the Plan Area, with the exception of the 214 acres that would be permanently

preserved as a wetland preserve. Because the area is currently undeveloped and open, implementation of the Project would permanently change the visual character of the area. Drivers along Jackson and Excelsior Roads, area residents, and individuals recreating in adjacent open space, would be the most sensitive to these changes in views.

During construction, ground disturbance and heavy equipment would be visible in the developing portion of the Plan Area. This activity would decrease the intactness and vividness of views of the Plan Area. Unity of the viewshed may be less affected because this type of equipment use would be somewhat consistent with the existing mining and agricultural uses in the area. Following construction, views of the Plan Area would permanently change from views of largely undeveloped grazing land to a new urban community, including the planned Town Center, which would be built at a greater density than most of the urbanized areas in the surrounding area.

Development of the Plan Area would result in the construction of buildings, roadways, parks, and structures, along with landscaping, which would block distant views of the horizons in all directions from most areas within the Plan Area. The Project includes its own set of Design Guidelines intended to provide intact, unified visual character within the Plan Area as it develops. The proposed Design Guidelines (Appendix B of the Jackson Township Specific Plan) are based on the Countywide Design Guidelines but enable varied development and a distinctive character specific to Jackson Township. Where the Jackson Township Design Guidelines are silent on a topic, the standard would default to the requirements of the Countywide Design Guidelines. All development within the Plan Area would be subject to Design Review by the Sacramento County Design Review Advisory Committee, which would ensure future development's compliance with the Jackson Township Design Guidelines and the Countywide Design Guidelines, if required.

While the Project includes adoption of Design Guidelines and Development Standards and would implement a cohesive landscaping program to ensure an attractive new development that would integrate the new uses with an adjacent preserve, the change in visual character would be permanent and drastic, regardless of whether or not the new development community would be visually appealing. To sensitive viewer groups, particularly area residents, this could be perceived as a substantial degradation. This would be a significant impact. Besides design guidelines and policies that would guide the visual characteristics of a development and which are already required for the Project and the inclusion of a large open space preserve in the Project design, no other feasible mitigation is available to reduce the magnitude of visual changes that would occur. Therefore, this impact would be **significant and unavoidable**.

ALTERNATIVE 2

Although Alternative 2 would increase the area set aside for open space, it would also result in the near complete conversion of the Plan Area from undeveloped rural land to a fully developed urban community, which would result in a permanent, substantial alteration to existing viewsheds within the area. Development Standards and Design Guidelines create a cohesive and unified presentation across the development. Nonetheless, impacts would be **significant and unavoidable**.

MITIGATION MEASURES

No mitigation is available.

IMPACT: NEW SOURCES OF LIGHT

PROPOSED PROJECT

Upon full buildout, implementation of the Project would result in the urbanization of up to 1,177 acres with up to 6,143 new homes, nearly 2 million square feet of commercial, mixed use, and office space, four schools, nearly 80 acres of parks, and associated roadways and parking lots. All new uses and associated automobiles would introduce new sources of light to an area with relatively few lighting sources. Nighttime lighting is necessary for safety, for work productivity, and for recreation. Specific sources of nighttime light could include illumination of the community park and sports fields at the joint Middle School/High School, as well as street lights and trails/sidewalks.

Title 24 and County Ordinances have been instituted to avoid excess lighting. The Plan Area is within a rural area that has minimal lighting, and is designated as an LZ2 zone (low levels of ambient nighttime light). Because the Project is in an LZ2 zone, the lighting restrictions are more robust than if the Project were in a more urban environment. For instance, Table 140.7-B of the 2016 Building Efficiency standards (Title 24) indicates that building entrances in an LZ2 zone are limited to 25 watts, while in an LZ4 (urbanized) zone the allowance is 45 watts.

The Project includes its own set of Development Standards (Appendix A of the Jackson Township Specific Plan) that are specific to the Plan Area and are based on Chapter 5 of the Zoning Code, with the general requirements that lighting is directed away from residential areas and public streets so that glare is not produced that could impact the general safety of vehicular traffic and the privacy and well-being of residents. The Project's Development Standards also require that lighting is provided for safety along walkways and passageways and that spillover lighting is minimized to the greatest extent possible throughout the Plan Area. Flashing, moving, and animated lights would be prohibited if the proposed Development Standards are approved.

Implementation of the proposed Development Standards would reduce unnecessary lighting and prohibit excess spillover lighting onto adjacent properties. The proposed Project also includes Policy 7.6.1 that directs the County to require that all lighting applications be subject to Section 140.7 of the 2016 Building Efficiency Standards and use fixtures approved by the International Dark Sky Association. Compliance with these policies would be ensured through site plan and design review.

It is unknown at this time whether the joint Middle School/High School would include a stadium. The school would be constructed by Elk Grove Unified School District (EGUSD) and the current practice of EGUSD is to share stadiums between two school sites. If the school includes a football stadium, mast lighting would be installed (Williams, pers. comm. 2019).

Schools typically use mast lighting for fields on a limited basis during the school year. It is anticipated that lights could periodically operate until 10:00 p.m. The new lighting would consist of energy-efficient LED fixtures on tall (approximately 90-foot-tall) light poles. EGUSD uses the most energy-efficient fixtures available at the time of construction, and fixtures are installed in a manner that creates the least possible amount of light pollution (Williams, pers. comm. 2019). The height of the light poles would allow for flexibility in shielding light from adjacent sensitive receptors such that effects to nearby development would be minimized. The light fixtures themselves would be visible during daylight hours, as well as during evening hours when in operation.

Although upward and spillover lighting would be minimized due to the strict lighting standards that would be adopted as part of the Project, implementation of the Project would introduce a substantial amount of new lighting to an area that is currently rural and largely unlit, thereby adversely affecting nighttime views of the Plan Area. Due to the amount of development and lighting proposed, this would be a **significant** impact.

Further, although it is anticipated that the Sacramento Raceway property would eventually be developed and converted to urban uses (which would reduce spillover lighting from that property), this parcel is currently a non-participating property that may remain in its current state during Project buildout. The tall light standards that light the racetrack and buildings could have a negative effect on proposed land uses. There is no mitigation available to reduce this impact because the Project Applicant and the County do not have ownership control of the property.

Because the Project complies with County lighting policies and standards and would also use fixtures approved by with International Dark Sky Association, and because of the scale of proposed development, no feasible mitigation is available to further reduce this impact. This impact would be **significant and unavoidable**.

ALTERNATIVE 2

Alternative 2 would result in less development at the eastern boundary of the Plan Area by increasing the open space. This could result in slightly less offsite lighting effects to the east of the Plan Area. Like the Project, this alternative would introduce a substantial amount of new lighting to an area that is currently rural and largely unlit. The alternative would comply with the proposed Design Standards that require lighting to be focused downward whenever possible to avoid light pollution and parking lighting to have automatic controls to dim lights after certain hours or when no one is present. However, similar to the Project there would be no mitigation available to address the existing lighting on the raceway parcel. Alternative 2 would have a **significant and unavoidable** impact related lighting.

MITIGATION MEASURES

No mitigation is available.

IMPACT: NEW SOURCES OF GLARE

PROPOSED PROJECT

Like impacts associated with new sources of light, the urbanization of up to 1,177 acres of sparsely developed land would also introduce new sources of glare from materials like glass. In addition, pursuant to regulations adopted by the California Energy Commission in May 2018 that require that most new residential development be equipped with rooftop solar panels beginning in 2020, development of the Project would result in thousands of new residential units outfitted with rooftop photovoltaic (PV) solar panels, which present concerns about the potential for additional new sources of daytime glare.

According to the US Department of Energy (DOE 2014), it is a common misconception that PV panels inherently cause excessive glare that results in nuisances to neighbors and additional safety risks to pilots. The DOE points out that while PV panels can create some glare, their function is to absorb light, rather than reflect it (DOE 2014).

Residential solar PV panels are usually built with dark-colored materials, which absorb light and are covered with anti-reflective coating that reflect less than 2 percent of incoming light; this is similar to the absorption rates of water, and less than soil and wood shingles (Meister Consultants Group 2014). As opposed to other surfaces, such as mirrors, a solar panel has, at a microscopic level, an irregular surface designed to capture the incident rays of sunlight with the goal of generating additional photon collision and energy production. If not absorbed, incident radiation would be reflected. Thus, the goal of any solar panel is to trap as much of the incident rays as possible, and minimize reflection, to maximize energy creation.

Furthermore, both the proposed Development Standards and the County Zoning Code (Section 3.6.6.C) require that all PV panels are oriented on rooftops or other hardscape areas so as to avoid unreasonable glare from solar panels onto adjacent properties. This, combined with the absorbing design of solar panels, would ensure that solar PV panels on buildings and building materials (e.g., glass, paint) developed within the Plan Area would not result in conditions that would create major new sources of glare. Therefore, impacts associated with glare would be **less than significant**.

ALTERNATIVE 2

Although Alternative 2 would result in less residential development and associated PV panels than the Project, implementation of Alternative 2 would not result in a substantial difference in the potential for creation of new sources of daytime glare in comparison to the Project because the overall level of development would be similar. Impacts would be **less than significant**.

MITIGATION MEASURES

No mitigation is required.

This page intentionally left blank.

5 AGRICULTURAL RESOURCES

INTRODUCTION

This chapter describes the existing agricultural resources within the Plan Area and analyzes possible impacts to agricultural resources that could occur as the result of the Project or Alternative 2. The discussion focuses on the impact of converting the designated Farmland in the Plan Area to non-agricultural uses, impacts related to Williamson Act contracts, and possible impacts to agricultural activities on adjacent lands. No comments submitted in response to the Notice of Preparation relate to agricultural resources.

ENVIRONMENTAL SETTING

The Plan Area is largely undeveloped. Established uses include grazing, small ranches, and agricultural-residential homes. Most of the land currently used for grazing within the Plan Area is owned by the Project Applicant. The current agricultural operations on the non-participating properties are limited and include mostly small agricultural residential lots, a strawberry farm, and an apiary.

As illustrated in Plate PD-5 in Chapter 2, "Project Description," the Sacramento County General Plan designates the northern portion of the Plan Area as Extensive Industrial and the southern portion adjacent to Jackson Road (also referred to as Jackson Highway) as General Agriculture 20 (minimum parcel sizes of 20 acres). The Plan Area is currently zoned as Light Industrial (M-1), Agricultural 80 (AG-80), and Interim Agricultural Reserve (IR) (see Plate PD-7 in Chapter 2, "Project Description"). As described in Chapter 2, "Project Description," and Chapter 15, "Land Use, Population, and Housing," the AG-80 zone promotes long-term agricultural use and discourages premature and unnecessary conversion of land. Interim zones were established by the County as temporary zones that were intended to be rezoned to one of the permanent land use zones as community plans were adopted. The IR zone is reserved for future industrial uses (Sacramento County 2015, Table 2-2).

Lands to the west of the Plan Area are characterized by agricultural uses, aggregate mining activities, and commercial sales operations. Properties to the east are generally similar to the Plan Area, with grazing and agricultural-residential being the predominant uses. Lands to the north are dominated by the presence of the Mather Field Preserve, the Independence at Mather residential subdivision, and Mather Airport and appurtenant facilities. Properties to the south of the Plan Area are generally agricultural-residential and are planned to be set aside as a wetland preserve as part of the South Sacramento Habitat Conservation Plan.

PROTECTED FARMLAND

FARMLAND MAPPING AND MONITORING PROGRAM DESIGNATION

The State of California maps and classifies farmland through the California Department of Conservation's Farmland Mapping and Monitoring Program (FMMP). The goal of the

FMMP, which updates maps every 2 years, is to document the location and extent of California's agricultural resources so that they can be considered in the planning process. Classifications are based on a combination land use and soil characteristics and climate that determine the degree of suitability of the land for crop production. The classifications under the FMMP are as follows:

- Prime Farmland—land that has the best combination of features to produce agricultural crops;
- Farmland of Statewide Importance—land other than Prime Farmland that has a good combination of physical and chemical features to produce agricultural crops, but that has more limitations than Prime Farmland, such as greater slopes or less ability to store soil moisture;
- Unique Farmland—land of lesser quality soils used to produce the state's leading agricultural cash crops;
- Farmland of Local Importance—land of importance to the local agricultural economy, as defined by each county's Board of Supervisors;
- Sacramento County's definition of Farmland of Local Importance is: Lands which do not qualify as Prime, Statewide, or Unique designation but are currently irrigated crops or pasture or nonirrigated crops; lands that would be Prime or Statewide designation and have been improved for irrigation but are now idle; and lands which currently support confined livestock, poultry operations, and aquaculture.
- Grazing Land—existing vegetation that is suitable for grazing;
- Urban and Built-Up Land—land occupied by structures in density of at least one dwelling unit per 1.5 acres;
- Land Committed to Nonagricultural Use—vacant areas; existing land that has a permanent commitment to development but has an existing land use of agricultural or grazing lands; and
- Other Land— land not included in any other mapping category, common examples of which include low-density rural developments, brush, timber, wetland, and vacant and nonagricultural land surrounded by urban development.

According to the current (2016/2018) California Department of Conservation's FMMP, the Plan Area contains roughly 13 acres of Prime Farmland, 79 61 acres of Farmland of Local Importance, and 1,044 1,059 acres of Grazing Land (see Plate AG-1). The Plan Area does not contain any land designated as Farmland of Statewide Importance or Unique Farmland.

~~In May of 2019, the Project Applicant engaged the California Department of Conservation in a review of the farmland designations of the Plan Area. In August of 2019, the Department of Conservation provided a response to the Project Applicant's request to re-designate roughly 15 acres of the Plan Area along Excelsior Road, north of the Sacramento Raceway. This area is currently mapped as Farmland of Local Importance. There is no recent history of irrigation in the area (which was formerly a Koi farm) and this portion of the Plan Area has slopes that render it unsuitable for growing of crops.~~




Plate AG-1: Farmland Mapping and Monitoring Program Designations

The Department concluded that classification of the area as Prime Farmland in the initial 1988 mapping (which the area kept until release of a field checked map in 1994) may have been based on misinterpretation of available data. Further, the area may not have initially qualified for the Prime Farmland designation because it did not meet the 10-acre minimum size criteria. Therefore, the justification for the current Local Farmland designation based on it being “lands that would be Prime or Statewide designation and have been improved for irrigation but are now idle” is unfounded. The Department of Conservation concurred with the Project Applicant’s assessment that the area should be re-designated as Grazing Land (Wilber, pers. comm., 2019). This change will be reflected in the 2018 map update, anticipated for release in the fall of 2019.

FARMLAND CONVERSION

Over the 10-year period from 2006 to 2016, the California Department of Conservation estimates that the total acreage of Important Farmland in Sacramento County decreased by approximately 763 acres annually, with notable losses to Prime Farmland and gains in Farmland of Local Importance. Table AG-1 summarizes the acreages of agricultural land in Sacramento County between 2006 and 2016 (DOC 2016).

Table AG-1: Farmland Conversion in Sacramento County, 2006-2016

Land Use Category	Acreage by Category (1)						Average Annual Acreage Change (2006 – 2016)
	2006	2008	2010	2012	2014	2016	
Prime Farmland	106,667	104,366	97,477	93,916	91,568	90,691	-1,598
Farmland of Statewide Importance	51,218	49,470	45,263	43,580	43,105	43,342	-788
Unique Farmland	15,267	15,463	15,076	15,060	15,125	15,540	27
Farmland of Local Importance	41,960	43,819	53,929	56,981	58,852	57,910	1,595
Important Farmland Subtotal	215,112	213,118	211,745	209,537	208,650	207,483	-763
Grazing Land	156,979	156,144	155,824	154,744	153,452	153,174	-381
Agricultural Land Subtotal	372,091	369,262	367,569	364,281	362,102	360,657	-1,143
Urban and Built-Up Land	175,523	177,915	178,784	180,246	181,296	182,237	671
Other Land	70,239	70,757	71,585	73,401	74,558	75,069	483
Water Area	18,230	18,147	18,147	18,148	18,120	18,116	-11
Total Area Inventoried	636,083	636,081	636,085	636,076	636,076	636,079	0

Source: DOC 2016

LAFCo PRIME AGRICULTURAL LANDS

The local agency formation commission (LAFCo) utilizes a definition of agricultural lands that differs from those utilized under CEQA. "Prime agricultural land" is defined in Section 56064 of the Cortese-Knox-Hertzberg Local Government Reorganization Act as an area of land that has not been developed for a use other than an agricultural use that meets any of the following qualifications:

- (a) Land that qualifies, if irrigated, for rating as class I or class II in the U.S. Department of Agriculture (USDA) Natural Resources Conservation Service (NRCS) land use capability classification, whether or not land is actually irrigated, provided that irrigation is feasible.

The Plan Area includes 407 acres of soil mapped as capability class II (soil units 158 and 191 in Plate GS-2 in Chapter 12, "Geology, Soils, and Mineral Resources").

- (b) Land that qualifies for rating 80 through 100 Storie Index Rating.

There are 1,206 acres in the Plan Area that are rated between 80 and 100 on the Storie Index (soil units 191, 192, and 193 in Plate GS-2 in Chapter 12, "Geology, Soils, and Mineral Resources").

- (c) Land that supports livestock used for the production of food and fiber and that has an annual carrying capacity equivalent to at least one animal unit per acre as defined by the USDA in the National Range and Pasture Handbook, Revision 1, December 2003.

The USDA National Range and Pasture Handbook specifies that 790 pounds of dry forage per acre per month is needed to support one animal unit (USDA 2003). Based on NRCS soil productivity data, 101 acres of the Plan Area meet this criterion.

- (d) Land planted with fruit or nut-bearing trees, vines, bushes, or crops that have a nonbearing period of less than 5 years and that will return during the commercial bearing period on an annual basis from the production of unprocessed agricultural plant production not less than four hundred dollars (\$400) per acre.

No portion of the Plan Area meets this criterion.

- (e) Land that has returned from the production of unprocessed agricultural plant products an annual gross value of not less than \$400 per acre for three of the previous 5 calendar years.

No portion of the Plan Area meets this criterion.

Table AG-2, below, identifies the areas of the Plan Area that fit the LAFCo criteria for Prime Agricultural Land based on soil type. NRCS soils are mapped in Plate GS-2 in Chapter 12, "Geology and Soils." Most of the Plan Area (1,308 acres) is considered Prime Agricultural Land based on NRCS soil mapping. However, as indicated in the definition above, areas that have been previously developed for non-agricultural use should be removed from the total. Based on interpretation of aerial photography, 77 acres of the raceway property has been developed for a use other than agriculture. After removing the area of developed land, the total area of LAFCo Prime Agricultural Land is 1,231 acres. Note, however, that the discussion of loss of agricultural land in this chapter is based on the 2030 General Plan Policy AG-5 criteria because it is the lead agency.

Table AG-2: LAFCo-defined Prime Agricultural Land in the Plan Area

Map Unit Symbol	NRSC Map Unit Name	Acres in Plan Area	Considered LAFCo Prime Agricultural Land?
157	Hedge loam, 0 to 2 percent slopes	2	No.
158	Hicksville loam, 0 to 2 percent slopes, occasionally flooded	15	Yes. NRCS Irrigated Capability Class II.
191	Red Bluff loam, 0 to 2 percent slopes	395	Yes. NRCS Irrigated Capability Class II and Grade 1 Storie Index rating.
192	Red Bluff loam, 2 to 5 percent slopes	245	Yes. Grade 1 Storie Index rating.
193	Red Bluff-Redding complex, 0 to 5 percent slopes	552	Yes. Grade 1 Storie Index rating.
198	Redding gravelly loam, 0 to 8 percent slopes	74	Yes. Meets carrying capacity potential for dry forage.
214	San Joaquin silt loam, 0 to 3 percent slopes	30	No.
239	Xerarents-Redding complex, 0 to 2 percent slopes	27	Yes. Meets carrying capacity potential for dry forage.
247	Water	10	No.
Total Considered LAFCo Prime Agricultural Land based on soil type		1,308	

Source: NRCS, Web Soil Survey, National Cooperative Soil Survey. April 28, 2016.

REGULATORY SETTING

FEDERAL

There are no federal policies or regulations applicable to the analysis of agricultural resources.

STATE

WILLIAMSON ACT

The Williamson Act, also known as the California Land Conservation Act of 1965, enables local governments to enter into contracts with private landowners for the purpose of restricting specific parcels of land to agricultural or related open space uses. When the County enters into a contract with the landowners under the Williamson Act, the landowner agrees to limit the use of the land to agriculture and compatible uses for a period of at least 10 years and the County agrees to tax the land at a rate based on the agricultural production of the land, rather than its real estate market value.

The Plan Area does not contain any properties under an active Williamson Act contract. There are two former Williamson Act properties located within the Plan Area, but both had notices of non-renewal filed in the 1980s, and the contracts expired in the 1990s.

The closest active Williamson Act contracts are 0.1 mile southeast and 0.25 mile south of the Plan Area. Multiple other active Williamson Act contract properties are located southeast of the Plan Area.

PUBLIC RESOURCES CODE

The CEQA Statute, Public Resources Code Section 21060.1, defines “agricultural land” as: prime farmland, farmland of statewide importance or unique farmland, as defined by the United States Department of Agriculture land inventory and monitoring criteria, as modified for California.

LOCAL

SACRAMENTO LAFCo

The Project would be subject to the following standards related to agricultural resources from LAFCo’s Policies, Standards, and Procedures Manual (2007). LAFCo may make exceptions to these general and specific standards if it determines that such exceptions: are necessary because of unique circumstances; are required to resolve conflicts between general and specific standards; result in improved quality or lower cost of services available; or there exists no feasible or logical alternative.

Chapter IV, Selected General Standards, Standard E. Agricultural Land Conservation. LAFCo will exercise its powers to conserve agricultural land pursuant to the following standards:

- Standard E.1. LAFCo will approve a change of organization or reorganization which will result in the conversion of prime agricultural land in open space use to other uses only if the Commission finds that the proposal will lead to the planned, orderly, and efficient development of an area. For purposes of this standard, a proposal leads to the planned, orderly, and efficient development of an area only if all of the following criteria are met:
 - a. The land subject to the change of organization or reorganization is contiguous to either lands developed with an urban use or lands which have received all discretionary approvals for urban development.
 - b. The proposed development of the subject lands is consistent with the Spheres of Influence Plan, including the Master Services Element of the affected agency or agencies;
 - c. Development of all, or a substantial portion of, the subject land is likely to occur within five years. In the case of very large developments, annexation should be phased whenever feasible. If the Commission finds phasing infeasible for the specific reasons, it may approve annexation if all or a substantial portion of the subject land is likely to develop within a reasonable period of time.
 - d. Insufficient vacant non-prime lands exists within the applicable Spheres of Influence that are planned, accessible, and developable for the same general type of use.

- e. The proposal will have no significant adverse effect on the physical and economic integrity of other agricultural lands. In making this determination, LAFCo will consider the following factors:
 - (1) The agricultural significance of the subject and adjacent areas relative to other agricultural lands in the region.
 - (2) The use of the subject and adjacent areas.
 - (3) Whether public facilities related to the proposal would be sized or situated so as to facilitate the conversion of adjacent to nearby agricultural land, or will be extended through or adjacent to, any other agricultural lands which lie between the project site and existing facilities.
 - (4) Whether natural or man-made barriers serve to buffer adjacent or nearby agricultural lands from the effects of the proposed development.
 - (5) Applicable provisions of the General Plan open space and land use elements, applicable growth-management policies, or other statutory provisions designed to protect agriculture.

SACRAMENTO COUNTY 2030 GENERAL PLAN

The following policies of the 2030 General Plan are applicable to the Project:

- AG-4. Prospective buyers of property adjacent to agricultural land shall be notified through the title report that they could be subject to inconvenience or discomfort resulting from accepted farming activities as per provisions of the County's right-to-farm ordinance.
- AG-5. Projects resulting in the conversion of more than fifty (50) acres of farmland shall be mitigated within Sacramento County, except as specified in the paragraph below, based on a 1:1 ratio, for the loss of the following farmland categories through the specific planning process or individual project entitlement requests to provide in-kind or similar resource value protection (such as easements for agricultural purposes):
 - prime, statewide importance, unique, local importance, and grazing farmlands located outside the USB;
 - prime, statewide importance, unique, and local importance farmlands located inside the USB.

The Board of Supervisors retains the authority to override impacts to Unique, Local, and Grazing farmlands, but not with respect to Prime and Statewide farmlands. However, if that land is also required to provide mitigation pursuant to a Sacramento County endorsed or approved habitat conservation plan (HCP), then the Board of Supervisors may consider the mitigation land provided in accordance with the HCP as meeting the requirements of this section including land outside of Sacramento County.

Note: This policy is not tied to any maps contained in the Agricultural Element. Instead, the most current Important Farmland map from the Department of Conservation should be used to calculate mitigation.

COMMUNITY PLANS

CORDOVA COMMUNITY PLAN

The Cordova Community Plan does not contain objectives related to agricultural resources that would apply to the Project.

VINEYARD COMMUNITY PLAN

Although the Vineyard Community Plan does contain agricultural policies and programs that generally support agriculturally compatible development proposals, none apply specifically to the Project.

SACRAMENTO COUNTY CODE 14.05 (AGRICULTURAL ACTIVITIES)

Sacramento County has adopted a right-to-farm ordinance to provide legal assurance that established agricultural operations are allowed to continue, and to inform residents of areas zoned or designated for agriculture that they may be subject to inconvenience or discomfort resulting from accepted agricultural operations. This ordinance does not, however, prevent residents of farming areas from complaining about such inconvenience or discomfort.

IMPACTS AND ANALYSIS

SIGNIFICANCE CRITERIA

Based on the CEQA Guidelines Appendix G, an impact to agricultural resources is significant if the Project results in any of the following:

1. Substantial conflict with existing zoning for agricultural use, or a Williamson Act contract.
2. Conversion of a substantial amount of Prime Farmland, Unique Farmland, or Farmland of Statewide Importance to non-agricultural use.
3. Substantial conflict with existing, adjacent agricultural uses.
4. Result in the loss of forest land or conversion of forest land to non-forest uses.

In addition to the CEQA Guidelines criteria for significance of farmland loss, 2030 General Plan Policy AG-5 defines substantial farmland loss as 50 acres. The CEQA Guidelines indicate that Prime, Statewide Importance, and Unique Farmland loss may be a significant impact, but the 2030 General Plan further includes Farmland of Local Importance and Grazing Land – though in the case of Grazing Land, the threshold specifically applies only to such lands which occur outside of the USB.

ISSUES NOT DISCUSSED FURTHER

There are no forestry resources on or adjacent to the Plan Area. Because there are no forest land, timberland, or timberland production areas, the Project would not conflict with forest land zoning or result in the conversion or loss of forest land. Therefore, no impacts would occur related to forest land resources, and this issue is not evaluated further.

The Plan Area includes areas zoned AG-80 and IR. As part of the Project, the zoning of 221 acres currently designated AG-80 and 23.5 acres currently designated IR would be changed to Jackson Township Special Planning Area. Because the entitlements requested as components of the Project would change the zoning to make it consistent with the proposal, the conflict with zoning for agricultural use within the Plan Area is not discussed further.

There are no active Williamson Act contracts within the Plan Area, or adjacent to the Plan Area. There are parcels in active Williamson Act contracts in the vicinity, primarily south of Jackson Road, but none directly adjacent to the Plan Area. Because no Williamson Act parcels are located within or adjacent to the Plan Area, implementation of the Proposed Project would not result in conflicts with Williamson Act contracts, and there would be no impact on Williamson Act properties.

METHODOLOGY

The following evaluation of potential impacts associated with agricultural resources is based on a review of planning documents, including policies of the 2030 General Plan, field reviews, and maps. The impact assumes that entire Plan Area would be developed consistent with the Land Use Plan, although there are a few areas within the Plan Area that may continue existing land uses for the time being, including some smaller scale agricultural activities on the non-participating properties.

Although this chapter is intended to provide the information necessary for Sacramento LAFCo to evaluate the effects of maintaining the physical and economic integrity of agricultural lands consistent with Standard E.1 of the Policies, Standards, and Procedures Manual, the impact evaluation is based on the thresholds established in the State CEQA Guidelines and the mitigation requirements in 2030 General Plan Policy AG-5. Conversion of more than 50 acres of Farmland classified as Prime, Statewide Importance, Unique, or Local Importance within the USB is considered a significant impact. Furthermore, Policy AG-5 specifies mitigation calculations are based on the most current Important Farmland map prepared by the Department of Conservation. ~~Therefore, the following analysis is based on the 2016 FMMP, which is the most current map publicly available; although it is acknowledged that a portion of the Plan Area has been identified or re-designation in the 2018 FMMP.~~

IMPACT: CONVERT PROTECTED ONSITE FARMLAND TO NON-AGRICULTURAL USES

PROPOSED PROJECT

Implementation of the Project would convert approximately 13 acres of Prime Farmland located near the center of the Plan Area, and ~~79~~ 61 acres of Farmland of Local Importance (Plate AG-1) to non-agricultural use. This represents roughly 44 ~~8~~ percent of the average annual conversion of Important Farmland in Sacramento County (see Table AG-1). The remaining portions of the Plan Area are designated as Grazing, Urban and Built Up, or Other lands. Because implementation of the Project would convert a total of ~~82~~ 62 acres of Prime Farmland and Farmland of Local Importance, this conversion would be a **significant** impact.

~~As noted above, the Department of Conservation is in the process of reclassifying approximately 15 acres of land located at the northwest corner of the Plan Area that is inaccurately designated as Farmland of Local Importance. This land will be reclassified as Grazing land in the 2018 FMMP map, which is currently scheduled for completion in fall of 2019. Once the map has been revised, the impact on Farmland of Local Importance would be reduced by approximately 15 acres.~~

Note that although the Project includes the retention of roughly 109 acres of Grazing land at the southeast quadrant of the Plan Area that would remain zoned as agricultural land, this area is being considered in this analysis as a potential future growth area that could be converted to urban uses at a later, unknown date. Because this entire area is currently classified as Grazing, no mitigation would be necessary if it was converted from agricultural to urban uses unless the FMMP classification of the area changes prior to conversion of the land.

Implementation of Mitigation Measure AG-1 would require preservation of Farmland at a 1:1 ratio, consistent with Policy AG-5 of the 2030 General Plan. Policy AG-5 acknowledges that the Board of Supervisors retains the ability to override impacts to Farmland of Local Importance and Grazing Land and, if land is required to provide mitigation pursuant to the South Sacramento Habitat Conservation Plan, that the Board of Supervisors may consider the mitigation land as meeting the requirements of that policy. However, even with this mitigation, it must be recognized that prime soils are a finite resource. When an area is permanently taken out of agricultural production, there has been a net-loss of agricultural lands. Other agricultural lands may be preserved through compliance with mitigation, but new agricultural soils will not be created. There would be a substantial net-loss of agricultural production within Sacramento County as a result of the Project, and impacts would be **significant and unavoidable**.

ALTERNATIVE 2

Alternative 2 would result in **significant** impacts to protected farmland because more than 50 acres of Prime Farmland and Farmland of Local Importance would be converted. Implementation of Mitigation Measure AG-1 would require preservation of Farmland at a 1:1 ratio, consistent with Policy AG-5 of the 2030 General Plan. However, because prime soils are a finite resource and new agricultural soils would not be

created there would be a substantial net-loss of agricultural production within Sacramento County. The impact would be **significant and unavoidable**.

MITIGATION MEASURES

AG-1: Prior to Sacramento County's approval of onsite grading permits or improvement plans, building permits, or recordation of the final map within the portion of the Plan Area where Prime or Local Importance Farmland is impacted, whichever occurs first, the ~~Project Applicant~~ developers of the Jackson Township Specific Plan shall demonstrate that adequate land has been set aside through participation in the South Sacramento Habitat Conservation Plan to offset the loss of Important Farmland within the portion of the Plan Area proposed for development. Acreage of land preserved shall, at a minimum, result in a 1:1 preservation ratio for the portion of the Plan Area under consideration. ~~through 1:1 preservation of farmland within a permanent conservation easement. The impact acreage requiring offset shall be based on the most current FMMP at the time of the County's approval. Preservation land must be in-kind or of similar resource value.~~

IMPACT: CONFLICT WITH EXISTING, ADJACENT AGRICULTURAL USE AND ZONING

PROPOSED PROJECT

Agricultural operations may create risks and nuisances for urban residences, schools, and businesses. Conversely, urban land uses and the associated population create operational difficulties for agriculture. Health risks and nuisances potentially created by agricultural operations in the Plan Area include the following:

- exposure to pesticide and herbicide applications,
- exposure to smoke (from burning) and dust (from soil preparation),
- exposure to noise (from machinery and trucks),
- hazards to children (irrigation channels and ditches), and
- exposure to mosquitoes breeding in flooded fields.

These potential nuisances and other aspects of urban land uses, including rising land values, can affect agriculture negatively. Negative effects of urban uses on agriculture could include the following:

- interference with agricultural operations (e.g., limitations on pesticide/herbicide applications, burning, operational hours);
- trespassing, vandalism, and theft because of the proximity of urban uses to agricultural areas; and
- land value impacts because of the proximity to urban areas which tends to increase land values in anticipation of future urban development. This increase

reduces the probability that farmers would make long-term investments to maintain the productive potential of the land.

There are no intensive agricultural uses, such as cultivating row crops, taking place on any of the lands adjacent to the Plan Area, though there are some grazing and agricultural-residential uses. The closest intensive agricultural uses appear to be row crops that are 3,000 feet southwest of the Plan Area. Livestock grazing usually involves a lesser degree of conflict, because the intensity of the activity is reduced when compared to row crops. The uses proposed within the Plan Area are compatible with the existing uses adjacent and nearby because the nearest intensive agricultural activities are far enough away to not cause conflicts.

Within the Plan Area some of the non-participating properties are zoned as AG-80 (see Plate PD-7 in Chapter 2, "Project Description"). However, most are smaller than 80 acres in size, and, therefore, cannot accommodate intensive agricultural operations that tend to be associated with major nuisances such as those listed above. The current agricultural operations on the non-participating properties are limited and include mostly small agricultural residential lots, a strawberry farm, and an apiary. Furthermore, most of the land currently used for grazing within the Plan Area is owned by the Project Applicant and would be developed as part of the Project. Given the lack of intensive farming, impacts related to conflict with existing, adjacent agricultural uses would be **less than significant**.

Although significant impacts are not anticipated, Mitigation Measure AG-2 is has been included to ensure compliance with 2030 General Plan Policy AG-4 and not to reduce any potentially significant impact. This mitigation would require noticing to future property owners about potential inconveniences due to nearby agricultural activities. Purchasers of properties adjacent to Excelsior Road, Jackson Road, and a non-participating property are required to receive notice through the title report that they could be subject to inconvenience or discomfort resulting from accepted farming activities as per provisions of the County Right-To-Farm Ordinance (Sacramento County Code Chapter 14.05) and 2030 General Plan Policy AG-4. Buyers along the eastern side of the Plan Area would be buffered by the wetland preserve from any possible agricultural operations to the east.

ALTERNATIVE 2

Alternative 2 would result in the same general potential for conflict with existing, adjacent agricultural use and zoning as the Project. The current agricultural operations on adjacent and non-participating properties are limited and include mostly small agricultural residential lots. In addition, buyers of properties adjacent to Excelsior Road, Jackson Road, and a non-participating property are required to receive notice through the title report that they could be subject to inconvenience or discomfort resulting from accepted farming activities as per provisions of the County Right-To-Farm Ordinance (Sacramento County Code Chapter 14.05) and 2030 General Plan Policy AG-4, as proposed in Mitigation Measure AG-2. Impacts would be **less than significant**.

MITIGATION MEASURES

AG-2: To ensure compliance with Sacramento County General Plan Policy AG-4, all prospective buyers of properties within 500 feet to the east of Excelsior Road and north of Jackson Road shall receive a recorded notice that would appear in the Title Report that they could be subject to inconvenience or discomfort resulting from accepted farming activities as per provisions of the Sacramento County Right-To-Farm Ordinance.

6 AIR QUALITY

INTRODUCTION

This chapter assesses the potential air quality effects caused by stationary, mobile, and area sources related to construction and operation of the Project or Alternative 2, as well as the potential for the Project to generate objectionable odors, in consideration of the updated 2019 CEQA Guidelines questions. This chapter also describes the climate in the Plan Area; existing air quality conditions in the Plan Area for criteria air pollutants and toxic air contaminants (TACs); odors; and applicable federal, State, and regional air quality standards. Mitigation is provided, where necessary and appropriate to address impacts. For further discussion of the Project's potential contributions to global greenhouse gas (GHG) emissions, refer to Chapter 9, "Climate Change."

This chapter is based on information presented in the *Revision 32 - Updated Air Quality Mitigation Plan and Greenhouse Gas Reduction Plan for the Proposed Jackson Township Specific Plan* (AQMP), prepared by Kleinfelder in 2019 2022 and included in Appendix AQ-1 to this ~~Recirculated Draft~~ EIR. Revision 3 to the AQMP reflects the Sacramento Metropolitan Air Quality Management District's (SMAQMD's) most recent applicable guidance (*Recommended Guidance for Land Use Emission Reductions Version 4.3*); the California Air Pollution Control Officers Association's 2021 *Handbook for Analyzing Greenhouse Gas Emissions Reductions, Assessing Climate Vulnerabilities, and Advancing Health and Equity*; Version 2020.4.0 of the California Emissions Estimator Model (CalEEMod); and vehicle miles traveled (VMT) estimates from the County's 2022 VMT Analysis technical memorandum; and changes to the construction start schedule from 2020 to 2025 and ~~first date of operation full buildout~~ from 2035 to 2040.

Additionally, in response to new guidance developed and adopted by the ~~Sacramento Metropolitan Air Quality Management District (SMAQMD)~~ in response to the 2019 California Supreme Court Case *Sierra Club v. County of Fresno* (2018) (6 Cal.App.5th 503) (hereafter referred to as the Friant Ranch Decision), this analysis ~~has been amended and recirculated~~ to demonstrate consistency with SMAQMD's *Final Guidance to Address the Friant Ranch Ruling for CEQA Projects in the Sac Metro Air District* (Final Guidance), adopted in October 2020. The findings of this analysis are summarized in Appendix AQ-2 to this ~~Recirculated Draft~~ EIR.

Two letters identifying air quality as a concern were received during the NOP scoping process. The Environmental Council of Sacramento requested that the EIR address the Project's impact on the Sacramento Area Council of Governments (SACOG) Metropolitan Transportation Plan and Sustainable Communities Strategy (MTP/SCS) and the State Implementation Plan (SIP). SMAQMD requested that the EIR analyze operational emissions and connectivity with all adjacent projects considering all modes of transit. In addition, SMAQMD requested that the Project Applicant prepare an AQMP. These concerns are addressed in this chapter, as appropriate. A copy of the NOP and comment letters received in response to the NOP are included in Appendix INT-2 of this ~~Draft~~ EIR.

ENVIRONMENTAL SETTING

LOCATION, CLIMATE, AND ATMOSPHERIC CONDITIONS

The Plan Area is in central Sacramento County, which is located within the southern end of the Sacramento Valley Air Basin (SVAB). The SVAB is a relatively flat area bordered by the north Coast Ranges to the west and the northern Sierra Nevada to the east. Air flows into the SVAB through the Carquinez Strait, the only breach in the western mountain barrier, and moves across the Sacramento River–San Joaquin River Delta from the San Francisco Bay area.

The Mediterranean climate type of the SVAB is characterized by hot, dry summers and cool, rainy winters. During the summer, daily temperatures range from 50 degrees Fahrenheit (°F) to more than 100°F. The inland location and surrounding mountains shelter the area from much of the ocean breezes that keep the coastal regions moderate in temperature. Most precipitation in the area results from air masses that move in from the Pacific Ocean, usually from the west or northwest, during the winter months. More than half the total annual precipitation falls during the winter rainy season (November through February); the average winter temperature is a moderate 49°F. Also characteristic of SVAB winters are periods of dense and persistent low-level fog, which are most prevalent between storms. The prevailing winds are moderate in speed and vary from moisture-laden breezes from the south to dry land flows from the north.

The mountains surrounding the SVAB create a barrier to airflow, which leads to the entrapment of air pollutants when meteorological conditions are unfavorable for transport and dilution. The highest frequency of poor air movement occurs in the fall and winter when high-pressure cells are present over the SVAB. The lack of surface wind during these periods, combined with the reduced vertical flow caused by a decline in surface heating, reduces the influx of air and leads to the concentration of air pollutants under stable meteorological conditions. Surface concentrations of air pollutant emissions are highest when these conditions occur in combination with agricultural burning activities or with temperature inversions, which hamper dispersion by creating a ceiling over the area and trapping air pollutants near the ground.

May through October is ozone season in the SVAB. This period is characterized by poor air movement in the mornings with the arrival of the Delta sea breeze from the southwest in the afternoons. In addition, longer daylight hours provide a plentiful amount of sunlight to fuel photochemical reactions between reactive organic gases (ROG) and nitrogen oxides (NO_x), which result in ozone formation. Typically, the Delta breeze transports air pollutants northward out of the SVAB; however, a phenomenon known as the Schultz Eddy prevents this from occurring during approximately half of the time from July to September. The Schultz Eddy phenomenon causes the wind to shift southward and blow air pollutants back into the SVAB. This phenomenon exacerbates the concentration of air pollutant emissions in the area and contributes to the area violating the ambient-air quality standards.

The local meteorology of the Plan Area and surrounding area is represented by measurements recorded at the Western Regional Climate Center (WRCC) Sacramento 5 ESE station. The normal annual precipitation is approximately 18 inches. January

temperatures range from a normal minimum of 39.6°F to a normal maximum of 53.5°F. July temperatures range from a normal minimum of 59.2°F to a normal maximum of 91.7°F (WRCC 2016). The predominant wind direction is from the south (WRCC 2002) and west (Kleinfelder 2015).

CRITERIA AIR POLLUTANTS

Concentrations of emissions from criteria air pollutants are used to indicate the quality of the ambient air. A brief description of key criteria air pollutants in the SVAB and their health effects is provided below. Criteria air pollutants include ozone, carbon monoxide (CO), nitrogen dioxide (NO₂), sulfur dioxide (SO₂), particulate matter (PM₁₀ and PM_{2.5}), and lead. However, for the purposes of this analysis, criteria air pollutants of primary concern due to their nonattainment status include ozone (and ozone precursors) and particulate matter. The California ambient air quality standards (CAAQS) and the national ambient air quality standards (NAAQS) are summarized in Table AQ-1 and Sacramento County's attainment status under the CAAQS and NAAQS are shown in Table AQ-2.

Table AQ-1: State and Federal Ambient Air Quality Standards

Pollutant	Symbol	Average Time	Standard, as parts per million		Standard, as micrograms per cubic meter		Violation Criteria	
			California	National	California	National	California	National
Ozone	O ₃	1 hour	0.09	--	180	--	If exceeded	If exceeded more than 3 days in 3 years
		8 hours	0.070	0.070	137	--	If exceeded	If exceeded more than 3 days in 3 years
Carbon monoxide	CO	8 hours	9.0	9	10,000	10,000	If exceeded	If exceeded more than 1 day per year
		1 hour	20	35	23,000	40,000	If exceeded	If exceeded more than 1 day per year
Nitrogen dioxide	NO ₂	Annual arithmetic mean	0.030	0.053	57	100	If exceeded	If exceeded
		1 hour	0.18	0.100	339	188	If exceeded	If exceeded
Sulfur dioxide	SO ₂	24 hours	0.04	--	105	--	If exceeded	If exceeded more than 1 day per year
		3 hours	--	0.5	--	1,300	N/A	If exceeded more than 1 day per year
		1 hour	0.25	0.075	655	196	If exceeded	N/A
Hydrogen sulfide	H ₂ S	1 hour	0.03	--	42	--	If ≥	N/A
Vinyl chloride	C ₂ H ₃ Cl	24 hours	0.01	--	26	--	If ≥	N/A

Pollutant	Symbol	Average Time	Standard, as parts per million		Standard, as micrograms per cubic meter		Violation Criteria	
			California	National	California	National	California	National
Respirable particulate matter	PM ₁₀	Annual arithmetic mean	--	--	20	--	If exceeded	N/A
		24 hours	--	--	50	150	If exceeded	If exceeded more than 1 day per year
Fine particulate matter	PM _{2.5}	Annual arithmetic mean	--	--	12	12	If exceeded	If exceeded over 3-year average
		24 hours	--	--	--	35	If exceeded	If exceeded over 3-year average
Sulfate particles	SO ₄	24 hours	--	--	25	--	If ≥	N/A
Lead particles	Pb	Calendar Quarter	--	--	--	1.5	N/A	If exceeded more than 1 day per year
		Rolling 3-month average	--	--	--	0.15	If ≥	N/A
		30-day average	--	--	1.5	--	If ≥	N/A

1. All standards are based on measurements at 25 C and 1 atmosphere pressure.

2. National standards shown are the primary (health effects) standards.

3. N/A = not applicable

Source: California Air Resources Board. "Ambient Air Quality Chart." June 4, 2013. Accessed: July 6, 2015.
<http://www.arb.ca.gov/research/aaqs/aaqs2.pdf>

Table AQ-2: Sacramento County Attainment Status

Pollutant	Federal Standard	State Standard
Ozone	Attainment (1-hour Standard ¹)	Nonattainment (1-hour Standard ²) Classification=Serious
	Nonattainment (8-hour Standard ³) Classification=Severe	Nonattainment (8-hour Standard)
	Nonattainment (8-hour Standard ⁴) Classification=Severe	
Particulate Matter 10 Micron	Attainment (24-hour standard)	Nonattainment (24-hour Standard)
		Nonattainment (Annual Mean)
Particulate Matter 2.5 Micron	Nonattainment (24-hour Standard)	(No State Standard for 24-hour Standard)
	Attainment (Annual Standard)	Attainment (Annual Standard)
Carbon Monoxide	Attainment (1-hour Standard)	Attainment (1-hour Standard)
	Attainment (8-hour Standard)	Attainment (8-hour Standard)
Nitrogen Dioxide	Unclassified/Attainment (1-hour Standard)	Attainment (1-hour Standard)
	Unclassified/Attainment (Annual Standard)	Attainment (Annual Standard)
Sulfur Dioxide	Attainment (Pending) (1-hour Standard)	Attainment (1-hour Standard)
		Attainment (8-hour Standard)
Lead	Attainment (3-month rolling average)	Attainment (30-day average)
Visibility Reducing Particles	No Federal Standard	Unclassified (8-hour Standard)
Sulfates		Attainment (24-hour Standard)
Hydrogen Sulfide		Unclassified (1-hour Standard)

¹. Air Quality meets federal 1-hour Ozone standard (77 FR 64036). EPA revoked this standard, but some associated requirements still apply. SMAQMD attained the standard in 2009. SMAQMD has requested EPA recognize attainment to fulfill the requirements.

². Per Health and Safety Code (HSC) Section 40921.5(c), the classification is based on 1989 – 1991 data, and therefore does not change.

³. For the 1997 Standard.

⁴. For the 2008 Standard.

Source: SMAQMD 2017.

OZONE

Ozone is a photochemical oxidant (a substance whose oxygen combines chemically with another substance in the presence of sunlight) and the primary component of smog. Ozone is not directly emitted into the air but is formed through complex chemical reactions between precursor emissions of ROG and NO_x in the presence of sunlight. ROG are volatile organic compounds (VOCs) that are photochemically reactive. ROG emissions result primarily from incomplete combustion and the evaporation of chemical solvents and fuels. NO_x are a group of gaseous compounds of nitrogen and oxygen that result from the combustion of fuels. Emissions of the ozone precursors ROG and NO_x have decreased over the past several years because of more stringent motor vehicle standards and cleaner burning fuels. Emissions of ROG and NO_x decreased from 2000 to 2010 and are projected to continue decreasing from 2010 to 2035 (CARB 2013).

Acute health effects of ozone exposure include increased respiratory and pulmonary resistance, cough, pain, shortness of breath, and lung inflammation. Chronic health effects include permeability of respiratory epithelia and possibility of permanent lung impairment (EPA 2017).

NITROGEN DIOXIDE

NO₂ is a brownish, highly reactive gas that is present in all urban environments. The major human-made sources of NO₂ are combustion devices, such as boilers, gas turbines, and mobile and stationary reciprocating internal combustion engines. Combustion devices emit primarily nitric oxide (NO), which reacts through oxidation in the atmosphere to form NO₂. The combined emissions of NO and NO₂ are referred to as NO_x and are reported as equivalent NO₂. Because NO₂ is formed and depleted by reactions associated with photochemical smog (ozone), the NO₂ concentration in a geographical area may not be representative of the local sources of NO_x emissions (EPA 2017).

Acute health effects of exposure to NO_x includes coughing, difficulty breathing, vomiting, headache, eye irritation, chemical pneumonitis, or pulmonary edema, breathing abnormalities, cough, cyanosis, chest pain, rapid heartbeat, and death. Chronic health effects include chronic bronchitis and decreased lung function (EPA 2017).

PARTICULATE MATTER

Respirable particulate matter with an aerodynamic diameter of 10 micrometers or less is referred to as PM₁₀. PM₁₀ consists of particulate matter emitted directly into the air, such as fugitive dust, soot, smoke from mobile and stationary sources, construction operations, fires and natural windblown dust, and particulate matter formed in the atmosphere by reaction of gaseous precursors (CARB 2013). PM₁₀ emissions in the SVAB are dominated by emissions from area sources, primarily fugitive dust from vehicle travel on unpaved and paved roads, farming operations, construction and demolition, and particles from residential fuel combustion. Direct emissions of PM₁₀ are projected to remain relatively constant through 2035 (CARB 2013).

PM₁₀ pollution can result in damage to vegetation and is often responsible for much of the haze regarded as smog. In addition, controlled human exposure studies have shown that exposure to elevated levels of PM₁₀ causes adverse health effects, especially related to the inhibition of lung functions and an increase in respiratory and cardiovascular afflictions, as well as cancer risks. PM₁₀ causes a greater health risk than larger particles because fine particles are too small for the natural filtering process of the human body and can more easily penetrate the defenses of the human respiratory system (CARB 2017). Individuals with preexisting respiratory or cardiovascular disease are especially susceptible to the adverse effects of PM₁₀ exposure, as are asthmatic children and the elderly. Children exposed to high concentrations of PM for prolonged periods exhibit decreased immune function as well. Additionally, associations between long-term exposure to PM and adverse cognitive effects, such as faster cognitive decline, including memory and attention span loss, are being further examined by health researchers (CARB 2017).

Fine particulate matter (PM_{2.5}) includes a subgroup of smaller particles that have an aerodynamic diameter of 2.5 micrometers or less. Direct emissions of PM_{2.5} have steadily declined in the SVAB between 2000 and 2010 but are projected to increase very slightly through 2035. Emissions of PM_{2.5} in the SVAB are dominated by the same sources as emissions of PM₁₀ (CARB 2013).

As PM_{2.5} is smaller than PM₁₀, it can more deeply penetrate the human body through inhalation, allowing many chemicals harmful to human health to be carried to internal organs. Long-term exposure to these particulates can increase the chance of chronic respiratory disease and cause lung damage and irregular heartbeat. Research has also linked long-term PM_{2.5} exposure and increased mortality from cardiovascular disease, well as impaired respiratory and immune function (Ostro et al. 2014). Short-term exposure can aggravate respiratory illnesses such as bronchitis and asthma and cause heart attacks and arrhythmias in people with heart disease. Additionally, an estimated 9,000 people die prematurely each year in California as a result of PM_{2.5} exposure (CARB 2013). A safe threshold for PM_{2.5} has not been established and research indicates that health effects exist at low concentrations. In addition, the U.S. Environmental Protection Agency (EPA) has concluded that there is a suggestive relationship between long-term exposure to PM_{2.5} and cancer, mutagenicity, genotoxicity, and reproductive and developmental health effects (SMAQMD 2019a:4).

EXISTING AIR QUALITY CONDITIONS

The Sacramento Metropolitan Area is a federal ozone non-attainment area and one of the top ten worst air quality areas nationally. In Sacramento County, pollutants of greatest concern are ozone precursors (hydrocarbons and nitrogen oxides), carbon monoxide (CO), PM₁₀ and PM_{2.5}, and other visibility-reducing material. Table AQ-2 denotes the attainment and nonattainment status for the NAAQS and CAAQS for criteria air pollutants.

The Sacramento Federal Nonattainment Area for ozone (SFNA) is comprised of five air districts in the southern portion of the Sacramento air basin. The SFNA air districts include all of Sacramento and Yolo counties, and portions of El Dorado, Placer, Sutter and Solano counties. Except for ozone and particulate matter standards, this area is in

attainment for all CAAQS and NAAQS. However, the SFNA is designated a “severe” nonattainment area for the 8-hour NAAQS for ozone. As a part of the SFNA, Sacramento County is out of compliance with the 1-hour CAAQS and the 8-hour NAAQS for ozone.

With respect to PM, Sacramento County is designated as nonattainment for the State PM₁₀ 24-hour standard and annual mean standard, the State PM_{2.5} annual standard, and the federal PM_{2.5} 24-hour standard.

Ambient air quality standards provide the definition for clean air. Specifically, the NAAQS and CAAQS establish the concentration above which a pollutant is known to cause adverse health effects to sensitive groups within the population, such as children and the elderly. Because these standards have been established for specific pollutants using health-based criteria, the pollutants for which standards have been set are known as “criteria” pollutants. For some of the criteria air pollutants, the State standards are more stringent than the federal standards. The differences in the standards are due to variations in health studies and interpretations involved in the standard-setting process.

The amount of pollutants released and the atmosphere’s ability to transport and dilute the pollutants affect a given pollutant’s concentration in the atmosphere. Factors affecting transport and dilution include terrain, wind, atmospheric stability, and, for photochemical pollutants, sunlight. Sacramento’s poor air quality can largely be attributed to emissions, geography, and meteorology.

From 2015 to 2017, deaths from lung cancer in Sacramento County averaged 540 persons annually. The County also experienced an annual average of 1,609 and 688 deaths from coronary heart disease and stroke, respectively. Chronic respiratory disease and influenza/pneumonia also claimed 610 and 236 lives per year within this period (CDPH 2019). While these deaths are not solely attributable to exposure to high levels of air pollution, poor ambient air quality can exacerbate existing conditions and may accelerate physical deterioration associated with chronic conditions, such as asthma, cancer, autoimmune diseases, and respiratory and pulmonary illness.

TOXIC AIR CONTAMINANTS

According to the California Air Resources Board’s (CARB’s) *California Almanac of Emissions and Air Quality*, the majority of the estimated health risks from TACs can be attributed to relatively few compounds, the most important being diesel PM (CARB 2013). Diesel PM differs from other TACs in that it is not a single substance, but rather a complex mixture of hundreds of substances. Although diesel PM is emitted by diesel-fueled internal combustion engines, the composition of the emissions varies depending on engine type, operating conditions, fuel composition, lubricating oil, and whether an emissions control system is being used. Unlike the other TACs, no ambient monitoring data are available for diesel PM because no routine measurement method currently exists. However, CARB has made preliminary concentration estimates based on a PM exposure method. This method uses the CARB emissions inventory’s PM₁₀ database, ambient PM₁₀ monitoring data, and the results from several studies to estimate concentrations of diesel PM. In addition to diesel PM, the TACs for which data are available that pose the greatest existing ambient risk in California are benzene, 1,3-

butadiene, acetaldehyde, carbon tetrachloride, hexavalent chromium, para-dichlorobenzene, formaldehyde, methylene chloride, and perchloroethylene.

Of these TACs, diesel PM poses the greatest health risk. Based on receptor modeling techniques, CARB estimated its health risk to be 360 excess cancer cases per million people in the SVAB in the year 2000. Since 1990, the health risk associated with diesel PM has been reduced by 52 percent. Overall, levels of most TACs, except para-dichlorobenzene and formaldehyde, have decreased since 1990 (CARB 2013).

ODORS

Odors are generally regarded as an annoyance rather than a health hazard. However, manifestations of a person's reaction to foul odors can range from psychological (e.g., irritation, anger, or anxiety) to physiological (e.g., circulatory and respiratory effects, nausea, vomiting, and headache). The ability to detect odors varies considerably among the population and overall is quite subjective. Some individuals can smell very minute quantities of specific substances; others may not have the same sensitivity but may have sensitivities to odors of other substances. In addition, people may have different reactions to the same odor; an odor that is offensive to one person may be perfectly acceptable to another (e.g., fast food restaurant). It is important to also note that an unfamiliar odor is more easily detected and is more likely to cause complaints than a familiar one. This is because of the phenomenon known as odor fatigue, in which a person can become desensitized to almost any odor and recognition only occurs with an alteration in the intensity.

The eastern boundary of the Plan Area is located approximately 0.5 mile west of the existing Sacramento Rendering Company plant, a facility that accepts animal materials, processes it, and then distributes the byproduct for use in the manufacture of other goods. ~~The eastern boundary of the~~ entirety of the Plan Area, including sensitive land uses, such as residences, is located closer than recommended by SMAQMD, which recommended a 4-mile buffer for siting sensitive land uses within the vicinity of a rendering plant (SMAQMD 2009).

SENSITIVE LAND USES

Sensitive receptors are generally considered to include those land uses where exposure to pollutants could result in health-related risks to sensitive individuals, such as children or the elderly. Residential dwellings, schools, hospitals, playgrounds, nursing homes, senior care and living centers, and similar facilities are of primary concern because of the presence of individuals particularly sensitive to pollutants and/or the potential for increased and prolonged exposure to pollutants.

The Plan Area is largely undeveloped. Current land uses on the properties within the Plan Area are predominantly grazing, small ranches, and rural, agricultural residential homes. A portion of the Plan Area includes the Sacramento Raceway, which hosts regular stock car and drag racing events several times a month throughout the year. These events result in the release of fugitive PM₁₀ and PM_{2.5}, as well as NO_x emissions, from vehicle exhaust.

REGULATORY SETTING

Air quality in Sacramento County is regulated by several agencies, including EPA, CARB, and SMAQMD. Each of these agencies develop rules and/or regulations to attain the goals or directives imposed upon them through legislation. Although EPA regulations may not be superseded, both State and local regulations may be more stringent. In general, air quality is evaluated based upon standards developed by federal and State agencies.

FEDERAL

FEDERAL CLEAN AIR ACT

The Clean Air Act (CAA) of 1970 and the CAA Amendments of 1971 required EPA to establish NAAQS with states retaining the option to adopt more stringent standards or to include other specific pollutants. The primary and secondary standards are the levels of air quality considered to protect public health and safety, respectively, with an adequate margin of safety. The primary standards are intended to protect public health, such as reducing the risk of developing acute or chronic illnesses in the country's population, while the secondary standards are protective of public welfare and serve to minimize damage to animals, crops, vegetation, and buildings. They are designed to protect those sensitive receptors most susceptible to further respiratory distress such as asthmatics, the elderly, very young children, people already weakened by other disease or illness, and persons engaged in strenuous work or exercise. Healthy adults can tolerate occasional exposure to air pollutant concentrations considerably above these minimum standards before adverse effects are observed.

Current NAAQS and area-attainment status are discussed above. The CAA and its subsequent amendments require each state to prepare a SIP. The CAA Amendments dictate that states containing areas violating the NAAQS revise their SIPs to include extra control measures to reduce air pollution. The SIP includes strategies and control measures to attain the NAAQS by deadlines established by the CAA. The SIP is periodically modified to reflect the latest emissions inventories, plans, and rules and regulations of air basins as reported by the agencies with jurisdiction over them. EPA has the responsibility to review all SIPs to determine if they conform to the requirements of the CAA.

STATE

CALIFORNIA AIR RESOURCES BOARD

CARB, a part of the California EPA (CalEPA), is responsible for the coordination and administration of both federal and State air pollution control programs within California. In this capacity, CARB conducts research and defines the CAAQS, compiles emission inventories, develops suggested control measures, and provides oversight of local programs. CARB establishes emissions standards for motor vehicles sold in California, consumer products, such as hairspray, aerosol paints, and barbecue lighter fluid, and various types of commercial equipment. It also sets fuel specifications to further reduce

vehicular emissions. CARB has primary responsibility for the development of California's SIP, for which it works closely with the federal government and the local air districts.

In addition to standards set for the six criteria air pollutants, the State has set standards for sulfates, hydrogen sulfide, vinyl chloride, and visibility-reducing particles. These standards are designed to protect the health and welfare of the populace with a reasonable margin of safety, meaning that exposure to concentrations at or below the CAAQS would be preventative against the development of acute or chronic illnesses. The attainment status under the CAAQS for the Plan Area is discussed in the Section, "Environmental Setting," above.

CALIFORNIA CLEAN AIR ACT

The California Clean Air Act (CCAA) of 1988 requires non-attainment areas to achieve and maintain the CAAQS by the earliest practicable date and local air districts to develop plans for attaining the State's ozone, CO, SO₂, and NO₂ limits. The CCAA also requires that air districts assess their progress toward attaining the air quality standards every 3 years.

THE AIR TOXICS HOT SPOTS INFORMATION AND ASSESSMENT ACT

California Health and Safety Code Section 44300 et seq., provides for the regulation of over 200 air toxics and contains the primary air contaminant legislation in the state. Under the Act, local air districts may request that a facility account for its TAC emissions. Local air districts then prioritize facilities on the basis of emissions, and high-priority designated facilities are required to submit a health risk assessment and communicate the results to the affected public. The TAC control strategy involves reviewing new sources to ensure compliance with required emission controls and limits, maintaining an inventory of existing sources of TACs, and developing new rules and regulations to reduce TAC emissions.

ASSEMBLY BILL 1807

AB 1807, enacted in September 1983, sets forth a procedure for the identification and control of TACs in California. AB 1807 defines a TAC as an air pollutant that may cause or contribute to an increase in mortality or an increase in serious illness, or which may pose a present or potential hazard to human health. CARB prepares identification reports on candidate substances under consideration for listing as TACs. The reports and summaries describe the use of and the extent of emissions in California resulting in public exposure, together with their potential health effects.

In 1998, CARB identified diesel particulate matter (diesel PM) as a TAC under the AB 1807 program. Diesel PM is emitted into the air via heavy-duty diesel trucks, construction equipment, and passenger cars.

LOCAL

SACRAMENTO METROPOLITAN AIR QUALITY MANAGEMENT DISTRICT

SMAQMD is the primary agency responsible for planning to meet federal and State ambient air quality standards in Sacramento County. SMAQMD works with other local

air districts in the Sacramento region to maintain the region's portion of the SIP for ozone. The SIP is a compilation of plans and regulations that govern how the region and State will comply with the federal Clean Air Act requirements to attain and maintain the federal ozone standard. Ozone plans in the SMAQMD region include the 1994 Sacramento Area Regional Ozone Attainment Plan and the 2009 8-Hour Ozone Attainment and Reasonable Further Progress Plan. These plans were produced to develop a strategy to attain the federal 1-hour and 8-hour ozone standards. The Sacramento Region has been designated as a “moderate” 8-hour ozone nonattainment area with an extended attainment deadline in 2026 (EPA 2019).

SMAQMD has developed a set of guidelines for use by lead agencies when preparing environmental documents. The guidelines contain thresholds of significance for criteria air pollutants and TACs and make recommendations for conducting air quality analyses.

All projects are subject to adopted SMAQMD rules and regulations in effect at the time of construction. Specific rules applicable to the construction of the Project may include the following:

- **Rule 201:** General Permit Requirements. Any project that includes the use of equipment capable of releasing emissions to the atmosphere may be required to obtain permit(s) from SMAQMD before equipment operation. The applicant, developer, or operator of a project that includes an emergency generator, boiler, or heater should contact SMAQMD early to determine whether a permit is required, and to begin the permit application process. Portable construction equipment (e.g., generators, compressors, pile drivers, lighting equipment) with an internal combustion engine greater than 50 horsepower must have a SMAQMD permit or CARB portable equipment registration.
- **Rule 202:** New Source Review. The purpose of this rule is to provide for the issuance of authorities to construct and permits to operate at new and modified stationary air pollution sources and to provide mechanisms, including emission offsets, by which authorities to construct such sources may be granted without interfering with the attainment or maintenance of ambient air quality standards.
- **Rule 402:** Nuisance. A person shall not discharge from any source whatsoever such quantities of air contaminants or other materials which cause injury, detriment, nuisance or annoyance to any considerable number of persons or the public, or which endanger the comfort, repose, health or safety of any such persons or the public, or which cause or have natural tendency to cause injury or damage to business or property.
- **Rule 403:** Fugitive Dust. The developer or contractor is required to control dust emissions from earthmoving activities or any other construction activity to prevent airborne dust from leaving the project site.
- **Rule 417:** Wood Burning Appliances. The purpose of the rule is to limit emissions of particulate matter to the atmosphere from the operation of wood burning appliances.
- **Rule 442:** Architectural Coatings. The purpose of the rule is to limit the emissions of VOCs from the use of architectural coatings supplied, sold, offered for sale, applied, solicited for application, or manufactured for use within the District.

In addition, effective as of October 10, 2005, if modeled construction-generated emissions for a project are not reduced to SMAQMD's thresholds of significance after the standard construction mitigation is applied, then an offsite construction mitigation fee is required. The fee must be paid before a grading permit can be issued. This fee is used by SMAQMD to purchase offsite emissions reductions. Such purchases are made through SMAQMD's Agriculture and Construction Equipment Replacement Program, through which select owners of heavy-duty equipment in Sacramento County can repower or retrofit their old engines with cleaner engines or technologies.

As discussed in greater detail in the "Significance Criteria" and "Methodology" sections, these CEQA thresholds have been developed in consideration of long-term regional air quality planning. Projects that are found to result in emissions that exceed these bright-line thresholds would generate a cumulatively considerable contribution of regional air pollution, which could obstruct the region's attainment of the NAAQS and/or CAAQS or cause a localized exceedance of these concentration-based standards within the SVAB. Conversely, projects that emit levels of air pollution below these thresholds would not affect the SVAB's ability to attain the NAAQS and/or CAAQS.

Also discussed in greater detail in the "Methodology" section, SMAQMD has released several drafts of guidance in response to the Friant Ranch Decision. The Final Guidance, released in October 2020, is summarized in the "Methodology" section.

TOXIC AIR CONTAMINANTS

At the local level, air districts may adopt and enforce CARB control measures. Under SMAQMD Rule 201 ("General Permit Requirements"), Rule 202 ("New Source Review"), and Rule 207 ("Federal Operating Permit"), all sources that possess the potential to emit TACs are required to obtain permits from SMAQMD. Permits may be granted to these operations if they are constructed and operated in accordance with applicable regulations, including New Source Review standards and air toxics control measures. SMAQMD limits emissions and public exposure to TACs through several programs. SMAQMD prioritizes TAC-emitting stationary sources based on the quantity and toxicity of the TAC emissions and the proximity of the facilities to sensitive receptors.

ODORS

Although offensive, odors rarely cause any physical harm; they can be very unpleasant, leading to considerable stress among the public and often generating citizen complaints to local governments and SMAQMD. SMAQMD's Rule 402 (Nuisance) regulates odorous emissions. SMAQMD also has recommended screening distances for CEQA evaluation when siting a source of odor (e.g., landfill, wastewater treatment plant) within the vicinity of an existing sensitive land use.

SACRAMENTO COUNTY GENERAL PLAN

The Sacramento County General Plan contains the following policies related to air quality that may be applicable to the Project.

- AQ-3. Buffers and/or other appropriate mitigation shall be established on a project-by-project basis and incorporated during review to provide for protection of sensitive receptors from sources of air pollution or odor. The California Air

Resources Board’s “Air Quality and Land Use Handbook: A Community Health Perspective,” and the [SMAQMD’s] approved Protocol (Protocol for Evaluating the Location of Sensitive Land uses Adjacent to Major Roadways) shall be utilized when establishing these buffers.

- AQ-4. Developments which meet or exceed thresholds of significance for ozone precursor pollutants, and/or Greenhouse Gases (GHG) as adopted by the Sacramento Metropolitan Air Quality Management District (SMAQMD), shall be deemed to have a significant environmental impact. An Air Quality Mitigation Plan and/or a Greenhouse Gas Reduction Plan shall be submitted to the County of Sacramento prior to project approval, subject to review and recommendation as to technical adequacy by the Sacramento Metropolitan Air Quality Management District.
- AQ-16. Prohibit the idling of on- and off-road engines when the vehicle is not moving or when the off-road equipment is not performing work for a period of time greater than five minutes in any one-hour period.
- AQ-19. Require all feasible reductions in emissions for the operation of construction vehicles and equipment on major land development and roadway construction projects.

COUNTY OF SACRAMENTO CLIMATE ACTION PLAN

On November 9, 2011, the County of Sacramento adopted the Climate Action Plan – Strategy and Framework document, which presented a framework for reducing GHG emissions and developing second phase of the Climate Action Plan (CAP). On September 11, 2012, the Board of Supervisors adopted the Climate Action Plan – Government Operations, which identifies GHG emissions associated with government operations and develops sector-level measures to reduce these GHG emissions. The County is currently working to develop the Communitywide CAP to address communitywide emissions. While the County of Sacramento CAP focuses specifically on reducing greenhouse gases, many of the plan’s measures have the potential to improve air quality as well.

COMMUNITY PLANS

CORDOVA COMMUNITY PLAN

The Cordova Community Plan does not contain objectives related to air quality that would apply to the Project.

VINEYARD COMMUNITY PLAN

The Vineyard Community Plan does not contain policies related to air quality that would apply to the Project.

IMPACTS AND ANALYSIS

SIGNIFICANCE CRITERIA

SMAQMD has developed guidance to evaluate a project's contribution to regional air quality impacts and has continuously updated its guidance based on the attainment status of the SVAB. SMAQMD adopted operational mass emissions thresholds for ROG and NO_x with the goal of obtaining 0.49 tons per year (tpy) of ROG and 0.45 tpy reductions from new development projects exceeding the thresholds through incorporation of project design features and/or mitigation strategies (EDCAPCD et al. 2002). SMAQMD has also adopted mass emissions thresholds for PM₁₀ and PM_{2.5} to align with New Source Review permit offset levels, which are designed to prevent new emission sources from affecting attainment progress of the NAAQS. These thresholds of significance are protective of public health in the overall region, and due to the nature of criteria air pollutants, there is no methodology developed to determine the specific geographical locations of where concentrations of criteria air pollutants may exceed the NAAQS or CAAQS due to a project's contribution of emissions (SMAQMD 2019b).

Per Appendix G of the CEQA Guidelines and SMAQMD recommendations, air quality and its associated health effects are considered significant if the Project would result in any of the following:

- cause construction-generated criteria air pollutant or precursor emissions to exceed the SMAQMD-recommended thresholds of 85 pounds per day (lb/day) for NO_x, 80 lb/day and 14.6 tons/year for PM₁₀, and 82 lb/day and 15 tons/year for PM_{2.5}. In addition, all SMAQMD-recommended Basic Construction Emission Control Practices (BMPs) shall be implemented to minimize emissions of PM₁₀ and PM_{2.5}; otherwise, the threshold for both PM₁₀ and PM_{2.5} is 0 lb/day;
- result in a net increase in long-term operational ~~criteria air pollutant or ozone precursor emissions that exceed~~ the SMAQMD-recommended thresholds of 65 lb/day for ROG and NO_x, 80 lb/day and 14.6 tons/year for PM₁₀, and 82 lb/day and 15 tons/year for PM_{2.5}. ~~In addition, all SMAQMD-recommended Operational BMPs for Particulate Matter Emissions from Land Use Development Projects shall be implemented to minimize emissions of PM₁₀ and PM_{2.5}; otherwise the threshold for both PM₁₀ and PM_{2.5} is 0 lb/day; and cannot be reduced by 35 percent through preparation and implementation of an AQMP for land use development projects not accounted for in the most recent MTP/SCS;~~
- result in short-term construction and long-term operational local mobile-source CO emissions that would violate or contribute substantially to concentrations that exceed the 1-hour CAAQS of 20 ppm or the 8-hour CAAQS of 9 ppm;
- expose any off-site sensitive receptor to a substantial incremental increase in TAC emissions that exceed 10 in 1 million for carcinogenic risk (i.e., the risk of contracting cancer) and/or a noncarcinogenic hazard index of 1.0 or greater; and/or

- result in other emissions, such as those leading to odors, adversely affecting a substantial number of people.

ISSUES NOT DISCUSSED FURTHER

All issues identified in the significance criteria are evaluated below.

METHODOLOGY

Regional and local criteria air pollutant emissions and associated impacts, as well as impacts from TACs, CO concentrations, and odors were assessed in accordance with Sacramento County and SMAQMD-recommended methodologies. The Project's emissions were compared to SMAQMD's construction and operational thresholds.

SIERRA CLUB V. COUNTY OF FRESNO

In December 2018, the California Supreme Court issued its decision in the Friant Ranch Decision¹. The case reviewed the long-term, regional air quality analysis contained in the EIR for the proposed Friant Ranch project. The Friant Ranch project is located in unincorporated Fresno County within the San Joaquin Valley Air Basin, an air basin currently in non-attainment for multiple NAAQS and CAAQS, including ozone and PM. The Court ruled that the air quality analysis failed to adequately disclose the nature and magnitude of long-term air quality impacts from emissions of criteria pollutants and precursors “in sufficient detail to enable those who did not participate in its preparation to understand and consider meaningfully the issues the proposed project raises.” The Court noted that the air quality analysis did not provide a discussion of the foreseeable adverse effects of project-generated emissions on Fresno County's likelihood of exceeding the NAAQS and CAAQS for criteria air pollutants nor did it explain a connection between the project's emissions and deleterious health effects. Moreover, as noted by the Court, the EIR did not explain why it was not “scientifically possible” to determine such a connection. The Court concluded that “because the EIR as written makes it impossible for the public to translate the bare numbers provided into adverse health effects or to understand why such translation is not possible at this time,” the EIR's discussion of air quality impacts was inadequate. In response to the Friant Ranch Decision, this analysis adheres to SMAQMD's Final Guidance, released in October 2020 (SMAQMD 2020, available at <http://airquality.org/LandUseTransportation/Documents/SMAQMDFriantRanchFinalOct2020.pdf>). A discussion or explanation of how this analysis considers this court guidance is provided below.

CRITERIA AIR POLLUTANTS AND OZONE PRECURSORS

Construction-related emissions of criteria air pollutants and precursors were estimated using the ~~California Emissions Estimator Model (CalEEMod)~~ Version 2016.3.2 2020.4.0 computer program, as recommended by Sacramento County and SMAQMD (CAPCOA ~~2016~~ 2021). Modeling was based on the proposed land use plan and Project-specific information (e.g., size, number of residential units proposed, area to be graded, area to be paved), where available; reasonable assumptions based on typical construction

activities; and default values in CalEEMod that are based on the Project's location (e.g., meteorology, emissions factors) and land use types.

Construction of the Project was assumed to begin in ~~2020~~ 2025. Although the actual construction schedule is unknown at this time, the earliest possible date that construction could occur was used. This assumption is conservative, as construction equipment fleet emissions are expected to decrease in the future with increased emission controls and standards. Project construction is anticipated to occur for a period of approximately 15 years. Complete build-out of the Project was assumed to occur by December ~~2431~~, 20349. For a detailed description of model input and output parameters and assumptions, refer to Appendix AQ-1.

To evaluate long-term operational impacts for land use development projects such as the Project, SMAQMD recommends that projects show consistency with the Sacramento Regional Ozone Attainment Plan and the SACOG's MTP/SCS.

Air districts develop thresholds of significance for CEQA evaluation in consideration of attainment designation under the NAAQS and CAAQS for the area they oversee. Typically, these thresholds are tied to an air district in nonattainment's SIP for criteria air pollutants within a cumulative context. ~~SMAQMD has developed project-level operational thresholds for ROG and NO_x of 65 lb/day to ultimately achieve an annual 0.49 tpy and 0.45 tpy reduction in ROG and NO_x, respectively (EDCAPCD et al. 2002). SMAQMD has determined that a minimum of a 35 percent reduction in mobile source ozone precursor emissions from land use development projects not accounted for in the most recent MTP/SCS would be consistent with the SIP, which details the measures the state will use to attain the NAAQS.~~ These reductions have been identified by SMAQMD as appropriate to further Sacramento County's goal of reaching attainment for the NAAQS and CAAQS, which, if in attainment, would indicate that the area supports concentrations of ozone that would not be hazardous to human health.

As discussed previously, the NAAQS and CAAQS represent concentrations of criteria air pollutants protective of human health and are substantiated by extensive scientific evidence. EPA and CARB recognize that ambient air quality below these concentrations would not cause adverse health effects to exposed receptors. In connecting an air district's (e.g., SMAQMD) thresholds of significance to its anticipated date of attainment, projects that demonstrate levels of construction and/or operational emissions below the applicable thresholds would not result in cumulatively considerable emissions that would cause an adverse health effect related to exposure to criteria air pollutants in elevated concentrations. Similarly, projects that demonstrate emissions levels in exceedance of an applicable threshold could contribute to the continued nonattainment designation of a region or potentially degrade a region from attainment to nonattainment. Resulting acute or chronic respiratory and cardiovascular illness could occur including coughing, difficulty breathing, chest pain, eye and throat irritation, exacerbation of existing respiratory and cardiovascular disease, cancer, impaired immune and lung function, and, in extreme cases, death.

SMAQMD's Final Guidance, adopted in October 2020, is based on extensive air quality impact and health effects modeling. The Final Guidance includes accompanying excel spreadsheets (discussed in greater detail below) that produce estimates of incremental

health effects as a result of an individual project's contribution of criteria air pollutants and ozone precursors to the SVAB. The health effect modeling performed in the Final Guidance uses a photochemical grid model (PGM) that accounts for the reactions of ROG and NO_x in the atmosphere to form ground-level ozone. The PGM calculates concentrations of ozone and PM_{2.5}, which are then input into EPA's BenMAP health effects model. The BenMAP model is used by EPA to establish the concentration-based NAAQS, which are set to protect public health and safety. BenMAP relates ozone and PM_{2.5} concentrations to incremental health effects, including mortality, hospital admissions, emergency room visits, and acute myocardial infarctions (nonfatal heart attacks).

The Final Guidance includes screening tools in the form of excel spreadsheets that use project emissions of ROG, NO_x, and PM_{2.5} to estimate potential health effects. Although the tools are limited to these three criteria pollutants and precursors, the remaining criteria pollutant emissions are accounted for through the use of surrogates. The Final Guidance contains two screening tools, one for a "Minor Project" and another for "Strategic Area Projects." Strategic Area Projects are projects that generate emissions two to eight times greater than the maximum thresholds of significance (derived from identifying the greatest thresholds from air districts operating within the SVAB). Minor Projects are projects that generate emissions below the maximum thresholds of significance. Given its size and level of emissions estimates, the Project qualifies as a Strategic Area Project and is grouped into the Strategic Area Project II, "Rancho Cordova," designation because of the Project's location.

The foreseeable health outcomes of implementation of the Project Alternative 2 are discussed under "Impact: Criteria Pollutant Health Risks Long-Term Operational Emissions of Criteria Air Pollutants and Ozone Precursors (NO_x, ROG, PM₁₀, AND PM_{2.5})." Additionally, fatalities resulting from Project implementation are quantified using SMAQMD's Strategic Area Project Health Screening Tool and presented in the context of Sacramento County's existing health environment.

Sacramento County General Plan Policy AQ-4 requires that projects exceeding the SMAQMD operational threshold for ozone precursors (i.e., ROG and NO_x) prepare an AQMP, as recommended by SMAQMD. For projects that are not included in the current SIP, SMAQMD recommends a 35 percent reduction of ozone precursors from mobile-source emissions. The Project was included in the 2016 MTP/SCS; however, it was not accounted for in the most recent SIP. Thus, consistent with SMAQMD guidance, the Project (and alternatives) would need to achieve a 35 percent reduction in operational emissions to show consistency with regional air quality plans. In compliance with both the General Plan policies and SMAQMD guidance, the Project Applicant has prepared an AQMP for Alternative 2 to define the processes by which emissions of ROG and NO_x would be reduced by 35 percent. The full text of the AQMP is included as Appendix AQ-1 of this EIR. The AQMP was prepared for Alternative 2 because the County has expressed a preference for this alternative due to its consistency with the South Sacramento Habitat Conservation Plan.

Operational emissions of criteria air pollutants and precursors were evaluated in accordance with SMAQMD's *Recommended Guidance for Land Use Emission Reductions* Version 4.0 4.3 for Operational Emissions. Emission modeling was

conducted using CalEEMod Version 2016.3.2-2020.4.0, in accordance with Sacramento County and SMAQMD guidance. Emissions estimates include long-term operational emissions of ozone precursors (i.e., ROG and NO_x) associated with mobile sources (i.e., trip generation) and stationary sources (e.g., area-wide, energy consumption).

Project details such as proposed land uses and densities, build-out phasing, project-generated trips, and project components are based on details included in the traffic study conducted for the Project, Transportation Impact Report Jackson Township Specific Plan (DKS 2019), data provided by the Project Applicant, and data provided by Sacramento County. Data used in this analysis are included in Appendix TR-1.

To estimate mobile-source emissions for the Proposed Project, CalEEMod was used in combination with Project-specific traffic data included in the study conducted for the Project (DKS 2019). The traffic study included a description of existing conditions and traffic-related impacts associated with the Project, as well as other projected regional projects that would be developed in the vicinity. The Project-specific traffic study was used to obtain trip data associated with the Project. Specifically, the traffic study included daily vehicle miles traveled (VMT) and daily trips associated with the existing conditions, existing plus project conditions, and the cumulative plus Project conditions in 2035.

For Alternative 2, Project-specific VMT is based on a technical memorandum prepared by DKS in 2022 to calculate VMT in a manner consistent with the County's 2020 Transportation Analysis Guidelines and an updated travel demand model that is based on SACOG's SACSIM19 Activity Based Travel Demand Model.

In accordance with SMAQMD guidance for a project where a traffic study has been conducted, CalEEMod was used to estimate the Project's emissions without any incorporated emission reducing measures (i.e., unmitigated emissions scenario) and the Project's emissions with any incorporated emission reducing measures (i.e., mitigated emissions scenario). Emissions estimates from the two scenarios were compared to each other to determine whether the Project would achieve the 35 percent emission reduction target. See the AQMP included in Appendix AQ-1 for details regarding establishment of the 35 percent reduction target and incorporated emission reduction measures.

For the unmitigated emissions scenario, the proposed land uses and acreages for the Project were input into CalEEMod and all model defaults were left unchanged, ~~except for adjusting the default energy consumption factors. These were altered to account for energy efficiencies between the 2016 and 2019 Title 24 Building Energy Efficiency Standards (California Energy Code) that would take effect on January 1, 2020 but are not accounted for in the CalEEMod software. The 2019 California Energy Code requirements are anticipated to reduce energy consumption in single-family housing and low-rise apartments by 53 percent (including the required on-site solar photovoltaics) and nonresidential buildings and mid-rise apartments by 30 percent.~~ The results from this run would represent the unmitigated emissions of the Project without accounting for any reduction measures included in the design of the Project (e.g., density and mix of land uses included transit and bicycle facilities). Project-related emissions (mitigated emissions scenario) were estimated using the Project-specific VMT and daily trips as provided by the traffic study and adjusting CalEEMod defaults to

estimate emissions from mobile sources (DKS 2019~~22~~). VMT attributed to the Project was processed to include only Project-generated VMT that would occur in Sacramento County. The Project is assumed to be completely built out by 2040 ~~2035~~. As such, this was the assumed operational year of the Project for both emissions scenarios. See Appendix AQ-1 for details regarding assumptions, inputs, and outputs for both the unmitigated and mitigated emissions scenario.

Emissions from mobile sources, natural gas, and area-sources for both summer and winter were estimated using the applicable modules in CalEEMod. Emissions from consumer products and landscape maintenance activities were estimated as well. Operational emissions from all sources were estimated for full buildout (i.e., ~~2035~~2040). Maximum daily emissions were estimated for both the peak summer day and peak winter day.

MOBILE CO IMPACTS, HEALTH RISK, AND ODORS

The potential for Project-generated traffic to result in concentrations of CO that exceed the NAAQS and CAAQS was evaluated using SMAQMD-recommended screening criteria.

Health risk from construction and operational emissions of TACs were assessed qualitatively. This assessment is based on the location from which construction- or operation-related TAC emissions would be generated by land uses developed relative to on-site and off-site sensitive receptors as subsequent phases are built, as well as the duration during which TAC exposure would occur.

Similarly, the assessment of odor-related impacts is based on the types of odors associated with the land uses that would be developed and their location relative to on-site and off-site receptors as subsequent phases are built.

RACEWAY EMISSIONS

The Sacramento Raceway is located within the Plan Area along Excelsior Road. The raceway contains a racetrack, drag strip, motocross track, bleachers for spectators, and associated outbuildings and lighting. The raceway is currently operational; however, it is expected that Raceway operations will cease prior to or during Project buildout.

Because the raceway is currently operational and generating emissions from drag racing and motocross activities, these emissions are considered to be part of the Project's baseline pursuant to CEQA Guidelines Section 15125. These emissions, therefore, are not incorporated into the Project's operational emissions in ~~2035~~ 2040 and would not need to be reduced to make a less-than-significant conclusion. However, for informational purposes, these emissions have been estimated and are disclosed in this ~~Recirculated Draft~~ EIR.

Emissions associated with Sacramento Raceway operations in 2035 were estimated using data collected from 2019 because there was an uncharacteristic decrease in activity in 2020 due to the COVID-19 global pandemic. Emissions were calculated from vehicle movement of spectators and trailered and non-trailered race vehicles traveling to and from the Sacramento Raceway, spectators and trailered and non-trailered race vehicles traveling on-site at the Sacramento Raceway, and vehicles racing on-site. See Appendix AQ-3 for additional information pertaining to modeling assumptions.

IMPACT: CONSTRUCTION EMISSIONS OF CRITERIA AIR POLLUTANTS AND PRECURSORS (ROG, NO_x, PM₁₀, AND PM_{2.5})

PROPOSED PROJECT

Construction emissions are described as “short-term” or temporary in duration. Project construction is anticipated to occur for an extended period of approximately 15 years and individual construction projects would occur intermittently throughout the entire period. Construction-related activities would result in Project-generated emissions of ROG, NO_x, PM₁₀, and PM_{2.5} (a subset of PM₁₀) from site preparation (e.g., excavation, clearing), off-road equipment, material delivery, worker commute trips, and other miscellaneous activities (e.g., building construction, asphalt paving, application of architectural coatings). Fugitive dust emissions of PM₁₀ and PM_{2.5} are associated primarily with site preparation and vary as a function of soil silt content, soil moisture, wind speed, acreage of disturbance, and VMT on and off the site. Emissions of ozone precursors, ROG and NO_x, are associated primarily with construction equipment and on-road mobile exhaust. Paving and the application of architectural coatings results in off-gas emissions of ROG. PM₁₀ and PM_{2.5} are also contained in vehicle exhaust.

Typical construction activities could require all-terrain fork lifts, cranes, pick-up and fuel trucks, compressors, loaders, backhoes, excavators, dozers, scrapers, pavement compactors, welders, concrete pumps and concrete trucks, and off-road haul trucks, as well as other diesel-fueled equipment.

The Project would require additional offsite improvements that would result in construction activities which have not been accounted for in the air quality modeling for the Project because they would occur as mitigation for traffic impacts (See Mitigation Measures TR-4 and TR-5 in Chapter 20, “Traffic and Circulation”). At the time of writing this Draft-EIR, the timing of off-site transportation mitigation construction activities is speculative and, thus, not included.

It is expected that with implementation of Mitigation Measure TR-4 segments of Kiefer Road, Jackson Road (also referred to as Jackson Highway), and Excelsior Road—the roads that border the Plan Area—would be widened to accommodate additional Project-related traffic. Additionally, intersections within the traffic study area would be improved from two-way stops to either roundabouts or signalized controls. In some cases, lanes would be reconfigured to provide an additional turn lane. In the case of freeway capacity issues, an electronic traffic management system would be implemented which may result in future improvements to carrying capacity of parallel local facilities. Chapter 20, “Traffic and Circulation,” provides additional detail regarding these mitigation measures.

The exact construction schedule for the Project is unknown. It is expected that construction would occur over a series of phases; however, the order in which the development areas would be constructed is speculative. While the Project contains a land use map (see Chapter 2, “Project Description”), there is inherent uncertainty surrounding market forces and certification of individual development applications which could affect the timing and phasing of Project construction. Ultimately, construction phasing and activities would be driven by prevailing market conditions in any given year. Therefore, construction was assumed to be evenly spread by year. Conservative

assumptions were used and individual construction phases (e.g., site preparation, grading, building construction) were overlapped to account for construction activities occurring simultaneously at different locations throughout the entire Plan Area in anticipation of periods with above-average construction activities. As such, reported emissions represent a conservative estimate of maximum daily emissions for each year of construction.

It is also important to note that as construction continues into the future, equipment exhaust emission rates would decrease as newer, more emission-efficient construction equipment replaces older, less efficient equipment. For assumptions and modeling inputs, refer to Appendix AQ-1.

Table AQ-3 summarizes the modeled maximum daily emissions from the construction activity, whereby maximum daily emissions were estimated by overlapping individual construction phases (i.e., building construction, paving, and architectural coating) for each year of construction. Annual emissions for PM₁₀ and PM_{2.5} for each modeled year of construction were also estimated.

As shown in Table AQ-3, annual emissions of NO_x, PM₁₀, and PM_{2.5} would ~~not exceed the respective thresholds; however, maximum daily emissions of NO_x could potentially exceed applicable thresholds~~ throughout the estimated buildout period. SMAQMD has not established significance thresholds for ROG. Therefore, construction emissions could contribute to the existing nonattainment condition in the SVAB with respect to the CAAQS and NAAQS for ozone. This would be a **significant** impact.

Mitigation Measures AQ-1a and AQ-1b would be applied to the Project. Mitigation Measure AQ-1a requires that the Project Applicant, or its designee, apply Basic Construction Emission Control Practices to reduce emissions of fugitive dust associated with ground-moving activities and vehicle movement on unpaved roads. As shown in Table AQ-3, the Project's construction emissions of PM₁₀ and PM_{2.5} would be below SMAQMD's mass emissions threshold for projects that employ Basic Construction Emission Control Practices. Without implementation of Mitigation Measure AQ-1a, the threshold would be 0 lb/day.

Application of Mitigation Measure AQ-1b would require the Project Applicant, or its designee, to implement Enhanced Exhaust Control Practices, which would reduce exhaust NO_x emissions by 10 percent as compared to CARB's statewide fleet average. This 10 percent decrease would not be sufficient to reduce NO_x emissions to levels at or below SMAQMD's thresholds of significance; however, the resulting tons per year of emissions would be decreased through engagement in SMAQMD's off-site mitigation fee program. As shown above in Table AQ-3, maximum NO_x daily emissions for construction occurring in 2022, 2023, 2024, 2025, 2026, and 2027 would exceed SMAQMD's recommended threshold following the application of Enhanced Exhaust Control Practices (i.e., 85 lb/day).

Table AQ-3: Summary of Maximum Daily Emissions of Criteria Air Pollutants and Precursors Associated with Project Construction (2020–2034¹)

Construction Year	ROG (lb/day)	NO _x (lb/day)	PM ₁₀ (lb/day)	PM ₁₀ (tpy)	PM _{2.5} (lb/day)	PM _{2.5} (tpy)
2020	5	50	20	2	12	1
2021	7	59	12	1	6	1
2022	69	123	48	2	14	1
2023	66	106	48	6	14	2
2024	65	103	48	6	14	2
2025	64	99	48	6	14	2
2026	63	97	48	6	14	2
2027	62	95	48	6	14	2
2028	61	94	48	6	14	2
2029	60	92	48	6	14	2
2030	59	86	48	6	13	2
2031	58	85	48	6	13	2
2032	57	84	48	6	13	2
2033	56	104	48	6	13	2
2034	55	100	48	6	13	2
SMAQMD Threshold of Significance	None	85	<u>0² 80</u>	<u>0² 14.6</u>	<u>0² 82</u>	<u>0² 15</u>
Exceeds Threshold?	NA	Yes	<u>Yes No</u>	<u>Yes No</u>	<u>Yes No</u>	<u>Yes No</u>

Notes: ROG = reactive organic gases; NO_x = oxides of nitrogen; PM₁₀ = respirable particulate matter; PM_{2.5} = fine particulate matter; lb/day = pounds per day; tpy = tons per year; SMAQMD = Sacramento Metropolitan Air Quality Management District.

Maximum daily emissions represent overlapping construction phases. See Appendix AQ-1 for details.

¹ Construction is expected to be completed by December 31, 2034.

² SMAQMD recommends using a 0 lb/day and 0 tpy threshold of significance for evaluating construction-related emissions of PM₁₀ and PM_{2.5} prior to the implementation of best management practices or best available control technology. Following implementation of best management practices and/or best available control technology, construction emissions of PM₁₀ are evaluated against a threshold of significance of 80 lb/day or 14.6 tpy and PM_{2.5} is evaluated against a threshold of significance of 82 lb/day or 15 tpy.

Source: Modeled by Kleinfelder in 2019

For the year 2022, the required mitigation fee to meet the threshold would be 4.7 tons costing \$141,000; for 2023, 1.9 tons costing \$57,000; for 2024, 1.4 tons costing \$42,000; for 2025, 0.75 tons costing \$22,500; for 2026, 0.42 tons costing \$12,600; and for 2027, 0.09 tons costing \$2,700. This total cost of \$277,800 would be sufficient to offset these emissions by providing funding for SMAQMD to implement emission reduction projects in the SVAB, such as installing newer engines on off-road equipment or installing EPA-certified woodstoves in the place of non-certified woodstoves in residential units. However, these values represent estimates based on preliminary data

and mitigation fees that are subject to change over time. Nonetheless, at the time of writing this Draft EIR, the purchase of these offsets would reduce Project construction-generated NO_x levels. This impact would be **less than significant with mitigation**.

ALTERNATIVE 2

Alternative 2 would entail modifying the wetland preserve on the eastern boundary of the Plan Area, which would preserve vernal pools in the area. With a 45.5-acre increase in area designated Wetland Preserve, Alternative 2 would result in a net decrease in areas designated for Agriculture (35.1 acres) and Primary Roadways (17.9 acres).

Similar construction activities would occur under Alternative 2 as summarized in the short-term construction-related impact discussion for the Project. Nonetheless, construction emissions for Alternative 2 were modeled to provide a quantitative comparison to the Project. Table AQ-4 summarizes the maximum daily emissions of criteria pollutants and precursors associated with buildout of Alternative 2.

As shown in Table AQ-4, annual and daily emissions of PM₁₀ and PM_{2.5} would ~~not~~ exceed the respective thresholds; however, maximum daily emissions of NO_x ~~could~~ potentially would not exceed applicable thresholds throughout the estimated buildout period. SMAQMD has not established significance thresholds for ROG. Therefore, construction emissions could contribute to the existing nonattainment condition in the SVAB with respect to the CAAQS and NAAQS for ozone. This would be a ~~less-than-significant~~ impact.

Proposed dust control measures in Mitigation Measure AQ-1a would result in a maximum of 54 percent reduction of fugitive PM₁₀ dust. Given that unmitigated ~~the~~ PM₁₀ emissions are currently under the recommended mitigated threshold of 80 lb/day, it is ~~not~~ anticipated that with the implementation of the dust control measures listed under Mitigation Measure AQ-1a, the fugitive dust PM₁₀ emissions would not exceed the 80 lb/day threshold, regardless of simultaneous construction phases occurring. Further, inclusion of SMAQMD's dust control measures provided in Mitigation Measure AQ-1a would minimize dust emissions such that Alternative 2 would not contribute substantially to the nonattainment status of the SVAB.

Implementation of exhaust control measures in Mitigation Measure AQ-1b would reduce NO_x emissions from off-road equipment by 10 percent (or higher depending on available technology); ~~however, assuming a 10 percent reduction in NO_x, maximum daily emissions for construction occurring in 2022, 2023, 2024, 2025, 2026, 2027, and 2028 would still exceed SMAQMD's recommended threshold (i.e., 85 lb/day). For the year 2022, the required mitigation fee to meet the threshold would be 5.3 tons costing \$158,775; for 2023, 2.4 tons costing \$71,175; for 2024, 1.9 tons costing \$56,940; for 2025, 1.4 tons costing \$42,157; for 2026, 0.9 tons costing \$27,375; for 2027, 0.6 tons costing \$17,520; and for 2028, 0.25 tons costing \$7,665. This total cost of \$381,607 would be sufficient to offset these emissions by providing funding for SMAQMD to implement emission reduction projects in the SVAB, such as installing newer engines on off-road equipment or installing EPA-certified woodstoves in the place of non-certified woodstoves in residential units. However, these values represent estimates based on preliminary data and mitigation fees that are subject to change over time.~~

Nonetheless, at the time of writing this Draft EIR, the purchase of these offsets would reduce construction-generated NO_x levels. This impact would be **less than significant with mitigation**.

Table AQ-4: Summary of Maximum Daily Emissions of Criteria Air Pollutants and Precursors Associated with Alternative 2 Construction (2020~~5~~–2039~~4~~)¹

Construction Year	ROG (lb/day)	NO _x (lb/day)	PM ₁₀ (lb/day)	PM ₁₀ (tpy)	PM _{2.5} (lb/day)	PM _{2.5} (tpy)
2020	5	50	20	2	12	4
2021	4	46	11	1	5	1
2022	63	127	46	2	12	4
2023	61	109	46	6	13	2
2024	60	106	45	6	13	2
2025	59	103	45	6	13	2
2026	58	100	45	6	13	2
2027	57	98	45	6	13	2
2028	56	96	45	6	13	2
2029	55	95	45	6	13	2
2030	54	88	45	6	12	2
2031	54	87	45	6	12	2
2032	53	86	45	6	12	2
2033	52	85	45	6	12	2
2034	52	84	45	5	12	1
Maximum Construction Daily Emissions	<u>57.3</u> (Summer)	<u>68.5</u> (Winter)	<u>45.4</u> (Winter)	<u>5.7</u> (2027)	<u>12.9</u> (Winter)	<u>1.6</u> (2027)
SMAQMD Threshold of Significance ²	None	85	<u>0² 80</u>	<u>0² 14.6</u>	<u>0² 82</u>	<u>0² 15</u>
Exceeds Threshold?	NA	Yes -No	<u>Yes</u> No	<u>Yes</u> No	<u>Yes</u> No	<u>Yes</u> No

Notes: ROG = reactive organic gases; NO_x = oxides of nitrogen; PM₁₀ = respirable particulate matter; PM_{2.5} = fine particulate matter; lb/day = pounds per day; tpy = tons per year; SMAQMD = Sacramento Metropolitan Air Quality Management District.

Maximum daily emissions represent overlapping construction phases. See Appendix AQ-1 for details.

¹ Construction is expected to be completed by December 31, 2034~~9~~.

² SMAQMD recommends using a 0 lb/day and 0 tpy threshold of significance for evaluating construction-related emissions of PM₁₀ and PM_{2.5} prior to the implementation of best management practices or best available control technology. Following implementation of best management practices and/or best available control technology, construction emissions of PM₁₀ are evaluated against a threshold of significance of 80 lb/day or 14.6 tpy and PM_{2.5} is evaluated against a threshold of significance of 82 lb/day or 15 tpy.

Source: Modeled by Kleinfelder in 2019~~22~~

MITIGATION MEASURES

- AQ-1a: For all future land use development applications processed within the Plan Area, the Project Applicant, its designee, or subsequent developer(s), shall require its construction contractors to implement SMAQMD's Basic Construction Emission Control Practices in place at the time of construction, which currently include the following:
- water all exposed surfaces two times daily. Exposed surfaces include, but are not limited to soil piles, graded areas, unpaved parking areas, staging areas, and access roads;
 - cover or maintain at least two feet ~~or~~ of free board space on haul trucks transporting soil, sand, or other loose material on the site. Any haul trucks that would be traveling along freeways or major roadways should be covered;
 - use wet power vacuum street sweepers to remove any visible trackout mud or dirt onto adjacent public roads at least once a day. Use of dry power sweeping is prohibited;
 - limit vehicle speeds on unpaved roads to 15 miles per hour (mph);
 - complete construction of all roadways, driveways, sidewalks, parking lots as soon as possible. In addition, building pads should be laid as soon as possible after grading unless seeding or soil binders are used;
 - minimize idling time either by shutting equipment off when not in use or reducing the time of idling to 5 minutes [required by California Code of Regulations, Title 13, sections 2449(d)(3) and 2485]. Provide clear signage that posts this requirement for workers at the entrances to the site; and
 - maintain all construction equipment is in proper working condition according to manufacturer's specifications. The equipment must be checked by a certified mechanic and determined to be running in proper condition before it is operated.

These measures shall be included in Project improvement plans as a condition of approval.

- AQ-1b: The Project Applicant, its designee, or subsequent developer(s), shall implement SMAQMD's Enhanced Exhaust Control Practices for NO_x and exhaust PM emissions. Before the issuance of grading and/or building permits, Project Applicant, or its designee, shall submit to the County and SMAQMD an initial report of all off-road construction equipment, equal to or greater than 50 horsepower, that will be used 8 hours or more during any portion of the construction project before any grading activities. The initial report shall include the horsepower rating, engine model year, and projected hours of use for each piece of equipment. The Project Applicant shall provide the anticipated construction timeline including start date, and name and phone number of the project manager and on-site foreman. The information shall be submitted at least 4 business days before the use of subject heavy-duty off-road equipment. The report shall be updated and submitted monthly throughout the duration of the project, except that an inventory shall not be required for any 30-day period in which no construction activity occurs.

Before any grading activities, the Project Applicant, or its designee, shall provide a plan for approval by the County and SMAQMD demonstrating that the heavy-duty off-road vehicles (50 horsepower or more) to be used in the construction project, including owned, leased, and subcontractor vehicles, will achieve a project-wide fleet-average of 10 percent NO_x reduction (depending on available technology and engine Tier) compared to the most recent CARB fleet average. This plan shall be submitted in conjunction with the equipment inventory. Acceptable options for reducing emissions may include use of late model engines, low-emission diesel products, alternative fuels, engine retrofit technology, after-treatment products, and/or other options as they become available. If achievement of the aforementioned reductions over the statewide average are deemed infeasible by the County, SMAQMD, or construction contractor, the Applicant shall ensure the construction fleet meets the lowest fleetwide emissions average possible, through the use of all available on-site emissions reduction measures (e.g., highest tier engines, emission control devices, cleaner burning fuel).

The Project Applicant, or its designee, shall submit a final report at the end of the job, phase, or calendar year, as pre-arranged with SMAQMD staff and documented in the approval letter, to demonstrate continued project compliance. If modeled construction-generated emissions of NO_x are not reduced to a level below SMAQMD's thresholds of significance by the application of the aforementioned mitigation measures, then the project developer must pay a mitigation fee into SMAQMD's off-site mitigation program. By paying the appropriate off-site mitigation fee, construction-generated emissions of NO_x would be reduced to a less-than-significant level. The fee calculation to offset daily NO_x emissions shall be based on the SMAQMD-determined cost to reduce one ton of NO_x applicable at the time (currently \$30,000 per ton but subject to change in future years).

Once initial construction activities are finalized by the developer, and before the issuance of grading and/or building permits, quantification of construction-related emissions shall be verified at the project level. As each project-level construction phase is finalized throughout the duration of the project buildout, the mitigation fee shall be calculated based on current information, available construction equipment, and proposed construction activities. As construction activities occur over the buildout period, the developer shall work with SMAQMD to continually update mitigation fees based on actual on-the-ground emissions. The final mitigation fees shall be based on the contractor equipment report provided by the developer to SMAQMD and shall reconcile any fee discrepancies due to schedule adjustments and increased or decreased equipment inventories. Equipment inventories and NO_x emission estimates for subsequent construction phases shall be coordinated with SMAQMD, and the off-site mitigation fee measure shall be assessed to any construction phase that would result in an exceedance of SMAQMD's mass emission threshold for NO_x.

IMPACT: LONG-TERM OPERATIONAL EMISSIONS OF CRITERIA POLLUTANTS AND PRECURSORS (NO_x, ROG, PM₁₀, AND PM_{2.5})

PROPOSED PROJECT

Development of the Project would result in the generation of long-term operational emissions of ROG, NO_x, and particulate matter (PM₁₀ and PM_{2.5}) from mobile, stationary, and area-wide sources. Mobile-source emissions of criteria pollutants and precursors would result from vehicle trips generated by residents, users of the parks, students at the schools, employee commute trips, and other associated vehicle trips (e.g., delivery of supplies, maintenance vehicles for commercial and retail land uses). Stationary and area-wide sources would include the combustion of natural gas for space and water heating (i.e., energy use), the use of landscaping equipment and other small equipment, the periodic application of architectural coatings, and ROG from the use of consumer products.

Table AQ-5 summarizes the maximum daily operation-related emissions of criteria air pollutants during the winter and summer seasons at full buildout. Table AQ-6 shows the annual operation-related emissions of criteria air pollutants at full buildout. This is consistent with the AQMP prepared for the Project, which calculates emission reductions from mitigation in tons per year (tons/year). Emissions were calculated based on proposed land uses and VMT values contained in the traffic study (DKS 2019). As shown in Table AQ-5, operation-related activities would result in Project-generated daily emissions of NO_x, PM₁₀, and PM_{2.5} that exceed the SMAQMD-recommended thresholds of significance.

Table AQ-5: Summary of Project Maximum Daily (Unmitigated) Operational Emissions of Criteria Air Pollutants at Full Buildout (2035)

Source Type	Maximum Daily Emissions (lb/day)			
	ROG	NO _x	PM ₁₀	PM _{2.5}
Summer				
Area ¹	313	74	8	8
Energy ²	5	46	4	4
Mobile	129	496	307	83
Total Summer Daily Emissions	447	615	319	95
Winter				
Area	313	74	8	8
Energy	5	46	4	4
Mobile	85	502	307	83
Total Winter Daily Emissions	404	621	319	95
SMAQMD Threshold of Significance ³	65	65	80	82
Exceeds Threshold?	Yes	Yes	Yes	Yes

Source Type	Maximum Daily Emissions (lb/day)			
	ROG	NO _x	PM ₁₀	PM _{2.5}

Notes: lb/day = pounds per day; ROG = reactive organic gases; NO_x = oxides of nitrogen; PM₁₀ = respirable particulate matter; PM_{2.5} = fine particulate matter.

1. Area-source emissions include emissions from landscaping, application of architectural coatings, and consumer products, and are estimated based on default model settings. It was assumed that none of the residential units would be equipped with a fireplace.
2. Energy emissions include off-site emissions associated with natural gas consumption for space heating/cooling, and appliance use.
3. Mass emission significance criteria apply to the sum of area, energy, and mobile sources.

Source: Modeling conducted by Kleinfelder in 2019.

As shown above in Table AQ-5, operational ROG, NO_x, PM₁₀, and PM_{2.5} emissions would exceed SMAQMD's daily mass emissions thresholds. As summarized in Table AQ-6, PM₁₀ emissions would also exceed SMAQMD's annual mass emissions of 14.6 tons/year. Because these pollutants would exceed the applicable thresholds, operational emissions generated under full buildout of the Project would conflict with long-term ozone planning efforts and/or contribute substantially to a net increase in concentrations of ozone for which Sacramento County is in nonattainment.

Projects that emit criteria air pollutants in exceedance of SMAQMDs thresholds would contribute to the regional degradation of air quality within the Plan Area that could result in adverse human health effects. Acute exposure to criteria air pollutants can cause coughing, chest pain, shortness of breath, eye and throat irritation, lung scarring, and may aggravate preexisting cardiovascular and respiratory illness (e.g., asthma). Chronic exposure to criteria pollutants may result in permanent lung and heart impairment, chronic coughing, cancer, decreased immune function in children, and premature death.

Table AQ-6: Summary of Project Annual (Unmitigated) Operational Emissions of Criteria Air Pollutants and Precursors at Full Buildout (2035)

Source Type	Annual Emissions (tons/year)			
	ROG	NO _x	PM ₁₀	PM _{2.5}
Area ¹	55	2	<1	<1
Energy ²	1	8	1	1
Mobile	15	78	47	13
Total Annual Emissions	71	88	48	14
SMAQMD Threshold of Significance ^{3,4}	NA	NA	14.6	15
Exceeds Threshold?	NA	NA	Yes	No

Notes: tons/year = tons per year; ROG = reactive organic gases; NO_x = oxides of nitrogen; PM₁₀ = respirable particulate matter; PM_{2.5} = fine particulate matter; NA = not applicable.

1. Area-source emissions include emissions from landscaping, application of architectural coatings, and consumer products, and are estimated based on default model settings. It was assumed that none of the residential units would be equipped with a fireplace.
2. Energy emissions include off-site emissions associated with natural gas consumption for space heating/cooling, and appliance use.
3. Mass emission significance criteria apply to the sum of area, energy, and mobile sources.
4. SMAQMD has adopted tons/year operational thresholds for only PM₁₀ and PM_{2.5}; SMAQMD does not have adopted operational thresholds of significance for ROG and NO_x measured in tons per year.

Source: Modeling conducted by Kleinfelder in 2019

As discussed previously under the heading, “Methodology,” determining the exact location of where such impacts would occur from Project-level emissions is scientifically infeasible. Additionally, the specific timing, size, and land use that may characterize a project that exceeds an applicable mass emission threshold is unknown at the time of writing this Draft EIR. Thus, attempting to map or locate where human health effects may occur from implementation of the Project is speculative. However, this EIR takes the conservative approach and assumes that the land use changes from implementation of the Project could cause adverse health outcomes. This would be a **significant** impact.

Mitigation Measure AQ-2a, discussed below, would be applied to the Project. Mitigation Measure AQ-2a requires that an AQMP that achieves a 35 percent reduction compared to an “unmitigated” project scenario (i.e., utilizes CalEEMod VMT default values) be applied to the Project. The adequacy of the AQMP shall be verified by SMAQMD through a formal letter certifying that the reductions achieve the 35 percent reduction target. However, complying with SMAQMD guidance would not inherently result in a less-than-significant impact as emissions of ROG, NO_x, PM₁₀, and PM_{2.5} could be in exceedance of the SMAQMD mass emissions thresholds for operational emissions. The Project would be similar to Alternative 2 in terms of land uses and density, and as discussed below under Alternative 2, compliance with SMAQMD’s AQMP requirements would not likely be sufficient to reduce emissions of NO_x and PM₁₀ to levels below the applicable operational thresholds of significance. However, the specific assumptions and requirements in the AQMP prepared for Alternative 2 may not apply to the Proposed Project and reductions have not been quantified or verified for the Proposed Project. Thus, operational emissions of criteria air pollutants and ozone precursors would be **significant and unavoidable**.

ALTERNATIVE 2

Alternative 2 would modify the wetland preserve on the eastern boundary of the Plan Area, creating a “thumb” that includes the protection of vernal pools along the existing drainage corridor. As compared to the Project, less development would occur under Alternative 2. Operational activities under Alternative 2 would similarly result in fewer emissions of criteria pollutant and ozone precursors. These emissions could occur from vehicle trips to and from the Plan Area, landscaping, application of architectural coatings, use of consumer products, and the consumption of electricity.

OPERATIONAL ROG AND NO_x MOBILE EMISSIONS

The annual ROG and NO_x mobile-only emissions for Alternative 2 (as derived from the VMT in the technical memorandum for the project that reflects Project design commitments) were compared to the annual mobile-only emissions that would occur based on default CalEEMod VMT. Table AQ-7 shows the difference between the emissions associated with default CalEEMod values and the VMT calculated for Alternative 2. The modeling accounts for VMT indirectly induced by road improvements required in the area.

Specific features that reduce the modeled VMT are listed below. The corresponding CAPCOA 2021 Handbook greenhouse gas mitigation measures (T-xx) and SMAQMD

land use emissions reduction measures (LUT-xx) are identified in parenthesis. Alternative 2 would achieve SMAQMD's 35 percent reduction target with the design features incorporated into the Project-specific VMT estimates.

- Project is located within approximately 10 miles of the Sacramento downtown central business district and less than 5 miles from other existing high-density commercial/job centers (LUT-2 and LUT-3).
- Project is located adjacent to other planned developments such that single-use trips would be minimized, i.e., there are more pass-by and diverted trips (LUT-3 and LUT-4).
- Project provides a compact mix of land uses with a connected street and trail network (LUT-3).
- High- and medium-density housing would comprise for over half of the total dwelling units (LUT-1).
- Housing density is more than 9.5 dwelling units per acre (LUT-1).
- Project includes below market rate housing (LUT-6).
- Approximately 15 percent of the total commercial square footage is dedicated to a mixed-use facility that combines residences and commercial/retail uses (LUT-3).
- Most residential units are within 1,320 feet (one-quarter mile) of a neighborhood park, open space, school, and/or bicycle/pedestrian trail (LUT-3).
- Most residential units are less than one-half mile from shopping and services (LUT-4).
- Project design includes locating at least four schools within the project boundaries such that most students can walk to a local school (LUT-3 and LUT-4).
- Project design includes at least eight parks within the project boundaries such that residents can walk/bike to enjoy the parks (LUT-3 and LUT-4).
- Project design is based on a network of streets in a grid pattern (LUT-8).
- Project design includes access to high frequency bus service that connects to the Watt/Manlove light rail station (LUT-5).
- Bus routes are signalized to avoid traffic delays (T-27).
- Project design promotes a multi-modal system that makes public transit, walking, and bicycling viable and attractive travel choices for residents and employees. Features include:
 - Adequate bike parking at nonresidential locations, including the transit center and park and ride locations (T-34, T-47).
 - Showers/lockers and other end of trip facilities at nonresidential buildings (T-10).
 - Long-term bike parking facilities (T-34, T-47).

- Project includes an extensive pedestrian path and trail system that is convenient and accessible from homes, school, parks, employment, and shopping (LUT-8).
- Pedestrian and bike paths minimize any barriers to pedestrian/bicycle use (e.g., fences, berms and other impediments are eliminated where possible) (LUT-8, T-18, T-20).
- Project includes an on-site transit center and park and ride facilities along the designated transit route of Jackson Highway (LUT-5, T-3).
- Project would subsidize bus rapid transit lanes on Jackson Highway (T-27).
- Project funding and design would result in bus headways of 15 minutes or better (T-26).
- Project includes assessments for regional transportation improvements (T-27).

Table AQ-7: ROG and NO_x Mobile-Only Emissions Reductions for Alternative 2 Modeled VMT compared to Default VMT

	<u>Mobile-Only Emissions, tons per year (tpy)</u>	
	<u>ROG</u>	<u>NO_x</u>
<u>Default VMT Scenario</u>	<u>32.6</u>	<u>34.9</u>
<u>Modeled VMT Scenario¹</u>	<u>20.3</u>	<u>21.1</u>
<u>Percent Reduction</u>	<u>-37.7%</u>	<u>-39.5%</u>
<u>Quantified Emissions Reductions Not Included in the Traffic Study</u>		
<u>Transportation-Related Project Features²</u>	<u>-1.6</u>	<u>-1.7</u>
<u>Non-Transportation Project Features²</u>	<u>-0.5</u>	<u>-2.9</u>
<u>Closure of the Sacramento Raceway³</u>	<u>-0.9</u>	<u>-2.6</u>
<u>Total Emissions Reductions</u>	<u>-15.3</u>	<u>-21.0</u>
<u>Total Percent Reduction</u>	<u>-46.9%</u>	<u>-60.2%</u>

Source: Kleinfelder 2022

Notes:

¹ Includes proposed VMT-reducing Project elements reflected in the VMT technical memorandum (location, mix of land uses, internal proximity, multi-modal efficiency, and transit-supportive features).

² Required through implementation of Mitigation Measure AQ-2b.

³ Sacramento Raceway is scheduled to close in November 2023 (Smith, pers.comm., 2021)

As shown in Table AQ-7, the modeled VMT for Alternative 2, which includes the mitigating project features, would achieve approximately 38 and 40 percent reductions of anticipated ROG and NO_x emissions from a default VMT scenario, respectively. Mitigation Measure AQ-2b would result in additional emissions reductions due to inclusion of nonresidential and residential EV chargers. With implementation of this mitigation, the Project Applicant or subsequent developer would be required to install 805 nonresidential charging stations (15% of total nonresidential parking spaces) and pre-wiring for 77 percent of the multi-family homes. If the building code in place at the time of construction requires more EV charging infrastructure than Mitigation Measure

AQ-2b, subsequent development would be required to comply with those requirements. When the reductions from emissions reductions that were not assumed in the VMT technical memorandum are included, Alternative 2 would exceed the SMAQMD reduction target of 35 percent by 12 percent for ROG and 25 percent for NO_x respectively.

Notably, this modeling does not account for anticipated changes in transportation. It is anticipated that upon development there would be greater ROG and NO_x emission reductions due to regulatory requirements in place when the project becomes operational. For example, the new (April 1, 2022) federal passenger car and light duty truck fleet wide average fuel economy standard of approximately 49 miles per gallon (mpg) for new vehicles by calendar year 2026 has not been accounted for. Moreover, the recently adopted Advanced Clean Cars II Program adopted by CARB in August 2022, which sets the target for 100 percent zero-emission vehicle sales in California by 2035, would further reduce emissions from the on-road mobile source sector. In addition, Mitigation Measure AQ-2b includes requirements that have not been quantified but are understood to confer at least indirect reductions in ROG and NO_x. These include installing low-flow bathroom and kitchen fixtures in all residential units and commercial buildings and installing water-efficient irrigation systems and landscaping for nonresidential areas.

OPERATIONAL PM EMISSIONS

There are no established thresholds for particulate matter emissions reductions. Nonetheless, the features outlined above as incorporated into the modeled VMT would also reduce emissions of particulate matter. The AQMP estimates that emissions reductions would be approximately 9 percent for PM_{2.5} and PM₁₀ exhaust and approximately 61 percent for fugitive PM_{2.5} and PM₁₀. Exhaust PM emissions are associated with combustion of fossil fuels in both mobile and non-mobile equipment. Fugitive PM emissions are primarily due to re-suspension of road dust by vehicle traffic.

As shown below in Table AQ-7, operational ROG, NO_x, PM₁₀, and PM_{2.5} emissions would exceed SMAQMD's daily mass emissions thresholds. As summarized in Table AQ-8, PM₁₀ emissions would also exceed SMAQMD's annual mass emissions of 14.6 tons/year. Because these pollutants would not exceed the applicable thresholds, operational emissions generated under full buildout of Alternative 2 would not conflict with long-term ozone planning efforts and/or contribute substantially to a net increase in concentrations of ozone for which Sacramento County is in nonattainment, resulting in adverse health outcomes. However, because this analysis incorporates the reductions from the AQMP measures, this impact is considered **significant** prior to mitigation. ~~This would be a less-than-significant impact.~~

Implementation of Mitigation Measure AQ-2b requires Alternative 2 to comply with all provisions included in the AQMP. This mitigation would be consistent with the provisions of General Plan Policy AQ-4. Achievement of the 35 percent reduction of ozone precursors from operational emissions would be met through the provisions of the AQMP. Implementation of the recommended mitigation would result in a **less-than-significant** impact.

Table AQ-7: Summary of Alternative 2 Maximum Daily (Unmitigated) Operational Emissions of Criteria Air Pollutants at Full Buildout (2035)

Source Type	Maximum Daily Emissions (lb/day)			
	ROG	NO _x	PM ₁₀	PM _{2.5}
Summer				
Area ¹	292	49	6	6
Energy ²	4	37	3	3
Mobile	117	448	272	73
Total Summer Daily Emissions	413	534	281	83
Winter				
Area	292	49	6	6
Energy	4	37	3	3
Mobile	77	453	272	73
Total Winter Daily Emissions	373	538	281	83
SMAQMD Threshold of Significance ³	65	65	80	82
Exceeds Threshold?	Yes	Yes	Yes	Yes

Notes: lb/day = pounds per day; ROG = reactive organic gases; NO_x = oxides of nitrogen; PM₁₀ = respirable particulate matter; PM_{2.5} = fine particulate matter.

¹ Area-source emissions include emissions from landscaping, application of architectural coatings, and consumer products, and are estimated based on default model settings. It was assumed that none of the residential units would be equipped with a fireplace.

² Energy emissions include off-site emissions associated with natural gas consumption for space heating/cooling, and appliance use.

³ Mass emission significance criteria apply to the sum of area, energy, and mobile sources.

Source: Modeling conducted by Kleinfelder in 2019

Table AQ-8: Summary of Alternative 2 Annual (Unmitigated) Operational Emissions of Criteria Air Pollutants and Precursors at Full Buildout (2035)

Source Type	Annual Emissions (tons/year)			
	ROG	NO _x	PM ₁₀	PM _{2.5}
Area ¹	52	2	<1	<1
Energy ²	4	7	4	4
Mobile	13	71	42	12
Total Annual Emissions	66	80	43	12
SMAQMD Threshold of Significance ^{3,4}	NA ⁵	NA ⁵	14.6	15
Exceeds Threshold?	NA ⁵	NA ⁵	Yes	No

Notes: tons/year = tons per year; ROG = reactive organic gases; NO_x = oxides of nitrogen; PM₁₀ = respirable particulate matter; PM_{2.5} = fine particulate matter; NA = not applicable.

¹ Area-source emissions include emissions from landscaping, application of architectural coatings, and consumer products, and are estimated based on default model settings. It was assumed that none of the residential units would be equipped with a fireplace.

² Energy emissions include off-site emissions associated with natural gas consumption for space heating/cooling, and appliance use.

³ Mass emission significance criteria apply to the sum of area, energy, and mobile sources.

⁴ SMAQMD has adopted tons/year operational thresholds for only PM₁₀ and PM_{2.5}.

⁵ SMAQMD has adopted operational thresholds of significance for ROG and NO_x presented in pounds per day.

Source: Modeling conducted by Kleinfelder in 2019

Mitigation Measure AQ-2b includes mitigation that was included in the AQMP, which was designed to achieve a minimum 35 percent emissions reduction (per guidance from SMAQMD, indicating that this represents the feasible mitigation that should be applied). Because the SMAQMD adopted operational thresholds for ROG and NO_x are daily mass emission thresholds, the tpy emission reductions from the AQMP have been converted into lb/day in Table AQ-9, below, to compare emissions to the adopted thresholds. The tpy emissions were converted by multiplying by 2,000 pounds per ton and then dividing by 365 days per year. However, even with a 35 percent reduction of ozone precursors from mobile source emissions, Alternative 2's total NO_x and PM₁₀ from area sources, building energy, and mobile sources would exceed SMAQMD thresholds of significance, as shown below in Table AQ-9.

Table AQ-9: Alternative 2 Maximum Daily (Mitigated) Operational Emissions of Criteria Air Pollutants and Precursors at Full Buildout (2035)

Source Type	Maximum Daily Emissions (lb/day)			
	ROG	NO _x	PM ₁₀	PM _{2.5}
Maximum Daily Emissions ⁴	63	333	238	68
SMAQMD Threshold of Significance	65	65	80	82
Exceeds Threshold?	No	Yes	Yes	No

Notes: lb/day = pounds per day; ROG = reactive organic gases; NO_x = oxides of nitrogen; PM₁₀ = respirable particulate matter; PM_{2.5} = fine particulate matter; NA = not applicable.

⁴—Tons per year emissions values were converted to pounds per day by multiplying the values by 2,000 then dividing by 365.

Source: Modeling conducted by Kleinfelder in 2019

Although Alternative 2 may reduce operational emissions of ROG and PM_{2.5} to levels below SMAQMD's mass emissions threshold, the mitigation measures contained in the AQMP would not be sufficient to reduce NO_x and PM₁₀ emissions to less-than-significant levels. Thus, Alternative 2 operations may contribute to the nonattainment status of the region and may conflict with the NAAQS and CAAQS. This contribution could result in increased exposure of populations to harmful concentrations of criteria air pollutants which could cause adverse health effects such as acute and chronic respiratory and cardiovascular illness, suppressed immune function, and cancer.

Projects that emit criteria air pollutants in exceedance of SMAQMDs thresholds would contribute to the regional degradation of air quality within the Plan Area that could result in adverse human health effects. Acute exposure to criteria air pollutants can cause coughing, chest pain, shortness of breath, eye and throat irritation, lung scarring, and may aggravate preexisting cardiovascular and respiratory illness (e.g., asthma). Chronic exposure to criteria pollutants may result in permanent lung and heart impairment, chronic coughing, cancer, decreased immune function in children, and premature death.

As discussed previously under the heading, "Methodology," determining the exact location of where such impacts would occur from Project-level emissions is scientifically infeasible. Additionally, the specific timing, size, and land use that may characterize a project that exceeds an applicable mass emission threshold is unknown at the time of writing this Draft EIR. Thus, attempting to map or locate where human health effects may occur from implementation of Alternative 2 is speculative. However,

~~based on modeling of the land use changes that would occur under Alternative 2, implementing the alternative could cause adverse health outcomes, even with mitigation (see discussion under “Impact: Criteria Pollutant Health Risks,” below).~~

~~Operation-related emissions of NO_x and PM₁₀ would be significant and unavoidable.~~

MITIGATION MEASURES

- AQ-2a: If the Project is approved (instead of Alternative 2, which is the subject of the AQMP in Appendix AQ-1), the Project Applicant or subsequent developer(s) shall prepare an AQMP that demonstrates a 35 percent reduction from an “unmitigated” project scenario consistent with guidance from SMAQMD for the Project within 6 months following approval. The AQMP shall compare the Project’s emissions using vehicle miles traveled (VMT) values from a traffic study conducted for the Project against an “unmitigated” scenario that utilizes default VMT values using the latest version of the California Emissions Estimator Model (CalEEMod) computer program. If the comparison does not demonstrate a 35 percent reduction, the Project Applicant shall develop feasible on-site reduction measures that reduce emissions to meet the 35 percent reduction target as mandated by SMAQMD. The AQMP shall undergo review by SMAQMD and shall only be applied to the Project following formal verification from SMAQMD in letter form. This measure shall apply only to the Project as proposed and would not apply to Alternative 2, because SMAQMD verified the technical adequacy of the AQMP prepared for Alternative 2 on ~~June 12, 2019~~ August 30, 2022.
- AQ-2b: Alternative 2 shall include the following quantifiable reduction measures included in the AQMP prepared for Alternative 2 (Appendix AQ-1 of the EIR), which would reduce Alternative 2’s operational criteria air pollutants and ozone precursors by at least 35 percent in comparison to the “unmitigated” Alternative 2, as conditions of approval:

TRANSPORTATION

- The Project Applicant or subsequent developer(s) shall implement a program to provide a non-revocable funding mechanism (administered and funded through a finance plan between the Project Applicant and the County) ~~to that would~~ pay for bus and/or shuttle operations between the project and the Manlove Light Rail Station. The nonrevocable funding mechanism would be administered by the County under contract with Regional Transit and would provide residents and employees of Jackson Township Alternative 2 with transit passes that would access the entire Regional Transit system.

- The Project Applicant or subsequent developer(s) shall install at least ~~10~~ 15 percent of all parking spaces with Tier 2 or an equivalent standard electric vehicle (EV) charging stations at commercial, retail, and office parking lots. ~~and up to~~ In addition, the Project Applicant and EGUSD would establish an agreement to provide for at least 5 percent EV charging stations at school parking lots or an alternative method to achieve equivalent GHG reductions that would be provided by those EV charging stations for Alternative 2. Each EV charging station shall have 2 connections. In total, this will result in the Plan Area providing 805 EV charging stations serving 1,610 non-residential parking spaces.
- The Project Applicant or subsequent developer(s) shall prewire all single-family housing ~~low density and medium density dwelling units (3,540 dwelling units for Alternative 2)~~ plus ~~10~~ 77 percent of the high-density multi-family residential housing (~~10 percent of 2,050 dwelling units for Alternative 2, or 205 units in high density housing~~) to be conducive to installation of electric charging stations of Tier 2 or an equivalent standard.

ENERGY

- The Project Applicant or subsequent developer(s) shall install ~~energy~~ electric efficient boilers as applicable in high-density housing (mid-rise apartments), discount club, office, high school, and supermarket land uses for Alternative 2.
- The Project Applicant or subsequent developer(s) shall install electric hot water heaters in all single and multi-family housing units (low, medium, and high density), or a total of 5,690 dwelling units for Alternative 2.

PROJECT DESIGN

- The Project Applicant or subsequent developer(s) shall install low-flow bathroom, kitchen, and shower fixtures; and low-flow toilets in all residential units and commercial buildings.
- The Project Applicant or subsequent developer(s) shall reduce the total square footage of residential turf associated with increased housing density.
- The Project Applicant or subsequent developer(s) shall install water efficient irrigation systems and water efficient landscaping for nonresidential areas.
- The Project Applicant or subsequent developer(s) shall preserve wetlands and create new greenbelts, parking, and other vegetative areas totaling approximately 400 acres for Alternative 2.
- The Project Applicant or subsequent developer(s) shall reduce VMT through membership in a Transportation Management Association (TMA). (This measure is also included as a component of Mitigation Measure TR-2 in Chapter 20, "Traffic and Circulation," which identifies participation in a TMA as a Trip Reduction Service option to reduce the Project's VMT.)

IMPACT: CRITERIA POLLUTANT HEALTH RISKS

PROPOSED PROJECT

As described in Chapter 2, “Project Description,” of this EIR, the Project Applicant has requested that the County consider Alternative 2: SSHCP-Consistent Wetland Preserve to be the preferred project. For this reason, the following supplemental analysis of health risks is provided only for Alternative 2.

ALTERNATIVE 2

All criteria air pollutants can have human health effects at certain concentrations. Air districts develop region-specific CEQA thresholds of significance in consideration of existing air quality concentrations and attainment designations under the NAAQS and CAAQS. The NAAQS and CAAQS are informed by a wide range of scientific evidence that demonstrates that there are known safe concentrations of criteria air pollutants. Because the NAAQS and CAAQS are based on maximum pollutant levels in outdoor air that would not harm the public’s health, and air district thresholds pertain to attainment of these standards, the thresholds established by air districts are also protective of human health. Sacramento County is currently in nonattainment of the NAAQS and CAAQS for ozone. Projects that emit criteria air pollutants in exceedance of SMAQMD’s thresholds would contribute to the regional degradation of air quality, which could result in adverse human health effects.

Acute health effects of ozone exposure include increased respiratory and pulmonary resistance, cough, pain, shortness of breath, and lung inflammation. Chronic health effects include permeability of respiratory epithelia and the possibility of permanent lung impairment. A Criteria Pollutant Health Risk Analysis has been prepared (Appendix AQ-2) to quantify these potential effects based on SMAQMD’s Final Guidance.

To estimate the potential health risks that could result from the operational emissions of ROG, NO_x, and PM_{2.5}, SMAQMD’s Strategic Area Project Health Screening Tool was used. To date, SMAQMD has published three options for analyzing projects: The Minor Project Health Screening Tool may be used for small projects, the Strategic Area Project Health Screening Tool may be used for larger projects, and practitioners may conduct project-specific modeling. Both the Minor Project Health Screening Tool and the Strategic Area Project Health Screening Tool are based on the maximum thresholds of significance adopted within the five air district regions contemplated within SMAQMD’s Final Guidance. The Strategic Area Project Screening Model was prepared by SMAQMD for five locations throughout the Sacramento region for two scenarios: two times and eight times the threshold of significance level. The air district thresholds considered in SMAQMD’s Final Guidance included thresholds from SMAQMD, as well as from the El Dorado County Air Quality Management District, Feather River Air Quality Management District, Placer County Air Pollution Control District, and Yolo-Solano Air Quality Management District. The highest allowable emission rate of ROG, NO_x, PM₁₀, and PM_{2.5} from these five air districts is 82 lb/day for all four pollutants. Thus, the Minor Project Health Screening Tool is intended for use by projects that would result in emissions at or below 82 lb/day. The corresponding emissions levels under the two scenarios modeled using the Strategic Area Project Screening Model are 164 lb/day

(two times the significance level) and 656 lb/day (eight times the significance level) for ROG and NO_x (SMAQMD 2020).

As would be expected for a large specific plan, the Project's mitigated emissions of ROG and NO_x would exceed 82 lb/day. For this reason, the Strategic Area Project Screening Model is appropriate for evaluating the Project's contribution to regional health effects. Although emissions of PM_{2.5} would be below 82 lb/day and the Minor Project Health Screening Tool could be applied, SMAQMD's Final Guidance does not provide information regarding the use of both tools for different pollutants. Consequently, health risks were more conservatively evaluated using the Strategic Area Project Screening Model included in SMAQMD's Final Guidance (SMAQMD 2020).

~~As discussed above, the Project's unmitigated daily emissions of ROG, NO_x, and PM_{2.5} would be 413, 538, and 83 lb/day, respectively. These levels are approximately five, six, and one times the thresholds of significance of 82 lb/day for these pollutants. Additionally, mitigated daily emissions of NO_x would be 333 lb/day for NO_x. This is approximately four times the threshold of significance levels for NO_x. Mitigated emissions of ROG and PM_{2.5} would be below the 82 lb/day threshold of significance. Notably, while emissions of PM₁₀ can be directly related to adverse health outcomes, SMAQMD's Final Guidance does not provide health effects estimates from exposure to this pollutant and uses PM_{2.5} as a surrogate for PM₁₀ because, due to its size, PM_{2.5} penetrates more deeply into the human body and may cause more severe acute and chronic health impacts by comparison.~~

~~Based on the emissions presented in Tables AQ-7, AQ-8, and AQ-9, SMAQMD's Strategic Area Project Health Screening Tool would be the applicable tool for mitigated and unmitigated emissions of ROG and NO_x. However, mitigated and unmitigated emissions of PM_{2.5} are estimated to be at or below the SMAQMD's operational thresholds, and, thus, the more applicable tool for estimating health risks from the mitigated Project related to PM_{2.5} would be the Minor Project Health Screening Tool. Although the Minor Project Health Screening Tool would be more applicable for PM_{2.5} emissions, SMAQMD's Final Guidance does not provide information regarding the use of both tools for different pollutants. Consequently, health risks were more conservatively evaluated using the Strategic Area Project Screening Model included in SMAQMD's Final Guidance (SMAQMD 2020).~~ Peak daily emissions of NO_x, ROG, and PM_{2.5} for buildout of Alternative 2 in 2040 are shown in Table AQ-8. Given the location of the Project, the Rancho Cordova location within SMAQMD's Strategic Area Project Health Screening Tool has been used. The results predict 9.25 annual health incidences associated with implementation of Alternative 2, which is a 0.005 percent increase above background cases. Note that these potential health risks may be overstated because peak daily emissions were used instead of average daily emissions, peak winter and peak summer emissions are comingled, CalEEMod may overestimate emissions, some health incidences may be double counted, and as explained above, some project features that may reduce emissions have not been quantified.

Table AQ-8: Alternative 2 Maximum Daily (Mitigated) Operational Emissions of Criteria Air Pollutants and Precursors at Full Buildout (2040)

<u>Source Type</u>	<u>Maximum Daily Emissions (lb/day)</u>		
	<u>ROG</u>	<u>NO_x</u>	<u>PM_{2.5}</u>
<u>Prior to Mitigation</u>	<u>462.9</u>	<u>183.7</u>	<u>84</u>
<u>With Mitigation¹</u>	<u>427.7</u>	<u>90.9</u>	<u>75.6</u>

Notes: lb/day = pounds per day; ROG = reactive organic gases; NO_x = oxides of nitrogen; PM_{2.5} = fine particulate matter;

¹ Peak daily emissions are the winter peak daily for NO_x and PM 2.5 and the summer peak daily for ROG.

Source: Modeling conducted by Kleinfelder in 2022

~~The unmitigated and mitigated health risks resulting from implementation of the Project have been quantified and are presented in Table AQ-10 and Table AQ-11, below. Implementation of the mitigation included in the AQMP would result in a reduction in potential health risks from the unmitigated health risks presented in Table AQ-10 to the mitigated levels presented in Table AQ-11. As noted in SMAQMD's guidance, "each model generates conservative estimates of health effects, for two reasons: The tool's outputs are based on the simulation of a full year of exposure at the maximum daily average of the increases in air pollution concentration... [and] [t]he health effects are calculated for emissions levels that are very high" (SMAQMD 2020:20).~~

The model derives the estimated health risk associated with operation of the Project based on increases in concentrations of ozone and PM_{2.5} that were estimated using a PGM. The concentration estimates of the PGM are then applied to the EPA's BenMAP to estimate the resulting health effects from concentration increases. PGMs and BenMAP were developed to assess air pollution and human health effects over large areas and populations that far exceed the area of an average land use development project. These models were never designed to determine whether emissions generated by an individual development project would affect community health or the date an air basin would attain an ambient air quality standard. Rather, they are used to help inform regional planning strategies based on cumulative changes in emissions within an air basin or larger geography.

It must be cautioned that within the typical project-level scope of CEQA analyses, PGMs are unable to provide precise, spatially defined pollutant data at a local scale because PGMs cannot account for acute factors that affect concentrations of air pollution such as current wind speed and direction, rate of pollution emitted from other sources, and topographic conditions. In addition, as noted by SMAQMD, "BenMAP estimates potential health effects from a change in air pollutant concentrations, but does not account for other factors affecting health, such as access to medical care, genetics, income levels, behavior choices such as diet and exercise, and underlying health conditions" (SMAQMD 2020:20). Thus, the modeling conducted for the health risk analysis is based on imprecise mapping and only takes into account one of the main public health determinants (i.e., environmental influences).

To put the health risk estimates in perspective, the Project's potential increase in mortality incidents is approximately ~~five-four~~, under both the mitigated and ~~unmitigated~~ emissions scenarios (approximately 0.01 percent of background incidences), while

Sacramento County's Health Status Profile for 2019 reported an annual average of 11,551 deaths from all causes (2015-2017) in Sacramento County. Again, it is important note that the "model outputs are derived from the numbers of people who would be affected by [the] project due to their geographic proximity and based on average population through the Five District-Region. The models do not take into account population subgroups with greater vulnerabilities to air pollution, except for ages for certain endpoints" (SMAQMD 2020:20).

Therefore, it would be misleading to correlate the levels of criteria air pollutant and precursor emissions associated with Project implementation to specific health outcomes. While the effects noted above could manifest in individuals, actual effects depend on factors specific to each individual for which data is unknown, including life stage (e.g., older adults are more sensitive), preexisting cardiovascular or respiratory diseases, and genetic polymorphisms. Ultimately, the health effects associated with the Project, using the SMAQMD guidance "are conservatively estimated, and the actual effects may be zero" (SMAQMD 2020:A-15).

Neither SMAQMD nor the County of Sacramento have adopted thresholds of significance for the assessment of health risks related to the emission of criteria pollutants. Furthermore, an industry standard level of significance has not been adopted or proposed. Due to the lack of adopted thresholds of significance, the health risks presented in Tables AQ-10 and AQ-11 are presented for informational purposes and do not represent an attempt to arrive at any level-of-significance conclusions.

Table AQ-10: Potential Annual Incremental Health Incidences for Alternative 2 (Unmitigated)

PM_{2.5} Health Endpoint	Age Range	Incidences (Mean)	Percent of Background Incidences	Total Number of Health Incidences (per Year)
Respiratory				
Emergency Room Visits	0-99	1.9	0.010%	18,419
Hospital Admissions, Asthma	0-64	0.12	0.0066%	1,846
Hospital Admissions, All Respiratory	65-99	0.71	0.0036%	19,644
Cardiovascular				
Hospital Admissions, All Cardiovascular (less Myocardial Infarctions)	65-99	0.40	0.0017%	24,037
Acute Myocardial Infarction, Nonfatal	18-24	0.00015	0.0041%	4
Acute Myocardial Infarction, Nonfatal	25-44	0.014	0.0045%	308
Acute Myocardial Infarction, Nonfatal	45-54	0.036	0.0048%	741
Acute Myocardial Infarction, Nonfatal	55-64	0.058	0.0047%	1,239
Acute Myocardial Infarction, Nonfatal	65-99	0.26	0.0051%	5,052
Mortality				
Mortality, All Causes	30-99	4.7	0.011%	44,766

Ozone Health Endpoint	Age Range	Incidences (Mean)	Percent of Background Incidences	Total Number of Health Incidences (per Year)
Respiratory				
Hospital Admissions, All Respiratory	65-99	0.38	0.0019%	19,644
Emergency Room Visits, Asthma	0-17	1.5	0.026%	5,859
Emergency Room Visits, Asthma	18-99	2.6	0.021%	12,560
Mortality				
Mortality, Non-Accidental	0-99	0.25	0.00084%	30,386
Total Incidences	0-99	12.928	0.1058%	184,505

Notes: PM_{2.5} = fine particulate matter; NA = not applicable.

Source: Modeling conducted by Ascent Environmental 2020

Table AQ-119: Potential Annual Incremental Health Incidences for Alternative 2 (Mitigated)

PM _{2.5} Health Endpoint	Age Range	Incidences (mean)	Percent of Increase above Background Incidences	Total Number of Health Incidences (per year)
Respiratory				
Emergency Room Visits	0-99	1.87	0.010092%	18,419
Hospital Admissions, Asthma	0-64	0.121	0.00640%	1,846
Hospital Admissions, All Respiratory	65-99	0.694	0.00353%	19,644
Cardiovascular				
Hospital Admissions, All Cardiovascular (less Myocardial Infarctions)	65-99	0.397	0.00165%	24,037
Acute Myocardial Infarction, Nonfatal	18-24	0.000154	0.00397%	4
Acute Myocardial Infarction, Nonfatal	25-44	0.013	0.00442%	308
Acute Myocardial Infarction, Nonfatal	45-54	0.0353	0.00475%	741
Acute Myocardial Infarction, Nonfatal	55-64	0.0563	0.00453%	1,239
Acute Myocardial Infarction, Nonfatal	65-99	0.254	0.00498%	5,052
Mortality				
Mortality, All Causes	30-99	4.63	0.010096%	44,766
Ozone Health Endpoint				
Respiratory				
Hospital Admissions, All Respiratory	65-99	0.3414	0.004607%	19,644
Emergency Room Visits, Asthma	0-17	1.2057	0.021097%	5,859
Emergency Room Visits, Asthma	18-99	2.1099	0.017079%	12,560
Mortality				
Mortality, Non-Accidental	0-99	0.2094	0.000673%	30,386
Total Incidences	NA	11.76925	0.0942005%	184,505

Notes: PM_{2.5} = fine particulate matter; NA = not applicable.

Source: Modeling conducted by Kleinfelder 20202

SACRAMENTO RACEWAY EMISSIONS

The Plan Area includes the Sacramento Raceway, which hosts regulator stock car and drag racing events several times a month throughout the year. Operation of the Sacramento Raceway is not a County-permitted land use in the area, and the ongoing racing activities have been a source of several code enforcement actions over many years. Full build-out of the Project would result in the discontinued operation of the Sacramento Raceway, thereby eliminating the air pollution generated from raceway operations. Additionally, as stated previously under the heading, “Methodology,” the emissions associated with Sacramento Raceway operations are included in the Project’s baseline and are, therefore, not required to be mitigated or included in the AQMP prepared for the Project.

For informational purposes, the emissions from the Sacramento Raceway are disclosed in Table AQ-120, below. Emissions were estimated as annual, maximum daily, and maximum hourly emissions by racing type. Emissions from national hot rod association (NHRA)- and motocross-related events are calculated discretely as these events would not happen concurrently.

Table AQ-120: Summary of Emissions Associated with the Sacramento Raceway

Parameter	NO _x	ROG	PM ₁₀	PM _{2.5}	TOG	Diesel PM
Annual (lb/year)	5,235.96	1,888.18	3,744.66	976.88	1,112.88	2.69
Daily NHRA (lb/day)	180.70	40.98	162.41	42.43	18.51	0.085
Hourly NHRA (lb/hour)	1.56	1.76	0.05	0.02	1.91	0
Annual Motocross (lb/year)	108.06	58.13	53.01	18.81	59.55	0.11
Daily Motocross (lb/day)	71.85	11.06	14.58	4.82	6.62	0.012
Hourly Motocross (lb/hour)	0.76	1.76	0.0013	0.0013	2.14	0

Notes: NO_x = oxides of nitrogen, ROG = reactive organic gases, PM₁₀ = respirable particulate matter, PM_{2.5} = fine particulate matter, TOG = total organic gases, Diesel PM = diesel particulate matter, lb/year = pounds per year, NHRA = National Hot Rod Association, lb/day = pounds per day, lb/hour = pounds per hour.

Calculation details can be found in Appendix AQ-3.

Source: Modeling conducted by Kleinfelder in 2021.

The health effects associated with emissions generated from the Sacramento Raceway were also estimated using SMAQMD’s Strategic Area Project Health Screening Tool, Project II, “Rancho Cordova.” The findings of this analysis are presented in Table AQ-131. As shown in Table AQ-131, Sacramento Raceway operations could result in about four additional incidences of mortality from all causes annually. However, as summarized in Appendix AQ-3, modeled offsite concentrations of criteria pollutants would not exceed the ambient air quality standard for NO₂ and the significant effect level for PM_{2.5} and PM₁₀ (The significant effect level is the level below which the modeled concentrations are not considered to cause or contribute to an AAQS exceedance and

was used for PM_{2.5} and PM₁₀ because the air basin is currently in nonattainment for these pollutants.)

Table AQ-131: Potential Annual Incremental Health Incidences from Maximum Daily Sacramento Raceway Operations

PM _{2.5} Health Endpoint	Age Range	Incidences (Mean)	Percent of Background Incidences	Total Number of Health Incidences (per Year)
Respiratory				
Emergency Room Visits	0-99	1.7	0.0093%	18,419
Hospital Admissions, Asthma	0-64	0.11	0.0060%	1,846
Hospital Admissions, All Respiratory	65-99	0.65	0.0033%	19,644
Cardiovascular				
Hospital Admissions, All Cardiovascular (less Myocardial Infarctions)	65-99	0.37	0.0015%	24,037
Acute Myocardial Infarction, Nonfatal	18-24	0.00014	0.0037%	4
Acute Myocardial Infarction, Nonfatal	25-44	0.013	0.0041%	308
Acute Myocardial Infarction, Nonfatal	45-54	0.033	0.0044%	741
Acute Myocardial Infarction, Nonfatal	55-64	0.053	0.0043%	1,239
Acute Myocardial Infarction, Nonfatal	65-99	0.24	0.0047%	5,052
Mortality				
Mortality, All Causes	30-99	4.3	0.0096%	44,766
Ozone Health Endpoint	Age Range	Incidences (Mean)	Percent of Background Incidences	Total Number of Health Incidences (per Year)
Respiratory				
Hospital Admissions, All Respiratory	65-99	0.14	0.00071%	19,644
Emergency Room Visits, Asthma	0-17	0.55	0.0094%	5,859
Emergency Room Visits, Asthma	18-99	0.96	0.0077%	12,560
Mortality				
Mortality, Non-Accidental	0-99	0.092	0.00030%	30,386
Total Incidences	0-99	9.21	0.0050%	184,505

Notes: PM_{2.5} = fine particulate matter; NA = not applicable.

Calculation details can be found in Appendix AQ-3.

Source: Modeling conducted by Kleinfelder in 2021.

The total 30-year potential cancer risk from operation of the raceway is 1.97 in one million, which is much less than the threshold of 10 in one million used to assess adverse health effects. Similarly, the total health hazard indices for non-cancer health effects associated with acute and prolonged exposure are less than 1.0. Therefore, modeled Raceway operations do not pose adverse non-cancer health effects (see Appendix AQ-3).

The estimates presented in Tables AQ-102 and AQ-113 represent emissions that are based on previous activity occurring at the Sacramento Raceway in 2019. It is foreseeable that this level of activity could change in ~~2035~~ 2040 if the raceway were to continue operations alongside the Project and the expectation is that the raceway would not be operational. Because the raceway is anticipated to not be operational in ~~2035~~ 2040, any emissions from operation would be consistent with levels captured in the baseline emissions for the area, and there is no threshold of significance for health risks to future Project occupants, these values are presented for informational purposes only.

IMPACT: MOBILE-SOURCE CO CONCENTRATIONS

PROPOSED PROJECT

Local mobile-source CO emissions near roadway intersections are a direct function of traffic volume, speed, and delay. Transport of CO is extremely limited because it disperses rapidly with distance from the source under normal meteorological conditions. However, under certain specific meteorological conditions, CO concentrations near roadways and/or intersections may reach unhealthy levels at nearby sensitive land uses, such as residential units, hospitals, schools, and childcare facilities. As a result, it is recommended that CO not be analyzed at the regional level, but at the local level.

Construction would occur over many years and therefore, traffic-related to construction activities would also be spread over the duration of construction activities. As such, construction-generated traffic is not anticipated to result in large peaks at any one time over the course of construction. This analysis focuses on operation-related traffic.

At complete buildout, the Project would generate up to 62,384 daily trips including up to 5,909 trips during the a.m. peak hour and up to 5,651 trips during the p.m. peak hour.

SMAQMD provides a screening methodology to determine whether CO emissions generated by traffic at congested intersections have the potential to exceed, or contribute to an exceedance of, the 8-hour CAAQS of $9.0 \mu\text{g}/\text{m}^3$ or the 1-hour CAAQS of $20.0 \mu\text{g}/\text{m}^3$. The screening methodology has two tiers of screening criteria, as described below. If the first set is not met, then the second tier may be applied.

FIRST-TIER

A project will result in a less-than-significant impact to air quality for local CO if:

- Traffic generated by the project will not result in deterioration of intersection level of service (LOS) to LOS E or F; and
- The project will not contribute additional traffic to an intersection that already operates at LOS of E or F.

SECOND-TIER

If all the following criteria are met, a project will result in a less-than-significant impact to air quality for local CO if:

- The project will not result in an affected intersection experiencing more than 31,600 vehicles per hour;

- The project will not contribute traffic to a tunnel, parking garage, bridge underpass, urban street canyon, or below-grade roadway; or other locations where horizontal or vertical mixing of air will be substantially limited; and
- The mix of vehicle types at the intersection is not anticipated to be substantially different from the county average (as identified by CalEEMod).

Based on the traffic study conducted, the Project would result in the deterioration of LOS to area intersections from D to E, from E to F, and from A to F. This would include the following intersections: South Watt Avenue and Elder Creek Road, Hedge Avenue and Elder Creek Road, Bradshaw Road and Jackson Road, Excelsior Road and Jackson Road, Excelsior Road and Florin Road, Mather Boulevard and Douglas Road, Eagles Nest Road and Jackson Road, Grant Line Road and Jackson Road, and Excelsior Road and Calvine Road (DKS 2019). Further, some intersections in the Project vicinity (i.e., South Watt Avenue and Elder Creek Road, Bradshaw Road and Jackson Road, and Grant Line Road and Jackson Road) already experience a LOS of E or F and would experience added traffic volume because of the Project (DKS 2019). Therefore, both conditions of the first tier of screening would occur so Project traffic conditions were evaluated against SMAQMD's second tier of screening.

As described in the traffic study conducted for the Project, the Project would generate a maximum of 5,909 trips during the a.m. peak hour and up to 5,651 trips during the p.m. peak hour, which are below the criteria for a single intersection (DKS 2019). Also discussed in the traffic study, the Plan Area does not support existing intersections above 10,000 vehicles during the peak hours of the day (DKS 2019). Therefore, this addition of a.m. and p.m. trips would not result in an intersection that supports traffic volumes that would exceed 31,600 vehicles per hour, even assuming all trips occurred at the same intersection in one hour. Also, because of stricter vehicle emissions standards in newer cars, new technology, and increased fuel economy, CO emissions are expected to be substantially lower in future years than under existing conditions. Furthermore, the Project would not contribute traffic to a tunnel, parking garage, bridge underpass, urban street canyon, below-grade roadway, or other location in which horizontal or vertical mixing of mobile-source CO emissions would be substantially limited. Thus, Project-generated local mobile-source CO emissions would not result in or substantially contribute to concentrations that exceed the 1-hour or 8-hour ambient air quality standards for CO. As a result, this impact would be **less than significant**.

ALTERNATIVE 2

According to the traffic study conducted for the Project, which included an analysis of traffic impacts associated with Alternative 2, operation of Alternative 2 would introduce 60,755 daily trips including up to 5,630 trips during the a.m. peak hour and up to 5,589 trips during the p.m. peak hour (DKS 2019). This level of new trips would be less than the Project, which as discussed previously, would not generate additional trips that could result in an intersection supporting 31,600 or more vehicles per hour. Thus, CO impacts associated with Alternative 2 would be **less than significant**.

MITIGATION MEASURES

No mitigation is required.

IMPACT: EXPOSURE OF SENSITIVE RECEPTORS TO TACs**PROPOSED PROJECT**

The exposure of sensitive receptors to TAC emissions from Project-generated construction and operational sources are discussed separately below.

CONSTRUCTION

Construction-related activities would result in temporary, intermittent emissions of diesel PM from the exhaust of off-road, heavy-duty diesel equipment for site preparation (e.g., demolition, clearing, grading); paving; application of architectural coatings; on-road truck travel; and other miscellaneous activities. For construction activity, diesel PM is the primary TAC of concern. On-road diesel-powered haul trucks traveling to and from the construction area to deliver materials and equipment are less of a concern because they would not stay on the site for long durations.

Particulate exhaust emissions from diesel-fueled engines (i.e., diesel PM) was identified as a TAC by CARB in 1998. The potential cancer risk from the inhalation of diesel PM, as discussed below, outweighs the potential for all other health effects (i.e., non-cancer chronic risk, short-term acute risk) and health effects from other TACs (CARB 2003). Studies show that diesel PM is highly dispersive. For instance, concentrations of diesel PM generated by freeway traffic decreased by approximately 70 percent at 500 feet from the source, and receptors must be near emission sources to result in the possibility of exposure to concentrations of concern and must be near for a long duration of time (Zhu et. al 2002). With regard to exposure of diesel PM, the dose to which receptors are exposed is the primary factor used to determine health risk. Dose is a function of the concentration of a substance or substances in the environment and the duration of exposure to the substance. Dose is positively correlated with time, meaning that a longer exposure period would result in a higher level of health risk for any exposed receptor. Thus, the risks estimated for an exposed individual are higher if a fixed exposure occurs over a longer period of time. According to Office of Environmental Health Hazard Assessment (OEHHA), Health Risk Assessments, which determine the exposure of sensitive receptors to TAC emissions, should be based on a 70- or 30-year exposure period; however, such assessments should be limited to the period/duration of activities associated with the Project (OEHHA 2015:11-3). Based on the emission modeling conducted (see Appendix AQ-1), maximum daily exhaust emissions of PM₁₀, considered a surrogate for diesel PM, would not exceed 1 lb/day during the most intense season of construction activity. Furthermore, even during the most intense year of construction, emissions of diesel PM would be generated from different locations in the Plan Area rather than a single location because different types of construction activities (e.g., site preparation, building construction) would not occur at the same place at the same time. Consequently, it is important to consider that the use of off-road heavy-duty diesel equipment would be limited to the construction phase of up to 15 years. However, each individual construction activity within this 15-year period would be

much shorter. As construction progresses, activity intensity and duration would vary throughout the site. As such, no single existing or future receptor (i.e., as part of the project) would be exposed to construction-related emissions of diesel PM for extended periods of time.

Additionally, as described above and in Chapter 20, “Traffic and Circulation,” offsite improvements to segments of roadway along Kiefer Boulevard, Jackson Road, and Excelsior Road would be widened to accommodate additional Project-related traffic. Additionally, intersections within the traffic study area would be improved from two-way stops to either roundabouts or signalized controls. In some cases, lanes would be reconfigured to provide an additional turn lane. In the case of freeway capacity issues, an electronic traffic management system would be implemented which may result in future improvements to carrying capacity of parallel local facilities. As these improvements would be required as part of a mitigation strategy for development of the Project, they would occur as future, and independent projects which would be evaluated for environmental impacts at the time of permitting and are not included in the evaluation of Project TACs in this section. However, operational mobile-source TACs (i.e., diesel exhaust) from increased traffic volumes evaluated in this EIR do include an evaluation of a post-Project traffic operational condition.

As the Project is developed, construction from other future planned developments in Sacramento County could potentially overlap with the construction activities of the Project, potentially exposing newly sited sensitive receptors within the Plan Area. These developments include the NewBridge Specific Plan, located to the east of the Project, the West Jackson Highway Master Plan located to the west of the Project, and the Mather South Community Master Plan, located to the northeast of the Project. However, any potential construction activity associated with these other planned future developments would be located over 2,000 feet from the site of any future receptors constructed as part of the Project and, thus, would not be exposed to excessive levels of TACs associated with construction.

Regarding existing off-site receptors, residences are in Rancho Cordova, approximately 500 feet to the east of the Plan Area as well as residences at Independence at Mather approximately 800 feet north of the Plan Area. Given the locations of existing receptors relative to potential diesel PM emission sources, and the temporary and intermittent nature of construction activities within specific locations in the Plan Area (i.e., construction does not occur year round and does not occur in any one part of the Plan Area during the 15-year buildout period), the dose of any exposure to diesel PM of any one receptor would be very limited.

Therefore, considering the relatively low mass of diesel PM emissions that would be generated by construction, the relatively short duration of diesel PM-emitting construction activity at any one location of the Plan Area, the distance to the nearest off-site sensitive receptors, and the highly dispersive properties of diesel PM, construction-related TAC emissions would not expose sensitive receptors to an incremental increase in cancer risk greater than 10 in 1 million or a hazard index greater than 1.0.

LONG-TERM OPERATION

Operation of some land uses developed under the Project would result in new sources of TACs associated with new vehicular trips on existing and new roadways, as well as new sources of diesel PM associated with commercial loading docks frequented by diesel-powered delivery trucks and backup diesel generators. New TAC sources could expose existing and future sensitive receptors to TAC emissions. The Project would also locate new sensitive land uses in proximity to existing TAC sources associated with surrounding roadways.

In accordance with available guidance from CARB, freeways or urban roadways experiencing 100,000 or more vehicles per day could expose sensitive receptors to adverse health risks. Based on the traffic study conducted, the Project would result in a maximum of 62,384 daily trips (i.e., new TAC sources) traveling through 123 different intersections and multiple roadways (DKS 2019).

Further, existing traffic volumes along nearby roadways range from approximately 189 to 65,242 vehicles per day (DKS 2019:31-35). Project-generated traffic would add to the existing traffic volumes of these roads. The largest increase in traffic volume would occur on Zinfandel Drive, with an increase of 7,595 to a total traffic volume of 11,870 vehicles per day on the three segments between International Road and Douglas Road (DKS 2019). These traffic volumes do not exceed CARB's guidance of 100,000 vehicle per day, thus new and existing sensitive receptors would not be exposed to increased health risk.

In addition to new mobile sources on local roadways, the Project would include the development of approximately 59.3 acres of General Commercial uses, 17.6 acres of Community Commercial use, 33.6 acres of Office use, and 100.1 acres of Educational use. These land uses may include loading docks for delivery trucks, resulting diesel PM exhaust emissions from idling trucks that could expose existing or new sensitive receptors to TACs, depending on the location of these new land uses and proximity to off-site or new on-site receptors.

In addition to existing industrial land uses, the Project would locate new residences as close as 500 feet from Jackson Road and Kiefer Boulevard. Traffic on these roads are the primary source of TACs in the vicinity, with traffic volumes ranging from 1,790 to 32,180 vehicles per day at roadway segments extending along the border of the Plan Area (DKS 2019). The mapping tool from SMAQMD's *Mobile Source Air Toxics (MSAT) Protocol* and CARB's *Air Quality and Land Use Handbook* recommends that new sensitive receptors should not be placed within 500 feet of freeways or urban streets with traffic volumes that exceed 100,000 vehicles per day (SMAQMD 2019b and CARB 2005). Traffic volumes on Jackson Road and Kiefer Boulevard do not exceed 100,000 vehicles per day, thus new sensitive receptors would not be exposed to excessive health risk from these roadways. No other roadways in the vicinity experience volumes that exceed 100,000 vehicles per day.

The Sacramento Rendering Company operates the Sacramento Rendering Plant approximately 0.5 mile east of the Plan Area. The Plant constitutes a stationary source of pollution and is regulated by SMAQMD. Based on an HRA conducted for the Plant by SMAQMD, the cancer risk, acute non-cancer risk, and chronic non-cancer risk were

evaluated for workers of the Plant and residences located within its vicinity. The HRA concludes the residences and works were exposed to concentrations far below (i.e., 0 for cancer risk, 0.0001 for acute non-cancer risk, and 0.00003 for chronic non-cancer risk, respectively) the permitting hazard index thresholds of 10.0 for cancer risk and 1.0 for acute and chronic non-cancer risk (SMAQMD 2017). These findings indicate that residences of the Plan Area would not be exposed to substantial TAC emissions from operation of the Plant that could result in an adverse health effect. In summary, Project-related construction activities would not expose nearby sensitive receptors to incremental increases in cancer, chronic, or acute risk that exceeds applicable thresholds. However, the placement of new sources of diesel PM associated with commercial delivery trucks could expose new or existing sensitive receptors to increased TAC emissions. This impact would be **significant**.

Mitigation Measure AQ-3, discussed below, would be applicable to the Project. Mitigation Measure AQ-3 would require the Project Applicant to implement project design features that would reduce the potential for exposure to substantial concentrations of TACs. Implementation of Mitigation Measure AQ-3 would be sufficient to reduce this potential. With mitigation, this impact would be **less than significant with mitigation**.

ALTERNATIVE 2

Construction activities under Alternative 2 would be slightly less intensive as compared to the Project due to the decrease in overall proposed land uses. However, the activities would be similar in nature and extend over a 15-year period similar to the Project. As summarized in Table AQ-4, PM_{2.5} (of which diesel PM is a surrogate) would not be expected to be more than 2 lb/day. Because construction activities would be inherently short term and emissions of PM_{2.5} would be nominal, construction-related emissions of TACs would be less than significant.

The existing traffic volumes on nearby roadways have the same values as those discussed above for the Project. Based on the traffic study conducted, implementation of Alternative 2 would introduce 60,755 daily trips with 5,630 trips occurring during peak a.m. hours and 5,589 trips occurring during peak p.m. hours (DKS 2019). The largest increase in traffic volume would similarly occur on Jackson Road and Kiefer Boulevard, which would result in a range of vehicle trips between 5,580 to 32,560 (DKS 2019). Based on guidance from CARB, as well as the SMAQMD MSAT Protocol mapping tool, Alternative 2 would not site new sensitive land use uses near freeways supporting 100,000 vehicles or roadways generating high volumes of PM_{2.5} (SMAQMD 2019b) and CARB 2005).

However, similar to the Project, operation of the proposed land uses under Alternative 2 could generate TAC emissions. Under Alternative 2, the build out would include 59.7 acres of General Commercial use, 16.2 Community Commercial use, 35.2 acres of Offices use, and 100 acres of Education use. Operation of these land uses could introduce new sources of diesel PM and other TACs from the operation of loading docks and movement of diesel-powered vehicles to and from these land uses. For this reason, implementation of Alternative 2 could expose sensitive receptors to increased concentrations of TACs. This would be a **significant** impact.

Implementation of Mitigation Measure AQ-3 would ensure that any new sources of TACs associated with the proposed commercial and educational land uses would not expose existing or sensitive land uses to excessive TAC levels. Thus, the Alternative 2-generated TAC sources would not result in an increased health risk to existing levels in the Plan Area and this impact would be reduced to **less than significant with mitigation**.

MITIGATION MEASURES

- AQ-3: Before Design Review approval, the Project Applicant, its designee, or subsequent developer(s), shall implement design features to reduce TAC exposure during operation.
- Consistent with guidance in CARB's *Air Quality and Land Use Handbook*, proposed commercial and educational land uses that have the potential to emit TACs or host TAC-generating activity (e.g., loading docks that accommodate more than 100 trucks per day, more than 40 trucks with operating transport refrigeration units per day, or where transport refrigeration unit operations exceed 300 hours per week) shall be located at least 1,000 feet from existing and proposed on-site sensitive receptors (i.e., residential dwellings, schools, hospitals, playgrounds, nursing homes, senior care and living centers, and similar facilities) ~~as possible~~ such that they do not expose sensitive receptors to TAC emissions that exceed an incremental increase of 10 in 1 million for the cancer risk and/or a noncarcinogenic Hazard Index of 1.0 (CARB 2005).
 - Loading dock design shall incorporate the use of buildings or walls to shield commercial activity from nearby residences or other sensitive land uses.
 - Signs shall be posted at all loading docks and truck loading areas which indicate that diesel-powered delivery trucks must be shut off when not in use for longer than 5 minutes on the premises to reduce idling emissions.
 - Plant and maintain a vegetative buffer between the truck loading/unloading facility and nearby residences, schools, nursing homes, senior care and living centers, hospitals, playgrounds, and daycare facilities. As part of detailed site design, a landscape architect licensed by the California Landscape Architects Technical Committee shall identify all locations where trees should be located, accounting for areas where shade is desired such as along pedestrian and bicycle routes, the locations of solar photovoltaic panels, and other infrastructure. Special consideration shall be given to SMAQMD's Recommended Guidance for Improving Air Quality Near Roadways: Plant Species and Best Practices for the Sacramento Region.

IMPACT: CONSISTENCY WITH AN APPLICABLE AIR QUALITY PLAN

PROPOSED PROJECT

In 1994, SMAQMD established a Clean Air Plan, or SIP, for attaining the federal 1-hour ozone standard in the Sacramento Air Basin (SMAQMD 1994). This plan includes

assumptions and allowances for growth and development in the region and details the control measures and Best Management Practices that must be used for the region to make progress toward attainment. The 1994 Clean Air Plan has been updated numerous times since its promulgation. The most recent update to the Clean Air Plan is the 2017 *Sacramento Regional 2008 NAAQS 8-Hour Ozone Attainment and Reasonable Further Progress Plan*, which addresses attainment of the federal 8-hour ozone standard (SMAQMD 2017). The 2015 Triennial Report and the 2016 Annual Progress Report address the attainment of the State ozone standard. The current SIP is based on the 2016 MTP/SCS; however, the land use pattern in the 2016 and current MTP/SCS show the Plan Area as a “developing community” and “blueprint growth footprint not identified for development in the MTP/SCS planning period.”

Until 2017, Sacramento County was in nonattainment for the PM_{2.5} standard. Following the development of the *PM_{2.5} Implementation/Maintenance Plan and Redesignation Request for the Sacramento PM_{2.5} Nonattainment Area*, EPA declared on May 10, 2017 that Sacramento County had achieved attainment.

The Project would develop a residential/mixed-use community. The Project is within the jurisdiction of SMAQMD and, therefore, would be required to comply with the regulatory plans of SMAQMD with respect to air quality. ~~According to SMAQMD, development projects that exceed emissions of 85 lb/day of NO_x, 80 lb/day of PM₁₀, and 82 lb/day PM_{2.5} during construction activities or 65 lb/day of ROG and NO_x, 80 lb/day of PM₁₀, and 82 lb/day of PM_{2.5} during operational activities would have the potential to obstruct the success of the regional ozone and PM attainment plans and, therefore, would be considered significant and require mitigation.~~

The existing standards and mitigation have been established based on the underlying targets and assumptions of the SIP; however, the SIP is tied to a “motor vehicle emissions budget,” and growth in the Plan Area was not included as part of the growth assumptions when developing the budget. As a result, SMAQMD has indicated that even if the Project included standard mitigation and met the current operational significance thresholds, a significant impact would still occur (SMAQMD 2016). It is for this reason that an increased requirement for operational ozone precursor emissions reductions, from 15 percent for projects included in the SIP and 35 percent for projects not included in the SIP, has been recommended by SMAQMD.

Emissions of ROG and NO_x from construction and operational activities are discussed in detail in the previous impacts. Construction and operational activities are anticipated to exceed SMAQMD mass emission thresholds for several pollutants; ~~therefore, the Project's construction and operational impacts would be considered significant. Mitigation Measures AQ-1a and AQ-1b would reduce emissions of criteria pollutant and ozone precursors to less than significant levels through application of best management practices to reduce fugitive dust emissions, exhaust control measures, and participation in SMAQMD's off-site mitigation program. Mitigation Measure AQ-2a requires that the Project Applicant prepare an AQMP; however, even with the incorporation of Project design features and mitigation measures contained in the AQMP, the operation of the Project is anticipated to emit NO_x and PM₁₀ at levels above the 65 lb/day and 80 lb/day thresholds, respectively. Furthermore, even if the Project fell below the thresholds, emissions would still be significant because the Project was not assumed in the current~~

SIP. Therefore, the Project has the potential to obstruct the success of regional ozone attainment and would result in a **significant** impact.

Mitigation Measure AQ-4 would be applied to the Project, which requires that the Project Applicant implement Mitigation Measures AQ-1a, AQ-1b, and AQ-2a or AQ-2b. ~~Application of the provisions of Mitigation Measures AQ-1a and AQ-1b would reduce construction emissions to below SMAQMD's thresholds of significance; however, Mitigation Measure AQ-2a would not produce sufficient reductions in NO_x and PM₁₀ such that the SMAQMD operational mass emissions thresholds would be met.~~

Mitigation Measures AQ-1a and AQ-1b would reduce emissions of criteria pollutant and ozone precursors to less-than-significant levels through application of best management practices to reduce fugitive dust emissions, exhaust control measures, and participation in SMAQMD's off-site mitigation program. Mitigation Measure AQ-2a requires that the Project Applicant prepare an AQMP for the Proposed Project that achieves the same reductions as the Alternative 2 AQMP in the event that the Proposed Project is approved in lieu of Alternative 2. Based on SMAQMD guidance, projects that emit criteria air pollutants and ozone precursors in exceedance of these thresholds would have a cumulatively considerable impact to regional air quality and would not be consistent with regional or statewide plans (e.g., SIP). However, projects that are not accounted for in the MTP/SCS that achieve a 35 percent reduction in emissions are considered consistent with the SIP. Thus, following implementation of Mitigation Measure AQ-4, this impact would be **less than significant and unavoidable**.

ALTERNATIVE 2

Alternative 2 would be beholden to the same air quality plans mentioned in the discussion of the Project above. Because operational emissions of NO_x and PM₁₀ would exceed SMAQMD's operational mass emissions thresholds, Alternative 2 would not be consistent with local plans to improve air quality. As such, this impact would be **significant** for the same reasons identified for the Project.

Implementation of Mitigation Measure AQ-4 would require that Alternative 2 implement Mitigation Measures AQ-1a, AQ-1b, and AQ-2b. Mitigation Measures AQ-1a and AQ-1b would reduce emissions below SMAQMD's construction mass emissions thresholds; ~~however, while operational emissions would be reduced to meet the 35 percent reduction target required by SMAQMD through implementation of Mitigation Measure AQ-2b, reductions would not be sufficient to lower emissions below SMAQMD's mass emissions for operational activities.~~ This impact would be **less than significant and unavoidable**.

MITIGATION MEASURES

AQ-4: The Project Applicant, or subsequent developer(s), shall implement Mitigation Measures AQ-1a, AQ-1b, and AQ-2a (for the Proposed Project), ~~and or~~ AQ-2b (for Alternative 2) to reduce emissions to the extent feasible.

IMPACT: EXPOSURE TO OBJECTIONABLE ODORS

PROPOSED PROJECT

The occurrence and severity of odor impacts depends on numerous factors, including: the nature, frequency, and intensity of the source; wind speed and direction; and the sensitivity of the affected receptors. While offensive odors rarely cause any physical harm, they can still be very unpleasant, leading to considerable distress among the public and often generating citizen complaints to local governments and regulatory agencies.

CONSTRUCTION

Minor odors from the use of heavy-duty diesel equipment and the laying of asphalt during Project construction activities would be intermittent and temporary and would dissipate rapidly from the source with an increase in distance. While facilities would be constructed intermittently over the 15-year buildout period, these types of odor-generating activities would not occur at any single location, or within proximity to off-site receptors, for an extended period. Existing sensitive receptors include residences located on nonparticipating properties and off-site rural residences located approximately 500 feet to the east of the Plan Area. Given the temporary and intermittent nature of construction activities within specific locations in the Plan Area (i.e., construction does not occur in any one part of the plan area during the 15-year buildout period), and that the prevailing wind direction is from the south, which would likely keep odor emissions away from adjacent land uses to the east, Project construction is not anticipated to result in an odor-related impact during the construction phase of the Project.

LONG-TERM OPERATION

Operation of the proposed land uses under the Project would include diesel-fueled delivery trucks visiting loading docks at commercial land uses. Land uses developed under the Project (e.g., commercial) would be subject to SMAQMD Rule 402 (Nuisance) regarding the control of nuisances, including odors. Receptors located in the general vicinity of such sources may be exposed to odorous emissions. These receptors could include the new residences built around the commercial development, as well as existing residences located approximately 500 feet to the east of the Plan Area.

The Kiefer Landfill is a potential odor source to the Plan Area, which is located approximately 4 miles to the east. Based on the SMAQMD recommended screening distance of 1 mile for landfills, the Plan Area is outside the buffer zone. In addition, prevailing winds in the area are from the south and west 95 percent of the time, so odors from the landfill would be blown in the opposite direction from the Plan Area. Thus, residents of the Plan Area would not be subject to adverse odors related to landfill operations.

The Sacramento Rendering Company operates the Sacramento Rendering Plant approximately 1 mile east of the Plan Area. The primary air pollutants emitted from rendering operations are VOCs, which readily become gas and generally have strong odors. The breakdown of organic material (which occurs at this facility) generates a

wide array of different types of VOCs. Many of the VOCs emitted have low odor detection thresholds, which means that they smell so strongly that the odor can be detected even when very small amounts of the compound are present. For this reason, odors from a facility such as a rendering plant may continue to be detectable even at great distances and even if all feasible odor control devices are installed. Data provided by SMAQMD shows approximately 1,500 complaints have been made since 1992 with at least 650 complaints occurring since 2017 (SMAQMD 2019c).

SMAQMD is the agency responsible for issuing permits to the rendering plant to ensure compliance with federal, State, and local air pollution rules and regulations. The permit issued includes conditions related to plant operations, and SMAQMD staff regularly inspect the facility to ensure that the permit conditions are being met. The facility includes an enhanced odor control system that was voluntarily installed by the Sacramento Rendering Company in 2004. Once the system was installed, it became subject to the permitting requirements and inspection processes of SMAQMD, but these requirements are limited to ensuring that the equipment is being maintained and operated. California Civil Code Section 3482.6 (the “Right to Farm Act”) includes rendering facilities in the definition of agricultural activities and exempts facilities from nuisance rules if they predate the urban uses with which they have come into conflict. For this reason, if the company is meeting its permit conditions, SMAQMD cannot take enforcement action against the facility because of odor complaints.

SMAQMD has a Recommended Odor Screening Distances table for lead agencies to use when siting new receptors within the vicinity of an existing source of odor. SMAQMD specifically recommends a 4-mile buffer between a rendering plant and a new sensitive land use; the entire Plan Area is located within this 4-mile buffer. However, SMAQMD also notes that if “the receptor would be upwind from the source, the likelihood of the receptor being exposed to objectionable odors would be lower than if it was downwind from the odor source” (SMAQMD 2016). As discussed in the environmental setting, the predominant wind direction is from the south (WRCC 2002). The rendering plant is located east of the Plan Area. As such, despite the Plan Area being located closer than the recommended 4-mile buffer zone (i.e., approximate 1 mile), it is likely the meteorology of the Plan Area would minimize potential odor impacts from occurring.

The principal method by which SMAQMD regulated the Sacramento Rendering Plant is through a permit to operate. This permit requires the Sacramento Rendering Plant to operate in accordance with specific conditions. These conditions are enforced by regular compliance inspections.

In its opinion in *California Building Industry Association v. Bay Area Air Quality Management District* (2015) 62 Cal.4th 369, the California Supreme Court addressed the issue as to whether CEQA requires analysis of the effect of the existing environment on the residents and users of a proposed project, in this instance, future residents, workers, students, and other users of the Plan Area. In answering this question, the Court held that “agencies subject to CEQA generally are not required to analyze the impact of existing environmental conditions on a project’s future users or residents. But when a proposed project risks exacerbating those environmental hazards or conditions that already exist, an agency must analyze the potential impact of such hazards on future residents or users.”

Odors from the Sacramento Rendering Plant are part of the existing environment in the Plan Area. Residential and commercial land uses would not generate activity that would exacerbate this existing odor impact because no changes to the facility are proposed. Nonetheless, on remand from the California Supreme Court, the First District Court of Appeal limited the scope of potential application of the Supreme Court's opinion concerning voluntary analysis by public agencies of environmental conditions on end users. It agreed that "while CEQA does not generally require an evaluation of existing conditions upon future occupants or users of a proposed project, a public agency retains the discretion to make such an evaluation when conducting an analysis of its own project." Therefore, while not strictly required to do so, Sacramento County opts to evaluate and draw significance conclusions with respect to impacts of existing odor sources on future residents and visitors.

The Sacramento Rendering Plant collects three types of meat waste: trimmings from grocery store butchers, used cooking grease from 4,500 Sacramento area restaurants, and deceased livestock from California's border with Oregon down to Fresno. Meat byproducts are recycled, ground up, and cooked to produce dog food, poultry feed, tallow, and biodiesel. Typical odors associated with these activities are commonly compared to spoiled meat and decaying carcasses, which can cause headaches and nausea.

An odor study was conducted for the Project in 2015 to assess the potential for adverse odor impacts to occur to residents of the Plan Area. The study found that the emissions controls implemented at the Sacramento Rendering Plant in 2004 reduced the number of odor complaints by nearly a factor of 10. The study also found that, as mentioned previously, the wind direction and frequency indicate that odors are 10 times more likely to be detected at existing housing east of the rendering plant than that proposed under the Project (Kleinfelder 2015) (see Appendix AQ-4). With the prevailing winds from the south and west 95 percent of the time, though exposure of people within the Plan Area to objectionable odors is possible during rare periods when the wind direction shifts, it is unlikely. Furthermore, as discussed in Chapter 21, "Summary of Impacts and Their Disposition," the Sacramento Rendering Plant may be relocated pending the approval of the NewBridge Specific Plan, which would be constructed within a similar timeframe as the Project or Alternative 2. Under such conditions, the existing Sacramento Rendering Plant would be demolished and relocated more than 4 miles from Plan Area; a distance greater than the air district's recommended odor buffer. This scenario would negate the applicability and necessity of mitigating odor impacts related to the operation of the Sacramento Rendering Plant. For these reasons, this impact is **less than significant**.

ALTERNATIVE 2

Although Alternatives 2 differs from the Project in its mix of land uses, the location would be the same as that of the Project. Alternative 2 would similarly be located within the 4-mile buffer zone to the existing Sacramento Rendering Company's Rendering Plant (i.e., 1 mile to the west) recommended by SMAQMD, but the prevailing winds would move odors away from the Plan Area. This impact is **less than significant**.

MITIGATION MEASURES

No mitigation is required.

7 AIRPORT COMPATIBILITY

INTRODUCTION

Mather Airport is located approximately 1 mile northwest of the Plan Area. For development near airports, special considerations are taken into account to address potential land use conflicts related to airport operations and the surrounding uses. This chapter examines the compatibility of the Project or Alternative 2 with Mather Airport and identifies applicable regulations and policies affecting the Plan Area, as well as potential impacts related to airport safety and noise, and the Project's consistency with the Mather Airport Comprehensive Land Use Plan (CLUP).

The Sacramento Area Council of Governments (SACOG) adopted the Mather Airport Land Use Compatibility Plan (ALUCP) in August of 2022, after the release of the Draft EIR and Revised Draft EIR for the Jackson Township Specific Plan. The County has reviewed the Mather Airport ALUCP and determined that there would not be any potential for increase in safety hazards, exposure to excessive noise, or effects on safe and efficient use of navigable airspace with adoption of this plan. Through Mitigation Measure AC-1, described below, applications for development within the Plan Area would undergo SACOG consistency review to identify the land use compatibility standards that apply to the Project and determine whether the Project is compatible.

Comments on airport compatibility were provided in response to the Notice of Preparation, including potential for conflict with Mather Airport's planning documents. These concerns are addressed below, as appropriate.

ENVIRONMENTAL SETTING

AIRPORT LAND USE COMPATIBILITY PLANNING

Airport land use compatibility plans (ALUCPs), formerly called comprehensive land use plans (CLUPs), include policies and regulations to address the issues of airport noise and safety, with the intent of protecting airport operations from encroachment by incompatible land uses, as well as protecting citizens on the ground from the impacts of excessive noise and the potential for aircraft accidents. Under provisions of the California Public Utilities Code, Chapter 4, Article 35, Section 21670.1, Airport Land Use Commission Law, ~~the Sacramento Area Council of Governments (SACOG)~~ has been designated the Airport Land Use Commission (ALUC) for Sacramento, Sutter, Yolo and Yuba counties.

ALUCPs and CLUPs regulate land use in three major areas: safety zones, noise zones, and height restrictions. These restrictions are defined below. The Plan Area is subject to safety zones, noise zones, and height restrictions established in the Mather Airport CLUP, as described in the Regulatory Setting.

SAFETY ZONES

The probability of airplane accidents is highest in the immediately vicinity of airports. Consequently, safety zones are delineated around airports and restrict land use. There are three safety zones: the clear zone, the approach/departure zone, and the overflight zone. The clear zone is near the end of the runway and is the most restrictive. The approach/departure zone is located under the takeoff and landing slopes and is less restrictive. The overflight zone is the area under the traffic pattern and is the least restrictive. The densities of land uses allowed in these zones are inversely related to probability of an accident in the zone.

NOISE ZONES

The community noise equivalent level (CNEL) is used to describe cumulative noise exposure for an annual-average day of aircraft operations. The CNEL is calculated by mathematically combining the number of single events that occur during a 24-hour day with how loud the events were and what time of day they occurred. The CNEL includes penalties applied to noise events occurring after 7:00 p.m. and before 7:00 a.m., when noise is considered more intrusive. The penalized time period is further subdivided into evening (7:00 p.m. through 9:59 p.m.) and nighttime (10:00 p.m. to 6:59 a.m.). When a noise event occurs in the evening, a penalty of 4.77 decibels (dB) is added to the nominal sound level (equivalent to a threefold increase in aircraft operations). A 10 dB penalty is added to nighttime noise events (equivalent to a tenfold increase in aircraft operations). Because of the interrelationship between the weighted number of daily noise events and the noise levels generated by the events, it is possible to have the same CNEL value for an area exposed to a few loud events as for an area exposed to many quieter events.

Noise that emanates away from airstrips and airplane flight paths is represented by concentric noise contours around the airport referred to as Theoretic Capacity Noise Contours. The contours delineate zones where land use is restricted, protecting citizens from the detrimental effects of exposure to excessive airplane noise. The contours are constructed using the Federal Aviation Administration (FAA) Integrated Noise Model. The actual noise levels around an airport are a function of the number, time of day, and frequency of operations of each aircraft type. Noise levels are also influenced by the variations in monthly and seasonal flight schedule changes by the airlines. The contours are used to determine compatible land uses around the airport.

HEIGHT RESTRICTIONS

Buildings surrounding airports are prohibited from intruding into aircraft airspace except when permitted by the California Department of Transportation, Division of Aeronautics. Compliance with the height restrictions is tested by comparing the height of proposed projects with an imaginary surface surrounding each airport.

MATHER AIRPORT

Mather Airport is located within the unincorporated area of Sacramento County. The airport encompasses 2,253 acres and is surrounded by a mix of residential, commercial, industrial, and open land uses, including the Mather Preserve. Mather Airport was

originally established in 1918 as Mather Air Force Base, a military base and pilot training school. The base went through a series of changes but continued to operate under the military until 1988 when the U.S. Department of Defense decided to close it. The property was transitioned via lease to Sacramento County and officially reopened in May 1995 as Mather Airport, a civilian airport. In 2012, the property was purchased by the County of Sacramento. However, the airport continues to receive federal funding and limited military use continues.

The airport includes two parallel runways that have a northeast/southwest orientation, 55 acres of cargo ramp space, 73 acres of general aviation aircraft parking ramp, approximately 6 acres of aircraft storage and maintenance hangars, and about 1 acre (49,000 square feet) of office space. The northern of the two runways is 6,040 feet long and 150-feet wide; the southern runway is 11,301 feet long and 150 feet wide. The majority of these facilities were constructed when the site was an active Air Force base. Mather Airport currently accommodates the United Parcel Service for cargo services; regional general aviation demand, including corporate general aviation, recreational general aviation; and air taxis. Mather Airport's general aviation aircraft are primarily used for corporate, government, and recreational purposes (Sacramento County Department of Airports 2013).

According to the Mather Airport Airline Landing statistics, Mather Airport saw 3,110 landings in 2013; 2,997 landings in 2014; 3,168 landings in 2015; 3,222 landings in 2016; and 3,394 landings in 2017. Mather Airport typically receives somewhere between 230 to 280 landings a month, with the majority of these being cargo planes. December typically has increased landings (375 to 450 landings) (Sacramento County Department of Airports, 2014-2017). The majority of cargo operations occur during the evening and early morning hours at low-level overflights. Military operations consist of touch and go (take-off and landing operations), in which Air Force T-38 jet fighters are used. These aircraft are small, single-engine supersonic aircraft, which are quite loud. Touch and go operations occur at low level flight decks generally between 1,500 and 3,500 feet. Approximately 88 percent of all aircraft operations occur on the southern runway.

MATHER AIRPORT LAND USE PLANNING

Mather Airport has a CLUP, adopted in by the ALUC Board in 1997, provides land use compatibility guidelines. The CLUP also establishes planning boundaries for safety zones (see Plate AC-1), noise (see Plate AC-2), and height restrictions (see Plate AC-3). As illustrated in Plate AC-1, a portion of the Plan Area is within the overflight zone, which imposes height restrictions on any development within the zone. Note that the CLUP is currently being updated as an ALUCP by the ALUC and is expected to be completed in 2021. As shown in Plate AC-2, the Plan Area is located within the 45 CNEL, 50 CNEL, and 55 CNEL Theoretic Capacity Noise Contours, but entirely outside of the 60 CNEL Theoretic Capacity Noise Contour. As explained above, these contours delineate zones with differing capacity, or ability to accommodate land uses, without exposing people to excessive airplane noise. The exposure maps are based on theoretical flight tracks, rather than radar data, and represent the "theoretic capacity" of the area. The Board of Supervisors approved additional planning boundaries, including

new aircraft noise exposure contours and an Airport Planning Policy Area (APPA), by Resolution 2006-1378 in 2006. 2030 General Plan policies related to new residential development within the APPA were also adopted at that time. The Plan Area is within the APPA. The CLUP and the APPA are discussed in greater detail below.

NIGHTTIME AWAKENINGS AND SINGLE EVENT NOISE LEVELS

The Environmental Impact Report for the Mather Airport Master Plan (Sacramento County 2014) includes a technical analysis of the percentage of population residing in the areas around Mather Airport potentially awakened by aircraft noise. The portion of population potentially awakened under the 2012 Existing Conditions scenario is shown on Plate AC-4 (note: areas with no existing population were not assigned a potential for awakenings and appear white). Under existing conditions, 4.1–7.0 percent of the population of the Plan Area is estimated to be potentially awakened by existing airport operations. The analysis concludes that in the future, as a result of the implementation of the Mather Airport Master Plan, the communities around Mather Airport would be subject to increases in the percent of the population potentially awakened due to forecasted growth in aircraft operations.






Plate AC-1: Mather Airport Safety Zones in the Plan Area



Source: Image provided by Sacramento County in 2018

X15010101.09 008

Plate AC-2: Mather Airport Theoretic Capacity Noise Contours



Source: Image provided by Sacramento County in 2018

X15010101.09 009

Plate AC-3: Mather Airport Height Restrictions with Proposed Land Uses




Plate AC-4: Population Potentially Awakened by Aircraft Noise from Mather Airport

REGULATORY SETTING

FEDERAL

FEDERAL AVIATION ADMINISTRATION REGULATIONS

Federal Regulation Title 14 Part 77 establishes standards and notification requirements for objects affecting navigable airspace. Notification serves as the basis for FAA to:

- Evaluate the effect of the construction or alteration on operating procedures
- Determine the potential hazardous effect of the proposed construction on air navigation
- Identify mitigating measures to enhance safe air navigation
- Chart new objects.

Notification allows the FAA to identify potential aeronautical hazards in advance, thus preventing or minimizing the adverse impacts to the safe and efficient use of navigable airspace. Any person or organization who intends to sponsor any of the following construction or alterations must notify the Administrator of the FAA:

- Any construction or alteration exceeding 200 feet above ground level
- Any construction or alteration:
 - within 20,000 feet of a public use or military airport which exceeds a 100:1 surface from any point on the runway of each airport with at least one runway more than 3,200 feet.
 - within 10,000 feet of a public use or military airport which exceeds a 50:1 surface from any point on the runway of each airport with its longest runway no more than 3,200 feet.
 - within 5,000 feet of a public use heliport which exceeds a 25:1 surface
- Any highway, railroad or other traverse way whose prescribed adjusted height would exceed that above noted standards
- When requested by the FAA
- Any construction or alteration located on a public use airport or heliport regardless of height or location

WILDLIFE ATTRACTANTS

On August 28, 2007, the FAA released a revised Advisory Circular for Hazardous Wildlife Attractants On or Near Airports (AC 150/5200-33B) that, among other things, addresses stormwater detention facilities as potential hazardous wildlife attractants. According to the FAA, all stormwater facilities located within 10,000 feet of all airports' operations areas must drain within 48 hours of the design storm. Furthermore, for a 5-

mile radius (nearly 20 square miles) the Advisory Circular discourages hazardous wildlife attractants, including detention basins that do not drain within 48 hours.

STATE

STATE AIRPORT LAND USE POLICY

The State of California regulates airports under the authority of the Airport Land Use Commission Law, Chapter 4, Article 3.5, California Public Utilities Code. The objectives of the Airport Land Use Commission Law are to:

- Protect public health, safety and welfare through the adoption of land use standards that minimize the public's exposure to safety hazards and excessive levels of noise; and
- Prevent the encroachment of incompatible uses around public-use airports, thereby preserving the utility of these airports into the future.

Under the provisions of the law, the ALUC is required to prepare an ALUCP for each public airport within its jurisdiction. The ALUCP or CLUP must be based on either a 20-year master plan or an airport layout plan if the Caltrans Division of Aeronautics decides that the existing airport layout plan is adequate for use in ALUCP/CLUP preparation.

State law requires that General Plans be made consistent with adopted ALUCPs and/or CLUPs. Consistency can be achieved through either of the following actions:

- Amending general/community plan elements and other land use regulations, where necessary, to be consistent with the ALUCP/CLUP, or prevent the encroachment of incompatible uses around public-use airports, thereby preserving the utility of these airports into the future; or
- In the event the Board of Supervisors does not agree with a provision of the plan, it can satisfy the consistency requirement for that provision by overruling the ALUC by a two-thirds vote. The overruling must, however, be made after a public hearing and must be based on specific findings that the proposed actions are consistent with the purposes of the Airport Land Use Commission Law.

Once consistency is achieved between the ALUCP/CLUP and County land use controls through either of the above two methods, State law requires that certain types of projects be referred to the ALUC for a determination of their consistency with an adopted ALUCP/CLUP. Such projects include amendments to the 2030 General Plan, or a community plan, and adoption or amendments to zoning ordinances that affect an area within an airport planning boundary as established by an ALUCP/CLUP. If the ALUC determines the project to be inconsistent, the County may overrule the ALUC by a two-thirds vote, again after a public hearing, and based on specific findings.

CALIFORNIA EDUCATION CODE

The Education Code includes provisions that apply to prospective school sites near airports. Section 39005 requires that school boards notify the Department of Education prior to acquiring title to property within 2 miles of an airport. The Department of Education then works with the Department of Transportation to investigate the proposed

school site and presents recommendations concerning acquisition of the site to the board. Section 81036 sets forth similar requirements specific to community colleges.

LOCAL

MATHER AIRPORT COMPREHENSIVE LAND USE PLAN

The current Mather Airport CLUP was adopted by the ALUC Board on May 15, 1997. The CLUP established new height restrictions, noise contours, and safety zones for Mather Airport. On June 24, 1998, the Sacramento County Board of Supervisors approved a package of amendments to the 1993 General Plan that included the Mather Airport CLUP. As mentioned above, the ALUC is in the process of updating the CLUP with an ALUCP.

MATHER AIRPORT SAFETY ZONES

Consistent with State airport land use policy as described above, the purpose of having safety zones is to minimize the number of people exposed to hazards related to aircraft operations and accidents. Plate AC-1 depicts the adopted safety zones for Mather Airport. As shown, approximately half of the Plan Area is located within the Overflight Zone but is well outside of the Clear and Approach/Departure zones, both of which are more restrictive in terms of allowable land uses than the Overflight Zone. The Overflight Zone generally coincides with the area overflown by aircraft during normal traffic pattern procedures. Within the three safety zones discussed above, the risk of aircraft accident is the lowest for the Overflight Zone.

All residential uses are permitted within the Overflight Zone. Some non-residential uses associated with gatherings of large numbers of people are generally prohibited in the Overflight Zone, including regional shopping centers, colleges and universities, hospitals, jails, stadiums, large movie theaters, auditoriums, and racetracks. Some industrial and manufacturing uses are also prohibited in the Overflight Zone, such as those associated with chemicals and allied products, petroleum refining, and rubber and plastics.

MATHER AIRPORT NOISE CONTOURS

Noises generated from aircraft operations can be bothersome to the public. The Mather Airport CLUP defines airport noise contours and land uses that are incompatible with noises 60 CNEL or above. Therefore, the Mather Airport CLUP has restricted uses within the 60-85 CNEL noise contours to minimize the number of people exposed to bothersome noise from air craft operations. Uses outside of these contours are not restricted.

The Board of Supervisors, by Resolution 2006-1378, revised the Theoretic Capacity Noise Contour for 60 CNEL in 2006. As shown in Plate AC-2, the Plan Area is located entirely outside of the 60 CNEL contour.

MATHER AIRPORT HEIGHT RESTRICTIONS

As shown in Plate AC-3, the majority of the Plan Area is subject to height restrictions; building heights cannot exceed the height above mean sea level shown in the plate.

Elevations in the Plan Area range from approximately 75 feet above mean sea level in the west to approximately 145 feet above mean sea level in the east.

MATHER AIRPORT PLANNING POLICY AREA

In 2006, Sacramento County adopted the Mather APPA, by Resolution 2006-1378, which places specific limitations on conditions of new residential development within certain proximity to Mather Airport. Specifically, the Mather APPA includes the following conditions:

1. Prohibit new residential development inside the current Board-approved 60 CNEL noise contour for MHR.
2. Condition new residential land uses within the APPA boundary but beyond the current Board approved 60 CNEL noise contour for Mather Airport as follows:
 - a. Minimum noise insulation to protect persons from excessive noise within new residential dwellings, including detached single-family dwellings, that limits noise to 45 dB CNEL, with windows closed, in any habitable room.
 - b. Notification in the Public Report prepared by the California Department of Real Estate disclosing to prospective buyers that the parcel is located within the applicable Airport Planning Policy Area and that aircraft operations can be expected to overfly that area at varying altitudes less than 3,000 feet Above Ground Level (AGL).
 - c. Execution and recordation with the Sacramento County Recorder of Avigation Easements prepared by the Sacramento County Counsel's Office on each individual residential parcel contemplated in the development in favor of the County of Sacramento. All avigation easements recorded pursuant to this Policy shall, once recorded, be copied to the Director of Airports and shall acknowledge the property location within the appropriate Airport Planning Policy Area and shall grant the right of flight and unobstructed passage of all aircraft into and out of the appropriate airport.

Exceptions: New accessory residential dwellings on parcels zoned Agricultural, Agricultural Residential, Interim Agricultural, Interim General Agricultural, or Interim Limited Agricultural, shall be exempt from the Airport Planning Policy Area's prohibitions.

The entire Plan Area is within the Mather APPA, but outside of the 60 CNEL noise contour. Therefore, Condition 2 applies to the Project.

SACRAMENTO COUNTY 2030 GENERAL PLAN

The following 2030 General Plan policies pertaining to airport compatibility are applicable to the Project:

- LU-87 Because land use decisions around airports by local governments have a direct impact on an airport's long-term viability and utility, proposed new land use

projects and land use practices near airports within Sacramento County shall consider consistency with current federal, State, and local airport land use compatibility regulations, orders, policies, plans, standards and guidance pertaining to public safety and minimization of hazardous wildlife attractants within five statute miles of County airports.

- NO-2 Proposals for new development within Sacramento County which may be affected by aircraft noise shall be evaluated relative to Table 4: *Land Use Compatibility for Aircraft Noise*.

For context, an abbreviated version of Table 4 is included below as Table AC-1. The table has been modified to display only land uses that would be built as part of the Project. For the full table, see Table 4 of the 2030 General Plan.

Table AC-1: Land Use Compatibility for Airport Noise¹

Land Use Designation	60-65 CNEL	65-70 CNEL	70-75 CNEL	75-80 CNEL	80-85 CNEL
Residential					
Single-family detached	No	No	No	No	No
Two-family dwelling	No	No	No	No	No
Multi-Family Dwelling	No	No	No	No	No
Public and Quasi-Public Services					
Elementary and Secondary schools	Yes	Yes ^{2,3}	No	No	No
Colleges and Universities	Yes	Yes ^{2,3}	No	No	No
Recreation					
Community-wide and regional parks	Yes	Yes	Yes ¹	No	No
Open space and natural areas	Yes	Yes	Yes ¹	Yes ¹	Yes ¹
Retail Trade	Yes	Yes	Yes	Yes	No
Business and Retail Trade	Yes	Yes	Yes	Yes	No

Note: This table has been modified to display only land uses that would be built as part of the Project. For the full table see Table 4 of the 2030 General Plan.

¹. In the case of Sacramento International Airport, use the Land Use Compatibility Plan prepared for Sacramento International Airport dated December 12, 2013, adopted herein by reference.

². Measures to achieve an interior noise level of 50 CNEL must be incorporated into the design and construction of portions where the public is received, office areas, and other areas where people work or congregate.

³. Measures to achieve an interior noise level of 45 CNEL must be incorporated into the design and construction of all noise sensitive areas including, but not limited to, rooms designed for the purpose of sleep, libraries, churches, and areas intended for indoor entertainment events.

Source: 2030 General Plan Noise Element (2017)

- NO-4. New residential development within adopted Airport Policy Area boundaries, but outside the 60 CNEL, shall be subject to the following conditions:
- A. Provide minimum noise insulation to 45 dB CNEL within new residential dwellings, including detached single-family dwellings, with windows closed in any habitable room.

- B. Notification in the Public Report prepared by the California Department of Real Estate disclosing the fact to prospective buyers that the parcel is located within an Airport Policy Area.
- C. An Avigation Easement prepared by the Sacramento County Counsel's Office granted to the County of Sacramento, recorded with the Sacramento County Recorder, and filed with Department of Airports. Such Avigation Easement shall acknowledge the property location within an Airport Planning Policy Area and shall grant the right of flight and unobstructed passage of all aircraft into and out of the subject Airport.

Exceptions: New accessory residential dwellings on parcels zoned Agricultural, Agricultural-Residential, Interim Agricultural, Interim General Agricultural, or Interim Limited Agricultural and between the 60 and 65 CNEL contours, shall be permitted within adopted Airport Policy Area boundaries, but would be subject to the conditions listed above.

COMMUNITY PLANS

CORDOVA COMMUNITY PLAN

The Cordova Community Plan, which was last updated in 2003, provides guidance for both new development and the redevelopment of existing land uses within the community planning area. Objectives identified in the plan that are applicable to the Project include:

- UDNC-11 Ensure that potentially incompatible and unsafe land uses are separated from residential uses by appropriate transition areas.

VINEYARD COMMUNITY PLAN

The Vineyard Community Plan, which was developed in 1985, provides guidance for growth and development in the community planning area. Policies identified in the plan that are applicable to the Project include:

- CI 5. Employment intensive industrial/commercial development will be opposed within the Mather Air Force Base accident potential zones (APZ's).

IMPACTS AND ANALYSIS

SIGNIFICANCE CRITERIA

Based on the CEQA Guidelines, an airport compatibility impact is significant if implementation of the Project would result in:

1. A safety hazard for people residing or working in the vicinity of an airport/airstrip.
2. The exposure of people residing or working in the project area to aircraft noise levels in excess of applicable standards.

3. A substantial adverse effect upon the safe and efficient use of navigable airspace by aircraft.
4. A change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks.

ISSUES NOT DISCUSSED FURTHER

The Project would not change air traffic patterns. Therefore, this impact will not be further analyzed in this EIR.

METHODOLOGY

The following analysis is based on review of the development proposed as part of the Project, as outlined in the Jackson Township Specific Plan land use diagram, Development Standards (Appendix A of the Jackson Township Specific Plan), and Design Guidelines (Appendix B of the Jackson Township Specific Plan), and consistency with applicable regulations and planning documents.

IMPACT: SAFETY HAZARDS TO PEOPLE LIVING AND WORKING IN THE VICINITY OF AN AIRPORT

PROPOSED PROJECT

As discussed above, the Mather Airport CLUP establishes airport safety zones to minimize the number of people exposed to aircraft crash hazards. There are no portions of the Plan Area located in the Clear Zone or the Approach/Departure Zone. According to the CLUP, a portion (42 percent) of the Plan Area is located within the Overflight Zone, which is the least restrictive on land use development (refer to Plate AC-1). Proposed land uses within the Overflight Zone include low, medium, and high density residential; a portion of the wetland preserve, five park sites, two greenbelts, two schools, the joint high school/middle school site, the Village Center, and other commercial uses. The school sites would be subject to the review detailed in the Education Code. The Town Center and all industrial uses would be located outside of the Overflight zone. None of the restricted uses cited in the CLUP land use compatibility table are proposed within the area located within the Overflight Zone. (Note, however, that the wetland preserve is compatible only if it does not result in the possibility of the water area causing ground fog or bird hazard. This is discussed further below.)

Risks associated with living within the Overflight Zone are slightly elevated over areas outside of the zone, simply because aircraft would routinely be in the area. The CLUP based the configuration of the Overflight Zone on safety considerations and determined that working and living within the Overflight Zone is safe overall. The entire Plan Area is located within the APPA. All residential development within the APPA must be conditioned so that prospective homebuyers are notified via a public report disclosure by the California Department of Real Estate that the property is located within the APPA and that aircraft operations occur within the area. All properties also must be conditioned with an aviation easement.

Because proposed development in the Plan Area would be consistent with the uses allowed in the Overflight Zone and homebuyers would be notified that the property is located within the APPA and that aircraft operations occur within the area, the Project does not create substantial safety hazards to people living and working in the vicinity of an airport; this impact would be **less than significant**.

ALTERNATIVE 2

Alternative 2 would swap the Community Commercial and Medium Density Residential locations that are proposed within the Overflight Zone. Both land uses would continue to be compatible with the Overflight Zone, and there would be no additional land use changes. Alternative 2 would not create substantial safety hazards to people living and working in the vicinity because proposed land uses would be compatible with the Overflight Zone. This impact would be **less than significant**.

MITIGATION MEASURES

No mitigation is required.

IMPACT: EXPOSURE TO EXCESSIVE NOISE LEVELS ASSOCIATED WITH AIRPORT OPERATIONS

PROPOSED PROJECT

The Plan Area is approximately 1 mile from Mather Airport and is entirely outside of the 60 CNEL noise contour. However, the entire Plan Area is subject to noise generated from airport operations. As shown in Plate AC-2, the majority (73 percent) of the Plan Area is located within the 50 CNEL and 45 CNEL (24 percent) noise contours, and a small portion (3 percent) in the southwest corner is within the 55 CNEL noise contour. There are no land use restrictions within these noise contours associated with the CLUP, and these levels are within adopted 2030 General Plan noise standards. However, the entire Plan Area is within the Mather APPA, which requires a condition be placed on all residential development to include noise insulation that reduces interior noise levels to 45 dB CNEL or less. 2030 General Plan Policy NO-4 reiterates this APPA requirement. This condition has been placed on the Project as a condition of approval to ensure it is adhered to. Therefore, impacts related to airport noise levels are **less than significant**.

ALTERNATIVE 2

Alternative 2 would result in modification of the land use plan to accommodate a larger wetland preserve; regardless, the entire Plan Area is located outside of the 60 CNEL noise contour, but within the APPA. Alternative 2 would also be implemented in a manner consistent with the APPA and 2030 General Plan, including the use of noise insulation. Impacts would be **less than significant**.

MITIGATION MEASURES

No mitigation is required.

IMPACT: EFFECTS ON SAFE AND EFFICIENT USE OF NAVIGABLE AIRSPACE

PROPOSED PROJECT

BUILDING HEIGHT RESTRICTIONS

The CLUP includes height standards for buildings surrounding the airport. Navigable airspace could be adversely affected if building heights in the Plan Area exceed these designated height standards. The height restrictions that apply to the Plan Area are between 248.5 feet to 448.5 feet above mean sea level. Plate AC-3 illustrates the specific height restrictions that apply to the Plan Area and associated land uses proposed for the Project. Elevation within the Plan Area ranges between roughly 75 and 145 feet above mean sea level. The maximum building height allowed by the proposed Development Standards (Appendix A of the Jackson Township Specific Plan) would be set by the County's zoning ordinance or the CLUP, whichever is more restrictive.

BIRD STRIKE HAZARDS

Navigable airspace can also be adversely affected by Project features that could attract wildlife, causing bird strike hazards. The majority of known wildlife strikes at Mather Airport are associated with unknown small bird species, followed by raptors. Approximately 3 percent of bird strikes were caused by avian species associated with aquatic habitats in 2015 (Foothills Associates 2015).

The Project would include area for wetland preserve, and greenbelt and drainage corridors. These habitat conditions are currently present on the site. The Project also includes the creation of flood detention basins. According to the FAA Advisory Circular 150/5200-33B, these facilities should either drain within 48 hours or should be designed with steep non-vegetated slopes to detract wildlife if they are within 10,000 feet of an airport. The advisory also discourages the placement of wildlife attractants within 5 miles of approach/departure zones and suggests similar design measures. Roughly the western half of the Plan Area is within 10,000 feet of Mather Airport. The Project includes one detention basin on the North Drainage Way and three detention basins on the Central Drainage Way. The basins would be designed to accommodate the 100-year storm event and retain stormwater run-off. Each basin is designed to hold water for periods longer than 48 hours to meet stormwater quality requirements. The wet portions of the proposed basins have a combined area of approximately 3.2 acres.

Considering most of the land within the Plan Area is currently agricultural grazing land and open space containing non-native grasslands, wetlands, ponds, irrigated pasture, marsh habitat, and a tributary to Morrison Creek, the site currently has substantial existing wildlife attractants, including aquatic resources and foraging habitat. The Project would develop the majority of the Plan Area by converting non-native grassland and some seasonal aquatic habitat to residential, commercial, and public use development and removing irrigated pasture and ponds, which would reduce wildlife habitat and attractants to the area. The 214-acre wetland preserve would be left in its current natural state. The drainage corridors would be engineered channels that divert flows from their naturalized drainage channels. Although these North and Central Greenbelts may include detention ponds that would hold water in excess of 48 hours

within 10,000 feet of Mather Airport, the addition of 3.2 acres of detention ponds is not anticipated to substantially affect the potential for bird strike hazards because approximately 30 acres of similar wildlife attractant features would be removed from the Plan Area. In addition, while some of the Wetland Preserve north of Kiefer Road would be within 10,000 feet of Mather Airport, most of this natural area would be on the far eastern edge of the Plan Area and would not affect the potential for bird strikes. Overall, with implementation of the Project there would be a net reduction in wildlife attractants in the Plan Area, resulting in no substantial effect on navigable airspace. Moreover, the FAA guidelines for wildlife attractants are advisory in nature and inconsistency would not necessarily affect use of the airspace.

CONCLUSION

The Project includes Development Standards and Guidelines that encourage consistency with the CLUP. The effect on safe and efficient use of navigable air space remains **potentially significant**, however, because the details of subsequent development under the Project are not known.

With implementation of Mitigation Measure AC-1, upon acceptance of completed applications for development within the Plan Area, the County would send the Project information to the ALUC for consistency review. SACOG staff would identify the land use compatibility standards that apply to the Project and determine whether the Project is compatible, compatible subject to specific conditions, or incompatible. A formal consistency review would be subsequently transmitted to the County. If the Project is determined to be incompatible with the CLUP, it cannot be approved by the County unless action is taken to overrule the ALUC determination. The overrule action is subject to the requirement for making specific findings. This review process would ensure that development would not interfere with the safe and efficient use of navigable air space.

The Project would not result in a substantial adverse effect to the safe and efficient use of navigable airspace by aircraft due to either excessive building heights or the potential for increases in bird strikes. Therefore, Project-related impacts to navigable airspace would be **less than significant with mitigation**.

ALTERNATIVE 2

The height of structures under Alternative 2 would also be governed by the zoning code or CLUP restrictions, whichever is more conservative, and would be verified through SACOG review. Further, although Alternative 2 would increase the amount of land designated for wetland preserve, development of the Plan Area would result in a net reduction of wetland features with the potential to serve as wildlife attractants.

Alternative 2 also includes Development Standards and Guidelines that encourage consistency with the CLUP. The effect on safe and efficient use of navigable air space remains potentially significant, however, because the details of subsequent development under the Project are not known. With implementation of Mitigation Measure AC-1, upon acceptance of completed applications for development within the Plan area, the County would send the Project information to the ALUC for consistency review. This review process would ensure that development would not interfere with the

safe and efficient use of navigable air space. The impact on navigable airspace would be **less than significant with mitigation**.

MITIGATION MEASURES

- AC-1: Upon acceptance of a complete application for development within the Plan Area, staff from the Sacramento County Office of Planning and Environmental Review shall transmit the completed Project application to the ALUC.

This page intentionally left blank.

8 BIOLOGICAL RESOURCES

INTRODUCTION

This chapter identifies and analyzes impacts to biological resources that could occur as the result of the Project or Alternative 2. The analysis focuses on impacts to the grassland and wetland habitats, which dominate the Plan Area, and the special-status species that rely on these habitats. Species covered include a variety of special-status plants, invertebrates, birds, amphibians, reptiles, and mammals.

One letter in response to the NOP requested that the EIR address habitat conservation for several special status species and stated that if the Project requires compensatory mitigation, then additional environmental analysis on the impacts of the mitigation should be included.

The biological resource information is based on review of available background reports; previous studies conducted on or near the Plan Area, biological resource databases, the 2030 General Plan (Sacramento County 2011), and the Final South Sacramento County Habitat Conservation Plan (SSHCP) (Sacramento County et al. 2018).

Background reports and databases reviewed include the following:

- Final Biological Resources Assessment, ±1,367-Acre Jackson Township Specific Plan Area, Sacramento County, California (Foothill Associates 2015);
- Rarefind California Natural Diversity Database Species List for the Carmichael, Buffalo Creek, Florin, Rio Linda, Citrus Heights, Folsom, Sacramento East, Elk Grove, and Sloughouse 7.5-minute quadrangles (CNDDDB 2018);
- California Native Plant Society Inventory of Rare and Endangered Plants for the Carmichael, Buffalo Creek, Florin, Rio Linda, Citrus Heights, Folsom, Sacramento East, Elk Grove, and Sloughouse 7.5-minute quadrangles (online edition, v6-04d) (CNPS 2018);
- Excelsior Estates ±866.3-Acre Site Wetland Delineation Report (Foothill Associates 2004), as well as supplements to the delineation prepared in 2008 and 2015;
- Results of a Focused Survey for Sacramento Orcutt Grass (*Orcuttia viscida*) and Slender Orcutt grass (*Orcuttia tenuis*) on the Excelsior Estates ±866.3-Acre Site (Foothill Associates 2006);
- Excelsior Estates Jurisdictional Determination Regulatory #200400791, Excelsior Estates ±866-Acre Site Sacramento County, California (Foothill Associates 2008);
- U.S. Army Corps of Engineers letter of preliminary jurisdictional determination for the Jackson Township Project (USACE 2015);
- Orcutt Grass Survey on the ±866- Acre Excelsior Estates Site, Sacramento County, California (Foothill Associates 2007);
- 90-Day 2009-2010 Wet-Season Survey for Listed Vernal Pool Branchiopods, Excelsior Estates, Sacramento County, California (Foothill Associates 2010);
- Special-Status Plant Surveys on the ±886-Acre Excelsior Estates Site, Sacramento County, California, August 5, 2014 (Foothill Associates 2014);

- Federal Endangered and Threatened Species that may occur in the proposed project location or be affected by the proposed project (USFWS 2018); and
- Arborist Report, Jackson Township Specific Plan Area, Sacramento County, California (Foothill Associates 2015).

The County began implementing the SSHCP in late 2019 and participation in the SSHCP will be a requirement imposed by the County. This chapter has been updated to remove alternative mitigation previously considered and reflect the County's current approach to SSHCP participation.

ENVIRONMENTAL SETTING

The Plan Area is 1,391 acres in size and predominantly consists of annual grasslands interspersed with vernal pools and other wetlands. A small area in the southwest portion of the Plan Area is irrigated pasture and the majority of the Plan Area has been used extensively for cattle grazing. The northwestern portion of the Plan Area was formerly used as a nursery and koi farm and still contains a series of man-made basins. These basins do not regularly pond water, but the soils are seasonally saturated in some of the basins. The Sacramento Raceway occupies 180 acres in the west central portion of the Plan Area. The Sacramento Raceway has been present since the mid-1960s and contains a drag strip, dirt track, motocross track, and associated infrastructure. Rural residences are located along Excelsior Road, Jackson Highway, and Tree View Lane. An aerial photograph of the Plan Area has been provided for context (see Plate PD-4 in Chapter 2, "Project Description").

Moderate rolling hills and extensive flatlands characterize the topography of the Plan Area and the surrounding area. In general, the Plan Area slopes from east to west, ranging from 140 feet above mean sea level on the eastern side of the site to 75 feet on the western side of the Plan Area.

The hydrologic regime on the Plan Area is dominated by seasonal rainfall and storm water runoff, primarily between November and April. The southwestern Plan Area is within the headwaters of Elder Creek, and a small bend in Morrison Creek extends slightly into the northeastern corner of the Plan Area (see Plate HYD-1 in Chapter 14, "Hydrology and Water Quality"). When rainwater falls on the Plan Area, the slope of the ground causes the water to flow in one of three basic directions: into Morrison Creek to the north, into Elder Creek to the south, or into an offsite mining pit located west of the Plan Area (after flowing through culverts underneath Excelsior Road).

Various studies were completed with respect to biological resources; however, because of limited access, many of these studies were completed only on the Project Applicant-owned properties. These studies and their scope are discussed in greater detail below. It is important to note that the portion of the Plan Area owned by the Project Applicant has gradually increased. As a result, the coverage of these studies is not consistent. While the surveys provide the context necessary for resource evaluation, the surveys may not be sufficient to support determinations by the applicable regulatory agencies due to lack of coverage, survey methods, and the time elapsed since initial surveys were conducted.

Currently, lands to the south and east of the Plan Area are mostly undeveloped, open grassland generally used for grazing with some rural residences. A large gravel pit mine

(Aspen VI), along with some rural residences are to the west of the Plan Area, while Mather Preserve is directly to the north.

HABITATS

The predominant habitat type in the Plan Area is annual grassland interspersed with vernal pools, seasonal wetlands, perennial marsh, and other waters. The following habitat types are prominent in Sacramento County and present within the Plan Area.

ANNUAL GRASSLAND

The majority of the Plan Area is annual grassland. Grassland habitat in Sacramento County is typically characterized by naturalized annual grasses and weedy annual forbs, primarily of Mediterranean origin, that have replaced native wildflower fields, perennial grasslands, and scrub because of human disturbance. However, native annual and perennial wildflowers remain a characteristic component of the annual grassland vegetation type. In the Plan Area, annual grassland surrounds vernal pool complexes, providing an important upland element that may be used for species movement and dispersal between pools as well as nesting or estivation habitat for species that use the pools for foraging or for only certain phases of their life cycle. Recently, there has been a movement in academia away from the annual grassland labeling of such landscapes to that of California Prairie or Vernal Pool Prairie where grassland areas are coincidental to vernal features. This is due, in part, to the misconception that annual grasslands often contain a monoculture of nonnative grasses when in fact the areas noted to be annual grasslands in California often contain a much greater variety of plant species, including numerous native wildflowers. Additionally, vernal pool ecology and functions (e.g., hydrologic cycle, nutrient cycling, water chemistry, food chain support, and plant-pollinator relationships) are dependent on surrounding uplands (Sacramento County et al. 2018). In the SSHCP, this habitat type is called valley grassland (Sacramento County et al. 2018).

Nonnative annual grasses that dominate the Plan Area grasslands include wild oats (*Avena fatua*), soft chess (*Bromus hordeaceus*), ripgut brome (*B. diandrus*), medusa head (*Elymus caput-medusae*), Italian rye grass (*Festuca perennis*), hare barley (*Hordeum murinum* ssp. *leporinum*), and rattail sixweeks grass (*Festuca myuros*). Common forbs found in the annual grasslands in the Plan Area include Italian thistle (*Carduus pycnocephalus*), yellow star-thistle (*Centaurea solstitialis*), valley tassels (*Castilleja attenuata*), hawkbit (*Leontodon taraxacoides*), narrow tarplant (*Holocarpha virgata*), Spanish lotus (*Acmispon americanus*), vinegar weed (*Trichostema lanceolatum*), and Fitch's tarweed (*Centromadia fitchii*) (Foothill Associates 2004, 2014).

WETLANDS

The County of Sacramento contains several wetland habitats, most of which are naturally occurring, although some were artificially created as mitigation for prior impacts. Federal regulation (Clean Water Act Section 404) has defined the term wetland to mean “those areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil

conditions.” The term “wetlands” includes a diverse assortment of habitats such as perennial and seasonal freshwater marshes, vernal pools, and wetland swales. These wetland features share several physical characteristics, including frequent or seasonal inundation by water, soil saturated long enough to exclude organisms intolerant of anaerobic conditions, and plants that are adapted to wetted conditions.

A wetland delineation for a portion of the Plan Area was prepared by Foothill Associates, dated May 28, 2004; and supplements to this delineation were prepared May 28, 2008 and October 29, 2015. These delineations covered the 866.3 acres of properties owned by the Project Applicant at the time the delineation was completed. The delineation report identifies approximately 53.8 acres of surface waters. The U.S. Army Corps of Engineers (USACE) has reviewed and verified these results and issued a Preliminary Jurisdictional Determination on November 6, 2015. Refer to Table BR-1 for a breakdown of the acreage of wetlands and other waters within the Plan Area.

The non-participating properties were not included in this delineation; however, Foothill Associates estimated a total of 15.35 acres of potential jurisdictional waters through aerial photography and observations made from public streets and property owned by the Project Applicant. The distribution of wetlands and other waters within the Applicant-owned properties is shown in Plate BR-1. Wetlands and other waters on the non-participating properties are not shown in Plate BR-1 because they were not delineated according to USACE protocol; however, the estimated acreage of these features is provided in Table BR-1.

Table BR-1: Waters of the United States

Classification	Jurisdictional Waters (acres)	
	Applicant-Owned Properties	Non-Participating Properties (estimated)
Wetlands		
Depressional Seasonal Wetlands	4.41	0.44
Depressional Perennial Marsh	1.03	0.06
Vernal Pool	27.85	4.71
Riverine Seasonal Wetland	3.70	7.06
Riverine Perennial Marsh	10.05	1.19
<i>Total area of wetlands</i>	<i>47.04</i>	<i>13.46</i>
Other Waters of the United States		
Intermittent Drainage	1.19	0.30
Ephemeral Drainage	0.23	0.04
Pond	5.04	1.55
Ditch/Canal	0.31	0.00
<i>Total area of other waters</i>	<i>6.77</i>	<i>1.89</i>
TOTAL	53.81	15.35

Note: Information in this table reflects the Applicant-owned and non-participating properties as of the last supplement to the Delineation Report, October 29, 2015




Plate BR-1: Wetland Delineation

VERNAL POOLS

Vernal pools are small basins, depressions on the landscape that collect seasonal rains and support a specialized collection of plant and animal species. They are defined by a hydrologic regime dominated by inundation. Typically, semi-impermeable soil underlies vernal pools and restricts downward percolation of collected rain water. As a result, water slowly evaporates during the spring creating showy displays of tiny flowers blooming in concentric circles as the water recedes. Many plants found in vernal pools are endemic (found only in these habitats) and have adapted to survive partially-submerged conditions. These conditions have kept the nonnative grasses that comprise much of the County's grazing lands from invading or at least dominating the pools. Thus, vernal pools are small pockets of mostly native vegetation surrounded by vegetation dominated by nonnative grass species.

As shown in Table BR-1, the Plan Area contains 27.85 acres of vernal pools within the Applicant-owned properties and an estimated 4.71 acres of vernal pools within the non-participating properties.

SEASONAL WETLANDS

Seasonal wetlands are scattered throughout the County, most in association with the County's rivers and creeks, within floodplains. These wetlands typically begin to form after the first winter rains and fill as rain continues through the season. They drain primarily via drainage swales during high runoff, or via combination of ground percolation and evaporation. By mid-summer or early fall these features will typically be dry. Depending on water depth and duration, seasonal wetlands can harbor federally listed invertebrates and provide habitat for many species. Vernal pools are a type of seasonal wetland; however, seasonal wetlands primarily differ from vernal pools in having underlying soils that are more permeable than the soils associated with vernal pools. The difference in the permeability generally results in different vegetation characteristics with vernal pools being characterized by endemic species and seasonal wetlands being dominated by wetland generalist plant species. There are two types of seasonal wetlands in the Plan Area. Depressional seasonal wetlands are defined by a hydrologic regime that is dominated by saturation, rather than inundation, while riverine seasonal wetlands are defined by a hydrologic regime dominated by unidirectional flow of water.

As shown in Table BR-1, the Plan Area contains 8.11 acres of seasonal wetlands within the Applicant-owned properties and an estimated 7.5 acres of seasonal wetlands within the non-participating properties.

PERENNIAL MARSH

Perennial marshes remain inundated or saturated throughout the year and support perennial herbaceous plant species that tolerate high soil moisture and seasonal to permanent soil saturation or inundation. These marshes can occur as a result of natural or artificial water flows associated with neighboring land uses. Also, there are two types of perennial marshes. Depressional perennial marsh's dominant hydrologic regime is inundation and/or saturation, while riverine perennial marshes are dominated by unidirectional flow of water.

As shown in Table BR-1, the Plan Area contains 11.08 acres of perennial marsh within the Applicant-owned properties and a predicted 1.25 acres of perennial marsh within the non-participating properties.

OTHER WATERS:

An intermittent drainage is not a wetland because it does not meet the three-parameter criteria for vegetation, hydrology, and soils; it conveys water during the wet months and is typically dry during the dry months. The southern branch of Morrison Creek, which runs through the northeast corner of the Plan Area, is an intermittent drainage. Intermittent drainages are supported by precipitation, runoff, and groundwater sources and often support riparian vegetation on their banks, though this is not the case for the portion of Morrison Creek within the Plan Area.

Ephemeral drainages are not wetlands because they are generally unvegetated and do not retain water long enough to develop hydric soils. They typically convey water only during and/or directly after a storm event. Direct precipitation is the sole source of hydrology in ephemeral drainages.

In the County's rural lands ranchers have established water features, such as drainage ditches/canals and ponds. Ponds are typically formed by damming small drainages to form relatively deeper ponds which can hold water through much of the summer months. These ponds tend to be derived from runoff, although groundwater pumping could also play a role in filling these ponds. These ponds typically provide deeper water habitat for some amphibian species. Several farm ponds and other impoundments are found in the Plan Area, primarily associated with rural residences. There is one large irrigation pond that serves as water supply for irrigated pastures in the south-central portion of the Plan Area.

As shown in Table BR-1, the Plan Area contains 6.77 acres of other waters of the United States within the Applicant-owned properties and an estimated 1.89 acres of other waters of the United States within the non-participating properties. Other waters of the United States within the Plan Area consist of intermittent and ephemeral drainage channels, ponds, and human created ditches and canals used for irrigation or to convey runoff.

MATHER CORE RECOVERY AREA

The U.S. Fish and Wildlife Service (USFWS) has published the *Recovery Plan for Vernal Pool Ecosystems of California and Southern Oregon* (Recovery Plan), the purpose of which is to achieve self-sustaining populations of many species that rely on vernal pools. The Recovery Plan identifies "core areas," which are areas that are vital to achieve the goals of the plan. Core areas are ranked 1, 2, or 3 depending on their overall priority for recovery, with rank 1 being highest priority. The majority of the Plan Area lies within the Mather Core Recovery Area (Plates BR-2 and BR-3), which is ranked 1 because it has been determined to be vital not only to the recovery of vernal pool tadpole shrimp (*Lepidurus packardii*) and Sacramento Orcutt grass, but also to preventing the extinction or irreversible decline of these species.




Plate BR-2: Mather Core Recovery Area




Plate BR-3: Critical Habitat and Mather Core Recovery Area

As stated in the Recovery Plan, the Mather Core Area has specific conservation goals, including protecting 95 percent of suitable habitat for vernal pool tadpole shrimp, slender Orcutt grass, and Sacramento Orcutt grass, and protecting 85 percent of suitable habitat for vernal pool fairy shrimp (*Branchinecta lynchi*).

CRITICAL HABITAT

Critical habitat consists of geographical areas that contain the physical or biological features that are essential to the conservation of species that USFWS has listed as threatened or endangered under the federal Endangered Species Act (ESA), and that may require special management or protection. The Plan Area overlaps with Vernal Pool Critical Habitat Subunit 11E, which has been designated as critical habitat for vernal pool fairy shrimp, vernal pool tadpole shrimp, slender Orcutt grass, and Sacramento Orcutt grass (Plate BR-3). Approximately 779 acres (57%) of this subunit occurs within the Plan Area (Foothill Associates 2015).

NATIVE AND NONNATIVE TREES

Sacramento County has identified the value of its native and landmark trees and has adopted measures for their preservation. Native Oaks as defined by the Sacramento Tree Ordinance include valley oak (*Quercus lobata*), interior live oak (*Quercus wislizenii*), and blue oak (*Quercus douglasii*). Other native tree species are also protected. Native trees found in the Plan Area consist of Fremont cottonwood (*Populus fremontii*), California sycamore (*Platanus racemosa*), Gooding's black willow (*Salix gooddingii*), black walnut (*Juglans hindsii*), and interior live oak. It should be noted that to be considered a tree, as opposed to a seedling or sapling, the tree must have a diameter at breast height (dbh) of at least 6 inches or, if it has multiple trunks of less than 6 inches each, a combined dbh of 10 inches.

Nonnative trees provide habitat for a variety of species and are also regarded in Sacramento County as a valuable asset to the overall tree canopy. See the regulatory setting for additional details.

An Arborist Report was prepared by Foothill Associates for the project on February 10, 2015. A tree survey was conducted in the Plan Area; however, access to conduct field work was only granted to the Applicant-owned properties. Therefore, tree data for the non-participating properties was estimated by conducting visual surveys from public roads. The tree inventory identified 175 trees on the Applicant-owned properties and 628 trees on the non-participating properties. Five native oaks, 91 other native trees, and 707 nonnative trees were identified in the Plan Area. The results of the tree inventory are summarized in Tables BR-2 and BR-3 and tree locations are shown in Plate BR-4.

Table BR-2: Tree Inventory of Applicant-Owned Properties


Common Name	Species	Native	Number of Trees	Aggregate DBH (inches)
Black locust	(<i>Robinia pseudoacacia</i>)	No	24	277
Black walnut	(<i>Juglans hindsii</i>)	Yes	13	234
Black willow	(<i>Salix gooddingii</i>)	No	25	504
California sycamore	(<i>Platanus racemosa</i>)	Yes	3	37
Chinese pistache	(<i>Pistacia chinensis</i>)	No	1	9
Cork oak	(<i>Quercus suber</i>)	No	1	17
Edible fig	(<i>Ficus carica</i>)	No	3	70
Elm	(<i>Ulmus</i> spp.)	No	8	104
Eucalyptus	(<i>Eucalyptus</i> spp.)	No	45	830
Fremont cottonwood	(<i>Populus fremontii</i>)	Yes	6	77
Interior live oak	(<i>Quercus wislizeni</i>)	Yes	1	10
Lombardy poplar	(<i>Populus nigra</i>)	No	1	6
Pine	(<i>Pinus</i> spp.)	No	8	168
Plum	(<i>Prunus</i> spp.)	No	3	25
Southern magnolia	(<i>Magnolia grandiflora</i>)	No	1	8
Sweetgum	(<i>Liquidambar styraciflua</i>)	No	1	6
Tree of heaven	(<i>Ailanthus altissima</i>)	No	18	172
White mulberry	(<i>Morus alba</i>)	No	10	228
Willow	(<i>Salix</i> spp.)	No	3	36

Note: Information in this table reflects the Applicant-owned properties as of the Arborist Report, February 10, 2015

Table BR-3: Tree Inventory of Non-Participating Properties

Common Name	Species	Native	Number of Trees	Estimated Aggregate DBH (inches)
Black locust	(<i>Robinia pseudoacacia</i>)	No	29	118
Black walnut	(<i>Juglans hindsii</i>)	Yes	5	58
California sycamore	(<i>Platanus racemosa</i>)	Yes	5	38
Catalpa	(<i>Catalpa</i> spp.)	No	1	6
Coast redwood	(<i>Sequoia sempervirens</i>)	No	48	76
Cork oak	(<i>Quercus suber</i>)	No	12	10
Deodar cedar	(<i>Cedrus deodara</i>)	No	1	18
Domestic almond	(<i>Prunus dulcis</i>)	No	5	14
Elm	(<i>Ulmus</i> spp.)		40	55
Eucalyptus	(<i>Eucalyptus</i> spp.)	No	162	204
Fremont cottonwood	(<i>Populus fremontii</i>)	Yes	31	104
Interior live oak	(<i>Quercus wislizenii</i>)	Yes	2	23
Italian cypress	(<i>Cupressus sempervirens</i>)	No	18	14
Lombardy poplar	(<i>Populus nigra</i>)	No	3	15
Maple	(<i>Acer</i> spp.)	No	4	10
Olive	(<i>Olea europaea</i>)	No	8	20
Pine	(<i>Pinus</i> spp.)	No	109	228
Plum	(<i>Prunus</i> spp.)	No	4	5
Privet	(<i>Ligustrum</i> spp.)	No	13	22
Red maple	(<i>Acer rubrum</i>)	No	1	8
Red willow	(<i>Salix laevigata</i>)	Yes	3	20
Silver wattle	(<i>Acacia dealbata</i>)	No	22	30
Sweetgum	(<i>Liquidambar styraciflua</i>)	No	19	20
Tree of heaven	(<i>Ailanthus altissima</i>)	No	1	15
Valley Oak	(<i>Quercus lobata</i>)	Yes	2	18
White mulberry	(<i>Morus alba</i>)	No	49	134
Willow	(<i>Salix</i> spp.)	No	31	48

Note: Information in this table reflects the non-participating properties as of the Arborist Report, February 10, 2015



Source:

X15010101.09 005

Plate BR-4: Tree Survey

SPECIAL-STATUS SPECIES

Special-status species are plants and animals that are legally protected or otherwise considered sensitive by federal, State, or local resource conservation agencies or that otherwise meet the definition of rare, threatened, or endangered pursuant to Section 15380 of CEQA. In this document, special-status species are defined as:

- species listed or proposed for listing as threatened, rare, or endangered under the federal ESA or California Endangered Species Act (CESA);
- species considered as candidates for listing under the ESA or CESA;
- wildlife species identified by California Department of Fish and Wildlife (CDFW) as Species of Special Concern;
- animals fully protected under the California Fish and Game Code;
- species covered in the SSHCP;
- plants considered by CDFW to be “rare, threatened, or endangered in California” (California Rare Plant Ranks of 1A, presumed extinct in California and not known to occur elsewhere; 1B, considered rare or endangered in California and elsewhere; 2A, presumed extinct in California, but more common elsewhere and 2B, considered rare or endangered in California but more common elsewhere).

A list of special-status plant and wildlife species that are known or have the potential to occur in the Plan Area was compiled based on review of background reports, previous studies conducted in the Plan Area and adjacent properties (e.g., Mather Field Specific Plan area, NewBridge Specific Plan area), and database searches. An official species list was obtained from the USFWS Information for Planning and Consultation (IPaC) system (USFWS 2018); and the California Natural Diversity Database (CNDDDB) Rarefind program and California Native Plant Society (CNPS) Inventory were queried for records of previously documented occurrences of special-status species in the Carmichael, Buffalo Creek, Florin, Rio Linda, Citrus Heights, Folsom, Sacramento East, Elk Grove, and Sloughouse 7.5-minute quadrangles (CNDDDB 2018, CNPS 2018). Pursuant to CDFW guidelines, a 9-quadrangle search area was used to inquiry these databases (i.e., the quadrangle containing the Plan Area plus the eight surrounding quadrangles). A Biological Resources Assessment was prepared by Foothill Associates (Appendix BR-1), dated December 16, 2015. Foothill Associates conducted biological and plant surveys for the Applicant-owned portions of the Plan Area in 2014.

Appendix B of Appendix BR-1 includes a table that lists special-status species that the species searches/surveys and rare plant surveys identified as possibly present in the project vicinity. The table reports the likelihood of an occurrence for each species on the Plan Area based on habitat presence either on the site or in proximity of the site, survey results (if any), and species range and nearby recorded occurrences. Appendix BR-2 includes species descriptions of select special-status species that are possibly present in the project vicinity.

A lack of reported sightings is not an indication that the species is not present; there may be many reasons that a species could be present, but unreported. For instance, the species may have been observed but not reported, may be present during times when observers are absent, the species may be difficult to detect even when present, or comprehensive or protocol-level surveys for the species may not have been completed in the area. For this reason, all species identified through database and literature review as potentially occurring in the general project vicinity and for which suitable habitat is present in the Plan Area were considered as having potential to occur in the Plan Area and are evaluated further in this document. Species for which suitable habitat is absent from the Plan Area or whose known range does not include the Plan Area were determined not to be affected by Project implementation as described in Table BR-4.

The following bird species that are known to migrate through the area were eliminated from further evaluation because the Plan Area is outside their current known breeding range and they are only considered sensitive to project effects during breeding:

- Short-eared owl (*Asio flammeus*),
- Ferruginous hawk (*Buteo regalis*),
- Vaux's swift (*Chaetura vauxi*),
- yellow-breasted chat (*Icteria virens*),
- least bittern (*Ixobrychus exilis*),
- purple martin (*Progne subis*), and
- yellow warbler (*Setophaga petechia*).

There is no suitable aquatic habitat in the Plan Area for salmonids or other special-status fish species and waterways in the Plan Area are not directly tributary to waters known to support special-status fish; therefore, the following special-status fish species and distinct population segments were considered but eliminated from further evaluation:

- Pacific lamprey (*Entosphenus tridentatus*),
- Delta smelt (*Hypomesus transpacificus*),
- River lamprey (*Lampetra ayresii*),
- hardhead (*Mylopharodon conocephalus*),
- Central Valley steelhead (*Oncorhynchus mykiss irideus*),
- Central Valley spring-run chinook salmon (*Oncorhynchus tshawytscha*),
- Sacramento River winter-run chinook salmon (*Oncorhynchus tshawytscha*),
- Sacramento splittail (*Pogonichthys macrolepidotus*), and
- longfin smelt (*Spirinchus thaleichthys*).

Table BR-4 summarizes the regulatory status, suitable habitat, and potential for the Project to affect special-status species known or with potential to occur in the Plan Area. Potentially affected species are shown in bold in Table BR-4.

Table BR-4: Special-Status Species

Species	Status	Suitable Habitat	Potential for Project to Affect
Federally Listed Species			
Plants			
<i>Orcuttia tenuis</i> Slender Orcutt grass	FT, CE, CRPR 1B.1, SSHCP	Small annual grass found in vernal pools in valley and foothill grasslands. Blooms: May-September. Elevation: 100 to 5,750 ft.	May affect. Suitable habitat is present within the Plan Area, although no known occurrences have been recorded within the Plan Area during previous surveys. The nearest recorded occurrence is approximately 2.4 miles from the Plan Area. A large portion of the Plan Area is within designated critical habitat for this species.
<i>Orcuttia viscida</i> Sacramento Orcutt grass	FE, CE, CRPR 1B.1, SSHCP	Small annual grass found in vernal pools in valley and foothill grasslands. Blooms: May-June. Elevation: 100 to 350 ft.	May affect. Suitable habitat is present within the Plan Area, although no known occurrences have been recorded within the Plan Area. The nearest recorded occurrence is approximately 1.4 miles east of the Plan Area and is one of only three known occurrences in Sacramento County. A large portion of the Plan Area is within designated critical habitat for this species.
Invertebrates			
<i>Branchinecta conservatio</i> Conservancy fairy shrimp	FE	Occurs in large, turbid vernal pools in the northern two-thirds of the Central Valley. Pools are typically astatic and are formed in old, braided alluvium. Requires an average of 49 days of continual inundation to mature (Eriksen and Belk 1999:88-89)	Not likely to affect. Currently this species does not occur in Sacramento County (USFWS 2012).
<i>Branchinecta lynchi</i> Vernal pool fairy shrimp	FT, SSHCP	Occurs in vernal pools, seasonally ponded areas within vernal swales, rock outcrop ephemeral pools, playas and alkali flats from Shasta County through most of the length of the Central Valley to Tulare County. Pools are grass or mud bottomed, with clear to tea-colored water, and are often in basalt flow depression pools in grasslands	May affect. This species has been documented in the Plan Area and a large portion of the Plan Area is within designated critical habitat for this species.

Species	Status	Suitable Habitat	Potential for Project to Affect
<i>Desmocerus californicus dimorphus</i> Valley elderberry longhorn beetle	FT, SSHCP	Breeds and forages exclusively on elderberry shrubs. Typically associated with riparian forest, riparian woodland, elderberry savanna, and other Central Valley habitats. Occurs only in the Central Valley of California. Prefers to lay eggs in elderberry stems 2–8 inches in diameter; some preference shown for “stressed” elderberry shrubs.	May affect. Elderberry shrubs are absent from the Applicant-owned properties but may be present on the non-participating properties. Therefore, this species could be present.
<i>Lepidurus packardii</i> Vernal pool tadpole shrimp	FE, SSHCP	Occurs in vernal pools containing clear to highly turbid water.	May affect. This species has been documented in the Plan Area and a large portion of the Plan Area is within designated critical habitat for this species.
Amphibians			
<i>Ambystoma californiense</i> California tiger salamander	FT, CT, SSHCP	Annual grassland and grassy understory of valley-foothill hardwood habitats in central and northern California. Needs underground refuges and vernal pools or other seasonal water sources.	Not likely to affect. Suitable habitat exists in the Plan Area, although populations have not been documented in this area and surveys of pools have not detected larvae of this species. The nearest recorded occurrence is 12.5 miles southeast of the Plan Area. Extensive surveys in Sacramento County have not detected this species north of the Cosumnes River (69 FR 47212, August 4, 2004) and the SSHCP does not identify modeled habitat in the Plan Area or vicinity.
<i>Rana draytonii</i> California red-legged frog	FT, CSC	Breeds in slow moving streams, ponds, and marshes with emergent vegetation and an absence or low occurrence of predators.	Not likely to affect. There are no known occurrences in the Plan Area vicinity and this species is presumed extirpated from the Sacramento region.
Reptiles			
<i>Thamnophis gigas</i> Giant garter snake	FT, CT, SSHCP	Found primarily in marshes, sloughs, drainage canals, and irrigation ditches, especially around rice fields, and occasionally in slow-moving creeks in California’s interior.	Not likely to affect. The Plan Area is located outside of the extant range of this species. Sacramento County populations are known only from the American Basin, Cosumnes-Mokelumne Basin, and Delta Basin and the nearest recorded occurrence is approximately 10 miles to the southwest (USFWS 2017a) and there is no feasible dispersal corridor between known

Species	Status	Suitable Habitat	Potential for Project to Affect
			breeding populations and the Plan Area. The nearest SSHCP modeled habitat is along Laguna Creek extending southwest from the intersection of Grant Line Road and Sunrise Blvd.
Birds			
<i>Coccyzus americanus occidentalis</i> Western yellow-billed cuckoo	FT, CE	Nests in large blocks of deciduous riparian thickets or forests with dense, low-level or understory foliage adjacent to slow-moving watercourses, backwaters along broad, lower floodplains of larger river systems. Willow and cottonwood are almost always a component of the vegetation. In the Sacramento Valley, also utilizes adjacent walnut orchards.	Not likely to affect. No suitable habitat within the Plan Area.
<i>Aquila chrysaetos</i> Golden eagle	BEPA, CFP	Forages in open terrain such as grasslands, deserts, savannahs, and early successional stages of forest and shrub habitats. Nests in rugged, open habitats with canyons and escarpments, typically on cliffs and rock outcroppings; however, it will also nest in large trees in open areas, including oaks, sycamores, redwoods, pines, and eucalyptus, overlooking open hunting habitat.	Not likely to affect. This species has been observed foraging in the vicinity; however, it is unlikely to nest in the area. Golden eagles migrate through and winter in the Central Valley, but the valley floor is not within the core breeding range and typical habitat is in rolling foothills, mountains, and deserts. Migrating and nonbreeding individuals could forage in grassland habitat in the Plan Area.
<i>Haliaeetus leucocephalus</i> Bald eagle	FD, BEPA, CE, CFP	In western North America, nests and roosts in coniferous forests within 1 mile of a lake, reservoir, river, or the ocean.	No effect. There is no suitable nesting or wintering habitat (coniferous forest) in the Plan Area.
State/Local Protected Species			
Plants			
<i>Gratiola heterosepala</i> Bogg's Lake hedge-hyssop	CE, CRPR 1B.2, SSHCP	Annual herb found along the margins of marshes and swamps and in vernal pools with clay soil. Blooms April-August. Elevation: 30 to 7,800 ft.	May affect. Suitable habitat is present within the Plan Area, and the species has been recorded on adjacent lands.
<i>Cuscuta obtusiflora</i> var. <i>glandulosa</i> Peruvian dodder	CRPR 2B.2	Annual parasitic vine on herbs. Found in marsh habitats. Blooms July to October. Elevation: 50 to 1,000 ft.	Not likely to affect. Suitable habitat is present; however, there is only one record of this species from Sacramento County and it is

Species	Status	Suitable Habitat	Potential for Project to Affect
			unverified (i.e., the identity is uncertain). Other known occurrences are from Butte, Los Angeles, Merced, and Sonoma counties. Therefore, it is unlikely this species occurs in the Plan Area.
<i>Downingia pusilla</i> Dwarf downingia	CRPR 2B.2, SSHCP	Annual herb found in relatively small and shallow vernal pools and swales in annual grasslands; below 1,500 ft. elevation. Blooms March–May.	May affect. Suitable habitat is present within vernal pools and swales in the Plan Area and the species has been recorded nearby.
<i>Hibiscus lasiocarpus</i> var. <i>occidentalis</i> Woolly rose-mallow	CRPR 1B.1	Perennial herb found at the margins of freshwater marshes, wet riverbanks, and on low, peat islands in sloughs of the Delta. Can also occur on riprap and levees of rivers and sloughs. Blooms June to September. Elevation: 0 to 320 feet.	Not likely to affect. Although marsh habitat is present, the specific habitat conditions this species is typically associated with are not found in the Plan Area.
<i>Juglans hindsii</i> Northern California black walnut	CRPR 1B.1	Deciduous tree that inhabits riparian forests and woodlands. Blooms April to May. Elevation: 0 to 1,400 ft.	Not likely to affect. Although this species was recorded during the tree inventory, trees in the Plan Area are not likely to be genetically pure <i>Juglans hindsii</i> . This species was heavily cultivated as rootstock for English walnut (<i>Juglans regia</i>) and few native populations still exist. It is widely naturalized in riparian habitats but the only confirmed native stands are at three sites in Napa and Contra Costa counties.
<i>Juncus leiospermus</i> var. <i>ahartii</i> Ahart's dwarf rush	CRPR 1B.2, SSHCP	Annual herb found along vernal pool margins and vernal swales. Blooms March-May. Elevation: 100 to 750 ft.	May affect. Suitable habitat is present within the Plan Area, and the species has been recorded on adjacent lands.
<i>Legenere limosa</i> Legenere	CRPR 1B.1, SSHCP	Annual herb found in well-developed vernal pools and playas. Blooms April-June. Elevation: 0 to 2,900 ft.	May affect. Suitable habitat is present within the Plan Area, and the species has been recorded in a vernal pool within the non-participating properties and in several vernal pools on adjacent lands.
<i>Lepidium latipes</i> var. <i>heckardii</i> Heckard's pepper-grass	CRPR 1B.2	Annual herb found in alkaline soils in valley and foothill grassland, sometimes at the edges of vernal pools. Blooms	Not likely to affect. Alkaline soils are not present in the Plan Area; therefore, habitat is unsuitable for this species.

Species	Status	Suitable Habitat	Potential for Project to Affect
		March-May. Elevation: 10 to 100 ft.	
<i>Navarretia myersii</i> ssp. <i>myersii</i> Pincushion navarretia	CRPR 1B.1, SSHCP	Annual herb found in vernal pools. Blooms in May. Elevation: 65 to 750 ft.	Not likely to affect. Suitable wetland habitat is present and there are pockets of SSHCP modeled habitat for this species in the Plan Area; however, all 48 known occurrences of this species in the County are located southeast of Dillard Road over 10 miles from the Plan Area and this species has never been found in the project vicinity. Therefore, it is unlikely to occur in the Plan Area.
<i>Sagittaria sanfordii</i> Sanford's arrowhead	CRPR 1B.2, SSHCP	Perennial, rhizomatous, emergent herb found in shallow freshwater marshes and swamps, and various perennial waterways or ponds. Blooms: May-October. Elevation: 0 to 2,000 ft.	May affect. Suitable habitat is present within the Plan Area, and the species has been recorded on adjacent lands.
<i>Trifolium hydrophilum</i> Saline clover	CRPR 1B.2	Annual herb found in mesic, alkaline sites in valley and foothill grasslands, vernal pools, and salt marshes. Blooms April-June. Elevation 0 to 1,000 ft.	Not likely to affect. Alkaline soils are not present in the Plan Area; therefore, habitat is unsuitable for this species.
Invertebrates			
<i>Branchinecta mesoallensis</i> Midvalley fairy shrimp	SSHCP	Vernal pools and seasonally ponded areas within vernal swales that hold water for a minimum of 18 days; typically grass or bottomed with clear to tea-colored water.	May affect. Suitable habitat is present in the Plan Area and the species has been recorded north of the Plan Area within Mather Field.
<i>Hydrochara rickseckeri</i> Ricksecker's scavenger beetle	SSHCP	Vernal pools, vernal swales, and seasonal wetlands that hold water for a minimum of 18 days.	May affect. Suitable habitat is present in the Plan Area and the species has been recorded north of the Plan Area in Mather Field.
Amphibians			
<i>Spea hammondi</i> Western spadefoot	CSC, SSHCP	Occurs seasonally in grasslands, prairies, chaparral, and woodlands, in and around wet sites. Breeds in shallow, temporary pools formed by winter rains. Takes refuge in burrows.	May affect. Suitable habitat is present in the Plan Area and the species has been documented on adjacent lands.

Species	Status	Suitable Habitat	Potential for Project to Affect
Reptiles			
<i>Emys marmorata</i> Western pond turtle	CSC, SSHCP	Ponds, marshes, rivers, streams, and irrigation ditches with aquatic vegetation. Requires basking sites and suitable upland habitat for egg-laying. Nest sites most often characterized as having gentle slopes (<15%) with little vegetation or sandy banks.	May affect. Suitable habitat is present in the Plan Area. The species has been recorded at Mather Field north of the Plan Area.
Birds			
<i>Accipiter cooperi</i> Cooper's hawk	SSHCP	Nests and forages in a variety of woodland and forest habitats and urban areas, but generally in stands with mature trees and dense canopy closure. In the Central Valley, strongly associated with live oak woodland.	May affect. Suitable habitat is present in tree clusters in the Plan Area and this species has been documented nesting at Mather Lake.
<i>Agelaius tricolor</i> Tricolored blackbird	CT, SSHCP	Forages in agricultural lands and grasslands; nests in colonies in marshes, riparian scrub, and other areas that support cattails, tules, or dense thickets of shrubs or herbs. Requires open water and protected nesting substrate, such as flooded, spiny, or thorny vegetation.	May affect. Suitable nesting habitat is present in the Plan Area and a colony has been documented nesting along Elder Creek in the Plan Area. The CNDDB reports 500 nesting on site in 2012 and 75 observed foraging onsite in 2014. The species was documented at multiple locations adjacent to and within the Plan Area in June 2017.
<i>Ammodramus savannarum</i> Grasshopper sparrow	CSC	Forages and nests in dense grasslands; favors a mix of native grasses, forbs, and scattered shrubs. Nests in depressions on the ground at the bases of grass clumps. Prefers large tracts of habitat.	May affect. Suitable nesting habitat is present in the Plan Area, and the species has been documented on adjacent lands.
<i>Athene cunicularia</i> Western burrowing owl	CSC, SSHCP	Found in open grasslands with low vegetation, golf courses, and disturbed/ruderal habitat in urban areas.	May affect. Suitable nesting habitat is present within the Plan Area, and burrowing owls are known to nest adjacent to the Plan Area within Mather Field.
<i>Buteo swainsoni</i> Swainson's hawk	CT, SSHCP	Forages in grasslands and agricultural fields and nests in mature trees in riparian corridors or isolated trees.	May affect. Suitable nesting habitat is present, and the species has been observed foraging over grasslands within the Plan Area.
<i>Circus cyaneus</i> Northern harrier	CSC, SSHCP	Forages in a variety of open grassland, wetland, and	May affect. Suitable nesting and foraging habitat are present within

Species	Status	Suitable Habitat	Potential for Project to Affect
		agricultural habitats; nests on the ground in marshy meadows, wet and lightly grazed pastures, and freshwater and brackish marshes; and dry upland habitats, such as grassland, cropland, and drained marshland.	the Plan Area and the species has been observed foraging in the Plan Area.
<i>Elanus leucurus</i> White-tailed kite	CFP, SSHCP	Forages in open grasslands and agricultural fields and marshes. Nests in mature trees in riparian zones, oak woodlands, or isolated trees within foraging habitat.	May affect. Suitable nesting habitat is present within the Plan Area, and the species has been recorded nesting in the project vicinity. The species has been observed foraging throughout the Plan Area.
<i>Grus canadensis tabida</i> Greater sandhill crane	CT, CFP, SSHCP	Annual and perennial grassland habitats, moist croplands with rice or corn stubble, and open, emergent wetlands. Typically nests in mounds of wetland plants or hummocks in remote portions of extensive wetlands. Does not nest in the Central Valley of California but is a winter resident and loss of winter roost sites is a threat to the species.	Not likely to affect. There are no winter roost sites in or near the Plan Area. While Sacramento County provides important wintering habitat for this species, these wintering sites are concentrated within the Cosumnes River Floodplain (Littlefield and Ivy 2000).
<i>Lanius ludovicianus</i> Loggerhead shrike	CSC, SSHCP	Breed mainly in shrublands or open woodlands with a fair amount of grass cover and areas of bare ground. Require tall shrubs, trees, fences or power lines for hunting perches; open areas of short grasses, forbs, or bare ground for hunting; and large shrubs or trees for nest placement.	May affect. Suitable nesting and foraging habitat are present within Plan Area.
<i>Melospiza melodia</i> Song sparrow (Modesto population)	CSC	Nests and forages primarily in emergent marsh, riparian scrub, and early successional riparian forest habitats in the north-central portion of the Central Valley; infrequently in mature riparian forest and sparsely vegetated ditches and levees.	May affect. Suitable nesting and foraging habitat are present. Species observed within the Plan Area (Foothill Assoc. 2015).
<i>Riparia riparia</i> Bank swallow	CT	Nests in colonies in unvegetated vertical banks with fine-textured, sandy soils, typically next to streams, rivers, or lakes, occasionally in gravel quarries or	No effect. No suitable nesting habitat within the Plan Area.

Species	Status	Suitable Habitat	Potential for Project to Affect
		other eroding bluffs. Forages in a variety of habitats near nests	
<i>Xanthocephalus xanthocephalus</i> Yellow-headed blackbird	CSC	Nests in marshes with tall, dense emergent vegetation, most commonly at the edges of lakes, reservoirs, or large ponds with relatively deep water. Forages in freshwater marshes, and sometimes in nearby open fields, preferably with moist ground.	May affect. Suitable nesting and foraging habitat are present.
Mammals			
<i>Antrozous pallidus</i> Pallid bat	CSC	Deserts, grasslands, shrublands, woodlands, and forests. Most common in open, dry habitats with rocky areas for roosting. Roosts in rock crevices, oak hollows, tree bark, bridges, or buildings.	May affect. Structures suitable for roosting may be present in the Plan Area. There is also some potential for this species to roost in onsite trees.
<i>Lasiurus blossevillei</i> Western red bat	CSC, SSHCP	Roosts primarily in dense tree foliage, especially in riparian habitats, particularly mature stands of cottonwood and sycamore, and prefer wide, well-developed riparian corridors or orchards (Pierson et al. 2006). Prefers habitat edges and mosaics with trees that are protected from above and open below and open areas for foraging, including grasslands, shrublands, and open woodlands.	May affect. Trees in the Plan Area may provide suitable habitat for roosting although riparian habitat this species is typically associated with is not found in the Plan Area.
<i>Taxidea taxus</i> American badger	CSC, SSHCP	Found in dry, open grasslands, fields, and pastures.	May affect. Suitable habitat is present within the Plan Area and dens have been documented on adjacent lands in Mather Preserve.

Federal

FD = Delisted, formerly listed as Endangered under ESA

FE = Formally listed as Endangered under ESA

FT = Formally listed as Threatened under ESA

BEPA = Protected under Bald and Golden Eagle Protection Act

California Rare Plant Rank (CRPR)

CRPR 1B = Plants rare, threatened, or endangered in California and elsewhere

CRPR 2B = Plants rare, threatened, or endangered in California, but more common elsewhere

State

CE = Formally listed as Endangered under CESA

CT = Formally listed as Threatened under CESA

CFP = Fully Protected under California Fish and Game Code

CSC = California Species of Special Concern (no formal protection other than CEQA consideration)

CRPR Extensions

0.1 = Seriously endangered in California

0.2 = Fairly endangered in California

SSHCP = Species that are covered in the SSHCP and considered by Sacramento County to meet the definition of rare as described in Section 15380 of the State CEQA Guidelines

SOURCES: CNDDB 2018, CNPS 2018, USFWS 2018, Sacramento County et al. 2018, Foothill Associates 2015, USFWS 2005

REGULATORY SETTING

FEDERAL

The two major federal laws regulating impacts to wetlands and wildlife species are the Clean Water Act (Sections 404 and 401) and the Endangered Species Act (Section 7, 9, and 10). USACE is responsible for administering Section 404 of the Clean Water Act (CWA), with the U.S. Environmental Protection Agency (EPA) serving in an oversight capacity. The USFWS (with jurisdiction over plants, wildlife, and resident fish) and the National Oceanic and Atmospheric Administration, National Marine Fisheries Service (NMFS) (with jurisdiction over anadromous fish and marine fish and mammals) are responsible for administering ESA, Sections 7, 9, and 10. The regional water quality control board (RWQCB) is the regulatory agency that enforces Section 401 of the CWA.

CLEAN WATER ACT

SECTION 404

Section 404 of the federal CWA requires a project applicant to obtain a permit from USACE before engaging in any activity that involves any discharge of dredged or fill material into waters of the United States, including wetlands. Fill material is material placed in waters of the United States where the material has the effect of replacing any portion of a water of the United States with dry land or changing the bottom elevation of any portion of a water of the United States. Waters of the United States include navigable waters of the United States; interstate waters; all other waters where the use, degradation, or destruction of the waters could affect interstate or foreign commerce; tributaries to any of these waters, and wetlands adjacent to these waters. Wetlands are defined as those areas that are inundated or saturated by surface water or groundwater at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Potentially jurisdictional wetlands must meet three wetland delineation criteria: hydrophytic vegetation, hydric soil types, and wetland hydrology. Wetlands that meet the delineation criteria may be jurisdictional under Section 404 of CWA pending USACE and EPA review.

As part of the review of a project, USACE must ensure compliance with applicable federal laws, including EPA Section 404(b)(1) Guidelines. USACE regulations require that impacts to waters of the United States are avoided and minimized to the maximum extent practicable, and that unavoidable impacts are compensated (33 CFR 320.4(r)).

SECTION 401 WATER QUALITY CERTIFICATION

Under CWA Section 401, applicants for a federal license or permit to conduct activities that may result in the discharge of a pollutant into waters of the United States must apply for water quality certification from the state. Therefore, all projects with a federal component that may affect state water quality (including projects that require federal agency approval, such as a Section 404 permit) must comply with CWA Section 401. As

part of the permitting process under Section 404, applicants would be required to apply for water quality certification from the Central Valley RWQCB.

FEDERAL ENDANGERED SPECIES ACT

Under the ESA of 1973, the Secretary of the Interior and the Secretary of Commerce jointly have the authority to list a species as endangered or threatened. The ESA defines “endangered” species as any species in danger of extinction throughout all or a significant portion of its range. A “threatened” species is any species that is likely to become an “endangered” species within the foreseeable future throughout all or a significant portion of its range. “Candidate” species are those for which USFWS has enough information on file to propose listing as endangered or threatened. “Proposed” species are those candidate species that USFWS has found warrant listing as endangered or threatened and were officially proposed as such in a Federal Register notice. A species that has been “delisted” is one whose population has met its recovery goal target and is no longer in jeopardy of extinction.

Section 9 of the ESA prohibits the “take” of federally endangered or threatened wildlife species. To “take” is defined under ESA (Section 2[19]) to mean, “to harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect, or attempt to engage in any such conduct.” Harm is further defined to include significant habitat modification or degradation that results in death or injury to listed species by significantly impairing behavioral patterns (50 CFR Section 17.3). Harass is defined as actions that create the likelihood of injury to listed species to such an extent as to significantly disrupt normal behavior patterns (50 CFR Section 17.3).

All federal government agencies must review their actions and determine if a “may affect” situation occurs with respect to a federally listed or proposed species. If the agency makes a “may affect” determination, it is then required to formally consult with NMFS or USFWS.

For federal agencies, the consultation is often conducted under Section 7 of ESA. The agency submits a Biological Assessment to USFWS that evaluates the potential adverse effects to federally listed species. USFWS, or NMFS in the case of anadromous fish, then prepares a Biological Opinion that addresses the requirements that must be followed to avoid, minimize, and compensate for impacts to federally listed species and their habitats.

For projects that do not involve a federal action, ESA compliance is obtained through Section 10 for projects that will adversely affect (result in take of) a federally listed species. Section 10 compliance requires preparation of a habitat conservation plan by the project proponent and results in the issuance of an Incidental Take Permit from USFWS and/or NMFS. The South Sacramento Habitat Conservation Plan (SSHCP) would help obtain coverage for those species covered under the SSHCP. The purpose of the habitat conservation planning process associated with the permit is to ensure there is adequate minimization and mitigation of the effects of the authorized incidental take.

STATE

The three most important state laws regulating wildlife species, streams, and wetlands are the California Endangered Species Act (Section 2081), the California Fish and Game Code, and the Porter-Cologne Water Quality Control Act. The first two are administered by CDFW, and the latter is administered by RWQCB.

CALIFORNIA ENDANGERED SPECIES ACT

The California Endangered Species Act (CESA, established in Fish and Game Code Section 2050) generally parallels the main provisions of the federal ESA and is administered by CDFW for most terrestrial species, with assistance from NMFS for most freshwater fishery species. CESA prohibits the taking of state listed species except as otherwise provided by state law. Unlike the federal ESA, CESA extends the take prohibitions to not only listed species but also for species petitioned for listing. "Take" is defined in Section 86 of the Fish and Game Code as "hunt, pursue, catch, capture, or kill, or attempt to hunt, pursue, catch, capture, or kill." Fish and Game Code Section 2081 of CESA identifies the following criteria that must be met for CDFW to authorize the take of endangered, threatened, or candidate species:

- The taking of a listed or candidate species can be minimized and fully mitigated.
- The take would not jeopardize the continued existence of the species.
- Authorization for take must be based on the best scientific material that is reasonably available, and that due consideration will be given to the species' ability to survive and reproduce.

CALIFORNIA FISH AND GAME CODE

ANIMALS AND PLANTS

Section 3503 of the California Fish and Game Code makes it unlawful to take, possess, or needlessly destroy the nest or eggs of any bird, except as otherwise provided by the Fish and Game Code or any regulation made pursuant thereto. Section 3503.5 makes it unlawful to take, possess, or destroy any birds in the orders Falconiformes or Strigiformes or to take, possess, or destroy the nest or eggs of any such bird except as otherwise provided by the Fish and Game Code or any regulation adopted pursuant thereto. Sections 1908, 3511, 4700, 5050 state that Fully Protected plant and animals or parts thereof may not be taken or possessed at any time.

SURFACE WATERS

Fish and Game Code Section 1602 requires any person, state or local governmental agency, or public utility to notify CDFW before beginning any activity that will do one or more of the following: 1) substantially obstruct or divert the natural flow of a river, stream, or lake; 2) substantially change or use any material from the bed, channel, or bank of a river, stream, or lake; or 3) deposit or dispose of debris, waste, or other material containing crumbled, flaked, or ground pavement where it can pass into a river, stream, or lake. Fish and Game Code Section 1602 applies to all perennial, intermittent, and ephemeral rivers, streams, and lakes in the state.

Notification is generally required for any project that will take place in the vicinity of a river, stream, or lake. CDFW will determine whether a Lake or Streambed Alteration Agreement is required for the activity. An agreement will be required if the activity could substantially adversely affect an existing fish and wildlife resource. If an agreement is required, it will be prepared by CDFW in coordination with the applicant. The agreement will include measures, as necessary, to protect fish and wildlife resources while conducting the project.

PORTER-COLOGNE WATER QUALITY CONTROL ACT

The Porter-Cologne Act (State Water Code Section 13020) mandates that all the waters of the state be protected, that activities and factors affecting water quality be regulated to attain the highest water quality “within reason,” and that the state be prepared to exercise its power and jurisdiction to protect water quality from degradation. Waters of the state are defined as any surface or groundwater within the boundaries of the state. The RWQCB issues permits, with varying conditions, to allow the discharge of dredge or fill material or a waiver of waste discharge into waters of the state. Any “isolated” waters not subject to CWA are still subject to the Porter-Cologne Act and require mitigation pursuant to the state’s no-net-loss policy. In such a case, fill of isolated wetlands would be permitted through Waste Discharge Requirements rather than a Section 401 Water Quality Certification.

LOCAL

SACRAMENTO COUNTY 2030 GENERAL PLAN

The following 2030 General Plan policies pertaining to biological resources are applicable to the Project:

- CO-58. Ensure no net loss of wetlands, riparian woodlands, and oak woodlands.
- CO-59. Ensure mitigation occurs for any loss of or modification to the following types of acreage and habitat function:
 - vernal pools,
 - wetlands,
 - riparian,
 - native vegetative habitat, and
 - special-status species habitat.
- CO-60. Mitigation should be directed to lands identified on the Open Space Vision Diagram and associated component maps (please refer to the Open Space Element).
- CO-61. Mitigation should be consistent with Sacramento County-adopted habitat conservation plans.
- CO-62. Permanently protect land required as mitigation.

- CO-64. Consistent with overall land use policies, the County shall support and facilitate the creation and biological enhancement of large natural preserves or wildlife refuges by other government entities or by private individuals or organizations.
- CO-65. Create a network of preserves linked by wildlife corridors of sufficient size to facilitate the movement of species.
- CO-66. Mitigation sites shall have a monitoring and management program including an adaptive management component including an established funding mechanism. The programs shall be consistent with Habitat Conservation Plans that have been adopted or are in draft format.
- CO-67. Preserves and conservation areas should have an established funding mechanism, and where needed, an acquisition strategy for its operation and management in perpetuity. This includes existing preserves such as the American River Parkway, Dry Creek Parkway, Cosumnes River Preserve and other plans in progress for riparian areas like Laguna Creek.
- CO-68. Preserves shall be planned and managed to the extent feasible so as to avoid conflicts with adjacent agricultural activities (Please also refer to the Agricultural Element).
- CO-69. Avoid, to the extent possible, the placement of new major infrastructure through preserves unless located along disturbed areas, such as existing roadways.
- CO-70. Community Plans, Specific Plans, Master Plans and development projects shall:
- include the location, extent, proximity and diversity of existing natural habitats and special-status species in order to determine potential impacts, necessary mitigation and opportunities for preservation and restoration.
 - be reviewed for the potential to identify nondevelopment areas and establish preserves, mitigation banks and restore natural habitats, including those for special-status species, considering effects on vernal pools, groundwater, flooding, and proposed fill or removal of wetland habitat.
 - be reviewed for applicability of protection zones identified in this Element, including the Floodplain Protection Zone, Stream Corridor Ordinance, Cosumnes River Protection Combining Zone and the Laguna Creek Combining Zone.
- CO-71. Development design shall help protect natural resources by:
- Minimizing total built development in the floodplain, while designing areas of less frequent use that can support inundation to be permitted in the floodplain,

- Ensuring development adjacent to stream corridors and vernal pools provide, where physically reasonable, a public street paralleling at least one side of the corridor with vertical curbs, gutters, foot path, street lighting, and post and cable barriers to prevent vehicular entry.
 - Projects adjacent to rivers and streams shall integrate amenities, such as trail connectivity, that will serve as benefits to the community and ecological function.
 - Siting of wetlands near residential and commercial areas should consider appropriate measures to minimize potential for mosquito habitation.
 - Development adjacent to stream corridors and vernal pools shall be designed in such a manner as to prevent unauthorized vehicular entry into protected areas.
- CO-72. If land within river and stream watersheds in existing agricultural areas is developed for non-agricultural purposes, the County should actively pursue easement dedication for recreation trails within such development as a condition of approval.
- CO-75. Maintain viable populations of special-status species through the protection of habitat in preserves and linked with natural wildlife corridors.
- CO-78. Plans for urban development and flood control shall incorporate habitat corridors linking habitat sites for special status-species. (Please also refer to the Open Space Element for related policies.)
- CO-83. Preserve a representative portion of vernal pool resources across their range by protecting vernal pools on various geologic landforms, vernal pools that vary in depth and size, and vernal pool complexes of varying densities; in order to maintain the ecological integrity of a vernal pool ecosystem.
- CO-84. Ensure that vernal pool preserves are large enough to protect vernal pool ecosystems that provide intact watersheds and an adequate buffer, have sufficient number and extent of pools to support adequate species populations and a range of vernal pool types.
- CO-85. Utilize proper vernal pool restoration techniques as approved by United States Fish and Wildlife Service (USFWS), California Department of Fish and Game (CDF&G) and the Army Corps of Engineers (CORPS).
- CO-86. Limit land uses within established preserves to activities deemed compatible with maintenance of the vernal pool resource, which may include ranching, grazing, scientific study and education.
- CO-91. Discourage introductions of invasive non-native aquatic plants and animals.
- CO-134. Maintain and establish a diversity of native vegetative species in Sacramento County.
- CO-135. Protect the ecological integrity of California Prairie habitat.

- CO-138. Protect and preserve non-oak native trees along riparian areas if used by Swainson's Hawk, as well as landmark and native oak trees measuring a minimum of 6 inches in diameter or 10 inches aggregate for multi-trunk trees at 4.5 feet above ground.
- CO-139. Native trees other than oaks, which cannot be protected through development, shall be replaced with in-kind species in accordance with established tree planning specifications, the combined diameter of which shall equal the combined diameter of the trees removed.
- CO-145. Removal of non-native tree canopy for development shall be mitigated by creation of new tree canopy equivalent to the acreage of non-native tree canopy removed. New tree canopy acreage shall be calculated using the 15-year shade cover values for tree species.
- CO-146. If new tree canopy cannot be created onsite to mitigate for the non-native tree canopy removed for new development, project proponents (including public agencies) shall contribute to the Greenprint funding in an amount proportional to the tree canopy of the specific project.
- CO-147. Increase the number of trees planted within residential lots and within new and existing parking lots.
- CO-149. Trees planted within new or existing parking lots should utilize pervious cement and structured soils in a radius from the base of the tree necessary to maximize water infiltration sufficient to sustain the tree at full growth.
- LU-15. Planning and development of new growth areas should be consistent with Sacramento County-adopted Habitat Conservation Plans and other efforts to preserve and protect natural resources.
- OS-1. Actively plan to protect, as open space, areas of natural resource value, which may include but are not limited to wetlands preserves, riparian corridors, woodlands, and floodplains associated with riparian drainages.
- OS-2. Maintain open space and natural areas that are interconnected and of sufficient size to protect biodiversity, accommodate wildlife movement and sustain ecosystems.
- OS-9. Open space easements obtained and offered as mitigation shall be dedicated to the County of Sacramento, an open space agency, or an organization designated by the County to protect and manage the open space. Fee title of land may be dedicated to the County, the open space agency, or organization provided it is acceptable to the appropriate department or agency (Please also refer to Section V of the Conservation Element for related policies).

COMMUNITY PLANS

CORDOVA COMMUNITY PLAN

The Cordova Community Plan, last updated in 2003, provides guidance for both new development and the redevelopment of existing land uses within the community planning area. Objectives identified in the plan that are applicable to the Project include:

- ROS-7. Protect and preserve sensitive environmental areas and wildlife habitats including wetlands, riparian corridors, annual grasslands, and floodplains; and encourage restoration and educational opportunities (e.g., public walkways and informational signage) for such areas when appropriate.
- ROS-8. Ensure the proper management, maintenance, and sustainability of open space areas

VINEYARD COMMUNITY PLAN

The Vineyard Community Plan, developed in 1985, provides guidance for growth and development in the community planning area. Policies identified in the plan that are applicable to the Project include:

- NER 4. Protect vernal pools and endangered species such as the Sacramento Orcutt Grass by evaluating development project sites on a case-by-case basis for the presence of vernal pools and inventorying those sites where vernal pools are found.
- NER 5. Encourage the development of linear parkways along stream channels, within floodplains, and within power transmission easements for environmentally compatible recreation facilities and open space.

SACRAMENTO COUNTY TREE ORDINANCE

The Sacramento County Tree Preservation and Protection Ordinance (Chapter 19.12 of the County Code) regulates removal and impacts to any native oak tree and states that “it shall be the policy of the County to preserve all trees possible through its development review process.” In addition, the “approving body shall have the authority to adopt mitigation measures as conditions of approval for projects in order to protect other species of trees.” This protection is afforded to native oak trees, other native trees, heritage trees, and landmark trees. Section 19.04 of the County Code defines a landmark tree as “an especially prominent or stately tree on any land in Sacramento County, including privately owned land” and a heritage tree as “native oak trees that are at or over 19” diameter at breast height (dbh).”

County policy identifies the following list of native oak and specific non-oak native trees to be considered during environmental analyses:

- Valley oak,
- Interior live oak,
- Blue oak,
- Coast live oak (*Quercus agrifolia*) (in Delta area),

- Oracle oak (*Quercus X morehus*),
- Native oak hybrids,
- California sycamore,
- Northern California black walnut (*Juglans californica* var. *hindsii*),
- Oregon ash (*Fraxinus latifolia*),
- Goodding's black willow (*Salix gooddingii*),
- Box elder (*Acer negundo*),
- White alder (*Alnus rhombifolia*),
- California buckeye (*Aesculus californica*),

SWAINSON'S HAWK ORDINANCE

The CDFW requires that mitigation for foraging habitat be provided within the known foraging radius of a nesting Swainson's hawk. In 1997, in response to the need to mitigate for the loss of Swainson's hawk foraging habitat in Sacramento County, the Board of Supervisors adopted an ordinance that established a Swainson's Hawk Impact Mitigation Program (Chapter 16.130 of the Sacramento County Code). The Program has been amended several times; the latest amendment went into effect December 2009.

In adopting the Program, the Board of Supervisors found that "the most effective means of mitigation for the loss of suitable Swainson's hawk foraging habitat is the direct preservation, in perpetuity, of equally suitable foraging habitat on an acre-per-acre basis based on the Project's determined acreage impact." On an individual basis, the acquisition of lands for habitat conservation may not always be feasible or prudent and many small, disconnected preserves do not benefit the species as well as large, connected preserve systems. Therefore, the ordinance provides for the establishment of impact mitigation fees, which, in some circumstances, may be paid in-lieu of providing habitat lands. These fees accumulate and are held in trust by the County until used for the acquisition of foraging habitat of a size large enough to be biologically and economically viable. The Board of Supervisors found that direct preservation of foraging habitat or the payment of fees for acquisition of such habitat would meet the requirements of CEQA by reducing impacts to Swainson's hawk foraging habitat to a less than significant level for agriculturally zoned lands of Sacramento County.

Under the Swainson's Hawk Impact Mitigation Program, only projects that have an impact of less than 40 acres are eligible to participate in the in-lieu fee program. Projects adversely affecting 40 acres or more of foraging habitat must provide replacement habitat land acceptable to CDFW and the County. Land can be provided through in fee title or through a conservation easement. The Sacramento County Office of Planning and Environmental Review administers the Swainson's Hawk Impact Mitigation Program.

The methodology for determining impacts to foraging habitat in unincorporated Sacramento County is based on the concept that impacts to Swainson's hawk foraging habitat occur as properties develop to increasingly more intensive uses on smaller

minimum parcel sizes. Therefore, the methodology relies mainly on the minimum parcel size allowed by zoning to determine habitat value. For the purpose of the methodology, properties with zoning of AG-40 and larger are assumed to maintain 100 percent of their foraging habitat value and properties with AR-5 zoning and smaller are assumed to have lost all foraging habitat value. Table BR-5 below illustrates the continuum between AG-40 and AR-5 that represents the partial loss of habitat value that occurs with fragmentation of large agricultural land holdings. The large, 50 percent loss of habitat value between AG-20 and AR-10 is due to the change in land use from general agriculture to agricultural-residential. The methodology does allow case-by-case analysis for projects with unique characteristics.

Note, however, that the SSCHP has superseded the Swainson's Hawk Ordinance for projects within the SSHCP plan area.

Table BR-5: Swainson's Hawk Mitigation Values

Zoning Category	Habitat Value Remaining
AG-40 and above (e.g., AG-80, 160 etc.)	100%
AG-20	75%
AR-10	25%
AR-5 and smaller (e.g., AR-2, 1 or RD-5, 7, 10, 15, 20 etc.)	0%

SOUTH SACRAMENTO COUNTY HABITAT CONSERVATION PLAN

The SSHCP is a regional approach to conserving species and addressing issues related to urban development, habitat conservation, open space preservation, and agricultural protection within the south Sacramento County region, including the cities of Galt and Rancho Cordova. The specific geographic scope of the SSHCP includes U.S. Highway 50 to the north, the Sacramento River levee and County Road J11 (connects the towns of Walnut Grove and Thornton, it is known as the Walnut Grove-Thornton Road) to the west, the Sacramento County line with El Dorado and Amador counties to the east, and San Joaquin County to the south. The SSHCP project area excludes the City of Sacramento, the City of Folsom, the City of Elk Grove, most of the Sacramento-San Joaquin Delta, and the Sacramento community of Rancho Murieta. The SSHCP is meant to serve as an alternative way to address impacts to critical habitat and the Recovery Plan. The intent of the SSHCP is to minimize regulatory hurdles and streamline the permitting process for projects that engage in development-related activities inside the urban development area. The urban development area corresponds to land within the County's Urban Services Boundary, and to land within the city limits of Rancho Cordova and Galt, and Galt's adopted sphere of influence. The SSHCP consolidates environmental efforts to protect and enhance vernal pool habitat and other aquatic and upland habitats to provide ecologically viable conservation areas in south Sacramento County for 28 different species of plants and wildlife, including 10 that are state and/or federally listed as threatened or endangered. The SSHCP provides a mechanism by which the County and its partners are authorized to issue permits, including a streamlined Clean Water Act 404 permit process, that allow landowners to engage in specific development activities (covered activities) that could result in the

incidental take of listed species (covered species). The SSHCP provides a developer-paid, fee-based program on loss of habitat acreage, habitat type, and long-term management costs. Fees would fund the habitat preservation, restoration and management elements of the adopted SSHCP. The SSHCP and supporting EIS/EIR have been approved and certified, respectively, by the County Board of Supervisors and the issuance of permits by the resource agencies has been completed. Public hearings on the proposed adoption of the final SSHCP, final EIS/EIR, final Aquatic Resources Plan (ARP), and final Implementation Agreement (IA) began in August 2018, and adoption by the County occurred on September 11, 2018. The permit was received on June 12, 2019 from USFWS, July 25, 2019 from USACE, and August 20, 2019 from CDFW. Implementation of the SSCHP began in late 2019.

The Plan Area is within the SSHCP Urban Development Area. Moreover, the development activities being proposed as part of this Project would be considered “covered activities” under the SSHCP; therefore, the Project must comply with the provisions of the SSHCP and associated permits. The SSHCP EIS/EIR included comprehensive cumulative analysis of potential impacts to biological resources of all “covered activities,” including the proposed Project and Alternative 2. The impact analysis discussed in this section include rationale regarding variance analysis for specific impacts and the mitigation measures included mirror those included in the SSHCP; therefore, they are consistent with the requirements of the SSHCP.

As described above, wetlands and waters of the U.S. are regulated by both the federal and State government, pursuant to the Clean Water Act Section 404 (federal) and Section 401 (state). USACE is generally the lead agency for the federal permit process, and RWQCB is generally the lead agency for the state permit process. The Clean Water Act protects all “navigable waters”, which are defined as traditional navigable waters that are or were used for commerce, or may be used for interstate commerce; tributaries of covered waters; and wetlands adjacent to covered waters, including tributaries.

In addition to the Clean Water Act, the State of California also has jurisdiction over impacts to surface waters through the Porter-Cologne Water Quality Control Act, which does not require that waters be “navigable.” For this reason, federal non-jurisdictional waters – isolated wetlands – can be regulated by the State of California pursuant to Porter-Cologne. The Clean Water Act establishes a “no net” loss” policy regarding wetlands for the state and federal governments, and General Plan Policy CO-58 establishes a “no net loss” policy for Sacramento County. Mitigation requirements consistent with the SSHCP are in compliance with these policies.

The SSHCP implements a CWA Section 404 permit strategy (SPK-1995-00386) for SSHCP covered activity projects which would discharge fill material into wetlands and other waters of the United States. The multi-tiered CWA 404 permit strategy draws upon the content of the SSHCP, the ARP, and aquatic resource protection ordinances. The ARP is a local jurisdiction based aquatic resources permit program that adds to the strength of the SSHCP framework of protection of natural communities and native plant and wildlife species, including protection of aquatic resources. A primary goal of ARP implementation is to achieve an overall no net loss of aquatic resources functions and

services. While the ARP focuses on a permit program to address impacts to aquatic resources and the SSHCP focuses on permitting related to incidental take of species, both permitting processes are done in conjunction with one another and consist of:

- A programmatic general permit (PGP), founded on a local aquatic resources protection program and designed to reduce duplication with that program, for covered activities with minimal individual and cumulative effects on aquatic resources. The PGP is implemented by the three land-use authority Permit Applicants (i.e., Sacramento County, Galt, and Rancho Cordova).
- A regional general permit (RGP), for covered activities with minimal individual and cumulative effects on aquatic resources that do not qualify for the PGP.
- A procedure for issuing Letters of Permission (LOP procedure) for covered activities with more than minimal effects, but less-than-significant effects, on the human environment, including aquatic resources.
- An abbreviated process for issuing standard permits (abbreviated SP) for other covered activity impacts that do not qualify for the PGP or the LOP procedure. The abbreviated SP process is used for the small number of SSHCP covered activities requiring authorization under CWA 404 that may significantly affect the human environment under NEPA, requiring the preparation of an EIS.

The CWA 404 permit strategy relies, at all levels of permitting, on the SSHCP to address avoidance, minimization and requirements for compensatory mitigation for impacts to aquatic resources. Key to satisfying compensatory mitigation requirements, payment of SSHCP-required fees dually fulfills a USACE-approved South Sacramento In Lieu Fee Program established by the SSHCP Permittees, which relies on the compensatory mitigation ratio requirements for aquatic resources contained in the SSHCP (vs. project-by-project compensatory mitigation evaluation).

IMPACTS AND ANALYSIS

SIGNIFICANCE CRITERIA

The significance of an environmental impact cannot always be determined through use of a specific, quantifiable threshold. CEQA Guidelines Section 15064(b) affirms this by the statement: “An ironclad definition of significant effect is not always possible because the significance of an activity may vary with the setting.” Significance of an impact to the biological resources discussed in this chapter rely on the policies, codes, and regulations described in the Regulatory Setting section, as well as the following CEQA Sections:

SECTION 15065

(a) A lead agency shall find that a project may have a significant effect on the environment and thereby require an EIR to be prepared for the project where there is substantial evidence, in light of the whole record, that any of the following conditions may occur:

(1) The project has the potential to: substantially degrade the quality of the environment; substantially reduce the habitat of a fish or wildlife species; cause a fish or wildlife population to drop below self-sustaining levels; threaten to eliminate a plant or animal community; substantially reduce the number or restrict the range of an endangered, rare or threatened species; or eliminate important examples of the major periods of California history or prehistory.

SECTION 15382

"Significant effect on the environment" means a substantial, or potentially substantial, adverse change in any of the physical conditions within the area affected by the project, including land, air, water, minerals, flora, fauna, ambient noise, and objects of historic or aesthetic significance. An economic or social change by itself shall not be considered a significant effect on the environment. A social or economic change related to a physical change may be considered in determining whether the physical change is significant.

Standards for determining thresholds of significance were established based on the State CEQA Guidelines and professional standards, including the County-specific thresholds from the County's Initial Study Checklist. Impacts to biological resources were considered significant if the Project would:

1. Have a substantial adverse effect on any special-status species, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, or threaten to eliminate a plant or animal community;
2. Have a substantial adverse effect on riparian habitat or other sensitive natural communities;
3. Have a substantial adverse effect on protected surface waters, as defined by the USACE Wetland Delineation Manual (1987 ed.) and/or as defined by Sections 401 and 404 of the Clean Water Act (including, but not limited to, seeps, vernal pools, swales, drainages, and perennial waterways) through direct removal, filling, hydrological interruption, or other means;
4. Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites;
5. Adversely affect or result in the removal of native or landmark trees;
6. Conflict with any local policies or ordinances protecting biological resources; or
7. Conflict with the provisions of an adopted habitat conservation plan, natural community conservation plan, or approved local, regional, or state habitat conservation plan.

METHODOLOGY

The methodologies used to determine significance rely on documents published by or endorsed by regulatory agencies. The applicable documents and methods are cited and described in the impact discussions below. In absence of such published documents,

the analyses rely on the general definitions of significance. In addition, information from database searches and technical studies conducted in the Plan Area, as listed in the introduction to this Biological Resources chapter, is incorporated into the impact analysis (refer to Appendix BR-1).

Note that the biological reports were only prepared for the portion of the Plan Area that was owned by Project Applicant on the date that they were prepared.

PROJECT IMPACT AREAS AND AVOIDED AREAS

As discussed in Chapter 2, "Project Description," the Plan Area is 1,391 acres. The Project includes 214.3 acres of wetland preserve, while Alternative 2 includes 259.8 acres of wetland preserve (Table BR-6).

Table BR-6: Preserve Area, Project and Alternative 2

Alternatives	Direct Impact Area from Development (acres)	Preserved Area (acres)	Agricultural Area (acres)
Proposed Project 4	1,176.7	214.3	109.8
Alternative 2	1,131.2	259.8	74.7

For biological impact analysis purposes, this wetland preserve is being treated as an avoided area. The preserve area includes Morrison Creek and is characterized by annual grassland with vernal pools connected by riverine seasonal wetlands, with some depressional seasonal wetlands. The wetland preserve is contiguous with similar preserves on lands to the north (Mather Field Preserve) and east (proposed as part of the pending NewBridge Project).

Additionally, the Project reserves approximately 110 acres of the Plan Area as Agriculture (Table BR-6). However, the EIR assumes the potential future development of this area; therefore, this is treated as an impact area in the analysis. The Project Applicant also proposes several greenbelt areas, the primary purpose of which is to convey stormwater flows offsite into Elder Creek and an adjacent mining pit, and to provide opportunities for trail connections within the development. A naturalized channel would be created within the greenbelt areas, which would require grading activities within all parts of the greenbelt. Thus, while the completed channels would include some restored wetland function and value, these are not preserved areas and are treated as impact areas in the analysis.

IMPACT: LOSS OF HABITAT FOR VERNAL POOL INVERTEBRATES

PROPOSED PROJECT

Vernal pools and seasonal wetlands throughout the Plan Area are known to support special-status species including populations of the federally listed vernal pool fairy shrimp and vernal pool tadpole shrimp. Plate BR-5 details the extent of habitat suitable to support vernal pool species. The Project would result in direct loss and indirect degradation of suitable and occupied habitat and in incidental take (death) of these

species. Most of the Plan Area is within the Mather Core Area identified in the vernal pool recovery plan (USFWS 2005) as vital to the recovery of vernal pool fairy shrimp and vernal pool tadpole shrimp and is designated by the USFWS as critical habitat for these two species.

The acreage of potential direct and indirect effects to habitat for vernal pool invertebrates are summarized in Table BR-7 and Plate BR-6. Direct effects would occur if habitat for vernal pool invertebrates is affected by site grading or other ground disturbing activities. In calculating direct effects to habitat for vernal pool invertebrates, it is assumed that if any portion of a vernal pool, vernal swale or seasonal wetland is removed by site grading or other ground disturbing impacts, then the entire feature is directly affected (i.e., lost). Direct effects to dispersal habitat such as channels and streams were limited only to the portions of the feature directly filled. In addition to the direct removal of habitat, implementing the Project could have indirect impacts on vernal pool invertebrate habitats, including reduction in water quality and altered hydrology caused by urban runoff, erosion, and siltation; intrusion of humans and domestic animals; litter and dumping; alteration of the wetland watershed area; and introduction of invasive plant species. Indirect effects could result in habitat degradation leading to lower reproductive success of special-status vernal pool invertebrates, and eventual elimination of these species from the affected habitat. Indirect effects may occur if proposed activities alter the surface and/or subsurface hydrology of the area. USFWS generally considers that vernal pool habitats within 250 feet of lands that would be developed may be subject to indirect effects; however, site-specific scientific analysis of terrain and hydrologic barriers may be used to demonstrate the immediate watershed is smaller (or larger) than 250 feet around a wetland. Alternatively, the SSHCP methodology for determining indirect impacts states that if more than 10 percent of a vernal pool watershed is affected, that wetland is considered to be indirectly affected.

As illustrated in the land use plan, this Project would include an approximately 214-acre wetland preserve along the northern and eastern boundaries of the Plan Area and the remainder of the Plan Area would be developed with various land uses. There are 30.30 acres of vernal pool invertebrate habitat within the Applicant-owned properties where development is proposed, and 6.02 acres are within the proposed wetland preserve. Therefore, development would directly fill 30.30 acres of vernal pool invertebrate habitat. Additionally, development would occur within 250 feet of a portion of the suitable habitat within the preserve, which would result in an additional 1.47 acres of indirect impact. Additionally, 1.89 acres of vernal pools occur in the eastern edge of the preserve within 250 feet of potential development on adjacent parcels and may therefore be subject to indirect impacts from adjacent development. However, as mentioned above, the SSHCP methodology for determining indirect impacts was utilized in defining hardline preserves, including the preserve proposed as part of Alternative 2 and adjacent preserves in the proposed NewBridge Specific Plan area to the east. There are 4.55 acres of vernal pool invertebrate habitat within the preserve that would not be subject to indirect impacts; therefore, these vernal pools are considered preserved.




Plate BR-5: Vernal Pool Invertebrate Habitat Map




Plate BR-6: Proposed Project Vernal Pool Invertebrate Habitat Impact Map

Upon approval of the Project, the preserved lands would be acquired by the South Sacramento Conservation Agency as part of the approved SSHCP Preserve system even if the Project Applicant does not obtain take coverage for the Project. Through this acquisition, the South Sacramento Conservation Agency can ensure that any subsequent activities such as installation of roads, bicycle and pedestrian trails, outfalls, water quality basins, post and cable fencing, benches, trash receptacles, and interpretive signs that are proposed within the preserve area would be subject to the Avoidance and Minimization Measures outlined in the SSHCP. Therefore, indirect impacts to vernal pool invertebrate habitat from these activities within the preserve would be sufficiently avoided and would be outside of the scope of this analysis.

Table BR-7: Impacts to Suitable Vernal Pool Invertebrate Habitat, Project and Alternative 2

Alternatives	Suitable Habitat for Vernal Pool Crustaceans			
	Direct Impact (acres)	Indirect Impact (acres)	Preserved Habitat (acres)	Preserved Vernal Pools, Possible Impact from Eastern Development (acres)
Proposed Project	30.30	1.47	4.55	1.89
Alternative 2	25.61	4.13	10.61	1.89

While the Project would avoid some vernal pools, swales and seasonal wetlands by including these waters in the wetland preserve, the Project nonetheless would result in the loss of suitable and occupied vernal pool invertebrate habitat within the Plan Area, and death of federally listed vernal pool fairy shrimp and vernal pool tadpole shrimp in occupied habitat. Loss of this habitat, especially given that this is in a core recovery area and designated critical habitat for federally listed species, would be a **significant** impact. Direct loss of suitable habitat and direct take of special-status vernal pool invertebrates, as well as indirect impacts that degrade habitat quality leading to a loss of habitat function, would eliminate occupied habitat within the Mather Core Area, adversely affect designated critical habitat, and reduce habitat available to species that are already threatened or endangered thereby contributing to the ongoing decline of these species in the region and statewide, and potentially interfering with the ability to recover the species.

Mitigation Measure BR-1 would reduce potentially significant impacts on vernal pool invertebrates to **less than significant with mitigation** because this measure would require the Project Applicant to participate in the SSHCP reserve system through fee payment or land dedication to offset habitat loss and implement onsite avoidance and minimization measures. The SSHCP, once fully implemented, would provide an alternative strategy to conservation and recovery of these species in the region, in a coordinated manner.

ALTERNATIVE 2

In the event that Alternative 2 is adopted in lieu of the Project, impacts to vernal pool invertebrates may differ from those under the Project because impacts are dependent on the acreage of vernal pools adversely affected (see Table BR-7). Alternative 2 would

have a reduced acreage of impact to vernal pool invertebrate habitat when compared to the Project. Alternative 2 would result in loss of habitat for vernal pool invertebrates and death of listed vernal pool invertebrates that could cause substantial reductions in the populations of these species and inhibit their recovery. Therefore, the impacts related to the vernal pool invertebrates under all alternatives would be **significant**.

Implementation of Mitigation Measure BR-1 would reduce impacts from Alternative 2 on vernal pool invertebrates to **less than significant with mitigation**.

MITIGATION MEASURES

BR-1: Obtain coverage for the Project under the SSHCP. In addition to payment of development fees and dedication of land in accordance with the SSHCP, ~~the Project Applicant~~ developers of the Jackson Township Specific Plan shall implement all applicable Avoidance and Minimization Measures codified in the SSHCP at the time permits are obtained. Avoidance and Minimization Measures currently provided in the SSHCP are included in Appendix BR-3.

IMPACT: SPECIAL-STATUS PLANTS

PROPOSED PROJECT

The Plan Area has potential to support the following vernal pool-associated special-status plant species: Ahart's dwarf rush, Boggs Lake hedge-hyssop, legenere, Sacramento Orcutt grass, and slender Orcutt grass, as well as Sanford's arrowhead, which occur in perennial waterways, ponds, and marsh habitats. Botanical surveys for special-status plant species were conducted on the Applicant-owned properties in May and June of 2014, and no populations of any special-status plant species were observed. Focused surveys of the Applicant-owned properties were conducted for Sacramento orcutt grass and slender orcutt grass (vernal pool grasses) in 2006 and 2007 with negative results. However, because protocol-level surveys were not conducted over the entire Plan Area, the most recent surveys were conducted during a drought year and reference sites were not visited to confirm successful establishment of target species that year, and the surveys are outdated according to agency standards, the potential for these species to occur cannot be ruled out. Legenere has been documented previously on the non-participating properties near the Mather Preserve (CNDDDB 2018) in an area designated as wetland preserve under the proposed project land use plan. Most of the Plan Area is within the Mather Core Area and is designated by the USFWS as critical habitat for slender orcutt grass and Sacramento orcutt grass. As discussed above, the occurrence of these species within the Plan Area cannot be ruled out. Additionally, critical habitat and the vernal pool recovery areas are designated for USFWS to meet their mandate to recover listed species by preserving suitable habitat. Therefore, Project implementation would result in an adverse effect to designated critical habitat for these vernal pool grasses as well as loss of Mather Core Area habitat, which is considered vital to the recovery of Sacramento Orcutt grass. Ninety-five percent of the Mather Core Area habitat would have to be protected for Sacramento Orcutt grass to have a chance at being downlisted from endangered status to threatened and 100 percent of Mather Core Area habitat would have to be protected for the species to be delisted (i.e., recovered). Therefore, the loss of habitat within the

Plan Area would preclude this species from being delisted pursuant to the vernal pool recovery plan. However, the recovery plan provides that alternate conservation mechanisms can be used in lieu of the recovery plan. One such allowable approach is a habitat conservation plan, such as the SSHCP (see Section 3.7.1 of the SSHCP).

In addition to direct loss of habitat, special-status plant species could be adversely affected by habitat degradation resulting from development adjacent to preserved habitats within or adjacent to the Plan Area. As described in Chapter 2, "Project Description," several resource avoidance and minimization measures from the SSHCP have been incorporated into Project design, including control of invasive species and management of nonnative vegetation within the setback area and Preserve. Upon acquiring the preserve lands, the South Sacramento Conservation Agency would implement measures identified in the SSHCP to ensure the long-term viability of the protected and restored vernal pool and wetland resources within the preserve. These measures would include routine management activities, as well as adaptive management practices, designed to achieve habitat health and functionality.

Project implementation would result in removal of habitat suitable for special-status vernal pool plants and Sanford's arrowhead. The loss of potential habitat could reduce local and regional population numbers of plant species that are rare, increasing the potential that these species could become listed as threatened or endangered under CESA or ESA in the future. The loss of vernal pool grasses already listed as threatened/endangered, and loss of their critical habitat, would interfere with recovery goals for these species and could further reduce their overall population numbers. Therefore, the loss of special-status plants and loss of critical habitat and Mather Core Area would be a **significant** impact. Implementation of Mitigation Measure BR-1 would reduce impacts on special-status plants to **less than significant with mitigation**, through survey and avoidance or compensatory mitigation on an established SSHCP Preserve.

ALTERNATIVE 2

In the event that Alternative 2 is adopted in lieu of the Project, impacts to special-status plants would differ from those under the Project because impacts are dependent on the acreage of suitable habitat lost. Alternative 2 would have a reduced acreage of impact to special-status plant habitat when compared to the Project (Table BR-7). Nonetheless, the loss of potential habitat that would occur with implementation of Alternative 2 could reduce local and regional population numbers of plant species that are rare, increasing the potential that these species could become listed as threatened or endangered under CESA or ESA in the future. The loss of vernal pool grasses already listed as threatened/endangered, and loss of their critical habitat, would interfere with recovery goals for these species and could further reduce their overall population numbers. Therefore, the loss of special-status plants and loss of critical habitat and Mather Core Area habitat under Alternative 2 would be **significant**. Implementation of Mitigation Measure BR-1 would reduce impacts on special-status plants from Alternative 2 to **less than significant with mitigation**.

MITIGATION MEASURES

Implement Mitigation Measure BR-1.

IMPACT: LOSS OF HABITAT FOR VALLEY ELDERBERRY LONGHORN BEETLE

PROPOSED PROJECT

Elderberry shrubs are the host plant for valley elderberry longhorn beetle. No elderberry shrubs have been found on the Applicant-owned property; however, the non-participating properties have not been surveyed and elderberry shrubs may be present in those areas. Should elderberry shrubs occur on the non-participating properties, then future construction in this portion of the Plan Area could remove elderberry shrubs or result in decreased vigor of shrubs due to creation of dust during construction. The loss or decrease in vigor of elderberry shrubs may result in a further reduction in the population of valley elderberry longhorn beetle, which is currently listed as threatened under the ESA. Therefore, the loss of habitat for valley elderberry longhorn beetle would be **potentially significant**. The Project Applicant would obtain coverage under the SSHCP, as described in Mitigation Measure BR-1. Implementation of Mitigation Measure BR-1 would provide development fees or land dedication in accordance with the SSHCP and implement all Avoidance and Minimization Measures, thereby reducing impacts on valley elderberry longhorn beetle to **less than significant with mitigation**.

ALTERNATIVE 2

In the event that Alternative 2 is adopted in lieu of the Project, impacts to valley elderberry longhorn beetle would remain the same as they would under the Project because impacts are dependent on the number of elderberry shrubs lost during construction on non-participating properties. The development proposed under Alternative 2 for non-participating properties would have slightly different placement of land uses than the Project; however, the location and level of development throughout the Plan Area would be the same and, therefore, Alternative 2 would result in the same level of potential for impact to valley elderberry longhorn beetle. Therefore, the loss of habitat for valley elderberry longhorn beetle would be **potentially significant**. Implementation of Mitigation Measure BR-1 would reduce impacts on valley elderberry longhorn beetle from Alternative 2 to **less than significant with mitigation**.

MITIGATION MEASURES

Implement Mitigation Measure BR-1.

IMPACT: LOSS OF BURROWING OWLS AND HABITAT

PROPOSED PROJECT

As discussed in the Environmental Setting section of this chapter, no burrowing owl burrows have been observed on the Plan Area; however, this species has a high potential for occurrence on the entire Plan Area because suitable nesting and foraging habitat is present within the project vicinity. Also, a burrowing owl was observed on the Plan Area in 2010 and adjacent to the Plan Area in 2018 and many rodent burrows were observed throughout the Plan Area, which provide suitable nesting habitat for the burrowing owl.

The potential presence of burrowing owl cannot be ruled out without protocol-level surveys. Adults, eggs, and juveniles could be killed during site grading and other ground disturbance that destroys occupied burrows or nest sites. Burrowing owls always need burrows to survive and displacing individuals from their burrows can result in indirect impacts such as predation, increased energetic costs, increased stress, and risks associated with having to find and compete for burrows, all of which can lead to take or reduced reproduction. Construction disturbances could also cause pairs nesting nearby to abandon their nests resulting in mortality of chicks and eggs. The loss of occupied burrowing owl habitat or mortality of adults, chicks, or eggs would be a **potentially significant** impact. Mitigation Measure BR-1 would provide development fees or land dedication in accordance with the SSHCP and implement all Avoidance and Minimization Measures, including those specific to western burrowing owl. Therefore, the impacts on western burrowing owl would be reduced to **less than significant with mitigation**.

ALTERNATIVE 2

In the event that Alternative 2 is adopted in lieu of the Project, impacts to western burrowing owls and habitat would differ from those under the Project because impacts are dependent on the acreage of suitable habitat lost. Although the total acreage of impact would be less under Alternative 2, this alternative would result in a loss of suitable burrowing owl habitat and could result in mortality of adults, chicks, or eggs. Therefore, the impacts to western burrowing owls would be **potentially significant**. Mitigation Measure BR-1 would reduce impacts on western burrowing owls and suitable habitat for Alternative 2 to **less than significant with mitigation**.

MITIGATION MEASURES

Implement Mitigation Measure BR-1.

IMPACT: LOSS OF TRICOLORED BLACKBIRD NESTING AND FORAGING HABITAT

PROPOSED PROJECT

As discussed in the Environmental Setting section of this chapter, tricolored blackbirds have been observed in the Plan Area; and suitable nesting and foraging habitat is present within the Plan Area. Tricolored blackbirds nest in large colonies and may forage up to approximately 3 miles from nest sites; however, mostly forage within 1 to 1.5 miles of an active nest colony. Increased noise and human activity during construction that occurs during the breeding season (generally March through August) could disturb nesting tricolored blackbirds if an active colony is located near (within 0.25 mile) the construction area. These activities could result in nest abandonment and the incidental loss of fertile eggs or nestlings. The loss of foraging habitat from the Plan Area would not be expected to result in a loss of reproductive success for a nesting colony because the proposed wetland preserve and other existing and planned preserves in the vicinity would continue to provide adequate foraging habitat to support the local population and nesting colonies would not be displaced due to this loss of foraging habitat, but project construction could cause nest abandonment if a colony is nesting within the Plan Area. Abandonment of an active tricolored blackbird colony and associated loss of numerous nests containing eggs or young could result in a substantial decline in the local nesting population of tricolored

blackbirds and contribute to the statewide decline of this species that has recently been listed as threatened by the California Fish and Game Commission because of rapid declines in population numbers and substantial widespread habitat loss. Therefore, this impact would be **potentially significant**. Mitigation Measure BR-1 would reduce impacts to **less than significant with mitigation**. Mitigation Measure BR-1 would require development fees or land dedication in accordance with the SSHCP and implementation of all Avoidance and Minimization Measures, including those specific to tricolored blackbird.

ALTERNATIVE 2

In the event that Alternative 2 is adopted in lieu of the Project, impacts to tricolored blackbirds and suitable habitat would differ from those under the Project, because impacts are dependent on the acreage of suitable habitat lost. The area of impact from proposed development is shown in Table BR-6. Although the total acreage of impact would vary, this alternative would result in the potential loss of tricolored blackbird habitat, or nesting colonies. Therefore, the impacts to tricolored blackbird would be **potentially significant**. Implementation of Mitigation Measure BR-1 would reduce impacts on tricolored blackbird and suitable habitat to **less than significant with mitigation** for Alternative 2.

MITIGATION MEASURES

Implement Mitigation Measure BR-1.

IMPACT: LOSS OF SWAINSON'S HAWK FORAGING HABITAT

PROPOSED PROJECT

The Plan Area provides foraging habitat for Swainson's hawk. The Plan Area is zoned a mix of AG-80, AG80(SM), M-1, and IR. According to the Countywide methodology, the M-1 and IR lands do not retain protected habitat value, while the AG-80/AG-80(SM) lands retain 100 percent of protected habitat value. The site includes approximately 736 acres of AG-80 land, approximately 517 acres of which will be rezoned to SPA. Not all of the AG-80 property is being rezoned at this time because the Project only includes a rezone request for the portions of the site which are owned by the Project Applicant. Table BR-8 and Plate BR-7 depict this analysis.

Table BR-8: Swainson's Hawk Impacts from Proposed Project

Existing Zoning	Applicant-owned Properties (acres)	Assumed Habitat Percentage	Swainson's Hawk Habitat (acres)
AG-80	192.9	100%	192.9
IR	23.1	0%	0
AG-80 (SM)	323.8	100%	323.8
M-1	325.4	0%	0
Total			516.7

Note: Swainson's hawk foraging habitat impact acreages would be different if calculated under the SSHCP methodology. Exact acreage would be determined at the time of application for project-specific permits under the SSHCP.




Plate BR-7: Swainson's Hawk Impact Map

The rezoning of AG-80 land to SPA would result in the loss of 516.7 acres of Swainson's hawk habitat. The remaining AG-80 lands (219 acres) will be lost when rezone of those properties is proposed in the future. In total, the buildout of the Project will result in the loss of 736 acres of Swainson's hawk foraging habitat.


In addition to the 516.7 acres which would be lost as part of the Project, and the 219 acres which may be lost in the future (should the properties be rezoned), the Project Applicant proposes a 214.3-acre wetland preserve on lands currently zoned IR and M-1¹. This will preserve further suitable foraging habitat, though its value to the species will depend on how well the preserve is ultimately connected to other open space areas. Based on the existing conditions, the preserve within the fully-developed Project would be well-connected to suitable foraging habitat north, south, and east of the Plan Area.

As noted in the "Regulatory Setting," above, the SSHCP has superseded the Swainson's hawk ordinance in the Project area. The SSHCP land cover types in the Project area are shown in Plate BR-8. Swainson's hawk foraging habitat impact acreages would be different if calculated under the SSHCP methodology. Exact acreage would be determined at the time of application for project-specific permits under the SSHCP. Mitigation for valley grassland under the SSHCP mitigates impacts to Swainson's hawk foraging habitat.

The loss of Swainson's hawk foraging habitat from the rezoning of the Applicant-owned properties and the potential future loss if additional properties in the Plan Area are rezoned would be a **potentially significant** impact, because this loss would contribute to the continuing loss of valuable habitat from a core population center in the Sacramento Valley and further decline of a species that is listed as threatened under CESA. This amount of grassland conversion would result in a substantial decrease in the available foraging habitat for locally nesting Swainson's hawks, which could result in displacement of nesting pairs, reduction in reproductive potential, or decreased survival rates, particularly for hawks nesting within 1 mile of the Plan Area, but also for hawks nesting within 10 miles.

Implementation of Mitigation Measure BR-1 would reduce impacts on Swainson's hawk, because participation in the SSHCP would result in preservation of Swainson's hawk foraging habitat in a coordinated and interconnected SSHCP reserve system that considers the species requirements at a regional scale rather than, project-by-project, and presents a coordinated conservation strategy to maintain species viability in the region over the long term. The impact of the project on Swainson's hawk would, therefore, be reduced to **less than significant with mitigation**.

¹ Note that this preservation acreage cannot be counted toward required compensation.



Source: Image provided by Sacramento County in 2021

X15010101.09 099

Plate BR-8: South Sacramento Habitat Conservation Plan Land Cover in the Plan Area



ALTERNATIVE 2

If Alternative 2 is adopted in lieu of the Project, impacts to Swainson's hawk foraging habitat would remain **potentially significant** because impacts are dependent on where the development would occur within the current zoning of the of the various portions of the Plan Area. While Alternative 2 would result in a larger wetland preserve and a smaller area of development than the Project, the additional area of preserve would be in the portion of the Plan Area zoned M-1, which is assumed to provide no habitat value in the impact analysis. Therefore, based on the methodology used above, this alternative would result in the same impact to 516.7 acres of foraging habitat. Implementation of Mitigation Measure BR-1 would reduce impacts on Swainson's hawk foraging habitat to **less than significant with mitigation** for Alternative 2.

MITIGATION MEASURES

Implement Mitigation Measure BR-1.

IMPACT: LOSS OF SWAINSON'S HAWK NESTING HABITAT

PROPOSED PROJECT

For determining impacts to and establishing mitigation for nesting Swainson's hawks in Sacramento County, CDFW recommends implementing the measures set forth in the CDFW Staff Report Regarding Mitigation for Impacts to Swainson's Hawks (*Buteo swainsoni*) in the Central Valley of California (November 1, 1994). These state that no intensive new disturbances, such as heavy equipment operation associated with construction, should be initiated within 0.25 mile of an active Swainson's hawk nest in an urban setting or within 0.5 mile in a rural setting between March 1 and September 15.

Trees on and adjacent to the Plan Area represent potential nesting habitat for Swainson's hawk. Although no Swainson's hawks have been recorded nesting within the Plan Area, there are seven records of Swainson's hawks nesting within 10 miles of the Plan Area in the last five years (CDFW 2019). There are 803 trees within the Plan Area and although the condition, nesting suitability, or exact number of trees that would need to be removed within the Plan Area is not known, trees in the Plan Area represent potential nesting habitat for Swainson's hawk. Project construction could disturb active nests on or near the construction area, potentially resulting in nest abandonment by the adults and mortality of chicks and eggs. Construction noise can cause abandonment of nests up to 0.5 mile away in rural settings and 0.25 mile away in more urban settings. Development of the site would result in a **potentially significant** impact to nesting Swainson's hawk.

Mitigation Measure BR-1, described above, would result in preservation of Swainson's hawk nesting and foraging habitat in a coordinated and interconnected SSHCP reserve system that considers the species requirements at a regional scale rather than, project-by-project, and presents a coordinated conservation strategy to maintain species viability in the region over the long term. The SSHCP conservation strategy includes surveys, nest buffers, and monitoring that would meet the requirements for CDFW to issue an incidental take permit for the project. The impact of the project on Swainson's

hawk nesting habitat would, therefore, be reduced to **less than significant with mitigation**.

ALTERNATIVE 2

If Alternative 2 is adopted in lieu of the Project, impacts on Swainson's hawk nesting habitat would remain the same as they would under the Project because this alternative would develop the portions of the Plan Area where potential nest trees occur (Plate BR-4). Minor land use shifts proposed under the alternative would not result in changes to the level of impact. Therefore, the impacts related to the loss of Swainson's hawk nesting habitat would be **potentially significant**. Implementation of Mitigation Measure BR-1 would reduce impacts on Swainson's hawk nesting habitat to **less than significant with mitigation** for Alternative 2.

MITIGATION MEASURES

Implement Mitigation Measure BR-1.

IMPACT: DISTURBANCE OR LOSS OF OTHER SPECIAL-STATUS BIRD NESTS

PROPOSED PROJECT

As discussed in the Environmental Setting section of this chapter, Cooper's hawk, white-tailed kite, grasshopper sparrow, song sparrow (Modesto population), yellow-headed blackbird, northern harrier, and loggerhead shrike are not known to nest in the Plan Area; however, these species have a moderate to high potential for occurrence in the Plan Area because suitable nesting and foraging habitat are present. Project construction could remove or disturb active nests of special-status birds potentially resulting in nest abandonment by the adults and mortality of chicks and eggs. Loss of chicks and eggs of these special-status species could reduce population levels and contribute to a trend toward these species becoming threatened or endangered in the future, which would be a **potentially significant** impact. Impacts to Cooper's hawk, white-tailed kite, northern harrier, or loggerhead shrike would be addressed through compliance with the SSHCP (Mitigation Measure BR-1) and avoid loss of active nests of these species and death of individuals. Mitigation Measure BR-1 would require development fees or land dedication in accordance with the SSHCP and implementation of all Avoidance and Minimization Measures including those specific to Cooper's hawk, white-tailed kite, northern harrier, and loggerhead shrike. Implementation of Mitigation Measure BR-1 would be in addition to implementing Mitigation Measure BR-2 for impacts to grasshopper sparrow, song sparrow (Modesto population) and yellow-headed blackbird, which are not SSHCP covered species. By implementing both Mitigation Measures BR-1 and BR-2, potential impacts to nests of special-status birds would be reduced to **less than significant with mitigation**.

ALTERNATIVE 2

If Alternative 2 is adopted in lieu of the Project, impacts to Cooper's hawk, white-tailed kite, grasshopper sparrow, song sparrow (Modesto population), yellow-headed blackbird, northern harrier, or loggerhead shrike nests may differ from those under the

Project because the likelihood that nests would be subject to adverse effects is dependent on the area of impact. Although the total acreage of impact may vary, this alternative would result in a potential loss of active nests. For impacts to white-tailed kite, northern harrier, or loggerhead shrike the Project Applicant may obtain coverage under the SSHCP and implement Mitigation Measures BR-1 and BR-2, as discussed for the Project, which would also reduce impacts to **less than significant with mitigation** for Alternative 2.

MITIGATION MEASURES

BR-2: To avoid impacts to special-status nesting non-raptor birds the following shall apply:

1. If construction activity (which includes clearing, grubbing, or grading) is to commence within 500 feet of nesting habitat between February 1 and August 31, a survey for active migratory bird nests shall be conducted no more than 14 day before construction by a qualified biologist.
2. Trees slated for removal shall be removed during the period of September through January, to avoid the nesting season. Any trees that are to be removed during the nesting season, which is February through August, shall be surveyed by a qualified biologist and will only be removed if no active nests are found.
3. If active nest(s) are found in the survey area, a non-disturbance buffer, the size of which has been determined by a qualified biologist, shall be established and maintained around the nest to prevent nest failure. All construction activities shall be avoided within this buffer area until a qualified biologist determines that nestlings have fledged, or until September 1. If construction activities cause the nesting bird to vocalize, make defensive flights at intruders, get up from a brooding position, or fly off the nest, then the no-disturbance buffer shall be increased until the agitated behavior ceases.

And,

Implement Mitigation Measure BR-1.

IMPACT: LOSS OF FORAGING HABITAT FOR OTHER SPECIAL-STATUS BIRDS

PROPOSED PROJECT

The Project has the potential to remove foraging habitat for the grasshopper sparrow, song sparrow (Modesto population), yellow-headed blackbird, loggerhead shrike, Cooper's hawk, ferruginous hawk, white-tailed kite, and northern harrier. The Project would result in the loss of 516.7 acres of suitable foraging habitat on Applicant-owned parcels. Should any part of the remaining AG-80 land (219 acres) be rezoned in the future, that rezoning will also result in loss of foraging habitat for these species. Although the Project would result in loss of foraging habitat, the Project Applicant is also proposing a 214.3-acre wetland preserve on a portion of the Plan Area. The development of the Plan Area would result in substantial negative effects to the

sustainability of these species and, thus, impacts to the foraging habitat of special-status birds are **potentially significant**. Mitigation Measure BR-1 would reduce impacts to **less than significant with mitigation** by requiring development fees or land dedication in accordance with the SSHCP and implementation of all Avoidance and Minimization Measures.

ALTERNATIVE 2

In the event that Alternative 2 is adopted in lieu of the Project, impacts to foraging habitat for other special-status birds would differ from those under the Project because impacts are dependent on the acreage of suitable habitat lost. Although the total acreage of impact may vary, this alternative would result in a loss of foraging habitat for other special-status birds, which would be a **potentially significant** impact. Mitigation Measure BR-1 would reduce impacts on foraging habitat for other special-status birds to **less than significant with mitigation** for Alternative 2.

MITIGATION MEASURES

Implement Mitigation Measure BR-1.

IMPACT: LOSS OF COMMON RAPTOR AND OTHER COMMON BIRD NESTS

PROPOSED PROJECT

The Plan Area provides suitable nesting habitat for many common raptors and other common nesting birds. Construction activities may impact nesting raptors and other common nesting birds if they occur in the Plan Area. Construction activities may also disturb raptor nests that occur within 500 feet of the Plan Area. Project construction could remove or disturb active nests, potentially resulting in nest abandonment by the adults and mortality of chicks and eggs. While loss of nests of common bird or raptor species (e.g., mourning dove, house sparrow, American kestrel, and barn owl) would not be considered a significant impact because it would not result in a substantial effect on their populations locally or regionally, cause any population to drop below self-sustaining levels, or result in a trend toward these species being listed as threatened or endangered, destruction of any bird nest is a violation of the Section 3503 of the California Fish and Game Code. Therefore, this impact would be **potentially significant**. Implementation of Mitigation Measures BR-1, BR-2 and BR-3 require the implementation of preconstruction nest surveys, prohibit the removal of trees during the breeding season for nesting birds unless a survey by a qualified biologist verifies that there is not an active nest in the tree, and implements buffers around nests which would reduce potentially significant impacts on nesting birds because these measures require that active nests in the construction area or vicinity be identified and avoided or monitored so that project construction would not result in nest abandonment and loss of eggs or young. The Project Applicant would also implement Mitigation Measure BR-1 and all relevant Avoidance and Minimization Measures. Implementation of Mitigation Measure BR-1 would be in addition to implementing BR-2 and BR-3 for impacts to common raptors and other birds that are not SSHCP covered species. By implementing Mitigation Measures BR-1, BR-2, and BR-3, impacts to common raptors and other common nesting birds would be reduced to **less than significant with mitigation**.

ALTERNATIVE 2

In the event Alternative 2 is adopted in lieu of the Project, impacts to active raptor nests would differ from those under the Project because the likelihood of impacts on active raptor nests is dependent on the acreage of suitable habitat lost. Although the total acreage of impact would vary, this alternative could result in the loss of active common raptor and other common bird nests, which would be a **potentially significant** impact. As discussed for the Project, implementation of Mitigation Measures BR-2, BR-3, and BR-1 would reduce impacts from Alternative 2 on common raptor and other common bird nests to **less than significant with mitigation**.

MITIGATION MEASURES

BR-3: The Project Applicant and all future proponents of development on non-participating properties shall implement the following measures to avoid the removal of active raptor nests.

- For project activities, including tree removal, that begin between March 1 and September 15, qualified biologists will conduct preconstruction surveys for nesting raptors and to identify active nests on and within 0.5 mile of the project site.
- Impacts to nesting raptors will be avoided by establishing appropriate buffers around active nest sites identified during preconstruction raptor surveys. No project activity will commence within the buffer areas until a qualified biologist has determined, in coordination with CDFW, the young have fledged, the nest is no longer active, or reducing the buffer would not likely result in nest abandonment. CDFW guidelines recommend implementation of a buffer of 500-feet for raptors unless there is a species-specific buffer, but the size of the buffer may be adjusted if a qualified biologist, in consultation with CDFW, determines that such an adjustment would not be likely to adversely affect the nest. Monitoring of the nest by a qualified biologist during and after construction activities will be required if the activity has potential to adversely affect the nest. If construction activities cause the nesting bird to vocalize, make defensive flights at intruders, get up from a brooding position, or fly off the nest, then the no-disturbance buffer shall be increased until the agitated behavior ceases.
- Trees will not be removed during the breeding season for nesting raptors unless a survey by a qualified biologist verifies that there is not an active nest in the tree.

And,

Implement Mitigation Measures BR-1 and BR-2.

IMPACT: LOSS OF AMERICAN BADGER AND DENS

PROPOSED PROJECT

Annual grassland throughout the Plan Area represents suitable habitat for American badger and although the potential for their occurrence in the Plan Area is low, nearby occurrences (Sacramento County 2014) indicate that there is suitable habitat present. And thus, there is potential for this species to den and forage in the Plan Area and project development could result in direct mortality of individuals or loss of natal dens resulting in death of young either directly through destruction of the den or indirectly through disturbance that causes the mother to abandon her kits. The loss of foraging habitat from the Plan Area is not expected to decrease survival or reproduction of the species in the area because the completed Project would contain a large, contiguous wetland preserve in an area of suitable habitat for badger. In the existing condition, this preserve is connected to other open space areas, and would therefore allow continued use of the site by badgers. Loss of individuals within the Plan Area could diminish the local population of this species and lower reproductive potential, which could contribute to further declines. This impact would be **potentially significant**. However, implementation of Mitigation Measure BR-1 would reduce potentially significant impacts on American badger to **less than significant with mitigation**.

ALTERNATIVE 2

In the event Alternative 2 is adopted in lieu of the Project, impacts to American badger dens may differ from those under the Project because the likelihood that dens would be subject to adverse effects is dependent on the area of impact. Although the total acreage of impact may vary, this alternative would result in a potential loss of dens, which would be a **potentially significant** impact. As discussed for the Project above, implementation of Mitigation Measure BR-1 would reduce these impacts to **less than significant with mitigation** for Alternative 2.

MITIGATION MEASURES

Implement Mitigation Measure BR-1.

IMPACT: LOSS OF SPECIAL-STATUS BAT ROOSTS

PROPOSED PROJECT

Although the potential for occurrence of pallid bat and western red bat in the Plan Area is low, suitable foraging and roosting habitat is present and these species may roost onsite. Given the wide range of habitats suitable for foraging within the County, the loss of foraging habitat within the Plan Area is not likely to be substantial. If roosts and maternity colonies are present in mature trees and structures within the Plan Area, the removal of these trees and structures could result in the loss of bats and reproductive capacity which could further reduce the population of bats in the region. Therefore, the loss of roosts or disruption of maternity colonies in the Plan Area would be a **potentially significant** impact. For impacts to western red bat, the Project Applicant may obtain coverage under the SSHCP and implement Mitigation Measure BR-1. Mitigation

Measure BR-1 would require development fees or land dedication in accordance with the SSHCP and implementation of all Avoidance and Minimization Measures, including those specific to western red bat. Implementation of Mitigation Measure BR-1 would be in addition to implementing Mitigation Measure BR-4 for impacts to pallid bat, which is not a SSHCP covered species. By implementing both Mitigation Measures BR-1 and BR-4, potential impacts to special-status roosting bats would be reduced to **less than significant with mitigation**.

ALTERNATIVE 2

In the event that Alternative 2 is adopted in lieu of the Project, impacts to special-status bat roosts may differ from those under the Project because the likelihood that roosts would be subject to adverse effects is dependent on the area of impact. Although the total acreage of impact may vary, this alternative would result in a potential loss of roosts. Therefore, the impacts to special-status bat roosts would be **potentially significant**. For impacts to western red bat the Project Applicant may obtain coverage under the SSHCP and implement Mitigation Measure BR-1 and BR-4, as discussed for the Project, which would also reduce impacts to **less than significant with mitigation** for Alternative 2.

MITIGATION MEASURES

BR-4: The Project Applicant or subsequent developer(s) shall implement the following measures to minimize pallid bat mortality due to roost disturbance or destruction.

- If suitable roosting habitat for pallid bat will be affected by Project construction (e.g., removal of trees or buildings, modification of bridges/box culverts), a qualified wildlife biologist will conduct surveys for pallid bat during the appropriate time of year to maximize detectability to determine if pallid bats are roosting near the work area no less than 7 days and no more than 14 days before beginning vegetation removal, ground disturbance, and/or construction. Survey methodology may include visual surveys of bats (e.g., observation of bats during foraging period), inspection for suitable habitat, bat sign (e.g., guano), or use of ultrasonic detectors (e.g., Anabat, etc.). Visual surveys will include trees within 0.25 mile of Project construction activities if the potential roost could be disturbed by construction activity. If the potential roost is separated from the construction site by topographic, vegetation, structural, or other visual barriers or by areas of routine human disturbances that are greater than the project construction disturbances, surveys of those potential roosts will not be necessary. The type of survey will depend on the condition of the potential roosting habitat. If no bat roosts are found, then no further study is required.
- If evidence of pallid bat or other special-status bat use is observed, the number and species of bats using the roost will be determined. Bat detectors may be used to supplement survey efforts.
- If roosts are determined to be present and must be removed, the bats will be excluded from the roosting site before the facility is removed. A

mitigation program addressing compensation, exclusion methods, and roost removal procedures will be developed and submitted to CDFW for approval, before implementation. Exclusion methods may include use of one-way doors at roost entrances (bats may leave, but not reenter), or sealing roost entrances when the site can be confirmed to contain no bats. Exclusion efforts may be restricted during periods of sensitive activity (e.g., during hibernation or while females in maternity colonies are nursing young). Loss of roosting habitat may be compensated with permanent, elevated bat houses or condos installed outside of, but near the construction area. Placement and height shall be determined based on species evicted or as determined by a qualified biologist in consultation with CDFW. Bat houses will be multi-chambered and be purchased or constructed in accordance with CDFW standards. The number of bat houses required will be dependent upon the size and number of colonies found, but at least one bat house will be installed for each pair of bats (if occurring individually), or of sufficient number to accommodate each colony of bats to be relocated.

And,

Implement Mitigation Measure BR-1.

IMPACT: LOSS OF WESTERN POND TURTLE HABITAT AND INDIVIDUALS

PROPOSED PROJECT

Suitable habitat for western pond turtle within the Plan Area consists of the perennial marsh areas, the large irrigation pond along Tree View Road, and surrounding uplands. Although the potential for western pond turtle to occur is low due to lack of hydrologic connection to known occupied habitat, the species may use the aquatic habitat onsite for foraging and nest in the uplands surrounding these features. Construction activities would result in fill of suitable aquatic habitat and potentially crush, bury, or disturb western pond turtles, or their nests, which would result in mortality of individual turtles and loss of reproduction should western pond turtles be present and nesting onsite. The loss of aquatic habitat and nests of western pond turtle due to construction activities would further reduce the population of this species in the region, which would be a **potentially significant** impact. Mitigation Measure BR-1 would require development fees or land dedication in accordance with the SSHCP and implementation of all Avoidance and Minimization Measures including those specific to western pond turtles, which would also reduce impacts to **less than significant with mitigation**.

ALTERNATIVE 2

In the event that Alternative 2 is adopted in lieu of the Project, the proposed development area may be different (Table BR-6). However, the impacts to western pond turtle are likely to be the same because the perennial marsh areas and the pond on the southern side of the site along with associated uplands would be developed. Impacts would be **potentially significant**. As discussed for the Project above, Mitigation Measure BR-1 would also reduce impacts from Alternative 2 on western pond turtle to **less than significant with mitigation**.

MITIGATION MEASURES

Implement Mitigation Measure BR-1.

IMPACT: LOSS OF WESTERN SPADEFOOT HABITAT AND INDIVIDUALS**PROPOSED PROJECT**

Western spadefoots are associated with vernal pools and have a high potential to occur in the entire Plan Area. The Project would result in the loss of vernal pool and surrounding upland habitat, and construction activities within the Plan Area could result in the crushing of individual western spadefoots, the disruption of reproduction, and loss of eggs or tadpoles.

In addition to the direct removal of habitat and loss of individuals, implementation of the Project could result in indirect impacts on western spadefoot as well. Potential indirect effects on individuals may include mortality related to an increase in vehicular traffic; mortality from landscaping maintenance activities including mowing, raking, weed whacking; noise and vibration disturbance causing toads to break dormancy; and exposure to herbicides, pesticides, and other toxins. Indirect effects on western spadefoot habitat retained in the Plan Area preserve could result in habitat degradation leading to lower reproductive success of western spadefoot, and eventual elimination of this species from the affected habitat. These indirect effects could include reduction in water quality and altered hydrology, litter and dumping, and introduction of invasive plant species.

Direct and indirect impacts to western spadefoot would be **potentially significant**, because these effects could reduce local population numbers of a species that is rare in the region and statewide and has already experienced substantial declines and ongoing habitat losses. Loss and degradation of habitat and reduction in population numbers could contribute to a trend toward state or federal listing for western spadefoot. Mitigation Measure BR-1 would require development fees or land dedication in accordance with the SSHCP and implementation of all Avoidance and Minimization Measures including those specific to western spadefoot, which would reduce impacts to **less than significant with mitigation**.

ALTERNATIVE 2

If Alternative 2 is adopted in lieu of the Project, impacts to western spadefoot may differ from those under the Project because impacts are dependent on the acreage of suitable habitat that would be developed (Table BR-6). This alternative would result in loss and degradation of habitat for western spadefoot that could cause substantial reductions in population numbers, which could contribute to a trend toward state or federal listing. Therefore, this alternative would result in a **potentially significant** impact. Implementation of Mitigation Measure BR-1 would reduce impacts from Alternative 2 on western spadefoot to **less than significant with mitigation**.

MITIGATION MEASURES

Implement Mitigation Measure BR-1.

IMPACT: LOSS OF WETLANDS AND OTHER WATERS

PROPOSED PROJECT

As noted previously, several resource evaluations have been prepared for Jackson Township over the years, including several wetland delineations. The wetland delineations identify 53.81 acres of aquatic resources on the Applicant-owned properties, comprising of 47.04 acres of wetland features and 6.77 acres of other waters of the United States (Foothills Associates 2004, 2008, 2015).

Foothill Associates did not have access to the non-participating properties during preparations of these delineations; however, based on desktop review and observations made from adjacent public accessways and Applicant-owned properties, they estimated that 13.46 acres of wetland features and 1.89 acres of other waters of the United States are located on the non-participating properties. Therefore, a total of approximately 60.5 acres of wetland features and 8.66 acres of other waters of the United States have been identified within the entire Plan Area. For the non-participating properties, acreage of wetlands and other waters is not final, and a formal wetland delineation verified by USACE would be required before development in these areas.

As illustrated in the land use plan, the project consists of multiple proposed uses within the Plan Area. For purposes of this analysis, it is assumed that future construction activities would result in direct loss, through permanent fill, of all jurisdictional waters within the Plan Area, except within the wetland preserve land use designation. Table BR-9 details the acreage of existing wetlands and other waters in the Plan Area that would be subject to direct impacts as a result of Project implementation. The acreage that would be retained within the wetland preserve is shown in Table BR-10. Plate BR-9 shows the distribution of affected and preserved wetlands within the Plan Area.

Based on the proposed land use, a total of approximately 47 acres of wetlands and other waters on Applicant-owned properties would be disturbed or removed to accommodate development of the Project (Table BR-9). A total of 6.78 acres of wetlands and other waters on Applicant-owned properties would be preserved due to the Wetland Preserve (Table BR-10). The vernal pools in the Plan Area occur due to a hardpan layer of clay or minerals a few inches to a few feet below the ground surface that water cannot pass through easily. Construction activities, such as grading (depending on depth) and utility installation within the Plan area, could cause hardpan fracture. This could cause existing wetlands, including wetlands at the edge of the wetland preserve, to drain.

The wetland delineations have received a preliminary jurisdictional determination by USACE (refer to Appendix F of Appendix BR-1) and applications for Section 404 permits for wetland loss have been submitted, but permits have not yet been issued. Thus, the amount of wetland area that would require mitigation has not been finalized by USACE. However, before direct impacts to wetland features, the Project Applicant will be required to obtain all required permits from USACE, USFWS, CDFW, and RWQCB. As part of the creation of the wetland preserve, conservation easements would be placed over the preserve area to ensure that the area is set aside as a conservation area in perpetuity.

Table BR-9: Potential Impacts to Jurisdictional Features on Applicant-Owned Properties for the Project and Alternative 2

Alternatives	Wetland Impacts (acres)						Other Waters Impacts (acres)					Total Direct Impact (acres)
	Depressional Seasonal Wetlands	Depressional Perennial Marsh	Vernal Pool	Riverine Seasonal Wetland	Riverine Perennial Wetland	Total Wetlands	Intermittent Drainage	Ephemeral Drainage	Pond	Ditch/Canal	Total Other Waters	
Proposed Project	4.20	1.03	22.83	3.26	10.05	41.38	0.08	0.23	5.04	0.31	5.65	47.03
Alternative 2	4.08	1.03	18.39	3.14	10.05	36.69	0.08	0.23	5.04	0.31	5.65	42.35

Note: Information in this table reflects the Applicant-owned and non-participating properties as of the last supplement to the Delineation Report, October 29, 2015

Table BR-10: Potential Preservation of Jurisdictional Features on Applicant-Owned Properties for the Project and Alternative 2

Alternatives	Wetland Preserved (acres)						Other Waters Preserved (acres)					Total Preserved (acres)
	Depressional Seasonal Wetlands	Depressional Perennial Marsh	Vernal Pool	Riverine Seasonal Wetland	Riverine Perennial Marsh	Total Wetlands	Intermittent Drainage	Ephemeral Drainage	Pond	Ditch/Canal	Total Other Waters	
Proposed Project	0.21	0.0	5.02	0.44	0.0	5.67	1.11	0.00	0.00	0.00	1.11	6.78
Alternative 2	0.33	0.0	9.46	0.56	0.0	10.35	1.11	0.00	0.00	0.00	1.11	11.46

Note: Information in this table reflects the Applicant-owned and non-participating properties as of the last supplement to the Delineation Report, October 29, 2015




Plate BR-9: Waters of the United States Impact Map

Fill of wetlands and other waters within the Plan Area would constitute a substantial reduction in the quantity of wetlands and other waters in the region and would be a **significant** impact. The Project Applicant would be obligated to obtain a permit from USACE authorizing the dredge and fill of wetlands and other waters and would need to meet a “no net loss” standard for wetland impacts. The Project Applicant and any subsequent developers within the Plan Area must obtain this coverage through the USACE’s “Abbreviated Standard Permit Process for Covered Activities Under the SSHCP” (Abbreviated Standard Permit Process). The Abbreviated Standard Permit Process requires compliance with the SSHCP’s Avoidance and Minimization Measures and authorizes applicants to mitigate for impacts to waters and wetlands via payment of SSHCP fees, a portion of which would be paid into the USACE-approved South Sacramento In Lieu Fee Program. The Project Applicant and any subsequent developers within the Plan Area would also obtain any necessary permits from the RWQCB and/or CDFW for impacts to wetlands and waters. By obtaining all required permits, paying all required SSHCP/In Lieu fees-and meeting all Avoidance and Minimization Measures in the SSHCP (including but not limited to SSHCP Avoidance and Minimization Measure EDGE-7 [Hardpan Restoration Plan]), the impacts to wetlands and other waters would be reduced to **less than significant with mitigation**.

ALTERNATIVE 2

If Alternative 2 is adopted in lieu of the Project, impacts associated with loss of wetlands and other waters may differ from the impacts under the Project (Table BR-9). Alternative 2 would have a reduced acreage of impact on wetlands and other waters when compared to the Project (Table BR-9) and larger area of wetland preserve (Table BR-10). Fill of wetlands and other waters within the Plan Area would continue to constitute a substantial reduction in the quantity of wetlands and other waters within the region. Therefore, the impacts related to the loss of wetlands and other waters would be **significant**. As discussed for the Project above, implementation of Mitigation Measure BR-1 would reduce impacts from Alternative 2 on wetlands and other waters to **less than significant with mitigation**.

MITIGATION MEASURES

Implement Mitigation Measure BR-1 and comply with USACE 404 permit strategy.

IMPACT: DISTURBANCE OF RIPARIAN HABITATS

PROPOSED PROJECT

Elder Creek, Morrison Creek, and three unnamed streams run through the Plan Area. These streams do not support riparian vegetation corridors within the Plan Area. While typical riparian tree species, black willow, black walnut, California sycamore, and Fremont cottonwood do not occur in association with the creeks and streams on the Plan Area, these tree species occur in the Plan Area in association with the large irrigation pond and other small ponds. The banks of these ponds may support additional riparian species and function as riparian habitats. These ponds would be subject to disturbance from construction, and the removal of any riparian habitat that may occur would be a **potentially significant** impact. However, implementation of Mitigation

Measure BR-5 would reduce potentially significant impacts on riparian habitat to **less than significant with mitigation** because this measure would require the Project Applicant to notify CDFW should activities have the potential to disturb the bed, bank, or associated riparian vegetation of any stream or pond on the Plan Area and comply with any mitigation required of a Streambed Alteration Agreement at a minimum 1:1 ratio.

ALTERNATIVE 2

If Alternative 2 is adopted in lieu of the Project, the area of proposed development may be different (Table BR-6). However, the impacts to riparian habitat are likely to be the same because the large irrigation pond and other small ponds within the Plan Area where riparian habitat may occur would be developed under all alternatives. Therefore, as discussed for the Project above, the impact of Alternative 2 would be **potentially significant**. However, implementation of Mitigation Measure BR-5 would reduce the impacts from Alternative 2 on riparian habitats to **less than significant with mitigation**.

MITIGATION MEASURES

BR-5: If Project activities will disturb the bed, bank, or associated riparian vegetation of any stream or pond on the Plan Area, the Project Applicant or subsequent developers of the specific plan shall notify the CDFW pursuant to Section 1602 of the Fish and Game Code before engaging in such activities. If appropriate, the Project Applicant or subsequent developers of the specific plan shall enter into a Streambed Alteration Agreement with CDFW and coordinate with CDFW in developing appropriate mitigation at a minimum 1:1 ratio of habitat lost or degraded to habitat restored and should abide by the conditions of any executed agreements.

IMPACT: INTERFERENCE WITH THE MOVEMENT OF ANY NATIVE RESIDENT OR MIGRATORY SPECIES

PROPOSED PROJECT

The Plan Area is located adjacent to the existing Mather Preserve to the north and other undeveloped open space to the south and east. The Plan Area may support movement of terrestrial and aquatic species to and from these areas. The Project would include the dedication of approximately 214.3 acres of wetland preserve to the SSHCP preserve system that would allow continued movement of species between these existing preserves and undeveloped open space through the Plan Area. As discussed in Chapter 4, "Aesthetics," the Project is subject to Title 24 and County ordinances that would avoid excess lighting. The Project includes its own set of Development Standards (Appendix A of the Jackson Township Specific Plan) that are specific to the Plan Area require that spillover lighting is minimized to the greatest extent possible throughout the Plan Area. Flashing, moving, and animated lights would be prohibited if the proposed Development Standards are approved. The Project also includes Policy 7.6.1 that directs the County to require that all lighting applications be subject to Section 140.7 of the 2016 Building Efficiency Standards and use fixtures approved by the International

Dark Sky Association. Compliance with these policies would be documented through site plan and design review.

It is unknown at this time whether the joint Middle School/High School would include a stadium. The school would be constructed by Elk Grove Unified School District (EGUSD) and the current practice of EGUSD is to share stadiums between two school sites. If the school includes a football stadium, mast lighting would be installed (Williams, pers. comm. 2019). Schools typically use mast lighting for fields on a limited basis during the school year. It is anticipated that lights could periodically operate until 10:00 p.m. The new lighting would consist of energy-efficient LED fixtures on approximately 90-foot-tall light poles. EGUSD uses the most energy-efficient fixtures available at the time of construction, and fixtures are installed in a manner that creates the least possible amount of light pollution (Williams, pers. comm. 2019). The height of the light poles would allow for flexibility in shielding light from adjacent sensitive receptors such that effects to nearby uses would be minimized. The light fixtures themselves would be visible during daylight hours, as well as during evening hours when in operation.

Although upward and spillover lighting would be minimized due to the strict lighting standards that would be adopted as part of the Project, implementation of the Project would introduce a substantial amount of new lighting to an area that is currently rural and largely unlit. Because some Project elements are adjacent to the proposed wetland preserve, wildlife movement could be affected due to light spilling onto the preserve. However, the Project includes a green belt that would act as a buffer between the proposed development areas and the wetland preserve and, as previously described, the Project's Development Standards would require that lighting is provided for safety along walkways and passageways and that spillover lighting is minimized to the greatest extent possible throughout the Plan Area. Therefore, the Project would not interfere substantially with the movement of native resident or migratory species and the impacts of the Project would be **less than significant**.

ALTERNATIVE 2

In the event that Alternative 2 is adopted in lieu of the Project, impacts to movement of native resident and migratory species would remain the same as they would under the Project because impacts are dependent on where the development would occur. While the area of development and the wetland preserve proposed under Alternative 2 would differ, this alternative would include a wetland preserve that would allow for the continued use of the Plan Area for movement of terrestrial and aquatic species between existing and planned preserves under the SSHCP. Under Alternative 2 the Project proponent would be required to adhere and comply with all of the SSHCP AMMs, including AMMs EDGE 8 (Outdoor Lighting) and would, therefore, not interfere substantially with the movement of native resident or migratory species. Therefore, the impact from Alternative 2 on movement of resident and migratory species would be **less than significant**.

MITIGATION MEASURES

No mitigation is required.

IMPACT: LOSS OF NATIVE TREES

PROPOSED PROJECT

Implementation of the Project has the potential to result in the removal or encroachment within some or all native tree resources within the Plan Area, although the specific development and building footprints are unknown at this time. As disclosed in the arborist report and shown in Table BR-2 and 3 above, only one native interior live oak tree may be affected in the Applicant-owned properties. However, 13 black walnut, three California sycamore, and six Fremont cottonwood trees may also be removed. A tree inventory has not been performed on the non-participating properties; however, it was estimated that five black walnut, five California sycamore, 31 Fremont cottonwood, two interior live oak, three red willow, and two valley oak could be removed if development were to occur on the non-participating properties. Therefore, the maximum amount of native tree DBH on Applicant-owned properties that could be removed is 358 DBH, while the maximum of estimated DBH on non-participating properties that could be removed is 261 DBH.

The degree of impacts to native trees that would result from development within the Plan Area is uncertain at this time. With the implementation of Specific Plan Policy 7.2.3, native trees would be preserved where feasible and non-native trees determined to be a potential fire hazard or high-VOC emitting species, such as eucalyptus, would be removed. Nonetheless, this analysis assumes that future grading and development would likely result in removal or mortality of most if not all trees in the Plan Area. However, considering specific parcel development plans are not part of the Project and tree health and size at the time of such development could be different than what was assessed in 2015, impacts on native trees associated with development cannot be definitively determined at this time. Therefore, impacts to native trees from development in the Plan Area are considered **potentially significant**. However, implementation of Mitigation Measure BR-6 would reduce potentially significant impacts on native trees to **less than significant with mitigation** because this measure would require the Project Applicant to implement measures to protect native trees to be retained and provide compensation for native trees removed from the Plan Area.

ALTERNATIVE 2

If Alternative 2 is adopted in lieu of the Project, impacts associated with loss of native trees would remain the same as they would under the Project, because this alternative would develop the portions of the Plan Area where native trees occur (Plate BR-4). Minor land use shifts proposed would result in no changes to the level of impact. Therefore, the impact would be **potentially significant**. However, implementation of Mitigation Measure BR-6 would reduce the impacts from Alternative 2 on native trees to **less than significant with mitigation**.

MITIGATION MEASURES

BR-6: Before execution of any and all development projects within the Plan Area, the Project Applicant or subsequent developer(s) shall submit an arborist report for the project impact areas when appropriate habitat exists. The report shall be

prepared by an ISA certified arborist and include the species, diameter, dripline, and health of all trees found within the project impact area. The report shall include an exhibit that shows the trees and their driplines in proximity to the project improvements. The report shall identify any tree proposed for removal and shall quantify any encroachment from project equipment or facilities within driplines of any tree. All native trees identified shall be mitigated for as follows:

- A. With the exception of the oak trees removed and compensated for through Part B below, all healthy native oak trees that are 6 inches dbh or larger on the Plan Area, all portions of adjacent off-site healthy native oak trees that are 6 inches dbh or larger which have driplines that extend onto the Plan Area, and all off-site healthy native oak trees that are 6 inches dbh or larger which may be impacted by utility installation and/or improvements associated with this Project, shall be preserved and protected as follows:
 1. A circle with a radius measurement from the trunk of the tree to the tip of its longest limb shall constitute the dripline protection area of the tree. Limbs must not be cut back to change the dripline. The area beneath the dripline is a critical portion of the root zone and defines the minimum protected area of the tree. Removing limbs which make up the dripline does not change the protected area.
 2. Chain link fencing or a similar protective barrier shall be installed 1 foot outside the driplines of the oak trees before initiating project construction, to avoid damage to the trees and their root systems.
 3. Any removal of paving or structures (i.e., demolition) that occurs within the dripline of a protected oak tree shall be done under the direct supervision of a certified arborist. To the maximum extent feasible, demolition work within the dripline protection area of the oak tree shall be performed by hand. If the certified arborist determines that it is not feasible to perform some portion(s) of this work by hand, then the smallest/lightest weight equipment that will adequately perform the demolition work shall be used.
 4. No signs, ropes, cables (except cables which may be installed by a certified arborist to provide limb support) or any other items shall be attached to the oak trees.
 5. No vehicles, construction equipment, mobile home/office, supplies, materials or facilities shall be driven, parked, stockpiled or located within the dripline of the oak trees.
 6. Any soil disturbance (scraping, grading, trenching, and excavation) is to be avoided within the dripline of the oak trees. Where this is necessary, an ISA Certified Arborist will provide specifications for this work, including methods for root pruning, backfill specifications and irrigation management guidelines.
 7. Before grading, excavation or trenching within 5 feet outside the driplines of protected oak trees, root pruning shall be required at the limits of

grading or excavation to cut roots cleanly to a depth of the excavation or 36 inches (whichever is less). Roots shall be cut by manually digging a trench and cutting exposed roots with a saw, vibrating knife, rock saw, narrow trencher with sharp blades or other approved root-pruning equipment under the supervision of an ISA Certified Arborist.

8. All underground utilities and drain or irrigation lines shall be routed outside the driplines of oak trees. If lines must encroach upon the dripline, they should be tunneled or bored under the tree under the supervision of a certified arborist.
 9. Any herbicides placed under paving materials must be safe for use around trees and labeled for that use. Any pesticides used on site must be tree-safe and not easily transported by water.
 10. Drainage patterns on the site shall not be modified so that water collects or stands within, or is diverted across, the dripline of the oak tree.
 11. No sprinkler or irrigation system shall be installed in such a manner that it sprays water within the dripline of the oak tree.
 12. Tree pruning required for clearance during construction must be performed by an ISA Certified Arborist or Tree Worker.
 13. Landscaping beneath the oak tree may include non-plant materials such as boulders, decorative rock, wood chips, organic mulch, non-compacted decomposed granite, etc. Landscape materials shall be kept 2 feet away from the base of the trunk. The only plant species which shall be planted within the dripline of the oak tree are those which are tolerant of the natural semi-arid environs of the trees. Limited drip irrigation approximately twice per summer is recommended for the understory plants.
- B. To the maximum extent feasible, all on-site healthy native oak trees shall be protected and preserved. Any substantial (>20%) encroachment and/or removal of native oak trees shall be compensated by planting native trees (valley oak/*Quercus lobata*, interior live oak/*Quercus wislizenii*, blue oak/*Quercus douglasii*), equivalent to the dbh inches lost, based on the ratios listed below, at locations that are authorized by the Environmental Coordinator. Encroachment of over 20 percent within the dripline radius of native trees will require compensatory mitigation based on the percentage of encroachment multiplied by the dbh. Encroachment over 50 percent will require compensation for the entire tree.

Equivalent compensation based on the following ratio is required:

- one D-pot seedling (40 cubic inches or larger) = 1 inch dbh
- one 15-gallon tree = 1 inch dbh
- one 24-inch box tree = 2 inches dbh
- one 36-inch box tree = 3 inches dbh

Replacement tree planting shall be completed before the issuance of building permits or a bond shall be posted by the Project Applicant to provide funding for purchase, planting, irrigation, and 3-year maintenance period, should the Project Applicant default on replacement tree mitigation. The bond shall be in an amount equal to the prevailing rate of the County Tree Preservation Fund.

Before the approval of Improvement Plans or building permits, a Replacement Oak Tree Planting Plan shall be prepared by a certified arborist or licensed landscape architect and shall be submitted to the Environmental Coordinator for approval. The Replacement Oak Tree Planting Plan(s) shall include the following minimum elements:

1. Species, size and locations of all replacement plantings;
2. Method of irrigation;
3. The Sacramento County Standard Tree Planting Detail L-1, including the 10-foot deep boring hole to provide for adequate drainage;
4. Planting, irrigation, and maintenance schedules;
5. Identification of the maintenance entity and a written agreement with that entity to provide care and irrigation of the trees for a 3-year establishment period, and to replace any of the replacement oak trees which do not survive during that period.

No replacement tree shall be planted within 15 feet of the driplines of existing oak trees or landmark size trees that are retained onsite, or within 15 feet of a building foundation or swimming pool excavation. The minimum spacing for replacement oak trees shall be 20 feet on-center. Examples of acceptable planting locations are publicly owned lands, common areas, and landscaped frontages (with adequate spacing). Generally unacceptable locations are utility easements (PUE, sewer, storm drains), under overhead utility lines, private yards of single family lots (including front yards), and roadway medians.

If oak tree replacement plantings are demonstrated to the satisfaction of the Environmental Coordinator to be infeasible for any or all trees removed, then compensation shall be through payment into the County Tree Preservation Fund. Payment shall be made at a rate of \$325.00 per dbh inch removed but not otherwise compensated, or at the prevailing rate at the time payment into the fund is made.

IMPACT: LOSS OF NON-NATIVE TREE CANOPY

PROPOSED PROJECT

Nonnative trees inventoried on the site included 45 eucalyptus, eight pine, 24 black locust (*Robinia pseudoacacia*), 18 tree of heaven (*Ailanthus altissima*), eight elm (*Ulmus* spp.), three plum (*Prunus* spp.), one Chinese pistache (*Pistacia chinensis*), one cork oak (*Quercus suber*), three edible fig (*Ficus carica*), one sweetgum (*Liquidambar*

styraciflua), one southern magnolia (*Magnolia grandiflora*), 10 white mulberry (*Morus alba*), three willow, and one Lombardy poplar (*Populus nigra*).

A total of 580 nonnative trees were recorded on the non-participating properties, including tree of heaven, black locust, catalpa (*Catalpa* spp.), coast redwood (*Sequoia sempervirens*), cork oak, deodar cedar (*Cedrus deodara*), domestic almond (*Prunus dulcis*), elm, eucalyptus, Italian cypress (*Cupressus sempervirens*), sweetgum, Lombardy poplar, maple (*Acer* spp.), white mulberry, olive (*Olea europaea*), pine, plum, privet (*Ligustrum* spp.), red maple (*Acer rubrum*), silver wattle (*Acacia dealbata*), and willows. Most of these trees appear to be planted as landscape trees around existing residences. The health of the trees appears to be fair to good; however, none appear to be large enough to be considered landmark trees.

The Sacramento County General Plan Conservation Element Policy CO-145 states that the “removal of nonnative tree canopy for development shall be mitigated by creation of new tree canopy equivalent to the acreage of non-native tree canopy removed. New tree canopy acreage shall be calculated using the 15-year shade cover values for tree species.” The goal of the General Plan policies related to non-native trees is to replace existing urban tree canopy that is removed due to development. Urban tree canopy provides many benefits: improved air quality by removing pollutants, shading structures, reducing the urban heat island effect and reducing energy costs associated with cooling buildings, and capturing and filtering stormwater. In the context of a large master plan such as the Project, tree removal is anticipated to occur in phases. As each development phase happens, new tree plantings would occur.

The Biological Resources Assessment states that the Plan Area has 1.75 total acres of tree canopy that would need to be replaced pursuant to Policy CO-145. The Countywide Design Guidelines, in general, require the planting of new trees in all new single-family lots, commercial buildings, parking lots, and street frontages. In general, these planting requirements are enough to equal the amount of canopy lost. The Design Guidelines for the Project are in line with the Countywide Design Guidelines. Using the smallest shade-valued tree on the County’s 15-year shade tree list (15–20-foot diameter tree = 314 square feet [sq. ft.] of shade/canopy), and applying one of the many Countywide Design Guidelines regarding vegetation (one shade tree planted on every single-family lot) the total canopy acreage would amount to 16.7 acres (2,314 dwelling units (<RD-7) x 314 sq. ft./ 43,560 sq. ft. per acre). This is nine times what would be removed for development and does not take into account for tree plantings in landscape frontages, commercial lots, and medium and high-density residential units. It is clear that the Project would exceed the existing amount of non-native canopy acreage this impact would be **less than significant**.

ALTERNATIVE 2

In the event that Alternative 2 is adopted in lieu of the Project, impacts associated with loss of non-native tree canopy would remain the same as under the Project. Minor shifts in land uses and changes in the area of the wetland preserve would result in no changes to the level of impact, as the area where non-native tree canopy is present within the Plan Area (Plate BR-4) would be affected in the same way. Therefore, this impact would be **less than significant** for Alternative 2.

MITIGATION MEASURES

No mitigation is required.

IMPACT: SOUTH SACRAMENTO HABITAT CONSERVATION PLAN CONSISTENCY**PROPOSED PROJECT**

The Project could result in conflicts with the SSHCP. Currently, the SSHCP has been adopted by the County; incidental take permits have been issued by CDFW and USFWS for the Plan and CWA Section 404 permits from USACE have been issued. The Project is specifically addressed in the SSHCP (Sacramento County et al. 2018) and includes approximately 225 acres of onsite preserve and a specific Avoidance and Minimization Measure related to changes to the channel of Elder Creek. Furthermore, the proposed preserve in the Plan Area is part of Core Preserve C2 (Sacramento County et al. 2018) which is a key part of the SSHCP Conservation Strategy.

As proposed, the Project would include 214.3 acres of wetland preserve, which does not meet the 225 acres of preservation within the Plan Area that is part of the SSHCP Conservation Strategy. In addition, the Project would not strictly conform to the requirements for stream channel re-routing, widening, or deepening. Appendix K to the SSHCP provides project-specific avoidance and minimization measures. As the SSHCP Avoidance and Minimization Measures were written to apply to a broad range of projects, the SSHCP acknowledges that it may not always be feasible to apply each SSHCP Avoidance and Minimization Measure as written. Variances may be granted to projects where they would not have a substantial impact on the integrity of the proposed preserve system. Appendix K to the SSHCP includes a variance to Avoidance and Minimization Measure STREAM-5 for the Project. The document acknowledges that the Project would re-route, widen, and deepen the portion of Elder Creek that runs through the Plan Area. While compliance with STREAM-5 is generally assumed, it is noted that Elder Creek would be used for stormwater drainage; therefore, maintenance of the channel would be required. In addition, the Project has potential impacts associated with light spilling over into the adjacent preserves, and the potential introduction and/or spread of invasive weed species due to construction activities such as grading. This would be inconsistent with SSHCP requirements. Therefore, the impact would be **potentially significant**.

Mitigation Measures BR-1 through BR-5 would reduce this inconsistency by requiring permits from the appropriate regulatory agencies and the implementation of avoidance and minimization measures included in those permits. While implementation of Mitigation Measures BR-1 through BR-5 would reduce project inconsistencies with the SSHCP related to Elder Creek, the smaller preserve area would remain inconsistent with the SSHCP Conservation Strategy, and this would be a **significant and unavoidable** impact.

ALTERNATIVE 2

As discussed above, Alternative 2 would not strictly comply with the SSHCP Avoidance and Minimization Measure STREAM-5 as it pertains to changes to the channel of Elder

Creek. This would be a **potentially significant** impact. However, as discussed above for the Project, this inconsistency would be addressed by the SSHCP variance process and implementation of Mitigation Measures BR-1 through BR-5.

Alternative 2 would set aside 259.8 acres, which is more than the 225 acres called for in the SSHCP Conservation Strategy, and this preserve area includes the portion of the important core preserve within Preserve Planning Unit 2 adjacent to the Mather Preserve planned as part of the SSHCP conservation strategy. Impacts from Alternative 2 with the implementation of Mitigation Measures BR-1 through BR-5 would be **less than significant**.

MITIGATION MEASURES

Implement Mitigation Measures BR-1 through BR-5.

This page intentionally left blank.

9 CLIMATE CHANGE

INTRODUCTION

This section presents a summary of regulations applicable to greenhouse gas (GHG) emissions; a summary of climate change science and GHG sources in California; quantification of Project-generated GHGs generated by the Project or Alternative 2 and discussion about their contribution to global climate change in accordance with the 2019 State CEQA Guidelines; and analysis of the Project's resiliency to climate change-related risks. The potential for flooding due to climate change is discussed further in Chapter 14, "Hydrology, Drainage, and Water Quality." In addition, mitigation measures are recommended to reduce the Project's contribution to climate change.

This chapter is based on information presented in the *Revision 3a 4 - Updated Greenhouse Gas Reduction Plan for the Proposed Jackson Township Specific Plan* (GHGRP) prepared by Kleinfelder in 2021 and included in Appendix AQ-1 to this ~~Recirculated Draft~~ EIR. The GHGRP was revised to reflect the most recent guidance for evaluating GHG impacts under CEQA developed and adopted by the Sacramento Metropolitan Air Quality Management District (SMAQMD) in 2020. The new guidance, which is discussed in greater detail under the heading, "Significance Criteria," uses a multi-tiered approach to assess the project's contribution to global climate change. Revision 4 to the GHGRP reflects SMAQMD's most recent applicable guidance (Recommended Guidance for Land Use Emission Reductions Version 4.3); the California Air Pollution Control Officers Association's 2021 Handbook for Analyzing Greenhouse Gas Emissions Reductions, Assessing Climate Vulnerabilities, and Advancing Health and Equity; Version 2020.4.0 of the California Emissions Estimator Model (CalEEMod), and vehicle miles traveled (VMT) estimates from the County's 2022 VMT Analysis technical memorandum.

Additionally, this chapter has been updated to include the most recent developments in the County's climate action planning process. Discussed in greater detail under the heading, "Sacramento County Climate Action Planning," the County's draft Climate Action Plan (Draft CAP) was released for public review in March 2021. A Final CAP was released in August 2022 and is still pending before the Board of Supervisors. The analysis herein has been supplemented with a discussion of the Draft CAP and the Project's consistency with per capita CAP goals.

During the NOP scoping process, one comment provided suggestions for how the analysis of climate change should be addressed in the EIR and requested a full analysis of each of the alternatives. The Project and Alternative 2 are fully addressed quantitatively in this chapter, and the remaining alternatives are addressed qualitatively in Chapter 3, "Alternatives."

ENVIRONMENTAL SETTING

GREENHOUSE GAS EMISSIONS AND CLIMATE CHANGE

PHYSICAL SCIENTIFIC BASIS OF GREENHOUSE GAS AND CLIMATE CHANGE

Certain gases in the earth's atmosphere, classified as GHGs, play a critical role in determining the earth's surface temperature. Solar radiation enters the atmosphere from space; a portion of the radiation is absorbed by the earth's surface, and a smaller portion of this radiation is reflected toward space. The absorbed radiation is then emitted from the earth as low-frequency infrared radiation. The frequencies at which bodies emit radiation are proportional to temperature. The earth has a much lower temperature than the sun; therefore, the earth emits lower frequency radiation. Most solar radiation passes through GHGs; however, infrared radiation is absorbed by these gases. As a result, radiation that otherwise would have escaped back into space is instead "trapped," resulting in a warming of the atmosphere. This phenomenon, known as the greenhouse effect, is responsible for maintaining a habitable climate on earth.

Prominent GHGs contributing to the greenhouse effect are carbon dioxide (CO₂), methane (CH₄), nitrous oxide (N₂O), hydrofluorocarbons, perfluorocarbons, and sulfur hexafluoride. Human-generated emissions of these GHGs in excess of natural ambient concentrations are responsible for intensifying the greenhouse effect and leading to a trend of unnatural warming of the earth's climate, known as global climate change or global warming. It is "extremely likely" that more than half of the observed increase in global average surface temperature from 1951 to 2010 was caused by the anthropomorphic increase in GHG concentrations and other anthropomorphic forcing (IPCC 2014:5). This warming is observable considering the 20 hottest years ever recorded occurred within the past 30 years (McKibben 2018).

Climate change is a global problem. GHGs are global pollutants, unlike criteria air pollutants and toxic air contaminants, which are pollutants of regional and local concern. Whereas most pollutants with localized air quality effects have relatively short atmospheric lifetimes (approximately 1 day), GHGs have long atmospheric lifetimes (1 year to several thousand years). GHGs persist in the atmosphere long enough to be dispersed around the globe. Although the lifetime of any GHG molecule depends on multiple variables and cannot be determined with perfect certainty, it is understood that more CO₂ is emitted into the atmosphere than is sequestered by ocean uptake, vegetation, and other forms of sequestration. Of the total annual human-caused CO₂ emissions, approximately 55 percent are estimated to be sequestered through ocean and land uptake every year, averaged over the last 50 years, whereas the remaining 45 percent of human-caused CO₂ emissions remain stored in the atmosphere (IPCC 2013:467).

The quantity of GHGs in the atmosphere responsible for climate change is not precisely known, but it is enormous. No single project alone would measurably contribute to an incremental change in the global average temperature or to global or local climates or microclimates. From the standpoint of CEQA, GHG impacts relative to global climate change are inherently cumulative.

GREENHOUSE GAS EMISSION SOURCES AND SINKS

As discussed previously, GHG emissions are attributable in large part to human activities. CO₂ is the main byproduct of fossil fuel combustion. Methane, a highly potent GHG, primarily results from off-gassing (the release of chemicals from nonmetallic substances under ambient or greater pressure conditions) and is largely associated with agricultural practices, organic material decomposition in landfills, and the burning of forest fires (Black et al. 2017). Nitrous oxide emissions are largely attributable to agricultural practices and soil management. CO₂ sinks, or reservoirs, include vegetation and the ocean, which absorb CO₂ through sequestration and dissolution (CO₂ dissolving into the water); respectively. These are the two of the most common processes for removing CO₂ from the atmosphere.

The total GHG inventory for California in 2016 was 429 million metric tons of CO₂ equivalents (MMTCO₂e) (CARB 2018a). This is less than the 2020 target of 431 MMTCO₂e (equal to the inventory for 1990 established by AB 32, see Regulatory Setting for more detail), indicating that the state is ahead of its 2020 target (CARB 2018b:1). Table CC-1 summarizes the statewide GHG inventory for California.

Table CC-1: Statewide GHG Emissions by Economic Sector in 2016

Sector	MMTCO₂e (Percent)
Transportation	176 (41)
Industrial	99 (23)
Electricity generation (in state)	43 (10)
Electricity generation (imports)	26 (6)
Agriculture	34 (8)
Residential	30 (7)
Commercial	21 (5)
Not specified	1 (<1)

Notes: MMTCO₂e = million metric tons of carbon dioxide equivalent

Source: CARB 2018a

Sacramento County prepared an updated inventory of GHG emissions in 2021 for the year 2015. Table CC-2 below summarizes these emissions.

Table CC-2: Sacramento County GHG Emissions by Economic Sector in 2015

Sector	MTCO₂e (Percent)
Residential Energy	1,193,311 (25)
Commercial/Industrial Energy	890,603 (18)
On-Road Vehicles	1,671,596 (34)
Off-Road Vehicles	196,769 (5)
Solid Waste	352,909 (7)
Agriculture	254,899 (5)
Wastewater	27,253 (<1)
Water-Related	15,222 (<1)
Total	4,853,647 (100)

Notes: MTCO₂e = metric tons of carbon dioxide equivalent

Source: Sacramento County 2021

As shown in Table CC-2, on-road vehicles and residential energy usage comprise the greatest GHG emitting sectors in Sacramento County.

EFFECTS OF CLIMATE CHANGE ON THE ENVIRONMENT

According to the IPCC, which was established in 1988 by the World Meteorological Organization and the United Nations Environment Programme, global average temperature will increase by 1.5 degrees Celsius (°C) (2.7 degrees Fahrenheit [°F]) by 2040. This 1.5 °C warming represents a global average; portions of the earth will experience more dramatic warming than others. Oceans, which support high specific heat, will experience less dramatic warming as compared to continents, particularly in inland regions.

According to *California's Fourth Climate Change Assessment*, if global GHGs are reduced at a moderate rate, California will experience average daily high temperatures that are warmer than the historic average by 2.5 °F from 2006 to 2039, by 4.4 °F from 2040 to 2069, and by 5.6 °F from 2070 to 2100; and if GHG emissions continue at current rates California will experience average daily high temperatures that are warmer than the historic average by 2.7 °F from 2006 to 2039, by 5.8 °F from 2040 to 2069, and by 8.8 °F from 2070 to 2100 (OPR et al. 2019:23). The potential effects of this warming in California are well documented.

Since its previous climate change assessment in 2012, California has experienced several of the most extreme natural events in its recorded history: a severe drought from 2012-2016, an almost non-existent Sierra Nevada winter snowpack in 2014-2015, increasingly large and severe wildfires, and back-to-back years of the warmest average temperatures (OPR et al. 2019:56). According to the California Natural Resources Agency's *Safeguarding California Plan: 2018 Update*, California experienced the driest 4-year statewide precipitation on record from 2012 through 2015; the warmest years on average in 2014, 2015, and 2016; and the smallest and second smallest Sierra snowpack on record in 2015 and 2014 (CNRA 2018:55). In contrast, the northern Sierra Nevada experienced its wettest year on record during the 2016—2017 water year (CNRA 2018:64). The changes in precipitation exacerbate wildfires throughout California through a cycle of high vegetative growth coupled with dry, hot periods, which lowers the moisture content of fuel loads. As a result, the frequency, size, and devastation of forest fires increases. In November 2018, the Camp Fire completely destroyed the town of Paradise in Butte County and caused 85 fatalities, becoming the state's deadliest fire in recorded history. Moreover, changes in the intensity of precipitation events following wildfires can also result in devastating landslides. In January 2018 following the Thomas Fire, 0.5 inches of rain fell over just 5 minutes in Santa Barbara causing destructive mudslides formed from the debris and loose soil left behind by the fire. These mudslides resulted in 21 deaths.

Temperature increases and changes to historical precipitation patterns will likely also affect ecologically productivity. Existing habitats may relocate in response to climatic changes where possible, and those that lack the ability to retreat will be severely threatened. Altered climatic conditions dramatically endangers the survival of arthropods, which could have cascading effects throughout ecosystems (Lister and

Garcia 2018). Conversely, a warming climate may support the populations of other insects such as ticks and mosquitos, which transmit diseases harmful to human health such as the Zika virus, West Nile virus, and Lyme disease (European Commission Joint Research Centre 2018).

Changes in temperature, precipitation patterns, extreme weather events, wildfires, and sea-level rise have the potential to threaten transportation and energy infrastructure, crop production, forests and rangelands, and public health (CNRA 2018:64, 116–117, 127; OPR et al. 2019:63). The effects of climate change will also have an indirect adverse impact on the economy as more severe natural disasters cause expensive, physical damage to communities and the state. Additionally, adjusting to the physical changes associated with climate change can produce mental health impacts such as depression and anxiety.

Cal-Adapt is a climate change scenario planning tool developed by the California Energy Commission (CEC) that downscales global climate model data to local and regional resolution under two emissions scenarios. The Representative Concentration Pathway (RCP) 8.5 scenario represents a business-as-usual future emissions scenario, and the RCP 4.5 scenario represents a future with reduced GHG emissions. According to Cal-Adapt, annual average maximum temperatures in the Plan Area are projected to rise by 5.4°F to 9.8°F by 2099, with the low and high ends of the range reflecting the lower and higher emissions increase scenarios (CEC 2019). Annual average minimum temperatures are expected to rise within a similar range.

The Plan Area experienced an annual average high temperature of 73.9°F between 1961 and 1990. Under the RCP 4.5 scenario, the county's annual average high temperature is projected to increase by 4.9°F to 78.8°F by 2050 and increase an additional 0.5°F to 79.3°F by 2099 (CEC 2019). Under the RCP 8.5 scenario, the Plan Area's annual average high temperature is projected to increase by 5.0°F to 78.9°F by 2050 and increase an additional 4.8°F to 83.7°F by 2099 (CEC 2019).

The Plan Area experienced an average precipitation of 19.6 inches per year between 1961 and 1990. Under the RCP 4.5 scenario, the Plan Area is projected to experience an increase of 8.0 inches to 27.6 inches per year by 2050 and decrease to 20.6 inches per year by 2099 (CEC 2019). Under the RCP 8.5 scenario, the Plan Area is projected to experience an increase of 9.9 inches to 29.5 inches per year by 2050 and decrease to 24.7 inches per year by 2099 (CEC 2019).

REGULATORY SETTING

FEDERAL

In *Massachusetts et al. v. Environmental Protection Agency et al.*, 549 U.S. 497 (2007), the Supreme Court of the United States ruled that CO₂ is an air pollutant as defined under the federal Clean Air Act and that the U.S. Environmental Protection Agency (EPA) has the authority to regulate GHG emissions.

In 2010, EPA started to address GHG emissions from stationary sources through its New Source Review permitting program, including operating permits for “major sources” issued under Title V of the federal Clean Air Act.

In October 2012, EPA and the National Highway Traffic Safety Administration, on behalf of the U.S. Department of Transportation, issued final rules to further reduce GHG emissions and improve corporate average fuel economy (CAFE) standards for light-duty vehicles for model years 2017 and beyond (77 *Federal Register* [FR] 62624). These rules would increase fuel economy to the equivalent of 54.5 miles per gallon, limiting vehicle emissions to 163 grams of CO₂ per mile for the fleet of cars and light-duty trucks by model year 2025 (77 FR 62630). However, on April 2, 2018, the EPA administrator announced a final determination that the current standards are not appropriate and should be revised. It is not yet known what revisions will be adopted or when they will be implemented (EPA 2018).

In 2015, EPA unveiled the Clean Power Plan. The purpose of the plan was to reduce CO₂ emissions from electrical power generation by 32 percent relative to 2005 levels within 25 years. EPA is proposing to repeal the Clean Power Plan because of a change to the legal interpretation of Section 111(d) of the federal Clean Air Act, on which the Clean Power Plan was based. The comment period on the proposed repeal closed April 26, 2018.

In June 2019, the EPA, under authority of the Clean Air Act section 111(d), issued the Affordable Clean Energy (ACE) rule which provides guidance to states on establishing emissions performance standards for coal-fired electric generating units (EGUs). Under this rule, states are required to submit plans to the EPA which demonstrate the use of specifically listed retrofit technologies and operating practices to achieve carbon dioxide reduction through heat rate improvement (HRI). HRI is a measurement of power plant efficiency that EPA determined as part of this rulemaking to be the best system of emissions reduction for carbon dioxide generated from coal fired EGUs (EPA 2019).

STATE

STATEWIDE GHG EMISSION TARGETS AND THE CLIMATE CHANGE SCOPING PLAN

Reducing GHG emissions in California has been the focus of the State government for approximately two decades. GHG emission targets established by the State legislature include reducing statewide GHG emissions to 1990 levels by 2020 (Assembly Bill 32 of 2006) and reducing them to 40 percent below 1990 levels by 2030 (Senate Bill [SB] 32 of 2016). Executive Order S-3-05 calls for statewide GHG emissions to be reduced to 80 percent below 1990 levels by 2050. Executive Order B-55-18 directs California to achieve carbon neutrality by 2045 and achieve and maintain net negative GHG emissions thereafter. These targets are in line with the scientifically established levels needed in the United States to limit the rise in global temperature to no more than 2°C, the warming threshold at which major climate disruptions, such as super droughts and rising sea levels, are projected; these targets also pursue efforts to limit the temperature increase even further to 1.5 °C (United Nations 2015:3).

California’s 2017 Climate Change Scoping Plan (2017 Scoping Plan), prepared by the California Air Resources Board (CARB), outlines the main strategies California will

implement to achieve the legislated GHG emission target for 2030 and “substantially advance toward our 2050 climate goals” (CARB 2017:1, 3, 5, 20, 25–26). It identifies the reductions needed by each GHG emission sector (e.g., transportation, industry, electricity generation, agriculture, commercial and residential, pollutants with high global warming potential, and recycling and waste). CARB and other State agencies also released the 2030 Draft Natural and Working Lands Climate Change Implementation Plan consistent with the carbon neutrality goal of Executive Order B-55-18. The Plan furthers the State’s goals through improving the carbon sequestration potential of the state’s natural and working lands through improved soil health and forest management strategies. On May 10, 2022, CARB released the Draft 2022 Scoping Plan Update, which sets the framework for the state to achieve carbon neutrality as set by Executive Order B-55-18 and an 80 percent reduction in 1990 baseline GHG emissions by 2050. At the time of writing this EIR, CARB has not adopted the final version of the Draft 2022 Scoping Plan Update.

In addition, Assembly Bill 1279, which became law on September 16, 2022, makes it the State’s policy to achieve net zero GHG emissions no later than 2045 (and achieve and maintain net negative GHG emissions thereafter) and to ensure that by 2045, statewide anthropogenic GHG emissions are reduced to at least 85 percent below the 1990 levels. The bill requires CARB to coordinate with relevant State agencies to ensure that updates to the scoping plan identify and recommend measures to achieve these goals through a variety of policies and strategies that enable carbon dioxide removal solutions and carbon capture, utilization, and storage technologies in California.

The state has also passed more detailed legislation addressing GHG emissions associated with industrial sources, transportation, electricity generation, and energy consumption, as summarized below.

TRANSPORTATION-RELATED STANDARDS AND REGULATIONS

~~As part of its Advanced Clean Cars program, CARB established more stringent GHG emission standards and fuel efficiency standards for fossil fuel powered on-road vehicles. In addition, the program’s zero-emission vehicle regulation requires battery, fuel cell, and plug-in hybrid electric vehicles to account for up to 15 percent of California’s new vehicle sales by 2025 (CARB 2016:15). By 2025, when the rules will be fully implemented, GHG emissions from the statewide fleet of new cars and light-duty trucks will be reduced by 34 percent and cars will emit 75 percent less smog-forming pollution than the statewide fleet in 2016 (CARB 2016:1).~~ In August of 2022, CARB adopted the Advanced Clean Cars II (ACC II) Program. ACC II augments the existing ACC Program by setting the target that 100 percent of all vehicle sales in the state much be zero-emission by 2035.

Executive Order B-48-18, signed into law in January 2018, requires all State entities to work with the private sector to have at least 5 million zero-emission vehicles on the road by 2030, as well as 200 hydrogen fueling stations and 250,000 electric vehicle-charging stations installed by 2025. It specifies that 10,000 of these charging stations must be direct-current fast chargers.

CARB adopted the Low Carbon Fuel Standard (LCFS) in 2007 to reduce the carbon intensity of California's transportation fuels. The LCFS applies to fuels used by on-road motor vehicles and by off-road vehicles, including construction equipment (Wade, pers. comm., 2017).

In addition to regulations that address tailpipe emissions and transportation fuels, the State legislature has passed regulations to address the amount of driving by on-road vehicles. Since passage of SB 375 in 2008, CARB requires metropolitan planning organizations (MPOs) to adopt sustainable communities strategies (SCSs) showing reductions in GHG emissions from passenger cars and light trucks in their respective regions for 2020 and 2035 (CARB 2018c:1). These SCSs link land use and housing allocation to transportation planning and related mobile-source emissions. The Sacramento Area Council of Governments (SACOG) serves as the MPO for Sacramento, Placer, El Dorado, Yuba, Sutter, and Yolo Counties, excluding those lands located in the Tahoe Basin. The Plan Area is in Sacramento County and governed by SACOG. Under SB 375, SACOG adopted its most recent *Metropolitan Transportation Plan/Sustainable Communities Strategy 2035* (MTP/SCS) in 2016. SACOG was tasked by CARB to achieve a 7 percent per capita reduction compared to 2012 emissions by 2020 and a 16 percent per capita reduction by 2035, both of which CARB confirmed the region would achieve by implementing the MTP/SCS (SACOG 2016:172; CARB 2018c:1). In March 2018, CARB promulgated revised targets tasking SACOG to achieve a 7 percent and a 19 percent per capita reduction by 2020 and 2035, respectively (CARB 2018c:1). SACOG is required to complete an updated MTP/SCS by February 2020. CARB's 2018 Progress Report indicates that SACOG, as well as many other MPOs in the state, are not on track to achieve these reduction targets (CARB 2018c:21–22).

Under Senate Bill (SB) 743 of 2013, the Governor's Office of Planning and Research (OPR) proposed changes to the State CEQA Guidelines, including the addition of Section 15064.3, which requires that CEQA transportation analysis move away from focusing on vehicle delay and level of service (OPR 2017a:77–90). In support of these changes, OPR published its *Technical Advisory on Evaluating Transportation Impacts in CEQA*, which recommends that the transportation impact of a project be based on whether the project would generate a level of ~~vehicle miles traveled~~ (VMT) per capita (or VMT per employee) that is 15 percent lower than that of existing development in the region (OPR 2017b:12–13). OPR's technical advisory explains that this criterion is consistent with Section 21099 of the California Public Resources Code, which states that the criteria for determining significance must "promote the reduction in greenhouse gas emissions" (OPR 2017b:18). This metric is intended to replace the use of delay and level of service to measure transportation-related impacts. More detail about SB 743 is provided in the "Regulatory Setting" in Chapter 520, "~~Transportation-Traffic~~ and Circulation." The CNRA adopted OPR's proposed addition of Section 15064.3 to the State CEQA Guidelines in November 2018.

LEGISLATION ASSOCIATED WITH ELECTRICITY GENERATION

The State has passed legislation requiring the increasing use of renewables to produce electricity for consumers. California utilities are required to generate 33 percent of their

electricity from renewables by 2020 (SB X1-2 of 2011); 52 percent by 2027 (SB 100 of 2018); 60 percent by 2030 (also SB 100 of 2018); and 100 percent by 2045 (also SB 100 of 2018).

BUILDING ENERGY EFFICIENCY STANDARDS (TITLE 24, PART 6)

The energy consumption of new residential and nonresidential buildings in California is regulated by the State's Title 24, Part 6, Building Energy Efficiency Standards (California Energy Code). CEC updates the California Energy Code every 3 years with more stringent design requirements for reduced energy consumption, which results in the generation of fewer GHG emissions. The current California Energy Code (2016/2019) is scheduled to be replaced by the 2019/2022 standards on January 1, 2020/2023. ~~The 2019 California Energy Code will require builders to use more energy-efficient building technologies for compliance with increased restrictions on allowable energy use. Additionally, new residential units will be required to include solar panels, sized to offset the estimated electrical requirements of each unit (CCR, Title 24, Part 6, Section 150.1[c]14). CEC estimates that the combination of required energy efficiency features and mandatory solar panels in the 2019 California Energy Code will result in new residential buildings that use 53 percent less energy than those designed to meet the 2016 California Energy Code. CEC also estimates that the 2019 California Energy Code will result in new commercial buildings that use 30 percent less energy than those designed to meet the 2016 standards, primarily through the transition to high-efficiency lighting (CEC 2018).~~

CALIFORNIA GREEN BUILDING STANDARDS CODE (TITLE 24, PART 11)

The California Code of Regulations Title 24, Part 11, California Green Building Standards Code (CALGreen) is the first in the nation mandatory green building standards code. CALGreen was first developed in 2007 by the California Building Standards Commission in an effort to meet the goals of California's long-term climate change goals; the code became effective January 1, 2009. CALGreen may be adopted by municipalities as a component of adoption of the Title 24 California Building Code. Sacramento County has adopted the CALGreen code pursuant to Section 16.34.010 of Title 16 of the Sacramento County Code; therefore, the mandatory portions of the 2019 CALGreen code (or any subsequently adopted updates) will be applicable to the Project.

LOCAL

SACRAMENTO COUNTY GENERAL PLAN

The Sacramento County General Plan contains the following GHG-related policies (Sacramento County 2021):

- AQ-4. Developments which meet or exceed thresholds of significance for ozone precursor pollutants, and/or Greenhouse Gases (GHG) as adopted by the Sacramento Metropolitan Air Quality Management District (SMAQMD), shall be deemed to have a significant environmental impact. An Air Quality Mitigation Plan and/or a Greenhouse Gas Reduction Plan shall be submitted to the County of Sacramento prior to project approval, subject to review and

recommendation as to technical adequacy by the Sacramento Metropolitan Air Quality Management District.

- LU-115. It is the goal of the County to reduce greenhouse gas emissions to 1990 levels by the year 2020. This shall be achieved through a mix of State and local action.

The Sacramento County General Plan includes the following policies in the Safety Element related to addressing wildfires and mitigating their risks (Sacramento County 2017):

- SA-23. The County shall require that all new development meets the local fire district standards for adequate water supply and pressure, fire hydrants, and access to structures by firefighting equipment and personnel.
- SA-26. The County and fire districts shall develop programs to provide citizens with self-preparedness and community readiness skills for large or extended accidental, natural, and terrorist emergencies/incidents.
- SA-27. The County shall require, where appropriate, the use of fire resistant landscaping and building materials for new construction developments that are cost effective.
- SA-28. The County shall encourage and require, to the maximum extent feasible, automatic fire sprinkler systems for all new commercial and industrial development to reduce the dependence on fire department equipment and personnel.
- SA-30. The County, medical community, and fire districts shall work to improve EMS [Emergency Medical Services] response system that includes first responder emergency care and transportation services.

COMMUNITY PLANS

CORDOVA COMMUNITY PLAN

The Cordova Community Plan does not include objectives or policies specific to greenhouse gases or climate change.

VINEYARD COMMUNITY PLAN

The Vineyard Community Plan does not include objectives or policies specific to greenhouse gases or climate change.

SACRAMENTO COUNTY CLIMATE ACTION PLANNING

The Sacramento County Phase 1 Climate Action Plan Strategy and Framework document (Phase 1 CAP) was adopted on November 9, 2011 by the Sacramento County Board of Supervisors. The Phase 1 CAP includes a GHG inventory for the unincorporated areas of Sacramento County for 2005, a GHG emission reduction target, and goals and implementation measures developed to help the County reach these goals. Reduction strategies address GHG emissions associated with transportation and land use, energy, water, waste management and recycling, and

agriculture and open space. The County's goals related to transportation and energy use include the following:

- Increase the average fuel efficiency of County-owned vehicles powered by gasoline and diesel and encourage increased fuel efficiency in community vehicles;
- Increase the use of alternative and lower carbon fuels in the County-owned vehicle fleet and facilitate their use in the community;
- Reduce total vehicle miles traveled per capita in the community and region;
- Improve energy efficiency of existing and new buildings in the unincorporated county;
- Improve energy efficiency of operating County-owned infrastructure (roads, water, waste, buildings, etc.); and
- Decrease use of fossil fuels by transitioning to renewable energy sources.

The Phase 1 CAP is a strategy and framework document. The County adopted the Phase 2A CAP (Government Operations) on September 11, 2012. Neither the Phase 1 CAP nor the Phase 2A CAP are "qualified" plans through which subsequent projects may receive CEQA streamlining benefits.

Sacramento County began work on an updated communitywide CAP (Phase 2B CAP) in 2016. The commitment to a Communitywide CAP is identified in General Plan Policy LU-115 and associated Implementation Measures F through J on page 117 of the General Plan Land Use Element. This commitment was made in part due to the County's General Plan Update process and potential expansion of the Urban Policy Area (UPA) to accommodate new growth areas. General Plan Policies LU-119 and LU-120 were developed with SACOG to be consistent with smart growth policies in the SACOG Blueprint, which are intended to reduce VMT and GHG emissions. In addition to reducing GHG emissions in Sacramento County, the CAP is intended to serve as a climate change resiliency plan to ensure that the County is prepared for the physical effects of climate change. In 2015, the County released an updated GHG inventory (see Table CC-2 above) and a Climate Change Vulnerability Assessment, which identified extreme heat and increased flooding as the most likely adverse impacts to Sacramento County.

The County released the draft Phase 2 CAP for public review in March of 2021. Based on the inventory and GHG reductions identified in the draft Phase 2 CAP, the County has set a goal of achieving a 4.0 metric tons of carbon dioxide equivalent per capita (MTCO₂e/capita) for 2030, resulting in an emissions limit of 3,674,904 MTCO₂e (Sacramento County 2021). ~~As allowed under CEQA Guidelines Section 15183(b), lead agencies may choose to analyze and mitigate significant GHG emissions in a plan for the reduction of GHG emissions or similar document. At the time this recirculated EIR was prepared, the CAP remains in draft form and has not been formally adopted by the County. As such, the CAP is not yet qualified for use in CEQA review. However, a discussion of the Project's consistency with the CAP is provided for informational purposes. The Phase 2B CAP is anticipated to be formally adopted in summer 2021.~~

The Final CAP was released for public review on August 27, 2022. The Final CAP contains a CAP Consistency Review Checklist (Checklist) intended to be used to streamline CEQA review as allowed under CEQA Guidelines Section 15183(b); however, the Checklist is not intended to streamline analyses for projects that propose to expand the UPA or Urban Services Boundary (USB), as identified in the Final CAP.

The analysis contained in this ~~recirculated~~ Final EIR is based on the project-specific GHGRP prepared for Alternative 2 and is consistent with CEQA Guidelines Sections 15183(b) and 15064.4, and guidance provided by SMAQMD.

SACRAMENTO COUNTY CLIMATE EMERGENCY RESOLUTION

The Climate Emergency Resolution, approved by the County's Board of Supervisors in December of 2020, declared a climate emergency, and calls for County action to chart a path towards and achieve carbon neutrality by 2030. The County's goal is aligned with Executive Order B-55-18 related to achieving carbon neutrality.

SACRAMENTO METROPOLITAN AIR QUALITY MANAGEMENT DISTRICT

SMAQMD is the primary agency responsible for addressing air quality concerns in all of Sacramento County—its role is discussed further in Chapter 3, “Air Quality,” of this Draft EIR. SMAQMD also recommends methods for analyzing project-generated GHGs in CEQA analyses and offers multiple potential GHG reduction measures for land use development projects. SMAQMD developed thresholds of significance to provide a uniform scale to measure the significance of GHG emissions from land use and stationary source projects in compliance with CEQA (SMAQMD 2018). SMAQMD's goals in developing GHG thresholds include ease of implementation; use of standard analysis tools; and emissions mitigation consistent with the statewide GHG targets mandated by AB 32 of 2006.

SMAQMD published new CEQA guidance for the evaluation of GHG emissions in September 2020. The guidance provides lead agencies with a pathway to demonstrate that a project would not result in a cumulatively considerable contribution to global climate change. As indicated in SMAQMD's most recent guidance, projects subject to CEQA that are not subject to a qualified CAP may implement SMAQMD-vetted Tier 1 best management practices (BMPs) to reduce on-site GHG emissions. These Tier 1 BMPs include (1) designing projects without natural gas infrastructure and (2) constructing projects to meet the current California Green Building Standards Code (CalGreen) Tier 2 Standards with the amendment to upgrade electric vehicle (EV) parking spaces to EV ready rather than EV capable. EV capable means that the parking space is installed with a raceway and electrical panel capable of supporting an EV charging station. In addition to the raceway and panel, EV ready spaces have dedicated branch circuits, circuit breakers, and other electrical components to support future installation of charging stations, but do not include installation of the charger itself.

If, following the application of Tier 1 BMPs, a project's GHG emissions are below a 1,100 metric tons of carbon dioxide equivalent per year (MTCO₂e/year) threshold, its contribution to global climate change would be considered less than significant. However, as a large or “inefficient” project as defined by SMAQMD, the use of Tier 1 BMPs would not be sufficient to reduce the Project's GHG emissions to a negligible

level. Thus, the Project would be required to achieve a 15 percent reduction in VMT per resident from a regional average consistent with OPR guidance pursuant to SB 743. SMAQMD recommends several mechanisms to achieve applicable VMT reductions including, but not limited to, application of California Air Pollution Control Officers Association GHG-reduction strategies, incorporation of traffic calming measures, and promotion of zero-emission infrastructure such as bike lanes and pedestrian walkways (SMAQMD 2021).

IMPACTS AND ANALYSIS

SIGNIFICANCE CRITERIA

The issue of global climate change is inherently a cumulative issue as the GHG emissions of individual projects cannot be shown to have a discrete, measurable effect on global climate. Thus, the Project's impact to climate change is addressed as a cumulative impact. CEQA Guidelines Section 15064 and relevant portions of Appendix G recommend that a lead agency consider a project's consistency with relevant, adopted plans, and discuss any inconsistencies with applicable regional plans including plans to reduce GHG emissions. In Appendix G of the State CEQA Guidelines, two questions are provided to help assess if the Project would result in a potentially significant impact on climate change. These questions ask whether the Project would:

- Generate GHG emissions, either directly or indirectly, that may have a significant impact on the environment, and/or
- Conflict with an applicable plan, policy, or regulation of an agency adopted for the purpose of reducing the emissions of GHGs?

Sacramento County adopted SMAQMD's thresholds of significance (summarized under the heading, "Sacramento Metropolitan Air Quality Management District," above) on December 16, 2020 by Resolution #2020-0855. The new SMAQMD GHG thresholds require that the Project meet both Tier 1 and Tier 2 BMPs. SMAQMD also requires that projects of similar size to the Project implement additional BMPs to meet the VMT target established by SB 743 (summarized under the heading, "Transportation-Related Standards and Regulations," above).

The SMAQMD GHG rules for large projects, such as the Project, require implementation of BMP 1, which specifies that projects shall be designed and built without natural gas infrastructure, and BMP 2, which specifies that projects shall meet the current CalGreen Tier 2 standards and provide EV ready parking spaces instead of just EV capable spaces. BMP 3 specifies that a project shall comply with the local jurisdiction's SB 743 requirements if they have been adopted. Sacramento County adopted SB 743 significance thresholds on October 6, 2020. The Sacramento County program requires VMT per capita for a proposed project achieve a 15 percent reduction in regional VMT per resident and VMT per employee, and no net increase in retail VMT. The County program provides that if the VMT reduction standard cannot be met that the County can find a significant and unavoidable impact and override such impact.

Sacramento County had previously developed draft 2030 thresholds of significance based on the 2005 GHG inventory developed for its CAP (see Table CC-3) and in consideration of the State's goal of reducing emissions to 40 percent below 1990 levels by 2030, as mandated by SB 32. These thresholds have been included in the analysis herein of the Proposed Project for informational purposes; however, SMAQMD's tiered threshold approach described above has been formally adopted by Sacramento County and comprises the thresholds of significance used to evaluate climate change impacts in this ~~Recirculated Draft~~ EIR. The draft 2030 thresholds of significance used in the previous analysis are described below.

As shown below, separate thresholds have been included for residential energy, nonresidential energy, and transportation. The purpose of this division is to provide additional information about the source of emissions. When making a final determination of significance, these thresholds can be converted to MTCO_{2e} then combined to generate a total emissions threshold; it is this total threshold that will ultimately determine whether impacts are found to be significant. In response to the requirements to achieve 40 percent reduction in GHG emissions below 1990 levels under SB 32, 2030 targets and draft standards for achievement have been calculated for each sector from the 2005 baseline data.

Also note that the transportation and residential sectors are expressed in per capita, which is not applicable to nonresidential land uses. The County determined that, in general, nonresidential projects redistribute existing trips made by passenger vehicles – they do not generate new trips. The majority of trips to and from a commercial project are generated by residential uses. Residential projects are already required to account for transportation emissions, so including them for commercial projects as well would result in double counting. Therefore, only the truck-trips generated by a commercial project itself will be subject to analysis. An exception to this rule is any commercial project which is a regional draw or unique draw, and thus may cause the redistribution of existing trips in a manner that will increase total existing VMT.

The buildout year for the Project ~~is~~ was previously assumed to be 2035; this assumption is applied in the analysis of the Proposed Project. To evaluate the Project in light of the 2050 statewide GHG reduction goal identified in Executive Order B-30-15, the draft 2030 thresholds were extrapolated using a 17 percent reduction, as shown below in Table CC-3. The reduction in thresholds is based on the mass emissions reduction needed to be achieved by the County to meet the 2050 GHG emissions goals. Also, given that the thresholds of significance were developed using the inventory year contained in the CAP, meeting these per capita thresholds of significance would demonstrate consistency with Sacramento County's CAP. Detailed calculations for the threshold determination can be found in Appendix AQ-1.

**Table CC-3: Draft 2030 Greenhouse Gas Significance Thresholds
(Annual Metric Tons CO₂e)^{1,2}**

Sector	2005 Baseline	2020 Target	2020 Thresholds	Draft 2030 Mass Emission Target ³	Draft 2030 Thresholds	2035 (Project-Specific Derived) Thresholds ^{1,2}
Residential Energy	1,033,142	878,275	1.33 per capita	527,243	0.78 per capita	0.65 per capita
Commercial & Industrial Energy	772,129	656,914	7.87 per 1,000 sq ft	395,760	4.59 per 1,000 sf	3.81 per 1,000 sf
Transportation	2,046,617	1,757,236	2.67 per capita	1,055,172	1.57 per capita	1.30 per capita
Trucks	488,806	414,470	0.10 per 100 VMT	245,974	0.08 per 100 VMT	0.07 per 100 VMT

Notes: CO₂e = carbon dioxide equivalent; sq ft = square feet; VMT = vehicle miles traveled.

¹ 2035 thresholds are not adopted by Sacramento County but are interpolated based on 2030 thresholds and keeping the county aligned with greenhouse gas (GHG) reduction goal of 80 percent below 1990 levels by 2050 per Executive Order B-30-15. Notably, the 2030 thresholds have not been formally adopted by Sacramento County at the time of writing this Draft-EIR.

² These thresholds are disclosed for informational purposes and are not intended to be used as a measure for determining the significance of GHG emissions associated with the Project. These thresholds were used in the previous analysis and were, at that time, Sacramento County's most current thresholds of significance. At the time of writing this Recirculated Draft EIR, Sacramento County has formally adopted the Sacramento Metropolitan Air Quality Management District's (SMAQMD's) CEQA thresholds of significance.

³ Mass emission target does not include GHG emissions associated with area sources, water treatment and conveyance, or waste generation.

Source: Smith pers. comm. 2017

Thresholds applicable to construction activities have not been developed. Emissions resulting from the usage of off-road vehicles is only 4.7 percent of the total inventoried emissions in 2005 in Sacramento County, which include emissions from recreational and industrial equipment in addition to construction fleets. Although emissions from the operation of newly constructed buildings adds to existing building stock resulting in a cumulative year-on-year increase in emissions, the level of construction activity required to build the new buildings in a region does not result in a cumulative increase in emissions because of the temporary nature of the construction activities. Though regional construction activity may increase or decrease in a given year because of market demand, the average amount of construction undertaken does not tend to increase over time, according to historical construction fleet emissions data. For this reason, even without mitigation, the amount of annual emissions resulting from construction is expected to decrease over time as a result of the implementation of existing regulations (such as the LCFS) and improved fuel efficiency. Standard mitigation applied for the purpose of reducing other air pollutants (see Chapter 6, "Air Quality") will further reduce GHG emissions. For the aforementioned reasons including guidance from Sacramento County, it was determined, that construction emissions would not contribute to a significant climate change impact, and no threshold is necessary.

ISSUES NOT DISCUSSED FURTHER

All issues are evaluated below.

PROPOSED PROJECT METHODOLOGY

The analysis and methodology for the Proposed Project has not changed since release of the Draft EIR. The evaluation of Alternative 2 has been refined to reflect, for example, changes in regulatory standards and anticipated project schedule and is discussed separately below.

In line with the thresholds and methods recommended by Sacramento County, the analysis of the Project's operational GHG emissions is divided into two separate emission sectors: Energy Use and Transportation. These sectors are compared to Sacramento County's previous draft thresholds extrapolated to apply to 2035 for informational purposes. Notably, Sacramento County's most recent adopted thresholds, which were developed and are endorsed by SMAQMD, have been applied to Alternative 2, the alternative that has been expressly preferred by the Project Applicant. As described above under the heading, "Significance Criteria," SMAQMD uses a tiered approach to reduce emissions through incorporation of project design features to eliminate on-site natural gas usage, promote use of EVs, and reduce project generated VMT.

The methods used to estimate emissions from these two sectors are described in detail below. It should be noted that GHG emissions are also generated through other emissions sectors such as area source (e.g., landscaping equipment), water treatment and delivery, and waste generation. However, these sectors are not included in the determination of County-adopted GHG thresholds; thus, they are not compared to a mass emission or per capita threshold. GHG emissions associated with these sectors are shown for disclosure purposes; see "Other Emissions," below. Construction-related emissions are provided in Appendix AQ-1 for informational purposes ~~but and~~ are not included in GHG emissions calculations, ~~per Sacramento County guidance.~~ Construction-related GHG emissions are considered to meet County thresholds of significance if operational GHG emissions meet thresholds.

Sacramento County's previously adopted GHG thresholds were developed for 2020, as noted in Table CC-3. However, the buildout year of the Project is 2035. There is no completed development planned in 2020 (only construction); therefore, for the purposes of this analysis, and per guidance from Sacramento County, the Project's GHG emissions were evaluated for full buildout scenario in 2035.

ENERGY USE EMISSIONS

Emissions of GHGs from energy use are associated with electricity consumption and combustion of natural gas. Residential and nonresidential land uses may require both electricity and natural gas to power heating and cooling systems, lighting, and appliances.

For the full buildout scenario in 2035, levels of electricity and natural gas consumption were estimated by adjusting the default consumption rates in CalEEMod Version 2016.3.2 for the types of land uses proposed under the Project based on the anticipated energy consumption reduction determined by CEC for the 2019 Title 24 Building Energy Efficiency Standards. Single-family housing energy consumption was decreased by 7 percent and nonresidential building energy was reduced by 30 percent to account for efficiency improvements between the 2016 and 2019 Title 24 standards (CEC 2018).

GHG emissions were estimated for electricity consumption based on GHG emission intensity factors for Sacramento Metropolitan Municipal Utility District (SMUD) and assumed compliance with California's Renewables Portfolio Standard (i.e., 60 percent renewable energy by 2030). The 2019 Title 24 Building Energy Efficiency Standards require single-family housing to generate their electricity demand from renewable sources such as solar photovoltaics. Emissions modeling accounted for solar generation based on the 2019 Title 24 standards in the 2035 full buildout scenario. To estimate GHG emissions associated with natural gas, CalEEMod default energy usage rates and emission factors were used based on the Project's land use types and climate region.

Emissions from energy consumption were summed separately for residential and nonresidential land uses. GHG emissions for energy consumption by residential land use (i.e., single- and multifamily units) were normalized by the number of residents that would populate these uses and compared to the County's extrapolated threshold for 2035 of 0.65 MTCO₂e per capita/year. GHG emissions for energy consumption by nonresidential land uses (i.e., commercial, education, offices) were normalized by floor area and compared to the County's extrapolated threshold for 2035 of 3.81 MTCO₂e per thousand square feet of floor space (MTCO₂e/Ksf).

TRANSPORTATION EMISSIONS

Transportation emissions are associated with Project-generated vehicular trips. Transportation-related emissions were compared to the VMT per capita thresholds. For comparison to Sacramento County's per-capita GHG thresholds of significance, the total population served by the Project was also estimated.

Transportation-related emissions were calculated using VMT estimates provided by the traffic study of the Project (DKS 2019). VMT estimates were provided for existing-plus-Project conditions, cumulative-no-project conditions, and cumulative-plus-project conditions. The cumulative scenario includes VMT associated with the Project, as well as other large foreseeable development including the Mather South Community Master Plan, NewBridge Specific Plan, and the West Jackson Highway Master Plan.

GHG vehicle emission factors for 2035 were obtained from CARB's Mobile Source Emissions FACtor (EMFAC) 2017 model, version 1.0.2. EMFAC 2017 was also used to estimate the level of mobile-source GHG emissions that would be generated based on projected VMT for the 2035 full buildout scenario. Emission rates were used to generate the total VMT-related emissions for the Project in 2035 to be compared to the Sacramento County per-capita thresholds for VMT. The population estimates were based on average household sizes for the Sacramento region as reported in SACOG's 2016 MTP/SCS for the partial buildout year of 2020 using 2020 estimates and the full buildout year of 2035 using 2036 estimates (SACOG 2016).

OTHER SECTORS

As discussed above, there are several GHG emissions sectors that not included in the County's GHG thresholds but are quantified in this analysis. This includes GHG emissions associated with area sources, water, and solid waste.

GHGs from area sources were based on the number of residential units, the size of the nonresidential buildings, and the number of days of landscaping per year (i.e., 180). GHGs from electricity consumption specifically associated with the consumption of water, were based on residential and commercial water demand estimates provided by Sacramento County for the Project. GHG emissions associated with the generation of solid waste were estimated using default parameters in CalEEMod. While these emission estimates were not part of the comparison to the County's recommended thresholds of significance, they were included in the emissions summary for informational purposes.

ALTERNATIVE 2 METHODOLOGY

As explained above, Alternative 2 is now preferred to the Proposed Project. This GHG analysis of this alternative has been subject to additional refinements to reflect changes in thresholds and modeling parameters.

For Alternative 2, GHG operational emissions are calculated using two different sources, one for nonmobile emissions (CalEEMod) and one for mobile emissions (EMFAC 2021). Electrical generation greenhouse gas intensity was modified to zero in the CalEEMod modeling. This is because SMUD has committed to 100 percent renewable energy by 2030. Except for the CO₂ intensity for electrical generation, the mobile source emissions category, the number of fireplaces and hearths, and the additional mitigation calculations as explained below, CalEEMod default input factors were used to calculate emissions.

CalEEMod was run for a full build-out year of 2040 and start of construction in 2025. Because construction would occur over an extended period that may coincide with operational aspects of the Project, the total construction emissions were estimated using CalEEMod, amortized over 65 years (to account for the 15-year construction period and 50-year Project operation), and added to the operational emissions.

Sacramento County does not use CalEEMod for transportation-related GHG emissions because it cannot adequately capture the trip redistribution of a project, as it does not consider regional travel dynamics. Accordingly, it is the County's practice to calculate emissions directly from the VMT data in the traffic study using the most recent California EMFAC model, which (as of April 2022) is EMFAC 2021. For this evaluation, the peak daily incremental VMT forecast for calendar year 2040 of 375,261 miles per day was used in place of CalEEMod defaults based on the July 2022 SB 743/VMT memorandum prepared by DKS (see Appendix TR-3). Peak daily VMT was converted to annual VMT by multiplying the peak daily calendar year 2040 VMT by 320 days per year. The 320 value is approximately 52 weeks per year, 6 days per week. The assumption is that the peak daily VMT occurs on each of 5 days and about one-half of the peak daily VMT occurs on Saturday and Sunday. Accordingly, the calendar year 2040 annual incremental VMT is 120,083,520 miles per year. GHG vehicle emission factors for 2040 were obtained from CARB's EMFAC 2021 model, version 1.0.1. EMFAC 2021 was also used to estimate the level of mobile-source GHG emissions that would be generated based on projected VMT for the 2040 full buildout scenario. Three CalEEMod scenarios were run: model default VMT (i.e., business as usual), project-specific VMT, and cumulative VMT (discussed separately in Chapter 21, "Summary of Impacts and Their Disposition").

RACEWAY EMISSIONS

The Sacramento Raceway is located within the Plan Area along Excelsior Road. The raceway contains a racetrack, drag strip, motocross track, bleachers for spectators, and associated outbuildings and lighting. The raceway is currently operational; however, it is expected that Raceway operations will cease prior to or during Project buildout.

Because the raceway is currently operational and generating emissions from drag racing and motocross activities, these emissions are part of the Project's baseline pursuant to CEQA Guidelines Section 15125. These emissions, therefore, are not incorporated into the Project's operational emissions in 2035 and would not need to be reduced to make a less-than-significant conclusion. However, for informational purposes, these emissions have been estimated and are disclosed in this ~~Recirculated Draft~~ EIR.

Emissions associated with raceway operations in 2035 were estimated using data based on 2019 operations because the COVID-19 global pandemic resulted in an uncharacteristic decrease in activity in 2020. Emissions were calculated from vehicle movement of spectators and trailered and non-trailered race vehicles traveling to and from the raceway, spectators and trailered and non-trailered race vehicles traveling on-site at the raceway, and vehicles racing on-site. See Appendix CC-1 for additional information pertaining to modeling assumptions.

IMPACT: PROJECT GREENHOUSE GAS EMISSIONS

PROPOSED PROJECT

Development of the Project would result in GHG emissions from energy consumption (e.g., electricity use, natural gas use, water use), mobile sources (i.e., Project-generated VMT), and from waste generation at offsite landfills. Per Sacramento County guidance, emissions not associated with energy use or transportation (i.e., area sources, water, waste) were excluded in totals to be compared to Sacramento County thresholds but are shown in Tables CC-7 and CC-14 below for informational purposes only. Emissions estimates were categorized by residential land uses, nonresidential land uses, and transportation to be compared to Sacramento County extrapolated thresholds of significance for 2035. Emission estimates for each category are described separately below. The Project is also evaluated for consistency with adopted statewide and local plans intended to reduce GHG emissions.

ENERGY-RELATED GREENHOUSE GAS EMISSIONS FROM RESIDENTIAL LAND USES

The Project includes single-family and multi-family homes, as well as elementary and high schools. Residential emissions were estimated based on the total units to be developed for each residence type. Emissions associated with energy use and natural gas consumption were calculated for these land uses. Emissions are summarized below in Table CC-4 and compared to the calculated 2035 threshold (0.65 MTCO_{2e} per capita/year) for residential land uses. As shown in Table CC-4, emissions associated with residential land uses would not exceed Sacramento County's previously adopted

extrapolated thresholds of significance. Note, these emissions do not reflect emissions reductions that could be achieved through incorporation of SMAQMD's BMP 1.

Table CC-4: Summary of Residential Energy-Related Greenhouse Gas Emissions for the Project in 2035¹

	MTCO ₂ e/year	MTCO ₂ e/capita/year
Estimated Annual Residential GHG Emissions ²	18,534	0.57
Residential Threshold of Significance	21,083	0.65
Exceeds Threshold of Significance?	No	

Notes: GHG = greenhouse gas; MTCO₂e/year = metric tons of carbon dioxide equivalent per year; MTCO₂e/capita/year = metric tons of carbon dioxide equivalent per capita per year.

¹ Emissions estimates include solar photovoltaics as required under the 2019 Title 24, Part 6 Standards.

² Total GHG emissions do not include emissions associated with water use or waste generation.

Calculation details can be found in Appendix AQ-1.

Source: Modeling conducted by Kleinfelder in 2021.

ENERGY-RELATED GREENHOUSE GAS EMISSIONS FROM NONRESIDENTIAL LAND USES

The Project includes nonresidential land uses, which could include a hospital, office park, pharmacy, library, gas stations, strip malls, and restaurants. Emissions associated with energy use and natural gas consumption were calculated for these land uses. Emissions are summarized below in Table CC-5 and compared to the calculated 2035 threshold (3.81 MTCO₂e/Ksf) for nonresidential land uses. As shown in Table CC-5, GHG emissions associated with nonresidential land uses would not exceed the Sacramento County's previously adopted thresholds of significance in 2035. Note, these emissions do not reflect reductions that could be achieved through incorporation of SMAQMD's BMP 1.

Table CC-5: Summary of Nonresidential Energy-Related Greenhouse Gas Emissions in 2035

	MTCO ₂ e/year	MTCO ₂ e/Ksf/year
Estimated Annual Nonresidential GHG Emissions ¹	3,406	1.71
Nonresidential Threshold of Significance	7,605	3.81
Exceeds Threshold of Significance?	No	

Notes: GHG = greenhouse gas; MTCO₂e/year = metric tons of carbon dioxide equivalent per year; MTCO₂e/Ksf/year = metric tons of carbon dioxide equivalent per 1,000 square feet per year.

¹ Total GHG emissions do not include emissions associated with water use or waste generation.

Source: Modeling conducted by Kleinfelder in 2021.

TRANSPORTATION-RELATED GREENHOUSE GAS EMISSIONS

A traffic study was conducted for the Project, which included Project-generated VMT and trip generation for the existing-plus-project (i.e., 2035) scenario. This analysis assumed that the full buildout VMT estimates would occur by 2035, the Project's assumed buildout year. The total population for all residential land uses of the Project was used to compare the estimated mobile emissions to the 2035 VMT threshold of

1.30 MTCO₂e per capita. As shown in Table CC-6, GHG emissions associated with transportation would exceed the Sacramento's previously adopted threshold of significance. Note, these emissions do not reflect reductions that could be achieved through incorporation of SMAQMD's BMP 2.

Table CC-6: Summary of Transportation-Related Greenhouse Gas Emissions in 2035

	MTCO ₂ e/year	MTCO ₂ e/capita/year
Estimated Annual Transportation GHG Emissions	37,603	2.32
Transportation Threshold of Significance	21,083	1.30
Exceeds Threshold of Significance?		Yes

Notes: GHG = greenhouse gas; MTCO₂e/year = metric tons of carbon dioxide equivalent per year; MTCO₂e/capita/year = metric tons of carbon dioxide equivalent per capita per year.

Source: Modeling conducted by Kleinfelder in 2021.

EMISSIONS TOTAL

Emissions from all sectors for the Project are summarized below in Table CC-7. As indicated above, energy consumption attributable to both residential and nonresidential land uses are anticipated to be below the adjusted mass emissions limit previously endorsed by the County. Transportation-related emissions are expected to exceed Sacramento County's previously adopted mass emissions GHG limit. The total MTCO₂e/year reduction needed for the Project to meet Sacramento County's per capita targets are calculated across the three sectors.

Table CC-7: Summary of Unmitigated Annual Greenhouse Gas Emissions Associated with the Project at Full Buildout (2035)

Sector	GHG Emissions (MTCO ₂ e/year)	Mass Emissions GHG Limit (MTCO ₂ e/year) ¹	Reduction Needed (MTCO ₂ e/year)
Residential Energy	18,534	21,083	(2,549)
Nonresidential Energy	3,406	7,605	(4,199)
Transportation	37,603	21,083	16,520
Landscape Equipment	106	NA	NA
Waste Generation	7,483	NA	NA
Water Use	890	NA	NA
Project/Reduction Total	64,606	NA	11,327

Notes: GHG = greenhouse gas; MTCO₂e/year = metric tons of carbon dioxide equivalent per year; NA = not applicable. Parentheses indicate surplus in emission reduction needed.

¹ Mass emissions GHG limits are the equivalent of multiplying the County's extrapolated 2035 thresholds by the Project's population (for residential and transportation sectors) and thousand square feet (for nonresidential sector).

Source: Modeling conducted by Kleinfelder in 2021.

Energy-related emissions associated with the proposed residential land uses category would be 0.57 MTCO₂e/capita, which is below the prior 0.65 MTCO₂e/capita threshold. Energy-related emissions from nonresidential land uses would result in 1.71 MTCO₂e/Ksf, which is below the 3.81 MTCO₂e/Ksf threshold. Both the residential and

nonresidential sectors would be below the previously used thresholds, by 2,549 and 4,199 MTCO₂e/year, respectively. Emissions from Project-generated VMT in 2035 would result in 2.32 MTCO₂e/capita, which is above the 1.30 MTCO₂e/capita prior threshold. The surplus of emissions reductions from the residential and nonresidential sectors can be applied to GHG emissions reductions needed for the mobile sector. The additional reduction of 5,193 MTCO₂e/year would reduce the mobile sector's emissions to 32,410 MTCO₂e/year (2.0 MTCO₂e/capita), but an additional reduction of 11,327 MTCO₂e/year would be required to meet Sacramento County's previously adopted threshold. Even with the additional reductions in GHG emissions from the energy demand of the land use sectors, Project-generated GHG emissions would exceed Sacramento County's previously adopted thresholds of significance for transportation and result in a cumulatively considerable contribution to climate change. These levels of emissions also indicate that the Project would not be consistent with Sacramento County's CAP. This impact would be **significant**.

Mitigation Measure CC-1 would require the Project to comply with SMAQMD's Tier 1 BMPs as project design features, which would reduce on-site GHG emissions through the prohibition of on-site natural gas usage and would require that all projects are constructed to meet CalGreen Tier 2 standards (including the additional requirement that EV capable spaces shall instead be EV ready). SMAQMD's Tier 2 BMP 3 requires that projects demonstrate a 15 percent reduction in VMT per resident and worker, as compared to an existing average VMT per capita for the County. A GHGRP would be prepared to demonstrate that the Project would comply with these BMPs to the degree that the Project's contribution to climate change is less than significant.

As discussed in greater detail below in the analysis of Alternative 2, Project design features would be sufficient to reduce GHG emissions to below the County's extrapolated thresholds of significance for residential energy, nonresidential energy, and transportation sectors.

As a result, application of Mitigation Measure CC-1 would meet the SMAQMD and County requirements for Large Projects and for informational purposes would be sufficient to reduce the Project's emissions to Sacramento County's per capita thresholds.

Application of Mitigation Measure CC-1 would provide the reductions required to meet the applicable thresholds of significance and, therefore, would reduce the Project's contribution to global climate change to a **less-than-significant** level.

ALTERNATIVE 2

Under this alternative, a large portion of the area designated as Low Density Residential would be included as an additional wetland preserve area, which would increase the size of the wetland preserve by 45.5 acres. The acreage of Low Density Residential would increase and the area designated for Medium Density Residential would decrease. However, the Land Use plan under Alternative 2 would remain substantially consistent with that of the Land Use plan for the Project. ~~Emissions from the residential, nonresidential, and transportation sectors are analyzed against the same 2035 extrapolated GHG thresholds developed by Sacramento County.~~ The Applicant

prepared a revised GHGRP (dated August 25, 2022~~January 4, 2021~~, Appendix AQ-1) based on Alternative 2 that also includes analysis of GHG emissions in comparison to the County and SMAQMD's recently adopted significance thresholds. SMAQMD staff verified this GHGRP as technically adequate on August 30, 2022~~January 7, 2021~~.

Design features included in Alternative 2 that would reduce GHG emissions include the following. The corresponding CAPCOA 2021 Handbook greenhouse gas mitigation measures (T-xx) and SMAQMD land use emissions reduction measures (LUT-xx) are identified in parenthesis. These design features are included in the GHG emissions modeling. These design features would not achieve consistency with SMAQMD's thresholds, and the project would have a **potentially significant impact**.

- Project is located within approximately 10 miles of the Sacramento downtown central business district and less than 5 miles from other existing high-density commercial/job centers (LUT-2 and LUT-3).
- Project is located adjacent to other planned developments such that single-use trips would be minimized, i.e., there are more pass-by and diverted trips (LUT-3 and LUT-4).
- Project provides a compact mix of land uses with a connected street and trail network (LUT-3).
- High and medium density housing would comprise for over half of the total dwelling units (LUT-1).
- Housing density is more than 9.5 dwelling units per acre (LUT-1).
- Project includes below market rate housing (LUT-6).
- Approximately 15 percent of the total commercial square footage is dedicated to a mixed-use facility that combines residences and commercial/retail uses (LUT-3).
- Most residential units are within 1,320 feet (one-quarter mile) of a neighborhood park, open space, school, and/or bicycle/pedestrian trail (LUT-3).
- Most residential units are less than one-half mile from shopping and services (LUT-4).
- Project design includes locating at least four schools within the project boundaries such that most students can walk to a local school (LUT-3 and LUT-4).
- Project design includes at least eight parks within the project boundaries such that residents can walk/bike to enjoy the parks (LUT -3 and LUT-4).
- Project design is based on a network of streets in a grid pattern (LUT-8).
- Project design includes access to high frequency bus service that connects to the Watt/Manlove light rail station (LUT-5).
- Bus routes are signalized to avoid traffic delays (T-27).
- Project design promotes a multi-modal system that makes public transit, walking, and bicycling viable and attractive travel choices for residents and employees. Features include:

- Adequate bike parking at nonresidential locations, including the transit center and park and ride locations (T-34, T-47).
- Showers/lockers and other end of trip facilities at nonresidential buildings (T-10).
- Long-term bike parking facilities (T-34, T-47).
- Project includes an extensive pedestrian path and trail system that is convenient and accessible from homes, school, parks, employment, and shopping (LUT-8).
- Pedestrian and bike paths minimize any barriers to pedestrian/bicycle use (e.g., fences, berms and other impediments are eliminated where possible) (LUT-8, T-18, T-20).
- Project includes an on-site transit center and park and ride facilities along the designated transit route of Jackson Highway (LUT-5, T-3).
- Project would subsidize bus rapid transit lanes on Jackson Highway (T-27).
- Project funding and design would result in bus headways of 15 minutes or better (T-26).
- Project includes assessments for regional transportation improvements (T-27).

As described above, Alternative 2 must demonstrate compliance with SMAQMD's Tier 1 (BMP 1 and 2) and Tier 2 (BMP 3) requirements to be considered consistent with the State's long-term GHG reduction goals as detailed in the 2017 Scoping Plan. BMP 1 requires that projects are built without natural gas infrastructure. Elimination of natural gas use, or equivalent GHG emissions reductions, would be required by Mitigation Measure CC-1. As shown in Table CC-8, this is estimated to result in an annual reduction of 7,431 MT CO₂e.

BMP 2 requires that projects meet the current CalGreen Tier 2 standards in place at the time of subsequent small lot tentative subdivision map or design review approval, except all EV capable spaces shall instead be EV ready as defined in the California Green Building Code. All single-family housing and 20 percent of multi-family housing must be pre-wired for EV chargers (not actual chargers, just the pre-wiring) per BMP 2, as required through Mitigation Measure CC-1. In addition, Mitigation Measure AQ-2b would require pre-wiring an additional 57 percent of multi-family housing, for a total of 77 percent. As shown in Table CC-8, this is estimated to result in an annual reduction of 12,250 MT CO₂e.

Finally, as discussed further in Chapter 20, "Transportation and Circulation," of this EIR, Alternative 2 does not achieve the VMT per resident or per employee targets established as 15 percent less than existing average per capita VMT pursuant to BMP 3. Mitigation Measure TR-2 would require community-wide TMA participation, an electric bikeshare program, an electric scootershare program, and a ridesharing program. With the additional transportation mitigation, the VMT per resident (16.94) would be less than the target level (17.17). However, the VMT per employee (14.35) would remain greater than the target level (13.64). The difference between the employee VMT from implementation of Alternative 2 and the target VMT equates to 391 MT of excess GHG emissions annually. The excess emissions must be offset in

accordance with County and SMAQMD requirements to meet SB 743. As shown in Table CC-8, additional project design features are anticipated to achieve the necessary reductions.

**Table CC-8: GHG Emissions Reductions for Alternative 2
Modeled VMT Compared to Default VMT**

	Annual Emissions (MT/year)		
	Non-Mobile GHG	Mobile GHG	Operational GHG
Default VMT Scenario	12,890	63,703	76,593
Modeled VMT Scenario ¹	12,890	32,497	45,387
Percent Reduction	0%²	-49.0%	-40.7%
Amortized Construction Emissions	1,129	-	1,129
Loss of Carbon Sequestration due to Vegetation Removal	329	-	329
Total Equivalent Project Emissions	14,348	32,497	46,845
Quantified Emissions Reductions Not Included in the Traffic Study			
Transportation-Related Project Features ³	-	-1,885	-1,885
Elimination of Natural Gas Emissions ⁴	-7,431	-	-7,431
Carbon Sequestration from the Vegetation Preserve	-2,905		-2,905
Removal of Cattle	-168		-168
Carbon Sequestration from Planted Trees ⁴	-730		-730
Reduction from Electric Landscaping Equipment ⁴	-98		-98
Reduction from Landfill Gas Energy Recovery	-1,183		-1,183
Reduction from 805 Nonresidential EV Charging Stations ⁴	-12,250		-12,250
Reduction from Electrified Construction Equipment ⁴	-756		-756
Closure of the Sacramento Raceway ⁵	-1,610		-1,610
Total Emissions Reductions		-1,885	-46,914
Net GHG after Reductions			-69

Notes:

1 Includes proposed VMT-reducing Project elements reflected in the VMT technical memorandum (i.e., location, mix of land uses, internal proximity, multi-modal efficiency, and transit-supportive features).

2 There is no difference because these emissions are tied to land use (i.e., landfill gas from solid waste, GHG emissions from landscape equipment) and unaffected by VMT.

3 Required through implementation of Mitigation Measure CC-1.

4 Required through Mitigation Measure CC-2.

5 Sacramento Raceway is scheduled to close in November 2023 (Smith, pers.comm., 2021)

Source: Kleinfelder 2022

Notably, this modeling does not account for anticipated changes in transportation. It is anticipated that there will be greater GHG emissions reductions due to regulatory requirements in place when Alternative 2 becomes operational. For example, the new (April 1, 2022) Federal passenger car and light duty truck fleet wide average fuel economy standard of approximately 49 miles per gallon (mpg) for new vehicles by calendar year 2026 has not been accounted for. Moreover, the recently adopted Advanced Clean Cars II Program adopted by CARB in August 2022, which sets the target for 100 percent zero-emission vehicle sales in California by 2035, would further reduce emissions from the on-road mobile source sector. In addition, Mitigation Measure AQ-2b includes requirements that have not been quantified but are understood to confer at least indirect emissions reductions. These include installing low-flow bathroom and kitchen fixtures in all residential units and commercial buildings and installing water-efficient irrigation systems and landscaping for nonresidential areas.

ENERGY-RELATED GREENHOUSE GAS EMISSIONS FROM RESIDENTIAL LAND USES

Emissions from the residential sector for Alternative 2 are summarized in Table CC-8. These emissions reflect compliance with BMP 1, which specifies that projects shall be designed and built without natural gas infrastructure.

Table CC-8: Summary of Residential Energy-Related Greenhouse Gas Emissions in 2035 for Alternative 2¹

	MTCO₂e/year	MTCO₂e/capita/year
Estimated Annual Residential GHG Emissions ²	5,987	0.41
Residential Threshold of Significance	19,529	0.65
Exceeds Threshold of Significance?	No	

Notes: GHG = greenhouse gas; MTCO₂e/year = metric tons of carbon dioxide equivalent per year; MTCO₂e/capita/year = metric tons of carbon dioxide equivalent per capita per year; SMAQMD = Sacramento Metropolitan Air Quality Management District; BMP = best management practice.

¹Emissions estimates include solar photovoltaics as required under the 2019 Title 24, Part 6 Standards and account for compliance with SMAQMD's BMP 1 which restricts the use of on-site natural gas usage.

²Total GHG emissions do not include emissions associated with water use or waste generation.

Calculation details can be found in Appendix AQ-1.

Source: Modeling conducted by Kleinfelder in 2021.

ENERGY-RELATED GREENHOUSE GAS EMISSIONS FROM NONRESIDENTIAL LAND USES

Emissions from the nonresidential sector for Alternative 2 are summarized in Table CC-9. Emissions account for compliance with BMP 1, which specifies that projects shall be designed to preclude the use of on-site natural gas.

Table CC-9: Summary of Nonresidential Energy-Related Greenhouse Gas Emissions in 2035 for Alternative 2¹

	MTCO₂e/year	MTCO₂e/Ksf/year
Estimated Annual Nonresidential GHG Emissions ²	1,993	0.99
Nonresidential Threshold of Significance	7,704	3.81
Exceeds Threshold of Significance?	No	

	MTCO ₂ e/year	MTCO ₂ e/Ksf/year
Notes: GHG = greenhouse gas; MTCO ₂ e/year = metric tons of carbon dioxide equivalent per year; MTCO ₂ e/Ksf/year = metric tons of carbon dioxide equivalent per 1,000 square feet per year; SMAQMD = Sacramento Metropolitan Air Quality Management District; BMP = best management practice. ¹ Emissions estimates account for compliance with SMAQMD's BMP 1 which restricts the use of on-site natural gas usage. ² Total GHG emissions do not include emissions associated with water use or waste generation. Source: Modeling conducted by Kleinfelder in 2021.		

TRANSPORTATION-RELATED GREENHOUSE GAS EMISSIONS

Emissions from the transportation sector for Alternative 2 are summarized in Table CC-10. These emissions reflect compliance with BMP 2 which requires pre-wiring of all single-family housing and 10 percent of multi-family housing for EV ready charging.

Table CC-10: Summary of Transportation-Related Greenhouse Gas Emissions in 2035 for Alternative 2¹

	MTCO ₂ e/year	MTCO ₂ e/capita/year
Estimated Annual Transportation GHG Emissions	21,409	1.47
Transportation Threshold of Significance	19,528	1.30
Exceeds Threshold of Significance?	Yes	

Notes: GHG = greenhouse gas; MTCO₂e/year = metric tons of carbon dioxide equivalent per year; MTCO₂e/capita/year = metric tons of carbon dioxide equivalent per capita per year; SMAQMD = Sacramento Metropolitan Air Quality Management District; BMP = best management practice; EV = electric vehicle.

¹Emissions estimates account for compliance with SMAQMD's BMP 2, which require pre-wiring of all single-family housing and 10 percent of multi-family housing for EV ready charging.

Source: Modeling conducted by Ascent Environmental in 2020.

EMISSIONS TOTAL

Emissions from all sectors for Alternative 2 are summarized below in Table CC-11. As indicated above, energy consumption attributable to both residential and nonresidential land uses are anticipated to be below the adjusted mass emissions limit developed and previously used by Sacramento County. Transportation-related emissions are not expected to exceed Sacramento County's previously adopted mass emissions GHG limit. The total MTCO₂e/year reduction needed for Alternative 2 to meet Sacramento County's per capita targets are calculated across the three sectors.

Table CC-11: Summary of Unmitigated Annual Greenhouse Gas Emissions Associated with the Project at Full Buildout (2035)¹

Sector	GHG Emissions (MTCO ₂ e/year)	Mass Emissions GHG Limit (MTCO ₂ e/year) ^{1,2}	Reduction Needed (MTCO ₂ e/year)
Residential Energy	5,987	19,529	(13,542)
Nonresidential Energy	1,993	7,704	(5,711)
Transportation	21,409	19,528	1,881
Landscape Equipment	98	NA	NA
Waste Generation	5,158	NA	NA
Water Use	897	NA	NA
Reductions Total	5,895	NA	NA

Notes: GHG = greenhouse gas; MTCO₂e/year = metric tons of carbon dioxide equivalent per year; NA = not applicable; SMAQMD = Sacramento Metropolitan Air Quality Management District; BMP = best management practices. Parentheses indicate surplus in emission reduction needed.

¹Annual GHG emissions reflect project design features including the provisions of SMAQMD's BMPs 1, 2, and 3.

² Mass emissions GHG limits are the equivalent of multiplying the County's extrapolated 2035 thresholds by the Project's population (for residential and transportation sectors) and thousand square feet (for nonresidential sector). Source: Modeling conducted by Kleinfelder in 2021.

Energy-related emissions associated with the proposed residential land uses category would result in 0.41 MTCO₂e/capita, which is below the 0.65 MTCO₂e/capita threshold. Energy-related emissions from nonresidential land uses would result in 0.99 MTCO₂e/Ksf, which is below the 3.81 MTCO₂e/Ksf previously adopted threshold. Both the residential and nonresidential sectors would be below the previously adopted threshold, by 13,542 and 5,711 MTCO₂e/year, respectively. Emissions from Alternative 2-generated VMT in 2035 would result in 1.47 MTCO₂e/capita, which is above the 1.30 MTCO₂e/capita previously adopted threshold. The surplus of emissions reductions from the residential and nonresidential sectors can be applied to GHG emissions reductions needed for the mobile sector. The additional reduction of 19,253 MTCO₂e/year would reduce the mobile sector's emissions to 2,156 MTCO₂e/year (0.15 MTCO₂e/capita) which would be below the 1.30 MTCO₂e/capita previously adopted threshold. These emissions levels have been estimated and disclosed herein for informational purposes; however, Sacramento County's previously adopted thresholds of significance are not used as the basis for determining the significance of Alternative 2's GHG emissions.

As discussed under the heading, "Sacramento County Climate Action Planning," the County released its Final CAP in August 2022 for public review. The August 2022 Final CAP contains a suite of measures designed to reduce GHG emissions associated with future development in Sacramento County. As discussed previously, the Final CAP allows for CEQA streamlining for projects located within the UPA and USB. The project is located outside of the UPA; therefore, the Final CAP Checklist cannot be used for CEQA streamlining. 's Phase 2B CAP is in draft form at the time of writing this Recirculated Draft EIR. However, the applicant has prepared an analysis that compares Alternative 2's emissions against the per capita emissions targets identified in the Draft Phase 2B CAP. The Draft Phase 2B CAP identifies a target of 4.0 MTCO₂e/year by 2030. As shown in Appendix CC-1 of this Recirculated Draft EIR, per capita emissions following the reductions achieved in the GHGRP would be 3.2 MTCO₂e in 2035 with implementation of Alternative 2. While Sacramento County has not yet developed a GHG reduction goal for years beyond 2030, it would be expected that the County's GHG reduction goal would continue to decline to at least 2 MTCO₂e/capita by 2050, which is identified as the state's per capita reduction target in the 2017 Scoping Plan (CARB 2017:99). Therefore, Alternative 2's per capita emissions following application of the measures contained in the GHGRP by 2035 would likely show consistency with the Draft Phase 2B CAP. However, as the Draft Phase 2B CAP is in draft form and not yet qualified under CEQA, this analysis does not use CAP consistency to make a significance determination. Mitigation Measure CC-3 would allow future development projects within the plan area to comply with the GHG reduction measures of a CAP, once adopted, rather than implement Mitigation Measures CC-1 and CC-2, subject to demonstration that the emissions reductions measures selected are equivalent to or more effective than Mitigation Measures CC-1 and CC-2.

As explained above, SMAQMD uses a two-tiered approach to determining consistency with state targets intended to reduce the environmental impacts of GHG emissions. To satisfy Tier 1, projects should not include natural gas use and must meet the current

CalGreen Tier 2 EV charging standards except all EV capable spaces shall instead be EV ready. Considering the above project features, GHG reductions were applied as credits to the project for measures that are not required by other existing local or state law. Specifically, regarding EV charging, the project would exceed the EV ready SMAQMD requirement by including 805 nonresidential EV charging stations serving 1,610 parking spaces. GHG reductions associated with the additional chargers were estimated and applied to Alternative 2. Regarding building energy, participation in SMUD's SolarShares program and considering SMUD's 2030 carbon neutrality goals, electricity-related GHG emissions would become zero in the future. In addition, the inclusion of 804 trees on the project site would result in GHG reductions in the form of a credit from natural sequestration capacity. Table CC-8 summarizes these onsite GHG reductions applied to Alternative 2.

Because Alternative 2 would include EV-ready stalls that exceed CalGreen requirements and would be designed to allow the future electrification of non-residential buildings, the project would be consistent long-term climate goals outlined in the 2017 Scoping Plan and justified in SMAQMD's CEQA guide, as summarized above under the heading "Sacramento Metropolitan Air Quality Management District." The inclusion of additional onsite EV charges and landscaping would offset emissions associated with employee VMT that exceeds the SMAQMD threshold.

The 2017 Scoping Plan and SB 32 establish target emission levels under the presumption that achieving these targets through GHG emissions reduction would avoid or substantially lessen significant impacts on the environment. In its 2020 Greenhouse Gas Thresholds for Sacramento County Justification Report, SMAQMD outlines the consistency between its thresholds of significance and the targets of the 2017 Scoping Plan. SMAQMD prepared an inventory for Sacramento County in 2030 and developed local emission reduction targets by sector in line with the local reductions needed to meet the goals of SB 32 and the 2017 Scoping Plan. Based on the evidence provided in SMAQMD's Justification Report linking the application of BMPs in new development to consistency with the 2017 Scoping Plan, consistency with SMAQMD's Tier 1 and Tier 2 GHG Reduction Measures indicates that Alternative 2 would not conflict with the State's 2017 Scoping Plan. Moreover, consistency with SMAQMD's Tier 1 and Tier 2 GHG Reduction Measures would result in GHG emission levels that do not have a significant impact on the environment. As verified by SMAQMD staff, the GHGRP demonstrates that SMAQMD's Tier 1 and Tier 2 BMPs would reduce GHG emissions to below Sacramento County's per capita thresholds of significance. The per capita thresholds were developed based on Sacramento County's GHG inventory and statewide GHG reduction targets, as directed by SB 32 (i.e., reducing statewide GHG emissions to 40 percent below 1990 levels by 2030) and Executive Order S-3-05 (i.e., reducing statewide GHG emissions to 80 percent below 1990 levels by 2050). This impact would be **less than significant** with mitigation because Alternative 2 would incorporate SMAQMD's Tier 1 and Tier 2 BMPs, which have been deemed adequate to minimize potentially significant climate change impacts. Implementation of the measures contained in the GHGRP would result in GHG emissions that are below net zero.

The science informing GHG analyses and the County's adopted programs to address GHG emissions are anticipated to evolve during the 15-year build-out period for the

specific plan. In response, Mitigation Measure CC-3 would allow future projects in the Plan Area to choose to implement GHG reduction measures in the County's Final Climate Action Plan, once adopted. Implementation of Mitigation Measure CC-3 would be subject to project-level modeling demonstrating that the emissions reductions measures selected are equivalent to or more effective than Mitigation Measures CC-1 and CC-2 for the portion of the Plan Area under evaluation. Because the same amount of emissions reductions would be achieved through this measure, there would be no effect on impact significance.

MITIGATION MEASURES

CC-1: Developers of the Jackson Township Specific Plan ~~The Project Applicant~~ shall implement the measures contained in the GHGRP prepared for Alternative 2 (deemed technically adequate by SMAQMD on ~~January 7, 2021~~August 30, 2022). As evaluated and quantified in the GHGRP, Alternative 2 shall be required to comply with the best management practices (BMPs) included in Tier 1 of SMAQMD's CEQA Guidance. ~~The proposed Tier 1 BMPs are as follows:~~

- BMP 1: No natural gas (unless exempted by SMAQMD): Projects shall be designed and constructed without natural gas infrastructure. Alternatively, individual developments requiring natural gas infrastructure must demonstrate emissions reductions equivalent to the emissions anticipated from use of natural gas.
- BMP 2: Electric vehicle (EV) ready: Projects shall meet the current California Green Building Code (CalGreen) Tier 2 standards in place at the time of subsequent small lot tentative subdivision map or design review approval, except all EV capable spaces shall instead be EV ready as defined in the California Green Building Code. Further, projects shall provide prewiring of all single-family and 77 percent of high-density multi-family housing to support Tier 2 charging space requirements. To the extent practicable, such spaces shall be evenly distributed throughout the parking area provided.

The Project shall also be required to comply with the second tier of SMAQMD's updated thresholds, including:

- BMP 3: Residential projects shall achieve a 15 percent reduction in VMT per resident, and office projects should achieve a 15 percent reduction in VMT per worker compared to existing average VMT per capita for the county, or for the city if a more local SB 743 target has been established. Retail projects should achieve no net increase in total VMT, as required to show consistency with SB 743. To reduce VMT, projects shall implement Mitigation Measures TR-2 and TR-3. ~~These reductions can be achieved by many strategies, such as:~~
 - ~~Locate in an area that already has low VMT due to location, transit service, etc.;~~

- ~~○ Adopt California Air Pollution Control Officers Association measures;~~
- ~~○ Adopt measures noted in Sacramento's CAP checklist;~~
- ~~○ Join a Transportation Management Association;~~
- ~~○ Incorporate traffic calming measures;~~
- ~~○ Incorporate pedestrian facilities and connections to public transportation; and/or~~
- ~~○ Promote electric bicycle or other micro-mobility options.~~

The GHGRP, or on-site mitigation measures, shall demonstrate that the Project's operational emissions would not exceed the applicable thresholds for the aforementioned sectors.

CC-2: Future developments for residential (tentative maps) and nonresidential projects (Design Review) shall demonstrate consistency with the GHGRP for Alternative 2 by incorporating the following measures included in the GHGRP; ~~Examples of measures that may be used by future development projects include, the following:~~

- Elimination of all on-site natural gas (unless exempted by SMAQMD);
- Electrification of construction equipment and improved fuel efficiency for equipment to the extent practicable;
- Installation of non-residential EV charging stations for 15% of provided parking spaces;
- Preservation of vegetated land;
- Use of electric landscaping equipment;
- ~~Multifamily residential buildings, nonresidential buildings, and nonresidential land uses shall design at least to Tier 2 charging space requirements (20 percent of parking spaces). These spaces shall be "EV Ready" instead of "EV Capable." Such spaces shall be evenly distributed throughout the parking area provided;~~
- ~~Electrifying loading docks to reduce emission from engine idling of Transport Refrigeration Units;~~
- ~~All electric building envelope systems, including water heaters and HVAC systems, or appliances, including clothes dryers and cooking equipment, in commercial developments;~~
- Inclusion of on-site carbon-zero renewable energy systems capable of serving energy needs of any urban development within the Project, including energy needed for streetlights, sewer pumps, drainage pumps, traffic signals, water pumps, and commercial developments;

- Residential photovoltaic systems designed to be scalable over time to accommodate varying energy demands;
- Nonresidential buildings, and residential buildings of more than three stories, shall include photovoltaic or other on-site renewable energy to provide at least 1 percent of their electrical power demand, in compliance with technical standards specified in CalGreen Appendix 5, section A5.211.1, "On-site renewable energy;"
- ~~Cool pavement, as defined by the Capital Region Climate Readiness Collaborative and SMAQMD, shall be used for all hard-surfaced roadways, parking areas, walkways, and bicycle paths. High albedo materials shall have reflectance values at a minimum in compliance with requirements of CalGreen Appendix 4, Section A4.106.7, "Reduction of Heat Island Effect for Nonroof Areas." Other cool pavement technologies of equivalent or greater effectiveness may be substituted with approval of Sacramento County and SMAQMD;~~
- Indoor water use efficiency; and
- Planting of on-site trees and other native and/or drought tolerant landscaping pursuant to Sacramento County Zoning Code Section 5.2.4.; and
- ~~Institute a composting and recycling program in excess of local standards.~~

Or,

CC-3: If When the County adopts a ~~Communitywide~~ Final Climate Action Plan, future development projects within the Jackson Township Specific Plan ~~shall~~ may incorporate ~~comply with the~~ GHG emissions reductions measures contained therein. Such participation shall be subject to a demonstration that the emissions reductions measures selected are equivalent to or more effective than Mitigation Measures CC-1 and CC-2 for the portion of the Plan Area in question.

SACRAMENTO RACEWAY EMISSIONS

The Plan Area includes the Sacramento Raceway, which hosts regulator stock car and drag racing events several times a month throughout the year. Operation of the raceway is not a County-permitted land use in the area, and the ongoing racing activities have been a source of several code enforcement actions over many years. Full build-out of the Project would result in the discontinued operation of the Raceway, thereby eliminating the associated GHG emissions. Additionally, as stated previously under the heading, "Methodology," the emissions associated with Raceway operations are included in the Project's baseline and are, therefore, not required to be mitigated or included in the GHGRP prepared for the Project.

Nonetheless, for informational purposes, the emissions from the Sacramento Raceway are disclosed here and summarized in Table CC-429, below.

Table CC-429: Summary of Emissions Associated with the Sacramento Raceway

Description	Annual GHG Emissions (MTCO ₂ e/year)
Drag Racing	1,586
Motocross	24
Total	1,610

Notes: MTCO₂e/year = metric tons of carbon dioxide equivalent per year.

Calculation details can be found in Appendix AQ-1.

Source: Modeling conducted by Kleinfelder in 2021.

As shown in Table CC-429, the combined emissions from drag racing and motocross at the Sacramento Raceway would result in emissions of 1,610 MTCO₂e/year in 2035. If the raceway remains operational in 2040 ~~2035~~, actual operation could vary from 2019 activities and generate different levels of greenhouse gas emissions. However, these emissions are anticipated to be eliminated from discontinued Raceway operations (Smith, pers. comm., 2021).

IMPACT: CLIMATE CHANGE EFFECTS ON THE PROJECT

PROPOSED PROJECT

As discussed previously in this section, there is substantial evidence that human-induced increases in GHG concentrations in the atmosphere have led to increased global average temperatures (climate change) through the intensification of the greenhouse effect, and associated changes in local, regional, and global average climatic conditions. Although there is a strong scientific consensus that global climate change is occurring and is influenced by human activity, there is less certainty as to the timing, severity, and potential consequences of the climate phenomena, particularly at specific locations. Scientists have identified several ways in which global climate change could alter the physical environment in California (CNRA 2018, OPR et al., and IPCC 2014). These include:

- increased average temperatures;
- modifications to the timing, amount, and form (rain vs. snow) of precipitation;
- changes in the timing and amount of runoff;
- reduced water supply;
- deterioration of water quality; and
- elevated sea level.

Several of these changes may translate into a variety of issues and concerns that may affect the Plan Area, including:

- increased frequency and intensity of wildfire as a result of changing precipitation patterns and temperatures;

- reliability in water supply associated with changes to precipitation and snowmelt patterns; and
- increased risk of flooding. (Refer to Chapter 14, “Hydrology, Drainage, and Water Quality,” for more details about flood protection and climate change.)

These issues would constitute effects of the environment on the Project and, as such, are not impacts of the Project pursuant to CEQA. Nonetheless, this analysis has been prepared to qualitatively disclose anticipated conditions and inform County decision makers of the range of potential effects that could occur, consistent with the fundamental purpose of CEQA.

Annual average temperatures in Sacramento County are projected to increase steadily. According to Cal-Adapt, the Plan Area is projected to experience a temperature increase of 3.5°F by 2050 and 5.9°F by 2099 under the low-emissions scenario, and an increase of 4.1°F by 2050 and 8.7°F by 2099 under the high-emissions scenario, as compared to the 1961 to 1990 baseline period (CEC 2019).

Increased temperature is expected to lead to secondary climate change impacts, including increases in the frequency, intensity, and duration of extreme heat days and multi-day heat waves/events in California. Cal-Adapt defines the extreme heat day threshold for Sacramento County as 103.5°F or higher. An extreme heat day is defined as day between April through October where the maximum temperature exceeds the 98th historical percentile of maximum temperature based on daily temperature data from 1961 to 1990 (i.e., 103.5°F). From the data collected from 1961 to 1990, Sacramento County has a historical average of 4 extreme heat days per year. Sacramento County is already experiencing an increase in the frequency of extreme heat days per year with a current average of 7 to 11 extreme heat days per year from 2010 to 2016, with 16 extreme heat days in 2015 (CEC 2019).

Cal-Adapt data shows a range of projected increases in the number of extreme heat days by 2099, all of which are at least four times the historical (1961-1990) average in both emissions scenarios. The projected annual average number of extreme heat days under the low-emissions scenario is approximately 20 days per year in 2050 and 24 days per year at the end of the century. Under the high-emissions scenario, Cal-Adapt predicts that the Plan Area will experience 20 extreme heat days per year in 2050 and 43 days per year by 2099 (CEC 2019).

The Project would meet the 2019 Title 24 building energy standards, which require well-insulated buildings and high-efficiency heating, ventilation, and air conditioning units. The Project would also plant shade trees throughout the Plan Area, which would assist in mitigating the urban heat island effect that may intensify with the projected increase in extreme heat days.

Fire risk data for the state has been projected for years 2020, 2050, and 2085. The data models the areas within the state that are projected to experience increases in area burned compared to the expected burn rate without climate change. Based on these maps, the Project is not located within an area projected to experience greater than expected wildland fire risks (CEC 2019). However, wildfires within the Sierra Nevada and areas outside the county could affect air quality in Sacramento County. Wildland fires

produce substantial emissions of particulate matter (e.g., smoke, soot), which may cause health effects including restricted breathing and aggravation of existing respiratory and cardiovascular diseases in the short-term, and alterations to immune systems and cancer from chronic exposure. Particulate matter from wildfire dissipates throughout the Central Valley, degrading air quality conditions for short or extended periods of time. The duration of wildfire-related particulate matter in the county's air is linked to wind patterns originating from the Sacramento-San Joaquin Delta. Colloquially known as the "Delta Breeze," oceanic winds are channeled through the Delta into Sacramento County, and help disperse air pollutants north of the Sacramento Valley; however, during about half of the days from July to September, a phenomenon called the "Schultz Eddy" prevents this from occurring. These natural phenomena affect the severity of wildfire-related air pollution in Sacramento County (SMAQMD 2016). For example, during the summers of 2013 through 2015, and nearly all of 2018, several wildfire incidents occurred in Northern California that increased levels of particulate matter within Sacramento County. For instance, the 2018 Camp Fire, which burned through the town of Paradise in Butte County, resulted in hazardous concentrations of PM_{2.5} exceeding 200 micrograms per cubic meter in Sacramento County for several days.

Sacramento Metropolitan Fire District (Metro Fire) is a combination of 16 smaller fire departments in the Sacramento area. Metro Fire's Community Wildfire Protection Plan (CWPP) works to improve the resiliency of the Sacramento area to wildfires. This is achieved through identifying community wildfire risk, delineating the wildland/urban interface, implementing vegetation best management practices, and providing education and outreach (Metro Fire 2012).

The Sacramento County General Plan includes several policies described above that address and mitigate wildfire risk. As determined by CALFIRE, the Project is not located in an area anticipated to have an increase in fire risk because of climate change (CAL FIRE 2007). Further, through implementation of Metro Fire's CCWP and the policies listed in the County's 2030 General Plan, wildland fire risk would be reduced.

The Sacramento County Water Agency (SCWA) would be the responsible water purveyor for the Project and has prepared a Water Supply Assessment (WSA) to demonstrate that the planned water supplied of the SCWA are sufficient to meet the demands of the Project in addition to the existing and projected water supply obligations of SCWA (SCWA 2016). Water supply was evaluated for normal, single-dry, and multiple-dry years. The Project lies entirely within the boundaries of SCWA's Zone 40/41 service area.

Based on the WSA, the Project is anticipated to require 2.360 acre-feet of water per year. The Project includes a Water Supply Master Plan Amendment to modify the existing Zone 40 Water Supply Master Plan so that it includes provision of water service to the Jackson Township Specific Plan Area. The amendment addresses the water demands and infrastructure necessary to service the Project and requires approval from the Sacramento County Water Agency Board of Directors (see Appendix WS-3). As discussed further in Chapter 19, "Water Supply," SWCA would have adequate capacity to support the Project; even during multiple dry years, as could occur during climate change.

As discussed above, climate change is a global issue. With respect to increased temperature, sea-level rise, and increased wildfire risk, the IPCC predicts these phenomena as occurring with a high-degree of confidence with a 1.5°C global temperature increase; however, other changes to climate such changes to precipitation patterns (i.e., more intense precipitation events and droughts) and increase flood risk are predicted with a medium level of confidence (IPCC 2018). Nonetheless, the exact location and degree of severity of impacts is speculative. The potential impacts to the Project from global climate change are, therefore, discussed above and provided for the purpose of disclosure.

ALTERNATIVE 2

Although Alternative 2 differs from the Project in its mix of land uses and trip generation, the location would be nearly identical. Thus, the climate change impacts discussed above for the Project would also apply to Alternative 2.

10 CULTURAL RESOURCES


INTRODUCTION

Under CEQA, lead agencies must consider the effects of their projects on cultural resources. This chapter describes the regulatory and environmental setting for cultural resources in the Plan Area, identifies and analyzes impacts related to the implementation of the Project and Alternative 2, and if necessary, recommends mitigation measures to reduce or eliminate significant impacts.

Several cultural resource studies have been prepared within and in the vicinity of the Plan Area. Most recently, Ric Windmiller and Associates (January 2014) and ECORP (September 2014) prepared cultural resource studies for those properties owned by the Project Applicant within the Plan Area. The Excelsior Estates Area of Potential Effect (APE) is comprised of those properties owned by the Project Applicant and is outlined in Plate CR-1. The Windmiller and ECORP studies provide the primary background data for this chapter.

The remainder of the Plan Area was not subject to cultural resource investigations beyond a records search and literature review because the properties are owned by non-participating landowners. These properties have not been surveyed and evaluated for the National Register of Historic Places (NRHP) or California Register of Historical Resources (CRHR). This is appropriate for a program level analysis, but those properties not included in the Excelsior Estates APE will be subject to cultural resources studies as development applications are received by the County. These properties will be subject to the mitigation measures provided in this EIR, as well as any additional mitigation that may be recommended by future cultural resource studies.

There were no comments on the Notice of Preparation (NOP) pertaining to cultural resources.



Source: ECORP Consulting, Inc., Cultural Resources Inventory Addendum and Evaluation Report for the Excelsior Estates Project Area, Jackson Township Specific Plan, September 15, 2014.

Plate CR-2: Excelsior Estates APE

ENVIRONMENTAL SETTING

RESOURCES WITHIN THE APE

The Excelsior Estates APE is comprised of the 887-acres within the Plan Area that are owned by the Project Applicant. The Project Applicant anticipates that the maximum depth of ground disturbance will be 15 feet and the maximum height will be 30 feet above the grade.

As noted in the Introduction of this chapter, Ric Windmiller and Associates (2014 Windmiller) and ECORP (2014) completed the most recent cultural resource studies for the Plan Area. The 2014 Windmiller report included a pedestrian survey of the Excelsior Estates APE and identified five potential historic-era cultural resources. The purpose of the ECORP study was to evaluate the resources that had been identified in the 2014 Windmiller study for eligibility for the NRHP or the CRHR to meet US Army Corps of Engineers (USACE) standards for the Clean Water Act Section 404 permit, and to survey an additional 25-acre parcel that was acquired by the Project Applicant (and added to the Excelsior Estates APE) after the 2014 Windmiller study had been completed. ECORP conducted a pedestrian study of the 25-acre property; however, subsurface testing was not conducted because the area is not planned for immediate development and will remain zoned as agricultural residential for now. Development of this parcel and the remaining future urban growth area will require further studies and entitlements.

The five resources with potential cultural/historical significance recorded within the APE are: Field Number Excelsior-1 (Homestead Site), Field Number Excelsior-2 (Homestead Site), Field Number Excelsior-3 (Road Segment), Field Number Excelsior-4 (Electrical Transmission Lines and Towers), and Isolated Finds (Stone Flakes).

A sixth resource identified in earlier cultural resource studies (P-34-2106 Foundations) was further evaluated because it was determined to be outside of the APE; however, it will require evaluation before development can occur on the property on which it is located.

FIELD NUMBER EXCELSIOR-1 (HOMESTEAD SITE)

This site consists of the ruins of a historic house and grounds that contains a large ovoid cellar pit, an over-mature black walnut tree, a well with iron windmill pump mounted on the well's portal, three tree stumps, and a privy. Subsurface testing of this site was carried out in August 2014 and identified domestic and architectural items dating to the 1890s.

FIELD NUMBER EXCELSIOR-2 (HOMESTEAD SITE)

This site contains the ruins of a historical house and grounds, including a square cellar pit, a possible privy pit, a cluster of dead saplings on the east side of the cellar pit, and an over-mature black walnut tree. Subsurface testing was conducted in August 2014.

FIELD NUMBER EXCELSIOR-3 (ROAD SEGMENT)

This site is a 2,500-foot unpaved segment of Kiefer Boulevard. The road segment averages approximately 15 feet in width and meanders between a broader fenced boundary. There are ruts from modern vehicles but no wagon ruts or other features 50 years old or older. Modern trash was located along the segment.

FIELD NUMBER EXCELSIOR-4 (ELECTRICAL TRANSMISSION LINES AND TOWERS)

There are two parallel sets of high voltage electrical transmission lines with lattice-type steel towers that span the APE from the northeast to the southwest. Based on topographic maps and archival research indicating that right-of-way for the lines was purchased in 1956, the transmission lines were likely construction between 1956 and 1958.

P-34-2177 (RANCH COMPLEX)

This site is a ranch complex with seven historic features, including two houses, one detached garage, two barns, a barn foundation, an agricultural pond, possibly a changing room for the pool, and a covered patio. Subsurface testing was conducted in August 2014.

P-34-2106 (FOUNDATIONS)

These barn foundations, identified in the 2014 Windmill study, are located outside of the APE.

25-ACRE PROPERTY ON JACKSON ROAD

This property contains a historic structure built in 1930 and was added to the Excelsior Estates APE after the 2014 Windmill study was completed.

REGULATORY SETTING

FEDERAL***NATIONAL HISTORIC PRESERVATION ACT, 1966***

Federal regulations for cultural resources are governed primarily by Section 106 of the National Historic Preservation Act (NHPA) of 1966 (as amended). Section 106 of the NHPA requires Federal agencies to take into account the effects of their undertakings on historic properties and affords the Advisory Council on Historic Preservation (ACHP) a reasonable opportunity to comment on such undertakings. The ACHP's implementing regulations are the "Protection of Historic Properties" 36 Code of Federal Regulations (CFR) Part 800. The Federal agency first must determine whether it has an undertaking that is a type of activity that could affect historic properties. Historic properties are those that meet the criteria for or are listed in the NRHP.

NATIONAL REGISTER OF HISTORIC PLACES

“Historic properties,” as defined by the ACHP, include any “prehistoric or historic district, site, building, structure, or object included in, or eligible for inclusion in the NRHP maintained by the Secretary of the Interior” (CFR Section 800.16(I)). Eligibility for inclusion in the NRHP is determined by applying the following criteria, developed by the National Park Service in accordance with the NHPA:

The quality of significance in American history, architecture, archaeology, engineering and culture are present in districts, sites, buildings, structures, and objects that possess integrity of location, design, setting, materials, workmanship, feeling and association and that:

- a) Are associated with events that have made a significant contribution to the broad pattern of our history; or
- b) Are associated with the lives of persons significant in our past; or
- c) Embody the distinctive characteristic of a type, period, or method of installation, or that represent the work of a master, or that possess high artistic values, or that represent a significant and distinguishable entity whose components may lack individual distinction; or
- d) Have yielded, or may be likely to yield, information important in prehistory or history.

STATE

Under CEQA, lead agencies must consider the effects of their projects on historical resources. The California Environmental Quality Act (CEQA) defines a “historical resource” as a resource listed in, or determined to be eligible for listing in, the CRHR, a resource included in a local register of historical resources, and any object, building, structure, site, area, place, record, or manuscript which a lead agency determines to be historically significant (Section 15064.5[a] of the Guidelines). Sacramento County does not currently have a local register. Public Resources Code (PRC) Section 5024.1 requires that any properties that can be expected to be directly or indirectly affected by a proposed project be evaluated for CRHR eligibility. According to PRC Section 5024.1(c)(1–4), a resource may be considered historically significant if it retains integrity and meets at least one of the following criteria. A property may be listed in the CRHR if the resource:

- 1. Is associated with events that have made a significant contribution to the broad patterns of California's history and cultural heritage;
- 2. Is associated with the lives of persons important in our past;
- 3. Embodies the distinctive characteristics of a type, period, region or method of installation, or represents the work of an important creative individual, or possesses high artistic values; or
- 4. Has yielded, or may be likely to yield, information important in prehistory or history.

To be considered eligible, a resource must meet one of the above stated criteria and also retain integrity. Integrity has been defined by the National Park Service as consisting of seven elements: location, design, setting, materials, workmanship, feeling, and association.

Impacts to historical resources that materially impair those characteristics that convey its historical significance and justify its inclusion or eligibility for the NRHP or CRHR are considered a significant effect on the environment (CEQA Guidelines 15064.5)).

In addition to historically significant resources, which can include archaeological resources that meet the criteria listed above, an archeological site may meet the definition of a “unique archeological resource” as defined in PRC Section 21083.2(g):

An archaeological artifact, object, or site about which it can be clearly demonstrated that, without merely adding to the current body of knowledge, there is a high probability that it meets any of the following criteria:

- (1) Contains information needed to answer important scientific research questions and that there is a demonstrable public interest in that information.
- (2) Has a special and particular quality such as being the oldest of its type or the best available example of its type.
- (3) Is directly associated with a scientifically recognized important prehistoric or historic event or person.

If it can be demonstrated that a project will cause damage to a unique archaeological resource, the lead agency may require reasonable efforts to be made to permit any or all of these resources to be preserved in place or left in an undisturbed state. To the extent that they cannot be left undisturbed, mitigation measures are required (Public Resources Code Section 21083.2 (a), (b) and (c)). State CEQA Guidelines Section 15064.5, subdivision (e), requires that excavation activities be stopped whenever human remains are uncovered and that the county coroner be called in to assess the remains. If the county coroner determines that the remains are those of Native Americans, the Native American Heritage Commission (NAHC) must be contacted within 24 hours. At that time, the lead agency must consult with the appropriate Native Americans, if any, as timely identified by the NAHC. Section 15064.5 directs the lead agency (or applicant), under certain circumstances, to develop an agreement with the Native Americans for the treatment and disposition of the remains.

SENATE BILL 18

California Senate Bill (SB) 18 (Burton, Chapter 905, Statutes of 2004) requires local governments to consult with State- and federally recognized Native American tribes prior to making certain planning decisions and to provide notice to the tribes at certain key points in the planning process. These consultation and notice requirements apply to adoption and amendment of both general plans and specific plans. The principal objective of SB 18 is to preserve and protect cultural places of California Native Americans.

ASSEMBLY BILL 52

Pursuant to Assembly Bill (AB) 52, “[a] project with an effect that may cause a substantial adverse change in the significance of a tribal cultural resource is a project that may have a significant effect on the environment.” (Pub. Resources Code, § 21084.2.). To help determine whether a project may have such an effect, the Public Resources Code requires a lead agency to consult with any California Native American tribe that requests consultation and is traditionally and culturally affiliated with the geographic area of a proposed project. That consultation must take place prior to the determination of whether a negative declaration, mitigated negative declaration, or environmental impact report is required for a project. (Pub. Resources Code, § 21080.3.1.)

AB 52 adds tribal cultural resources to the categories of cultural resources in CEQA, which had formerly been limited to historic, archaeological, and paleontological resources. “Tribal cultural resources” are defined as either:

- (1) Sites, features, places, cultural landscapes, sacred places, and objects with cultural value to a California Native American tribe that are either of the following:
 - a. Included or determined to be eligible for inclusion in the CRHR
 - b. Included in a local register of historical resources as defined in subdivision (k) of Section 5020.1.
- (2) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Section 5024.1. In applying the criteria set forth in subdivision (c) of Section 5024.1 for the purposes of this paragraph, the lead agency shall consider the significance of the resource to a California Native American tribe.

As stated in Section 11 of AB 52, this act shall apply only to a project that has a notice of preparation or a notice of negative declaration or mitigated negative declaration filed on or after July 1, 2015. The NOP for this EIR was filed with the State Clearinghouse on June 14, 2013. Therefore, this EIR is not subject to AB 52; however, County staff notified tribes of the Project via the SB 18 consultation process. Additional information is provided below under Methodology.

LOCAL**2030 SACRAMENTO COUNTY GENERAL PLAN**

The following 2030 General Plan policies pertaining to cultural resources are applicable to the Project:

- CO-150. Utilize local, state and national resources, such as the NCIC, to assist in determining the need for a cultural resources survey during project review.
- CO-151. Projects involving an adoption or amendment of a General Plan or Specific Plan or the designation of open space shall be noticed to all appropriate Native American tribes in order to aid in the protection of traditional tribal cultural places.

- CO-157. Monitor projects during construction to ensure crews follow proper reporting, safeguards, and procedures.
- CO-158. As a condition of approval of discretionary permits, a procedure shall be included to cover the potential discovery of archaeological resources during development or construction.

COMMUNITY PLANS

CORDOVA COMMUNITY PLAN

The Cordova Community Plan does not contain objectives pertaining to cultural resources or TCR's identified that would apply to the Project.

VINEYARD COMMUNITY PLAN

The Vineyard Community Plan does not contain policies pertaining to cultural resources or TCR's that would apply to the Project.

IMPACTS AND ANALYSIS

SIGNIFICANCE CRITERIA

1. Based on the CEQA Guidelines, a cultural resources impact is significant if implementation of the Project would: Cause a substantial adverse change in the significance of a historical resource;
2. Cause a substantial adverse change in the significance of an archaeological resource;
3. Disturb any human remains, including those interred outside of formal cemeteries; or
4. Cause a substantial adverse change in the significance of a tribal cultural resource.

ISSUES NOT DISCUSSED FURTHER

All potential archaeological, historical, and tribal cultural resources issues identified in the significance criteria are evaluated below.

METHODOLOGY

The impact analysis for archaeological and historical resources is based on the findings and recommendations of the *Cultural Resources Inventory Addendum and Evaluation Report for the Excelsior Estates Project Area, Jackson Township Specific Plan Sacramento County, California* (ECORP 2014), the *Excelsior Estates: Updated Cultural Resources Inventory and Evaluation for NHPA Section 106 Consultation, Sacramento County, California* (Windmiller 2014), and other prior studies appended to these reports. The analysis is also informed by the provisions and requirements of federal, state, and local laws and regulations that apply to cultural resources.

CULTURAL RESOURCES STUDIES

PREVIOUS STUDIES

Portions of the Plan Area have been the subject of as many as three cultural studies, and additional studies have been completed for properties surrounding the Plan Area. These studies did not identify historic or archeological resources eligible for the NRHP or CRHP.

- 1974: archaeologist Jerald J. Johnson conducted a filed survey of the Morrison Creek Stream Group, which included lakes along the Sacramento River, Mather Air Force Base, and a small portion of the Elder Creek drainage located in the central portion of the Plan Area.
- 1985: Mather Air Force Base archaeological study by the Archaeological Study Center, California State University surveyed the area just north of the Plan Area
- 1991: archaeological study of 1,041 acres directly west of the Plan Area by EDAW, Inc.
- 2008: archaeologist Sean Michael Jensen prepared a survey of the properties owned by the Project Applicant. Jensen observed six pieces of basalt and one piece of chert of Native American origin, all of which were located at widely scattered locations throughout the Excelsior Estates APE. The stone flakes were identified as “isolated finds” and their locations and specific characteristics were not identified. The study determined that the isolated finds were not eligible for the National Register.
- 2008: Far Western Anthropological Research Group conducted a survey along State Route 16 (also known as Jackson Highway or Jackson Road) south of the Plan Area. In their report, Far Western identified foundation remains from a barn that was impacted by improvements on Highway 16. The 2014 Windmill study determined that the resource was not eligible for inclusion in the CRHR or the NRHP. The 2014 ECORP study did not reassess the resource because it is located outside of the Excelsior Estates APE. The ECORP study recommends that no ground disturbing activity or demolition should occur until the lead agencies can concur with the evaluation of eligibility provided in the 2014 Windmill study.
- 2009: Ric Windmill studied the 800 acres adjoining the Plan Area to the east.

NATIVE AMERICAN CONSULTATION

The 2014 Windmill study included documentation of Native American Consultation. In 2013, the NAHC indicated that a sacred lands file search had been negative, but provided a list of 14 Native American contacts whom may have information about possible sites in the area. On October 7, 2013, Windmill sent letters to each contact asking for information on any possible sites of Native American significance within the Excelsior Estates APE.

Responses were received from representatives of the United Auburn Indian Community of the Auburn Rancheria (October 18, 2013), the Lone Band of Miwok Indians (October

25, 2013), the Shingle Springs Band of Miwok Indians (December 2, 2013), and the Wilton Rancheria (December 11, 2013). The responses requested that they be able to review any additional reports prepared for the Plan Area, including archaeological reports, environmental documents, additional mapping, full records searches, and geotechnical data. The Shingle Springs Band of Miwok Indians requested to initiate consultation, but no further documentation of consultation is included in the report.

On January 31, 2014, Windmiller left messages for those tribes who had not responded previously. One contact from the Colfax-Todds Valley Consolidated Tribe indicated that she had no knowledge of sites within the Plan Area.

FIELD ASSESSMENT

The Excelsior Estates APE was subjected to an intensive pedestrian survey in 2007-2008 as part of the 2008 Sean Michael Jensen cultural resources study. That pedestrian survey was done in 15-20 meter transects while searching for prehistoric archaeological resources and 20-30 meter transects while looking at historic sites. Due to this and another previous pedestrian survey done in 1974, the 2014 Windmiller study included a pedestrian survey done on widely-spaced transects in November 2013.

ECORP included an intensive pedestrian survey for the 25-acre parcel that had been added to the APE since the preparation of the 2014 Windmiller study. The pedestrian survey for this property revealed a historic-era residence with a barn and corrals. The house was built in 1930, and the barn was constructed between 2004 and 2005 and so is not considered to a historic resource. The residence was not evaluated for eligibility for the NRHP or CRHR, but the ECORP study acknowledged that an architectural historian would need to conduct this evaluation.

SB-18 CONSULTATION

County staff sent letters to eight tribes inviting them to consult on the project under SB-18 on September 26, 2013. Responses were received from Shingle Springs Rancheria and the United Auburn Indian Community of the Auburn Rancheria requesting consultation.

The October 18, 2013 response from the United Auburn Indian Community of the Auburn Rancheria requested that the tribe be consulted on the Project and to set a meeting date. After several follow-up inquiries between County staff and tribal representatives, a consultation meeting took place on January 17, 2014. At the meeting, the proposed Project and the other Jackson Highway Master Plan projects were introduced. The tribal representatives requested Project GIS shape files and a follow-up meeting in February or March 2014; however, no further contact or response was received.

The Shingle Springs Band of Miwok Indians sent a letter dated October 28, 2013 requesting to be added as a consulting party in identifying any Traditional Cultural Properties. Voicemail and e-mail messages were sent to the Assistant Cultural Resource Director and the Administrative Assistant requesting possible meeting dates, but no response was received.

On June 24, 2016, the County sent SB-18 letters to a revised list of tribal representatives provided by the Native American Heritage Commission, including the two tribes who had previously requested consultation in 2013. The letters sent to the Shingle Springs Band of Miwok Indians and the United Auburn Indian Community of the Auburn Rancheria summarized the previous responses and consultation efforts. No responses were received.

IMPACT: CAUSE A SUBSTANTIAL ADVERSE CHANGE IN THE SIGNIFICANCE OF A HISTORICAL RESOURCE

PROPOSED PROJECT

The 2014 Windmill study identified five potential cultural resources: two homestead sites (Excelsior-1 and Excelsior-2), one ranch complex (P-34-2177), one electrical transmission line (Excelsior-3), and one historic road segment (Excelsior-4). The 2014 ECORP report evaluated these resources and determined that none meet the criteria for inclusion on the NRHP or CRHR. The 2014 ECORP report recommended no further action for these resources. Therefore, impacts of the Project on these resources would be less than significant.

In addition to the five resources identified above, the 2014 Windmill study identified a barn foundation located along Jackson Road (P-34-2106). The site had been heavily disturbed and impacted by roadway improvements. The 2014 Windmill study evaluated the resource and determined that it was not eligible for inclusion in the NRHP or CRHR. The ECORP report noted that the resource was located outside of the Excelsior Estates APE, and recommended further evaluation.

Likewise, ECORP recommended further evaluation of the 25-acre property on Jackson Road that was added to the Excelsior Estates APE after completion of the 2014 Windmill study. ECORP conducted a pedestrian survey of the property and documented a historic structure built in 1930; however, the structure was not evaluated for eligibility in the NRHP or CRHR. This resource is located within the area designated as Agriculture in the Plan Area. The area is assumed for future urban development, but the timeframe of development is unknown, and the area is likely to remain in agricultural use for the foreseeable future.

The cultural resource consultants did not have access to the non-participating properties; therefore, future development within these properties will require further cultural resource studies and evaluations prior to approval of their development.

Based on this information, the impact associated with development of the property containing P-34-2106, the 25-acre parcel, and the remaining non-participating properties is considered to be **potentially significant**, and further evaluation is required. Project impacts will be **less than significant with mitigation** with implementation of Mitigation Measure CR-1.

ALTERNATIVE 2

Alternative 2 would have a smaller development footprint than the Project due to a larger wetland preserve; however, the APE for Alternative 2 includes the 25-acre

property added to the Excelsior Estates APE and non-participating properties. Although the potential for impact would be slightly reduced from the Project due to the slightly smaller development footprint under Alternative 2, non-participating properties would still require additional evaluation, as specified in Mitigation Measure CR-1. Therefore, the impact from Alternative 2 on historical resources would be **less than significant with mitigation**.

MITIGATION MEASURES

CR-1: Cultural resources studies shall be prepared for each future development application for non-participating properties, the property containing P-34-2106, and the 25-acre parcel within the Plan Area. All cultural resources studies shall be prepared by a cultural resources professional that meets the Secretary of the Interior's Professional Qualifications Standards. Studies should include a full pedestrian survey of the subject property.

A historic resource evaluation report shall be completed prior to development of the 25-acre property added to the Excelsior Estates APE that provides an eligibility analysis for the historic structures located within that property. The studies should provide mitigation strategies where required for resources.

IMPACT: CAUSE A SUBSTANTIAL CHANGE TO ARCHAEOLOGICAL RESOURCES

PROPOSED PROJECT

No archaeological resources were identified as a result of studies conducted in the Excelsior Estates APE. A 2008 cultural resources report prepared for properties within the Plan Area described seven artifacts, including six pieces of basalt and one piece of chert, that were discovered scattered throughout the properties. That report did not note the specific locations of the artifacts, nor did it complete full documentation of the artifacts, and they were described as isolates. Despite the discovery of these artifacts, the two subsequent cultural resources studies prepared for the Excelsior Estates APE did not recover any additional archaeological evidence anywhere within the APE, nor did archival research provide substantial evidence that similar artifacts are likely to be found within the Plan Area. Given that previous artifacts were discovered, although not well documented, and because it is still possible that significant buried archaeological materials are present within the Excelsior Estates APE and the Plan Area, it is possible that such resources could be uncovered during ground disturbing activities associated with development. This impact would be **potentially significant**, but the implementation of Mitigation Measure CR-2 would reduce this impact to **less than significant with mitigation**.

ALTERNATIVE 2

Alternative 2 would have a reduced development footprint due to a larger wetland preserve area, so the potential to encounter unknown archaeological resources is slightly reduced from that of the Project. Like the Project, there are no known archaeological resources within the Plan Area, but it is possible that unknown resources could be uncovered during ground-disturbing activities. Therefore, the impact would be

potentially significant. With implementation of Mitigation Measure CR-2, the impact would be **less than significant with mitigation.**

MITIGATION MEASURES

CR-2: In the event that human remains are discovered in any location other than a dedicated cemetery, work shall be halted and the County Coroner contacted. For all other unexpected cultural resources discovered during Project construction, work shall be halted until a qualified archaeologist may evaluate the resource encountered.

1. Pursuant to Sections 5097.97 and 5097.98 of the State Public Resources Code, and Section 7050.5 of the State Health and Safety Code, if a human bone or bone of unknown origin is found during construction, all work is to stop and the County Coroner and the Office of Planning and Environmental Review shall be immediately notified. If the remains are determined to be Native American, the coroner shall notify the Native American Heritage Commission within 24 hours, and the Native American Heritage Commission shall identify the person or persons it believes to be the most likely descendent from the deceased Native American. The most likely descendent may make recommendations to the landowner or the person responsible for the excavation work, for means of treating or disposition of, with appropriate dignity, the human remains and any associated grave goods.
2. In the event of an inadvertent discovery of cultural resources (excluding human remains) during construction, all work must halt within a 100-foot radius of the discovery. A qualified professional archaeologist, meeting the Secretary of the Interior's Professional Qualification Standards for prehistoric and historic archaeology, shall be retained at the Project Applicant's expense to evaluate the significance of the find. If it is determined due to the types of deposits discovered that a Native American monitor is required, the Guidelines for Monitors/Consultants of Native American Cultural, Religious, and Burial Sites as established by the Native American Heritage Commission shall be followed, and the monitor shall be retained at the Project Applicant's expense.
 - a. Work cannot continue within the 100-foot radius of the discovery site until the archaeologist and/or tribal monitor conducts sufficient research and data collection to make a determination that the resource is either 1) not cultural in origin; or 2) not potentially eligible for listing on the National Register of Historic Places or California Register of Historical Resources.
 - b. If a potentially-eligible resource is encountered, then the archaeologist and/or tribal monitor, Planning and Environmental Review staff, and Project proponent shall arrange for either 1) total avoidance of the resource, if possible; or 2) test excavations or total data recovery as mitigation. The determination shall be formally documented in writing and submitted to the County Environmental Coordinator as verification that the provisions of CEQA for managing unanticipated discoveries have been met.

IMPACT: DISTURBANCE OF HUMAN REMAINS

PROPOSED PROJECT

No human remains are known to be present within the Plan Area; however, it is possible that human remains, particularly those outside a designated cemetery, may be encountered during ground-disturbing activities. This impact would be **potentially significant**; however, with implementation of Mitigation Measure CR-2 (above), the impact would be reduced to **less than significant with mitigation**. Mitigation Measure CR-2 requires compliance with California Health and Safety Code Sections 7050.5 and 7052 and PRC Section 5097, which entail avoidance or minimization of disturbance of human remains and appropriate treatment of any remains that are discovered.

ALTERNATIVE 2

Alternative 2 would have a reduced development footprint due to larger wetland preserve, so the potential to encounter unknown archaeological resources is slightly reduced from that of the Project. Like the Project, there are no known burials of human remains within the Plan Area, but it is possible that unknown remains could be uncovered during ground disturbing activities. Therefore, the impact would be **potentially significant**, but can be reduced to **less than significant with mitigation** with implementation of Mitigation Measure CR-2 (above).

MITIGATION MEASURES

Implement Mitigation Measure CR-2.

IMPACT: CHANGE IN SIGNIFICANCE OF A TRIBAL RESOURCE

PROPOSED PROJECT

There are no known tribal resources located within the Plan Area. A search of the NAHC's sacred lands file search did not reveal any known tribal resources. In addition, 14 Native American tribes with potential interests in the area were contacted as part of the 2014 Windmill study. This report only addressed the properties that were owned by the Project Applicant at that time, which excludes the 25-acre parcel added to the APE in 2014. The correspondence sent to the tribes requested information and asked if the tribes had concerns regarding known or suspected sites of Native American significance. Four tribes responded requesting that they receive notification when future projects occur within the Plan Area and for additional information. None of the responses stated specifically that known resources are located within the APE, but all requested to review more detailed studies.

The County sent requests to consult to tribes under SB-18 in 2013 and 2016; two tribes responded in 2013 but neither tribe responded further. The 2016 consultation letters sent by the County did not receive any responses from any of the tribes contacted, including the two that previously requested consultation in 2013.

Although no resources were specifically identified as being within the Excelsior Estates APE, some of the tribes contacted indicated that there could be tribal resources within

the APE. Since the tribes were not notified of the potential for development within the non-participating properties of the Plan Area, it must also be assumed that those areas may also contain tribal resources. Therefore, this impact is **potentially significant**, but can be **less-than-significant with mitigation** with implementation of Mitigation Measures CR-1 and CR-2 (above).

ALTERNATIVE 2

Alternative 2 would have a reduced development footprint due to a larger wetland preserve. Although the potential to encounter unknown tribal resources would be slightly reduced from that of the Project, the impact would be **potentially significant** due to the large portion of the Plan Area that would be subject to development. With implementation of Mitigation Measures CR-1 and CR-2, this impact would be reduced to **less than significant with mitigation**.

MITIGATION MEASURES

Implement Mitigation Measures CR-1 and CR-2.

This page intentionally left blank.

11 ENERGY

INTRODUCTION

This section was prepared pursuant to CEQA Guidelines Section 15126 and Appendix G of the CEQA Guidelines, which requires that EIRs include a discussion of the potential energy impacts of projects. The analysis considers whether the Project and Alternative 2 would result in inefficient, wasteful, and unnecessary consumption of energy or conflict with or obstruct a State or local plan for renewable energy or energy efficiency.

One comment received in response to the Notice of Preparation requested an analysis of potential energy use (including transportation-related energy), sources of energy supply, and ways to reduce energy demand.

ENVIRONMENTAL SETTING

PHYSICAL SETTING

ENERGY FACILITIES AND SERVICES IN THE PLAN AREA

Electric service in the Plan Area is provided by the Sacramento Municipal Utility District (SMUD). There is an existing SMUD and Pacific Gas & Electric Company (PG&E) transmission corridor that traverses the southern portion of the Plan Area and contains two SMUD transmission circuits (the Cordova - Hedge 230 kilovolt [kV] & the Cordova - Pocket 230 kV lines) and two PG&E transmission circuits. Additionally, SMUD has 12 kV distribution facilities running along Jackson Road (also referred to as Jackson Highway) and Excelsior Road. Natural gas service is provided by PG&E. An existing 6-inch steel main line traverses the northern portion of the Plan Area within the Kiefer Boulevard right of way.

STATE-WIDE ENERGY TYPES AND SOURCES

California relies on a regional power system comprised of a diverse mix of natural gas, renewable, hydroelectric, and nuclear generation resources.

California accounts for less than 1 percent of total U.S. natural gas reserves and production. California's natural gas output equals about one-tenth of state demand. Almost two-thirds of California households use natural gas for home heating, and more than two-fifths of California's utility-scale net electricity generation is fueled by natural gas (EIA 2019).

As of July 2018, the California electricity system was powered by 29 percent renewables, including biomass, geothermal, small hydroelectric, solar, and wind (CEC 2018). Details on California renewable energy policy is included below in the Regulatory Setting. Natural gas-fired power plants fueled more than two-fifths of the total in-state net electricity generation. California has the nation's second-largest conventional hydroelectric generating capacity

after Washington state and is among the top three hydropower-producers in the nation (EIA 2019). SMUD is the primary electricity supplier in Sacramento County.

TRANSPORTATION FUELS

Gasoline and diesel fuel sold in California for motor vehicles are refined in California to meet specific formulations required by the California Air Resources Board (CARB). In addition, a variety of alternative fuels are used to reduce demand for petroleum-based fuel. Conventional gasoline and diesel may be replaced (depending on the capability of the vehicle) with many transportation fuels, including biodiesel, electricity, ethanol, hydrogen, natural gas/methane, propane, and renewable diesel.

California has a growing number of alternative fuel vehicles through the joint efforts of California Energy Commission (CEC), CARB, local air districts, the federal government, transit agencies, utilities, and other public and private entities. As of July 2019, California contained 21,589 alternative fueling stations (Alternative Fuel Data Center 2019).

COMMERCIAL AND RESIDENTIAL ENERGY USE IN SACRAMENTO COUNTY

SMUD purchases, generates, and distributes electric power to a 900-square mile services area in Sacramento County. Electricity purchased and produced by SMUD is generated from a variety of sources including hydro generation; cogeneration plants; advanced and renewable technologies such as wind, solar, and biomass/landfill gas power; and power purchased on the wholesale market. In 2017, non-residential customers in Sacramento County including the incorporated cities within the County, consumed 6,284 Gigawatt Hours (GWh) of electricity while residential customers consumed 4,242 GWh of electricity. In the same year, non-residential customers in Sacramento County consumed 110 million therms of natural gas and residential customers consumed 198 million therms of natural gas (CEC 2019a).

VEHICLE MILES TRAVELED AND GASOLINE CONSUMPTION

As noted in the Regulatory Setting of this section, several State mandates and efforts, such as Senate Bill (SB) 375, seek to reduce vehicle miles traveled (VMT) in California. Despite the progress in reducing per-capita VMT and per-capita fuel consumption, the continued projected increases in total fuel consumption and VMT can be attributed to the overall increase in population. In 2016, the daily VMT in unincorporated Sacramento County totaled 8,741,000, which accounts for 25 percent of the County's total daily VMT including state highways and incorporated cities within the County (Caltrans 2016). In 2016, the average fuel efficiency for a gasoline light-duty automobile in Sacramento County was 27 miles per gallon. In Sacramento County, the average fuel efficiency for a gasoline light-duty truck in Sacramento County was 23 miles per gallon (CARB 2018a).

ENERGY USE AND CLIMATE CHANGE

Scientists and climatologists have produced evidence that the burning of fossil fuels by vehicles, power plants, industrial facilities, residences, and commercial facilities has led to an increase of greenhouse gases (GHG) in the earth's atmosphere and resulted in increases earth's temperature. For an analysis of GHG emissions and the Project's impacts on climate change, refer to Chapter 9, "Climate Change."

REGULATORY SETTING

FEDERAL

ENERGY POLICY AND CONSERVATION ACT, AND CAFE STANDARDS

The Energy Policy and Conservation Act of 1975 established nationwide fuel economy standards to conserve transportation fuels. Pursuant to this Act, the National Highway Traffic and Safety Administration, part of the U.S. Department of Transportation (USDOT), is responsible for revising existing fuel economy standards and establishing new vehicle economy standards as part of the Corporate Average Fuel Economy (CAFE) program. Compliance with CAFE standards is determined based on each manufacturer's average fuel economy for the portion of their vehicles produced for sale. Under the program, DOT is authorized to assess penalties for noncompliance. Under the Energy Independence and Security Act of 2007 (described below), the CAFE standards were revised for the first time in 30 years.

ENERGY POLICY ACT OF 1992

The Energy Policy Act of 1992 (EPAAct) was passed to increase the use of clean energy and increase energy efficiency in the United States. The legislation covers a broad range of topics related to energy use including energy efficiency, alternative fuels, electric vehicles (EV), radioactive waste, and energy conservation. The act provides tax incentives and marketing strategies to increase the use renewable energy technologies, establishes certain energy efficiency requirements for commercial buildings and establishes efficiency standards for commercial heating and air-conditioning equipment, electric motors, and lamps. EPAAct also requires certain federal, state, and local government and private fleets to purchase a percentage of light-duty alternative fuel vehicles capable of running on alternative fuels each year.

ENERGY POLICY ACT OF 2005

The Energy Policy Act of 2005 provides renewed and expanded tax credits for electricity generated by qualified energy sources, such as landfill gas; provides bond financing, tax incentives, grants, and loan guarantees for clean renewable energy and rural community electrification; and establishes a federal purchase requirement for renewable energy.

STATE

WARREN-ALQUIST ACT

The 1975 Warren-Alquist Act established the California Energy Resources Conservation and Development Commission, now known as CEC. The Act established state policy to reduce wasteful, uneconomical, and unnecessary uses of energy by employing a range of measures. The California Public Utilities Commission (CPUC) regulates privately-owned utilities in the energy, rail, telecommunications, and water fields.

ENERGY ACTION PLAN

The first Energy Action Plan (EAP) emerged in 2003 from a crisis atmosphere in California's energy markets. The State's three major energy policy agencies (CEC, CPUC, and the Consumer Power and Conservation Financing Authority [established under deregulation and now defunct]) came together to develop one high-level, coherent approach to meeting California's electricity and natural gas needs. It was the first time that energy policy agencies formally collaborated to define a common vision and set of strategies to address California's future energy needs and emphasize the importance of the impacts of energy policy on the California environment.

In the October 2005 *Energy Action Plan II*, CEC and CPUC updated their energy policy vision by adding some important dimensions to the policy areas included in the original EAP, such as the emerging importance of climate change, transportation-related energy issues, and research and development activities. The CEC adopted an update to the EAP II in February 2008 that supplements the earlier EAPs and examines the State's ongoing actions in the context of global climate change.

STATE OF CALIFORNIA ENERGY ACTION PLAN

CEC is responsible for preparing the State Energy Plan, which identifies emerging trends related to energy supply, demand, conservation, public health and safety, and the maintenance of a healthy economy. The current plan is the 1997 California Energy Plan. The plan calls for the State to assist in the transformation of the transportation system to improve air quality, reduce congestion, and increase the efficient use of fuel supplies with the least environmental and energy costs. To further this policy, the plan identifies a number of strategies, including assistance to public agencies and fleet operators in implementing incentive programs for zero-emission vehicles and addressing their infrastructure needs; and encouragement of urban design that reduces VMT and accommodates pedestrian and bicycle access.

INTEGRATED ENERGY POLICY REPORT

SB 1389 (Chapter 568, Statutes of 2002) required CEC to: "conduct assessments and forecasts of all aspects of energy industry supply, production, transportation, delivery and distribution, demand, and prices. The Energy Commission shall use these assessments and forecasts to develop energy policies that conserve resources, protect the environment, ensure energy reliability, enhance the state's economy, and protect public health and safety" (Public Resources Code Section 25301(a)). This work culminated in the Integrated Energy Policy Report (IEPR).

CEC adopts an IEPR every 2 years and an update every other year. The 2017 IEPR is the most recent IEPR, which was adopted March 16, 2018. The 2017 IEPR provides a summary of priority energy issues currently facing the State, outlining strategies and recommendations to further the State's goal of ensuring reliable, affordable, and environmentally-responsible energy sources. Energy topics covered in the report include progress toward statewide renewable energy targets and issues facing future renewable development; efforts to increase energy efficiency in existing and new buildings; progress by utilities in achieving energy efficiency targets and potential; improving coordination among the State's energy agencies; streamlining power plant

licensing processes; results of preliminary forecasts of electricity, natural gas, and transportation fuel supply and demand; future energy infrastructure needs; the need for research and development efforts to statewide energy policies; and issues facing California's nuclear power plants.

LEGISLATION ASSOCIATED WITH ELECTRICITY GENERATION

The State has passed legislation requiring the increasing use of renewables to produce electricity for consumers. California utilities are required to generate 33 percent of their electricity from renewables by 2020 (SB X1-2 of 2011); 52 percent by 2027 (SB 100 of 2018); 60 percent by 2030 (also SB 100 of 2018); and 100 percent by 2045 (also SB 100 of 2018). More detail about these regulations is provided in Chapter 9, "Climate Change."

SENATE BILL 350: CLEAN ENERGY AND POLLUTION REDUCTION ACT OF 2015

The Clean Energy and Pollution Reduction Act of 2015 (SB 350) requires doubling of the energy efficiency savings in electricity and natural gas for retail customers through energy efficiency and conservation by December 31, 2030.

ASSEMBLY BILL 1007: STATE ALTERNATIVE FUELS PLAN

AB 1007 (Chapter 371, Statutes of 2005) required CEC to prepare a state plan to increase the use of alternative fuels in California. CEC prepared the State Alternative Fuels Plan in partnership with CARB and in consultation with other State, federal, and local agencies. The plan presents strategies and actions California must take to increase the use of alternative non-petroleum fuels in a manner that minimizes the costs to California and maximizes the economic benefits of in-state production. The plan assessed various alternative fuels and developed fuel portfolios to meet California's goals to reduce petroleum consumption, increase alternative fuel use, reduce GHG emissions, and increase in-state production of biofuels without causing a significant degradation to public health and environmental quality.

EXECUTIVE ORDER S-06-06

Executive Order (EO) S-06-06, signed on April 25, 2006, establishes targets for the use and production of biofuels and biopower and directs State agencies to work together to advance biomass programs in California while providing environmental protection and mitigation. The EO establishes the following target to increase the production and use of bioenergy, including ethanol and biodiesel fuels made from renewable resources: produce a minimum of 20 percent of its biofuels within California by 2010, 40 percent by 2020, and 75 percent by 2050. The EO also calls for the State to meet a target for use of biomass electricity. The 2011 Bioenergy Action Plan recommends actions so that the State can meet its clean energy, waste reduction, and climate protection goals. The 2012 Bioenergy Action Plan updates the 2011 plan and provides a more detailed action plan to achieve the following goals:

- increase environmentally- and economically-sustainable energy production from organic waste;

- encourage the development of diverse bioenergy technologies that increase local electricity generation, combined heat and power facilities, renewable natural gas, and renewable liquid fuels for transportation and fuel cell applications;
- create jobs and stimulate economic development, especially in rural regions of the state; and
- reduce fire danger, improve air and water quality, and reduce waste.

As of 2017, 2.3 percent of the total electricity system power in California was derived from biomass (CEC 2018).

CALIFORNIA BUILDING ENERGY EFFICIENCY STANDARDS (TITLE 24, PART 6)

The energy consumption of new residential and nonresidential buildings in California is regulated by the state's Title 24, Part 6, Building Energy Efficiency Standards (California Energy Code). The California Energy Code was established by CEC in 1978 in response to a legislative mandate to create uniform building codes to reduce California's energy consumption and provide energy efficiency standards for residential and non-residential buildings. CEC updates the California Energy Code every 3 years with more stringent design requirements for reduced energy consumption, which results in the generation of fewer GHG emissions. In 2016, CEC updated the California Energy Code again, effective January 1, 2017. CEC estimates that the 2016 California Energy Code is 28 percent more efficient than 2013 California Energy Code for residential construction and is 5 percent more efficient for non-residential construction.

The 2019 California Energy Code was adopted by CEC on May 9, 2018 and will apply to projects constructed after January 1, 2020. The 2019 California Energy Code is designed to move the State closer to its zero-net energy goals for new residential development. It does so by requiring all new residences to install enough renewable energy to offset all the electricity needs of each residential unit (CCR, Title 24, Part 6, Section 150.1(c)4). CEC estimates that the combination of mandatory on-site renewable energy and prescriptively-required energy efficiency standards will result in a 53 percent reduction in new residential construction as compared to the 2016 California Energy Code. Non-residential buildings are anticipated to reduce energy consumption by 30 percent as compared to the 2016 California Energy Code primarily through prescriptive requirements for high-efficiency lighting (CEC 2019b). The Energy Code is enforced through the local plan check and building permit process. Local government agencies may adopt and enforce additional energy standards for new buildings as reasonably necessary due to local climatologic, geologic, or topographic conditions, provided that these standards exceed those provided in the California Energy Code.

ASSEMBLY BILL 2076: REDUCING DEPENDENCE ON PETROLEUM

Pursuant to Assembly Bill (AB) 2076 (Chapter 936, Statutes of 2000), CEC and CARB prepared and adopted a joint agency report in 2003, *Reducing California's Petroleum Dependence*. Included in this report are recommendations to increase the use of alternative fuels to 20 percent of on-road transportation fuel use by 2020 and 30 percent by 2030, significantly increase the efficiency of motor vehicles, and reduce per capita VMT (CEC 2003). Further, in response to the CEC's 2003 and 2005 *Integrated Energy*

Policy Reports, Governor Davis directed CEC to take the lead in developing a long-term plan to increase alternative fuel use.

SENATE BILL 1078: CALIFORNIA RENEWABLES PORTFOLIO STANDARD PROGRAM

SB 1078 (Chapter 516, Statutes of 2002) establishes a renewable portfolio standard (RPS) for electricity supply. The RPS requires that retail sellers of electricity, including investor-owned utilities and community choice aggregators, provide 20 percent of their supply from renewable sources by 2017. This target date was moved forward by SB 1078 to require compliance by 2010. In addition, electricity providers subject to the RPS must increase their renewable share by at least one percent each year. The outcome of this legislation will impact regional transportation powered by electricity. As of 2018, the State has reported that 29 percent of electricity is sourced from certified renewable sources (see “Environmental Settings” section).

SENATE BILL X1-2: CALIFORNIA RENEWABLE ENERGY RESOURCES ACT

SB X1-2 of 2011 requires all California utilities to generate 33 percent of their electricity from renewables by 2020. SB X1-2 sets a three-stage compliance period requiring all California utilities, including independently-owned utilities, energy service providers, and community choice aggregators, to generate 20 percent of their electricity from renewables by December 31, 2013; 25 percent by December 31, 2016; and 33 percent by December 31, 2020. SB X1-2 also requires the renewable electricity standard to be met increasingly with renewable energy that is supplied to the California grid from sources within, or directly proximate to, California. SB X1-2 mandates that renewables from these sources make up at least 50 percent of the total renewable energy for the 2011–2013 compliance period, at least 65 percent for the 2014–2016 compliance period, and at least 75 percent for 2016 and beyond.

SENATE BILL 350: CLEAN ENERGY AND POLLUTION REDUCTION ACT OF 2015

The Clean Energy and Pollution Reduction Act of 2015 (SB 350) requires the amount of electricity generated and sold to retail customers per year from eligible renewable energy resources to be increased to 50 percent by December 31, 2030. This act also requires doubling of the energy efficiency savings in electricity and natural gas for retail customers through energy efficiency and conservation by December 31, 2030.

ASSEMBLY BILL 1007: STATE ALTERNATIVE FUELS PLAN

AB 1007 (Chapter 371, Statutes of 2005) required CEC to prepare a state plan to increase the use of alternative fuels in California. CEC prepared the State Alternative Fuels Plan (SAF Plan) in partnership with CARB and in consultation with other state, federal, and local agencies. The SAF Plan presents strategies and actions California must take to increase the use of alternative non-petroleum fuels in a manner that minimizes the costs to California and maximizes the economic benefits of in-state production. The SAF Plan assessed various alternative fuels and developed fuel portfolios to meet California’s goals to reduce petroleum consumption, increase alternative fuel use, reduce GHG emissions, and increase in-state production of biofuels without causing a significant degradation of public health and environmental quality.

ASSEMBLY BILL 32, CLIMATE CHANGE SCOPING PLAN AND UPDATE

In December 2008, CARB adopted its Climate Change Scoping Plan, which contains the main strategies California will implement to achieve reduction of approximately 118 million metric tons (MMT) of carbon dioxide-equivalent (CO₂e) emissions, or approximately 21.7 percent from the State's projected 2020 emission level of 545 MMT of CO₂e under a business-as-usual scenario (this is a reduction of 47 MMT CO₂e, or almost 10 percent, from 2008 emissions). In 2016, statewide GHG emissions from GHG emitting activities were 429 MMT CO₂e. As a result, California has reached the target established in AB 32 to reduce statewide GHG emissions to 1990 levels (431 MMT CO₂e) by 2020 and has done so 4 years ahead of the target year.

On December 14, 2017, CARB approved the *2030 Climate Change Scoping Plan*, which lays out the framework for achieving the 2030 reductions as established in EO B-30-15 and SB 32 and AB 197 (discussed below). The Scoping Plan Update identifies reductions to be made by each sector to achieve a 40 percent reduction of 1990 levels of GHGs by 2030. The measures identified in the 2017 Scoping Plan Update will have the co-benefit of reducing California's dependency on fossil fuels and making land use development and transportation systems more energy efficient. More details about the statewide GHG reduction goals and Scoping Plan measures are provided in the regulatory setting of Chapter 9, "Climate Change."

SENATE BILL 375

SB 375, signed by the Governor in September 2008, aligns regional transportation planning efforts, regional GHG emission reduction targets, and land use and housing allocation. SB 375 requires metropolitan planning organizations (MPOs) to adopt a Sustainable Communities Strategy or Alternative Planning Strategy, showing prescribed land use allocation in each MPO's Regional Transportation Plan. CARB, in consultation with the MPOs, is to provide each affected region with reduction targets for GHGs emitted by passenger cars and light trucks in their respective regions for 2020 and 2035. Implementation of SB 375 will have the co-benefit of reducing California's dependency on fossil fuels and making land use development and transportation systems more energy efficient.

In March of 2018, CARB approved the final staff recommendations for updated MPO reduction targets. The final recommended reduction targets established for SACOG are to achieve a 7 percent per-capita reduction compared to 2012 emissions from cars and trucks by 2020 and a 19 percent per-capita reduction by 2035 (CARB 2018b).

EXECUTIVE ORDER B-30-15

EO B-30-15 establishes a California GHG reduction target of 40 percent below 1990 levels by 2030. The executive order aligns California's GHG reduction targets with those of leading international governments such as the 28-nation European Union which adopted the same target in October 2014. California is on track to meet or exceed the target of reducing GHG emissions to 1990 levels by 2020, as established in the California Global Warming Solutions Act of 2006 (AB 32, discussed above). California's new emission reduction target of 40 percent below 1990 levels by 2030 will make it possible to reach the ultimate goal of reducing emissions 80 percent below 1990 levels

by 2050. Reductions in GHG emissions can also result in a reduction in energy consumption from increasing energy efficiency (building and vehicles) and replacement of fossil fuel sources with renewable energy sources.

SENATE BILL 32 AND ASSEMBLY BILL 197 OF 2016

In August 2016, Governor Brown signed SB 32 and AB 197, which serve to extend California's GHG reduction programs beyond 2020. SB 32 amended the Health and Safety Code to include Section 38566, which contains language to authorize CARB to achieve a statewide GHG emission reduction of at least 40 percent below 1990 levels by no later than December 31, 2030. SB 32 codified the targets established by EO B-30-15 for 2030, which set the next interim step in the State's continuing efforts to pursue the long-term target expressed in EOs S-3-05 and B-30-15 of 80 percent below 1990 emissions levels by 2050. Achievement of these goals will have the co-benefit of reducing California's dependency on fossil fuels and making land use development and transportation systems more energy efficient.

ADVANCED CLEAN CARS PROGRAM

In January 2012, CARB approved the Advanced Clean Cars program which combines the control of GHG emissions and criteria air pollutants, as well as requirements for greater numbers of zero-emission vehicles, into a single package of standards for vehicle model years 2017 through 2025. The new rules strengthen the GHG standard for 2017 models and beyond. This will be achieved through existing technologies, the use of stronger and lighter materials, and more efficient drivetrains and engines. The program's zero-emission vehicle regulation requires battery, fuel cell, and/or plug-in hybrid EVs to account for up to 15 percent of California's new vehicle sales by 2025. The program also includes a clean fuels outlet regulation designed to support the commercialization of zero-emission hydrogen fuel cell vehicles planned by vehicle manufacturers by requiring increased numbers of hydrogen fueling stations throughout the state. The program will have significant energy demand implications as battery, fuel cell, and/or plug-in hybrid EV sales increase overtime, creating new demand for electricity services both in residential and commercial buildings (e.g., charging stations) as well as demand for new EV and hydrogen fuel cell charging stations. The number of stations will grow as vehicle manufacturers sell more fuel cell vehicles. By 2025, when the rules will be fully implemented, the statewide fleet of new cars and light trucks will emit 34 percent fewer global warming gases and 75 percent fewer smog-forming emissions than the statewide fleet in 2016 (CARB 2016).

LOCAL

SACRAMENTO COUNTY GENERAL PLAN

The following 2030 General Plan policies pertaining to energy use are applicable to the Project:

- EN-1. Develop standards which would reduce the energy required to maintain interior spaces in the comfort zone, including such standards as tree planting and proper orientation of dwellings.

- EN-2. Inform the public of the need and of ways to conserve energy in the home.
- EN-5. Reduce travel distances and reliance on the automobile and facilitate increased use of public transit through appropriate land use plans and regulations.
- EN-6. Actively support the efforts of the Regional Transit District to expand and upgrade service and attract an increasing percentage of travel.
- EN-7. Expand existing programs and develop new programs which promote and encourage vanpooling and carpooling.
- EN-8. Promote and encourage increased percentages of more efficient cars.
- EN-9. Inform the public of the need to reduce auto travel and encourage the use of public transit and other energy efficient modes of travel.
- EN-10. Continue implementation of the Bikeways Master Plan and develop standards for neighborhood bikeways and pedestrian-ways, incorporating them into Neighborhood Planning Standards.
- EN-11. Promote the location within the Sacramento area of those industries which are labor intensive, utilize solar energy systems, and are consistent with other policies in terms of environmental protection.
- EN-12. Encourage industry located or locating in the Sacramento area to participate in cogeneration of power.
- EN-14. Develop or revise design standards relating to building solar orientation, landscaping, impervious surfaces, and parking space requirements to conserve energy.
- EN-16. Promote the use of passive and active solar systems in new and existing residential, commercial, and institutional buildings as well as the installation of solar swimming pool heaters and solar water and space heating systems.
- EN-17. Support the development and improvement of solar space cooling systems.
- EN-18. Develop and implement standards for the protection of the solar rights of property owners.
- EN-19. Support the development and use of renewable sources of energy, including but not limited to biomass, solar, wind, and geothermal.

COMMUNITY PLANS

CORDOVA COMMUNITY PLAN

The Cordova Community Plan does not contain objectives related to energy that would apply to the Project.

VINEYARD COMMUNITY PLAN

The Vineyard Community Plan, which was developed in 1985, provides guidance for growth and development in the community planning area. Policies identified in the plan that are applicable to the Project include:

FU 6. Water conservation, waste handling and energy-efficient designs at least to minimum County standards will be encouraged in all residential developments.

IMPACTS AND ANALYSIS

SIGNIFICANCE CRITERIA

Based on Appendix G of the State CEQA Guidelines, the Project would have a significant impact related to energy if it would:

- result in the wasteful, inefficient, or unnecessary consumption of energy resources during Project construction or operation or;
- conflict with or obstruct a State or local plan for renewable energy or energy efficiency.

ISSUES NOT DISCUSSED FURTHER

All issues have been evaluated below.

METHODOLOGY

CONSTRUCTION

Development of the Project would be anticipated to occur over a 15-year period from 2020 2025 through 2035 2040. Energy consumption associated with construction of the Project includes gasoline and diesel fuel use for construction worker commute trips, vendor haul trips, and off-road diesel equipment.

Construction-related energy consumption anticipated with the development of various land uses as part of the Project was estimated, including the gallons of gasoline and diesel fuel. Energy consumption estimates are included in Appendix EN-1.

Construction-related energy consumption levels associated with Project implementation were calculated using information included in the Air Quality Mitigation Plan and Greenhouse Gas Reduction Plan for the proposed Project (AQMP/GHGRP) which was prepared for this EIR (Kleinfelder 2019). See Appendix AQ-1 for the full AQMP/GHGRP. Information included construction assumptions in the modeling outputs from California Emissions Estimator Model (CalEEMod) version 2016.3.2 computer program (CAPCOA 2017) which were estimated using Project specific construction activity data. Fuel use associated with construction of the Project included transportation fuel consumption associated with vendor and hauling trips, construction worker commute trips for all phases of construction activity as well as off-road equipment used for each phase of construction. Fuel use rates for on-road vehicles were calculated using information in CARB's EMFAC2017 model which includes average fuel usage rates by vehicle class,

fuel type (e.g., diesel, gasoline, natural gas, and electricity), speed bin, calendar year, and county. Fuel use rates for off-road equipment were based on fuel usage factors included in the South Coast Air Quality Management District CEQA Air Quality Handbook (SCAQMD 1993).

OPERATIONS

Energy use related to the Project would include electricity and natural gas use in new buildings for space heating and cooling, appliances, facility and equipment operation, lighting, and other miscellaneous plug loads in residential and non-residential buildings. Transportation-related fuel consumption would result from new vehicle trips associated with the development of new trip generating land uses as part of the Project. This would include the use of fuels and electricity to power cars, trucks, and public transportation vehicles.

Energy use associated with proposed residential and non-residential buildings included in new land uses was estimated based on the AQMP/GHGRP. Information in the plan included energy use assumptions for various land uses that would be developed as part of the Project which were estimated in CalEEMod. The AQMP/GHGRP included a set of measures which would reduce energy use associated with the Project including measures to reduce Project-related VMT and energy use associated with new buildings. These measures were included in the CalEEMod modeling. Details on the specific measures and how they were incorporated into the CalEEMod modeling can be found in the AQMP/GHGRP and are discussed further below.

Transportation fuel-use associated with operation of the Project were calculated by applying average fuel usage rates per vehicle mile to the total annual VMT estimates associated with the Project (see Appendix TC-1 for details on the assumptions for the VMT modeling). CARB's EMFAC2017 model includes average fuel usage rates by vehicle class, fuel type (e.g., diesel, gasoline, natural gas, and electricity), speed bin, calendar year, and county. CARB's EMFAC2017 average fuel usage rates by vehicle class for Sacramento County were used in the analysis of Project-related transportation fuel use.

IMPACT: WASTEFUL, INEFFICIENT, OR UNNECESSARY CONSUMPTION OF ENERGY, DURING PROJECT CONSTRUCTION OR OPERATION

PROPOSED PROJECT

Appendix G of the State CEQA Guidelines requires the consideration of the energy implications of a Project. CEQA requires mitigation measures to reduce "wasteful, inefficient and unnecessary" energy usage (Public Resources Code Section 21100, subdivision (b)(3)). Neither the law nor the State CEQA Guidelines establish criteria that define wasteful, inefficient, or unnecessary use. Compliance with current California Energy Code standards for building energy efficiency and future updates to the standards would result in energy-efficient buildings developed as part of the Project. However, compliance with building codes does not adequately address all potential energy impacts during Project construction and operation. For example, energy would

be required to transport people and goods to and from the Plan Area. This analysis considers all energy use associated with the Project.

CONSTRUCTION ENERGY USE

Project implementation would result in the development of new land uses including low- to high-density residential, commercial, office, public facilities, parks, and open space areas. As shown in Table EN-1, construction activity associated with the development of these land uses would result in energy use during each phase of Project construction. Table EN-1 summarizes the levels of energy consumption from the construction of all land uses as part of the Project. Energy use resulting from construction worker commute trips and construction equipment activity would be typical for the types of land uses included in the Project.

Table EN-1: Project Construction Energy Use

Construction Phase	Diesel (gallons)	Gasoline (gallons)
Site Preparation	21,998	706
Grading	92,691	2,022
Building Construction	2,564,910	4,244,378
Paving	24,278	849,280
Architectural Coating	36,212	1,079
Total	2,740,088	5,097,465
Annual (2020-2035)¹	195,721	364,105

Source: Calculations by Ascent Environmental in 2018

¹ These values have not been revised to reflect the revised construction period of 2025 to 2040. Because new and updated construction technology is anticipated to improve energy efficiency over time, the revised construction schedule would not result in additional energy demand beyond that disclosed herein.

Energy would be required to construct the Project, operate and maintain construction equipment, and transport construction materials. The one-time energy expenditure required to construct the physical buildings and infrastructure associated with the Project would be nonrecoverable. An estimated 5,507,428 gallons of gasoline and 2,740,088 gallons of diesel would be consumed to enable Project construction. The energy needs for Project construction would be temporary and would not be anticipated to require additional capacity or increase peak or base period demands for electricity or other forms of energy. Construction equipment use and associated energy consumption would be typical of that associated with the construction of new residential and commercial projects in a suburban setting.

OPERATIONAL BUILDING ENERGY AND STATIONARY SOURCES

Energy demand associated with the development of the Project would include natural gas and electricity for use in appliances (e.g., water heating, building heating and cooling, clothes washers, dishwashers). Electricity would be used for lighting in buildings, as well as for street and public lighting. Energy would also be used in the form of fuels for stationary equipment (e.g., generators, landscaping equipment).

Transportation-related energy consumption would include the use of fuels and electricity to power cars, trucks and public transportation vehicles.

Section 7.7, “Sustainability,” in Chapter 7 of the Jackson Township Specific Plan includes several policies which would reduce energy use associated with the new land uses developed as part of the Project. Specifically, Goal 7.5 encourages the incorporation of alternative energy resources and energy efficient equipment in all new buildings to be developed as part of the Project.

All buildings to be developed as part of the Project would be required to comply with the California Energy Code standards for building energy efficiency. As the Project is developed through 2035, the California Energy Code is anticipated to be updated with increasingly stringent energy efficiency requirements. This would result in increased building energy efficiency over time as buildings continue to be developed as part of the Project. Nonetheless, Project implementation would still result in an increase in overall energy use compared to existing conditions. Table EN-2 summarizes the levels of energy consumption associated with the operation of land uses that would be built. For all Project land uses anticipated to result in energy consumption, an estimated 76,261 megawatt-hours per year of electricity and 177,269 million British thermal units (Btu) per year of natural gas would be consumed. The levels of operational energy use estimated for the Project would be typical for the types of residential, commercial, educational, and light industrial land uses included in the Project.

Table EN-2: Project Operational Energy Use

New Land Uses	Energy Use	Units
Residential Designations		
Electricity	42,503	MWh/year
Natural Gas	122,717	MMBtu/year
Commercial + Office Zones		
Electricity	28,745	MWh/year
Natural Gas	47,303	MMBtu/year
Public/Quasi Public Zones		
Electricity	3,477	MWh/year
Natural Gas	7,249	MMBtu/year
Parking Lots/Parking Garages		
Electricity	1,536	MWh/year
Natural Gas	-	MMBtu/year
Total		
Electricity	76,261	MWh/year
Natural Gas	177,269	MMBtu/year

Notes: MWh/year = megawatt-hours per year; MMBtu/year = million British thermal units per year.

Source: Calculations by Ascent Environmental in 2019

OPERATIONAL TRANSPORTATION ENERGY USE

Project implementation would involve the development of new land uses over the buildout period of the Project with construction ending in 2035. Development of these new land uses would result in new vehicle trips, discussed in detail in Chapter 20, “Traffic and Circulation.” New vehicle trips associated with the Project would result in energy use in the form of gasoline, diesel, compressed natural gas (CNG), and electricity. As shown in Table EN-3 below, Project implementation is estimated to result in the annual consumption of 3,143,742 gallons of gasoline, 697,718 gallons of diesel, and 64,000 diesel equivalent gallons of natural gas.

Table EN-3: Project Annual Operational Transportation Energy Use

Vehicle Type	Diesel (gal/year)	Gasoline (gal/year)	Natural Gas (DEG/year)	Electricity (MWh/year)
Passenger Vehicles	17,325	2,584,696	-	N/A
Trucks	661,025	505,025	15,413	N/A
Buses	19,365	54,010	48,586	N/A
Total	697,715	3,143,731	64,000	N/A

Notes: gal/year = gallons per year, DEG/year = diesel equivalent gallons per year, MWh/year = megawatt hours per year, N/A = not applicable

Source: Calculations by Ascent Environmental in 2019

Chapter 4 of the Jackson Township Specific Plan, “Circulation and Mobility,” includes policies to reduce automobile use as the primary mode of transportation by providing adequate pedestrian and bicycle facilities throughout the Plan Area. Increased use of active transportation modes, including biking and walking as well as increased public transit, would result in reductions in VMT and subsequent energy use as part of Project. Listed below are the measures included in the Jackson Township Specific Plan document which would reduce transportation-related energy.

- The Project would be located less than 5 miles from other existing high-density commercial/job center areas and result in short vehicle trips to destinations.
- The Project would provide a compact mix of land uses in close proximity to each other with a highly connected street and trail network.
- Approximately 15 percent of the total commercial square footage is dedicated to a mixed-use facility that combines residences and commercial/retail uses and would help reduce the demand for vehicle trips.
- Most residential units are within 1,320 feet (one-quarter mile) of a neighborhood park, open space, school, and/or bicycle/pedestrian trail and would help reduce the demand for vehicle trips associated with recreational activities.
- Most residential units are less than one-half mile from shopping and services and would help reduce the demand for vehicle trips.
- The Project design includes locating at least four schools within the Project boundaries such that most students can walk to a local school.

- The Project design includes access to high-frequency bus service that connects to the Watt/Manlove light rail station.
- The Project design promotes a multi-modal system that makes public transit, walking, and bicycling viable and attractive travel choices for residents and employees.

Operational activity associated with the Project's land uses would generate new vehicles trips resulting in the consumption of gasoline, diesel fuel, and natural gas. Buildings and facilities as part of the Project's various land uses would result in the consumption of electricity from lighting and appliances, as well as natural gas for water and space heating. This analysis estimates the energy use associated with the Project as proposed with all design features outlined in the proposed Design Guidelines (Appendix B of the Jackson Township Specific Plan). As discussed above, the Project would include design features would increase energy efficiency in the buildings and facilities associated with the Project, as well as increase the Project's renewable energy use. The Project would also include design features to reduce the Project's anticipated annual VMT and, therefore, reduce transportation-related energy demand. For these reasons, the Project would not result in the wasteful, inefficient, or unnecessary consumption of energy resources during Project construction or operation. Therefore, this impact would be **less than significant**.

In addition to the Project design features that would reduce operational energy use, Mitigation Measure CC-1a and Measure CC-4b~~2~~ would be applied to the Project to address the Project's contribution to climate change and would further reduce energy use. Mitigation Measures CC-1 and CC-2 would require the use of on-site GHG reduction measures identified in the greenhouse gas reduction plan (GHGRP) prepared for Alternative 2 (discussed below). ~~Mitigation Measure CC-1b would require that the Project Applicant develop a Project-specific GHGRP and/or other feasible, on-site GHG reduction mitigation measures sufficient to reduce operational GHG emissions to Sacramento County's per capita thresholds of significance for residential and nonresidential energy, and transportation.~~

Implementation of the GHGRP as part of Mitigation Measure CC-4a~~2~~ includes strategies that would reduce GHG emissions associated with the Project but would also reduce energy use. ~~These include participation in an enhanced transit program and use of energy efficient boilers, residential electric hot water heaters; high efficacy public outdoor lighting, and energy efficient appliances.~~

Table EN-4 summarizes the levels of energy consumption associated with the operation of Project land uses and includes the energy use reductions that would be achieved through the GHGRP. Under this scenario, the Project is anticipated to result in energy consumption of an estimated 49,060 megawatt-hours per year of electricity and 154,037million Btu per year of natural gas. This would result in a 36 percent reduction in electricity use and 13 percent reduction in natural gas use compared to the Project without Mitigation Measures CC-1 and CC-2.

Table EN-4: Project Operational Energy Use with Mitigation

New Land Uses	Energy Use	Units
Residential Designations		
Electricity	42,503	MWh/year
Natural Gas	122,717	MMBtu/year
Commercial + Office Zones		
Electricity	28,745	MWh/year
Natural Gas	47,303	MMBtu/year
Public/Quasi Public Zones		
Electricity	3,477	MWh/year
Natural Gas	7,249	MMBtu/year
Parking Lots/Parking Garages		
Electricity	1,536	MWh/year
Natural Gas	-	MMBtu/year
Total		
Electricity	49,060	MWh/year
Natural Gas	154,037	MMBtu/year

Notes: MWh/year = megawatt-hours per year; MMBtu/year = million British thermal units per year.

Source: Calculations by Ascent Environmental in 2019

ALTERNATIVE 2

Alternative 2 would result in a 45.5-acre increase in an area designated Wetland Preserve compared to the Project. Table EN-5 includes the total energy use associated with construction of Alternative 2.

Table EN-5: Alternative 2 Construction Energy Use

Construction Phase	Diesel (gallons)	Gasoline (gallons)
Site Preparation	21,998	706
Grading	92,691	2,022
Building Construction	2,564,910	4,244,378
Paving	24,278	1,079
Architectural Coating	36,212	849,280
Total	2,740,088	5,097,465
Annual (2020-2035)	182,673	339,831

Source: Calculations by Ascent Environmental in 2019

Table EN-6 summarizes the levels of energy consumption associated with the operation of land uses that would be built under Alternative 2. For all Project land uses anticipated to result in energy consumption, an estimated 70,397 megawatt-hours per year of electricity and 143,847 million Btu per year of natural gas would be consumed.

Compared to the Project, the design characteristics included in Alternative 2 result in a 19 percent reduction in building-related electricity use and an 8 percent reduction in building-related natural gas use.

Table EN-6: Alternative 2 Operational Energy Use (Alternative 2)

New Land Uses	Energy Use	Units
Residential Designations		
Electricity	39,042	MWh/year
Natural Gas	112,413	MMBtu/year
Commercial + Office Zones		
Electricity	26,614	MWh/year
Natural Gas	24,186	MMBtu/year
Public/Quasi Public Zones		
Electricity	3,477	MWh/year
Natural Gas	7,249	MMBtu/year
Parking Lots/Parking Garages		
Electricity	1,264	MWh/year
Natural Gas	-	MMBtu/year
Total		
Electricity	70,397	MWh/year
Natural Gas	143,847	MMBtu/year

Notes: MWh/year = megawatt-hours per year; MMBtu/year = million British thermal units per year.

Source: Calculations by Ascent Environmental in 2019

New vehicle trips associated with Alternative 2 would result in energy use in the form of gasoline, diesel, and CNG. As shown in Table EN-7, below, implementation of Alternative 2 is estimated to result in the annual consumption of 2,813,641 gallons of gasoline, 624,456 gallons of diesel, 57,280 diesel equivalent gallons of natural gas. Compared to the Project, the design characteristics included in Alternative 2 result in a 10 percent reduction in diesel, gasoline use, and natural gas use.

Table EN-7: Alternative 2 Annual Operational Transportation Energy (Alternative 2)

Vehicle Type	Diesel (gal/year)	Gasoline (gal/year)	Natural Gas (DEG/year)	Electricity (MWh/year)
Passenger Vehicles	15,506	2,313,304	N/A	N/A
Trucks	591,618	451,998	13,795	N/A
Buses	17,332	48,339	43,485	N/A
Total	624,456	2,813,641	57,280	N/A

Notes: gal/year = gallons per year, DEG/year = diesel equivalent gallons per year, MWh/year = megawatt hours per year, N/A = not applicable

Source: Calculations by Ascent Environmental in 2019

As discussed above, Alternative 2 would include design features outlined in the Design Guidelines that would increase energy efficiency in the buildings and facilities when compared to the original Project. Alternative 2 would also include design features to reduce the Project's anticipated annual VMT and, therefore, reduce transportation-related energy demand when compared to the original Project. Alternative 2 would not result in the wasteful, inefficient, or unnecessary consumption of energy resources during Project construction or operation. This impact would be **less than significant**.

In addition to the design features included in Alternative 2 that would reduce energy use, Mitigation Measure CC-1a would be applied to address potential contributions to global climate change and would further reduce energy use associated with Alternative 2. Mitigation Measure CC-4a~~2~~ would require the use of on-site GHG reduction measures identified in the GHGRP. The implementation of the GHGRP includes strategies that would reduce energy use. ~~These include participation in an enhanced transit program and use of energy efficient boilers, residential electric hot water heaters, high efficacy public outdoor lighting, and energy efficient appliances.~~

Table EN-8 summarizes the levels of energy consumption associated with the operation of Alternative 2 land uses and includes the energy use reductions that would be achieved through the GHGRP. Under this scenario, the Project is anticipated to result in energy consumption of an estimated 25,875 megawatt-hours per year of electricity and 126,109 million Btu per year of natural gas would be consumed. This would result in a 63 percent reduction in electricity use and 12 percent reduction in natural gas use when compared to the Project including Mitigation Measure CC-1a.

(Note that the revised GHGRP prepared for Alternative 2 in August 2022 includes additional commitments and revised calculations that demonstrate less VMT and energy demand than disclosed herein. As a result, the actual energy use may be less than presented above.)

Table EN-8: Alternative 2 Operational Energy Use with Mitigation

New Land Uses	Energy Use	Units
Residential Designations		
Electricity	14,532	MWh/year
Natural Gas	98,233	MMBtu/year
Commercial + Office Zones		
Electricity	9,609	MWh/year
Natural Gas	21,640	MMBtu/year
Public/Quasi Public Zones		
Electricity	1,257	MWh/year
Natural Gas	6,236	MMBtu/year
Parking Lots/Parking Garages		
Electricity	476	MWh/year
Natural Gas	-	MMBtu/year
Total		
Electricity	25,875	MWh/year
Natural Gas	126,109	MMBtu/year

Notes: MWh/year = megawatt-hours per year; MMBtu/year = million British thermal units per year.

Source: Calculations by Ascent Environmental in 2019

MITIGATION MEASURES

No mitigation is required.

IMPACT: OBSTRUCT A STATE OR LOCAL PLAN FOR RENEWABLE ENERGY OR ENERGY EFFICIENCY

PROPOSED PROJECT

Implementation of the Project would result in the development of new land uses resulting in new energy demand for electricity and natural gas. As discussed above, the Jackson Township Specific Plan document includes policies to reduce automobile use as the primary mode of transportation by providing adequate pedestrian and bicycle facilities throughout the Plan Area. Listed below are the measures included in the Jackson Township Specific Plan which would increase the transportation energy efficiency of the Project.

- The Project would be located less than 5 miles from other existing high-density commercial/job center areas and result in short vehicle trips to destinations.
- Project would provide a compact mix of land uses in close proximity to each other with a highly connected street and trail network.

- Approximately 15 percent of the total commercial square footage is dedicated to a mixed-use facility that combines residences and commercial/retail uses and would help reduce the demand for vehicle trips.
- Most residential units are within 1,320 feet (one-quarter mile) of a neighborhood park, open space, school, and/or bicycle/pedestrian trail and would help reduce the demand for vehicle trips associated with recreational activities.
- Most residential units are less than one-half mile from shopping and services and would help reduce the demand for vehicle trips.
- Project design includes locating at least four schools within the Project boundaries such that most students can walk to a local school.
- Project design includes access to high-frequency bus service that connects to the Watt/Manlove light rail station.
- Project design promotes a multi-modal system that makes public transit, walking, and bicycling viable and attractive travel choices for residents and employees.

All Project design features discussed above would help reduce building and transportation energy use associated with the implementation of the Project. These measures also align with many of the energy-related policies and implementation measures included in the 2030 General Plan. Specifically, EN-5, which encourages projects that reduce travel distances and reliance on the automobile.

In addition to the Project's consistency with local policies to remain energy efficient and use renewable energy, the Project would also remain consistent with State policies related to energy efficiency and renewable energy. As noted above, the Project would comply with the California Energy Code, which is intended to increase the energy efficiency of new development projects in the state. As noted in the "Regulatory Setting" section, the 2019 California Energy Code (going that went into effect in on January 1, 2020) is designed to move the State closer to its zero-net energy goals and will require all new single-family homes and multi-family homes (up to three stories) to install enough renewable energy to offset all the electricity needs of each residential unit. Through the permitting process, all development projects which are constructed in the Plan Area would comply with the current and future versions of the State's Building Energy Efficiency Standards. As discussed in detail in the Regulatory Setting, SMUD, as an electricity utility, is required to comply with the State's Renewable Portfolio Standard. Because electricity utilities in the state are required to increase the percentage of renewable energy sources in the electricity they provide, over time electricity consumed as part of the Project will increasingly be provided by renewable sources. With the inclusion of energy efficiency and renewable energy measures in the Project and compliance with State regulations related energy efficiency and renewable energy, the Project would not conflict with or obstruct a State or local plan for renewable energy or energy efficiency. This impact would be **less than significant**.

As discussed above, Mitigation Measure CC-1a would be applied and would further increase the energy efficiency of the Project. Mitigation Measure CC-1a include a set of measures that incorporate renewable energy resources and energy efficiency strategies

into the Project design. Listed below are the specific renewable energy and energy efficiency measure that will be included in the Project.

- Energy efficient boilers would be used as applicable in high-density housing (mid-rise apartments), discount club, office, high school, and supermarket land uses.
- Low flow bathroom, kitchen, showers, and toilets would be included in all residential units and commercial buildings.
- The Project would include water-efficient irrigation systems and water efficient landscaping for the non-residential land uses
- The Project would include the installation of residential electric hot water heaters.

Additionally, Mitigation Measure CC-1a includes measures that would result in reductions in VMT associated with the Project and would also result in a reduction in transportation energy use. These measures include:

- The Project Applicant would provide residents and employees of Jackson Township with transit passes that would access the entire Regional Transit system.
- All low density and medium density will be pre-wired for home electric charging stations so that residents can easily install an electric charger for their electric vehicle.
- Electric charging stations will be installed at up to 10 percent of the Jackson Township parking spaces at commercial, retail, and office parking lots and up to 5 percent at school parking lots.

ALTERNATIVE 2

Alternative 2 would modify the wetland preserve on the eastern boundary of the Plan Area, which would reduce building and transportation-related energy use compared to the Project. Additionally, similar to the discussion above in the Project analysis, this alternative would comply with the California Energy Code and SMUD would comply the State's Renewable Portfolio Standard. As a result, the Project would not conflict with or obstruct a State or local plan for renewable energy or energy efficiency. This impact under Alternatives 2 would be **less than significant**.

As discussed above, Mitigation Measure CC-1a would be applied and would further increase the energy efficiency of Alternative 2. Mitigation Measure CC-1a includes a set of measures that incorporate renewable energy resources and energy efficiency strategies into the Project design. Listed below are the specific renewable energy and energy efficiency measure that would be included in the Project.

- Energy efficient boilers would be used as applicable in high-density housing (mid-rise apartments), discount club, office, high school, and supermarket land uses.
- Low flow bathroom, kitchen, showers, and toilets would be included in all residential units and commercial buildings.
- The Project would include water-efficient irrigation systems and water efficient landscaping for the non-residential land uses
- The Project would include the installation of residential electric hot water heaters.

Additionally, Mitigation Measure CC-1a includes measures that would result in reductions in VMT associated with the Project and would also result in a reduction in transportation energy use. These measures include:

- The Project Applicant would provide residents and employees of Jackson Township with transit passes that would access the entire Regional Transit system.
- All low density and medium density will be pre-wired for home electric charging stations so that residents can easily install an electric charger for their electric vehicle.
- Electric charging stations will be installed at up to 10 percent of the Jackson Township parking spaces at commercial, retail, and office parking lots and up to 5 percent at school parking lots.

MITIGATION MEASURES

No mitigation is required.

This page intentionally left blank.

12 GEOLOGY, SOILS, AND MINERAL RESOURCES

INTRODUCTION

This chapter describes the geologic and soil setting within the Plan Area and vicinity, including descriptions of potential geologic hazards and the presence of mineral resources. Paleontological resources are also addressed. The impacts and analysis section of this chapter evaluates the effects of the Project and Alternative 2 on geologic and soil resources, as well as the effects of geologic and soil hazards on future development of the Project. No comments regarding geology, soils, or mineral resources were received in response to the Notice of Preparation.

ENVIRONMENTAL SETTING

REGIONAL GEOLOGY

The present-day landscape of Sacramento County has been shaped over time by the ongoing processes of erosion and deposition. Material eroded from the ancestral Sierra Nevada, formed over 100 million years ago, was deposited onto the Sacramento Valley floor. Approximately 10 to 15 million years ago tectonic uplifts altered the geomorphology of the Sierra Nevada. Glaciation, volcanism, and erosion followed the uplifting, adding layers of sediment to the valley floor. Under the present geologic conditions, the alteration of the local geomorphology continues through stream erosion of the valley sediments and subsequent deposition in adjacent floodplains.

A "geomorphic province" is composed of an area of similar geologic origin and erosional/depositional history. Sacramento County is situated in portions of two geomorphic provinces. By far the largest portion of the County lies in the Great Valley province. A small area in the eastern part of the County is in the Sierra Nevada province. The Great Valley province is further divided into four geomorphic subunits; the Plan Area is within the Alluvial Plain geomorphic subunit, as described below:

Alluvial Plain - To the east of the Sacramento River floodplain is an extensive area of former floodplain that has been highly dissected by subsequent stream erosion. This geomorphic subunit is comprised of older, Quaternary, deposits. This area is underlain by soil which is characterized by layers of hardpan or dense, impervious clay.

SEISMIC HAZARDS

FAULTS IN THE VICINITY

Active faults are largely considered those that have had movement within the last 11,000 years (within the Holocene or Historic time periods) and indicates that no major active faults transect the County. There is one known subsurface inactive fault in northern Sacramento County, called the Willows Fault, which is in the vicinity of Citrus

Heights near Antelope Road and is presumably inactive, with its last activity occurring 1.6 million years ago or longer.

In addition to the Willows Fault, there are several subsurface inactive faults in the Delta. The Midland fault extends north from Bethel Island in the Delta to east of Lake Berryessa. Studies done on this fault suggest that activity may have occurred during the Pleistocene age and potentially even the Holocene age (10,000 to 200 years old); however, according to the California Geological Survey (CGS), Holocene activity is unconfirmed. This fault has been identified to be a pre-Quaternary fault (active 1.6 million years ago or longer). Another unnamed Delta fault is located further west of the Midland Fault. It is concealed where it passes beneath the westernmost tip of Sacramento County, and may have been active within the past 11,000 years although, again, exact times of displacement are unknown. Oil and gas companies exploring the Delta area's energy potential have identified several subsurface faults, none of which show any recent surface rupture.

The Bear Mountain fault zone, which is associated with the Foothills Fault system, located east of Sacramento County and trends northwest-southeast through Amador and El Dorado Counties. The portion of this fault zone closest to the county was last active at least 1.6 million years ago. According to CGS, faults in the Foothills Fault system are largely characterized by very slow slip rates (generally less than 0.01 millimeter per year) and seismic events occur in infrequent intervals.

POTENTIAL FOR SEISMIC ACTIVITY

The intensity of ground shaking and its potential impact on structures is determined by the physical characteristics of the underlying soil and rock, building materials and workmanship; earthquake magnitude; location of the epicenter; and the character and duration of ground motion. Much of the county is located on alluvium, which increases the amplitude of earthquake waves. Ground motion lasts longer and waves are amplified on loose, water-saturated materials as compared with solid rock. As a result, structures located on alluvium typically suffer greater damage than those located on solid rock.

While Sacramento County has experienced relatively little seismic activity, faulting in neighboring regions, especially the San Francisco Bay area and the Sierra Nevada, suggests that the county could be affected by future ground motion originating elsewhere.

The CGS has prepared a map of the state which shows the earthquake shaking potential of areas throughout California based primarily on an area's distance from known active faults. The map shows the east and central portions of the county in a relatively low intensity groundshaking zone, while the westernmost portion of the county is in a relatively moderate groundshaking zone (see Plate GS-1). The county, including the Plan Area, is located in an area which is noted to have some of the lowest groundshaking potential in the State.




Plate GS-1: Earthquake Shaking Potential for Sacramento County

LIQUEFACTION

Liquefaction is a process whereby the strength and stiffness of a soil is reduced by earthquake shaking or rapid cyclic loading. Sacramento County has two areas that have been suggested as posing potential liquefaction problems - the downtown Sacramento area and the Delta. The Plan Area is not located within or near the Delta, downtown Sacramento, or near any levees.

SOILS AND SOIL HAZARDS***SOIL TYPES***

Different types of soil have different characteristics and may be subject to different soil hazards. The soils of Sacramento County can be separated into three general classifications based on geographic factors: Delta soils, flood basin soils, and bench soils. The Plan Area is located within a portion of the county generally underlain by bench soils. Bench soils, elevated above the spreading basins, are river terraces. Due to erosion and leaching, these soils lack the high percentage of organic material found in the Delta and flood basin soils.

GENERAL SOIL MAP UNITS

Soils in Sacramento County can also be divided into eight broad landscape classifications, or groups, which are further divided into 16 soil associations. These soil associations are landscapes that have distinctive patterns of soils, relief, and drainage. The Plan Area is located entirely within the Redding-Corning Red Bluff soil association.

The Redding-Corning-Red Bluff unit is on intermediate and high terraces, terrace remnants, and the side slopes of terraces in the eastern part of the county. They are moderately well-drained soils that are moderately deep over a cemented hardpan, and well-drained and moderately well-drained soils that are very deep.

DETAILED SOIL MAP UNITS

Soil types can also be further classified into detailed soil map units, which can be used more specifically to determine the suitability and development potential of specific uses within a soil unit. For example, some soil units may have more potential for erosion or expansion, which may affect what types of land uses or structures are appropriate within that area. Each soil map unit is given a number, as shown in Plate GS-2 and Table GS-1. The Plan Area contains eight specific soil units and areas of water. A brief description, as described in the *Soil Survey of Sacramento County, California* (USDA 1993) of each soil unit present within the Plan Area is provided below.

157: HEDGE LOAM, 0 TO 2 PERCENT SLOPES

This soil unit is moderately deep, moderately well drained and is found in low areas on low terraces commonly adjacent to drainageways, on flood plains, and on low stream terraces. Hardpans are found at a depth of 10 to 20 inches. Permeability is moderately slow and available water capacity is low or moderate. Runoff is slow and the hazard of water erosion is slight. This unit has a low to moderate shrink-swell potential. The Plan Area contains a very small amount of this soil type right along Excelsior Road in the northwest corner of the site.




Plate GS-2: Soils in the Plan Area

Table GS-1: Plan Area Soil Types

Map Unit Symbol	Map Unit Name	Acres in Plan Area	Percent of Plan Area
157	Hedge loam, 0 to 2 percent slopes	1.9	0.1%
158	Hicksville loam, 0 to 2 percent slopes, occasionally flooded	14.7	1.1%
191	Red Bluff loam, 0 to 2 percent slopes	394.7	29.3%
192	Red Bluff loam, 2 to 5 percent slopes	244.6	18.1%
193	Red Bluff-Redding complex, 0 to 5 percent slopes	552.1	40.9%
198	Redding gravelly loam, 0 to 8 percent slopes	73.6	5.5%
214	San Joaquin silt loam, 0 to 3 percent slopes	30.3	2.2%
239	Xerarents-Redding complex, 0 to 2 percent slopes	26.6	2.0%
247	Water	10.3	0.8%
Totals for Plan Area		1,348.8	100.00%

Source: Natural Resources Conservation Service, Web Soil Survey, National Cooperative Soil Survey. April 28, 2016.

158: HICKSVILLE LOAM, 0 TO 2 PERCENT SLOPES

This soil unit consists of very deep, moderately well drained soils on low stream terraces, and alluvial flats along drainageways on high terraces and hills. Permeability is moderately slow and the available water capacity is very high. Runoff is slow and the hazard of water erosion is slight. This unit has a low to moderate shrink-swell potential. A small area of this soil type is located along Elder Creek in the southwest corner of the Plan Area.

191: RED BLUFF LOAM, 0 TO 2 PERCENT SLOPES

This unit is very deep and well drained and is located on intermediate terraces. Permeability is moderately slow and available water capacity is high. Runoff is slow and the hazard of water erosion is slight. This unit has a low to moderate shrink-swell potential. This soil type is generally located in the northwest portion of the Plan Area, as well as along the segment of Morrison Creek that flows through the northeast corner of the Plan Area. It should be noted that although this soil type is located in the northwest corner of the Plan Area, this area contains a large hill with some slopes that may exceed a 5 percent grade.

192: RED BLUFF LOAM, 2 TO 5 PERCENT SLOPES

This unit is very deep and well drained and is located on high terraces. Permeability is moderately slow and the available water capacity is high. Runoff is slow or medium and the hazard of water erosion is slight or moderate. This unit has a low to moderate shrink-swell potential. This soil type is present primarily in the center of the Plan Area.

193: RED BLUFF-REDDING COMPLEX, 0 TO 5 PERCENT SLOPES

This unit contains approximately 45 percent Red Bluff soil and 40 percent Redding soil. The unit is located on high terraces. Red Bluff soil is very deep and well drained, with moderately slow permeability and high available water capacity. Redding soil is moderately deep and moderately well drained. Permeability is very slow and available water capacity is low in this soil. Runoff is very slow or slow and the hazard of water erosion is slight. This unit complex has a low to high shrink-swell potential. This soil type is present primarily in the southwest portion of the Plan Area, although another area exists within the northeast corner of the Plan Area as well.

198: REDDING GRAVELLY LOAM, 0 TO 8 PERCENT SLOPES

This unit is moderately deep and moderately well drained and located on high terraces and terrace remnants. Permeability is very slow, so water can remain perched above the claypan for short periods following heavy rainfall. Available water capacity is low. Runoff is very slow or medium and the hazard of water erosion is slight or moderate. This unit has a low to high shrink-swell potential. This soil type is located in a few areas in the southern and eastern portions of the Plan Area.

214: SAN JOAQUIN SILT LOAM, 0 TO 3 PERCENT SLOPES

This unit is moderately deep and moderately well drained and is found on low terraces. Permeability is very slow, so water can perch above the claypan for short periods after rainfall. The available water capacity is low. Runoff is slow and the hazard of water erosion is slight. This unit has a low to high shrink-swell potential. This soil type is present in the western portion of the Plan Area.

239: XERARENTS-REDDING COMPLEX, 0 TO 2 PERCENT SLOPES

This unit is approximately 45 percent Xerarents soil and 40 percent Redding soil. It is located on high terraces. The Xerarents soils are moderately deep to very deep, well drained, and altered. Permeability is moderate to very slow in Xerarents soils and available water capacity is moderate or high. Runoff is very slow and the hazard of water erosion is slight. The Redding soils are moderately deep and moderately well drained. Permeability is very slow in Redding soils, so water can perch above the claypan for short periods following heavy rainfall. Runoff is slow, the hazard of water erosion is slight, and the shrink-swell potential is high. This soil type is in the south-central portion of the Plan Area.

SOIL HAZARDS

Different types of soil have different characteristics, and some may be more suitable for development than others. Based on these characteristics, some soil types may be more prone to certain soil hazards, such as those described below.

SUBSIDENCE

Subsidence is the gradual settling or sinking of the earth's surface with little or no horizontal motion. Sacramento County is affected by five types of subsidence: compaction of unconsolidated soils by earthquake shaking, compaction by heavy structures, the erosion of peat soils, peat oxidation, and fluid withdrawal. The pumping

of water for residential, commercial, and agricultural uses from subsurface aquifers causes the greatest amount of subsidence in Sacramento County.

EXPANSIVE SOILS

Expansive soils represent approximately one third of all soil types in Sacramento County. These soils are largely composed of clays, which greatly increase in volume when water is absorbed and shrink when dried. Expansive soils are of concern because building foundations may rise during the rainy season and fall during the dry season in response to the clay's action. If movement varies under different parts of the building, the result is that foundations crack, structural portions of the building are distorted, and doors and windows are warped so that they do not function properly.

The southern and western portions of the Plan Area are generally characterized by soils with the capacity for high shrink-swell potential, which indicates expansive properties (soil units 193, 198, 214, and 239 depicted on Plate GS-2).

LANDSLIDES

Landslide is a general term used for a falling mass of soil and rock. The topography of the Plan Area and vicinity is relatively flat, and there are no major slopes, so the potential for landslide risk would be very low.

SOIL EROSION

Erosion is a natural geological process by which landforms are worn down or reshaped by wind and water and the eroded material is deposited elsewhere. While natural erosion of undisturbed areas occurs in Sacramento County, it does not appear to pose a significant hazard to property. The principal area of erosion in the county is along portions of the American River bluffs. Most of the soil types within the Plan Area have a low potential for erosion, although two soil types, Redding gravelly loam and Red Bluff loam, have a low to moderate potential for erosion.

NATURALLY OCCURRING ASBESTOS

Asbestos is a naturally occurring, fibrous silicate mineral mined for its useful properties, such as thermal insulation, chemical and thermal stability, and high tensile strength (greater resistance to longitudinal stress before rupturing). It was at one time commonly used as an acoustic insulator and for thermal insulation in building materials. It is often found occurring naturally in ultramafic rock, a rock closely related to serpentinite, but can also be associated with other rock types in California, though much less frequently than serpentinite and/or ultramafic rock.

Asbestos is classified as a known human carcinogen by state, federal, and international agencies and is identified as a toxic air contaminant. Asbestos poses a health risk only when it becomes friable, such as through disturbance or damage, and can cause serious health problems including lung disease and cancer if inhaled into the lungs.

Because it occurs naturally, asbestos may be released to the atmosphere due to vehicular traffic on unpaved roads, during grading for development projects and at quarry operations (broken or crushed serpentinite and ultramafic rocks) in areas where it occurs. The Sacramento Metropolitan Air Quality Management District (SMAQMD)

determined that naturally occurring asbestos is present within areas of eastern Sacramento County, particularly along the county's boundary with El Dorado County, including within the City of Folsom and the unincorporated community of Rancho Murieta. However, all of the areas with naturally occurring asbestos are located east of Grant Line Road. Asbestos is not anticipated within, or in the vicinity of, the Plan Area.

MINERAL RESOURCES


Mineral resources in Sacramento County include sand, gravel, clay, gold, silver, peat, topsoil, lignite, natural gas, and petroleum. The principal resources in production are aggregate (sand and gravel) and natural gas. Resource conservation issues associated with natural gas production and the lesser minerals are not currently considered vital within Sacramento County and conservation issues related to mineral resources focus primarily on aggregate production.

The Surface Mining and Reclamation Act of 1975 requires the State Geologist to classify land into Mineral Resource Zones (MRZ) based on the known or inferred mineral resource potential of that land. MRZs are divided into six categories. As shown in Plate GS-3, the Plan Area is located within MRZ-3 zone, which is defined as follows:

- MRZ-3a: Areas containing known mineral occurrences of undetermined mineral resource significance. Further exploration work within these areas could result in the reclassification of specific localities into MRZ-2a or MRZ-2b categories. MRZ-3 is divided on the basis of knowledge of economic characteristics of the resource.
- MRZ-3b: Areas containing inferred mineral occurrences of undetermined mineral resource significance. Land classified MRZ-3b represents areas in geologic settings that appear to be favorable environments for the occurrence of specific mineral deposits. Further exploration work could result in the reclassification of all or part of these areas into the MRZ-2a or MRZ-2b categories.

In addition to MRZ classifications, the State also designates Aggregate Resource Areas (ARA) for the County to utilize for land use planning and conservation (see Plate GS-4). As shown, the Plan Area is not located within one of these ARAs, but it is located adjacent to ARA-18.


The Plan Area is not located within an area classified as containing mineral resources or within an ARA. However, active aggregate mining activities are located within the vicinity of the Plan Area, including the area just west of Excelsior Road, directly adjacent to the Plan Area.



Source: Prepared by Sacramento County in 2018

X15010101_09_011

Plate GS-3: Plan Area and Sacramento County MRZ Zones



Source: Figure 2, Conservation Element, Sacramento County General Plan of 2005-2030.

X15010101_09_012

Plate GS-4: Aggregate Resource Areas Map

PALEONTOLOGICAL RESOURCES BACKGROUND

Paleontological resources are the remains or traces of prehistoric plant and animal life, exclusive of human remains or artifacts, and the geologic units that house them.

Paleontological resources are useful in education in that they promote the understanding of the history of life and the diversity of the Earth's biota. In Sacramento County, fossil vertebrates have been recovered from the Riverbank Formation at Arco Arena, along Chicken Ranch Slough near Howe Avenue and Arden Way, at the Teichert Gravel Pit, the Davis Gravel Pit, and on Ehrhardt Avenue, near the Sacramento Regional Wastewater Treatment Plant (Sacramento County 2010).

The Plan Area is in an area mapped as Arroyo Seco Formation, which is a late Pliocene or early Pleistocene formation consisting of predominately metamorphic gravels and granite sand matrix (Shlemon 1967). This is a Pleistocene Riverbank-age channel of the lower American River. The Riverbank channels are an estimated 150,000 to 250,000 years old. The Riverbank-age channels have been a source of both gold and gravel. In the past, the gravel quarries in the area have exposed both vertebrate fossils and fossil redwood, sycamore, and willow logs (Shlemon 1995).

REGULATORY SETTING

FEDERAL

UNIFORM BUILDING CODE

Development within the State of California is required to at least adhere to the provisions of the Uniform Building Code (UBC). The UBC sets forth minimum standards related to development, seismic design, building siting and grading. Local jurisdictions typically adopt standards that are as stringent, if not more stringent than those of the UBC. California has adopted the UBC but has amended it to better meet the need of the specific conditions of California.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT AND WASTE DISCHARGE REQUIREMENTS FOR CONSTRUCTION

The National Pollutant Discharge Elimination System (NPDES) permit program in California has been delegated to the SWRCB and RWQCBs. The goal of the NPDES nonpoint source regulations is to improve the quality of stormwater discharged to receiving waters to the "maximum extent practicable" through the use of best management practices (BMPs). Compliance with the NPDES General Construction Permit requires that any construction activity affecting 1 acre or more obtain the General Construction Activity Storm Water Permit. Permit applicants are required to submit a notice of intent to the SWRCB and to prepare a stormwater pollution prevention plan (SWPPP), which identifies BMPs that will be implemented to reduce construction effects on receiving water quality. The BMPs include sediment and erosion control measures and other measures to control potential chemical contaminants. Examples of

construction BMPs identified in SWPPPs include: using temporary mulching, seeding, or other stabilization measures to protect uncovered soils; storing materials and equipment to ensure that spills or leaks cannot enter the storm drain system or surface water; developing and implementing a spill prevention and cleanup plan; installing traps, filters, or other devices at drop inlets to prevent contaminants from entering storm drains; and using barriers, such as straw wattles or silt fencing, to minimize the amount of uncontrolled runoff that could enter drains or surface water.

Construction activities subject to the general construction activity permit include clearing, grading, stockpiling, and excavation. Dischargers are required to eliminate or reduce nonstormwater discharges to storm sewer systems and other waters. The permit also requires dischargers to consider the use of post-construction permanent BMPs that would remain in service to protect water quality throughout the life of the project. All NPDES permits also have inspection, monitoring, and reporting requirements. The General Permits also require permittees to develop a Construction Site Storm Water Runoff Control Program and a Post Construction Storm Water Management Program.

STATE

ALQUIST-PRIOLO EARTHQUAKE FAULT ZONING ACT

The 1972 Alquist-Priolo Earthquake Fault Zoning Act regulates development near active faults to mitigate the hazard of surface fault rupture. Under this act, the State Geologist is required to delineate earthquake fault zones along known active faults in California. Cities and counties affected by these zones must regulate certain developments within these zones and withhold development permits for sites until geologic investigations demonstrate that they are not threatened by surface displacements from future faulting. For the purposes of this act, an active fault is defined as a fault that has “had surface displacement within Holocene time” (about the last 11,000 years). Sacramento County is not affected by Earthquake Fault Zones.

SEISMIC HAZARDS MAPPING ACT

The Seismic Hazards Mapping Act of 1990 requires the State Geologist to delineate liquefaction and earthquake-induced landslide hazard zones in the state. Cities and counties affected by these hazard zones must regulate certain developments within these zones and withhold development permits for sites until geologic investigations demonstrate they are not threatened by liquefaction, earthquake, or induced landsliding during future earthquakes. Sacramento County is located outside of the Seismic Hazard Mapping Zones (CGS 2019).

CALIFORNIA UNIFORM BUILDING CODE

The California Uniform Building Code (CBC) contains the minimum standards for design and construction in California. All development in California is subject to the regulations of the CBC. Local standards other than the code may be adopted if those standards are stricter. The code adopts all the standards associated with seismic engineering detailed in the Uniform Building Code of 1997. The 2016 California Building Code is adopted and incorporated into Title 16 of the Sacramento County Code and all construction,

alteration, moving, demolition, repair and use of any building or structure within Sacramento County shall be made in conformance with the CBC.

ASBESTOS AIRBORNE TOXIC CONTROL MEASURE FOR CONSTRUCTION, GRADING, QUARRYING, AND SURFACE MINING OPERATIONS

The California Air Resources Board has adopted an Asbestos Airborne Toxic Control Measure (ATCM) for Construction, Grading, Quarrying, and Surface Mining Operations (17 CCR 93105). SMAQMD has mapped areas of serpentine and ultramafic rock in eastern Sacramento County and determined that these areas are subject to the ATCM (CGS 2006). The Plan Area is not in the portion of the County subject to the ATCM.

LOCAL

LAND GRADING AND EROSION CONTROL

The Sacramento County Land Grading and Erosion Control Ordinance (Sacramento County Code Ch. 16.44) was established to minimize damage to surrounding properties and public rights-of-way; limit degradation to the water quality of watercourses; and curb the disruption of drainage system flow caused by the activities of clearing, grubbing, grading, filling, and excavating land. The ordinance establishes administrative procedures, minimum standards of review, and implementation and enforcement procedures for the control of erosion and sedimentation that are directly related to land grading activities.

SACRAMENTO COUNTY 2030 GENERAL PLAN

The following 2030 General Plan policies pertaining to geology and soils are applicable to the Project.

- CO-161. As a condition of approval for discretionary projects, require appropriate mitigation to reduce potential impacts where development could adversely affect paleontological resources.
- CO-162. Projects located within areas known to be sensitive for paleontological resources, should be monitored to ensure proper treatment of resources and to ensure crews follow proper reporting, safeguards and procedures.
- CO-163. Require that a certified geologist or paleoresources consultant determine appropriate protection measures when resources are discovered during the course of development and land altering activities. I've also attached that letter.

COMMUNITY PLANS

CORDOVA COMMUNITY PLAN

The Cordova Community Plan does not include policies or implementation actions that pertain to the analysis of geology, soils, or mineral resources.

VINEYARD COMMUNITY PLAN

The Vineyard Community Plan, which was developed in 1985, provides guidance for growth and development in the community planning area.

NER 7. Continue to utilize the Surface Mining Combining Zone for the preservation of aggregate resources and for the protection of area residents through mitigation provisions contained within that zone.

IMPACTS AND ANALYSIS

SIGNIFICANCE CRITERIA

Based on the CEQA Guidelines, impacts to geology, soils, and seismic areas of concern would be significant if a Project would:

1. Directly or indirectly cause potentially substantial adverse effects, including the risk of loss, injury, or death involving:
 - Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist of the area or based on other substantial evidence of a known fault
 - Strong seismic ground shaking
 - Seismic-related ground failure, including liquefaction
 - Landslides
 - Unsafe exposure to naturally occurring asbestos
2. Result in substantial soil erosion or the loss of topsoil.
3. Be located on a geological unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse.
4. Be located on expansive soil as defined in Table 18-1-B of the Uniform Building Code, creating substantial direct or indirect risks to life or property.
5. Result in the loss of availability of, including obstruction of access to or removal of, mineral resources. In particular for aggregate resources, removal or disruption of mineral resources delineated on a local general plan, specific plan, or other land use plan.
6. Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water.
7. Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature.

ISSUES NOT DISCUSSED FURTHER

There are no known earthquake faults located within the Plan Area, or in the vicinity, so there would be no risk of fault rupture. In addition, Sacramento County is in one of the areas least prone to earthquake shaking potential, as depicted in Plate GS-1. Further, compliance with the Uniform Building Code would ensure that buildings are built to withstand minor groundshaking. Though there is topographical variation on the site, there are no major bluffs or other features that would make the Project susceptible to damage related to landslides. Based on the existing regulatory framework that governs new development within Sacramento County, which addresses safety issues and requires that development adhere to the CBC and other relevant policies, regulations, and design standards related to seismic activity, seismically induced groundshaking effects are not expected to be substantial hazards.

The Plan Area is not located in or near an area with naturally occurring asbestos. The Proposed Project would not exacerbate any risk of exposure by people or structures to adverse effects related to fault rupture, strong seismic ground-shaking, landslides, or naturally occurring asbestos.

None of the soils present on the site, as described in *The Soil Survey of Sacramento County, California*, are listed as unstable, so no impacts related to unstable soils (e.g., landslide, lateral spreading, subsidence, liquefaction, or collapse) would occur.

The Project would connect to a public sewer system, so there would be no impact involving septic systems. Additionally, the Project would not result in a reduction in the availability of (i.e., access to or removal of) any mineral resource, because none exist within the proposed Plan Area. Implementation of the Project would not obstruct access to adjacent mineral resources because the nearest mineral (aggregate) resource to the Plan Area is on the opposite side of Excelsior Road.

None of the above issues will be discussed further in this section.

METHODOLOGY

In general, the geotechnical characteristics of the Plan Area determine the potential for structural and safety hazards, as well as mineral resource impacts that could occur with development related to the proposed Project. The Project was analyzed in terms of its potential to exacerbate geologic or soils-related hazards to people and property in the Plan Area.

IMPACT: SOIL EROSION, SILTATION, OR LOSS OF TOPSOIL

PROPOSED PROJECT

Erosion is a natural process that occurs when wind and water reshape or wear down landforms and the eroded materials are deposited in another location. The erosion of soil can be accelerated when existing groundcover is removed from the surface of the ground such as during grading or clearing activities that expose underlying soil to erosional forces. The most likely potential for erosion to occur is as a result of construction activity where soils may be exposed. All but two of the soil types located within the Plan Area have a slight potential for erosion. The Red Bluff loam, 2 to 5

percent slopes and Redding gravelly loam, 0 to 8 percent slopes soil types both have a slight to moderate potential for erosion.

The Project would comply with the Sacramento County Land Grading and Erosion Control Ordinance (Sacramento County Code Ch. 16.44). The ordinance was established to minimize damage to surrounding properties and public rights-of-way; limit degradation to the water quality of watercourses; and curb the disruption of drainage system flow caused by the activities of clearing, grubbing, grading, filling, and excavating land. The ordinance establishes administrative procedures, minimum standards of review, and implementation and enforcement procedures for the control of erosion and sedimentation that are directly related to land grading activities.

The Project would also comply with the NPDES General Construction Permit, which requires that any construction activity affecting 1 acre or more implement a SWPPP, which identifies BMPs to reduce construction effects on receiving water quality. The BMPs include sediment and erosion control measures and other measures to control potential chemical contaminants. Also refer to Chapter 16, "Hydrology and Water Quality."

In compliance with these regulations, any development related to the Project would be subject to erosion and sediment control measures. As such, the Project would not result in substantial soil erosion or the loss of topsoil. Impacts to soil resources would be **less than significant**.

ALTERNATIVE 2

Alternative 2 would result in slightly less potential for erosion because there would be less ground disturbance due to an increase in the area set aside as wetland preserve. This impact would be **less than significant**.

MITIGATION MEASURES

No mitigation is required.

IMPACT: EXACERBATION OF EXPOSURE TO HAZARDS ASSOCIATED WITH EXPANSIVE SOILS

PROPOSED PROJECT

All soil types present within the Plan Area have some potential for expansion. The Red Bluff-Redding complex, 0 to 5 percent slopes; Redding gravelly loam, 0 to 8 percent slopes; and San Joaquin silt loam, 0 to 3 percent slopes soil types all have a low to high shrink-swell potential. The Xerarents-Redding complex, 0 to 2 percent slopes soil type has a high shrink-swell potential.

Development related to the Project may result in the addition of new structures and roadways located in areas containing expansive soils that could cause structural damage to both foundations and roads. To address this, the construction permitting process within Sacramento County requires completed geotechnical reports for development located within areas known to contain expansive soils; the purpose of this is to identify potential hazards that may impact a project as well as measures to eliminate the hazardous soil

conditions. Measures related to eliminating potential hazards of expansive soils can include the excavation of silts and clays to a suitable depth, the replacement of these materials with engineered fill and compacted granular fill material, or the mixing of onsite soils to achieve a consistent soil composition. Implementation of these measures effectively removes expansive soils from an area or ensures that any expansion and contraction under the foundation is evenly distributed. In addition, structural design of any development in the Plan Area must conform to the criteria detailed in the UBC and CBC (Chapters 16, 18, 33 and the Appendix to Chapter 33).

Any Project-related development would need to adhere to the existing UBC and CBC, which would ensure the maximum necessary protection available for development within areas known to contain expansive soils. Therefore, implementation of the Project would not exacerbate any risk to life or property from impacts related to expansive soils; this impact would be **less than significant**.

ALTERNATIVE 2

The wetland preserve would be expanded under Alternative 2, and there would be slightly less development. As discussed above, any development would need to adhere to the existing UBC and CBC, which would ensure the maximum necessary protection available for development within areas known to contain expansive soils. Impacts associated with expansive soils would remain **less than significant**.

MITIGATION MEASURES

No mitigation is required.

IMPACT: POTENTIAL DESTRUCTION OF BURIED PALEONTOLOGICAL RESOURCES

PROPOSED PROJECT

Construction of the Project would involve grading activities and some trenching for infrastructure development. Because ground disturbing activities would be relatively shallow and not require deep digging and trenching, the potential for encountering buried paleontological resources is low. However, given that the Riverbank Formation, which underlies the Plan Area, is considered to have paleontological sensitivity, it is possible that buried paleontological resources could be encountered. Therefore, impacts related to paleontological resources would be **potentially significant**.

With the implementation of the Mitigation Measure GS-1, below, impacts would be reduced to **less than significant with mitigation** because construction workers and operational personnel would be alerted to the possibility of encountering paleontological resources and professionally accepted and legally compliant procedures for the discovery of paleontological resources would be implemented in the event of a find.

ALTERNATIVE 2

Although the wetland preserve would be expanded under Alternative 2, and there would be slightly less development and associated ground disturbance, this alternative includes substantial areas of excavation and development. With Implementation of Alternative 2, impacts would be **potentially significant**. With the implementation of the Mitigation Measure GS-1, impacts would be reduced to **less than significant with mitigation** because construction workers and operational personnel would be alerted to the possibility of encountering paleontological resources and professionally accepted and legally compliant procedures for the discovery of paleontological resources would be implemented in the event of a find.

MITIGATION MEASURES

GS-1: The Project Applicant or subsequent developers of the specific plan shall retain a qualified paleontologist to conduct an on-site training that will alert all construction personnel and operational staff about the possibility of encountering fossils. The appearance and types of fossils likely to be seen during construction will be described. Construction personnel shall be trained about the proper notification procedures should fossils be encountered.

If paleontological resources are discovered during earthmoving activities, the Project Applicant or subsequent developers of the specific plan shall immediately halt operations within 100 feet of the find and notify the Environmental Coordinator. The Project Applicant or subsequent developers of the specific plan shall retain a qualified paleontologist for identification and salvage of fossils so that construction delays can be minimized. If large specimens are discovered, the paleontologist shall have the authority to halt or divert grading and construction equipment while the finds are removed. The paleontologist shall be responsible for implementing all tasks summarized below:

- In the event of discovery, salvage of unearthened fossil remains, typically involving simple excavation of the exposed specimen but possibly also plaster-jacketing of large and/or fragile specimens, or more elaborate quarry excavations of richly fossiliferous deposits.
- Recovery of stratigraphic and geologic data to provide a context for the recovered fossil remains, typically including description of lithologies of fossil-bearing strata, measurement and description of the overall stratigraphic section, and photographic documentation of the geologic setting.
- Laboratory preparation (cleaning and repair) of collected fossil remains to a point of curation, generally involving removal of enclosing rock material, stabilization of fragile specimens (using glues and other hardeners), and repair of broken specimens.
- Cataloging and identification of prepared fossil remains, typically involving scientific identification of specimens, inventory of specimens, assignment of catalog numbers, and entry of data into an inventory database.

- Preparation of a final report summarizing the field and laboratory methods used, the stratigraphic units inspected, the types of fossils recovered, and the significance of the curated collection.

13 HAZARDOUS MATERIALS

INTRODUCTION

This chapter describes the potential for existing hazards in the Plan Area and provides an evaluation of the Project's and Alternative 2's potential to create a significant hazard for the public or the environment, conflict with emergency response plans, or expose people to wildland fires. The analysis addresses the effects that development of the Project or Alternative 2 would have related to hazardous substances and conditions in proximity to the Plan Area. The term "hazardous substances," as used herein, refers to both hazardous materials and hazardous wastes. Sacramento County uses the definition of "hazardous materials" from the California Health and Safety Code, Division 20, Chapter 6.95, Section 25501, which states:

"Hazardous material" means a material that, because of its quantity, concentration, or physical or chemical characteristics, poses a significant present or potential hazard to human health and safety or to the environment if released into the workplace or the environment. "Hazardous materials" include, but are not limited to, hazardous substances, hazardous wastes, and any material that a handler or the unified program agency (administering agency) has a reasonable basis for believing that it would be injurious to the health and safety of persons or harmful to the environment if released into the workplace or the environment."

This definition is not limited to just those chemicals with long-term detrimental effects. It also includes materials that present a hazard because of their physical nature (i.e., those that are explosive, corrosive, or flammable).

The County received one response to the Notice of Preparation that expressed concern about the potential for existing soil contamination at the Sacramento Raceway. This facility is discussed further below.

ENVIRONMENTAL SETTING

The Plan Area is mostly vacant, undeveloped land; however, there are some single-family agricultural residences, located mainly along Excelsior Road, Jackson Road (also referred to as Jackson Highway), and Tree View Lane (to be renamed Grenville Road); the Sacramento Raceway, on the west side of the Plan Area; and an abandoned koi farm, in the northwestern portion of the Plan Area. Portions of the Plan Area are currently in agricultural production, including irrigated pasture land and grazing, and farming of strawberries and other crops.

The land uses surrounding the Plan Area consist primarily of agricultural and agricultural-residential uses. Mather Airport is located northwest of the Plan Area, and the area just north of the Plan Area was formerly part of the former Mather Air Force Base. Other surrounding areas include land uses similar to those found within the Plan Area itself, including farming, grazing, agricultural residential, and wetland preserves.

East of the Plan Area are also a cemetery and a pet cemetery; to the south, there is an equestrian center and aggregate quarries; and to the west, there is a commercial rock and garden center and more aggregate quarries. Groundwater in the Plan Area generally flows from the northeast to the southwest.

PLAN AREA HAZARDS

The following descriptions of known and potential hazards within, and in proximity to, the Plan Area are informed by a Phase I Environmental Site Assessment (ESA) prepared in 2013 by BSK Associates. The American Society for Testing and Materials developed the widely accepted practice standards for Phase I ESAs (E-1527-05), which address the potential for documented and undocumented hazards on a site. Phase I ESAs include an on-site visit to determine current conditions; an evaluation of possible risks posed by neighboring properties; interviews with persons knowledgeable about the site's history; an examination of local planning files to check prior land uses and permits granted; file searches with appropriate agencies having oversight authority relative to water quality and/or soil contamination; examination of historic aerial photography of the site and adjacent properties; a review of current topographic maps to determine drainage patterns; and an examination of chain-of-title for environmental lines and/or activity and land use limitations. Phase I ESAs can also be used to identify the potential for presence of hazardous building materials in situations where older structures intended for demolition could contain lead-based paint, asbestos containing materials, mercury, or polychlorinated biphenyls. If a Phase I ESA indicates the presence, or potential presence of contamination, a site-specific Phase II ESA is generally conducted to test soil and/or groundwater. Based on the outcome of a Phase II ESA, remediation of contaminated sites under federal and State regulations may be required prior to development. The Phase I ESA of the Plan Area is presented in Appendix HM-1 of this EIR and the results are summarized below.

RURAL AGRICULTURAL RESIDENTIAL USES

The Plan Area includes several agricultural residential properties, which can contain hazardous materials due to the presence of septic systems, groundwater wells, underground storage tanks, and the presence of chemicals used in agricultural practices. Septic systems can adversely affect soil and groundwater in an area if not properly maintained or abandoned once a property connects to public sewer. Underground storage tanks used to store diesel, fuels, or other chemicals could be hazardous if they leak into the soil or groundwater. The Sacramento County Environmental Management Department (EMD) oversees the permitting of both septic systems and underground storage tanks. However, in some cases (e.g., when the tanks pre-date EMD records and have been abandoned), they can be discovered during site disturbing activities associated with future development. There are no known hazards associated with onsite septic systems or underground storage tanks within the Plan Area (BSK 2013).

The Phase I ESA also noted the presence of debris piles on three parcels located north of Kiefer Boulevard in 2013 during site reconnaissance. Some of these piles are first apparent in aerial photographs from 1981. There is no information on the content of these features, and they may contain hazardous materials. Since it has been several years since these debris piles were observed, it is possible that they may no longer be present.

In addition, agricultural operations are known to use chemicals, including pesticides and herbicides, some of which can cause soil and groundwater contamination if used improperly. Agricultural chemicals used before the 1970s often included highly persistent compounds such as DDT. Inorganic compounds containing heavy metals such as arsenic, lead, and mercury were commonly used before the 1950s. Chemicals commonly used in the past have the potential to leave residual inorganic or organic components in shallow soils that could persist for many decades. If present in elevated concentrations, these residues could pose a potential health risk to future construction workers, residents, and other persons who may come in direct contact with surface soils. There are no known areas of soil or groundwater contamination from residual agricultural chemicals within the Plan Area, but comprehensive soil and groundwater testing has not been conducted.

LEAD, ASBESTOS, AND OTHER HAZARDOUS MATERIALS IN BUILDINGS

Lead and lead compounds have been used in many products found around our homes, for example: paint, ceramics, pipes, plumbing materials, gasoline, batteries, ammunition and cosmetics. In 1978, the Federal government banned the use of lead-based paint in housing. There are structures within the Plan Area consisting of few small ranches, few agricultural-residential homes and the Sacramento Raceway. Some of these structures were built prior to 1978 and could contain lead-based paint.

Asbestos is a naturally occurring, fibrous silicate mineral that was commonly used as an acoustic insulator and in thermal insulation (fire proofing and other building materials) prior to 1989, when it was banned by the U.S. Environmental Protection Agency (EPA) due the health issues it can cause if the fibers are inhaled. Some of the older structures within the Plan Area could contain asbestos. In addition to being used in building materials, asbestos can also be found occurring naturally in portions of eastern Sacramento County, within Folsom, south of Folsom, and Rancho Murieta. As discussed in Chapter 12, "Geology, Soils, and Mineral Resources," asbestos does not occur naturally within the Plan Area or the vicinity.

In addition, other common items present in buildings, such as electrical transformers, fluorescent lighting, electrical switches, heating/cooling equipment, and thermostats, can contain hazardous materials that may pose a health risk if not handled and disposed of properly. Among these hazardous materials are polychlorinated biphenyls (PCBs), which were used in hundreds of industrial and commercial applications because of their non-flammability, chemical stability, high boiling point, and electrical insulating properties. Equipment in the Plan Area that might contain PCBs includes electrical equipment and thermal insulation material (e.g., fiberglass, felt, foam, or cork). Older, pole-mounted electrical transformers can also contain PCBs.

DOCUMENTED SITES OF HAZARDOUS MATERIALS RELEASE

SACRAMENTO RACEWAY

The Sacramento Raceway is an existing, unpermitted facility within the Plan Area that stores hazardous materials (see Plate HM-1). The operation has a long history of code enforcement violations, including several issues with leaking tanks and soil

contamination. Specific citations issued by Sacramento County EMD include: surface contamination caused by storage containers being turned upside down, spillage of waste oil, leaking oil containers, batteries being stored directly on the ground, improper steam cleaning of engines without containing wastewater, extensive spillage of diesel fuel, spills of oil under equipment, and no records of proper waste oil disposal for a period of 3 years. In addition, a natural gas leak was reported after a 12-inch steel line ruptured in September of 2008. Because groundwater in this area generally flows to the southwest, if groundwater contamination occurred due to past incidents at the raceway, it could have moved into other parts of the Plan Area. The Phase I ESA identified the raceway as a Recognized Environmental Condition for historic and ongoing releases of hazardous materials.

MATHER AIR FORCE BASE

Mather Air Force Base hosted military operations from 1918 until it was decommissioned in 1993. Since the base was decommissioned, most of the land formerly occupied by the base has been transferred to the ownership of Sacramento County, and the airfield now operates as a public airport. As is common with operational and decommissioned military bases, several areas of Mather Field have been contaminated with or contain hazardous materials that were used during base operations. Approximately 89 contaminated sites have been identified within Mather Field as a result of aircraft fueling and maintenance activity, fire protection training, corrosion control, past disposal activities, and landfilling; 75 of these sites have been remediated. Key contaminants include solvents, petroleum products, and various solid wastes. In addition, pesticides, herbicides, asbestos, PCBs, radon, ordnance, metals (including lead), low-level radioactive waste, landfill gases, and medical waste that were used, stored, or generated as part of base operations have been identified as potential sources of contamination.

Because Mather Field was operated as a federal military installation, EPA, U.S. Department of Defense, U.S. Air Force, California EPA (Cal/EPA), and California Department of Toxic Substance Control (DTSC) oversee hazardous substances investigations and remediation. Remediation is currently underway at several locations at Mather. Existing soil contamination is undergoing remediation using in situ treatment (soil vapor extraction [SVE] and/or bioventing) and excavation and transport of contaminated soils to an on-site ex situ bioremediation facility. There are currently nine sites with active SVE/biovent remediation. Three on-site landfills have been capped and closed, and a minimum of 30 years of post-closure monitoring and maintenance is being conducted. Soil sampling is also occurring at the location of two above-ground storage tanks.

The Plan Area is located approximately 1 mile southeast of the former base. One of the cleanup cases associated with former operations of Mather Air Force Base was located near the Plan Area, in the area north of Kiefer Road. The site was a landfill (Landfill 6), which was excavated and all materials were transported to another landfill (Landfill 4) in 1996 (see Plate HM-1). Remediation of the site is complete and the case has been closed by SWRCB.

TRANSPORT OF HAZARDOUS MATERIALS

Hazardous materials, hazardous wastes, and petroleum products are a subset of the goods routinely shipped along the transportation corridors adjacent to the Plan Area. In California, unless specifically exempted, it is unlawful for any person to transport hazardous wastes unless the person holds a valid registration issued by the DTSC. Three agencies maintain searchable databases that track hazardous material releases in reportable quantities: EPA maintains the Hazardous Materials Incident Report System that contains data on hazardous material spill incidents reported to the U.S. Department of Transportation (US DOT); the California Office of Emergency Services (OES) maintains the California Hazardous Materials Incident Report System that contains information on reported hazardous material accidental releases or spills; and the State Water Resource Control Board (SWRCB) Site Cleanup Program maintains information on reported hazardous material accidental releases or spills. US DOT also provides grants to local agencies for preparation and training for hazardous materials incidents through its Hazardous Materials Emergency Preparedness Program administered by OES.

SCHOOLS

Children are particularly susceptible to long-term effects from emissions of hazardous materials. Therefore, locations where children spend extended periods of time, such as schools, are particularly sensitive to hazardous air emissions and accidental release associated with the handling of extremely hazardous materials, substances, or wastes.

The closest school to the Plan Area is Mather Heights Elementary School, which is roughly 0.75 mile north of the Plan Area and is part of the Folsom Cordova School District. Other nearby schools include Robert J. McGarvey Elementary School and Sunrise Elementary School in the Elk Grove School District, which are located roughly 1.75 miles and 2 miles northeast of the Plan Area, respectively. The Plan Area would be served by the Elk Grove Unified School District.

WILDLAND FIRE HAZARDS

While all of California is subject to some degree of wildfire hazard, there are specific features that make certain areas more hazardous. The California Department of Forestry and Fire Protection (CAL FIRE) is required by law to map areas of significant fire hazards based on fuels, terrain, weather, and other relevant factors (Public Resources Code [PRC] 4201-4204 and Government Code 51175-89). When development spreads into less densely populated, often hilly areas, it increases the number of people living in areas that are prone to wildfire.

The Plan Area is within a local responsibility area that CAL FIRE has identified as a non-very high fire hazard severity zone (CAL FIRE 2008). The Sacramento Metropolitan Fire District is responsible for providing fire protection services to the Plan Area.

REGULATORY SETTING

FEDERAL

EPA has primary responsibility for enforcing and implementing federal laws and regulations pertaining to hazardous materials. Applicable regulations are contained mainly in Titles 29, 40, and 49 of the Code of Federal Regulations (CFR). Hazardous materials, as defined in the CFR, are listed in 49 CFR 172.101. Management of hazardous materials is governed by the laws summarized below. These laws and associated regulations include specific requirements for facilities that generate, use, store, treat, and/or dispose of hazardous materials.

RESOURCE CONSERVATION AND RECOVERY ACT

The Resource Conservation and Recovery Act (RCRA) is the principal federal legislation regulating hazardous waste. Under the RCRA, EPA regulates the generation, transportation, treatment, storage, and disposal of hazardous substances. RCRA imposes reporting, permitting, and operational control requirements on businesses or individuals that generate, treat, store, or dispose of hazardous materials or hazardous waste. RCRA is implemented by Title 40 of the Code of Federal Regulations. The 1984 amendments to RCRA involve stringent monitoring of landfills and underground storage tanks for hazardous substances. EPA has delegated authority for many RCRA requirements to DTSC.

COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION AND LIABILITY ACT

In response to the need to clean up hazardous waste sites created before implementation of RCRA, Congress enacted Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) in 1980. CERCLA, also called the Superfund Act, provided broad federal authority and created a trust fund for addressing releases and threatened releases of hazardous substances that could endanger public health or the environment.

EPA is responsible for compiling the National Priorities List for known or threatened release sites of hazardous substances, pollutants, or contaminants and provides oversight of Superfund investigation/remediation projects, evaluates remediation technologies, and develops hazardous materials disposal restrictions and treatment standards. The former Mather Air Force Base is listed as a national Superfund site with ongoing remediation activities at several sites on the former base property.

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT

The risk of exposure to hazardous waste as a result of RCRA and CERCLA was addressed in the Superfund Amendments and Reauthorization Act (SARA) of 1986. As a result of SARA, the federal Occupational Safety and Health Administration (OSHA) published hazardous waste cleanup regulations in 29 CFR 1910.120.

TOXIC SUBSTANCES CONTROL ACT

The Toxic Substances Control Act provides EPA with authority to require reporting, recordkeeping and testing, and restrictions related to chemical substances and/or mixtures. The Toxic Substances Control Act addresses the production, import, use, and disposal of specific chemicals including PCBs, asbestos, radon, and lead-based paint.

CLEAN AIR ACT

Regulations under the Clean Air Act (42 USC 7401 et seq., as amended) are designed to prevent accidental releases of hazardous materials. The regulations require facilities that store more than a threshold quantity of regulated substances to develop a risk management plan that includes hazard assessments and response programs to prevent accidental releases of listed chemicals.

OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION WORKER SAFETY REQUIREMENTS

OSHA is responsible for ensuring worker safety. OSHA sets federal standards for implementation of workplace training, exposure limits, and safety procedures for handling hazardous substances and addressing other potential industrial hazards. OSHA also establishes criteria by which each state can implement its own health and safety program. The Hazard Communication Standard (CFR Title 29, Part 1910) requires that workers be informed of the hazards associated with the materials they handle. Workers must be trained in safe handling of hazardous materials, use of emergency response equipment, and building emergency response plans and procedures. Containers must be labeled appropriately, and material safety data sheets must be available in the workplace.

HAZARDOUS MATERIALS TRANSPORTATION ACT

US DOT has developed regulations in Titles 10 and 49 of the CFR pertaining to the transport of hazardous substances and hazardous wastes. The Hazardous Materials Transportation Act is administered by the Research and Special Programs Administration of US DOT. The act provides US DOT with a broad mandate to regulate the transport of hazardous materials, with the purpose of adequately protecting the nation against the risk to life and property that is inherent in the commercial transportation of hazardous materials. US DOT regulations that govern the transportation of hazardous materials are applicable to any person who transports, ships, causes to be transported or shipped, or who is involved in any way with the manufacture or testing of hazardous materials packaging or containers.

FEDERAL INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT

Pesticides are regulated under the Federal Insecticide, Fungicide and Rodenticide Act by EPA. This includes labeling and registration of pesticides as to how they may be used. EPA delegates pesticide enforcement activities in California to the California Department of Pesticide Regulation, under Title 3 of the California Code of Regulations and the California Food and Agriculture Code. The California Department of Pesticide

Regulation registers pesticides for use in California, and licenses pesticide applicators and pilots, advisors, dealers, brokers, and businesses.

STATE

CALIFORNIA HAZARDOUS MATERIALS RELEASE RESPONSE PLANS AND INVENTORY LAW

This law requires preparation of hazardous materials business plans and disclosure of hazardous materials inventories. Such plans must include an inventory of hazardous materials handled, as well as facility floor plans showing where hazardous materials are stored, an emergency response plan, and emergency response procedures that provide for employee training (California Health and Safety Code, Division 20, Chapter 6.95, Article 1). The business plan program is administered by the California Emergency Management Agency.

CAL/OSHA WORKER SAFETY REQUIREMENTS

California OSHA (Cal/OSHA) assumes primary responsibility for developing and enforcing workplace safety regulations in California. Cal/OSHA regulations for the use of hazardous materials in the workplace (CCR Title 8) require safety training, available safety equipment, accident and illness prevention programs, hazardous-substance exposure warnings, and preparation of emergency action and fire prevention plans. Cal/OSHA enforces regulations on hazard communication programs and mandates specific training and information requirements. These requirements include procedures for identifying and labeling hazardous substances, providing hazard information about hazardous substances and their handling, and preparing health and safety plans to protect workers and employees at hazardous-waste sites. Employers must make material safety data sheets available to employees and document employee information and training programs.

CALIFORNIA ACCIDENTAL RELEASE PREVENTION PROGRAM

The goal of the California Accidental Release Prevention Program (CCR Title 19, Division 2, Chapter 4.5) is to reduce the likelihood and severity of consequences of any releases of extremely hazardous materials. Any business that handles regulated substances (chemicals that pose a major threat to public health and safety or the environment because they are highly toxic, flammable, or explosive, including ammonia, chlorine gas, hydrogen, nitric acid, and propane) must prepare a risk management plan. The risk management plan is a detailed engineering analysis of the potential accident factors present at a business and the measures that can be implemented to reduce this accident potential. The plan must provide safety information, hazard data, operating procedures, and training and maintenance requirements. The list of regulated substances is found in Article 8, Section 2770.5 of the program regulations.

EMERGENCY RESPONSE TO HAZARDOUS MATERIALS INCIDENTS

California has developed an emergency response plan to coordinate emergency services provided by federal, State, and local governments and private agencies. Response to

hazardous material incidents is one part of this plan. The plan is managed by the California Emergency Management Agency, which coordinates the responses of other agencies, including Cal/EPA, the California Highway Patrol, the California Department of Fish and Wildlife, and Regional Water Quality Control Boards (RWQCBs).

CALIFORNIA GOVERNMENT CODE SECTION 65962.5 (CORTESE LIST)

The provisions of California Government Code Section 65962.5 are commonly referred to as the “Cortese List” (after the legislator who authored the law). The Cortese List is a planning document used by State and local agencies to comply with CEQA requirements in providing information about the location of hazardous materials release sites. Section 65962.5 requires Cal/EPA to develop an updated Cortese List at least annually. DTSC is responsible for a portion of the information contained in the Cortese List. Other State and local government agencies in California, such as the State Water Resources Control Board, must provide additional information. There are no sites on the Cortese list in the Plan Area.

ASBESTOS ABATEMENT

Asbestos abatement efforts must be completed in compliance with 7 CCR Section 5208, 8 CCR Section 1529, and 8 CCR Sections 341.6 through 341.14. The regulations in 7 CCR Section 5208 implement worker exposure limits, require exposure monitoring, implement compliance programs, require employee protection and hazard communication, and require employee medical surveillance and reporting. Asbestos exposure for construction work is regulated by 8 CCR Section 1529, which includes exposure limits and procedures for handling and removal. Requirements for transport and disposal are included in 8 CCR Sections 341.6 through 341.14.

Section 19827.5 of the California Health and Safety Code, adopted January 1, 1991, prohibits local agencies from issuing demolition or alteration permits until the applicant has demonstrated compliance with applicable regulations. If there is 100 square feet or more of asbestos-containing material, renovation or demolition of buildings containing asbestos must be conducted by a licensed contractor and the work must comply with requirements included in 8 CCR Sections 1529 and 341.6 through 341.14. Cal/OSHA must be notified 10 days before the start of construction and demolition activities. Asbestos encountered during demolition of an existing building must be transported and disposed of at an appropriate facility. The contractor and hauler of the material must file a hazardous-waste manifest that provides disposal details.

LEAD AND LEAD-BASED PAINT ABATEMENT

Regulation of lead and lead-based paint is described in 29 CFR 1926.62 and 8 CCR Section 1532.1. These regulations cover the demolition, removal, cleanup, transportation, storage, and disposal of lead-containing material. The regulations outline the permissible exposure limit, protective measures, and monitoring. Cal/OSHA’s Lead in Construction Standard requires notification and a lead compliance plan with safe work practices.

CALIFORNIA EDUCATION CODE

Sections 17071.13, 17072.13, 17210, 17210.1, 17213.1-3, and 17268 of the California Education Code became effective January 1, 2000. Together, they establish requirements for assessments and approvals regarding toxic and hazardous materials that school districts must follow before receiving final site approval from the Department of Education and funds under the School Facilities Program. For example, the site approval package must include written determinations regarding the presence of hazardous wastes or pipelines carrying hazardous substances on the site (the adopted CEQA document is often used for these purposes). In addition, Section 17213(b) requires the local education agency to consult with the applicable air district to identify facilities within 0.25 mile of the proposed site that might reasonably be anticipated to emit hazardous air emissions or handle hazardous materials, substances, or wastes and prepare written findings that either there are not such facilities, the facilities do not pose a health risk, or corrective measures will be taken (consistent PRC Section 21151.8). The code also requires that a Phase I ESA is conducted according to the American Society of Testing and Materials standards (ASTM E-1527-2000) and transmitted to DTSC. If the Phase I ESA concludes that further investigation is needed or DTSC requires it, a preliminary endangerment assessment (PEA) must be completed under DTSC oversight and review. The PEA includes the sampling of soils and risk assessment to determine whether a release of hazardous material has occurred, there is a threat of release, or a naturally occurring hazardous material poses a significant health risk.

CALIFORNIA FIRE CODE

The California Fire Code (CFC) is Chapter 9 of CCR Title 24. It is the primary means for authorizing and enforcing procedures and mechanisms to ensure the safe handling and storage of any substance that may pose a threat to public health and safety. The CFC regulates the use, handling, and storage requirements for hazardous materials at fixed facilities. The CFC and the California Building Code use a hazard classification system to determine what protective measures are required to protect fire and life safety. These measures may include construction standards, separations from property lines, and specialized equipment. To ensure that these safety measures are met, the CFC employs a permit system based on hazard classification. The CFC is updated every 3 years.

CALIFORNIA CODE OF REGULATIONS, TITLE 14

Title 14 of the CCR sets forth the minimum development standards for emergency access, fuel modification, setback, signage, and water supply, which help prevent damage to structures or people by reducing wildfire hazards.

LOCAL

SACRAMENTO COUNTY EMERGENCY MANAGEMENT DEPARTMENT

The Hazardous Materials Division of Sacramento County EMD is the designated Certified Unified Program Agency (CUPA) for Sacramento County. The Sacramento County EMD has a 24-hour hazardous materials incident response team and responds

to incidents involving chemical releases, as well as any other hazardous materials situations. As the CUPA, the Hazardous Materials Division is responsible for implementing six statewide environmental programs for Sacramento County:

- Underground storage of hazardous substances (underground storage tanks),
- Hazardous materials business plan requirements,
- Hazardous waste generator requirements,
- California Accidental Release Prevention Program,
- Uniform Fire Code hazardous materials management plan, and
- Aboveground storage tanks (spill prevention control and countermeasures plan).

SACRAMENTO COUNTY OFFICE OF EMERGENCY SERVICES

The Sacramento County Office of Emergency Services (SacOES) has the primary responsibility for preparedness and response activities and addresses disasters and emergency situations within Sacramento County. SacOES is responsible for alerting and notifying appropriate agencies when disaster strikes; coordinating all agencies that respond; ensuring resources are available and mobilized in times of disaster; developing plans and procedures in response to and recovery from disasters; and developing and providing preparedness materials for the public.

SACRAMENTO METROPOLITAN AIR QUALITY MANAGEMENT DISTRICT ASBESTOS PROGRAM

The Sacramento Metropolitan Air Quality Management District regulates asbestos in building materials. The program applies to renovations or demolitions of jurisdictional structures in Sacramento County that include asbestos. This program requires an asbestos survey to identify all asbestos in building materials and abatement by a licensed asbestos contractor.

SACRAMENTO COUNTY LOCAL HAZARD MITIGATION PLAN

The *Sacramento County Local Hazard Mitigation Plan*, as amended, includes a risk assessment of existing hazards such as severe weather, dam failure, flooding, earthquakes, wildfire, drought, health hazards, landslides, and volcanoes, and a mitigation strategy. The plan includes countywide recommended action items to reduce the economic effects and the loss of life and property.

SACRAMENTO COUNTY EVACUATION PLAN

The Sacramento County Evacuation Plan is developed as an Annex to the Sacramento County 2008 All-Hazards Emergency Operations Plan. The purpose of this evacuation plan is to document the agreed upon strategy for the County's response to emergencies that involve the evacuation of persons from an impacted area to a safe area. This involves coordination and support for the safe and effective evacuation of the general population, and for those who need additional support to evacuate. Focus areas within this evacuation plan include public alert and warning, transportation, and care and shelter.

Primary evacuation routes are established for each of the seven County Sheriff Districts. These include major interstates, highways and prime arterials within Sacramento County. Local jurisdictions work with the county, and especially the Operation's Section, Law Enforcement Branch and the Evacuation Movement Unit to identify and update evacuation routes and evacuation transfer points. The primary evacuation routes will usually be major interstates and other highways, and major roadways within and out of the county - unless otherwise determined by the County DOT. During an evacuation, County DOT traffic engineers calculate traffic flow capacity and decide which of the available traffic routes should be used to move people in the correct directions.

SACRAMENTO COUNTY 2030 GENERAL PLAN POLICIES

The following 2030 General Plan policy pertaining to hazardous materials is applicable to the Project:

HM-4. The handling, storage, and transport of hazardous materials shall be conducted in a manner so as not to compromise public health and safety standards.

COMMUNITY PLANS

CORDOVA COMMUNITY PLAN

The Cordova Community Plan does not contain objectives related to hazardous materials that are applicable to the Project.

VINEYARD COMMUNITY PLAN

The Vineyard Community Plan does not contain policies related to hazardous materials that would apply to the Project.

IMPACTS AND ANALYSIS

SIGNIFICANCE CRITERIA

Based on the CEQA Guidelines, a hazard or hazardous materials impact is significant if implementation of the Project would:

1. Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials;
2. Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment;
3. Result in hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within 0.25 mile of an existing or proposed school;

4. Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would create a significant hazard to the public or the environment;
5. Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan; or
6. Expose people or structures, either directly or indirectly, to a significant risk of loss, injury, or death involving wildland fires.

ISSUES NOT DISCUSSED FURTHER

All issues identified in the significance criteria are evaluated below.

METHODOLOGY

This analysis is based primarily on the information and recommendations in the Phase I ESA prepared by BSK Associates. As part of the Phase I ESA, a site reconnaissance was completed for Applicant-owned properties within the Plan Area in June of 2013. A windshield survey was completed for non-participating properties, as well as nearby offsite properties. The site reconnaissance provided on-the-ground observations of potential hazards and hazardous conditions within the properties that were accessible on the days of the survey. County staff also reviewed DTSC's Envirostor database and SWRCB's Geotracker database in December of 2015.

IMPACT: ACCIDENTAL RELEASE DUE TO TRANSPORT, USE, OR DISPOSAL OF HAZARDOUS MATERIALS DURING CONSTRUCTION

PROPOSED PROJECT

Construction activities associated with future development would temporarily increase the regional transport, use, storage, and disposal of hazardous materials and petroleum products (such as diesel fuel, lubricants, paints and solvents, and cement products containing strong basic or acidic chemicals) that are commonly used at construction sites. Hazardous waste generated during construction may consist of welding materials, fuel and lubricant containers, paint and solvent containers, and cement products containing strong basic or acidic chemicals.

Hazardous materials transported by truck use many of the same freeways, arterials, and local streets as other traffic. This creates a risk of accidents and associated release of hazardous materials for other drivers and for people along these routes. Although the transport of hazardous materials could result in accidental spills, leaks, toxic releases, fire, or explosion, the US DOT Office of Hazardous Materials Safety prescribes strict regulations for the safe transportation of hazardous materials, as described in Title 49 of the CFR. These standard accident and hazardous materials recovery training and procedures are enforced by the State and followed by private State-licensed, certified, and bonded transportation companies and contractors.

Further, pursuant to 40 CFR 112, the Project would be required to prepare a spill prevention and treatment plan for rapidly, effectively, and safely cleaning up and disposing of any spills or releases that may occur during construction. As required under state and

federal law, notification and evacuation procedures for site workers and local residents would be included as part of the plan in the event of a hazardous materials release during on-site construction. In addition to 40 CFR 112, SWRCB Construction General Permit (2009-0009 DWQ) requires spill prevention and containment plans to avoid spills and releases of hazardous materials and wastes into the environment. Inspections would be conducted to verify consistent implementation of general construction permit conditions and best management practices (BMPs) to avoid and minimize the potential for spills and releases, and of the immediate cleanup and response thereto. BMPs include, for example, the designation of special storage areas and labeling, containment berms, coverage from rain, and concrete washout areas. In addition, workplace rules administered by the California Occupational Safety and Health Administration (enacted by the California Code of Regulations) ensure that the hazards of all chemicals are evaluated and that information concerning chemical hazards is transmitted to employees. This is accomplished through container labeling and other warnings, Material Safety Data Sheets, and employee training. Compliance with the aforementioned regulations would minimize the potential risk of a spill or accidental release of hazardous materials during construction. This impact would be **less than significant**.

ALTERNATIVE 2

Except for the wetland preserve area, which would be larger than proposed for the Project, Alternative 2 would result in construction activities throughout the Plan Area. This alternative would be subject to the same strict regulations that control the transport, use, and disposal of hazardous materials as the Project, and would not result in the development of land uses that would be subject to greater risk from accidental release than the Project. Therefore, like the Project, Alternative 2 would have a **less-than-significant** impact associated with accidental release of hazardous materials during construction.

MITIGATIONS MEASURES

No mitigation is required.

IMPACT: ACCIDENTAL RELEASE OF HAZARDOUS MATERIALS DURING OPERATION

PROPOSED PROJECT

Development of the Project would increase the commercial and household use of potentially hazardous materials within the Plan Area. Specific uses, such as dry cleaners and gas stations, would involve routine transport, use, and disposal of hazardous materials. Exposure to hazardous materials could cause various short-term and/or long-term health effects. Possible health effects could be acute (immediate, or of short-term severity), chronic (long-term, recurring, or resulting from repeated exposure), or both. Acute effects, often resulting from a single exposure, could result in nausea, vomiting, headache, dizziness, or burns. Chronic exposure could result in systemic damage or damage to organs, such as the lungs, liver, or kidneys. Health effects would be specific to each hazardous material.

The operation of businesses that use, create, or dispose of hazardous materials is regulated and monitored by federal, State, and local regulations that provide protection to the public and the environment from the hazardous materials manufactured within, transported to, and disposed within the region. RCRA, Title 22 of the CCR, and the Hazardous Waste Control Law regulate the generation, transportation, treatment, storage, and disposal of hazardous waste. These laws impose regulatory systems for handling hazardous waste in a manner that protects human health and the environment.

Facilities that would use hazardous materials on-site would be required to obtain permits and comply with appropriate regulatory agency standards designed to avoid hazardous waste releases and protect the public health. Regulated activities would be managed by the Sacramento County EMD, the designated CUPA, and would be required to comply with CCR Title 8, "Industrial Relations," for workplace regulations addressing hazardous materials, as well as Title 26, "Toxics." Title 26, Division 6 contains requirements for CHP enforcement of hazardous materials storage and rapid-response cleanup in the event of a leak or spill. Compliance with these regulations would reduce the potential for accidental release of hazardous materials during future construction and operation and minimize both the frequency and the magnitude if such a release occurs.

For household materials use, all products offered for sale are required to be labeled appropriately to ensure safe use, storage, and disposal, and residents are required to use these materials consistent with labeling requirements. Laws regarding the safe disposal of hazardous materials apply to residents, just as they apply to businesses. The Sacramento County Department of Waste Management and Recycling operates multiple household hazardous waste drop-off locations, and also transports garbage collected from bins to the North Area Recovery Station, where household hazardous waste is separated for proper disposal. For more information about solid waste collection, refer to Chapter 20, "Wastewater and Solid Waste Utilities."

Because construction and operation of the Project would implement and comply with federal, state, and local hazardous materials regulations and codes monitored by the state (e.g., California Occupational Safety and Health Administration, Department of Toxic Substances Control, California Highway Patrol, California Department of Transportation) and/or local jurisdictions (e.g., Sacramento Metropolitan Fire District and Sacramento County Environmental Management Department), impacts related to creation of significant hazards for employees and the general public through routine transport, use, and disposal of hazardous materials would be unlikely; this impact would be **less than significant**.

ALTERNATIVE 2

Alternative 2 would comply with regulations that govern the transport, use, and disposal of hazardous materials. Impacts associated with accidental release of hazardous materials during operation would be **less than significant**.

MITIGATIONS MEASURES

No mitigation is required.

IMPACT: POTENTIAL FOR RELEASE OF HAZARDOUS MATERIALS FROM UNDOCUMENTED OR DOCUMENTED SITES OF CONTAMINATION

PROPOSED PROJECT

The Plan Area consists mostly of vacant, undeveloped land; however, there are some single-family agricultural residences, located mainly along Excelsior and Jackson roads and Tree View Lane/Grenville Road; the Sacramento Raceway, on the west side of the Plan Area; and an abandoned koi farm, in the northwestern portion of the Plan Area. Construction would involve site grading, excavation, trenching, and demolition and construction of buildings. Future construction and ground work activities within the Plan Area could result in the exposure of construction workers and the public to hazardous materials if they are present within the soil and/or groundwater within the site. Such exposure could pose health risks to those who make contact with contaminated soil and groundwater.

The Phase I ESA identified debris piles along Kiefer Road with the potential to contain hazardous materials. In addition, although no visual evidence of underground fuel tanks was observed during site reconnaissance, the Phase I ESA indicates that they may be present in the Plan Area.

UNDOCUMENTED ON-SITE HAZARDOUS MATERIALS

Construction activities that disturb subsurface materials could encounter previously unidentified contamination from past practices or placement of undocumented fill or even unauthorized disposal of hazardous wastes. Encountering these hazardous materials could expose workers, the public or the environment to adverse effects depending on the volume, materials involved, and concentrations.

Due to historical use for agricultural purposes, it is anticipated that residue from pesticides, fertilizers, and other agricultural chemicals may be present on the site. Although current agricultural practices do not generally employ toxic chemicals with long-persistence, chemicals formerly used in agriculture included heavy metals and organic compounds, such as DDT, which may persist in soil for decades. These residues could potentially pose a health risk to persons who come in contact with those chemicals.

If contaminated soils and/or groundwater (i.e., identifiable by soil staining or odors) are encountered during construction activities, work would cease until appropriate worker health and safety precautions, as specified by CCR Title (Section 5194) promulgated by Cal/OSHA, are implemented. A qualified hazardous materials specialist would be notified for an evaluation and the appropriate regulatory agency would be contacted. If deemed necessary by the appropriate agency, remediation would be undertaken in accordance with existing federal, State, and local regulations/requirements and guideline established for the treatment of hazardous substances. Work would cease in the contaminated area until the nature and extent of contamination have been established, and proper disposal or remediation has occurred. Any contaminated soils and/or groundwater encountered during construction would require proper disposal. This would likely require removal from the site and transportation to an EPA-approved disposal facility by a US DOT-certified hazardous waste transporter. The designation of

encountered contamination would be based on the chemicals present and chemical concentrations detected through laboratory analysis. Based on the analytical results, appropriate disposal of the material in accordance with EPA, DTSC, and RWQCB guidelines would be implemented.

LEAD, ASBESTOS, AND OTHER HAZARDOUS BUILDING MATERIALS

Existing structures are believed to contain hazardous materials, including asbestos, lead, and heavy metals – primarily because many of the existing structures were constructed when the use of these materials was not heavily restricted. Demolition of structures could result in inadvertent release or improper disposal of debris containing potentially hazardous materials; however, federal, state, and local regulations have been developed to address potential impacts related to the handling and disposal of hazardous materials during demolition. Potential impacts would be minimized through adherence to regulatory standards that prescribe specific methods of material characterization and handling.

Federal and state regulations govern the demolition of structures where materials containing lead and asbestos are present. Asbestos and lead abatement must be performed and monitored by contractors with appropriate certifications from the State Department of Health Services. In addition, Cal/OSHA has regulations concerning the use of hazardous materials, including requirements for safety training, availability of safety equipment, hazardous materials exposure warnings, and emergency action and fire prevention plan preparation. Cal/OSHA enforces the hazard communication program regulations, which include provisions for identifying and labeling hazardous materials, describing the hazards of chemicals, and documenting employee-training programs. All demolition that could result in the release of lead and/or asbestos must be conducted according to Cal/OSHA standards. Specific actions required by law include the following:

- **Asbestos.** When a project applicant applies for a demolition or renovation permit through the County Building Department, the applicant would be required to get a permit from the local air district (Sacramento Metropolitan Air Quality Management District). As part of the permit process, the applicant would need to show compliance with federal regulations and Air District Rule 902, which requires a survey for asbestos before demolition. Any asbestos found would require abatement. Any asbestos would be removed and disposed of by an accredited contractor in compliance with federal, state, and local regulations (including the Toxic Substances Control Act and the National Emission Standard for Hazardous Air Pollutants). Compliance with these regulations would result in the safe disposal of asbestos-containing materials.
- **Lead-based paint or other coatings.** Exposure to, and containment of, lead is regulated by DTSC and the California Code of Regulations Title 8 and Title 22. A survey for indicators of lead-based coatings would be conducted before demolition to further characterize the presence of lead. For the purposes of compliance with Cal/OSHA regulations, all coated surfaces would be assumed to potentially contain lead. There is also a potential for soil contamination because of deposition of deteriorated (i.e., flaked, peeled, chipped) lead-based paint adjacent to structures where lead-based exterior paints were used. Loose or

peeling paint may be classified as a hazardous waste if concentrations exceed total threshold limits. Cal/OSHA regulations require air monitoring, special work practices, and respiratory protection during demolition where even small amounts of lead have been detected.

- **Heavy metals and PCBs.** Spent florescent light bulbs and ballasts, thermostats, and other electrical equipment may contain heavy metals, such as mercury, or PCBs. If concentrations of these materials exceed regulatory standards, they would be handled as hazardous waste in accordance with hazardous waste regulations.

DOCUMENTED SITES OF HAZARDOUS MATERIALS RELEASE

The Plan Area includes the Sacramento Raceway, which is known to contain hazardous materials and conditions and has experienced violations with improper handling of hazardous materials on numerous occasions. The Phase I ESA documented several past known occurrences of soil contamination, which could have resulted in groundwater contamination. The Sacramento Raceway is not a participating property within the Plan Area, so no testing has occurred to confirm or deny the presence of contamination.

The Project would also result in the construction adjacent to land that was previously used in conjunction with Mather Air Force Base, which is a Superfund site with ongoing cleanup activities. Although the areas located near the Plan Area have been remediated (see Plate HM-1, above) excavation and construction activities at or near these areas could potentially expose construction workers and the general public to previously unidentified soil contamination. It is unknown if groundwater contamination from past base activities has affected any of the properties located within the Plan Area.

CONCLUSION

Existing contamination may be associated with the Sacramento Raceway and debris piles documented along Kiefer Road. In addition, while all properties within the Plan Area were included in the Phase I ESA, only properties owned by the Project Applicant were accessed during the site reconnaissance, so it is possible that hazardous conditions may be present on other properties that were not observed during the study. Build-up of agricultural chemicals and potential for fuel tanks may also constitute a risk during ground disturbance. These portions of the Plan Area require further investigation.

Further, with the proximity of land uses that may contaminate groundwater and because groundwater in the area flows from the northeast to the southwest of the Plan Area, it is possible that groundwater contamination from the Sacramento Raceway and/or former Mather Air Force Base could result in groundwater contamination beneath other portions of the Plan Area. This includes some of the participating properties that would likely be among the first to be developed in the Plan Area. The potential for groundwater contamination is unknown but assumed in this EIR to be likely. The Phase I ESA did not include testing for soil or groundwater contamination, and recommended the preparation of a limited Phase II ESA; which has yet been completed. It is common practice for lending institutions to require a Phase I ESA to be prepared to research and disclose the prior uses of the site and the likelihood that residual hazardous materials and/or waste might be present in underlying soil and/or groundwater when properties




Plate HAZ-1: Documented Sites of Hazardous Material Release

change hands. However, there are no general regulatory requirements to conduct a Phase I ESA, or subsequent investigation of potential contamination. Public exposure to this contamination would constitute a **potentially significant** impact.

With enforcement of the mitigation measures identified below and adherence to existing hazardous materials regulations, impacts from any existing hazardous materials would be minimized. Mitigation Measure HM-1 would require preparation of Phase I ESAs for all non-participating properties and the full implementation of all recommendations. Mitigation Measure HM-2 requires the preparation of Phase II ESAs with soil and groundwater sampling for all properties, including Applicant-owned properties, based on the findings and recommendation of the Phase I ESA, which determined that soil and groundwater contamination may be present within the Plan Area. Mitigation Measure HM-3 would establish a hazardous materials contingency plan to address potential soil and groundwater contamination, if discovered during construction activities. This impact would be reduced **less than significant with mitigation**.

ALTERNATIVE 2

With the 45.5-acre increase in area designated Wetland Preserve, Alternative 2 would result in slightly less potential for ground disturbance than the Project. However, the remainder of the Plan Area would remain subject to the potential for discovery of and exposure to contaminated soils and/or groundwater. The potential for release of hazardous materials from site of contamination would be **potentially significant**. Implementation of Mitigation Measures HM-1 through HM-3 would require further evaluation and characterization of the Plan Area. Impacts associated with Alternative 2 would be **less than significant with mitigation**.

MITIGATION MEASURES

HM-1: The future project applicant(s) or subsequent developers for all non-participating properties shall have a Phase I ESA prepared by a qualified professional in accordance with the American Society for Testing and Materials' E-1527-05 standard before or at the time of application. All applications for future development of such properties shall not be deemed complete until a Phase I ESA that includes analysis of potential for soil and groundwater contamination has been completed and submitted to the Sacramento County Office of Planning and Environmental Review.

Once a Phase I ESA that meets the satisfaction of the Environmental Coordinator has been submitted to the Office of Planning and Environmental Review, all applicable recommendations from the Phase I ESA shall be incorporated into the future project as required conditions of approval. If a Phase I ESA indicates the presence or likely presence of contamination, the County shall require a Phase II ESA, and recommendations of the Phase II ESA shall be fully implemented prior to ground disturbance.

For work requiring any demolition, the Phase I ESA shall make recommendations for any hazardous building materials survey work that shall be completed.

If the Phase I ESA indicates the potential for the presence of hazardous materials within the property or possible groundwater contamination, a focused CEQA analysis addressing hazardous materials shall be prepared for the future project. Any hazardous materials identified through this process shall be remediated consistent with applicable regulations.

HM-2: A Phase II ESA that includes soil and groundwater contamination sampling and analysis shall be submitted with all future applications for development within the Plan Area, including Applicant-owned properties, based on the recommendations within the Phase I ESA. Applications will not be considered complete until a Phase II ESA covering the entire property proposed for development is provided as required by the Phase I ESA.

Once a Phase II ESA with analyses of soil and groundwater contamination has been submitted to the satisfaction of the Environmental Coordinator, all recommendations for remediation activities and additional studies from the Phase II ESA shall be incorporated into the future project as required conditions of approval.

HM-3: At the time of any application to develop properties within the Plan Area, the Project Applicant or subsequent developer(s) shall provide a hazardous materials contingency plan to Sacramento County EMD. The plan will describe the necessary actions that would be taken if evidence of contaminated soil or groundwater is encountered during construction. The contingency plan shall identify conditions that could indicate potential hazardous materials contamination, including soil discoloration, petroleum or chemical odors, and presence of underground storage tanks or buried building material.

The plan shall include the provision that, if at any time during the course of constructing the Project, evidence of soil and/or groundwater contamination with hazardous material is encountered, ~~the Project Applicant~~ developers of the specific plan shall immediately halt construction and contact Sacramento County EMD. Work shall not recommence until the discovery has been assessed/treated appropriately (through such mechanisms as soil or groundwater sampling and remediation if potentially hazardous materials are detected above threshold levels) to the satisfaction of Sacramento County EMD, RWQCB, and DTSC (as applicable). The plan, and obligations to abide by and implement the plan, shall be incorporated into the construction and contract specifications of the Project.

IMPACT: RESULT IN HAZARDOUS EMISSIONS OR HANDLE HAZARDOUS OR ACUTELY HAZARDOUS MATERIALS, SUBSTANCES, OR WASTE WITHIN 0.25 MILE WITHIN AN EXISTING OR PROPOSED SCHOOL

PROPOSED PROJECT

There are no existing schools within 0.25 mile of the Plan Area. However, four new schools are proposed as part of the Project: a joint high school and middle school campus near the northeast corner of the Plan Area and three elementary schools throughout the Plan Area, one of which would be located on the Sacramento Raceway

property. The school sites would generally be surrounded by commercial, mixed-use, and residential development; no industrial land use is proposed in the Plan Area.

For new schools, the California Education Code, including *Education Code* Section 17213(b), establishes requirements for assessments and approvals that address the potential for existing contamination on the site, and whether nearby land uses might reasonably be anticipated to emit hazardous air emissions or handle hazardous materials. Assessment of existing contamination is conducted in coordination with DTSC's School Property Evaluation and Cleanup Division, which is responsible for assessing, investigating, and cleaning up proposed school sites. This Division ensures that selected properties are free of contamination or, if the properties were previously contaminated, that they have been cleaned up to a level that protects the students and staff who will occupy a new school. All proposed school sites that would receive State funding for acquisition or construction are required to go through a rigorous environmental review and cleanup process under DTSC's oversight.

Further, because the Plan Area would be developed in phases, there is a potential that schools proposed as part of the Plan would be in operation during both construction and operation of adjacent land uses. During construction, demolition, and excavation activities, future projects could potentially produce hazardous air emissions or involve the handling of extremely hazardous wastes. During operation, future projects could use and produce hazardous materials that may be transported on roadways in the Plan Area. As discussed above, all future projects would comply with federal and state regulations that are designed to reduce the potential for the release of large quantities of hazardous materials and wastes into the environment to an acceptable level. As indicated above, the routine transport, use, and disposal of hazardous materials during construction and operation of the Project are not anticipated to generate a substantial hazard. This impact would be **less than significant**.

ALTERNATIVE 2

Alternative 2 would have similar potential for conflict with schools as discussed above for the Project. This alternative proposes the same mix of school facilities as the Project, including an elementary school on the Sacramento Raceway property. The school sites would be generally surrounded by commercial, mixed-use, and residential development; no industrial land use is proposed. As disclosed above for the Project, the California Education Code includes requirements for evaluation and remediation of new school sites. Impacts to schools associated with handling hazardous materials would be **less than significant** under Alternative 2 because the routine transport, use, and disposal of hazardous materials in compliance with applicable regulations is not anticipated to generate a substantial hazard.

MITIGATION MEASURES

No mitigation is required.

IMPACT: IMPAIR IMPLEMENTATION OF OR PHYSICALLY INTERFERE WITH AN ADOPTED EMERGENCY RESPONSE PLAN OR EMERGENCY EVACUATION PLAN

PROPOSED PROJECT

Emergency response plans are maintained at the federal, state, and local level for all types of disasters, including human-made and natural. Emergency response plans include elements to maintain continuity of government, emergency functions of governmental agencies, mobilization, and application of resources, mutual aid, and public information. In the event of an emergency that would require citizens to evacuate, Sacramento County would implement its emergency operations plan, evacuation plan, and mass care and shelter plan.

Construction activities could result in temporary lane closures, increased truck traffic, and other roadway effects that could slow or stop emergency vehicles, temporarily increasing response times and impeding existing services. Construction activities in the Plan Area do not, however, have the potential to substantially hinder emergency response activities or physically interfere with established evacuation routes. Projects requiring encroachment permits for temporary construction activities in public roadways that could be used for emergency response or evacuation are required to prepare traffic mitigation plans that address traffic control during the period the project is occurring within public right of way. To address any temporary road closures that would be required during construction, standard construction mitigation includes notification of emergency responders.

The Project does not contain any uses or features that would create interference with emergency response once the Plan Area is built out. See Chapter 17, "Public Services," for additional analysis on the potential for interference with response by emergency service providers. The proposed roadway network would be a connected grid pattern, consistent with County Department of Transportation (County DOT) standards, which would provide for easy navigation of streets throughout the Plan Area. Traffic signals would be placed at several intersections along Jackson Road, Excelsior Road, Kiefer Boulevard, and Grenville Drive, at locations deemed appropriate by County DOT. In addition, the Project includes a site for a new fire station within the Plan Area that would provide emergency response to the entire Plan Area and beyond in less than 4 minutes (refer to Chapter 17, "Public Services," for additional discussion).

Although the Project would result a new population of residents and employees in an area of the county that does not currently support these types of dense land patterns, the Project is not anticipated to impair the implementation of existing emergency response or evacuation plans. This is because the buildout of the Project would be gradual, over a roughly 20-year period, and the County's emergency plans are adaptive. Further, it is anticipated that these plans would be updated to reflect changes in land use patterns. The potential for construction activities or development to impair implementation of, or physically interfere with, an adopted emergency response plan or emergency evacuation plan would be **less than significant**.

ALTERNATIVE 2

Alternative 2 would result in a **less-than-significant impact** on emergency response and evacuation plans because the basic roadway network would be substantially similar to the Project and implementation would be phased so that the County's emergency planning could incorporate the growth in the Plan Area gradually.

MITIGATIONS MEASURES

No mitigation is required.

IMPACT: EXPOSE PEOPLE OR STRUCTURES TO WILDLAND FIRES**PROPOSED PROJECT**

The Plan Area is within a Local Response Area where fire protection is provided by Metro Fire. In the event of a grass fire within or adjacent to the Plan Area, Metro Fire would respond (see Chapter 17, "Public Services," for further discussion of Metro Fire Department's facilities and response times). CAL FIRE has designated the areas as a non-very high fire hazard severity zone (CAL FIRE 2008), which is defined as an area not prone to intense, damaging wildfires.

However, the Project includes siting relatively dense residential land use within proximity to a large open space area. To address potential hazards, the Project includes provisions for a fire station that would be equipped with specialized equipment for fighting fires in grasslands in the Plan Area and nearby development adjacent to open space areas. Further, new construction is subject to the CFC and Title 14 of the CCR, which includes safety measures to minimize the threat of fire. As required by Policy SA-23 in the 2030 General Plan, plans for specific facilities would be provided to Metro Fire Department for review and comment regarding: adequacy of water supply; site design for fire department access into and around structures; ability for a safe and efficient fire department response; traffic flow and ingress/egress for residents and emergency vehicles; site-specific built-in fire protection; and potential impacts to emergency services and fire department response. Therefore, future development within the Plan Area would not be exposed to significant risks of wildfire. This impact would be **less than significant**.

ALTERNATIVE 2

Alternative 2 would increase the proportion of the Plan Area that is set aside as open space, which would translate to an increased potential for wildland fire in the Plan Area. However, these alternatives would include a new fire station with equipment designed to fight grass fires, and all development would be subject to regulations that require safety measures to minimize the threat of fire. Therefore, the impact associated with Alternative 2 would be **less than significant**.

MITIGATION MEASURES

No mitigation is required.

14 HYDROLOGY, DRAINAGE, AND WATER QUALITY

INTRODUCTION

This chapter describes the regulatory and environmental setting for hydrology, drainage, and water quality in the Plan Area, and identifies and analyzes impacts related to these resources from implementation of the Project. This chapter also includes an evaluation of the potential for flooding due to climate change. For additional discussion of climate change and greenhouse gas emissions, refer to Chapter 9, “Climate Change.” Groundwater is discussed in Chapter 18, “Water Supply,” of this EIR.

During the NOP scoping process, one comment raised concerns related to the proposed reconstruction and management of Elder Creek. These concerns are addressed in this chapter, as appropriate. A copy of the NOP and comment letters received in response to the NOP are included in Appendix INT-1 of this Draft EIR.

ENVIRONMENTAL SETTING

EXISTING CONDITIONS

CLIMATE

The climate of the Sacramento area is Mediterranean, with cool wet winters and hot, dry summers. Precipitation within the Sacramento River watershed falls as both rain and snow, with precipitation in the winter falling primarily as snow in the higher elevations. Annual, monthly, and daily precipitation varies widely within the watershed, with the highest precipitation totals generally falling in winter in the Sierra Nevada, and in the northern part of the watershed. The high variability in precipitation, snowfall, and snowmelt results in highly variable runoff patterns each year and month during late fall, winter, and spring. Rainfall occurs primarily from November through April and ranges from about 7 to 37 inches per year, with an average annual rainfall of approximately 18 inches (SCGA 2014).

HYDROLOGY

The Project sits at the upstream limits of the watershed break between Morrison Creek and Elder Creek (see Plate HYD-1). The southwestern portion of the Plan Area (roughly 930 acres) is within the headwaters of Elder Creek. A small bend in Morrison Creek runs through the northeastern corner of the Plan Area, and the remainder of the Plan Area (approximately 450 acres) drains north or west into Morrison Creek. Morrison Creek and Elder Creek are both components of the Morrison Creek Stream Group.




Plate HYD-1: Existing Plan Area Hydrology

ELDER CREEK

The areas tributary to Elder Creek drain through natural swales in a generally southwesterly direction towards Jackson Road (Plummer, pers. comm., 2018). There are seven locations where flows in the Elder Creek watershed portion of the Plan Area cross Jackson Road. The primary discharge is through a double box culvert located at the intersection of Jackson and Excelsior Roads.

MORRISON CREEK

The portion of the Morrison Creek watershed in the northeast corner of the Plan Area drains to a tributary of Morrison Creek (see Plate HYD-1). The portion of the Morrison Creek watershed located in the northwest quadrant of the Plan Area does not flow directly into Morrison Creek. This area generally flows west through a system of constructed ditches and some natural swales and exits the Plan Area at six locations: four that cross Excelsior Road, one that crosses Kiefer Road, and one that leaves at the northwest corner of the Plan Area near the intersection of Excelsior Road and Kiefer Boulevard. These small swales and ditches are not mapped by The U.S. Environmental Protection Agency (EPA) and are not depicted on Plate HYD-1. Most of the drainage flows to a low-lying pond created from surface aggregate mining on properties west of Excelsior Road. Sheet flows overtop the banks of this pond, and the flood waters flow down the banks in an erosive manner (CES 2017).

FLOODING POTENTIAL**ONSITE FLOODPLAINS**

The Federal Emergency Management Agency (FEMA) has mapped floodplains in the northeast and southwest of the Plan Area. As described above, the existing tributaries of Morrison and Elder Creeks are not well-defined streams within the Plan Area; they occur as natural or quasi-natural swales that swell in response to seasonal rainfall. Plate HYD-2 depicts the 100-year floodplains established by FEMA and maps the onsite drainages that are estimated to have flooding more than a couple feet deep associated with a 100-year rainfall event, as modeled for the existing condition in the Jackson Township Master Plan Drainage Report (CES 2017, Appendix HYD-1) (herein after referred to as the Drainage Master Plan). These modeled floodplains currently experience flooding but are not mapped by FEMA. They were identified by developing hydrographs of the Plan Area using topographic data and identifying representative cross sections of stream channels. Hydraulic model cross sections were developed from the 3-dimensional terrain model and friction parameters were assumed based on existing conditions.

OFFSITE FLOODING

The adjacent properties are generally undeveloped and have hydrologic conditions that are like the Plan Area. The natural or quasi-natural drainages, swales, and ponds respond to rainfall by increasing in size, but can generally accommodate flows. An exception is the property west of Excelsior Road. As indicated above, the topography of that property has been manipulated by aggregate mining and the Morrison Creek tributaries flow to this site via channelized swale, where they contribute surface water to a pit (shown within the FEMA floodplain in the northwest corner of Plate HYD-2).

The Morrison Creek Stream Group ultimately drains to the Beach Stone Lakes (BSL) area, which has a history of flooding because of upstream runoff, direct precipitation in the area, and backwater from the Cosumnes and Mokelumne Rivers during periods of flooding and high river stages. Sacramento County has elected not to undertake structural flood protection in this area considering various environmental and institutional factors.

LAKES AND LEVEES IN THE REGION

There are no dams or levees located on or adjacent to the Plan Area. The nearest dam is located at Mather Lake, approximately 2 miles to the northeast, which was created near the eastern boundary of Mather Air Force Base in the 1950s by damming Morrison Creek with earthen embankments. Sacramento County repaired the dam and constructed a new spillway in 2017, bringing the dam into compliance with State standards.


Folsom Dam is approximately 12 miles north of the site and releases water to the American River, which flows east to west north of the Plan Area. Failure of either the Cordova Meadows Levee or the Sunriver Levee along the American River could also potentially result in the inundation of properties north of the Plan Area (Rancho Cordova 2006). However, the Project is outside of both dam and levee inundation areas. Further, projects that improve dam safety and flood damage reduction downstream of Folsom Dam are ongoing through the Folsom Dam Safety and Flood Damage Reduction Project.

CLIMATE CHANGE

As discussed in Chapter 9, “Climate Change,” global average temperatures are anticipated to increase by nearly 3 degrees Fahrenheit by 2040. As temperatures increase, the amount of precipitation falling as rain rather than snow also increases, which could lead to increased flooding because water that would normally be held in the snowpack of the Sierra Nevada and Cascade Range until spring would flow into the Central Valley during winter rainstorm events. This scenario would place more pressure on California’s levee/flood control system (CNRA 2018:190–192).

WATER QUALITY

Surface water quality conditions of the rivers and streams within Sacramento County are affected by natural watershed conditions such as: seasonal weather and temperature patterns; seasonal surface hydrologic runoff and groundwater exchange characteristics of the watershed; runoff or atmospheric deposition of natural chemical or biological matter associated with soil, vegetation, and animal wastes; and long-term climatic patterns (e.g., droughts). The primary sources of potential contaminant discharges associated with human-related activities in the county include urban stormwater runoff, agricultural runoff, and municipal wastewater treatment plant discharges.



Source: Image provided by Au Clair Consulting Inc in 2019. Adapted by Ascent Environmental.

Plate HYD-2: Plan Area FEMA Floodplains

The EPA has identified existing water quality impairment in both Morrison Creek and Elder Creek downstream of the Plan Area. The impaired reach of Morrison Creek runs through the Independence at Mather development roughly 0.3 mile north of the Plan Area. The 2016 Waterbody Report for Morrison Creek identifies the creek as warm freshwater habitat that is impaired by pesticides (diazinon from urban-related runoff and stormwater, and pyrethroids from unknown sources), as well as pentachlorophenol. The State has developed a Total Maximum Daily Load (TMDL) for diazinon. No TMDL data have been recorded by EPA for this waterbody.

The nearest reach of Elder Creek that is listed as impaired under the Clean Water Act (CWA) is approximately 0.7 mile southwest of the intersection of Jackson and Excelsior Roads. The 2016 Waterbody Report for Elder Creek identifies the creek as warm freshwater habitat that is impaired by pesticides (chlorpyrifos and diazinon from urban-related runoff and stormwater and pyrethroids from unknown sources). State TMDLs have been developed for chlorpyrifos and diazinon. No TMDL data have been recorded by EPA for this waterbody.

REGULATORY SETTING

FEDERAL

CLEAN WATER ACT

The CWA is the primary federal statute governing the protection of water quality and was established to provide a comprehensive program to protect the nation's surface waters. Under federal law, EPA has published water quality regulations under Volume 40 of the Code of Federal Regulations. Section 303 of the CWA requires states to adopt water quality standards for all surface waters of the United States. As defined by the CWA, water quality standards consist of two elements: (1) designated beneficial uses of the water body in question, and (2) criteria that protect the designated uses. Section 304(a) requires EPA to publish advisory water quality criteria that accurately reflect the latest scientific knowledge on the kind and extent of all effects on health and welfare that may be expected from the presence of pollutants in water. Where multiple uses exist, water quality standards must protect the most sensitive use. EPA has delegated to the State of California the authority to implement and oversee most of the programs authorized or adopted for CWA compliance through the Porter-Cologne Water Quality Control Act of 1969 (Porter-Cologne Act), described below.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMITS AND WASTE DISCHARGE REQUIREMENTS

Section 402 of the CWA established the National Pollutant Discharge Elimination System (NPDES) permit program to prohibit the unauthorized discharge of pollutants to U.S. waters. The State Water Resources Control Board (SWRCB) has obtained a statewide General Permit (known as the Construction General Permit) for construction that applies to stormwater discharges from sites as small as 1 acre. Construction activities subject to the Construction General Permit include clearing, grading, stockpiling, and excavation. Permit applicants are required to submit a Notice of Intent

(NOI) to the SWRCB and to prepare a stormwater pollution prevention plan (SWPPP), which identifies BMPs that will be implemented to reduce construction effects on receiving water quality. The BMPs include sediment and erosion control measures and other measures to control potential chemical contaminants. Examples of construction BMPs identified in SWPPPs include using temporary mulching, seeding, or other stabilization measures to protect uncovered soils; storing materials and equipment to ensure that spills or leaks cannot enter the storm drain system or surface water; developing and implementing a spill prevention and cleanup plan; installing traps, filters, or other devices at drop inlets to prevent contaminants from entering storm drains; and using barriers, such as straw wattles or silt fencing, to minimize the amount of uncontrolled runoff that could enter drains or surface water.

The General Permits also require permittees to develop a Construction Site Storm Water Runoff Control Program and a Post Construction Storm Water Management Program. Dischargers are required to eliminate or reduce non-stormwater discharges to storm sewer systems and other waters and consider the use of post construction permanent BMPs that remain in service to protect water quality throughout the life of the project. All NPDES permits also have inspection, monitoring, and reporting requirements.

The County of Sacramento has obtained a Municipal Stormwater NPDES permit from the Central Valley Regional Water Quality Control Board (RWQCB) under the requirements of the CWA to reduce pollutants found in urban stormwater runoff. The program regulates stormwater discharges from municipal separate storm sewer systems (MS4s). Permittees are required to develop, administer, implement, and enforce a Comprehensive Stormwater Management Program (CSWMP) to reduce pollutants in urban runoff to the maximum extent practicable. The CSWMP implemented by the County is a multi-faceted, dynamic program designed to reduce stormwater pollution. The CSWMP incorporates all aspects of pollution control, including public awareness and participation, source control, regulatory restrictions, water quality monitoring, and treatment control. Sacramento County must verify compliance with permit requirements by monitoring effluent, maintaining records, and filing periodic reports. This is accomplished by enforcement of the existing County Land Grading and Erosion Control Ordinance.

FEDERAL EMERGENCY MANAGEMENT AGENCY

In 1968, Congress created the National Flood Insurance Program (NFIP) in response to the rising cost of taxpayer-funded disaster relief for flood victims and the increasing amount of damage caused by floods. FEMA administers the NFIP to provide subsidized flood insurance to communities that comply with FEMA regulations to limit development in floodplains. FEMA also issues Flood Insurance Rate Maps (FIRMs) that identify which land areas are subject to flooding. These maps provide flood information and identify flood hazard zones in the community. FEMA has established a minimum level of flood protection for new development as the 1-in-100 Annual Exceedance Probability (i.e., 100-year flood event). Participants in the NFIP must satisfy certain mandated floodplain management criteria.

STATE

STATE WATER RESOURCES CONTROL BOARD

The SWRCB is responsible for developing statewide water quality policy and exercises the powers delegated to the State by the federal government under the CWA. Regional authority for planning, permitting, and enforcement is delegated to the nine RWQCBs. The regional boards are required to formulate and adopt water quality control plans for all areas in the region and establish water quality objectives in the plans. The Central Valley RWQCB is responsible for water resources in the project vicinity.

On January 20, 2005, the SWRCB adopted the Low Impact Development (LID) Policy, which promotes sustainability as a key parameter to be considered during the design and planning process for future development. The sustainability practice promotes LID to benefit water supply and contribute to water quality protection. LID has been a proven approach in other parts of the country and is seen in California as an alternative to conventional stormwater management. LID practices include measures such as reducing impervious surface area, using natural drainage systems, and designing development to correspond to existing terrain.

PORTER-COLOGNE WATER QUALITY ACT

The Porter-Cologne Act is California's statutory authority for the protection of water quality. Under the Porter-Cologne Act, the State must adopt water quality policies, plans, and objectives that protect the State's waters for the use and enjoyment of the people. The act sets forth the obligations of the SWRCB and RWQCBs to adopt and periodically update basin plans. Basin plans are the regional water quality control plans required by both the CWA and Porter-Cologne Act in which beneficial uses, water quality objectives, and implementation programs are established for each of the nine regions in California.

The Porter-Cologne Act also requires waste dischargers to notify the RWQCBs of their activities through the filing of reports of waste discharge and authorizes the SWRCB and RWQCBs to issue and enforce waste discharge requirements, NPDES permits, Section 401 water quality certifications, and other approvals. The RWQCBs also have the authority to issue waivers to reports of waste discharge/waste discharge requirements for broad categories of "low threat" discharge activities that have minimal potential for adverse water quality effects when implemented according to prescribed terms and conditions.

FISH AND GAME CODE SECTION 1603

Section 1603 of the Fish and Game Code requires applicants to notify the California Department of Fish and Wildlife (CDFW) before beginning a project if the project will substantially divert or obstruct the natural flow or substantially change the bed, channel, or bank of any river, stream, or lake or use materials from a streambed. Notification is generally required for any project that will take place in the vicinity of a river, stream, or lake. The recommendations of CDFW may include steps to protect water quality.

STATE NONDEGRADATION POLICY

In 1968, the SWRCB adopted a nondegradation policy aimed at maintaining high quality waters in California. The nondegradation policy states that the disposal of wastes into state waters shall be regulated to achieve the highest water quality consistent with maximum benefit to the people of the state and to promote the peace, health, safety, and welfare of the people of the state. The policy provides as follows:

- a) Where the existing quality of water is better than required under existing water quality control plans, such quality would be maintained until it has been demonstrated that any change would be consistent with maximum benefit to the people of the state and would not unreasonably affect present and anticipated beneficial uses of such water.
- b) Any activity which produces waste or increases the volume or concentration of waste and which discharges to existing high-quality waters would be required to meet waste discharge requirements.

SENATE BILL 5

In 2007, the State of California passed a series of laws referred to as SB 5 directing the Department of Water Resources (State DWR) to prepare flood maps for the Central Valley flood system and the State Plan of Flood Control, which includes a system of levees and flood control facilities located in the Central Valley. This legislation also set specific locations within the area affected by the 200-year flood event as the urban level of flood protection (ULOP) for the Central Valley.

SB 5 requires all cities and counties within the Sacramento-San Joaquin Valley to make findings related to an ULOP or the FEMA standard of flood protection before: (1) entering into a development agreement for any property that is located within a flood hazard zone; (2) approving a discretionary permit or other discretionary entitlement, or a ministerial permit that would result in the construction of a new residence, for a project that is located within a flood hazard zone; or (3) approving a tentative map, or a parcel map for which a tentative map was not required, for any subdivision that is located within a flood hazard zone. Sacramento County completed its General Plan and Zoning Code updates in October 2016 to meet the requirements of SB 5. The Project is not located in an area subject to 200-year urban levels of flood protection (Sacramento County Department of Water Resources 2016).

CALIFORNIA CODE OF REGULATIONS, TITLE 23

Title 23, Division 1 of the California Code of Regulations sets forth the Central Valley Flood Protection Board's duties pursuant to Sections 8534, 8608, and 8710-8723 of the Water Code. Under these statutes, the Board is required to enforce standards for the construction, maintenance, and protection of adopted flood control plans. The Board's jurisdiction encompasses the entire Central Valley, including all tributaries and distributaries of the Sacramento and San Joaquin Rivers. Section 131 establishes the requirements for vegetation within a flood control channel. Vegetation plantings require the submission of detailed design drawings and a complete vegetative management plan for maintenance to prevent the interference with flood control.

LOCAL

SACRAMENTO COUNTY 2030 GENERAL PLAN

The Agricultural, Conservation, and Safety Elements of the 2030 General Plan contain the following policies that are applicable to the Project:

- AG-29. The County shall minimize flood risks to agricultural lands resulting from new urban developments by:
 - Requiring that such developments incorporate adequate runoff control structures and/or
 - Assisting implementing comprehensive drainage management plans to mitigate increased risks of farmland flooding resulting from such developments.
- CI-65. Incorporate Low Impact Design (LID) techniques to the greatest extent feasible to improve water quality runoff and erosion control, infiltration, groundwater recharge, visual aesthetics, etc. LID techniques may include but are not limited to:
 - Bioretention techniques, such as filtration strips, swales, and tree box filters
 - Permeable Hardscape
 - Green roofs
 - Erosion and sediment controls
 - Reduced street and lane widths where appropriate
- CO-24. Comply with the Sacramento Areawide National Pollutant Discharge Elimination System Municipal Stormwater Permit (NPDES Municipal Permit) or subsequent permits, issued by the Central Valley Regional Water Quality Control Board (Regional Board) to the County, and the Cities of Sacramento, Elk Grove, Citrus Heights, Folsom, Rancho Cordova, and Galt (collectively known as the Sacramento Stormwater Quality Partnership [SSQP]).
- CO-26. Protect areas susceptible to erosion, natural water bodies, and natural drainage systems.
- CO-28. Comply with other water quality regulations and NPDES permits as they apply to County projects or activities, such as the State's Construction General Permit and Aquatic Pesticides Permit.
- CO-30. Require development projects to comply with the County's stormwater development/design standards, including hydromodification management and low impact development standards, established pursuant to the NPDES Municipal Permit.
- CO-31. Require property owners to maintain all required stormwater measures to ensure proper performance for the life of the project.

- CO-93. Discourage fill in the 100-year floodplain (Please also refer to CO-117).
- CO-94. Development within the 100-year floodplain and designated floodway of Sacramento streams, sloughs, creeks or rivers shall be:
- Consistent with policies to protect wetlands and riparian areas; and
 - Limited to land uses that can support seasonal inundation.
- CO-107. Maintain and protect natural function of channels in developed, newly developing, and rural areas.
- CO-114. Protect stream corridors to enhance water quality, provide public amenities, maintain flood control objectives, preserve and enhance habitat, and offer recreational and educational opportunities.
- CO-117. Public roads, parking, and associated fill slopes shall be located outside of the stream corridor, except at stream crossings and for purposes of extending or setting back levees. The construction of public roads and parking should utilize structural materials to facilitate permeability. Crossings shall be minimized and be aesthetically compatible with naturalistic values of the stream channel.
- CO-118. Development adjacent to waterways should protect the water conveyance of the system, while preserving and enhancing the riparian habitat and its function.
- CO-126. Prohibit obstruction or underground diversion of natural waterways.
- SA-5. A comprehensive drainage plan for major planning efforts shall be prepared for streams and their tributaries prior to any development within the 100-year floodplain defined by full watershed development without channel modifications. The plan shall:
- a. Determine the future 100-year flood elevations associated with planned and full development of the watershed;
 - b. Determine the future 100-year floodplain boundaries for both flood elevations (planned and full development) based on minimum 2-foot contour intervals;
 - c. Assess the feasibility of gravity drainage into the existing flowline of the stream;
 - d. Assess the feasibility of alternative means of drainage into the stream;
 - e. Identify potential locations for sedimentation ponds and other stormwater treatment facilities;
 - f. Determine practical channel improvements and/or detention basins to provide the flood control needs of the proposed development;
 - g. Determine the location and extent of marsh, vernal pool and riparian habitat;
 - h. Develop measures for protecting and mitigating natural habitat;

- i. Develop measures for protecting and mitigating for federal and state listed endangered species;
 - j. Develop and ensure implementation of measures that would reduce vector larvae;
 - k. Identify appropriate plant species to be included as part of the natural features of the comprehensive drainage plan.
- SA-14. The County shall require, when deemed to be physically or ecologically necessary, all new urban development and redevelopment projects to incorporate runoff control measures to minimize peak flows of runoff and/or assist in financing or otherwise implementing Comprehensive Drainage Plans.
- SA-16. Deny creation of parcels that do not have buildable areas outside the 100-year floodplain unless otherwise allowed in the Floodplain Management Ordinance.
- SA-17. For residential zoning, the area outside the 100-year floodplain must be contiguous or reasonably situated to provide buildable area for a residence and associated structures. Examples of structures include swimming pools, sheds, barns, detached garages, and other outbuildings that are normally associated with residential development. There may be exceptions (such as the Delta area) as allowed in the Floodplain Management Ordinance.
- SA-18. Vehicular access to the buildable area of newly created parcels must be at or above the 10-year flood elevation. Exceptions may be made when the existing public street from which access is obtained is below the 10-year flood elevation. There may be exceptions (such as the Delta area) as allowed in the Floodplain Management Ordinance.
- SA-22. Areas within a 100-year floodplain shall not be upzoned to a more intensive use unless and until a Master Drainage Plan is prepared that identifies areas of the floodplain that may be developed.

COMMUNITY PLANS

CORDOVA COMMUNITY PLAN

The Cordova Community Plan, which was last updated in 2003, provides guidance for both new development and the redevelopment of existing land uses within the community planning area. Objectives identified in the plan that are applicable to the Project include:

- PS-3: Provide adequate drainage and flood protection for all urbanized portions of the community.

VINEYARD COMMUNITY PLAN

The Vineyard Community Plan, which was developed in 1985, provides guidance for growth and development in the community planning area. Policies identified in the plan that are applicable to the Project include:

- PF 3. Restrict urban and rural development from encroaching into the 100-year floodplain.
- PF 6. All types of urban development proposals must be accompanied by a detailed public services plan and specific timing and funding programs for the implementation and maintenance of services.

SACRAMENTO COUNTY DEPARTMENT OF WATER RESOURCES

The Sacramento County Department of Water Resources (County DWR) maps local 100-year floodplains that may not be identified by FEMA. Local floodplains in the county are typically mapped either in response to an area having flooding problems, or in response to a request by a property owner to make modifications to their parcel. In such circumstances, County DWR staff investigate the property and determine the floodplain elevation on the property, if feasible, or require a drainage study. Floodplains, whether local or FEMA, are regulated by the provisions of the Sacramento County Floodplain Management Ordinance, Improvement Standards, and Local Floodplain Management Plan.

All new developments and drainage improvements within the county are required to follow specific guidelines in design, rehabilitation, and maintenance of drainage facilities and natural waters as set forth by County DWR. The County's 2030 General Plan and Drainage Master Plan Program require that no adverse downstream impact shall occur due to development. This is achieved by ensuring that the proposed improvements result in no water surface increases outside of the project site upstream and downstream, and no peak flow increases downstream. Other elements for consideration revolve around public health and safety issues, maintaining compliance with regulatory agencies, and providing the public with natural-appearing features. Additionally, dual use facilities including parks (active and passive) and trails are encouraged.

SACRAMENTO COUNTY FLOODPLAIN MANAGEMENT ORDINANCE

A Local Floodplain Management Plan is required for a community to participate in the NFIP Community Rating System. The original plan for the County of Sacramento was prepared in 1997 and was adopted by the County of Sacramento Board of Supervisors on September 16, 1997 (Resolution 97-1112). The plan was later updated in 2001. The Floodplain Management Ordinance specifically describes what types of development activities are allowed and how proposed development may be permitted.

A Floodplain Management Plan is a comprehensive plan that describes how a community will deal with its flooding problem(s) and protect the natural and beneficial functions of its floodplain. The plan identifies the major watersheds and watercourses within the unincorporated area of Sacramento County, the flooding problems associated with these watercourses, and the measures being taken to minimize the flood risk for each watercourse. The goals of the Local Floodplain Management Plan are:

- protect new development from the potential of flooding from a 100-year flood event, and
- identify possible activities to reduce the potential of flood damage to existing structures.

All proposed development activity in floodplains -- those areas designated by FEMA on the FIRMs for Sacramento County (Community Number 060262) and other areas subject to flooding -- must be reviewed and permitted by the County's Floodplain Administrator (County DWR) before construction.

SACRAMENTO COUNTY STORMWATER ORDINANCE

The County has established a Stormwater Ordinance (Sacramento County Code 15.12). The Stormwater Ordinance prohibits the discharge of unauthorized non-stormwater to the County's stormwater conveyance system and local creeks. It applies to all private and public projects in the county, regardless of size or land use type.

SACRAMENTO COUNTY GRADING ORDINANCE

Sacramento County Code 16.44 (Land Grading and Erosion Control) requires private construction sites disturbing 1 or more acres or moving 350 cubic yards or more of earthen material to obtain a grading permit. To obtain a grading permit, project proponents must prepare and submit for approval an Erosion and Sediment Control Plan describing erosion and sediment control BMPs that will be implemented during construction to prevent sediment from leaving the site and entering the County's storm drain system or local receiving waters. Construction projects not subject to Sacramento County Code 16.44 are subject to the Stormwater Ordinance (Sacramento County Code 15.12) described above.

Projects applying for a County grading permit must show proof that a NOI has been filed with the SWRCB and must submit a copy of the SWPPP. Although the County has no enforcement authority related to the Construction General Permit, the County is required by its Municipal Stormwater Permit (Order Number R5-2008-0142) to verify that the SWPPP program includes six minimum components (public education and outreach on storm water impacts, public involvement participation, illicit discharge detection and elimination, construction site storm water runoff control, post-construction storm water management in new development and redevelopment, and pollution prevention/good housekeeping for municipal operations).

STORMWATER QUALITY DESIGN MANUAL FOR THE SACRAMENTO REGION

The Sacramento Stormwater Quality Partnership, which includes the County of Sacramento and the Cities of Citrus Heights, Elk Grove, Folsom, Galt, Rancho Cordova and Sacramento, has prepared a Stormwater Quality Design Manual for the Sacramento Region (Sacramento Stormwater Quality Design Partnership 2018). This manual is intended to satisfy the regulatory requirements of each jurisdiction's respective municipal stormwater permits. The manual outlines planning tools and requirements to reduce urban runoff pollution to the maximum extent practicable from new development and redevelopment projects.

New development is required to include treatment of urban runoff using the BMPs defined in the Stormwater Quality Design Manual for the Sacramento Region. The BMPs include a number of options for treatment, from simple grassy swales and rain gardens to more complex systems that use cisterns, pumps, and sand filters.

SACRAMENTO HYDROGRAPH MODIFICATION PLAN

The revised draft *Sacramento County Stormwater Quality Partnerships Hydromodification Management Plan* (HMP) was released in 2013. This plan is not finalized, and acceptance and the timing for final adoption of the HMP by the Central Valley RWQCB is not known. Through the HMP, projects would be required to incorporate LID measures from a menu of improvements based on a credit system.

SIGNIFICANCE CRITERIA

Based on the CEQA Guidelines, hydrology and water quality impacts may be significant if implementation of the Project would result in:

1. A violation of any water quality standard or waste discharge requirement or otherwise substantially degrade surface or groundwater quality;
2. A substantial alteration of the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or through the addition of impervious surfaces, in a manner which would result in substantial erosion or siltation on- or offsite (hydromodification);
3. Creation or contribution of runoff water that would provide substantial additional sources of polluted runoff. Changes in water quality would be considered substantial if the Project will comply with the County NPDES Program, or there is a net increase in any other pollution source associated with an impaired waterway (under Section 303d of the CWA);
4. Substantial increase to the rate or amount of surface runoff in a manner that would result in flooding on- or offsite;
5. Creation or contribution of runoff water that would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; or
6. In flood hazard, seiche, or tsunami zones, risk release of pollutants due to project inundation.

METHODOLOGY

The following analysis is based on the results of the 2017 Drainage Master Plan (Appendix HYD-1), and Jackson Township: Climate Change Technical Memorandum (CES 2019, Appendix HYD-2) and assumes compliance with applicable regulations and policies. The drainage studies evaluate both full buildout of the drainage improvements and a phased approach in which the drainages on participating properties are constructed initially and the portions of the drainages on non-participating properties are constructed in a later phase. The modeling also evaluated two options for design of the onsite stormwater management system: Option A includes retention ponds on the Morrison Creek drainage; Option B does not. The modeling and analyses also assume LID credit reductions to imperviousness. Sample LID improvements were applied to meet the criteria.

ISSUES NOT DISCUSSED FURTHER

Because of the distance from the nearest open waterbody, the Pacific Ocean (more than 100 miles to the west), and the nearest lake, Folsom Lake (more than 12 miles to the northeast), the Project would not be affected by inundation as a result of seiche or tsunami. Therefore, these phenomena are not considered further in this analysis.

IMPACTS AND ANALYSIS

IMPACT: SUBSTANTIAL EROSION, SILTATION, OR ENVIRONMENTAL HARM DUE TO ALTERATION OF THE EXISTING DRAINAGE PATTERN

PROPOSED PROJECT

Approximately 450 acres of the Plan Area drains north and/or west as part of the Morrison Creek watershed, while 929 acres drains to Elder Creek. In the post-development condition at buildout, the hydrology of the Project would result in an additional 12 acres of the Plan Area draining to the Morrison Creek watershed via a culvert under Excelsior Road (CES 2017). The Project would reconstruct the main conveyance corridors in both tributaries, through the construction of a flood control channel excavated with sufficient depth and width to contain the 100-year storm event. The channel would also have a low flow channel built within it to contain ordinary flow discharges from nuisance runoff and small storm events. In addition, the Project would protect the adjacent stream corridor by providing a setback and preserving existing riparian habitat consistent with 2030 General Plan Policies CO-114 and CO-118, and protect areas susceptible to erosion, natural water bodies, and natural drainage systems consistent with 2030 General Plan Policy CO-26. The portion of Morrison Creek in the northeast portion of the Plan Area would be within the designated open space, and no modifications to this drainage are proposed.


The Project includes several design elements to address the potential to result in erosion, siltation, or other environmental harm caused by the introduction of impervious surfaces and modification of the drainageways within the Plan Area. The revised draft *Sacramento County Stormwater Quality Partnerships Hydromodification Management Plan* dated 2013 was used as the criteria for designing the hydromodification mitigation basins for the onsite watersheds. While acceptance and the timing for final adoption of the HMP by the Central Valley RWQCB is not known, the Project Applicant has decided to introduce the Project's strategy for compliance by accommodating a volume of water and creating outlet conditions similar to what would be provided under the 2013 draft HMP. It is understood that the final HMP that the County may adopt may differ from the County's 2013 draft HMP. As such, the drainage master plan may need to be updated in the future, before approval of final maps.

Improvements within the Plan Area would be subject to the requirements of the Stormwater Quality Design Manual for the Sacramento Region as a permit condition. These measures, which would be constructed by the Project Applicant or subsequent developers and maintained by the County, would include:

- **Low Impact Development Measures.** LID measures provide an opportunity at the source for the processes of infiltration and retention to be restored by passing runoff from impervious surfaces over non-impervious ground or storing runoff. The modeling and analyses in the Drainage Master Plan assume sample LID credit reductions to imperviousness to meet the criteria of the Sacramento HMP and the County's MS4 permit. At the time of development, subsequent projects would be required to perform credit system calculations and may elect to incorporate a different set of LID practices that also meet the criteria for each land use (CES 2017).
- **Stormwater Detention.** Detention basins restore the process of the attenuation of peak flows, which occur naturally in the broad floodplains in the existing condition. Detention would also address the additional attenuation needed to accommodate flows added to the runoff by the proposed impervious surfaces.
- **Stormwater Quality Treatment.** Stormwater quality treatment basins remove constituents added to the runoff during smaller events, as required by the County's MS4 permit.
- **Hydrograph Modification Detention.** Hydromodification detention would limit discharge volumes and peak flows during high-frequency events (i.e., events smaller than the 10-year modeled event), so that the geomorphological effects on downstream natural stream corridors are minimized. Increased volumes and peak flows are stored within the detention basins.

Plate HYD-3 illustrates the preliminary drainage system to convey the stormwater runoff generated within the Plan Area. Two constructed drainageways would be provided within the greenbelts to convey the flows from the watersheds to the existing points of discharge. The North Drainage Way (Morrison Creek tributary) would extend through the northwest quadrant of the Project to the discharge point at Excelsior Road. A small tributary shed area north of Kiefer Boulevard would be piped to the North Drainage Way. The Central Drainage Way (Elder Creek tributary) would accept most drainage for the Project. The flows would enter the Project from the east and the drainageway would extend the length of the Project, with the discharge point located at the intersection of Excelsior and Jackson Roads. The Project would also consolidate all four of the existing Excelsior Road crossings into a single outlet with only minor roadside drainage being collected and conveyed at the remaining location. Storm drain pipe systems would be added for minor road runoff collection, as shown in Plate HYD-3.


Generally, drainageways are designed as wide, integrated drainage corridors, with meandering low flow swales to provide conveyance of small storm events, and water quality and detention basins to provide treatment and peak flow attenuation. At-grade, flat benches would be provided on both sides of the channelized drainageway, with a Class I trail along one side, which would also provide access to the drainage facilities for maintenance. The design of the Central Drainage Way varies in width, getting progressively larger in size as it extends from east to west. An illustrative cross section of the North and Central Drainage Ways are shown in Plate HYD-4. The drainage corridors were analyzed in accordance with the County DWR and Central Valley RWQCB standards.



Source: Image prepared and provided by Au Clair Consulting, Inc.


X15010101.09 040

Plate HYD-3: Proposed Drainage Collection System



NORTH DRAINAGE WAY

NOT SCALE



Source: Image prepared and provided by Au Clair Consulting, Inc.

X15010101.09 041

Plate HYD-4: Proposed Drainageway Cross Section

Detailed design of the improvements outlined in the Drainage Master Plan has not been conducted. The specific shape and form (geomorphology) of a drainage channel is an important factor in the design of a self-sustaining riparian wetland system. For example, the bottom width of a flood control channel must be wide enough to encompass the proper meander dimensions of the low-flow channel, in order to allow for natural channel migration and thereby avoid problems with stability, sedimentation, and increased maintenance. The geomorphic design of a channel will in turn affect the extent of the floodplain and the variations in hydrologic regime (water levels) throughout the flood corridor. Variations in moisture regime and soil type define various zones within the flood corridor suited to specific vegetation associations; selection of vegetation plantings most suited to each zone's environmental conditions can be made to establish self-sustaining habitat that minimizes maintenance requirements and optimizes water quality treatment benefits. Each of these factors (geomorphology, hydrology, soils, and vegetation associations) must be considered when preparing the detailed design plans for the Jackson Township Drainage Master Plan improvements, to ensure that the drainage system will achieve the primary functions of stormwater conveyance and water quality treatment of urban runoff while minimizing maintenance requirements.

ELDER CREEK

The reconstructed channel of Elder Creek would include inline stormwater quality treatment and hydrograph modification attenuation through two detention basins in the southwest portion of the Plan Area. At full buildout, the more upstream basin (Detention 1) would store approximately 47 acre-feet (AF) of water (including approximately 14 AF for stormwater quality treatment and 14 AF for hydrograph modification) and the downstream basin (Detention 2) would store approximately 111 AF (including approximately 7 AF for stormwater quality treatment and 55 AF for hydrograph modification) in the 100-year storm event.

The point of connection for Elder Creek would be at the Jackson Road crossing, and all treatment, hydrograph modification, and stormwater quality treatment would occur within the Project channel upstream of this location. In the pre-project condition, Elder Creek discharges an estimated 439 cubic feet per second (cfs) during the peak 24 hours of a 100-year storm. With full buildout of the Drainage Master Plan, the discharge would be reduced by 3 cfs to 436 cfs during the peak 24 hours of a 100-year storm. If the drainage is phased such that the infrastructure on the participating properties is completed before the remainder of the system, flows would increase 26 cfs to 365 cfs in the short term. Overall, modeling of the proposed channel indicates that post-development peak flow rates would be less than pre-project flows at the Plan Area boundary under 10-year, 100-year, and 200-year events at Project buildout (CES 2017).

MORRISON CREEK

In the Morrison Creek streamshed, the various points of discharge from the Plan Area would be combined; an existing swale would be reconstructed into a channel that would outfall into an existing pond on the aggregate quarry west of the Plan Area.

There are two design options that have been considered for this watershed, one that would include onsite detention (Option A) and one that would not (Option B). If the onsite detention is selected, the combined 100-year floodplain volume in this drainage corridor would be approximately 39 AF (including approximately 7 AF of stormwater treatment volume in a Dry Basin designed to fully discharge retained water between events). Hydrograph modification is not a concern on Morrison Creek because water is held on the quarry property with limited discharge (CES 2017).

Modeling of the proposed modifications indicates that, although the combined discharges to Morrison Creek would decrease with development of the proposed channel, the peak 100-year flow rates and water elevations at the point of discharge (where the swale currently discharges to the quarry) would increase (CES 2017). The combined flow of the four main discharge points on Morrison Creek is estimated to be 196 cfs during the peak 24 hours of a 100-year storm in the pre-project condition. Of this, 109 cfs is attributable to the swale that would be reconstructed. The ultimate, post-project flow would be 184 cfs. Therefore, while overall discharge would decrease by 12 cfs, the flow at the existing outfall would increase by 75 cfs. If drainage improvements are phased, the flow for the first phase would be 78 cfs, which is less than the flow at the existing outfall.

With Option B, which eliminates the detention and stormwater quality improvements, the constructed channel of Morrison Creek would be narrowed and the ability to attenuate peak flows would be reduced; generating larger peak flows. This design option would increase the post-project flow rates for the 100-year event to approximately 500 cfs, an increase of over 300 cfs when compared to the peak 24 hours of a 100-year storm in the pre-project condition for the four Morrison Creek tributaries combined. To accommodate this flow, the proposed culvert under Excelsior Road would need to be increased in size and Excelsior Road would need to be raised. Downstream of the crossing, the existing, offsite channel would need to be reconstructed to accept the higher flow rates. There is a substantial vertical fall between Excelsior Road and the property to the west. If this design option is employed, the channel would likely need to be modified to include drop structures to step the flows down to the quarry bottom (CES 2017). This offsite work would result in the same types of effects as the drainage work within the Plan Area that has been evaluated throughout this EIR, including short-term effects to air quality during construction, construction-generated noise, and potential disruption of roadways and congestion from construction activities. Because the property has been modified through mining, potential effects to several resources, including aesthetics, agricultural, and cultural resources, associated with construction activities would be minimal. Long-term, operational effects to hydrology and biological resources would be a component of the impacts to the Morrison Creek drainage evaluated in this EIR.

CONCLUSION

The Project would increase runoff in the Plan Area because of the introduction of impervious surfaces and would result in the substantial alteration of the surface water drainages in the Plan Area. This would be a **potentially significant** impact. With the implementation of the Drainage Master Plan and associated basins, there would be a quantifiable decrease in overall offsite flows for both Elder Creek and Morrison Creek

and the Project would provide onsite stormwater treatment. In addition, the Project would comply with the County's HMP. These LID techniques would further reduce runoff beyond the modeling for the Drainage Master Plan. The Drainage Master Plan assumed sample LID practices to meet the HMP criteria, based on land use (see Appendix HYD-1). At implementation, the Project Applicant or subsequent developers may elect to use different LID techniques. Mitigation Measure HYD-1a would require evidence that the suite of LID techniques implemented at the project-level meet the HMP criteria and achieve the credits assumed in the modeling.

Implementation of Mitigation Measures HYD-1a and HYD-1b would ensure that the Project would be required to demonstrate that the design features described above would mitigate the development's potential to generate substantial erosion, siltation, or other environmental harm through the proposed drainage modifications. Further, implementation of Mitigation Measure BR-24⁵ described in Chapter 8, "Biological Resources," would require notification of CDFW pursuant to Section 1602 of the Fish and Game Code before engaging activities that would disturb the bed, bank, or associated riparian vegetation of any stream or pond on the Plan Area. Impacts related to hydromodification would be **less than significant with mitigation**.

ALTERNATIVE 2

The Alternative 2 would include modifications to the existing drainage and overall development of the Plan Area in a manner similar to the Project. The potential modifications to Elder Creek and Morrison Creek drainages, including the design options for Morrison Creek, would be similar to the Project. In addition, Alternative 2 would increase the amount of undeveloped land in the eastern portion of the Plan Area, which could contribute to attenuation of stormwater and a reduction in stormwater flows. Further, the main design features of the Drainage Master Plan that contribute to stormwater quality and hydromodification attenuation are proposed in the western (downstream) portion of the Plan Area and would not be affected. However, because detailed design of the subsequent development that could occur with implementation of Alternative 2 is not available, the effectiveness of future stormwater treatment facilities and drainage improvements cannot be definitively evaluated. Therefore, this impact is **potentially significant**. Mitigation Measures HYD-1a and HYD-1b would require demonstration that the design features described above would mitigate for the development's potential effects on water quality. Impacts under Alternative 2 would be **less than significant with mitigation**.

MITIGATION MEASURES

HYD-1a: Before approval of future tentative maps, the Project Applicant or future developer(s) shall submit a drainage study in accordance with the requirements outlined in the Sacramento Stormwater Quality Partnership's 2018 Stormwater Quality Design Manual (or subsequent updates). The study shall describe permanent stormwater quality treatment facilities capable of treating stormwater to the satisfaction of County DWR.

HYD-1b: Prior to construction of the Jackson Township Drainage Master Plan improvements, detailed plans for the design of the improvements, accompanied by geomorphic, hydrologic, soils, and vegetation analyses that demonstrate the proposed improvements will achieve the primary functions of flood conveyance and stormwater quality treatment while minimizing maintenance requirements, shall be submitted to the County DWR for review and approval.

IMPACT: CONTRIBUTION TO POLLUTED RUNOFF OR VIOLATION OF A WATER QUALITY STANDARD

PROPOSED PROJECT

CONSTRUCTION IMPACTS

Project construction would involve extensive ground-disturbing activities over approximately 1,177 acres (the entire Plan Area, with the exception of the wetland preserve), including grading, trenching, and facility construction activities. Construction is proposed to occur in four phases between 2020-2025 and 2035-2040. The Project would result in construction of residential and commercial buildings, along with associated streets and other paved areas. Water quality impacts could occur during construction from increased soil erosion and sedimentation because of clearing vegetation, alteration of drainages, and grading. Construction also involves solvents, paints, concrete, and other materials that have the potential to contact and affect runoff from construction sites.

The Sacramento County Stormwater Ordinance (Sacramento County Code 15.12) prohibits the discharge of unauthorized non-stormwater to the County's stormwater conveyance system and local creeks. Non-stormwater refers to the prohibition on disposing of extra paint, oils, or other such materials, as well as wash-water, into the stormwater system. The Stormwater Ordinance applies to all private and public projects in the county, regardless of size or land use type. In addition, the Land Grading and Erosion Control Ordinance (Sacramento County Code 16.44) requires proponents of private construction projects disturbing 1 or more acres or moving 350 cubic yards or more of earthen material to obtain a grading permit. To obtain a grading permit, project proponents must prepare and submit for approval an Erosion and Sediment Control Plan describing erosion and sediment control BMPs that will be implemented during construction to prevent sediment from leaving the site and entering the County's storm drain system or local receiving waters.

In addition to complying with the County's ordinances and requirements, construction sites disturbing 1 or more acres are required to comply with the State's General Stormwater Permit for Construction Activities. The General Permit requires preparation and implementation of a site-specific SWPPP that must always be kept on site for review by the State inspector. Applicable projects applying for a County grading permit must show proof that an NOI has been filed with SWRCB and must submit a copy of the SWPPP.

Depending on scheduling, construction could potentially occur during multiple rainy seasons (October 1 through April 30). Because of the increase in exposed surfaces and the earth-moving activities, the potential for erosion and sedimentation is higher during the rainy season. Therefore, the Project must include an effective combination of erosion, sediment, and other pollution control BMPs in compliance with the County ordinances and the State's Construction General Permit. Examples of erosion controls include: stabilized construction entrances, tackified mulch, 3-step hydroseeding, spray-on soil stabilizers, and anchored blankets. Sediment controls help to filter sediment out of runoff before it reaches the storm drains and local waterways. Examples include rock bags to protect storm drain inlets, staked or weighted straw wattles/fiber rolls, and silt fences.

In addition to erosion and sediment controls, the Project must have BMPs in place to keep other construction-related wastes and pollutants out of the storm drains. Such practices include: filtering water from dewatering operations, providing proper washout areas for concrete trucks and stucco/paint contractors, containing wastes, managing portable toilets properly, and dry sweeping instead of washing down dirty pavement. With adherence to existing regulations and required BMPs, construction activities would result in **less-than-significant** impacts.

OPERATIONAL IMPACTS

Development has the potential to increase the pollutant load of stormwater discharges. Vehicles deposit heavy metals, oils, and other substances onto roadways, parking lots, and driveways; residents wash their cars in streets and driveways and the water picks up soaps, waxes, and the dirt, oils, and heavy metals from the cars; and people maintaining landscaping areas use pesticides and fertilizers. Water carries these and other pollutants into storm drains, where the water flows without treatment directly into the streams that provide drinking water, recreation, and wildlife habitat. This runoff could increase pollutant loads to such an extent that the waterway becomes impaired. Water temperatures can be increased, which affects the health of many organisms that live in the creeks. Even the nutrients in fertilizers can cause water quality problems, because they promote blooms of algae. Increases in discharge amounts or velocity have the potential to greatly accelerate downstream erosion and impair stream habitat in natural drainage systems.

There is potential for development of the Plan Area to cause or contribute to a long-term increase in discharges of urban contaminants into the stormwater drainage system compared to existing conditions. In accordance with Central Valley RWQCB compliance guidelines, the Project Applicant would be required to incorporate BMPs and LID stormwater management principles. In accordance with federal, State, and County stormwater management regulations, including 2030 General Plan Policies CO-24, CO-28, and SA-14 discussed above, new construction must maintain pre-project hydrology and incorporate proper pollutant source controls, minimize pollutant exposure outdoors, and treat stormwater runoff through proper BMPs when source control or exposure protection are insufficient for reducing runoff pollutant loads.

The use of BMPs can be highly effective in controlling pollution at its source before it enters the storm drain system and local streams. BMPs have been demonstrated to effectively protect surface waters and meet the requirements of the CWA and Porter-

Cologne Water Quality Act. To reduce the amount of polluted water that enters storm drains, local streams and rivers, the County has several requirements that are triggered during the development process.

The County's DWR requires that projects include source and/or treatment control measures on selected new development and redevelopment projects. Source control BMPs are intended to keep pollutants from contacting site runoff. Examples include "No Dumping – Drains to Creek/River" stencils/stamps on storm drain inlets to educate the public, and providing roofs over areas likely to contain pollutants, so that rainfall does not contact the pollutants. Treatment control measures are intended to remove pollutants that have already been mobilized in runoff. Examples include vegetated swales and water quality detention basins. These facilities slow water down and allow sediments and pollutants to settle out before discharge to receiving waters. The Drainage Master Plan for the Project includes an analysis of water quality basins, which function by retaining water long enough to let sediments, metals, and other heavy pollutants settle out of the water. These are the same basins which provide peak storm control, consistent with the design requirements of the *Stormwater Quality Design Manual for the Sacramento Region* (Sacramento Stormwater Quality Design Partnership 2018).

LID measures, such as disconnected roof drains, amended soils, tree planting, and separated pavement areas, would also be required by the County to reduce the amount of stormwater that would runoff from the developed areas by reducing effective imperviousness of the Project, and by promoting infiltration and pre-treatment. At the time of grading applications, individual projects would be required to develop a hydrograph management plan that indicates the LID measures.

A review of the 303(d) list of impaired waterways indicates that Morrison Creek and Elder Creek are listed as impaired (SWRCB 2012). Although the waterways are listed as impaired, development of the Project consistent with NPDES regulations would not cause a net increase of the pollutants for which the waterways are listed.

Compliance with the County Stormwater Ordinance, implementation of LID Standards, and implementation of the Drainage Master Plan would ensure that development of the Project would not alter the course of local waterways in a manner that would cause violation of a water quality standard or waste discharge requirement, and would not result in substantial increases to polluted runoff; impacts would be ***less than significant***.

ALTERNATIVE 2

Alternative 2 would be required to comply with the same stormwater quality regulations as the Project. Therefore, impacts related to stormwater quality impacts would be ***less than significant*** for the reasons detailed above for the Project.

MITIGATION MEASURES

No mitigation is required.

IMPACT: INCREASE THE POTENTIAL FOR FLOODING WITHIN THE PLAN AREA

PROPOSED PROJECT

The Drainage Master Plan analyzes the drainage requirements for buildout of the Project at the plan level and evaluates the effectiveness of the proposed drainage facilities to maintain downstream drainage at or below existing conditions. Two constructed drainageways are provided within the greenbelts to convey the flows from the watersheds to the existing points of discharge. Generally, these drainageways are designed as wide, integrated drainage corridors, with meandering low flow swales to provide conveyance of small storm events, and water quality and detention basins to provide treatment and peak flow attenuation. At-grade, flat benches are provided on both sides of the channelized drainageway, with a Class I trail along one side, which also provides access to the drainage facilities for maintenance (see Plate HYD-4). The drainage corridors were analyzed in accordance with the County DWR and the Central Valley RWQCB standards. This analysis indicates that there would not be a potential for onsite flooding outside of the drainage network following Project implementation.

FEMA's FIRM currently shows floodplain the northeast and southwest corners of the Plan Area (see Plate HYD-2). The area in the northeast is associated with Morrison Creek and would be within the designated open space. The FEMA floodplain in the southwestern corner of the Plan Area associated with Elder Creek. With Project implementation, Elder Creek would be channelized in this area with commercial development to the northwest and southeast. Before any proposed improvements within this flood zone, including placement of fill, and before any mapping changes to reflect these hydromodifications, a Conditional Letter of Map Revision (CLOMR) would be obtained from FEMA. A CLOMR is FEMA's comment on a proposed project that would, upon construction, affect the hydrologic or hydraulic characteristics of a flooding source and, thus, result in the modification of the existing regulatory floodway, the effective Base Flood Elevations, or the Special Flood Hazard Area. The letter does not revise an effective map; it indicates whether the project, if built as proposed, would be recognized by FEMA. Building permits cannot be issued based on a CLOMR, because a CLOMR does not change the NFIP map. Once the proposed improvements in the flood zone have been completed, the Project Applicant would request a revision to the FIRM to reflect the completed improvements.

As shown in Plate HYD-2, portions of the existing onsite floodplain are located on non-participating properties within the Plan area. The draft phasing plan provided by the Project Applicant shows Applicant-owned properties in Phases 1A and 1B developing first, with subsequent phases at a later time. Development in Phases 1A and 1B would require construction of drainage improvements in the Elder Creek watershed as described above, which would alter the existing floodplains shown in Plate HYD-2. The Drainage Master Plan analyzed the efficacy of the proposed drainage infrastructure for the entire Project and demonstrated that no flooding impacts would occur with full buildout. However, it remains uncertain at this time whether the drainage infrastructure improvements would be constructed in phases, and whether non-participating property owners would grant permission for improvements on their property. Therefore, impacts associated with flooding are **potentially significant**. Prior to any modifications to the

existing floodplain, approval of a CLOMR from FEMA would be required. In-kind replacement for any loss in flood storage capacity due to floodplain modifications must be provided to prevent downstream flooding impacts consistent with the applicable 2030 General Plan and Community Plan policies listed above. Mitigation Measure HYD-2 would ensure that the Project is implemented according to FEMA requirements and would not result in flooding during phased development or with buildout. Impacts would be **less than significant with mitigation**.

ALTERNATIVE 2

Alternative 2 would include modifications to the existing drainage and overall development of the Plan Area at a level that is similar to the Project, including the same land use changes in the AE floodplain. The Drainage Master Plan analyzed the efficacy of the proposed drainage infrastructure for and demonstrated that no flooding impacts would occur with full buildout. However, it remains uncertain at this time whether the drainage infrastructure improvements would be constructed in phases, and whether non-participating property owners would grant permission for improvements on their property. Therefore, impacts associated with flooding would be **potentially significant**. As described in HYD-2, approval of a CLOMR from FEMA would be required prior to any modifications to the existing floodplain. In-kind replacement for any loss in flood storage capacity due to floodplain modifications must be provided to prevent downstream flooding impacts consistent with the applicable 2030 General Plan and Community Plan policies listed above. This impact would be **less than significant with mitigation** for Alternative 2.

MITIGATION MEASURES

HYD-2: Prior to any modification of the existing FEMA mapped floodplain in the Morrison Creek and Elder Creek watersheds in the Plan Area, the Project Applicant or subsequent developers of the specific plan shall obtain approval of a Conditional Letter of Map Revision (CLOMR) from FEMA. In addition, the Project Applicant and subsequent developers of the specific plan shall provide in-kind replacement for any loss in flood storage capacity resulting from floodplain modifications.

IMPACT: CONTRIBUTE TO FLOODING OF ADJACENT PARCELS

PROPOSED PROJECT

As discussed above, the modeled discharge from the development indicates that, although overall discharges would increase, the post-development volume of runoff for the peak event (which is most associated with flooding potential) would be at or below the pre-development flow rates for the two streamsheds overall.

There are seven locations where flows in the Elder Creek watershed portion of the Plan area cross Jackson Road, the largest of which crosses the intersection of Jackson and Excelsior Roads. The Project proposes to completely reconstruct Elder Creek within the Plan Area and establish the outfall at the intersection of Jackson Road and Excelsior Road as the point of connection to Elder Creek. Because the peak flow of Elder Creek at

the Jackson Road crossing would decrease at full buildout, the flooding potential of the properties to the southwest may be reduced with the development of the Project.

Flows contributing to the Morrison Creek watershed currently outfall from the Plan Area at six locations. Four locations cross Excelsior Road, one crosses Kiefer Road, and one is located at the northwest corner of the Plan Area near the intersection of Excelsior Road and Kiefer Boulevard. The four locations that cross Excelsior Road feed stormwater into a pond on the property west of Excelsior Road that was created through mining activities and do not currently flow to Morrison Creek. The Project would consolidate all of the existing Excelsior Road crossings into a single outlet that continues to drain to this pond, with only minor roadside drainage being collected and conveyed at the remaining location. Storm drain pipe systems would be added for minor road runoff collection at the northeast corner and the Kiefer Road crossing locations.

There would be a greater volume of discharge during a 100-year rain event at the reconstructed single outlet flowing to the property to the west because all of the former Morrison Creek tributaries would be flowing through it alone, rather than through four separate outlets. However, with the reconstruction of the outlet, the overall peak flow to the pond on the property west of Excelsior Road from all four or the Morrison Creek tributaries that currently feed into the pond would decrease during the peak 100-year 24-hour storm event under both Morrison Creek design options (i.e., with and without onsite attenuation). As a result of the increase at the single outfall, although overall flows would be reduced, the Project Applicant is currently coordinating with the adjacent property owners for the future construction of a channel outfall system.

Because flows to the pond on the adjacent property would actually decrease overall, the impact associated with the potential for offsite flooding is **less than significant**.

ALTERNATIVE 2

Alternative 2 would also include modifications to the existing drainage and overall development of the Plan Area at a level that is similar to the Project, including the consolidation of Morrison Creek flows. Like the Project, all of the Morrison Creek tributaries would be combined so flows enter the pond on the property to the west via a single outlet. Similarly, due to the consolidation of flows at a single point of connection, flows from that outlet would increase, but overall flows into the pond from the Plan Area would decrease. Like the Project, this impact would be **less than significant**.

MITIGATION MEASURES

None required.

IMPACT: CONTRIBUTE TO FLOODING OF BEACH STONE LAKES

PROPOSED PROJECT

The Plan Area is located approximately 16 miles upstream of the BSL area, within the Morrison Creek Stream Group that contributes runoff to the BSL area. As described above, the BSL area is subject to flooding during large rain events and no plans for structural improvement are currently in process to address this deficiency. This is an

existing adverse environmental condition. An assessment of the Project's potential to exacerbate the existing flooding conditions indicates that the Project would result in a minimal increase in floodplain depth (less than 0.5 inch) that could potentially affect a small number of existing structures (12 total) in the BSL area. The *Jackson Township Development: Beach Stone Lakes Area Impact Analysis* (Au Clair 2019) was prepared based on conservative assumptions because it assumed that peak flows from the Plan Area would flow through the system (approximately 16 miles) and would reach Beach Stone Lakes at the same time that peak flows occur in Beach Stone Lakes. This peak flow coincidence is unlikely because of the distance between the Plan Area and the BSL area. The analysis also assumed there would be no potential for volume storage in the downstream creek system (Au Clair 2019). Regardless, because the Project would increase flows that could contribute to an increase in the potential floodplain depth in the BSL area, the Project could have a substantial contribution to flooding of the BSL. This would be a **significant** impact.

The County has adopted and levied the Beach Stone Lake Flood Volume Mitigation Fee to address the contribution of upstream projects to flooding impacts in the BSL area. Development projects in the Morrison Creek Stream Group are required to pay fees that fund the County's efforts in the area. Mitigation Measure HYD-3 requires payment into the County's BSL mitigation fund, which provides financial assistance to the programs the County has in place to reduce the cumulative flooding impact. However, flooding impacts may still occur in the BSL area. Therefore, this impact would be **significant and unavoidable**.

ALTERNATIVE 2

Alternative 2 would result in a similar amount of impervious surface as the Project. Therefore, flooding effects in the BSL area would be similar. This would be a **significant** impact. Mitigation Measure HYD-3 requires payment into the County's BSL mitigation fund, which provides financial assistance to the programs the County has in place to reduce the cumulative flooding impact. However, flooding would still occur in the BSL area. Therefore, this impact would be **significant and unavoidable**.

MITIGATION MEASURES

HYD-3: The Project Applicant or subsequent developers of the specific plan shall mitigate downstream impacts by either of the following options:

- a. Payment of the Beach Stone Lakes Mitigation Fee (Sacramento County Water Agency Zone 11A).
- b. Ensuring no net project-related increase in volume in Beach Stone Lakes by metering outflow from the Plan Area, increasing storage capacity of onsite facilities, directing drainage into downstream facilities offsite, or other regional drainage solutions as determined by the County Department of Water Resources.

IMPACT: RELEASE OF POLLUTANTS ASSOCIATED WITH FLOODING DUE TO DAM OR LEVEE FAILURE

PROPOSED PROJECT

The closest dam to the Project is Mather Dam, which provides flood control to Mather Lake. In 1996, the US Army Corps of Engineers prepared a breach study to analyze the potential impacts of a dam failure at Mather Lake entitled *Mather Lake Dam Breach Study: Morrison Creek Basin, California*. The study concluded that the maximum outflow of a breach at Mather Lake would be approximately 2,000 cubic feet per second with a failure time of 4 hours. The “dam breach” scenario in the study shows that Zinfandel Drive, which is located along the western edge of the Mather South Community Master Plan Area approximately 0.5 mile to the northeast, would be overtopped and the flows from the breach were shown to generally follow the existing path of Morrison Creek to the southwest toward and through the existing Independence at Mather subdivision, and eventually to the portion of Morrison Creek that crosses the Plan Area in the north. As discussed above, the dam was recently renovated. Further, the volume of water that would reach the Plan Area is unlikely to present a substantial risk of inundation that could result in the release of pollutants because of the volume of water stored in the dam, the distance from the Plan Area, and the flat intervening topography over which flood waters would disperse.

Folsom Dam is approximately 12 miles north of the Plan Area. Failure of either the Cordova Meadows Levee or the Sunriver Levee along the American River could also potentially result in the inundation of properties north of the Plan Area (Rancho Cordova 2006). However, the Plan Area is outside of both dam and levee inundation areas. In addition, such an event has an extremely low probability of occurring and is not considered to be a reasonably foreseeable event. The Folsom Dam Safety and Flood Damage Reduction Project (DS/FDR) includes projects that improve dam safety, and provide for flood damage reduction downstream of Folsom Dam. Because of the implementation of the DS/FDR project, the risk of the Plan Area flooding as a result of dam failure would be minimized. Therefore, the risk of flooding due to dam and/or levee failure that would result in inundation of the Project and could lead to release of pollutants would be a **less-than-significant** impact.

ALTERNATIVE 2

Alternative 2 would occur in the same location as the Project and would have a **less-than-significant** impact associated with the potential for flooding because of dam or levee failure due to recently completed flood protection projects and distance from dams and levees.

MITIGATION MEASURES

No mitigation is required.

IMPACT: POTENTIAL FOR FLOODING DUE TO CLIMATE CHANGE

PROPOSED PROJECT

Although the hydrology analysis contained in the Drainage Master Plan demonstrates that the proposed land uses onsite would not be exposed to flooding, there remains some uncertainty regarding future precipitation frequency and intensity because of climate change. The County has not adopted any policies or guidance with regard to the evaluation of hydrologic climate-related impacts. Nonetheless, it is becoming common practice to consider the potential range of climate change related impacts that could be experienced by a project to the degree they can be reasonably predicted based on factual, scientific information. Consistent with the fundamental purpose of CEQA, this analysis has been prepared to inform County decisionmakers of the range of potential impact scenarios that could occur. However, no County-specific or regional hydrologic climate prediction studies or tools have been developed or otherwise adopted as best practice to evaluate climate change-related hydrologic impacts for local projects. As such, it would be speculative and inappropriate at this time to render specific environmental impact conclusions in this Draft EIR.

While it is uncertain precisely how and to what extent climate change would affect flooding events in Sacramento County, it is reasonable to expect that an increase in flooding could have serious ramifications, because the area is already vulnerable. More rapid and earlier snowmelt, or increased potential for high-intensity storm events compared to historical trends, could potentially place additional strain on the components of flood control systems (e.g., levees, dams), and increase the likelihood of flooding in Sacramento County. This analysis provides a good-faith effort to inform decisionmakers of the potential range of impacts that could occur related to on- and offsite hydrology as a result of the potential increase in number or frequency rainfall events under a reasonable climate change scenario. There is no generally-accepted study or methodology, nor have the County or State developed any such methodology that describes how to evaluate the hydrologic impacts that would occur in a climate change scenario considering the local hydrologic environment upstream and downstream of the Plan Area. However, because scientific evidence supports that climate change is advancing and that physical changes can be reasonably expected to occur, the Project Applicant has engaged in an evaluation that modeled the potential hydrologic changes that could occur as a result of climate change within and outside of the Plan Area (Appendix HYD-2). This analysis is provided to inform the public and decisionmakers of the potential impacts that could occur. The modeling performed for the Project is based on a range of potential climate assumptions (scenarios) that could occur based upon the science as it currently stands. However, climate change science is a rapidly evolving area that is continually subjected to new legislation, policy, and scientific advancement. Concurrently, the County is considering regional policies and solutions to address climate-related impacts, but, as of the date of this document, no such solution has been developed. Because the County does not have adopted hydrologic design standards that accommodate the impacts of climate change, assessment of resiliency of the Project design (i.e., whether the Project could accommodate the changing flow rates associated with climate change) is characterized

by evaluating the ability of detention facilities and other associated improvements to withstand additional flows that may be generated from the effects of climate change.

The technical evaluation of climate change used a “bookend approach,” analyzing low and high scaling factors to determine if Project design changes would be required under a range of potential climate change conditions. The methodology applied climate change scaling factors to the existing-climate discharge frequency curves from Central Valley Flood Protection Plan, based on a technical memorandum summarizing the County DWR findings for several streams in the Sacramento Valley (David Ford Consulting Engineers 2018). The memorandum outlines climate scaling factors that could be applied to various nearby watersheds. The scaling factors were used to adjust the precipitation-depth factors of the modeling, resulting in scaled hydrographs for these hypothetical scenarios.

Of the watersheds for which climate change predictions are available, Arcade Creek and Steelhead Creek are most like Morrison Creek and Elder Creek within the Plan Area because: they are located at similar elevations (less than 200 feet), the watersheds are similarly flat and of similar distance to the foothills, and the watersheds experience similar annual precipitation. Therefore, values for Arcade Creek were used as the low bookend value and are likely to most closely represent what might occur with climate change. Nevertheless, to establish the high end of the expected climate change scaling factors, the Pleasant Grove Creek Canal was modeled. This modeling is conservative because it includes runoff from the foothills, which is not expected to affect the Plan Area. Sacramento County DWR suggested that the differences in scaling factors between these two creeks should provide an adequate range of impacts for analysis (Johnson, pers. comm., 2018 as cited in CES 2019).

Scaling factors were derived from the analysis for three design events (10-year, 100-year, and 200-year events) and five different durations (1, 3, 7, 15 and 30-days). Because the climate change analysis relies on scaled-up hydrographs which exaggerate flows, the analysis is considered to be conservative.

Under the scenario that uses the flow rate predictions for Arcade Creek, modeling demonstrates that the flood elevation increase would not exceed 0.5 feet in the Project channels or detention basins. Therefore, no changes to the Project design would be required under this climate change scenario. For the flows predicted for the Pleasant Grove Creek Canal, modeling demonstrated that flood elevations would have the potential to exceed the top of the bank of channels with the current project design. Larger and additional culverts at roadway crossings may be required to accommodate additional anticipated flows absent other regional solutions to accommodate increased flows under this scenario.

While the modeling performed for the Project shows that changes in precipitation frequency and intensity may result in an increase in runoff in the Plan Area and potential flooding/overtopping of drainage facilities, the County has not adopted a countywide policy directing how new and existing development should assess and plan for hydrologic impacts of climate change. Furthermore, while it is generally understood that precipitation patterns could change in the future due to climate change, the degree and timing of the changes and how those would be effectuated locally remains a point of speculation.

The County has not adopted guidance for evaluation of project effects on flood potential in light of climate change or established a regional solution to addressing flooding because of climate change. Therefore, there is not a clear threshold upon which to measure Project effects. It would be speculative to reach a conclusion regarding the actual degree to which the Project would be able to adequately accommodate the increased flows from a climate change scenario. Nonetheless, it is acknowledged that some level of planning may be required by the County to address a regional solution to the potential hydrologic impacts that could occur with climate change. Therefore, the County is requiring the implementation of Mitigation Measure HYD-4.

ALTERNATIVE 2

Alternative 2 would construct drainage features similar in design capacity to the Project. The resilience of these features to future climate change cannot be determined because the change in precipitation and runoff in the Plan Area is unknown. Using available scaling tools, however, the potential for an effect has been identified. Mitigation Measure HYD-4 would require application of the best available guidance at the time of implementation, at which time the analysis may be less speculative.

MITIGATION MEASURES

HYD-4: At the time of submittal of backbone infrastructure plans, the Project Applicant or subsequent developers of the specific plan shall submit a hydrologic analysis that is based upon adopted County guidance regarding a reasonably foreseeable climate change scenario. Based on the results of the hydrologic analysis and if impacts are identified, the Project Applicant shall implement all feasible design measures within the Project's drainage system to adequately maintain pre-project flows with consideration of climate change effects. Potential improvements could include larger and additional culverts at roadway crossings and deepening the existing basin(s) within the Plan Area that would be subject to over-topping. Basin deepening would require minimal construction-related impacts including excavation and hauling of an additional increment of soil from the site. These construction-related impacts have been evaluated throughout this EIR.

Alternatively, if the County has adopted a regional solution for flooding related to climate-change, the Project Applicant or subsequent developers of the specific plan shall contribute its fair share towards funding the construction of the regional solution.

If the County has not developed a regional solution or has not adopted guidance for evaluating hydrologic climate-related impacts, the Project Applicant or subsequent developers of the specific plan shall prepare and submit a hydrologic analysis that is based on the best available technical information at that time, in consultation with the County's Department of Water Resources and the Office of Planning and Environmental Review.

15 LAND USE, POPULATION, AND HOUSING

INTRODUCTION

The following chapter addresses potential physical environmental impacts related to land use and land use policy. Areas of analysis include compatibility of the Project and Alternative 2 with adopted Sacramento County General Plan (2030 General Plan) policies and other local land use plans, division or disruption of an established neighborhood, and the displacement of housing.

Comments on land use were provided in response to the NOP. Comment topics include use of planning documents associated with Mather Airport, potential for conflict with use of non-participating properties during early phases of development, and the Project's consistency with the assumptions in the 2030 General Plan. These concerns are addressed below and in other resource chapters, as appropriate. Land use planning and consistency with the Comprehensive Land Use Plan and Airport Planning Policy Area for Mather Airport is discussed in Chapter 7, "Airport Compatibility." For a discussion of potential for the Project to induce growth, refer to Chapter 22, "Additional Analysis."

ENVIRONMENTAL SETTING

The Plan Area is located in an unincorporated area south and west of the City of Rancho Cordova, east of the City of Sacramento, and north of the City of Elk Grove. The Plan Area is also southeast of, but not directly adjacent to, Mather Airport. The Plan Area is bound by Excelsior Road to the west and Jackson Road (also referred to as Jackson Highway) to the south. The eastern boundary follows parcel lines roughly 0.5 mile west of Eagles Nest Road. The northern boundary runs partially along Kiefer Boulevard and along the northern boundary of two parcels north of the road (see Plate PD-2 in Chapter 2, "Project Description"). The Plan Area is located outside, but immediately adjacent to, the existing Urban Policy Area (UPA) and is within the Urban Services Boundary (USB).

Surrounding land uses are primarily rural residential development and limited agricultural use (predominantly grazing). To the west of the Plan Area, land uses are characterized by agriculture, mining activities, and commercial sales of landscaping materials. Lands to the east are generally similar to the Plan Area, with grazing and agricultural-residential uses predominating. The property to the east also includes the Sacramento Rendering Company plant, a facility that accepts animal tissue, processes it, and then distributes the byproduct for use in the manufacture of other goods. Land to the north is dominated by the presence of Mather Airport and appurtenant facilities, and includes the Independence at Mather residential subdivision, as well as a 1,382-acre wetland and nature preserve known as the Illa M. Collin Preserve. Mather Golf Course is located further to the northeast. Properties to the south of the Plan Area, on the opposite side of Jackson Highway, are generally in agricultural or agricultural-residential use or are within a wetland preserve.

As shown in Plate PD-4 in Chapter 2, “Project Description,” the Plan Area is largely undeveloped. Most of the Plan Area is grassland with interspersed wetlands; portions of which have historically been disturbed by agricultural activities. Current land uses on the properties within the Plan Area are predominantly grazing, small ranches, and agricultural-residential homes. A portion of the Plan Area includes the Sacramento Raceway, an unpermitted facility that hosts regular stock car and drag racing events several times a month throughout the year.

EXISTING LAND USE DESIGNATIONS AND ZONING

The Plan Area is currently designated as Extensive Agriculture, General Agriculture (minimum parcel sizes of 20 acres), and a small area of Agricultural-Urban Reserve on the Sacramento General Plan Land Use Diagram (see Plate PD-5 in Chapter 2, “Project Description”). At the community plan level, the parcels located north of the Kiefer Boulevard alignment are designated Industrial Reserve and Light Industrial in the Cordova Community Plan, and the remainder of the Plan Area is designated as Permanent Agricultural (minimum parcel sizes of 80 acres) and Light Industrial in the Vineyard Community Plan (see Plate PD-6 in Chapter 2, “Project Description”).

The Plan Area is zoned Light Industrial (M-1), Agricultural 80 (AG-80), and Interim Agricultural Reserve (IR) (see Plate PD-7 in Chapter 2, “Project Description”). Interim zones were established by the County as temporary zones designed to protect public health, safety, and welfare with the intent that the Board of Supervisors would rezone each property to one of the permanent land use zones as community plans were adopted. In addition, portions of the Plan Area are located within two combining zoning districts: Flood and Surface Mining. Combining zoning districts are established to promote orderly development, avoid incompatible land uses, preserve and protect areas of the County with unique characteristics, and provide greater flexibility in design than under the regular zoning districts. The regulations of the base zoning district generally apply; however, additional standards and rules of the combining zoning district may either add to or modify those regulations.

The Flood Combining Zoning District is intended to include all land covered by rivers, creeks, and streams, as well as land subject to flooding. The Zoning Code (Section 4.2.5.A.) provides development standards that apply to the construction of structures within the floodplains of designated tributaries. Any new lot that is proposed adjacent to a designated tributary must provide either a buildable area outside the 100-year floodplain, or a buildable area located at least 25 feet from the center line of the tributary that provides for the construction of a habitable floor area that is at least 1.5 feet above the water surface elevation of the 100-year floodplain or at or above the 200-year floodplain in areas subject to the Urban Level of Flood Protection. For further discussion of flooding, refer to Chapter 14, “Hydrology, Drainage, and Water Quality.”

The Surface Mining Combining Zoning District is designed to protect mineral resources in the County from incompatible uses, manage mineral resources, ensure access to the resources, and provide for the restoration of mined lands. Mining operations can be permitted within this district, subject to approval of a conditional use permit and reclamation plan. For further discussion of mineral resources, refer to Chapter 12, “Geology, Soils, and Mineral Resources.”

REGULATORY SETTING

FEDERAL

There are no federal regulations that apply to the evaluation of effects related to land use.

STATE

CORTESE-KNOX-HERTZBERG LOCAL GOVERNMENT REORGANIZATION ACT

The Cortese-Knox-Hertzberg Local Government Reorganization Act of 2000 establishes procedures for local government changes of organization, including annexations to a special district.

CALIFORNIA GOVERNMENT CODE

Preparation of a specific plan is authorized by Section 65450 et seq. of the Government Code. Government Code Section 65451 mandates that a specific plan include text and diagram(s) that include the following in detail:

- (1) The distribution, location, and extent of the uses of land, including open space, within the area covered by the plan.
- (2) The proposed distribution, location, and extent and intensity of major components of public and private transportation, sewage, water, drainage, solid waste disposal, energy, and other essential facilities proposed to be located within the area covered by the plan and needed to support the land uses described in the plan.
- (3) Standards and criteria by which development will proceed, and standards for the conservation, development, and utilization of natural resources, where applicable.
- (4) A program of implementation measures including regulations, programs, public works projects and financing measures necessary to carry out paragraphs (1), (2), and (3).

The specific plan must also contain a statement of relationship of the specific plan to the General Plan.

LOCAL

SACRAMENTO COUNTY 2030 GENERAL PLAN

The 2030 General Plan provides an inventory of land supply within the County, and projects the amount and location of land and development that will be required to accommodate future populations and economic growth through 2030 (Sacramento County 2011). Land use policies associated with airport land use compatibility are address in Chapter 7, Airport Compatibility. For the purpose of land use analysis of the Project, the following General Plan policies have been separated into two distinct categories: policies that intend to avoid or minimize environmental effects and growth management policies. Additional land use policies that are not directly related to

mitigating environmental effects will be analyzed as part of the Office of Planning and Environmental Review's (PER's) recommendation on the Project.

POLICIES THAT AVOID OR MITIGATE ENVIRONMENTAL EFFECTS

The following land use policies from the 2030 General Plan are intended to avoid or mitigate an environmental effect and would apply to the Project:

- OS-1. Actively plan to protect, as open space, areas of natural resource value, which may include but are not limited to wetlands preserves, riparian corridors, woodlands, and floodplains associated with riparian drainages.
- OS-13. Permit development clustering in urban areas where grouping of units at a higher density would facilitate on-site protection of woodlands, wetlands, steep slopes, urban stream corridors, scenic areas, or other appropriate natural features as open space, provided that:
 - Urban infrastructure capacity is available for urban use.
 - Onsite resource protection is appropriate and consistent with other General Plan Policies.
 - General Plan policies pertaining to floodplain fill or natural preserves would not preclude development of the proposed use in the area to be protected as open space.
 - The architecture and scale of development is appropriate for the area.
 - Development rights for open space areas are permanently dedicated via conservation easements and appropriate long-term management is provided for by either a public agency or other appropriate entity. (Please also refer to the Conservation Element for related policies).
- LU-15. Planning and development of new growth areas should be consistent with Sacramento County-adopted Habitat Conservation Plans and other efforts to preserve and protect natural resources.
- LU-26. When planning for new development in new communities, the features below shall be incorporated for their public health benefits and ability to encourage more active lifestyles, unless environmental constraints make this infeasible. In existing communities, the features below shall be considered, as appropriate and feasible:
 - Where appropriate, compact, mixed use development and a balance of land uses including schools, parks, jobs, retail and grocery stores, so that everyday needs are within walking distance of homes.
 - Grid or modified-grid pattern streets, integrated pathways and public transportation that connect multiple destinations and provide for alternatives to the automobile.
 - Wide sidewalks, shorter blocks, well-marked crosswalks, on-street parking, shaded streets and traffic-calming measures to encourage pedestrian activity.

- Walkable commercial areas with features that may include doors and windows fronting on the street, street furniture, pedestrian-scale lighting, and served by transit when feasible.
- Open space, including important habitat, wildlife corridors, and agricultural areas incorporated as community separators and appropriately accessible via non-vehicular pathways.

LU-27. Provide safe, interesting and convenient environments for pedestrians and bicyclists, including inviting and adequately-lit streetscapes, networks of trails, paths and parks and open spaces located near residences, to encourage regular exercise and reduce vehicular emissions.

In addition, the following policies have been recently amended in conjunction with the County's efforts to adopt thresholds for analysis of vehicle miles traveled (VMT) and greenhouse gas (GHG) emissions to address potential environmental effects:

- AQ-4. Developments which meet or exceed thresholds of significance for ozone precursor pollutants, and/or Greenhouse Gases (GHG) as adopted by the Sacramento Metropolitan Air Quality Management District (SMAQMD), shall be deemed to have a significant environmental impact. An Air Quality Mitigation Plan and/or a Greenhouse Gas Reduction Plan shall be submitted to the County of Sacramento prior to project approval, subject to review and recommendation as to technical adequacy by the Sacramento Metropolitan Air Quality Management District.
- CI-5. Land use and transportation planning and development should be cohesive, mutually supportive, and complement the objective of reducing per capita vehicle miles travelled (VMT). The standards shown in Table CI-1 shall be used as thresholds of significance for all projects subject to CEQA. Where the VMT level standards of Table CI-1 are predicted to be exceeded, all feasible mitigation measures shall be included to reduce projected VMT levels.

Table CI-1: Significance Thresholds for CEQA Transportation Analysis for Development Projects

Project Type ¹	VMT Significance Criteria
Residential	Project VMT per capita exceeds 85 percent of the regional average VMT per capita
Office/Business Professional	Project VMT per employee exceeds 85 percent of the regional average VMT per employee
Industrial	Project VMT per employee exceeds the regional average VMT per employee
Regional Retail	Net increase in regional VMT
Regional Public Facilities/Services	Net increase in regional VMT
Redevelopment	Projects that result in a decrease to existing regional total VMT are presumed to have a less-than-significant VMT impact; otherwise, apply the relevant threshold based on the proposed land use (treating existing use as vacant)

Table CI-1: Significance Thresholds for CEQA Transportation Analysis for Development Projects

Project Type¹	VMT Significance Criteria
Mixed Use	Apply the relevant threshold to each land use component individually
Phased	Apply the relevant threshold to each phase independently
Land Development with Roadway Component	For locally-serving roadways, the significance determination is based on the land use component. For regional roadways, apply thresholds of significance for transportation projects.

¹ As defined in the Sacramento County Transportation Analysis Guidelines, Appendix A

GROWTH MANAGEMENT POLICIES: URBAN POLICY AREA AND URBAN SERVICE BOUNDARY

Urbanization in the unincorporated County is largely shaped by the UPA and USB. The UPA for Sacramento County was established in 1993 and is maintained pursuant to Policy LU-1 of the 2030 General Plan. The UPA identifies the area in the County that is capable of providing a 20-year supply of developable land sufficient to accommodate projected growth. The intent of the UPA is to direct growth in a logical manner and to identify areas where infrastructure requiring large capital investments will be needed in the near future.

The USB was established in 1993 and is maintained pursuant to Policy LU-2 of the 2030 General Plan. The USB indicates the ultimate boundary of the urban area in the unincorporated County (beyond 25 years). It is intended to be a permanent growth boundary not subject to modification except under extraordinary circumstances. Sacramento General Plan Policy LU-1 restricts provision of urban services beyond the UPA, except when the County determines it is necessary for health and safety purposes or unless consistent with the project-specific provisions in Policy LU-1.1. The USB is intended for use by urban infrastructure providers in developing very long-range master plans that can be implemented as the urbanized area expands over time.

According to the 2030 General Plan, the UPA and USB are the backbone of Sacramento County's urban planning philosophy. These growth boundaries are intended to protect the county's natural resources from urban encroachment, as well as to limit costly sprawling development patterns. While the USB is intended to be a permanent boundary, the UPA is adjusted incrementally as needed to ensure that the County can accommodate anticipated growth over the next 25-year planning cycle. The area between the two lines is reserved for future urbanization and is only to be developed when lands within the existing UPA can no longer accommodate projected growth or the project meets expansion criteria pursuant to Policy LU-120.

The following 2030 General Plan policies are intended to manage growth within the unincorporated County and apply to the Project:

- LU-1. The County shall not provide urban services beyond the Urban Policy Area, except when the County determines the need for health and safety purposes and the extension provisions as provided in Policy LU-1.1.
- LU-3. It is the intent of the County to focus investment of public resources on revitalization efforts within existing communities, especially within commercial

corridors, while also allowing planning and development to occur within strategic new growth areas.

LU-113. The County shall work with SACOG to support implementation of Blueprint's policies and land use objectives.

LU-119. The County shall only accept applications to expand the UPA or initiate an expansion of the UPA or any Master Plan processes outside of the existing UPA if the Board finds that the proposal meets the following:

- *Parallel processes to expand UPA and prepare Master Plans:* Proposed additions to the UPA will only be considered when accompanied by a request to initiate a Master Plan process for all land encompassed by the proposed UPA expansion boundary. Likewise, requests to initiate a Master Plan process outside the UPA will only be considered when accompanied by a request to expand the UPA to include all land encompassed by the proposed Master Plan.¹
- *Project Justification Statement and Outreach Plan:* Proposed UPA expansions/Master Plan processes must be accompanied by both a "Justification Statement" and an "Outreach Plan." The Justification Statement shall be a comprehensive explanation of the proposed request and the development it would allow. It must include background information, reasoning, and the goal(s) and benefits of the proposed project. The Outreach Plan shall describe how the project proponent plans to inform and engage neighbors and members of the general public about the proposed UPA expansion and project.
- *Proximity to existing urbanized areas:* Proposed UPA expansions/Master Plan processes must have significant borders that are adjacent to the existing UPA or a city boundary. As a guideline, "significant borders" generally means that the length of the boundary between the existing UPA or city boundary and the proposed UPA expansion/Master Plan should be 25 percent of the length of the boundary of the UPA expansion area.
- *Logical, comprehensive, and cohesive planning boundaries:* Proposed UPA expansions/Master Plan processes must consist of a contiguous set of parcels that have a regular outside boundary consistent with the logical planning boundary illustrations below. All parcels within this boundary must be included in both the proposed UPA expansion and proposed Master Plan area.

¹ A "Master Plan" is defined as a plan that meets the requirements and intent of the Specific Plan statutes contained in Government Code §65450-65457, which requires a land use plan, a circulation plan, an infrastructure plan, and implementation measures. The requirement for a "Master Plan" might be fulfilled by a variety of planning tools, including a Specific Plan, a Community Plan, a Special Planning Area, a development agreement, or any combination thereof.

LU-120. The County shall only consider approval of a proposed UPA expansion and/or Master Plan outside of the existing UPA if the Board finds that the proposed project is planned and will be built in a manner that:²

- meets all of the requirements per PC-1 through PC-10, and;
- meets ONE of two alternative performance metrics:
 - Alternative #1- Criteria-Based
 - Alternative #2 - VMT/ Greenhouse Gas Emissions Reduction Metric

PC-1. Vision for connection to other adjacent existing and potential future development areas.

Required: Include a vision of how the development will connect to other adjacent existing and potential future development areas within the USB, including how roadways, transit, sewer, and water could occur within all adjacent areas.

PC-2. Housing choice.

Required: A variety of housing types and densities, including single-family homes, duplexes, triplexes, accessory dwelling units, townhomes, condominiums, apartments and similar multi-family units, in a variety of settings including both residential neighborhoods and mixed use nodes.

PC-3. Quality.

Required: Design guidelines, development standards and/or similar assurances that will require high-quality development consistent with the vision set forth in the Master Plan.

Discussion: The County’s General Plan contains numerous policies that address quality of new development, but does not provide specific details regarding how a particular Master Plan will be planned and built to ensure that quality is achieved. Conversely, many of the County’s tools used implement the General Plan (such as zoning) provide specific details about how land can be used and developed, but do not necessarily address quality. The Master Plan is the bridge between the broad-based General Plan and fine-grained implementation tools like zoning, making it the ideal context to address the quality of development expected within its boundaries.

Master Plan’s should provide specific details regarding the quality envisioned for the project and appropriate standards to ensure that it will be built out over time in a manner that achieves the stated vision. Detailed design guidelines and firm development standards can be excellent tools for creating certainty that quality will be achieved. Elements of quality to be addressed may include:

² Some areas within a Master Plan may have existing uses that are not likely to change and are appropriate to remain. If the Master Plan designates such areas with a land use category that reflects that existing use, the Board may exclude these areas for purposes of determining consistency with these criteria.

- Building form, including architectural styling, materials, articulation, orientation, size, massing, etc.
- “Theming” at the neighborhood or community level, including consistent signage, materials, landscaping, and other elements
- Amenities provided beyond those required by law
- The public realm
- Relationship between uses

PC-4. Accommodate the percentage of low and very low income residential units required by state law per the County’s current Housing Element based on the Regional Housing Needs Allocation (RHNA).

Required: Accommodate ≥90 percent of the obligation per RHNA (currently ~33% of units accommodated in RD-20 or higher).

Discussion: State law (California Government Code Section 65583) requires cities and counties to provide “adequate” sites with appropriate zoning, development standards, infrastructure, and public services to facilitate and encourage the development of a variety of types of housing for all income levels.

State law requires SACOG to periodically adopt a Regional Housing Needs Plan (RHNA) for the six-County region. The RHNA determines each jurisdiction’s “fair share” of the region’s housing needs per a methodology established by state law and approved by the California Department of Housing and Community Development (HCD). The purpose of this is to avoid over-concentration of low-income households in any one community.

As part of periodic Housing Element updates required by state law, the County must create a land inventory that identifies vacant and underutilized land available for residential development within the unincorporated area. This land inventory is used to demonstrate how the County can accommodate its “fair share” of the region’s housing needs as determined by the RHNA, including how it will provide adequate sites for low and very low households. Currently, 37 percent of the units allocated to the County per the RHNA are for low and very low households and must be accommodated on land zoned for 20 dwelling units per net acre (RD-20) or greater.

Requiring Master Plans to be consistent with this criterion ensures that they are contributing their “fair share” of adequate sites toward the County’s overall obligation per state law. It represents the “break even” point where the County’s ability to meet state law neither helped nor hurt by adoption of the Master Plan. If numerous Master Plans were adopted with a considerably lower percentage of its units accommodated on land zoned RD-20 or greater, the County could fall short of adequate sites over time and be forced again to rezone properties in existing communities or planned growth areas, or face other negative consequences such as a moratorium on issuing building permits.

PC-5. Pedestrian- and transit-oriented design.

Required: Pedestrian- and transit-oriented design, including:

- Sidewalks and bike routes along interconnected streets with short block lengths and a high intersection density.
- Prominent pedestrian and bicycle network.
- Few if any cul-de-sacs.
- Pedestrian and bike connections at the ends of all cul-de-sacs unless infeasible due to topography or similar impediments inherent in the project site.

PC-6. Infrastructure Master Plan And Financing Plan

Required: Inclusion of an Infrastructure Master Plan and Financing Plan that include the following:

- The Infrastructure Master Plan shall identify required public facilities and infrastructure (including roads, transit, water, sewer, storm drainage, schools, fire, park, library, and other needed community facilities) and associated costs for the development of the proposed UPA expansion/Master Plan;
- The Financing Plan shall:
 - Include an infrastructure phasing analysis that examines development through buildout taking into consideration potential development activities, facilities requirements and constraints;
 - Identify the phase or timing for when the facilities are needed;
 - Identify the funding mechanisms proposed to pay for the identified infrastructure and facilities;
 - Demonstrate that infrastructure requirements and the associated costs are reasonably balanced throughout each development phase and outline solutions for any potential constraints and/or shortfalls for any given phase.

PC-7. Services Plan

Required: Inclusion of a Services Plan to demonstrate:

- that provision of services to the proposed UPA expansion/Master Plan are cost-neutral to the County's General Fund and existing ratepayers;
- that the operations and maintenance costs stemmed from the required public facilities and infrastructure for the development of the proposed UPA expansion/Master Plan are cost-neutral to the County's General Fund and existing ratepayers, and;
- that existing levels of municipal services will not be negatively impacted by approval and buildout of the proposed UPA expansion/Master Plan.

PC-8. Consistency with County-adopted plans.

Required: Consistency with all applicable County adopted plans not sought to be amended by the proposed project.

PC-9. Consideration of regional planning efforts.

Required: Inclusion of a discussion/analysis of how the proposed UPA expansion/Master Plan relates to broad-based and regional planning efforts, such as SACOG’s adopted Blueprint Vision and Metropolitan Transportation Plan, Sacramento County’s Visioning documents created for the Jackson Highway and Grant Line East Areas, any applicable Habitat Conservation Plan(s), the Sacramento Metropolitan Air Quality Management District’s State Implementation Plan, and Regional Transit’s Master Plan.

PC-10. Consideration of jobs-housing balance.

Required: Inclusion of a discussion/analysis of the proposed UPA expansion/Master Plan’s jobs-housing balance. Master Plans should provide an internal jobs-housing balance and/or improve the jobs housing balance within the project’s vicinity.

Alternative #1 – Criteria-Based

To satisfy this alternative, the Board must find that the proposed project is planned and will be built in a manner that:

- meets all of the requirements per the criteria below, and;
- qualifies for a minimum of 18 points (out of a possible 24) per the criteria below

CB-1. Minimum net density.

Required: Minimum density of at least 7 dwelling units per net acre if using “double net” methodology or 9.3 dwelling units per acre if using “triple net” methodology.

Points:

≥8 dwelling units per acre if using “double net” methodology, or ≥10.6 dwelling units per acre if using “triple net” methodology.	3 points
≥9 dwelling units per net acre if using “double net” methodology, or ≥12 dwelling units per acre if using “triple net” methodology.	4 points
≥10 dwelling units per net acre if using “double net” methodology, or ≥13.3 dwelling units per acre if using “triple net” methodology.	5 points

Discussion and definitions:

Double net density methodology: Double net density shall be calculated by considering land area dedicated exclusively to residential and mixed-use residential areas, **including** land for streets and alleys internal to the residential and mixed use residential areas. All other lands are excluded from this

calculation, including streets not internal to the residential or mixed use areas, parks, schools, detention basins, other infrastructure, and services needed to support the development, and non-residential uses such as commercial areas, offices, and open space. This methodology shall be used if the Master Plan does not contain details regarding the location, size and extent of streets internal to residential and mixed use areas. A graphic representation of this methodology is provided below, with blue shading representing the residential and mixed use areas included in the calculation.

Triple net density methodology: Triple net density shall be calculated by considering land area dedicated exclusively to residential and mixed-use residential areas, **excluding** land for streets and alleys internal to the residential and mixed use residential areas. All other lands are excluded from this calculation, including streets not internal to the residential or mixed use areas, parks, schools, detention basins, other infrastructure, and services needed to support the development, and non-residential uses such as commercial areas, offices, and open space. This methodology may only be used if the Master Plan contains sufficient details regarding the location, size and extent of streets internal to residential and mixed use areas. A graphic representation of this methodology is provided below, with blue shading representing the residential and mixed use areas included in the calculation.



Allowable deviations from density calculations: Certain lands may be excluded from the density calculation to allow for larger lot residential development and/or a transitional zone between urban uses within the USB and rural uses beyond, including:

- Land within ¼ mile of the USB, OR;
- Up to 10 % of the net residential acreage.

Definition of “dwelling units”: Dwelling units shall include single family homes, duplex and triplex units, condominium units, townhomes, apartment and multiple-family units, and residential units in mixed use buildings. Residential units in congregate care facilities and in the residential portion of a university may be counted when calculating a master plan’s overall density if the County

finds that the Master Plan includes assurances that these units will be built. Each planned accessory unit that is allowed “by right” per the Master Plan’s design guidelines, development standards and zoning will be counted as ½ a dwelling unit. If the County finds that the Master Plan includes assurances that planned accessory dwelling units will be built to habitable standards and rented or sold to people outside the family resident in the primary unit, they will be counted as one dwelling unit. Hotel rooms and other similar transient housing will not be considered as dwelling units.

CB-2. Proximity of residential units to amenities.

Required: ≥80 percent of all residential units located within one mile of at least three of the following existing or planned amenity categories:

- Public elementary, middle, or high school
- Park or recreational facility
- Grocery store, drug store or commercial center
- Office or industrial employment center
- Civic use (e.g. library, post office, community garden, urban farm)
- Preschool, childcare or senior care facility
- Medical offices or facilities

Points:

≥ 85 percent of all units located within one mile of at least three of the amenity categories	2 points
≥ 90 percent of all units located within one mile of at least three of the amenity categories	3 points
≥ 90 percent of all units located within one mile of at least four of the amenity categories	4 points

CB-3. Mixed use.

Required: Include a mixed use designation, overlay, and/or zoning category that allows vertical mixed use by right, provides uninterrupted pedestrian connections, and prohibit barriers between different uses.

Points:

At least 5 percent of a Master Plan’s developable land zoned for mixed use (horizontal or vertical).	2 points
At least 10 percent of a Master Plan’s developable land zoned for mixed use (horizontal or vertical).	3 points
At least 15 percent of a Master Plan’s developable land zoned for mixed use (horizontal or vertical) or assurances that at least 5 percent of the residential units will be located and built within vertically integrated mixed-use buildings.	4 points

Discussion: Mixed use shall be defined as “residential uses and at least one or more different use integrated vertically and/or horizontally in conformance with a coherent plan with significant functional, aesthetic, and physical integration of project components including, but not limited to, pedestrian and vehicle circulation, jointly accessible common areas and shared parking, and shared architectural, landscaping, lighting and signage themes.” Mixed use zoning shall allow vertical mixed use by right, provide uninterrupted pedestrian connections, and prohibit barriers between different uses.

CB-4. Transit.

Required: ≥65 percent of all residential units located within ½ mile of existing or planned transit service, which consists of light rail, streetcars, buses, vanpools and/or shuttles that connects with regional public transit service.

Points:

Proximity

≥70 percent of residential units located within ½ mile of existing or planned transit service	2 points
≥75 percent of residential units located within ½ mile of existing or planned transit service	3 points
≥80 percent of residential units located within ½ mile of existing or planned transit service	4 points

Headways

Transit service with headways of 60 minutes or less during peak hours (Monday through Friday from 7-9 a.m. and 4-6 p.m.)	1 points
Transit service with headways of 30 minutes or less during peak hours (Monday through Friday from 7-9 a.m. and 4-6 p.m.)	2 points
Transit service with headways of 15 minutes or less during peak hours (Monday through Friday from 7-9 a.m. and 4-6 p.m.)	3 points

Discussion: “Planned transit service” shall be defined as service identified in SACOG’s Metropolitan Transportation Plan (MTP), Regional Transit’s (RT) Short Range Transit Plan (S RTP), and/or service to be provided as part of the Master Plan and funded via a secure financial mechanism (example: CSA 10; North Natomas TMA/developer fees). The MTP has a 20+ year planning horizon and is updated every four years; the S RTP has a 10-year planning horizon and is updated every year. Both the MTP and S RTP must be “financially constrained” in that only those transportation projects and programs for which funding is reasonably expected to be available may be included in the plan. Therefore, there is a high likelihood that transit service identified in these plans will ultimately be provided. Service to be provided as part of a Master Plan and funded via a secure financial mechanism would provide similar assurances that identified service will ultimately be provided.

In contrast, transit service envisioned in RT's long-range TransitAction Plan cannot be implemented until a significant new revenue source is secured, making such service far more speculative. For example, a new ½ cent sales tax increase would only partially fund transit service envisioned in the TransitAction Plan. Therefore, service(s) identified in the TransitAction Plan and similar visioning documents will not be considered "planned transit service" for purposes of determining consistency with this criterion.

CB-5. Proximity to employment.

Required: Analysis of existing employment/jobs within a five mile radius of the proposed UPA expansion/Master Plan boundary.

Points:

<50,000 existing employees/jobs within a 5 mile radius of the proposed project	2 points
Between 50,000-100,000 existing employees/jobs within a 5 mile radius of the proposed project	3 points
>100,000 existing employees/jobs within a 5 mile radius of the proposed project	4 points

Alternative #2 – Vehicle Miles Travelled (VMT)/Greenhouse Gas (GHG) Emission Metrics

To satisfy this alternative, the Board must find that the proposed project is planned and will be built in a manner that results in:

- ≤14 vehicle miles travelled (VMT) per resident per day (or the equivalent VMT per *household* per day);

OR

- ≤Equivalent GHG per capita per day from cars, light trucks, and medium trucks (less than 8,500 Gross Vehicle Weight).

Discussion: While consistency with the criteria in Alternative #1 provides a level of certainty that a proposed project will achieve particular outcomes, *measuring* the actual projected outcome(s) of the project is a viable alternative. These projected outcomes can be compared against pre-defined metrics to determine the project's "performance." VMT and greenhouse gas (GHG) emissions are logical metrics because a project's performance in these areas is directly correlated to the project's ability to achieve the same goals and mandates (relative to air quality, transportation, land use, infrastructure, and GHG emissions) as the criteria in Alternative #1. Additionally, VMT and GHG are very closely related; the mix of vehicles that residents use for their daily travel has a relatively narrow range of GHG emissions per mile traveled. Given the direct correlation between improved VMT and associated reductions in GHG emissions, this alternative directly addresses goals and mandates relative to recent state laws aimed at reducing GHG emissions, including AB 32, SB 375 and SB 97.

VTM is easily measured using standard travel demand analysis methods. Multiple traffic models exist for conducting such analysis. Given the long-range nature of the General Plan and the ever-evolving nature of traffic models, it does not make sense to require use of a specific model to determine compliance with this alternative. However, to ensure that a credible model is employed, the project proponent and County staff (including SACDOT, Planning and Environmental Review, etc.) will discuss the merits of available models and determine which will be used to determine compliance with this alternative prior to starting the analysis.

The 14 VMT per capita can be translated into a 13 lbs. of GHG per capita by using the same assumptions that SACOG is required to use for calculating SB375 GHG targets. These assumptions are that this travel will use cars, light trucks, and medium trucks (less than 8,500 Gross Vehicle Weight), and that vehicle and fuel improvements are not included. If the technology improvements are included (fuel economy increases and a 10 percent reduction in the carbon content of gasoline), then the GHG metric would be 8 lbs. of GHG per capita.

COMMUNITY PLANS

Sacramento County is divided into distinct community areas for planning purposes. These community planning areas encompass socially and economically similar areas with an established sense of community identity. The Plan Area is primarily within the Vineyard Community Plan Area, although the northeast corner of the Plan Area is within the Cordova Community Plan Area (see Plate PD-6 in Chapter 2, "Project Description").

Community Plan policies, in conjunction with the Community Plan Land Use Plan, are intended to be a comprehensive guide for the physical development of a community on a more detailed basis than the general plan. The Land Use Plan delineates the location, density, and intensity of housing, commercial, industrial, public facilities, and open space. The plan may provide implementation strategies for such topics as land use, transportation, urban design, parks, school facilities, and public services.

CORDOVA COMMUNITY PLAN

The 59-square-mile Cordova Community Plan area is bordered by the American River and the City of Folsom on the north; Prairie City Road, Grant Line Road, and White Rock Road on the east; Douglas Road, Kiefer Boulevard, and Jackson Road on the south; and the City of Sacramento and Watt Avenue on the west. Only the portion of the Plan Area north of Kiefer Boulevard is located within the Cordova Community Plan area. Objectives identified in the plan that are applicable to the Project include:

- LU-2. Emphasize high technology industry, business park uses, and industries such as manufacturing and distribution that provide support for Mather air-cargo operations.
- LU-4. Promote linkages between LRT station and adjacent land uses, particularly within a 1/4-mile radius of the LRT station.

- LU-5. Promote mixed-use concepts that capitalize on synergies between and among different types of land use (e.g., residential and office).
- LU-6. Promote high quality, efficient and cohesive land utilization that minimizes negative impacts on adjacent neighborhoods and infrastructure (e.g., traffic congestion and visual blight).
- UDNC-1. Provide for commercial districts in new neighborhoods that are integrated into and physically connect with those adjacent neighborhoods.
- UDNC-2. Encourage architecture and building design that promotes pedestrian and other multi-model forms of access.
- UDNC-4. Promote neighborhoods that are reflective of a diverse population, and are competitive with other communities in the region in terms of their value and desirability.
- UDNC-7. Encourage the formation of distinct but integrated commercial districts with appropriate focal points, core activity areas, and supporting amenities.
- TC-4. Encourage linkages between LRT stations and adjacent land uses, particularly within a 1/4-mile radius of the LRT station, and encourage the design of employment centers to be convenient for walk-on patrons of LRT.
- H-1. Promote a balance for the jobs to housing ratio that will support the community position as a regional employment center.
- H-2. Promote the development of strong and safe residential neighborhoods with convenient access to community and urban amenities including parks, public transit, schools, shopping, and other services.
- H-4. Promote housing convenient to employment centers (e.g., as is the case with the proximity of Village of Zinfandel and its relation to the Highway 50 Business Park), and appropriate linkages for pedestrians and bicyclists.
- H-9. Ensure an adequate mix of housing affordability dispersed throughout the community.
- H-10. Encourage a variety of lot sizes and housing types to promote social and economic diversity, and to provide greater variation visibly for neighborhoods.
- H-11. Promote policies to cite duplexes for all corner lots in single-family subdivisions to promote a better integration of housing types throughout the community.

VINEYARD COMMUNITY PLAN

The Vineyard Community Plan Area is approximately 37 square miles and is bound by Calvine Road on the south, Grantline Road and Sunrise Blvd on the east, Kiefer Boulevard and the Jackson Highway on the north, and Florin Road on the west. Development of the Vineyard Community is guided by recognition of the area's rural uses and the desire to maintain its distinctive rural residential character. Vineyard Community Plan policies applicable to the Project include:

- NER 6. Require buffering and appropriate screening between commercial/industrial development and residential land use and between commercial/industrial development and agricultural use.
- AR 1./FU 1. Buffer, through incremental zoning, agricultural-residential development from industrial and agricultural land uses.
- CI 3. Industrial proposals should be accompanied by a public services plan, the scope of which will depend on the extent and complexity of the proposal.
- CI 4. Commercial/industrial development must be adequately buffered from adjacent residential or agricultural uses with screening, open space or less dense development, or other means.
- FU 2. Urban residential development will only be considered in those areas contiguous to approved urban uses and designated for future urban growth, and only when negative impacts upon the Vineyard community are mitigated to the greatest extent possible.
- FU 7. Urban land proposals should minimize encroachment upon open space areas and maximize infrastructure effectiveness through measures such as clustered design and contiguous development.

SACRAMENTO AREA COUNCIL OF GOVERNMENTS' BLUEPRINT

The Sacramento Area Council of Governments (SACOG) is an association of local governments in the six-county Sacramento Region that includes Sacramento County. SACOG provides transportation planning and funding for the region, prepares the region's long-range transportation plan, approves the distribution of affordable housing in the region, and assists in planning for transit, bicycle networks, and airport land uses.

SACOG's Blueprint is intended to be advisory and to guide the region's transportation planning and funding decisions. The Blueprint is based on the seven principles listed below, with an ultimate horizon of the year 2050.

1. Provide a variety of transportation choices, including walkable paths
2. Mixed land uses
3. Take advantage of compact building and community design
4. Create a range of housing opportunities and choices
5. Strengthen and direct development toward existing communities
6. Foster distinctive, attractive communities with a strong sense of place
7. Preserve open space, farmland, natural beauty, and critical environmental areas

When it was adopted by the SACOG board in 2004, the regional Blueprint was projected to meet growth needs through 2050. Under today's slower regional growth rate projections, there is likely capacity in the Blueprint beyond 2050 (SACOG 2016).

Although the Blueprint is not a regulatory document, General Plan Policy LU-113 calls for the County to work with SACOG to support implementation of the Blueprint's principles. The Plan Area is identified as a growth area under the Blueprint, with land

envisioned for industrial, high density mixed residential, and open space uses. The 2030 General Plan includes four growth management strategies to allow a level of development sufficient to meet demand forecast in the Blueprint: buildout of vacant and under-utilized infill parcels, buildout of previously master-planned communities, commercial corridor planning and revitalization, and expansion of the UPA (i.e., New Growth Areas, including Jackson Township). Combined, these strategies could result in between 103,500 and 150,000 additional housing units, which exceeds the number of units the Blueprint determined would need to be accommodated.

SACRAMENTO AREA COUNCIL OF GOVERNMENT’S METROPOLITAN TRANSPORTATION PLAN/SUSTAINABLE COMMUNITIES STRATEGY

SACOG is responsible for the preparation of, and updates to, the Metropolitan Transportation Plan/Sustainable Communities Strategy (MTP/SCS) for the region and the corresponding Metropolitan Transportation Improvement Program (MTIP). The MTP/SCS provides a 20-year transportation vision and corresponding list of projects. The MTIP identifies short-term projects (7-year horizon) in more detail. The current MTP/SCS at the time the Draft EIR was released was adopted by the SACOG board in February 2016, but an update ~~is currently in process and expected to be~~ was adopted in ~~early 2020~~ November 2019.

In each MTP update cycle, SACOG prepares a regional growth forecast and land use pattern to accommodate the estimated increases in population, employment, and housing. The Plan Area is mapped as a portion of the Blueprint growth footprint that is not identified for growth in the 2016 MTP/SCS planning period (i.e., through 2036). The area to the north is identified as established community, and the areas to the east and west are shown as developing communities. The land to the south is not identified for development in the MTP/SCS or Blueprint.

SOUTH SACRAMENTO HABITAT CONSERVATION PLAN

The South Sacramento Habitat Conservation Plan (SSHCP) is designed to ensure preservation of species, natural communities, and aquatic resources while streamlining the environmental permitting process for Covered Activity projects that impact listed species, listed species’ habitats, or aquatic resources. The SSHCP is intended to preserve 28 species of plants and wildlife, including 11 that are listed as threatened or endangered under the federal Endangered Species Act (ESA), the California Endangered Species Act (CESA), or both. In addition, because so many of the Covered Species live part or all of their lives in water bodies, the SSHCP also provides additional avoidance and minimization of Covered Activity impacts to wetlands, streams, and other aquatic resources that are also subject to regulation under the federal Clean Water Act (CWA), the California Fish and Game Code, and California’s Porter-Cologne Water Quality Control Act. Under the SSHCP, Sacramento County has the ability to extend incidental take coverage provided by the SSHCP Incidental Take Permits to Covered Activities implemented by Third-Party Project Proponents that are under their jurisdiction as a land use authority.

The SSHCP is managed by a joint powers authority called the South Sacramento Conservation Agency (SSCA). The agency holds title to conservation easements and, in

limited cases, fee title to preserved lands. It also oversees cooperative agreements with other entities that will own or manage preserves or conservation easements as part of the SSHCP preserve system. Under the SSHCP, property owners or project sponsors required to mitigate species and habitat impacts either dedicate land to the preserve system or pay fees to support free-market easement or property acquisitions.

The Plan Area is within the Urban Development Area identified in the SSHCP. Covered Activities provide for the expansion of the urbanizing areas within the County's existing USB. Covered Activities within the Urban Development Area include activities and projects related to urban development and associated infrastructure that are consistent with the General Plan.

SACRAMENTO COUNTY ZONING CODE

The current version of the Sacramento County Zoning Code was adopted by the Board of Supervisors in September 2015 and is used to encourage the most appropriate use of land; to conserve, protect, and stabilize the value of property; to provide adequate open space for light and air; to prevent undue concentration of population; to lessen congestion on the streets; to facilitate adequate provisions for community utilities such as transportation, water, sewer, schools, parks and other publicly owned facilities; and to promote public health, safety, and general welfare.

IMPACTS AND ANALYSIS

SIGNIFICANCE CRITERIA

Based on the CEQA Guidelines, a land use impact is significant if Project implementation results in any of the following:

1. Physically divide an established community;
2. Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect; or
3. Displacement of substantial numbers of existing housing or people, necessitating the construction of replacement housing elsewhere.

ISSUES NOT DISCUSSED FURTHER

The Initial Study Checklist prepared for the Project (see Appendix INT-1) determined that there would be no impact associated with physically disrupting or dividing an established community. The checklist also determined that impacts associated with the displacement of substantial amounts of existing housing would be less than significant. There are few residences currently located within the Plan Area, and the Project would result in the development of up to 6,143 new housing units, resulting in a net increase of housing. Properties containing existing homes would be developed as they are put up for sale and purchased by developers, so residents would not be forcibly displaced from their homes. Both of these impacts were focused out and will not be further analyzed in this EIR.

Consistency with airport planning documents and the potential for the Project to create an airport safety hazard for people residing or working in the area is addressed in Chapter 7, “Airport Compatibility.”

As indicated above, the Plan Area is within the Urban Development Area identified in the SSHCP and the Project would be a Covered Activity if it would result in urban development and associated infrastructure that is consistent with the 2030 General Plan. Consistency with the 2030 General Plan is evaluated below. Consistency with the SSHCP is included in Chapter 8, “Biological Resources.”

METHODOLOGY

An evaluation of the potential land use impacts associated with implementation of the Project was based on a review of planning documents, including the various components and policies of the Sacramento County General Plan, other County regulations affecting planning and implementation of the General Plan, and consultation with appropriate agencies.

IMPACT: CONFLICT WITH SACRAMENTO COUNTY’S LAND USE PLANS

PROPOSED PROJECT

EXISTING LAND USE DESIGNATIONS AND ZONING

The Plan Area is currently designated for agricultural use on the Sacramento General Plan Land Use Diagram and zoned Light Industrial, Agricultural 80, and Interim Agricultural Reserve. In addition, portions of the Plan Area are located within two combining zoning districts: flood and surface mining. The entitlements requested as components of the Project would change the General Plan designations and zoning to make them consistent with the proposal. The Project also includes the establishment of a new Mixed Use land use designation in the General Plan. In addition, the flood and surface mining combining zoning districts would be removed because the hydrology of the area would be changed to reduce the potential for flooding (see Chapter 14, “Hydrology and Water Quality”) and mining would no longer be a permissible use of the Plan Area.

SACRAMENTO COUNTY 2030 GENERAL PLAN

The Project would require amendment of the General Plan land use designation from General Agriculture and Extensive Industrial to a combination of: Low Density Residential, Medium Density Residential, Commercial and Office, Mixed Use, Recreation, Natural Preserve, and Public/Quasi Public (see Plate PD-5 in Chapter 2, “Project Description”). This amendment to re-designate approximately 1,281 acres within the Plan Area would allow development of the Project to commence. The 110-acre area in the southeast corner of the Plan Area would retain its existing General Plan land use designation of General Agriculture (20 acres). As mentioned above, this Project includes a General Plan Amendment to add a new Mixed Use land use designation.

One of the primary goals of the General Plan is to promote the efficient use of land in Sacramento County by directing new growth to strategically planned new growth areas. To do this, County policy encourages the use of master or specific plans to prioritize

development opportunities and limits new urban development and the provision of urban services to areas within the UPA. The Jackson Township Specific Plan would guide the strategic growth of the Plan Area.

The Project also includes two additional amendments to the General Plan to implement the Specific Plan. First, the Project would amend the Transportation Plan to reflect proposed roadway alignments and transit systems. This would result in a comprehensive circulation plan that would add new roadways to the County's mapped roads and provide access throughout and into the Plan Area (see Plate PD-10 in Chapter 2, "Project Description"). Second, the Project would amend the County's Bicycle Master Plan to add internal and external bicycle facilities within and through the Plan Area (see Plate PD-11 in Chapter 2, "Project Description").

As described in Table LU-1, below, the Project would be generally consistent with General Plan policies intended to protect the environment. Please note that a separate policy analysis for General Plan Policies LU-119 and LU-120 is provided further below under the analysis of the County's growth management policies. A separate policy consistency analysis for non-environmental policies will be completed as part of the County's staff report for the Board of Supervisors hearing.

JACKSON VISIONING AREA PLAN

The Jackson Visioning Area Plan envisions a land use pattern for the site that includes low, medium and high-density residential uses, mixed uses, community commercial and open space uses. The land use pattern of the Project is generally consistent with the land uses envisioned in the Jackson Visioning Area Plan.

Table LU-1: Project Consistency with General Plan Policy

Policy	Consistency Discussion
OS-1. Actively plan to protect, as open space, areas of natural resource value, which may include but are not limited to wetlands preserves, riparian corridors, woodlands, and floodplains associated with riparian drainages.	The Project designates approximately 290 acres of open space organized in three categories: wetland preserve, multi-functional greenbelts, and landscape corridors. The 214-acre wetland preserve would be contiguous with a wetland preserve located on the Mather Field property to the north, as well as a large, proposed preserve located on the neighboring NewBridge Specific Plan property to the east. Uses within, and access into, the areas would be restricted pursuant to the SSHCP and/or the United States Army Corps of Engineers (USACE). The proposed greenbelts are multi-functional facilities that provide trails, passive recreation, and drainage conveyance within linear corridors. The Project would be consistent with this policy.
OS-13. Permit development clustering in urban areas where grouping of units at a higher density would facilitate on-site protection of woodlands, wetlands, steep slopes, urban stream corridors, scenic areas, or other appropriate natural features as open space, provided that:	In general, the intent of Policy LU-120 is to focus development in specific plan areas that would enable the permanent preservation of high-quality natural resources in areas outside of the County's USB. By implementing a specific plan within the USB that includes a more compact land use design than most of the existing development within the

Policy	Consistency Discussion
<ul style="list-style-type: none"> • Urban infrastructure capacity is available for urban use. • Onsite resource protection is appropriate and consistent with other General Plan Policies. • General Plan policies pertaining to floodplain fill or natural preserves would not preclude development of the proposed use in the area to be protected as open space. • The architecture and scale of development is appropriate for the area. • Development rights for open space areas are permanently dedicated via conservation easements and appropriate long-term management is provided for by either a public agency or other appropriate entity. (Please also refer to the Conservation Element for related policies). 	<p>county a proposed preserve area containing much of the Plan Area's most valuable resources, the Project meets the intent of this policy. This also aids in relieving development pressure in areas of higher natural resource values outside of the USB.</p> <p>In addition, alternative lot configurations, including clustering, may occur in the Low Density Residential and Medium Density Residential land use designations.</p> <p>This EIR evaluates the protection of resources at the Plan level. The Project has been designed to provide adequate infrastructure capacity and provides design guidelines applicable to the Plan Area overall (see Appendix B of the Jackson Township Specific Plan). Should development clustering be proposed for individual projects within the Low Density Residential and Medium Density Residential land use designations, consistency with this Policy would be required.</p>
<p>LU-1. The County shall not provide urban services beyond the Urban Policy Area, except when the County determines the need for health and safety purposes and the extension provisions as provided in Policy LU-1.1.</p>	<p>One of the requested entitlements is an expansion of the UPA. If approved, urban services would be extended to the Plan Area, and the Project would be consistent with this policy.</p>
<p>LU-3. It is the intent of the County to focus investment of public resources on revitalization efforts within existing communities, especially within commercial corridors, while also allowing planning and development to occur within strategic new growth areas.</p>	<p>The Plan Area is not located within an existing community or commercial corridor. However, the Project Applicant is requesting to create a new urban growth area that would be consistent with the County's growth management policies focusing on strategic growth through the use of a specific plan. This effort and development of the Project and associated improvements are funded privately by the Project Applicant and future developers within the Plan Area. The Public Facilities Financing Plan prepared for the Project demonstrates its fiscal neutrality, as required by Policy LU-120, PC-7, which is addressed in more detail below.</p>
<p>LU-15. Planning and development of new growth areas should be consistent with Sacramento County-adopted Habitat Conservation Plans and other efforts to preserve and protect natural resources.</p>	<p>The Project includes the preservation of an approximately 214-acre wetland preserve along the eastern edge of the Plan Area and north of Kiefer Boulevard. The Project was designed to consider many of the environmental concerns the HCP was developed to address. However, the 214-acre wetland preserve is not consistent with the hardline preserve strategy adopted as part of the HCP, which calls for an even larger preserve area that includes a cluster of wetland features that are currently proposed for residential development in the Project. For this reason, the Project is considered to be inconsistent with the HCP.</p>

Policy	Consistency Discussion
<p>LU-26. When planning for new development in new communities, the features below shall be incorporated for their public health benefits and ability to encourage more active lifestyles, unless environmental constraints make this infeasible. In existing communities, the features below shall be considered, as appropriate and feasible:</p> <ul style="list-style-type: none"> • Where appropriate, compact, mixed use development and a balance of land uses including schools, parks, jobs, retail and grocery stores, so that everyday needs are within walking distance of homes. • Grid or modified-grid pattern streets, integrated pathways and public transportation that connect multiple destinations and provide for alternatives to the automobile. • Wide sidewalks, shorter blocks, well-marked crosswalks, on-street parking, shaded streets and traffic-calming measures to encourage pedestrian activity. • Walkable commercial areas with features that may include doors and windows fronting on the street, street furniture, pedestrian-scale lighting, and served by transit when feasible. • Open space, including important habitat, wildlife corridors, and agricultural areas incorporated as community separators and appropriately accessible via non-vehicular pathways. 	<p>The land use plan incorporates all of the features outlined in Policy LU-26. The Project would be consistent with this policy.</p>
<p>LU-27. Provide safe, interesting and convenient environments for pedestrians and bicyclists, including inviting and adequately-lit streetscapes, networks of trails, paths and parks and open spaces located near residences, to encourage regular exercise and reduce vehicular emissions.</p>	<p>The Project includes greenbelts, landscaped corridors, and parks. Most residential units within the Plan Area would be located within 0.25 mile of an open space area, park, or linear parkway; and within 0.5 mile of retail and employment land uses. Therefore, the Project would be consistent with this policy.</p>
<p>LU-113. The County shall work with SACOG to support implementation of Blueprint's policies and land use objectives.</p>	<p>The Plan Area is located in an area shown as a future growth area in the SACOG Blueprint map. See the "Conflict with SACOG Blueprint and MTP/SCS" impact analysis below.</p>

du/ac = dwelling units per acre

COMMUNITY PLANS

CORDOVA COMMUNITY PLAN

The Cordova Community Plan includes objectives to encourage mixed land uses (LU-5, UDNC-1, H-1, H-2, H-4, H-10), create land uses that are compatible with existing industrial and commercial developments (LU-2, LU-6), encourage distinctive communities (UDNC-4, UDNC-7), and promote the use of alternative transportation (LU-4, UDNC-2, TC-4). The portion of the Plan Area in the Cordova Community Plan Area is designated Light Industrial and Industrial Reserve in the plan. This area would remain undeveloped as Wetland Preserve with implementation of the Project.

The Project includes a Community Plan Amendment to change the Community Plan designation of the parcels located within the Plan Area from Light Industrial and Industrial Reserve to Jackson Township Specific Plan Area (see Plate PD-12 in Chapter 2, “Project Description”). The Project would be consistent with the objectives of the plan.

VINEYARD COMMUNITY PLAN

The Vineyard Community Plan includes policies regarding appropriate areas for growth and buffering. Specifically, policies NER-6, AR-1/FU-1, and CI-4 address buffering residential development from commercial, industrial, and agricultural uses. The Project provides a master plan for future development that considers land use compatibility and surrounding land uses. The policies also provide that urban residential development should be contiguous to approved urban uses and clustered to minimize encroachment on open space areas (FU-2, FU-7). The Plan Area is bordered on the east by the NewBridge Specific Plan Area, on the west by the West Jackson Highway Master Plan, and to the north by the existing Independence at Mather development. As discussed further below, the Plan Area is within the USB and is planned for eventual growth. The Plan Area is located outside of the UPA, so it is not in an area currently planned for near-term growth but the Project includes a request to modify the UPA to include the Plan Area, as do the NewBridge Specific Plan and West Jackson Highway Master Plan projects. Therefore, the Project would be consistent with the Vineyard Community Plan.

The Project includes a Community Plan Amendment to change the Community Plan designation of the parcels located within the Plan Area from Permanent Agriculture and Light Industrial to Jackson Township Specific Plan Area (see Plate PD-12 in Chapter 2, “Project Description”). The Project would be generally consistent with the objectives of the plan.

SUMMARY

The SAGOG Blueprint, adopted in 2005, acknowledged the Jackson Highway Corridor as an appropriate and logical area to urbanize. The 2030 General Plan, adopted in 2011, originally contemplated new growth areas to occur via expansion of the UPA, including the Jackson Highway area. However, the Board of Supervisors opted to allow for expansions of the UPA to occur on a project-by-project basis at the request of applicants as part of the master planning process pursuant to General Plan Policy LU-119. Specific plans provide an opportunity to creatively implement the intent of the General Plan and serve as a refinement of General Plan policies for a specific geographic area. The Project

Specific Plan establishes a development framework for land use, community design and character, infrastructure improvements and a subsequent project approval structure for orderly development within the approximately 1,391-acre Plan Area.

Consistency with the 2030 General Plan is required by State law. Furthermore, no zoning, tentative maps, parcel maps, or public works projects can be approved, adopted, or undertaken unless they are consistent with the adopted specific plan. The Specific Plan was prepared pursuant to State law and is compatible with the applicable policies and programs of the General Plan. Overall, the Project is consistent with the General Plan. The Project is consistent with the Cordova Community Plan and the Vineyard Community Plan. Therefore, the Project would have a **less-than-significant** impact.

ALTERNATIVE 2

As described above, the SAGOG Blueprint, adopted in 2005, acknowledged the Jackson Highway Corridor as an appropriate and logical area to urbanize. The 2030 General Plan, adopted in 2011, contemplated new growth areas to occur via expansion of the UPA, including the Jackson Highway area. Specific plans provide an opportunity to creatively implement the intent of the General Plan and serve as a refinement of General Plan policies. Alternative 2 would establish a development framework for land use, community design and character, and infrastructure improvements and a subsequent project approval structure for orderly development within the approximately 1,391-acre Plan Area that is generally consistent with the applicable policies in the General Plan. Specifically, Alternative 2 is consistent with Policies OS-1, OS-3, LU-1, LU-3, LU-26, and LU-27 in the same manner as the Project.

Consistency with General Plan Policy AQ-4 is addressed in Chapter 6, “Air Quality,” of this ~~Recirculated Draft~~ EIR. The amount of ozone precursor pollutants and GHG emissions that would be generated by development of the Jackson Township Specific Plan would exceed thresholds of significance adopted by SMAQMD and Sacramento County. An Air Quality Mitigation Plan and a Greenhouse Gas Reduction Plan have been submitted to the County and reviewed by SMAQMD (refer to Appendix AQ-1). Consistent with Policy AQ-4, Mitigation Measure AQ-2b requires Alternative 2 to comply with all provisions included in the Air Quality Mitigation Plan, which would result in a 35-percent reduction of ozone precursors from operational emissions (per guidance from SMAQMD, indicating that this represents the feasible mitigation that should be applied). Therefore, Alternative 2 would be consistent with Policy AQ-4.

As described in Chapter 20, “Traffic and Circulation,” of this ~~Recirculated Draft~~ EIR, implementing Alternative 2 may result in VMT that exceeds the thresholds of significance established in Policy CI-5. Through Mitigation Measures TR-1, TR-2, and TR-3, the Applicant would identify and fund Trip Reduction Services (TRS) to meet the goals and policies of the County’s General Plan, based on an Urban Services Plan for the Project. Subsequent development would not be approved until the Applicant has demonstrated that TRS have been adopted that would achieve an equivalent reduction in VMT or transportation mode split, as documented in the SB 743/VMT Analysis – Jackson Township ~~Jackson Township Specific Plan Revised VMT Analysis~~ memo (DKS Associates 2020~~2022~~). Examples of TRS that could be included in later phases of improvements include membership in a transportation management association,

commute trip reduction, transit services, transit improvements, rideshare matching and vanpool coordination, commuter financial incentives, telework and/or flextime support, guaranteed ride home programs, parking management, shared parking coordination, special event transportation management, transportation access guides, wayfinding, and multimodal navigation tools. ~~However, because the specific elements of the measures and their efficacy have not been established, it cannot be guaranteed that the implementation of Mitigation Measures TR-1, TR-2, and TR-3 would reduce VMT to a level below established thresholds. Nevertheless,~~ Alternative 2 would be consistent with Policy CI-5 because all feasible mitigation would be required.

Consistency with the 2030 General Plan is required by State law. Furthermore, no zoning, tentative maps, parcel maps, or public works projects can be approved, adopted, or undertaken unless they are consistent with the adopted specific plan. Overall, Alternative 2 is consistent with the General Plan. It is worth noting that Alternative 2 was specifically designed to be consistent with the SSHCP, and is therefore more consistent with General Plan Policy LU-15 than the Project. Therefore, the impact due to conflict with Sacramento County's land use plans would be **less than significant** under Alternative 2.

MITIGATION MEASURES

No mitigation is required.

IMPACT: CONFLICT WITH SACRAMENTO COUNTY'S URBAN POLICY AREA/GENERAL PLAN GROWTH MANAGEMENT POLICY

PROPOSED PROJECT

The Plan Area is outside of the UPA, which is the area that the 2030 General Plan anticipated would accommodate projected growth through 2030, but within a region where growth through expansion of the UPA was contemplated in the 2030 General Plan. The Plan Area is adjacent to the UPA, providing a logical extension of development, and within the USB. As proposed, the Project would buildout between ~~2020~~2025 and ~~2035~~2040. In order for the County Board of Supervisors to approve the UPA amendment, the requirements of General Plan Policies LU-119 and LU-120 must be met.

According to LU-119, proposed UPA expansions must have significant borders that are adjacent to the existing UPA or a city boundary and the boundary of the expansion must be logical. As shown on Plate PD-8 in Chapter 2, "Project Description," the existing UPA extends to the northern boundary of the Plan Area. The proposed General Plan Amendment that would include the approximately 1,391-acre Plan Area would create a logical expansion that would follow existing major roadways on the west and south and property boundaries on the east. In addition, the boundary of the Project is not irregular and forms a logical edge. The proposed expansion of the UPA is consistent with this policy.

General Plan Policy LU-120 is intended to reduce impacts of many different types – such as growth inducement, unacceptable operating conditions on roadways, poor air quality, and lack of appropriate infrastructure – by establishing design criteria for all amendments to the UPA. A project must be consistent with the policy before it may be

considered for approval. Based on Project characteristics outlined in the Specific Plan document, the Project would meet the requirements of LU-120. The Project has been deemed consistent with criteria PC-1 through PC-10, and has achieved a total of 19 points in the criteria-based standards (CB-1 through CB-5). A total of 18 points is required and 24 points are possible. The tables below (Table LU-2 and Table LU-3) summarize how the Project complies with each performance criteria (PC-1 through PC-10) and performance metrics (CB-1 through CB-5) outlined in LU-120. Given that the Project has been deemed consistent, Project impacts related to conflict with growth management policy are **less than significant**. All future small lots maps and subsequent entitlements must demonstrate compliance with these criteria, or they would not be permitted.

ALTERNATIVE 2

Alternative 2 would also require expansion of the UPA and would include similar smart growth principles. Alternative 2 would result in more than 10 dwelling units per acre if using “double net” methodology (see Alt-7 in Chapter 3, “Alternatives”). Approximately 37.8 percent of the Project’s total units would be high density, exceeding the requirement of performance standard PC-4. All other performance standards would match the analysis of the Project. Alternative 2 would score 19 points and exceed the criteria-based standards under the LU-120 evaluation. The impact for Alternative 2 would be **less than significant**.

MITIGATION MEASURES

No mitigation is required.

Table LU-2: Project LU-120 Consistency

Performance Criteria	Requirement	Consistency
PC-1: Vision for connection to other adjacent existing and potential future development areas.	Include a vision of how the development will connect to other adjacent existing and potential future development areas within the USB, including how roadways, transit, sewer, and water could occur within all adjacent areas.	The Project provides linkages to existing and planned development via public transit, preserve connectivity, infrastructure and makes use of existing regional roadways which provide connections to adjacent areas.
PC-2: Housing Choice.	A variety of housing types and densities, including single-family homes, duplexes, triplexes, accessory dwelling units, townhomes, condominiums, apartments and similar multi-family units, in a variety of settings including both residential neighborhoods and mixed use nodes.	The Project includes 6,143 residential units in three densities ranges from 1 to 30 du/ac. The Specific Plan allows for various housing types within each of the proposed densities. Low-density areas can be developed with standard single-family units, alley-loaded homes, cluster lots, or halfplexes. Medium density areas can accommodate detached and attached single-family housing, as well as halfplexes, cluster lots, alley-loaded homes, courtyard, greencourt, zero-lot line, brownstones, townhomes or condominiums. High-density areas are intended to be developed with both rental and for-sale housing products including apartments, brownstones, townhomes, and condominiums.
PC-3: Quality.	Design guidelines, development standards and/or similar assurances that will require high-quality development consistent with the vision set forth in the Master Plan.	The Specific Plan includes Development Standards and Design Guidelines (as Appendix A and Appendix B, respectively) that have been reviewed by the County. The Design Guidelines describe principles and attributes for consistent streetscapes, entry features, walls and fencing, identification signage, landscape elements, residential design and other site-design specific considerations.
PC-4: Accommodate the percentage of low and very low income residential units required by state law per the County's current	Accommodate ≥90 percent of the obligation per RHNA	The Project is required to accommodate greater than 90% of its share of the unincorporated County's proportional obligation of the RHNA. Current RHNA obligation is 38.7% of the housing

Performance Criteria	Requirement	Consistency
Housing Element based on the Regional Housing Needs Allocation (RHNA).		<p>stock. Ninety percent of that obligation would be 34.8%.</p> <p>The seven high-density sites and one of the Mixed Use sites in the Plan Area meet the criteria for providing affordable housing and would accommodate a total of up to 2,137 units. This accounts for 34.8% of the units in the Plan Area and satisfies the Project's share of the County's overall RHNA obligation. However, any reductions in the proportion of high-density residential units within the Plan Area would make the Project inconsistent with this policy.</p>
PC-5: Pedestrian- and transit-oriented design.	<p>Pedestrian- and transit-oriented design, including:</p> <ul style="list-style-type: none"> • Sidewalks and bike routes along interconnected streets with short block lengths and a high intersection density. • Prominent pedestrian and bicycle network. • Few if any cul-de-sacs. • Pedestrian and bike connections at the ends of all cul-de-sacs unless infeasible due to topography or similar impediments inherent in the project site. 	<p>The Specific Plan emphasizes pedestrian and bicycle connection between uses and minimized barriers among uses. The Plan includes parkways that provide pedestrian connections among land uses and open spaces. The local street network has not yet been designed, but will be required to meet this performance standard as a condition of approval.</p>
PC-6: Infrastructure Master Plan and Financing Plan.	<p>Inclusion of an Infrastructure Master Plan and Financing Plan that include the following:</p> <ul style="list-style-type: none"> • The Infrastructure Master Plan shall identify required public facilities and infrastructure (including roads, transit, water, sewer, storm drainage, schools, fire, park, library, and other needed community facilities) and associated costs for the development of the proposed UPA expansion/Master Plan; • The Financing Plan shall: <ul style="list-style-type: none"> ○ Include an infrastructure phasing analysis that examines development through buildout taking into consideration potential development activities, 	<p>The Specific Plan includes infrastructure master plans (sewer, water, drainage) which describe infrastructure needed for the Project, as well as sizing and timing of facilities. The Public Facilities Financing Plan identifies funding mechanisms for those improvements.</p>

Performance Criteria	Requirement	Consistency
	<p>facilities requirements and constraints;</p> <ul style="list-style-type: none"> ○ Identify the phase or timing for when the facilities are needed; ○ Identify the funding mechanisms proposed to pay for the identified infrastructure and facilities; ○ Demonstrate that infrastructure requirements and the associated costs are reasonably balanced throughout each development phase and outline solutions for any potential constraints and/or shortfalls for any given phase. 	
PC-7: Services Plan	<p>Inclusion of a Services Plan to demonstrate:</p> <ul style="list-style-type: none"> • that provision of services to the proposed UPA expansion/Master Plan are cost-neutral to the County's General Fund and existing ratepayers; • that the operations and maintenance costs stemmed from the required public facilities and infrastructure for the development of the proposed UPA expansion/Master Plan are cost-neutral to the County's General Fund and existing ratepayers, and; • that existing levels of municipal services will not be negatively impacted by approval and buildout of the proposed UPA expansion/Master Plan. 	The Project includes an adequate Service Plan that meets these criteria.
PC-8: Consistency with County adopted plans.	Consistency with all applicable County adopted plans not sought to be amended by the proposed project.	The Project would be consistent with County plans that apply to the area, as described above and in the resource-specific chapters throughout this EIR.
PC-9: Consideration of regional planning efforts.	Inclusion of a discussion/analysis of how the proposed UPA expansion/Master Plan relates to broad-based and regional planning efforts, such as SACOG's adopted Blueprint Vision and Metropolitan Transportation Plan, Sacramento County's Visioning documents created for the Jackson Highway and Grant Line East Areas, any applicable Habitat Conservation Plan(s), the Sacramento Metropolitan Air Quality Management District's State	The Project would be consistent with regional and County planning efforts, as described above and in the resource-specific chapters throughout this EIR. It is not included in the current or Draft Land Use Scenario for the upcoming MTP/SCS, but it is designed consistent with the Blueprint principles, as well as the sustainability and transportation

Performance Criteria	Requirement	Consistency
	Implementation Plan, and Regional Transit's Master Plan.	principles of the MTP/SCS. Furthermore, the MTP/SCS is intended to be modified every 4 years to address changes in conditions, so if the Project is adopted, it is likely to be included in future MTP/SCS updates.
PC-10: Consideration of jobs-housing balance.	Inclusion of a discussion/analysis of the proposed UPA expansion/Master Plan's jobs-housing balance. Master Plans should provide an internal jobs-housing balance and/or improve the jobs housing balance within the project's vicinity.	The Project includes employment-generating land uses (commercial, mixed-use, office, school) that would accommodate approximately 5,613 employees. The internal jobs/housing ratio would be 0.91 jobs per housing unit.

Table LU-3: Criteria-Based Standards Determination for the Project

Criteria	Requirement	Point Allocation	Evaluation	Points Achieved
CB-1 Minimum density	Minimum density of at least 7 dwelling units per net acre if using "double net" methodology or 9.3 dwelling units per acre if using "triple net" methodology.	≥ 8 dwelling units per acre if using "double net" methodology, or ≥ 10.6 dwelling units per acre if using "triple net" methodology = 3 points ≥ 9 dwelling units per acre if using "double net" methodology, or ≥ 12 dwelling units per acre if using "triple net" methodology = 4 points ≥ 10 dwelling units per acre if using "double net" methodology, or ≥ 13.3 dwelling units per acre if using "triple net" methodology = 5 points	Double net density calculation: 6,143 du/585.7 acres (577.5 ac.+ 8.2 ac. of MU) = 10.5 du/ac. Note: this does not include the 109.3 acres of AG or the 10% net residential acreage exclusion.	5
CB-2 Proximity to Amenities	≥ 80 percent of all residential units located within one mile of at least three of the following existing or planned amenity categories: <ul style="list-style-type: none"> Public elementary, middle, or high school Park or recreational facility Grocery store, drug 	$\geq 85\%$ of all units located within 1 mile of at least three amenity categories = 2 points $\geq 90\%$ of all units located within 1 mile of at least three amenity categories = 3 points $\geq 90\%$ of all units located within 1 mile of at least four amenity categories = 4 points	More than 90 % of all units would be within 1 mile of at least four of the listed amenities: within 0.25 mile of a school, 0.25 mile of a park or recreation facility, 0.25 mile of regional transit and 0.5 mile of an employment center.	4

Criteria	Requirement	Point Allocation	Evaluation	Points Achieved
	store or commercial center <ul style="list-style-type: none"> • Office or industrial employment center • Civic use (e.g. library, post office, community garden, urban farm) • Preschool, childcare or senior care facility • Medical offices or facilities 			
CB-3 Mixed Use	Include a mixed use designation, overlay, and/or zoning category that allows vertical mixed use by right, provides uninterrupted pedestrian connections, and prohibit barriers between different uses.	At least 5% of a Master Plan's developable land zoned for mixed use (horizontal and vertical) = 2 points At least 10% of a Master Plan's developable land zoned for mixed use (horizontal and vertical) = 3 points At least 15% of a Master Plan's developable land zoned for mixed use (horizontal and vertical) or assurances that at least 5 % of the residential units will be located and built within vertically integrated mixed-use buildings = 4 points	The Project includes two MU parcels at 8.2 and 11.4 acres. The MU zoning on these sites allows both vertical and horizontal integration of residential and commercial land uses, although no residential would occur on the latter due to powerline easements. This would result in 19.6 acres of MU on 1,176.7 acres (excluding the Wetland Preserve from the Plan Area), which is roughly 2%.	0
CB-4a Transit Proximity	≥65 percent of all residential units located within ½ mile of existing or planned transit service, which consists of light rail, streetcars, buses, vanpools and/or shuttles that connects with regional public transit service.	≥ 70% of residential units located within 0.5mile of existing or planned transit service = 2 points ≥ 75% of residential units located within 0.5mile of existing or planned transit service = 3 points ≥ 80% of residential units located within 0.5mile of existing or planned transit service = 4 points	90% of residences would be within 0.25 mile of regional transit at buildout.	4
CB-4b Transit Headway		Transit service with headways of 60 minutes or less during peak hours (Monday through Friday from 7:00 – 9:00 a.m. and 4:00 – 6:00 p.m.) = 1 point Transit service with headways of 30 minutes or less during peak hours (Monday through Friday from 7:00 – 9:00 a.m. and 4:00 – 6:00 p.m.) = 2 points	At full build-out, the planned SacRT route would have 15-minute peak headways, with 30-minute base headways.	3

Criteria	Requirement	Point Allocation	Evaluation	Points Achieved
		Transit service with headways of 15 minutes or less during peak hours (Monday through Friday from 7:00 – 9:00 a.m. and 4:00 – 6:00 p.m.) = 3 points		
CB-5 Employment Proximity	Analysis of existing employment/jobs within a 5 mile radius of the proposed UPA expansion/Master Plan boundary.	<p>< 50,000 existing employees/jobs within a 5 mile radius of the proposed Project = 2 points</p> <p>Between 50,000 and 100,000 existing employees/jobs within a 5 mile radius of the proposed Project = 3 points</p> <p>> 100,000 existing employees/jobs within a 5 mile radius of the proposed Project = 4 points</p>	Based on US Census data by zip code, with adjustments made for zip codes partially within a 5-mile buffer, ¹ There are between 50,000 and 100,000 jobs within a 5-mile radius of the Plan Area. Existing major employment centers in close proximity to the Plan Area include Bradshaw Center Area, Mather Airport, Mather Commerce Center, Capital Center / Rancho Cordova Town Center, employment centers along Sunrise Blvd., the Power Inn Road industrial area, and Depot Park.	3
		TOTAL POINTS		19

1: calculations conducted by Sacramento County in 2014.
du/ac = dwelling units per acre

IMPACT: CONFLICT WITH SACOG BLUEPRINT AND MTP/SCS

PROPOSED PROJECT

The following discussion evaluates the Project's consistency with SACOG's key planning documents.

BLUEPRINT

The Sacramento County General Plan stipulates that the County will support implementation of Blueprint's policies and land use objectives (Policy LU-113). However, the County is not obligated to support the land use types proposed in the Blueprint at the parcel level. Therefore, this discussion relies on analysis of the Project's consistency with the principles and overall vision of the Blueprint, rather than conformity to the concept map.

The Project is intended to provide for a diverse community that can accommodate a wide range of residents in various housing types in proximity to existing and planned job centers, including new jobs created within the Plan Area. While the Project would result in development outside of an existing community, it is in an area that the Blueprint has designated for development. As described above, the Plan Area is envisioned to include commercial, office, residential, and open space uses.

The following discussion evaluates the Project's consistency with each of the seven Blueprint principles.

PROVIDE A VARIETY OF TRANSPORTATION CHOICES, INCLUDING WALKABLE PATHS

The Project includes both a Mobility Plan and a Regional Transit Plan that provide for an improved regional roadway network, public transit service, bikeways, and greenbelt walking paths. A key feature of the Plan Area is an internal trail system that connects to a larger regional trail system, including a linkage to a large, centrally located greenway/drainage corridor with a trail on one side that has been designed to provide easy, non-vehicular linkages from one end of the community to the other. The Project includes both a Town Center and Village Center, each with commercial and retail uses, as well as multiple neighborhood schools and parks dispersed throughout the Plan Area. This dispersal of land uses ensures that most residential units within the Plan Area would be located within 0.25 mile of an open space area, park, or linear parkway; and within 0.5 mile of retail and employment land uses. Similarly, each of the elementary school sites would be within 0.25 mile of most of the proposed residential units.

MIX LAND USES

The Project includes a land use plan that would provide for a range of different uses, including low density residential, medium density residential, high density residential, general commercial, community commercial, mixed use, office, schools, a fire station, parks, a wetland preserve, a greenbelt/drainage corridor, landscaping, detention, agriculture, and associated roadways. The Project also includes a proposal to add a mixed use designation to the 2030 General Plan.

TAKE ADVANTAGE OF COMPACT BUILDING AND COMMUNITY DESIGN

The Project has been designed to create two distinctive “hubs” that would serve as the focus of the community and allow for people to live, work, shop, and recreate in the same place. The Town Center hub is designed as a gridded, compact block area that contains the more intensive land uses to serve the community and beyond. The Village is designed to provide a moderate intensity community with community commercial uses and high and medium density residential (see Plate PD-15 in Chapter 2, “Project Description”). In addition, the Specific Plan allows many options for housing types in each of the residential land use designations, including many home product types that provide for compact development patterns, including halfplexes, townhomes, brownstones, cluster lots, zero-lot-lines, and courtyard homes.

CREATE A RANGE OF HOUSING OPPORTUNITIES AND CHOICES

The land use plan provides for a mix of residential unit types. There would be 2,134 low-density residential units on 14 large lot parcels covering 355.7 acres with an average density of six units per acre; 1,772 medium-density residential units on seven large lot parcels covering 136.3 acres with an average density of 13 units per acre; 2,137 high-density residential units on seven large lot parcels on 85.5 acres with an average density of 25 units per acre; and 100 units within a 8.2-acre mixed use parcel. Additionally, the Specific Plan allows for various types of home products within each land use designation to provide even more opportunity for housing choice within similar densities. Low-density areas can be developed with standard single-family units, alley-loaded homes, cluster lots, or halfplexes. Medium density areas can accommodate detached and attached single-family housing, as well as halfplexes, cluster lots, alley-loaded homes, courtyard, greencourt, zero-lot line, brownstones, townhomes or condominiums. High-density areas are intended to be developed with both rental and for-sale housing products including apartments, brownstones, townhomes, and condominiums.

STRENGTHEN AND DIRECT DEVELOPMENT TOWARD EXISTING COMMUNITIES

Although the Project would create a master planned development outside of an existing community, the commercial development proposed in the Plan Area would also serve existing residents of the area, including the Independence at Mather subdivision, the Vineyard community, and the Anatolia community in Rancho Cordova.

FOSTER DISTINCTIVE, ATTRACTIVE COMMUNITIES WITH A STRONG SENSE OF PLACE

The Project would include a Town Center and Village that would provide gathering places supported by denser land use patterns. In addition, the greenbelt system would provide a central community asset. These features are intended to serve as focal points of the community.

The Project also includes development standards and design guidelines in the Specific Plan (as Appendix A and Appendix B, respectively) that would create a variety of building façades and treatments in a unified theme, which would assist in creating a distinctive visual character within the community. Standards address walls and fencing, entry features and gateways, and park designs. The overall Project layout also includes

a variety of open space types integrated with the residential and commercial areas to create a pleasant and attractive environment.

PRESERVE OPEN SPACE, FARMLAND, NATURAL BEAUTY, AND CRITICAL ENVIRONMENTAL AREAS

The Project design was influenced by the vernal pool complex in the eastern portion of the Plan Area, as well as the Morrison and Elder Creek drainages. In total, 275 acres (20 percent of the Plan Area) would be preserved in the wetland preserve and greenbelt/drainage corridors with trails to allow residents to enjoy the Plan Area's natural beauty.

METROPOLITAN TRANSPORTATION PLAN/SUSTAINABLE COMMUNITIES STRATEGY

SACOG's MTP/SCS provides a vision for transportation projects and community development based on the preferred growth scenario identified in the Blueprint. Federal regulations require that the MTP/SCS is updated at least every 4 years. In each update cycle, SACOG prepares a regional growth forecast and land use pattern to accommodate the estimated increases in population, employment, and housing.

In the 2016 MTP/SCS, the Plan Area is mapped as a portion of the Blueprint growth footprint that is not identified for growth in the next 20 years (i.e., through 2036). However, the regular plan update cycles are designed to allow SACOG to constantly monitor progress, learn more about the region's growth dynamics, and make frequent mid-course adjustments. This means that if new information about individual development projects, for instance, becomes available after the MTP/SCS is adopted, SACOG is obligated to address that information in the next MTP/SCS update cycle. This includes the inclusion of projects granted entitlements since the last MTP/SCS update.

~~The next update is anticipated to be adopted no later than February 2020. SACOG released the land use and transportation assumptions used in the Draft Preferred Scenario that will be used in the 2020 update for local agency review in early 2019.~~ Although this draft the 2020 MTP/SCS (adopted in November of 2019) identifies growth associated with the Plan Area that is generally consistent with the Project evaluated in this document, the draft assumptions do not project this growth to occur until after the year 2040, which is inconsistent with the Project buildout year of 2035 previously assumed in this analysis and the currently anticipated buildout year of 2040. Therefore, although SACOG would update the regional growth forecast and land use plan to reflect the Project, if approved, the Project is currently inconsistent with the MTP/SCS.

SUMMARY

As identified above, the Project is consistent with the Blueprint principles, but it is not included in the current MTP/SCS and is not included in the Land Use scenario in the MTP/SCS adopted in 2019. However, the MTP/SCS is updated every 4 years to account for changes in development conditions. The implementation plan for the Project includes a lengthy buildout period with phased development that would allow time for SACOG to adjust growth forecasts through the mandated update cycle for the MTP/SCS. If adopted, the Project would likely be included in future MTP/SCS cycles as part of the adjustments that SACOG makes to the MTP/SCS every 4 years. Although the Project is not currently included in the MTP/SCS, the Project is located in an area

envisioned for future development by SACOG, and it is consistent with Blueprint principles. This impact would be **less than significant**.

ALTERNATIVE 2

Alternative 2 is substantially consistent with the Project with respect to the principals of the Blueprint and the land use forecasts in the MTP/SCS. Additionally, the roadway improvements that are part of the Jackson Highway traffic mitigation strategy, which the Project would participate in, that are beyond the roadway network identified in the 2020 MTP/SCS are included in the VMT analysis for Alternative 2. As explained in Chapter 9, “Climate Change,” the greenhouse gas emissions associated with this VMT are fully offset by project features. Thus, the GHG emissions from induced VMT would be mitigated and participation in the traffic mitigation strategy would not result in indirect environmental effects associated with conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect. Impacts associated with implementation of Alternative 2 would be **less than significant** for the same reasons identified above for the Project.

MITIGATION MEASURES

No mitigation is required.

16 NOISE

INTRODUCTION

This chapter describes the existing noise environment in the Plan Area and the potential of the Project or Alternative 2 to generate noise levels exceeding the applicable exterior noise level standards at noise-sensitive receptors in areas affected by plan implementation. This chapter includes analysis of non-transportation noise, ground borne vibration, and transportation noise impacts at existing land uses that could potentially be affected by the Project or Alternative 2, as well as new proposed land uses that would be developed as part of the Project or Alternative 2. Mitigation measures are included where potentially significant impacts are identified.

During the Notice of Preparation (NOP) scoping process, two comments were raised related to noise. The commenter asked whether the commercial/industrial land use decisions are dictated by noise contours. The commenter also noted that, due to noise constraints, development in the Plan Area is restricted while Sacramento Raceway is in operation. These concerns are addressed below, as applicable. A copy of the NOP and comment letters received in response to the NOP are included in Appendix INT-2 of this EIR.

ENVIRONMENTAL SETTING

ACOUSTIC FUNDAMENTALS

Before discussing the noise setting for the Project, background information about sound, noise, vibration, and common noise descriptors is needed to provide context and a better understanding of the technical terms referenced throughout this section.

SOUND, NOISE, AND ACOUSTICS

Sound can be described as the mechanical energy of a vibrating object transmitted by pressure waves through a liquid or gaseous medium (e.g., air) to a human ear. Noise is defined as loud, unexpected, annoying, or unwanted sound.

In the science of acoustics, the fundamental model consists of a sound (or noise) source, a receiver, and the propagation path between the two. The loudness of the noise source and obstructions or atmospheric factors affecting the propagation path to the receiver determines the sound level and characteristics of the noise perceived by the receiver. The field of acoustics deals primarily with the propagation and control of sound.

FREQUENCY

Continuous sound can be described by frequency (pitch) and amplitude (loudness). A low-frequency sound is perceived as low in pitch. Frequency is expressed in terms of cycles per second, or hertz (Hz) (e.g., a frequency of 250 cycles per second is referred to as 250 Hz). High frequencies are sometimes more conveniently expressed in

kilohertz or thousands of hertz. The audible frequency range for humans is generally between 20 Hz and 20,000 Hz.

SOUND PRESSURE LEVELS AND DECIBELS

The amplitude of pressure waves generated by a sound source determines the loudness of that source. Sound pressure amplitude is measured in micro-Pascals (mPa). One mPa is approximately one hundred billionths (0.0000000001) of normal atmospheric pressure. Sound pressure amplitudes for different kinds of noise environments can range from less than 100 to 100,000,000 mPa. Because of this large range of values, sound is rarely expressed in terms of mPa. Instead, a logarithmic scale is used to describe sound pressure level (SPL) in terms of decibels (dB).

ADDITION OF DECIBELS

Because decibels are logarithmic units, SPLs cannot be added or subtracted through ordinary arithmetic. Under the decibel scale, a doubling of sound energy corresponds to a 3-dB increase. In other words, when two identical sources are each producing sound of the same loudness at the same time, the resulting sound level at a given distance would be 3 dB higher than if only one of the sound sources was producing sound under the same conditions. For example, if one idling truck generates an SPL of 70 dB, two trucks idling simultaneously would not produce 140 dB; rather, they would combine to produce 73 dB. Under the decibel scale, three sources of equal loudness together produce a sound level of approximately 5 dB louder than one source.

A-WEIGHTED DECIBELS

The decibel scale alone does not adequately characterize how humans perceive noise. The dominant frequencies of a sound have a substantial effect on the human response to that sound. Although the intensity (energy per unit area) of the sound is a purely physical quantity, the loudness or human response is determined by the characteristics of the human ear.

Human hearing is limited in the range of audible frequencies, as well as in the way it perceives the SPL in that range. In general, people are most sensitive to the frequency range of 1,000–5,000 Hz and perceive sounds within this range better than sounds of the same amplitude with frequencies outside of this range. To approximate the response of the human ear, sound levels of individual frequency bands are weighted, depending on the human sensitivity to those frequencies. Then, an “A-weighted” sound level (expressed in units of A-weighted decibels) can be computed based on this information.

The A-weighting network approximates the frequency response of the average young ear when listening to most ordinary sounds. When people make judgments of the relative loudness or annoyance of a sound, their judgment correlates well with the A-scale sound levels of those sounds. Thus, noise levels are typically reported in terms of A-weighted decibels. All sound levels discussed in this section are A-weighted decibels. Table NOI-1 describes typical A-weighted noise levels for various noise sources.

Table NOI-1: Typical A-Weighted Noise Levels

Common Outdoor Activities	Noise Level (dB)	Common Indoor Activities
	— 110 —	Rock band
Jet fly-over at 1,000 feet	— 100 —	
Gas lawn mower at 3 feet	— 90 —	
Diesel truck at 50 feet at 50 miles per hour	— 80 —	Food blender at 3 feet, Garbage disposal at 3 feet
Noisy urban area, daytime, Gas lawn mower at 100 feet	— 70 —	Vacuum cleaner at 10 feet, Normal speech at 3 feet
Commercial area, Heavy traffic at 300 feet	— 60 —	
Quiet urban daytime	— 50 —	Large business office, Dishwasher next room
Quiet urban nighttime	— 40 —	Theater, large conference room (background)
Quiet suburban nighttime	— 30 —	Library, Bedroom at night
Quiet rural nighttime	— 20 —	
	— 10 —	Broadcast/recording studio
Lowest threshold of human hearing	— 0 —	Lowest threshold of human hearing

Source: Caltrans 2013b: Table 2-5

HUMAN RESPONSE TO CHANGES IN NOISE LEVELS

As discussed above, the doubling of sound energy results in a 3-dB increase in the sound level. However, given a sound level change measured with precise instrumentation, the subjective human perception of a doubling of loudness will usually be different from what is measured.

Under controlled conditions in an acoustical laboratory, the trained, healthy human ear is able to discern 1-dB changes in sound levels when exposed to steady, single-frequency (“pure-tone”) signals in the mid-frequency (1,000–8,000 Hz) range. In general, the healthy human ear is most sensitive to sounds between 1,000 and 5,000 Hz and perceives both higher and lower frequency sounds of the same magnitude with less intensity (Caltrans 2013a:2-18). In typical noisy environments, changes in noise of 1–2 dB are generally not perceptible. However, it is widely accepted that people are able to begin to detect sound level increases of 3 dB in typical noisy environments. Further, a 5-dB increase is generally perceived as a distinctly noticeable increase, and a 10-dB increase is generally perceived as a doubling of loudness (Caltrans 2013a:2-10). Therefore, a doubling of sound energy (e.g., doubling the volume of traffic on a highway) that would result in a 3-dB increase in sound would generally be perceived as barely detectable.

As depicted in Table NOI-2, a noise level increase of 5.0, or greater, would typically be considered to result in increased levels of annoyance where existing ambient noise levels are less than 60 dB. Within areas where the ambient noise level ranges from 60 to 65 dB, increased levels of annoyance would be anticipated at increases of 3 dB, or greater. Increases of 1.5 dB, or greater, could result in increased levels of annoyance in areas where the ambient noise level exceeds 65 dB. As ambient noise levels increase, a smaller increase in noise resulting from a project is sufficient to cause significant increases in annoyance (FICON 1992, FAA 2000).

**Table NOI-2: Federal Interagency Committee on Noise
Recommended Criteria for Evaluation of Increases in Ambient Noise Levels**

Ambient Noise Level Without Project	Increase Required for Significant Impact
<60 dB	5.0 dB, or greater
60–65 dB	3.0 dB, or greater
>65 dB	1.5 dB, or greater

Source: FAA 2000, FICON 1992

VIBRATION

Vibration is the periodic oscillation of a medium or object with respect to a given reference point. Sources of vibration include natural phenomena (e.g., earthquakes, volcanic eruptions, sea waves, landslides) and those introduced by human activity (e.g., explosions, machinery, traffic, trains, construction equipment). Vibration sources may be continuous, (e.g., operating factory machinery) or transient in nature (e.g., explosions). Vibration levels can be depicted in terms of amplitude and frequency relative to displacement, velocity, or acceleration.

Vibration amplitudes are commonly expressed in peak particle velocity (PPV) or root-mean-square (RMS) vibration velocity. PPV and RMS vibration velocity are normally described in inches per second (in/sec) or in millimeters per second. PPV is defined as the maximum instantaneous positive or negative peak of a vibration signal. PPV is typically used in the monitoring of transient and impact vibration and has been found to correlate well to the stresses experienced by buildings (FTA 2006:7-3, Caltrans 2013b:6).

Although PPV is appropriate for evaluating the potential for building damage, it is not always suitable for evaluating human response. It takes some time for the human body to respond to vibration signals. In a sense, the human body responds to average vibration amplitude. The RMS of a signal is the average of the squared amplitude of the signal, typically calculated over a 1-second period. As with airborne sound, the RMS velocity is often expressed in decibel notation as vibration decibels (VdB), which serves to compress the range of numbers required to describe vibration (FTA 2006:7-4, Caltrans 2013b:7). This is based on a reference value of 1 micro inch per second.

The typical background vibration-velocity level in residential areas is approximately 50 VdB. Ground vibration is normally perceptible to humans at approximately 65 VdB. For most people, a vibration-velocity level of 75 VdB is the approximate dividing line between barely perceptible and distinctly perceptible levels (FTA 2006:7-8, Caltrans 2013b:27).

Typical outdoor sources of perceptible ground vibration are construction equipment, steel-wheeled trains, and traffic on rough roads. If a roadway is smooth, the ground vibration from traffic is rarely perceptible. The range of interest is from approximately 50 VdB, which is the typical background vibration-velocity level, to 100 VdB, which is the general threshold where minor damage can occur to fragile buildings. Construction activities can generate sufficient ground vibrations to pose a risk to nearby structures. Constant or transient vibrations can weaken structures, crack facades, and disturb occupants (FTA 2006:7-5).

Vibrations generated by construction activity can be transient, random, or continuous. Transient construction vibrations are generated by blasting, impact pile driving, and wrecking balls. Continuous vibrations are generated by vibratory pile drivers, large pumps, and compressors. Random vibration can result from jackhammers, pavement breakers, and heavy construction equipment. Table NOI-3 summarizes the general human response to different ground vibration-velocity levels.

Table NOI-3: Human Response to Different Levels of Ground Noise and Vibration

Vibration-Velocity Level	Human Reaction
65 VdB	Approximate threshold of perception.
75 VdB	Approximate dividing line between barely perceptible and distinctly perceptible. Many people find that transportation-related vibration at this level is unacceptable.
85 VdB	Vibration acceptable only if there are an infrequent number of events per day.

Notes: VdB = vibration decibels referenced to 1 μ inch/second and based on the RMS velocity amplitude.

Source: FTA 2006:7-8

COMMON NOISE DESCRIPTORS

Noise in our daily environment fluctuates over time. Various noise descriptors have been developed to describe time-varying noise levels. The following are the noise descriptors used throughout this section.

Equivalent Continuous Sound Level (L_{eq}): L_{eq} represents an average of the sound energy occurring over a specified period. In effect, L_{eq} is the steady-state sound level containing the same acoustical energy as the time-varying sound level that occurs during the same period (Caltrans 2013a:2-48). For instance, the 1-hour equivalent sound level, also referred to as the hourly L_{eq} , is the energy average of sound levels occurring during a 1-hour period and is the basis for noise abatement criteria used by California Department of Transportation (Caltrans) and Federal Highway Administration (FHWA) (Caltrans 2013a:2-47, FTA 2006:2-19).

Percentile-Exceeded Sound Level (L_x): L_x represents the sound level exceeded for a given percentage of a specified period (e.g., L_{10} is the sound level exceeded 10 percent of the time, and L_{90} is the sound level exceeded 90 percent of the time) (Caltrans 2013a:2-16).

Maximum Sound Level (L_{max}): L_{max} is the highest instantaneous sound level measured during a specified period (Caltrans 2013a:2-48, FTA 2006:2-16).

Day-Night Level (L_{dn}): L_{dn} is the energy average of A-weighted sound levels occurring over a 24-hour period, with a 10-dB “penalty” applied to sound levels occurring during nighttime hours between 10:00 p.m. and 7:00 a.m. (Caltrans 2013a:2-48, FTA 2006:2-22).

Community Noise Equivalent Level (CNEL): CNEL is the energy average of the A-weighted sound levels occurring over a 24-hour period, with a 10-dB penalty applied to sound levels occurring during the nighttime hours between 10:00 p.m. and 7:00 a.m. and a 5-dB penalty applied to the sound levels occurring during evening hours between 7:00 p.m. and 10:00 p.m. (Caltrans 2013a:2-48). Many agencies and local jurisdictions in California have established noise standards using the CNEL metric. The CNEL metric is not used by federal agencies and not commonly used in standards established by local communities outside of California.

SOUND PROPAGATION

When sound propagates over a distance, it changes in level and frequency content. The manner in which a noise level decreases with distance depends on the following factors:

GEOMETRIC SPREADING

Sound from a localized source (i.e., a point source) propagates uniformly outward in a spherical pattern. The sound level attenuates (or decreases) at a rate of 6 dB for each doubling of distance from a point source. Roads and highways consist of several localized noise sources on a defined path and hence can be treated as a line source, which approximates the effect of several point sources, thus propagating at a slower rate in comparison to a point source. Noise from a line source propagates outward in a cylindrical pattern, often referred to as cylindrical spreading. Sound levels attenuate at a rate of 3 dB for each doubling of distance from a line source.

GROUND ABSORPTION

The propagation path of noise from a source to a receiver is usually very close to the ground. Noise attenuation from ground absorption and reflective-wave canceling provide additional attenuation associated with geometric spreading. Traditionally, this additional attenuation has also been expressed in terms of attenuation per doubling of distance. This approximation is usually sufficiently accurate for distances of less than 200 feet. For acoustically hard sites (i.e., sites with a reflective surface between the source and the receiver, such as a parking lot or body of water), no excess ground attenuation is assumed. For acoustically absorptive or soft sites (i.e., those sites with an absorptive ground surface between the source and the receiver, such as soft dirt, grass, or scattered bushes and trees), additional ground-attenuation value of 1.5 dB per doubling of distance is normally assumed. When added to the attenuate rate associated with cylindrical spreading, the additional ground attenuation results in an overall drop-off rate of 4.5 dB per doubling of distance. This would hold true for point sources, resulting in an overall drop-off rate of up to 7.5 dB per doubling of distance.

ATMOSPHERIC EFFECTS

Receivers located downwind from a source can be exposed to increased noise levels relative to calm conditions, whereas locations upwind can have lowered noise levels, as wind can carry sound. Sound levels can be increased over large distances (e.g., more

than 500 feet) from the source because of atmospheric temperature inversion (i.e., increasing temperature with elevation). Other factors such as air temperature, humidity, and turbulence can also affect sound attenuation.

SHIELDING BY NATURAL OR HUMAN-MADE FEATURES

A large object or barrier in the path between a noise source and a receiver attenuate noise levels at the receiver. The amount of attenuation provided by shielding depends on the size of the object and the frequency content of the noise source. Natural terrain features (e.g., hills and dense woods) and human-made features (e.g., buildings and walls) can substantially reduce noise levels. A barrier that breaks the line of sight between a source and a receiver will typically result in at least 5 dB of noise reduction (Caltrans 2013a:2-41, FTA 2006:5-6, 6-25). Barriers higher than the line of sight provide increased noise reduction (FTA 2006:2-12). Vegetation between the source and receiver is rarely effective in reducing noise because it does not create a solid barrier unless there are multiple rows of vegetation (FTA 2006:2-11).

EXISTING CONDITIONS

EXISTING NOISE LEVELS

To generally quantify existing ambient noise levels in the project vicinity, continuous 24-hour background noise measurements were conducted at four locations around the Plan Area. The ambient noise measurement locations are shown on Plate NOI-1. Table NOI-4 includes the noise levels from the four noise measurement locations. Larson Davis Laboratories (LDL) Model 820 precision integrating sound level meters were used for the ambient noise level measurement survey. The meters were calibrated before and after use with an LDL Model CAL200 acoustical calibrator to ensure the accuracy of the measurements. The equipment used meets all pertinent specifications of the American National Standards Institute for Type 1 sound level meters (J.C. Brennan and Associates 2019).




Plate NOI-1: Noise Measurement Locations

Table NOI-4: Summary of Existing Background Noise Measurement Data

Site	Date	Notes	Measured Noise Levels, dB						
			L _{dn}	Daytime (7am-10pm)			Nighttime (10pm-7am)		
				L _{eq}	L _{max}	L ₅₀	L _{eq}	L _{max}	L ₅₀
1	August 5, 2013	On-site 365 feet from centerline of Excelsior Road	53.3	49.1	66.1	44.9	46.4	60.9	42.3
	August 6, 2013		55.7	52.9	71.1	46.4	48.2	61.7	42.8
2	August 5, 2013	On-site proposed Kiefer Blvd, 4,140 feet east from Excelsior Toad and 6,360 feet from Jackson Road	50.9	51.5	61.4	36.8	39.7	50.0	39.9
	August 6, 2013		50.4	49.0	66.6	39.9	42.1	53.8	38.8
3	*August 10, 2013	On-site 825 feet north of center racetrack	66.6	68.6	80.6	50.2	40.0	40.7	37.4
	August 11, 2013		47.0	44.1	61.7	36.1	39.6	52.2	34.3
4	*August 10, 2013	On-site, 365 feet from centerline of Jackson Rd	56.4	52.2	66.0	49.9	49.5	63.9	44.0
	August 11, 2013		54.8	50.5	65.5	47.2	47.9	62.6	40.0

Notes: dB = decibels; L_{dn} = day-night average noise level; L_{max} = the highest instantaneous sound level measured during a specified period; L_x = the sound level exceeded for a given percentage of a specified period. Numbers are approximate due to rounding; * Indicates a Race Event Day

Refer to Appendix NOI-1 for detailed modeling input data and output results.

Source: J.C. Brennan & Associates, Inc., 2019

EXISTING TRAFFIC NOISE LEVELS

The noise study prepared for the Project included modeling of existing traffic noise levels along roadways in the vicinity of the Plan Area. Noise levels are presented in terms of L_{dn} at a reference distance of 100 feet from the centerlines of the existing and existing plus Project roadways in the area that were identified as potentially affected by Project implementation in the Transportation Report (see Appendix TR-1). Reported noise levels were generally between 60 L_{dn} and 70 L_{dn} and range from a low measurement of 50 L_{dn} on Eagles Nest Road to 74 L_{dn} on Watt Avenue. For full details on traffic noise modeling (e.g., noise contours), see Appendix NOI-1.

MATHER AIRPORT NOISE LEVELS

The Mather Airport is located approximately 1.2 miles from the northwest corner of the Plan Area. Plate AC-2 in Chapter 7, "Airport Compatibility," shows the locations of the noise contours associated with aircraft operations at the Mather Airport. Based upon the location of the 60 dB CNEL noise contour, the Plan Area is approximately 1,869 feet outside of the existing Mather Airport 60 dB CNEL contour.

SACRAMENTO RACEWAY PARK NOISE LEVELS

The Sacramento Raceway Park is in the northwest quadrant of the Plan Area. Activities at the raceway generally occur throughout the year. The primary race events include pro-drag races, street-legal drag races, motorcycle races, and stock car racing, as well as other non-race events such as swap meets and concerts. The raceway includes a drag strip, a motocross dirt track, and an oval track.

As mentioned in Chapter 2, "Project Description," raceway operations are not County-permitted as the land uses are non-conforming. However, because the facility operates throughout the year, noise from raceway events are considered in this analysis. Both continuous and short-term noise level noise measurements were conducted at the raceway during racing events in 2013. These measurements are considered representative of existing conditions because the current level of activity at the Sacramento Raceway is similar to that occurring in 2013. Noise level measurements were conducted for a motorcycle race, a pro-drag race, and a street-legal drag race. The noise level measurements were conducted to determine the L_{max} , hourly average L_{eq} , and the hourly median (L_{50}) noise levels associated with each of the race events. The 75 dB L_{max} and the 55-dB hourly L_{50} noise level contours of the events are shown in Plate NOI-2, Plate NOI-3, and Plate NOI-4.

The drag strip noise contours, shown in Plate NOI-2, cover a substantial portion of the Plan Area and extend west onto the West Jackson Highway Master Plan Area. Plate NOI-3, which shows the street legal drag strip noise contours, indicates that the 75 dB L_{max} contour also covers a substantial portion of the Plan Area. Plate NOI-4, which shows the motorcycle race contours, indicates that the noise from the motorcycle race is contained within a fairly small area of the Plan Area.

EXISTING SENSITIVE RECEPTORS

Existing sensitive receptors include a set of single-family homes approximately 415 feet from the southern border of the Plan Area along the south side of Jackson Road (also referred to as Jackson Highway). The nearest primary outdoor activity area for these residential units is approximately 375 feet from the southern boundary of the Plan Area. Additional sensitive receptors include a single-family home approximately 50 feet east of the Plan Area, a set of single-family homes approximately 800 feet north of the Plan area, and a single-family home approximately 250 feet west of the Plan Area. There are also several single-family residential homes located within the Plan Area. These include residential units along the north side of Jackson Road and residential units along the southern portion of Excelsior road between Jackson Road and Kiefer Boulevard.



Source: Image provided by J.C.Brennan & Associates

X18010101.09 093

Plate NOI-2: Sacramento Raceway Noise Contours (Drag Strip Race)



Source: Image provided by J.C.Brennan & Associates

X18010101.09 094

Plate NOI-3: Sacramento Raceway Noise Contours (Street Legal Drag Strip)





Source: Image provided by J.C.Brennan & Associates

X18010101.09 095

Plate NOI-4: Sacramento Raceway Noise Contours (Motorcycle Race)



REGULATORY SETTING

FEDERAL

There are no federal regulations related to noise that apply to the Project.

STATE

CALIFORNIA GENERAL PLAN GUIDELINES

The State of California 2017 General Plan Guidelines, published by the California Governor's Office of Planning and Research (2017), provides guidance for the compatibility of projects within areas of specific noise exposure. Acceptable and unacceptable community noise exposure limits for various land use categories have been determined to help guide new land use decisions in California communities. In many local jurisdictions, these guidelines are used to derive local noise standards and guidance. Citing the U.S. Environmental Protection Agency (EPA) materials and the State Sound Transmissions Control Standards, the State's general plan guidelines recommend interior and exterior CNEL of 45 and 60 dB for residential units, respectively (OPR 2017:378).

CALIFORNIA DEPARTMENT OF TRANSPORTATION

In 2013, Caltrans published the Transportation and Construction Vibration Manual (Caltrans 2013b). The manual provides general guidance on vibration issues associated with construction and operation of projects in relation to human perception and structural damage. Table NOI-5 presents recommendations for levels of vibration that could result in damage to structures exposed to continuous vibration.

Table NOI-5: Caltrans Recommendations Regarding Levels of Vibration Exposure

PPV (in/sec)	Human Reaction	Effect on Buildings
0.4-0.6	Vibrations considered unpleasant by people subjected to continuous vibrations and unacceptable to some people walking on bridges	Architectural damage and possible minor structural damage
0.2	Vibrations may begin to annoy people in buildings	Risk of architectural damage to normal dwelling houses
0.1	Level at which continuous vibrations may begin to annoy people, particularly those involved in vibration sensitive activities	Virtually no risk of architectural damage to normal buildings
0.08	Vibrations readily perceptible	Recommended upper limit of vibration to which ruins and ancient monuments should be subjected
0.006-0.019	Range of threshold of perception	Vibration unlikely to cause damage of any type

Notes: PPV= Peak Particle Velocity; in/sec = inches per second

Source: Caltrans 2013a

LOCAL

SACRAMENTO COUNTY GENERAL PLAN

The following 2030 General Plan policies related to noise are applicable to the Project.

TRAFFIC AND RAILROAD NOISE SOURCES

NO-1. The noise level standards for noise-sensitive areas of *new* uses affected by traffic or railroad noise sources in Sacramento County are shown by Table NOI-6. Where the noise level standards of NOI-6 are predicted to be exceeded at new uses proposed within Sacramento County which are affected by traffic or railroad noise, appropriate noise mitigation measures shall be included in the project design to reduce projected noise levels to a state of compliance with the NOI-6 standards.

Table NOI-6: Noise Standards for New Uses Affected by Traffic and Railroad Noise

New Land Use	Sensitive¹ Outdoor Area – L_{dn}	Sensitive Interior² Area – L_{dn}
All Residential ⁵	65	45
Transient lodging ^{3,5}	65	45
Hospitals and nursing homes ^{3,4,5}	65	45
Theaters and auditoriums ³	None	35
Churches, meeting halls, schools, libraries, etc. ³	65	40
Office buildings ³	65	45
Commercial buildings ³	None	50
Playgrounds, parks, etc.	70	None
Industry ³	65	50

Notes:

1. Sensitive areas are defined in the acoustical terminology section.
2. Interior noise level standards are applied within noise-sensitive areas of the various land uses, with windows and doors in the closed positions.
3. Where there are no sensitive exterior spaces proposed for these uses, only the interior noise level standard shall apply.
4. Hospitals are often noise-generating uses. The exterior noise level standards for hospitals are applicable only at clearly identified areas designated for outdoor relaxation either by hospital staff or patients.
5. If this use is affected by railroad noise, a maximum (L_{max}) noise level standard of 70 dB shall be applied to all sleeping rooms to reduce the potential for sleep disturbance during nighttime train passages.

NON-TRANSPORTATION NOISE SOURCES

NO-5. The interior and exterior noise level standards for noise-sensitive areas of new uses affected by existing non-transportation noise sources in Sacramento County are shown in Table NOI-7. Where the noise level standards of NOI-7 are predicted to be exceeded at a proposed noise-sensitive area due to existing non-transportation noise sources, appropriate noise mitigation measures shall be included in the project design to reduce projected noise levels to a state of compliance with the standards within sensitive areas.

Table NOI-7: Sacramento County Non-Transportation Noise Standards

New Land Use	Sensitive Outdoor Area ² [Median (L ₅₀) / Maximum (L _{max}) ¹]		Sensitive Interior Area ³ [Median (L ₅₀) / Maximum (L _{max})]
	Daytime	Nighttime	Day & Night
All Residential	55 / 75	50 / 70	35/55
Transient lodging ⁴	55 / 75	---	35/55
Hospitals and nursing homes ^{5,6}	55 / 75	---	35/55
Theaters and auditoriums ⁶	---	---	30/50
Churches, meeting halls, schools, libraries, etc. ⁶	55 / 75	---	35/60
Office buildings ⁶	60 / 75	---	45/65
Commercial buildings ⁶	---	---	45/65
Playgrounds, parks, etc ⁶	65 / 75	---	None
Industry ⁶	60 / 80	---	50/70

Notes:

1. The NOI-6 standards shall be reduced by 5 dB for sounds consisting primarily of speech or music, and for recurring impulsive sounds. If the existing ambient noise level exceeds the standards of NOI-6, then the noise level standards shall be increased at 5 dB increments to encompass the ambient.
2. Sensitive areas are defined acoustic terminology section
3. Interior noise level standards are applied within noise-sensitive areas of the various land uses, with windows and doors in the closed positions
4. Outdoor activity areas of transient lodging facilities are not commonly used during nighttime hours.
5. Hospitals are often noise-generating uses. The exterior noise level standards for hospitals are applicable only at clearly identified areas designated for outdoor relaxation by either hospital staff or patients.
6. The outdoor activity areas of these uses (if any), are not typically utilized during nighttime hours.
7. Where median (L₅₀) noise level data is not available for a particular noise source, average (L_{eq}) values may be substituted for the standards of this table provided the noise source in question operates for at least 30 minutes of an hour. If the source in question operates less than 30 minutes per hour, then the maximum noise level standards shown would apply.

TRANSPORTATION PROJECTS

NO-9. For capacity enhancing roadway or rail projects, or the construction of new roadways or railways, a noise analysis shall be prepared in accordance with the Table NOI-6 requirements. If projected post-project traffic noise levels at existing uses exceed the noise standards of Table NOI-6, then feasible methods of reducing noise to levels consistent with the Table NOI-6 standards shall be analyzed as part of the noise analysis. In the case of existing residential uses, sensitive outdoor areas shall be mitigated to 60 dB, when

possible, through the application of feasible methods to reduce noise. If 60 dB cannot be achieved after the application of all feasible methods of reducing noise, then noise levels up to 65 dB are allowed.

If pre-project traffic noise levels for existing uses already exceed the noise standards of Table NOI-6 and the increase is significant as defined below, feasible methods of reducing noise to levels consistent with the Table NOI-6 standards should be applied. In no case shall the long-term noise exposure for non-industrial uses be greater than 75 dB; long-term noise exposure above this level has the potential to result in hearing loss.

A significant increase is defined as follows:

Table NOI-8: Sacramento County Noise Significance Thresholds

Pre-Project Noise Environment (L_{dn})	Significant Increase
Less than 60 dB	5+ dB
60 – 65 dB	3+ dB
Greater than 65 dB	1.5+ dB

Source: 2030 General Plan, Noise Element

- NO-11. If noise-reducing pavement is to be utilized in conjunction with a roadway improvement project, or if such paving existing adjacent to a proposed new noise-sensitive land use, the acoustical benefits of such pavement shall be included in the noise analysis prepared for the project.

CONSTRUCTION NOISE

- NO-8. Noise associated with construction activities shall adhere to the County Code requirements. Specifically, Section 6.68.090(e) addresses construction noise within the County.

GENERAL NOISE POLICY

- NO-12. All noise analyses prepared to determine compliance with the noise level standards contained within the Noise Element shall be prepared in accordance with Table 3 of the Sacramento County Noise Element.

The requirements as listed are that an acoustical analysis shall:

1. Be the responsibility of the applicant.
2. Be prepared by qualified persons experienced in the fields of environmental noise assessment and architectural acoustics.
3. Include representative noise level measurements with sufficient sampling periods and locations to adequately describe local conditions.
4. Estimate projected future (20 years) noise levels in terms of the Standards of Tables 1 and 2 and compare those levels to the adopted policies of the Noise Element.

5. Recommend appropriate mitigation to achieve compliance with the adopted policies and standards of the Noise Element.
 6. Estimate interior and exterior noise exposure after the prescribed mitigation measures have been implemented.
- NO-13. Where noise mitigation measures are required to satisfy the noise level standards of the Noise Element, emphasis shall be placed on the use of setbacks and site design to the extent feasible, prior to consideration of the use of noise barriers.
- NO-14. Noise analyses prepared for multi-family residential projects, town homes, mixed-use, condominiums, or other residential projects where floor ceiling assemblies or party-walls shall be common to different owners/occupants, shall be consistent with the State of California Noise Insulation standards.
- NO-15. The County shall have the flexibility to consider the application of 5 dB less restrictive exterior noise standards than those prescribed in Tables NOI-6 and NOI-7 (*Tables 1 and 2 of the Sacramento County General Plan Noise Element*) in cases where it is impractical or infeasible to reduce exterior noise levels within infill projects to a state of compliance with the Table NOI-6 or NOI-7 standards (*Tables 1 and 2 of the Sacramento County General Plan Noise Element*). In such cases, the rationale for such consideration shall be clearly presented and disclosure statements and noise easements should be included as conditions of project approval. The interior noise level standards of Tables NOI-6 and NOI-7 (*Tables 1 and 2 of the Sacramento County General Plan Noise Element*) would still apply. The maximum allowable long-term noise exposure permissible for non-industrial uses is 75 dB.

EXEMPTIONS

- NO-16. The following sources of noise shall be exempt from the provisions of this Noise Element:
- a. Emergency warning devices and equipment operated in conjunction with emergency situations, such as sirens and generators which are activated during power outages. The routine testing of such warning devices and equipment shall also be exempt provided such testing occurs during daytime hours.
 - b. Activities associated with events for which a permit has been obtained from the County.

COMMUNITY PLANS

CORDOVA COMMUNITY PLAN

The Cordova Community Plan does not contain objectives related to noise that would apply to the Project.

VINEYARD COMMUNITY PLAN

The Vineyard Community Plan incorporates applicable General Plan policies that relate to noise conditions as a land use constraint; there are no additional policies that would apply to the Project.

SACRAMENTO COUNTY NOISE CONTROL ORDINANCE

The County's Noise Control Ordinance sets limits for exterior noise levels on some designated agricultural-residential and all residential properties. The Noise Ordinance does not apply to noise levels at agriculturally-zoned properties. The standards found in the County's Noise Control Ordinance are based on the duration of noise on private property over 1-hour periods. The ordinance is primarily concerned with regulating noise other than noise generated by transportation noise sources (e.g., passing cars or aircraft flyovers). The ordinance limits the duration of noise based on many factors, including the type of source, tonal characteristics of the source, ambient noise levels, and time of day, by utilizing a system of noise criteria not to be exceeded based on the duration of noise over any given hour. Construction noise is specifically exempted from the Noise Ordinance (Sacramento County Code Section 6.68). **Error! Reference source not found.** Table NOI-9 summarizes the Noise Ordinance standards. In recognition of ambient noise, the ordinance allows the standards set forth in Table NOI-9 to be adjusted in 5 dBA increments to encompass the ambient noise level. For example, if the ambient noise level for a given hour was 57 dBA, the daytime L_{50} noise standard would be increased to 60 dBA. The Noise Control Ordinance also states that each of the standards identified in NOI-9 should be reduced by 5 dBA for impulsive or simple tone noises, or for noises consisting of speech or music.

Table NOI-9: Sacramento County Noise Ordinance

Cumulative Duration of the Intrusive Sound	Descriptor	Exterior Noise Standard, dB	
		Daytime (7am – 10pm)	Nighttime (10pm – 7am)
30 – 60 minutes per hour	L_{50}	55	50
15 – 30 minutes per hour	L_{25}	60	55
5 – 15 minutes per hour	L_{08}	65	60
1 – 5 minutes per hour	L_{02}	70	65
Level not to be exceeded at any time	L_{max}	75	70

Source: Sacramento County, Noise Control Ordinance. Chapter 6.68.070

Section 6.68.070 of the Sacramento County Code contains exterior noise standards for residential zoning districts. The lots directly adjacent to the Plan Area include properties zoned for agricultural, industrial, and special planning area (SPA) uses. Agricultural – 160 acres (AG-160) and Light Industrial (M-1) to the west, Interim - Agricultural Reserve (IR) and Mather Field Special Planning Area (SPA).

Section 6.68.090 of the Sacramento County Code provides the following exemption to the exterior noise standards:

Noise sources associated with construction, repair, remodeling, demolition, paving or grading of any real property, provided said activities do not take place between the hours of eight p.m. and six a.m. on weekdays and Friday commencing at eight p.m. through and including seven a.m. on Saturday; Saturdays commencing at eight p.m. through and including seven a.m. on the next following Sunday and on each Sunday after the hour of eight p.m. Provided, however, when an unforeseen or unavoidable condition occurs during a construction project and the nature of the project necessitates that work in process be continued until a specific phase is completed, the contractor or owner shall be allowed to continue work after eight p.m. and to operate machinery and equipment necessary until completion of the specific work in progress can be brought to conclusion under conditions which will not jeopardize inspection acceptance or create undue financial hardships for the contractor or owner.

In addition to the day and nighttime thresholds set for the various land uses for non-transportation noise source, the County Code also includes specific regulation about the use of noise-generating mechanical equipment. Sacramento County Noise Ordinance Section 6.68.120 Machinery, Equipment, Fans, and Air Conditioning establishes the following:

- a. It is unlawful for any person to operate any mechanical equipment, pump, fan, air conditioning apparatus, stationary pumps, stationary cooling towers, stationary compressors, similar mechanical devices, or any combination thereof installed after July 1, 1976, in any manner so as to create any noise which would cause the maximum noise level to exceed:
 1. Sixty dBA at any point at least one foot inside the property line of the affected residential property and three to five feet above ground level;
 2. Fifty-five dBA in the center of a neighboring patio three to five feet above ground level;
 3. Fifty-five dBA outside of the neighboring living area window nearest the equipment location. Measurements shall be taken with the microphone not more than three feet from the window opening but at least three feet from any other surface.
- b. Equipment installed five years after July 1, 1976, must comply with a maximum limit of fifty-five dBA at any point at least one foot inside the property line of the affected residential property and three to five feet above ground level.
- c. Equipment installed before December 17, 1970, must comply with a limit of sixty-five dBA maximum in sound level at any point at least one foot inside the affected property line and three to five feet above ground level by January 1, 1977. Equipment installed between December 16, 1970, and July 1, 1976, must comply with a limit of sixty-five dBA maximum sound level at any point at least one foot inside the property line of the affected residential property and three to five feet above ground level. (SCC 254 § 1, 1976.)

CITY OF RANCHO CORDOVA GENERAL PLAN

The Plan Area is located near the City of Rancho Cordova, whose city boundary runs along Sunrise Boulevard. Traffic generated by the Project could result in traffic noise increases on roadways within the City of Rancho Cordova. The following goals and policies in the City of Rancho Cordova General Plan are included below as they relate to potential noise sources generated from Project implementation.

- **Policy N.2.2:** Ensure that operational noise levels of new roadway projects will not result in significant noise impacts.
- **Policy N.2.3:** Emphasize mitigation methods other than soundwall installation to reduce noise to acceptable levels in residential areas originally constructed without soundwalls.

Table NOI-10: Maximum Transportation Noise Exposure

Land Use	Outdoor Activity Areas ¹ Ldn/CNEL, dB	Interior Spaces	
		Ldn/CNEL, dB ²	Leq, dB ²
Residential	60 ³	45	--
Residential subject to noise from railroad tracks, aircraft overflights, or similar noise sources which produce clearly identifiable, discrete noise events (e.g., the passing of a single train)	60 ³	40 ⁵	--
Transient lodging	60 ⁴	45	--
Hospitals, nursing homes	60 ³	45	--
Theaters, auditoriums, music halls	--	--	35
Churches, meeting halls	60 ³	--	40
Office buildings	--	--	45
Schools, libraries, museums	--	--	45
Playgrounds, neighborhood parks	70	--	--

¹ Where the location of outdoor activity areas is unknown, the exterior noise level standard shall be applied to the property line of the receiving land use. Where it is not practical to mitigate exterior noise levels at patio or balconies of apartment complexes, a common area such as a pool or recreation area may be designated as the outdoor activity area.

² As determined for a typical worst-case hour during periods of use.

³ Where it is not possible to reduce noise in outdoor activity areas to 60 dB Ldn/CNEL or less using a practical application of the best-available noise reduction measures, an exterior noise level of up to 65 dB Ldn/CNEL may be allowed provided that available exterior noise level reduction measures have been implemented and interior noise levels are in compliance with this table.

⁴ In the case of hotel/motel facilities or other transient lodging, outdoor activity areas such as pool areas may not be included in the project design. In these cases, only the interior noise level criterion will apply.

⁵ The intent of this noise standard is to provide increased protection against sleep disturbance for residences located near railroad tracks.

Source: City of Rancho Cordova, Municipal Code Chapter 6.68.070

SACRAMENTO COUNTY DESIGN GUIDELINES

The Sacramento County Design Guidelines provide a set of cohesive design principles to implement the 2030 General Plan. The purpose of design guidelines is to create design recommendations and standards for review of projects that are easy to

understand and will result in well-designed and sustainable projects that raise the overall design quality of development occurring within the County.

The Project includes its own set of Design Guidelines (Appendix B of the Jackson Township Specific Plan), which incorporate the Countywide Design Guidelines while providing for further specificity for certain unique elements of the Plan Area, namely for the Town Center District and Greenbelts and Open Space. The remainder of the Plan Area is subject to the Countywide Design Guidelines, including the following design policies, which pertain specifically to addressing noise impacts for development projects.

2.2.2 LOT SIZE AND CONFIGURATIONS

Each project that proposes to divide land should result in lots that are consistent with and well suited to the land use designations and policies set forth in the General Plan and in any adopted community plans, including both maps and texts. Potential population densities of residential lots should not exceed the densities set forth in the General Plan or community plans, or unless otherwise specified in the Zoning Code

- Lots that back onto an arterial roadway or are adjacent to a land use with a higher intensity nonresidential zoning classification should incorporate landscaped buffer areas and deeper rear yards to mitigate potential noise, air quality, aesthetics, and land use compatibility impacts.

3.2.1 NEIGHBORHOOD COMPATIBILITY

Multifamily developments should be compatible with surrounding neighborhoods while providing a quality living environment. Good site planning and project design should minimize impacts on existing and planned adjacent uses. Project design should address traffic, relationship or access to transit, parking, circulation and safety issues, particularly for pedestrians, control of light and glare, noise, odors, dust, air quality, and security. Site layout and design should create a clear definition and relationship between the public and private realm. Neighborhood compatibility can be achieved through control of semi-public and semi-private spaces, landscape, lighting, access, and building details to improve the safety and security of residents.

- Set back parking adjacent to dwelling units to provide a buffer between the parking area and living areas and to reduce the potential impacts of noise and light on adjacent residences. Provide appropriate buffers through a combination of landscaping, walkways, private outdoor patios and/or low walls.

3.2.2 SETBACKS

Setbacks of multifamily residential structures should be compatible with the character and setback along the street and surrounding neighborhood. Multifamily developments constructed adjacent to single-family residences should reflect the larger setbacks of the neighborhood, whereas reduced setback may be appropriate in more urban areas.

3.3.1 BUILDING DESIGN

Building design elements shall respect, enhance, and contribute positively to the predominant characteristic of existing developments in the neighborhood. Variety and distinctiveness in design is desirable.

- Use double glazed windows, glass block, roof top sky lights, and opaque window glass to reduce noise and visual intrusion into adjoining units.

3.4.4 SERVICES AND UTILITIES

Multifamily developments should provide easily accessible service facilities to all dwelling units that should not be visible from the street to the greatest extent possible.

- Locate trash collection areas and facilities so as to minimize noise intrusion on on-site and adjacent offsite living areas.

4.2.6 DRIVE-THROUGH BUSINESSES AND AUTOMOBILE SERVICE STATIONS

This section provides guidance for the development and review of drive-through businesses, as well as automotive service stations, automobile repair centers, and automobile washes, which are frequently provided in combination with each other.

- Locate noise-generating uses, including drive through speakers and music, repair shop operations and machinery, car wash openings, vacuum stations, loading and refuse areas and stacking lanes away from sensitive uses (e.g., housing, schools, and day care centers). Where this cannot be avoided, buffer noise impacts with landscaping or landscaped berms and attenuating fencing in accordance with the landscape and screening requirements of the County Zoning Code.

4.2.8 TRANSITION TO RESIDENTIAL AREAS

New and renovated projects should be designed to enhance adjacent residential neighborhoods and promote active transportation from these neighborhoods rather than autos for short trips. Projects should be designed to reduce the visual, noise and use impacts on adjacent residential areas.

- Unnecessary tall concrete block sound walls should not separate commercial uses from residential uses. Where sound walls exist or are necessary, breaks in the sound walls shall be provided for access from adjacent neighborhoods and designed as “live-ends.”
- Placing loading and service areas adjacent to residential areas is discouraged. Site circulation and placement of loading areas should be incorporated into the project so that it is screened and held back from residential areas. Where screening walls are required, they shall be designed as a natural extension of the architectural and landscaping concepts for the project. Evergreen trees should be used for screening and to help with noise reduction.
- Automotive and service bays should orient away from residential development and public streets. Service bays should not dominate the public street frontage.

3.2.6 CIRCULATION

The visual prominence of vehicles should be minimized by siting parking areas to the rear or side of the property rather than along street fronts, and by providing underground or partially underground parking. Surface parking areas should be screened from views exterior to the site. Parking shall be designed to minimize potential pedestrian-vehicle conflicts. Parking areas should incorporate good designs that

include: trees, lighting, landscaped stormwater features, cool and pervious pavement and pavers. A larger number of smaller parking areas are preferred to a smaller number of large parking areas. Parking should be configured to reduce the distance between a resident's parking space and dwelling unit.

Set back parking adjacent to dwelling units to provide a buffer between the parking area and living areas and to reduce the potential impacts of noise and light on adjacent residences. Provide appropriate buffers through a combination of landscaping, walkways, private outdoor patios and/or low walls.

4.6 OPERATIONAL ELEMENTS

In many cases, the proposed use of a building or the operational characteristics of the use may influence site design. Public and private spaces often have different screening and safety needs, and the intended hours or anticipated noise levels may influence the entryways, lighting, access, and orientation of the building, particularly when located close to a residential neighborhood. The following guidelines should be considered in the site design for all new or substantially renovated commercial, mixed-use, and employment projects, and also incorporated into future business practices.

- Business hours should generally be confined to between 6:00 a.m. and 11:00 p.m., and may be further reduced depending on proximity to nearby residential uses.
- Noise generating activities, such as loading and unloading, should be confined to normal business hours and should be minimized during the early and late hours, especially when located near residential uses. Compliance with the County Noise Ordinance is required.

6.3.6 SERVICE AREAS

Service and loading dock areas in village centers should be placed in locations that are not visually prominent and be screened from view.

IMPACTS AND ANALYSIS

SIGNIFICANCE CRITERIA

Based on the CEQA Guidelines, a noise impact would be significant if implementation of the Project would result in:

1. Exposure of persons to or generation of noise levels in excess of standards established in the 2030 General Plan, Zoning Code and Noise Ordinance regarding exterior noise levels, specifically Sacramento County's non-transportation noise standards established in Table NOI-7 and transportation noise standards established in Table NOI-8;
2. Exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels. For this analysis, the significance thresholds presented in Table NOI-5 were used to analyze potential vibrational impacts on people and buildings within the project area;

3. Expose people to a substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project; or result in a substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project. For this analysis, the 2030 General Plan standards for exterior noise levels from non-transportation noise sources shown in Table NOI-8 are used as significance thresholds.

ISSUES NOT DISCUSSED FURTHER

The Project would not result in the development of any major sources of ground vibration such as commercial railways or passenger rail transit lines. Long-term operational activities associated with Project implementation are not anticipated to result in permanent or substantial levels of ground vibration and are not discussed further.

Potential exposure to excessive noise levels associated with airport operations are discussed in the Chapter 7, "Airport Compatibility," and are not discussed further in this chapter.

METHODOLOGY

CONSTRUCTION-RELATED NOISE AND VIBRATION

Predicted noise levels at nearby noise-sensitive land uses were modeled using typical reference noise levels and load factors associated with construction equipment, derived from the FHWA's Roadway Construction Noise Model (Version 1.1) (FHWA 2006). Analysis of the Project buildout was based on the Jackson Township Specific Plan proposed land uses included in Table PD-2 in Chapter 2, "Project Description." To remain conservative, construction noise was modeled for construction phases that typically use the loudest equipment (e.g., demolition, site preparation). The construction noise modeling also assumes that, because construction of the Project would take place over many years, noise sensitive land uses to be built from the initial development of the Project could be occupied and construction of subsequent stages could occur close to these new noise sensitive land uses. Using a worst-case scenario, modeling assumes construction could occur 25 feet away from new noise sensitive land uses. Equipment in this modeling scenario included an excavator, dozer, dump truck, front end loader and grader operating simultaneously.

Construction activities in the Plan Area have the potential to expose nearby buildings to levels of ground vibration that could result in structural damage and/or negative human response. These types of activities were assessed based on the types of construction equipment that would be used, the levels of ground vibration typically generated by these types of equipment, and the proximity of construction activity to existing nearby buildings. Referenced ground vibration levels for typical construction equipment are provided by FHWA's Roadway Construction Noise Model (FHWA 2006). Construction vibration levels and contour distances were calculated based on typical construction equipment vibration levels and assuming a conservative rate of 1.1 for ground attenuation. Groundborne vibration impacts were evaluated based on the typically applied criteria of 0.2 in/sec ppv for structural damage and human annoyance (Table NOI-3).

TRAFFIC NOISE INCREASES AT EXISTING RECEPTORS

Traffic noise levels were modeled as part of the noise study conducted for this EIR (J.C. Brennan & Associates 2019, Appendix NOI-1). Traffic noise modeling was conducted using the FHWA Traffic Noise Prediction Model (FHWA RD-77-108). Additional input data included day/night percentages of autos, medium and heavy trucks, vehicle speeds, ground attenuation factors, and roadway widths. For this analysis, the mix of vehicles on the roadway was adjusted based on information from the traffic analysis conducted for this Project. To assess this impact, traffic noise levels under existing, existing-plus-Project, and existing-plus-Alternative 2 conditions for affected roadway segments were modeled. The existing-plus-Alternative 2 scenario was also included in the modeling because the Alternative 2 scenario includes a significant decrease in the amount of land uses to be developed compared to the Project. The modeling conducted does not account for any natural or human-made shielding (e.g., the presence of vegetation, berms, walls, or buildings) and, consequently, represents worst-case noise levels. For roadway segments that would be constructed or widened as a result of buildout of the Project, future roadway widths were assumed to be the same as other existing roadways with similar characteristics (i.e., number of lanes). For cases in which traffic noise level increases are shown to exceed applicable standards under existing plus Project conditions, a visual analysis using Google Earth was conducted to identify if sound barriers currently exist in these locations. The compatibility of proposed land uses was evaluated based on projected future transportation noise levels with Project implementation. Predicted noise levels were compared with the County's corresponding noise criteria for determination of land use compatibility. For complete details on model inputs, outputs, and assumptions see Appendix NOI-1.

IMPACT: CONSTRUCTION NOISE THAT EXCEEDS COUNTY STANDARDS

PROPOSED PROJECT

Construction activity associated with the development of land uses included in the Project, as well as related infrastructure would result in construction noise, although construction noise would be temporary in nature depending on the characteristics of the construction activity, the land uses being developed, and duration of construction activities occurring in any one location. Noise associated with the construction of buildings, facilities, and infrastructure would be associated with the operation of off-road construction equipment including excavation equipment, material handlers, and portable generators. Noise levels associated with construction activity is of increased concern during nighttime hours (i.e., 8:00 p.m. to 6:00 a.m.) when community activities (e.g., vehicle traffic) typically decrease. Construction noise levels occurring during noise sensitive hours is more pronounced and could cause increased annoyance, as well as potential sleep loss for noise-sensitive land uses (e.g., residential) near the construction activity. Table NOI-11 provides a list of the typical noise levels associated with the various individual pieces of off-road construction equipment.

Table NOI-11: Typical Construction Equipment Noise Levels

Off-Road Construction Equipment	Typical Noise Level (dBA) at 50 Feet from Source	
	L _{max}	L _{eq}
Backhoe/Front End Loader	80	76
Dozer/Grader/Excavator/Scraper	85	81
Paver	85	82
Pile Driver (Impact Type)	101	94
Truck (Dump/Flat Bed)	84	80

Sources: FHWA 2006

As shown in Chapter 2, "Project Description," Project implementation would involve the development of various land uses in the Plan Area. Project development would also result in the development of new roadways and infrastructure, which would occur simultaneously with the phased development of these land uses. Development of these land uses, and associated infrastructure would be anticipated to occur over the buildout period, ending in ~~2035~~2040. Due to the long-term phased nature of development that would occur, construction noise would generally occur at different sites within the Plan Area, not affecting any one location for extended periods of time.

Construction noise modeling assumed five pieces of equipment could be operating simultaneously at any one location in the Plan Area. Noise modeling also included a construction scenario for the potential use of an impact pile driver in addition to five other pieces of equipment. Construction noise modeling was compared to Table NOI-7 which are the Exterior Noise Standards included in the 2030 General Plan Noise Element as well as rules in Section 6.68.070 of the Sacramento County Code pertaining to noise.

Construction noise modeling results show that typical construction noise levels could be as high as approximately 93 L_{eq} dB and 97 L_{max} dB at 25 feet. Construction activity which included an impact pile driver could reach approximately 97 L_{eq} dB and 98 L_{max} at 25 feet. The 2030 General Plan's standards for Non-Transportation Noise includes thresholds for various noise-sensitive land uses. The lowest of these thresholds would be applicable to land uses included in the Project (i.e., residential, schools). As shown in Table NOI-7, the thresholds for these land uses are a median level (L₅₀) of 55 dB and a maximum level (L_{max}) of 75 dB during daytime hours (7:00 a.m. to 10:00 p.m.) and a median level (L₅₀) of 50 dB and a maximum level (L_{max}) of 70 dB during nighttime hours (10:00 p.m. and 7:00 a.m.).

Modeled construction noise levels would exceed the Sacramento County exterior noise thresholds for both the daytime and nighttime standards. As discussed in the Regulatory Settings, Section 6.68.090 of the Sacramento County Code provides exemptions to the County's exterior noise standards for construction activity. According to Section 6.68.090, noise sources associated with construction activity are exempt from the exterior noise standard so long as these activities do not occur between the hours of 8:00 p.m. and 6:00 a.m. on weekdays and Friday commencing at 8:00 p.m. through and including 7:00 a.m. on Saturday; Saturdays commencing at 8:00 p.m. through and

including 7:00 a.m. on the next following Sunday and on each Sunday after the hour of 8:00 p.m. Additionally, the exemption states that when unforeseen or unavoidable conditions occur, construction activity may continue past 8:00 p.m. until the specific project work can be completed.

As discussed, construction activity associated with Project implementation would potentially exceed the County's exterior noise standard. Construction activity during each phase of the Project would be temporary, intermittent, and vary in size and characteristics depending on the type of land uses being developed. However, noise-sensitive land uses developed in the Plan Area or existing sensitive receptors in the Plan Area may be adversely affected by construction activity from the subsequent phases of Project development. In Sacramento County, construction activity that results in noise levels in exceedance of applicable standards is exempt if conducted within the permissible hours discussed above. However, if nighttime construction were required, construction activity including an impact pile driver could reach 50.1 L_{eq} dB and 52.4 L_{max} dB at a distance of 5,300 feet, which would exceed the 50 L_{eq} exterior noise standard detailed in the County Noise Control Ordinance (listed in Table NOI-9).

Additionally, it is assumed that the average exterior-to-interior noise level reduction of 25 dBA typically provided by residential buildings with the windows closed (Caltrans 2002). If construction with a pile driver were to occur within 1,685 feet of buildings which included sensitive receptors, noise levels would reach 60.1 L_{eq} and 62.3 L_{max} , which would exceed the County's interior noise standards of 35 L_{eq}/L_{50} and 55 L_{max} , accounting for the 25 dBA noise level reduction provided by the by the building. As a result, nighttime construction activity associated with Project implementation could result in impacts to sensitive receptors. This would be a **potentially significant** impact.

If Project construction activity were to occur during nighttime hours, implementation of Mitigation Measure NOI-1 would ensure compliance with all applicable noise reduction strategies for noise-generating construction activity. These strategies would ensure, to the extent possible, that nighttime construction activities comply with the County's noise standards. If applicable hourly and continuous noise-level standards are exceeded, nighttime construction would not be permitted to resume until noise control measures to reduce operational noise levels to below acceptable levels are implemented. If necessary, these noise control measures would provide substantial reductions in levels of construction noise exposure at noise-sensitive receptors by: ensuring proper equipment use; locating noise-generating equipment away from sensitive land uses; and requiring the use of enclosures, shields, and noise curtains. It is estimated that the noise level reductions achieved by this set of measures (i.e., up to 10 dB), specifically the restriction on the use of pile drivers during nighttime hours and use of temporary noise curtains, would result in construction noise levels as high as approximately 83 L_{eq} dB and 87 L_{max} dB at 25 feet. Construction activity resulting in these noise levels even with mitigation would still exceed the County's construction exterior noise standard of 50 L_{eq} dB and 70 L_{max} dB during nighttime hours (10:00 p.m. and 7:00 a.m.). In addition, considering exterior noise standards are set such that when met, interior noise standards would also be met, interior noise standards would also be exceeded. Therefore, with the implementation of Mitigation Measure NOI-1, this impact would be **significant and unavoidable**.

ALTERNATIVE 2

Alternative 2 would increase the wetland preserve on the eastern boundary of the Plan Area, but would include a similar mix and configuration of land uses compared to Project. Introduction of new noise sensitive land uses under these alternatives could still result in noise sensitive land uses (e.g., residential, schools) being developed and occupied before the development of adjacent land uses. Similar to this impact under the Project, sensitive receptors could be exposed to construction noise levels above the Sacramento County noise standards if development of land uses adjacent to the sensitive receptors were to occur during nighttime hours. As a result, construction noise impacts would be **potentially significant**. Similar to the Project scenario, Mitigation Measure NOI-1 would be implemented. However, even with the implementation of Mitigation Measure NOI-1 construction activity could still exceed the County's construction exterior noise standard of 50 L_{eq} dB and 70 L_{max} dB during nighttime hours (10:00 p.m. and 7:00 a.m.). In addition, considering exterior noise standards are set such that when met, interior noise standards would also be met, interior noise standards would also be exceeded. Therefore, with the implementation of Mitigation Measure NOI-1, this impact would be **significant and unavoidable**.

MITIGATION MEASURES

NOI-1: Reduce sensitive receptor exposure to construction noise during noise-sensitive time periods.

Consistent with County Noise Control Ordinance Section 6.68.090 Exemptions, when an unforeseen or unavoidable condition occurs during a construction project and the nature of the project necessitates that work in process be continued until a specific phase is completed, the contractor or owner shall be allowed to continue work after 8:00 p.m. and to operate machinery and equipment necessary until completion of the specific work in progress can be brought to conclusion under conditions which will not jeopardize inspection acceptance or create undue financial hardships for the contractor or owner.

For all outdoor construction/decommissioning activity that is to take place outside of the Sacramento County construction noise exception timeframes (i.e., between 6:00 a.m. and 8:00 p.m., Monday through Friday, and between 7:00 a.m. and 8:00 p.m. on Saturdays and Sunday), the contractor shall ensure that a noise monitoring plan is prepared by a qualified acoustical engineer and approved by the Project Applicant or specific plan developer and Sacramento County. The noise monitoring plan shall, at a minimum, include the following components:

- detailed description of the proposed nighttime construction/decommissioning activities,
- list of equipment used during all nighttime construction/decommissioning activities,
- projected noise levels generated during the nighttime construction/decommissioning activities at surrounding noise-sensitive land uses,

- location of sensitive receptors in relation to the proposed nighttime construction/decommissioning activities, and
- detailed description of the location and times that noise monitors would be deployed.

Subsequently, during any nighttime construction, noise shall be monitored and documented for the nearest sensitive land use to ensure that the County's exterior noise standards for non-transportation noise sources are not exceeded. In the event that monitored noise levels exceed applicable noise standards, onsite construction activities shall cease operations immediately. Before resuming nighttime construction activities, noise-control measures shall be implemented to reduce operational noise levels to below acceptable levels.

Noise control measures could include the following:

- All equipment shall be properly maintained and equipped with noise-reduction intake and exhaust mufflers and engine shrouds, in accordance with manufacturers' recommendations. Equipment engine shrouds shall be closed during equipment operation.
- Where available and feasible, equipment with back-up alarms shall be equipped with either audible self-adjusting backup alarms or alarms that only sound when an object is detected. Self-adjusting backup alarms shall automatically adjust to 5 dBA over the surrounding background levels. All non-self-adjusting backup alarms shall be set to the lowest setting required to be audible above the surrounding noise levels.
- To the extent that noise-generating outdoor construction activity needs to occur at night as part of a continuous construction activity, the activity shall be planned such that the portion that needs to take place closest to residential receptors takes place during less noise-sensitive daytime hours.
- Noise-reducing enclosures and techniques shall be used around stationary noise-generating equipment (e.g., concrete mixers, generators, compressors).
- Heavy-duty equipment shall be operated at the lowest operating power possible.
- No pile driving activity shall occur in the between 8:00 p.m. and 6:00 a.m. on Monday through Friday, and between 8:00 p.m. and 7:00 a.m. on Saturday and Sunday.
- Temporary noise curtains shall be installed as close as possible to the noise-generating activity such that the curtains obstruct the direct line of sight between the noise-generating construction/decommissioning activity and the nearby sensitive receptors. Temporary noise curtains shall consist of durable, flexible composite material featuring a noise barrier layer bounded to sound-absorptive material on one side. The noise barrier layer shall consist of rugged, impervious, material with a surface weight of at least

one pound per square foot and be designed to result in a 10-dBA reduction at the sensitive receptor location.

IMPACT: GENERATE CONSTRUCTION VIBRATION

PROPOSED PROJECT

The use of off-road heavy-duty construction equipment, as well as other construction equipment (e.g., impact pile driver), could result in temporary ground vibration, depending on the type of equipment used and the type of construction activities occurring. However, the intensity of vibration generated by construction activity diminishes with increases in distance. The specific types of equipment and construction activities that would be used during construction of the Project are not known at this time but are assumed to be typical of construction activity associated with land uses included in the Project. Table NOI-12 provides a list of vibration levels typically associated with various pieces of construction equipment.

Table NOI-12: Typical Construction Equipment Vibration Levels

Equipment	PPV at 25 feet (in/sec) ¹	Approximate L _v (VdB) at 25 feet ²
Pile Driver (impact) upper range	1.518	112
<i>typical</i>	<i>0.644</i>	<i>104</i>
Pile Driver (sonic) upper range	0.734	105
<i>typical</i>	<i>0.170</i>	<i>93</i>
Blasting	1.13	109
Large Dozer	0.089	87
Caisson Drilling	0.089	87
Loaded Trucks	0.076	86
Rock Breaker	0.059	83
Jackhammer	0.035	79
Small Dozer	0.003	58

PPV = peak particle velocity; LV = the root mean square velocity expressed in CNEL (VdB), assuming a crest factor of 4

1. Does not include the simultaneous operation of multiple pieces of equipment.
2. Based on a vibration threshold of 0.2 in/sec ppv, which is typically considered sufficient to protect against structural damage (excluding fragile and historic structures). This same threshold also represents the level at which vibrations would be potentially annoying to people in buildings (Caltrans 2002b, 2004). Does not include vibration-sensitive exterior activities.
3. Based on conservative ground attenuation rates. Actual levels/contour distances may vary depending on equipment selected and site conditions.
4. Includes hoe rams, bulldozers, tractors, front-end loaders, caisson drills, loaded trucks, and jackhammers.

Source: FTA 2006 p.12-6,12-8

At the lowest levels, vibration from construction activity could result in a detectable low rumbling sound and, at its loudest levels, can result in annoyance and sleep disturbance. Typically, during construction activity, the highest vibration levels are generated from the use of pile drivers. According to FTA, vibration levels associated with pile driving are 1.518 in/sec PPV at 25 feet, which would exceed the established threshold of 0.2 in/sec PPV for structural damage within 100 feet of pile-driving activities (FTA 2006: 7-3).

Vibration levels could also cause annoyance for receptors located at noise-sensitive land uses where sleep typically occurs, such as residences, hotels, and hospitals. The annoyance potential also depends on the frequency of the vibration events, with events occurring more than 70 times per day considered to be “frequent events.” Frequent vibration events in excess of 72 VdB are considered to result in a significant vibration impact causing annoyance or disturbance. According to FTA, vibration levels associated with pile driving are 112 VdB at 25 feet. According to FTA’s recommended methodology for assessing propagation adjustments for vibrations, “frequent events” using a pile driver within 550 feet of a sensitive receptor could result in a significant vibration impact.

Project implementation would result in the development of land uses during various time periods over the lifetime of the Project development. The phased development of the Project could potentially result in construction activity involving pile drivers near new sensitive receptors that would be developed as part of the Project. It is unknown at this time where specific pile-driving activities would be required and to what extent they would occur. Therefore, it is possible that construction activities using a pile driver and other vibration-inducing construction activity could occur within 550 feet or within 100 feet of sensitive land uses with new or existing sensitive receptors. If vibration-inducing construction activity were to occur at these distances, it could result in disturbance to sensitive receptors if occurring within 550 feet or possible structural damage if occurring in 100 feet. This would be a **potentially significant** impact.

Implementation of Mitigation Measure NOI-2 would serve to reduce potential impacts from the use of pile drivers during construction activities by requiring minimum setbacks to sensitive land uses, impact monitoring during pile driving activity, use of alternative equipment when appropriate, and restrictions on hours of use to avoid annoyance to sensitive receptors. Through these measures, potential impacts on sensitive land uses from the use of pile drivers would be avoided and this impact would be **less than significant with mitigation**.

ALTERNATIVE 2

Alternative 2 would include a similar mix and configuration of land uses compared to Project. Similar to this impact under the Project, vibration-inducing construction activity could occur within 550 feet or within 100 feet of sensitive land uses with new sensitive receptors, resulting in disturbance or possible structural damage. As a result, construction-related vibrational impacts would be **potentially significant**. Mitigation Measure NOI-2 would reduce potential impacts by requiring minimum setbacks to sensitive land uses, impact monitoring during pile driving activity, use of alternative equipment when appropriate, and restrictions on hours of use to avoid annoyance to sensitive receptors. Through these measures, potential impacts on sensitive land uses

from the use of pile drivers would be avoided and this impact would be **less than significant with mitigation**.

MITIGATION MEASURES

NO-2: Develop and implement a vibration control plan.

This mitigation measure would apply to construction activity involving pile-driving activities located within 100 feet of any building, to reduce the potential for structural damage, and within 550 feet of an occupied residence/building, to minimize disturbance from pile-driving activities.

A vibration control plan shall be developed by the Project Applicant and his/her construction contractors to be submitted to and approved by Sacramento County before issuance of any Improvement Plans or Grading Permits for the Project. The plan shall consider all potential vibration-inducing activities that would occur within the distance parameters described above and include various measures, setback distances, precautions, monitoring programs, and alternative methods to traditional pile-driving activities with the potential to result in structural damage or excessive noise. The following vibration control measures (or other equally effective measures approved by the County) shall be included in the plan:

- To prevent structural damage, minimum setback requirements for different types of ground vibration-producing activities (e.g., pile driving) for the purpose of preventing damage to nearby structures shall be established based on the proposed pile-driving activities and locations, once determined. Factors to be considered include the specific nature of the vibration producing activity (e.g., type and duration of pile driving), local soil conditions, and the fragility/resiliency of the nearby structures. Established setback requirements (i.e., 100 feet) can be breached if a project-specific, site specific analysis is conducted by a qualified geotechnical engineer or ground vibration specialist that indicates that no structural damage would occur at nearby buildings or structures.
- To prevent disturbance to sensitive land uses, minimum setback requirements for different types of ground vibration producing activities (e.g., pile driving) shall be established based on the proposed pile-driving activities and locations, once determined. Established setback requirements (i.e., 550 feet) can be breached only if a project-specific, site-specific, technically adequate ground vibration study indicates that the buildings would not be exposed to ground vibration levels in excess of 72 VdB, and ground vibration measurements performed during the construction activity confirm that the buildings are not being exposed to levels in excess of 72 VdB.
- All vibration-inducing activity within the distance parameters described above shall be monitored and documented for ground vibration noise and vibration noise levels at the nearest sensitive land use and associated recorded data submitted to Sacramento County so as not to exceed the recommended FTA and Caltrans levels.

- Alternatives to traditional pile driving (e.g., sonic pile driving, jetting, cast-in-place or auger cast piles, non-displacement piles, pile cushioning, torque or hydraulic piles) shall be considered and implemented where feasible to reduce vibration levels.
- Limit pile-driving activities to the daytime hours between 6:00 a.m. and 8:00 p.m. Monday through Friday and between 8:00 a.m. and 8:00 p.m. Saturday and Sunday.
- Predrill pile holes to the maximum feasible depth to reduce the number of blows required to seat a pile.
- Operate all vibration inducing impact equipment as far away from vibration-sensitive sites as reasonably possible from nearby structures.
- Phase pile-driving and high-impact activities so as not to occur simultaneously with other construction activities, to the extent feasible. The total vibration level produced could be significantly less when each vibration source is operated at separate times.

IMPACT: OPERATIONAL TRAFFIC NOISE

PROPOSED PROJECT

Project implementation would result in the generation of new vehicle trips from the development of new land uses in the Plan Area. These new vehicle trips would result in traffic volume increases and subsequent increases in traffic-related noise levels on roadway segments surrounding the Plan Area. Based on the noise study conducted for this EIR, traffic volume increases from the Project along affected roadways would result in increases in traffic noise levels which have the potential to cause disturbance to new or existing sensitive receptors. Table NOI-13 includes traffic volume noise levels for roadways included in the noise study for both existing conditions and existing plus project conditions. The existing condition roadway noise levels are presented as a range of the lowest and highest noise levels along each roadway segment. For more detailed information regarding the noise level along each individual roadway segment see Appendix NOI-1. The individual roadway segments shown to exceed the Sacramento County or the City of Rancho Cordova transportation noise standards are discussed individually following Table NOI-13.

Table NOI-13: Predicted Existing Plus Project Traffic Noise Levels

Roadway	Segment		Noise Level Range (L_{dn} dB) at 100 feet from Roadway Centerline	
			Existing Conditions	Existing plus Project Conditions
Bradshaw Road	Folsom Boulevard	Calvine Road	68-70	68-71
Calvine Road	Waterman Road	Excelsior Road	62-67	63-68
Chrysanthy Boulevard	Sunrise Boulevard	Rancho Cordova Pkwy	60	60
Douglas Road	Mather Boulevard	Grant Line Road	60-62	60-63
Eagles Nest Road	Kiefer Boulevard	Grant Line Road	50-55	59-60
Elder Creek Road	65th St	Excelsior Road	58-66	64-66
Elk Grove-Florin Road	Florin Road	Gerber Road	68	68
Excelsior Road	Kiefer Blvd	Sheldon Road	59-61	61-66
Florin Road	Stockton Blvd	Sunrise Blvd	62-70	64-70
Folsom Blvd	Howe Ave	Jackson Road	69	69
Fruitridge Road	65th Street	Power Inn Road	55-66	64-67
Grant Line Road	White Rock Road	Bond Road	64-70	65-70
Happy Lane	Old Placerville Road	Routier Extension	57	59
Hedge Avenue	Jackson Road	Rock Creek Parkway	57-58	57-58
Howe Avenue	US 50	Folsom Boulevard	71	71
International Dr	Mather Field Road	Sunrise Boulevard	63-66	63-66
Jackson Road	Folsom Boulevard	Grant Line Road	65-69	66-72
Kiefer Boulevard	Florin Perkins Road	Rancho Cordova Parkway	55-66	57-67
Mather Blvd / Norden Avenue	Von Karman Street	Bleckely Street	59	60
Mather Boulevard	Bleckely Street	Femoyer Street	59	60
Mather Blvd-Excelsior Road	Douglas Road	Kiefer Boulevard	60	61
Mather Field Road	US 50	Peter A McCuen Boulevard	66-71	66-71
Mayhew Road	Folsom Boulevard	Fruitridge Road	56-62	55-63
Old Placerville Road	Bradshaw Road	Rockingham Drive	62-63	62-63
Power Inn Road	Folsom Boulevard	14th Avenue	69	69

Roadway	Segment		Noise Level Range (L_{dn} dB) at 100 feet from Roadway Centerline	
			Existing Conditions	Existing plus Project Conditions
Rockingham Drive	Old Placerville Road	Mather Field Road	66	67
South Watt Ave	Folsom Blvd	Florin Road	68-71	68-71
Sunrise Boulevard	US 50	Grant Line Road	65-71	65-71
White Rock Road	International Drive	Prairie City Road	58-66	58-66
Zinfandel Drive	US 50	Kiefer Boulevard	58-69	62-69

Notes: dB = decibels; L_{dn} = day-night average noise level; Numbers are approximate due to rounding

Refer to Appendix NOI-1 for detailed modeling input data and output results.

Measurements in bold are roadway segments which exceed the county's 65 dB standard under existing conditions

Source: J.C. Brennan & Associates, Inc., 2019

As shown in Table NOI-13, the majority of roadway segments surrounding the Plan Area would experience a traffic noise level increase as a result of Project implementation. However, one roadway segment with sensitive receptors (Excelsior Road between Jackson Road and Elder Creek Road) would experience traffic noise increases which would exceed Sacramento County's transportation noise standard of 65 dB L_{dn} (see Appendix TR-1 for full traffic noise analysis tables). Zinfandel Drive between White Rock Road and International Drive would also experience a noise level increase from 65 to 66 dB L_{dn} . However, there are no sensitive receptors or noise sensitive land uses along this segment of Zinfandel Drive. All other affected roadway segments either experience traffic-related noise levels above 65 dB L_{dn} under existing conditions or would not experience a noise level increase above 65 dB L_{dn} under existing plus Project conditions. In regard to the City of Rancho Cordova transportation noise standard, several of the affected roadway segments exceed the City's standard of 60 dB L_{dn} under existing conditions. Under existing plus Project conditions no roadway segments in Rancho Cordova would experience an increase in traffic noise levels above 60 dB L_{dn} that were below this level under existing conditions.

Traffic noise levels along the section of Excelsior Road where traffic noise increases would exceed Sacramento County's transportation noise standard would increase from 61 dB L_{dn} under existing conditions to 66 dB L_{dn} under existing plus Project conditions. However, the land on either side of this segment of Excelsior Road, which is south of the southwestern corner of the Plan Area, is currently zoned as Agricultural with a Surface Mining Overlay area for several parcels on the west side of this segment of Excelsior Road. There are several sensitive receptors (single-family residential units) along this portion of Excelsior Road that would experience an increase in traffic noise levels above 65 dB L_{dn} as a result of Project implementation. Project implementation would result in traffic-related noise increase that would exceed the County's transportation noise standard of 65 dB L_{dn} . Therefore, this impact would be **significant**.

Mitigation Measures NOI-3 could reduce traffic noise levels along affected roadways. However, it is not known whether the mitigation measure would fully reduce traffic noise levels along affected roadways to below Sacramento County's transportation noise standard of 65 dB L_{dn} because there is no guarantee that residents would accept the offer of a sound barrier. Mitigation Measures NOI-4 would reduce the traffic noise levels between 4 to 6 dB along this segment of Excelsior Road, resulting in a noise level of 60 to 62 dB L_{dn} and below Sacramento County's transportation noise standard of 65 dB L_{dn} . However, implementation of Mitigation Measures NOI-4 would occur during the next repaving of this roadway segment or during any roadway widening project that would occur on this roadway segment. As a result, the traffic noise impact occurring on this roadway segment (Excelsior Road between Jackson Road and Elder Creek Road) may occur before Mitigation Measures NOI-4 is implemented, resulting in an impact to sensitive receptors along this roadway segment. Therefore, this impact would be **significant and unavoidable**.

ALTERNATIVE 2

Alternative 2 would increase the wetland preserve on the eastern boundary of the Plan Area. Alternative 2 would result in a 45.5-acre increase in area designated wetland preserve compared to the Project and decrease the overall area that would be developed in the Plan Area. As a result, associated traffic volume increases would be less than those compared to the Project. Table NOI-14 includes roadway segments that would experience traffic-related noise increases as a result of implementation of Alternative 2.

Table NOI-14: Predicted Existing Plus Alternative 2 Traffic Noise Levels

Roadway	Segment		Noise Level Range (L_{dn} dB) at 100 feet from Roadway Centerline	
			Existing Conditions	Existing plus Project Conditions
Bradshaw Road	Folsom Boulevard	Calvine Road	68-71	71
Calvine Road	Waterman Road	Excelsior Road	62-67	68
Chrysanthy Boulevard	Sunrise Boulevard	Rancho Cordova Pkwy	60	60
Douglas Road	Mather Boulevard	Grant Line Road	60-63	63
Eagles Nest Road	Kiefer Boulevard	Grant Line Road	50-55	59
Elder Creek Road	65th St	Excelsior Road	58-66	66
Elk Grove-Florin Road	Florin Road	Gerber Road	68	68
Excelsior Road	Kiefer Blvd	Sheldon Road	59-61	65
Florin Road	Stockton Blvd	Sunrise Blvd	62-70	70
Folsom Blvd	Howe Ave	Jackson Road	69	70
Fruitridge Road	65th Street	Power Inn Road	55-66	67

Roadway	Segment		Noise Level Range (L_{dn} dB) at 100 feet from Roadway Centerline	
			Existing Conditions	Existing plus Project Conditions
Grant Line Road	White Rock Road	Bond Road	64-70	70
Happy Lane	Old Placerville Road	Routier Extension	57	59
Hedge Avenue	Jackson Road	Rock Creek Parkway	57-58	58
Howe Avenue	US 50	Folsom Boulevard	71	71
International Dr	Mather Field Road	Sunrise Boulevard	63-66	66
Jackson Road	Folsom Boulevard	Grant Line Road	65-69	72
Kiefer Boulevard	Florin Perkins Road	Rancho Cordova Parkway	55-66	66
Mather Blvd / Norden Avenue	Von Karman Street	Bleckely Street	59	60
Mather Boulevard	Bleckely Street	Femoyer Street	59	60
Mather Blvd-Excelsior Road	Douglas Road	Kiefer Boulevard	60	61
Mather Field Road	US 50	Peter A McCuen Boulevard	66-71	71
Mayhew Road	Folsom Boulevard	Fruitridge Road	56-62	63
Old Placerville Road	Bradshaw Road	Rockingham Drive	62-63	63
Power Inn Road	Folsom Boulevard	14th Avenue	69	69
Rockingham Drive	Old Placerville Road	Mather Field Road	66	67
South Watt Ave	Folsom Blvd	Florin Road	67-71	71
Sunrise Boulevard	US 50	Grant Line Road	65-71	71
Vineyard Road	Gerber Road	Calvine Road	59	60
Watt Avenue	US 50	Folsom Boulevard	74	74
White Rock Road	International Drive	Prairie City Road	58-66	67
Zinfandel Drive	US 50	Kiefer Boulevard	58-69	69

Notes: dB = decibels; L_{dn} = day-night average noise level; Numbers are approximate due to rounding

Refer to Appendix NOI-1 for detailed modeling input data and output results.

Measurements in bold are roadway segments which exceed the county's 65 dB standard under existing conditions

Source: J.C. Brennan & Associates, Inc., 2019

Traffic volumes and subsequent traffic-related noise increases associated with implementation of Alternative 2 would be lower on some roadways when compared to the Project. As an example, under existing plus Project conditions (see Table NOI-13), traffic noise levels along Excelsior Road between Jackson Road and Elder Creek Road would

increase from 61 dB L_{dn} under existing conditions to 66 dB L_{dn} and traffic noise increases would exceed Sacramento County's transportation noise standard of 65 dB L_{dn} (see Table NOI-6). However, under existing plus Alternative 2 conditions (see Appendix TR-1 for full traffic noise analysis tables), Excelsior Road between Jackson Road and Elder Creek Road would only increase from 61 dB L_{dn} to 65 dB L_{dn}, compared to 66 dB L_{dn} for the Project and, therefore, would not exceed Sacramento County's transportation noise standard of 65 dB L_{dn}. As shown in Table NOI-14, implementation of Alternative 2 would not result in traffic-related noise increases that would exceed any Sacramento County noise standard. In regard to the City of Rancho Cordova transportation noise standard, several of the affected roadway segments exceed the City's standard of 60 dB L_{dn} under existing conditions. However, under existing plus Alternative 2 conditions, no roadway segments in Rancho Cordova would experience an increase in traffic noise levels above 60 dB L_{dn} that were below this level under existing conditions. Therefore, this impact would be **less than significant**.

MITIGATION MEASURES

- NOI-3: At the time of roadway improvements associated with the Project or Alternative 2, or implementation of the transportation mitigation strategy, install outdoor sound barriers at residential land uses along Excelsior Road between Jackson Road and Elder Creek Road to reduce increases in traffic noise levels associated with those improvements. The sound barriers must be constructed of solid material (e.g., brick, concrete) and designed to reduce noise by at least 5 dB. All barriers shall blend into the overall landscape and have an aesthetically pleasing appearance that agrees with the color and rural character of the houses and the general area, and not become the dominant visual element of the community.
- NOI-4: Use rubberized hot-mix asphalt along the affected roadway (Excelsior Road between Jackson Road and Elder Creek Road) either (a) at the time the next repaving of this roadway segment occurs or, (b) during any roadway widening project that would occur on this roadway segment.

Pave the nearby segment of roadway with rubberized hot-mix asphalt (RHMA) or equivalent surface treatment with known noise-reducing properties on top of the roadway surface. The RHMA overlay shall be designed with appropriate thickness and rubber component quantity (typically 15 percent by weight of the total blend), such that traffic noise levels are reduced by an average of 4 to 6 dB (noise levels vary depending on travel speeds, meteorological conditions, and pavement quality) as compared to noise levels generated by vehicle traffic traveling on standard asphalt. RHMA has been found to achieve this level of noise reduction in other parts of California (Sacramento County 1999). Pavement will require more frequent than normal maintenance and repair to maintain its noise attenuation effectiveness.

IMPACT: EXPOSE NEW OR EXISTING SENSITIVE RECEPTORS TO NEW STATIONARY NOISE SOURCES

PROPOSED PROJECT

This impact assesses the long-term exposure of existing and new sensitive receptors to increased operational-source noise levels from proposed land use development. This impact analysis evaluates non-transportation noise sources that would occur because of Project operation. Existing sensitive receptors adjacent to the Plan Area include several single-family homes adjacent to the southern border of the Plan Area on the south side of Jackson Road, a set of single-family homes 800 feet north of the Plan Area, a single-family home 250 feet west of the Plan Area, and a single-family home 50 feet east of the Plan Area.

Implementation of the Project would result in the development of new land uses which would include new stationary noise sources that may affect new sensitive receptors. Stationary mechanical equipment such as emergency generators, HVAC units would be included in various land uses within the Plan Area (e.g., commercial, residential). Vehicular and human activity in parking lots and commercial activity at loading docks in retail locations would potentially generate noise levels that could exceed Sacramento County's Non-Transportation Noise Standards for various land uses (see Table NOI-7). Utility infrastructure associated with implementation of the Project, particularly electrical transmission lines and substations, would generate noise with the potential to cause disturbance to new sensitive receptors. The Project would include various land uses to be developed over many years. The Project's land use plan (see Plate PD-16 in Chapter 2 of this EIR) has the potential for new sensitive receptors to be located adjacent to the above-mentioned stationary noise sources and has the potential to cause disturbance to new sensitive receptors, which could result in the exceedance of Sacramento County Non-Transportation Noise Standards.

This analysis was conducted using the Sacramento County Non-Transportation Noise Standards as the threshold of significance, which provides maximum allowable noise standards for various land uses (see Table NOI-7). Given the various land uses included in the Project, each noise-sensitive land use included in the Project is discussed in detail below.

MECHANICAL EQUIPMENT

The Project includes non-residential land uses that could include stationary mechanical equipment resulting in noise levels that would exceed the County's Non-Transportation Noise Standards (see Table NOI-7). As shown in Plate PD-16 in Chapter 2, these land uses include commercial/retail and office. Additionally, these land uses that would be located adjacent to the existing single-family homes along Jackson Road would include low- and high-density residential, mixed-use, general commercial, and office. Typically, noise sources associated with residential land uses include heating, cooling, and air conditioning (HVAC) units, lawn mowers and landscaping maintenance equipment.

Implementation of the Project would include the development of several commercial/retail land uses within the Plan Area. The location of these land uses are adjacent to noise sensitive land uses (i.e., residential) that would also be developed as part of the implementation of the Project. Stationary noise sources typically associated with commercial/retail land uses include human and vehicular activity in parking lots, activity at loading docks, HVAC equipment as part of commercial building design, and emergency back-up generators. As discussed in the Regulatory Setting section of this chapter, Section 6.68.120 of the Sacramento County Noise Ordinance includes specific regulation regarding noise levels generated by mechanical equipment. The regulation states that any new development that includes any mechanical equipment, pump, fan, air conditioning apparatus, stationary pumps, stationary cooling towers, stationary compressors, similar mechanical devices, or any combination thereof shall not allow noise levels from this equipment to exceed 60 dBA at one foot inside the property line or exceed 55 dBA outside of the neighboring living area window nearest the equipment location.

While the specific location of various mechanical equipment is unknown at this time, based on the land uses included in the Project land use plan, it is assumed that commercial/retail land uses may include emergency back-up generators or HVAC equipment. For emergency generators, a typical noise levels typically is 110 dBA at a distance of one meter (3.2 feet) (Berger et al. 2010). Noise levels generated from HVAC equipment vary substantially depending on unit efficiency, size, and location. Generally, HVAC equipment typically generate noise levels of 60 dBA at a distance of six meters (19.6 feet) (Berger et al. 2010).

The specific location of these types of equipment in the commercial land uses relative to adjacent sensitive receptors are not known at this time. For this analysis, the distance at which this equipment would exceed applicable non-transportation noise standards is provided. Assuming the higher value of these reference noise levels, HVAC units could exceed the County's noise standard for mechanical equipment (i.e., 55 dBA) if located within 19.6 feet of noise-sensitive land uses. Although only used in emergency situations, back-up generators could exceed the County's noise standard for mechanical equipment (i.e., 55 dBA) within 1,000 feet.

For existing land uses, considering that the closest noise sensitive land use (single-family homes along Jackson Road) is located approximately 50 feet east of the Project boundary, HVAC equipment associated with the development of the Project would be more the 19.6 feet from the nearest sensitive receptor and would not result in noise levels that would exceed the County's noise standard. Additionally, although only used in emergency situations, back-up generators could exceed the County's noise standard for mechanical equipment (i.e., 55 dBA) if it were located with within 1,800 feet of the nearest sensitive receptor to the Project boundary.

LOADING DOCK AND DELIVERY ACTIVITY

Commercial land uses could include loading dock areas generating noise in exceedance of the County's Non-Transportation Noise Standards. Noise sources associated with general activity in a loading dock area include onsite truck circulation, truck idling, use of truck mounted refrigeration units, movement of material goods, and

the operation of forklifts. In 2016, the Railyard Specific Plan (RSP) EIR was completed for the City of Sacramento. The Noise Chapter of the EIR includes discussion of general noise levels associated with loading dock areas based on a 2008 truck noise study of a Fresh and Easy (Grocery Store) Distribution Center in Riverside, CA. As stated in the RSP EIR, noise levels reaching 80 dBA L_{max} and 60 dBA L_{eq} at a distance of 50 feet could be generated from typical activities in a loading dock area (City of Sacramento 2016). Based on this information, loading dock areas located within 90 feet of noise sensitive land uses could exceed the County's noise standard for non-transportation sources (i.e., 55 $L_{50}/75 L_{max}$ dB) during the daytime. If loading dock activities were to occur at nighttime (i.e., 10:00 p.m. – 7:00 a.m.), loading dock activities within 160 feet could exceed the County's non-transportation noise nighttime standard of 50 L_{50}/L_{max} 70. Additionally, assuming the average exterior-to-interior noise level reduction of 25 dBA typically provided by residential buildings with the windows closed (Caltrans 2002), the highest L_{max} and L_{eq} in the interior of rooms for all nearby sensitive receptors where people normally sleep could exceed the County's interior noise standard of 35 L_{eq}/L_{50} and 55 L_{max} (see Table NOI-7) at a distance of 50 feet from a loading dock area. The Sacramento County Design Guidelines include design policies for the development of various land uses within the County. Specifically, guidelines under Sections 4.2.8 and 6.3.6 (see Regulatory Settings section, above) encourage that the siting of new loading docks consider noise impacts and be located away from residential areas and use architectural and landscaping strategies to reduce noise impacts.

TRANSMISSION CORONA NOISE AND ELECTRIC SUBSTATIONS

Project implementation would result in the development of a new Sacramento Municipal Utility District (SMUD)-owned and operated electrical distribution substation and subsequent electrical transmission lines to adequately service the new energy demand generated by the Project. Based on information in the Project Description, the new substation would be located at the northwest corner of the General Commercial site located at Jackson Road and Tree View Lane/Grenville Drive. Noise generated by electrical facilities such as transmissions lines is a result of the corona effect (crackling and hissing hum-like sound). The corona effect is a result of small variabilities in the conductor material, which results in air being ionized around a gap in the material. Variabilities in conductor materials can include a burr (raised area), a small irregularity, or some non-insulated component during the conductance of electricity through power lines. Additionally, electrical substations generate noise through the operation of various pieces of equipment within the substation including transformers, cooling fans, substation circuit breakers and capacitors. Typically, substation transformers generate the highest noise levels which is described as a "humming" or "buzzing" noise. In 2016, SMUD published an Initial Study/Mitigated Negative Declaration (IS/MND) for the Franklin Electric Transmission Project. For reference, the bulk substation proposed in the Franklin Electric Transmissions Project IS/MND is larger than the distribution substation proposed for the Project. Based on information included in the noise study included as part of the Franklin Electric Transmission Project, the 224 mega-volt ampere (MVA) bulk substation was estimated to generate noise levels of 60 dBA L_{eq}/L_{50} at 6 feet (SMUD 2017). Based on this information, the substation to be developed as part of Project implementation would exceed the County's nighttime non-transportation

noise standard of 50 L_{50} if the substation were to be located within 16 feet of the nearest sensitive receptor. Based on the current land use map for the Project, the substation would be built in a commercial land use and would not be located within 16 feet of any noise-sensitive land uses.

SACRAMENTO RACEWAY

As described in Chapter 2, "Project Description," Project implementation would be phased. The Sacramento Raceway property is a non-participating property that is not envisioned for development consistent with the Jackson Township Specific Plan until the third phase of development. Although raceway operations are not permitted, because the facility is currently in operation, this analysis assumes that events could continue, even after residential development begins. Residential land use could be developed adjacent to the operating raceway under phases 1A and 2 (refer to Plate PD-15 in Chapter 2, "Project Description.")

As shown in Plate NOI-3 and Plate NOI-4 in the Environmental Settings section of this chapter, events at the Sacramento Raceway generate noise levels in excess of 75 L_{max} to the north and south of the raceway in locations designated as noise sensitive land uses in the proposed land use plan. Land uses that would be subjected to noise levels from the raceway above the applicable Sacramento County noise standards include residential land uses to the south of the raceway and residential, park, and school land uses to the north and east of the raceway. If the land uses listed above were developed and occupied, noise generated from the Sacramento Raceway would exceed Sacramento County's Non-Transportation Noise Standards of 55 L_{50} and 75 L_{max} during the daytime and 50 L_{50} and 70 L_{max} dB during the nighttime for residential and school land uses. The Sacramento Raceway, under this scenario, would also exceed the County's Non-Transportation Noise Standards of 65 L_{50} and 75 L_{max} during the nighttime and 50 L_{50} and 70 L_{max} dB for park land uses.

SUMMARY

As discussed above, Project implementation would result in the development of various land uses (e.g., residential, commercial/retail, research and development), which would include new noise-generating stationary equipment, as well as land uses with new noise-generating activity areas (e.g., loading dock areas). While the land use plan (see Plate PD-16 in Chapter 2, "Project Description") provides the location of each of the new land uses, the specific location of the new stationary equipment and noise-generating activity areas within these land uses is unknown. As a result, the development of new land uses that would include stationary equipment and/or new noise generating activity areas could be located in close proximity to existing and/or new noise sensitive land uses and could result in noise levels that exceed the County's Non-Transportation Noise Standards of 55 L_{50} and 75 L_{max} during the daytime and 50 L_{50} and 70 L_{max} during the nighttime and could also exceed the County's interior noise standard of 35 L_{eq}/L_{50} and 55 L_{max} (listed in Table NOI-7) during nighttime hours. As discussed, the Sacramento County Design Guidelines include design policies encouraging that the siting of new loading docks consider noise impacts, be located away from residential areas, and use architectural and landscaping strategies to reduce noise impacts. Even in consideration of these policies, because the location of new stationary equipment and/or new noise generating activity areas is not

fully known at this time, these sources could still exceed the County's non-transportation noise standards and cause disturbance to sensitive receptors. Further, development of sensitive land uses adjacent to the Sacramento Raceway could result in noise exposure in excess of applicable standards during Project phasing. Therefore, this impact would be **potentially significant**.

Mitigation Measure NOI-5 requires new residential development to conduct a site-specific noise study prepared by a qualified acoustical engineer addressing interior noise levels in residential units before the issuance of building permits. This would ensure that residential land uses maintain exterior noise levels of 55 L_{50} and 75 L_{max} during the daytime and 50 L_{50} and 70 L_{max} during the nighttime and a median level of 35 (L_{50}) and maximum level (L_{max}) of 55 dB L_{dn} /CNEL interior noise level and remain below the County's interior noise standard. Mitigation Measure NOI-6 would serve to reduce exposure to existing sensitive receptors from proposed stationary noise sources including mechanical equipment and loading dock areas through site design features and site-specific constraints from stationary noise sources. However, the location of new stationary equipment and/or new noise generating activity areas adjacent to noise sensitive land uses could still exceed the County's non-transportation noise standard for outdoor noise sensitive areas of 55 L_{50} and 75 L_{max} during the nighttime and 50 L_{50} and 70 L_{max} dB (L_{dn} /CNEL) during the nighttime. Mitigation Measure NOI-5 would require noise-sensitive land uses that would be exposed to noise from the Sacramento Raceway above applicable standards would be designed in such a way to reduce noise exposure to these land uses. Mitigation Measure NOI-5 would require all applicants to conduct a noise study to demonstrate the site design of these land uses would reduce noise exposure from the Sacramento Raceway to below the County's non-transportation noise standards or show that all design recommendations included in the study would reduce noise exposure to the extent feasible. However, it is not guaranteed that the site design of these land uses would reduce noise exposure from the Sacramento Raceway below the County's applicable standards. No additional feasible mitigation is available to reduce this impact; therefore, this impact would remain **significant and unavoidable**.

ALTERNATIVE 2

Alternatives 2 would increase the portion of the Plan Area designated as wetland preserve; however, the overall level of development would be similar to the Project. Like the Project, the location of new stationary equipment and/or new noise generating activity areas is not fully known at this time. Further, phased development could result in sensitive land uses near the Sacramento Raceway. These alternatives would include a land use configuration in which new stationary noise sources could be located close to sensitive land use, exceed the County's non-transportation noise standards, and cause disturbance to sensitive receptors. As a result, the impact on new sensitive receptors from new or existing stationary noise sources would be **potentially significant**.

Mitigation Measure NOI-5 requires new residential development to conduct a site-specific noise study prepared by a qualified acoustical engineer addressing interior noise levels in residential units before the issuance of building permits. Mitigation Measure NOI-6 would serve to reduce exposure to existing sensitive receptors from

proposed stationary noise sources, including mechanical equipment and loading dock areas, through site design features and site-specific constraints from stationary noise sources. Mitigation Measure NOI-7 would require that noise-sensitive land uses that would be exposed to noise from the Sacramento Raceway above applicable standards be designed in such a way to reduce noise exposure to these land uses. However, it is not guaranteed that the site design of these land uses would reduce noise exposure from the Sacramento Raceway to the below the County's applicable standards. No additional feasible mitigation is available to reduce this impact; therefore, this impact would remain **significant and unavoidable**.

MITIGATION MEASURES

NOI-5: Conduct site-specific noise study and implement recommendations. To prevent future sensitive receptors from disturbance during the sensitive times of the day, all applicants of a residential land use or a structure containing residential units shall, before the issuance of building permits, provide to the County a site-specific noise study prepared by a qualified acoustical engineer addressing interior noise levels in residential units. The noise study shall consider the types of land uses being proposed in the same building or in the vicinity as the residential units in a mixed-use structure and existing noise sources adjacent to the proposed structure. The noise study shall confirm, using approved calculation methodologies, that building design (e.g., building orientation) and building materials as well as exterior design features (e.g., fences, walls, and landscaping features) are sufficient to maintain exterior noise levels on the property of 55 L_{50} and 75 L_{max} during the daytime and 50 L_{50} and 70 L_{max} during the nighttime and an interior noise level of (L_{50}) of 35 and maximum (L_{max}) of 55 L_{dn} /CNEL, with windows closed, in residential units given the reasonably foreseeable noise generation sources within the building, and existing noise sources adjacent to the building. If the study shows such standards would not be met with the design as proposed, the Project Applicant or subsequent developer(s) shall implement recommendations of the study that are shown to achieve the standards.

NOI-6: Reduce noise exposure to existing sensitive receptors from proposed stationary noise sources in non-residential land uses. The siting of new stationary sources in non-residential land uses shall first consider providing adequate distance between the noise source and residential land uses. Siting distance recommendations for each source type are provided below.

- New loading dock or commercial delivery sources shall be located a minimum of 1,600 feet from existing residential land uses.
- New HVAC units shall be located a minimum of 62 feet from existing residential land uses.
- New mechanical generators shall be located a minimum of 1,800 feet from existing residential land uses.
- New overhead transmissions lines and substations shall be located a minimum of 16 feet from existing residential land uses.

If the above siting requirements cannot be achieved because of specific building locations or other site-specific constraints, the following measures shall be required for future development applications including stationary sources.

- Routine testing and preventive maintenance of emergency electrical generators shall be conducted during the less sensitive daytime hours (i.e., 6:00 a.m. to 8:00 p.m.), per the Sacramento County Noise Ordinance. All electrical generators shall be equipped with noise control (e.g., muffler) devices in accordance with manufacturers' specifications.
- External mechanical equipment, including HVAC units, associated with buildings shall incorporate features designed to reduce noise emissions below the stationary noise source criteria. These features may include, but are not limited to, locating equipment within equipment rooms or enclosures that incorporate noise reduction features, such as acoustical louvers, and exhaust and intake silencers. Equipment enclosures shall be oriented so that major openings (i.e., intake louvers, exhaust) are directed away from nearby noise-sensitive receptors. In addition, when locating HVAC units on buildings adjacent to residential land uses, HVAC units shall not be located directly adjacent to windows of residential units. HVAC locations shall be chosen to minimize noise at nearby residential land uses.
- Loading docks shall be located and designed so that noise emissions do not exceed the stationary noise source criteria established in this analysis (i.e., exterior daytime [6:00 a.m. to 8:00 p.m.] standards of 55 dB L_{eq} /70 dB L_{max} and the exterior nighttime [8:00 p.m. to 6:00 a.m.] standards of 50 dB L_{eq} /70 dB L_{max}) at any existing sensitive receptor. At the time of conformity review application submittal for discretionary entitlement, the Project Applicant or subsequent developer(s) shall provide to the County a specialized noise study to evaluate the specific design and ensure compliance with Sacramento County noise standards. Reduction of loading dock noise can be achieved by locating loading docks as far away as possible from noise sensitive land uses, constructing noise barriers between loading docks and noise-sensitive land uses, or using buildings and topographic features to provide acoustic shielding for noise-sensitive land uses. Final design, location, and orientation shall be dictated by findings in the noise study, if applicable.
- Parking lots and structures shall be located and designed so that noise emissions do not exceed the stationary noise source criteria identified in this analysis (i.e., exterior daytime [6:00 a.m. to 8:00 p.m.] standards of 55 dB L_{eq} /70 dB L_{max} and the exterior nighttime [8:00 p.m. to 6:00 a.m.] standards of 50 dB L_{eq} / 70 dB L_{max}) at any existing sensitive receptor. At the time of conformity review application submittal for discretionary entitlement, the Project Applicant or subsequent developer(s) shall provide to the County a specialized noise study to evaluate specific design and ensure compliance with Sacramento County noise standards. Reduction of parking lot noise can be achieved by locating parking lots away from noise sensitive land

uses, constructing noise barriers between parking lots/structures and noise-sensitive land uses, incorporating noise barriers into parking structure designs (e.g., providing solid walls around the top levels of parking structures), or using buildings and topographic features to provide acoustic shielding for noise-sensitive land uses. Final design, location, and orientation shall be dictated by findings in the noise study, if applicable.

NOI-7: This mitigation measure would apply to noise sensitive land uses to be developed as part of the Project that would be located in close proximity to the Sacramento Raceway and within the 55 L_{50} or 75 dBA L_{max} contour lines, as depicted in Plate NOI-3, Plate NOI-4, and Plate NOI-5 in the Environmental Settings section of this chapter and in Appendix NOI-1 of this EIR. To prevent future noise sensitive receptors from disturbance associated with the Sacramento Raceway, site design shall adhere to the Jackson Township Specific Plan Design Guidelines and Sacramento County Countywide Design Guidelines to identify design principles and strategies to reduce noise exposure from the Sacramento Raceway to noise sensitive land uses developed as part of the Project. Common design principles to reduce noise exposure to noise sensitive land uses that should be considered during the site design process include:

- increasing the distance between the noise source and the receiver;
- placing nonresidential land uses such as parking lots, maintenance facilities, and utility areas between the source and the receiver;
- locating barrier-type buildings parallel to the noise source;
- orienting the residences and outdoor activity areas for these residences away from the noise source; and
- arranging the site plan to use buildings as noise barriers.

All applicants proposing a noise-sensitive land use in the portion of the Plan Area applicable to this mitigation measure shall, before the issuance of building permits, provide to the County a site-specific noise study prepared by a qualified acoustical engineer addressing exterior noise levels for applicable noise sensitive land uses and interior noise levels in residential units. The noise study shall confirm, using approved calculation methodologies, that building design (e.g., building orientation) and building materials as well as exterior design features (e.g., fences, walls, and landscaping features) are sufficient to maintain, consistent with Sacramento County non-transportation noise standards, exterior noise levels of 55 L_{50} and 75 L_{max} during the daytime and 50 L_{50} and 70 L_{max} during the nighttime and an interior noise level of (L_{50}) of 35 and maximum (L_{max}) of 55 dB L_{dn} /CNEL, with windows closed, in residential units given the reasonably foreseeable noise generation sources within the building, and existing noise sources adjacent to the building. If the study shows such standards would not be met with the design as proposed, the Project Applicant or subsequent developer(s) shall implement recommendations of the study that are shown to achieve the standards or implement all recommendations to reduce noise exposure from the Sacramento Raceway to the extent feasible.

IMPACT: SUBSTANTIAL INCREASE IN EXISTING AMBIENT NOISE LEVELS

PROPOSED PROJECT

Project land uses that result in new vehicle trip generation would contribute to traffic volume increases along roadways in and around the Plan Area and increase traffic related noise levels in the surrounding area. Based on Project-related increases in traffic volumes on affected roadways, Project implementation could result in an increase in existing ambient noise levels. For this analysis, the perceptible incremental noise level increases in excess of the Sacramento County Noise Ordinance shown in Table NOI-8 are used as a threshold for determining potential impacts on ambient noise levels. As stated in Table NOI-8 and Table NOI-2, a noise level increase of 5.0 dB or greater would typically be considered to result in increased levels of annoyance where existing ambient noise levels are less than 60 dB. Within areas where the ambient noise level ranges from 60 to 65 dB, increased levels of annoyance would be anticipated at increases of 3 dB or greater. Increases of 1.5 dB or greater could result in increased levels of annoyance in areas where the ambient noise level exceeds 65 dB.

Using data from the noise study conducted for the Project, Table NOI-15 includes roadway segments that would experience a substantial increase in traffic noise volumes as a result of Project implementation. Table NOI-15 includes traffic noise levels under existing conditions and existing plus Project conditions as well as the incremental increase in traffic noise levels as a result of Project implementation.

Table NOI-15: Summary of Modeled Substantial Traffic Noise Level Increases from Existing to Existing Plus Project Conditions

2.5	Segment		Noise Levels (L _{dn} dB)		Net Change (dB)
	From	To	Existing Conditions	Existing Plus Project Conditions	
Eagles Nest Road	Jackson Road	Florin Road	54.1	59.7	+5.6
	Florin Road	Grant Line Road	49.8	58.5	+8.7
Elder Creek Road	Bradshaw Road	Excelsior Road	57.9	64.7	+6.8
Excelsior Road	Collector WJ1	Collector WJ2	59.2	64.7	+5.5
	Collector WJ2	Jackson Road	59.2	65.3	+6.1
	Jackson Road	Elder Creek Road	60.5	65.7	+5.2
Jackson Road	Hedge Avenue	Mayhew Road	66.6	68.5	+1.9
	Mayhew Road	Bradshaw Road	67.4	69	+1.6
	Bradshaw Road	Excelsior Road	67.6	70.6	+3.0
	Excelsior Road	Collector JT-3	66.6	71.5	+4.9
	Collector JT-3	Tree View Road	66.6	69.5	+2.9
	Tree View Road	Collector JT-4	66.6	68.3	+1.7
	Collector JT4	Eagles Nest Road	66.6	68.2	+1.6

Notes: dB = decibels; L_{dn} = day-night average noise level; Numbers are approximate due to rounding

Refer to Appendix NOI-1 for detailed modeling input data and output results.

Source: J.C. Brennan & Associates, Inc., 2019

The segment of Eagles Nest Road between Jackson Road and Grant Line Road that would be affected by substantial traffic noise level increases is currently zoned as Agricultural and is located in Sacramento County. There are several sensitive receptors (single-family residential units) along this portion of Excelsior Road, which is an allowed use in areas zoned as Agriculture, that would experience substantial traffic noise level increases as a result of Project implementation.

Land uses along the segment of Elder Creek Road between Bradshaw Road and Excelsior Road are currently zoned as Agricultural and Interim-Agricultural Reserve. This segment of Elder Creek Road does include several single-family homes and a cemetery that would experience substantial traffic noise level increases as a result of Project implementation.

Land uses along the segment of Excelsior Road between the Collector WJ1, a future roadway to be built as part of the West Jackson Highway Master Plan (located just south of Jackson Road) and Elder Creek Road are currently zoned as Agricultural. There are several sensitive receptors (single-family residential units) along this portion of Elder Creek Road that would experience substantial traffic noise level increases as a result of Project implementation.

Land uses along the segment of Jackson Road between Hedge Avenue and Eagles Nest Road are currently zoned as Agricultural, Heavy Industrial, Light Industrial, Recreation, and Residential. This segment of Jackson Road includes several single-family homes, as well as agricultural land use. The traffic increases as a result of Project implementation along the residential portion of Jackson Road would result in substantial traffic noise level increases along this segment (see Table NOI-8).

As shown in Table NOI-15, the roadways that would be affected by Project implementation would experience a substantial increase in noise levels within the surrounding area. Based on the traffic noise modeling conducted, several affected roadway segments and their adjacent land uses outside of the Plan Area would experience substantial increases in ambient noise levels. Implementation of the Project would result in increases in traffic noise levels above the thresholds established for this impact in Table NOI-8. As discussed above, there are single-family homes adjacent to several of the roadways that would experience substantial noise level increases as a result of Project implementation. Single family homes located along affected roadways that are within agricultural land uses are generally isolated, stand-alone residences and typically have larger setbacks from the roadway. Although these setbacks would attenuate noise levels over the distance of these setbacks, there is still the potential for the residences to experience substantial noise level increases as a result of traffic volume increases generated by the Project. Therefore, this impact would be **potentially significant**.

Implementation of Mitigation Measure NOI-8 would require the Project Applicant or subsequent developer(s) to offer the owners of residences along affected roadway segments included in Table NOI-15 the construction of a sound barrier that would ensure that the incremental increase in traffic noise is less than 5 dB L_{dn}. If developed, sound barriers would reduce traffic noise level increases to below the 5-dB incremental increase threshold (see Table NOI-8) applicable to noise sensitive land uses along affected roadway segments. However, the offer to construct a sound barrier does not

guarantee that all owners of these residential land uses would agree to construction of a sound barrier.

Mitigation Measure NOI-8 could reduce the incremental increase in traffic noise levels along affected roadways. However, it is not known whether the mitigation measure would fully reduce traffic noise levels along affected roadways to a less than significant level for all affected sensitive receptors because there is no guarantee that residents would accept the offer of a sound barrier. Mitigation Measures NOI-9 would reduce incremental traffic noise level increases along affected roadways through the use of rubberized asphalt. However, it is not known whether Mitigation Measure NOI-8 would reduce the incremental traffic noise increase on ambient noise levels to less than significant levels on affected roadways. Therefore, this impact would remain **significant and unavoidable**.

ALTERNATIVE 2

Alternative 2 would increase the wetland preserve on the eastern boundary of the Plan Area. Alternative 2 would result in a 45.5-acre increase in area designated Wetland Preserve compared to the Project and decrease the overall area that would be developed in the Plan Area. As a result, traffic volume increases associated with development of these land uses would be less than those compared to the Project.

Using data from the noise study conducted for the Project, Table NOI-16 includes roadway segments that would experience a substantial increase in traffic noise volumes as a result of implementation of Alternative 2. Table NOI-16 includes traffic noise levels under existing conditions and existing plus Alternative 2 conditions, as well as the incremental increase in traffic noise levels as a result of Project implementation.

Table NOI-16: Summary of Modeled Substantial Traffic Noise Level Increases from Existing to Existing Plus Alternative 2 Conditions

Roadway	Segment		Noise Levels (L _{dn} dB)		Net Change (dB)
	From	To	Existing Conditions	Existing Plus Project Conditions	
Eagles Nest Road	Florin Road	Grant Line Road	49.8	57.9	+8.1
Elder Creek Road	Collector WJ1	Collector WJ2	59.2	64.9	+5.2
Excelsior Road	Collector WJ2	Jackson Road	60.5	65.4	+5.7
	Jackson Road	Elder Creek Road	59.2	65.3	+4.9
	Hedge Avenue	Mayhew Road	66.6	68.6	+2.0
Jackson Road	Mayhew Road	Bradshaw Road	67.4	69	+1.6
	Bradshaw Road	Excelsior Road	67.6	70.6	+3.0
	Excelsior Road	Collector JT-3	66.6	71.5	+4.9
	Collector JT-3	Tree View Road	66.6	69.5	+2.9
	Tree View Road	Collector JT-4	66.6	68.6	+2.0
	Collector JT4	Eagles Nest Road	66.6	68.4	+1.8
	Florin Road	Grant Line Road	66.6	68.2	+8.1

Notes: dB = decibels; L_{dn} = day-night average noise level; Numbers are approximate due to rounding;

Refer to Appendix NOI-1 for detailed modeling input data and output results.

Source: J.C. Brennan & Associates, Inc., 2019

As shown in Table NOI-16, the roadways to be developed as part of Alternative 2 would result in a substantial increase in noise levels within the surrounding area. Based on the traffic noise modeling conducted, several affected roadway segments and their adjacent land uses outside of the Plan Area would experience substantial increases in ambient noise levels. The roadway segments and adjacent land uses that would experience an incremental increase in traffic noise levels under the Alternative 2 are the same roadway segments that would be affected under the Project with the exception of Eagles Nest Road between Jackson Road and Florin Road, which would not experience an incremental increase in traffic noise levels. Because the same roadway segments would experience an incremental increase in traffic noise levels under Alternative 2, the impact on existing ambient noise levels for this alternative would be **significant**.

Mitigation Measure NOI-8 could reduce the incremental increase in traffic noise levels for sensitive receptors along affected roadways. However, it is not known whether the mitigation measure would fully reduce traffic noise levels along affected roadways to a less than significant level for all affected sensitive receptors because there is no guarantee that residents would accept the offer of a sound barrier. Mitigation Measure NOI-9 would reduce incremental traffic noise level increases along affected roadways through the use of rubberized asphalt. However, it is not known whether Mitigation Measure NOI-9 would reduce the incremental traffic noise increase to less than significant levels on affected roadways. Therefore, this impact would remain **significant and unavoidable**.

MITIGATION MEASURES

Implement Mitigation Measure NOI-6 and:

- NOI-8: At the time of roadway improvements associated with the Project or Alternative 2, or implementation of the transportation mitigation strategy, outdoor sound barriers shall be installed along roadway segments demonstrated to result in a substantial noise level increase as indicated in Table NOI-15 for the Project and Table NOI-16 for Alternative 2. The sound barriers must be constructed of solid material (e.g., wood, brick, adobe, an earthen berm, or combination thereof) and designed to ensure that the incremental increase in traffic noise would be less than 5 dB L_{dn}. All barriers shall blend into the overall landscape and have an aesthetically pleasing appearance that agrees with the color and rural character of the houses and the general area, and not become the dominant visual element of the community.
- NOI-9: Use rubberized hot-mix asphalt along the affected roadway (Excelsior Road between Jackson Road and Elder Creek Road) either (a) at the time that the next repaving of this roadway segment occurs, or (b) during any roadway widening project that would occur on this roadway segment. If option (b) is chosen, the Project Applicant or subsequent developer(s) shall conduct a traffic noise analysis every 2 years after Project approval to determine whether the Projects contribution to roadway volumes results in traffic noise levels along this roadway segment exceeding 65 dB L_{dn}. Pave the nearby segment of roadway with rubberized hot-mix asphalt (RHMA) or equivalent surface

treatment with known noise-reducing properties on top of the roadway surface. The RHMA overlay shall be designed with appropriate thickness and rubber component quantity (typically 15 percent by weight of the total blend), such that traffic noise levels are reduced by an average of 4 to 6 dB (noise levels vary depending on travel speeds, meteorological conditions, and pavement quality) as compared to noise levels generated by vehicle traffic traveling on standard asphalt. RHMA has been found to achieve this level of noise reduction in other parts of California (Sacramento County 1999). Pavement will require more frequent than normal maintenance and repair to maintain its noise attenuation effectiveness.

17 PUBLIC SERVICES

INTRODUCTION

This chapter describes the existing public services and facilities, including fire protection, law enforcement, public schools, parks, and libraries, and potential effects on services attributable to the Project and Alternative 2. Impacts are evaluated in relation to the actions needed to provide the services that could potentially lead to adverse physical environmental effects. Wastewater (sewer) and solid waste services are addressed in Chapter 20, “Wastewater and Solid Waste Utilities,” of this EIR. Water supply is addressed in Chapter 19, “Water Supply,” and public transportation is addressed in Chapter 20, “Traffic and Circulation.”

The Amador County Chamber of Commerce and the City of Jackson submitted comments on the Notice of Preparation indicating concern that the similarity of the Project name and the City of Jackson could cause confusion for emergency service providers. This issue is discussed below.

ENVIRONMENTAL SETTING

The Project is located within the Urban Services Boundary (USB), but is outside of the Urban Policy Area (UPA). The UPA defines the area expected to receive urban levels of public infrastructure and services within a 20-year planning period. To receive urban public services, land must be within both the UPA and USB. For more information on the USB and UPA, please refer to Chapter 15, “Land Use.”

FIRE PROTECTION AND EMERGENCY RESPONSE

The Plan Area is within the service area of the Sacramento Metropolitan Fire District (Metro Fire). Metro Fire is a special district that serves a population of over 738,000 in a 358 square-mile service area in Sacramento County (Metro Fire 2012). As a special district, Metro Fire is governed by a Board of Directors; each member is elected by the voters within a geographical area, or division, of Metro Fire’s operational area. Operations include Fire and Rescue, Emergency Medical, Training and Safety, Special Operations, Homeland Security, Fire Investigation, and Health and Wellness Divisions.

Metro Fire uses a response standard of 4 minutes for First Due travel time with an overall reflex time of 7 minutes. The performance standard for an “Effective Response Force” to a building fire incident is to have three engines, one ladder truck, and one battalion chief to the incident within 8 minutes (Frye, pers. comm., 2018). Metro Fire has three stations within 5 miles of the Plan Area, located in Rancho Cordova (Station 68, off Anatolia Drive east of Sunrise Boulevard), Sloughhouse (Station 58 on Sloughhouse Road near Jackson Road [also referred to as Jackson Highway], and Elk Grove (Station 55, on Excelsior Road south of Gerber Road). Metro Fire is currently in the process of planning several more stations surrounding the Plan Area due to planned and approved

development in the City of Rancho Cordova, the Vineyard Community, and the proposed master plan areas surrounding the Plan Area.

LAW ENFORCEMENT

The Plan Area is within the service area of the Sacramento County Sheriff's Department (SSD), which provides law enforcement services in the unincorporated county. Local law enforcement services include response to calls for service and trouble spots, investigations, surveillance, and routine patrolling. Demand for law enforcement services grows with population. The County maintains a goal of having one sheriff's deputy per 1,000 residents (Sacramento County 2010). The closest SSD Substation is the Kilgore Station East Division located approximately 7 miles north in Rancho Cordova. SSD staff assigned to the substation provide general law enforcement services to Rancho Cordova, Rosemont, Rancho Murieta, Gold River, Mather, and Butterfield-Riviera East. The East Division provides patrol, investigative, Problem Oriented Policing, report writing, crime prevention, and crime analysis functions (SSD 2018).

SCHOOLS

The Plan Area is within the service area of the Elk Grove Unified School District (EGUSD). The EGUSD covers 320 square miles and includes the communities of Florin, Franklin, Laguna Creek, Laguna West, Rancho Murieta, Sheldon, Sloughhouse, Valley Hi, Vineyard, Wilton, the City of Elk Grove and parts of the cities of Sacramento and Rancho Cordova. EGUSD operates 42 elementary schools, nine middle schools, nine comprehensive high schools, four alternative education schools, one charter school, one virtual online K-8 program, one special education school and one adult education school (EGUSD 2018). During the 2018-2019 school year, the EGUSD had a total enrollment of 63,917 students (CDE 2019).

The Plan Area is currently located within the attendance area of Sierra Enterprise Elementary School for grades K-6, Katherine L. Albani Middle School for grades 7-8, and Pleasant Grove High School for grades 9-12. According to EGUSD's online school locator, Katherine Albani Middle School is currently overcrowded. Students moving to the Plan Area are being redirected to Smedberg Middle School. Pleasant Grove High School is also currently overcrowded, and students are being redirected to Sheldon High School. EGUSD may adjust attendance boundaries as needed in the future to accommodate changes in population and as new school facilities are built.

The closest school to the Plan Area is Mather Heights Elementary School, which is located less than 1 mile north within the Independence at Mather community and is part of the Folsom Cordova School District. Other nearby schools include Robert J. McGarvey Elementary School and Sunrise Elementary School in the Elk Grove School District, which are located roughly 1.75 miles and 2 miles northeast of the Plan Area, respectively.

PARKS AND RECREATION SERVICES

The Plan Area is located within the Cordova Recreation and Park District (CRPD). The CRPD serves approximately 120,000 residents within the City of Rancho Cordova and the unincorporated communities of Rosemont, Gold River, East College Greens, and

Mather. CRPD is an independent, special district within the County of Sacramento and is governed by an elected board. CRPD owns and operates over 600 acres of open space and parkland, including over 40 parks, four recreation centers, three sports centers and community pools and spray parks (CRPD 2017). The closest parks to the Plan Area are Veterans Park and Independence Park, both located in the Independence at Mather community to the north. In addition, Mather Regional Park, managed by Sacramento County Regional Parks, is located approximately 1 mile northeast of the Plan Area. The Mather Preserve, an actively managed habitat preserve, is located directly north of the Plan Area. Although public access to the preserve is limited, the open space provides some passive recreation opportunities.

LIBRARIES

The Sacramento Public Library System (SPLS), operated by the Sacramento Public Library Authority provides library services to the residents of Sacramento County. The library system is comprised of interdependent branches providing services to all residents. Branches are grouped by services, geography, and usage patterns to provide efficient and economical services to the residents of the county. The Sacramento Public Library serves the County of Sacramento, as well as the incorporated cities of Sacramento, Elk Grove, Rancho Cordova, Citrus Heights, Galt, and Isleton. The nearest library to the Plan Area is the Rancho Cordova Library, approximately 3.5 miles northwest of the Plan Area on Folsom Boulevard.

REGULATORY SETTING

FEDERAL

There are no federal policies or regulations applicable to the analysis of public services.

STATE

LEROY F. GREENE SCHOOL FACILITIES ACT

The Leroy F. Greene School Facilities Act of 1998 established a State program to provide per-pupil funding for new construction and modernization of existing school facilities. The act limits the power of cities and counties to require mitigation of school facilities as a condition of approving new development and authorizes school districts to assess fees (at various levels) to directly offset the costs associated with increased capacity as a result of new development.

CALIFORNIA EDUCATION CODE

The California Education Code authorizes the California Department of Education to develop site selection standards for school districts. The California Department of Education School Facilities Planning Division has prepared a School Site Selection and Approval Guide that provides criteria for location appropriate school sites in the State of California. School sites within the Plan Area are required to meet these criteria.

CALIFORNIA GOVERNMENT CODE SECTION 66477

California Government Code Section 66477 (Quimby Act) allows local governments to exact land dedications or fees in lieu for park purposes from new subdivisions. The law prescribes a standard consistent with the circumstances of each park district based on a minimum of 3 acres and a maximum of 5 acres per 1,000 residents. Sacramento County's Office of Planning and Environmental Review oversees these requirements in the unincorporated area.

LOCAL

SACRAMENTO LOCAL AGENCY FORMATION COMMISSION

The Sacramento Local Agency Formation Commission's (LAFCo's) authority is defined in the Cortese-Knox-Hertzberg Local Government Reorganization Act of 2000. Government Code Section 56300 requires that each LAFCo establish policies to provide well-planned urban development, preservation of open space, and orderly formation of local agencies. LAFCo has review authority for annexations to special districts.

SACRAMENTO COUNTY CODE, TITLE 22

Title 22 of the Sacramento County Code provides direction on calculating park acreage requirements for residential developments. Depending on the park district, residential developments are required to provide dedicated land for park construction or pay in-lieu fees. As shown in Table PS-1, Title 22 sets a standard of 4.87 acres per 1,000 persons for land dedication or in lieu fees for CRPD based on land use type.

Table PS-1: Title 22 Parkland Dedication Requirements for Cordova Park and Recreation District

Acreage Dedication Requirement	Single Family Residential Factor	Multiple Family Residential Factor	Apartment Cluster Condominium Factor	Mobile Home Factor
4.87 acres per 1,000 residents	0.0142	0.0119	0.0097	0.0094

Source: Sacramento County Code, Section 22.40.045

SACRAMENTO COUNTY 2030 GENERAL PLAN

The following policies of the 2030 General Plan would apply to the Project:

- LU-65: Levels of service shall be consistent with policies in this Plan, or where none are applicable, shall use Federal and State environmental standards and commonly accepted industry norms and standards as guidelines.
- LU-66: Assure service availability, adequacy, and funding at each stage of the development process for all public services for the life of the project consistent with the intent of the adopted Public Facilities Financing Plan and accompanying Phasing Plan.

- LU-67: Funding to construct community and regional facilities located in new growth areas shall be based on broad based funding. Developments within new growth areas shall participate, when possible, in a program to fund the construction of community and regional facilities.
- LU-69: Supplemental mitigation fees may be established by the Board of Supervisors provided they find that supplemental fees are critical and necessary to meet the facility funding needs of a service provider and that traditional methods are inadequate.
- PF-29: Schools shall be planned as a focal point of neighborhood activity and interrelated with neighborhood retail uses, churches, neighborhood and community parks, greenways and off-street paths whenever possible.
- PF-30: New elementary schools in the urban area should be planned whenever possible so that almost all residences will be within walking distance of the school (one mile or less) and all residences are within two miles of a school.
- PF-31: Schools shall be planned adjacent to neighborhood parks whenever possible and designed to promote joint use of appropriate facilities. The interface between the school and park shall be planned with an open design and offer unobstructed views to promote safety.
- PF-32: Elementary schools shall not be located along arterials and thoroughfares. Junior high and high schools should be located near roadways with adequate capacity and should provide adequate parking to facilitate the transport of students.
- PF-34: All school site plans shall be designed to minimize traffic speed and maximize traffic flow around the school, allowing for several access points to and from the site.
- PF-35: New schools should link with planned bikeways and pedestrian paths wherever possible.
- PF-38: Land dedications or reservations for schools should meet state guidelines for school parcel size. Where more than one owner or development project is involved, there shall be appropriate assurances and conditions to assure that requisite acreage can and will be assembled to meet facility site requirements.
- PF-39: Specific Plans shall show the location of future school sites based upon adopted school district master plans and criteria in the General Plan.
- PF-42: Share capital costs of library construction and renovation for existing residents through bond financing or other appropriate measures and by new residents and workers through fees on new development.
- PF-43: Include community library needs among facilities to be financed by financing districts created in new urban areas.

- PF-45: New commercial development in financing districts shall contribute to library financing such that fees based on projected employment are approximately equivalent to the fees for an equivalent number of new residents.
- PF-46: Incorporate planned libraries into community and specific plans for new development.
- PF-53: Design neighborhoods and buildings in a manner that prevents crime and provides security and safety for people and property; when feasible.
- PF-54: Require new development to install fire hydrants and associated water supply systems which meet the fire flow requirements of the appropriate fire district.
- PF-55: New development shall provide access arrangements pursuant to the requirements of the California Fire Code.
- PF-57: New development, redevelopment or traffic signal replacement shall require the installation of emergency signal activation systems in all street improvements requiring signalization when requested by a fire district.
- PF-58: Traffic calming measures should be used wherever possible in a manner that does not delay emergency vehicle responses.
- PF-59: Alternative methods of fire protection and access must be instituted if access is reduced to emergency vehicles.
- PF-60: Require that structures of four stories or more in height provide on-site equipment and facilities to the satisfaction of the appropriate fire district, consistent with industry norms and standards.
- PF-61: Mitigation fees may be established by the Board of Supervisors or Fire Districts for the purpose of funding adequate fire protection and emergency medical response facilities provided they find that such fees are critical and necessary to meet the facility funding needs of the fire district and that existing methods of financing are inadequate.
- PF-63: Mitigation fees established by County ordinance or Fire District shall, together with other reasonably assured sources of funding identified in the fire district's financing plan, be sufficient to implement the adopted financing plan.
- PF-64: No building permit for new residential or commercial construction shall be issued when there is a Board of Supervisors certified fire district financing plan for any applicable fire district, which provides for mitigation fees, until the applicant has contributed all required mitigation fees.
- PF-122: To help assure that local recreation and park district Master Plan standards for levels of service may be achieved and maintained, the County may require new development to dedicate land, pay in-lieu fees, development impact fees, or otherwise contribute a fair share to the acquisition and development of parks and recreation facilities. For development in infill areas where land dedication may not be practical, the County in cooperation with the affected park district may explore creative alternatives for providing park and recreation facilities.

- PF-123: At a minimum, new residential developments approved by the County shall provide sites for local parks for their prospective residents consistent with the Quimby Act and the land dedication standards for each local recreation and park district adopted by Sacramento County in Chapter 22.40 of the Sacramento County Code. These requirements may be satisfied by land dedication, payment of fees in lieu of dedication, or on-site improvements per the provisions of Chapter 22.40, which will be regularly updated to reflect changing demography. These include the baseline standard of three acres of land for parks per 1,000 residents or in cases where existing parklands within a park district exceed three acres per 1,000 population, that higher ratio shall be the standard for new developments up to a maximum of five acres of land for parks per 1,000 residents based on calculations specified in SCC Chapter 22.40.
- PF-125: The County shall promote the provision of on-site recreational amenities and gathering places that are available to the public by large scale development projects and may consider providing incentives such as density bonuses or increases in building coverage for that purpose.
- PF-127: Require new residential developments to participate in park O & M financing mechanisms where established by local park districts or the County.
- PF-128: Encourage park development adjacent to school sites and the formation of joint use agreements between school and park districts.
- OS-10: Sacramento County shall seek to attain the County Regional Park System standard of 20 acres of regional parkland per 1,000 population.

COMMUNITY PLANS

CORDOVA COMMUNITY PLAN

The Cordova Community Plan, which was last updated in 2003, provides guidance for both new development and the redevelopment of existing land uses within the community planning area. Objectives identified in the plan that are applicable to the Project include:

- LU-8: Continue the tradition of joint development of parks and schools.
- ROS-1: Promote a high-quality network of parks and open space that provides a mix of passive and active recreational opportunities for community residents.
- ROS-2: Ensure a balanced mix of passive and active recreation opportunities in open space areas and promote the environmental sustainability of these resources.
- ROS-6: Encourage developers to work closely with the Cordova Recreation and Park District in the identification and development of new park sites.
- PS-6: Ensure the availability and accessibility of public services for all segments of the population.

- PS-7: Promote the concept of coordinated development of a single site by multiple agencies (e.g., fire, libraries, schools and parks) to provide greater convenience for the public.
- PS-9: Promote suitable fire protection/prevention measures for all developments.
- PS-10: Ensure that all library sites are adequately served by public transit.
- PS-11: Promote coordination between the Sheriff and RT in matters related to safety in public transit use.
- ED-4: Promote neighborhood participation in school site planning of facilities, services and connectivity.
- ED-5: Ensure adequate school facilities to serve newly developing areas.

VINEYARD COMMUNITY PLAN

The Vineyard Community Plan, which was developed in 1985, provides guidance for growth and development in the community planning area. Policies identified in the plan that are applicable to the Project include:

- PF 4: Require all residential development proposals submitted to the County for approval be coordinated with the school district.
- PF 5: Require development and maintenance of an adequate fire suppression water supply for all new development.
- PF 6./FU 3: All types of urban development proposals must be accompanied by a detailed public services plan and specific timing and funding programs for the implementation and maintenance of services.

FIRE DISTRICT MASTER PLANS

Fire District Master Plans provide policy guidance, objectives, and activities to improve emergency response to the districts' citizens, use existing resources more efficiently, and improve district facilities. These plans address deficiencies with existing fire stations, including age and condition issues; noncompliance with building codes; the ability to respond to emergencies following an earthquake; and lack of apparatus rooms of sufficient size to store present-day emergency-response equipment.

In 2010, Metro Fire adopted a neighborhood-based deployment plan to have response times that meet national best practice recommendations. In areas that have over 1,000 people per square mile, the standard travel time is 4 minutes with an overall reflex time of 7 minutes (1st Due and 1st Alarm requirement). In 2013, Metro Fire issued the Fire Department Growth Analysis, which reviewed the number and location of new fire stations that would be required to meet 1st Due and 1st Alarm response requirements, taking into consideration the various planning areas where development is proposed.

LIBRARY FACILITY MASTER PLAN

The Library Facility Master Plan for SPLS sets forth general standards and criteria for the renovation and construction of all new libraries. Existing and future library needs are largely population driven (e.g., for every 30,000 residents in a community, at least one

full service library is required). Ideally, new libraries would have 0.4 to 0.6 square feet per capita with some basic minimum and maximum sizes. The Library Facility Master Plan also establishes preferred sizing and footprint and desirable components such as volumes and collection, meeting rooms, study areas, computer terminals and so on. Each of these items is standards driven. One of the most critical items for future library development is location. A new library in a poor location is an under-utilized library. Important location criteria includes: land availability, cost, quality of the site, size, accessibility (parking, pedestrian access, public transportation), and synergy/location with other public and private uses.

IMPACTS AND MITIGATION

SIGNIFICANCE CRITERIA

Based on the CEQA Guidelines, a public services impact is significant if implementation of the Project would result in:

- Result in substantial adverse physical impacts associated with the provision of emergency services and fire protection services;
- Result in substantial adverse physical impacts associated with the provision of law enforcement services;
- Result in substantial adverse physical impacts associated with the provision of public school services;
- Result in substantial adverse physical impacts associated with the provision of park and recreation services, or result in substantial physical deterioration of an existing facility due to increased use; or
- Result in substantial adverse physical impacts associated with the provision of library services.

ISSUES NOT DISCUSSED FURTHER

All issues identified in the significance criteria are evaluated below.

METHODOLOGY

The following evaluation of potential impacts associated with public services was based on a review of existing services and demand projections from the development of the Project. This analysis assumes that the Plan Area would be developed in a manner generally consistent with the land use diagram and proposed general plan amendments described in Chapter 2, "Project Description." As such, it is assumed that the UPA would be expanded to include approximately 1,391 acres of the Plan Area and would support 16,955 residents. The calculations of projected demand for public services are based on facility plans or comments received from the applicable public service purveyors.

IMPACT: RESULT IN SUBSTANTIAL ADVERSE PHYSICAL IMPACTS ASSOCIATED WITH THE PROVISION OF FIRE PROTECTION AND EMERGENCY SERVICES

PROPOSED PROJECT

The Project would increase the demand for Metro Fire protection and emergency services. This increase in demand would require additional staff and fire facilities in order to maintain service levels and to ensure that adequate fire protection is provided. Metro Fire estimates that the Project could generate 3,000 calls for service per year at full buildout of the Plan Area (Frye, pers. comm., 2018).

Metro Fire has also expressed concern regarding wildfire potential within the proposed wetland preserve area of the Plan Area and the surrounding wetland preserve areas offsite. Due to the additional potential for risk, Metro Fire has indicated that the proposed fire station should include a structural engine company as well as a wildland fire engine. In addition, based on the Plan Area's location along Jackson Road in an area near several developing areas, Metro Fire has indicated that the fire station within the Plan Area should serve as a larger, more regional-serving station where they can stage personnel and equipment for Metro Fire's Effective Response Force. This would require that the proposed station house additional staff and equipment above and beyond the normal requirements for a standard fire station. This would include the following staff and apparatus, in addition to the structural engine company and wildfire engine mentioned above (Frye, pers. comm., 2018):

- 1 Battalion Chief – 1 staff
- 1 Ladder Truck – 4 staff
- 1 Ambulance – 2 staff

Due to the additional staff and equipment required at this station, the sizing and siting criteria for this fire station varies from what Metro Fire normally requires in a new fire station site. Metro Fire has requested a 3- to 4-acre site located near the southwest corner of the Plan Area that could accommodate five apparatus bays and quarters for 11 or 12 firefighters (Frye, pers. comm., 2018). A final location would be determined in conjunction with Metro Fire representatives and evidence of an agreement would be a condition of Project approval.

This EIR assumes the development of a 4-acre fire station located near, but not directly adjacent to Jackson Road, and near the proposed Town Center, but away from the electrical easement. Any of the proposed large lots located within the Town Center could serve this purpose. If Metro Fire chooses a site owned by the Project Applicant, they would acquire the site by working directly with the Project Applicant; if Metro Fire chooses a site within a non-participating property, they would need to work directly with the property owner for site acquisition. In either scenario, this EIR assumes a fire station meeting the sizing and siting criteria required by Metro Fire would be developed. Metro Fire also requires the installation of an emergency traffic signal on Jackson Road at the proposed fire station location to ensure easy access onto that roadway.

Metro Fire indicates that the fire station should be operational by the time the Project's population density exceeds 1,000 people per square mile; this is estimated to occur

during Phase 1A of construction. Metro Fire acknowledges that it is requesting a site located in either Phase 3 or Phase 4 of the Project (Frye, pers. comm., 2018). However, as stated in Chapter 2, "Project Description," phasing of the Project has been specifically designed to optimize flexibility so that appropriate infrastructure can be provided if a later phase occurs prior to the completion of earlier phases. Therefore, the design of the infrastructure plans for Phase 3 and Phase 4 would allow for the timely delivery of appropriate infrastructure needed for the future fire station, regardless of the exact site selected by Metro Fire.

The 2030 General Plan contains policies that allow the Board of Supervisors to establish mitigation fees for the purpose of funding adequate fire protection and emergency medical response facilities, provided they find that such fees are critical and necessary to meet the facility funding needs of the fire district. The fire districts that receive such funds must maintain Insurance Service Office ratings of 3 for hydrant areas and 8 for non-hydrant areas and a response time of 5 minutes for emergency calls, where staffing levels are adequate. According to Metro Fire, the station in the Plan Area would enable first response fire protection services to be provided to the entire Plan Area, as well as areas beyond, within 4 minutes of travel time, consistent with their response standard. Additionally, the policies contained in the 2030 General Plan require that new buildings and neighborhoods meet the requirements of the California Fire Code and access and fire hydrants are adequate.

Land within the Plan Area would be dedicated to Metro Fire as a part of the Project. This fire station would serve the entirety of the Plan Area, and no other fire protection or emergency services facilities would be required to serve the Project. Because this facility is located within the Plan Area, the environmental impacts associated with the development of this facility are evaluated throughout this EIR. No additional off-site facilities would be needed. Therefore, impacts associated with fire protection services would be **less than significant**.

ALTERNATIVE 2

Alternative 2 would result in fewer residents than the Project, but would include the same fire protection facilities. Alternative 2 would have **less-than-significant** impact on fire protection because the proposed fire protection facility would be adequate without any reductions in response time or level of service.

MITIGATION MEASURES

No mitigation is required.

IMPACT: IMPAIR EMERGENCY RESPONSE

PROPOSED PROJECT

The County received two comments in response to the NOP relating to concerns regarding emergency response from Amador County and the City of Jackson. Both comments, available in Appendix INT-2, express concerns that emergency response dispatchers may experience confusion when responding to emergency calls due to the similarities between the Project name, Jackson Township Specific Plan, and the City of Jackson.

County staff reached out to local emergency responders for additional information on emergency response and the dispatch of emergency calls. Staff from Metro Fire acknowledged that there could be some confusion, particularly for callers not familiar with their location. However, cellular 911 calls are routed to Metro Fire dispatch through the local California Highway Patrol office, which has a high success rate of accurately identifying the location of an incident in order to direct the call to the appropriate emergency responder. Through this process, the number of calls directed to Metro Fire for incidents located in other areas would be minimal. Most cases where locations are confused are primarily due to similar street names in different communities within an emergency responder's jurisdiction, rather than similar community names. While there is always a possibility of confusion due to similar place names and misdirected emergency calls, with the accuracy of California Highway Patrol dispatch and the distance between the Plan Area and the City of Jackson (more than 30 miles), Metro Fire staff did not feel that this was a major concern or risk to the provision of emergency response (Casentini, pers. comm., 2016).

County staff also spoke with staff from the Sacramento Regional Fire/EMS Communications Center (SRFECC), which is responsible for answering and directing 911 calls to appropriate agencies in the Sacramento region. According to SRFECC staff, dispatchers receive location information from callers to assist them in determining the location of the incident and directing the call to the appropriate agency. When calls are received from landlines, dispatchers are provided with the billing address of that phone number to determine location. When calls are received from cell phones, dispatchers receive GPS triangulation data that assists the dispatcher in narrowing down the location of the call. This triangulation data uses signals from the cell phone that bounce off multiple cell phone towers in the area surrounding the caller, which determines a location. While triangulation data does not always reveal exact location, it would be able to differentiate between calls placed from the Plan Area and the City of Jackson, which are more than 30 miles apart. Furthermore, dispatchers are trained to determine location of an incident based on street address or intersection, rather than community name. So, if a caller identified their location as "Jackson Township," the dispatcher is specially trained to get more specific location information from the caller to avoid confusion between community names and forward the call to the appropriate emergency response agency. Based on the distance between the Plan Area and the City of Jackson and dispatchers' extensive training to determine appropriate locations of incidents, SRFECC staff did not feel that the name of the Project would result in confusion of and resultant impacts on emergency responders (Quintard, pers. comm., 2017). Based on the emergency responders' opinions that the Project's name would not result delays to emergency response, this impact would be **less than significant**.

ALTERNATIVE 2

Alternative 2 would also be referred to as Jackson Township, if selected. As addressed above, this is not anticipated to effect emergency response due to the distance between the Plan Area and the City of Jackson and dispatchers' extensive training to determine appropriate locations of incidents. Alternative 2 would result in a **less-than-significant impact** on emergency response.

MITIGATION MEASURES

No mitigation is required.

IMPACT: RESULT IN SUBSTANTIAL ADVERSE PHYSICAL IMPACTS ASSOCIATED WITH THE PROVISION OF LAW ENFORCEMENT

PROPOSED PROJECT

The Project includes a maximum of 6,143 residential units which, according to the proposed Specific Plan, would provide housing for an estimated 16,955 new residents within the Plan Area, as well as non-residential users. This would increase demand for law enforcement services within the Plan Area.

SSD has substations located throughout the unincorporated county. The closest of which is the Kilgore Station East Division located at 2897 Kilgore Road in Rancho Cordova. SSD has indicated that the existing substation could accommodate new staffing and equipment that may be needed to serve the growth in the area. Additionally, the provision of law enforcement services is not necessarily based on facility locations, as timely services are generally provided by personnel who are on patrol within communities.

The Project would provide funding in the form of development impact fees and ongoing property taxes that would provide funding for additional staffing and equipment needed to maintain and improve service levels for law enforcement within the Plan Area and the surrounding areas. Law enforcement services would be funded through the County Police Services Community Facilities District 2005-1 (CFD 2005-1) annual special tax that would be levied on each new residential unit developed within the Plan Area in accordance with the provisions of CFD 2005-1. These funding mechanisms, policies, and regulations would assist SSD in adequately serving new growth and demand. Because no new facilities are required as a result of the Project, there would be no additional impacts on the physical environment associated with the construction of a new facility. Therefore, the impact would be **less than significant**.

ALTERNATIVE 2

Alternative 2 would generate 5,690 dwelling units and 15,331 residents, as well as employees. As described above for the Project, development impact fees and ongoing property taxes would provide funding for additional staffing and equipment needed to maintain and improve service levels for law enforcement within the Plan Area and the surrounding areas. These funding mechanisms, policies, and regulations would assist SSD in adequately serving new growth and demand. Because no new facilities would be required as a result of the Project, there would be no additional impacts on the physical environment associated with the construction of a new facility. Therefore, the impact would be **less than significant**.

MITIGATION MEASURES

No mitigation is required.

IMPACT: RESULT IN SUBSTANTIAL ADVERSE PHYSICAL IMPACTS ASSOCIATED WITH THE PROVISION OF SCHOOLS

PROPOSED PROJECT

Development of the Project would increase the local student population. Based on student generation rates provided by EGUSD and State of California criteria, the proposed Jackson Township Specific Plan estimates that student enrollment resulting from the Project would be approximately ~~4,038~~ 3,675 additional students, with approximately ~~2,147~~ 2,136 students in grades K–6 (elementary school), 549 in grades 7–8 (middle school), and ~~1,258~~ 990 in grades 9–12 (high school). The Project designates three sites for elementary schools that are each approximately 12 acres in size and have a capacity of 850 students each. The Project also includes an 80-acre site designated for a joint high school and middle school that has a capacity for 1,200 middle school students and 2,200 high school students. Because these sites have a capacity that exceeds the expected demand, the proposed schools would also serve students from outside the Plan Area. Moreover, the Project would not exacerbate the overcrowding of the existing schools that serve the area or result in the construction of additional schools outside of the Plan Area. Table PS-2, below, recreates Table 6.4 from the Specific Plan (available as Appendix PD-1) and updates the student generation dates to reflect February 2019 EGUSD Student Generation Rates.

Table PS-2: Estimated Student Generation and School Site Demands

Land Use	Dwelling Units	Grades K-6 Factor	# of K-6 Students	Grades 7-8 Factor	# 7-8 Students	Grades 9-12 Factor	# 9-12 Students
Single Family (LDR, MDR)	3,906	0.3751 <u>0.4021</u>	1,465 <u>1,571</u>	0.1181 <u>0.1065</u>	461 <u>416</u>	0.2299 <u>0.1953</u>	898 <u>763</u>
Attached/ For Sale (20% of HDR/MU)	447	0.1358	61	0.0331	15	0.0795	36
Multi-Family/ Rental (80% of HDR/MU)	1,790 <u>2,237</u>	0.3469 <u>0.2524</u>	621 <u>565</u>	0.0879 <u>0.0595</u>	157 <u>133</u>	0.1818 <u>0.1013</u>	324 <u>227</u>
Total Units	6,143						
Total Students			2,147 <u>2,136</u>		633 <u>549</u>		1,258 <u>990</u>
Site Capacity (per school)			850		1,200		2,200
Required # of School Sites			2.53 <u>2.51</u>		0.53 <u>0.21</u>		0.57 <u>0.45</u>

Source: Jackson Township Specific Plan, Table 6-4. Updated to reflect 2019 student generation rates.

The three elementary school sites would be co-located with neighborhood park sites to encourage joint use of the facilities. Each elementary school would be centrally located to serve as a focal point of the neighborhood. Each school would be approximately 0.5

mile from most residences and linked on a greenway system, to allow easy non-vehicular access. The high school/ middle school site would also be located adjacent to the community park at a location that provides accessibility to the residents of the proposed NewBridge Specific Plan area that would use this school.

EGUSD has been working with the Project Applicant to ensure adequate school facilities are provided within the Plan Area. The number and location of school sites shown on the current plan would accommodate additional students generated by the Project (Heinicke, pers. comm., 2013). Proposed school construction would occur within the Plan Area boundaries in areas designated for developed uses, consistent with the provisions of the Specific Plan. Construction of these schools within the Plan Area and are part of the Project, and the environmental impacts associated with the construction and operation of the schools are evaluated throughout this EIR.

Further, ~~the Project Applicant prior to building permit issuance, home builders/developers~~ would be required to pay all applicable State-mandated school impact fees to EGUSD at the time of development. The County would determine the assessable square footage that would be subject to the fee at that time. EGUSD would determine the capacity of existing schools at the time of build-out of the Plan Area, would determine the need for new school facilities, and would oversee the environmental review and development of new facilities. ~~If school impact fees are not adequate to cover the need for new school facilities, EGUSD has the ability to raise fees as necessary.~~ The California Legislature has declared that payment of the applicable school impact fee is deemed to be full and adequate mitigation under CEQA for impacts on school facilities (California Government Code Section 65996).

The Project includes four school sites, which would exceed the demand generated by the Project. Construction of these schools would not result in any substantial physical impacts specific to public services that are not already an inherent part of overall Project impacts. Impacts specific to public facility construction related to school services would be **less than significant**.

It is possible that future residential development within the Plan Area would generate demand for school facilities that are not met by the proposed school sites for some period of time as the Plan Area builds out. Depending upon the timing of construction of new school facilities relative to residential development within the Plan Area, future students could be bused or driven to off-site schools within the EGUSD boundaries for a short period of time. This could result in indirect impacts related to transportation, such as air pollutant emissions, greenhouse gas emissions, and transportation noise. The timing and specifics necessary to fully evaluate these impacts are unknown and speculative. No further analysis can be provided in this document.

ALTERNATIVE 2

Alternative 2 would result in similar levels of demand for school services and proposes the same general school sites as the Project. As indicated in the evaluation of the Project, adequate school facilities would be accommodated within the Plan Area. Impacts would be **less than significant**.

MITIGATION MEASURES

No mitigation is required.

IMPACT: RESULT IN SUBSTANTIAL ADVERSE PHYSICAL IMPACTS ASSOCIATED WITH THE PROVISION OF PARKS AND RECREATION SERVICES**PROPOSED PROJECT**

The Project includes six neighborhood parks (totaling 39.1 acres) that would be distributed throughout the Plan Area, three of which are adjacent to the proposed elementary school sites. The other three neighborhood parks would be located adjacent to the regional and local trail system within the proposed greenbelt areas to provide for easy pedestrian and bicycle access throughout the Plan Area. The neighborhood parks range in size from 5.0 to 9.5 acres and would provide a variety of facilities that would accommodate local recreational needs. The park facilities are anticipated to include play areas for children, open turf areas, areas for organized sports, picnic areas, and spaces for small groups of people to gather and recreate. The two larger neighborhood parks would accommodate soccer and baseball fields and provide restrooms and parking.

The Project also includes two community parks: a 28.6-acre community park (Park A) adjacent to the middle school/high school and a 10.6-acre park (Park B) located near the center of the Plan Area. In total, there would be approximately 39.2 acres of community park land. Park A would provide for joint use opportunities with the school and as a trailhead and interpretive area for the wetland preserve. This park could also provide for large community gathering area with active facilities like lighted softball, baseball, and soccer fields, basketball courts, a large covered picnic area, water playground, and dog park area, along with parking and restrooms. Park B could include facilities such as soccer fields, basketball courts, a large covered picnic area, restrooms, a playground, and parking. Both proposed community parks are also adjacent to the trail system, which would provide easy access for residents throughout the Plan Area.

The Project has been designed so that most homes would be located within 0.25 mile of major gathering facilities, including the parks. See Plate PD-16 for a map depicting the distribution of park facilities throughout the Plan Area. In total, the Project would provide for 78.3 acres of developed parkland.

In addition to developed parkland, the Project would also provide an extensive regional and local trail system within approximately 60.9 acres of open space and greenbelt within two drainage corridors. These corridors would comprise a system of Class 1 trails that would provide off-street active recreation that would connect most areas of the Plan Area. The Project would also provide for approximately 214.3 acres of wetland preserve that could provide some passive recreation uses, although public access would be limited due to biological resources constraints. The area within the wetland preserve and most of the trail system does not count toward State-mandated parkland requirements per the Quimby Act. The CRPD has agreed to accept 3 acres of the trail system adjacent to the east and south boundaries of Park A for Quimby Act credit,

increasing the total amount developed parkland to be owned, operated, and maintained by CRPD to 81.3 acres.

The Quimby Act and the 2030 General Plan require a minimum of 3 and a maximum of 5 acres of parkland per 1,000 residents. As described in the Regulatory Setting, Title 22 provides parkland calculation factors to assist in determining the appropriate amount of parkland required for projects located within the CRPD based on housing type. Table PS-3, below, presents these factors and the Project's parkland dedication requirement.

Table PS-3: Parkland Dedication Requirements for the Project

Land Use/ Housing Type	Dwelling Units	Factor	Acres Required
Single family: LD/MD	3,906	0.0142	55.5
Multi-family: HD/MU	2,237	0.0119	26.6
Total	6,143	--	82.1 acres
Parkland Provided			
Facility Type	# of Facilities	% Credit Allowed	Acres Credit
Community Parks	2	100%	39.2
Neighborhood Parks	6	100%	39.1
Trails (Adjacent to south and east sides of Community Park A)	2	100%	3.0
Total Provided	--	--	81.3 acres
Difference	--	--	-0.8 acre

Source: Jackson Township Specific Plan, Table 6-3; Section 22.40.045 of the Sacramento County Code

The Project would provide for 78.3 acres of developed parkland and 3 acres of trails adjacent to Park A that CRPD would accept for full parkland credit, totaling 81.3 acres. Based on the parkland calculation factors from Title 22 of the Sacramento County Code, the Project would be required to provide 82.1 acres of parkland, leaving a difference of 0.8 acre of additional parkland acreage needed to fulfill the parkland requirement.

In cases where there is a shortfall of dedicated parkland acreage, the Quimby Act, Title 22 of the Sacramento County Code, and Policy LU-122 of the 2030 General Plan all allow for a shortfall to be rectified through the dedication of additional parkland or payment of in-lieu fees to the applicable park district. In the case of the Project, future map applications for subsequent development would be required to go through a review process, and each project would provide for the opportunity to add additional parkland in order to make up for the overall shortfall. In addition, the proposed Specific Plan provides a development maximum, so it is possible that fewer residences would actually be built. Parkland dedication requirements would be based on actual subdivision maps. If fewer units are built, then less parkland would be needed; if the Plan Area is fully built out to a maximum of 6,143 residential units, the Project Applicant would either need to dedicate additional parkland at the time of tentative map or pay in-lieu fees to make up for the difference.

In addition, although funding is not an impact on the physical environment, a Public Facilities Financing Plan has been prepared for the Project ensure that adequate funding is available to CRPD for development, maintenance, and programming of parks and recreational facilities within the Plan Area.

Parkland dedication currently proposed within the Plan Area would be slightly deficient and would require the dedication of an additional 0.8 acre of parkland to meet dedication requirements. As mentioned above, the Specific Plan provides a maximum buildout scenario, so it is possible that once tentative maps for development within the Plan Area are filed with the County in the future, that the anticipated shortfall may no longer be an issue if fewer residential units are approved. Due to the small amount of acreage (0.8 acre), this is likely to be the case. The applicable regulations also allow for the payment of in lieu fees to make up the difference. While it will not be known for certain what the actual shortfall would be, if any, this impact would nonetheless be considered **potentially significant** absent verification of adequate parkland dedication.

Mitigation Measure PS-21, below, requires that the developer of the future projects in the Plan Area either dedicate park acreage to meet the individual parkland requirements for that project (as indicated by Title 22 of the Sacramento County Code), or pay in lieu fees equivalent to any shortfalls in parkland dedication to provide for the acquisition and development of park facilities located within other areas of the Plan Area. Implementation of this measure would provide adequate park and recreation services, thereby reducing the impact to **less than significant after mitigation**.

ALTERNATIVE 2

Alternative 2 would dedicate 0.5 acre more parkland than the Project while constructing fewer residences, which would result in a surplus of parkland above County requirements (see Table PS-4). Therefore, impacts on parks and recreation services for Alternative 2 would be **less than significant**.

Table PS-4: Parkland Dedication Requirements for Alternative 2

Land Use/ Housing Type	Dwelling Units	Factor	Acres Required
Single family: LD/MD	3,540	0.0142	50.3
Multi-family: HD/MU	2,150	0.0119	25.6
Total	5,690	--	75.9
Parkland Provided	--	--	81.8
Difference	--	--	+ 6.0 acres

MITIGATION MEASURES

PS-1: At the time a small lot tentative map is submitted to the County, the developer of the property shall demonstrate that either (1) park acreage to meet the individual parkland requirements pursuant to Title 22 of the Sacramento County Code has been provided within the mapped area, or (2) in-lieu fees will be paid in an amount equivalent to any shortfalls in parkland dedication. Appropriate parkland dedication and/or adequacy of fees shall be verified by CRPD prior to the

County's approval of the small lot tentative map. This requirement shall be met for all small lot tentative maps, including those located in portions of the Plan Area that do not include planned park facilities per the Specific Plan.

IMPACT: RESULT IN SUBSTANTIAL ADVERSE PHYSICAL IMPACTS ASSOCIATED WITH THE PROVISION OF LIBRARIES

PROPOSED PROJECT

Future residents of the Plan Area would increase the demand for library services provided by the SPLS. The nearest full-service branch is the Rancho Cordova branch, which could serve Plan Area residents. None of the new branch locations identified in the Library Master Plan are anticipated to be located within the Plan Area; however, they are in close proximity to the Plan Area and could serve area residents once they come online.

Staff from the Sacramento Public Library Authority confirmed with County staff that they do not see the need for a new library branch in the Plan Area (Tucker, pers. comm., 2013). The SPLS's Library Master Plan recommended the development of three to four new libraries within the Rancho Cordova, Sunrise Douglas, and Vineyard areas. Specific locations have not yet been identified, but these general locations are outside the Plan Area. The SPLS will be required to do a complete analysis of all potential impacts on new branch locations once they are determined.

The Project would not increase demand on library services beyond existing capacity. In addition, the Project includes a funding mechanism through the public facilities fee program for library upgrades to accommodate the expected population of the Project. This would allow the SPLS to implement the Library Master Plan, which accommodates planned growth in the surrounding area. Therefore, the Project would not result in substantial adverse physical impacts associated with the provision of library services. This impact would be **less than significant**.

ALTERNATIVE 2

Alternative 2 would result in similar levels of demand for library services as the Project. This alternative would also include the same funding mechanism to provide for ongoing services. Alternative 2 would have a **less-than-significant** impact on libraries.

MITIGATION MEASURES

No mitigation is required.

This page intentionally left blank.

18 WATER SUPPLY

INTRODUCTION

The following chapter addresses the ability of the existing water service provider to supply drinking water to the Project or Alternative 2. The analysis describes relevant master planning of the utility services and whether the infrastructure and demands of the Project or Alternative 2 are consistent with the utility master plans. The potential physical impacts of constructing facilities are described.

During the Notice of Preparation (NOP) scoping process, the County received a comment that requested analysis of the increased demand for water generated by the Project. The following discussion addresses this concern. Cumulative impacts to water supply are also addressed in Chapter 21, "Summary of Impacts and Their Disposition." A copy of the NOP and comment letters received in response to the NOP are included in Appendix INT-2 of this Draft EIR.


ENVIRONMENTAL SETTING

SACRAMENTO COUNTY WATER AGENCY

The Plan Area is within the Zone 40 North Service Area (NSA) of the Sacramento County Water Agency (SCWA) (Plate WS-1). Zone 40 is in the central portion of the county, and has traditionally been a largely rural, agricultural region. Zone 40 plans, acquires, constructs, and operates facilities for the conjunctive use of groundwater and surface water in the area of influence of the Central Basin, described in detail below under "Groundwater Conditions." Once planned facilities have been constructed by SCWA, they are operated and maintained by Zone 41, which retails the water to customers. Zone 40 and 41 have largely overlapping jurisdictional boundaries.

The conjunctive use program for SCWA includes the use of groundwater, surface water, remediated water, and recycled water supplies. SCWA diverts firm and intermittent surface water from, or near, the mouth of the American River or from the Sacramento River and uses groundwater and surface water conjunctively to meet water system demands (SCWA 2016b). SCWA utilizes this coordinated approach to manage surface water and groundwater supplies to maximize the yield of available water resources.

The conjunctive use program relies on an abundance of surface water in wet years when as much surface water as possible is diverted, within entitlement limitations, minimizing the use of groundwater. During these years, the groundwater aquifer naturally replenishes. In dry years, when surface water availability is reduced, SCWA pumps more groundwater from the replenished aquifer. Using surface water and groundwater conjunctively makes it easier for SCWA to meet demands in a single-dry year or in multiple-dry years. The goal of the conjunctive use program is to meet all demands during wet and dry years.



Source: Image prepared by Sacramento County Water Agency, 2016

X15010101 09 033

Plate WS-1: Sacramento County Water Agency Service Areas

The Water Supply Master Plan (WSMP) for Zone 40 projects water demand through 2030. ~~The Plan Area is not within the 2030 study area analyzed in the 2005 WSMP.~~ Water is supplied to Zone 40 through a variety of sources, including groundwater and surface water from the American River and Sacramento River obtained through appropriative supplies, the Central Valley Project (CVP), and other transfer water supplies. The 2005 WSMP was developed for the entire Zone 40/NSA to outline a flexible program of water management alternatives that could be implemented as the availability and feasibility of water supply sources changed. The Plan Area is not within the 2030 study area analyzed in the 2005 WSMP.

SURFACE WATER SOURCES

SCWA obtains surface water from a contract with the CVP, an appropriative right to the American River and Sacramento River, and a small amount of recycled water (SCWA 2016a). Appropriative rights mean the ability to divert water at one point and use that water beneficially (appropriate) at another point that may not be proximate to where the water is diverted. The CVP surface water supply consists of a total of 45,000 acre-feet per year (afy) that is diverted at the Freeport diversion on the Sacramento River and treated at the Vineyard Surface Water Treatment Plant (SWTP), which is approximately 3.5 miles southwest of the Plan Area. This water supply is subject to reductions in dry years (SCWA 2016b).


A second source of surface water consists of the City of Sacramento's American River Place of Use appropriation, which constitutes approximately 9,300 afy. This water is diverted at the Sacramento SWTP. The allocation of water is dependent upon American River flows, and a supply allocation of zero percent is assumed for dry years and 100 percent for normal climate years.

A third source of surface water is through appropriative use of the Sacramento and American Rivers as approved by the SWRCB under Permit 21209. SCWA is entitled to approximately 71,000 afy in wet years. The water is diverted at the Freeport diversion on the Sacramento River.

GROUNDWATER CONDITIONS

The groundwater basin underlying Sacramento County has been utilized for domestic, agricultural, and urban water supply since the mid-1800s. In the 1940s, groundwater extractions began to exceed levels of recharge, which caused a gradual lowering of groundwater levels in the region (DWR 1974). There are three primary groundwater zones in Sacramento County: the North Basin (north of the American River); the South Basin (between the American and the Cosumnes Rivers); and the Central Basin (Plate WS-2).

The Project is in the Central Basin. The Central Basin is roughly bound by the American River to the north, the Sacramento River to the west, the Cosumnes and Mokelumne Rivers to the south, and the Sierra foothills to the east. The watershed areas for these rivers, as well as the upland foothill regions, serve as the major source of groundwater recharge in the Central Basin (SCGA 2006). Additional recharge occurs along the eastern boundary of Sacramento County at the transition point from the consolidated rocks of the Sierra Nevada to the alluvial-deposited basin sediments. Figure 5 of the Background Section for the Conservation Element of the General Plan indicates that there are no areas of groundwater recharge within the Plan Area (Sacramento County 1993).



Source:

X15010101 09 027

Plate WS-2: Sacramento County Groundwater Basins

Groundwater underlying the Central Basin is contained within a shallow aquifer (Modesto Formation) and in a deep aquifer (Mehrten Formation). Groundwater is located from 20 to 100 feet below the ground surface, depending on when and where the measurement is taken. The shallow aquifer extends approximately 200 to 300 feet below the ground surface and, in general, water quality in this zone is good (with the exception of arsenic detections in a few locations). The shallow aquifer is typically used for private, domestic wells and typically requires no treatment (SCGA 2006).

The deep aquifer is separated from the shallow aquifer by a discontinuous clay layer that serves as a semi-confining layer. The base of the potable water portion of the deep aquifer averages approximately 1,400 feet below ground surface. Water in the deep aquifer typically has higher concentrations of total dissolved solids, iron, and manganese (SCGA 2006).

The Central Basin also contains known contaminant plumes associated with Mather Field, Aerojet, Boeing, the former Army Depot, the former Southern Pacific and Union Pacific railyards, and various landfills (SCGA 2006). There is no documented groundwater contamination within the Plan Area. Refer to Chapter 13, "Hazardous Materials," of this EIR for information related to the potential for groundwater contamination, leaking underground fuel tanks, and other documented hazardous materials within the Plan Area.

GROUNDWATER SUPPLIES

Groundwater used in the Central Basin is supplied from both the shallow and deeper aquifer systems. Intensive use of groundwater over the past 60 years has resulted in a general lowering of groundwater elevations. Over time, isolated groundwater depressions grew and coalesced into a single cone of depression centered in the southwestern portion of the Central Basin, near the City of Elk Grove (approximately 10 miles southwest of the Plan Area).

The basin is beginning to recover from this historical overdrafting. In general, a map of changes in groundwater levels within the basin from 2005 to 2015 demonstrates that the basin is in a period of recharge, with the exceptions of areas in the eastern and southern portions of the basin that are being pumped as a result of groundwater remediation programs from historical contamination. Groundwater storage in the recharge area underlying Elk Grove and surrounding areas is continuing to increase due to conjunctive use and surface water use expansion, increased use of recycled water, and water conservation. The increase in storage in this portion of the subbasin has filled the long-term cone of depression and has eroded the ridge of higher groundwater separating it from the Cosumnes Subbasin (SCGA 2016).

In addition, SCWA receives a remediated groundwater supply of 8,900 afy in accordance with the terms and conditions in the May 2010 agreement entitled "Agreement between Sacramento County, SCWA, and Aerojet-General Corporation with Respect to Transfer of GET Water." The timing and amount of remediated groundwater available is subject to change as a result of on-going negotiations with water purveyors affected by groundwater contamination and with Aerojet/Boeing as remediation plans are subject to changes directed by regulatory agencies. The remediated supply is diverted by SCWA from the Sacramento River at Freeport, along

with SCWA's surface supplies. Table WS-1, below, describes SCWA's projected availability of groundwater over the next 20 years.

Table WS-1: SCWA Projected Groundwater Supply Availability

	2020	2025	2030	2035	2040
Groundwater (afy)	47,000	47,000	52,000	62,000	62,000
Remediated Groundwater (afy)	8,900	8,900	8,900	8,900	8,900
Total (afy)	55,900	55,900	60,900	70,900	70,900

WATER FORUM AGREEMENT

The Water Forum Agreement (WFA), as updated in October of 2015, is a memorandum of understanding designed to provide a reliable and safe water supply to the region through 2030 while preserving the fishery, wildlife, recreational, and aesthetic values of the lower American River. Land-use decisions dependent on water supply from the three groundwater subbasins in Sacramento County must be consistent with the estimated average annual sustainable yields for those groundwater subbasins, as negotiated for the WFA. The Groundwater Management Element of the WFA recommends a sustainable yield for the Central Subbasin of 273,000 afy. The Central Basin is managed by the Sacramento Central Groundwater Authority (SCGA), which has adopted a groundwater management plan consistent with regional objectives (Sacramento County 2010).

Groundwater extraction has been within the WFA's sustainable yield from 2005 (252,984 acre-feet per year [afy]) to 2015 (217,111 afy). The least amount of groundwater extraction over this period occurred in 2011 (202,324 afy) and the most occurred in 2008 (260,200 afy). The average groundwater extraction during the drought years (2011–2015) was approximately 219,000 afy (SCGA 2016). The wells nearest the Plan Area have groundwater level trends that vary between 40 feet above to 40 feet below mean sea level (SCWA 2018).

REGIONAL INFRASTRUCTURE

Zone 40 is undergoing rapid urbanization, and water use in the area is increasing. To continue to achieve the goal of groundwater conservation and recharge and rely more heavily on surface water as a source, the Freeport Regional Water Authority Intake Facility and Pipeline was developed. The facility and pipeline transport water from the Sacramento River to the Vineyard SWTP, where the water is treated and delivered to more than 40,000 SCWA customers.

VINEYARD SURFACE WATER TREATMENT PLAN

The Vineyard SWTP and associated water supply facilities are in operation. The Vineyard SWTP is currently providing potable water to existing development within the SCWA Zone 40 service area. The Vineyard SWTP currently has a capacity to treat 50 million gallons per day (mgd) with a planned capacity of 100 mgd of raw surface water to serve future development.

NORTH SERVICE AREA PIPELINE

The NSA Pipeline Project includes the construction of a transmission main and booster tank station. The pipeline will begin at the Vineyard SWTP and convey water to the NSA (NSA Pipeline Phase A). SCWA completed and approved an Initial Study/Mitigated Negative Declaration (*NSA Pipeline Project*, Sacramento County Control Number 2007-70373) for construction of this pipeline in September 2010. In 2014, a supplemental Initial Study/Mitigated Negative Declaration was prepared and adopted for an interim pipeline project constructing a 66-inch pipe to the Excelsior Well Field and converting the raw water pipe line to treated water to the existing Anatolia Water Treatment Plant. The interim pipeline was constructed in 2016. The timing of construction of the remaining portion of NSA pipeline (NSA Pipeline Phase B) cannot be predicted at this time, as its timing is dependent on growth demand in the NSA.

EXISTING INFRASTRUCTURE IN THE PLAN AREA

Existing water facilities in the vicinity of the Plan Area include the Vineyard SWTP, the Excelsior Well Field, and the Anatolia Terminal Storage and Pumping Facilities. A 30-inch transmission line connects these facilities. This line follows the Excelsior Road and Kiefer Road alignments along the western boundary of the Plan Area and within the northern portion of the Plan Area, respectively.

REGULATORY SETTING

FEDERAL

UNITED STATES BUREAU OF RECLAMATION

The Bureau of Reclamation is part of the United States Department of the Interior and is responsible for the development and conservation of much of the water resources in the western United States. The Bureau operates Folsom Dam, Nimbus Dam, and the Folsom South Canal. While the original purpose of the Bureau was to provide for the reclamation of arid and semiarid lands in the west, the agency's current mission covers a wider range of interrelated functions. These functions include providing municipal and industrial water supplies through the CVP; generating hydroelectric power; providing irrigation water for agriculture; improving water quality, flood control, and river navigation; providing river regulation, control and fish/wildlife enhancement; offering water-based recreation opportunities; and conducting research on a variety of water-related topics.

STATE

CALIFORNIA DEPARTMENT OF WATER RESOURCES

The California Department of Water Resources (DWR) is responsible for the preparation of the California Water Plan, management of the State Water Project, protection, and restoration of the Sacramento-San Joaquin River Delta, regulation of dams, provision of flood protection, and other functions related to surface water and groundwater resources.

STATE WATER RESOURCES CONTROL BOARD

The State Water Resources Control Board (SWRCB) was established in 1967 to administer water rights and protect water quality. The SWRCB and its nine regional water quality control boards administer water rights and enforce pollution control standards. The SWRCB is responsible for the granting of water right permits and licenses through an appropriation process following public hearings and appropriate environmental review by applicants and responsible agencies. In granting water right permits and licenses, the SWRCB must consider all beneficial uses, including water for downstream human and environmental uses.

URBAN WATER MANAGEMENT PLANNING ACT

Pursuant to California Water Code Sections 10610-10657, as last amended by Senate Bill (SB) 318 in 2004, the Urban Water Management Planning Act requires all urban water suppliers with more than 3,000 service connections or water use of more than 3,000 afy to submit an urban water management plan (UWMP) to DWR every 5 years and update the plan on or before December 31 in years ending in 5 and 0. Amendments to SB 318 have focused on ensuring that the UWMP emphasizes and addresses drought contingency planning, water demand management, reclamation, and groundwater resources.

CALIFORNIA WATER CODE

Water Code Section 10910 et seq. defines the projects for which the preparation of a water supply assessment (WSA) is required, as well as the lead agency's responsibilities related to the WSA. The Water Code also clarifies the roles and responsibilities of the lead agency under CEQA and of the water supplier with respect to describing current and future supplies compared to current and future demands. A WSA is required for:

- A proposed residential development of more than 500 dwelling units;
- A proposed shopping center or business establishment employing more than 1,000 persons or having more than 250,000 square feet of floor space;
- A proposed hotel or motel, or both, having more than 500 rooms;
- A proposed industrial, manufacturing, or processing plant, or industrial park planned to house more than 1,000 persons, occupying more than 40 acres of land, or having more than 650,000 square feet of floor area;
- A mixed-use development that includes one or more of the uses described above;
- A development that would demand a volume of water equivalent to or greater than the volume of water required by a 500-dwelling unit project; and
- For lead agencies with fewer than 5,000 water service connections, any new development that would increase the number of water service connections in the service area by 10 percent or more.

Under Section 10910 of the Water Code, the lead agency must identify the affected water supplier and ask the supplier whether the new demands associated with the

project are included in the supplier's UWMP. If the UWMP includes the demands, it may be incorporated by reference in the WSA. If there is no public water system to serve the project, the lead agency must prepare the WSA.

SENATE BILL 221

SB 221 requires a city or county to include as a condition of approval of any tentative map, parcel map, or development agreement for certain residential subdivisions a requirement that a "sufficient water supply" be available. Proof of a sufficient water supply must be based on a written verification from the public water system that would serve the development.

SUSTAINABLE GROUNDWATER MANAGEMENT ACT OF 2014

The Sustainable Groundwater Management Act of 2014 (SGMA) became law on January 1, 2015 and applies to all groundwater basins in the state (Water Code Section 10720.3). By enacting the SGMA, the legislature intended to provide local agencies with the authority and the technical and financial assistance necessary to sustainably manage groundwater within their jurisdiction (Water Code Section 10720.1).

Pursuant to the SGMA, any local agency that has water supply, water management, or land use responsibilities within a groundwater basin may elect to be a "groundwater sustainability agency" for that basin (Water Code Section 10723). The groundwater sustainability agency for the North American subbasin is the Sacramento Groundwater Authority.

The SGMA also requires DWR to categorize each groundwater basin in the state as high, medium, low, or very low priority (Water Code Sections 10720.7, 10722.4). All basins designated as high- or medium-priority basins must be managed by a groundwater sustainability agency under a groundwater sustainability plan that complies with Water Code section 10727, et seq. If required to be prepared, groundwater sustainability plans must be prepared by January 31, 2020 for all high- and medium-priority basins that are subject to critical conditions of overdraft, as determined by DWR, or by January 31, 2022 for all other high- and medium-priority basins. In lieu of preparation of a groundwater sustainability plan, a local agency could submit an alternative that complies with the SGMA no later than January 1, 2017 (Water Code Section 10733.6).

On December 15, 2014, DWR announced its official "initial prioritization" of the state's groundwater basins for purposes of complying with the SGMA and this priority list became effective on January 1, 2015. DWR has ranked the Sacramento Valley Groundwater Basin as "high priority." As described above, the SCGA has prepared a groundwater management plan for the Central Basin. SCGA has submitted the plan to DWR as an alternative management plan that satisfies the requirements of SGMA.

CALIFORNIA MODEL WATER EFFICIENT LANDSCAPE ORDINANCE

The California Model Water Efficient Landscape Ordinance (MWELO) sets restrictions on outdoor landscaping. Because the Sacramento County is a "local agency" under the MWELO, it must require project applicants to prepare plans consistent with the requirements of the MWELO for review and approval by the County. The MWELO was

most recently updated by the DWR and approved by the California Water Commission on July 15, 2015. All provisions became effective on February 1, 2016. The revisions, which apply to new construction with a landscape area greater than 500 square feet, reduced the allowable coverage of high-water-use plants to 25 percent of the landscaped area. The MWELo also requires use of a dedicated landscape meter on landscape areas for residential landscape areas greater than 5,000 square feet or non-residential landscape areas greater than 1,000 square feet and requires weather-based irrigation controllers or soil-moisture based controllers or other self-adjusting irrigation controllers for irrigation scheduling in all irrigation systems.

CALIFORNIA GREEN BUILDING STANDARDS CODE

Chapter 4, Division 4.3 of the 2016 California Green Building Standards Code (CALGreen) requires conservation of water used indoors, outdoors, and in wastewater conveyance associated with residential land use. These include requiring the installation of water conserving plumbing fixtures and fittings, and requirements for outdoor potable water use in land use areas consistent with the MWELo. Chapter 5, Division 5.3 includes standards for indoor and outdoor water use associated with non-residential land uses.

CORTESE-KNOX-HERTZBERG LOCAL GOVERNMENT REORGANIZATION ACT

The Cortese-Knox-Hertzberg Local Government Reorganization Act of 2000 establishes procedures for local government changes of organization, including annexations. The act addresses amendments to spheres of influence (California Government Code Sections 56425 – 56434). Pursuant to Section 56430, a local agency formation commission (LAFCo) must conduct a review of the municipal services provided in the county or other appropriate area to prepare and to update spheres of influence. In conducting a service review, LAFCo must comprehensively review all agencies that provide services within the designated geographic area before, or in conjunction with, an action to establish or update a sphere of influence.

LOCAL

SACRAMENTO LAFCO POLICIES, STANDARDS, AND PROCEDURES

Sacramento LAFCo Policies, Standards, and Procedures require that any proposed annexations are consistent with applicable service elements of the Sphere of Influence of any affected agencies, and that adequate services be provided within the time frame needed for the inhabitants of the annexation area (Section I, Standard Number 4). A Municipal Services Review is prepared to meet these requirements. In addition, LAFCo requires that any annexation provides for the lowest cost and highest quality of urban services (Section I, Standard Number 5). Where local policies may be silent, the Commission will make findings pursuant to the Cortese-Knox-Hertzberg Local Government Reorganization Act.

THE CENTRAL SACRAMENTO COUNTY GROUNDWATER MANAGEMENT PLAN

Central Basin groundwater supplies are managed through the existing Central Sacramento County Groundwater Management Plan (CSCGMP) (SCGA 2006) and

regional planning efforts to increase conjunctive use. A goal of the CSCGMP is to ensure a viable groundwater resource for water for purveyors, agricultural, agricultural residential, industrial, and municipal supplies that support the WFA's objectives of providing a reliable and safe water supply and preserving the fishery, wildlife, recreational, and aesthetic values of the lower American River. In addition, the CSCGMP recognizes the need to maintain and enhance flows in the Cosumnes River because of its ecological significance.

Specifically, the CSCGMP utilizes the following five basin management objectives (BMOs) to help achieve groundwater basin goals:

1. Maintain a long-term average groundwater extraction rate of 273,000 afy.
2. Establish specific minimum groundwater elevations within all areas of the basin consistent with the Water Forum "Solution."
3. Protect against any potential inelastic land surface subsidence.
4. Protect against any adverse impacts to surface water flows.
5. Develop specific water quality objectives for several constituents of concern.

SACRAMENTO COUNTY 2030 GENERAL PLAN

The following policies of the 2030 General Plan would apply to the Project:

- AG-27. The County shall actively encourage groundwater recharge, water conservation and water recycling by both agricultural and urban water users.
- CO-1. Support conjunctive use water supply for development.
- CO-7. Support the Water Forum Agreement Groundwater Management Element. Prior to approving any new development water supply plan shall be approved that demonstrates consistency with an adopted groundwater management plan.
- CO-9. Developments in areas with significant contamination shall utilize remediated groundwater as part of their water supply when feasible.
- CO-14. Support the use of recycled wastewater to meet non-potable water demands where financially feasible.
- CO-16. Ensure developments are consistent with the County Water Efficient Landscape Ordinance, which shall be updated as needed to conform to state law.
- CO-22. Support water management practices that are responsive to the impacts of Global Climate Change such as groundwater banking and other water storage projects.
- CO-23. Development approval shall be subject to a finding regarding its impact on valuable water-supported ecosystems.
- CO-34. Development applications shall be subject to compliance with applicable sections of the California Water Code and Government Code to determine the availability of an adequate and reliable water supply through the Water Supply Assessment and Written Verification processes.

- CO-35. New development that will generate additional water demand shall not be approved and building permits shall not be issued if sufficient water supply is not available, as demonstrated by Water Supply Assessment and Written Verification processes.
- CO-36. Water supply entitlements will be granted on a first come first serve basis to optimize the use of available water supplies.
- LU-73. Sewer and water treatment and delivery systems shall not provide for greater capacity than that authorized by the General Plan.
- PF-2. Municipal and industrial development within the Urban Service Boundary but outside of existing water purveyors' service areas shall be served by either annexation to an existing public agency providing water service or by creation or extension of a benefit zone of the SCWA.
- PF-4. Connector fees for new development shall cover the fair share of costs to acquire and distribute surface water to the urban area.
- PF-5. New treatment facilities and all facility operations shall be funded by beneficiaries.

COMMUNITY PLANS

CORDOVA COMMUNITY PLAN

The Cordova Community Plan, which was last updated in 2003, provides guidance for both new development and the redevelopment of existing land uses within the community planning area. The Plan contains the following objective related to water supply:

- PS-2: Provide a reliable, contaminant-free, long-term source of water to serve the community, which protects the groundwater aquifer(s) from long-term damage attributable to drawdown by the use of public/private wells.

VINEYARD COMMUNITY AREA PLAN

The Vineyard Community Plan, which was developed in 1985, provides guidance for growth and development in the community planning area. The Plan contains the following policies related to water supply:

- PF-1. Consider the effects on the water table when reviewing future development in the plan area.
- FU-3. All types of urban development proposals must be accompanied by a detailed public services plan and specific timing and funding programs for the implementation and maintenance of services.
- FU-4. Urban developers shall provide public sewer and surface water facilities and shall bear the full cost of providing these facilities within the proposed development and a fair share of any associated costs outside the development.
- FU-5. All urban development and nonagricultural water intensive use proposals must include provisions for surface water; or provide specific conjunctive use programs which offset the amount of groundwater overdraft.

IMPACTS AND ANALYSIS

SIGNIFICANCE CRITERIA

Based on the CEQA Guidelines and the sustainable groundwater yield identified in the Water Forum Agreement, a water supply impact is significant if implementation of the Project would:

1. Require or result in the construction of new, or the expansion of existing, water facilities, the construction of which could cause significant environmental effects.
2. Have insufficient water supplies available to serve the Project and reasonably foreseeable development during normal, dry, or multiple dry years.
3. Result in a service demand that cannot be met by existing or reasonably foreseeable future service capacity.
4. Contribute to groundwater pumping to serve project growth such that the average annual sustainable yield of 273,000 acre-feet for the Central Sacramento Groundwater Basin is exceeded.
5. Interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level.

ISSUES NOT DISCUSSED FURTHER

All issues are evaluated below.

METHODOLOGY

The following evaluation is based on of the following documents and technical studies:

- Jackson Township Potable Water System Study (Stantec 2017; Appendix WS-1)
- Water Supply Assessment for Jackson Township (SCWA 2016a; Appendix WS-2)
- Urban Water Management Plan (SCWA 2016b)
- Zone 40: Water Supply Master Plan (SCWA 2005)
- Zone 40 Water Supply Master Plan Amendment for the Jackson Township Project (Sacramento County Water Agency 2016c; Appendix WS-3)
- CSCGMP, Central Sacramento County (SCGA 2006)

IMPACT: ENVIRONMENTAL EFFECTS DUE TO THE CONSTRUCTION OF NEW OR THE EXPANSION OF EXISTING WATER FACILITIES

PROPOSED PROJECT

SCWA has developed a water system infrastructure plan, which is a staff-level document that describes the projected water supply infrastructure needs to meet the built-out water demands in Zone 40, including the Project demands (SCWA 2016c). As described above, SCWA is currently implementing a series of capital improvement

projects that would meet the demands projected for the entire NSA and serve the Project (Plate WS-3). With the Phase A NSA Project, surface water can be delivered to the NSA from the Vineyard SWTP up to 11,000 gallons per minute (gpm) (or 15.8 mgd), which is enough to supply surface water to the NSA for several years. Once the demand for surface water in the NSA exceeds the capacity of the 30-inch Excelsior pipeline, a new pipeline would be constructed. This new pipeline would be part of the Phase B NSA Project, which would also include the NSA terminal storage and pumping facility. The Phase B NSA Pipeline (54-inch in diameter) starts from Florin Road at Excelsior Road, extending east on Florin Road and then turning north in Eagles Nest Road, Kiefer Road, and the west bank of Folsom South Canal, and ultimately ending at the NSA terminal tanks (10 MG) located in the Mather South Plan Area (SCWA 2016c).


OFFSITE INFRASTRUCTURE

The water system facilities needed to serve SCWA's planned future demand would form the basis of infrastructure to serve the Project. Additionally, to supply Jackson Township, a series of pipelines (Sunrise Pipeline and Kiefer Boulevard Pipeline) would be constructed to convey water supply from the Anatolia Facilities and subsequently from the future NSA terminal storage tanks. These pipelines would be sized to convey supply to meet peak hour and maximum day plus fire flow demands.

The proposed water system infrastructure needed to serve the Project is illustrated in Plate WS-4 and described in detail in the Jackson Township Potable Water System Study (Stantec 2017). The Anatolia Facilities would be the initial source of water supply for the Plan Area. Two transmission mains would be extended to the Plan Area from the Anatolia Facilities. One main would be extended along Jackson Road (also referred to as Jackson Highway) and a second main would be extended along Kiefer Boulevard.

The types of direct and indirect impacts that could result from the infrastructure identified in the WSMP Amendment are discussed programmatically below because the precise timing and design of improvements are not currently known. Effects of these projects are anticipated to be generally consistent with the impacts identified for the WSMP in the Draft Environmental Impact Report: 2002 Zone 40 Water Supply Master Plan (SWCA 2003) and may include:


- Agricultural Resources: Construction of facilities on designated farmland could result in an incremental loss of this resource.
- Aesthetics: Depending on the size, location, and design of new facilities, visual impacts may occur with implementation of the WSMP Amendment.
- Air Quality and Greenhouse Gas Emissions: Short-term, construction-generated emissions could potentially exceed SMAQMD daily emission thresholds.
- Noise: Construction activities associated with development of project facilities and operation of proposed stationary noise sources could result in noise levels at nearby noise-sensitive receptors that exceed County noise ordinance standards.
- Biological Resources: Construction and maintenance of proposed infrastructure could result in loss and/or disturbance of special-status plants and animals and their habitat.



Source: Image prepared by Brown & Caldwell, 2015

X15010101.09 037

Plate WS-3: SCWA Phase 1 Capital Improvement Projects



Source: Image prepared by Tsakopoulos Investments in 2019 for the Jackson Township Specific Plan

X15010101.09 036

Plate WS-4: NSA Buildout Water System


- Cultural Resources: Historic, prehistoric, tribal cultural, and ethnographic resources could be affected by construction and maintenance of new facilities.

The types of impacts anticipated for offsite infrastructure would be consistent with those disclosed in the resource evaluation in Chapters 4 through 21 of this EIR and the mitigation identified in this EIR to address these impacts can and should be applied to development of the offsite infrastructure.

BACKBONE T-MAIN IMPROVEMENTS

The backbone system includes the minimum offsite and onsite water transmission improvements needed to serve the Project. Plates WS-5 and WS-6 illustrate the minimum offsite and onsite backbone water transmission system improvements needed to serve the Project, which include the following:

- **Kiefer Boulevard Transmission Main.** This component includes a 20-inch main that extends in Kiefer Boulevard from Grenville Drive to Eagles Nest Road, and an 18-inch main from that point to the intersection of Sunrise Boulevard to tie into the existing 16-/24-inch mains. The main would cross the Folsom South Canal, and the 18-inch main is proposed to be shifted to the north to Kiefer Boulevard.
- **Jackson Road Transmission Main.** A 20-inch main is proposed to extend in Jackson Road from Grenville Drive east to Eagles Nest Road, and a 16-inch main would extend from Eagles Nest Road to Sunrise Boulevard. The main would cross the Folsom South Canal.
- **Sunrise Boulevard Transmission Main.** This 16-inch main would extend from Jackson Road to the north in Sunrise Boulevard to the connection point at Kiefer and Sunrise Boulevards.
- **Grenville Drive Main.** This 16-inch main would extend in Grenville Drive between Jackson Road and Kiefer Boulevard.
- **Loop to Anatolia Facility.** This item includes either the completion of the 24-inch Ranch Pipeline to tie into the existing 24-inch main in Rancho Cordova Parkway, or the extension of the North Jaeger Pipeline to Douglas Road to complete the looped transmission main system back to the Anatolia facility. These transmission mains are needed to serve other projects within the NSA and may be installed by others before construction of the backbone transmission main system.
- **Eagles Nest Transmission Cross Connection.** A 36-inch transmission main would be extended south from the Terminal Storage and Pumping Facility through the Mather South Plan Area to the intersection of Eagles Nest Road. The line would be reduced to a 30-inch transmission main and extend south in Eagles Nest Road to a connection with the 20-inch transmission main located in the intersection of Eagles Nest Road and Kiefer Boulevard. SCWA would determine when the line is needed based upon capacity utilization. Once this occurs, construction within the Plan Area may be suspended, at the discretion of SCWA, until the line is completed. SCWA would be responsible to secure all permits and rights-of-way for the construction of the cross connector. This is a regional service line; and therefore, any construction funds, engineering costs or other reasonably related expenses fronted by a private party would be jointly shared by all the projects developers actively pursuing land development projects in the NSA.



Source: Image prepared by Tsakopoulos Investments in 2019 for the Jackson Township Specific Plan

X15010101.09 039

Plate WS-5: Offsite Water Supply Infrastructure

- **Anatolia Pumping and Storage Facility.** Expansion of the Anatolia Pumping and Storage facility is proposed as a Phase 1 improvement. This will add three new booster pumps at the facility, which will increase pumping capacity to 15,600 gpm.

SECONDARY CONNECTION AND OTHER FACILITIES

A secondary connection is required. The secondary connection would supply the Project under normal and emergency conditions, during a short-term transmission main outage or if a transmission main is removed from service for maintenance or repair. The Potable Water System Study assumes that the Project system would ultimately be connected to the Mather system to provide a reliable system meeting regulatory requirements for new water systems (Stantec 2017).

ONSITE POTABLE WATER DISTRIBUTION SYSTEM

Peaking factors, fire flow requirements and a normal pressure range (typically 35 to 65 psi) were considered in planning and designing the distribution pipe network as required by the County's Standard Specifications. New 12-inch "backbone" water lines would form the basis of a grid extending through the Plan Area as the backbone roads are constructed. Within neighborhoods, local distribution lines would be a minimum of 8-inches diameter. Looping of water mains may be required to meet the minimum standards of the SCWA and Sacramento Metro Fire District. All subsequent development applications would be reviewed to ensure consistency with the WSMP Amendment in accordance with the County standards, fire codes, and State laws.

SYSTEM PHASING

The onsite backbone transmission system would need to be expanded to serve various developments in Phases 1 through 4 by installing additional mains that would interconnect with the 16-inch main in Grenville Drive and/or the 20-inch north/south transmission mains, as needed. The initial backbone system would permit flexibility in phasing, since any region within the Plan Area may be served by additional main loops, as needed to meet the needs of each individual development phase. The modeling shows that acceptable service would be provided to the Project, and the backbone transmission main system is adequately sized for any combination of Phases 1 through 4. Each new development phase would be required to provide the hydraulic modeling needed to verify SCWA's operating criteria for the proposed main extensions.

CONCLUSION

SCWA has identified a backbone system that includes the minimum offsite and onsite water transmission improvements needed to serve the Project (see Plates WS-5 and WS-6). SCWA's Water System Infrastructure Plan includes anticipated demand from the Project and demonstrates that the Project could be served by this planned infrastructure. Future expansion and implementation of planned projects in the NSA would be conducted by SCWA and would be subject to separate environmental review and approval.

Development of onsite and offsite water supply infrastructure may result in physical environmental impacts to resource areas such as air quality, biological resources, cultural resources, and noise. These impacts are evaluated in applicable resource chapters of

this EIR. Construction of onsite and offsite water supply infrastructure would not result in utility-specific adverse physical impacts. Impacts would be **less than significant**.

ALTERNATIVE 2

Alternative 2 would require construction of offsite improvements and development of an internal water distribution system. Total water demand would be slightly less than the Project, but the same level of water supply infrastructure would be required. The effects of constructing onsite water supply infrastructure are evaluated in applicable resource chapters of this EIR and would not result in utility-specific adverse physical impacts. Future expansion and implementation of planned projects in the NSA would be conducted by SCWA and would be subject to separate environmental review and approval. Impacts associated with the construction or expansion of water supply infrastructure would be **less than significant**.

MITIGATION MEASURES

No mitigation is required in addition to the measures proposed for other ground disturbing activities.

IMPACT: RESULT IN DEMAND FOR WATER THAT CANNOT BE MET BY EXISTING OR REASONABLY FORESEEABLE FUTURE SERVICE CAPACITY

PROPOSED PROJECT

The WSMP for Zone 40 projects water demand through 2030. The Plan area is not within the 2030 study area analyzed in the WSMP. The WSMP was developed for the entire Zone 40/NSA to outline a flexible program of water management alternatives that could be implemented as the availability and feasibility of water supply sources changed. The water supply planning process requires subsequent written verification from SCWA (consistent with SCWA's first-come, first-served policy) at the tentative subdivision map stage for individual projects. These subsequent steps, in conjunction with SCGA's SGMA-compliant groundwater sustainability plan, are designed to ensure that the subbasin is sustainably managed.

SCWA has prepared a Water Supply Assessment (WSA) (SCWA 2016a) in accordance with the California Water Code Sections 10910-10915, which demonstrates that the planned water supplies for Zone 40 would be sufficient to meet the demands of the Project in addition to the existing and projected water supply obligations over the next 20 years (see Appendix WS-2). The proposed land uses and projected water demand for the Project are provided in Table WS-2.

In addition to calculating water demand based on land use type (see Table WS-2, above), the WSA projects water demand based on population projections. Based on the proposed land uses, as listed in Table PD-2 in Chapter 2, "Project Description," a total of 6,143 dwelling units are proposed with the Project and the Project is anticipated to have an annual average demand of 2,374.6 afy (including 7.5 percent system losses) at buildout. While slightly higher than the projection based on land use type, the WSA notes that this difference in total demand is minimal (SCWA 2016a).

Table WS-2: Proposed Land Use and Water Demands Estimate for the Project

Land Uses	Corresponding Land Use Classification in WSMP	Unit Water Demand Factor (ac-ft/yr)	Acreage	Water Demand (ac-ft/yr)
Residential Designations				
LD- Low Density Residential	Single Family	2.13	355.7	757.6
MD-Medium Density Residential	Multi-Family Low Density	2.44	136.3	332.6
HD- High Density Residential	Multi-Family High Density	3.33	85.5	284.7
Subtotal		-	577.5	1,374.9
Commercial + Office Zones				
GC-General Commercial	Commercial	2.02	59.3	119.8
CC-Community Commercial	Commercial	2.02	17.6	35.6
MU-Mixed Use	Mixed Land Use	2.15	19.6	42.1
O- Office	Commercial	2.02	33.6	67.9
Subtotal		-	130.1	265.4
Public/Quasi Public Zones				
PQP-Fire Station/Comm Ctr/Tank Site	Public	0.81	6.0	4.9
PQP-High/Middle School	Public Recreation	2.80	70.0	196.0
PQP-Elementary School	Public Recreation	2.80	30.0	84.0
Subtotal		-	106.0	284.9
Park + Open Space Zones				
CP- Community Park	Public Recreation	2.80	23.6	66.1
P- Neighborhood Park	Public Recreation	2.80	49.7	139.2
OS- Wetland Preserve	Non-Irrigated	0.00	214.3	0.0
OS- Greenbelt/Drainage Corridor	Public Recreation	2.80	60.9	170.5
OS- Landscape Corridor	Public Recreation	2.80	14.5	40.6
Subtotal		-	363.0	416.4
Ag and Roads				
AG-Agriculture	-	0.00	109.8	0.0
RW- Primary Roadways	Right-of-Way	0.18	104.6	18.8
Subtotal		-	214.4	18.8
TOTAL			1,391.0	2,360.3

Source: SCWA 2016a

Within the NSA, treated surface water is provided via the NSA pipeline Phase A which began conveying water from the Vineyard SWTP for storage in the Anatolia Storage Tanks on May 9, 2017 (Nguyen, pers. comm., 2017). With an initial phase capacity of 50 mgd and an ultimate capacity of 100 mgd, the Vineyard SWTP would be capable of supplying treated water needs of the NSA for the near term (Stantec 2017). There would be adequate water available to meet the Project's annual water demand for normal and dry years because supplies are demonstrated to exceed the projected buildout water demand for the NSA by more than the projected demand from the Project, as illustrated below in Table WS-3.

Table WS-3: Zone 40 Water Supply Sufficiency Analysis, in 5-Year Increments

Water Year	2020	2025	2030	2035	2040
Normal Year					
Total Supply (afy)	82,900	82,900	87,900	97,900	97,900
Total Demand (afy)	48,121	55,490	63,288	71,143	79,278
Sufficiency ¹ (afy)	34,779	27,410	24,612	26,757	18,622
Single-Dry Year					
Total Supply (afy)	70,200	70,500	74,600	83,600	83,800
Total Demand (afy)	48,121	55,490	63,288	71,143	79,278
Sufficiency ¹ (afy)	22,079	15,010	11,312	12,457	4,522
Multiple-Dry Year (1)					
Total Supply (afy)	77,900	77,900	81,900	90,900	90,900
Total Demand (afy)	48,121	55,490	63,288	71,143	79,278
Sufficiency ¹ (afy)	29,779	22,410	18,612	19,757	11,622
Multiple-Dry Year (2)					
Total Supply (afy)	77,900	77,900	81,900	90,900	90,900
Total Demand (afy)	48,121	55,490	63,288	71,143	79,278
Sufficiency ¹ (afy)	29,779	22,410	18,612	19,757	11,622
Multiple-Dry Year (3)					
Total Supply (afy)	70,200	70,500	74,600	83,600	83,800
Total Demand (afy)	48,121	55,490	63,288	71,143	79,278
Sufficiency ¹ (afy)	22,079	15,010	11,312	12,457	4,522

Notes: 1 Sufficiency = supply minus demand

Source: SCWA 2016a

As described in the WSA and summarized above, SCWA determined that sufficient water supplies exist to serve the Project in near and long-term scenarios through the SCWA's existing groundwater and surface water supplies. The Central Basin, upon which the Project lies, is currently non-adjudicated, and the defined limits which regulate the amount of groundwater that may be extracted by the SCWA are sufficient to supply the Project.

The Project includes a WSMP Amendment to modify the existing Zone 40 Water Supply Master Plan so that it includes provision of water service to the Jackson Township Specific Plan Area. The WSMP Amendment addresses the water demands and infrastructure necessary to service the Project and requires approval from the Sacramento County Water Agency Board of Directors (see Appendix WS-3). SCWA is required to develop and approve an amendment to the WSMP because the Project is located outside of the 2005 WSMP study area. Buildout assumptions in the WSMP are based on the maximum density allowed under the land use designations for the amended service area. For this reason, the projected number of dwelling units developed for the WSMP Amendment can be expected to differ from the actual planned number dwelling units for a specific area. Such minor differences in the number of dwelling units do not substantially affect the projected demands presented in the WSMP Amendment.

The Jackson Township Potable Water System Study (Stantec 2017) provides a detailed analysis of the water distribution system and verifies the base information in the WSMP Amendment prepared by SCWA. Various hydraulic models were prepared to calculate the maximum day (4.24 mgd), peak hour (8.48 mgd) and fire flow (4,000 gpm for 4 hours) demands of the Plan area. Based on the conclusions of the WSA and the Potable Water System Study, the Project would result in **less-than-significant** impacts on SCWA's service capacity.

ALTERNATIVE 2

SCWA would also supply water to Alternative 2. Alternative 2 includes 11 acres more residential development than the Project with a density 0.1 DU per acre higher, and 1 added acre of commercial and office uses. Based on land use water demand factors, Alternative 2 could generate 12 afy of additional water demand when compared to the Project (see Table WS-4). The overall level of development under Alternative 2 (and corresponding water demand) would be similar to the Project. The demand would be within the margin of sufficiency identified in Table WS-3. Therefore, Alternative 2 would result in **less-than-significant** impacts on SCWA's service capacity.

Table WS-4: Proposed Land Use and Water Demands Estimate for Alternative 2

Land Uses	Corresponding Land Use Classification in WSMP	Unit Water Demand Factor (ac-ft/yr)	Acreage	Water Demand (ac-ft/yr)
Residential Designations				
LD- Low Density Residential	Single Family	2.13	382.6	814.9
MD-Medium Density Residential	Multi-Family Low Density	2.44	124.5	303.8
HD- High Density Residential	Multi-Family High Density	3.33	82.0	273.1
Subtotal		-	589.1	1,391.8
Commercial + Office Zones				
GC-General Commercial	Commercial	2.02	59.7	120.6
CC-Community Commercial	Commercial	2.02	16.2	32.7
MU-Mixed Use	Mixed Land Use	2.15	19.7	42.4
O- Office	Commercial	2.02	35.2	71.1
Subtotal		-	130.8	266.8
Public/Quasi Public Zones				
PQP-Fire Station/Comm Ctr/Tank Site	Public	0.81	1.0	0.8
PQP-High/Middle School	Public Recreation	2.80	70.0	196.0
PQP-Elementary School	Public Recreation	2.80	30.0	84.0
Subtotal		-	101.0	280.8
Park + Open Space Zones				
CP- Community Park	Public Recreation	2.80	40.6	113.7
P- Neighborhood Park	Public Recreation	2.80	38.2	107.0
OS- Wetland Preserve	Non-Irrigated	0.00	259.8	-
OS- Greenbelt/Drainage Corridor	Public Recreation	2.80	55.6	155.7
OS- Landscape Corridor	Public Recreation	2.80	14.5	40.6
Subtotal		-	1408.7	417.0

Land Uses	Corresponding Land Use Classification in WSMP	Unit Water Demand Factor (ac-ft/yr)	Acreage	Water Demand (ac-ft/yr)
Ag and Roads				
AG-Agriculture	-	0.00	74.7	-
RW- Primary Roadways	Right-of-Way	0.18	86.7	15.6
Subtotal		-		
TOTAL			1,391.0	2,372.0

Source: Compiled by Ascent Environmental based on demand factors in SCWA 2016a

MITIGATION MEASURES

No mitigation is required.

IMPACT: CONTRIBUTE TO GROUNDWATER PUMPING SUCH THAT THE AVERAGE ANNUAL SUSTAINABLE YIELD FOR THE CENTRAL SACRAMENTO GROUNDWATER BASIN IS EXCEEDED

PROPOSED PROJECT

As described above, Project water demands would be met by conjunctive use of primarily groundwater and surface water. The conjunctive use program relies on an abundance of surface water in wet years when as much surface water as possible is diverted, within entitlement limitations, minimizing the use of groundwater. During wet years the groundwater aquifer naturally replenishes. In dry years, when surface water availability is reduced, surface water delivered through the Freeport Regional Water Authority is subject to curtailment, and SCWA pumps more groundwater from the replenished aquifer. Using surface water and groundwater conjunctively makes it easier for SCWA to meet demands in a single-dry year or in multiple-dry years (SCWA 2016a).

SCWA is a signatory to the WFA and member of the Sacramento Central Groundwater Authority and, as such, is responsible for recognizing and implementing the sustainable long-term average annual yield for the Central Basin of 273,000 acre feet (WFA 2000). The environmental effects of the 273,000 afy sustainable yield are analyzed in the Water Forum Agreement EIR (Sacramento City-County Office of Metropolitan Water Planning 1999) and the SCWA Zone 40 WSMP Final EIR (SCWA 2003). The WFA's sustainable yield is currently the best available basis for analysis. Note, however, that SCGA will prepare a groundwater sustainability plan and submit it for DWR's review by January 2022. Following this submittal, DWR will have 2 years to review and approve the groundwater sustainability plan. Through that process, a new sustainable yield may be identified.

As a part of the SCGA, SCWA has committed to the implementation of the CSCGMP. The CSCGMP contains five BMOs designed to maintain a safe, sustainable, and high-quality groundwater resource within the Central Basin. The BMOs include limits on annual extractions, maintenance of groundwater elevations, protection against subsidence, protection against adverse impacts to surface water flows in nearby rivers, and water quality objectives (SCWA 2016a). BMO No. 2 establishes threshold values based on percentages of a range of groundwater elevations; it does not set forth fully quantified thresholds. Instead, a methodology was presented to define the groundwater

elevation range, termed the bandwidth, relative to specific wells. The technical memorandum regarding groundwater elevation BMO threshold development prepared for SCGA (Blanke and Onsoy 2015) implements this methodology, adjusting for changes that have occurred in the basin from both a management and a technical standpoint, to fully implement BMO No. 2.

A WSA was prepared by SCWA (Appendix WS-2 to the Draft this EIR) pursuant to California Water Code Sections 10910–10915. This WSA demonstrates that an adequate and reliable water supply is available for the Project. Therefore, as described within the Jackson Township WSA, because Project water demands would be met through the conjunctive use of surface and groundwater supplies and adequate supplies are available such that overdraft of the underlying groundwater basin would not occur, the Project would result in **less than significant** impacts related to groundwater use.

ALTERNATIVE 2

Alternative 2 would require a similar amount of water from SCWA as the Project. Impacts related to the demand for groundwater would be **less than significant** because SCWA manages the groundwater basin to maintain a sustainable yield as a signatory to the WFA and member of the Sacramento Central Groundwater Authority, as described above for the Project.

MITIGATION MEASURES

No mitigation is required.

IMPACT: INTERFERE SUBSTANTIALLY WITH GROUNDWATER RECHARGE

PROPOSED PROJECT

As indicated above and described in more detail in Chapter 12, “Geology, Soils, and Mineral Resources,” most soils in the Plan Area contain clay and are characterized by very slow permeability. As a result, the area does not currently permit substantial percolation of rainwater and the Plan Area does not contribute substantially to groundwater recharge. Therefore, although the Project would introduce impervious surfaces that prevent or hinder groundwater recharge; because most of the recharge and groundwater storage in the Central Basin occurs from subsurface flow, which would not be adversely affected by implementation of the Project, of the effects on groundwater recharge in the Central Basin would be limited.

Additionally, the Project includes 368 acres of primarily undeveloped space that would be in park and open space zones. Therefore, approximately 26 percent of the Plan Area would allow for the percolation of stormwater. Proposed detention basins would be connected to the open space corridors that are included in the Project. The corridors would convey stormwater to the basins, which would be naturalized with trees and native plant materials, and with contoured grading such that they blend with the surrounding terrain and the drainage corridors. The basins would hold stormwater and allow for gradual recharge of the groundwater table within the Plan Area. The inclusion of basins would reduce the overall impact of impervious surfaces created by the Project.

With the provision of 26 percent of the site as undeveloped space where percolation can occur and the collection of stormwater in groundwater basins that could allow groundwater recharge, the Project would not result in the substantial interference with groundwater recharge. Therefore, impacts would be **less than significant** related to groundwater recharge.

ALTERNATIVE 2

Alternative 2 would include nearly 408 acres in park and open space zones (29 percent of the Plan Area). There would be similar effect on groundwater recharge in the Plan Area because the portion of the Plan Area available for recharge would be similar and the surface water would be collected in basins, as described for the Project, which would allow additional infiltration. Impacts related to the groundwater recharge potential would be **less than significant** for Alternative 2.

MITIGATION MEASURES

No mitigation is required.

This page intentionally left blank.

19 WASTEWATER AND SOLID WASTE UTILITIES

INTRODUCTION

This chapter addresses wastewater and solid waste. The analysis describes relevant master planning of the utility services and whether the infrastructure and demands of the Project or Alternative 2 are consistent with the utility master plans. No comments submitted in response to the Notice of Preparation relate to wastewater or solid waste. For a discussion of water supply, refer to Chapter 19, "Water Supply." Electricity and natural gas infrastructure are evaluated in Chapter 11, "Energy."

ENVIRONMENTAL SETTING

URBAN SERVICES BOUNDARY

The Plan Area is located outside, but immediately adjacent to, the existing Urban Policy Area (UPA) and is within the Urban Services Boundary (USB). The USB identifies the limits of the area where unincorporated urban growth is expected to occur beyond the 2030 General Plan 20-year planning period and indicates the ultimate boundary of the urban area in the unincorporated county. This boundary is based upon jurisdictional, natural, and environmental constraints to urban growth. Originally established with the 1993 General Plan, it was refined as a part of the 2030 General Plan. The purpose of the USB is to allow for the planning of necessary infrastructure, such as sewer pipelines, which have service lives longer than 20 years (Sacramento County 2011 and SASD 2011:2-1). Several service providers have developed long-range infrastructure master plans based on the USB boundaries.

SEWER SERVICE

SACRAMENTO AREA SEWER DISTRICT

The Sacramento Area Sewer District (SASD) provides local wastewater collection and conveyance services and infrastructure throughout the Sacramento region. SASD maintains and provides wastewater collection and conveyance from the local residences and businesses in the urbanized, unincorporated areas of Sacramento County; the cities of Elk Grove, Rancho Cordova, and Citrus Heights; portions of the city of Sacramento; and a very small area in the city of Folsom. The service area covers approximately 270 square miles and has a population of over 750,000. The smaller local pipelines that SASD operates connect to the larger regional interceptors maintained by the Sacramento Regional County Sanitation District (SRCSD, also referred to as Regional San).

The Plan Area is not within SASD's existing service area. However, Sacramento County's USB constitutes the sphere of influence (SOI) for the SASD. Existing development to the north and west of the Plan Area are within the SASD service area

and there is existing infrastructure in the area. Further, the Plan Area is within the study area for SASD's 2010 Sewer System Capacity Plan. The Sewer System Capacity Plan identifies future gravity mains near the Plan Area and assumed flow from an average of six equivalent single-family dwellings (ESDs) per acre in the area (SASD 2011).

SACRAMENTO REGIONAL COUNTY SANITATION DISTRICT

SRCSO provides wastewater conveyance and treatment services to residential, commercial, and industrial customers in portions of unincorporated Sacramento County; the cities of Citrus Heights, Elk Grove, Folsom, Rancho Cordova, Sacramento, and West Sacramento; and the communities of Courtland and Walnut Grove. Wastewater travels through a system comprised of 169 miles of interceptor pipelines, 46 miles of force mains (pressurized pipes), and 11 pump stations before it reaches the Sacramento Regional Wastewater Treatment Plant (SRWTP). There, it is treated and discharged to the Sacramento River. In normal weather years, SRCSD treats an average of approximately 150 million gallons of wastewater each day (mgd) (SRCSD 2015).

The Plan Area is not currently within the service area of SRCSD; however, the USB constitutes the SOI for SRCSD. SRCSD's 2013 Interceptor Sequencing Study included in the Plan Area as part of the Sacramento County Jackson Highway Vision and assumed development of 2.9 to 3.9 ESD per gross acre (SRCSD 2013).

SACRAMENTO REGIONAL WASTEWATER TREATMENT PLANT

Wastewater flows collected from SRCSD's interceptors are ultimately transported into the SRWTP. The SRWTP is located west of Elk Grove and is owned and managed by SRCSD. Currently, the SRWTP has a National Pollutant Discharge Elimination System (NPDES) permit issued by the Central Valley Regional Water Quality Control Board (RWQCB) for discharge of up to 181 mgd average dry-weather flow of treated effluent into the Sacramento River. The SRWTP has the potential for expansion to 218 mgd. As of 2015, the SRWTP received and treated an average of 150 mgd each day and the SRWTP discharge constituents were below permitted discharge limits specified in the NPDES permit (SRCSD 2015).

SRCSO is upgrading the SRWTP through the EchoWater Project adopted in 2011. The design of the SRWTP and collection system was balanced to have SRWTP facilities accommodate some of the wet-weather flows, while minimizing idle SRWTP facilities during dry weather. SRCSD must complete construction of the new treatment facilities to achieve permit and settlement requirements by May 2021 for ammonia and nitrate and by May 2023 for compliance with pathogen requirements. The upgrade will not, however, result in a net increase in the permitted capacity of the SRWTP (SRCSD 2015).

SRCSO expects per capita consumption to fall 25 percent over the next 20 or more years through the ongoing installation and use of water meters, as well as compliance with recent conservation mandates. As such, substantial additional conservation is expected throughout the service area, allowing the existing 181 mgd average dry-weather flow capacity to be adequate for at least 40 more years (SRCSD 2014:6-2).

SOLID WASTE

SACRAMENTO COUNTY DEPARTMENT OF WASTE MANAGEMENT AND RECYCLING

Sacramento County Department of Waste Management and Recycling provides solid waste and recycling services for the single-family uses within the Plan Area. Services for residential homes include weekly garbage collection, bi-weekly collection of mixed recyclables, bi-weekly collection of green waste, monthly street sweeping and one annual appointment-based bulky waste collection. Solid waste and recycling services for multi-family apartments (five units or more), commercial and business solid waste services are performed on a contract basis with franchised haulers that are permitted to provide services in Sacramento County.

KIEFER LANDFILL

The Waste Management and Recycling Department operates the Kiefer Landfill. Kiefer Landfill is classified as a Class III municipal solid waste landfill and is permitted to accept general residential, commercial, and industrial refuse for disposal, including municipal solid waste, construction and demolition debris, green materials, agricultural debris, dead animals, and other designated debris. The landfill facility occupies 1,084 acres and is surrounded by a 3,000-acre open space buffer. The landfill itself occupies a 250-acre footprint, and is permitted to grow to up to 660 acres in size. As of 2012, it had a remaining capacity of over 87 million cubic yards (Sacramento County 2012:7). Kiefer Landfill’s anticipated “ceased operations date” (the estimated date when the facility will reach its permitted capacity) is 2064, which anticipates future growth (CalRecycle 2018).

REGULATORY SETTING

FEDERAL

There are no federal regulations applicable to the analysis of wastewater and solid waste.

STATE

CALIFORNIA INTEGRATED WASTE MANAGEMENT ACT AND CALRECYCLE

The Integrated Waste Management Act of 1989 is the result of two pieces of legislation, AB 939 and SB 1322, which created the California Integrated Waste Management Board (which has been renamed CalRecycle). The Integrated Waste Management Act mandated a goal of 25 percent diversion of each city’s and county’s waste from disposal by 1995 and 50 percent diversion in 2000, with a process to ensure environmentally safe disposal of waste that could not be diverted.

CalRecycle is the State agency designated to oversee, manage, and track California’s 92 million tons of waste generated each year. They provide grants and loans to help

California cities, counties, businesses and organizations meet the State's waste reduction, reuse and recycling goals.

Senate Bill 1016, signed into law on September 26, 2008, represents a fundamental shift in the way local jurisdictions are measured for compliance with state diversion mandates. Jurisdictions are now evaluated based on the implementation of programs that measure per capita waste disposal, rather than diversion percentage.

LOCAL

SACRAMENTO LOCAL AGENCY FORMATION COMMISSION

Local Agency Formation Commissions (LAFCos) govern the formation of new agencies, incorporation of new cities and districts, consolidation or reorganization of special districts and/or cities, as well as municipal service reviews and sphere of influence updates, and annexations of cities and special districts. The broad goals of the Sacramento LAFCo's directive are to ensure the orderly formation of local governmental agencies, to preserve agricultural and open space lands, and to discourage urban sprawl. LAFCos must, by law, create Municipal Service Reviews and update Spheres of Influence for each independent local governmental jurisdiction within their jurisdiction.

SACRAMENTO COUNTY INTEGRATED WASTE MANAGEMENT PLAN

The Sacramento County Integrated Waste Management Plan is maintained and re-approved by CalRecycle through a mandatory 5-year review cycle, most recently in May of 2014. This plan consists of the following:

- Siting Element (entire county: cities and unincorporated areas)
- Summary Plan (entire county: cities and unincorporated areas)
- Source Reduction & Recycling Elements (by city or county, respectively)
- Household Hazardous Waste Elements (by city or county, respectively)
- Non-disposal Facility Elements (by city or county, respectively)

These documents are the main sources and references for solid waste facility planning in Sacramento County. The Siting Element and Summary Plan are prepared and administered by the County of Sacramento, Department of Waste Management and Recycling. The remaining documents are prepared and administered by each individual jurisdiction or regional agency.

SACRAMENTO REGIONAL SOLID WASTE AUTHORITY

The Sacramento Regional Solid Waste Authority (SWA) is a joint powers authority of Sacramento County and the City of Sacramento. SWA was formed in December 1992 to assume the responsibility for solid waste, recycling, and disposal needs for businesses and apartment complexes in the Sacramento area. The SWA regulates commercial solid waste collection by franchised haulers and offers recycling services to multi-family dwelling units.

SWA ORDINANCES

The SWA has adopted three recycling ordinances that target three distinct waste streams: (1) The Business Recycling Ordinance, adopted in 2007 for commercial generators who subscribe to 4 cubic yards or more of refuse service per week; (2) The Certification of Construction and Demolition (C&D) Debris Sorting Facilities Ordinance, adopted in 2008, that creates a program for mixed C&D facilities that dovetails with both City and County C&D Ordinances for builders; and (3) The Multifamily Recycling Ordinance, adopted in 2009, that requires owners of multifamily properties with over 5 units to subscribe to a recycling service for their tenants.

SACRAMENTO COUNTY 2030 GENERAL PLAN

The following 2030 General Plan policies pertaining to wastewater and solid waste are applicable to the Project:

- LU-73. Sewer and water treatment and delivery systems shall not provide for greater capacity than that authorized by the General Plan.
- PF-6. Interceptor, trunk lines, and flow attenuation facilities shall operate within their capacity limits without overflowing.
- PF-7. Although sewer infrastructure will be planned for full urbanization consistent with the Land Use Element, an actual commitment of additional sewer system capacity will be made only when the land use jurisdiction approves development to connect and use the system.
- PF-8. Do not permit development which would cause sewage flows into the trunk or interceptor system to exceed their capacity.
- PF-9. Design trunk and interceptor systems to accommodate flows generated by full urban development at urban densities within the ultimate service area. System design may take into consideration land that cannot be developed for urban uses due to long-term circumstances including but not limited to conservation easements, floodplains, public recreation areas etc. This could include phased construction where deferred capital costs are appropriate.
- PF-10. Development along corridors identified by the Sanitation Districts in their Master Plans as locations of future sewerage conveyance facilities shall incorporate appropriate easements as a condition of approval.
- PF-13. Public sewer systems shall not extend service into agricultural-residential areas outside the urban policy area unless the Environmental Health Department determines that there exists significant environmental or health risks created by private disposal systems serving existing development and no feasible alternatives exist to public sewer service.
- PF-14. Independent community sewer systems shall not be established for new development.
- PF-15. Support CSD-1 and SRCSD policies to fund new trunk and interceptor capital costs through connection fees for new development.

- PF-16. Support SRCSD policy to fully fund treatment plant operation through monthly service charges to system users. Fund treatment plant expansion and upgrades and existing trunk and interceptor replacements or improvements through connection fees or other revenue sources.
- PF-18. New development projects which require extension or modification of the trunk or interceptor sewer systems shall be consistent with sewer facility plans and shall participate in established funding mechanisms. The County should discourage development projects that are not consistent with sewer master plans or that rely upon interim sewer facilities, particularly if the costs of those interim facilities may fall on ratepayers. Prior to approval of a specific Commercial Corridor redevelopment project which requires extension or modification of the trunk or interceptor sewer systems, a sewer study and financing mechanism shall be prepared and considered along with the proposed Corridor redevelopment project, in consultation with the Sacramento Area Sewer District.
- PF-19. Extension or modification of trunk or interceptor sewer systems that are required for new developments shall be consistent with sewer facility plans and shall participate in an established funding mechanism. New development that will generate wastewater for treatment at the SRWTP shall not be approved if treatment capacity at the SRWTP is not sufficient to allow treatment and disposal of wastewater in compliance with the SRWTP's NPDES Permit.
- PF-23. Solid waste collection, handling, recycling, composting, recovery, transfer and disposal fees shall recover all capital, operating, facility closure and maintenance costs.
- PF-24. Solid waste disposal fees and rate structures shall reflect current market rates and provide incentives for recovery.

COMMUNITY PLANS

CORDOVA COMMUNITY PLAN

The Cordova Community Plan, which was last updated in 2003, provides guidance for both new development and the redevelopment of existing land uses within the community planning area. Objectives identified in the plan that are applicable to the Project include:

- PS-1: Provide a well-planned sewer service with adequate capacity to serve the community, and accommodate new growth areas during the identified planning period.
- PS-4: Provide and maintain a solid waste collection and disposal service for all areas of the community, while reducing the amount of solid waste generated within the community area through reduction and recycling.

VINEYARD COMMUNITY PLAN

The Vineyard Community Plan, which was developed in 1985, provides guidance for growth and development in the community planning area. Policies identified in the plan that are applicable to the Project include:

- FU 4. Urban developers shall provide public sewer and surface water facilities and shall bear the full cost of providing these facilities within the proposed development and a fair share of any associated costs outside the development.

IMPACTS AND ANALYSIS

SIGNIFICANCE CRITERIA

Based on the CEQA Guidelines, an impact related to wastewater or solid waste is significant if implementation of the Project would:

1. Require the construction of new or the expansion of existing utility facilities that could potentially cause significant construction-related environmental effects.
2. Result in a service demand that cannot be met by existing or reasonably foreseeable future service capacity.
3. Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, of otherwise impair the attainment of solid waste reduction goals.
4. Result in non-compliance with federal, state, and local management and reduction statutes and regulations related to solid waste.

ISSUES NOT DISCUSSED FURTHER

Future development of the Plan Area would convey wastewater to the SRWTP, which operates under waste discharge requirements (WDRs) issued by RWQCB. Because the SRWTP is regulated by RWQCB and would be required to ensure that its wastewater discharge to the Sacramento River meets all applicable water quality requirements, the Project would not result in wastewater that would fail to comply with the WDRs of the RWQCB. This impact is not discussed further. The potential to overburden the existing wastewater treatment facility, requiring new or expanded facilities to meet applicable treatment requirements, is discussed below.

Future development of the Plan Area would generate solid waste associated with domestic use (e.g., food waste, paper, limited medical-related waste) and construction-related waste from grading, clearing, and erecting buildings. Construction and operation of the future development in the Plan Area would follow all relevant federal, state, and local statutes and regulations associated with collection and disposal of waste generated at the site. Thus, there would be no impact related to violation of solid waste laws and regulations and this topic is not discussed further.

METHODOLOGY

The following analysis is based on the estimated population and land use plans described in Chapter 2, “Project Description,” as well as applicable utility master plans. The generation rates published by the applicable oversight agencies have been applied to determine the potential volume of wastewater and solid waste produced under full buildout of the Project. This is compared to the available capacity of the infrastructure to determine if the Project can be accommodated, or if additional capacity would be needed. As indicated in Chapter 2, the Project would require annexation of the Plan Area into the SASD and SRCSD service areas.

IMPACT: ADVERSE EFFECTS ASSOCIATED WITH CONSTRUCTION OF WASTEWATER TREATMENT AND DISPOSAL INFRASTRUCTURE


PROPOSED PROJECT

No wastewater collection or treatment facilities are currently present in the Plan Area. Existing agricultural and rural residential land uses in the Plan Area are served by individual septic systems. Development of the Project would require municipal wastewater service. SASD would be the local wastewater collection service provider for development in the Plan Area; although LAFCo would need to approve annexation of the Plan Area into SASD’s service area before service is provided. The area to the north of the Plan Area is within the SASD service area and there is existing infrastructure in the area.

A Sanitary Sewer Study (Au Clair Consulting 2016) has been prepared by the Project Applicant and approved by SASD. The study provides siting and sizing information for an internal collection network, as well as a plan to extend SASD sanitary sewer service to the Plan Area. The collection network has been designed to locate the main trunk lines on property owned by the Project Applicant or within the rights of way for Jackson Road (also referred to as Jackson Highway) and Excelsior Road.

As illustrated in Plate WU-1, the majority of the Plan Area would be serviced by an onsite gravity collection system designed to drain to the southwest from the northeast corner of the Plan Area. A pump station and force main would serve the northwest quadrant of the Plan Area where the elevation is too low to gravity flow to the system serving the balance of the Plan Area. Construction of infrastructure within the boundaries of the Plan Area has been evaluated throughout this EIR.


To provide a connection to existing SASD infrastructure, the Jackson Road trunk line would be extended for approximately 2 miles within the Jackson Road right of way from the Bradshaw Interceptor to the intersection of Jackson Road and Excelsior Road with the first phase of development (see Plate WU-2). The Sacramento County Code regulates public sewage systems within the county. The County Code includes requirements related to connection, design, and operation to ensure public safety and to lessen environmental impacts. Wastewater service for proposed development is subject to regulatory review and compliance with applicable wastewater master plans.



Source: Image prepared by Tsakopoulos Investments in 2019 for the Jackson Township Specific Plan

X15010101.09 047

Plate WU-1: Proposed Onsite Wastewater System



Source: Figure prepared by Au Clair Consulting in 2019 for the Jackson Township Specific Plan

X15010101.09 048

Plate WU-2: Proposed Wastewater Trunkline Extension

For areas outside of the urbanized area, the 2010 Sewer System Capacity Plan assumed that potential densities could be similar to those projected for near-term urban development. An average density of six ESDs per acre was assumed. This is 8,346 ESDs in the 1,391 acres of the Plan Area. The Sanitary Sewer Study assumes that the Project would generate 8,836 ESDs and a peak weather wet flow of 5.96 MGD based on the proposal and SASD's Design Standards and Specifications (Au Clair Consulting 2016). The Sanitary Sewer Study demonstrates consistency with the assumptions in SASD's Sewer Capacity Plan and compliance with 2030 General Plan Policies PF-9 and PF-18.

The Sanitary Sewer Study identifies the Federal Emergency Management Agency 100-year floodplains and potential for conflict with existing land uses (including the Camellia Memorial Lawn Cemetery, three residential properties, and a gas station) as potential areas of concern associated with the trunk line extension.

Other environmental effects from the construction of offsite infrastructure could include:

- Air Quality: air pollutant and toxic air contaminant emissions from construction activities that exceed thresholds recommended by the Sacramento Metropolitan Air Quality Management District
- Archaeological, Historical, and Tribal Cultural Resources: damage or loss of significant cultural resources from construction activities
- Biological Resources: loss of habitat and direct impacts to special-status plant and animal species
- Greenhouse Gases: temporary emission of greenhouse gases during construction
- Hazards and Hazardous Materials: potential exposure or release of hazardous materials or contamination during construction
- Hydrology and Water Quality: construction-related stormwater quality impacts
- Noise: temporary excessive noise levels during construction on sensitive noise receptors
- Transportation: temporary disruption of roadways and congestion from construction activities and equipment.

The anticipated demand for sewer services and proposed on- and offsite wastewater infrastructure would be consistent with regional projections developed by SASD and Project-specific sanitary sewer plans have been reviewed and approved by SASD. Implementation of the mitigation measures identified throughout this EIR and compliance with the County Code would address areas of potential effects associated with the offsite construction of the Jackson Road trunk lines and would reduce the potential for adverse effects associated with the construction of offsite wastewater infrastructure to a **less-than-significant** level.

ALTERNATIVE 2

Alternative 2 would also require construction of the Jackson Road trunk line extension and development of an internal collection system. Impacts associated with the construction of this infrastructure would be **less than significant** because implementation of the mitigation measures identified throughout this EIR and

compliance with the County Code would address areas of potential effects associated with the offsite construction of the Jackson Road trunk lines.

MITIGATION MEASURES

No mitigation is required in addition to the measures proposed for other ground disturbing activities associated with the Project.

IMPACT: EXCEED THE CAPACITY OF THE WASTEWATER TREATMENT PROVIDER

PROPOSED PROJECT

As discussed above, the SRWTP is permitted to treat an ADWF of 181 mgd and a daily peak wet weather flow of 392 mgd; the SRWTP currently receives and treats approximately 141 mgd (Sacramento County 2010). The Project would increase the existing treatment plant flows from 141 mgd to roughly 147 mgd (assuming a peak weather wet flow of 5.96 mgd), which is well within the SRWTP's existing 181 mgd capacity. Therefore, it is anticipated that the SRWTP would have adequate capacity to treat wastewater flows generated by future development. This impact would be **less than significant**.

ALTERNATIVE 2

Alternative 2 would result in slightly less development and would likely require slightly less wastewater treatment capacity than the Project. The SRWTP would have adequate capacity to treat wastewater flows generated by future development. This impact would be **less than significant**.

MITIGATION MEASURES

No mitigation is required.

IMPACT: SOLID WASTE SERVICES AND LANDFILL CAPACITY

PROPOSED PROJECT

Buildout of the Project would result in approximately 16,498 new residents. CalRecycle estimates a daily per resident disposal rate of 6 pounds. This results in an estimated generation rate of 49 tons per day upon buildout of the Project that would be collected by the County and transferred to Kiefer Landfill. Kiefer Landfill's permitted capacity is approximately 117 million cubic yards. As of 2005, the landfill had a remaining capacity of approximately 113 million cubic yards (i.e., 96 percent remaining). The estimated closure date for Kiefer Landfill is 2064. The Project would produce less than 0.5 percent of the 10,815-ton permitted daily throughput for the facility. This small increase in solid waste would not consume a substantial proportion of the available permitted capacity and would not result in the need to expand or construct new landfill facilities.

Based on the available capacity of Kiefer Landfill, the portion of the permitted capacity that the Project is estimated to require, and the estimated closure date for the landfill, the Project would be served by a landfill with sufficient permitted capacity to accommodate the Project's solid waste disposal needs. Commercial and industrial waste generated by the Project would be collected by franchise haulers and may be transported to landfills outside of the county. The impact would be **less than significant**.

ALTERNATIVE 2

Based on population projections and a daily disposal rate of 6 pounds per person, Alternative 2 would generate 6 tons of solid waste per day. These solid waste generation rates are similar to, and slightly less than, those evaluated for the Project. As identified above for the Project, it is anticipated that Keifer Landfill would have adequate capacity to accept waste generated by future development. This impact would be **less than significant**.

MITIGATION MEASURES

No mitigation is required.

This page intentionally left blank.

20 TRAFFIC AND CIRCULATION

INTRODUCTION

This chapter is based on information presented in the *Jackson Township Specific Plan Transportation Impact Report* (Transportation Report) prepared by DKS Associates in 2019 and the *SB 743/VMT Analysis – Jackson Township*~~*Jackson Township Specific Plan Revised VMT Analysis*~~ memo (VMT Analysis Memo) prepared by DKS Associates in 2020~~2022~~. The full Transportation Report is included as Appendix TR-1, the Jackson Corridor Development Projects Transportation Mitigation Strategy is included in Appendix TR-2, and the VMT Analysis Memo is included as Appendix TR-3. These reports provide additional detailed information related to the transportation and circulation analysis. The Transportation Report focuses on the traffic study area which is defined in the “Environmental Setting” below. The VMT Analysis Memo provides vehicle miles traveled (VMT) calculations and estimates consistent with the County’s Transportation Analysis Guidelines published July 1, 2020, and included in the General Plan amendment package for Sacramento County’s VMT significance thresholds formally adopted by the Board of Supervisors on October 6, 2020, by Resolution Number 2020-0652. The analysis includes consideration of motorized vehicle traffic effects on roadway capacity and functionality and on freeway facility operations; VMT impacts; potential impacts to transit, bicycle, and pedestrian facilities; and impacts related to emergency access and hazards related to design for the Project and Alternative 2.

Pursuant to Senate Bill (SB) 743, Public Resources Code Section 21099, and California Code of Regulations Section 15064.3, as of July 1, 2020, VMT has replaced congestion as the metric for determining transportation impacts under CEQA. Although the Draft EIR was published prior to this change in regulation, this chapter has been revised to include analysis of potential VMT effects. While a project’s effect on automobile delay is no longer a consideration when identifying a significant impact under CEQA, automobile delay and level of service (LOS) continue to be of interest to transportation engineers and planners who plan, design, operate, and maintain the roadway system. In addition, delay related to traffic congestion is a concern to drivers and passengers of vehicles using the roadway system (Sacramento County 2020). Therefore, the effect of the Project on delay-based traffic operations is provided herein for informational purposes. It is assumed for the purpose of this analysis that delay-based effects and the associated measures proposed to reduce these effects to acceptable levels would be included as conditions of approval and/or in the development agreement for the Project.

During the Notice of Preparation (NOP) scoping process, commenters raised concerns about effects on Jackson Highway, coordination with the California Department of Transportation (Caltrans), bicycle and pedestrian mobility, and access to public transit. A copy of the NOP and comment letters received in response to the NOP are included in Appendix INT-1 of this EIR.

Analysis Scenarios

The following scenarios within the Transportation Report were used to support the transportation analysis in this EIR:

- Existing Conditions: represents the baseline condition, against which Project impacts are measured. The existing conditions represent conditions in spring 2013.
- Existing Plus Proposed Project: analyzes the transportation and circulation effects associated with implementation and buildout of the Project. This scenario reflects buildout of Jackson Township added directly to existing (spring 2013) conditions to isolate the effects of the Project against the existing baseline. Therefore, this scenario does not account for the incremental nature of project implementation (i.e., buildout of the Project would occur over time) or changes that would occur outside the Project in the Plan Area (i.e., installation of programmed offsite transportation facilities or implementation of other development projects).
- Existing Plus Alternative 2: same analysis scope as Existing Plus Proposed Project.

Jackson Corridor Projects

The Transportation Report discusses existing and cumulative transportation and circulation conditions associated with the implementation of the Project. In addition, the Transportation Report discusses the combined effects of implementing the following four master plans in the Jackson Corridor (as shown in Plate CU-3), collectively referred to as the Jackson Highway Master Plans or Jackson Corridor Projects:

- West Jackson Highway Master Plan (West Jackson),
- Jackson Township Specific Plan (Jackson Township),
- NewBridge Specific Plan (NewBridge), and
- Mather South Community Master Plan (Mather South Project).

The Jackson Corridor Projects are located adjacent to each other along the Jackson Road corridor. Because of this proximity and the relatively concurrent entitlement process, County staff and the applicants collaborated to develop a single traffic analysis that evaluates the transportation-related effects of each individual project as stand-alone projects as well as the transportation effects of all four projects combined. Substantial coordination with the applicants and adjacent jurisdictions, including the cities of Sacramento, Rancho Cordova, Elk Grove, and Folsom in addition to Caltrans and the Capital Southeast Connector Joint Powers Authority, led to agreement on the area to be studied for transportation effects. The resulting study area includes 261 roadway segments and 164 intersections within an area bounded by U.S. Highway 50 (US 50) on the north, Calvine Road on the south, Power Inn Road on the west, and Grant Line Road on the east. The Transportation Report addresses the combined potential effects of the Jackson Corridor Projects on existing and cumulative transportation and circulation conditions.

This joint traffic analysis allows the County to develop a common baseline for existing conditions between all four Jackson Corridor Projects, provides decisionmakers a better understanding of the travel demand associated with the combined Jackson Corridor Projects, and provides the specific number of vehicles each project contributes towards the total traffic flow as a fair share percentage on each study roadway segment and intersection. Although a joint traffic analysis was conducted, a project-specific report was prepared for each master plan project to identify project-specific effects and associated reduction measures.

The Transportation Report began in mid-2013, and traffic counts were collected to create the baseline for Average Daily Trips (ADT) on the study area roadways. The traffic analysis was completed for each project in February 2015. The transportation analyses were subsequently revised for West Jackson and the Mather South Project to reflect the changes in the proposed land use plans.

In addition, the Sacramento County Department of Transportation (SacDOT) collected newer traffic count data from 2016/2017 for 31 of the roadway segments in the study area. The data indicated that ADT increased on 29 of the 31 segments and decreased on two segments. The County determined that these changes are likely due to ongoing development within the large study area, which includes all the Vineyard community as well as Rancho Cordova.

After reviewing the more recently collected ADT data, the following conclusions were reached:

1. Using the 2013 traffic counts as the baseline provides the County with a consistent data set and approach for the Jackson Corridor Projects for all intersections and roadway segments studied.
2. The Jackson Corridor Transportation Mitigation Strategy includes use of the Dynamic Implementation Tool (see the *Impacts and Analysis* section below), a mitigation tool that will monitor traffic hot spots, assign mitigation projects within the project study, and provide the County greater flexibility in defining roadway improvements as development progresses over a large geographic area.

Therefore, although SacDOT identified increases in ADT within the study area from 2013 to 2016/2017, the 2013 traffic data is used and is considered valid for the purposes of this analysis because it provides the County with a consistent data set and approach for the Jackson Corridor Projects.

ENVIRONMENTAL SETTING

This section describes existing regional and local environmental conditions relevant to transportation and circulation.

Project Study Area

As illustrated in Plate TC-1, the Project is in unincorporated Sacramento County, generally east of the City of Sacramento, southwest of the City of Rancho Cordova, and south of Mather Airport. It is bounded to the south by Jackson Road (State Route [SR]

16), to the west by Excelsior Road, and to the east by Eagles Nest Road. The northern boundary is near the future Kiefer Boulevard.

For transportation analysis purposes, a set of existing, proposed, and future intersections, roadway segments, and freeway facilities were selected based upon the Project's expected travel characteristics, including number of vehicle trips, the directionality of those vehicle trips, and primary travel routes to/from the study area. The SacDOT, Caltrans, City of Sacramento, City of Rancho Cordova, City of Elk Grove, City of Folsom, and Capital Southeast Corridor Joint Powers Authority were consulted during this process.

Plates TC-2 through TC-4 illustrate the traffic study area, which was developed and agreed upon by all the aforementioned jurisdictions and agencies.

Existing Roadway Network


Plate TC-5 illustrates the existing roadway network and number of lanes along each roadway segment.

REGIONAL ACCESS

The freeway facilities providing regional automobile access to the Plan Area are described below.

U.S. Highway 50 (US 50) is an east-west freeway that extends from the Interstate 80 (I-80) junction in West Sacramento to Canal Street in the City of Placerville, where it continues as a highway across the Sierra Nevada to South Lake Tahoe and Nevada. Primary access to US 50 occurs via a series of interchanges, including (from west to east) Howe Avenue, Watt Avenue, Bradshaw Road, Mather Field Road, and Sunrise Boulevard. To the west, US 50 provides access to Downtown Sacramento, SR 99, I-5, and I-80. To the east, US 50 provides access to eastern Sacramento County, El Dorado County, and the cities of Rancho Cordova and Folsom.


State Route 16 (SR 16) is a Caltrans facility near the Plan Area. The segment of SR 16 east of the intersection with Folsom Boulevard, which is also known as Jackson Road or Jackson Highway, is the southern boundary of the Jackson Township Plan Area. In 2015, the State Legislature authorized the California Transportation Commission (CTC) to relinquish the segment of SR 16 from west of Watt Avenue to east of Grant Line Road to Sacramento County and the City of Rancho Cordova upon a determination by CTC that it is in the best interest of the State to do so. Since that time, Sacramento County, Caltrans, and CTC have been in discussions regarding the relinquishment. The County desires to develop and execute a logical and well-organized transportation system along the Jackson Road corridor by implementing physical improvements and using innovative technology to achieve a smooth flow of traffic. County staff believes relinquishment will assist in achieving this goal.



Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 049


Plate TC-1: Regional Transportation Network



Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 050

Plate TC-2: Study Area Roadway Segments




Legend

- Freeway Study Area
- Study Roadway Segments
- Freeways
- Other Major Roadways
- Name**
- Jackson Township Project
- Cities
- Mather Airport

Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 051




Legend

- Existing
- Future Outside Project Boundaries
- Shared Between Two Projects
- West Jackson
- Jackson Township
- NewBridge
- Mather South
- Study Roadways
- Freeways
- Other Major Roadways
- Jackson Township Project
- Cities
- Mather Airport

Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 052

Plate TC-4: Study Area Intersections



Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 053

Plate TC-5: Existing Conditions Roadway Network

The total relinquishment process is estimated to take between 30 and 48 months and therefore would be completed well in advance of the construction phase for any of the Jackson Highway Master Plans. The process will include notification of and consultation with the Counties of Amador, Calaveras, and Alpine; the Cities of Plymouth, Amador City, Sutter Creek, and Jackson; and the Amador County Transportation Commission. The relinquishment process will also include completion of the Project Initiation Document, which will identify the scope, cost, and schedule of the process for Caltrans. After the document is completed, Caltrans will take it to CTC to secure funding for the Project Approval & Environmental Document phase. This is the phase that will consume the most time and resources. After the draft environmental document for relinquishment is completed, it will go through the requisite circulation processes before the final environmental document is produced. Staff anticipates working with Caltrans to prepare the draft relinquishment agreement when sufficient progress has been made on the draft environmental document. The environmental document and relinquishment agreement require CTC approval before finalization of the relinquishment can occur.

The segment of SR 16 from Highway 50 to South Watt Avenue has already been relinquished to the City of Sacramento. In Sacramento County, the route passes through urban, light industrial, and rural areas that include commercial businesses, aggregate mining extraction, apartment complexes, mobile home parks, private residences, horse/cattle ranches, and farms. SR 16/Jackson Road intersects several major Sacramento County arterial intersections such as Bradshaw Road, Sunrise Boulevard, and Grant Line Road.

The roadway generally travels from west-northwest to east-southeast from Folsom Boulevard into Amador County. It is generally a two-lane roadway with some widening at intersections. To the west, SR 16 continues to US 50 via Folsom Boulevard and Howe Avenue in the City of Sacramento.

LOCAL ACCESS

Direct access to the Plan Area is provided via SR 16, Excelsior Road, and the future Kiefer Boulevard. SR 16 is described above and the other roadways providing local access are described below.

Excelsior Road is a two lane north-south roadway that forms the western boundary of the Plan Area. To the north, Excelsior Road extends into the Independence at Mather community. Beyond this community, the roadway becomes Mather Boulevard. To the south, Excelsior Road extends to Sheldon Road into the City of Elk Grove.

Kiefer Boulevard is an east-west roadway that crosses the northern portion of the Plan Area. The roadway consists of two segments, divided by Mather Airport. The western segment extends from Florin-Perkins Road in the City of Sacramento through the Rosemont community to Happy Lane. This segment has between two and four through lanes, depending on the location. East of Mather Airport, the roadway begins at Eagles Nest Road and continues east to Jackson Road as a two-lane roadway. Although the County currently owns the right-of-way, the portion of Kiefer Boulevard that crosses the northern portion of the Plan Area does not currently exist and would be implemented as part of the Project.

TRANSIT SYSTEM

The Sacramento Regional Transit District (SacRT) operates 30 fixed routes, 19 commuter routes, 17 seasonal routes, nine SmaRT Ride on-demand microtransit service zones, Americans with Disabilities Act (ADA) paratransit service (SacRT GO), Airport Express bus service (temporarily suspended because of ridership impacts related to the COVID-19 pandemic), UC Davis service (Causeway Connection), and 43 miles of light rail covering a 400-square-mile service area. Buses and light rail run 365 days a year using 97 light rail vehicles, 186 buses powered by compressed natural gas, six zero-emission electric buses, 26 shuttle buses powered by compressed natural gas, nine zero-emission electric shuttle buses, and 120 ADA paratransit vehicles. Buses operate daily from 5:00 a.m. to 11:00 p.m. every 12 to 60 minutes, depending on the route. Light rail trains begin operation at 4:00 a.m. with service every 15 minutes during the day (Monday through Friday) and every 30 minutes in the evening and on weekends. Blue Line and Gold Line trains operate until approximately 12:30 a.m. Green Line trains only operate Monday through Friday (Sacramento Regional Transit District 2020).


Passenger amenities include 52 light rail stops or stations, 30 bus and light rail transfer centers and 22 park-and-ride lots. SacRT also serves over 3,100 bus stops throughout Sacramento County. SacRT's entire bus and light rail system is accessible to the disabled community.

Plate TC-6 illustrates selected SacRT service near the Plan Area. The SacRT Gold Line light rail service is located parallel to Folsom Boulevard north of the Jackson Township Plan Area. Nearby stations include (from west to east) Watt/Manlove, Starfire, Tiber, Butterfield, Mather Field / Mills, Zinfandel, Cordova Town Center, and Sunrise. No SacRT bus routes currently provide direct service to the Plan Area.

EXISTING BICYCLE AND PEDESTRIAN SYSTEM

Plate TC-7 illustrates the bicycle network identified in the Sacramento County Active Transportation Bikeway Master Plan in the vicinity of the Jackson Township Plan Area, depicting existing and planned bikeways. An existing Class I bikeway (Elder Creek Trail) crosses the southern portion of the Plan Area. Future Class II Bikeways are planned on SR 16, Excelsior Road, and Kiefer Boulevard.

The pedestrian sidewalk system is incomplete within the vicinity of the Plan Area. As development occurs, sidewalks are being installed along many of the roadways in the area. Except for those locations where such improvements have already occurred, pedestrian access in the immediate vicinity of the Plan Area is limited to roadway shoulders, where such shoulders exist.




Legend

- Route 72 (Rosemont - Lincoln Village)
- Route 76 (Anatolia Shuttle)
- Cities
- Mather Airport
- Jackson Township Project

Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 054

Plate TC-6: Existing Conditions Transit Network



Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 055

EXISTING TRAFFIC VOLUMES

Peak period (7:00 to 9:00 a.m. and 4:00 to 6:00 p.m.) intersection turning movement counts and daily (24-hour) roadway segment counts were collected within the study area on Tuesday, Wednesday, and Thursday in April and early May of 2013. Detailed peak hour (a.m. and p.m.) and daily counts are included in the Appendix TR-1 of this EIR.

Peak period traffic volumes on the US 50 freeway system (mainline and ramps) were obtained from the California Freeway Performance Measurement System. Data recorded on April 16 through 18 of 2013, and April 23 through 25 of 2013 were utilized for the freeway analysis contained within the Traffic Report and summarized in this EIR. The traffic volumes are summarized in Appendix TR-1 of this EIR.

Traffic Operations Analysis

METHODOLOGY

The traffic operations analysis uses ~~level of service~~ (LOS) as the primary measure of performance. LOS is a qualitative description of traffic flow from the perspective of motorists. The *Highway Capacity Manual* (HCM) defines six levels of service from LOS A representing the least congested traffic conditions, to LOS F representing the most congested traffic conditions. These grades represent the perspective of drivers and are an indication of the comfort and convenience associated with driving, as well as speed, travel time, traffic interruptions, and freedom to maneuver.

Field reconnaissance was undertaken to ascertain the traffic control and geometry of each of the traffic study area intersections, roadway segments, and freeway elements. Combined with known or projected traffic volumes, these characteristics form the basis for the calculation of LOS detailed within the Traffic Report and are summarized in this EIR.

ROADWAY SEGMENT OPERATIONS

LOS analysis was conducted for roadway segments in the traffic study area based upon daily traffic volumes, and roadway geometry and characteristics. Study area roadways were stratified into "capacity class" categories for LOS determination based on Sacramento County, City of Sacramento, and Capital SouthEast Connector Joint Powers Authority thresholds, as shown in Tables TC-1, TC-2, and TC-3. The Sacramento County roadway segment LOS thresholds were applied to segments in the City of Rancho Cordova and City of Elk Grove, as these jurisdictions utilize the same roadway segment LOS thresholds.

The capacity class categories are based upon the nature of traffic flow along the facility, including number of interruptions due to intersection control, driveways, and local streets. For each capacity class, relationships were developed between daily traffic volumes and roadway LOS.

Tables TC-1, TC-2, and TC-3 summarize the maximum daily traffic volumes associated with each LOS designation and capacity class combination. Although the segment-based LOS calculations are based upon daily traffic volumes, the resultant LOS is representative of peak hour conditions. The daily roadway segment capacity

methodology considers typical peak hour volume profiles, as well as the effects of signalized intersections in reducing the roadway's carrying capacity.

Table TC-1: Daily Volume Threshold for Roadway Segments (Sacramento County)

Roadway Capacity Class	Number of Lanes	Daily Volume Threshold (LOS)				
		LOS A	LOS B	LOS C	LOS D	LOS E
Residential	2	600	1,200	2,00	3,000	4,500
Residential Collector with Frontage	2	1,600	3,200	4,800	6,400	8,000
Residential Collector without Frontage	2	6,000	7,000	8,000	9,000	10,000
Arterial, Low Access Control	2	9,000	10,500	12,000	13,500	15,000
	4	18,000	21,000	24,000	27,000	30,000
	6	27,000	31,500	36,000	40,500	45,000
Arterial, Moderate Access Control	2	10,800	12,600	14,400	16,200	18,000
	4	24,000	28,000	32,000	36,000	40,000
	6	36,000	43,000	48,000	54,000	60,000
Arterial, High Access Control	2	12,000	14,000	16,000	18,000	20,000
	4	24,000	28,000	32,000	36,000	40,000
	6	36,000	43,000	48,000	54,000	60,000
Rural, 2-lane Highway	2	2,400	4,800	7,900	13,500	22,900
Rural, 2-lane Road, 24'-36' of pavement, Paved Shoulders	2	2,200	4,300	7,100	12,200	20,000
Rural, 2-lane Road, 24'-36' of pavement, No Shoulders	2	1,800	3,600	5,900	10,100	17,000
Roadway Capacity Class	Stops per Mile	Driveways		Speed		
Arterial, Low Access Control	4 +	Frequent		25 – 35 mph		
Arterial, Moderate Access Control	2 – 4	Limited		35 – 45 mph		
Arterial, High Access Control	1 - 2	None		45 – 55 mph		

Note: LOS = level of service

Source: DKS Associates 2019

Table TC-2: Daily Volume Threshold for Roadway Segments (City of Sacramento)

Roadway Capacity Class	Number of Lanes	Daily Volume Threshold (LOS)				
		LOS A	LOS B	LOS C	LOS D	LOS E
Arterial, Low Access Control	2	9,000	10,500	12,000	13,500	15,000
	4	18,000	21,000	24,000	27,000	30,000
	6	27,000	31,500	36,000	40,500	45,000
Arterial, Moderate Access Control	2	10,800	12,600	14,400	16,200	18,000
	4	21,600	25,200	28,800	32,400	36,000
	6	32,400	37,800	43,200	48,600	54,000
Arterial, High Access Control	2	12,000	14,000	16,000	18,000	20,000
	4	24,000	28,000	32,000	36,000	40,000
	6	36,000	43,000	48,000	54,000	60,000
Collector, minor	2	5,250	6,125	7,000	7,875	8,750
Residential	2	3,000	3,500	4,000	4,500	5,000
Roadway Capacity Class	Stops per Mile	Driveways		Speed		
Arterial, Low Access Control	4 +	Frequent		25 – 35 mph		
Arterial, Moderate Access Control	2 – 4	Limited		35 – 45 mph		
Arterial, High Access Control	1 - 2	None		45 – 55 mph		

Note: LOS = level of service

Source: DKS Associates 2019

Table TC-3: Daily Volume Threshold for Roadway Segments (Connector JPA)

Roadway Capacity Class	Number of Lanes	Daily Volume Threshold (LOS)				
		LOS A	LOS B	LOS C	LOS D	LOS E
Expressway (Connector)	4	43,200	50,400	57,600	64,800	72,000
	4+2 HOV	64,800	75,600	86,400	97,200	108,000

Note: LOS=level of service, HOV = high-occupancy vehicle

Source: DKS Associates 2019

INTERSECTION OPERATIONS

For signalized and unsignalized intersections, operational analysis was conducted using the Transportation Research Board's HCM 2000 and HCM 2010 methodology. The HCM 2010 methodology was used in all locations except where characteristics of a signalized intersection deemed that methodology inappropriate. These locations include intersections with unconventional signal phasing, and locations adjacent to light rail tracks where additional delay occurs due to light rail operations. In the selected locations, the HCM 2000 methodology was employed.

The HCM methodology calculates an average control delay per vehicle for each movement at an intersection and assigns a LOS designation based upon the average

delay per vehicle. Table TC-4 presents the LOS criteria for signalized and unsignalized intersections based on the HCM methodology.

Table TC-4: Level of Service Criteria (Intersections)

Level of Service (LOS)	Total Delay Per Vehicle (seconds)	
	Signalized Intersections	Unsignalized Intersections
A	≤ 10	≤ 10
B	> 10 and ≤ 20	> 10 and ≤ 15
C	> 20 and ≤ 35	> 15 and ≤ 25
D	> 35 and ≤ 55	> 25 and ≤ 35
E	> 55 and ≤ 80	> 35 and ≤ 50
F	> 80	< 50

Source: DKS Associates 2019

Additionally, at two-way stop unsignalized intersections, Sacramento County determines conformity with the LOS policy on an approach / movement basis, while the City of Sacramento utilizes a calculation of the average intersection LOS (similar to signalized intersections and all-way stop intersections).

TRAFFIC SIGNAL WARRANT ANALYSIS

Properly located and operated traffic control signals may provide for the orderly movement of traffic (motor vehicle, pedestrian, and bicycle), increase the traffic-handling capacity of an intersection, and reduce the frequency of certain types of collisions. The Federal Highway Administration and Caltrans have developed traffic signal warrants to define minimum conditions under which the installation of new traffic control signals may be justified. Traffic control signals should not be installed unless one or more of the signal warrants are met. However, the satisfaction of a warrant or multiple warrants is not in itself justification for a signal. Every situation is unique and warrant guidelines must be supplemented by the review of specific site conditions and the application of professional engineering judgment. Installation of a traffic signal should improve the overall operation and/or safety of an intersection and should be considered only after less restrictive solutions have been considered.

FREEWAY ANALYSIS

Freeway mainline segments, ramp junctions, and weaving segments were analyzed utilizing methodologies outlined in the HCM 2010. Table TC-5 presents the LOS criteria for the freeway mainline segments, which are divided into basic, merge/diverge, and weaving segments.

Table TC-5: Level of Service Criteria (Freeway Mainline)

Level of Service (LOS)	Maximum Density (Passenger Cars Per Mile Per Lane)		
	Basic	Merge/Diverge Segments	Weaving Segments
A	≤ 11	≤ 10	≤ 10
B	> 11 and ≤ 18	> 10 and ≤ 20	> 10 and ≤ 20
C	> 18 and ≤ 26	> 20 and ≤ 28	> 20 and ≤ 28
D	> 26 and ≤ 35	> 28 and ≤ 35	> 28 and ≤ 35
E	> 35 and ≤ 45	< 35	< 35
F	> 45	Demand Exceeds Capacity	Demand Exceeds Capacity

Source: HCM 2010

RURAL ROADWAY FUNCTIONALITY ANALYSIS

Of specific concern in the traffic study area is the functionality of substandard rural roadways. The County's current rural roadway standard consists of two 12-foot-wide travel lanes and 6-foot-wide paved shoulders. Therefore, any rural roadway not fitting this definition can be considered substandard.

Many of the existing rural roadways in the traffic study area have travel lanes as narrow as 10-feet wide with no roadside shoulders. These roadways were constructed many years ago and tended to serve as roadway connections between small towns and communities, and farm to market roadways. While these narrow roadways have adequately served the travel demand of the past, they are not intended to serve the greater travel demands that nearby residential and commercial development may result in.

The County expects that the functionality of these roadways will change with nearby development, the increase in population, the introduction of various modes of travel in the study area, and the addition of traffic on these substandard roadways. With these changes in functionality of the roadway comes the possibility of increased interactions between varying modes of travel (i.e., pedestrians and bicyclists), as well as the increased interaction between a greater number of vehicles on substandard roads.

Existing Operating Conditions

As discussed further below and summarized in Plate TC-8, existing roadway and intersection operating conditions are generally satisfactory adjacent to the Plan Area, although deficiencies were identified on roadways providing key north to south linkage within the study area.

ROADWAY SEGMENT OPERATING CONDITIONS


LOS analysis was conducted for the roadway segments in the study area based on daily traffic volumes and roadway characteristics. Table TC-6 summarizes the roadway LOS, and the performance of the segment compared to the LOS thresholds of the applicable jurisdiction for the roadway segments currently operating at deficient levels. Detailed roadway segment operating condition calculations and the full list of study area roadway segment operating conditions are included in Appendix TR-1.

INTERSECTION OPERATING CONDITIONS

Existing intersection geometry (number of approach lanes and traffic control) is illustrated in detail in Appendix TR-1.

Table TC-7 summarizes the existing a.m. and p.m. peak hour operating conditions at the study area intersections operating at deficient LOS, and the performance of the intersection compared to the LOS policies of the applicable jurisdiction. Detailed intersection operating condition calculations and the full list of traffic study area intersection operating conditions are included in Appendix TR-1. As shown in Table TC-7, the following intersections do not meet the applicable LOS thresholds:

- South Watt Avenue and Elder Creek Road - a.m. and p.m. peak hours,
- Bradshaw Road and Folsom Boulevard - a.m. peak hour,
- Happy Lane and Old Placerville Road - northbound left turn - a.m. and p.m. peak hours,
- Mather Field Road and Rockingham Drive - a.m. peak hour,
- Zinfandel Drive and US 50 Eastbound Ramps / Gold Center Drive - p.m. peak hour,
- Sunrise Boulevard and Jackson Road - a.m. peak hour,
- Grant Line Road and Jackson Road - a.m. and p.m. peak hours, and
- Grant Line Road and Wilton Road - a.m. and p.m. peak hours.



Legend

Intersections (AM Peak Hour)

- LOS A-D
- LOS E
- LOS F

Intersections (PM Peak Hour)

- LOS A-D
- LOS E
- LOS F

Roadway Segments

- LOS A-D
- LOS E
- LOS F

- Cities
- Mather Airport
- Jackson Township Project

Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 056

Plate TC-8: Existing Conditions Roadway Segment and Intersection LOS

Table TC-6: Existing Roadway Segments Operating at Deficient Level of Service

ID	Roadway	Segment		Jurisdiction	Governing Jurisdiction/ Area ¹	LOS Policy Criteria	Existing				
		From	To				Travel Lanes	Facility Type ²	Daily Volume	Volume/ Capacity Ratio	LOS
2	Bradshaw Rd	US 50	Lincoln Village Dr	Rancho Cordova/County	Rancho Cordova	D	6	Arterial M	52,590	0.97	E
29	Elk Grove-Florin Rd	Florin Rd	Gerber Rd	County	County Urban	E	2	Arterial M	22,960	1.28	F
44	Folsom Blvd	Howe Ave	Jackson Rd	City of Sacramento	City Exempt Roadway	E	4	Arterial M	37,516	1.04	F
55.1	Grant Line Rd	Calvine Rd	Elk Grove City Limit	Elk Grove/County	Elk Grove	D	2	Rural S	13,140	0.66	E
55.2	Grant Line Rd	Elk Grove City Limit	Sheldon Rd	Elk Grove/County	Elk Grove	D	2	Rural S	13,140	0.66	E
56	Grant Line Rd	Sheldon Rd	Wilton Rd	Elk Grove	Elk Grove	D	2	Rural S	17,459	0.87	E
57	Grant Line Rd	Wilton Rd	Bond Rd	Elk Grove	Elk Grove	D	2	Rural S	16,064	0.80	E
98	South Watt Ave	Jackson Rd	Fruitridge Rd	City of Sacramento/ County	City Default	D	2	Arterial M	25,832	1.44	F
99	South Watt Ave	Fruitridge Rd	Elder Creek Rd	City of Sacramento/ County	City Default	D	2	Arterial M	21,567	1.20	F
100	South Watt Ave	Elder Creek Rd	Florin Rd	City of Sacramento/ County	City Default	D	2	Arterial M	19,069	1.06	F
101	Sunrise Blvd	US 50	Folsom Blvd	Rancho Cordova	Rancho Cordova	D	7	Arterial M	54,500	1.01	F
102	Sunrise Blvd	Folsom Blvd	Trade Center Dr	Rancho Cordova	Rancho Cordova	D	6	Arterial M	49,500	0.92	E
106	Sunrise Blvd	Kiefer Blvd	Jackson Rd	Rancho Cordova/County	Rancho Cordova	D	2	Arterial M	16,894	0.94	E
110	Watt Ave	US 50	Folsom Blvd	City of Sacramento/ County	City Exempt Light Rail	E	6	Arterial H	65,242	1.09	F

¹ The following classifications are used to determine daily roadway capacity:

Arterial L - Arterial, Low Access Control; Arterial M - Arterial, Moderate Access Control; Arterial H - Arterial, High Access Control

Rural Hwy - Rural 2-lane Highway; Rural S - Rural 2-lane Road, 24'-36' of pavement, Paved Shoulders; Rural NS - Rural 2-lane Road, 24'-36' of pavement, No Shoulders

Res Collector F - Residential Collector with Frontage; Res Collector NF - Residential Collector with No Frontage

Source: DKS Associates 2019

Table TC-7: Existing Intersections Operating at Deficient Level of Service

Intersection		Jurisdiction	Governing Jurisdiction/ Area ¹	LOS Policy Criteria	Existing A.M. Peak Hour			Existing P.M. Peak Hour		
					Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)
18	S. Watt Ave & Elder Creek Rd	City of Sacramento / County	City Default	D	Signal	E	62.7	Signal	E	68.8
33	Bradshaw Rd & Folsom Blvd.	City of Rancho Cordova / County	Rancho Cordova	D	Signal	E	56.7	Signal	D	49.9
42	Happy Lane & Old Placerville Rd	City of Rancho Cordova / County	Rancho Cordova	D	Two-way stop			Two-way stop		
	Northbound Left Turn			D		F	64.8		F	95.9
51	Mather Field Rd & Rockingham Dr	City of Rancho Cordova	Rancho Cordova	D	Signal	E	56.4	Signal	D	54.7
54	Zinfandel Dr & US 50 EB Ramps/Gold Center Dr	City of Rancho Cordova	Rancho Cordova	D	Signal	D	40.0	Signal	E	60.1
70	Sunrise Blvd & Jackson Rd	City of Rancho Cordova / County	Rancho Cordova	D	Signal	E	57.0	Signal	D	47.2
80	Grant Line Rd & Jackson Rd	City of Rancho Cordova / County [Connector JPA]	Rancho Cordova [Connector JPA]	D [C]	Signal	E	74.0	Signal	E	78.9
93	Grant Line Rd & Dwy/Wilton Rd	City of Elk Grove / Connector JPA	Rancho Cordova [Connector JPA]	D [C]	Signal	E	65.9	Signal	E	64.8

Notes: **Bold** values denote intersections and/or movements that do not meet applicable LOS thresholds.

Source: DKS Associates 2019

FREEWAY SEGMENT OPERATING CONDITIONS

US HIGHWAY 50

Table TC-8 summarizes a.m. and p.m. peak hour US 50 mainline operations. Detailed analysis and data are included in Appendix TR-1. The following locations do not meet the applicable LOS thresholds:

- Eastbound
 - Stockton Boulevard to 59th Street - a.m. and p.m. peak hours
 - Bradshaw Road to Mather Field Road - a.m. peak hour
 - Zinfandel Drive to Hazel Avenue - p.m. peak hour
- Westbound
 - Mather Field Road to Watt Avenue - a.m. peak hour
 - Watt Avenue to 59th Street - a.m. and p.m. peak hours
 - 59th Street to SR 51 / SR 99 - p.m. peak hour

FREEWAY MERGE / DIVERGE / WEAVE SEGMENT OPERATING CONDITIONS

Table TC-9 summarizes a.m. and p.m. peak hour freeway operations at merge/diverge/weave segments. Detailed analysis is included in Appendix TR-1. The following locations do not meet the applicable LOS thresholds:

- Eastbound
 - Watt Avenue Entrance Merge - a.m. peak hour
 - Mather Field Road to Zinfandel Drive weave - a.m. peak hour
- Westbound
 - Sunrise Boulevard Entrance - a.m. peak hour

Table TC-8: Existing Peak Hour Freeway Basic Segment Level of Service

Direction	Location	Mixed Flow Lanes	A.M. Peak Hour			P.M. Peak Hour		
			Volume	Density	LOS	Volume	Density	LOS
East-Bound US 50	SR 99/SR 51 to Stockton Boulevard	5	7,068	23.46	C	6,415	23.33	C
	Stockton Boulevard to 59 th Street	5	7,470	35.05	F	7,228	41.46	F
	59 th Street to 65 th Street	4	6,767	27.34	D	6,641	28.36	D
	65 th Street to Howe Avenue	5	7,962	28.05	D	7,562	29.71	D
	Howe Avenue to Watt Avenue	4	7,405	31.77	D	7,602	33.01	D
	Watt Avenue to Bradshaw Road	4	7,935	27.22	D	7,176	24.80	C
	Bradshaw Rd to Mather Field Rd	4	7,725	45.10	F	7,366	25.50	C
	Mather Field Rd to Zinfandel Drive	5	7,275	19.18	C	7,224	20.13	C
	Zinfandel Drive to Sunrise Boulevard	4	5,121	20.08	C	6,649	42.12	F
	Sunrise Boulevard to Hazel Avenue	3	4,985	27.67	D	5,323	37.30	F
West-Bound US 50	Hazel Avenue to Sunrise Boulevard	3	6,068	32.91	D	4,370	23.17	C
	Sunrise Blvd to Zinfandel Drive	4	7,502	33.31	D	4,762	19.30	C
	Zinfandel Drive to Mather Field Rd	5	7,548	21.96	C	5,765	14.85	B
	Mather Field Rd to Bradshaw Road	4	7,859	44.40	F	6,739	28.66	D
	Bradshaw Road to Watt Avenue	4	7,488	53.92	F	6,466	32.91	D
	Watt Avenue to Howe Avenue	5	7,376	53.11	F	6,234	28.04	F
	Howe Avenue to 65 th Street	5	8,157	35.68	F	7,407	41.55	F
	65 th Street to 59 th Street	4	8,278	44.85	F	7,358	51.56	F
	59 th Street to Stockton Boulevard	5	9,115	29.39	D	7,945	43.31	F
	Stockton Boulevard to SR 99/SR 51	5	8,546	31.89	D	8,136	33.25	F

Density = passenger cars per hour per lane (px/ph/pl). **Bold** values denote level of service "F" conditions.

Source: DKS Associates 2019

**Table TC-9: Existing Peak Hour Freeway Merge/Diverge/Weave Segment
Level of Service**

Direction	Location	Junction Type	A.M. Peak Hour		P.M. Peak Hour	
			Ramp Volume	LOS	Ramp Volume	LOS
Eastbound US 50	Northbound 65 th Street Slip Entrance	Weave	765	D	653	C
	Howe Avenue/Hornet Drive Exit		1,631		1,417	
	Southbound Howe Avenue Loop Entrance	One-Lane Merge	484	C	881	C
	Northbound Howe Avenue Slip Entrance	One-Lane Merge	419	C	431	C
	Watt Avenue Exit	Two-Lane Diverge	1,317	B	1,634	B
	Watt Avenue Entrance	One-Lane Merge	2,134	F	1,724	D
	Bradshaw Road Exit	Two-Lane Diverge	1,520	B	1,228	B
	Southbound Bradshaw Road Loop Entrance	One-Lane Merge	220	C	422	C
	Northbound Bradshaw Road Slip Entrance	One-Lane Merge	971	C	918	C
	Mather Field Road Exit	Two-Lane Diverge	1,266	B	1,062	A
	Southbound Mather Field Road Loop Entrance	One-Lane Merge	125	C	101	B
	Northbound Mather Field Road Slip Entrance	Weave	317	F	816	C
	Zinfandel Drive Exit		2,932		1,452	
	Southbound Zinfandel Drive Loop Exit	One-Lane Merge	182	B	129	C
	Northbound Zinfandel Drive Slip Entrance	One-Lane Merge	348	B	540	C
	Sunrise Boulevard Exit	Major Diverge	1,773	C	1,959	D
	Sunrise Boulevard Entrance	One-Lane Merge	992	C	889	D
	Hazel Avenue Exit	Two-Lane Diverge	933	B	1,541	C
	Hazel Avenue Entrance	Weave	804	C	945	C
	Aerojet Road Exit		241		55	
Westbound US 50	Hazel Avenue Exit	Two Lane Diverge	631	A	869	A
	Northbound Hazel Avenue Loop Entrance	One-Lane Merge	160	B	600	B
	Southbound Hazel Avenue Slip Entrance	One-Lane Merge	1,550	B	800	B
	Sunrise Boulevard Exit	One-Lane Diverge	749	E	758	D
	Sunrise Boulevard Entrance	Lane Addition	2,183	F	1,656	D
	Zinfandel Drive Exit	One-Lane Diverge	1,034	E	608	C
	Northbound Zinfandel Drive Loop Entrance	Lane Addition	585	B	1,197	B
	Southbound Zinfandel Drive Slip Exit	One-Lane Merge	442	C	561	B
	Mather Field Road Exit	One-Lane Drop	1,093	C	556	A

Direction	Location	Junction Type	A.M. Peak Hour		P.M. Peak Hour	
			Ramp Volume	LOS	Ramp Volume	LOS
	Northbound Mather Field Road Loop Entrance	One-Lane Merge	515	B	861	B
	Southbound Mather Field Road Slip Entrance	One-Lane Merge	387	B	380	B
	Bradshaw Road Exit	Two-Lane Diverge	1,236	B	1,327	B
	Northbound Bradshaw Road Loop Entrance	One-Lane Merge	914	D	910	C
	Southbound Bradshaw Road Slip Entrance	One-Lane Merge	338	D	590	C
	Watt Avenue Exit	Major Diverge	1,373	D	1,188	C
	Northbound Watt Avenue Entrance	One-Lane Merge	820	D	943	C
	Southbound Watt Avenue Slip Entrance	Lane Addition/Weave	1,232	C	1,317	D
	Howe Avenue Exit	Major Diverge/Weave	1,531	D	1,419	
	Northbound Howe Avenue Loop Entrance	One-Land Merge	654	D	602	C
	Southbound Howe Avenue Slip Entrance	One-Land Merge	574	C	574	C

Bold values denote level of service "F" conditions.
Source: DKS Associates 2019

FREEWAY RAMP INTERSECTION QUEUING CONDITIONS

Table TC-10 summarizes a.m. and p.m. peak hour freeway ramp intersection queuing. None of the existing queues extend onto the freeway mainline. Detailed freeway ramp queuing analysis is included in Appendix TR-1 of this EIR.

Table TC-10: Existing Peak Hour Freeway Ramp Termini Queuing

Direction	US 50 Exit Ramp	Available Storage Length (feet/lane)			Maximum Queue Length (feet/lane)					
					Existing A.M. Peak Hour			Existing P.M. Peak Hour		
		L	T	R	L	T	R	L	T	R
Eastbound US 50	Howe Avenue	765	-	765	200	-	378	224	-	247
	Watt Avenue	1,500	-	1,500	179	-	201	254	-	181
	Bradshaw Road	1,250	-	1,250	198	-	509	164	-	414
	Mather Field Road	1,385	-	1,385	207	-	554	271	-	61
	Zinfandel Drive	1,025	1,025	1,025	218	810	746	430	361	131
	Sunrise Boulevard	1,695	-	1,695	283	-	184	360	-	76
	Hazel Avenue	1,310	-	1,310	317	-	76	808	-	29
Westbound US 50	Hazel Avenue	1,995		1995	271		48	281	271	499
	Sunrise Boulevard	1540	-	1540	134	-	165	133	-	172
	Zinfandel Drive	1065	-	1065	390	-	68	132	-	199
	Mather Field Road	1335	-	1335	594	-	538	222	-	97
	Bradshaw Road	1330	-	1330	326	-	107	389	-	31
	Watt Avenue	1480	-	1480	147	-	448	94	-	425
	Howe Avenue	1355	1355	1355	192	192	123	241	412	239

L = left turn movement; T = through movement; R = right turn movement

Source: DKS Associates 2019

RURAL ROADWAY FUNCTIONALITY

Sacramento County is currently the only jurisdiction within the traffic study area that has adopted policies regarding the functionality of rural roadways. Therefore, the functionality of rural roadways in jurisdictions within the study area other than Sacramento County were not analyzed in the Traffic Report. Plate TC-9 shows the rural roadway segments that do not meet the County standard of 12-foot vehicle lanes with 6-foot paved shoulders under existing conditions. Table TC-11 summarizes substandard County rural roadways in the study area. Jackson Road and Excelsior Road, which bound the Plan Area to the south and west, respectively, are identified as substandard.

Table TC-11: Existing Substandard Roadway Segments

ID	Roadway	Segment		Jurisdiction	Existing Substandard Roadways			
		From	To		Travel Lanes	Pavement (ft)	Sub-standard? ¹	Existing Volume
15	Douglas Rd	Mather Blvd	Zinfandel Dr	County	2	23	Yes	6,635
16	Douglas Rd	Zinfandel Dr	Sunrise Blvd	Rancho Cordova/County	2	23	Yes	8,369
19	Eagles Nest Rd	Kiefer Blvd	Jackson Rd	County	2	20	Yes	740
20	Eagles Nest Rd	Jackson Rd	Florin Rd	County	2	<21	Yes	517
21	Eagles Nest Rd	Florin Rd	Grant Line Rd	County	2	<21	Yes	189
25	Elder Creek Rd	South Watt Ave	Hedge Ave	County	2	23	Yes	5,576
26	Elder Creek Rd	Hedge Ave	Mayhew Rd	County	2	23	Yes	5,797
27	Elder Creek Rd	Mayhew Rd	Bradshaw Rd	County	2	23	Yes	5,355
28	Elder Creek Rd	Bradshaw Rd	Excelsior Rd	County	2	23	Yes	2,158
30	Excelsior Rd	Kiefer Blvd	Jackson Rd	County	2	22	Yes	3,716
31	Excelsior Rd	Jackson Rd	Elder Creek Rd	County	2	<21	Yes	5,075
32	Excelsior Rd	Elder Creek Rd	Florin Rd	County	2	<21	Yes	4,203
33	Excelsior Rd	Florin Rd	Gerber Rd	County	2	<21	Yes	5,423
34	Excelsior Rd	Gerber Rd	Calvine Rd	County	2	<21	Yes	4,229
39	Florin Rd	South Watt Ave	Hedge Ave	County	2	22	Yes	7,718
40	Florin Rd	Hedge Ave	Mayhew Rd	County	2	22	Yes	6,312

ID	Roadway	Segment		Jurisdiction	Existing Substandard Roadways			
		From	To		Travel Lanes	Pavement (ft)	Sub-standard? ¹	Existing Volume
41	Florin Rd	Mayhew Rd	Bradshaw Rd	County	2	22	Yes	5,317
42	Florin Rd	Bradshaw Rd	Excelsior Rd	County	2	22	Yes	3,478
43	Florin Rd	Excelsior Rd	Sunrise Blvd	County	2	22	Yes	3,835
48	Fruitridge Rd	South Watt Ave	Hedge Ave	City of Sacramento/ County	2	22	Yes	2,890
49	Fruitridge Rd	Hedge Ave	Mayhew Rd	County	2	22	Yes	1,790
50	Grant Line Rd	White Rock Rd	Douglas Rd	Rancho Cordova/ County	2	22	Yes	7,189
58	Happy Ln	Old Placerville Rd	Kiefer Blvd	County	2	22	Yes	4,635
59	Hedge Ave	Jackson Rd	Fruitridge Rd	County	2	22	Yes	3,061
60	Hedge Ave	Fruitridge Rd	Elder Creek Rd	City of Sacramento/ County	2	22	Yes	3,737
61	Hedge Ave	Elder Creek Rd	Florin Rd	County	2	22	Yes	2,722
70	Jackson Rd	Bradshaw Rd	Excelsior Rd	County	2	26	Yes	13,030
71	Jackson Rd	Excelsior Rd	Eagles Nest Rd	County	2	26	Yes	10,478
74	Kiefer Blvd	Florin Perkins Rd	South Watt Ave	City of Sacramento/ County	2	22	Yes	4,616
77	Kiefer Blvd	Bradshaw Rd	Happy Ln	County	2	22	Yes	4,618
78	Kiefer Blvd	Zinfandel Dr	Sunrise Blvd	County	2	22	Yes	656
83	Mather Blvd- Excelsior Rd ²	Douglas Rd	Kiefer Blvd	County	2	22	Yes	6,751
89	Mayhew Rd	Jackson Rd	Fruitridge Rd	County	2	22	Yes	1,616
116	White Rock Rd	Fitzgerald Rd	Grant Line Rd	Rancho Cordova/ County	2	20	Yes	2,490
123	Zinfandel Dr	Douglas Rd	Kiefer Blvd	County	2	<21	Yes	2,848

Notes:

¹ Substandard rural roads are defined as rural, 2-lane roadway segments with travel lanes narrower than 12 feet and/or roadside shoulders narrower than 6 feet.

² Excluding the roadway segment that is within the developed community of Independence at Mather.

Source: DKS Associates 2019

Existing VMT Conditions


As detailed in the County's *Transportation Analysis Guidelines* (Sacramento County 2020), the applicable metrics for analyzing project-related VMT impacts are VMT per capita for residential land uses and VMT per employee for commercial and industrial uses. For retail land uses, the efficiency metric recommended by the California Governor's Office of Planning and Research (OPR) is total net change in VMT applied to regional retail. Local-serving retail is screened from analysis.

Regional averages of the VMT metrics applicable to the Project were calculated to be consistent with the Sacramento Area Council of Governments' (SACOG's) SACSIM4519 activity-based travel demand model, which was used to quantify the Project's transportation impacts. The County's *Transportation Analysis Guidelines* require that each land use be analyzed separately when identifying impacts. Therefore, the existing regional VMT per capita averages for residential and employment land uses are shown in Table TC-12, below. The retail land uses associated with the Project were analyzed using a qualitative approach; thus, this land use is not represented in Table TC-12.

Table TC-12: Existing Regional Average VMT Per Capita

Land Use	Metric	Regional Average
Office	VMT per Employee	49.4 16.04
Overall Regional Average (Residential)	VMT per Capita	47.9 20.20

Source: DKS 2022.



Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 057

Plate TC-9: Existing Substandard Roadways

REGULATORY SETTING

Federal

There are no federal laws or regulations that are relevant to potential transportation impacts of the Project.

State

The Transportation Impact Study Guide was prepared by Caltrans to provide guidance to Caltrans districts, lead agencies, tribal governments, developers, and consultants regarding Caltrans review of a land use project or plan's transportation analysis using the VMT metric for evaluating transportation impacts (Caltrans 2020a). The Transportation Impact Study Guide replaces the *Guide for the Preparation of Traffic Impact Studies* (2002) and is for use with local land use projects. The VMT Analysis Memo prepared for the Project complies with these Caltrans guidelines.

US 50 CORRIDOR SYSTEM MANAGEMENT PLAN

The standards for US 50 Caltrans facilities in the traffic study area are detailed in the US 50 Corridor System Management Plan (CSMP). Typical Concept LOS standards in Caltrans District 3 is LOS D for rural areas and LOS E for urban areas. The 20-year concept LOS for US 50 in the study area is LOS F because improvements necessary to improve the LOS are not feasible due to environmental, right-of-way, financial, and other constraints. Although the US 50 CSMP allows LOS F, standards of significance hold that any increase in volume would constitute an impact.

SR 16 TRANSPORTATION CORRIDOR CONCEPT REPORT

The SR 16 Transportation Corridor Concept Report documents existing conditions and performance standards for this Caltrans facility. Caltrans District 3 has established concept LOS standards for the 20-year period of LOS D for route segments in rural areas and LOS E for route segments in urban areas.

SENATE BILL 743

SB 743, passed in 2013, required OPR to develop new CEQA guidelines that address traffic metrics under CEQA. Specifically, SB 743 required OPR to amend the CEQA Guidelines to provide an alternative to LOS for evaluating transportation impacts. Particularly within areas served by transit, those alternative criteria must “promote the reduction of greenhouse gas emissions, the development of multimodal transportation networks, and a diversity of land uses.” (Public Resources Code Section 21099(b)(1)). Measurements of transportation impacts may include “vehicle miles traveled, vehicle miles traveled per capita, automobile trip generation rates, or automobile trips generated.” (Ibid.) Once the CEQA Guidelines are amended to include those alternative criteria, auto delay will no longer be considered a significant impact under CEQA. (Id. at subd. (b)(2).)

OPR published its proposal for the comprehensive updates to the CEQA Guidelines in November 2017 which included proposed updates related to analyzing transportation impacts pursuant to SB 743. The most recently published Technical Advisory on Evaluating Transportation Impacts (December 2018) provides guidance for VMT analysis that recommends lead agencies should analyze VMT outcomes of land use plans over the full area over which the plan may substantively affect travel patterns, including beyond the boundary of the plan or the jurisdiction's geography. Analysis of specific plans may employ the same significance thresholds used for smaller, individual projects described in the Technical Advisory. In December 2018, OPR and the State Natural Resources Agency submitted the updated CEQA Guidelines to the Office of Administrative Law for final approval to implement SB 743. The Office of Administrative Law subsequently approved the updated CEQA Guidelines, and local agencies had an opt-in period until July 1, 2020 to implement the updated guidelines.

Local

METROPOLITAN TRANSPORTATION PLAN/SUSTAINABLE COMMUNITIES STRATEGY

SACOG is responsible for the preparation of, and updates to, the Metropolitan Transportation Plan/Sustainable Communities Strategy (MTP/SCS) and the corresponding Metropolitan Transportation Improvement Program (MTIP) for the six-county Sacramento region. The MTP/SCS provides a 20-year transportation vision and corresponding list of projects. The MTIP identifies short-term projects (7-year horizon) in more detail. The current (2020) MTP/SCS was adopted by the SACOG board in 2019 (SACOG 2019) and has a horizon year of 2040. The Jackson Township Specific Plan is not identified for development in the regional growth forecast of the 2020 MTP/SCS, which is inconsistent with the ~~2035~~ 2040 buildout assumed in this analysis.

CAPITAL SOUTHEAST CONNECTOR JOINT POWERS AUTHORITY

The Capital SouthEast Connector Joint Powers Authority (JPA) was formed in December 2006 and includes the cities of Elk Grove, Folsom, and Rancho Cordova, and El Dorado and Sacramento Counties. Under a policy set forth by the JPA, signalized intersections along the Connector facility are required to operate at LOS C or better (with LOS D being allowed in the Sheldon area). The Connector JPA's LOS policy only applies to intersections, it does not apply to roadway segments.

However, if a roadway segment is projected to exceed a four-lane capacity (i.e., reach LOS F as an arterial), or if an intersection fails to meet the LOS policy at either end of the segment, grade separation should be implemented, resulting in "Expressway" segment capacities. The exception to this policy is in the Sheldon area of the City of Elk Grove. Due to more limited opportunities for access control and right-of-way acquisition, intersections are permitted to operate at LOS D or better. Intersections are also allowed to govern over roadway segment analysis. That is, if all at-grade signalized intersections operate within the LOS D policy, a roadway segment analysis otherwise indicating LOS F is not considered to be a deficiency.

SACRAMENTO COUNTY DEPARTMENT OF TRANSPORTATION TRAFFIC IMPACT GUIDELINES

The SacDOT's Transportation Analysis Guidelines (September 2020) were prepared to provide methodologies for transportation engineers and planners to conduct CEQA transportation analyses for land development and transportation projects in compliance with SB 743 (Sacramento County 2020). Additionally, methodologies are provided to evaluate automobile delay and LOS outside of the CEQA process.

SACRAMENTO COUNTY GENERAL PLAN

The following 2030 General Plan policies pertaining to mobility, including roadways, transit, and bicycle and pedestrian facilities are applicable to the Project.

- CI-1. Provide complete streets to provide safe and efficient access to a diversity of travel modes for all urban, suburban and rural land uses within Sacramento County except within certain established neighborhoods where particular amenities (such as sidewalks) are not desired. Within rural areas of the County, a complete street may be accommodated through roadway shoulders of sufficient width or other means to accommodate all modes of travel.
- CI-3. Travel modes shall be interconnected to form an integrated, coordinated and balanced multi-modal transportation system, planned and developed consistent with the land uses to be served.
- CI-4. Provide multiple transportation choices to link housing, recreational, employment, commercial, educational, and social services.
- CI-5. Land use and transportation planning and development should be cohesive, mutually supportive, and complement the objective of reducing per capita vehicle miles travelled (VMT). The standards shown in Table CI-1 shall be used as thresholds of significance for all projects subject to CEQA. Where the VMT level standards of Table CI-1 are predicted to be exceeded, all feasible mitigation measures shall be included to reduce projected VMT levels.

Table CI-1 Significance Thresholds for CEQA Transportation Analysis for Development Projects	
Project Type ¹	VMT Significance Criteria
Residential	Project VMT per capita exceeds 85 percent of the regional average VMT per capita
Office/Business Professional	Project VMT per employee exceeds 85 percent of the regional average VMT per employee
Industrial	Project VMT per employee exceeds the regional average VMT per employee
Regional Retail	Net increase in regional VMT

Table CI-1 Significance Thresholds for CEQA Transportation Analysis for Development Projects	
Project Type ¹	VMT Significance Criteria
Regional Public Facilities/Services	Net increase in regional VMT
Redevelopment	Projects that result in a decrease to existing regional total VMT are presumed to have a less-than-significant VMT impact; otherwise, apply the relevant threshold based on the proposed land use (treating existing use as vacant)
Mixed Use	Apply the relevant threshold to each land use component individually
Phased	Apply the relevant threshold to each phase independently
Land Development with Roadway Component	For locally-serving roadways, the significance determination is based on the land use component. For regional roadways, apply thresholds of significance for transportation projects.
¹ As defined in the Sacramento County Transportation Analysis Guidelines, Appendix A	

- CI-9. Plan and design the roadway system in a manner that meets LOS D on rural roadways and LOS E on urban roadways, unless it is infeasible to implement project alternatives or mitigation measures that would achieve LOS D on rural roadways or LOS E on urban roadways. The urban areas are those areas within the Urban Service Boundary as shown in the Land Use Element of the Sacramento County General Plan. The areas outside the Urban Service Boundary are considered rural.
- CI-10. Land development projects shall be responsible to mitigate the project's adverse impacts to local and regional roadways.
- CI-12. To preserve public safety and local quality of life on collector and local roadways, land development projects shall incorporate appropriate treatments of the Neighborhood Traffic Management Program.
- CI-16. The County supports creating communities that promote access and mobility for all modes of travel through the development of roadway networks based on a grid or modified grid layout.
- CI-27. Public Facilities Financing Plans shall incorporate capital costs for transit. Infrastructure Master Plans shall include transit planning.

- CI-29. The County shall work with transit service providers to establish and implement development guidelines to maximize the ability of new development and redevelopment to support planned transit services. New development and redevelopment shall have an orientation to travel patterns that are conducive to transit service. This will include concentration of development in centers and along linear corridors such that trip origins and destinations are concentrated near transit services.
- CI-35. The applicant/developer of land development projects shall be responsible to install bicycle and pedestrian facilities in accordance with Sacramento County Improvement Standards and may be responsible to participate in the fair share funding of regional multi-use trails identified in the Sacramento County Bicycle Master Plan.
- CI-38. Design and construct pedestrian facilities to ensure that such facilities are accessible to all users.
- LU-37. Provide and support development of pedestrian and bicycle connections between transit stations and nearby residential, commercial, employment or civic uses by eliminating physical barriers and providing linking facilities, such as pedestrian overcrossings, trails, wide sidewalks and safe street crossings.
- LU-39. Support implementation of the ADA Transitional Plan and the Pedestrian Master Plan to create a network of safe, accessible and appealing pedestrian facilities and environments.
- LU-40. Employ appropriate traffic calming measures in areas where pedestrian travel is desirable but made unsafe by a high volume or excessive speed of automobile traffic. Preference shall be given to measures that slow traffic and improve pedestrian safety while creating the least amount of conflict with emergency responders.
- LU-42. Master planning efforts for new growth areas shall provide for separated sidewalks along all arterials and thoroughfares to make walking a safer and more attractive transportation option.

CITY OF SACRAMENTO

The Mobility Element of the City of Sacramento General Plan (City of Sacramento 2015) outlines goals and policies that coordinate the transportation and circulation system with planned land uses. The City of Sacramento has the following LOS policy relevant to the analysis in this chapter:

Policy M 1.2.2 Level of Service (LOS) Standard. The City shall implement a flexible context-sensitive Level of Service (LOS) standard, and will measure traffic operations against the vehicle LOS thresholds established in this policy. The City will measure Vehicle LOS based on the methodology contained in the latest version of the Highway Capacity Manual (HCM) published by the Transportation Research Board. The City's specific vehicle LOS thresholds have been defined based on community values with respect to modal priorities, land use context, economic development, and environmental resources and constraints. As such, the City has established variable LOS thresholds

appropriate for the unique characteristics of the City's diverse neighborhoods and communities. The City will strive to operate the roadway network at LOS D or better for vehicles during typical weekday conditions, including AM and PM peak hour with the following exceptions described below and mapped on Figure M-1:

A. Core Area (Central City Community Plan Area) - LOS F allowed

B. Priority Investment Areas – LOS F allowed

C. LOS E Roadways - LOS E is allowed for the following roadways because expansion of the roadways would cause undesirable impacts or conflict with other community values.

- 65th Street: Elvas Avenue to 14th Avenue
- Arden Way: Royal Oaks Drive to I-80 Business
- Broadway: Stockton Boulevard to 65th Street
- College Town Drive: Hornet Drive to La Rivera Drive
- El Camino Avenue: I-80 Business to Howe Avenue
- Elder Creek Road: Stockton Boulevard to Florin Perkins Road
- Elder Creek Road: South Watt Avenue to Hedge Avenue
- Fruitridge Road: Franklin Boulevard to SR 99
- Fruitridge Road: SR 99 to 44th Street
- Howe Avenue: El Camino Avenue to Auburn Boulevard
- Sutterville Road: Riverside Boulevard to Freeport Boulevard

LOS E is also allowed on all roadway segments and associated intersections located within ½ mile walking distance of light rail stations.

D. Other LOS F Roadways - LOS F is allowed for the following roadways because expansion of the roadways would cause undesirable impacts or conflict with other community values.

- 47th Avenue: State Route 99 to Stockton Boulevard
- Arcade Boulevard: Marysville Boulevard to Roseville Road
- Carlson Drive: Moddison Avenue to H Street
- El Camino Avenue: Grove Avenue to Del Paso Boulevard
- Elvas Avenue: J Street to Folsom Boulevard
- Elvas Avenue/56th Street: 52nd Street to H Street
- Florin Road: Havenside Drive to Interstate 5
- Florin Road: Freeport Boulevard to Franklin Boulevard
- Florin Road: Interstate 5 to Freeport Boulevard

- Folsom Boulevard: 47th Street to 65th Street
- Folsom Boulevard: Howe Avenue to Jackson Highway
- Folsom Boulevard: US 50 to Howe Avenue
- Freeport Boulevard: Sutterville Road (North) to Sutterville Road (South)
- Freeport Boulevard: 21st Street to Sutterville Road (North)
- Freeport Boulevard: Broadway to 21st Street
- Garden Highway: Truxel Road to Northgate Boulevard
- H Street: Alhambra Boulevard to 45th Street
- H Street 45th: Street to Carlson Drive
- Hornet Drive: US 50 Westbound On-ramp to Folsom Boulevard
- Howe Avenue: US 50 to Fair Oaks Boulevard
- Howe Avenue: US 50 to 14th Avenue
- Raley Boulevard: Bell Avenue to Interstate 80
- South Watt Avenue: US 50 to Kiefer Boulevard
- West El Camino Avenue: Northgate Boulevard to Grove Avenue

E. If maintaining the above LOS standards would, in the City's judgment be infeasible and/or conflict with the achievement of other goals, LOS E or F conditions may be accepted provided that provisions are made to improve the overall system, promote non-vehicular transportation, and/or implement vehicle trip reduction measures as part of a development project or a city-initiated project. Additionally, the City shall not expand the physical capacity of the planned roadway network to accommodate a project beyond that identified in Figure M4 and M4a (2035 General Plan Roadway Classification and Lanes).

CITY OF RANCHO CORDOVA

Applicable goals and policies of the City of Rancho Cordova General Plan (City of Rancho Cordova 2006) relating to traffic and transportation are listed below:

- C.1.2. Seek to maintain operations on all roadways and intersections at LOS D or better at all times, including peak travel times, unless maintaining this LOS would, in the City's judgment, be infeasible and / or conflict with the achievement of other goals. Congestion in excess of LOS D may be accepted in these cases, provided that provisions are made to improve traffic flow and / or promote non-vehicular transportation as part of a development project of a City-initiated project

The City of Rancho Cordova formally adopted the County's traffic impact study guidelines upon incorporation; and thus, plans and policies from the County Guidelines were used in this analysis, except where the Circulation Element of the City of Rancho

Cordova General Plan supersedes County thresholds and requirements. The City of Rancho Cordova has adopted a LOS D policy.

CITY OF ELK GROVE

The most recent City of Elk Grove General Plan was adopted in December 2019. The “Mobility” chapter of the General Plan contains policies designed to further the City’s mobility strategy. The “Mobility” chapter incorporates and expands the City’s complete streets policies; supports key implementation tools, such as the Bicycle, Pedestrian, and Trails Master Plan, the Transportation Analysis Guidelines, and the Climate Action Plan; and identifies measures to support alternative transportation investments, as well as transit-friendly and active transportation-friendly development (City of Elk Grove 2019).

The City of Elk Grove General Plan no longer contains LOS-based policies or standards. However, the LOS analysis included here (for informational purposes only) was completed before the most recent City of Elk Grove General Plan was adopted. Therefore, the goals and policies of the previous City of Elk Grove General Plan (City of Elk Grove 2003) relating to traffic and transportation included below reflect those used in the Transportation Report:

- CI-13. The City shall require that all roadways and intersections in Elk Grove operate at a minimum LOS D at all times.
- CI-14. The City recognizes that LOS D may not be achieved on some roadway segments and may also not be achieved at some intersections. Roadways on which LOS D is projected to be exceeded are shown in the General Plan Background Report, based on the latest traffic modeling conducted by the City. On these roadways, the City shall ensure that improvements to construct the ultimate roadway system as shown in this Circulation Element are completed, with the recognition that maintenance of the desired LOS may not be achievable.

CITY OF FOLSOM

Applicable goals and policies of the City of Folsom General Plan (City of Folsom 1993) relating to traffic and transportation are listed below:

- 17.17 The City should strive to achieve at least a traffic LOS C throughout the City. During the course of the Plan buildout it may occur that temporary higher LOS results where roadway improvements have not been adequately phased as development proceeds. However, this situation will be minimized based on annual traffic studies as approved by the City of Folsom and Monitoring programs. Resolution No. 3798.

As part of the Folsom South of U.S. Highway 50 Specific Plan, the LOS policy for the portion of the City of Folsom to be located south of US 50 is amended as follows:

The City should strive to achieve at least a traffic LOS C within the Folsom South of US 50 Specific Plan. For roadways and intersection within the Specific Plan, LOS D conditions may be considered on a case by basis if improvement required to meet LOS C exceeds the “normally accepted maximum” improvements established the City (City of Folsom 2011).

COMMUNITY PLANS

CORDOVA COMMUNITY PLAN

The Cordova Community Plan, which was last updated in 2003, provides guidance for both new development and the redevelopment of existing land uses within the community planning area. The Cordova Community Plan contains the following objectives related to traffic and circulation:

- Objective TC-1. Promote a high-quality multi-modal transportation system by reducing mobile-source emissions and reliance on the personal automobile.
- Objective TC-5. Promote public transit services to all employment and activity centers; or alternatively, encourage the formation of privately funded shuttle bus services within the community.
- Objective TC-6. Promote the location of convenient LRT stations to provide access for all segments of the population to a broad range of neighborhoods, employment centers, retail and community services.
- Objective TC-7. Promote a high-quality off-street bicycle/pedestrian system that connects all major employment and activity centers.
- Objective TC-8. Ensure adequate pedestrian circulation by sidewalks or similar means within and between land uses.
- Objective TC-9. Ensure adequate bicycle provisions within new land uses to encourage bicycle usage.
- Objective TC-11. Encourage the construction of a high-speed, limited-access expressway (parkway concept) linking Roseville-Rocklin with Folsom, Rancho Cordova and Elk Grove, and offering relief to the traffic congestion on the Highway 50 Corridor.

VINEYARD COMMUNITY PLAN

The Vineyard Community Plan, which was developed in 1985, provides guidance for growth and development in the community planning area. The following policy identified in the plan would apply to the Project:

- NER-1. Encourage land use proposals which reduce reliance on the automobile by offering area residents alternative commute modes, including public transit.

SACRAMENTO COUNTY ACTIVE TRANSPORTATION PLAN

The 2022 Active Transportation Plan is the guiding document for achieving an integrated system of bikeways and walkways that are direct, safe, and convenient to use for work, school, errands and recreation. The 2022 Active Transportation Plan is a tool for guiding County staff, public officials, residents, and developers to build a balanced transportation system that supports and encourages active modes of travel. Specifically, this plan seeks to:

- Create safe and comfortable places for residents, workers, and visitors to walk, bike, and roll
- Provide active transportation access to neighborhood destinations and neighboring cities and counties
- Prioritize active transportation improvements in communities that rely on walking, biking, rolling, and public transportation
- Maintain the active transportation network in a state of good repair
- Support and expand educational programs that support walking, biking, and rolling
- Implement the recommended infrastructure projects using all available funding sources

This Plan provides a prioritization method to implement infrastructure recommendations in a phased, manageable way. This Plan will replace the Pedestrian Master Plan (2007) and the Bikeway Master Plan (2011) within the Sacramento County General Plan.

SACRAMENTO COUNTY BICYCLE MASTER PLAN

The Sacramento County Bicycle Master Plan (SCBMP) (Sacramento County 2011) is intended to guide and influence bikeway policies, programs, and development of standards to make biking in Sacramento County safer, more comfortable, convenient, and enjoyable, and ultimately encourage more individuals to participate in cycling for transportation and recreation.

The SCBMP references the Highway Design Manual in identifying that bicycle safety is improved through designating travel route facilities for the primary purpose of bicycle travel; these facilities are known as “bikeways.” Bikeways are classified into one of three different classes of bicycle travel routes, identified as Class I, Class II, and Class III, based on the following descriptions:

- **Off-Street Bike Paths (Class I Bikeways):** These facilities are off-street bike paths in a right-of-way designated for exclusive use by cyclists and pedestrians.
- **On-Street Bike Lanes (Class II Bikeways):** These facilities are street lanes identified with lane markings and signage for preferential use by cyclists.
- **On-Street Bike Routes (Class III Bikeways):** These facilities are on-street bike routes designated by signs or permanent markings and are shared by motorists. Generally, these routes are through streets that provide connectivity for the bicycle network where Class I or Class II bikeways are not present.

The Active Transportation Plan identifies proposed Class I bikeways adjacent to the Plan Area along Jackson Highway, Excelsior Road, and Kiefer Boulevard (Sacramento County 2022: Figure 18).

The following proposed future extensions of bikeway facilities identified in the existing SCBMP border the Plan Area on the major arterial streets west and south of the Plan Area:

- a Class II Bikeway is proposed along Excelsior Road; and

- an extension of the Class II bikeway on Jackson Road is planned from its current terminus west of the Plan Area to the Amador County line;
- an extension of the Class II bikeway on Kiefer Boulevard is planned from its current terminus near Bradshaw Road to Sunrise Boulevard.

SACRAMENTO COUNTY PEDESTRIAN MASTER PLAN

The Sacramento County Pedestrian Master Plan (SCPMP) (Sacramento County 2007) is intended to improve pedestrian safety and access on public streets within the unincorporated portions of Sacramento County. The goal is to optimize the pedestrian experience, to provide safe and usable pedestrian facilities for all pedestrians, and to assure compliance with all federal, state and local regulations and standards. The SCPMP contains the following policies applicable to the Project:

- **Policy 1 – Pedestrian Safety:** Create a safe street environment for pedestrians.
- **Policy 2 – Disabled Access Develop:** Build and maintain a pedestrian network that is accessible to all.
- **Policy 3 – Pedestrian Access:** Develop, build and maintain a convenient and well-connected pedestrian network that offers a viable alternative to the use of automobiles.

IMPACTS AND ANALYSIS

Significance Criteria

This analysis uses significance criteria based on the applicable policies contained in the general plans for Sacramento County, City of Sacramento, City of Rancho Cordova, City of Elk Grove, and City of Folsom. Additionally, this analysis also uses guidance and significance thresholds contained within the County Transportation Analysis Guidelines. The significance criteria also consider Caltrans standards and criteria, professional judgment, and example criteria provided in the CEQA Guidelines Appendix G. These criteria are used to assess project-specific effects as well as the evaluation of cumulative impacts.

As described in the “Introduction,” above, the effect of the Project on delay-based traffic operations is described here for informational purposes only. The Project would result in a significant effect related to transportation and circulation if the standards summarized below would be exceeded.

ROADWAYS SEGMENT AND INTERSECTION OPERATIONS EFFECTS

Table TC-13 summarizes the standards for intersections and roadway segments for Sacramento County, the City of Sacramento, the City of Rancho Cordova, the City of Elk Grove, and the City of Folsom.

Table TC-13: Level of Service Standards

Jurisdiction	Area	LOS Policy	Standards			Notes	
			Specialized Intersection	Unsignalized Intersection	Roadway Segment		
County of Sacramento	Inside Urban Service Boundary	E	> 5 seconds (intersection average)	> 5 seconds (movement/approach) and meet traffic signal warrant	> .05 V/C		
	Outside Urban Service Boundary	D					
City of Sacramento	Base	D	≥ 5 seconds (intersection average)			≥ .02 V/C	Deficient LOS may be accepted provided provisions are made to improve the overall system and/or promote non-vehicular transportation
	Exempt Areas	E/F					
City of Elk Grove	All	D	≥ 5 seconds (intersection average)		≥ .05 V/C		
City of Folsom	Base	C	≥ 5 seconds (intersection average)		Not Applicable		
	South of US 50 Specific Plan	D					
City of Rancho Cordova	All	D	> 5 seconds (intersection average)	> 5 seconds (movement/approach) and meet traffic signal warrant	> .05 V/C		
Connector JPA	Base	C	> 5 seconds (intersection average)	N/A	≥ .05 V/C	Roadway segments above capacity should be grade separated	
	Sheldon	D		N/A	≥ .05 V/C	Roadway segments above capacity should be grade separated, unless both intersections operate acceptably	

Notes: V/C = volume to capacity

FREEWAY FACILITY EFFECTS

Freeway facility operations are considered deficient if the Project would result in:

- Off-ramps with vehicle queues that extend into the ramp's deceleration area or onto the freeway;
- Project traffic increases that cause any ramp's merge / diverge LOS to be worse than the freeway's LOS;
- Project traffic increases that cause the freeway LOS to deteriorate beyond LOS threshold defined in the Caltrans Route Concept Report for the facility;
- The expected ramp queue to be greater than the storage capacity; or

- Project traffic increases that cause state highway system main line freeway segments operating at or below the Concept LOS, to directly or cumulatively lower the existing LOS and/or increase the volume-to-capacity (V/C) ratio now or in the future on the identified highway segments by 5 percent or greater.

VMT IMPACTS

Impacts to VMT are considered significant if the Project would:

- Exceed 85 percent of the baseline (no project) regional average VMT per capita for residential land uses;
- Exceed 85 percent of the regional average VMT per employee for commercial (e.g., office) land uses; or
- Result in a net increase in VMT for regional retail land uses; or
- Result in a net increase in VMT due to widening of regional roadways.

BICYCLE AND PEDESTRIAN FACILITY IMPACTS

Impacts to bicycle and pedestrian facilities are considered significant if the Project would:

- Eliminate or adversely affect an existing bikeway or pedestrian facility in a way that would discourage its use;
- Interfere with the implementation of a planned bikeway as shown in the Active Transportation Plan SCBMP, or be in conflict with the Active Transportation Plan SCPMP; or
- Result in unsafe conditions for bicyclists or pedestrians.

TRANSIT FACILITY IMPACTS

Impacts to the transit system are considered significant if the Project would:

- Adversely affect public transit operations; or
- Fail to adequately provide access to transit.

RURAL ROADWAY FUNCTIONALITY IMPACTS

Impacts to rural roadway functionality are considered significant if the Project would:

- Cause the substandard rural roadway to exceed an average daily traffic volume of 6,000 daily vehicles; or
- Add 600 or more new daily vehicle trips to a substandard rural roadway that already carries 6,000 or more daily vehicles.

EMERGENCY ACCESS AND TRANSPORTATION HAZARDS

Impacts to emergency access are considered significant if the Project would:

- Result in inadequate emergency access.

Transportation hazards are considered significant if the Project would:

- Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment).

Issues Not Discussed Further

Impacts associated with the proximity of Mather Airport to the Plan Area are analyzed within Chapter 5, “Airport Compatibility,” and this issue is not discussed further in this section.

Methodology

This section describes the methodology used to analyze expected transportation conditions associated with implementation of the Project. The transportation analysis assumes that the design and construction of roadway improvements would be consistent with Sacramento County standards and General Plan policies related to circulation and alternative modes of travel. It is the County’s goal to provide for the safe and efficient movement of all modes of travel along the Jackson Road corridor. Those modes include vehicles, bicyclists, and pedestrians. This approach is consistent with the Complete Streets policies of the General Plan and Caltrans Deputy Directive DD-64-R2 (October 2014, <https://dot.ca.gov/-/media/dot-media/programs/transportation-planning/documents/dd-64-r2-a11y.pdf>) for those roadways under Caltrans’ jurisdiction. To that end, SacDOT would require the installation of the latest Intelligent Transportation System (ITS) components that support the coordinated movement of traffic between signals along the entirety of the Jackson Road corridor, consistent with General Plan Policy CI-39. This technology would include interconnected signals that would be programmed to coordinate and enhance the flow of traffic along the corridor. The Transportation Report included as Appendix TR-1 provides detailed modeling and quantitative LOS-based transportation and circulation analysis for the Project and Alternative 2. Appendix TR-4 provides further clarification about the driveway assumptions used in the modeling and analysis. Additionally, the VMT Analysis Memo provides VMT calculations and estimates consistent with the County’s Transportation Analysis Guidelines.

PROJECT CHARACTERISTICS

PROJECT TRIP GENERATION

The SACSIM model was utilized to estimate transportation forecasts based on estimated trip generation of the Project alternatives. Table TC-14 and Table TC-15 summarize the person trip generation of the Project and Alternative 2, respectively.

Table TC-14: Estimated Person Trip Generation with Project Implementation

Trip Purpose	Daily Person Trip Ends
Work Trips	15,882
Non-Work Trips	99,078
All Trip Purposes	114,960

Source: DKS Associates 2019

Table TC-15: Estimated Person Trip Generation with Alternative 2 Implementation

Trip Purpose	Daily Person Trip Ends
Work Trips	15,508
Non-Work Trips	99,693
All Trip Purposes	112,200

Source: DKS Associates 2019

The Project would generate over 15,880 daily work person trip ends, and approximately 114,960 daily person trip ends for all trip purposes. Alternative 2 would generate over 15,500 daily work person trip ends, and approximately 112,200 daily person trip ends for all trip purposes.

Table TC-16 and Table TC-17 summarize the estimated mode choice of the Existing plus Project scenarios of the Project and Alternative 2, respectively. The mode choice assumes full implementation of the Project's pedestrian and bicycle systems.

Table TC-16: Mode Split Proposed Project

Mode	Percentage of Person Trips by Trip Purpose		
	Work Trips	Non-Work Trips	All Trip Purposes
Auto - SOV	84.9%	43.1%	48.9%
Auto - HOV	9.9%	39.3%	35.2%
Transit	2.4%	1.0%	1.2%
Walk	2.1%	15.7%	13.8%
Bike	0.6%	1.0%	0.9%

Notes: SOV = single-occupancy vehicle, HOV = high-occupancy vehicle

Source: DKS Associates 2019

Table TC-17: Mode Split with Alternative 2 Implementation

Mode	Percentage of Person Trips by Trip Purpose		
	Work Trips	Non-Work Trips	All Trip Purposes
Auto - SOV	84.7%	43.2%	48.9%
Auto - HOV	9.8%	39.3%	35.2%
Transit	2.2%	1.0%	1.1%
Walk	2.9%	15.7%	14.0%
Bike	0.3%	0.9%	0.8%

Notes: SOV = single-occupancy vehicle, HOV = high-occupancy vehicle

Source: DKS Associates 2019

Table TC-18 and Table TC-19 summarizes the Jackson Township Project vehicular (auto) trip generation for the Project and Alternative 2, respectively.

Table TC-18: Project Estimated Daily Vehicle Trip Generation

Trip Type		AM Peak Hour	PM Peak Hour	Daily
Total Vehicle Trip Ends		6,762	6,615	72,665
Percent Internal Trip Ends ¹		25.3%	29.1%	28.3%
Vehicle Trips	Internal to Project	854	964	10,281
	External to Project	5,055	4,687	52,103
	Total	5,909	5,651	62,384

¹: Both trip ends within the project.

Source: DKS Associates 2019

Table TC-19: Alternative 2 Estimated Daily Vehicle Trip Generation

Trip Type		AM Peak Hour	PM Peak Hour	Daily
Total Vehicle Trip Ends		6,423	6,578	70,928
Percent Internal Trip Ends ¹		24.7%	30.1%	28.7%
Vehicle Trips	Internal to Project	793	989	10,170
	External to Project	4,838	4,600	50,585
	Total	5,630	5,589	60,755

¹: Both trip ends within the Project.

Source: DKS Associates 2019

Under the Project, over 20,500 of the daily vehicle trip ends would be associated with trips with both an origin and destination within the Plan Area, making up over 28 percent of the trip ends. The internal trip ends represent over 10,000 daily vehicle trips (one-half the number of internal trip ends). The Project would generate over 52,000 external vehicle trips that have an origin or destination inside the Plan Area, but the other end of the trip is outside the Plan Area.

Table TC-18 and Table TC-19 also shows the vehicle trips generated during the a.m. and p.m. peak hours for the Project and Alternative 2, respectively.

Alternative 2 is estimated to generate approximately 71,000 daily vehicle trip ends. The Project is estimated to generate over 72,000 daily vehicle trip ends.

It should be noted that more than one-person trip may be accommodated by a vehicle trip (e.g., carpooling). Under Alternative 2, over 20,000 of the daily vehicle trip ends would be associated with trips with both an origin and destination within the Plan Area, making up over 28 percent of the trip ends. The internal trip ends represent about 10,200 daily vehicle trips (one-half the number of internal trip ends). Alternative 2 would generate over 50,000 external vehicle trips that have an origin or destination inside the Plan Area, but the other end of the trip is outside the Plan Area.

PROJECT TRIP DISTRIBUTION

The distribution of trips associated with development on the Project was derived utilizing SACSIM and by incorporating the proposed land use and access locations associated with the Project. Plate TC-10 and Plate TC-11 illustrate the overall trip distribution under the Proposed Project and Alternative 2 scenarios, respectively. The highest percentages of traffic generated by the Project would use Jackson Road and Excelsior Road.

PROJECT TRANSPORTATION IMPROVEMENTS

ROADWAY SEGMENT AND INTERSECTION IMPROVEMENTS

The Project would widen and/or complete many roadways that cross or border the Plan Area and would include new roadways to serve the proposed land uses. Table TC-20 and Table TC-21 show the existing and proposed roadway geometrics assumed under the Project and Alternative 2, respectively.

All roadway improvements would be designed to meet all the design and safety standards established by the County and would provide adequate site distances and access for vehicles entering and leaving the site.

TRANSIT IMPROVEMENTS

The transit provider for the area, SacRT, has developed a long-range transit plan that anticipates three additional high frequency transit lines in the general area by the year 2035.

To comply with the County's General Plan Policy LU-120, a separate planning effort involving staff from Sacramento County, SacRT, DKS Associates, and the applicants of the Jackson Corridor projects was conducted to define an appropriate transit network and frequency that could serve the proposed development in the Jackson Highway corridor consistent with the intent of the County's policies.

An important consideration in the development of a transit network for the Jackson Highway corridor is that there are four major development projects proposed in the corridor. The transit planning effort included the development of standalone transit systems for each of the Jackson Corridor Projects that would not only serve the transit needs of each of the projects independently but would also serve as cohesive and complementary transit system units that could operate efficiently together should more than one of the Jackson Corridor Projects be approved for development.

A series of transit networks and service frequencies were developed and tested using the SACSIM model with the objective of optimizing transit ridership and the number of boardings. Utilizing SacRT's performance criteria for evaluating the effectiveness of the various transit lines and service frequencies, an optimum transit network and frequency was developed for the Jackson Highway corridor.


The planning effort resulted in four transit lines that would serve the Jackson Corridor Projects at a frequency of 15 minutes during the peak commute hours (approximately 6:00 a.m.–9:00 a.m. and 3:00 p.m.–6:00 p.m.) and 30 minutes during off-peak service hours (approximately 9:00 a.m.–3:00 p.m. and 6:00 p.m.–8:00 p.m.) on weekdays. Plate TC-12 and Plate TC-13 illustrate the proposed transit system for the Project and Alternative 2, respectively. These transit networks represent a portion of the ultimate transit system that would serve the Jackson Corridor Projects. The combined transit system for the Jackson Corridor Projects is discussed and illustrated in Chapter 21, "Summary of Impacts."

The proposed transit system for the Project is described in the Project Description chapter of this EIR and has been assumed as an attribute of the Project and has been included in the traffic modeling documented in the Traffic Study. Implementation of the

proposed transit system would be included as a condition of approval and/or in the development agreement for the Project and would specify phasing of the transit service over time. The proposed transit system would be funded by the Project Applicant through the Project's Public Facilities Financing Plan and/or Urban Services Plan. Thus, the assumed transit routes and service frequency detailed above would be required at full development of the Project. Additionally, the ultimate transit service, like the roadway system serving the Plan Area would be phased with development of the Project. The project Applicant would coordinate with SacDOT regarding implementation of the proposed transit system identified as a project condition of approval to ensure timely implementation.

PEDESTRIAN AND BICYCLE FACILITY IMPROVEMENTS

Plate TC-14 and Plate TC-15 illustrate the proposed bikeway network and plan for the Project and Alternative 2, respectively. The roadways within the Plan Area would be designed to meet County standards, which would require the provision of sidewalks and on-street (Class II) bike lanes on all collector, arterial, and thoroughfare roadways. The Project also provides several off-street (Class I) multi-purpose trails.



Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 075

Plate TC-10: Existing Plus Proposed Project Trip Distribution

Table TC-20: Existing and Existing Plus Proposed Project Intersection Geometrics

Intersection		Traffic Control		Existing Lane Geometrics				Existing Plus Proposed Project Lane Geometrics			
		Existing	Existing Plus Project	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach
1	Howe Avenue & College Town Drive/US 50 WB Ramps	Signal	Signal	↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↓	↘ ↗ ↗	↗ ↗ ↘ ↗ ↗	↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↓	↘ ↗ ↗	↗ ↗ ↘ ↗ ↗
2	Howe Avenue & US 50 EB Ramps	Signal	Signal	↑ ↑ ↑ ↗	↘ ↓ ↓ ↓	↗ ↗ ↗ ↗		↑ ↑ ↑ ↗	↘ ↓ ↓ ↓	↗ ↗ ↗ ↗	
3	Power Inn Road/Howe Avenue & Folsom Blvd	Signal	Signal	↗ ↗ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↘ ↘	↗ ↗ ↑ ↗	↗ ↗ ↑ ↑ ↗ ↗	↗ ↗ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↘ ↘	↗ ↗ ↑ ↗	↗ ↗ ↑ ↑ ↗ ↗
4	Power Inn Road & 14th Avenue	Signal	Signal	↗ ↗ ↑ ↑ ↗	↘ ↓ ↓ ↘	↗ ↘ ↗	↗	↗ ↗ ↑ ↑ ↗	↘ ↓ ↓ ↘	↗ ↘ ↗	↗
5	Power Inn Road & Fruitridge Road	Signal	Signal	↗ ↗ ↑ ↗	↘ ↓ ↓ ↘ ↘	↗ ↑ ↗	↗ ↑ ↑ ↗	↗ ↗ ↑ ↗	↘ ↓ ↓ ↘ ↘	↗ ↑ ↗	↗ ↑ ↑ ↗
6	Jackson Road/Notre Dame Dr. & Folsom Blvd.	Signal	Signal	↗ ↘ ↗	↘ ↗	↗ ↑ ↑ ↗	↗ ↑ ↑ ↗	↗ ↘ ↗	↘ ↗	↗ ↑ ↑ ↗	↗ ↑ ↑ ↗
7	Florin Perkins Road/Julliard Dr. & Folsom Boulevard	Signal	Signal	↗ ↘ ↗	↘ ↗	↗ ↑ ↑ ↗	↗ ↑ ↗	↗ ↘ ↗	↘ ↗	↗ ↑ ↑ ↗	↗ ↑ ↗
8	Florin Perkins Road & Kiefer Blvd.	Two-way stop	Two-way stop	↑ ↗	↓ ↓ ↘		↗	↑ ↗	↓ ↓ ↘		↗
9	Florin Perkins Road & Jackson Road	Signal	Signal	↗ ↑ ↑ ↗	↘ ↓ ↓ ↘	↗ ↑ ↗ ↗	↗ ↑ ↗	↗ ↑ ↑ ↗	↘ ↓ ↓ ↘	↗ ↑ ↗ ↗	↗ ↑ ↗
10	Florin Perkins Road & Fruitridge Road	Signal	Signal	↗ ↑ ↑ ↗	↘ ↓ ↓ ↘	↗ ↑ ↑ ↗	↗ ↑ ↗	↗ ↑ ↑ ↗	↘ ↓ ↓ ↘	↗ ↑ ↑ ↗	↗ ↑ ↗
11	Florin Perkins Road & Elder Creek Road	Signal	Signal	↗ ↑ ↑ ↗	↘ ↓ ↓ ↘	↗ ↑ ↑ ↗	↗ ↑ ↑ ↗	↗ ↑ ↑ ↗	↘ ↓ ↓ ↘	↗ ↑ ↑ ↗	↗ ↑ ↑ ↗
12	Watt Avenue & Folsom Blvd.	Signal	Signal	↗ ↗ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↓ ↘ ↘	↗ ↗ ↑ ↑ ↗	↗ ↗ ↑ ↑ ↗	↗ ↗ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↓ ↘ ↘	↗ ↗ ↑ ↑ ↗	↗ ↗ ↑ ↑ ↗
13	S. Watt Ave. & Reith Ct/Manlove Road	Signal	Signal	↗ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↘	↗	↗ ↗ ↗	↗ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↘	↗	↗ ↗ ↗
14	S. Watt Avenue & Kiefer Blvd.	Signal	Signal	↗ ↗ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↘ ↘	↗ ↗ ↑ ↑ ↗	↗ ↗ ↑ ↑ ↗	↗ ↗ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↘ ↘	↗ ↗ ↑ ↑ ↗	↗ ↗ ↑ ↑ ↗
15	S. Watt Avenue & Canberra Dr.	Signal	Signal	↑ ↑ ↗	↓ ↓ ↘		↗	↑ ↑ ↗	↓ ↓ ↘		↗
16	S. Watt Avenue & Jackson Road	Signal	Signal	↗ ↑ ↑ ↗	↘ ↓ ↓ ↘	↗ ↗	↗ ↑ ↗	↗ ↑ ↑ ↗	↘ ↓ ↓ ↘	↗ ↗	↗ ↑ ↗
17	S. Watt Avenue & Fruitridge Road	Signal	Signal	↗ ↑ ↗	↘ ↓ ↓ ↘	↗ ↑ ↗	↗ ↗	↗ ↑ ↗	↘ ↓ ↓ ↘	↗ ↑ ↗	↗ ↗
18	S. Watt Avenue & Elder Creek Road	Signal	Signal	↗ ↑ ↗	↘ ↓ ↘	↗ ↗	↗ ↑ ↗	↗ ↑ ↗	↘ ↓ ↘	↗ ↗	↗ ↑ ↗
20	Elk Grove Florin Road/S. Watt Ave. & Florin Road	Signal	Signal	↗ ↑ ↗	↘ ↓ ↓ ↘	↗ ↑ ↗	↗ ↑ ↑ ↗	↗ ↑ ↗	↘ ↓ ↓ ↘	↗ ↑ ↗	↗ ↑ ↑ ↗
21	Elk Grove Florin Road & Gerber Road	Signal	Signal	↗ ↗ ↑ ↗	↘ ↓ ↓ ↓ ↘ ↘	↗ ↗ ↑ ↑ ↗	↗ ↗ ↑ ↑ ↗	↗ ↗ ↑ ↗	↘ ↓ ↓ ↓ ↘ ↘	↗ ↗ ↑ ↑ ↗	↗ ↗ ↑ ↑ ↗
23	Hedge Avenue & Jackson Road	Signal	Signal	↗ ↗	↘ ↘	↗ ↑ ↗	↗ ↑ ↗	↗ ↗	↘ ↘	↗ ↑ ↗	↗ ↑ ↗
24	Hedge Avenue & Fruitridge Road	All-way stop	All-way stop	↗	↘	↗	↗	↗	↘	↗	↗
25	Hedge Avenue & Elder Creek Road	All-way stop	All-way stop	↗	↘	↗	↗	↗	↘	↗	↗
26	Hedge Avenue & Tokay Lane	Two-way stop	Two-way stop	↗	↘	↗	↗	↗	↘	↗	↗
27	Hedge Avenue & Florin Road	All-way stop	All-way stop	↗	↘	↗	↗	↗	↘	↗	↗
28	Mayhew Road & Kiefer Boulevard	Signal	Signal	↗ ↑ ↗	↘ ↓ ↘	↗ ↑ ↗	↗ ↑ ↗	↗ ↑ ↗	↘ ↓ ↘	↗ ↑ ↗	↗ ↑ ↗
29	Mayhew Road & Jackson Road	Two-way stop	Two-way stop	↗ ↗	↘	↗ ↑ ↗	↗ ↗	↗ ↗	↘	↗ ↑ ↗	↗ ↗
30	Mayhew Road & Fruitridge Road	Two-way stop	Two-way stop	↗	↘	↗		↗	↘	↗	
31	Mayhew Road & Elder Creek Road	Two-way stop	Two-way stop	↗	↘	↗	↗	↗	↘	↗	↗
32	Zinfandel Drive & Woodring Drive	Two-way stop	Two-way stop	↗	↘	↗		↗	↘	↗	
33	Bradshaw Road & Folsom Blvd.	Signal	Signal	↗ ↗ ↑ ↗	↘ ↓ ↓ ↘	↗ ↑ ↑ ↗	↗ ↗ ↑ ↑ ↗	↗ ↗ ↑ ↗	↘ ↓ ↓ ↘	↗ ↑ ↑ ↗	↗ ↗ ↑ ↑ ↗
34	Bradshaw Road & US 50 WB Ramps	Signal	Signal	↑ ↑ ↑ ↗	↘ ↓ ↓ ↓		↗ ↗ ↗	↑ ↑ ↑ ↗	↘ ↓ ↓ ↓		↗ ↗ ↗
35	Bradshaw Road & US 50 EB Ramps	Signal	Signal	↑ ↑ ↑ ↗	↘ ↓ ↓ ↓	↗ ↗ ↗ ↗		↑ ↑ ↑ ↗	↘ ↓ ↓ ↓	↗ ↗ ↗ ↗	
36	Bradshaw Road & Old Placerville Road	Signal	Signal	↗ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↘ ↘	↗ ↗	↗ ↗ ↑ ↗	↗ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↘ ↘	↗ ↗	↗ ↗ ↑ ↗
37	Bradshaw Road & Kiefer Boulevard	Signal	Signal	↗ ↗ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↘ ↘	↗ ↗ ↑ ↗	↗ ↗ ↑ ↗	↗ ↗ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↘ ↘	↗ ↗ ↑ ↗	↗ ↗ ↑ ↗
38	Bradshaw Road & Jackson Road	Signal	Signal	↗ ↑ ↗	↘ ↓ ↓ ↘	↗ ↑ ↗	↗ ↑ ↗	↗ ↑ ↗	↘ ↓ ↓ ↘	↗ ↑ ↗	↗ ↑ ↗

Intersection		Traffic Control		Existing Lane Geometrics				Existing Plus Proposed Project Lane Geometrics			
		Existing	Existing Plus Project	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach
39	Bradshaw Road & Elder Creek Road	Signal	Signal	↖ ↑ ↗	↙ ↓ ↘	↖ ↗	↖ ↗	↖ ↑ ↗	↙ ↓ ↘	↖ ↗	↖ ↗
40	Bradshaw Road & Florin Road	Signal	Signal	↖ ↑ ↗	↙ ↓ ↘	↖ ↗	↖ ↗	↖ ↑ ↗	↙ ↓ ↘	↖ ↗	↖ ↗
41	Bradshaw Road & Gerber Road	Signal	Signal	↖ ↑ ↗	↙ ↓ ↘	↖ ↗	↖ ↗	↖ ↑ ↗	↙ ↓ ↘	↖ ↗	↖ ↗
42	Happy Lane & Old Placerville Road	Two-way stop	Two-way stop	↖ ↗		↑ ↗	↖ ↑	↖ ↗		↑ ↗	↖ ↑
44	Excelsior Road & Kiefer Boulevard		Signal					↑ ↗	↓ ↘		↖ ↗
45	Excelsior Road & Jackson Road	Signal	Signal	↖ ↗	↙ ↘	↖ ↑ ↗	↖ ↑ ↗	↖ ↗	↙ ↘	↖ ↑ ↗	↖ ↑ ↑ ↗
46	Excelsior Road & Elder Creek Road	Two-way stop	Two-way stop	↖	↗ ↓	↖		↖	↗ ↓	↖	
47	Excelsior Road & Florin Road	All-way stop	All-way stop	↖	↗	↖	↖	↖	↗	↖	↖
48	Excelsior Road & Gerber Road/Birch Ranch Drive	All-way stop	All-way stop	↖	↗	↖	↖	↖	↗	↖	↖
49	Mather Field Road & US 50 WB Ramps	Signal	Signal	↑ ↑ ↗	↗ ↓ ↓		↖ ↗	↑ ↑ ↗	↗ ↓ ↓		↖ ↗
50	Mather Field Road & US 50 EB Ramps	Signal	Signal	↑ ↑ ↑ ↗	↗ ↓ ↓	↖ ↗ ↗		↑ ↑ ↑ ↗	↗ ↓ ↓	↖ ↗ ↗	
51	Mather Field Road & Rockingham Drive	Signal	Signal	↖ ↑ ↑ ↗	↗ ↓ ↓ ↓ ↘	↖ ↗ ↗	↖ ↗	↖ ↑ ↑ ↗	↗ ↓ ↓ ↓ ↘	↖ ↗ ↗	↖ ↗
52	Mather Boulevard & Douglas Road	All-way stop	All-way stop	↖	↙ ↘	↖	↖	↖	↙ ↘	↖	↖
53	Zinfandel Drive & US 50 WB Ramps	Signal	Signal	↑ ↑ ↑ ↗	↗ ↓ ↓		↖ ↗	↑ ↑ ↑ ↗	↗ ↓ ↓		↖ ↗
54	Zinfandel Drive & US 50 EB Ramps/Gold Center Drive	Signal	Signal	↑ ↑ ↑ ↗	↗ ↓ ↓	↖ ↗ ↗	↗	↑ ↑ ↑ ↗	↗ ↓ ↓	↖ ↗ ↗	↗
55	Zinfandel Drive & White Rock Road	Signal	Signal	↖ ↖ ↑ ↑ ↗	↗ ↓ ↓ ↓ ↘	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↗	↖ ↖ ↑ ↑ ↗	↗ ↓ ↓ ↓ ↘	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↗
56	Zinfandel Drive & Data Drive	Signal	Signal	↖ ↑ ↑ ↗	↙ ↓ ↓ ↘	↖ ↗	↖ ↗ ↗	↖ ↑ ↑ ↗	↙ ↓ ↓ ↘	↖ ↗	↖ ↗ ↗
57	Zinfandel Drive & International Dr	Signal	Signal	↖ ↖ ↑ ↑ ↑ ↗	↙ ↓ ↓ ↓ ↘	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↑ ↗	↙ ↓ ↓ ↓ ↘	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↑ ↗
58	Zinfandel Drive & Douglas Road	Signal	Signal	↖ ↗	↗ ↓ ↘	↖ ↑ ↗	↖ ↑ ↗	↖ ↗	↗ ↓ ↘	↖ ↑ ↗	↖ ↑ ↗
59	Eagles Nest Road/Zinfandel Drive & Kiefer Boulevard			↗			↖	↗			↖
60	Eagles Nest Road & Jackson Road	Two-way stop	Two-way stop	↖	↗	↖ ↗	↖ ↗	↖	↗	↖ ↗	↖ ↗
61	Eagles Nest Road & Florin Road	Two-way stop	Two-way stop	↖	↗	↖	↖	↖	↗	↖	↖
62	Sunrise Boulevard & US 50 WB Ramps	Signal	Signal	↑ ↑ ↑ ↗	↗ ↓ ↓ ↓		↖ ↗ ↗	↑ ↑ ↑ ↗	↗ ↓ ↓ ↓		↖ ↗ ↗
63	Sunrise Boulevard & US 50 EB Ramps	Signal	Signal	↑ ↑ ↑ ↑ ↗	↗ ↓ ↓ ↓	↖ ↖ ↗ ↗		↑ ↑ ↑ ↑ ↗	↗ ↓ ↓ ↓	↖ ↖ ↗ ↗	
64	Sunrise Boulevard & Folsom Boulevard	Signal	Signal	↖ ↖ ↑ ↑ ↑ ↑ ↗	↗ ↓ ↓ ↓ ↘	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↗	↖ ↖ ↑ ↑ ↑ ↑ ↗	↗ ↓ ↓ ↓ ↘	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↗
65	Sunrise Boulevard & White Rock Road	Signal	Signal	↖ ↖ ↑ ↑ ↑ ↗	↗ ↓ ↓ ↓ ↘	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↑ ↗	↗ ↓ ↓ ↓ ↘	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↑ ↗
66	Sunrise Boulevard & International Drive/Monier Circle	Signal	Signal	↖ ↖ ↑ ↑ ↗	↗ ↓ ↓ ↓ ↘	↖ ↖ ↑ ↗	↖ ↗	↖ ↖ ↑ ↑ ↗	↗ ↓ ↓ ↓ ↘	↖ ↖ ↑ ↗	↖ ↗
67	Sunrise Boulevard & Douglas Road	Signal	Signal	↖ ↖ ↑ ↑ ↑ ↗	↗ ↓ ↓ ↓ ↘	↖ ↖ ↑ ↗	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↑ ↗	↗ ↓ ↓ ↓ ↘	↖ ↖ ↑ ↗	↖ ↖ ↑ ↑ ↗
68	Sunrise Boulevard & Chrysanthy Boulevard	Signal	Signal	↑ ↑ ↑ ↗	↓ ↓ ↘		↖ ↗	↑ ↑ ↑ ↗	↓ ↓ ↘		↖ ↗
69	Sunrise Boulevard & Kiefer Boulevard	Signal	Signal	↖ ↑ ↑ ↗	↙ ↓ ↘	↖	↖ ↗	↖ ↑ ↑ ↗	↙ ↓ ↘	↖	↖ ↗
70	Sunrise Boulevard & Jackson Road	Signal	Signal	↖ ↗	↗ ↓ ↘	↖ ↑ ↗	↖ ↑ ↗	↖ ↗	↗ ↓ ↘	↖ ↑ ↗	↖ ↑ ↗
71	Sunrise Boulevard & Florin Road	Signal	Signal	↖ ↑	↙	↖		↖ ↑	↙	↖	
72	Sheldon Lake Drive/Sunrise Boulevard & Grant Line Road	Signal	Signal	↖	↗	↖ ↑ ↗	↖ ↗	↖	↗	↖ ↑ ↗	↖ ↗
73	Hazel Avenue & Tributary Point Drive/US 50 WB Off-ramp	Signal	Signal	↖ ↖ ↑ ↑ ↑	↗ ↓ ↓ ↓ ↓	↗	↖ ↗	↖ ↖ ↑ ↑ ↑	↗ ↓ ↓ ↓ ↓	↗	↖ ↗
74	Hazel Avenue & US 50 EB Ramps	Signal	Signal		↗ ↓ ↓	↖ ↗ ↗			↗ ↓ ↓	↖ ↗ ↗	
75	Hazel Avenue & Folsom Boulevard	Signal	Signal	↖ ↗	↙ ↘ ↘	↖ ↑ ↗	↖ ↑ ↗	↖ ↗	↙ ↘ ↘	↖ ↑ ↗	↖ ↑ ↗
76	Prairie City Road & White Rock Road	Signal	Signal		↘	↖ ↑ ↑	↑ ↑ ↗		↘	↖ ↑ ↑	↑ ↑ ↗

Intersection		Traffic Control		Existing Lane Geometrics				Existing Plus Proposed Project Lane Geometrics			
		Existing	Existing Plus Project	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach
77	Grant Line Road & White Rock Road	Signal	Signal	↘ ↑ ↑	↘ ↓ ↓	↘ ↘ ↘		↘ ↑ ↑	↘ ↓ ↓	↘ ↘ ↘	
78	Grant Line Road & Douglas Road	All-way stop	Signal ¹	↘	↘	↘		↘ ↑	↘ ↓	↘ ↘	
79	Grant Line Road & Kiefer Boulevard	All-way stop	All-way stop	↘	↗	↘	↘	↘	↗	↘	↘
80	Grant Line Road & Jackson Road	Signal	Signal	↘	↗	↘ ↘	↘ ↘	↘	↗	↘ ↘	↘ ↘
81	Watt Avenue & US-50 EB Ramps	Signal	Signal	↑ ↑ ↑ ↑ ↘	↘ ↘ ↓ ↓	↘ ↘ ↘ ↘		↑ ↑ ↑ ↑ ↘	↘ ↘ ↓ ↓	↘ ↘ ↘ ↘	
82	Watt Avenue & US-50 WB Ramps	Signal	Signal	↑ ↑ ↘ ↘	↘ ↘ ↓ ↓ ↓		↘ ↘ ↘ ↘ ↘	↑ ↑ ↘ ↘	↘ ↘ ↓ ↓ ↓		↘ ↘ ↘ ↘ ↘
83	Mayhew Rd & Folsom Blvd.	Signal	Signal	↘ ↘		↑ ↑ ↘	↘ ↑ ↑	↘ ↘		↑ ↑ ↘	↘ ↑ ↑
84	65th Street Expy & Fruitridge Road	Signal	Signal	↘ ↑ ↑ ↘	↘ ↓ ↓ ↘	↘ ↑ ↑	↘ ↑ ↑ ↘	↘ ↑ ↑ ↘	↘ ↓ ↓ ↘	↘ ↑ ↑	↘ ↑ ↑ ↘
85	Power Inn Road & Elder Creek Road	Signal	Signal	↘ ↑ ↘	↘ ↓ ↘	↘ ↑ ↑ ↘	↘ ↑ ↘	↘ ↑ ↘	↘ ↓ ↘	↘ ↑ ↑ ↘	↘ ↑ ↘
86	Power Inn Road & Florin Rd	Signal	Signal	↘ ↑ ↘	↘ ↓ ↓ ↘	↘ ↑ ↑ ↘	↘ ↑ ↑ ↘	↘ ↑ ↘	↘ ↓ ↓ ↘	↘ ↑ ↑ ↘	↘ ↑ ↑ ↘
87	Florin Perkins Road & Florin Rd	Signal	Signal	↘ ↑ ↑ ↘	↘ ↓ ↓ ↘	↘ ↑ ↘	↘ ↑ ↘	↘ ↑ ↑ ↘	↘ ↓ ↓ ↘	↘ ↑ ↘	↘ ↑ ↘
88	Bradshaw Rd & Calvin Rd	Signal	Signal	↘ ↘ ↑ ↘	↘ ↓ ↓ ↘ ↘	↘ ↘ ↑ ↑ ↘	↘ ↘ ↑ ↘	↘ ↘ ↑ ↘	↘ ↓ ↓ ↘ ↘	↘ ↘ ↑ ↑ ↘	↘ ↘ ↑ ↘
89	Vineyard Rd & Calvin Rd	Signal	Signal	↘	↘ ↘ ↘	↘ ↑ ↘	↘ ↑ ↘	↘	↘ ↘ ↘	↘ ↑ ↘	↘ ↑ ↘
90	Excelsior Road & Calvin Rd	All-way stop	All-way stop	↘	↗	↘	↘	↘	↗	↘	↘
91	Grant Line Rd & Eagles Nest Rd/Sloughhouse Rd	Signal	Signal	↘ ↑ ↘	↘ ↘	↘	↘ ↘	↘ ↑ ↘	↘ ↘	↘	↘ ↘
92	Grant Line Rd & Calvin Rd	Signal	Signal	↘ ↑	↘	↘		↘ ↑	↘	↘	
93	Grant Line Rd & Dwy/Wilton Rd	Signal	Signal	↘ ↘	↘ ↘	↘ ↘	↘ ↘	↘ ↘	↘ ↘	↘ ↘	↘ ↘
94	Grant Line Rd & Bond Rd/Wrangler Dr	Signal	Signal	↘ ↘	↘ ↓ ↘	↘ ↘	↘	↘ ↘	↘ ↓ ↘	↘ ↘	↘
##	Excelsior Road & Collector WJ-1/Collector JT-1		Signal					↑ ↘	↓ ↘		↘ ↘
##	Excelsior Road & Collector WJ-2/Collector JT-2		Signal					↑ ↘	↓ ↘		↘ ↘
##	Collector JT-3 & Jackson Road		Signal						↘ ↘	↘ ↘ ↑ ↑	↑ ↑ ↘
##	Tree View Lane & Jackson Road		Signal						↘ ↘ ↘	↘ ↘ ↑ ↑	↑ ↑ ↘
##	Collector JT-4 & Jackson Road		Signal						↘ ↘	↘ ↑ ↑	↑ ↘
##	Tree View Lane & Collector JT-5		Signal					↘ ↑ ↘	↘ ↓ ↘	↘ ↑ ↘	↘ ↑ ↘
##	Tree View Lane & Collector JT-6		Signal					↘ ↑ ↑	↘ ↓	↘ ↘	
##	Tree View Lane & Collector JT-1		Signal					↘ ↑ ↘	↘ ↓ ↘	↘ ↑ ↘	↘ ↑ ↘
##	Tree View Lane & Kiefer Boulevard		Signal					↘ ↘		↑ ↑ ↘	↘ ↘ ↑ ↑
##	HS/MS Dwy & Kiefer Boulevard		Signal					↘ ↘		↑ ↘	↘ ↑

Note: Gray shading represents changes in traffic control or approach lanes that the project is responsible to provide.


Table TC-21: Existing and Existing Plus Alternative 2 Intersection Geometrics

Intersection		Traffic Control		Existing Lane Geometrics				Existing Plus Alternative 2t Lane Geometrics			
		Existing	Existing Plus Project	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach
1	Howe Avenue & College Town Drive/US 50 WB Ramps	Signal	Signal	↑↑↑↱	↘↓↓↓↓	↱↱↱	↱↱↱↘↱	↑↑↑↱	↘↓↓↓↓	↱↱↱	↱↱↱↘↱
2	Howe Avenue & US 50 EB Ramps	Signal	Signal	↑↑↑↱	↘↓↓↓	↱↱↱↱		↑↑↑↱	↘↓↓↓	↱↱↱↱	
3	Power Inn Road/Howe Avenue & Folsom Blvd	Signal	Signal	↱↱↑↑↑↱	↘↓↓↓↓↘↘	↱↱↑↘	↱↱↑↑↱↱	↱↱↑↑↑↱	↘↓↓↓↓↘↘	↱↱↑↘	↱↱↑↑↱↱
4	Power Inn Road & 14th Avenue	Signal	Signal	↱↱↑↑↘	↘↓↓↘	↱↱↱	Ψ	↱↱↑↑↘	↘↓↓↘	↱↱↱	Ψ
5	Power Inn Road & Fruitridge Road	Signal	Signal	↱↱↑↘	↘↓↓↘↘	↱↑↘	↱↑↑↱	↱↱↑↘	↘↓↓↘↘	↱↑↘	↱↑↑↱
6	Jackson Road/Notre Dame Dr. & Folsom Blvd.	Signal	Signal	↱↱↱	↘↘	↱↑↑↱	↱↑↑↱	↱↱↱	↘↘	↱↑↑↱	↱↑↑↱
7	Florin Perkins Road/Julliard Dr. & Folsom Boulevard	Signal	Signal	↱↱↱	↘↘	↱↑↑↱	↱↑↘	↱↱↱	↘↘	↱↑↑↱	↱↑↘
8	Florin Perkins Road & Kiefer Blvd.	Two-way stop	Two-way stop	↑↘	↓↘↘		↱↱	↑↘	↓↘↘		↱↱
9	Florin Perkins Road & Jackson Road	Signal	Signal	↱↑↑↱	↘↓↘	↱↑↱↱	↱↑↘	↱↑↑↱	↘↓↘	↱↑↱↱	↱↑↘
10	Florin Perkins Road & Fruitridge Road	Signal	Signal	↱↑↑↱	↘↓↓↘	↱↑↑↱	↱↑↘	↱↑↑↱	↘↓↓↘	↱↑↑↱	↱↑↘
11	Florin Perkins Road & Elder Creek Road	Signal	Signal	↱↑↑↱	↘↓↓↘	↱↑↑↱	↱↑↑↱	↱↑↑↱	↘↓↓↘	↱↑↑↱	↱↑↑↱
12	Watt Avenue & Folsom Blvd.	Signal	Signal	↱↱↑↑↑↱	↘↓↓↓↓↘↘	↱↱↑↑↱	↱↱↑↑↱	↱↱↑↑↑↱	↘↓↓↓↓↘↘	↱↱↑↑↱	↱↱↑↑↱
13	S. Watt Ave. & Reith Ct/Manlove Road	Signal	Signal	↱↑↑↑↱	↘↓↘↘	Ψ	↱↘↱	↱↑↑↑↱	↘↓↘↘	Ψ	↱↘↱
14	S. Watt Avenue & Kiefer Blvd.	Signal	Signal	↱↱↑↑↘	↘↓↘↘↘	↱↱↑↑↱	↱↱↑↑↱	↱↱↑↑↘	↘↓↘↘↘	↱↱↑↑↱	↱↱↑↑↱
15	S. Watt Avenue & Canberra Dr.	Signal	Signal	↑↑↘	↓↘↘		↱↱	↑↑↘	↓↘↘		↱↱
16	S. Watt Avenue & Jackson Road	Signal	Signal	↱↑↑↱	↘↓↓↘	↱↘	↱↑↱	↱↑↑↱	↘↓↓↘	↱↘	↱↑↱
17	S. Watt Avenue & Fruitridge Road	Signal	Signal	↱↑↘	↘↓↓↘	↱↑↱	↱↘	↱↑↘	↘↓↓↘	↱↑↱	↱↘
18	S. Watt Avenue & Elder Creek Road	Signal	Signal	↱↑↱	↘↓↓↘	↱↱	↱↑↱	↱↑↱	↘↓↓↘	↱↱	↱↑↱
20	Elk Grove Florin Road/S. Watt Ave. & Florin Road	Signal	Signal	↱↑↘	↘↓↘↘	↱↑↘	↱↑↑↱	↱↑↘	↘↓↘↘	↱↑↘	↱↑↑↱
21	Elk Grove Florin Road & Gerber Road	Signal	Signal	↱↱↑↘	↘↓↓↓↓↘↘	↱↱↑↑↱	↱↱↑↑↱	↱↱↑↘	↘↓↓↓↓↘↘	↱↱↑↑↱	↱↱↑↑↱
23	Hedge Avenue & Jackson Road	Signal	Signal	↱↘	↘↘	↱↑↱	↱↑↱	↱↘	↘↘	↱↑↱	↱↑↱
24	Hedge Avenue & Fruitridge Road	All-way stop	All-way stop	Ψ	↘	Ψ	Ψ	Ψ	↘	Ψ	Ψ
25	Hedge Avenue & Elder Creek Road	All-way stop	All-way stop	Ψ	↘	Ψ	Ψ	Ψ	↘	Ψ	Ψ
26	Hedge Avenue & Tokay Lane	Two-way stop	Two-way stop	Ψ	↘	Ψ	Ψ	Ψ	↘	Ψ	Ψ
27	Hedge Avenue & Florin Road	All-way stop	All-way stop	Ψ	↘	Ψ	Ψ	Ψ	↘	Ψ	Ψ
28	Mayhew Road & Kiefer Boulevard	Signal	Signal	↱↑↱	↘↓↓↘	↱↑↘	↱↑↘	↱↑↱	↘↓↓↘	↱↑↘	↱↑↘
29	Mayhew Road & Jackson Road	Two-way stop	Two-way stop	↱↱	↘	↱↑↱	↱↘	↱↱	↘	↱↑↱	↱↘
30	Mayhew Road & Fruitridge Road	Two-way stop	Two-way stop	↱	↘	↱		↱	↘	↱	
31	Mayhew Road & Elder Creek Road	Two-way stop	Two-way stop	Ψ	↘	Ψ	Ψ	Ψ	↘	Ψ	Ψ
32	Zinfandel Drive & Woodring Drive	Two-way stop	Two-way stop	↱	↘	↱		↱	↘	↱	
33	Bradshaw Road & Folsom Blvd.	Signal	Signal	↱↱↑↘	↘↓↓↘	↱↑↑↱	↱↱↑↑↱	↱↱↑↘	↘↓↓↘	↱↑↑↱	↱↱↑↑↱
34	Bradshaw Road & US 50 WB Ramps	Signal	Signal	↑↑↑↱	↘↓↓↓		↱↱↱↱	↑↑↑↱	↘↓↓↓		↱↱↱↱
35	Bradshaw Road & US 50 EB Ramps	Signal	Signal	↑↑↑↱	↘↓↓↓	↱↱↱↱		↑↑↑↱	↘↓↓↓	↱↱↱↱	
36	Bradshaw Road & Old Placerville Road	Signal	Signal	↱↑↑↑↱	↘↓↘↘↘	↱↘	↱↱↑↱	↱↑↑↑↱	↘↓↘↘↘	↱↘	↱↱↑↱
37	Bradshaw Road & Kiefer Boulevard	Signal	Signal	↱↱↑↑↑↱	↘↓↓↓↓↘↘	↱↱↑↘	↱↱↑↘	↱↱↑↑↑↱	↘↓↓↓↓↘↘	↱↱↑↘	↱↱↑↘
38	Bradshaw Road & Jackson Road	Signal	Signal	↱↑↘	↘↓↓↘	↱↑↱	↱↑↱	↱↑↘	↘↓↓↘	↱↑↱	↱↑↱

Intersection		Traffic Control		Existing Lane Geometrics				Existing Plus Alternative 2t Lane Geometrics			
		Existing	Existing Plus Project	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach
39	Bradshaw Road & Elder Creek Road	Signal	Signal	↖↑↗	↘↓↙	↖↗↘	↖↗↘	↖↑↗	↘↓↙	↖↗↘	↖↗↘
40	Bradshaw Road & Florin Road	Signal	Signal	↖↑↗	↘↓↙	↖↗↘	↖↗↘	↖↑↗	↘↓↙	↖↗↘	↖↗↘
41	Bradshaw Road & Gerber Road	Signal	Signal	↖↑↗	↘↓↙	↖↗↘	↖↗	↖↑↗	↘↓↙	↖↗↘	↖↗
42	Happy Lane & Old Placerville Road	Two-way stop	Two-way stop	↖↗		↑↗	↖↑	↖↗		↑↗	↖↑
43	Happy Lane & Kiefer Boulevard				↘	↖			↘	↖	
44	Excelsior Road & Kiefer Boulevard		Signal					↑↗	↓↙		↖↗
45	Excelsior Road & Jackson Road	Signal	Signal	↖↗	↘↙	↖↑↗↘	↖↑↗↘	↖↗	↘↙	↖↑↗↘	↖↑↑↗↘
46	Excelsior Road & Elder Creek Road	Two-way stop	Two-way stop	↖	↘↓	↖↗		↖	↘↓	↖↗	
47	Excelsior Road & Florin Road	All-way stop	All-way stop	↖↗	↘↙	↖↗	↖↗	↖↗	↘↙	↖↗	↖↗
48	Excelsior Road & Gerber Road/Birch Ranch Drive	All-way stop	All-way stop	↖↗	↘↙	↖↗	↖↗	↖↗	↘↙	↖↗	↖↗
49	Mather Field Road & US 50 WB Ramps	Signal	Signal	↑↑↑↗	↘↓↓		↖↗	↑↑↑↗	↘↓↓		↖↗
50	Mather Field Road & US 50 EB Ramps	Signal	Signal	↑↑↑↑↗	↘↓↓	↖↗↘		↑↑↑↑↗	↘↓↓	↖↗↘	
51	Mather Field Road & Rockingham Drive	Signal	Signal	↖↑↑↑↗	↘↓↓↓↙	↖↗↘	↖↗	↖↑↑↑↗	↘↓↓↓↙	↖↗↘	↖↗
52	Mather Boulevard & Douglas Road	All-way stop	All-way stop	↖↗	↘↙	↖↗	↖↗	↖↗	↘↙	↖↗	↖↗
53	Zinfandel Drive & US 50 WB Ramps	Signal	Signal	↑↑↑↑↗	↘↓↓		↖↗↘	↑↑↑↑↗	↘↓↓		↖↗↘
54	Zinfandel Drive & US 50 EB Ramps/Gold Center Drive	Signal	Signal	↑↑↑↑↗	↘↓↓	↖↗↘↘	↗↘	↑↑↑↑↗	↘↓↓	↖↗↘↘	↗↘
55	Zinfandel Drive & White Rock Road	Signal	Signal	↖↖↑↑↑↗	↘↓↓↓↙↙	↖↖↑↑↑↗	↖↖↑↑↗↘	↖↖↑↑↑↗	↘↓↓↓↙↙	↖↖↑↑↑↗	↖↖↑↑↗↘
56	Zinfandel Drive & Data Drive	Signal	Signal	↖↑↑↑↗	↘↓↓↓↙	↖↗	↖↗↘	↖↑↑↑↗	↘↓↓↓↙	↖↗	↖↗↘
57	Zinfandel Drive & International Dr	Signal	Signal	↖↖↑↑↑↑↗	↘↓↓↓↙↙	↖↖↑↑↑↗	↖↖↑↑↑↑↗	↖↖↑↑↑↑↗	↘↓↓↓↙↙	↖↖↑↑↑↑↗	↖↖↑↑↑↑↗
58	Zinfandel Drive & Douglas Road	Signal	Signal	↖↗	↘↓↓↙	↖↑↗	↖↑↗	↖↗	↘↓↓↙	↖↑↗	↖↑↗
59	Eagles Nest Road/Zinfandel Drive & Kiefer Boulevard			↗			↖	↗			↖
60	Eagles Nest Road & Jackson Road	Two-way stop	Two-way stop	↖↗	↘↙	↖↗	↖↗	↖↗	↘↙	↖↗	↖↗
61	Eagles Nest Road & Florin Road	Two-way stop	Two-way stop	↖↗	↘↙	↖↗	↖↗	↖↗	↘↙	↖↗	↖↗
62	Sunrise Boulevard & US 50 WB Ramps	Signal	Signal	↑↑↑↑↗	↘↓↓↓		↖↗↘↘	↑↑↑↑↗	↘↓↓↓		↖↗↘↘
63	Sunrise Boulevard & US 50 EB Ramps	Signal	Signal	↑↑↑↑↑↗	↘↓↓↓	↖↖↗↘↘		↑↑↑↑↑↗	↘↓↓↓	↖↖↗↘↘	
64	Sunrise Boulevard & Folsom Boulevard	Signal	Signal	↖↖↑↑↑↑↑↗	↘↓↓↓↙↙	↖↖↑↑↑↗	↖↖↑↑↗↘	↖↖↑↑↑↑↑↗	↘↓↓↓↙↙	↖↖↑↑↑↗	↖↖↑↑↗↘
65	Sunrise Boulevard & White Rock Road	Signal	Signal	↖↖↑↑↑↑↗	↘↓↓↓↙↙	↖↖↑↑↑↗	↖↖↑↑↑↑↗	↖↖↑↑↑↑↗	↘↓↓↓↙↙	↖↖↑↑↑↗	↖↖↑↑↑↑↗
66	Sunrise Boulevard & International Drive/Monier Circle	Signal	Signal	↖↖↑↑↑↗	↘↓↓↓↙	↖↖↑↗↘	↖↗	↖↖↑↑↑↗	↘↓↓↓↙	↖↖↑↗↘	↖↗
67	Sunrise Boulevard & Douglas Road	Signal	Signal	↖↖↑↑↑↑↗	↘↓↓↓↙↙	↖↖↑↑↗	↖↖↑↑↑↗	↖↖↑↑↑↑↗	↘↓↓↓↙↙	↖↖↑↑↑↗	↖↖↑↑↑↗
68	Sunrise Boulevard & Chrysanthy Boulevard	Signal	Signal	↑↑↑↑↗	↓↙↙↙		↖↗↘	↑↑↑↑↗	↓↙↙↙		↖↗↘
69	Sunrise Boulevard & Kiefer Boulevard	Signal	Signal	↖↑↑↑↗	↘↓↓↙	↖↗	↖↗↘	↖↑↑↑↗	↘↓↓↙	↖↗	↖↗↘
70	Sunrise Boulevard & Jackson Road	Signal	Signal	↖↗	↘↓↙	↖↑↗	↖↑↗	↖↗	↘↓↙	↖↑↗	↖↑↗
71	Sunrise Boulevard & Florin Road	Signal	Signal	↖↑	↘	↖↗		↖↑	↘	↖↗	
72	Sheldon Lake Drive/Sunrise Boulevard & Grant Line Road	Signal	Signal	↖↗	↘↙	↖↑↗	↖↗	↖↗	↘↙	↖↑↗	↖↗
73	Hazel Avenue & Tributary Point Drive/US 50 WB Off-ramp	Signal	Signal	↖↖↑↑↑↑	↘↓↓↓↙	↗	↖↗↘	↖↖↑↑↑↑	↘↓↓↓↙	↗	↖↗↘
74	Hazel Avenue & US 50 EB Ramps	Signal	Signal		↘↓↓	↖↗↘			↘↓↓	↖↗↘	
75	Hazel Avenue & Folsom Boulevard	Signal	Signal	↖↗	↘↙↙	↖↖↑↑↗	↖↑↗	↖↗	↘↙↙	↖↖↑↑↗	↖↑↗

Intersection		Traffic Control		Existing Lane Geometrics				Existing Plus Alternative 2t Lane Geometrics			
		Existing	Existing Plus Project	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach
76	Prairie City Road & White Rock Road	Signal	Signal		↘↘	↘↑↑	↑↑↘		↘↘	↘↑↑	↑↑↘
77	Grant Line Road & White Rock Road	Signal	Signal	↘↑↑	↘↓↓	↘↘↘		↘↑↑	↘↓↓	↘↘↘	
78	Grant Line Road & Douglas Road	All-way stop	Signal ¹	↘	↘	↘		↘↑	↘↓	↘↘	
79	Grant Line Road & Kiefer Boulevard	All-way stop	All-way stop	↘	↘	↘	↘	↘	↘	↘	↘
80	Grant Line Road & Jackson Road	Signal	Signal	↘	↘	↘↘	↘↘	↘	↘	↘↘	↘↘
81	Watt Avenue & US-50 EB Ramps	Signal	Signal	↑↑↑↑↘	↘↘↓↓	↘↘↘↘		↑↑↑↑↘	↘↘↓↓	↘↘↘↘	
82	Watt Avenue & US-50 WB Ramps	Signal	Signal	↑↑↘↘	↘↘↓↓↓		↘↘↘↘↘	↑↑↘↘	↘↘↓↓↓		↘↘↘↘↘
83	Mayhew Rd & Folsom Blvd.	Signal	Signal	↘↘↘		↑↑↘	↘↑↑	↘↘↘		↑↑↘	↘↑↑
84	65th Street Expy & Fruitridge Road	Signal	Signal	↘↑↑↘	↘↓↓↘	↘↑↑	↘↑↑↘	↘↑↑↘	↘↓↓↘	↘↑↑	↘↑↑↘
85	Power Inn Road & Elder Creek Road	Signal	Signal	↘↑↘	↘↓↓↘	↘↑↑↘	↘↑↘	↘↑↘	↘↓↓↘	↘↑↑↘	↘↑↘
86	Power Inn Road & Florin Rd	Signal	Signal	↘↑↘	↘↓↓↘	↘↑↑↘	↘↑↑↘	↘↑↘	↘↓↓↘	↘↑↑↘	↘↑↑↘
87	Florin Perkins Road & Florin Rd	Signal	Signal	↘↑↑↘	↘↓↓↘	↘↑↘	↘↑↘	↘↑↑↘	↘↓↓↘	↘↑↘	↘↑↘
88	Bradshaw Rd & Calvin Rd	Signal	Signal	↘↘↑↘	↘↓↓↘↘	↘↘↑↑↘	↘↘↑↘	↘↘↑↘	↘↓↓↘↘	↘↘↑↑↘	↘↘↑↘
89	Vineyard Rd & Calvin Rd	Signal	Signal	↘	↘↘↘	↘↑↘	↘↑↘	↘	↘↘↘	↘↑↘	↘↑↘
90	Excelsior Road & Calvin Rd	All-way stop	All-way stop	↘	↘	↘	↘	↘	↘	↘	↘
91	Grant Line Rd & Eagles Nest Rd/Sloughhouse Rd	Signal	Signal	↘↑↘	↘↘	↘	↘↘	↘↑↘	↘↘	↘	↘↘
92	Grant Line Rd & Calvin Rd	Signal	Signal	↘↑	↘	↘		↘↑	↘	↘	
93	Grant Line Rd & Dwy/Wilton Rd	Signal	Signal	↘↘	↘↘	↘↘	↘↘	↘↘	↘↘	↘↘	↘↘
94	Grant Line Rd & Bond Rd/Wrangler Dr	Signal	Signal	↘↘	↘↓↓	↘↘	↘	↘↘	↘↓↓	↘↘	↘
200	Excelsior Road & Collector WJ-1/Collector JT-1		Signal					↑↘	↑↘		↘↘
201	Excelsior Road & Collector WJ-2/Collector JT-2		Signal					↑↘	↑↘		↘↘
400	Collector JT-3 & Jackson Road		Signal						↘↘	↘↘↑↑	↑↑↘
401	Tree View Lane & Jackson Road		Signal						↘↘↘	↘↘↑↑	↑↑↘
402	Collector JT-4 & Jackson Road		Signal						↘↘	↘↑↑	↑↘
403	Tree View Lane & Collector JT-5		Signal					↘↑↘	↘↓↓↘	↘↑↘	↘↑↘
404	Tree View Lane & Collector JT-6		Signal					↘↑↑	↘↓	↘↘	
405	Tree View Lane & Collector JT-1		Signal					↘↑↘	↘↓↓↘	↘↑↘	↘↑↘
406	Tree View Lane & Kiefer Boulevard		Signal					↘↘↘		↑↑↘	↘↘↑↑
407	HS/MS Dwy & Kiefer Boulevard		Signal					↘↘		↑↘	↘↑

Note: Gray shading represents changes in traffic control or approach lanes that the project is responsible to provide.




Legend

- Kiefer Jackson Local Route
- Cities
- Mather Airport
- Jackson Township Project

Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 074

Plate TC-12: Project Transit Network Existing Plus Proposed Project




Legend

- Kiefer Jackson Local Route
- Cities
- Mather Airport
- Jackson Township Project

Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 060

Plate TC-13: Project Transit Network Existing Plus Alternative 2



Source: Figure provided by Tsakopoulos Investments in 2019.

X15010101 09 019

Plate TC-14: Proposed Bikeway Master Active Transportation Plan Proposed Project

This page intentionally left blank.



Source: Figure prepared and provided by DKS Associates in 2021.

X15010101-09_059

Plate TC-15: Proposed ~~Bikeway Master~~ Active Transportation Plan Alternative 2



FORECASTING

The forecasting of travel patterns and volumes for each of the scenarios analyzed within this EIR were developed through utilization of the SACOG's SACSIM travel model. SACSIM is an activity-based model that tracks the travel of individuals throughout the day in trip tours and allocates household and employment to the parcel level. This allows the model to capture smaller-scale land use changes and differences. SACSIM is sensitive to the local physical environment, including the presence (or absence) of pedestrian and bicycle facilities, the patterns of local street networks (e.g., grid vs. cul-de-sacs), and the density, proximity, and mix of surrounding land uses (i.e., employment destinations, schools, retail, parks). SACSIM also forecasts automobile, transit, bicycle, and walk trips. SACSIM requires the input of detailed definition of household population/demographics and employment by type at a parcel-level of geography. During the analysis, SACOG staff assisted in developing household population and demographics within the traffic study area and was consulted to ensure consistency with the latest and most appropriate modeling procedures and databases.

DEVELOPMENT OF LOS IMPROVEMENT MEASURES

This transportation analysis includes the development of LOS improvement measures for those effects that have been determined to exceed the applicable LOS standards. While most effects could theoretically be reduced to acceptable levels by adding more traffic lanes, grade separations, new roadways, and other similar measures; such LOS improvement measures may not be consistent with adopted policies and could result in secondary impacts to the environment and other users.

The 2030 General Plan Circulation Element provides guidance regarding the development of LOS improvement measures. In particular, the Circulation Element specifies the maximum number of through lanes for major county roadways. The general plans of the other jurisdictions in the study area provide similar guidance. In general, for those impacts that exceed the LOS policies, LOS improvement measures have been developed for the widening of roadway segments to accommodate additional travel lanes up to the maximum number of lanes designated in the general plans.

The County and other jurisdictions have typical intersection cross-sections. In general, on each approach to an intersection on a four-lane or six-lane roadway, the typical cross-section includes two left-turn lanes, the appropriate number of through lanes (two or three), and a single right-turn lane. Exceptions to the typical intersection geometry would be considered on a case-by-case basis and in special circumstances. LOS improvement measures that exceed the typical intersection geometry are noted as so in the applicable tables in the analysis.

In the development of LOS improvement measures, the number of roadway segment lanes and intersection lanes has been expanded, where appropriate, to reduce effects. In most cases, the LOS improvement measure does not exceed the maximum number of roadway lanes or typical intersection geometry identified in the General Plans. In some cases, LOS improvement measures consistent with the 2030 General Plan and the typical intersection geometry may not reduce the effect consistent with the LOS policies. In these cases, an alternative LOS improvement measure may be considered

that may necessitate an amendment to the 2030 General Plan or deviate from the typical intersection geometry. In other cases where the roadway is already constructed to the full 2030 General Plan designation or an intersection is already constructed to the standard intersection geometry and no alternative LOS improvement measure is feasible, no improvement measure may be available to lessen the effects.

ROADWAY FUNCTIONALITY ANALYSIS

Based on 2030 General Plan Policies CI-1, CI-7, and CI-10 detailed in the Regulatory Setting section of this chapter of the EIR, the County has developed an impact standard and mitigation strategy for these substandard roadways as follows:

Impacts to substandard rural roadway functionality are considered significant if the Jackson Township Project would:

- cause the substandard rural roadway to exceed an average daily traffic volume of 6,000 daily vehicles, or
- add 600 or more new daily vehicle trips to a substandard rural roadway that already carries 6,000 or more daily vehicles.

The mitigation of such impacts to rural roadway functionality shall be mitigated by requiring reconstruction of the substandard rural roadway to the County standard of 12-foot vehicle lanes with 6-foot paved shoulders.

Jackson Corridor Development Projects Transportation LOS-based Reduction Strategy

Sacramento County General Plan Policy CI-9 establishes LOS E as the acceptable threshold for capacity and operational impacts for urban roadways and intersections. The General Plan policy establishes a specific LOS threshold and if a project's vehicle trips exceed that threshold, the project would be responsible for fully funding the improvements to construct additional roadway capacity to accommodate the project's travel demand. This approach does not account for development that has contributed to or led up to reaching the threshold. Rather, this approach assigns responsibility to the project that ultimately "triggers" the effect. This "you break it, you fix it" policy often leads to a disproportionate obligation on some development projects to fund and implement transportation improvements. As an extreme example, a development project that results in a travel demand that is under the LOS threshold by a single vehicle trip would not be responsible for an effect and no improvements would be required to be implemented. Conversely, a development project that exceeds the LOS threshold by a single vehicle trip would be responsible for an effect and required to wholly fund and construct roadway capacity improvements that would result in an acceptable LOS. The past practice has been to require projects to fully fund or construct 100 percent of the LOS reduction measure identified in the Existing Plus Project scenario. In a scenario where multiple large master plans are geographically adjacent, substantial overlap exists for the responsibility of roadway improvements. As an example, each individual master plan may have the same responsibility to construct a single roadway improvement. Each individual master plan's Public Facilities Financing Plan would need to collect the necessary funding for 100 percent of the cost of that roadway. This results

in higher transportation impact fees than may be necessary and may render some projects potentially economically infeasible.

SacDOT has developed an alternative approach to implementing improvements required for the Jackson Corridor Projects because of their adjacency and interrelated long-term operation. As mentioned previously, the Transportation Report considered the delay-based transportation effects of the four Jackson Corridor Projects combined with the cumulative impacts of previously approved and reasonably foreseeable projects. The analysis identified each project's fair share component of the travel demand on each study roadway segment and intersection at buildout. Instead of assigning full responsibility for improvements to only those projects that happen to exceed the LOS threshold at a specific moment in time, and no responsibility to projects that would utilize the existing capacity of a roadway, but not exceed the LOS threshold, each project would be financially responsible for their fair share portion (based on the total trips contributed to the roadways) of the improvements to the transportation infrastructure needed to support all proposed Jackson Corridor Projects. This alternative approach provides a mechanism to equally assign LOS-improving transportation project responsibility to all the Jackson Corridor Projects and neither penalizes nor rewards the first/last project that may receive approval.

Relinquishment of SR 16 does not affect the application of the Transportation Mitigation Strategy, which was adopted by the Board of Supervisors on July 23, 2019 and amended on March 9, 2021 to emphasize that SR 16 is a priority transportation facility in the corridor and that the County will work diligently on implementing transportation improvements projects on SR 16. The strategy informs the County regarding what improvements are needed and when improvements are needed, and it assigns the specific improvement to a developer. If the strategy identifies a needed improvement on SR 16, the improvement would be assigned to a developer consistent with the adopted Transportation Mitigation Strategy regardless of whether Caltrans or the County owns the affected SR16 segment. The only difference is, if relinquishment has not yet occurred, the improvement plans would be subject to the Caltrans Encroachment Permit process, which covers improvements in the State right-of-way and functions just like the process the developer must go through to get plans approved within a County right-of-way. Like the County process, during the encroachment permit process, the roadway project(s) may seek design exceptions to Caltrans standards. Caltrans has provided the following feedback to the County regarding State standards:

- **Signal spacing:** The minimum acceptable signal spacing is $\frac{1}{4}$ mile in urban areas and $\frac{1}{2}$ mile in rural areas. The Jackson Corridor will urbanize the area and maintain a minimum of $\frac{1}{4}$ -mile spacing. If relinquishment does not occur, the County does not anticipate needing to pursue any design exceptions related to signal spacing.
- **Intermediate access:** Caltrans does not require any access control (i.e., does not restrict local streets or driveway access) on conventional highways. Except for signalized intersections, the County plans to allow only right-in/right-out driveways along Jackson Road. If relinquishment does not occur, the County's proposed access control meets and exceeds Caltrans standards.

- **Bicycle facilities:** The District 3 State Highway Bike Facility Plan recommends a Class 2 bike facility from Thornhill Drive to the Amador County line. If relinquishment does not occur, Caltrans would still support the County's proposed bicycle infrastructure.
- **Pedestrian facilities:** Caltrans permits local agencies to construct sidewalks within the State right-of-way on a case-by-case basis. Given that the project area will become highly urbanized, Caltrans agrees with the County that sidewalks are necessary. If relinquishment does not occur, Caltrans would still support the County's proposed pedestrian infrastructure.
- **Transit accommodations:** Caltrans looks at transit accommodations on a case-by-case basis. Caltrans has indicated that it is generally supportive of transit features within its right-of-way, although it is not likely to support median-running transit. The County has abandoned an initial concept of median-running bus rapid transit in favor of queue jumps and transit signal priority on the right side of the roadway. If relinquishment does not occur, Caltrans would still support the County's proposed transit accommodations.
- **Typical cross section:** The County's typical cross-section width and right-of-way requirement for a six-lane thoroughfare is 96 feet. This includes 3 feet of curb/gutter, 5 feet of bike lane, two 11-foot travel lanes, one 12-foot travel lane, a 12-foot median, and the opposite side of the road. Caltrans has indicated that the typical cross-section for a six-lane roadway would be 128 feet. This includes six 12-foot lanes, two 8-foot shoulders, and a 40-foot median (to accommodate turn lanes at intersections). The right-of-way should also include a 12-foot clear recovery zone on both sides of the roadway, resulting in a 152-foot right-of-way. If relinquishment does not occur, the County would likely request exceptions to Caltrans' standard cross section and right-of-way requirements, based on the urban character of the plan area. Mechanisms for such exceptions are already in place.

The roadway project(s) along Jackson Highway would be constructed either by the County as a major capital project or by a developer, depending on the scale of the project. If relinquishment has not occurred when initial plans for roadway projects are being developed, the County or developer would coordinate with Caltrans' transportation planning team through the intergovernmental review process to address any concerns. This early coordination would enable issues to be rectified as engineering documents are being developed rather than through the subsequent encroachment permit process, which would minimize delay. Further, Section 671.5(a) of the California Streets and Highways Code requires that Caltrans either approve or deny an Encroachment Permit Application submittal within 60 calendar days, upon determination that the submittal is complete, which also serves to minimize delay.

Caltrans has a long history of working cooperatively with local agencies to produce transportation improvements that meet all local requirements. That commitment is evidenced by the dedication of an entire chapter in its Construction Manual to cooperation and collaboration with local agencies (Caltrans 2020b:Chapter 9). The

County and Caltrans have coordinated extensively on the Jackson Highway Master Plans throughout the years. Beginning in 2012 with the collaborative effort in scoping the transportation analysis for this Project, and more recently with the identification of mitigation projects and fair share contributions along US 50 for the Public Facilities Financing Plan in each plan area, the County and Caltrans have worked together to facilitate forward movement for the Jackson Highway Master Plans, and there is no indication that this will change, whether relinquishment occurs or not.

DYNAMIC IMPLEMENTATION TOOL

The County has strived to ensure that the investments in transportation infrastructure keep pace with land use development growth. In past years, the County has instituted improvement triggers associated with a specific number of dwelling units that are approved for development. While this has been effective on smaller scale developments, it does not always dictate the appropriate timing and location of improvements to be constructed within large specific plan projects. The County has developed a new approach to identify and require the construction of the necessary transportation improvements that is more sensitive to the actual location of the development. With the new approach, the County is able to ensure efficient use of transportation funds collected to support the development of transportation improvements within development boundaries of the Jackson Corridor Projects.

The result of this new approach was the development of the Dynamic Implementation Tool (Tool). For any interim amount of development that is approved in the Jackson Highway corridor, the Tool can estimate the vehicle trips that would be generated, where those new vehicle trips would be distributed, and if the addition of those new vehicle trips causes any roadway segments or intersections to operate at an unacceptable LOS. Through use of the Tool, SacDOT will be able to monitor and manage the transportation network proactively and will be able to assign improvements to roadways and intersections in support of where the growth in vehicle trips occurs in the Jackson Highway corridor. The Tool will assist the County in determining the most appropriate improvements and assign funding or construction responsibility as development proceeds over multiple decades.

The Tool is based on and is consistent with the traffic modelling conducted for the Transportation Report. While the traffic study determined the transportation effects of full build out of the Jackson Township Project proposed land uses that would occur over multiple decades, the County wanted to better understand incremental effects to the transportation network that would occur as specific tentative maps are approved concurrently or in sequence for each of the Jackson Corridor Projects. To accomplish this, the proposed land uses for the Jackson Corridor Projects were subdivided into a network of smaller districts. Each district's size and location were developed such that the trip generating land uses within each district have the same trip distribution. In all, there are 64 districts within the Jackson Corridor Project areas, each with varying mixes of residential, employment, and commercial land uses. The traffic modelling for the Transportation Report tracked the trip generation and trip distribution associated with each district. With this information, the specific transportation effects of any amount of interim land use development can be determined.

The complete master list of transportation improvements has been identified in the Transportation Report's cumulative impact analysis (see Appendix TR-1 of this EIR). Cost estimates for the engineering and construction of the improvements have been completed, and each project's fair share has been calculated. The project-specific fair shares define a total funding responsibility for each project based on the Cumulative Plus Project scenario.

The transportation construction priorities for the Jackson Highway corridor are determined based on the Tool and the best available information at the time the Draft EIR was prepared. The recommended project-specific list of improvements would be constructed by each project proponent and/or constructed by the County with traffic impact fees collected from the project(s) and other available funding sources. The improvements recommended for the project represent the current snapshot in time based on today's development conditions and may change over time as the location and amount of development in the Jackson Highway corridor progresses. For example, if an improvement on an individual project's list has already been constructed by the time that project is moving forward with development, another improvement or improvements of equal value would be identified and assigned to the project. At each phase of development, County staff would define the transportation improvements and timing of their construction for the current phase of development based on the methodology described above.

FINANCING MECHANISMS TO IMPLEMENT THE LOS-BASED REDUCTION REQUIREMENTS

Each of the Jackson Corridor Projects has a financial obligation to fund the cost of each of the improvements based on each project's fair share utilization of the improvement. The summation of each project's fair share costs for all the improvements establishes the total funding obligation for each of the four Jackson Corridor projects in mitigating the project's impact to the transportation network. Each project's cost summation is composed of hundreds of partial fair share funding components but does not require full funding of any particular improvement. To fully fund and implement improvements to support the incremental development of each project and to address capacity and operational issues on the network, 80 percent of each project's funding obligation is intended to fully fund and construct a subset of the most needed improvements identified with each phase of development as outlined above. The remaining 20 percent of the funds are to be collected by the County and set aside to address unforeseen capacity and operational issues on other improvements on the master list of the transportation improvements at the SacDOT's discretion.

Each project's specific transportation improvements would be developed based on the proposed land use plans and phasing information at the time of the first environmental review (e.g., the Draft EIR). Each project's Public Facilities Financing Plan must include financing mechanisms to ensure that the identified transportation infrastructure financial obligation is funded consistent with the mitigation strategy over the project's long-term buildout. In addition, the Sacramento County Transportation Development Fee (SCTDF) Program and other transportation infrastructure funding programs such as Measure A sales tax revenues and State and federal funding programs may also help offset the costs for improvements.

In 1988, the County enacted the SCTDF program for new residential, commercial, and industrial development. The SCTDF funds improvements to major roadway, transit, bicycle and pedestrian facilities needed to accommodate travel demand generated by new development. It includes six districts encompassing the entire unincorporated area, each with its own fee schedule. An update to the SCTDF was adopted by the Board of Supervisors on April 9, 2019.

In 2004, Sacramento County voters approved a 30-year extension to the Measure A transportation sales tax. In addition to the sales tax extension, voters adopted the Sacramento Countywide Transportation Mitigation Fee (SCTMF) which establishes a uniform development fee to be collected on new building permits. SCTMF fees are updated annually.

If approved, the Jackson Corridor Projects would not likely begin development at the same time or develop to full buildout at the same pace. Initiation of individual developments and full buildout are subject to each project's financial constraints and market conditions. Therefore, it cannot be determined with certainty when specific roadway improvements will be made at this time.

The Jackson Corridor Development Projects Transportation Mitigation Strategy has been conceptually adopted by the Board of Supervisors on July 23, 2019 and amended on March 9, 2021 and is included as Appendix TR-2. The March 2021 amendment emphasizes that SR 16 is a priority transportation facility in the corridor and that the County will work diligently on implementing transportation improvements projects on SR 16, and seek outside funding sources including Regional Transportation Improvement Program funds, if necessary. The Transportation Mitigation Strategy is described generally below:

This Transportation Mitigation Strategy ("Strategy") shall apply to all development projects within the following Jackson Highway Corridor Specific Plan areas:

- a. West Jackson Highway Master Plan
- b. Jackson Township Specific Plan
- c. Newbridge Specific Plan
- d. Mather South Community Master Plan

Development projects within the plan areas are responsible for implementing roadway segment and intersection improvements that are required to mitigate impacts to the transportation network, as set forth in each project's approved environmental documents and conditions of approval. It is the intent of Sacramento County that impacts to the transportation network be mitigated concurrent with the implementation of the impacting development project. This Strategy will guide the identification, delivery and construction of the regional "Existing plus Project" and "Existing plus Multiple Projects" roadway segment and intersection improvements that will be required to be built with each incremental development project within the above plan areas.

FINANCING OF IMPROVEMENTS TO MITIGATE TRANSPORTATION NETWORK IMPACTS

1. Build Improvements will be funded through revenue generated from roadway impact fee programs that have been established by or pursuant to plan area financing plans. Funding for Build Improvements may also include other transportation infrastructure funding sources, such as Measure A Sales Tax revenues and State and Federal funding programs.
2. The plan area fee programs have recognized Measure A Sales Tax revenues, State and Federal funding programs, and other funding sources that are currently programmed and the adopted roadway impact fees are based on the availability of these funds. It is anticipated that improvement projects utilizing such funding sources will be delivered and constructed by the County. The availability and expenditure of these funds for Build Improvements shall be subject to the requirements applicable to the specific funding source from which they are received.
3. Cost estimates for Build Improvements shall be as set forth in the applicable plan area financing plans and/or the area wide finance document.
4. Any credits or reimbursements due from the construction of Build Improvements shall be in accordance with the applicable fee program or finance plan.

DETERMINING A DEVELOPMENT INCREMENT'S BUILD IMPROVEMENTS

5. It is the intent of Sacramento County that impacts to the transportation network be mitigated concurrent with the implementation of the impacting development and that the size of the improvements are commensurate with the size and impact of development and the available funding. The County will determine Build Improvements considering the various improvements identified by the Dynamic Implementation Tool (Tool), the estimated cost of the identified improvements, the Fee Increment, and the availability of other funds. (See Appendix B for a hypothetical example.)
6. Each Development Increment will have a Fee Increment based on the size of the Development Increment. The Fee Increment is calculated by multiplying the fee rates per DUE for the regional roadway component set forth in the applicable plan area roadway impact fee program by the number of DUEs, as follows:
 - a. For Development Increments with 300 or more DUEs, calculation of the Fee Increment shall be based on the actual number of DUEs.
 - b. For Development Increments with fewer than 300 DUEs, calculation of the Fee Increment shall be based on 300 DUEs. The Director may grant an exemption to the requirements of subsection (b) to Development Increments that are independent development projects and not a phase or subset of a larger project or Development Increment. In such a scenario, the Director shall determine how the Development Increment will satisfy its obligation to mitigate

transportation impacts generated by that Development Increment, including, but not limited to, the following:

- i. Constructing Build Improvements identified by the Tool and based on a Fee Increment that utilizes the Development Increment's actual number of DUEs;
 - ii. A payment of the Development Increment's full Fee Increment, in lieu of constructing Build Improvements, prior to issuance of the first building permit; or
 - iii. Payment of the plan area roadway impact fees at time of building permit issuance.
7. The Tool may also be utilized to develop a conceptual set of Build Improvements for the plan area or a Development Increment during the entitlement process to inform the project proponents and the Board of Supervisors. However, the actual Build Improvements required to be constructed by a Development Increment shall be determined by the process described in sections 8 and 9 and may deviate from the conceptual set of Build Improvements previously developed due to a Development Increment's changed circumstances or progress, or changes to the transportation network and/or the Department of Transportation's priority needs.
 8. The Build Improvements that the Development Increment will be required to construct shall be determined using the Tool. The Tool will utilize the actual number of DUEs in the Build Increment. The development proponent is responsible for requesting the Tool analysis sufficiently in advance of their Development Increment to allow for timely execution of the agreement described in section 9 and delivery of their Build Improvements as described in section 15.
 9. A written agreement between the County and project proponent shall be required to identify the specific Build Improvements assigned to the project and set a date by which construction of the Build Improvements by the project proponent shall commence, or a date for in-lieu payment by the project proponent per section 13 shall occur. The Build Improvements identified by the Tool and the proposed timing of construction may change any time prior to execution of the agreement. The agreement shall be executed prior to recordation of a final small lot subdivision map for a residential Development Increment or initiation of a building permit application for a non-residential Development Increment. If construction is not initiated by the project proponent or the in-lieu payment is not made by the date specified in the agreement, the County, at its discretion, may require different Build Improvements based on changed circumstances or progress, or changes to the transportation network and/or the Department of Transportation's priority needs.

CREDITS, REIMBURSEMENTS, AND THE COST OF BUILD IMPROVEMENTS

10. A credit and/or reimbursement agreement will likely be needed for each Development Increment that must construct Build Improvements due to the timing of the construction and its acceptance by the County relative to when building permit fees must be paid. Any credit or reimbursement shall be provided in accordance with the associated fee program or finance plan requirements from which the credit or reimbursement is due.
11. When the Development Increment is fewer than 300 DUEs, the Development Increment may be assigned Build Improvements whose cost estimates exceed the fee revenues generated by the actual number of DUEs, as described in section 6. The Development Increment shall be responsible for funding and constructing the Build Improvements assigned by the County, including those improvements which costs exceed the amount of fee revenues generated by the Development Increment's actual number of DUEs. Credit or reimbursement shall be due for the additional eligible costs per the applicable plan area fee program.
12. Constructed Build Improvement costs are unlikely to exactly match the Fee Increment. Lower costs will result in the creation of reserve funding; higher cost Build Improvements will require funds from the reserve, increased funding from the Development Increment, and/or other County funding. It is the County's intent to establish reserve funding to help manage these differences by allocating the Fee Increment as follows: Build Improvements would be assigned based on a target of eighty percent (80%) of the Fee Increment in addition to any other funds the County makes available for that Build Improvement; the remaining (20%) would be placed in reserve to be applied to other transportation mitigation measures (including other assigned Build Improvements) associated with implementation of other development projects in the plan area and other Jackson Highway Corridor plan areas, as determined by the Director. It is anticipated that while the Development Increment's Fee Increment generally will be allocated as noted above, the listed percentages will be adjusted as necessary to conform to Build Improvement costs and address the Department of Transportation's priority needs. The County shall not assign Build Improvements with estimated costs exceeding one hundred percent (100%) of the Fee Increment in addition to any other funds (including available reserve funds noted above). Appendix B includes a hypothetical example of possible Build Improvement scenarios.

IMPLEMENTING A DEVELOPMENT INCREMENT'S BUILD IMPROVEMENTS

13. In lieu of constructing the Build Improvements, the Director may accept an upfront payment up to 100 percent of the full amount of the Fee Increment if the Build Improvements will be constructed by the County or another party. Payment shall be made to the County prior to the recordation of any final map for residential development or issuance of any building permit for

non-residential development Increment. This payment shall be considered as satisfying the requirements of section 15.

14. If the project proponent chooses to fund the Build Improvements through a Community Facilities District (CFD) or similar public finance mechanism, the CFD or similar public finance mechanism must be formed prior to the recordation of a small lot final map for a residential Development Increment or issuance of any building permit for a nonresidential Development Increment. The formation shall occur regardless of whether the Build Improvements will be constructed concurrent with the Development Increment or an in-lieu amount will be paid up front. An advanced funding agreement with the County for CFD establishment costs must be executed prior to initiation of CFD formation.
15. The delivery and construction of the Build Improvements shall proceed as follows to ensure completion in a timely manner:
 - a. The improvement plans for the Build Improvements shall be approved, and construction bonds shall be posted, prior to the recordation of any final map for a residential Development Increment or issuance of any building permit for nonresidential Development Increment.
 - b. For residential Development Increments, construction of the Build Improvements shall commence by the date identified in the agreement described in section 9 and prior to twenty-five percent (25%) build-out of the Development Increment (as measured by the number of building permit issuances). Build-out of the Development Increment may proceed beyond this percentage if the project proponent demonstrates, to the satisfaction of the Director, that construction has been delayed due to circumstances beyond the project proponent's control and will commence within a time frame acceptable to the Director.
 - c. If a residential Development Increment is a phase or a subset of a larger development project, a future phase shall not proceed beyond twenty-five percent (25%) build-out of the Development Increment (as measured by the number of building permit issuances) until construction of the Build Improvements assigned to an earlier Development Increment has been substantially completed, as defined in the most recent version of the Sacramento County Standard Construction Specifications, or the project proponent demonstrates, to the satisfaction of the Director, that construction of the Build Improvements for the earlier Development Increment is progressing at an acceptable rate. For large development projects consisting of multiple Development Increments and Build Improvements, the County and project proponent may enter into an implementation agreement specifying the terms and conditions for the delivery and construction of said Build Improvements.
 - d. For non-residential Development Increments, construction shall commence by the date identified in the agreement described in section

9 and be completed prior to County's issuance of a certificate of occupancy, unless otherwise approved by the Director.

ADMINISTRATION AND UPDATE OF THE STRATEGY

16. The Department of Transportation will manage this Strategy and the Tool. The costs to manage, maintain, update, and conduct Tool analysis, and all other related administrative work tasks, shall be funded by all development projects within the Jackson Highway Corridor plan areas. Funding to support the above efforts will be either in the form of application fees or a development agreement between the County and each project proponent.
17. This Strategy and its components, including the Tool, shall be reviewed and updated as needed, but no less frequently than every five years or at key planning events undertaken by the County including, but not limited to, General Plan updates, and updates to the Jackson Highway Corridor plan area master plans or specific plans. The review and update of this Strategy and the Tool shall include, but not be limited to, land use changes, revisions to the proposed and completed transportation network, changes in the costs of the Build Improvements, changes in associated escalation values due to inflation, and the securing of new funding sources to supplement the costs of improvements. A project proponent may appeal a determination by Department of Transportation staff concerning the application of this Strategy to its project by submitting a written request for the Director's review. If the project proponent is dissatisfied with the Director's decision following such review, the project proponent may appeal the decision to the County Board of Supervisors by filing a notice of appeal with the Clerk of the Board within fifteen (15) days of the date of the Director's decision. The notice of appeal shall include payment of the applicable appeal fee and the following information: (a) a complete description of the factual basis for the appeal; (b) the legal basis for the appeal; and (c) the remedy sought by the project proponent. The Clerk of the Board shall calendar a hearing on the appeal and notify the person filing the appeal of the date, time and place of such hearing. During the hearing, the project proponent shall be afforded the opportunity to present oral and documentary evidence and offer testimony from any concerned parties as may be necessary for the Board to take action. The Board may affirm, reverse, or modify the decision of the Director. The action of the Board on any such appeal shall be final and conclusive (Sacramento County 2019).

VMT ANALYSIS

Pursuant to SB 743 and Section 15064.3 of the CEQA Guidelines, VMT is the most appropriate metric for determining transportation impacts under CEQA. Sacramento County has developed and adopted VMT significance thresholds by Resolution No. 2020-0652 and Transportation Analysis Guidelines to provide guidance and methodologies for transportation engineers and planners to conduct CEQA

transportation analyses for land development and transportation projects in compliance with SB 743 (Sacramento County 2020). The VMT analysis presented in this chapter was prepared using a methodology that is consistent with the methodology detailed in the County's Transportation Analysis Guidelines. VMT was quantified using SACOG's SACSIM4519 activity-based travel demand model, which was used for the entirety of the Project's transportation analysis. In accordance with the County's Transportation Analysis Guidelines, each land use (i.e., residential, commercial, retail) was analyzed separately and according to the corresponding applicable VMT metric.

For residential land uses, VMT per capita has been used as the applicable metric for CEQA impact analysis. It includes all vehicle tours (both work/commute vehicle tours and non-work vehicle tours) that start and end at a residence. Home-based tours reflect travel for work, school, recreation, and shopping but exclude travel that begins and ends away from the home location. For non-residential land uses, VMT per employee is used to evaluate commercial (office) and industrial VMT. It includes all commute vehicle tours that begin and end at an employment location. A commute tour may include intermediate stops.

The County distinguishes between local and regional serving retail land uses. Local serving retail is defined as having up to 200,000 square feet of total gross floor area in growth areas or with a market area of 3 miles or less. The majority of retail land use designations within the Plan Area were determined to fit within the local serving retail definition and were, consistent with the County's Transportation Analysis Guidelines, screened out from further VMT analysis. However, two retail parcels within the Plan Area could be considered regional serving retail. Therefore, the likely net VMT change resulting from these two retail parcels was qualitatively assessed.

The Project includes VMT-reducing features that have been incorporated into the design or that are required by Jackson Township's Air Quality Mitigation Plan (AQMP) and Greenhouse Gas Reduction Plan (GHGRP) (Appendix AQ-1) or the Project's Development Agreement. For a detailed list of the VMT reduction features considered to be part of the Project, see Appendix TR-3. These VMT-reducing features are reflected in the "with-project" scenarios as part of the Project baseline and were not double-counted or included as VMT mitigation for the purposes of this analysis.

As it relates to induced demand, consistent with the County's Transportation Analysis Guidelines, roadway projects that are deemed to be consistent with the MTP/SCS would have a less-than-significant cumulative impact on VMT because they are considered part of the regional solution for meeting air pollution and greenhouse gas goals. Conversely, roadway projects that are not included in the MTP/SCS must be evaluated to determine potential transportation impacts. To determine the net VMT impact of capacity enhancing improvements, existing or future roadways roadway widenings not identified in SACOG's MTP/SCS were modeled, with and without Project-added roadway capacity, to yield the net change in regional VMT. Within the Plan Area, all new local roadways that would be constructed are intended to provide access to the Project and provide local circulation/mobility and thus would not require a separate VMT analysis (Sacramento County 2020). Additionally, as detailed in the County's Transportation Analysis Guidelines, regional roadways consistent with the General Plan or an adopted Specific Plan are screened out from VMT analysis. The Project does not

~~propose to widen any regional roadways beyond their current General Plan designation and thus does not require a separate induced demand analysis.~~

Impact: VMT Impacts

PROPOSED PROJECT

As described in Chapter 2, "Project Description," of ~~this~~ the Recirculated Draft EIR, the Applicant has requested that the County consider Alternative 2: SSHCP-Consistent Wetland Preserve to be the preferred project. For this reason, the following supplemental analysis of VMT is provided only for Alternative 2.

ALTERNATIVE 2

Project-generated VMT for Alternative 2 was modeled using SACOG's SACSIM~~1519~~19 regional travel demand forecasting model and is summarized in Table TC-24~~2~~2. The VMT calculations for Alternative 2 incorporate VMT-reducing features that are part of the Project design or that are required in the AQMP, GHGRP, or the Project's Development Agreement. Refer to Appendix TR-3 for a detailed list of the VMT reduction features considered to be part of the Project, VMT modeling data, and technical calculations.

Table TC-24~~2~~2: VMT Analysis Results

Land Use	Metric	Existing Regional Average	Significance Threshold	Existing Plus Alternative 2	Reduction from Planned Sidewalks	Reduction due to Mitigation	Less than Threshold with Mitigation?
Residential	VMT per Capita	47.9 <u>20.20</u>	45.2 <u>17.17</u>	24.9 <u>17.46</u>	<u>1.0%</u>	<u>2.2%</u>	<u>Yes</u>
Office	VMT per Employee	49.4 <u>16.04</u>	46.3 <u>13.64</u>	23.0 <u>16.48</u>	-	<u>12.3%</u>	<u>No</u>
Retail	Net VMT	N/A	No Net Increase	Plausible Net Decrease	-	-	<u>N/A</u>

Source: DKS 2022.

Roadway improvements that would occur in conjunction with implementation of Alternative 2 that are not included in the MTP/SCS are:

- Widening of Jackson Highway to six lanes for 1.75 miles from Excelsior Road to 0.35 miles east of Township Drive. The MTP/SCS plans for two lanes in this area.
- Constructing Kiefer Boulevard with four lanes for 1.25 miles from Excelsior Road to Grenville Drive. This road segment is not included in the MTP/SCS.

These roadway improvements would result in that addition of 12.0 lane-miles of roadway to the County's roadway system in excess of the roadway widenings identified in the MTP/SCS. As a result, an increase of 18,801 regionwide average daily VMT is anticipated.

As shown in Table TC-21, it is plausible that the retail land uses of Alternative 2 would result in a net decrease in VMT. Two regional retail sites (planned to be a hardware store and a discount superstore) would be located within the Plan Area with implementation of Alternative 2. Regionally, these two retail sites would be located midway between competing retail sites. All but one competing retail site is located further than 5 linear miles from the Plan Area. It is anticipated that the regional retail sites within the Plan Area would fill the demand for similar retail uses from future residents of the Plan Area. Additionally, it is expected that vehicle trip-tours produced from currently underserved areas, such as the Rancho Murieta and Independence at Mather communities, could be substantially shortened with the addition of the proposed regional retail sites within the Plan Area. These regional retail sites would also provide the neighboring Mather South, NewBridge, and West Jackson Specific Plan areas with more proximate regional retail options. Therefore, the proposed regional retail sites within the Plan Area are considered VMT neutral. Further, given that these regional retail uses represent intervening opportunities that could shift existing travel demand away from more distant locations, a net decrease in VMT is likely.

However, as shown in Table TC-21, VMT generated under Alternative 2 would exceed the VMT significance thresholds for residential lands and office land uses. Further, the planned roadway capacity increases would result in a net increase in regionwide VMT. To allow for the Project's overall impact on VMT to be evaluated, each of the separate VMT metrics were translated into absolute VMT. This conversion was calculated by multiplying the amount the VMT that exceed or fall below the appropriate threshold by the number of anticipated residents and office employees. In the case of VMT per capita, Alternative 2's VMT exceeds the 85 percent threshold by 0.29, for a total of 4,765 excess VMT based on a population of 16,487. Similarly, for office employment, the Project's VMT per employee exceeds the 85 percent threshold by 2.84, for a total of 16,574 excess VMT based on 5,836 office employees. These, combined with an additional 18,801 VMT due to widened roadways and net zero VMT based on regional retail based on the qualitative analysis above, results in a total of 40,140 VMT beyond County thresholds. Therefore, VMT impacts would be **significant**.

CAPCOA's VMT Mitigation Handbook's mitigation measure T-18 indicates that constructing sidewalks to improve pedestrian access within differing land uses can reduce VMT by up to 6.4-percent. As there are no existing sidewalks within the Plan Area, but it is expected that sidewalks would be constructed to connect the residential and non-residential land uses, a 1-percent reduction in VMT per capita was assumed to account for this Project feature.

Implementation of Mitigation Measures TR-1, TR-2, and TR-3 would reduce Project-generated VMT impacts. These measures would pay for bus and/or shuttle operations between the Project and the Manlove Light Rail Station and identify and fund additional Trip Reduction Services (TRS). The VMT reduction associated with the implementation of Mitigation Measure TR-62 has been modeled in SACSIM4519 and would result in a VMT reduction of 0.6 2.2 percent for residential uses and 12.3 percent for employees.

Mitigation Measure TR-2 would require participation in a Sacramento County Transportation Management Association (TMA). Based on a sampling of five existing TMAs in the region that most closely represent the TMA required by Mitigation Measure

TR-2, a 2.08 percent reduction in VMT per capita and 8.30 percent reduction in VMT per employee are assumed. Additional reductions are assumed from implementation of electric bike- and scooter-share programs. These programs are anticipated to result in 0.05 percent and 0.07 percent reductions in VMT, respectively, based on CAPCOA's VMT Mitigation Handbook's (mitigation measures T-22-B and T-22-C). Finally, an employee rideshare program would be established. Based on the percent reductions for programs in suburban contexts established by CAPCOA, and assuming that all employees in the Plan Area are eligible, a 4 percent reduction in VMT is assumed to result from implementation of this program.

An Urban Services Plan has been developed that identifies the costs of implementing and operating the TRS necessary to meet the goals and policies of the County's General Plan (i.e., Policy LU-120) and recommends a financing mechanism for the identified services. As described in Chapter 15, "Land Use, Population, and Housing," General Plan Policy LU-120 establishes performance criteria and criteria-based standards for all amendments to the Urban Policy Area. All future small lot maps and subsequent entitlements must demonstrate compliance with these criteria.

The County acknowledges that advancements in technology and transportation network planning have occurred subsequent to the adoption of the 2030 General Plan policies. The goal of the TRS is to improve air quality and reduce greenhouse gas emissions by encouraging alternate modes of travel. Alternative TRS may be considered by the County if it can be demonstrated that an equivalent reduction in VMT or transportation mode split, as documented in the Transportation Report, can be achieved.

County Service Areas are the County's proposed financing mechanisms for TRS. County Service Area Number 10 (CSA 10) was established to mitigate air quality impacts of new development by implementing transportation-related services that would reduce vehicle trips. CSA 10 is coextensive with the portions of the unincorporated county within the Urban Services Boundary, except for Cordova Hills Special Planning Area, which is within CSA 13.

Mitigation Measure TR-3 would require annexation into or formation of Benefit Zone of CSA 10. The mitigation would create a non-revocable funding mechanism for VMT-reducing services tied to the AQMP, the GHGRP, or the Development Agreement. Benefit Zone Number 3 was formed in June 2006 to include the North Vineyard Station Specific Plan Area and is presently the only active CSA 10 benefit zone. Annexations to Benefit Zone Number 3 occurred in December 2013 and August 2015 to include the Florin Vineyard Community Plan and Wildhawk North development areas. Rezone Condition of Approval Number 89 for Easton requires annexation to an active zone of CSA 10. In March 2020, the Board of Supervisors approved a proposal to create Benefit Zone Number 4 to encompass Easton Place and Glenborough at Easton, which will take effect after approval of the property owners.

The formation of a benefit zone requires an engineer's report describing the services to be funded and appropriate service charges. Service charges are based on dwelling unit equivalent rates for both residential and non-residential development and assessed annually with the collection of property taxes. The services to be provided by CSA 10 for

an active benefit zone are intended to serve exclusively the users associated with properties within the benefit zone.

These established policies and funding programs would encourage and facilitate implementation of TRS, as identified here. ~~However, it cannot be guaranteed that the implementation of Mitigation Measures TR-6, TR-7, and TR-8 would reduce Project-generated VMT to less than significant levels, because the specific elements of the VMT-reducing mitigation measures that would be implemented are unknown at this time, and uncertainty exists related to the VMT reductions that would be achieved.~~ The mitigation measures outlined herein would reduce the Project's VMT per capita by 2.2 percent and the VMT per employee for office land uses by 12.3 percent. Application of these measures would exceed the 1.7-percent reduction required to reduce the project's impact to less than significant for the residential uses. These results do not exceed the required 17.2-percent reduction required to mitigate the project's VMT impact for office uses. Therefore, this impact would be **significant and unavoidable**.

MITIGATION MEASURES

TR-1: Implement Enhanced Transit Program of Mitigation Measure AQ-2b

As detailed in Mitigation Measure AQ-2b, in Chapter 6, "Air Quality," the Applicant or subsequent developer(s) shall implement a program to provide a non-revocable funding mechanism that would pay for bus and/or shuttle operations between the Project and the Manlove Light Rail Station. The non-revocable funding mechanism would be administered by the County and would provide residents and employees of Jackson Township with transit passes that would provide access to the entire Regional Transit system.

TR-2: Trip Reduction Services

Jackson Township shall cooperate with the County in establishing a special financing mechanism for the Project area to fund the TRS described in, and consistent with, the approvals for the Project, the Urban Services Plan, and the Public Facilities Financing Plan. Such financing mechanism shall be established, and the resulting annual service charge, fee, tax, or other mechanism shall be imposed on each residential unit and non-residential unit to cover the costs of all aspects of the TRS, including capital, maintenance, and operational costs. This mechanism shall be approved prior to the recordation of the first final small lot subdivision map or issuance of any building permit within the Project area, whichever may occur first. Grading permits may be issued within the Project area prior to implementation of the financing mechanism.

The TRS shall be provided to the residents and non-residential uses within the Project area. TRS shall be phased as development occurs and supported by transit funds generated from the Project as it builds out, such that services are available to establish trip reduction behavior within Project phases. TRS may include, but shall not be limited to, membership in a transportation management association ~~(as detailed in Mitigation Measure AQ-2b, in Chapter 6, "Air Quality")~~, commute trip reduction, transit services, transit improvements, rideshare matching and vanpool coordination, commuter financial incentives, telework

and/or flextime support, guaranteed ride home programs, parking management, shared parking coordination, special event transportation management, transportation access guides, wayfinding, and multimodal navigation tools.

The TMA shall include, at a minimum, the following programs:

- Commute Trip Reduction Marketing. Through this program, employers share information to promote trip reduction and educate employees about their travel choices to the employment location beyond driving such as carpooling, taking transit, walking, and biking. The program must include a onsite or online commuter information services, employee transportation coordinators, and a guaranteed ride home service (as described below).
- Guaranteed Ride Home. To ensure that employees have the flexibility to adapt to the challenges and circumstances they are presented with day-to-day, they must be sure that if they are without a personal vehicle, they are always able to return home. The program, at a minimum, shall be developed and implemented to include the following elements:
 - Determination of who is eligible. The program could cover all employees, or only those who use alternative modes for a specified portion of commuting.
 - Determination of what trips are eligible. The program could cover any trip, or it could be limited to unexpected business appointments, employee or family member sickness.
 - Maximum number of uses allowed during a certain period, maximum miles within a period, or maximum cost per trip.
 - Implementation responsibility.
 - Procedures for using the service.
 - Appropriate forms (e.g., registration and reimbursement vouchers).
- Employer-Sponsored Vanpool. Each employer would be required to sponsor participation in a vanpool program. Vanpooling is a flexible form of public transportation that provides groups of 5 to 15 people with a cost-effective and convenient rideshare option for commuting. The mode shift from long-distance, single-occupied vehicles to shared vehicles reduces overall commute VMT, thereby reducing GHG emissions. Employer costs primarily include the capital costs of vehicle acquisition and the labor costs of drivers, either through incentives to current employees or the hiring of dedicated drivers. The program, at a minimum, shall be developed and implemented to include the following elements:
 - Identification of a group transportation manager.
 - Selection and procurement of vans and equipment.
 - Development and implementation of financial structure of the program.
 - Driver and route selection.

- Development of coordination agreements and responsibilities.
- Development of procedures, agreements, and forms.
- Electric Bike Share Program. This measure would establish an electric bikeshare program. Electric bikeshare programs provide users with on-demand access to electric pedal assist bikes for short-term rentals. This encourages a mode shift from vehicles to electric bicycles, reducing VMT.
- Establish an Electric Scooter Share Program. This measure would establish a scooter share program. Scooter share programs provide users with on-demand access to electric scooters for short-term rentals. This encourages a mode shift from vehicles to scooters, reducing VMT.
- Employee Ridesharing Program. This measure would implement a ridesharing program. Ridesharing encourages carpooled vehicle trips in place of single-occupied vehicle trips, thereby reducing the number of trips, VMT, and GHG emissions.

Each employer in the Plan Area would be required to participate in the Jackson Township TMA and develop an individual Transportation System Monitoring (TSM) plan to track compliance and participation in the programs established in the Jackson Township TMA.

As noted above, these measures are potential components that could be included in the larger TRS but are not meant to serve as a required or complete list of such measures. Alternatives to these TRS may be considered by the County if it can be demonstrated that an equivalent reduction in VMT or transportation mode split, as documented in the project Transportation Report, can be achieved. The final TRS shall be developed in coordination with, and approved by, the County.

TR-3: Annexation into or Formation of an Active Benefit Zone of County Service Area Number 10

The Applicant shall provide funding for the VMT-reducing services of the AQMP, the GHGRP, or the Development Agreement through annexation into, or formation of, an active benefit zone of CSA 10 (or similar non-revocable funding mechanism). The funding for these specific VMT-reducing services tied to the AQMP, the GHGRP, or the Development Agreement may be contracted through a transportation management association. This non-revocable funding mechanism shall be developed in coordination with, and approved, by the County.

Effects to Roadway Segment Operations

New roadways would be constructed, and existing roadways would be widened as part of the Project. The Project includes a proposed amendment to the General Plan Transportation Diagram that would accelerate upgrade of Excelsior Road and Kiefer Boulevard as four-lane arterials and Jackson Highway as a thoroughfare to improvements that would occur pre-2030, rather than post-2030 adjacent to the Plan Area. In addition, Grenville Drive (formerly Treeview Lane) would traverse the Plan Area north to south and

would be constructed with both four-lane and two-lane segments. These roadway improvements would benefit traffic conditions within the entire study area.

The analysis provided in the Transportation Report provides a static picture of project-related effects based on the baseline plus Project, baseline plus Alternative 2, cumulative plus Project, and cumulative plus Alternative 2 assumptions used in the traffic model. In reality, the development of a community is dynamic with multiple projects occurring simultaneously to create and reduce impacts to acceptable levels. Ultimately, multiple projects may need to contribute to the same improvement to resolve their individual project-related effects. To provide consistency in the assumptions of development and the analysis of effects, the County has required all Jackson Corridor Projects to construct additional travel lanes on internal and border travel roads.

PROPOSED PROJECT

Table TC-223 summarizes the results of the operations analysis for the traffic study area roadway segments that would exceed the applicable LOS and V/C thresholds under Existing Plus Project conditions. The table includes the number of lanes assumed with the implementation of the Project, which in many cases is greater than the number of lanes in the existing condition. Detailed roadway segment operations calculations and the full list of study area roadway segment operating conditions are included in Appendix TR-1 of this EIR.

Considering the consistent development assumptions detailed above requiring all Jackson Corridor Projects to construct roadway improvements, and as shown in Table TC-223, the addition of vehicle trips generated by Project buildout would result in the exceedance of applicable LOS and V/C thresholds along 13 roadway segments.

As shown in Table TC-234, implementation of LOS Improvement Measures TR-4, TR-5, and TR-6 would result in fair share payments toward improvements that would reduce the roadway segment effects of the Project. The shaded table cells under the "Travel Lanes" and "Facility Type" headings illustrate roadways widened to address LOS threshold exceedances, which would be the responsibility of the Project to implement. The shaded table cells under the "LOS" heading indicate those locations that would continue to exceed applicable LOS standards after implementation of LOS improvement measures. The "LOS Threshold Exceeded with LOS Improvement Measures?" column shows whether a reduction measure successfully reduces the effect or not. Detailed operations calculations and the full list of study area facility operating conditions are included in Appendix TR-1 of this EIR.

As shown in Table TC-234, 10 of the 13 roadway segments would operate acceptably with implementation of LOS improvement measures. LOS improvement measures would generally involve improvements within the alignment or widening of the roadway. Because three of the study area roadway segments have reached the maximum number of lanes allowed under the General Plan, there is no additional feasible LOS improvement measures to improve the LOS along these roadway segments to acceptable levels. The construction-related effects of these improvements have been programmatically evaluated within the scope of the technical sections of this Draft EIR and construction would generally result in a similar program of mitigation required for the Project. However,

it is acknowledged that some site-specific effects may occur, the details of which are unknown at this time.

Further, while implementation of LOS Improvement Measures TR-4, TR-5, and TR-6 would result in fair share payment toward improvements that would reduce effects to 10 roadway segments such that they would operate at acceptable levels, it cannot be guaranteed that all of these improvements would be implemented concurrent with the phasing of development because of the dynamic and interrelated nature of these improvements that would serve multiple development projects. If all improvements were implemented in a timely way, all but three roadway segment effects would be reduced such that the roadway segments would operate at an acceptable LOS. However, because the timing of implementation of all required improvements cannot be guaranteed and their implementation is not subject to the responsibility of just the Project Applicant and the County, it cannot be guaranteed that LOS-based effects to roadway segments would be reduced to acceptable levels at the time of phased development.

Table TC-223: Existing Plus Proposed Project Deficient Roadway Segment Operations

ID	Roadway	Segment		Existing					Existing Plus Proposed Project				
		From	To	Travel Lanes	Facility Type ¹	Daily Volume	V/C Ratio	LOS	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS
23	Elder Creek Rd	Power Inn Rd	Florin-Perkins Rd	2	Arterial M	15,734	0.87	D	2	Arterial M	17,400	0.97	E
44	Folsom Blvd	Howe Ave	Jackson Rd	4	Arterial M	37,516	1.04	F	4	Arterial M	40,090	1.11	F
56	Grant Line Rd	Sheldon Rd	Wilton Rd	2	Rural S	17,459	0.87	E	2	Rural S	19,560	0.98	E
57	Grant Line Rd	Wilton Rd	Bond Rd	2	Rural S	16,064	0.80	E	2	Rural S	18,070	0.90	E
62	Howe Ave	US 50	Folsom Blvd	6	Arterial M	53,849	1.00	E	6	Arterial M	55,120	1.02	F
67	Jackson Rd	South Watt Ave	Hedge Ave	2	Arterial M	17,060	0.95	E	2	Arterial M	23,280	1.29	F
68	Jackson Rd	Hedge Ave	Mayhew Rd	2	Arterial M	12,616	0.70	C	2	Arterial M	19,660	1.09	F
69	Jackson Rd	Mayhew Rd	Bradshaw Rd	2	Arterial M	14,996	0.83	D	2	Arterial M	21,730	1.21	F
70	Jackson Rd	Bradshaw Rd	Excelsior Rd	2	Arterial M	13,030	0.72	C	2	Arterial M	26,090	1.45	F
73	Jackson Rd	Sunrise Blvd	Grant Line Rd	2	Rural Hwy	13,306	0.58	D	2	Rural Hwy	14,680	0.64	E
83	Mather Blvd-Excelsior Rd	Douglas Rd	Kiefer Blvd	2	Res Collector F	6,751	0.84	E	2	Res Collector F	8,760	1.10	F
106	Sunrise Blvd	Kiefer Blvd	Jackson Rd	2	Arterial M	16,894	0.94	E	2	Arterial M	19,180	1.07	F
110	Watt Ave	US 50	Folsom Blvd	6	Arterial H	65,242	1.09	F	6	Arterial H	67,710	1.13	F

Note: Gray shading indicates changes in travel lanes or facility type that the project is responsible to provide.

V/C – Volume to Capacity Ratio, LOS = Level of Service

¹ The following classifications are used to determine daily roadway capacity: Arterial L - Arterial, Low Access Control

Arterial M - Arterial, Moderate Access Control Arterial H - Arterial, High Access Control Rural Hwy - Rural 2-lane Highway

Rural S - Rural 2-lane Road, 24'-36' of pavement, Paved Shoulders Rural NS - Rural 2-lane Road, 24'-36' of pavement, No Shoulders Res Collector F - Residential Collector with Frontage

Res Collector NF - Residential Collector with No Frontage

Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.

Table TC-234: Existing Plus Proposed Project Roadway Segment Operations with LOS Improvement Measures

ID	Roadway	Segment		Existing Plus Proposed Project					Existing Plus Proposed Project with LOS Improvement Measures						
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS	Travel Lanes	Facility Type ¹	V/C Ratio	LOS	LOS Threshold Exceeded with LOS Improvement Measures?	Alternative LOS Improvement Measures_ ²	Constraint if Unable to Meet LOS Threshold
23	Elder Creek Rd	Power Inn Rd	Florin-Perkins Rd	2	Arterial M	17,400	0.97	E	4	Arterial M	0.48	A	No		
44	Folsom Blvd	Howe Ave	Jackson Rd	4	Arterial M	40,090	1.11	F	4	Arterial M	1.11	F	Yes		Maximum General Plan lanes
56	Grant Line Rd	Sheldon Rd	Wilton Rd	2	Rural S	19,560	0.98	E	4	Arterial M	0.54	A	No		
57	Grant Line Rd	Wilton Rd	Bond Rd	2	Rural S	18,070	0.90	E	4	Arterial M	0.50	A	No		
62	Howe Ave	US 50	Folsom Blvd	6	Arterial M	55,120	1.02	F	6	Arterial M	1.02	F	Yes		Maximum General Plan lanes
67	Jackson Rd	South Watt Ave	Hedge Ave	2	Arterial M	23,280	1.29	F	4	Arterial M	0.65	B	No		
68	Jackson Rd	Hedge Ave	Mayhew Rd	2	Arterial M	19,660	1.09	F	4	Arterial M	0.55	A	No		
69	Jackson Rd	Mayhew Rd	Bradshaw Rd	2	Arterial M	21,730	1.21	F	4	Arterial M	0.60	B	No		
70	Jackson Rd	Bradshaw Rd	Excelsior Rd	2	Arterial M	26,090	1.45	F	4	Arterial M	0.72	C	No		
73	Jackson Rd	Sunrise Blvd	Grant Line Rd	2	Rural Hwy	14,680	0.64	E	4	Arterial M	0.41	A	No		
83	Mather Blvd-Excelsior Rd	Douglas Rd	Kiefer Blvd	2	Res Collector F	8,760	1.10	F	2	Res Collector F	0.85	E	No	Construct Douglas Road extension ³	
106	Sunrise Blvd	Kiefer Blvd	Jackson Rd	2	Arterial M	19,180	1.07	F	4	Arterial M	0.53	A	No		
110	Watt Ave	US 50	Folsom Blvd	6	Arterial H	67,710	1.13	F	6	Arterial H	1.13	F	Yes		Maximum General Plan lanes

Note: Gray shading represents changes in travel lanes or facility type that the project is responsible to provide.

V/C – Volume to Capacity Ratio, LOS = Level of Service

¹ The following classifications are used to determine daily roadway capacity: Arterial L - Arterial, Low Access Control, Arterial M - Arterial, Moderate Access Control Arterial H - Arterial, High Access Control Rural Hwy - Rural 2-lane Highway Rural S - Rural 2-lane Road, 24'-36' of pavement, Paved Shoulders Rural NS - Rural 2-lane Road, 24'-36' of pavement, No Shoulders Res Collector F - Residential Collector with Frontage, Res Collector NF - Residential Collector with No Frontage

² Alternative LOS improvement measures represent proposed LOS improvement measures beyond the General Plan, as proposed by the County of Sacramento.

³. Offsite regional roadways identified as mitigation in the Transportation Report are included in the Transportation Mitigation Strategy. Construction responsibility is not specifically assigned to individual specific plans at this time.

Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.

ALTERNATIVE 2

Table TC-245 summarizes the results of the operations analysis for the traffic study area roadway segments that would be deficient under Existing Plus Alternative 2 conditions. The table includes the number of lanes assumed with the implementation of Alternative 2, which in many cases is greater than the number of lanes in the existing condition. Detailed roadway segment operations calculations and the full list of study area roadway segment operating conditions are included in Appendix TR-1 of this EIR.

Considering the consistent development assumption detailed above, and as shown in Table TC-245, the addition of vehicle trips generated by project buildout would result in the exceedance of applicable LOS and V/C thresholds along 13 roadway segments.

Similar to the Project, implementation of LOS Improvement Measures TR-4, TR-5, and TR-6 would result in construction of and/or fair share payments toward improvements that would reduce the roadway segment effects of Alternative 2. Detailed operations calculations and the full list of study area facility operating conditions are included in Appendix TR-1 of this EIR.

As shown in Table TC-256, 10 of the 13 roadway segments would operate acceptably with implementation of LOS improvement measures. LOS improvement measures would generally involve improvements within the alignment or widening of the roadway. However, because three of the study area roadway segments have reached the maximum number of lanes allowed under the General Plan, there are no additional feasible measures to improve the LOS along these roadway segments to an acceptable level. The construction-related effects of these improvements have been programmatically evaluated within the scope of the technical sections of this Draft EIR and construction would generally result in a similar program of LOS improvement measures required for the project. However, it is acknowledged that some site-specific effects may occur, the details of which are unknown at this time.

Further, while implementation of LOS Improvement Measures TR-4, TR-5, and TR-6 would result in fair share payment toward improvements that would reduce effects to 10 roadway segments such that they would operate at acceptable, it cannot be guaranteed that all of these improvements would be implemented concurrent with the phasing of development because of the dynamic and interrelated nature of mitigation improvements that would serve multiple development projects. If all improvements were implemented in a timely way, all but three roadway segment effects would be reduced to acceptable levels. However, because the timing of implementation of all required improvements cannot be guaranteed and their implementation is not subject to the responsibility of just the Project Applicant and the County, it cannot be guaranteed that LOS-based effects to roadway segments would be reduced to acceptable levels at the time of phased development.

Table TC-245: Existing Plus Alternative 2 Deficient Roadway Segment Operations

ID	Roadway	Segment		Existing					Existing Plus Alternative 2				
		From	To	Travel Lanes	Facility Type ¹	Daily Volume	V/C Ratio	LOS	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS
23	Elder Creek Rd	Power Inn Rd	Florin-Perkins Rd	2	Arterial M	15,734	0.87	D	2	Arterial M	17,230	0.96	E
44	Folsom Blvd	Howe Ave	Jackson Rd	4	Arterial M	37,516	1.04	F	4	Arterial M	40,230	1.12	F
56	Grant Line Rd	Sheldon Rd	Wilton Rd	2	Rural S	17,459	0.87	E	2	Rural S	19,430	0.97	E
57	Grant Line Rd	Wilton Rd	Bond Rd	2	Rural S	16,064	0.80	E	2	Rural S	18,030	0.90	E
62	Howe Ave	US 50	Folsom Blvd	6	Arterial M	53,849	1.00	E	6	Arterial M	55,140	1.02	F
67	Jackson Rd	South Watt Ave	Hedge Ave	2	Arterial M	17,060	0.95	E	2	Arterial M	23,820	1.32	F
68	Jackson Rd	Hedge Ave	Mayhew Rd	2	Arterial M	12,616	0.70	C	2	Arterial M	20,130	1.12	F
69	Jackson Rd	Mayhew Rd	Bradshaw Rd	2	Arterial M	14,996	0.83	D	2	Arterial M	21,940	1.22	F
70	Jackson Rd	Bradshaw Rd	Excelsior Rd	2	Arterial M	13,030	0.72	C	2	Arterial M	26,390	1.47	F
73	Jackson Rd	Sunrise Blvd	Grant Line Rd	2	Rural Hwy	13,306	0.58	D	2	Rural Hwy	15,070	0.66	E
83	Mather Blvd-Excelsior Rd	Douglas Rd	Kiefer Blvd	2	Res Collector F	6,751	0.84	E	2	Res Collector F	8,680	1.09	F
106	Sunrise Blvd	Kiefer Blvd	Jackson Rd	2	Arterial M	16,894	0.94	E	2	Arterial M	19,040	1.06	F
110	Watt Ave	US 50	Folsom Blvd	6	Arterial H	65,242	1.09	F	6	Arterial H	67,620	1.13	F

Note: Gray shading indicates changes in travel lanes or facility type that the project is responsible to provide.

V/C – Volume to Capacity Ratio, LOS = Level of Service

¹ The following classifications are used to determine daily roadway capacity: Arterial L - Arterial, Low Access Control

Arterial M - Arterial, Moderate Access Control Arterial H - Arterial, High Access Control Rural Hwy - Rural 2-lane Highway

Rural S - Rural 2-lane Road, 24'-36' of pavement, Paved Shoulders Rural NS - Rural 2-lane Road, 24'-36' of pavement, No Shoulders Res Collector F - Residential Collector with Frontage

Res Collector NF - Residential Collector with No Frontage

Bold values do not meet LOS policy. **Red** values with light gray shading indicate project effects.

LOS IMPROVEMENT MEASURES

TR-4: Jackson Corridor Transportation Mitigation Strategy Participation

The Project Applicant shall participate in the implementation of the Jackson Corridor Transportation Mitigation Strategy as approved by the Board of Supervisors on July 23, 2019 and amended on March 9, 2021 by constructing or providing funding for its fair share of transportation improvements identified in the master list of cumulative improvements (see Appendix TR-1 of this EIR) and shown in Table TC-234 and Table TC-256 for the Proposed Project and Alternative 2, respectively. The Project Applicant shall enter into an agreement at the time of Project approval to use the Tool to identify improvements for each phase or development increment of the Project. The Project Applicant shall also agree that required improvements will be constructed concurrent with each phase. For subsequent projects or phases with less than 300 dwelling unit equivalents (DUEs), at the discretion of the Director of SacDOT, specific improvements may not be required to be constructed, but instead collected fair-share mitigation revenue shall be allowed to accrue in the mitigation budget that the County would manage to address unforeseen capacity and operations issues. For projects or phases with 300 DUEs or more, the Project Applicant may have the option to advance fund mitigation improvements for each phase of development or portions thereof, as identified by the Tool. Advanced funding could be provided through the creation of a Community Facilities District or similar financial mechanism, through a cash contribution upfront, and/or through the construction of the required improvements.

NOTE: The Jackson Corridor Transportation Mitigation Strategy was amended on March 9, 2021 to specify that Jackson Highway transportation projects are high priority projects and when triggered by the Dynamic Implementation Tool, the County will work diligently on implementing those projects, including seeking outside funding sources (including Regional Transportation Improvement Program funds), if necessary.

TR-5: Use of Dynamic Implementation Tool

The Project Applicant shall, at the time of Project approval, enter into an agreement acknowledging that the project-specific list of improvements specified in LOS Improvement Measure TR-44 may be modified over time through the use of the Tool at each phase of project development, subject to the approval of SacDOT.

As development proceeds, the Tool will be used to select which improvements the project would be required to fair-share fund and/or construct if its previously assigned improvement or improvements have already been constructed by another project.

TR-6: Roadway Segment LOS Improvement

The Project Applicant shall implement the set of improvements assigned to the project by the Tool (LOS Improvement Measure TR-1). Where feasible, the number of roadway lanes would be increased to reduce the effect. However, the roadways cannot be widened such that they exceed the maximum General Plan standards and designations of the appropriate jurisdictions.

Table TC-256: Existing Plus Alternative 2 Roadway Segment Operations with LOS Improvement Measures

ID	Roadway	Segment		Existing Plus Proposed Project					Existing Plus Alternative 2_with LOS Improvement Measures						
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS	Travel Lanes	Facility Type ¹	V/C Ratio	LOS	LOS Impact with LOS Improvement Measures?	Alternative LOS Improvement Measures ²	Constraint if Unable to Meet LOS Threshold
23	Elder Creek Rd	Power Inn Rd	Florin-Perkins Rd	2	Arterial M	17,230	0.96	E	4	Arterial M	0.48	A	No		
44	Folsom Blvd	Howe Ave	Jackson Rd	4	Arterial M	40,230	1.12	F	4	Arterial M	1.12	F	Yes		Maximum General Plan lanes
56	Grant Line Rd	Sheldon Rd	Wilton Rd	2	Rural S	19,430	0.97	E	4	Arterial M	0.54	A	No		
57	Grant Line Rd	Wilton Rd	Bond Rd	2	Rural S	18,030	0.90	E	4	Arterial M	0.50	A	No		
62	Howe Ave	US 50	Folsom Blvd	6	Arterial M	55,140	1.02	F	6	Arterial M	1.02	F	Yes		Maximum General Plan lanes
67	Jackson Rd	South Watt Ave	Hedge Ave	2	Arterial M	23,820	1.32	F	4	Arterial M	0.66	B	No		
68	Jackson Rd	Hedge Ave	Mayhew Rd	2	Arterial M	20,130	1.12	F	4	Arterial M	0.56	A	No		
69	Jackson Rd	Mayhew Rd	Bradshaw Rd	2	Arterial M	21,940	1.22	F	4	Arterial M	0.61	B	No		
70	Jackson Rd	Bradshaw Rd	Excelsior Rd	2	Arterial M	26,390	1.47	F	4	Arterial M	0.73	C	No		

ID	Roadway	Segment		Existing Plus Proposed Project					Existing Plus Alternative 2_with LOS Improvement Measures						
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS	Travel Lanes	Facility Type ¹	V/C Ratio	LOS	LOS Impact with LOS Improvement Measures?	Alternative LOS Improvement Measures ²	Constraint if Unable to Meet LOS Threshold
73	Jackson Rd	Sunrise Blvd	Grant Line Rd	2	Rural Hwy	15,070	0.66	E	4	Arterial M	0.42	A	No		
83	Mather Blvd-Excelsior Rd	Douglas Rd	Kiefer Blvd	2	Res Collector F	8,680	1.09	F	2	Res Collector F	0.85	E	No	Construct Douglas Road extension	
106	Sunrise Blvd	Kiefer Blvd	Jackson Rd	2	Arterial M	19,040	1.06	F	4	Arterial M	0.53	A	No		
110	Watt Ave	US 50	Folsom Blvd	6	Arterial H	67,620	1.13	F	6	Arterial H	1.13	F	Yes		Maximum General Plan lanes

Note: Gray shading represents changes in travel lanes or facility type that the project is responsible to provide.

V/C – Volume to Capacity Ratio, LOS = Level of Service

¹ The following classifications are used to determine daily roadway capacity: Arterial L - Arterial, Low Access Control

Arterial M - Arterial, Moderate Access Control Arterial H - Arterial, High Access Control Rural Hwy - Rural 2-lane Highway

Rural S - Rural 2-lane Road, 24'-36' of pavement, Paved Shoulders Rural NS - Rural 2-lane Road, 24'-36' of pavement, No Shoulders Res Collector F - Residential Collector with Frontage

Res Collector NF - Residential Collector with No Frontage

² Alternative LOS improvement measures represent proposed LOS improvement measures beyond the General Plan, as proposed by the County of Sacramento.

Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.

Effects to Intersection Operations

PROPOSED PROJECT

Table TR-267 summarizes the results of the operations analysis for intersections within the traffic study area that are projected to operate at a deficient LOS under Existing Plus Project conditions. Detailed intersection operations calculations and the full list of study area intersection operating conditions are included in Appendix TR-1 of this EIR.

The traffic analysis assumed that the Project would construct several improvements to intersections internal to, or on the boundary of, the Plan Area. The timing of such intersection improvements would affect whether or not there could be temporary effects during phasing and before full buildout of the Project.

Signal warrant analysis was also conducted for all unsignalized intersections along Jackson Road, and other unsignalized intersections near the Plan Area. Detailed signal warrant calculation sheets are included in Appendix TR-1 of this EIR. With implementation of the Project, the following unsignalized intersections would experience traffic volumes resulting in one or more traffic signal warrants being met:

- Mayhew Road and Jackson Road
- Happy Lane and Old Placerville Road
- Excelsior Road and Elder Creek Road
- Excelsior Road and Florin Road
- Mather Boulevard and Douglas Road
- Eagles Nest Road and Jackson Road
- Excelsior Road and Calvine Road

As shown in Table TR-267, the addition of vehicle trips generated by Project buildout would result in the exceedance of applicable LOS and delay thresholds.

As identified in Table TC-278, implementation of LOS Improvement Measures TR-4, TR-5, and TR-7 would result in fair share payments toward improvements that would reduce all roadway intersection effects of the Project. Detailed intersection operations calculations and the full list of study area intersection operating conditions for the Project are included in Appendix TR-1 of this EIR.

LOS improvement measures would generally involve improvements within the alignment or widening of the roadway. The construction-related effects of these improvements have been programmatically evaluated within the scope of the technical sections of this Draft EIR and construction would generally result in a similar program of LOS improvement measures required for the project. However, it is acknowledged that some site-specific effects may occur, the details of which are unknown at this time.

Table TR-267: Existing Plus Proposed Project Deficient Intersection Operations

Intersection		AM Peak Hour							PM Peak Hour						
		Existing			Existing Plus Proposed Project			LOS Effect	Existing			Existing Plus Proposed Project			LOS Effect
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
18	S. Watt Avenue & Elder Creek Road	Signal	E	62.7	Signal	E	80.0	Yes	Signal	E	68.8	Signal	E	79.1	Yes
25	Hedge Avenue & Elder Creek Road	All-way stop	C	15.9	All-way stop	F	62.2	Yes	All-way stop	B	11.6	All-way stop	C	23.1	No
	<i>Northbound Through - Left Turn</i>		D	27.6		F	50.0			D	34.0		E	48.9	
	<i>Northbound Right Turn</i>		B	11.8		C	18.0			C	15.0		C	15.3	
	<i>Southbound</i>		C	18.3		D	30.3			C	24.9		D	32.7	
	<i>Eastbound Left Turn</i>		A	8.9		A	9.3			A	8.4		A	9.3	
	<i>Westbound Left Turn</i>		A	8.3		A	9.4			A	9.3		A	9.3	
38	Bradshaw Road & Jackson Road	Signal	E	73.1	Signal	F	158.7	Yes	Signal	E	59.4	Signal	E	77.3	No
42	Happy Lane & Old Placerville Road	Two-way stop	A	7.3	Two-way stop	B	11.8	Yes	Two-way stop	A	4.7	Two-way stop	B	12.8	Yes
	<i>Northbound Left Turn</i>		F	64.8		F	215.4			F	95.9		F	>300	
	<i>Northbound Right Turn</i>		D	30.6		D	31.3			C	15.4		C	19.9	
	<i>Westbound Left Turn</i>		B	10.2		B	10.6			B	10.1		B	10.7	
45	Excelsior Road & Jackson Road	Signal	D	36.7	Signal	F	171.2	Yes	Signal	D	40.3	Signal	F	134.9	Yes
46	Excelsior Road & Elder Creek Road	Two-way stop	A	3.5	Two-way stop	F	62.0	Yes	Two-way stop	A	2.7	Two-way stop	F	101.5	Yes
	<i>Northbound Left Turn</i>		A	7.5		A	8.1			A	8.0		A	8.8	
	<i>Eastbound</i>		C	18.6		F	>300			B	12.3		F	>300	
47	Excelsior Road & Florin Road	All-way stop	C	24.9	All-way stop	F	173.9	Yes	All-way stop	B	12.5	All-way stop	F	72.7	Yes

Intersection		AM Peak Hour							PM Peak Hour						
		Existing			Existing Plus Proposed Project			LOS Effect	Existing			Existing Plus Proposed Project			LOS Effect
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
52	Mather Boulevard & Douglas Road	All-way stop	E	39.3	All-way stop	F	80.1	Yes	All-way stop	C	15.5	All-way stop	C	17.0	No
60	Eagles Nest Road & Jackson Road	Two-way stop	A	2.3	Two-way stop	F	83.6	Yes	Two-way stop	A	3.6	Two-way stop	C	23.3	Yes
	<i>Northbound</i>		C	22.0		F	>300			C	23.8		F	271.8	
	<i>Southbound</i>		B	13.9		C	15.7			C	22.0		E	41.0	
	<i>Eastbound Left Turn</i>		A	8.8		B	10.3			A	7.9		A	8.0	
	<i>Westbound Left Turn</i>		A	7.9		A	8.1			A	8.7		A	8.9	
80	Grant Line Road & Jackson Road	Signal	E	74.0	Signal	F	80.8	Yes	Signal	E	78.9	Signal	E	68.2	No
90	Excelsior Road & Calvine Rd	All-way stop	C	16.6	All-way stop	E	43.9	Yes	All-way stop	B	13.0	All-way stop	C	20.3	No

Note: Gray shading represents changes in traffic control that the project is responsible to provide.

Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.

Table TC-278: Existing Plus Proposed Project Intersection Operations with LOS Improvement Measures

Intersection		AM Peak Hour							PM Peak Hour						
		Existing Plus Proposed Project			LOS Effect	Existing Plus Proposed Project with LOS Improvement Measures			Existing Plus Proposed Project			LOS Effect	Existing Plus Proposed Project with LOS Improvement Measures		
		Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)
18	S. Watt Avenue & Elder Creek Road	Signal	E	80.0	Yes	Signal	D	45.0	Signal	E	79.1	Yes	Signal	D	37.3
25	Hedge Avenue & Elder Creek Road	All-way stop	F	62.2	Yes	Signal	B	18.8	All-way stop	C	23.1	No	Signal	C	24.6
29	Mayhew Road & Jackson Road	Two-way stop	A	1.8	Yes	Signal	B	18.9	Two-way stop	A	0.8	No	Signal	B	14.6
	Northbound Through - Left Turn		F	50.0						E	48.9				
	Northbound Right Turn		C	18.0						C	15.3				
	Southbound		D	30.3						D	32.7				
	Eastbound Left Turn		A	9.3						A	9.3				
	Westbound Left Turn		A	9.4						A	9.3				
38	Bradshaw Road & Jackson Road	Signal	F	158.7	Yes	Signal	E	79.7	Signal	E	77.3	No	Signal	D	45.5
42	Happy Lane & Old Placerville Road	Two-way stop	B	11.8	Yes	Signal	C	31.7	Two-way stop	B	12.8	Yes	Signal	C	25.6
	Northbound Left Turn		F	215.4						F	>300				
	Northbound Right Turn		D	31.3						C	19.9				
	Westbound Left Turn		B	10.6						B	10.7				
45	Excelsior Road & Jackson Road	Signal	F	171.2	Yes	Signal	E	59.6	Signal	F	134.9	Yes	Signal	D	54.1
46	Excelsior Road & Elder Creek Road	Two-way stop	F	62.0	Yes	Signal	B	10.2	Two-way stop	F	101.5	Yes	Signal	D	42.0
	Northbound Left Turn		A	8.1						A	8.8				
	Eastbound		F	>300						F	>300				

Intersection		AM Peak Hour							PM Peak Hour						
		Existing Plus Proposed Project			LOS Effect	Existing Plus Proposed Project with LOS Improvement Measures			Existing Plus Proposed Project			LOS Effect	Existing Plus Proposed Project with LOS Improvement Measures		
		Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)
47	Excelsior Road & Florin Road	All-way stop	F	173.9	Yes	Signal	D	50.7	All-way stop	F	72.7	Yes	Signal	D	36.6
52	Mather Boulevard & Douglas Road	All-way stop	F	80.1	Yes	Signal			All-way stop	E	44.0	No	Signal		
60	Eagles Nest Road & Jackson Road	Two-way stop	F	83.6	Yes	Signal	C	26.5	Two-way stop	C	23.3	Yes	Signal	C	26.9
	<i>Northbound</i>		F	>300						F	271.8				
	<i>Southbound</i>		C	15.7						E	41.0				
	<i>Eastbound Left Turn</i>		B	10.3						A	8.0				
	<i>Westbound Left Turn</i>		A	8.1						A	8.9				
80	Grant Line Road & Jackson Road	Signal	F	80.8	Yes	Signal	C	27.6	Signal	E	68.2	Yes	Signal	C	30.4
90	Excelsior Road & Calvin Rd	All-way stop	E	43.9	Yes	Signal	D	36.7	All-way stop	C	20.3	No	Signal	C	32.5

Note: Gray shading represents changes in traffic control that the project is responsible to provide.

Bold values do not meet LOS policy. **Red** values with light gray shading indicate project effects.

While implementation of LOS Improvement Measures TR-4, TR-5, and TR-7 would result in fair share payment toward improvements that would reduce effects to intersection operations such that they would operate at acceptable LOS, it cannot be guaranteed that all of these improvements would be implemented concurrent with the phasing of development because of the dynamic and interrelated nature of LOS improvements that would serve multiple development projects. If all improvements were implemented in a timely way, all intersection effects would be reduced acceptable levels. However, because the timing of implementation of all required improvements cannot be guaranteed and their implementation is not subject to the responsibility of just the Project Applicant and the County, it cannot be guaranteed that LOS-based effects to intersections would be reduced to acceptable levels at the time of phased development.

ALTERNATIVE 2

Table TC-289 summarizes the results of the operations analysis for intersections within the traffic study area for Alternative 2. Detailed intersection operations calculations and the full list of study area intersection operating conditions are included in Appendix TR-1 of this EIR.

As stated above, the traffic analysis assumed that Alternative 2 would construct several improvements to intersections internal to, or on the boundary of, the Jackson Township Project. The timing of implementation of such intersection improvements would affect whether or not effects would exist at some time before full buildout of Alternative 2.

Signal warrant analysis was also conducted for all unsignalized intersections along Jackson Road, and other unsignalized intersections near the Plan Area. Detailed signal warrant calculation sheets are included in Appendix TR-1 of this EIR.

With implementation of Alternative 2, the following unsignalized intersections would experience traffic volumes resulting in one or more traffic signal warrants being met:

- Happy Lane and Old Placerville Road
- Excelsior Road and Elder Creek Road
- Excelsior Road and Florin Road
- Mather Boulevard and Douglas Road
- Eagles Nest Road and Jackson Road
- Excelsior Road and Calvine Road

As shown in Table TC-289, the addition of vehicle trips generated by buildout of Alternative 2 would result in the exceedance of applicable LOS and delay thresholds.

Table TC-289: Existing Plus Alternative 2 Intersection Operations

Intersection		AM Peak Hour							PM Peak Hour						
		Existing			Existing Plus Alternative 2			LOS Effect	Existing			Existing Plus Alternative 2			LOS Effect
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
18	S. Watt Avenue & Elder Creek Road	Signal	E	62.7	Signal	E	71.3	Yes	Signal	E	68.8	Signal	E	75.9	Yes
38	Bradshaw Road & Jackson Road	Signal	E	73.1	Signal	F	130.6	Yes	Signal	E	59.4	Signal	E	70.7	No
	<i>Northbound Left Turn</i>		<i>F</i>	64.8		<i>F</i>	199.7			<i>F</i>	95.9		<i>F</i>	>300	
	<i>Northbound Right Turn</i>		<i>D</i>	30.6		<i>E</i>	35.5			<i>C</i>	15.4		<i>C</i>	19.7	
	<i>Westbound Left Turn</i>		<i>B</i>	10.2		<i>B</i>	10.9			<i>B</i>	10.1		<i>B</i>	10.5	
45	Excelsior Road & Jackson Road	Signal	D	36.7	Signal	F	167.1	Yes	Signal	D	40.3	Signal	F	108.0	Yes
46	Excelsior Road & Elder Creek Road	Two-way stop	A	3.5	Two-way stop	F	56.2	Yes	Two-way stop	A	2.7	Two-way stop	E	44.8	Yes
	<i>Northbound Left Turn</i>		A	7.5		A	7.8			A	8.0		A	8.9	
	<i>Eastbound</i>		<i>C</i>	18.6		<i>F</i>	251.5			<i>B</i>	12.3		<i>F</i>	148.1	
47	Excelsior Road & Florin Road	All-way stop	C	24.9	All-way stop	F	173.7	No	All-way stop	B	12.5	All-way stop	F	67.7	Yes
52	Mather Boulevard & Douglas Road	All-way stop	E	39.3	All-way stop	F	84.8	Yes	All-way stop	C	15.5	All-way stop	C	18.7	No
60	Eagles Nest Road & Jackson Road	Two-way stop	A	2.3	Two-way stop	F	96.3	Yes	Two-way stop	A	3.6	Two-way stop	C	20.0	Yes
	<i>Northbound</i>		<i>C</i>	22.0		<i>F</i>	>300			<i>C</i>	23.8		<i>F</i>	216.4	
	<i>Southbound</i>		<i>B</i>	13.9		<i>C</i>	15.6			<i>C</i>	22.0		<i>E</i>	47.7	
	<i>Eastbound Left Turn</i>		A	8.8		<i>B</i>	10.3			A	7.9		A	8.1	
	<i>Westbound Left Turn</i>		A	7.9		A	8.3			A	8.7		A	8.9	
80	Grant Line Road & Jackson Road	Signal	E	74.0	Signal	F	96.0	Yes	Signal	E	78.9	Signal	E	70.7	No
90	Excelsior Road & Calvine Rd	All-way stop	C	16.6	All-way stop	E	36.2	Yes	All-way stop	B	13.0	All-way stop	C	20.9	No

Note: Gray shading represents changes in traffic control that the project is responsible to provide.
 Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.

As identified in Table TC-29~~30~~, implementation of LOS Improvement Measures TR-4, TR-5, and TR-7 would result in fair share payments toward improvements that would reduce all roadway intersection effects of Alternative 2 such that they would operate at acceptable LOS. LOS improvement measures would generally involve improvements within the alignment or widening of the roadway. The construction-related effects of these improvements have been programmatically evaluated within the scope of the technical sections of this ~~Draft~~ EIR and construction would generally result in a similar program of LOS improvement measures required for the project. However, it is acknowledged that some site-specific impacts may occur, the details of which are unknown at this time.

While implementation of LOS Improvement Measures TR-4, TR-5, and TR-7 would result in fair share payment toward improvements that would reduce effects to intersection operations such that they would operate at acceptable LOS, it cannot be guaranteed that all these improvements would be implemented concurrent with the phasing of development because of the dynamic and interrelated nature of LOS improvements measures that would serve multiple development projects. If all improvements were implemented in a timely way, all intersection effects would be reduced such that they would operate at acceptable LOS. However, because the timing of implementation of all required improvements cannot be guaranteed and their implementation is not subject to the responsibility of just the Project Applicant and the County, it cannot be guaranteed that LOS-based effects to roadway segments would be reduced to acceptable levels at the time of phased development.

LOS IMPROVEMENT MEASURES

TR-7: Intersection Operations Effects

The Project Applicant or subsequent developers shall implement the set of intersection improvements assigned to the project by the Tool (LOS Improvement Measure TR-4) and shown in Table TC-27 and Table TC-29 for the Proposed Project and Alternative 2, respectively. Where feasible, the number of roadway lanes would be increased to reduce the effect. In locations where the LOS effect could not be improved to acceptable levels by implementing the County's standard number of approach lanes, the County would propose alternative LOS improvement measures. These generally include providing additional turn lanes, carrying an additional through lane past the intersection, or designating the intersection as a High Capacity Intersection.

Table TC-2930: Existing Plus Alternative 2 Intersection Operations with LOS Improvement Measures

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Existing Plus Alternative 2			LOS Effect	Existing Plus Alternative 2 with LOS Improvement Measures			Existing Plus Alternative 2			LOS Effect	Existing Alternative 2 with LOS Improvement Measures		
		Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)
18	S. Watt Avenue & Elder Creek Road	Signal	E	71.3	Yes	Signal	D	41.6	Signal	E	75.9	Yes	Signal	D	36.4
38	Bradshaw Road & Jackson Road	Signal	F	130.6	Yes	Signal	E	69.4	Signal	E	70.7	No	Signal	D	41.0
42	Happy Lane & Old Placerville Road	Two-way stop	B	11.5	Yes	Signal	C	35.0	Two-way stop	B	14.9	Yes	Signal	C	24.9
	Northbound Left Turn		F	199.7						F	>300				
	Northbound Right Turn		E	35.5						C	19.7				
	Westbound Left Turn		B	10.9						B	10.5				
45	Excelsior Road & Jackson Road	Signal	F	167.1	Yes	Signal	E	63.0	Signal	F	108.0	Yes	Signal	D	45.4
46	Excelsior Road & Elder Creek Road	Two-way stop	F	56.2	Yes	Signal	D	41.2	Two-way stop	E	44.8	Yes	Signal	C	31.0
	Northbound Left Turn		A	7.8						A	8.9				
	Eastbound		F	251.5						F	148.1				
47	Excelsior Road & Florin Road	All-way stop	F	173.7	Yes	Signal	B	16.4	All-way stop	F	67.7	Yes	Signal	B	11.9
52	Mather Boulevard & Douglas Road	All-way stop	F	84.8	Yes	Signal	A	9.0	All-way stop	C	18.7	No	Signal	B	11.3
60	Eagles Nest Road & Jackson Road	Two-way stop	F	96.3	Yes	Signal	C	26.0	Two-way stop	C	20.0	Yes	Signal	C	26.5
	Northbound		F	>300						F	216.4				
	Southbound		C	15.6						E	47.7				
	Eastbound Left Turn		B	10.3						A	8.1				
	Westbound Left Turn		A	8.3						A	8.9				
80	Grant Line Road & Jackson Road	Signal	F	96.0	Yes	Signal	D	41.8	Signal	E	70.7	Yes	Signal	C	32.4
90	Excelsior Road & Calvine Rd	All-way stop	E	36.2	Yes	Signal	C	21.2	All-way stop	C	20.9	No	Signal	C	31.2

Note: Gray shading represents changes in traffic control that the project is responsible to provide. Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.

Freeway Facility Effects

PROPOSED PROJECT

FREEWAY SEGMENTS

Table TC-30¹ summarizes a.m. and p.m. peak hour US 50 freeway segment operations. Detailed freeway facility data and analysis is included in Appendix TR-1 of this EIR. As shown in Table TC-30¹, with implementation of the Project, Caltrans' threshold (5 percent V/C increase) would not be exceeded along any of the freeway segments analyzed.

FREEWAY RAMP INTERSECTION QUEUING

Table TC-34² summarizes a.m. and p.m. peak hour freeway ramp intersection queuing. As shown in Table TC-34², implementation of the Project would not result in any freeway ramp intersections experiencing vehicle queues that would extend into the ramp's deceleration area, onto the freeway, or queues greater than the available storage capacity.

FREEWAY MERGE / DIVERGE / WEAVE SEGMENTS

Table TC-32³ summarizes a.m. and p.m. peak hour freeway operations at merge/diverge/weave segments. Detailed merge/diverge/weave data and analysis is included in Appendix TR-1 of this EIR.

Due to the addition of Project-related traffic to the freeway network, the following location would experience merge/diverge LOS worse than the freeway's LOS:

- Westbound Watt Avenue to Howe Avenue weave - p.m. peak hour

Implementation of LOS Improvement Measure TR-8 would result in fair share payment toward improvements that would reduce the effect to the westbound US 50 weave between Watt Avenue and Howe Avenue. However, the amount by which these improvements would improve operating conditions are unknown at this time; thus, if implemented it cannot be assured that the implementation of LOS Improvement Measure TR-8 would improve operating conditions to acceptable levels. Additionally, ~~because~~ these improvements are outside of Sacramento County's jurisdictional control, and while the appropriate jurisdictions can and should implement feasible improvement measures to reduce effects, it cannot be guaranteed that any of these improvements would be implemented or implemented in time for Project development.

Table TC-301: Existing Plus Proposed Project Freeway Segment Operations

Direction	Location	Existing				Existing Plus Proposed Project			
		A.M. Peak Hour		P.M. Peak Hour		A.M. Peak Hour		P.M. Peak Hour	
		Volume	LOS	Volume	LOS	Volume	LOS	Volume	LOS
East-bound US 50	SR 99 / SR 51 to Stockton Boulevard	7,068	C	6,415	C	7,137	C	6,501	C
	Stockton Boulevard to 59th Street	7,470	F	7,228	F	7,553	F	7,307	F
	59th Street to 65th Street	6,767	D	6,641	D	6,851	D	6,711	D
	65th Street to Howe Avenue	7,962	D	7,562	D	8,042	D	7,632	D
	Howe Avenue to Watt Avenue	7,405	D	7,602	D	7,434	D	7,718	D
	Watt Avenue to Bradshaw Road	7,935	D	7,176	C	7,954	D	7,284	C
	Bradshaw Road to Mather Field Road	7,725	F	7,366	C	7,690	F	7,378	C
	Mather Field Road to Zinfandel Drive	7,275	C	7,224	C	7,258	C	7,238	C
	Zinfandel Drive to Sunrise Boulevard	5,121	C	6,649	F	5,205	C	6,681	F
	Sunrise Boulevard to Hazel Avenue	4,985	C	5,323	F	5,054	C	5,341	F
West-bound US 50	Hazel Avenue to Sunrise Boulevard	6,068	D	4,370	C	6,114	D	4,411	C
	Sunrise Boulevard to Zinfandel Drive	7,502	D	4,762	C	7,521	D	4,823	C
	Zinfandel Drive to Mather Field Road	7,548	C	5,765	B	7,572	C	5,728	B
	Mather Field Road to Bradshaw Road	7,859	F	6,939	D	7,870	F	6,877	D
	Bradshaw Road to Watt Avenue	7,550	F	6,466	D	7,564	F	6,554	D
	Watt Avenue to Howe Avenue	7,376	F	5,106	F	7,343	F	5,177	F
	Howe Avenue to 65th Street	8,157	F	7,407	F	8,186	F	7,470	F
	65th Street to 59th Street	8,278	F	7,358	F	8,304	F	7,426	F
	59th Street to Stockton Boulevard	9,115	D	7,945	F	9,154	D	8,017	F
	Stockton Boulevard to SR 99 / SR 51	8,546	D	8,136	F	8,573	D	8,186	F

Bold values denote level of service "F" conditions. **Red shaded** values indicate project effects.

Source: DKS Associates 2019.

Table TC-342: Existing Plus Proposed Project Freeway Ramp Termini Queuing

Direction	US 50 Exit Ramp	Available Storage Length (feet / lane)			Maximum Queue Length (feet / lane)					
					A.M. Peak Hour			P.M. Peak Hour		
		L	T	R	L	T	R	L	T	R
Eastbound US-50	Howe Avenue	765	-	765	89	-	250	119	-	127
	Watt Avenue	1,500	-	1,500	163	-	228	252	-	242
	Bradshaw Road	1,250	-	1,250	87	-	303	75	-	215
	Mather Field Road	1,385	-	1,385	104	-	327	115	-	70
	Zinfandel Drive	1,025	1,025	1,025	196	707	651	443	368	176
	Sunrise Boulevard	1,695	-	1,695	136	-	90	175	-	52
	Hazel Avenue	1,310	-	1,310	163	-	38	130	-	6
Westbound US-50	Hazel Avenue	1,995		1,995	262		44	149		202
	Sunrise Boulevard	1,540	-	1,540	60	-	64	110	-	146
	Zinfandel Drive	1,065	-	1,065	165	-	50	76	-	86
	Mather Field Road	1,335	-	1,335	248	-	184	102	-	48
	Bradshaw Road	1,330	-	1,330	89	-	48	119	-	13
	Watt Avenue	1,480	-	1,480	167	-	524	92	-	430
	Howe Avenue	1,355	1,355	1,355	126	412	87	167	412	187

Red shaded values indicate project effects.

L = left turn movement, T = through movement, R = right turn movement

Source: DKS Associates, 2018.

Table TC-323: Existing Plus Proposed Project Freeway Merge/Diverge/Weave Segment Operations

Direction	Location	Junction Type	Existing				Existing Plus Proposed Project			
			A.M. Peak Hour		P.M. Peak Hour		A.M. Peak Hour		P.M. Peak Hour	
			Ramp Volume	LOS	Ramp Volume	LOS	Ramp Volume	LOS	Ramp Volume	LOS
East-bound US 50	Northbound 65th Street Slip Entrance	Weave	765	D	653	C	771	D	637	C
	Howe Avenue / Hornet Drive Exit		1,631		1,417		1,684		1,353	
	Southbound Howe Avenue Loop Entrance	One-Lane Merge	484	C	881	C	485	C	853	C
	Northbound Howe Avenue Slip Entrance	One-Lane Merge	419	C	431	C	435	C	426	C
	Watt Avenue Exit	Two-Lane Diverge	1,317	B	1,634	B	1,330	B	1,629	B
	Watt Avenue Entrance	One-Lane Merge	2,134	F	1,724	D	2,134	F	1,721	D
	Bradshaw Road Exit	Two-Lane Diverge	1,520	B	1,228	B	1,538	B	1,294	B
	Southbound Bradshaw Road Loop Entrance	One-Lane Merge	220	C	422	C	228	C	397	C
	Northbound Bradshaw Road Slip Entrance	One-Lane Merge	971	C	918	C	921	C	920	C
	Mather Field Road Exit	Two-Lane Diverge	1,266	B	1,062	A	1,266	B	1,092	A
	Southbound Mather Field Road Loop Entrance	One-Lane Merge	125	C	101	B	133	C	100	B
	Northbound Mather Field Road Slip Entrance	Weave	317	F	816	C	325	F	841	C
	Zinfandel Drive Exit		2,932		1,452		2,938		1,472	
	Southbound Zinfandel Drive Loop Entrance	One-Lane Merge	182	B	129	C	177	B	128	C

Direction	Location	Junction Type	Existing				Existing Plus Proposed Project			
			A.M. Peak Hour		P.M. Peak Hour		A.M. Peak Hour		P.M. Peak Hour	
			Ramp Volume	LOS	Ramp Volume	LOS	Ramp Volume	LOS	Ramp Volume	LOS
	Northbound Zinfandel Drive Slip Entrance	One-Lane Merge	348	B	540	C	471	B	574	C
	Sunrise Boulevard Exit	Major Diverge	1,773	C	1,959	D	1,799	C	1,975	D
	Sunrise Boulevard Entrance	One-Lane Merge	992	C	889	D	1,002	C	892	D
	Hazel Avenue Exit	Two-Lane Diverge	933	B	1,541	C	961	B	1,544	C
	Hazel Avenue Entrance	Weave	804	C	945	C	799	C	947	C
	Aerojet Road Exit		241		55		241		51	
West-bound US 50	Hazel Avenue Exit	Two-Lane Diverge	631	A	869	A	653	A	874	A
	Northbound Hazel Avenue Loop Entrance	One-Lane Merge	160	B	600	B	164	B	601	B
	Southbound Hazel Avenue Slip Entrance	One-Lane Merge	1,550	B	800	B	1,574	B	820	B
	Sunrise Boulevard Exit	One-Lane Diverge	749	E	758	D	745	E	763	D
	Sunrise Blvd Entrance	Lane Addition	2,183	F	1,656	D	2,189	F	1,672	D
	Zinfandel Drive Exit	One-Lane Diverge	1,034	E	608	C	1,037	E	680	C
	Northbound Zinfandel Drive Loop Entrance	Lane Addition	585	B	1,197	B	606	B	1,173	B
	Southbound Zinfandel Drive Slip Entrance	One-Lane Merge	442	C	561	B	445	C	557	B
	Mather Field Road Exit	One-Lane Drop	1,093	C	556	A	1,119	C	588	A
	Northbound Mather Field Road Loop Entrance	One-Lane Merge	515	B	861	B	514	B	895	B
	Southbound Mather Field Road Slip Entrance	One-Lane Merge	387	B	380	B	386	B	358	B

Direction	Location	Junction Type	Existing				Existing Plus Proposed Project			
			A.M. Peak Hour		P.M. Peak Hour		A.M. Peak Hour		P.M. Peak Hour	
			Ramp Volume	LOS	Ramp Volume	LOS	Ramp Volume	LOS	Ramp Volume	LOS
	Bradshaw Road Exit	Two-Lane Diverge	1,236	B	1,327	B	1,276	B	1,278	B
	Northbound Bradshaw Road Loop Entrance	One-Lane Merge	914	D	910	C	967	D	962	C
	Southbound Bradshaw Road Slip Entrance	One-Lane Merge	338	D	590	C	333	D	645	C
	Watt Avenue Exit	Major Diverge	1,373	D	1,188	C	1,345	D	1,205	C
	Northbound Watt Avenue Entrance	One-Lane Merge	820	D	943	C	782	D	938	C
	Southbound Watt Avenue Slip Entrance	Lane Addition / Weave	1,232	C	1,317	D	1,195	C	1,322	F
	Howe Avenue Exit	Major Diverge / Weave	1,531	D	1,419		1,530	D	1,462	
	Northbound Howe Avenue Loop Entrance	One-Lane Merge	654	D	602	C	659	D	621	C
	Southbound Howe Avenue Slip Entrance	One-Lane Merge	574	C	574	C	572	C	566	C

Bold values denote level of service "F" conditions.

Red shaded values indicate project effects.

Source: DKS Associates, 2018.

ALTERNATIVE 2

FREEWAY SEGMENTS

Table TC-334 summarizes a.m. and p.m. peak hour US 50 freeway segment operations. Detailed freeway facility data and analysis is included in Appendix TR-1 of this EIR. As shown in Table TC-334, with implementation of Alternative 2, Caltrans' threshold (5 percent V/C increase) would not be exceeded along any of the freeway segments analyzed.

FREEWAY RAMP INTERSECTION QUEUING

Table TC-345 summarizes a.m. and p.m. peak hour freeway ramp intersection queuing. As shown in Table TC-345, implementation of Alternative 2 would not result in any freeway ramp intersections experiencing vehicle queues that would extend into the ramp's deceleration area, onto the freeway, or queues greater than the available storage capacity.

FREEWAY MERGE / DIVERGE / WEAVE SEGMENTS

Table TC-356 summarizes a.m. and p.m. peak hour freeway operations at merge/diverge/weave segments. Detailed merge/diverge/weave data and analysis is included in Appendix TR-1 of this EIR.

Due to the addition of project-related traffic to the freeway network, the following location would experience merge/diverge LOS worse than the freeway's LOS:

- Westbound Watt Avenue to Howe Avenue weave - p.m. peak hour

Implementation of LOS Improvement Measure TR-8 would result in fair share payment toward improvements that would reduce the effect to the westbound US 50 weave between Watt Avenue and Howe Avenue under Alternative 2. However, the amount by which these improvements would improve operating conditions at the facilities detailed above are unknown at this time; thus, if implemented it cannot be assured that the implementation of LOS Improvement Measure TR-8 would improve operating conditions to acceptable levels. Additionally, ~~because~~ these improvements are outside of Sacramento County's jurisdictional control, and while the appropriate jurisdictions can and should implement feasible reduction measures to reduce impacts, it cannot be guaranteed that any of these improvements would be implemented or implemented in time for project development.

Table TC-334: Existing Plus Alternative 2 Freeway Segment Operations

Direction	Location	Existing				Existing Plus Alternative 2			
		A.M. Peak Hour		P.M. Peak Hour		A.M. Peak Hour		P.M. Peak Hour	
		Volume	LOS	Volume	LOS	Volume	LOS	Volume	LOS
East- bound US 50	SR 99 / SR 51 to Stockton Boulevard	7,068	C	6,415	C	7,156	C	6,475	C
	Stockton Boulevard to 59th Street	7,470	F	7,228	F	7,564	F	7,290	F
	59th Street to 65th Street	6,767	D	6,641	D	6,856	D	6,689	D
	65th Street to Howe Avenue	7,962	D	7,562	D	8,084	D	7,611	D
	Howe Avenue to Watt Avenue	7,405	D	7,602	D	7,477	D	7,711	D
	Watt Avenue to Bradshaw Road	7,935	D	7,176	C	8,002	D	7,284	C
	Bradshaw Rd to Mather Field Road	7,725	F	7,366	C	7,712	F	7,407	C
	Mather Field Rd to Zinfandel Drive	7,275	C	7,224	C	7,268	C	7,264	C
	Zinfandel Drive to Sunrise Boulevard	5,121	C	6,649	F	5,289	C	6,708	F
	Sunrise Boulevard to Hazel Avenue	4,985	C	5,323	F	5,132	C	5,366	F
West- bound US 50	Hazel Avenue to Sunrise Boulevard	6,068	D	4,370	C	6,121	D	4,481	C
	Sunrise Boulevard to Zinfandel Drive	7,502	D	4,762	C	7,540	D	4,902	C
	Zinfandel Drive to Mather Field Road	7,548	C	5,765	B	7,551	C	5,710	B
	Mather Field Road to Bradshaw Road	7,859	F	6,939	D	7,857	F	6,869	D
	Bradshaw Road to Watt Avenue	7,550	F	6,466	D	7,522	F	6,556	D
	Watt Avenue to Howe Avenue	7,376	F	5,106	F	7,326	F	5,165	F
	Howe Avenue to 65th Street	8,157	F	7,407	F	8,182	F	7,469	F
	65th Street to 59th Street	8,278	F	7,358	F	8,281	F	7,413	F
	59th Street to Stockton Boulevard	9,115	D	7,945	F	9,125	D	8,008	F
	Stockton Boulevard to SR 99 / SR 51	8,546	D	8,136	F	8,536	D	8,194	F

Bold values denote level of service "F" conditions. **Red shaded** values indicate project effects.

Source: DKS Associates 2019

Table TC-345: Existing Plus Alternative 2 Freeway Ramp Termini Queuing

Direction	US 50 Exit Ramp	Available Storage Length (feet / lane)			Maximum Queue Length (feet / lane)					
					A.M. Peak Hour			P.M. Peak Hour		
		L	T	R	L	T	R	L	T	R
Eastbound US-50	Howe Avenue	765	-	765	84	-	247	117	-	130
	Watt Avenue	1,500	-	1,500	176	-	213	245	-	219
	Bradshaw Road	1,250	-	1,250	91	-	306	84	-	203
	Mather Field Road	1,385	-	1,385	98	-	337	116	-	70
	Zinfandel Drive	1,025	1,025	1,025	194	708	660	471	398	208
	Sunrise Boulevard	1,695	-	1,695	139	-	95	172	-	56
	Hazel Avenue	1,310	-	1,310	168	-	41	156	-	7
Westbound US-50	Hazel Avenue	1,995		1,995	272		47	157		224
	Sunrise Boulevard	1,540	-	1,540	64	-	61	118	-	133
	Zinfandel Drive	1,065	-	1,065	167	-	51	90	-	122
	Mather Field Road	1,335	-	1,335	249	-	186	104	-	49
	Bradshaw Road	1,330	-	1,330	91	-	50	118	-	13
	Watt Avenue	1,480	-	1,480	167	-	538	92	-	438
	Howe Avenue	1,355	1,355	1,355	126	412	89	169	412	175

Red shaded values indicate project effects.

L = left turn movement, T = through movement, R = right turn movement

Source: DKS Associates 2019

Table TC-356: Existing Plus Alternative 2 Freeway Merge/Diverge/Weave Segment Operations

Direction	Location	Junction Type	Existing				Existing Plus Alternative 2			
			A.M. Peak Hour		P.M. Peak Hour		A.M. Peak Hour		P.M. Peak Hour	
			Ramp Volume	LOS	Ramp Volume	LOS	Ramp Volume	LOS	Ramp Volume	LOS
Eastbound US 50	Northbound 65th Street Slip Entrance	Weave	765	D	653	C	771	D	636	C
	Howe Avenue / Hornet Drive Exit		1,631		1,417		1,681		1,354	
	Southbound Howe Avenue Loop Entrance	One-Lane Merge	484	C	881	C	485	C	853	C
	Northbound Howe Avenue Slip Entrance	One-Lane Merge	419	C	431	C	435	C	426	C
	Watt Avenue Exit	Two-Lane Diverge	1,317	B	1,634	B	1,333	B	1,641	B
	Watt Avenue Entrance	One-Lane Merge	2,134	F	1,724	D	2,143	F	1,739	D
	Bradshaw Road Exit	Two-Lane Diverge	1,520	B	1,228	B	1,572	B	1,284	B
	Southbound Bradshaw Road Loop Entrance	One-Lane Merge	220	C	422	C	224	C	425	C
	Northbound Bradshaw Road Slip Entrance	One-Lane Merge	971	C	918	C	923	C	910	C
	Mather Field Road Exit	Two-Lane Diverge	1,266	B	1,062	A	1,275	B	1,092	A
	Southbound Mather Field Road Loop Entrance	One-Lane Merge	125	C	101	B	134	C	100	B
	Northbound Mather Field Road Slip Entrance	Weave	317	F	816	C	325	F	828	C
	Zinfandel Drive Exit		2,932		1,452		2,945		1,471	
	Southbound Zinfandel Drive Loop Entrance	One-Lane Merge	182	B	129	C	176	B	132	C

Direction	Location	Junction Type	Existing				Existing Plus Alternative 2			
			A.M. Peak Hour		P.M. Peak Hour		A.M. Peak Hour		P.M. Peak Hour	
			Ramp Volume	LOS	Ramp Volume	LOS	Ramp Volume	LOS	Ramp Volume	LOS
	Northbound Zinfandel Drive Slip Entrance	One-Lane Merge	348	B	540	C	562	B	591	C
	Sunrise Boulevard Exit	Major Diverge	1,773	C	1,959	D	1,821	C	1,954	D
	Sunrise Boulevard Entrance	One-Lane Merge	992	C	889	D	1,011	C	870	D
	Hazel Avenue Exit	Two-Lane Diverge	933	B	1,541	C	993	B	1,555	C
	Hazel Avenue Entrance	Weave	804	C	945	C	803	C	949	C
	Aerojet Road Exit		241		55		242		58	
Westbound US 50	Hazel Avenue Exit	Two-Lane Diverge	631	A	869	A	686	A	877	B
	Northbound Hazel Avenue Loop Entrance	One-Lane Merge	160	B	600	B	166	B	595	B
	Southbound Hazel Avenue Slip Entrance	One-Lane Merge	1,550	B	800	B	1,608	B	868	B
	Sunrise Boulevard Exit	One-Lane Diverge	749	E	758	D	729	E	780	D
	Sunrise Blvd Entrance	Lane Addition	2,183	F	1,656	D	2,186	F	1,685	D
	Zinfandel Drive Exit	One-Lane Diverge	1,034	E	608	C	1,060	E	764	C
	Northbound Zinfandel Drive Loop Entrance	Lane Addition	585	B	1,197	B	599	B	1,194	B
	Southbound Zinfandel Drive Slip Entrance	One-Lane Merge	442	C	561	B	437	C	533	B
	Mather Field Road Exit	One-Lane Drop	1,093	C	556	A	1,110	C	575	A

Direction	Location	Junction Type	Existing				Existing Plus Alternative 2			
			A.M. Peak Hour		P.M. Peak Hour		A.M. Peak Hour		P.M. Peak Hour	
			Ramp Volume	LOS	Ramp Volume	LOS	Ramp Volume	LOS	Ramp Volume	LOS
	Northbound Mather Field Road Loop Entrance	One-Lane Merge	515	B	861	B	511	B	889	B
	Southbound Mather Field Road Slip Entrance	One-Lane Merge	387	B	380	B	390	B	370	B
	Bradshaw Road Exit	Two-Lane Diverge	1,236	B	1,327	B	1,277	B	1,266	B
	Northbound Bradshaw Road Loop Entrance	One-Lane Merge	914	D	910	C	932	D	959	C
	Southbound Bradshaw Road Slip Entrance	One-Lane Merge	338	D	590	C	334	D	633	C
	Watt Avenue Exit	Major Diverge	1,373	D	1,188	C	1,357	D	1,209	C
	Northbound Watt Avenue Entrance	One-Lane Merge	820	D	943	C	803	D	936	C
	Southbound Watt Avenue Slip Entrance	Lane Addition / Weave	1,232	C	1,317	D	1,211	C	1,313	F
	Howe Avenue Exit	Major Diverge / Weave	1,531	D	1,419		1,549	D	1,467	
	Northbound Howe Avenue Loop Entrance	One-Lane Merge	654	D	602	C	665	D	621	C
	Southbound Howe Avenue Slip Entrance	One-Lane Merge	574	C	574	C	575	C	569	C

Bold values denote level of service "F" conditions.

Red shaded values indicate project effects.

Source: DKS Associates 2019

LOS IMPROVEMENT MEASURES

TR-8: Freeway Improvements

To alleviate the impacts of the Jackson Corridor Developments, the Sacramento County Department of Transportation has consulted with Caltrans and identified the following improvements. The Applicant shall provide a fair share contribution toward Caltrans' freeway facilities to the satisfaction of Sacramento County Department of Transportation and Caltrans:

- Pay fair share toward the future conversion of HOV lanes to toll lanes or a reversible lane along U.S. Highway 50 from I-5 to Watt Avenue.
- Pay fair share toward the U.S. Highway 50 Integrated Corridor Management for the deployment of various ITS improvements along U.S. Highway 50 and the City of Rancho Cordova, and regionally significant corridors in Sacramento County and the City of Folsom for incident management (non-capacity increasing) (Caltrans ID SAC25113).

Capacity improvements such as widening of the freeway and freeway junctions would reduce the severity of the effects but were considered infeasible due to right-of-way restrictions, legal and jurisdictional constraints, and potential economic infeasibility. Potential alternative improvements have been identified from Caltrans' US 50 Transportation Concept Report (TCR) and CSMP. The TCR and CSMP are focused on ITS and integrated corridor management (ICM) projects. ITS is the application of technology to ground transportation to improve safety, mobility, and efficiency. ICM projects focus on the management of corridors as a multimodal system and make operational decisions for the benefit of the corridor as a whole. ITS and ICM projects would have operational benefits to US 50 without adding additional capacity. The TCR and CSMP also identify potential improvements to parallel local facilities that would be expected to reduce travel demand on US 50.

Impact: Bicycle and Pedestrian Impacts

PROPOSED PROJECT

The Project would not remove any existing or planned bicycle or pedestrian facilities. Additionally, it would include the provision of new bicycle and pedestrian facilities throughout the Plan Area, and between the Plan Area and other nearby land uses. As detailed in the "Project Transportation Improvements" section of this chapter (beginning on page 20-59~~56~~⁵⁵) and Plates TC-14 and 20 through 15, the Project would provide sidewalks and on-street (Class II) bike lanes on all collector, arterial and thoroughfare roadways. The Project would also provide several off-street (Class I) multi-purpose trails. Sidewalks would be required as part of the frontage improvements along all new roadway construction in the Project vicinity in conformance with County design standards. Additionally, circulation and access to all proposed public spaces would include sidewalks that meet Americans with Disabilities Act standards.

However, because the specific design of facilities is not currently known, the planned bicycle and pedestrian improvements, discussed in Section 4.4.3 of the Community Master Plan, could potentially result in an increase in pedestrian/bicycle-vehicle conflict points and, thus, could result in a degradation of bicycle and pedestrian safety.

Therefore, pedestrian and bicycle circulation impacts would be **potentially significant**.

Implementation of Mitigation Measure TR-9 would ensure that the new pedestrian and bicycle facilities would minimize pedestrian/bicycle-vehicle conflict points; and, thus, ensure bicycle and pedestrian safety. This impact would be reduced to **less than significant with mitigation**.

ALTERNATIVE 2

As detailed in the Project Transportation Improvements section of this chapter (beginning on page 20-59~~56~~) and Plate TC-15, Alternative 2 would provide sidewalks and on-street (Class II) bike lanes on all collector, arterial and thoroughfare roadways.

Alternative 2 would also provide several off-street (Class I) multi-purpose trails.

However, because the specific design of facilities is not currently known, the planned bicycle and pedestrian improvements, discussed in Section 4.4.3 of the Community Master Plan, could potentially result in an increase in pedestrian/bicycle-vehicle conflict points and, thus, could result in a degradation of bicycle and pedestrian safety.

Therefore, pedestrian and bicycle circulation impacts would be **potentially significant**.

Implementation of Mitigation Measure TR-9 would ensure that the new pedestrian and bicycle facilities would minimize pedestrian/bicycle-vehicle conflict points; and thus, ensure bicycle and pedestrian safety. This impact would be reduced to **less than significant with mitigation**.

MITIGATION MEASURES

TR-9: Bicycle and Pedestrian Improvements

Before approval of any tentative map, the Project Applicant or subsequent developer(s) shall coordinate with Sacramento County to identify the necessary on- and offsite pedestrian and bicycle facilities to serve the individual project and which would ensure bicycle and pedestrian safety. These facilities could include sidewalks, stop signs, standard pedestrian and school crossing warning signs, lane striping to provide a bicycle lane, bicycle parking, signs to identify pedestrian and bicycle paths, raised crosswalks, pedestrian signal heads, and all appropriate traffic calming measures as defined in the County's Neighborhood Traffic Management Program.

Impact: Transit Impacts

PROPOSED PROJECT

Public transit is not currently provided to, or in the vicinity of, the Plan Area. As detailed in the Project Transportation Improvements section of this chapter (beginning on page 20-59), a conceptual transit system to serve the Jackson Corridor Projects (including the Jackson Township Project) was developed by Sacramento County, SacRT, DKS

Associates, and the applicants of the Jackson Corridor Projects as part of a joint transit planning process.

The proposed transit systems would be a condition of approval for the Project and was assumed as an attribute of the Project that was included in the traffic modeling and analysis in the Transportation Report. The assumed transit routes and service frequency would be required at full development of the Project, and service would be phased as described in Chapter 2, "Project Description." Because adequate transit facilities would be provided as development occurs, the Project would have **less-than-significant** impacts on the transit facilities.

ALTERNATIVE 2

Alternative 2 would include transit service, as envisioned in the joint transit planning process, that meets the County's requirements for service. Because adequate transit facilities would be provided as development occurs, Alternative 2 would have **less-than-significant** impacts on the transit facilities.

MITIGATION MEASURES

No mitigation is required. However, the County is including the following mitigation measure to provide an internal tracking mechanism for the condition of approval that requires implementation of the project's proposed transit system.

TR-10: Transit Improvements

The Project Applicant shall coordinate with Sacramento County and Sacramento Regional Transit District (or other transit operators) to provide the additional transit facilities and services assumed in the transportation analysis, or a cost-effective equivalent level of transit facilities and services. Ultimate transit service consists of 15- minute headways during peak hours and 30-minute headways during non-peak hours on weekdays. The implementation of the transit routes and service frequency must be phased with development of the project and the ultimate service will be required at full buildout of the Project. This shall be accomplished through the annexation to CSA 10 or formation of a transportation services district. Such annexation or formation shall occur prior to recordation of any final small lot subdivision map for the Project.

Impact: Roadway Functionality Impacts

PROPOSED PROJECT

Impacts to roadway functionality can result in safety concerns. Table TC-367 summarizes the results of the rural roadway segment functionality analysis. This table includes the number of lanes assumed with the implementation of the Project, which in many cases is greater than the number of lanes in the existing condition. The shaded table cells under the "Travel Lanes" heading illustrates new roadways and widened roadways that are assumed to be included within the Project. The "Substandard" heading indicates whether a roadway meets the County standards requiring 12-foot-wide travel lanes with 6-foot-wide shoulders. If the Project makes improvements to a roadway segment such as widening, it would be required to reconstruct the entire


substandard roadway segment to County standards. The shaded table cells under the “Functionality Impact” heading indicate those locations with a functionality impact. Plate TC-16 depicts the location of the segments along which functionality impacts would occur.

As stated above, the traffic analysis assumed that the Project would construct several travel lanes on roadway segments that are internal to, or on the boundary of the Plan Area, and the entire roadway segment would be reconstructed to County standards. The timing of implementation of these additional traffic lanes on these internal or boundary roadway segments would affect whether or not impacts would occur at some point before full buildout of the Project.

As shown in TC-367, implementation of the Project would result in functionality impacts along 19 roadway segments within the Project study area. Thus, this impact would be **significant**.

Table TC-378 summarizes improvements projected to be required for the Project based on the status of current development in the area. Table TC-378 summarizes the proposed improvements of widening the deficient rural roadway segments to County standards, and the resultant functionality analysis for these roadway segments with these improvements implemented.

As shown in Table TC-378, implementation of LOS Improvement Measures TR-4, TR-5, and Mitigation Measure TR-11 would result in fair share payment toward improvements that would reduce the impacts of the Project. However, it cannot be guaranteed that all of these improvements would be implemented concurrent with the phasing of development proposed for the Project because of the dynamic and interrelated nature of mitigation improvements that would serve multiple development projects. If all improvements were implemented in a timely way, all impacts would be reduced to a less-than-significant level. However, because the timing of implementation of all required improvements cannot be guaranteed and is not subject to the sole responsibility of just the Project Applicant and the County, it cannot be guaranteed that significant impacts to roadway functionality would be reduced to a less-than-significant at the time of development. Therefore, this impact is concluded to be **significant and unavoidable**.



Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 077

Plate TC-16: Existing Plus Proposed Project Functionality Impacts

Table TC-367: Proposed Project Functionality Impacts

ID	Roadway	Segment		Jurisdiction	Existing Substandard Roadways				Existing Plus Proposed Project			
		From	To		Travel Lanes	Pavement (ft)	Substandard? ¹	Existing Volume	Travel Lanes	Substandard? ¹	Forecasted Volume	Functionality Impact? ²
15	Douglas Rd	Mather Blvd	Zinfandel Dr	County	2	23	Yes	6,635	2	Yes	7,390	Yes
16	Douglas Rd	Zinfandel Dr	Sunrise Blvd	Rancho Cordova/ County	2	23	Yes	8,369	2	Yes	9,210	Yes
19	Eagles Nest Rd	Kiefer Blvd	Jackson Rd	County	2	20	Yes	740	2	Yes	1,850	No
20	Eagles Nest Rd	Jackson Rd	Florin Rd	County	2	<21	Yes	517	2	Yes	1,850	No
21	Eagles Nest Rd	Florin Rd	Grant Line Rd	County	2	<21	Yes	189	2	Yes	1,410	No
25	Elder Creek Rd	South Watt Ave	Hedge Ave	County	2	23	Yes	5,576	2	Yes	9,060	Yes
26	Elder Creek Rd	Hedge Ave	Mayhew Rd	County	2	23	Yes	5,797	2	Yes	9,390	Yes
27	Elder Creek Rd	Mayhew Rd	Bradshaw Rd	County	2	23	Yes	5,355	2	Yes	9,400	Yes
28	Elder Creek Rd	Bradshaw Rd	Excelsior Rd	County	2	23	Yes	2,158	2	Yes	10,340	Yes
30	Excelsior Rd	Kiefer Blvd	Jackson Rd	County	2	22	Yes	3,716	2	Yes	15,060	Yes
31	Excelsior Rd	Jackson Rd	Elder Creek Rd	County	2	<21	Yes	5,075	2	Yes	16,560	Yes
32	Excelsior Rd	Elder Creek Rd	Florin Rd	County	2	<21	Yes	4,203	2	Yes	7,220	Yes
33	Excelsior Rd	Florin Rd	Gerber Rd	County	2	<21	Yes	5,423	2	Yes	7,580	Yes
34	Excelsior Rd	Gerber Rd	Calvine Rd	County	2	<21	Yes	4,229	2	Yes	5,220	No
39	Florin Rd	South Watt Ave	Hedge Ave	County	2	22	Yes	7,718	2	Yes	9,910	Yes
40	Florin Rd	Hedge Ave	Mayhew Rd	County	2	22	Yes	6,312	2	Yes	9,010	Yes
41	Florin Rd	Mayhew Rd	Bradshaw Rd	County	2	22	Yes	6,317	2	Yes	9,080	Yes
42	Florin Rd	Bradshaw Rd	Excelsior Rd	County	2	22	Yes	3,478	2	Yes	5,910	No
43	Florin Rd	Excelsior Rd	Sunrise Blvd	County	2	22	Yes	3,835	2	Yes	4,690	No
48	Fruitridge Rd	South Watt Ave	Hedge Ave	City of Sacramento/ County	2	22	Yes	2,890	2	Yes	2,940	No
49	Fruitridge Rd	Hedge Ave	Mayhew Rd	County	2	22	Yes	1,790	2	Yes	1,440	No
50	Grant Line Rd	White Rock Rd	Douglas Rd	Rancho Cordova/ County	2	22	Yes	7,189	2	Yes	8,310	Yes
58	Happy Ln	Old Placerville Rd	Kiefer Blvd	County	2	22	Yes	4,635	2	Yes	6,700	Yes

ID	Roadway	Segment		Jurisdiction	Existing Substandard Roadways				Existing Plus Proposed Project			
		From	To		Travel Lanes	Pavement (ft)	Substandard? ¹	Existing Volume	Travel Lanes	Substandard? ¹	Forecasted Volume	Functionality Impact? ²
59	Hedge Ave	Jackson Rd	Fruitridge Rd	County	2	22	Yes	3,061	2	Yes	2,640	No
60	Hedge Ave	Fruitridge Rd	Elder Creek Rd	City of Sacramento/ County	2	22	Yes	3,737	2	Yes	3,960	No
61	Hedge Ave	Elder Creek Rd	Florin Rd	County	2	22	Yes	2,722	2	Yes	3,010	No
70	Jackson Rd	Bradshaw Rd	Excelsior Rd	County	2	26	Yes	13,030	2	Yes	26,090	Yes
71	Jackson Rd	Excelsior Rd	Eagles Nest Rd	County	2	26	Yes	10,478	4	No	32,180	Yes ³
74	Kiefer Blvd	Florin Perkins Rd	South Watt Ave	City of Sacramento/ County	2	22	Yes	4,616	2	Yes	4,860	No
77	Kiefer Blvd	Bradshaw Rd	Happy Ln	County	2	22	Yes	4,618	2	Yes	5,620	No
78	Kiefer Blvd	Zinfandel Dr	Sunrise Blvd	County	2	22	Yes	656	2	Yes	1,790	No
83	Mather Blvd- Excelsior Rd ⁴	Douglas Rd	Kiefer Blvd	County	2	22	Yes	6,751	2	Yes	8,760	Yes
89	Mayhew Rd	Jackson Rd	Fruitridge Rd	County	2	22	Yes	1,616	2	Yes	1,260	No
116	White Rock Rd	Fitzgerald Rd	Grant Line Rd	Rancho Cordova/ County	2	20	Yes	2,490	2	Yes	2,230	No
123	Zinfandel Dr	Douglas Rd	Kiefer Blvd	County	2	<21	Yes	2,848	2	Yes	6,870	Yes

Note: Gray shading indicates changes in travel lanes or facility type that the project is responsible to provide. For all roadway segments to be widened, the project is responsible to build the entire roadway to County standards.

¹ Substandard rural roads are defined as rural, 2-lane roadway segments with travel lanes narrower than 12 feet and/or roadside shoulders narrower than 6 feet.

² Functionality impacts are triggered when a substandard rural road increases over a threshold of 6,000 ADT, or for a roadway already above 6,000 ADT, increases by more than 600 ADT.

³ The potential for an impact exists should the project generate traffic volumes on the roadway exceeding 6,000 ADT, or increasing more than 600 ADT on a roadway already above 6,000 ADT, prior to the construction of roadway improvements.

⁴ Excluding the roadway segment that is within the developed community of Independence at Mather.

⁵ The functionality impact is mitigated by improving the roadway to County standards, including widening travel lanes to 12 feet and/or widening or providing paved shoulders to 6 feet.

Red text with light gray shading indicate project impacts.

Table TC-378: Proposed Project Functionality Impacts with Mitigation

ID	Roadway	Segment		Existing Plus Proposed Project				Mitigation	Impact after Mitigation?
		From	To	Travel Lanes	Substandard? ¹	Forecasted Volume	Functionality Impact? ²		
15	Douglas Rd	Mather Blvd	Zinfandel Dr	2	Yes	7,390	Yes	Widen to County standards ⁵	No
16	Douglas Rd	Zinfandel Dr	Sunrise Blvd	2	Yes	9,210	Yes	Widen to County standards ⁵	No
25	Elder Creek Rd	South Watt Ave	Hedge Ave	2	Yes	9,060	Yes	Widen to County standards ⁵	No
26	Elder Creek Rd	Hedge Ave	Mayhew Rd	2	Yes	9,390	Yes	Widen to County standards ⁵	No
27	Elder Creek Rd	Mayhew Rd	Bradshaw Rd	2	Yes	9,400	Yes	Widen to County standards ⁵	No
28	Elder Creek Rd	Bradshaw Rd	Excelsior Rd	2	Yes	10,340	Yes	Widen to County standards ⁵	No
30	Excelsior Rd	Kiefer Blvd	Jackson Rd	2	Yes	15,060	Yes	Widen to County standards ⁵	No
31	Excelsior Rd	Jackson Rd	Elder Creek Rd	2	Yes	16,560	Yes	Widen to County standards ⁵	No
32	Excelsior Rd	Elder Creek Rd	Florin Rd	2	Yes	7,220	Yes	Widen to County standards ⁵	No
33	Excelsior Rd	Florin Rd	Gerber Rd	2	Yes	7,580	Yes	Widen to County standards ⁵	No
39	Florin Rd	South Watt Ave	Hedge Ave	2	Yes	9,910	Yes	Widen to County standards ⁵	No
40	Florin Rd	Hedge Ave	Mayhew Rd	2	Yes	9,010	Yes	Widen to County standards ⁵	No
41	Florin Rd	Mayhew Rd	Bradshaw Rd	2	Yes	9,080	Yes	Widen to County standards ⁵	No
50	Grant Line Rd	White Rock Rd	Douglas Rd	2	Yes	8,310	Yes	Widen to County standards ⁵	No
58	Happy Ln	Old Placerville Rd	Kiefer Blvd	2	Yes	6,700	Yes	Widen to County standards ⁵	No
70	Jackson Rd	Bradshaw Rd	Excelsior Rd	2	Yes	26,090	Yes	Widen to County standards ⁵	No

ID	Roadway	Segment		Existing Plus Proposed Project				Mitigation	Impact after Mitigation?
		From	To	Travel Lanes	Substandard? ¹	Forecasted Volume	Functionality Impact? ²		
71	Jackson Rd	Excelsior Rd	Eagles Nest Rd	4	No	32,180	Yes ³	Widen to County standards ⁵	No
83	Mather Blvd-Excelsior Rd ⁴	Douglas Rd	Kiefer Blvd	2	Yes	8,760	Yes	Widen to County standards ⁵	No
123	Zinfandel Dr	Douglas Rd	Kiefer Blvd	2	Yes	6,870	Yes	Widen to County standards ⁵	No

Note: Gray shading indicates changes in travel lanes or facility type that the project is responsible to provide. For all roadway segments to be widened, the project is responsible to build the entire roadway to County standards.

¹ Substandard rural roads are defined as rural, 2-lane roadway segments with travel lanes narrower than 12 feet and/or roadside shoulders narrower than 6 feet.

² Functionality impacts are triggered when a substandard rural road increases over a threshold of 6,000 ADT, or for a roadway already above 6,000 ADT, increases by more than 600 ADT.

³ The potential for an impact exists should the project generate traffic volumes on the roadway exceeding 6,000 ADT, or increasing more than 600 ADT on a roadway already above 6,000 ADT, prior to the construction of roadway improvements.

⁴ Excluding the roadway segment that is within the developed community of Independence at Mather.

⁵ The functionality impact is mitigated by improving the roadway to County standards, including widening travel lanes to 12 feet and/or widening or providing paved shoulders to 6 feet.

Red text with light gray shading indicate project impacts.

ALTERNATIVE 2

Table TC-389 summarizes the results of the rural roadway segment functionality analysis. As stated above, the traffic analysis assumed that Alternative 2 would construct several travel lanes on roadway segments that are internal to, or on the boundary of the Plan Area, and the entire roadway segment would be reconstructed to County standards. The timing of implementation of these additional traffic lanes on internal or boundary roadway segments would affect whether or not impacts would occur at some point before full buildout of Alternative 2. Plate TC-17 depicts the location of the segments along which functionality impacts would occur.

As shown in Table TC-389, implementation of Alternative 2 would result in functionality impacts along 19 roadway segments within the project study area. Thus, this impact would be **significant**.

Consistent with the Project, implementation of LOS Improvement Measures TR-4, TR-5, and Mitigation Measure TR-11 would result in fair share payment toward improvements that would reduce the impacts of Alternative 2 as shown in Table TC-3940. However, it cannot be guaranteed that all these improvements would be implemented concurrent with the phasing of development proposed for Alternative 2 because of the dynamic and interrelated nature of mitigation improvements that would serve multiple development projects. If all improvements were implemented in a timely way, all impacts would be reduced to a less-than-significant level. However, because the timing of implementation of all required improvements cannot be guaranteed and is not subject to the sole responsibility of just the Project Applicant and the County, it cannot be guaranteed that significant impacts to roadway functionality would be reduced to a less-than-significant at the time of development. Therefore, this impact is concluded to be **significant and unavoidable**.

MITIGATION MEASURES

TR-11. Roadway Functionality Improvements

The Project Applicant or subsequent developers shall implement LOS Improvement Measures TR-4 and TR-5 and the associated functionality improvements shown in Table TC-37 and Table TC-39 for the Proposed Project and Alternative 2, respectively. The Project Applicant or subsequent developers shall consult with the County on the timing needs of proposed improvements and shall either submit their fair share payment and/or enter into an agreement to construct the assigned improvements. Improvements would include widening the deficient rural roadway segments to County standards.

As development in the area is approved and proceeds to construction, the timing or assignment of specific traffic improvements may change but would nonetheless be assigned to each project based on their fair-share contribution to the overall area impacts.

Impact: Emergency Access and Hazardous Design Feature Impacts

PROPOSED PROJECT


The Project would provide new roadway connections, which would provide for improved emergency access and connections within the area, and would not result in modifications to the existing roadway network such that emergency access along existing roadways would be impaired. The Project would be designed to meet all the design and safety standards established by the County, which require coordination with Sacramento Metro Fire District to ensure that the design of local roads would accommodate emergency vehicles. Adherence to these design standards would ensure that adequate site distances and access for vehicles entering and leaving the site is provided for safe travel. Additionally, before construction activities, project proponents are required to coordinate with emergency service providers to ensure that there are no impediments to the provision of emergency services during and after project related construction activities. Therefore, the Project would have **less-than-significant** impacts on emergency access and response, and safety associated with design features.

ALTERNATIVE 2

Alternative 2 would result in new and improved roadway connections that meet all the design and safety standards established by the County, which require coordination with Sacramento Metro Fire District to ensure that the design of local roads will accommodate emergency vehicles. Adherence to these design standards would ensure that adequate site distances and access for vehicles entering and leaving the site is provided for safe travel. Therefore, the Alternative 2 would have **less-than-significant** impacts on emergency access and safety associated with design features.

MITIGATION MEASURES

No mitigation is required.



- Substandard Roadways
- Functionality Impact
- Functionality Impact if Roadway is Not Already Improved
- Study_Area_Segments
- Cities
- Mather Airport
- Jackson Township Project

Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 063

Plate TC-17: Existing Plus Alternative 2 Functionality Impacts

Table TC-389: Alternative 2 Functionality Impacts

ID	Roadway	Segment		Jurisdiction	Existing Substandard Roadways				Existing Plus Alternative 2			
		From	To		Travel Lanes	Pavement (ft)	Substandard ¹ ?	Existing Volume	Travel Lanes	Substandard ¹ ?	Forecasted Volume	Functionality Impact ² ?
15	Douglas Rd	Mather Blvd	Zinfandel Dr	County	2	23	Yes	6,635	2	Yes	7,660	Yes
16	Douglas Rd	Zinfandel Dr	Sunrise Blvd	Rancho Cordova/ County	2	23	Yes	8,369	2	Yes	8,990	Yes
19	Eagles Nest Rd	Kiefer Blvd	Jackson Rd	County	2	20	Yes	740	2	Yes	1,960	No
20	Eagles Nest Rd	Jackson Rd	Florin Rd	County	2	<21	Yes	517	2	Yes	1,650	No
21	Eagles Nest Rd	Florin Rd	Grant Line Rd	County	2	<21	Yes	189	2	Yes	1,230	No
25	Elder Creek Rd	South Watt Ave	Hedge Ave	County	2	23	Yes	5,576	2	Yes	8,730	Yes
26	Elder Creek Rd	Hedge Ave	Mayhew Rd	County	2	23	Yes	5,797	2	Yes	9,010	Yes
27	Elder Creek Rd	Mayhew Rd	Bradshaw Rd	County	2	23	Yes	5,355	2	Yes	9,020	Yes
28	Elder Creek Rd	Bradshaw Rd	Excelsior Rd	County	2	23	Yes	2,158	2	Yes	9,780	Yes
30	Excelsior Rd	Kiefer Blvd	Jackson Rd	County	2	22	Yes	3,716	2	Yes	13,870	Yes
31	Excelsior Rd	Jackson Rd	Elder Creek Rd	County	2	<21	Yes	5,075	2	Yes	15,650	Yes
32	Excelsior Rd	Elder Creek Rd	Florin Rd	County	2	<21	Yes	4,203	2	Yes	6,850	Yes
33	Excelsior Rd	Florin Rd	Gerber Rd	County	2	<21	Yes	5,423	2	Yes	7,580	Yes
34	Excelsior Rd	Gerber Rd	Calvine Rd	County	2	<21	Yes	4,229	2	Yes	5,350	No
39	Florin Rd	South Watt Ave	Hedge Ave	County	2	22	Yes	7,718	2	Yes	9,520	Yes
40	Florin Rd	Hedge Ave	Mayhew Rd	County	2	22	Yes	6,312	2	Yes	8,640	Yes
41	Florin Rd	Mayhew Rd	Bradshaw Rd	County	2	22	Yes	6,317	2	Yes	8,680	Yes
42	Florin Rd	Bradshaw Rd	Excelsior Rd	County	2	22	Yes	3,478	2	Yes	5,340	No
43	Florin Rd	Excelsior Rd	Sunrise Blvd	County	2	22	Yes	3,835	2	Yes	4,390	No
48	Fruitridge Rd	South Watt Ave	Hedge Ave	City of Sacramento/ County	2	22	Yes	2,890	2	Yes	2,560	No
49	Fruitridge Rd	Hedge Ave	Mayhew Rd	County	2	22	Yes	1,790	2	Yes	1,190	No
50	Grant Line Rd	White Rock Rd	Douglas Rd	Rancho Cordova/ County	2	22	Yes	7,189	2	Yes	8,530	Yes
58	Happy Ln	Old Placerville Rd	Kiefer Blvd	County	2	22	Yes	4,635	2	Yes	6,610	Yes

ID	Roadway	Segment		Jurisdiction	Existing Substandard Roadways				Existing Plus Alternative 2			
		From	To		Travel Lanes	Pavement (ft)	Substandard ¹ ?	Existing Volume	Travel Lanes	Substandard ¹ ?	Forecasted Volume	Functionality Impact ² ?
59	Hedge Ave	Jackson Rd	Fruitridge Rd	County	2	22	Yes	3,061	2	Yes	2,570	No
60	Hedge Ave	Fruitridge Rd	Elder Creek Rd	City of Sacramento/ County	2	22	Yes	3,737	2	Yes	3,880	No
61	Hedge Ave	Elder Creek Rd	Florin Rd	County	2	22	Yes	2,722	2	Yes	2,990	No
70	Jackson Rd	Bradshaw Rd	Excelsior Rd	County	2	26	Yes	13,030	2	Yes	26,390	Yes
71	Jackson Rd	Excelsior Rd	Eagles Nest Rd	County	2	26	Yes	10,478	4	No	32,560	Yes ³
74	Kiefer Blvd	Florin Perkins Rd	South Watt Ave	City of Sacramento/ County	2	22	Yes	4,616	2	Yes	4,770	No
77	Kiefer Blvd	Bradshaw Rd	Happy Ln	County	2	22	Yes	4,618	2	Yes	5,580	No
78	Kiefer Blvd	Zinfandel Dr	Sunrise Blvd	County	2	22	Yes	656	2	Yes	1,940	No
83	Mather Blvd- Excelsior Rd ⁴	Douglas Rd	Kiefer Blvd	County	2	22	Yes	6,751	2	Yes	8,680	Yes
89	Mayhew Rd	Jackson Rd	Fruitridge Rd	County	2	22	Yes	1,616	2	Yes	990	No
116	White Rock Rd	Fitzgerald Rd	Grant Line Rd	Rancho Cordova/ County	2	20	Yes	2,490	2	Yes	2,410	No
123	Zinfandel Dr	Douglas Rd	Kiefer Blvd	County	2	<21	Yes	2,848	2	Yes	6,860	Yes

Note: Gray shading indicates changes in travel lanes or facility type that the project is responsible to provide. For all roadway segments to be widened, the project is responsible to build the entire roadway to County standards.

¹ Substandard rural roads are defined as rural, 2-lane roadway segments with travel lanes narrower than 12 feet and/or roadside shoulders narrower than 6 feet.

² Functionality impacts are triggered when a substandard rural road increases over a threshold of 6,000 ADT, or for a roadway already above 6,000 ADT, increases by more than 600 ADT.

³ The potential for an impact exists should the project generate traffic volumes on the roadway exceeding 6,000 ADT, or increasing more than 600 ADT on a roadway already above 6,000 ADT, prior to the construction of roadway improvements.

⁴ Excluding the roadway segment that is within the developed community of Independence at Mather.

⁵ The functionality impact is mitigated by improving the roadway to County standards, including widening travel lanes to 12 feet and/or widening or providing paved shoulders to 6 feet.

Red text with light gray shading indicate project impacts.

Table TC-3940: Alternative 2 Functionality Impacts with Mitigation

ID	Roadway	Segment		Existing (Alternative 2)				Mitigation	Impact after Mitigation?
		From	To	Travel Lanes	Substandard? ¹	Forecasted Volume	Functionality Impact? ²		
15	Douglas Rd	Mather Blvd	Zinfandel Dr	2	Yes	7,660	Yes	Widen to County standards ⁵	No
16	Douglas Rd	Zinfandel Dr	Sunrise Blvd	2	Yes	8,990	Yes	Widen to County standards ⁵	No
25	Elder Creek Rd	South Watt Ave	Hedge Ave	2	Yes	8,730	Yes	Widen to County standards ⁵	No
26	Elder Creek Rd	Hedge Ave	Mayhew Rd	2	Yes	9,010	Yes	Widen to County standards ⁵	No
27	Elder Creek Rd	Mayhew Rd	Bradshaw Rd	2	Yes	9,020	Yes	Widen to County standards ⁵	No
28	Elder Creek Rd	Bradshaw Rd	Excelsior Rd	2	Yes	9,780	Yes	Widen to County standards ⁵	No
30	Excelsior Rd	Kiefer Blvd	Jackson Rd	2	Yes	13,870	Yes	Widen to County standards ⁵	No
31	Excelsior Rd	Jackson Rd	Elder Creek Rd	2	Yes	15,650	Yes	Widen to County standards ⁵	No
32	Excelsior Rd	Elder Creek Rd	Florin Rd	2	Yes	6,850	Yes	Widen to County standards ⁵	No
33	Excelsior Rd	Florin Rd	Gerber Rd	2	Yes	7,580	Yes	Widen to County standards ⁵	No
39	Florin Rd	South Watt Ave	Hedge Ave	2	Yes	9,520	Yes	Widen to County standards ⁵	No
40	Florin Rd	Hedge Ave	Mayhew Rd	2	Yes	8,640	Yes	Widen to County standards ⁵	No
41	Florin Rd	Mayhew Rd	Bradshaw Rd	2	Yes	8,680	Yes	Widen to County standards ⁵	No
50	Grant Line Rd	White Rock Rd	Douglas Rd	2	Yes	8,530	Yes	Widen to County standards ⁵	No
58	Happy Ln	Old Placerville Rd	Kiefer Blvd	2	Yes	6,610	Yes	Widen to County standards ⁵	No
70	Jackson Rd	Bradshaw Rd	Excelsior Rd	2	Yes	26,390	Yes	Widen to County standards ⁵	No

ID	Roadway	Segment		Existing (Alternative 2)				Mitigation	Impact after Mitigation?
		From	To	Travel Lanes	Substandard? ¹	Forecasted Volume	Functionality Impact? ²		
71	Jackson Rd	Excelsior Rd	Eagles Nest Rd	4	No	32,560	Yes ³	Widen to County standards ⁵	No
83	Mather Blvd-Excelsior Rd ⁴	Douglas Rd	Kiefer Blvd	2	Yes	8,680	Yes	Widen to County standards ⁵	No
123	Zinfandel Dr	Douglas Rd	Kiefer Blvd	2	Yes	6,860	Yes	Widen to County standards ⁵	No

Red text with light gray shading indicate project impacts.

Note: Gray shading indicates changes in travel lanes or facility type that the project is responsible to provide. For all roadway segments to be widened, the project is responsible to build the entire roadway to County standards.

1 Substandard rural roads are defined as rural, 2-lane roadway segments with travel lanes narrower than 12 feet and/or roadside shoulders narrower than 6 feet.

2 Functionality impacts are triggered when a substandard rural road increases over a threshold of 6,000 ADT, or for a roadway already above 6,000 ADT, increases by more than 600 ADT.

3 The potential for an impact exists should the project generate traffic volumes on the roadway exceeding 6,000 ADT, or increasing more than 600 ADT on a roadway already above 6,000 ADT, prior to the construction of roadway improvements.

4 Excluding the roadway segment that is within the developed community of Independence at Mather.

5 The functionality impact is mitigated by improving the roadway to County standards, including widening travel lanes to 12 feet and/or widening or providing paved shoulders to 6 feet.

21 SUMMARY OF IMPACTS AND THEIR DISPOSITION

SUMMARY OF IMPACTS BY SIGNIFICANCE DETERMINATION

The following provides a summary of the conclusions reached in the evaluation of the Project in Chapters 4 through 20 of this draft environmental impact report (EIR). For a tabulated summary of the effects of the Project and Alternative 2, applicable mitigation, and significance determinations, refer to Table ES-1 in the Executive Summary.

SIGNIFICANT EFFECTS WHICH CANNOT BE AVOIDED

Section 15126.2(b) of the State CEQA Guidelines requires that an EIR describe any significant impacts that cannot be avoided, even with the implementation of feasible mitigation measures. The evaluation of resources in Chapters 4 through 20 of this Draft EIR identifies significant impacts in aesthetics, agricultural resources, air quality, biological resources, hydrology and water quality, noise, and traffic and circulation that remain significant and unavoidable after mitigation.

AESTHETICS

DEGRADATION OF EXISTING VISUAL CHARACTER OR QUALITY

While the Project includes adoption of Design Guidelines and Development Standards (Appendices B and A of the Jackson Township Specific Plan, respectively) and would implement a cohesive landscaping program to ensure an attractive new development that would integrate the new uses with an adjacent preserve, the change in visual character would be permanent and drastic, regardless of whether or not the new development community would be visually appealing. To sensitive viewer groups, particularly area residents, this could be perceived as a substantial degradation. Design guidelines and policies that would guide the visual characteristics of development are already required for the Project. The Project also includes a large open space preserve. No other feasible mitigation is available to reduce the magnitude of visual changes that would occur.

NEW SOURCES OF LIGHT

Although upward and spillover lighting would be minimized due to the strict lighting standards that would be adopted as part of the Project, implementation of the Project would introduce a substantial amount of new lighting to an area that is currently rural and largely unlit, thereby adversely affecting nighttime views of the Plan Area. Further, although it is anticipated that the Sacramento Raceway property would eventually be developed and converted to urban uses (which would reduce spillover lighting from that property), this parcel is currently a non-participating property that may remain in its current state during project buildout. The tall light standards that light the racetrack and buildings could have a negative effect on proposed land uses. There is no mitigation available to reduce this impact because the Project Applicant and the County do not have ownership control of the property.

AGRICULTURAL RESOURCES

CONVERT PROTECTED ONSITE FARMLAND TO NON-AGRICULTURAL USES

Implementation of the Project would convert approximately ~~3~~ 1 acres of Prime Farmland located near the center of the Plan Area, and ~~79~~ 61 acres of Farmland of Local Importance to non-agricultural use. This represents roughly ~~8~~ 44 percent of the average annual conversion of Important Farmland in Sacramento County. Implementation of Mitigation Measure AG-1 would require preservation of Farmland ~~at a 1:1 ratio~~, consistent with Policy AG-5 of Sacramento County's 2030 General Plan. While this mitigation would require preservation of existing agricultural lands, new agricultural soils would not be created. There would be a substantial net-loss of agricultural production within Sacramento County because of the Project.

AIR QUALITY

OPERATIONAL EMISSIONS OF CRITERIA POLLUTANTS AND PRECURSORS (PROJECT ONLY)

Development of the Project would result in the generation of long-term operational emissions of reactive organic gases (ROG), oxides of nitrogen (NO_x), and particulate matter (PM₁₀ and PM_{2.5}) because of mobile, stationary, and area-wide sources. Mobile-source emissions of criteria air pollutants and precursors would result from vehicle trips generated by residents, users of the parks, students at the schools, employee commute trips, and other associated vehicle trips (e.g., delivery of supplies, maintenance vehicles for commercial and retail land uses). Stationary and area-wide sources would include the combustion of natural gas for space and water heating (i.e., energy use), the use of landscaping equipment and other small equipment, the periodic application of architectural coatings, and ROG from the use of consumer products.

Mitigation would include implementation of an Air Quality Mitigation Plan (AQMP) which would be verified by the Sacramento Metropolitan Air Quality Management District (SMAQMD). To achieve the 35 percent reduction target, the plan would introduce traffic calming measures, electric vehicle infrastructure, building energy efficiency design features, and high efficiency appliances and lighting. However, emissions of ROG, NO_x, PM₁₀, and PM_{2.5} could remain in exceedance of the SMAQMD mass emissions thresholds for operation. The Project and Alternative 2 are expected to generate emissions of NO_x and PM₁₀ at levels above the applicable operational thresholds of significance following compliance with SMAQMD's AQMP requirement. No additional, feasible mitigation has been identified reduce these emissions to a level that would not exceed these criteria.

Projects that emit criteria air pollutants in exceedance of SMAQMDs thresholds would contribute to the regional degradation of air quality within the Plan Area that could result in adverse human health impacts. Acute exposure to criteria air pollutants can cause coughing, chest pain, shortness of breath, eye and throat irritation, lung scarring, and may aggravate preexisting cardiovascular and respiratory illness (e.g., asthma). Chronic exposure to criteria pollutants may result in permanent lung and heart impairment, chronic coughing, cancer, decreased immune function in children, and premature death. As explained in Chapter 6, "Air Quality," the scientific and regulatory community has not

yet developed a tool to map or locate where human health impacts may occur from implementation of the Project.

CONSISTENCY WITH AN APPLICABLE AIR QUALITY PLAN

~~The Clean Air Plan, or State Implementation Plan (SIP), for attaining the federal 1-hour ozone standard in the Sacramento Air Basin includes assumptions and allowances for growth and development in the region and details the control measures and Best Management Practices that must be used for the region to make progress toward attainment. The current SIP is based on the 2016 Metropolitan Transportation Plan/Sustainable Communities Strategy (MTP/SCS); however, the land use pattern in the 2016 and current MTP/SCS show the Plan Area as a “developing community” and “blueprint growth footprint not identified for development in the MTP/SCS planning period.” Application of the provisions of Mitigation Measures AQ-1a and AQ-1b would reduce construction emissions to below SMAQMD’s thresholds of significance; however, Mitigation Measure AQ-2 would not produce sufficient reductions in NO_x and PM₁₀ such that the SMAQMD operational mass emissions thresholds would be met. Based on SMAQMD guidance, projects that emit criteria air pollutants and ozone precursors in exceedance of these thresholds would have a cumulatively considerable impact to regional air quality and would not be consistent with regional or statewide plans (e.g., SIP).~~

BIOLOGICAL RESOURCES

SOUTH SACRAMENTO HABITAT CONSERVATION PLAN CONSISTENCY (PROJECT ONLY)

The Project could result in conflicts with the SSHCP. Currently, the SSHCP has been adopted by the County and is being implemented. The Project is specifically addressed in the SSHCP (County of Sacramento et al. 2018) and approximately 225 acres of onsite preserve and a specific Avoidance and Minimization Measure related to changes to the channel of Elder Creek are identified as requirements for inclusion of the Project under the SSHCP. Furthermore, the proposed preserve in the Plan Area is part of Core Preserve C2 (County of Sacramento et al. 2018) which is a key part of the SSHCP Conservation Strategy. As proposed, the Project would include 214.3 acres of wetland preserve, which does not meet the 225 acres of preservation within the Plan Area that is part of the SSHCP Conservation Strategy. In addition, the Project would not strictly conform to the requirements for stream channel re-routing, widening, or deepening set forth in the SSHCP. However, Appendix K to the SSHCP includes a variance to Avoidance and Minimization Measure STREAM-5 for the Project and Mitigation Measures BR-1 through BR-5 would reduce this inconsistency by requiring permits from the appropriate regulatory agencies and the implementation of Avoidance and Minimization Measures included in those permits. In addition, the Project has potential impacts associated with light spilling over into the adjacent preserves, and the potential introduction and/or spread of invasive weed species due to construction activities such as grading. This would be inconsistent with SSHCP requirements. While implementation of Mitigation Measures BR-1 through BR-5 would reduce project inconsistencies with the SSHCP related to Elder Creek, the smaller preserve area would remain inconsistent with the SSHCP Conservation Strategy.

HYDROLOGY AND WATER QUALITY

FLOODING OF BEACH STONE LAKES

The Plan Area is located approximately 16 miles upstream of the Beach Stone Lakes (BSL area), within the Morrison Creek Stream Group that contributes runoff to the BSL area. An assessment of the Project's potential to exacerbate the existing flooding conditions indicates that the Project would result in a minimal increase in floodplain depth (less than 0.5 inch) that could potentially affect a small number of existing structures (12 total) in the BSL area. The County has adopted and levied the Beach Stone Lake Flood Volume Mitigation Fee to address the contribution of upstream projects to flooding impacts in the BSL area. Development projects in the Morrison Creek Stream Group are required to pay fees that fund the County's efforts in the area. Mitigation Measure HYD-43 requires payment into the County's BSL mitigation fund, which provides financial assistance to the programs the County has in place to reduce the cumulative flooding impact. However, flooding impacts may still occur in the BSL area.

NOISE

CONSTRUCTION NOISE

Construction activity associated with the development of land uses included in the Project, as well as Project-related infrastructure, would result in construction noise. Nighttime construction activity associated with project implementation could result in impacts to sensitive receptors. If Project construction activity were to occur during nighttime hours, implementation of Mitigation Measure NOI-1 would ensure compliance with all applicable noise reduction strategies for noise-generating construction activity. These strategies would ensure, to the extent possible, that nighttime construction activities comply with the County's noise standards. However, even with implementation of Mitigation Measure NOI-1, some construction activity could still exceed the County's construction noise standard of 50 L_{eq} dB and 70 L_{max} dB during nighttime hours (10:00 p.m. and 7:00 a.m.). It is estimated that the noise level reductions achieved by this set of measures (i.e., up to 10 dB), specifically the restriction on the use of pile drivers during nighttime hours and use of temporary noise curtains, would result in construction noise levels as high as approximately 83 L_{eq} dB and 87 L_{max} dB at 25 feet. Such construction activity would exceed the County's construction exterior noise standard of 50 L_{eq} dB and 70 L_{max} dB during nighttime hours (10:00 p.m. and 7:00 a.m.). In addition, based on the relationship between exterior and interior noise standards, interior noise standards would also be exceeded.

OPERATIONAL TRAFFIC NOISE

Project implementation would result in the generation of new vehicle trips from the development of new land uses in the Plan Area. Traffic noise levels along the section of Excelsior Road where traffic noise increases would exceed Sacramento County's transportation noise standard would increase from 61 dB L_{dn} under existing conditions to 66 dB L_{dn} under existing plus Project conditions. There are several sensitive receptors (single-family residential units) along this portion of Excelsior Road that would

experience an increase in traffic noise levels above 65 dB L_{dn} as a result of project implementation.

Mitigation Measure NOI-3 could reduce traffic noise levels along affected roadways. However, it is not known whether the mitigation measure would fully reduce traffic noise levels along affected roadways to below Sacramento County's transportation noise standard of 65 dB L_{dn} because there is no guarantee that residents would accept the offer of a sound barrier. Mitigation Measures NOI-4 would reduce the traffic noise levels between 4 to 6 dB along this segment of Excelsior Road, resulting in a noise level of 60 to 62 dB L_{dn} and below Sacramento County's transportation noise standard of 65 dB L_{dn} . However, implementation of Mitigation Measures NOI-4 would occur during the next repaving of this roadway segment or during any roadway widening project that would occur on this roadway segment. As a result, the traffic noise impact occurring on this roadway segment (Excelsior Road between Jackson Road [also referred to as Jackson Highway] and Elder Creek Road) may occur before Mitigation Measures NOI-4 is implemented, resulting in an impact to sensitive receptors along this roadway segment.

STATIONARY NOISE SOURCES

Project implementation would result in the development of various land uses (e.g., residential, commercial/retail, research and development), which would include new noise-generating stationary equipment, as well as land uses with new noise-generating activity areas (e.g., loading dock areas). While the land use plan (see Plate PD-16 in Chapter 2, "Project Description") provides the location of each of the new land uses, the specific location of the new stationary equipment and noise-generating activity areas within these land uses is unknown. As a result, the development of new land uses that would include stationary equipment and/or new noise generating activity areas could be located in close proximity to existing and/or new noise sensitive land uses and could result in noise levels that exceed the County's Non-Transportation Noise Standards of 55 L_{50} and 75 L_{max} during the daytime and 50 L_{50} and 70 L_{max} during the nighttime and could also exceed the County's interior noise standard of 35 L_{eq}/L_{50} and 55 L_{max} (listed in Table NOI-7) during nighttime hours. As discussed, the Sacramento County Design Guidelines include design policies encouraging applicants to consider noise impacts in the siting of new loading docks and place loading docks away from residential areas, and use architectural and landscaping strategies to reduce noise impacts.

Mitigation Measure NOI-5 requires new residential development to conduct a site-specific noise study prepared by a qualified acoustical engineer addressing interior noise levels in residential units before the issuance of building permits. Mitigation Measure NOI-6 would serve to reduce exposure to existing sensitive receptors from proposed stationary noise sources including mechanical equipment and loading dock areas through site design features and site-specific constraints from stationary noise sources. Mitigation Measure NOI-7 would require that noise-sensitive land uses that would be exposed to noise from the Sacramento Raceway above applicable standards be designed in such a way to reduce noise exposure to these land uses. However, it is not guaranteed that the site design of these land uses would reduce noise exposure from the Sacramento Raceway to the below the County's applicable standards. No additional feasible mitigation is available to reduce this impact.

SUBSTANTIAL INCREASE IN EXISTING AMBIENT NOISE LEVELS

Project land uses that result in new vehicle trip generation would contribute to traffic volume increases along roadways in and around the Plan Area and increase traffic related noise levels in the surrounding area. Implementation of Mitigation Measure NOI-8 would require the Project Applicant to offer the owners of residences along affected roadway segments the construction of a sound barrier that would ensure that the incremental increase in traffic noise is less than 5 dB L_{dn}. If developed, sound barriers would reduce traffic noise level increases to below the 5-dB incremental increase threshold applicable to noise sensitive land uses along affected roadway segments. However, the offer to construct a sound barrier does not guarantee that all owners of these residential land uses would agree to construction of a sound barrier. Mitigation Measure NOI-9 would reduce incremental traffic noise level increases along affected roadways using rubberized asphalt. However, it is not known whether Mitigation Measure NOI-9 would reduce the incremental traffic noise increase on ambient noise levels.

TRAFFIC AND CIRCULATION

VEHICLE MILES TRAVELED

As described in Chapter 20, "Traffic and Circulation," of this ~~Recirculated~~ Draft EIR, analysis of vehicle miles traveled (VMT) is provided only for Alternative 2. Based on modeling, VMT generated under Alternative 2 would exceed the VMT significance thresholds for residential lands and office land uses. Implementation of Mitigation Measures TR-1, TR-2, and TR-3 would pay for bus and/or shuttle operations between the Project and the Manlove Light Rail Station and would identify and fund additional Trip Reduction Services. However, it cannot be guaranteed that the implementation of Mitigation Measures TR-1, TR-2, and TR-3 would reduce VMT impacts to less-than-significant levels because the specific elements of the VMT-reducing mitigation measures that would be implemented are unknown at this time, and uncertainty exists related to the VMT reductions that would be achieved. (Note, however, that Mitigation Measure CC-2 in Chapter 9, "Climate Change," does mitigate GHG from VMT to Senate Bill 743 target levels.) Although modeling and analysis of the Project has not been conducted, the impact would likely be similar to Alternative 2 based on the similarity of the land plans and the feasible mitigation available to address impacts.

ROADWAY FUNCTION

The Project would result in functionality impacts along 19 roadway segments within the Project study area. Implementation of LOS Improvement Measures TR-4, TR-5, and Mitigation Measure TR-11 would result in fair share payment toward improvements that would reduce the impacts of the Project. However, it cannot be guaranteed that all these improvements would be implemented concurrent with the phasing of development proposed for the Project because of the dynamic and interrelated nature of mitigation improvements that would serve multiple development projects. If all improvements were implemented in a timely way, all impacts would be reduced to a less-than-significant level. However, because the timing of implementation of all required improvements cannot be guaranteed and is not subject to the sole responsibility of the Project

Applicant and/or the County, it cannot be guaranteed that significant impacts to roadway functionality would be reduced to a less-than-significant at the time of development.

SIGNIFICANT EFFECTS WHICH COULD BE AVOIDED WITH IMPLEMENTATION OF MITIGATION MEASURES

The following impacts were determined to be less than significant with mitigation upon being evaluated in ~~the Draft~~ this EIR.

AIR QUALITY

CONSTRUCTION EMISSIONS OF CRITERIA AIR POLLUTANTS AND PRECURSORS

Construction activities associated with the Project would result in the use of construction vehicles, operation of automobiles for worker trips, and other miscellaneous activities (e.g., building construction, asphalt paving, application of architectural coatings). Fugitive dust emissions of PM₁₀ and PM_{2.5} are associated primarily with site preparation and vary as a function of soil silt content, soil moisture, wind speed, acreage of disturbance, and vehicle miles traveled on and off the site. Emissions of ozone precursors, ROG and NO_x, are associated primarily with construction equipment and on-road mobile exhaust. Paving and the application of architectural coatings results in off-gas emissions of ROG. PM₁₀ and PM_{2.5} are also contained in vehicle exhaust.

OPERATIONAL EMISSIONS OF CRITERIA POLLUTANTS AND PRECURSORS

Development of the Project would result in the generation of long-term operational emissions of reactive organic gases (ROG), oxides of nitrogen (NO_x), and particulate matter (PM₁₀ and PM_{2.5}) because of mobile, stationary, and area-wide sources. Mobile-source emissions of criteria air pollutants and precursors would result from vehicle trips generated by residents, users of the parks, students at the schools, employee commute trips, and other associated vehicle trips (e.g., delivery of supplies, maintenance vehicles for commercial and retail land uses). Stationary and area-wide sources would include the combustion of natural gas for space and water heating (i.e., energy use), the use of landscaping equipment and other small equipment, the periodic application of architectural coatings, and ROG from the use of consumer products.

Mitigation would include implementation of an Air Quality Mitigation Plan (AQMP) verified by the Sacramento Metropolitan Air Quality Management District (SMAQMD). To achieve the 35 percent reduction target, the plan would introduce traffic calming measures, electric vehicle infrastructure, building energy efficiency design features, and high efficiency appliances and lighting. With implementation of the AQMP, emissions would decrease by at least 35 percent.

EXPOSURE OF SENSITIVE RECEPTORS TO TACs

Sensitive receptors could be exposed to toxic air contaminants (TACs), especially diesel fuel, during construction and operation of the Project. Construction-related activities would result in temporary, intermittent emissions of diesel PM from the exhaust of off-road, heavy-duty diesel equipment for site preparation (e.g., demolition, clearing, grading); paving; application of architectural coatings; on-road truck travel; and other

miscellaneous activities. Operation of some land uses developed under Project would result in new sources of TACs associated with new vehicular trips on existing and new roadways, as well as new sources of diesel PM associated with commercial loading docks visited by diesel-powered delivery trucks and backup diesel generators. Construction activities would not expose new or sensitive receptors to TACs, and mitigation that would reduce exposure of sensitive receptors to loading docks would reduce operational impacts.

CONSISTENCY WITH AN APPLICABLE AIR QUALITY PLAN

Emissions of ROG and NOx would be reduced by more than 35 percent with implementation of the AQMP commitments required through mitigation. When not accounted for in the MTP/SCS, SMAQMD considers projects that achieve a 35 percent decrease in emissions to be consistent with the State Implementation Plan.

AIRPORT COMPATIBILITY

SAFE AND EFFICIENT USE OF NAVIGABLE AIRSPACE

The Project includes standards and guidelines that encourage consistency with the CLUP. With implementation of Mitigation Measure AC-1, upon acceptance of completed applications for development within the Plan Area, the County would send the Project information to the ALUC for consistency review. Sacramento Area Council of Governments (SACOG) staff would identify the land use compatibility standards that apply to the project and determine whether the project is compatible, compatible subject to specific conditions, or incompatible. A formal consistency review would be subsequently transmitted to the County. If the project is determined to be incompatible with the CLUP, it cannot be approved by the County unless action is taken to overrule the ALUC determination. The overrule action is subject to the requirement for making specific findings. This review process would ensure that development would not interfere with the safe and efficient use of navigable air space.

BIOLOGICAL RESOURCES

LOSS OF HABITAT FOR VERNAL POOL INVERTEBRATES

While the Project would avoid some vernal pools, swales and seasonal wetlands by including some of these features in the wetland preserve, the Project nonetheless would result in the loss of suitable and occupied vernal pool invertebrate habitat within the Plan Area, and death of federally listed vernal pool fairy shrimp and vernal pool tadpole shrimp in occupied habitat. The Project Applicant would be required to obtain coverage under the South Sacramento Habitat Conservation Plan (SSHCP) under Mitigation Measure BR-1. This mitigation measure would reduce potentially significant impacts on vernal pool invertebrates to less than significant with mitigation because this measure would require the Project Applicant to participate in the SSHCP reserve system through fee payment or land dedication to offset habitat loss and implement onsite avoidance and minimization measures.

SPECIAL-STATUS PLANTS

Project implementation would result in removal of suitable vernal pool habitat for special-status vernal pool plants and Sanford's arrowhead. The loss of potential habitat could reduce local and regional population numbers of plant species that are rare, increasing the potential that these species could become listed as threatened or endangered under CESA or ESA in the future. The Project Applicant would be required to seek and obtain coverage under the SSHCP. Implementation of Mitigation Measure BR-1 would reduce impacts on special-status plants through survey and avoidance or compensatory mitigation on an established SSHCP Preserve.

HABITAT FOR VALLEY ELDERBERRY LONGHORN BEETLE

Elderberry shrubs are the host plant for valley elderberry longhorn beetle. No elderberry shrubs have been found on the Applicant-owned property; however, the non-participating properties have not been surveyed and elderberry shrubs may be present in those areas. Should elderberry shrubs occur on the non-participating properties, then future construction in this portion of the Plan Area could remove elderberry shrubs or result in decreased vigor of shrubs due to creation of dust during construction. The loss or decrease in vigor of elderberry shrubs may result in a further reduction in the population of valley elderberry longhorn beetle, which is currently listed as threatened under the ESA. The Project Applicant would obtain coverage under the SSHCP, as described in Mitigation Measure BR-1. Implementation of Mitigation Measure BR-1 would provide development fees or land dedication in accordance with that Plan and implement all Avoidance and Minimization Measures, thereby reducing impacts on valley elderberry longhorn beetle.

BURROWING OWLS AND HABITAT

Mitigation Measure BR-1, would provide development fees or land dedication in accordance with that plan and implement all applicable Avoidance and Minimization Measures based on the occurrence maps included in the SSHCP, including those specific to western burrowing owl. Therefore, the impacts on western burrowing owl would be reduced.

TRICOLORED BLACKBIRD NESTING AND FORAGING HABITAT

Abandonment of an active tricolored blackbird colony and associated loss of numerous nests containing eggs or young could result in a substantial decline in the local nesting population of tricolored blackbirds and contribute to the statewide decline of this species that has recently been listed as threatened by the California Fish and Game Commission because of rapid declines in population numbers and substantial widespread habitat loss. The Project Applicant implement Mitigation Measure BR-1, which would reduce impacts.

SWAINSON'S HAWK FORAGING HABITAT

The loss of Swainson's hawk foraging habitat would contribute to the continuing loss of valuable habitat from a core population center in the Sacramento Valley and further decline of a species that is listed as threatened under CESA. Implementation of Mitigation Measure BR-1 would reduce impacts on Swainson's hawk, because

participation in the SSHCP would result in preservation of Swainson's hawk foraging habitat in a coordinated and interconnected SSHCP reserve system that considers the species requirements at a regional scale rather than project-by-project and presents a coordinated conservation strategy to maintain species viability in the region over the long term.

SWAINSON'S HAWK NESTING HABITAT

Mitigation Measure BR-1, described above, would result in preservation of Swainson's hawk nesting and foraging habitat in a coordinated and interconnected SSHCP reserve system that considers the species requirements at a regional scale rather than project-by-project and presents a coordinated conservation strategy to maintain species viability in the region over the long term. The SSHCP conservation strategy includes surveys, nest buffers, and monitoring that would meet the requirements for CDFW to issue an incidental take permit for the project.

DISTURBANCE OR LOSS OF OTHER SPECIAL-STATUS BIRD NESTS

Cooper's hawk, white-tailed kite, grasshopper sparrow, song sparrow (Modesto population), yellow-headed blackbird, northern harrier, and loggerhead shrike are not known to nest in the Plan Area; however, these species have a moderate to high potential for occurrence in the Plan Area because suitable nesting and foraging habitat are present. Project construction could remove or disturb active nests of special-status birds potentially resulting in nest abandonment by the adults and mortality of chicks and eggs. Loss of chicks and eggs of these special-status species could reduce population levels and contribute to a trend toward these species becoming threatened or endangered in the future, which would be a potentially significant impact. Mitigation Measures BR-1 and BR-2 would reduce potentially significant impacts on special-status bird nests because these measures require that active nests in the construction area or vicinity be identified and avoided or monitored so that Project construction would not result in nest abandonment and loss of eggs or young. The Project Applicant would mitigate impacts to Cooper's hawk, white-tailed kite, northern harrier, and loggerhead shrike under the SSHCP (Mitigation Measure BR-1) and avoid loss of active nests of these species and death of individuals. Mitigation Measure BR-1 would require development fees or land dedication in accordance and implementation of all applicable Avoidance and Minimization Measures based on the occurrence maps included in the SSHCP, including those specific to Cooper's hawk, white-tailed kite, northern harrier, and loggerhead shrike. Implementation of Mitigation Measure BR-1 would be in addition to implementing Mitigation Measure BR-2 for impacts to grasshopper sparrow, song sparrow (Modesto population) and yellow-headed blackbird, which are not a SSHCP covered species.

FORAGING HABITAT FOR OTHER SPECIAL-STATUS BIRDS

The Project has the potential to remove foraging habitat for the grasshopper sparrow, song sparrow (Modesto population), yellow-headed blackbird, loggerhead shrike, Cooper's hawk, ferruginous hawk, white-tailed kite, and northern harrier. The Project would result in the loss of 516.7 acres of suitable foraging habitat on Applicant-owned parcels. Should any part of the remaining AG-80 land (219 acres) be rezoned in the

future, that rezoning will also result in loss of foraging habitat for these species. Although, the Project would result in loss of foraging habitat, the Project Applicant is also proposing a 214.3-acre wetland preserve on a portion of the Plan Area. The development of the Plan Area would result in substantial negative effects to the sustainability of these species and, thus, impacts to the foraging habitat of special-status birds are potentially significant. The Project Applicant would obtain coverage under the SSHCP through Mitigation Measure BR-1, which would reduce impacts by requiring development fees or land dedication in accordance with the SSHCP and implementation of all Avoidance and Minimization Measures.

COMMON RAPTOR AND OTHER COMMON BIRD NESTS

The Plan Area provides suitable nesting habitat for many common raptors and other common nesting birds. Construction activities may impact nesting raptors and other common nesting birds if they occur in the Plan Area. Construction activities may also disturb raptor nests that occur within 500 feet of the Plan Area. Project construction could remove or disturb active nests, potentially resulting in nest abandonment by the adults and mortality of chicks and eggs. While loss of nests of common bird or raptor species (e.g., mourning dove, house sparrow, American kestrel, and barn owl) would not be considered a significant impact because it would not result in a substantial effect on their populations locally or regionally, cause any population to drop below self-sustaining levels, or result in a trend toward these species being listed as threatened or endangered, destruction of any bird nest is a violation of the Section 3503 of the California Fish and Game Code. Implementation of Mitigation Measures BR-2 and BR-3 would require the preconstruction nest surveys, prohibit the removal of trees during the breeding season for nesting birds unless a survey by a qualified biologist verifies that there is not an active nest in the tree, and implement buffers around nests which would reduce potentially significant impacts on nesting birds because these measures require that active nests in the construction area or vicinity be identified and avoided or monitored so that Project construction would not result in nest abandonment and loss of eggs or young. The Project Applicant would implement Mitigation Measure BR-1 and all relevant Avoidance and Minimization Measures. Implementation of Mitigation Measure BR-1 would be in addition to implementing BR-2 and BR-3 for impacts to common raptors and other birds that are not SSHCP covered species. By implementing Mitigation Measures BR-1, BR-2, and BR-3, impacts to common raptors and other common nesting birds would be reduced.

AMERICAN BADGER AND DENS

Annual grassland throughout the Plan Area represents suitable habitat for American badger and, although the potential for their occurrence in the Plan Area is low, nearby occurrences (Sacramento County 2014) indicate that there is suitable habitat present. And thus, there is potential for this species to den and forage in the Plan Area and Project development could result in direct mortality of individuals or loss of natal dens resulting in death of young either directly through destruction of the den or indirectly through disturbance that causes the mother to abandon her kits. The loss of foraging habitat in the Plan Area is not expected to decrease survival or reproduction of the species in the area because the completed Project would contain a large, contiguous

wetland preserve in an area of suitable habitat for badger. In the existing condition, this preserve is connected to other open space areas, and would therefore allow continued use of the site by badgers. Loss of individuals within the Plan Area could diminish the local population of this species and lower reproductive potential, which could contribute to further declines. However, implementation of Mitigation Measure BR-1 would reduce potentially significant impacts on American badger.

LOSS OF SPECIAL-STATUS BAT ROOSTS

Although the potential for occurrence of pallid bat and western red bat in the Plan Area is low, suitable foraging and roosting habitat is present and these species may roost onsite. Given the wide range of habitats suitable for foraging within the County, the loss of foraging habitat within the Plan Area is not likely to be substantial. If roosts and maternity colonies are present in mature trees and structures within the Plan Area, the removal of these trees and structures could result in the loss of bats and reproductive capacity, which could further reduce the population of bats in the region. For impacts to western red bat, the Project Applicant may obtain coverage under the SSHCP and implement Mitigation Measure BR-1. Mitigation Measure BR-1 would require development fees or land dedication in accordance with the SSHCP and implementation of all Avoidance and Minimization Measures, including those specific to western red bat. Implementation of Mitigation Measure BR-1 would be in addition to implementing Mitigation Measure BR-4 for impacts to pallid bat, which is not a SSHCP covered species.

LOSS OF WESTERN POND TURTLE HABITAT AND INDIVIDUALS

Suitable habitat for western pond turtle within the Plan Area consists of the perennial marsh areas, the large irrigation pond along Tree View Road, and surrounding uplands. Although the potential for western pond turtle to occur is low due to lack of hydrologic connection to known occupied habitat, the species may use the aquatic habitat onsite for foraging and nest in the uplands surrounding these features. Construction activities would result in fill of suitable aquatic habitat and potentially crush, bury, or disturb western pond turtles, or their nests, which would result in mortality of individual turtles and loss of reproduction should western pond turtles be present and nesting onsite. The loss of aquatic habitat and nests of western pond turtle due to construction activities would further reduce the population of this species in the region. Mitigation Measure BR-1 would require development fees or land dedication in accordance with that Plan and implementation of all Avoidance and Minimization Measures, including those specific to western pond turtles if modeled habitat for this species exists within the Plan Area.

WESTERN SPADEFOOT HABITAT AND INDIVIDUALS

In addition to the direct removal of habitat and loss of individuals, implementation of the Project could result in indirect impacts on western spadefoot as well. Potential indirect effects on individuals may include mortality related to an increase in vehicular traffic; mortality from landscaping maintenance activities including mowing, raking, weed whacking; noise and vibration disturbance causing toads to break dormancy; and exposure to herbicides, pesticides, and other toxins. Indirect effects on western

spadefoot habitat retained in the Plan Area preserve could result in habitat degradation leading to lower reproductive success of western spadefoot, and eventual elimination of this species from the affected habitat. These indirect effects could result from reduction in water quality and altered hydrology, litter and dumping, and introduction of invasive plant species.

Direct and indirect impacts to western spadefoot would be potentially significant because these effects could reduce local population numbers of a species that is rare in the region and statewide and has already experienced substantial declines and ongoing habitat losses. Loss and degradation of habitat and reduction in population numbers could contribute to a trend toward State or federal listing for western spadefoot. However, implementation of Mitigation Measures BR-1 would reduce potentially significant impacts on western spadefoot. Mitigation Measure BR-1 would require development fees or land dedication in accordance with that Plan and implementation of all Avoidance and Minimization Measures including those specific to western spadefoot.

LOSS OF WETLANDS AND OTHER WATERS

The proposed Wetland Preserve is intended to allow for onsite compensation for some of the Project-related loss of onsite wetlands and waters. As part of the creation of the wetland preserve, conservation easements would be placed over the preserve area to ensure that the area is set aside as a conservation area in perpetuity. Fill of wetlands and other waters within the Plan Area would constitute a substantial reduction in the quantity of wetlands and other waters in the region. The Project Applicant would be required to obtain coverage under the SSHCP and implement Mitigation Measure BR-1. Implementing Mitigation Measure BR-1 would result in mitigation of the loss of wetlands and other waters on Applicant-owned Parcels and additional loss on non-participating properties in the coordinated and interconnected SSHCP reserve system.

DISTURBANCE OF RIPARIAN HABITATS

Elder Creek, Morrison Creek, and three unnamed streams run through the Plan Area. These streams do not support riparian vegetation corridors within the Plan Area. While typical riparian tree species (e.g., black willow, black walnut, California sycamore, and Fremont cottonwood) do not occur in association with the creeks and streams on the Plan Area, these tree species occur in the Plan Area in association with the large irrigation pond and other small ponds. The banks of these ponds may support additional riparian species and function as riparian habitats. These ponds would be subject to disturbance from construction, and the removal of any riparian habitat that may occur would be a potentially significant impact. However, implementation of Mitigation Measure BR-5 would reduce potentially significant impacts on riparian habitat because this measure would require the Project Applicant to notify CDFW should activities have the potential to disturb the bed, bank, or associated riparian vegetation of any stream or pond on the Plan Area and comply with any mitigation required of a Streambed Alteration Agreement at a minimum 1:1 ratio.

LOSS OF NATIVE TREES

Implementation of the Project has the potential to result in the removal of, or encroachment within, some or all native tree resources within the Plan Area, although

the specific development and building footprints are unknown at this time. With the implementation of Specific Plan Policy 7.2.3, native trees would be preserved where feasible and non-native trees determined to be a potential fire hazard or high-VOC emitting species, such as eucalyptus, would be removed. Nonetheless, this analysis assumes that future grading and development would likely result in removal or mortality of most, if not all, trees in the Plan Area. However, considering specific parcel development plans are not part of the Project and tree health and size at the time of such development could be different than what was assessed in 2015, impacts on native trees associated with development cannot be definitively determined at this time. Implementation of Mitigation Measures BR-6 would reduce potentially significant impacts on native trees because this measure would require the Project Applicant to implement measures to protect native trees and provide compensation for native trees removed from the Plan Area.

SOUTH SACRAMENTO HABITAT CONSERVATION PLAN CONSISTENCY (ALTERNATIVE 2 ONLY)

Alternative 2 would set aside 259.8 acres, which is more than the 225 acres called for in the SSHCP Conservation Strategy, and this preserve area includes the portion of the important core preserve within Preserve Planning Unit 2 adjacent to the Mather Preserve planned as part of the SSHCP conservation strategy. However, the SSHCP acknowledges that the Project would re-route, widen, and deepen the portion of Elder Creek that runs through the Plan Area to provide stormwater drainage for the Project, and thus Alternative 2 would not strictly comply with the SSHCP Avoidance and Minimization Measure STREAM-5. Appendix K to the SSHCP allows a deviation from Avoidance and Minimization Measure STREAM-5 for the Project, in recognition of the fact that it will not have a substantial impact on the integrity of the SSHCP preserve system. In addition, this inconsistency would be addressed via implementation of Mitigation Measures BR-1 through BR-5.

CLIMATE CHANGE

PROJECT GREENHOUSE GAS EMISSIONS

Project-generated GHG emissions would exceed applicable Sacramento County thresholds of significance for transportation and result in a cumulatively considerable contribution to climate change. These levels of emissions also indicate that the Project would not be consistent with Sacramento County's CAP. Mitigation Measures CC-1 and CC-2 would require that the Project Applicant implement the project-specific Greenhouse Gas Reduction Plan (GHGRP) and/or other feasible, on-site GHG reduction mitigation measures sufficient to reduce operational GHG emissions to Sacramento County's per capita thresholds of significance for residential and nonresidential energy, and transportation. Application of Mitigation Measures CC-1 and CC-2 would provide the reductions required to meet the applicable thresholds of significance and, therefore, would reduce the Project's contribution to global climate change. If the County adopts a Communitywide Climate Action Plan, Mitigation Measure CC-3 provides that future development projects within the Jackson Township Specific Plan could ~~participate in~~ demonstrate consistency with the Climate Action Plan,

subject to a demonstration that the emissions reductions measures selected are equivalent or more effective to Mitigation Measures CC-1 and CC-2.

CULTURAL RESOURCES

CAUSE A SUBSTANTIAL ADVERSE CHANGE TO IN THE SIGNIFICANCE OF A HISTORICAL RESOURCES

Impacts to unevaluated resources within the 25-acre parcel added to the APE, and unknown resources within non-participating properties would be potentially significant, and further evaluation would be required. Implementation of Mitigation Measure CR-1 would reduce potentially significant impacts to historic resources because actions would be taken to record, evaluate, avoid, or otherwise treat the resource appropriately, in accordance with pertinent laws and regulations.

CAUSE A SUBSTANTIAL CHANGE TO ARCHAEOLOGICAL RESOURCES

No unique archaeological resources were identified as a result of studies conducted in the Excelsior Estates APE; however, there is the potential that ground disturbance during Project construction could encounter previously undiscovered or unrecorded archaeological sites and materials. Further, the non-participating areas have not been subject to archaeological survey. Given that previous artifacts have been discovered in the area, it is possible that buried archaeological materials are present within the remainder of the Plan Area. Such resources could be uncovered and damaged during ground disturbing activities associated with development. Implementation of Mitigation Measure CR-2 would reduce impacts associated with archaeological resources because it would require the performance of professionally accepted and legally compliant procedures for the discovery and protection of previously undocumented significant archaeological resources.

DISTURB HUMAN REMAINS

No human remains are known to be present within the Plan Area. However, it is possible that buried human remains could be located within the areas that have not been identified due to a lack of surficial evidence, and it is possible that human remains, particularly those outside a designated cemetery, may be encountered and disturbed during ground-disturbing construction activities related to development and implementation of the Project. Compliance with California Health and Safety Code Sections 7050.5 and 7052 and PRC Section 5097, which requires avoidance or minimization of disturbance of human remains, and appropriate treatment of any remains that are discovered would address this potential Project effect.

TRIBAL CULTURAL RESOURCES

There are no known tribal resources located within the Plan Area. A search of the NAHC's sacred lands file search did not reveal any known tribal resources. In addition, 14 Native American tribes with potential interests in the area were contacted as part of the 2014 Windmill study. This report only addressed the properties that were owned by the Project Applicant at that time, which excludes the 25-acre parcel added to the APE in 2014. The correspondence sent to the tribes requested information and asked if

the tribes had concerns regarding known or suspected sites of Native American significance. Four tribes responded requesting that they receive notification when future projects occur within the Plan Area and for additional information. None of the responses stated specifically that known resources are located within the APE, but all requested to review more detailed studies. Although no resources were specifically identified as being within the Excelsior Estates APE, some of the tribes contacted indicated that there could be tribal resources within the APE. Because the tribes were not notified of the potential for development within the non-participating properties of the Plan Area, it must also be assumed that those areas may also contain tribal resources.

The NOP for this EIR was filed with the State Clearinghouse on June 14, 2013. Therefore, this EIR is not subject to AB 52; however, subsequent projects within the Plan Area that require preparation of an NOP would be subject to consultation pursuant to Assembly Bill 52, as codified in the Public Resources Code. Compliance these requirements, in addition to mitigation measures CR-1 and CR-2, would reduce the potential for effects on tribal cultural resources.

GEOLOGY, SOILS, AND MINERAL RESOURCES

BURIED PALEONTOLOGICAL RESOURCES

Construction of the Project would result in grading activities that could damage previously unidentified paleontological resources. Because grading and trenching would be relatively shallow, the potential for encountering resources would be low. Mitigation includes work stoppage if resources are discovered.

HAZARDOUS MATERIALS

RELEASE OF HAZARDOUS MATERIALS FROM UNDOCUMENTED OR DOCUMENTED SITES OF CONTAMINATION

Existing contamination may be associated with the Sacramento Raceway and debris piles documented along Kiefer Boulevard. In addition, while all properties within the Plan Area were included in the Phase I ESA, only properties owned by the Project Applicant were accessed during the site reconnaissance, so it is possible that hazardous conditions may be present on other properties that were not observed during the study. Further, build-up of agricultural chemicals and potential for fuel tanks constitutes a risk during ground disturbance. These portions of the Plan Area require further investigation.

With enforcement of the mitigation measures and adherence to existing hazardous materials regulations, impacts from any existing hazardous materials would be minimized. Mitigation Measure HM-1 would require preparation of Phase I ESAs for all non-participating properties and the full implementation of all recommendations. Mitigation Measure HM-2 requires the preparation of Phase II ESAs with soil and groundwater sampling for all properties, including Applicant-owned properties, based on the findings and recommendation of the Phase I ESA, which determined that soil and groundwater contamination may be present within the Plan Area. Mitigation Measure

HM-3 would establish a hazardous materials contingency plan to address potential soil and groundwater contamination, if discovered during construction activities.

HYDROLOGY AND WATER QUALITY

ALTERATION OF THE EXISTING DRAINAGE PATTERN

The Project would increase runoff in the Plan Area because of the introduction of impervious surfaces. With the implementation of the drainage plan and associated basins, there would be a quantifiable decrease in overall offsite flows for both Elder Creek and Morrison Creek and the Project would provide onsite stormwater treatment. In addition, the Project would comply with the County's Hydrograph Management Plan (HMP). The Drainage Master Plan assumed sample LID practices to meet the HMP criteria, based on land use (see Appendix HYD-1). Mitigation Measure HYD-1a would ensure that the Project would be required to demonstrate that the design features described would mitigate for the development's potential effects on water quality.

FLOODING WITHIN THE PLAN AREA

There is floodplain the northeast and southwest corners of the Plan Area. The Drainage Master Plan analyzed the efficacy of the proposed drainage infrastructure for the entire Project and demonstrated that no flooding impacts would occur with full buildout. However, it remains uncertain at this time whether the drainage infrastructure improvements would be constructed in phases, and whether non-participating property owners would grant permission for improvements on their property. Before any modifications to the existing floodplain, approval of a CLOMR from FEMA will be required. In-kind replacement for any loss in flood storage capacity due to floodplain modifications must be provided to prevent downstream flooding impacts consistent with the applicable General Plan and Community Plan policies. Mitigation Measure HYD-2 is included to address this impact.

NOISE

CONSTRUCTION VIBRATION

The use of off-road heavy-duty construction equipment as well as other construction equipment (e.g., impact pile driver) can result in temporary ground vibration, depending on the type of equipment used and the type of construction activities occurring. At the lowest levels, vibration from construction activity can result in a detectable low rumbling sounds and, at its loudest levels, can result in annoyance and sleep disturbance. Typically, during construction activity, the highest vibration levels are generated from the use of pile drivers. Mitigation would require the preparation and implementation of a vibration control plan and implementation of vibration control measures.

PUBLIC SERVICES

PARKS

Parkland dedication currently proposed within the Plan Area would be slightly deficient and would require the dedication of an additional 0.8 acre of parkland to meet

dedication requirements. Mitigation Measure PS-1 requires that the developer of the future projects in the Plan Area either dedicate park acreage to meet the individual parkland requirements for that project (as indicated by Title 22 of the Sacramento County Code), or pay in lieu fees equivalent to any shortfalls in parkland dedication to provide for the acquisition and development of park facilities located within other areas of the Plan Area. Implementation of this measure would provide adequate park and recreation services.

TRAFFIC AND CIRCULATION

BICYCLE AND PEDESTRIAN FACILITIES

The Project would not remove any existing or planned bicycle or pedestrian facilities. Additionally, the Project would provide sidewalks and on-street (Class II) bike lanes on all collector, arterial and thoroughfare roadways. The Project also provides several off-street (Class I) multi-purpose trails. Sidewalks would be required as part of the frontage improvements along all new roadway construction in the Project vicinity in conformance with County design standards. Additionally, circulation and access to all proposed public spaces would include sidewalks that meet Americans with Disabilities Act standards. Mitigation would require coordination with the County to ensure bicycle and pedestrian safety.

EFFECTS FOUND NOT TO BE SIGNIFICANT

The following impacts were determined to be less than significant upon evaluation in the ~~Draft~~ this EIR.

AESTHETICS

NEW SOURCES OF GLARE

Both the proposed Development Standards (Appendix A of the Jackson Township Specific Plan) and the County Zoning Code (Section 3.6.6.C) require that all PV panels are oriented on rooftops or other hardscape areas to avoid unreasonable glare from solar panels onto adjacent properties. This, combined with the absorbing design of solar panels, would ensure that solar PV panels on buildings and building materials (e.g., glass, paint) developed within the Plan Area would not result in conditions that would create major new sources of glare.

AGRICULTURAL RESOURCES

CONFLICT WITH EXISTING, ADJACENT AGRICULTURAL USE AND ZONING

Within the Plan Area some of the non-participating properties are zoned as AG-80 (see Plate PD-7 in Chapter 2, "Project Description"). However, most are smaller than 80 acres in size, and, therefore, cannot accommodate intensive agricultural operations that tend to be associated with major nuisances such as those listed above. The current agricultural operations on the non-participating properties are limited and include mostly small agricultural residential lots, a strawberry farm, and an apiary. Furthermore, most

of the land currently used for grazing within the Plan Area is owned by the Project Applicant and would be developed as part of the Project.

AIR QUALITY

CRITERIA POLLUTANT HEALTH RISKS MOBILE-SOURCE CO CONCENTRATIONS

Construction would occur over many years. Because traffic related to construction activities would be spread over the duration of construction activities, construction-generated traffic is not anticipated to result in large peaks at any one time over the course of construction.

The Project would generate a maximum of 5,909 trips during the a.m. peak hour and up to 5,651 trips during the p.m. peak hour, which are below the criteria for a single intersection. Also, the Plan Area does not support existing intersections above 10,000 vehicles during the peak hours of the day. Therefore, this addition of a.m. and p.m. trips would not result in an intersection that supports traffic volumes that would exceed 31,600 vehicles per hour, even assuming all trips occurred at the same intersection in one hour. Also, because of stricter vehicle emissions standards in newer cars, new technology, and increased fuel economy, CO emissions are expected to be substantially lower in future years than under existing conditions. Furthermore, the Project would not contribute traffic to a tunnel, parking garage, bridge underpass, urban street canyon, below-grade roadway, or other location in which horizontal or vertical mixing of mobile-source CO emissions would be substantially limited. Thus, Project-generated local mobile-source CO emissions would not result in or substantially contribute to concentrations that exceed the 1-hour or 8-hour ambient air quality standards for CO.

MOBILE-SOURCE CO CONCENTRATIONS

Mobile-source emissions from vehicle operations are measured locally, and are a function of traffic volume, speed, and delay. CO concentrations near roadways and/or intersections may reach unhealthy levels at nearby sensitive land uses, such as residential units, hospitals, schools, and childcare facilities. The Project would not generate enough vehicle trips to create an impact related to this criterion.

EXPOSURE TO OBJECTIONABLE ODORS

Because construction activities in specific locations in the Plan Area would be temporary and intermittent, and because the prevailing wind direction is from the south, which would likely keep odor emissions away from adjacent land uses to the east, Project construction is not anticipated to result in an odor-related impact during the construction phase of the Project. Land uses developed under the Project would be subject to SMAQMD Rule 402, regarding the control of nuisances, including odors.

The Kiefer Landfill is a potential odor source to the Plan Area, but it is located approximately 4 miles to the east, outside SMAQMD's recommended buffer zone for the landfill, and prevailing winds in the area blow landfill odors away from the Plan Area. Odors from the Sacramento Rendering Plant, located approximately 1 mile east of the Plan Area, may be detectable even at great distances and even if all feasible odor

control devices are installed. SMAQMD is responsible for issuing permits to the rendering plant to ensure compliance with federal, State, and local air pollution rules and regulations. The permit issued includes conditions related to plant operations, and SMAQMD staff regularly inspect the facility to ensure that the permit conditions are being met. The facility includes an enhanced odor control system that was voluntarily installed by the Sacramento Rendering Company in 2004.

SMAQMD specifically recommends a 4-mile buffer between a rendering plant and a new sensitive land use; the entire Plan Area is located within this 4-mile buffer. However, because the predominant wind direction is from the south, it is likely the meteorology of the Plan Area would minimize potential odor impacts from occurring. An odor study was conducted for the Project in 2015, which found that the emissions controls implemented at the Sacramento Rendering Plant reduced the number of odor complaints by nearly a factor of 10. The study also found that because prevailing winds came from the south and west 95 percent of the time, exposure of people in the Plan Area to objectionable odors is unlikely. Furthermore, the Sacramento Rendering Plant may be relocated more than 4 miles from the Plan Area within a timeframe similar to that of the Project. This scenario would negate the applicability and necessity of mitigating odor impacts related to the operation of the Sacramento Rendering Plant.

AIRPORT COMPATIBILITY

SAFETY HAZARDS

The Mather Airport CLUP establishes airport safety zones to minimize the number of people exposed to aircraft crash hazards. There are no portions of the Plan Area located in the Clear Zone or the Approach/Departure Zone. According to the CLUP, a portion (42 percent) of the Plan Area is located within the Overflight Zone, which is the least restrictive on land use development (refer to Plate AC-1). Proposed land uses within the Overflight Zone include low, medium, and high density residential; a portion of the wetland preserve, five park sites, two greenbelts, two schools, the joint high school/middle school site, the Village Center, and other commercial uses. The school sites would be subject to the review detailed in the Education Code. The Town Center and all industrial uses would be located outside of the Overflight zone. None of the restricted uses cited in the CLUP land use compatibility table are proposed within the area located within the Overflight Zone.

EXPOSURE TO EXCESSIVE NOISE LEVELS

The Plan Area is approximately 1 mile from the Mather Airport and would be subjected to noise generated from existing and projected future airport operations. The entire Plan Area is within the Mather APPA, which requires a condition be placed on all residential development to include noise insulation that reduces interior noise levels to 45 dB CNEL or less. General Plan Policy NO-4 reiterates this APPA requirement. This condition has been placed on the Project as a condition of approval to ensure it is adhered to.

BIOLOGICAL RESOURCES

INTERFERENCE WITH THE MOVEMENT OF ANY NATIVE RESIDENT OR MIGRATORY SPECIES

The Plan Area is located adjacent to the existing Mather Preserve to the north and other undeveloped open space to the south and east. The Plan Area may support movement of terrestrial and aquatic species to and from these areas. The Project would include approximately 214.3 acres of wetland preserve to the SSHCP preserve system that would allow continued movement of species between these existing preserves and undeveloped open space through the Plan Area. Implementation of the Project would introduce a substantial amount of new lighting to an area that is rural and largely unlit. Because some Project elements are adjacent to the proposed wetland preserve, wildlife movement could be affected by light spilling onto the preserve. However, the Project includes a green belt that would act as a buffer between the proposed development areas and the wetland preserve, and the Project's Development Standards would require that spillover lighting be minimized to the greatest extent possible throughout the Plan Area. Therefore, the Project would not interfere substantially with the movement of native resident or migratory species.

LOSS OF NON-NATIVE TREE CANOPY

The Biological Resources Assessment states that the Plan Area has 1.75 total acres of tree canopy that would need to be replaced pursuant to Policy CO-145. The Countywide Design Guidelines, in general, require the planting of new trees in all new single-family lots, commercial buildings, parking lots, and street frontages. In general, these planting requirements are enough to equal the amount of canopy lost. The Design Guidelines for the Project are in line with the Countywide Design Guidelines. Using the smallest shade-valued tree on the County's 15-year shade tree list (15–20 foot diameter tree = 314 square feet [sq. ft.] of shade/canopy), and applying one of the many Countywide Design Guidelines regarding vegetation (one shade tree planted on every single-family lot) the total canopy acreage would amount to 16.7 acres (2,314 dwelling units (<RD-7) x 314 sq. ft./ 43,560 sq. ft. per acre). This is nine times what would be removed for development and does not consider tree plantings in landscape frontages, commercial lots, and medium and high-density residential units.

CULTURAL RESOURCES

DISTURB HUMAN REMAINS

~~No human remains are known to be present within the Plan Area. However, it is possible that buried human remains could be located within the areas that have not been identified due to a lack of surficial evidence, and it is possible that human remains, particularly those outside a designated cemetery, may be encountered and disturbed during ground-disturbing construction activities related to development and implementation of the Project. Compliance with California Health and Safety Code Sections 7050.5 and 7052 and PRC Section 5097, which requires avoidance or minimization of disturbance of human remains, and appropriate treatment of any remains that are discovered would address this potential Project effect.~~

TRIBAL CULTURAL RESOURCES

~~Compliance with PRC Sections 21074, 21080.3.1, 21080.3.2, and 21082.3 would address potential effects on TCRs as defined in PRC Section 21074.~~

ENERGY

WASTEFUL OR INEFFICIENT ENERGY CONSUMPTION

Project construction activity would result in gasoline consumption from construction worker commute trips, diesel fuel use from on-road diesel vehicles for vendor trips and off-road diesel construction equipment used in the construction of buildings, facilities and infrastructure. Operational activity associated with the project's land uses would generate new vehicles trips resulting in the consumption of gasoline, diesel fuel, natural gas, and electricity. Buildings and facilities as part of the project's various land uses would result in the consumption of electricity from lighting and appliances as well as natural gas for water and space heating. The Project and Alternative 2 would incorporate energy conservation measures to reduce building energy consumption and vehicle miles traveled.

PLANS FOR RENEWABLE ENERGY OR ENERGY EFFICIENCY

The Project would be consistent with local policies to remain energy efficient and use renewable energy. The Project would also remain consistent with State policies related to energy efficiency and renewable energy. Through the permitting process, all development projects which are constructed in the Plan Area would comply with the current and future versions of the State's Building Energy Efficiency Standards. Because electricity utilities in the state are required to increase the percentage of renewable energy sources in the electricity they provide, over time electricity consumed as part of the Project will increasingly be provided by renewable sources.

GEOLOGY, SOILS, AND MINERAL RESOURCES

SOIL EROSION, SILTATION, OR LOSS OF TOPSOIL

The Project would comply with the Sacramento County Land Grading and Erosion Control Ordinance (Sacramento County Code Ch. 16.44). The ordinance was established to minimize damage to surrounding properties and public rights-of-way; limit degradation to the water quality of watercourses; and curb the disruption of drainage system flow caused by the activities of clearing, grubbing, grading, filling, and excavating land. The Project would also comply with the NPDES General Construction Permit, which requires that any construction activity affecting 1 acre or more implement a SWPPP, which identifies BMPs to reduce construction effects on receiving water quality. In compliance with these regulations, any development related to the Project would be subject to erosion and sediment control measures. As such, the Project would not result in substantial soil erosion or the loss of topsoil.

EXACERBATION OF EXPOSURE TO HAZARDS ASSOCIATED WITH EXPANSIVE SOILS

Any project-related development would need to adhere to the existing UBC and CBC, which would ensure the maximum necessary protection available for development

within areas known to contain expansive soils. Therefore, implementation of the Project would not exacerbate any risk to life or property from impacts related to expansive soils.

HAZARDOUS MATERIALS

ACCIDENTAL RELEASE DURING CONSTRUCTION OR OPERATION

Construction activities would occur within the Plan Area and would require the use of standard hazardous materials such as fuels, oils, lubricants, glues, paints, paint thinners, soaps, bleach, and solvents. All persons involved in the handling of these hazardous materials are required to use, store, and transport hazardous materials in compliance with local, state, and federal regulations during project construction and operational activities. Because construction and operation of the Project would implement and comply with federal, State, and local hazardous materials regulations and codes monitored by the State (e.g., California Occupational Safety and Health Administration, DTSC, California Highway Patrol, Caltrans) and/or local jurisdictions (e.g., Sacramento Metro Fire and Sacramento County Environmental Management Department), impacts related to creation of significant hazards for construction workers, employees, and the general public within the Plan Area through routine transport, use, and disposal of hazardous materials would be unlikely.

HAZARDS NEAR SCHOOLS

There are no existing schools within 0.25 mile of the Plan Area. However, four new schools are proposed as part of the Project: a joint high school and middle school campus near the northeast corner of the Plan Area and three elementary schools throughout the Plan Area, one of which would be located on the Sacramento Raceway property. The school sites would generally be surrounded by commercial, mixed-use, and residential development; no industrial land use is proposed in the Plan Area. The routine transport, use, and disposal of hazardous materials during construction and operation of the Project are not anticipated to generate a substantial hazard.

INTERFERE WITH AN ADOPTED EMERGENCY RESPONSE PLAN OR EMERGENCY EVACUATION PLAN

Although the Project would result a new population of residents and employees in an area of the county that does not currently support these types of dense land patterns, the Project is not anticipated to impair the implementation of existing emergency response or evacuation plans. This is because the buildout of the Project would be gradual, over a roughly 20-year period, and the County's emergency plans are adaptive. Further, it is anticipated that these plans would be updated to reflect changes in land use patterns. The potential for construction activities or development to impair implementation of, or physically interfere with, an adopted emergency response plan or emergency evacuation plan would be low.

WILDLAND FIRES

The Plan area is not in a State Response Area or Very High Fire Hazards Severity Zone. New construction is subject to the CFC and Title 14 of the CCR, which includes safety measures to minimize the threat of fire. Further, as required by Policy SA-23 in

the Sacramento County General Plan, plans for specific facilities would be provided to Metro Fire Department for review and comment regarding: adequacy of water supply; site design for fire department access into and around structures; ability for a safe and efficient fire department response; traffic flow and ingress/egress for residents and emergency vehicles; site-specific built-in fire protection; and potential impacts to emergency services and fire department response. Therefore, future development within the Plan Area would not be exposed to significant risks of wildfire.

HYDROLOGY AND WATER QUALITY

WATER QUALITY STANDARDS

The Project would result in construction of residential and commercial buildings, along with associated streets and other paved areas. Water quality impacts could occur during construction from increased soil erosion and sedimentation due to clearing of vegetation, alteration of drainages, and grading. Similarly, operation of the project could result in contaminated water runoff from automobiles, use of household chemicals in uncontained systems, and use of fertilizers which could result in pollution entering streams that are used for recreation, wildlife habitat, and drinking. Implementation of best management practices that would result in control measures to remove pollutants before entering the stormwater system, such as vegetated swales and water quality detention basins, would allow pollutants to settle out prior to discharge. Compliance with the County Stormwater Ordinance, implementation of LID Standards, and implementation of the Drainage Master Plan would ensure that development of the Project would not alter the course of local waterways in a manner that would not cause violation of a water quality standard or waste discharge requirement and would not result in substantial increases to polluted runoff.

FLOODING OF ADJACENT PARCELS

The Proposed Project and Alternative 2 would result in modifications to the existing drainage and overall development of the Plan Area, including the consolidation of Morrison Creek flows and discharge into and existing pond on the property west of the Plan Area. Overall flows from the Plan Area into the pond are anticipated to decrease and there would not be an increase in the potential for flooding of adjacent parcels.

FLOODING DUE TO DAM OR LEVEE FAILURE

The closest dam to the Project is Mather Dam, which provides flood control to Mather Lake. This dam was recently renovated and the volume of water that would reach the Plan Area is unlikely to present a substantial risk of loss, injury, or death because of the volume of water stored in the dam, the distance from the Plan Area, and the flat intervening topography over which flood waters would disperse. Folsom Dam is approximately 12 miles north of the Plan Area. Failure of either the Cordova Meadows Levee or the Sunriver Levee along the American River could also potentially result in the inundation of properties north of the Plan Area (Rancho Cordova 2006). However, the Plan Area is outside of both dam and levee inundation areas. In addition, such an event has an extremely low probability of occurring and is not considered to be a reasonably foreseeable event. The Folsom Dam Safety and Flood Damage Reduction Project

(DS/FDR) includes projects that improve dam safety and provide for flood damage reduction downstream of Folsom Dam. Because of the implementation of the DS/FDR project, the risk of the Plan Area flooding because of dam failure would be minimized.

LAND USE

SACRAMENTO COUNTY'S LAND USE PLANS

The SAGOG Blueprint, adopted in 2005, acknowledged the Jackson Highway Corridor as an appropriate and logical area to urbanize. The 2030 General Plan, adopted in 2011, contemplated new growth areas to occur via expansion of the UPA, including the Jackson Highway area. Specific plans provide an opportunity to creatively implement the intent of the General Plan and serve as a refinement of General Plan policies. The Proposed Project and Alternative 2 would establish a development framework for land use, community design and character, and infrastructure improvements and a subsequent project approval structure for orderly development within the approximately 1,391-acre Plan Area that is generally consistent with the applicable policies in the General Plan. Specifically, Mitigation Measure AQ-2b requires Alternative 2 to comply with all provisions included in the Air Quality Mitigation Plan, which would result in a 35-percent reduction of ozone precursors from operational emissions (per guidance from SMAQMD, indicating that this represents the feasible mitigation that should be applied). Therefore, Alternative 2 would be consistent with General Plan Policy AQ-4.

Through Mitigation Measures TR-1, TR-2, and TR-3, the Project Applicant would identify and fund Trip Reduction Services (TRS) to meet the goals and policies of the County's General Plan, based on an Urban Services Plan for the Project. Subsequent development would not be approved until the Project Applicant or subsequent developer has demonstrated that TRS have been adopted that would achieve an equivalent reduction in VMT or transportation mode split, as documented in the SB 743/VMT Analysis – Jackson Township memo (DKS Associates 2022).

SACRAMENTO COUNTY'S URBAN POLICY AREA/GENERAL PLAN GROWTH MANAGEMENT POLICY

The Proposed Project and Alternative 2 would require expansion of the UPA. According to General Plan Policy LU-119, proposed UPA expansions must have borders that are adjacent to the existing UPA, or a city boundary and the boundary of the expansion must be logical. As shown on Plate PD-8 in Chapter 2, "Project Description," the existing UPA extends to the northern boundary of the Plan Area. The proposed General Plan Amendment that would include the approximately 1,391-acre Plan Area would create a logical expansion that would follow existing major roadways on the west and south and property boundaries on the east. In addition, the boundary of the Project is not irregular and forms a logical edge. The proposed expansion of the UPA is consistent with this policy.

General Plan Policy LU-120 is intended to reduce impacts of many different types – such as growth inducement, unacceptable operating conditions on roadways, poor air quality, and lack of appropriate infrastructure – by establishing design criteria for all amendments to the UPA. A project must be consistent with the policy before it may be considered for approval. Based on Project characteristics outlined in the Specific Plan

document, the Project would meet the requirements of LU-120. The Project has been deemed consistent with criteria PC-1 through PC-10 and has achieved a total of 19 points in the criteria-based standards (CB-1 through CB-5). A total of 18 points is required and 24 points are possible.

SACOG BLUEPRINT AND MTP/SCS

The Project is consistent with the Blueprint principles, but it is not included in the current MTP/SCS and is not included in the Land Use scenario in the MTP/SCS adopted in 2019. However, the MTP/SCS is updated every 4 years to account for changes in development conditions. Although the Project is not currently included in the MTP/SCS, the Project is located in an area envisioned for future development by SACOG, and it is consistent with Blueprint principles.

PUBLIC SERVICES

FIRE PROTECTION AND EMERGENCY SERVICES

The Project would increase the demand for Metro Fire protection and emergency services. This increase in demand would require additional staff and fire facilities to maintain service levels and to ensure that adequate fire protection is provided. Land within the Plan Area would be dedicated to Metro Fire as a part of the Project. This fire station would serve the entirety of the Plan Area, and no other fire protection or emergency services facilities would be required to serve the Project. Because this facility is located within the Plan Area, the environmental impacts associated with the development of this facility are evaluated throughout this EIR. No additional off-site facilities would be needed.

EMERGENCY RESPONSE

Cellular 911 calls are routed to Metro Fire dispatch through the local California Highway Patrol office, which has a high success rate of accurately identifying the location of an incident to direct the call to the appropriate emergency responder. Most cases where locations are confused are primarily due to similar street names in different communities within an emergency responder's jurisdiction, rather than similar community names. County staff also spoke with staff from the Sacramento Regional Fire/EMS Communications Center (SRFECC), which is responsible for answering and directing 911 calls to appropriate agencies in the Sacramento region. Based on the distance between the Plan Area and the City of Jackson and dispatchers' extensive training to determine appropriate locations of incidents, SRFECC staff did not feel that the name of the Project would result in confusion of and resultant impacts on emergency responders (Quintard, pers. comm., 2017). Based on the emergency responders' opinions that the Project's name would not result delays to emergency response.

PROVISION OF LAW ENFORCEMENT

The Project includes a maximum of 6,143 residential units which, according to the proposed Specific Plan, would provide housing for an estimated 16,955 new residents within the Plan Area, as well as non-residential users. This would increase demand for law enforcement services within the Plan Area. The Project would provide funding in the

form of development impact fees and ongoing property taxes that would provide funding for additional staffing and equipment needed to maintain and improve service levels for law enforcement within the Plan Area and the surrounding areas. Law enforcement services would be funded through the County Police Services Community Facilities District 2005-1 (CFD 2005-1) annual special tax that would be levied on each new residential unit developed within the Plan Area in accordance with the provisions of CFD 2005-1. These funding mechanisms, policies, and regulations would assist SSD in adequately serving new growth and demand. Because no new facilities are required as a result of the Project, there would be no additional impacts on the physical environment associated with the construction of a new facility.

SCHOOL SERVICES

The Project is within the service area of the Elk Grove Unified School District. Development of the project would result in increases to the local student population. The Project includes four school sites, which would exceed the demand generated by the Project. Construction of these schools would not result in any substantial physical impacts specific to public services that are not already an inherent part of overall Project impacts.

LIBRARIES

The Project would not increase demand on library services beyond existing capacity. In addition, the Project includes a funding mechanism through the public facilities fee program for library upgrades to accommodate the expected population of the Project. This would allow the SPLS to implement the Library Master Plan, which accommodates planned growth in the surrounding area. Therefore, the Project would not result in substantial adverse physical impacts associated with the provision of library services.

WATER SUPPLY

WATER INFRASTRUCTURE

SWCA has identified a backbone system that includes the minimum offsite and onsite water transmission improvements needed to serve the Project (see Plates WS-5 and WS-6). SCWA's Water System Infrastructure Plan includes anticipated demand from the Project and demonstrates that the Project could be served by this planned infrastructure. Future expansion and implementation of planned projects in the NSA would be conducted by SCWA and would be subject to separate environmental review and approval. Development of onsite water supply infrastructure may result in physical environmental impacts to resource areas such as air quality, biological resources, cultural resources, and noise. These impacts are evaluated in applicable resource chapters of this EIR. Construction of onsite water supply infrastructure would not result in utility-specific adverse physical impacts.

WATER DEMAND

The Project includes a Water Supply Master Plan Amendment to modify the existing Zone 40 Water Supply Master Plan so that it includes provision of water service to the Jackson Township Specific Plan Area. The amendment addresses the water demands

and infrastructure necessary to service the Project and requires approval from the Sacramento County Water Agency Board of Directors (see Appendix WS-3). The Jackson Township Potable Water System Study (Stantec 2017) provides a detailed analysis of the water distribution system and verifies the base information in the WSMP Amendment prepared by SCWA.

GROUNDWATER USE

SCWA is responsible for recognizing and implementing the sustainable long-term average annual yield for the Central Groundwater Basin of 273,000 acre feet. SCWA relies upon a conjunctive use supply program which alternates between surface and groundwater reliance to maintain the appropriate trajectory for groundwater basin sustainability. Additional protection against overdrafting of the groundwater resources within the Central Basin is provided by State legislation, and SCWA is responsible for complying with the Sustainable Groundwater Management Act.

GROUNDWATER RECHARGE

Recharge of the aquifer system occurs along active river and stream channels where extensive sand and gravel deposits exist, and especially along the American, Cosumnes, and Sacramento rivers. Additional recharge occurs along the eastern boundary of Sacramento County at the transition point from the consolidated rocks of the Sierra Nevada to the alluvial-deposited basin sediments. Intensive groundwater use in the Central Basin over the past 60 years has resulted in a general lowering of groundwater elevations. The Project would introduce impervious surfaces that prevent or hinder groundwater recharge; however, most of the recharge and groundwater storage in the Central Basin occurs from subsurface flow, which would not be adversely affected by implementation of the project. Additionally, the Project includes an open space preserve and open space along drainage corridors and stormwater management basins that which would allow for the percolation of stormwater.

WASTEWATER AND SOLID WASTE

WASTEWATER TREATMENT AND DISPOSAL INFRASTRUCTURE

The anticipated demand for sewer services and proposed on- and offsite wastewater infrastructure would be consistent with regional projections developed by SASD and Project-specific sanitary sewer plans have been reviewed and approved by SASD. Implementation of the mitigation measures identified throughout this EIR and compliance with the County Code would address areas of potential effects associated with the offsite construction of the Jackson Road trunk lines and would reduce the potential for adverse effects associated with the construction of offsite wastewater infrastructure.

EXCEED THE CAPACITY OF THE WASTEWATER TREATMENT PROVIDER

As discussed above, the SRWTP is permitted to treat an ADWF of 181 mgd and a daily peak wet weather flow of 392 mgd; the SRWTP currently receives and treats approximately 141 mgd (Sacramento County 2010). The Project would increase the existing treatment plant flows from 141 mgd to roughly 147 mgd (assuming a peak

weather wet flow of 5.96 mgd), which is well within the SRWTP's existing 181 mgd capacity. Therefore, it is anticipated that the SRWTP would have adequate capacity to treat wastewater flows generated by future development.

SOLID WASTE SERVICES AND LANDFILL CAPACITY

Based on the available capacity of Kiefer Landfill, the portion of the permitted capacity that the Project is estimated to require, and the estimated closure date for the landfill, the Project would be served by a landfill with sufficient permitted capacity to accommodate the Project's solid waste disposal needs. Commercial and industrial waste generated by the Project would be collected by franchise haulers and may be transported to landfills outside of the county.

TRANSPORTATION AND CIRCULATION

TRANSIT

Public transit is not currently provided to, or near the Plan Area. A conceptual transit system to serve the Jackson Corridor Projects (i.e., the Jackson Highway Master Plans, including the Jackson Township Project) has been developed by Sacramento County, SacRT, DKS Associates, and the applicants of the Jackson Corridor Projects as part of a joint transit planning process. The proposed transit systems would be a condition of approval for the Project and was assumed as an attribute of the Project that was included in the traffic modeling and analysis in the Joint TIS. The assumed transit routes and service frequency would be required at full development of the Project, and service would be phased as described in Chapter 2, "Project Description."

EMERGENCY ACCESS AND HAZARDOUS DESIGN FEATURES

The Project would provide new roadway connections, which would provide for improved emergency access and connections within the area. The Project would be designed to meet all the design and safety standards established by the County which requires coordination with Sacramento Metro Fire District to ensure that the design of local roads would accommodate emergency vehicles. Adherence to these design standards would ensure that adequate site distances and access for vehicles entering and leaving the site is provided for safe travel. Additionally, Project proponents are required to coordinate with emergency service providers to ensure that there are no impediments to the provision of emergency services during and after project related construction activities.

IRREVERSIBLE ENVIRONMENTAL CHANGES

CEQA requires that EIRs assess whether a project would result in significant irreversible changes to the physical environment. The State CEQA Guidelines discuss three categories of significant irreversible changes that should be considered. Each is addressed below. Although the project would require commitment of resources, these environmental changes are not considered significant for the purposes of this analysis. The primary irreversible environmental change associated with the Project involves the

permanent conversion of undeveloped rural land with associated habitat values to a mix of land uses including residential, commercial, retail, and civic uses.

CHANGES IN LAND USE WHICH COMMIT FUTURE GENERATIONS

Site preparation, construction, and operation of the Project would irreversibly commit future generations to urban land uses on approximately 913 acres of the Plan Area. The remaining 477 acres of the Plan Area would be maintained as a combination of natural preserve, drainage, parks, agriculture, and landscape buffers. Under Alternative 2, 483 acres of the Plan Area would be maintained as a combination of natural preserve, drainage, parks, agriculture, and landscape buffers and the remaining 908 acres would irreversibly commit future generations to urban land uses.

IRREVERSIBLE DAMAGE FROM ENVIRONMENTAL ACCIDENTS

No significant environmental damage, such as accidental spills or explosion of a hazardous material, is anticipated with development of the proposed mixed-use residential project. The use of hazardous materials beyond standard construction supplies and household hazardous waste is not proposed. Remediation of previously contaminated sites within the Plan Area would be completed as part of the project, and materials would be properly disposed of in accordance with federal, State, and local regulations.

CONSUMPTION OF NONRENEWABLE RESOURCES

Consumption of nonrenewable resources includes increased energy consumption, conversion of agricultural lands, and lost access to mining reserves. Although there is an established mineral resource overlay in the zoning within the Plan Area, the presence of mineral resources is not established for the Plan Area. As such, developing the property would not result in loss of access to mineral resources. Implementation of the Project would convert approximately 31 acres of Prime Farmland located near the center of the Plan Area, and 79 61 acres of Farmland of Local Importance to non-agricultural use. This represents roughly 44 8 percent of the average annual conversion of Important Farmland in Sacramento County (see Table AG-1).

Project construction would consume fossil fuels and other non-renewable or slowly renewable resources through the operation of vehicles and equipment for site grading and construction activities. Other resources, including materials such as wood products, metals, cement, asphalt, and other products, would be used or consumed during project construction or would be permanently committed as project materials. Operation of the Project would also require additional electricity, water, and natural gas; however, the scale of such consumption would be typical for a mixed-use residential development of this size. For further discussion of energy use, refer to Chapter 11, "Energy."

CUMULATIVE IMPACTS

The State CEQA Guidelines Section 15355 defines a cumulative impact as "two or more individual effects which, when considered together, are considerable." An individual effect need not itself be significant to result in significant cumulative effects; the impact

is the result of the incremental effects of the project combined with the effects of “other closely related past, present, and reasonably foreseeable probable future projects.” CEQA does not define “closely related,” but the Code of Federal Regulations (40 CFR 1508.25) indicates that a “closely related” project is one which is automatically triggered by the project; one which cannot proceed without the project first proceeding (mutual dependency); one which requires the project for justification or is an interdependent part of the same action; or one which is a similar action with common timing, geography, and other features.

The requirements for a cumulative analysis are described in CEQA Guidelines Section 15130. A cumulative analysis “need not provide as great detail as is provided for the effects attributable to the project alone.” The analysis should focus on analyzing the effects of the project to which other projects contribute, to the extent practical and reasonable. These other projects may be identified either through the provision of a list of cumulative projects, or via a summary of projections contained in an adopted General Plan or a certified EIR. This EIR uses a combination of the two methods, using projections contained in adopted General Plans and related planning documents, as well as known major reasonably foreseeable other projects.

The significance criteria used for analysis are the same as those used throughout the topical chapters of the EIR. Section 15130(a)(3) states that a project’s contribution to an impact is “less than cumulatively considerable if the project is required to implement or fund its fair share of a mitigation measure or measures to alleviate the cumulative impact. The lead agency shall identify facts and analysis supporting its conclusion that the contribution will be rendered less than cumulatively considerable.”

CUMULATIVE IMPACT ANALYSIS METHODOLOGY

State CEQA Guidelines Section 15355 defines a cumulative impact as two or more individual effects which, when considered together, are considerable or which compound or increase other environmental impacts. Cumulative impacts can result from individually minor but collectively significant projects taking place over a period of time. Section 15130(a)(3) of the State CEQA Guidelines states that an EIR may determine that a project’s contribution to a significant cumulative impact will be rendered less than cumulatively considerable, and thus not significant, if a project is required to implement or fund its fair share of a mitigation measure or measures designed to alleviate the cumulative impact.

For purposes of this EIR, the project would have a significant cumulative effect if it meets either one of the following criteria:

- The cumulative effects of related projects (past, current, and probable future projects) without the project are not significant but the project’s incremental impact is substantial enough, when added to the cumulative effects, to result in a significant impact; or
- The cumulative effects of related projects (past, current, and probable future projects) without the project are already significant and the project represents a considerable contribution to the already significant effect. The standards used

herein to determine “considerable contribution” are that the impact either must be substantial or must exceed an established threshold of significance.

The analysis herein evaluates whether, after adoption of project-specific mitigation, the residual impacts of the project would cause a cumulatively significant impact or would contribute considerably to existing/anticipated (without the project) cumulatively significant effects.

SCOPE OF THE CUMULATIVE ANALYSIS

The State CEQA Guidelines (Section 15130) identify two basic methods for establishing the cumulative environment in which the project is to be considered: (1) the use of a list of past, present, and probable future projects; or (2) the use of adopted projections from a general plan, other regional planning document, or a certified EIR for such a planning document. This analysis is primarily based on the latter approach but is supplemented with details about regionally significant proposed projects. The effects of past and present projects on the environment are reflected by the existing conditions in the project area. Probable future projects are those in the project vicinity that have the possibility of interacting with the project to generate a cumulative impact (based on proximity and construction schedule) and either:

- are partially occupied or under construction,
- have received final discretionary approvals,
- have applications accepted as complete by local agencies and are currently undergoing environmental review, or
- are proposed projects that have been discussed publicly by an applicant or that otherwise become known to a local agency and have provided sufficient information about the project to allow at least a general analysis of environmental impacts.

The cumulative environmental setting for all resource areas with the exception of traffic and noise, is based upon the development forecasts of the adopted SACOG’s 2016 MTP/SCS development forecast. The MTP/SCS included development projections for Sacramento County and its incorporated cities, as well as for adjacent counties and cities, based on adopted and in-development General Plans, Specific Plans, and Community Plans in each jurisdiction. Reasonably foreseeable development areas already considered in the MTP/SCS include the 2030 General Plan, the Cordova Community Plan, Florin-Vineyard Community Plan, Mather Field Specific Plan, along with other planned development in Sacramento County and the City of Rancho Cordova.

The above baseline cumulative setting was then augmented with current data on approved and proposed projects in Sacramento County. These include several master plan proposals within the project area including: the NewBridge Specific Plan, Mather South Community Master Plan, and West Jackson Highway Master Plan. Table SI-1, below, includes a brief description of the projects considered in this cumulative analysis.

Table SI-1 Cumulative Project List

Project Number	Project Name	Location	Description	Status
Unincorporated Sacramento County				
1	Vineyard Springs Comprehensive Plan	South-central portion of Sacramento County	2,650 acres bounded by Gerber Road to the north, Calvine Road to the south, Excelsior Road on the east, and Bradshaw Road on the west	Approved 2000
2	North Vineyard Station Specific Plan	South-central portion of Sacramento County	1,594 acres bound by Florin Road to the north, Gerber Road to the south, Vineyard Road to the east, and Elder Creek on the west	Approved 1998
3	Florin Vineyard Gap Community Plan	Within the community plan areas of Vineyard and South Sacramento	3,872 acres bounded by Elder Creek Road on the north, Bradshaw Road on the east, Churchill Downs neighborhood to the south, and Union Pacific Railroad tracks on the west	Approved 2010
4	Mather Airport Master Plan	10425 Norden Ave, Mather, CA	Establishes a program for modifications of existing facilities and development of new facilities through 2035	Approved 2014, Amended 2016
5	Cordova Hills	Southeastern Sacramento County	2,669 acres east and adjacent to Rancho Cordova	Approved 2013
6	Easton Project, including Glenborough at Easton and Easton Place	Within Cordova Community Planning Area	1,391 acres south of Highway 50 and east of Rancho Cordova	Approved 2008
7	NewBridge Specific Plan	Eastern Sacramento County along Jackson Road	1,095 acres	In Process
8	Mather South Community Master Plan	Eastern Sacramento County along Jackson Road	884 acres located northeast of the Plan Area	In Process
9	West Jackson Highway Master Plan	Eastern Sacramento County along Jackson Road	5,900 acres east of South Watt Avenue, north of Elder Creek Road, south of Kiefer Boulevard, and west of Excelsior Road	In Process
10	Capital SouthEast Connector Expressway	Link I-5 and Highway 99 South of Elk Grove to Highway 50 East of El Dorado Hills	Designed to provide congestion relief	Preliminary design

Project Number	Project Name	Location	Description	Status
11	Stoneridge Quarry	Eastern Sacramento County south of Highway 50	Quarry mining and processing of materials on 619 acres of a 1,360-acre property	Approved 2011
12	Teichert Quarry	Eastern Sacramento County south of Highway 50	Quarry mining and operation of a processing plant on 380 acres of a 584-acre property for 25 years	Approved 2010
13	Milgate Quarry	Eastern Sacramento County south of Highway 50	Quarry mining on 194 acres for 50 years	Currently Inactive
<u>14</u>	<u>Upper Westside Specific Plan</u>	<u>Northwest Sacramento County, west of Interstate 80</u>	<u>Proposed Specific Plan for 2,066 acres</u>	<u>In Process</u>
<u>15</u>	<u>Grandpark Specific Plan</u>	<u>Northwest Sacramento County, east of State Route 99, north of Elkhorn Boulevard</u>	<u>Proposed Specific Plan for 5,675 acres</u>	<u>In Process</u>
<u>16</u>	<u>Metro Air Park</u>	<u>Northwest Sacramento County, north of Interstate 5</u>	<u>Approximately 1,867 acres, Industrial/Office park</u>	<u>Approved</u>
<u>17</u>	<u>Elverta Specific Plan</u>	<u>Northern Sacramento county, bounded by Gibson Ranch on the east, U Street on the South, various property lines approximately 1,350 feet west of Palladay Road on the west</u>	<u>1,820 acres of residential, ag-res, commercial, parks, schools</u>	<u>Approved 2007</u>
<u>18</u>	<u>Northborough (within Elverta Specific Plan)</u>	<u>East of 16th Street in Elverta Specific Plan</u>	<u>298 acres within Elverta Specific Plan, including 1,127 residential units, parks, and school</u>	<u>Approved 2017</u>
<u>19</u>	<u>Sacramento International Airport Master Plan</u>	<u>Northwest Sacramento County, north of Interstate 5</u>	Updates a program for modifications of existing facilities and development of new facilities through 2035	<u>Approved 2022</u>
City of Rancho Cordova				

Project Number	Project Name	Location	Description	Status
<u>4420</u>	Arboretum	Within the Grant Line North Planning Area	1,349 acres bounded by Highway 16 to the south, Grant Line Road to the east, Kiefer Boulevard to the north, and Sunrise Boulevard to the west	Currently Inactive
<u>4421</u>	Suncreek Specific Plan	Located in southern Rancho Cordova	1,265 acres located east of the Folsom Canal	Approved 2013
<u>4322</u>	Sunridge Ranch Specific Plan	Located in southern Rancho Cordova	2,606 acres south of Douglas Road, east of Sunrise Boulevard, and north of Grantline Road	Approved 2002
<u>4423</u>	Rio del Oro Specific Plan	Located in central Rancho Cordova	3,828 acres south of White Rock Road, east of Sunrise Boulevard, and north of Douglas Road	Approved 2010
<u>4524</u>	Westborough Specific Plan	Located in central Rancho Cordova	1,695 acres north of White Rock Road and including Rancho Cordova Parkway	In Progress
25	Rancho Cordova General Plan	City of Rancho Cordova	All land uses assumed in the City of Rancho Cordova General Plan	Approved
City of Folsom				
<u>4626</u>	Folsom South of 50 Specific Plan	Eastern Sacramento County, south of U.S. 50 and west of Folsom city limits	3,510 acres south of U.S. 50, north of White Rock Road, east of Prairie City Road, and west of Sacramento/El Dorado County Line	Approved 2011
City of Sacramento				
<u>4727</u>	Aspen 1/New Brighton	Eastern City of Sacramento at County line	232 acres at the corner of Jackson Road and Watt Avenue	Approved 2015
<u>28</u>	<u>Arena Reuse/Innovation Park/CNU Medical Center Campus</u>	<u>Located in northern City of Sacramento</u>	<u>Reuse of the former Sleep Train Arena in North Natomas, includes California Northstate University Medical Center Campus.</u>	<u>Approved</u>
<u>29</u>	<u>Northlake</u>	<u>Northern City of Sacramento, west of State Route 99, north of Interstate 5</u>	<u>577± acres located at the southwest corner of the intersection of Elkhorn Boulevard and Highway 99.</u>	<u>Approved 2008</u>
<u>30</u>	<u>Downtown/Central City Specific Plan</u>	<u>Downtown Sacramento</u>	<u>Generally bounded by the Sacramento River to the west, Business 80 to the east, the American River on the north (excluding the River District and Railyards)</u>	<u>Approved 2018</u>

Project Number	Project Name	Location	Description	Status
<u>31</u>	<u>Panhandle</u>	<u>Northeast City of Sacramento</u>	<u>589± acres in the City of Sacramento, which includes the land north of Del Paso Road, south of Elkhorn Boulevard, west of Sorento Road/E. Levee Road, and east of the developed neighborhoods known as Natomas Park and Regency Park</u>	<u>Approved 2018</u>
<u>32</u>	<u>West Broadway Specific Plan</u>	<u>Central City of Sacramento</u>	<u>292 acres area generally bounded by the Sacramento River on the west; U.S. Highway 50 and Broadway on the north; Muir Way and 5th Street on the east; and 4th Avenue on the south.</u>	<u>Approved 2020</u>
<u>33</u>	<u>Railyards</u>	<u>North of Downtown Sacramento, east of I-5</u>	<u>244 acres formerly used by Union Pacific Railroad, entitled for dense urban residential neighborhoods, a historic museum, a shopping and market district, a regional intermodal transit station, a county courthouse, a medical campus, a soccer stadium, pedestrian-oriented streets, shopping and entertainment complexes, riverfront access, and high-rise mixed-use buildings</u>	<u>Approved 2016</u>
<u>34</u>	<u>River District Specific Plan</u>	<u>North of Downtown Sacramento, east of I-5</u>	<u>773 acres including a transit-oriented mixed use urban environment that would include 8,144 dwelling units, 3.956 million square feet of office, 854,000 square feet of retail/wholesale, 1.463 million square feet light industrial, and 3,044 hotel units.</u>	<u>Approved 2011</u>
City of Elk Grove				
<u>35</u>	<u>Southeast Industrial Area</u>	<u>East of Grant Line Road and SR 99</u>	<u>Southeast Industrial Area (382 acres annexed to City of Elk Grove in 2019), potential for additional 189 acres to be annexed in future</u>	<u>Approved 2019</u>
<u>36</u>	<u>Elk Grove Crossing Specific Plan</u>	<u>Within the Kammerer/Hwy 99 Sphere of Influence Area between the future extension of Big Horn Boulevard on the west and the future extension of Murphy's</u>	<u>319 acres including high and medium density residential, commercial, office, retail, entertainment, and light industrial/"flex" uses.</u>	<u>In process</u>

Project Number	Project Name	Location	Description	Status
		<u>Corral Road on the east.</u>		
<u>37</u>	<u>Southeast Policy Area (SEPA)</u>	<u>North of Kammerer Road, east of Bruceville Road, west of Hwy 99</u>	<u>1,200 acres including industrial/"flex" uses, mixed use, offices, parks, schools, and residential uses.</u>	<u>SEPA approved 2014, potential changes pending</u>
<u>38</u>	<u>Bilby Ridge</u>	<u>South of Bilby Road, north of the Planned Kammerer Road extension, between Bruceville Road and Willard Parkway</u>	<u>484 acres planned for residential, retail, service commercial, schools, parks, and open space</u>	<u>In process</u>
<u>39</u>	<u>Lent Ranch/Elk Grove Promenade</u>	<u>North of Kammerer Road, west of Hwy 99</u>	<u>Approximately 270 acres including commercial, office uses</u>	<u>Approved</u>

CUMULATIVE ISSUE AREAS

Cumulative impacts for each technical area are discussed below. Significance criteria, unless otherwise specified, are the same for cumulative impacts as project impacts for each environmental topic area. When considered in relation to other probable future projects, cumulative impacts to some resources could be significant and more severe than those caused by the Project alone.

AESTHETICS

CUMULATIVE SETTING

The viewshed for the cumulative aesthetics setting is the Plan Area and vicinity and includes viewing groups which are mostly composed of people traveling along arterial roadways which traverse the viewshed, such as Sunrise Boulevard, Zinfandel Drive, and Jackson Road. Most of eastern Sacramento in the unincorporated areas, including the Plan Area and vicinity, exhibit relatively flat topography which is either urbanized or dominated by crop farming interspersed with rural communities and open space areas. No significant cumulative visual impacts exist within the vicinity of the Plan Area.

CUMULATIVE IMPACTS EVALUATION

The viewshed is within the Urban Services Boundary of the 2030 General Plan, and as such, is anticipated to develop with urban uses over the coming decades. In addition to the Plan Area, the projects listed above are in the general vicinity of the Jackson Road

corridor and are currently being processed by the County. Therefore, they are considered within the cumulative evaluation. The West Jackson Highway Master Plan area is located approximately southwest of the Plan Area and includes approximately 5,913 acres on both the north and south sides of Jackson Road. The NewBridge Specific Plan area is located adjacent to the southern border of the Plan Area and includes approximately 1,095 acres north of Jackson Road. The Mather South Project is located to the north. In total, the four master plans (including the Project) cover approximately 9,247 acres and based on the most recent NOPs, would provide for the development of more than 27,000 new housing units of varying densities, nearly 6.8 million square feet of commercial space, employment-generating uses, mixed use land uses, 12 schools, and approximately 322 acres of developed parkland.

As discussed in Chapter 1, "Aesthetics," development of the Project and Alternative 2 would not result in significant impacts related to scenic resources or light or glare. However, the Project and Alternative 2 would result in significant and unavoidable impacts to visual character because of the anticipated permanent conversion of undeveloped rural land to developed uses.

MITIGATION MEASURES

No mitigation is available.

While the Project and Alternative 2 would represent a small portion of the overall conversion of the area, each large-scale development contributes to the permanent change in visual character in a way that induces further change, and both the Project and Alternative 2 would have a considerable contribution to the overall significant and unavoidable impact. There is no mitigation available to reduce the impacts related to the change in visual character, and the Project and Alternative 2 would result in a considerable contribution to a new **significant and unavoidable** cumulative impact.

AGRICULTURAL RESOURCES

CUMULATIVE SETTING

As described in Chapter 5, "Agricultural Resources," over the 10-year period from 2006 to 2016, the California Department of Conservation estimates that the total acreage of Important Farmland in Sacramento County decreased by approximately 763 acres annually, with notable losses to Prime Farmland and gains in Farmland of Local Importance. This is a significant adverse cumulative condition.

CUMULATIVE IMPACTS EVALUATION

Implementation of the Project would convert approximately 1 acre of Prime Farmland located near the center of the Plan Area, and 61 acres of Farmland of Local Importance to non-agricultural use (see Plate AG-1). This represents roughly 8 percent of the average annual conversion of Important Farmland in Sacramento County (see Table AG-1) and constitutes a significant loss under 2030 General Plan Policy AG-5, which defines substantial loss farmland as conversion of 50 acres or more land designated as Prime Farmland, Unique Farmland, Farmland of Statewide Importance, Farmland of Local Importance, or Grazing Land located outside of the USB.

MITIGATION MEASURES

Implement Mitigation Measure AG-1.

Mitigation Measure AG-1 would result in preservation of land through the SSHCP in a manner that is consistent with Policy AG-5 of the 2030 General Plan. However, because prime soils are a finite resource and new agricultural soils would not be created there would be a substantial net-loss of agricultural production within Sacramento County. Conversion of 62 acres of Prime Farmland and Farmland of Local Importance is considered a substantial contribution to a significantly adverse cumulative condition. The cumulative impact is **significant and unavoidable**.

AIR QUALITY

CUMULATIVE SETTING

The Plan Area is within the jurisdiction of the Sacramento Metropolitan Air Quality Management District (SMAQMD). The SMAQMD jurisdictional boundary is considered the cumulative project boundary. Sacramento County is currently in nonattainment for ozone, respirable particulate matter (PM₁₀), and fine particulate matter (PM_{2.5}) with respect to the California ambient air quality standards (CAAQS) and is in nonattainment for ozone and PM_{2.5} with respect to the national ambient air quality Standards (NAAQS).

Ozone impacts are the result of cumulative emissions from numerous sources in the region and transport from outside the region. Ozone is formed in chemical reactions involving ~~reactive organic gases (ROG), oxides of nitrogen (NO_x)~~, and sunlight. All but the largest individual sources emit NO_x and ROG in amounts too small to have a measurable effect on ambient ozone concentrations by themselves. However, when all sources throughout the region are combined, they can result in severe ozone problems.

Particulate matter (PM), including PM₁₀ and PM_{2.5}, have a similar cumulative regional emphasis when they are entrained into the atmosphere and build to unhealthy levels over time. PM also has the potential to cause significant local problems during periods of dry conditions accompanied by high winds, and during periods of heavy earth-disturbing activities. PM may have cumulative local impacts if, for example, several unrelated grading or earth moving activities are underway simultaneously at nearby sites. Operation-related PM is less likely to result in local cumulative impacts as operational PM sources tend to be spread throughout the region (i.e., vehicles traveling on roads), not affecting any one receptor. However, substantial increases in traffic on roadways already experiencing high traffic volumes may result in considerable contributions to nearby existing land uses.

Although carbon monoxide (CO) can accumulate with traffic at intersections, it is recommended to be evaluated locally, and not regionally because it disperses rapidly with distance from the source under normal meteorological conditions. Toxic air contaminants (TACs) behave similarly. As discussed in Chapter 6, "Air Quality," TAC concentrations substantially decrease within a distance of 500 feet from a source; therefore, it is unlikely that Project-related sources of TACs would combine with emissions from other projects in the area to produce adverse TAC concentration. Therefore, CO and TACs are not significant at a regional air-basin level.

Because of the existing nonattainment status of Sacramento County (as discussed above), there is an existing adverse cumulative condition regarding air quality. Therefore, ROG, NO_x, and PM emissions from cumulative development (see Chapter 4, “Air Quality,” Table AQ-2) are cumulatively significant in the air basin. The discussion below addresses whether the Project’s contribution is considerable. In addition, as discussed in the resource chapter, the AQMP that provides numeric data for the analysis was prepared for Alternative 2. For this reason, the following discussion addresses both the Project and Alternative 2.

CUMULATIVE IMPACTS EVALUATION

A cumulative impact analysis is provided for each of the air quality topics addressed in the Project impact analysis follows in consideration of other planned future developments within the Plan Area.

CONSTRUCTION EMISSIONS OF CRITERIA AIR POLLUTANTS AND PRECURSORS

PROPOSED PROJECT

Sacramento County and the Sacramento Valley Air Basin (SVAB) are in state and federal nonattainment for ozone and PM air quality standards. Construction activities in the region would add additional ozone and PM emissions into the SVAB that may conflict with attainment efforts. Project-related construction emissions of NO_x would exceed the applicable mass emission threshold established by SMAQMD.

The Project Applicant or subsequent developers of the specific plan would be required to apply exhaust control measures to heavy-duty equipment and pay a mitigation fee for every day that NO_x emissions exceed the 85 lb/day threshold adopted by SMAQMD provided under Mitigation Measure AQ-1b in Chapter 6, “Air Quality.” The mitigation fee program is designed to reduce emissions throughout the SMAQMD jurisdiction through various measures such as installing newer engines on construction equipment or installing U.S. Environmental Protection Agency–certified woodstoves in the place of non-certified woodstoves in residential units. Incorporation of this mitigation would ensure that all additional NO_x emissions would be offset through the SMAQMD program and, therefore, Project construction would not result in a considerable contribution to the regional air quality condition and would not interfere with attainment of CAAQS or NAAQS.

SMAQMD recommends using a 0 lb/day and 0 tons per year (tpy) threshold of significance for evaluating construction-related emissions of PM₁₀ and PM_{2.5} prior to the implementation of best management practices or best available control technology. Regarding PM₁₀ and PM_{2.5}, Project construction would not exceed SMAQMD thresholds prior to mitigation (see Chapter 6, “Air Quality,” Table AQ-54). Following implementation of best management practices and/or best available control technology, construction emissions of PM₁₀ are evaluated against a threshold of significance of 80 lb/day or 14.6 tpy and PM_{2.5} is evaluated against a threshold of significance of 82 lb/day or 15 tpy. The Proposed Project and Alternative 2 would include best management practices and/or best available control technology, and would be evaluated against the latter thresholds.

MITIGATION MEASURES

Implement Mitigation Measure AQ-1a and AQ-1b.

~~Nonetheless~~, Mitigation Measure AQ-1a would reduce construction-related exhaust and fugitive dust emissions by requiring dust suppression and limiting equipment idle time. Thus, considering that worst-case scenario construction-related activities would not exceed SMAQMD-adopted thresholds for PM and mitigation is in place to further reduce these emissions, construction-related PM emissions would not result in substantial concentrations at nearby receptors. Given that construction-related emissions would be mitigated to the extent feasible, construction-related emissions would not exceed SMAQMD's cumulative thresholds for criteria pollutants and ozone precursors.

However, in the cumulative context of Mather, NewBridge, and West Jackson, it is foreseeable that construction emissions from any or all of the projects would produce construction emissions in exceedance of the SMAQMD's mass emissions thresholds. If such were the case, Mather, NewBridge, or West Jackson could combine with the Project's construction emissions to produce a regional air quality impact. However, SMAQMD develops its thresholds of significance in consideration of achieving attainment status under the CAAQS and NAAQS and has determined that projects that demonstrate emissions below these thresholds would not have cumulatively considerable contribution to regional air quality degradation.

Therefore, the Project's short-term project-generated construction emissions would be a **less-than-significant** cumulative impact.

ALTERNATIVE 2

Construction activities under Alternative 2 would be similar to the Project. ~~However~~, implementation of Mitigation Measures AQ-1a and AQ-1b would reduce emissions to below SMAQMD's mass emissions thresholds. For the reasons described above in the discussion of the Project's cumulative impact, Alternative 2's contribution to regional air quality impacts related to construction emissions would not be cumulatively considerable and would result in a **less-than-significant** cumulative impact.

LONG-TERM OPERATIONAL EMISSIONS OF CRITERIA AIR POLLUTANTS AND PRECURSORS

PROPOSED PROJECT

Air districts in California develop air quality attainment plans designed to reduce emissions of ozone precursors enough to attain the federal ozone standard by the earliest practicable date. Air quality attainment plans include a multitude of air pollution control strategies. When developing air quality attainment plans, air districts account for the emissions from all present and future development in the region by relying on city and county general plans. Thus, projects that are consistent with adopted general plans and the most recent air quality attainment plans would not conflict with regional air quality planning efforts and the ability of the region to meet reduction targets set by the adopted plans. In cases where projects are proposed that were not included in the adopted general plan or accounted for in regional air quality projects, SMAQMD has developed guidance and determined the level of emissions reduction that would be

considered feasible, thus not conflicting with regional air quality attainment status. The Project was not included in the most current State Implementation Plan (the air quality plan for the region) and is anticipated to have significant operational air quality impacts. Thus, SMAQMD has recommended that the Project achieve a 35 percent reduction in mobile-source operational emissions.

MITIGATION MEASURES

Implement Mitigation Measure AQ-2a.

As discussed in Chapter 6, “Air Quality,” Mitigation Measure AQ-2b would be applied to the Project. Mitigation Measure AQ-2b requires that the Project develop an SMAQMD-verified AQMP that demonstrates that the Project is able to reduce operational emissions of criteria air pollutants and ozone precursors to SMAQMD’s 35 percent reduction target as compared to an “unmitigated” scenario (i.e., modeled emissions based on default VMT values in the California Emissions Estimator Model [CalEEMod]) against a “mitigated” scenario (i.e., modeled emissions using VMT values derived from a traffic study conducted for the Project). However, compliance with this requirement would not inherently reduce emissions to below the applicable mass emissions thresholds. Because the Project would be similar in land uses and density to Alternative 2 (discussed below), it would be expected the operational emissions would be similar in magnitude. As discussed below, a 35 percent reduction of Alternative 2’s emissions would not be sufficient to reduce operational emissions of NO_x and PM₁₀ to levels below SMAQMD’s thresholds of significance. It would be expected that a similar result would occur following the preparation of an AQMP. Therefore, operation-related emissions for the Project would likely exceed SMAQMD thresholds for NO_x and PM₁₀. Projects that exceed established SMAQMD thresholds of significance would contribute to the regional, and thus cumulative, air quality conditions. The Project would likely emit levels of emissions that would exceed SMAQMD’s mass emissions thresholds. This would be a considerable contribution to **significant and unavoidable** cumulative impact.

Chapter 6, “Air Quality,” includes a description of the types of health effects associated with this impact. As discussed therein, there is not a dispersion model for evaluation of concentrations of criteria air pollutants within the Sacramento region that has been endorsed by SMAQMD. Further, given the uncertainty surrounding potential receptors (i.e., age, existing health, genetic sensitivity, and numbers in a region), as well as the unknown timing and location of air pollution, meaningful dispersion modeling to quantitatively assess potential human health impacts is speculative at the programmatic level.

ALTERNATIVE 2

Alternative 2 would result in similar levels of emissions as the Project ~~and would exceed SMAQMD’s thresholds of significance.~~ Consistent with SMAQMD guidance, an AQMP has been prepared for Alternative 2, which includes various measures to reduce project operational ozone precursor emissions (i.e., NO_x and ROG) by 35 percent. Measures would include subsidized transit passes and deployment of electric vehicle charging stations. Implementation of all available onsite reduction measures would reduce

Alternative 2's operational emissions by 35 percent. Refer to Appendix AQ-1 for the AQMP and further details regarding incorporated emissions reduction measures.

MITIGATION MEASURES

Implement Mitigation Measure AQ-2b.

~~Incorporation of all mitigation included in the AQMP would represent all available and feasible mitigation that Alternative 2 could implement. However, long-term operational emissions associated with Alternative 2 implementation would continue to exceed applicable thresholds. Operations may contribute to the nonattainment status of the region and may conflict with CAAQS and NAAQS. Thus, Alternative 2's contribution to cumulative operational air quality impacts is cumulatively considerable and significant.~~

~~However, as discussed further in the AQMP, emissions estimates were based on Alternative 2's projected VMT. However, a~~At buildout of the Plan Area (i.e., 2035/2040), all or some of the Mather, NewBridge, and West Jackson projects could be built out, providing residents of Alternative 2 with a shorter driving distance to regional amenities. It is expected that various commercial land uses, though unknown at this time, could divert trips of longer distances.

As a result, the AQMP prepared for Alternative 2 evaluated a cumulative mitigated scenario using an adjusted cumulative VMT value. The modeled cumulative VMT for Alternative 2, based on specific project features, is approximately 61 percent less than the model default VMT. Table SI-2 summarizes the resulting level of emissions of criteria air pollutants and ozone precursors following the application of reduction measures identified in the AQMP.

Table SI-2: Cumulative Alternative 2 Maximum Daily (Mitigated) Operational Emissions of Criteria Air Pollutants and Precursors at Full Buildout (2035)

Source Type	Maximum Daily Emissions (lb/day)			
	ROG	NO _x	PM ₁₀	PM _{2.5}
Maximum Daily Emissions ¹	53	282	191	55
SMAQMD Threshold of Significance	65	65	80	82
Exceeds Threshold?	No	Yes	Yes	No

Notes: lb/day = pounds per day; ROG = reactive organic gases; NO_x = oxides of nitrogen; PM₁₀ = respirable particulate matter; PM_{2.5} = fine particulate matter; NA = not applicable.

¹Tons per year emissions values were converted to pounds per day by multiplying the values by 2,000 then dividing by 365.

Source: Modeling conducted by Kleinfelder in 2019

**Table SI-2: ROG and NO_x Mobile-Only Emissions Reductions for Alternative 2
Modeled Cumulative VMT compared to Default VMT**

	Mobile-Only Emissions, tons per year (tpy)	
	ROG	NO_x
Default Cumulative VMT Scenario	32.6	34.9
Modeled Cumulative VMT Scenario ¹	15.3	15.3
Percent Reduction	-53.1%	-56.2%
Quantified Emissions Reductions Not Included in the Traffic Study		
Transportation-Related Project Features ²	-1.2	-1.3
Non-Transportation Project Features ²	-0.4	-2.9
Elimination of the Sacramento Raceway	-0.9	-2.6
Total Emissions Reductions	-19.8	-25.8
Total Percent Reduction	-60.7%	-73.9%

Notes:

1 Includes proposed VMT-reducing Project elements reflected in the VMT technical memorandum (location, mix of land uses, internal proximity, multi-modal efficiency, and transit-supportive features).

2 Required through implementation of Mitigation Measure AQ-2b.

Source: Kleinfelder 2022.

As shown above in Table SI-2, after modeling Alternative 2 in a cumulative context in addition to the application of mitigation measures, emissions of NO_x and PM₁₀ would still not exceed SMAQMD's thresholds of significance because Alternative 2 would exceed the SMAQMD reduction target of 35 percent by 26 percent for ROG and 39 percent for NO_x. Thus, Alternative 2 would not result in have a considerable contribution to a significant and unavoidable cumulative impact. This impact would be less than significant.

MOBILE-SOURCE CO CONCENTRATIONS

PROPOSED PROJECT

As described in Chapter 6, "Air Quality," Project implementation would result in less-than-significant local mobile-source CO-related air quality impacts from construction and operation. Like intersection operations in the existing-plus-project scenario, several intersections would downgrade to level of service (LOS) E or F in the cumulative-plus-project scenario. For a full list of intersection LOS changes from cumulative development, refer to the traffic study prepared for the Project in Appendix TR-1.

CO emission factors in future years are expected to be lower than current levels because of more stringent vehicle emissions standards and improvements in vehicle emissions technology. Ambient local CO concentrations under future, cumulative conditions would continue to decline. Therefore, 1- and 8-hour CO concentrations for the future cumulative conditions would not be anticipated to exceed the significance thresholds of 20 parts per million (ppm) and 9 ppm, respectively. Consequently, the

Project's contribution to cumulative CO impacts would not be cumulatively considerable and would result in a **less-than-significant** cumulative impact.

ALTERNATIVE 2

Alternative 2 would result in similar vehicle trips as the Project. The variations in daily trip increases are discussed in greater detail in Chapter 6, "Air Quality." For the reasons described above in the discussion of the Project's cumulative impact, Alternative 2's contribution to cumulative CO impacts would not be cumulatively considerable and would result in a **less-than-significant** cumulative impact.

EXPOSURE OF SENSITIVE RECEPTORS TO TACs

PROPOSED PROJECT

As discussed in Chapter 6, "Air Quality," the Project would not generate significant health risks associated with toxic air contaminants (TACs) because it would not expose any single receptor to a level of cancer risk that exceeds an incremental increase of 10 in one million, or to a noncarcinogenic hazard index of 1. The Project may result in some new sources of TACs associated with commercial and educational land uses. However, TAC sources are considered local as pollutant concentrations because they dissipate rapidly from the source. Further, Mitigation Measure AQ-43 in Chapter 6, "Air Quality," would reduce Project-related TACs and protect sensitive receptors. Thus, given that the Project-generated TAC emissions would not be considered substantial, mitigation would reduce project-generated TAC sources, and due to the localized nature of TACs, Project-generated increases in TAC emissions would not result in a new significant cumulative TAC impact. The Project's TAC impacts would not be cumulatively considerable and would result in a **less-than-significant** cumulative impact.

ALTERNATIVE 2

Alternative 2 would include similar land uses (i.e., commercial and educational) as the Project that could result in emissions of TACs. Mitigation Measure AQ-43 would be sufficient to reduce exposure of sensitive receptors to TAC emissions through appropriate planning strategies. For the reasons listed above in the discussion of the Project's cumulative impact, Alternative 2's TAC impacts would not be cumulatively considerable and would result in a **less-than-significant** cumulative impact.

EXPOSURE OF SENSITIVE RECEPTORS TO ODORS

PROPOSED PROJECT

As discussed in Chapter 6, "Air Quality," the Project would generate temporary odors during construction and new odor sources associated with the commercial and educational land uses (e.g., delivery truck idling at commercial loading zones, odors associated with certain land uses such as dry cleaners). Construction-related odors would be minimal, temporary, and would cease once construction is complete. ~~Incorporation of on-site mitigation as described in Mitigation Measure AQ-5 would reduce odor exposure to new receptors.~~ Because of the localized character of odor-

related impacts, as well as the site-specific design measures in place to reduce odor exposure, the Project's contribution to odor issues would not be cumulatively considerable and would not result in a considerable contribution such that a new significant cumulative impact would occur. Cumulative odor impacts would be **less than significant**.

ALTERNATIVE 2

Alternative 2 would include similar land uses as the Project that could generate odors. ~~However, Mitigation Measure AQ-4 would be sufficient to minimize emissions of adverse odors.~~ For the reasons described above in the discussion of the Project's cumulative impact, Alternative 2's odor impacts would not be cumulatively considerable and would result in a **less-than-significant** cumulative impact.

AIRPORT COMPATIBILITY

CUMULATIVE SETTING

The cumulative boundary for airport compatibility is generally the areas in the immediate vicinity near the jurisdictional boundary of the Comprehensive Land Use Plan (CLUP) for Mather Airport. The Plan Area is located southeast of the Mather Airport, and a small portion of the Plan Area is located within the CLUP boundary. Most of the airport operations occur north of the runway, which is centrally located within the airport boundary; however, the airport traffic control tower, as well as some hangar space and numerous installation restoration program sites are located south of the runway. The airport is 2,253 acres in size and is surrounded by a mix of residential, commercial, industrial, and open space land uses, including the Mather Preserve. Mather Airport includes two parallel runways that have a northeast/southwest orientation and receives between 230 to 280 landings per month with the majority of the landings attributed to cargo planes. Approximately 88 percent of all aircraft operations occur on the southern runway, which is the longer one of the two. Through the CLUP, land use is regulated to ensure that potential incompatibilities from new development do not occur. No existing airport compatibility issues are present within the Plan Area and cumulative impacts would be less than significant.

CUMULATIVE IMPACTS EVALUATION

The Project and Alternative 2 would introduce new sensitive receptors within the CLUP. Development of the NewBridge, Mather South, and West Jackson projects would also result in additional new residents to the vicinity. However, the Project and Alternative 2 would implement mitigation that would ensure development in compliance with the CLUP. All other projects, including those listed above, would also be developed in compliance with the CLUP, and, therefore, would not result in significant impacts. The Project and Alternative 2 would not result in a considerable contribution such that a new significant cumulative impact would occur. Therefore, cumulative airport compatibility impacts would be **less than significant**.

BIOLOGICAL RESOURCES

CUMULATIVE SETTING

Generally, the geographic extent of cumulative impacts on biological resources consists of Sacramento County and the Central Valley region of California that supports similar biological resource values and functions to those of the Plan Area.

Past and present actions by humans have substantially altered biological resources in the Central Valley region of California, including Sacramento County, specifically, compared to historical conditions. Among the most important of these past actions have been conversion of natural vegetation and habitats to agricultural and developed land uses; fill and alteration of aquatic habitats; flood control and water supply projects; and the introduction of invasive species, which in many cases have competed with, preyed upon, and degraded habitat for native species. More recently, the large-scale conversion of agricultural habitats to urban land uses has resulted in substantial loss of habitat for species such as State-listed Swainson's hawk that have adapted to use agricultural habitats in response to loss of their natural habitats.

Past, present, and foreseeable future urbanization in Sacramento County has contributed, and continues to contribute substantially to the loss of grassland, wetland, and agricultural habitats that are important to many species in the region, including State and federally listed species like Swainson's hawk, vernal pool fairy shrimp, and vernal pool tadpole shrimp. The continued conversion of natural habitats would contribute to the ongoing decline of these habitats in the region and in the state. This is a significant cumulative impact.

CUMULATIVE IMPACTS EVALUATION

VERNAL POOL INVERTEBRATES AND WESTERN SPADEFOOT

Vernal pools are one of California's most threatened habitats. Historic losses of vernal pool habitat in combination with projected losses from existing, proposed, planned, and approved projects constitute a cumulatively substantial reduction in vernal pool habitat in the region and the state. Habitat losses of this magnitude have a substantial adverse effect on species that rely on this habitat type, including vernal pool fairy shrimp, vernal pool tadpole shrimp, and western spadefoot on a statewide and regional scale. Vernal pool fairy shrimp has a more widespread distribution than vernal pool tadpole shrimp, with occurrences in southern California, the coast ranges of California, and southern Oregon, but it is mostly found in the Central Valley. It is uncommon throughout its range and rarely abundant where it is found (USFWS 2005). The greatest concentration of vernal pool fairy shrimp occurs in the Southeastern Sacramento Vernal Pool Region, which includes eastern Sacramento County (USFWS 2005). Therefore, the occupied habitat in Sacramento County represents a substantial proportion of the statewide population of vernal pool fairy shrimp. Vernal pool tadpole shrimp is restricted to the Central Valley and San Francisco Bay and has its largest concentration in the Southeastern Sacramento Vernal Pool Region in Sacramento County (USFWS 2005). Vernal pool tadpole shrimp is uncommon throughout its range. Western spadefoot has been extirpated throughout the lowlands of southern California and from many historical

locations in the Central Valley, including serious declines in the Sacramento Valley (Jennings and Hayes 1994, USFWS 2005). Loss of vernal pool habitat has resulted in substantial declines in vernal pool fairy shrimp, vernal pool tadpole shrimp, and western spadefoot statewide and in the region. Because of this habitat loss, 33 species of vernal pool-dependent plants and animals have been listed under the State or federal ESA or are candidates for listing (USFWS 2005). Loss of vernal pool wetlands has also had an adverse effect on general watershed functions in the region, such as flood attenuation and water quality improvement. This represents an existing significant cumulative impact.

As described in Chapter 8, "Biological Resources," implementation of the Project would result in the loss of approximately 30.30 acres of vernal pool crustacean habitat and western spadefoot breeding habitat. Alternative 2 would result in the loss of approximately 25.61 acres of vernal pool crustacean habitat and western spadefoot breeding habitat. Vernal pool habitats in the Plan Area are known to support vernal pool tadpole shrimp and vernal pool fairy shrimp, and potentially support western spadefoot. The *Recovery Plan for Vernal Pool Ecosystems of California and Southern Oregon* (USFWS 2005) states that the loss of any habitat occupied by vernal pool branchiopods is counterproductive to their recovery, because the major threat to Federally listed vernal pool branchiopod species is habitat loss and fragmentation. In addition, maintaining genetic diversity of populations of these species is of concern. Take of vernal pool branchiopods can also eliminate a portion of the genetic pool available to that species, thereby eliminating the overall genetic diversity of the species. This is of concern because over time, if the genetic diversity of a species is severely reduced, the chances of the species persisting through unpredictable future environmental conditions are reduced. Implementation of the Project, in combination with other existing and planned development projects in the area including NewBridge, Mather South, and West Jackson, would result in the loss of 17,688 acres, or 17 percent, of the 103,210 acres of vernal pool grassland habitat existing in the SSHCP Plan Area, of which 597 acres are wetland habitats suitable for vernal pool branchiopods. The Project would contribute only about 5 percent to this wetland loss. Implementation of Alternative 2, in combination with other existing and planned development projects in the area including NewBridge, Mather South, and West Jackson, would result in the loss of 17,683 acres, or 17 percent, of the 103,210 acres of vernal pool grassland habitat existing in the SSHCP Plan Area and the overall effects would be similar to the Project. Because of the rarity of the vernal pool habitat and the special-status species associated with it, particularly the federally listed invertebrates, this contribution is considered cumulatively considerable because it contributes to the ongoing decline of these species in the region and statewide and the loss of wetland function.

Creating compensatory wetlands cannot be guaranteed to fully replace the functions and values of habitat lost and temporal losses would occur unless all impacts could be mitigated through purchase of fully functioning, established, in-kind habitats from a USFWS-approved mitigation bank. ~~It is unclear at this time if sufficient mitigation credits would be available from an approved mitigation bank to compensate for the loss of wetlands from the Plan Area.~~ An overall loss of habitat from the Southeastern Sacramento Vernal Pool Region could reduce the potential for recovery of vernal pool fairy shrimp and vernal pool tadpole shrimp and contribute to the ongoing decline of

these species in the region and statewide. ~~Therefore, the Project and Alternative 2 would have a considerable contribution to a significant cumulative impact.~~

MITIGATION MEASURES

Implement Mitigation Measure BR-1.

~~Implementation of Mitigation Measures BR-1 and BR-17 listed in Chapter 8, "Biological Resources," would reduce significant direct and indirect effects on vernal pool invertebrates and western spadefoot to a less-than-significant level. However, creation and preservation of wetlands within smaller and more fragmented areas surrounded by urban development cannot fully compensate for the whole suite of ecological services provided by larger expanses of interconnected wetland complexes surrounded by open space and there is no feasible mitigation available to reduce all potential indirect impacts to a less than significant level. Therefore, the project would result in a cumulatively considerable contribution to a significant cumulative impact and this cumulative impact would be **significant and unavoidable**.~~

~~Should the Project Applicant obtain coverage under the SSHCP for impacts to vernal pool crustaceans and western spadefoot, Mitigation Measure BR-2 would be implemented. These mMitigation mMeasures BR-1 would provide development fees or land dedication in a connected preserve system in accordance with the SSHCP and implement all applicable Avoidance and Minimization Measures contained in that plan. Therefore, implementation of the Project or Alternative 2 with Mitigation Measure BR-21 would not result in a cumulatively considerable contribution to a significant cumulative impact. Cumulative impacts would be **less than significant**.~~

SPECIAL-STATUS PLANTS

Special-status plants known or with potential to occur in the Plan Area are associated with vernal pools. As noted previously, vernal pools are one of California's most threatened habitats. Historic losses of vernal pool habitat in combination with projected losses from existing, proposed, planned, and approved projects constitute a cumulatively substantial reduction in vernal pool habitat in the region and the state. Habitat losses of this magnitude have a substantial adverse effect on plant species that rely on this habitat type. Vernal pools and vernal pool plant species have been threatened by widespread conversion to agricultural uses and urban development. Loss of vernal pool habitat has resulted in substantial declines in vernal pool-dependent special-status plant species statewide and in the region. This represents an existing significant cumulative impact.

The Plan Area could support vernal pool dependent special-status plant species including two federally listed vernal pool grasses. Implementing the project would result the conversion of approximately 30.30 acres of vernal pool type wetlands to developed land uses.

MITIGATION MEASURES

Implement Mitigation Measure BR-1.

~~Implementation of Mitigation Measures BR-3 and BR-4 described in Chapter 8, “Biological Resources,” would reduce impacts on known and potentially occurring special-status plant species because subsequent developers would be required to identify and avoid special-status plant populations to the extent feasible and provide compensation for the unavoidable loss of special-status plants through establishment of new populations, conservation easements, or other appropriate measures. Critical habitat for the federally listed vernal pool grasses (Sacramento Orcutt grass and slender Orcutt grass) has been preserved in the Mather Preserve and would be preserved as part of the Project and Alternative 2. Therefore, implementing the project would not result in a considerable contribution to a significant cumulative impact.~~

~~Alternatively, t~~The Project Applicant may and subsequent developers would obtain coverage for impacts to special-status plants under the SSHCP and implement Mitigation Measure BR-21. Implementation of Mitigation Measure BR-21 would reduce impacts through survey and compensatory mitigation on an established SSHCP Preserve. Therefore, implementing the Project or Alternative 2 with Mitigation Measure BR-21 would not result in a considerable contribution to a significant cumulative impact. Cumulative impacts would be **less than significant**.

SWAINSON’S HAWK

The Sacramento County area supports one of the largest concentrations of breeding pairs of Swainson’s hawks remaining. Therefore, the area is very important to the survival and recovery of the species. Swainson’s hawks are typically found in California only during the breeding season (March through September) and winter in Mexico and South America. Historically, as many as 17,000 Swainson’s hawk pairs may have nested throughout lowland California (Bloom 1980). As of 2005, there were estimated to be approximately 2,080 breeding pairs in California, approximately 1,950 of which are in the Central Valley (Estep 2009). The largest concentration of breeding pairs occurs in the counties of Sacramento, San Joaquin, Solano, and Yolo (Estep 2009a). The California population of breeding Swainson’s hawks declined by approximately 90 percent from the 1940s to 1980, presumably because of habitat loss; however, other factors, such as mortality in wintering areas in Central America, may have also played a role (Bloom 1980). This represents an existing significant cumulative impact on the species.

Although the most important foraging habitat for Swainson’s hawks lies within a 1-mile radius of each nest (City of Sacramento et. al 2003), Swainson’s hawks have been recorded foraging up to 18.6 miles from nest sites (Estep 1989). Any habitat within the foraging distance may provide food at some time in the breeding season that is necessary for reproductive success. Because of the substantial decline in the number of Swainson’s hawk breeding pairs in California, the contraction of its range in the state, and the past and ongoing loss of suitable habitat for Swainson’s hawk due to urbanization and agricultural conversion to unsuitable crop types (e.g., vineyards), adverse effects on Swainson’s hawk are considered cumulatively significant.

Development of the Project or Alternative 2 would result in a permanent loss of approximately 516.7 acres of foraging habitat for Swainson’s hawk. This constitutes a substantial loss of habitat acreage for the local and regional population of Swainson’s

hawk and could result in reduced reproductive success for local pairs and permanent displacement of individuals from the area. In addition, the Project and Alternative 2 would remove potentially suitable nest trees. Nesting habitat in proximity to abundant forage habitat is crucial to reproductive success of Swainson's hawks.

MITIGATION MEASURES

Implement Mitigation Measure BR-1.

~~Implementation of Mitigation Measures BR-14, BR-15, and BR-17 described in Chapter 8, "Biological Resources," would reduce project-level impacts on Swainson's hawk foraging and nesting habitat, but not necessarily to a less-than-significant level because there is a finite amount of land available within the foraging range of the local nesting population and development of the Plan Area would result in an overall net loss of foraging habitat available to the local nesting population within at least 10 miles. This net loss would contribute to the decline of Swainson's hawk populations in the region and to the diminished value of the region as it relates to the long-term viability of this species. This would be a **cumulatively considerable contribution** to a significant cumulative impact and this cumulative impact would be **significant and unavoidable**.~~

~~Alternatively, t~~The Project Applicant may or subsequent developers would obtain coverage for impacts to Swainson's hawk under the SSHCP and implement Mitigation Measure BR-21. Implementation of Mitigation Measure BR-21 would reduce impacts through survey and compensatory mitigation on an established SSHCP Preserve. Therefore, implementing the Project or Alternative 2 with Mitigation Measure BR-21 would not result in a considerable contribution to a significant cumulative impact on Swainson's hawk. Cumulative impacts would be **less than significant**.

SPECIAL-STATUS REPTILE, BIRD (OTHER THAN SWAINSON'S HAWK), AND MAMMAL SPECIES; AND VALLEY ELDERBERRY LONGHORN BEETLE

Past development and land conversion in Sacramento County and the Central Valley, ranging from conversion of native habitats to agricultural production more than a hundred years ago to recent expansion of urban development, has resulted in a substantial loss of native habitat to other uses, fragmentation of remaining natural habitats, and associated population declines for many native insect, reptile, bird, and mammal species. This land conversion locally and statewide has benefited a few species, such as those adapted to agricultural uses, but the overall effects on native habitats and associated wildlife have been adverse. Habitat losses of this magnitude have a substantial adverse effect on species that require native habitats and contribute to population declines. Several wildlife species native to Sacramento County have received legal or regulatory protections, in response to population declines that have occurred because of habitat loss and degradation. The widespread conversion, fragmentation, and degradation of habitats, and associated population declines, for these special-status wildlife species in Sacramento County and the broader Central Valley is an existing significant cumulative impact.

The Plan Area is bordered by agricultural lands to the west and south; however, over the past 10 to 20 years, intensive urban and suburban development have been initiated or completed near the Plan Area in the City of Rancho Cordova and the unincorporated

area of Sacramento County, and many other projects are in various stages of planning and entitlement (including those projects currently being processed in the immediate vicinity, i.e., NewBridge, Mather South, and West Jackson). Some projects have already resulted in adverse impacts on special-status wildlife species. Although many future projects proposed near the Plan Area would be required to mitigate significant impacts on biological resources, in compliance with CEQA, ESA, CESA, and other state, local, and federal statutes, many types of habitats and species are provided no legal protection. Therefore, it can be expected that the net loss or degradation of native terrestrial and aquatic habitats for special-status wildlife, agricultural lands, and open space areas that support important biological resources in Sacramento County will continue.

Development of the Plan Area would result in removal of habitat known to support foraging of white-tailed kite and northern harrier. In addition, Cooper's hawk, tricolored blackbird, loggerhead shrike, white-tailed kite, and northern harrier may nest in the Plan Area and project implementation would remove nesting habitat and possibly active nest sites. Other special-status species could also be present in suitable habitat in the Plan Area and could be disturbed or lost through habitat removal or modification, including valley elderberry longhorn beetle, western pond turtle, burrowing owl, grasshopper sparrow, and American badger. Future development and construction activities such as ground disturbance and vegetation removal, as well as overall conversion of habitat to urban and commercial uses, could result in the disturbance or loss of habitats, individuals, and reduced breeding productivity of these species.

MITIGATION MEASURES

Implement Mitigation Measures BR-1 through BR-5.

~~Implementation of Mitigation Measures BR-5 through 10 and BR-12 through 17 listed in Chapter 8, "Biological Resources," would avoid the loss of individuals, nests, or other active breeding sites of special-status insect, reptile, bird, and mammal species (valley elderberry longhorn beetle, western pond turtle, burrowing owl, loggerhead shrike, white-tailed kite, yellow-headed blackbird, Cooper's hawk, northern harrier, tricolored blackbird, song sparrow [Modesto population], grasshopper sparrow, and American badger), and compensate for any unavoidable loss of occupied burrowing owl habitat and elderberry shrubs. In addition, equivalent value foraging habitat for special-status bird species, burrowing owl habitat, potential wetland and upland habitat for western pond turtle, and denning and foraging habitat for American badger will be permanently protected in the wetland preserve onsite. Therefore, implementation the Project or Alternative 2 would not result in a considerable contribution to a significant cumulative impact. Therefore, cumulative project impacts would be less than significant.~~

Alternatively With implementation of Mitigation Measure BR-1, the Project Applicant may or subsequent developers would obtain coverage for impacts to valley elderberry longhorn beetle, burrowing owl, tricolored blackbird, loggerhead shrike, white-tailed kite, northern harrier, and Cooper's hawk under the SSHCP, and implement Mitigation Measures BR-2 through BR-5 would address effect on nesting, bat mortality, and riparian vegetation and BR-14. Implementation of the above mitigation measures would reduce impacts through survey, avoidance and minimization measures, and

compensatory mitigation on an established SSHCP Preserve. Therefore, obtaining coverage under the SSHCP and implementing the related mitigation measures would not result in a considerable contribution to a significant cumulative impact. Cumulative impacts would be **less than significant**.

COMMON RAPTOR AND OTHER COMMON BIRD NESTS

Past development and land conversion in Sacramento County and the Central Valley, ranging from conversion of native habitats to agricultural production more than a hundred years ago to recent expansion of urban development, has resulted in a substantial loss of native habitat to other uses, fragmentation of remaining natural habitats, and associated population declines for many native insect, reptile, bird, and mammal species. This land conversion locally and statewide has benefited a few species, such as those adapted to agricultural uses, but the overall effects on native habitats and associated wildlife have been adverse. Habitat losses of this magnitude have a substantial adverse effect on species that require native habitats and contribute to population declines. Several wildlife species native to Sacramento County have received legal or regulatory protections, in response to population declines that have occurred because of habitat loss and degradation. The widespread conversion, fragmentation, and degradation of habitats, and associated population declines, for these special-status wildlife species in Sacramento County and the broader Central Valley is an existing significant cumulative impact.

Many common raptors and other common nesting birds have suitable nesting habitat within the Plan Area, and project construction activities may result in disturbance of nests potentially resulting in nest abandonment by the adults and mortality of chicks and eggs. Loss of chicks and eggs of common raptors and other common nesting birds could reduce population levels and contribute to the existing cumulative condition.

MITIGATION MEASURES

Implement Mitigation Measures BR-1, BR-2, and BR-3.

~~However,~~ Mitigation Measures BR-12, ~~and BR-13 or~~ and BR-2 listed in Chapter 8, "Biological Resources," would require preconstruction nest surveys, prohibit the removal of trees during the breeding season for nesting birds, and implement buffers around nests which would reduce impacts on nesting birds. Therefore, implementing the Project or Alternative 2 together with mitigation measures would not result in a considerable contribution to a significant cumulative impact. Therefore, cumulative project impacts would be **less than significant**.

RIPARIAN HABITATS

Past development and land conversion in Sacramento County and the Central Valley, including conversion of native habitats to agricultural production and expansion of urban development, has resulted in a substantial loss of riparian habitat within the region. Typical riparian tree species, black willow, black walnut, California sycamore, and Fremont cottonwood do not occur in association with the creeks and streams on the Plan Area; however, these tree species occur in the Plan Area in association with the large irrigation pond and other small ponds. The banks of these ponds may support

additional riparian species and function as riparian habitats. These ponds would be subject to disturbance from construction, and any riparian habitat that may occur would be disturbed adding to the cumulative condition in the region.

MITIGATION MEASURES

Implement Mitigation Measure BR-5.

However, implementing Mitigation Measure BR-~~5~~~~18~~, ~~BR-19~~, and ~~BR-20~~ or ~~BR-2~~ would require mitigation of disturbance of riparian habitat a minimum 1:1 ratio. Therefore, implementing the Project or Alternative 2 together with mitigation measures would not result in a considerable contribution to a significant cumulative impact. Therefore, cumulative project impacts would be **less than significant**.

WILDLIFE MOVEMENT CORRIDORS

Past and current urban development within Sacramento County and the Central Valley has resulted in fragmentation of habitat and restriction of movement for aquatic and terrestrial species across the landscape. The Project would include the dedication of approximately 214.3 acres of wetland preserve to the SSHCP preserve system that would allow continued movement of species between the existing Mather Preserve to the north and other undeveloped open space to the south and east through the Plan Area. Under Alternative 2, this wetland preserve would be increased to 259.8 acres. Therefore, neither the Project nor Alternative 2 would not interfere substantially with the movement of native resident or migratory species and would not result in a considerable contribution to a significant cumulative impact. Therefore, cumulative project impacts would be **less than significant**.

SOUTH SACRAMENTO HABITAT CONSERVATION PLAN

PROPOSED PROJECT

Past development projects would not conflict with the SSHCP, because they pre-date the adoption of the plan. Future projects within the plan area for the SSHCP would be subject to review by Sacramento County and the other jurisdictions within the SSHCP plan area. Future projects would be required by Sacramento County and the other jurisdictions to mitigate any inconsistencies the SSHCP as part of the CEQA process. The Project is specifically addressed in the SSHCP (County of Sacramento et al. 2018). Appendix K to the SSHCP describes the Project as including approximately 225 acres of onsite preserve and a variance to the Avoidance and Minimization Measure related to changes to the channel of Elder Creek. As proposed, the Project would include 214.3 acres of wetland preserve, which does not meet the 225 acres of preservation within the Plan Area that is part of the SSHCP Conservation Strategy. The smaller preserve area would remain inconsistent with the SSHCP Conservation Strategy and no feasible mitigation is available to reduce this inconsistency to a less-than-significant level. Therefore, the Project would result in a cumulatively considerable contribution to a significant cumulative impact and this cumulative impact would be **significant and unavoidable**.

ALTERNATIVE 2

Alternative 2 includes 259.8 acres of wetland preserve and is consistent with the hardline preserve boundary in the SSHCP. Therefore, implementing the Alternative 2 would not result in a considerable contribution to a significant cumulative impact related to conflict with the SSHCP. Therefore, cumulative project impacts would be **less than significant**.

CLIMATE CHANGE**CUMULATIVE SETTING**

Prominent GHGs contributing to the greenhouse effect are carbon dioxide (CO₂), methane (CH₄), nitrous oxide (N₂O), hydrofluorocarbons, perfluorocarbons, and sulfur hexafluoride. Human-caused emissions of these GHGs in excess of natural ambient concentrations are found to be responsible for intensifying the greenhouse effect and leading to a trend of unnatural warming of the earth's climate, known as global climate change or global warming. Climate change is a global problem caused by global pollutants and is inherently cumulative. Therefore, the cumulative setting for climate change is global, which is experiencing and there is an existing adverse cumulative condition.

CUMULATIVE IMPACTS EVALUATION

~~Sacramento County has established draft GHG thresholds for 2030. The Project's build out year is 2035, for which the 2030 GHG thresholds were extrapolated in alignment with State GHG reduction targets. Development of the Project or Alternative 2 would result in the production of GHG emissions during construction activities and throughout the operational period of the Project, attributed to vehicle use, energy use, waste generation, water treatment and distribution, and other area sources. With the implementation of mitigation, both the Project and Alternative 2 would reduce GHG emissions generated onsite and the remaining GHG emissions exceeding applicable thresholds would be offset through the purchase of carbon credits through excluding natural gas combustion on-site, implementing Tier 2 CalGreen requirements for EV charging stations, and reducing VMT through various mechanisms (e.g., participation in a TMA, incorporation of traffic calming measures and pedestrian facilities, promotion of transit access points), among other onsite GHG reduction strategies.~~

It is important to note that the development of the Plan Area in conjunction with surrounding future planned development would provide regional VMT reductions compared to ~~the cumulative scenario with the Project or Alternative 2 alone~~. The four large-scale development projects in unincorporated Sacramento County (i.e., Mather South Community Master Plan, NewBridge Specific Plan, Jackson Township Specific Plan, and West Jackson Highway Master Plan) would provide additional community amenities (e.g., shopping, jobs, entertainment) and transportation networks that would support land uses development associated with the Project, resulting in a decrease in VMT associated with Jackson Township. Specifically, as identified in Appendix AQ-1, Alternative 2 would result in VMT that is less than the cumulative, regional per resident VMT target level (set at 15 percent below the regional average) due to design features

described in Chapter 9, "Climate Change." This corresponds to a 66 percent reduction in mobile-source GHG emissions and a 55 percent reduction in total operational GHG emissions when compared to modeling defaults.

All GHG emissions from operation of Alternative 2 would be the same in the cumulative scenario as disclosed in Table CC-8, except for the annual mobile emissions, which would be reduced from 32,497 metric tons per year (MT/yr) with Alternative 2 alone to 21,381 MT/yr in the cumulative VMT scenario. In the cumulative scenario, the additional VMT reductions achieved through implementation of Mitigation Measure CC-1 would reduce GHG emissions by 1,240 MT/yr (which is 645 MT/yr less than for Alternative 2 alone). The reductions achieved through all other mitigation would be same as with implementation of Alternative 2 alone. Net GHG emissions for Alternative 2 in the cumulative scenario would be -4,798 MT/yr. Considering incorporated mitigation measures, future anticipated reductions in project-generated VMT, and the continuation of GHG reducing State regulations, long-term operational GHG emissions are anticipated to be lower than those estimated in Chapter 9, "Climate Change."

MITIGATION MEASURES

Implement Mitigation Measures CC-1 and CC-2 or CC-3.

Incorporation of available mitigation measures would reduce project emissions to a less-than-significant level. Although an existing cumulative adverse condition exists, the project would not result in a cumulatively considerable contribution to an existing adverse cumulative condition and this impact would be **less than significant**.

CULTURAL RESOURCES

CUMULATIVE SETTING

The geographic scope of potential cumulative impacts related to cultural resources is the Plan Area and the immediate geographic area, including Sacramento County. Because all significant archaeological resources are unique and nonrenewable members of finite classes, all adverse effects or negative impacts erode a dwindling resource base. The loss of any one archaeological site affects all others in a region because these resources are best understood in the context of the entirety of the cultural system of which they are a part. The cultural system is represented archaeologically by the total inventory of all sites and other cultural remains in the region. Therefore, because of past and current projects, cumulative impacts to cultural resources in Sacramento County are significant.

CUMULATIVE IMPACTS EVALUATION

The Project and Alternative 2 would result in ground-disturbing activities during construction and have the potential to unearth previously unidentified cultural resources.

MITIGATION MEASURES

Implement Mitigation Measures CR-1 and CR-2.

With mitigation, both the Project and Alternative 2 would not result in a considerable contribution to a significant cumulative impact related to cultural resources. The cumulative impact would be **less than significant**.

GEOLOGY, SOILS, AND PALEONTOLOGICAL RESOURCES

CUMULATIVE SETTING

Impacts on geology and soils are generally localized and do not result in regionally cumulative impacts. Unless a project would alter the soils and rock underlying other adjacent projects or affect surrounding land due to landslides, impacts related to geology, soils, and seismic hazards would be limited to the Plan Area. The geographic scope of cumulative impacts related to geology, soils, or seismic hazards, therefore, includes only projects immediately adjacent to the Plan Area. No significant cumulative geology or soils impacts are present on or near the Plan Area. Although the Plan Area does not include land containing valuable mineral resources, development of adjacent properties would preclude mining operations in a manner that could be considered significant in a cumulative setting.

The geographic scope of potential cumulative impacts related to paleontological resources is the Plan Area and the immediate geographic area, including Sacramento County. Because all significant paleontological resources are unique and nonrenewable members of finite classes, all adverse effects or negative impacts erode a dwindling resource base. The loss of any one paleontological site affects all others in a region because these resources are best understood in the context of the entirety of the system of which they are a part. The system is represented by the total inventory of all sites and other paleontological remains in the region. Therefore, because of past and current projects, cumulative impacts to paleontological resources in Sacramento County are significant.

CUMULATIVE IMPACTS EVALUATION

The Plan Area is not located within an active seismic fault area, nor is there topographical variation on the site that would make the Plan Area vulnerable to landslides. The Project and Alternative 2 would not result in a reduction in the availability of (i.e., access to or removal of) any mineral resource, because none exist within the proposed Plan Area. Additionally, the Project would not result in the closure of adjacent mining resources. The Project and Alternative 2 would be constructed in accordance with the most recent version of the California Building Code, which includes construction and seismic safety requirements and recommendations contained in Project-specific geotechnical reports. However, there is a potential for the project to encounter paleontological resources.

MITIGATION MEASURES

Implement Mitigation Measure GS-1.

It is anticipated that any potential impacts associated with geologic, soil conditions, and paleontological resources could be mitigated within the Plan Area and other nearby project sites. The Project and Alternative 2 would not result in a considerable

contribution to the significant cumulative paleontological resources impact or such that a new significant cumulative geology and soils impacts would occur. Therefore, impacts would be **less than significant**.

HAZARDS AND HAZARDOUS MATERIALS

CUMULATIVE SETTING

The general vicinity of Mather Airport was utilized for military operations for most of the 20th century and contains contaminated soils and groundwater from these past uses. While most of the contamination onsite has been identified and remediated, it is possible that pre-construction surveys could determine that new sources of contamination are present. However, there is no record of existing contamination within or immediately adjacent to the Plan Area. Therefore, the existing cumulative setting is less than significant.

CUMULATIVE IMPACTS EVALUATION

The Project or Alternative 2 could exacerbate the existing soil and groundwater impacts within the Plan Area if it were to result in additional contamination onsite or increase the risk of hazardous materials exposure during the transport, use, and disposal of hazardous materials.

MITIGATION MEASURES

Implement Mitigation Measures HM-1 through HM-3.

However, the Project and Alternative 2 would be required to comply with federal, State, and local hazardous materials regulations and codes monitored by the State and/or local jurisdictions and implement mitigation measures that would require the preparation of a site-specific Health and Safety Plan, conducting soil sampling before construction activities begin, preparation of a contaminated soil contingency plan, and notification of future landowners of the potential for hazardous materials.

Similarly, other development projects considered in the cumulative analysis would each be required to implement similar regulations to mitigate project-level impacts. Therefore, the Project and Alternative 2 would not result in a considerable contribution to a significant cumulative impact related to hazards. Cumulative impacts related to hazards and hazardous materials would be **less than significant**.

HYDROLOGY, DRAINAGE, WATER QUALITY

CUMULATIVE SETTING

The Plan Area is in the eastern portion of the Morrison Creek Stream Group which ultimately feeds into the BSL watershed and covers approximately 123,536 acres. The BSL watershed is the cumulative watershed boundary for the evaluation of cumulative effects. Modeling for the Project indicates that an increase in runoff volume from the pre- to post-development condition is a result of the overall increase in the impervious cover that results from the change in grassland to developed site (i.e., pavement, roof and hardscape areas replacing grass and open space areas). The increased volume of

runoff would be conveyed downstream by the Morrison Creek systems to the BSL watershed, which experiences mild flooding in the existing pre-development condition. When considered in a cumulative condition, nearby projects including the NewBridge, Mather South, and West Jackson projects, would also exacerbate the existing flooding within the BSL watershed through the conveyance of addition volume of runoff. This is an existing significant cumulative impact.

CUMULATIVE IMPACTS EVALUATION

Both the Project and Alternative 2 would result in an increase in runoff volume from existing conditions. It can also be assumed that all new development in the upstream watershed would result in incremental runoff above existing conditions and would contribute to increases in flooding in the BSL area, exacerbating the existing flood conditions in the area.

MITIGATION MEASURES

Implement Mitigation Measure HYD-1a through HYD-4.

Sacramento County has adopted a long-range plan to mitigate for the effects of additional flooding in the area. The County adopted Resolution WA-2898 to update the fees associated with development in several watersheds that are known to have flooding issues. It resulted in an increase in fees within the Morrison Creek Stream Group to mitigate cumulative downstream flooding issues within the B SL area. The County collects and manages the mitigation fees which will be used to construct appropriate drainage and retention facilities to help mitigate the current cumulative flooding condition. Jackson Township and other nearby cumulative projects would be required pay these fees, which would over time reduce the severity of the impact. However, the timing of completion of flood protection projects in the BSL/Point Pleasant area or implementation of regional flood volume storage solutions is unknown. Therefore, the Project and Alternative 2 would result in a considerable contribution to this significant cumulative impact. Cumulative impacts would be **significant and unavoidable**.

LAND USE

CUMULATIVE SETTING

The Plan Area is in an undeveloped area within eastern Sacramento County and is surrounded by rural and undeveloped property that is currently being planned for development. The Project is consistent with the County's vision for the Jackson Highway Corridor and would amend the General Plan Land Use Designations and zoning to align the future land uses of the Plan Area with the specific plan.

CUMULATIVE IMPACTS EVALUATION

Land use policy is set at the local level and is guided by general plans and other policies and regulations. Although the Project and Alternative 2 would result in changes to the zoning and use of the Plan Area that would increase development density, such changes would be generally consistent with regional planning efforts guiding

development. The Plan Area is within an area of Sacramento County that is planned for growth. Therefore, the Project and Alternative 2 would not result in a considerable contribution such that a new significant cumulative impact would occur. Cumulative impacts are **less than significant**.

MITIGATION MEASURES

No mitigation is required.

NOISE

CUMULATIVE SETTING

The geographic area considered for cumulative impacts regarding noise levels is Sacramento County, including several incorporated cities within Sacramento County that are in the vicinity of the Plan Area. The City of Sacramento is approximately 1.5 miles west of the Plan Area. The City of Folsom is approximately 6.5 miles northeast of the Plan Area. The cumulative evaluation also includes the NewBridge, West Jackson, and Jackson Township projects. The projects and their associated traffic volume impacts were taken into consideration for the Traffic Impact Analysis (TIA) and noise study conducted for this EIR and have been included in this cumulative noise analysis. Consistent with the TIA analysis, the cumulative noise analysis also takes into consideration development forecasts for the county included in SACOG's 2012 MTP including anticipated development projects within incorporated cities in the county.

Based on information in the 2013 Mather Airport Master Plan, airport activity is anticipated to increase over the buildout period of the Project. However, because Mather Airport serves as a commercial and cargo carrier airport, project implementation would not cumulatively contribute to future airport activity. Therefore, the primary factors analyzed in the cumulative impact analysis are cumulative traffic noise levels and potential noise and vibration impacts from cumulative construction activity.

CUMULATIVE IMPACTS EVALUATION

CONSTRUCTION NOISE AND VIBRATION

In addition to the Jackson Township Specific Plan, the NewBridge, Mather South, and West Jackson projects are being processed by the County and are, therefore, reasonably foreseeable projects to be included in this evaluation. All three master and specific plans are near the Plan Area; however, only the NewBridge Specific Plan and the West Jackson Highway Master Plan are located adjacent to the project boundary and are anticipated to result in potential cumulative noise impacts from construction activity. The NewBridge Specific Plan is located directly east of the Plan Area. Considering the long-term implementation period of both the Mather South Project and the NewBridge development, the exact timing of when land uses would be developed is unknown. It is assumed that land uses related to the NewBridge project could be under development during the same time or after buildout of the Plan Area. The Jackson Township Plan Area land use map, as well as the land use maps for all the alternatives, include a wetland preservation area and agricultural land uses directly west of the

NewBridge Specific Plan area. Given the proximity of the NewBridge Specific Plan to the Agricultural land uses in the Plan Area, cumulative impacts from construction-generated noise could result if construction activities generated by both projects were to take place within close proximity and simultaneously. Implementation of MM NOI-1 would serve to reduce day and nighttime construction noise levels by ensuring proper equipment use; locating equipment away from sensitive land uses; and requiring the use of enclosures, shields, and noise curtains (noise curtains typically can reduce noise by up to 10 dB [EPA 1971]). However, as allowed under the Sacramento County Noise Ordinance, circumstances may occur when construction activity in the Plan Area would occur during nighttime hours when people are easily disturbed and would result in substantial increases in noise. Therefore, even with the mitigation measure in place, construction activity could expose people to noise levels which would cause disturbance and a significant impact would occur.

Vibration associated with construction activities is of primary concern within proximity of sensitive land uses. At increasing distances from the source, vibration levels dissipate rapidly and have less potential to cause disturbance to people or damage to structures. Vibration generated from construction is typically associated with pile-driving activities. These activities only occur during discrete phases of construction with pile-driving activities occurring for brief and intermittent periods of time. In consideration of other large development projects and plans anticipated for future development, vibration impacts would remain local and would not combine with vibration source from other construction activities even if construction activities at other future development were to occur simultaneously with project construction activities.

In consideration of the other large development projects which may occur simultaneously to development of the Jackson Township Project, cumulative construction activities associated with the projects could result in a substantial temporary or periodic noise increases and further contribute to the substantial increase in construction noise. The combined level of construction activity associated with the Project or Alternative 2 and other projects would add to the overall disruptive nature of construction noise over a period lasting many years, regardless of whether the noise is exempt by the Sacramento County Noise Ordinance.

MITIGATION MEASURES

Implement Mitigation Measures NOI-1 and NOI-2.

Although the Project and Alternative 2 would include mitigation to reduce construction noise, the anticipation of construction activity associated with the various master and specific plans near the Plan Area, would result in a cumulatively considerable contribution to a new significant cumulative impact. Additionally, because no additional mitigation is available to reduce construction activity associated with the other plans discussed above, the cumulative impact of the Project or Alternative 2 would be considerable and **significant and unavoidable**.

STATIONARY NOISE SOURCES

The Project and Alternative 2 would result in land uses that include stationary noise sources such as noise from HVAC units, electrical generators, parking lots, commercial loading docks. The Project and Alternative 2 would also include the development of one new electrical substation within the Plan Area and associated transmission lines. The NewBridge Specific Plan project is located directly east of the Plan Area and is considered in this cumulative analysis because of the proximity. The Jackson Township Plan Area land use map, as well as the land use maps for all the alternatives, include a wetland preservation area and agricultural land uses directly west of the NewBridge Specific Plan area. These land uses would serve as a buffer between land uses built with new stationary noise sources as part of the Project or Alternative 2 and potential noise sensitive land uses developed as part of the NewBridge Specific Plan adjacent to the western boundary of the Project.

MITIGATION MEASURES

Implement Mitigation Measures NOI-5 and NOI-6.

Mitigation Measure NOI-5 would require site-specific noise studies for subsequent development in the Plan Area, which would reduce the potential for the Project or Alternative 2 to produce noise from stationary sources that could combine with other noise sources in a manner that would expose sensitive receptors to a cumulative increase in ambient noise conditions. Additionally, implementation of Mitigation Measure NO-46 would reduce impacts related to stationary noise sources through the implementation of site design and avoidance features. The agricultural land uses directly west of the NewBridge Specific Plan area could allow for the future development of stationary noise sources. The specific location of these new stationary equipment is unknown, so impacts could still exceed the County's non-transportation noise standard for outdoor noise sensitive areas in the NewBridge Specific Plan. As a result, implementation of the Project or Alternative 2 in the cumulative condition could result in a cumulatively considerable contribution to a new significant cumulative impact. The contribution of the Project or Alternative 2 to this new impact would be considerable and **significant and unavoidable**.

TRAFFIC NOISE

The projects listed in the Cumulative Settings section above are anticipated to contribute to cumulative traffic volume increases within Sacramento County and would result in subsequent increases in traffic noise levels along affected roadways. Specifically, the NewBridge, Mather South, and West Jackson master and specific plans are anticipated to be developed near the Plan Area. Because of the buildout of these plans, as well as other cumulative development in the County, vehicular traffic volumes would increase and result in a cumulative increase in traffic noise levels along affected roadways. The cumulative development of the plans and projects, excluding the Jackson Township Project, would result in increases in traffic-related noise levels along roadways which experience traffic volume increases. Under the cumulative condition, which includes the Jackson Township Project, traffic noise levels would be further increased by traffic volume increases generated by the development of the Plan Area.

Table SI-3 includes the roadway segments that would experience a substantial increase in traffic noise levels under cumulative plus Project conditions. Roadway segments not included in this table are not expected to have a substantial increase in roadway noise.

Table SI-3: Summary of Modeled Substantial Traffic Noise Level Increases under Cumulative Existing Plus Project Conditions

Roadway	Segment		Net Change (dB)
	From	To	
Elder Creek Road	Mayhew Road	Bradshaw Road	+2.0
	Vineyard Road	Excelsior Road	+2.1
Excelsior Road	Jackson Road	Collector WJ6	+1.8
	Collector WJ6	Elder Creek Road	+1.7
	Rock Creek Road	Collector WJ5	+2.1
	Excelsior Road	Collector JT3	+2.4
Kiefer Boulevard	Collector WJ14	Routier Extension	+1.7
	Routier Extension	Happy Lane	+1.7
	Eagles Nest Road	Collector W. MS1	+5.1
	Collector W. MS1	Northbridge Road	+4.5
	Northbridge Road	Collector E. MS1	+3.8
	Collector E. MS1	Sunrise Boulevard	+2.2
	Happy Lane	Douglas Drive	+1.8
	Douglas Drive	Excelsior Road	+7.0
Hedge Avenue	Elder Creek Road	Florin Road	+4.6
Howe Avenue	U.S. 50	Folsom Boulevard	+5.0
Zinfandel Drive	Collector MS4	Kiefer Boulevard	+1.8

Notes: dB = decibels; Numbers are approximate due to rounding.
Refer to Appendix NOI-1 for detailed modeling input data and output results.
Source: J.C. Brennan & Associates, Inc. 2018

Table SI-4 includes roadway segments that would experience a substantial increase in traffic noise levels cumulative plus Alternative 2 conditions.

Table SI-4: Summary of Modeled Substantial Traffic Noise Level Increases under Cumulative Existing Plus Alternative 2 Conditions

Roadway	Segment		Net Change (dB)
	From	To	
Elder Creek Road	Mayhew Road	Bradshaw Road	+2.0
Excelsior Road	Jackson Road	Collector WJ6	+1.7
	Collector WJ6	Elder Creek Road	+1.6
Jackson Road	Excelsior Road	Collector JT3	+2.4
	14th Avenue	Rock Creek Road	+1.7

Roadway	Segment		Net Change (dB)
	From	To	
Kiefer Boulevard	Collector WJ14	Routier Extension	+1.6
	Routier Extension	Happy Lane	+1.7
	Eagles Nest Road	Collector W. MS1	+5.1
	Collector W. MS1	Northbridge Road	+4.6
	Northbridge Road	Collector E. MS1	+3.8
	Collector E. MS1	Sunrise Boulevard	+2.0
	Happy Lane	Douglas Drive	+1.8
	Douglas Drive	Excelsior Road	+7.0
Hedge Avenue	Elder Creek Road	Florin Road	+3.6
Howe Avenue	U.S. 50	Folsom Boulevard	+6.0
Zinfandel Drive	Collector MS4	Kiefer Boulevard	+1.8

Notes: dB = decibels; Numbers are approximate due to rounding.
Refer to Appendix NOI-1 for detailed modeling input data and output results.
Source: J.C. Brennan & Associates, Inc. 2018

As shown in Table SI-3 and Table SI-4, under both cumulative plus Project and cumulative plus Alternative 2 conditions, roadway segments surrounding the Plan Area would experience a substantial increase in traffic noise levels from implementation of the Project or Alternative 2. Thus, a cumulative impact regarding long-term traffic exists and the cumulative plus Project and cumulative plus Alternative 2 scenarios would result in additional substantial increase in traffic noise levels. This impact would be considerable and significant. During implementation of the four specific plans discussed above (Jackson Township, NewBridge, Mather South, and West Jackson projects), Sacramento County would require that each project implement the following Mitigation Measure to further reduce traffic noise associated with the development of the Jackson Corridor projects.

MITIGATION MEASURES

CU-NOI-1: Use rubberized hot-mix asphalt for all offsite road widening projects implemented as part of the Mather South, NewBridge, Jackson Township or West Jackson plans.

Projects are required to pave offsite segments of roadway with RHMA or equivalent surface treatment with known noise-reducing properties on top of the roadway surface. The RHMA overlay shall be designed with appropriate thickness and rubber component quantity (typically 15 percent by weight of the total blend), such that traffic noise levels are reduced by an average of 4 to 6 dB (noise levels vary depending on travel speeds, meteorological conditions, and pavement quality) as compared to noise levels generated by vehicle traffic traveling on standard asphalt. RHMA has been found to achieve this level of noise reduction in other parts of California (Sacramento County 1999). Pavement will require more frequent than normal maintenance and repair to maintain its noise attenuation effectiveness.

Given the long buildout period of the Project or Alternative 2 and other projects in the cumulative condition, the unknown traffic noise reductions associated with CU-NOI-1, timing of development for future development projects and specific building location and orientation of new receptors (and thus noise exposure levels), and the extent of future traffic-noise increases, the Project and Alternative 2 would result in a cumulatively considerable contribution to a new significant cumulative impact. This cumulative impact would be considerable and **significant and unavoidable**.

PUBLIC SERVICES

CUMULATIVE SETTING

The Project is in eastern Sacramento County, in a largely undeveloped and rural area. Law enforcement services are provided by Sacramento County Sheriff's Department. Fire protection services are provided by Sacramento Metropolitan Fire District. School services are provided by the Elk Grove Unified School District. Parks and recreation services are provided by the Cordova Recreation and Park District. Library services are provided by the Sacramento Public Library. Potential impacts to public services are generally regulated by policies in the 2030 General Plan, such that the cumulative contribution of the project to local demand for public services is considered. Payment of school facility mitigation fees would address impacts on the provision of adequate school facilities, and specific school facility developments would be subject to environmental review on a project-by-project basis. Because the projects identified in Table SI-1 would be subject to standards similar to those described for the Project, no cumulative adverse impact to public services is expected.

CUMULATIVE IMPACTS EVALUATION

The Project and Alternative 2 would construct adequate public services facilities and infrastructure consistent with anticipated demand of new residents and employees. Payment of fees for schools and construction of a fire station would mitigate any impacts to those services, while payment of property taxes would fund additional law enforcement service, and libraries as needed. The Project would construct approximately 78 acres of parks and recreational uses, while Alternative 2 would construct nearly 82 acres of parks and recreational uses. The Project and Alternative 2 also include an infrastructure financing plan to fund the construction of all required facilities.

MITIGATION MEASURES

Implement Mitigation Measure PS-1.

The project-level analysis concludes that the Project and Alternative 2 can be adequately served, and the Project and Alternative 2 would not contribute to any cumulative degradation of service. Therefore, the cumulative contribution would not be considerable and impacts would be **less than significant**.

WASTEWATER AND SOLID WASTE

CUMULATIVE SETTING

The Plan Area is in the service area of Sacramento Area Sewer District and the Sacramento Regional County Sanitation District. Wastewater is routed to the Sacramento Regional Wastewater Treatment Plant (SRWTP) before it is treated and discharged into the Sacramento River. There is currently capacity within the regional wastewater infrastructure. Solid waste processing services are provided by the Sacramento County Department of Waste Management and Recycling. Kiefer Landfill would serve the solid waste disposal needs of the project residents, and the permitted landfill capacity is anticipated to serve the County's needs through 2064, including future growth. There is not an existing cumulative impact related to public utilities.

CUMULATIVE IMPACTS EVALUATION

The onsite and offsite sewer infrastructure described for the Project and Alternative 2 are designed to handle cumulative conditions, and the analysis concludes that capacity would be sufficient. Direct impacts would be less than significant and the Project and Alternative 2 would not result in a cumulatively considerable contribution to a new significant cumulative impact. Similarly, solid waste disposal would be provided by Kiefer Landfill, which has sufficient remaining permitted capacity to accommodate waste generated by either the Project or Alternative 2. Therefore, project-related cumulative impacts would be **less than significant**.

MITIGATION MEASURES

No mitigation is required.

TRAFFIC AND CIRCULATION

CUMULATIVE SETTING

This cumulative impact assessment relies on existing and future land development projections, reasonably foreseeable transportation improvements that are contained in adopted local general plans and regional transportation plans, and reasonably foreseeable development projects. Specifically, this analysis addresses the combined potential effects of the development of the Jackson Township, Mather South, NewBridge, and West Jackson projects (referred to collectively as the Jackson Corridor Projects) and the portion of those impacts attributed to the Jackson Township Project on cumulative transportation and circulation conditions.

As was described in Chapter 20, "Traffic and Circulation," of this ~~Recirculated Draft~~ EIR, pursuant to Senate Bill (SB) 743, Public Resources Code (PRC) Section 21099, and California Code of Regulations (CCR) Section 15064.3, as of July 1, 2020 VMT has replaced congestion as the metric for determining transportation impacts under CEQA. Although the Draft EIR was published prior to this change in regulation, this chapter has been revised to include analysis of potential VMT effects. While a project's effect on automobile delay is no longer a consideration when identifying a significant impact

under CEQA, automobile delay and level of service (LOS) continue to be of interest to transportation engineers and planners who plan, design, operate, and maintain the roadway system. In addition, delay experienced due to traffic congestion is a concern to drivers and passengers of vehicles using the roadway system (Sacramento County 2020). Therefore, the effect of the Project on delay-based traffic operations is provided herein for informational purposes. It is assumed for the purposes of this analysis that delay-based effects and the associated measures proposed to reduce these effects to acceptable levels would be included as conditions of approval and/or in the development agreement for the Project.

As was described in Chapter 20, “Traffic and Circulation,” the Jackson Corridor Projects are located adjacent to each other along the Jackson Road corridor. Because of this proximity and the relatively concurrent entitlement process, County staff and the applicants collaborated to conduct traffic analysis that would evaluate the transportation related impacts of each individual project as a stand-alone project, as well as the transportation impacts of all four projects combined. Substantial coordination with the applicants and adjacent jurisdictions, including the cities of Sacramento, Rancho Cordova, Elk Grove, and Folsom, in addition to Caltrans and the Capital Southeast Connector Joint Powers Authority, led to agreement on the area to be studied for delay-based transportation effects. The resulting study area is bounded by US Highway 50 on the north, Calvine Road on the south, Power Inn Road on the west, and Grant Line Road on the east.

Utilizing a joint analysis methodology provides a better understanding of the travel demand associated with all Jackson Corridor Projects combined and determines the number of vehicles each project contributes towards the total traffic flow as a fair share percentage on each study roadway segment and intersection. The *Jackson Township Specific Plan Transportation Impact Report* (Transportation Report) (Appendix TR-1) and the SB 743/VMT Analysis – Jackson Township ~~Jackson Township Specific Plan Revised VMT Analysis~~ memo (VMT Analysis Memo) (Appendix TR-3) were prepared to support Chapter 20, “Traffic and Circulation,” and provides additional information related to trip generation, and traffic flow, and VMT with implementation of the Jackson Corridor Projects.

The following describes each of the cumulative scenarios that were evaluated.

CUMULATIVE NO PROJECT SCENARIO

This scenario analyzes conditions for a cumulative scenario in year 2035, which includes reasonably foreseeable land uses and planned transportation improvement projects near the Plan Area, without implementation of the Jackson Corridor Projects. The horizon year of the cumulative scenario (2035) is consistent with the horizon year of the 2012 Sacramento Area Council of Governments (SACOG) Metropolitan Transportation Plan/Sustainable Communities Strategy (MTP/SCS), which considers population and employment forecasts, adopted land use plans (i.e., general plans), and funded transportation projects that are anticipated to occur within the stated time frame. The 2012 MTP/SCS was used for consistency among the Jackson Corridor Projects’ transportation impact analyses because it was the adopted MTP/SCS at the time that the Joint Traffic Study began in April 2013. The MTP/SCS is updated every 4 years.

The current (2020) MTP/SCS was adopted by the SACOG board in 2019 (SACOG 2019) and has a horizon year of 2040.

SACOG's 2035 development forecasts (the amount and location of housing and employment) for the adopted 2012 MTP/SCS were used to prepare travel demand forecasts for the Cumulative No Project scenario. In addition, full build out of all reasonably foreseeable development projects was assumed within the study area. Appendix TR-1 to the Draft this EIR provides a comprehensive list of the major developments in the area assumed to be build-out in the Cumulative No Project scenario.

TRANSPORTATION NETWORK

Plate SI-1 illustrates the transportation network associated with the Cumulative No Project scenario. Outside of the Jackson Corridor Projects area, the transportation network for this scenario consists of the identified 2035 improvements in the adopted 2012 MTP/SCS. Plate SI-2 illustrates the resultant traffic operating conditions associated with the Cumulative No Project scenario.

VMT CONDITIONS

Cumulative regional averages of the VMT metrics applicable to the Project were calculated to be consistent with the Sacramento Area Council of Governments' (SACOG's) SACSIM4519 travel demand model, which was used to quantify the Project's cumulative transportation impacts. The County's *Transportation Analysis Guidelines* require that each land use be analyzed separately when identifying impacts. Therefore, the regional VMT per capita averages for residential and employment land uses under the Cumulative No Project scenario are shown in Table SI-5 below. The retail land uses associated with the Project were analyzed using a qualitative approach; and thus, this land use is not included in Table SI-5.

Table SI-5: Cumulative No Project Regional Average VMT Per Capita

Land Use	Metric	Regional Average
Office	VMT per Employee	47.313.31
Overall Regional Average (Residential)	VMT per Capita	47.218.40

Source: Kimley-Horn 2022.

CUMULATIVE PLUS JACKSON CORRIDOR PROJECTS SCENARIOS

The Cumulative plus Jackson Corridor Project scenarios are the cumulative scenarios upon which the Cumulative plus Jackson Township Project scenarios are based. The Cumulative plus Jackson Corridor Projects scenarios evaluate the travel demand of the Jackson Corridor Projects combined and added to Cumulative No Project conditions. Thus, the Cumulative plus Jackson Corridor Projects scenarios identify the effects of the Jackson Corridor Projects, to which the Jackson Township Project contributes. These scenarios analyze cumulative conditions (year 2035) with implementation of the Jackson Corridor Projects, which includes the Jackson Township Project, and includes forecasted land uses and transportation improvement projects within the overall

Jackson Corridor Projects study area that would occur by year 2035. The 20-year horizon was selected in accordance with the horizon year of the 2012 MTP/SCS.

The Jackson Corridor Projects are located adjacent to each other along the Jackson Road corridor (Plate SI-3). Utilizing a joint traffic analysis in this case results in a common baseline for existing conditions between all four Jackson Corridor Projects, provides a better understanding of the travel demand associated with all Jackson Corridor Projects combined, and allows the County to determine the number of vehicles each project contributes towards the total traffic flow as a fair share percentage on each study roadway segment and intersection. Although a joint traffic analysis was conducted, a project-specific traffic report was prepared for each master plan project to identify project-specific effects and associated reduction measures.

TRANSPORTATION NETWORK

Plate SI-4 and Plate SI-5 illustrate the transportation network associated with the Cumulative plus Jackson Corridor Projects with implementation of the Project (hereinafter denoted as Project) and the Cumulative plus Jackson Corridor Projects with implementation of Alternative 2 (hereinafter denoted as Alternative 2) scenarios, respectively. As described in Chapter 20, "Traffic and Circulation," the Jackson Corridor Projects would construct new roadways within the individual project sites and widen many existing roadways within or on the borders of the individual project sites.

Within the Jackson Corridor Projects study area, roadway improvements beyond those in the 2012 MTP/SCS are included, which would be fully funded by the developments assumed in this scenario or by other committed funding sources. The identified roadway improvements and the number of roadway lanes for the Cumulative Plus Jackson Corridor Projects scenarios were developed in coordination with Sacramento County.

The Jackson Corridor Projects include substantial amounts of higher density and mixed uses to help support transit use; however, transit service within walking distances of those uses is required to achieve a significant transit ridership. An accurate estimation of transit use requires the identification of specific transit routes and frequency of service on those routes. As described in Chapter 20, "Traffic and Circulation," a separate planning effort, involving staff from Sacramento County and SacRT, was conducted to define an appropriate transit system for the transportation analysis.

Plate SI-6 shows the assumed transit routes for the Cumulative plus Jackson Corridor Projects scenarios. The assumed transit routes, service frequency, and supporting infrastructure (i.e., queue jumps) would be required at full development of the Jackson Corridor Projects. Additionally, to provide adequate transit service during the early stages of development, the transit system is required to be phased with development of the Jackson Corridor Projects.

TRIP GENERATION

The SACSIM model was utilized to estimate trip generation of the Jackson Corridor Projects. Table SI-6 summarizes the person trip generation for both the Cumulative plus Jackson Corridor Projects scenarios (Project and Alternative 2) analyzed in the Transportation Report.

**Table SI-6: Estimated Daily Person Trip Generation
(Cumulative plus Jackson Corridor Projects Scenarios)**

Project	Trip Purpose	Daily Person Trip Ends
Jackson Corridor Projects (Project)	Work Trips	95,402
	Non-Work Trips	708,805
	All Trip Purposes	804,206
Jackson Corridor Projects (Alternative 2)	Work Trips	86,484
	Non-Work Trips	643,573
	All Trip Purposes	730,057

Source: DKS Associates 2019

Table SI-7 and Table SI-8 summarize the estimated mode choice for the Cumulative Plus Jackson Corridor Projects scenarios (Project and Alternative 2), respectively. The mode choice assumes full implementation of the projects' pedestrian and bicycle systems.

**Table SI-7: Mode Split (Cumulative plus Jackson Corridor Projects
[Project] Scenario)**


Project	Mode	Percentage of Person Trips by Trip Purpose		
		Work Trips	Non-Work Trips	All Trip Purposes
Project	Auto - SOV	83.2%	47.0%	51.3%
	Auto - HOV	10.0%	43.0%	39.1%
	Transit	4.6%	1.7%	2.0%
	Walk	1.3%	7.4%	6.7%
	Bike	0.1%	1.0%	1.0%

Source: DKS Associates 2019

**Table SI-8: Mode Split (Cumulative plus Jackson Corridor Projects
[Alternative 2] Scenario)**

Project	Mode	Percentage of Person Trips by Trip Purpose		
		Work Trips	Non-Work Trips	All Trip Purposes
Alternative 2	Auto - SOV	83.4%	48.2%	52.4%
	Auto - HOV	10.3%	42.6%	38.8%
	Transit	4.1%	1.6%	1.9%
	Walk	1.2%	6.7%	6.0%
	Bike	0.9%	0.9%	0.9%


Source: DKS Associates 2019



Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 064

Plate SI-1: Cumulative No Project - Roadway Network



Legend

Intersections (AM Peak Hour)

- LOS A-D
- LOS E
- LOS F

Intersections (PM Peak Hour)

- LOS A-D
- LOS E
- LOS F

Roadway Segments

- LOS A-D
- LOS E
- LOS F

- Cities
- Mather Airport
- Jackson Township Project

Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 068

Plate SI-2: Cumulative No Project – Roadway Segment and Intersection LOS





Plate SI-3: Jackson Corridor Projects - Project Location


This page intentionally left blank.



Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 079


Plate SI-4: Cumulative Plus Jackson Corridor Projects (Project) - Roadway Network



Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 065

Plate SI-5: Cumulative Plus Jackson Corridor Projects (Alternative 2) - Roadway Network



Legend

- Jackson Express Route
- Kiefer Jackson Local Route
- West Jackson Local Route A
- - - West Jackson Local Route B
- Cities
- Mather Airport
- Jackson Township Project

Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 080

Plate SI-6: Cumulative Plus Jackson Corridor Projects - Transit Network

Table SI-9 and Table SI-10 summarize the vehicular trip generation of the Jackson Corridor Projects under Project and Alternative 2 conditions, respectively. Table SI-9 and Table SI-10 also show the vehicle trips generated during the a.m. and p.m. peak hours.

**Table SI-9: Estimated Daily Vehicle Trip Generation
(Cumulative plus Jackson Corridor Projects [Project] Scenario)**

Trip Type		A.M. Peak Hour	P.M. Peak Hour	Daily
Total Vehicle Trip Ends		46,032	50,381	541,167
Percent Internal Trip Ends ¹		16.7%	20.4%	19.8%
Vehicle trips	Internal to Project	3,851	5,132	53,638
	External to Project	38,331	40,118	433,891
	Total	42,182	45,249	487,529

¹ Both trip ends within the project.

Source: DKS Associates 2019

**Table SI-10: Estimated Daily Vehicle Trip Generation
(Cumulative plus Jackson Corridor Projects [Alternative 2] Scenario)**

Trip Type		A.M. Peak Hour	P.M. Peak Hour	Daily
Total Vehicle Trip Ends		42,469	68,316	497,930
Percent Internal Trip Ends ¹		15.9%	22.5%	19.2%
Vehicle trips	Internal to Project	3,384	7,673	47,725
	External to Project	35,700	52,970	402,480
	Total	39,084	60,643	450,205

¹ Both trip ends within the project.

Source: DKS Associates 2019

TRIP DISTRIBUTION

The distribution of trips associated with development of the Jackson Corridor Projects was derived utilizing SACSIM and incorporating the proposed land use and access locations associated with the Jackson Corridor Projects. Trip distribution varies by land use and time period. Plate SI-7 and Plate SI-8 illustrate the overall trip distribution of daily trips under the Cumulative Plus Jackson Corridor Projects for the Project and Alternative 2 scenarios, respectively. The highest percentage of Jackson Corridor Projects traffic would travel along Jackson Road, Bradshaw Road, Kiefer Boulevard, and Vineyard Road.

CUMULATIVE PLUS JACKSON TOWNSHIP PROJECT SCENARIOS

The analysis of the Cumulative Plus Jackson Township (Project) and Cumulative Plus Jackson Township (Alternative 2) scenarios assume that the other three projects that make up the Jackson Corridor Projects would be developed and analyze cumulative conditions (year 2035) with implementation and buildout of the Jackson Township Project based upon the analysis of the Cumulative Plus Jackson Corridor Projects scenarios. This scenario includes a detailed transportation and traffic analysis to understand the cumulative effects directly attributed to the Jackson Township Project and Alternative 2.

The SACSIM travel model was utilized to estimate the portion of the Jackson Corridor Project's traffic that is attributed to the Jackson Township Project and Alternative 2 identified in the Transportation Report. With this information, the exceedances of LOS standards triggered by the Project and Alternative 2 were identified. It should be noted that, even at locations where the Jackson Township Project on its own would not trigger an exceedance of LOS standards, the Jackson Township Project contributes to the cumulative effects associated with the Cumulative Plus Jackson Corridor Projects scenario.

TRIP GENERATION

The trip generation for the Project and Alternative 2 were estimated using the SACSIM model. Table SI-11 summarizes the person trip generation.

**Table SI-11: Estimated Daily Person Trip Generation
(Cumulative Plus Jackson Township Project Scenarios)**

Project	Trip Purpose	Daily Person Trip Ends
Jackson Township (Project)	Work Trips	24,001
	Non-Work Trips	168,919
	All Trip Purposes	192,920
Jackson Township (Alternative 2)	Work Trips	15,296
	Non-Work Trips	117,799
	All Trip Purposes	133,095

Source: DKS Associates 2019

Table SI-12 and Table SI-13 summarize the estimated mode choice for the Jackson Township Project and Alternative 2, as analyzed in the Transportation Report.

**Table SI-12: Mode Split (Cumulative Plus Jackson Township Project
[Project] Scenario)**


Project	Mode	Percentage of Person Trips by Trip Purpose		
		Work Trips	Non-Work Trips	All Trip Purposes
Jackson Township (Project)	Auto - SOV	81.0%	40.1%	45.2%
	Auto - HOV	9.4%	43.8%	39.5%
	Transit	5.8%	1.9%	2.4%
	Walk	2.6%	12.9%	11.7%
	Bike	1.1%	1.3%	1.2%

Source: DKS Associates 2019

**Table SI-13: Mode Split (Cumulative Plus Jackson Township Project
[Alternative 2] Scenario)**

Project	Mode	Percentage of Person Trips by Trip Purpose		
		Work Trips	Non-Work Trips	All Trip Purposes
Jackson Township (Alternative 2)	Auto - SOV	81.4%	42.6%	47.1%
	Auto - HOV	9.2%	43.7%	39.7%
	Transit	4.8%	1.7%	2.0%
	Walk	3.3%	11.0%	10.1%
	Bike	1.3%	1.0%	1.1%


Source: DKS Associates 2019



Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 081

Plate SI-7: Cumulative Plus Jackson Corridor Projects (Project) Trip Distribution



Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 067

Plate SI-8: Cumulative Plus Jackson Corridor Projects (Alternative 2) Trip Distribution

Table SI-14 and Table SI-15 summarize the vehicular (auto) trip generation of the Project and Alternative 2. Table SI-14 and Table SI-15 also show the vehicle trips generated during the a.m. and p.m. peak hours.

**Table SI-14: Estimated Daily Vehicle Trip Generation
(Cumulative Plus Jackson Township Project [Project] Scenario)**

Trip Type		A.M. Peak Hour	P.M. Peak Hour	Daily
Total Vehicle Trip Ends		10,419	10,878	118,567
Percent Internal Trip Ends ¹		19.4%	21.4%	20.6%
Vehicle trips	Internal to Project	1,012	1,163	12,229
	External to Project	8,395	8,553	94,111
	Total	9,407	9,716	106,340

¹ Both trip ends within the project.

Source: DKS Associates 2018.

**Table SI-15: Estimated Daily Vehicle Trip Generation
(Cumulative Plus Jackson Township Project [Alternative 2] Scenario)**

Trip Type		A.M. Peak Hour	P.M. Peak Hour	Daily
Total Vehicle Trip Ends		7,321	11,123	84,170
Percent Internal Trip Ends ¹		15.7%	18.5%	17.0%
Vehicle trips	Internal to Project	574	1,029	7,155
	External to Project	6,173	9,066	69,860
	Total	6,747	10,094	77,015

¹ Both trip ends within the project.

Source: DKS Associates 2019

TRIP DISTRIBUTION

The distribution of trips associated with development on the Project and Alternative 2, as analyzed in the Transportation Report were derived utilizing SACSIM, incorporating the proposed land use and access locations associated with the Plan Area. Trip distribution varies by land use and time period. Plate SI-9 and Plate SI-10 illustrates the overall trip distribution of daily Jackson Township Project trips under the Project and Alternative 2, respectively.

DYNAMIC IMPLEMENTATION TOOL

As described in Chapter 20, "Traffic and Circulation," the County has developed and will use the Dynamic Implementation Tool to select appropriate, fair-share mitigation requirements for each project within the Jackson Corridor. Please refer to Chapter 20 for additional details.

VMT ANALYSIS

Pursuant to SB 743 and Section 15064.3 of the CEQA Guidelines, VMT is the most appropriate metric for determining transportation impacts under CEQA. Sacramento County has developed and adopted VMT significance thresholds by Resolution No. 2020-

0652 and Transportation Analysis Guidelines to provide guidance and methodologies for transportation engineers and planners to conduct CEQA transportation analyses for land development and transportation projects in compliance with SB 743 (Sacramento County 2020). The VMT analysis presented in this chapter was prepared using a methodology that is consistent with the methodology detailed in the County's Transportation Analysis Guidelines. VMT was quantified using SACOG's SACSIM4519 travel demand model, which is the most current version of the model that was used for the entirety of the Project's transportation analysis. Per the County's Transportation Analysis Guidelines, each land use (i.e., residential, commercial, retail) was analyzed separately, and according to the corresponding applicable VMT metric. Please see Chapter 20, "Traffic and Circulation," for additional details regarding the VMT analysis and associated methodology and approach.

CUMULATIVE IMPACTS EVALUATION

CUMULATIVE PLUS JACKSON CORRIDOR PROJECTS

CUMULATIVE ROADWAY SEGMENT OPERATIONS

PROJECT


Table SI-16 shows the operations analysis for the traffic study area roadway segments that would experience LOS threshold exceedances under the Cumulative Plus Jackson Corridor Projects (Project) scenario. The table includes the new roadways and/or widened roadways, the project(s) responsible for the roadway improvements, and the roadway segments where a LOS effect occurs. Plate SI-11 illustrates the resultant traffic operating conditions associated with the Cumulative Plus Jackson Corridor Projects (Project) scenario. Detailed roadway segment operations calculations and the full list of study area roadway segment operating conditions are included in Appendix TR-1 to ~~the~~ Draft this EIR.

As shown in Table SI-16, the addition of vehicle trips generated by the Jackson Corridor Projects would result in the exceedance of applicable LOS and V/C thresholds along 69 roadway segments in the study area.

ALTERNATIVE 2

Table SI-17 shows the operations analysis for the traffic study area roadway segments that would experience LOS threshold exceedances under the Cumulative Plus Jackson Corridor Projects (Alternative 2) scenario. Plate SI-12 illustrates the resultant traffic operating conditions associated with the Cumulative Plus Jackson Corridor Projects (Alternative 2) scenario. Detailed roadway segment operations calculations and the full list of study area roadway segment operating conditions are included in Appendix TR-1 to ~~the~~ Draft this EIR.

As shown in Table SI-17, the addition of vehicle trips generated by the Jackson Corridor Projects would result in the exceedance of applicable LOS and V/C thresholds along 69 roadway segments in the study area.




Legend

- 0.0%
- 0.1% to 2.5%
- 2.6% to 5.0%
- 5.1% to 10.0%
- 10.0% and up
- Freeways
- Other Major Roadways
- Cities
- Mather Airport
- Jackson Township Project

Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 085

Plate SI-9: Cumulative Plus Jackson Township Project (Project) – Trip Distribution




Legend

- 0%
- 0.1% to 2.5%
- 2.6% to 5.0%
- 5.1% to 10.0%
- 10.0% and up
- Freeways
- Other Major Roadways
- Cities
- Mather Airport
- Jackson Township Project

Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 071

Plate SI-10: Cumulative Plus Jackson Township Project (Alternative 2) – Trip Distribution



Legend

Intersections (AM Peak Hour)

- LOS A-D (84)
- LOS E (14)
- LOS F (56)

Intersections (PM Peak Hour)

- LOS A-D
- LOS E
- LOS F

Mitigable Intersection Impact

Unavoidable Intersection impact

Roadway Segments

- LOS A-D
- LOS E
- LOS

Impacts

Unavoidable Segment Impact

Mitigable Segment Impacts

Cities


Mather Airport

Jackson Township Project

Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 083

Plate SI-11: Cumulative Plus Jackson Corridor Projects (Project) – Roadway Segment and Intersection LOS and Impacts



Legend

Intersections (AM Peak Hour)

- LOS A-D
- LOS E
- LOS F

Intersections (PM Peak Hour)

- LOS A-D
- LOS E
- LOS F

Mitigable Intersection Impact

Unavoidable Intersection Impact

Roadway Segments

- LOS A-D
- LOS E
- LOS F

Impacts

Unavoidable Segment Impact

Mitigable Segment Impact

Cities

Mather Airport

Jackson Township Project

Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 069

Plate SI-12: Cumulative Plus Jackson Corridor Projects (Alternative 2) – Roadway Segment and Intersection LOS and Impacts

Table SI-16: Cumulative No Project and Cumulative Plus Jackson Corridor Projects (Project) Roadway Segment Levels of Service

ID	Roadway	Segment		Cumulative No Project					Cumulative Plus Jackson Corridor Projects					Project(s) Responsible for Change in Lanes
		From	To	Travel Lanes	Facility Type¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	Travel Lanes	Facility Type¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	
2	Bradshaw Rd	US 50	Lincoln Village Dr	6	Arterial M	66,770	1.24	F	6	Arterial M	85,400	1.58	F	
3	Bradshaw Rd	Lincoln Village Dr	Old Placerville Rd	6	Arterial M	52,940	0.98	E	6	Arterial M	77,570	1.44	F	
4	Bradshaw Rd	Old Placerville Rd	Goethe Rd	6	Arterial M	62,600	1.16	F	6	Arterial M	74,760	1.38	F	
5.1	Bradshaw Rd	Goethe Rd	Collector WJ-8	6	Arterial M	47,100	0.87	D	6	Arterial M	63,620	1.18	F	
5.2	Bradshaw Rd	Collector WJ-8	Kiefer Blvd	6	Arterial M	45,320	0.84	D	6	Arterial M	59,990	1.11	F	
6.1	Bradshaw Rd	Kiefer Blvd	Collector WJ-9	6	Arterial M	51,270	0.95	E	6	Arterial M	54,800	1.01	F	
6.2	Bradshaw Rd	Collector WJ-9	Mayhew Rd	6	Arterial M	52,070	0.96	E	6	Arterial M	55,140	1.02	F	
16	Douglas Rd	Zinfandel Dr	Sunrise Blvd	6	Arterial M	37,550	0.70	B	6	Arterial M	50,410	0.93	E	
19.1	Eagles Nest Rd	Kiefer Blvd	N Bridgewater Dr	2	Arterial M	4,620	0.26	A	4	Arterial M	10,850	0.30	A	NewBridge
19.2	Eagles Nest Rd	N Bridgewater Dr	S Bridgewater Dr	2	Arterial M	4,620	0.26	A	4	Arterial M	11,320	0.31	A	NewBridge
19.3	Eagles Nest Rd	S Bridgewater Dr	Jackson Rd	2	Arterial M	4,710	0.26	A	4	Arterial M	13,170	0.37	A	NewBridge
23	Elder Creek Rd	Power Inn Rd	Florin-Perkins Rd	2	Arterial M	25,170	1.40	F	2	Arterial M	28,490	1.58	F	
25	Elder Creek Rd	South Watt Ave	Hedge Ave	4	Arterial M	40,860	1.14	F	4	Arterial M	48,190	1.34	F	
27	Elder Creek Rd	Mayhew Rd	Bradshaw Rd	4	Arterial M	17,980	0.50	A	4	Arterial M	40,630	1.13	F	
28.1	Elder Creek Rd	Bradshaw Rd	Vineyard Rd	2	Arterial M	9,230	0.51	A	3	Arterial M	33,740	1.87	F	West Jackson
28.2	Elder Creek Rd	Vineyard Rd	Excelsior Rd	2	Arterial M	9,430	0.52	A	4	Arterial M	27,000	0.75	C	West Jackson
31.1	Excelsior Rd	Jackson Rd	Collector WJ-6	2	Arterial M	11,960	0.66	B	3	Arterial M	37,780	2.10	F	West Jackson
31.2	Excelsior Rd	Collector WJ-6	Elder Creek Rd	2	Arterial M	11,960	0.66	B	3	Arterial M	37,130	2.06	F	West Jackson
32	Excelsior Rd	Elder Creek Rd	Florin Rd	2	Arterial M	4,670	0.26	A	3	Arterial M	12,510	0.70	B	West Jackson
37	Florin Rd	Power Inn Rd	Florin-Perkins Rd	4	Arterial M	37,240	1.03	F	4	Arterial M	43,980	1.22	F	
42.2	Florin Rd	Vineyard Rd	Excelsior Rd	2	Arterial M	11,650	0.65	B	3	Arterial M	19,620	1.09	F	West Jackson
44	Folsom Blvd	Howe Ave	Jackson Rd	4	Arterial M	50,520	1.40	F	4	Arterial M	55,790	1.55	F	
47	Fruitridge Rd	Florin Perkins Rd	South Watt Ave	2	Arterial M	13,770	0.77	C	2	Arterial M	26,960	1.50	F	
48	Fruitridge Rd	South Watt Ave	Hedge Ave	2	Arterial M	5,770	0.32	A	3	Arterial M	20,600	1.14	F	West Jackson
49.1	Fruitridge Rd	Hedge Ave	Collector WJ-12	2	Arterial M	2,140	0.12	A	4	Arterial M	19,590	0.54	A	West Jackson
49.2	Fruitridge Rd	Collector WJ-12	Mayhew Rd	2	Arterial M	2,110	0.12	A	4	Arterial M	17,810	0.49	A	West Jackson
51.2	Grant Line Rd	Chrysanthy Blvd	Kiefer Blvd	4	Arterial M	44,930	1.25	F	4	Arterial M	47,740	1.33	F	
52.1	Grant Line Rd	Kiefer Blvd	Rancho Cordova Pkwy	4	Arterial M	34,170	0.95	E	4	Arterial M	37,000	1.03	F	
56	Grant Line Rd	Sheldon Rd	Wilton Rd	4	Arterial M	40,570	1.13	F	4	Arterial M	45,270	1.26	F	
57	Grant Line Rd	Wilton Rd	Bond Rd	4	Arterial M	36,110	1.00	F	4	Arterial M	40,140	1.12	F	
58.2	Happy Lane	Routier Ext	Kiefer Boulevard	2	Arterial M	4,970	0.28	A	2	Arterial M	20,770	1.15	F	West Jackson

ID	Roadway	Segment		Cumulative No Project					Cumulative Plus Jackson Corridor Projects					Project(s) Responsible for Change in Lanes
		From	To	Travel Lanes	Facility Type¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	Travel Lanes	Facility Type¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	
62	Howe Ave	US 50	Folsom Blvd	6	Arterial M	67,180	1.24	F	6	Arterial M	71,330	1.32	F	
66.1	Jackson Rd	Florin Perkins Rd	14th Ave	4	Arterial M	30,980	0.86	D	4	Arterial M	43,840	1.22	F	
66.2	Jackson Rd	14th Ave	Rock Creek Pkwy	4	Arterial M	40,320	1.12	F	4	Arterial M	61,500	1.71	F	
66.3	Jackson Rd	Rock Creek Pkwy	Aspen 1 Dwy	4	Arterial M	34,630	0.96	E	4	Arterial M	57,370	1.59	F	
66.4	Jackson Rd	Aspen 1 Dwy	South Watt Ave	4	Arterial M	32,480	0.90	E	4	Arterial M	55,060	1.53	F	
67	Jackson Rd	South Watt Ave	Hedge Ave	4	Arterial M	38,240	1.06	F	4	Arterial M	67,850	1.88	F	
68.1	Jackson Rd	Hedge Ave	Collector WJ-3	4	Arterial M	31,080	0.86	D	4	Arterial M	60,230	1.67	F	
68.2	Jackson Rd	Collector WJ-3	Mayhew Rd	4	Arterial M	31,040	0.86	D	4	Arterial M	60,910	1.69	F	
69	Jackson Rd	Mayhew Rd	Bradshaw Rd	4	Arterial M	33,920	0.94	E	6	Arterial M	59,440	1.10	F	West Jackson
70.1	Jackson Rd	Bradshaw Rd	Collector WJ-4	2	Rural Hwy	23,120	1.01	F	6	Arterial M	59,220	1.10	F	West Jackson
70.2	Jackson Rd	Collector WJ-4	Happy Ln	2	Rural Hwy	23,190	1.01	F	6	Arterial M	59,210	1.10	F	West Jackson
70.3	Jackson Rd	Happy Ln	Rock Creek Pkwy	2	Rural Hwy	23,000	1.00	F	6	Arterial M	41,240	0.76	C	West Jackson
70.4	Jackson Rd	Rock Creek Pkwy	Collector WJ-5	2	Rural Hwy	23,000	1.00	F	6	Arterial M	40,890	0.76	C	West Jackson
70.5	Jackson Rd	Collector WJ-5	Collector WJ-6	2	Rural Hwy	23,010	1.00	F	6	Arterial M	38,420	0.71	C	West Jackson
70.6	Jackson Rd	Collector WJ-6	Excelsior Rd	2	Rural Hwy	23,010	1.00	F	6	Arterial M	38,840	0.72	C	West Jackson
71.1	Jackson Rd	Excelsior Rd	Collector JT-3	2	Rural Hwy	23,020	1.01	F	4	Arterial M	62,440	1.73	F	Jackson Township
71.2	Jackson Rd	Collector JT-3	Tree View Ln	2	Rural Hwy	23,020	1.01	F	4	Arterial M	46,480	1.29	F	Jackson Township
71.3	Jackson Rd	Tree View Ln	Collector JT-4	2	Rural Hwy	22,990	1.00	F	4	Arterial M	40,520	1.13	F	Jackson Township
71.4	Jackson Rd	Collector JT-4	Eagles Nest Rd	2	Rural Hwy	23,020	1.01	F	4	Arterial M	37,510	1.04	F	Jackson Township
72.1	Jackson Rd	Eagles Nest Rd	Rockbridge Dr	2	Rural Hwy	21,910	0.96	E	4	Arterial M	37,200	1.03	F	NewBridge
72.2	Jackson Rd	Rockbridge Dr	Sunrise Blvd	2	Rural Hwy	22,630	0.99	E	4	Arterial M	38,040	1.06	F	NewBridge
73	Jackson Rd	Sunrise Blvd	Grant Line Rd	4	Arterial M	31,730	0.88	D	4	Arterial M	45,430	1.26	F	
76	Kiefer Blvd	Mayhew Rd	Bradshaw Rd	4	Arterial M	13,290	0.37	A	4	Arterial M	42,880	1.19	F	
77.1	Kiefer Boulevard	Bradshaw Road	Collector WJ-14	2	Arterial M	5,940	0.33	A	6	Arterial M	51,510	0.95	E	West Jackson
77.2	Kiefer Boulevard	Collector WJ-14	Routier Ext	2	Arterial M	6,100	0.34	A	6	Arterial M	47,760	0.88	D	West Jackson
77.3	Kiefer Boulevard	Routier Ext	Happy Lane	2	Arterial M	6,100	0.34	A	6	Arterial M	50,290	0.93	E	West Jackson
78.1	Kiefer Blvd	Eagles Nest Rd	W Collector MS-1	2	Arterial M	10,210	0.57	A	4	Arterial M	31,860	0.89	D	NewBridge; Mather South
78.2	Kiefer Blvd	W Collector MS-1	Northbridge Dr	2	Arterial M	10,210	0.57	A	4	Arterial M	29,600	0.82	D	NewBridge; Mather South
78.3	Kiefer Blvd	Northbridge Dr	E Collector MS-1	2	Arterial M	10,210	0.57	A	4	Arterial M	31,310	0.87	D	NewBridge; Mather South
78.4	Kiefer Blvd	E Collector MS-1	Sunrise Blvd	2	Arterial M	10,150	0.56	A	3	Arterial M	39,640	2.20	F	NewBridge

ID	Roadway	Segment		Cumulative No Project					Cumulative Plus Jackson Corridor Projects					Project(s) Responsible for Change in Lanes
		From	To	Travel Lanes	Facility Type¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	Travel Lanes	Facility Type¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	
79	Kiefer Blvd	Sunrise Blvd	Rancho Cordova Pkwy	4	Arterial M	20,760	0.58	A	4	Arterial M	33,480	0.93	E	
89.1	Mayhew Rd	Jackson Rd	Rock Creek Pkwy	2	Arterial L	1,930	0.13	A	4	Arterial M	53,200	1.48	F	West Jackson
89.2	Mayhew Rd	Rock Creek Pkwy	Fruitridge Rd	2	Arterial L	1,930	0.13	A	4	Arterial M	52,650	1.46	F	West Jackson
93	Old Placerville Rd	Routier Rd	Rockingham Dr	4	Arterial M	24,070	0.67	B	4	Arterial M	36,370	1.01	F	
95	Rockingham Dr	Old Placerville Rd	Mather Field Rd	4	Arterial M	31,970	0.89	D	4	Arterial M	40,120	1.11	F	
96	South Watt Ave	Folsom Blvd	Kiefer Blvd	6	Arterial M	68,980	1.28	F	6	Arterial M	81,710	1.51	F	
97	South Watt Ave	Kiefer Blvd	Jackson Rd	6	Arterial M	67,470	1.25	F	6	Arterial M	70,440	1.30	F	
100	South Watt Ave	Elder Creek Rd	Florin Rd	6	Arterial M	55,580	1.03	F	6	Arterial M	61,020	1.13	F	
104.3	Sunrise Blvd	Rio Del Oro Pkwy	Douglas Rd	6	Arterial M	54,110	1.00	F	6	Arterial M	64,030	1.19	F	
105	Sunrise Blvd	Douglas Rd	Kiefer Blvd	5	Arterial M	34,760	0.97	E	5	Arterial M	43,840	1.22	F	
106	Sunrise Blvd	Kiefer Blvd	Jackson Rd	4	Arterial M	30,000	0.83	D	4	Arterial M	34,190	0.95	E	
110	Watt Ave	US 50	Folsom Blvd	6	Arterial H	98,040	1.63	F	6	Arterial H	106,270	1.77	F	
117	White Rock Rd	Grant Line Rd	Prairie City Rd	4	Arterial H	53,780	1.34	F	4	Arterial H	55,950	1.40	F	
132	Kiefer Blvd	Americanos Blvd	Grant Line Rd	2	Arterial M	10,250	0.57	A	2	Arterial M	19,150	1.06	F	
135	Rancho Cordova Pkwy	White Rock Rd	International Dr	6	Arterial M	46,590	0.86	D	6	Arterial M	49,910	0.92	E	
136	Rancho Cordova Pkwy	International Dr	Rio Del Oro Pkwy	6	Arterial M	55,520	1.03	F	6	Arterial M	59,780	1.11	F	
200	Kiefer Blvd	Tree View Ln	Eagles Nest Rd						4	Arterial M	37,540	1.04	F	West Jackson; Jackson Township; NewBridge; Mather South
301	Douglas Rd	Rock Creek Pkwy	Kiefer Blvd	4	Arterial M	7,380	0.21	A	4	Arterial M	37,470	1.04	F	
302	Kiefer Blvd	Happy Ln	Douglas Rd						6	Arterial M	62,910	1.17	F	West Jackson
303	Kiefer Blvd	Douglas Rd	Excelsior Rd						4	Arterial M	33,240	0.92	E	West Jackson
304	Mayhew Rd	Routier Ext	Bradshaw Rd						4	Arterial M	39,790	1.11	F	West Jackson
305	Mayhew Rd	Bradshaw Rd	Jackson Rd						4	Arterial M	47,420	1.32	F	West Jackson
306	Mayhew Rd	Fruitridge Rd	Collector WJ-13						4	Arterial M	39,410	1.09	F	West Jackson
307	Mayhew Rd	Collector WJ-13	Elder Creek Rd						3	Arterial M	42,630	2.37	F	West Jackson
308	Rock Creek Pkwy	South Watt Ave	Hedge Ave						2	Arterial M	6,140	0.34	A	West Jackson
309	Rock Creek Pkwy	Hedge Ave	Mayhew Rd						2	Arterial M	11,590	0.64	B	West Jackson
310	Rock Creek Pkwy	Mayhew Rd	Bradshaw Rd						2	Arterial M	6,840	0.38	A	West Jackson
311	Rock Creek Pkwy East	Excelsior Road	Collector WJ-16						2	Arterial M	13,750	0.76	C	West Jackson
312	Rock Creek Pkwy East	Collector WJ-16	Jackson Road						2	Arterial M	19,410	1.08	F	West Jackson
313	Vineyard Rd	Jackson Road	New Collector						4	Arterial M	31,230	0.87	D	West Jackson

ID	Roadway	Segment		Cumulative No Project					Cumulative Plus Jackson Corridor Projects					Project(s) Responsible for Change in Lanes
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	Travel Lanes	Facility Type ¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	
314	Vineyard Rd	New Collector	Collector WJ-18						4	Arterial M	26,470	0.74	C	West Jackson
315	Vineyard Rd	Collector WJ-18	Elder Creek Road						4	Arterial M	25,960	0.72	C	West Jackson
316	Vineyard Rd	Elder Creek Road	Florin Road						4	Arterial M	14,250	0.40	A	West Jackson
317	Routier Ext	Old Placerville Road	Happy Lane						4	Arterial H	41,580	1.04	F	West Jackson
318	Routier Ext	Happy Lane	Kiefer Boulevard						4	Arterial H	34,490	0.86	D	West Jackson
319	Routier Ext	Kiefer Boulevard	Mayhew Road						4	Arterial H	39,540	0.99	E	West Jackson
320	Collector WJ-16	Rock Creek Pkwy	Collector WJ-6						2	Res Collector F	980	0.12	A	West Jackson
321	Collector WJ-17	Rock Creek Pkwy	Collector WJ-6						2	Res Collector F	850	0.11	A	West Jackson
322	Collector WJ-6	Collector WJ-16/WJ-17	Jackson Road						2	Res Collector F	2,740	0.34	B	West Jackson
323	Collector WJ-6	Jackson Road	Collector WJ-18						2	Res Collector F	3,680	0.46	C	West Jackson
324	Collector WJ-2	Excelsior Road	Collector WJ-6						2	Res Collector F	2,940	0.37	B	West Jackson
325	Collector WJ-18	Vineyard Rd	Collector WJ-6						2	Res Collector F	3,430	0.43	C	West Jackson
326	Collector WJ-18	Collector WJ-6	Excelsior Road						2	Res Collector F	3,200	0.40	C	West Jackson
327	Collector WJ-19	Bradshaw Road	Vineyard Road						2	Arterial M	7,730	0.43	A	West Jackson
400	Collector JT-1	Excelsior Rd	Collector JT-3						2	Res Collector F	5,430	0.68	D	Jackson Township
401	Collector JT-1	Collector JT-3	Tree View Ln						2	Res Collector F	1,720	0.22	B	Jackson Township
402	Collector JT-3	Kiefer Blvd	Collector JT-1						2	Res Collector F	1,290	0.16	A	Jackson Township
403	Collector JT-3	Collector JT-1	Collector JT-6						2	Res Collector F	1,280	0.16	A	Jackson Township
404	Collector JT-3	Collector JT-6	Collector JT-5						2	Res Collector F	2,920	0.37	B	Jackson Township
405	Collector JT-3	Collector JT-5	Jackson Rd						2	Arterial M	20,320	1.13	F	Jackson Township
406	Collector JT-4	Jackson Rd	Bridgewater Dr						2	Arterial M	2,860	0.16	A	Jackson Township
407	Collector JT-5	Collector JT-3	Tree View Ln						2	Arterial M	10,040	0.56	A	Jackson Township
408	Collector JT-6	Excelsior Rd	Collector JT-3						2	Res Collector F	4,760	0.60	C	Jackson Township
409	Collector JT-6	Collector JT-3	Tree View Ln						2	Res Collector F	720	0.09	A	Jackson Township
410	Kiefer Blvd	Excelsior Rd	Tree View Ln						4	Arterial M	31,550	0.88	D	Jackson Township
411	Tree View Ln	Kiefer Blvd	Collector JT-1						4	Arterial M	11,780	0.33	A	Jackson Township
412	Tree View Ln	Collector JT-1	Collector JT-6						4	Arterial M	11,530	0.32	A	Jackson Township
413	Tree View Ln	Collector JT-6	Collector JT-5						4	Arterial M	11,460	0.32	A	Jackson Township
414	Tree View Ln	Collector JT-5	Jackson Rd						4	Arterial M	8,420	0.23	A	Jackson Township
415	Collector JT-7	Collector JT-3	Tree View Ln						2	Arterial M	1,800	0.10	A	Jackson Township
416	Collector JT-8	Collector JT-3	Tree View Ln						2	Arterial M	1,900	0.11	A	Jackson Township
417	Collector JT-9	Jackson Rd	Collector JT-8						2	Arterial M	3,830	0.21	A	Jackson Township

ID	Roadway	Segment		Cumulative No Project					Cumulative Plus Jackson Corridor Projects					Project(s) Responsible for Change in Lanes
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	Travel Lanes	Facility Type ¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	
418	Collector JT-10	Jackson Rd	Collector JT-8						2	Arterial M	1,680	0.09	A	Jackson Township
419	Collector JT-6	Tree View Ln	Jackson Rd						2	Res Collector F	2,400	0.30	B	Jackson Township
500	S Bridgewater Dr	Collector JT-4	Eagles Nest Rd						2	Res Collector F	4,540	0.57	C	NewBridge
501	S Bridgewater Dr	Eagles Nest Rd	Northbridge Dr						2	Res Collector F	4,550	0.57	C	NewBridge
502	N Bridgewater Dr	Northbridge Dr	Eagles Nest Rd						2	Res Collector F	1,270	0.16	A	NewBridge
503	Northbridge Dr	Kiefer Blvd	Bridgewater Dr						2	Arterial M	4,150	0.23	A	NewBridge
504	Street A	S Bridgewater Dr	Street B						2	Res Collector F	1,790	0.22	B	NewBridge
505	Street B	S Bridgewater Dr	Street A						2	Res Collector F	1,390	0.17	A	NewBridge
506	Rockbridge Dr	Street B	Stonebridge Dr						2	Res Collector F	1,840	0.23	B	NewBridge
507	Rockbridge Dr	Stonebridge Dr	Jackson Rd						2	Arterial M	7,660	0.43	A	NewBridge
508	Stonebridge Dr	S Bridgewater Dr	Rockbridge Dr						2	Arterial M	2,490	0.14	A	NewBridge
509	Stonebridge Dr	Rockbridge Dr	Jackson Rd						2	Res Collector F	4,520	0.57	C	NewBridge
600	Collector MS-1	Kiefer Boulevard	Collector MS-5						2	Arterial M	16,820	0.93	E	Mather South
601	Collector MS-1	Collector MS-5	Collector MS-4						2	Arterial M	7,640	0.42	A	Mather South
602	Collector MS-1	Collector MS-4	Collector MS-3						2	Res Collector F	6,430	0.80	E	Mather South
603	Collector MS-1	Collector MS-3	Collector MS-2						2	Arterial M	3,130	0.17	A	Mather South
604	Collector MS-2	Eagles Nest Road	Collector MS-5						2	Arterial M	8,930	0.50	A	Mather South
605	Collector MS-3	Eagles Nest Road	Collector MS-5						2	Arterial M	6,730	0.37	A	Mather South
606	Collector MS-4	Eagles Nest Road	Collector MS-5						2	Arterial M	7,090	0.39	A	Mather South
607	Collector MS-5	Kiefer Boulevard	Collector MS-1						2	Arterial M	8,870	0.49	A	Mather South

Note: Gray shading indicates changes in travel lanes or facility type that the project is responsible to provide.

¹ The following classifications are used to determine daily roadway capacity: Arterial L - Arterial, Low Access Control; Arterial M - Arterial, Moderate Access Control Arterial H - Arterial, High Access Control Rural Hwy - Rural 2-lane Highway; Rural S - Rural 2-lane Road, 24'-36' of pavement, Paved Shoulders Rural NS - Rural 2-lane Road, 24'-36' of pavement, No Shoulders Res Collector F - Residential Collector with Frontage; Res Collector NF - Residential Collector with No Frontage

Bold values do not meet LOS policy. **Red** values with light gray shading indicate project effects.

Source: DKS Associates 2019

Table SI-17: Cumulative No Project and Cumulative Plus Jackson Corridor Projects (Alternative 2) Roadway Segment Levels of Service

ID	Roadway	Segment		Cumulative No Project					Cumulative Plus Jackson Corridor Projects					Project(s) Responsible for Change in Lanes
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS	
2	Bradshaw Rd	US 50	Lincoln Village Dr	6	Arterial M	66,770	1.24	F	6	Arterial M	84,620	1.57	F	
3	Bradshaw Rd	Lincoln Village Dr	Old Placerville Rd	6	Arterial M	52,940	0.98	E	6	Arterial M	76,770	1.42	F	
4	Bradshaw Rd	Old Placerville Rd	Goethe Rd	6	Arterial M	62,600	1.16	F	6	Arterial M	73,340	1.36	F	
5.1	Bradshaw Rd	Goethe Rd	Collector WJ-8	6	Arterial M	47,100	0.87	D	6	Arterial M	62,160	1.15	F	
5.2	Bradshaw Rd	Collector WJ-8	Kiefer Blvd	6	Arterial M	45,320	0.84	D	6	Arterial M	58,600	1.09	F	
6.2	Bradshaw Rd	Collector WJ-9	Mayhew Rd	6	Arterial M	52,070	0.96	E	6	Arterial M	54,090	1.00	F	
6.3	Bradshaw Rd	Mayhew Rd	Jackson Rd	6	Arterial M	52,020	0.96	E	6	Arterial M	57,490	1.06	F	
16	Douglas Rd	Zinfandel Dr	Sunrise Blvd	6	Arterial M	37,550	0.70	B	6	Arterial M	50,360	0.93	E	
19.1	Eagles Nest Rd	Kiefer Blvd	N Bridgewater Dr	2	Arterial M	4,620	0.26	A	4	Arterial M	11,220	0.31	A	NewBridge
19.2	Eagles Nest Rd	N Bridgewater Dr	S Bridgewater Dr	2	Arterial M	4,620	0.26	A	4	Arterial M	11,620	0.32	A	NewBridge
19.3	Eagles Nest Rd	S Bridgewater Dr	Jackson Rd	2	Arterial M	4,710	0.26	A	4	Arterial M	13,130	0.36	A	NewBridge
23	Elder Creek Rd	Power Inn Rd	Florin-Perkins Rd	2	Arterial M	25,170	1.40	F	2	Arterial M	28,360	1.58	F	
25	Elder Creek Rd	South Watt Ave	Hedge Ave	4	Arterial M	40,860	1.14	F	4	Arterial M	52,900	1.47	F	
27	Elder Creek Rd	Mayhew Rd	Bradshaw Rd	4	Arterial M	17,980	0.50	A	4	Arterial M	40,490	1.12	F	
28.1	Elder Creek Rd	Bradshaw Rd	Vineyard Rd	2	Arterial M	9,230	0.51	A	3	Arterial M	30,740	1.71	F	West Jackson
28.2	Elder Creek Rd	Vineyard Rd	Excelsior Rd	2	Arterial M	9,430	0.52	A	4	Arterial M	25,360	0.70	C	West Jackson
31.1	Excelsior Rd	Jackson Rd	Collector WJ-6	2	Arterial M	11,960	0.66	B	3	Arterial M	36,910	2.05	F	West Jackson
31.2	Excelsior Rd	Collector WJ-6	Elder Creek Rd	2	Arterial M	11,960	0.66	B	3	Arterial M	36,220	2.01	F	West Jackson
32	Excelsior Rd	Elder Creek Rd	Florin Rd	2	Arterial M	4,670	0.26	A	3	Arterial M	12,520	0.70	B	West Jackson
37	Florin Rd	Power Inn Rd	Florin-Perkins Rd	4	Arterial M	37,240	1.03	F	4	Arterial M	43,690	1.21	F	
41	Florin Rd	Mayhew Rd	Bradshaw Rd	4	Arterial M	30,290	0.84	D	4	Arterial M	40,200	1.12	F	
42.2	Florin Rd	Vineyard Rd	Excelsior Rd	2	Arterial M	11,650	0.65	B	3	Arterial M	19,920	1.11	F	West Jackson
44	Folsom Blvd	Howe Ave	Jackson Rd	4	Arterial M	50,520	1.40	F	4	Arterial M	56,000	1.56	F	
47	Fruitridge Rd	Florin Perkins Rd	South Watt Ave	2	Arterial M	13,770	0.77	C	2	Arterial M	27,770	1.54	F	
48	Fruitridge Rd	South Watt Ave	Hedge Ave	2	Arterial M	5,770	0.32	A	3	Arterial M	24,240	1.35	F	West Jackson
49.1	Fruitridge Rd	Hedge Ave	Collector WJ-12	2	Arterial M	2,140	0.12	A	4	Arterial M	24,260	0.67	B	West Jackson
49.2	Fruitridge Rd	Collector WJ-12	Mayhew Rd	2	Arterial M	2,110	0.12	A	4	Arterial M	21,800	0.61	B	West Jackson
51.2	Grant Line Rd	Chrysanthy Blvd	Kiefer Blvd	4	Arterial H	44,930	1.12	F	4	Arterial H	47,640	1.19	F	
52.1	Grant Line Rd	Kiefer Blvd	Rancho Cordova Pkwy	4	Arterial H	34,170	0.85	D	4	Arterial H	37,030	0.93	E	
56	Grant Line Rd	Sheldon Rd	Wilton Rd	4	Arterial M	40,570	1.13	F	4	Arterial M	45,430	1.26	F	
57	Grant Line Rd	Wilton Rd	Bond Rd	4	Arterial M	36,110	1.00	F	4	Arterial M	40,370	1.12	F	
58.1	Happy Lane	Old Placerville Road	Routier Ext	2	Arterial M	3,980	0.22	A	2	Arterial M	13,820	0.77	C	West Jackson

ID	Roadway	Segment		Cumulative No Project					Cumulative Plus Jackson Corridor Projects					Project(s) Responsible for Change in Lanes
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS	
58.2	Happy Lane	Routier Ext	Kiefer Boulevard	2	Arterial M	4,970	0.28	A	2	Arterial M	20,580	1.14	F	West Jackson
62	Howe Ave	US 50	Folsom Blvd	6	Arterial M	67,180	1.24	F	6	Arterial M	71,420	1.32	F	
66.1	Jackson Rd	Florin Perkins Rd	14th Ave	4	Arterial M	30,980	0.86	D	4	Arterial M	44,100	1.23	F	
66.2	Jackson Rd	14th Ave	Rock Creek Pkwy	4	Arterial M	40,320	1.12	F	4	Arterial M	61,980	1.72	F	
66.3	Jackson Rd	Rock Creek Pkwy	Aspen 1 Dwy	4	Arterial M	34,630	0.96	E	4	Arterial M	57,690	1.60	F	
66.4	Jackson Rd	Aspen 1 Dwy	South Watt Ave	4	Arterial M	32,480	0.90	E	4	Arterial M	55,370	1.54	F	
67	Jackson Rd	South Watt Ave	Hedge Ave	4	Arterial M	38,240	1.06	F	4	Arterial M	66,380	1.84	F	
68.1	Jackson Rd	Hedge Ave	Collector WJ-3	4	Arterial M	31,080	0.86	D	4	Arterial M	56,540	1.57	F	
68.2	Jackson Rd	Collector WJ-3	Mayhew Rd	4	Arterial M	31,040	0.86	D	4	Arterial M	57,880	1.61	F	
69	Jackson Rd	Mayhew Rd	Bradshaw Rd	4	Arterial M	33,920	0.94	E	6	Arterial M	56,220	1.04	F	West Jackson
70.1	Jackson Rd	Bradshaw Rd	Collector WJ-4	2	Rural Hwy	23,120	1.01	F	6	Arterial M	59,380	1.10	F	West Jackson
70.2	Jackson Rd	Collector WJ-4	Rock Creek Pkwy	2	Rural Hwy	23,190	1.01	F	6	Arterial M	59,660	1.10	F	West Jackson
70.3	Jackson Rd	Rock Creek Pkwy	Commercial Access	2	Rural Hwy	23,000	1.00	F	6	Arterial M	41,550	0.77	C	West Jackson
70.4	Jackson Rd	Commercial Access	Collector WJ-5	2	Rural Hwy	23,000	1.00	F	6	Arterial M	41,200	0.76	C	West Jackson
70.5	Jackson Rd	Collector WJ-5	Collector WJ-6	2	Rural Hwy	23,010	1.00	F	6	Arterial M	38,910	0.72	C	West Jackson
70.6	Jackson Rd	Collector WJ-6	Excelsior Rd	2	Rural Hwy	23,010	1.00	F	6	Arterial M	39,330	0.73	C	West Jackson
71.1	Jackson Rd	Excelsior Rd	Collector JT-3	2	Rural Hwy	23,020	1.01	F	4	Arterial M	62,220	1.73	F	Jackson Township
71.2	Jackson Rd	Collector JT-3	Tree View Ln	2	Rural Hwy	23,020	1.01	F	4	Arterial M	46,480	1.29	F	Jackson Township
71.3	Jackson Rd	Tree View Ln	Collector JT-4	2	Rural Hwy	22,990	1.00	F	4	Arterial M	41,360	1.15	F	Jackson Township
71.4	Jackson Rd	Collector JT-4	Eagles Nest Rd	2	Rural Hwy	23,020	1.01	F	4	Arterial M	37,600	1.04	F	Jackson Township
72.1	Jackson Rd	Eagles Nest Rd	Rockbridge Dr	2	Rural Hwy	21,910	0.96	E	4	Arterial M	37,120	1.03	F	NewBridge
72.2	Jackson Rd	Rockbridge Dr	Sunrise Blvd	2	Rural Hwy	22,630	0.99	E	4	Arterial M	37,910	1.05	F	NewBridge
73	Jackson Rd	Sunrise Blvd	Grant Line Rd	4	Arterial M	31,730	0.88	D	4	Arterial M	45,290	1.26	F	
76	Kiefer Blvd	Mayhew Rd	Bradshaw Rd	4	Arterial M	13,290	0.37	A	4	Arterial M	42,310	1.18	F	
77.1	Kiefer Boulevard	Bradshaw Road	Collector WJ-14	2	Arterial M	5,940	0.33	A	6	Arterial M	50,960	0.94	E	West Jackson
77.2	Kiefer Boulevard	Collector WJ-14	Routier Ext	2	Arterial M	6,100	0.34	A	6	Arterial M	47,140	0.87	D	West Jackson
77.3	Kiefer Boulevard	Routier Ext	Happy Lane	2	Arterial M	6,100	0.34	A	6	Arterial M	49,820	0.92	E	West Jackson
78.1	Kiefer Blvd	Eagles Nest Rd	W Collector MS-1	2	Arterial M	10,210	0.57	A	4	Arterial M	31,900	0.89	D	NewBridge; Mather South
78.2	Kiefer Blvd	W Collector MS-1	Northbridge Dr	2	Arterial M	10,210	0.57	A	4	Arterial M	29,740	0.83	D	NewBridge; Mather South
78.3	Kiefer Blvd	Northbridge Dr	E Collector MS-1	2	Arterial M	10,210	0.57	A	4	Arterial M	31,570	0.88	D	NewBridge; Mather South
78.4	Kiefer Blvd	E Collector MS-1	Sunrise Blvd	2	Arterial M	10,150	0.56	A	3	Arterial M	39,820	2.21	F	NewBridge

ID	Roadway	Segment		Cumulative No Project					Cumulative Plus Jackson Corridor Projects					Project(s) Responsible for Change in Lanes
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS	
79	Kiefer Blvd	Sunrise Blvd	Rancho Cordova Pkwy	4	Arterial M	20,760	0.58	A	4	Arterial M	33,580	0.93	E	
89.1	Mayhew Rd	Jackson Rd	Rock Creek Pkwy	2	Arterial L	1,930	0.13	A	4	Arterial M	47,790	1.33	F	West Jackson
89.2	Mayhew Rd	Rock Creek Pkwy	Fruitridge Rd	2	Arterial L	1,930	0.13	A	4	Arterial M	46,860	1.30	F	West Jackson
93	Old Placerville Rd	Routier Rd	Rockingham Dr	4	Arterial M	24,070	0.67	B	4	Arterial M	36,350	1.01	F	
95	Rockingham Dr	Old Placerville Rd	Mather Field Rd	4	Arterial M	31,970	0.89	D	4	Arterial M	40,280	1.12	F	
96	South Watt Ave	Folsom Blvd	Kiefer Blvd	6	Arterial M	68,980	1.28	F	6	Arterial M	81,880	1.52	F	
97	South Watt Ave	Kiefer Blvd	Jackson Rd	6	Arterial M	67,470	1.25	F	6	Arterial M	70,930	1.31	F	
100	South Watt Ave	Elder Creek Rd	Florin Rd	6	Arterial M	55,580	1.03	F	6	Arterial M	59,670	1.11	F	
104.3	Sunrise Blvd	Rio Del Oro Pkwy	Douglas Rd	6	Arterial M	54,110	1.00	F	6	Arterial M	63,690	1.18	F	
105	Sunrise Blvd	Douglas Rd	Kiefer Blvd	5	Arterial M	34,760	0.97	E	5	Arterial M	43,880	1.22	F	
106	Sunrise Blvd	Kiefer Blvd	Jackson Rd	4	Arterial M	30,000	0.83	D	4	Arterial M	33,930	0.94	E	
110	Watt Ave	US 50	Folsom Blvd	6	Arterial H	98,040	1.63	F	6	Arterial H	106,480	1.77	F	
117	White Rock Rd	Grant Line Rd	Prairie City Rd	4	Arterial H	53,780	1.34	F	4	Arterial H	56,000	1.40	F	
132	Kiefer Blvd	Americanos Blvd	Grant Line Rd	2	Arterial M	10,250	0.57	A	2	Arterial M	19,200	1.07	F	
135	Rancho Cordova Pkwy	White Rock Rd	International Dr	6	Arterial M	46,590	0.86	D	6	Arterial M	49,960	0.93	E	
136	Rancho Cordova Pkwy	International Dr	Rio Del Oro Pkwy	6	Arterial M	55,520	1.03	F	6	Arterial M	59,540	1.10	F	
200	Kiefer Blvd	Tree View Ln	Eagles Nest Rd						4	Arterial M	37,180	1.03	F	West Jackson; Jackson Township; NewBridge; Mather South
300	Douglas Rd	Excelsior Rd	Rock Creek Pkwy	4	Arterial M	7,380	0.21	A	4	Arterial M	27,160	0.75	C	West Jackson
301	Douglas Rd	Rock Creek Pkwy	Kiefer Blvd	4	Arterial M	7,380	0.21	A	4	Arterial M	36,990	1.03	F	West Jackson
302	Kiefer Blvd	Happy Ln	Douglas Rd						6	Arterial M	63,170	1.17	F	West Jackson
303	Kiefer Blvd	Douglas Rd	Excelsior Rd						4	Arterial M	33,150	0.92	E	West Jackson
304	Mayhew Rd	Routier Ext	Bradshaw Rd						4	Arterial M	39,470	1.10	F	West Jackson
305	Mayhew Rd	Bradshaw Rd	Jackson Rd						4	Arterial M	40,970	1.14	F	West Jackson
306	Mayhew Rd	Fruitridge Rd	Collector WJ-13						4	Arterial M	30,030	0.83	D	West Jackson
307	Mayhew Rd	Collector WJ-13	Elder Creek Rd						3	Arterial M	32,580	1.81	F	West Jackson
308	Rock Creek Pkwy	South Watt Ave	Hedge Ave						2	Arterial M	7,450	0.41	A	West Jackson
309	Rock Creek Pkwy	Hedge Ave	Mayhew Rd						2	Arterial M	10,940	0.61	B	West Jackson
310	Rock Creek Pkwy	Mayhew Rd	Bradshaw Rd						2	Arterial M	4,730	0.26	A	West Jackson
311	Rock Creek Pkwy East	Excelsior Road	Collector WJ-16						2	Arterial M	13,510	0.75	C	West Jackson

ID	Roadway	Segment		Cumulative No Project					Cumulative Plus Jackson Corridor Projects					Project(s) Responsible for Change in Lanes
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS	
312	Rock Creek Pkwy East	Collector WJ-16	Jackson Road						2	Arterial M	19,230	1.07	F	West Jackson
313	Vineyard Rd	Jackson Road	New Collector						4	Arterial M	31,060	0.86	D	West Jackson
314	Vineyard Rd	New Collector	Collector WJ-18						4	Arterial M	26,270	0.73	C	West Jackson
315	Vineyard Rd	Collector WJ-18	Elder Creek Road						4	Arterial M	25,590	0.71	C	West Jackson
316	Vineyard Rd	Elder Creek Road	Florin Road						4	Arterial M	14,340	0.40	A	West Jackson
317	Routier Ext	Old Placerville Road	Happy Lane						4	Arterial H	41,410	1.04	F	West Jackson
318	Routier Ext	Happy Lane	Kiefer Boulevard						4	Arterial H	34,670	0.87	D	West Jackson
319	Routier Ext	Kiefer Boulevard	Mayhew Road						4	Arterial H	39,110	0.98	E	West Jackson
320	Collector WJ-16	Rock Creek Pkwy	Collector WJ-6						2	Res Collector F	950	0.12	A	West Jackson
321	Collector WJ-17	Rock Creek Pkwy	Collector WJ-6						2	Res Collector F	850	0.11	A	West Jackson
322	Collector WJ-6	Collector WJ-16/WJ-17	Jackson Road						2	Res Collector F	2,730	0.34	B	West Jackson
323	Collector WJ-6	Jackson Road	Collector WJ-18						2	Res Collector F	3,640	0.46	C	West Jackson
324	Collector WJ-2	Excelsior Road	Collector WJ-6						2	Res Collector F	2,860	0.36	B	West Jackson
325	Collector WJ-18	Vineyard Rd	Collector WJ-6						2	Res Collector F	3,360	0.42	C	West Jackson
326	Collector WJ-18	Collector WJ-6	Excelsior Road						2	Res Collector F	3,270	0.41	C	West Jackson
327	Collector WJ-19	Bradshaw Road	Vineyard Road						2	Arterial M	7,820	0.43	A	West Jackson
400	Collector JT-1	Excelsior Rd	Collector JT-3						2	Res Collector F	4,570	0.57	C	Jackson Township
401	Collector JT-1	Collector JT-3	Tree View Ln						2	Res Collector F	1,550	0.19	A	Jackson Township
402	Collector JT-3	Kiefer Blvd	Collector JT-1						2	Res Collector F	1,840	0.23	B	Jackson Township
403	Collector JT-3	Collector JT-1	Collector JT-6						2	Res Collector F	1,290	0.16	A	Jackson Township
404	Collector JT-3	Collector JT-6	Collector JT-5						2	Res Collector F	2,630	0.33	B	Jackson Township
405	Collector JT-3	Collector JT-5	Jackson Rd						2	Arterial M	20,070	1.12	F	Jackson Township
406	Collector JT-4	Jackson Rd	Bridgewater Dr						2	Arterial M	4,440	0.25	A	Jackson Township
407	Collector JT-5	Collector JT-3	Tree View Ln						2	Arterial M	10,100	0.56	A	Jackson Township
408	Collector JT-6	Excelsior Rd	Collector JT-3						2	Res Collector F	4,370	0.55	C	Jackson Township
409	Collector JT-6	Collector JT-3	Tree View Ln						2	Res Collector F	850	0.11	A	Jackson Township
410	Kiefer Blvd	Excelsior Rd	Tree View Ln						4	Arterial M	31,510	0.88	D	Jackson Township
411	Tree View Ln	Kiefer Blvd	Collector JT-1						4	Arterial M	10,660	0.30	A	Jackson Township
412	Tree View Ln	Collector JT-1	Collector JT-6						2	Arterial M	10,340	0.57	A	Jackson Township
413	Tree View Ln	Collector JT-6	Collector JT-5						2	Arterial M	10,250	0.57	A	Jackson Township
414	Tree View Ln	Collector JT-5	Jackson Rd						4	Arterial M	7,370	0.20	A	Jackson Township
415	Collector JT-7	Collector JT-3	Tree View Ln						2	Arterial M	1,590	0.09	A	Jackson Township

ID	Roadway	Segment		Cumulative No Project					Cumulative Plus Jackson Corridor Projects					Project(s) Responsible for Change in Lanes
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS	
416	Collector JT-8	Collector JT-3	Tree View Ln						2	Arterial M	1,740	0.10	A	Jackson Township
417	Collector JT-9	Jackson Rd	Collector JT-8						2	Arterial M	3,600	0.20	A	Jackson Township
418	Collector JT-10	Jackson Rd	Collector JT-8						2	Arterial M	1,570	0.09	A	Jackson Township
419	Collector JT-6	Tree View Ln	Jackson Rd						2	Res Collector F	1,770	0.22	B	Jackson Township
500	S Bridgewater Dr	Collector JT-4	Eagles Nest Rd						2	Res Collector F	5,220	0.65	D	NewBridge
501	S Bridgewater Dr	Eagles Nest Rd	Northbridge Dr						2	Res Collector F	4,620	0.58	C	NewBridge
502	N Bridgewater Dr	Northbridge Dr	Eagles Nest Rd						2	Res Collector F	1,240	0.16	A	NewBridge
503	Northbridge Dr	Kiefer Blvd	Bridgewater Dr						2	Arterial M	4,320	0.24	A	NewBridge
504	Street A	S Bridgewater Dr	Street B						2	Res Collector F	1,800	0.23	B	NewBridge
505	Street B	S Bridgewater Dr	Street A						2	Res Collector F	1,440	0.18	A	NewBridge
506	Rockbridge Dr	Street B	Stonebridge Dr						2	Res Collector F	1,850	0.23	B	NewBridge
507	Rockbridge Dr	Stonebridge Dr	Jackson Rd						2	Arterial M	7,640	0.42	A	NewBridge
508	Stonebridge Dr	S Bridgewater Dr	Rockbridge Dr						2	Arterial M	2,480	0.14	A	NewBridge
509	Stonebridge Dr	Rockbridge Dr	Jackson Rd						2	Res Collector F	4,440	0.56	C	NewBridge
600	Collector MS-1	Kiefer Boulevard	Collector MS-5						2	Arterial M	16,870	0.94	E	Mather South
601	Collector MS-1	Collector MS-5	Collector MS-4						2	Arterial M	7,670	0.43	A	Mather South
602	Collector MS-1	Collector MS-4	Collector MS-3						2	Res Collector F	6,350	0.79	D	Mather South
603	Collector MS-1	Collector MS-3	Collector MS-2						2	Arterial M	3,140	0.17	A	Mather South
604	Collector MS-2	Eagles Nest Road	Collector MS-5						2	Arterial M	8,910	0.50	A	Mather South
605	Collector MS-3	Eagles Nest Road	Collector MS-5						2	Arterial M	6,860	0.38	A	Mather South
606	Collector MS-4	Eagles Nest Road	Collector MS-5						2	Arterial M	7,130	0.40	A	Mather South
607	Collector MS-5	Kiefer Boulevard	Collector MS-1						2	Arterial M	8,770	0.49	A	Mather South

Note: Gray shading indicates changes in travel lanes or facility type that the project is responsible to provide.

¹ The following classifications are used to determine daily roadway capacity: Arterial L - Arterial, Low Access Control
Arterial M - Arterial, Moderate Access Control Arterial H - Arterial, High Access Control Rural Hwy - Rural 2-lane Highway
Rural S - Rural 2-lane Road, 24'-36' of pavement, Paved Shoulders Rural NS - Rural 2-lane Road, 24'-36' of pavement, No Shoulders Res Collector F - Residential Collector with Frontage
Res Collector NF - Residential Collector with No Frontage
Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.
Source: DKS Associates 2019

LOS IMPROVEMENT MEASURES

CU-TR-1. Cumulative Roadway Segment Operations.

The project applicant shall implement LOS Improvement Measures TR-4, TR-5, and TR-6. The project applicant shall implement the set of improvements assigned to the project by the Tool (LOS Improvement Measure TR-4). Where feasible, the number of roadway lanes would be increased to reduce the effect. However, the roadways cannot be widened such that they exceed the maximum General Plan standards and designations of the appropriate jurisdictions.

PROJECT

- The project applicant shall implement LOS Improvement Measures TR-4, TR-5, TR-6, and CU-TR-1.

Implementation of LOS Improvement Measures TR-4, TR-5, TR-6, and CU-TR-1 would result in fair share payments toward improvements that would reduce the cumulative roadway segment effects of the Project. As shown in Table SI-18, the shaded table cells under the “Travel Lanes” and “Facility Type” headings illustrate roadways widened as part of LOS improvement, which would be the responsibility of the Jackson Township project to implement. The shaded table cells under the “Level of Service” heading indicate those locations that would continue to operate unacceptably after LOS improvement measures are implemented. The table also includes the constraint that precluded full improvement of the LOS effect. In several locations where the improvements allowed under the general plan would not reduce an LOS effect such that it would not exceed the threshold, the County has proposed alternative improvement measures, which are shown in the “Alternative LOS Improvement Measure” column. These alternative LOS improvement measures would either fully reduce the effect or substantially reduce the level of LOS threshold exceedance. Constraints to the implementation of LOS improvement measures (e.g., maximum general plan lanes, existing development) are identified in the “Constraint if Unable to Meet LOS Threshold” column. Alternative improvement measures are subject to the same constraints as the primary LOS improvement measures.

The shaded table cells under the “Level of Service” heading indicate those locations that would continue exceed applicable LOS standards after the implementation of LOS improvement measures. The “LOS Effect with LOS Improvement Measures” column shows whether a LOS improvement measure successfully reduces the effect or not. Detailed intersection operations calculations and the full list of study area intersection operating conditions are included in Appendix TR-1.

As shown in Table SI-18, 37 roadway segments would still operate at unacceptable levels with implementation of LOS improvement measures. LOS improvement measures would generally involve improvements within the alignment or widening of the roadway. However, because three of the study area roadway segments have reached the maximum number of lanes allowed under the General Plan, there is no additional feasible improvement measures to improve the LOS along these roadway segment to

an acceptable level. The programmatic effects of constructing these improvements have been evaluated within the scope of the technical sections of the ~~Draft~~ this EIR.

Further, while implementation of LOS Improvement Measure TR-4, TR-5, TR-6, and CU-TR-1 would result in fair share payment toward improvements that would reduce effects such that the LOS thresholds would not be exceeded for some segments, it cannot be guaranteed that all of these improvements would be implemented concurrent with the phasing of development because of the dynamic and interrelated nature of improvements that would serve multiple development projects. Because the timing of implementation of all required improvements cannot be guaranteed and their implementation is not subject to the responsibility of just the Project Applicant and the County, it cannot be guaranteed that cumulative effects to roadway segments would be reduced to a level such that LOS thresholds would not be exceeded at the time of phased development.

ALTERNATIVE 2

- The project applicant shall implement LOS Improvement Measures TR-4, TR-5, TR-6, and CU-TR-1.

Similar to the Project, implementation of LOS Improvement Measures TR-4, TR-5, TR-6, and CU-TR-1 would result in fair share payments toward improvements that would reduce the cumulative roadway segment effects of Alternative 2. Detailed operations calculations and the full list of study area facility operating conditions are included in Appendix TR-1.

As shown in Table SI-15, 41 roadway segments would still operate at unacceptable levels with implementation of LOS improvement measures. LOS improvement measures would generally involve improvements within the alignment or widening of the roadway. However, because three of the study area roadway segments have reached the maximum number of lanes allowed under the General Plan, there is no additional feasible measures to improve the LOS along these roadway segment to an acceptable level. The programmatic effects of constructing these improvements have been evaluated within the scope of the technical sections of this ~~Draft~~ EIR.

Table SI-18: Cumulative Plus Jackson Corridor Projects (Project) Roadway Segment LOS Improvement Measures

ID	Roadway	Segment		Cumulative Plus Jackson Corridor Projects					Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures						
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	Travel Lanes	Facility Type ¹	Volume / Capacity Ratio	Level of Service	LOS Effect with LOS Improvement Measures?	Alternative LOS Improvement Measures ²	Constraint if Unable to Meet LOS Threshold
2	Bradshaw Rd	US 50	Lincoln Village Dr	6	Arterial M	85,400	1.58	F	6	Arterial M	1.58	F	Yes		Maximum General Plan lanes
3	Bradshaw Rd	Lincoln Village Dr	Old Placerville Rd	6	Arterial M	77,570	1.44	F	6	Arterial M	1.44	F	Yes		Maximum General Plan lanes
4	Bradshaw Rd	Old Placerville Rd	Goethe Rd	6	Arterial M	74,760	1.38	F	6	Arterial M	1.38	F	Yes		Maximum General Plan lanes
5.1	Bradshaw Rd	Goethe Rd	Collector WJ-8	6	Arterial M	63,620	1.18	F	6	Arterial M	1.18	F	Yes		Maximum General Plan lanes
5.2	Bradshaw Rd	Collector WJ-8	Kiefer Blvd	6	Arterial M	59,990	1.11	F	6	Arterial M	1.11	F	Yes		Maximum General Plan lanes
6.2	Bradshaw Rd	Collector WJ-9	Mayhew Rd	6	Arterial M	55,140	1.02	F	6	Arterial M	1.02	F	Yes		Maximum General Plan lanes
6.3	Bradshaw Rd	Mayhew Rd	Jackson Rd	6	Arterial M	52,240	0.97	E	6	Arterial M	0.97	E	Yes		Maximum General Plan lanes
16	Douglas Rd	Zinfandel Dr	Sunrise Blvd	6	Arterial M	50,410	0.93	E	6	Arterial M	0.93	E	Yes		Maximum General Plan lanes
23	Elder Creek Rd	Power Inn Rd	Florin-Perkins Rd	2	Arterial M	28,490	1.58	F	4	Arterial M	0.79	C	No		
25	Elder Creek Rd	South Watt Ave	Hedge Ave	4	Arterial M	48,190	1.34	F	6	Arterial M	0.89	D	No		
27	Elder Creek Rd	Mayhew Rd	Bradshaw Rd	4	Arterial M	40,630	1.13	F	6	Arterial M	0.75	C	No		
28.1	Elder Creek Rd	Bradshaw Rd	Vineyard Rd	3	Arterial M	33,740	1.87	F	4	Arterial M	0.94	E	No		
31.1	Excelsior Rd	Jackson Rd	Collector WJ-6	3	Arterial M	37,780	2.10	F	6	Arterial M	0.70	B	No		
31.2	Excelsior Rd	Collector WJ-6	Elder Creek Rd	3	Arterial M	37,130	2.06	F	6	Arterial M	0.69	B	No		
37	Florin Rd	Power Inn Rd	Florin-Perkins Rd	4	Arterial M	43,980	1.22	F	4	Arterial M	1.22	F	Yes		Maximum General Plan lanes
41	Florin Rd	Mayhew Rd	Bradshaw Rd	4	Arterial M	23,450	0.65	B					No		
42.2	Florin Rd	Vineyard Rd	Excelsior Rd	3	Arterial M	19,620	1.09	F	4	Arterial M	0.55	A	No		
44	Folsom Blvd	Howe Ave	Jackson Rd	4	Arterial M	55,790	1.55	F	4	Arterial M	1.55	F	Yes		Maximum General Plan lanes
47	Fruitridge Rd	Florin Perkins Rd	South Watt Ave	2	Arterial M	26,960	1.50	F	4	Arterial M	0.75	C	No		
48	Fruitridge Rd	South Watt Ave	Hedge Ave	3	Arterial M	20,600	1.14	F	4	Arterial M	0.57	A	No		

ID	Roadway	Segment		Cumulative Plus Jackson Corridor Projects					Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures						
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	Travel Lanes	Facility Type ¹	Volume / Capacity Ratio	Level of Service	LOS Effect with LOS Improvement Measures?	Alternative LOS Improvement Measures ²	Constraint if Unable to Meet LOS Threshold
51.2	Grant Line Rd	Chrysanthy Blvd	Kiefer Blvd	4	Arterial M	47,740	1.33	F	4	Expressway	0.88	B	No		
52.1	Grant Line Rd	Kiefer Blvd	Rancho Cordova Pkwy	4	Arterial M	37,000	1.03	F	4	Expressway	0.69	A	No		
56	Grant Line Rd	Sheldon Rd	Wilton Rd	4	Arterial M	45,270	1.26	F	4	Expressway	0.84	B	No		
57	Grant Line Rd	Wilton Rd	Bond Rd	4	Arterial M	40,140	1.12	F	4	Expressway	0.74	A	No		
58.2	Happy Ln	Routier Ext	Kiefer Blvd	2	Arterial M	20,770	1.15	F	4	Arterial M	0.58	A	No		
62	Howe Ave	US 50	Folsom Blvd	6	Arterial M	71,330	1.32	F	6	Arterial M	1.32	F	Yes		Maximum General Plan lanes
66.1	Jackson Rd	Florin Perkins Rd	14th Ave	4	Arterial M	43,840	1.22	F	4	Arterial M	1.22	F	Yes		Maximum General Plan lanes
66.2	Jackson Rd	14th Ave	Rock Creek Pkwy	4	Arterial M	61,500	1.71	F	4	Arterial M	1.71	F	Yes		Maximum General Plan lanes
66.3	Jackson Rd	Rock Creek Pkwy	Aspen 1 Dwy	4	Arterial M	57,370	1.59	F	4	Arterial M	1.59	F	Yes		Maximum General Plan lanes
66.4	Jackson Rd	Aspen 1 Dwy	South Watt Ave	4	Arterial M	55,060	1.53	F	4	Arterial M	1.53	F	Yes		Maximum General Plan lanes
67	Jackson Rd	South Watt Ave	Hedge Ave	4	Arterial M	67,850	1.88	F	6	Arterial M	1.26	F	Yes		Maximum General Plan lanes
68.1	Jackson Rd	Hedge Ave	Collector WJ-3	4	Arterial M	60,230	1.67	F	6	Arterial M	1.12	F	Yes		Maximum General Plan lanes
68.2	Jackson Rd	Collector WJ-3	Mayhew Rd	4	Arterial M	60,910	1.69	F	6	Arterial M	1.13	F	Yes		Maximum General Plan lanes
69	Jackson Rd	Mayhew Rd	Bradshaw Rd	6	Arterial M	59,440	1.10	F	6	Arterial M	1.10	F	Yes		Maximum General Plan lanes
70.1	Jackson Rd	Bradshaw Rd	Collector WJ-4	6	Arterial M	59,220	1.10	F	6	Arterial M	1.10	F	Yes		Maximum General Plan lanes
70.2	Jackson Rd	Collector WJ-4	Happy Ln	6	Arterial M	59,210	1.10	F	6	Arterial M	1.10	F	Yes		Maximum General Plan lanes
71.1	Jackson Rd	Excelsior Rd	Collector JT-3	4	Arterial M	62,440	1.73	F	6	Arterial M	1.16	F	Yes		Maximum General Plan lanes
71.2	Jackson Rd	Collector JT-3	Tree View Ln	4	Arterial M	46,480	1.29	F	6	Arterial M	0.86	D	No		
71.3	Jackson Rd	Tree View Ln	Collector JT-4	4	Arterial M	40,520	1.13	F	6	Arterial M	0.75	C	No		
72.1	Jackson Rd	Eagles Nest Rd	Rockbridge Dr	4	Arterial M	37,200	1.03	F	6	Arterial M	0.69	B	No		
72.2	Jackson Rd	Rockbridge Dr	Sunrise Blvd	4	Arterial M	38,040	1.06	F	6	Arterial M	0.70	C	No		

ID	Roadway	Segment		Cumulative Plus Jackson Corridor Projects					Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures						
		From	To	Travel Lanes	Facility Type¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	Travel Lanes	Facility Type¹	Volume / Capacity Ratio	Level of Service	LOS Effect with LOS Improvement Measures?	Alternative LOS Improvement Measures²	Constraint if Unable to Meet LOS Threshold
73	Jackson Rd	Sunrise Blvd	Grant Line Rd	4	Arterial M	45,430	1.26	F	6	Arterial M	0.84	D	No		
76	Kiefer Blvd	Mayhew Rd	Bradshaw Rd	4	Arterial M	42,880	1.19	F	4	Arterial M	1.19	F	Yes		Maximum General Plan lanes
78.4	Kiefer Blvd	E Collector MS-1	Sunrise Blvd	3	Arterial M	39,640	2.20	F	4	Arterial M	1.10	F	Yes		Maximum General Plan lanes
79	Kiefer Blvd	Sunrise Blvd	Rancho Cordova Pkwy	4	Arterial M	33,480	0.93	E	4	Arterial M	0.93	E	Yes		Maximum General Plan lanes
89.1	Mayhew Rd	Jackson Rd	Rock Creek Pkwy	4	Arterial M	53,200	1.48	F	6	Arterial M	0.99	E	No		
89.2	Mayhew Rd	Rock Creek Pkwy	Fruitridge Rd	4	Arterial M	52,650	1.46	F	6	Arterial M	0.98	E	No		
93	Old Placerville Rd	Routier Rd	Rockingham Dr	4	Arterial M	36,370	1.01	F	4	Arterial M	1.01	F	Yes		Maximum General Plan lanes
95	Rockingham Dr	Old Placerville Rd	Mather Field Rd	4	Arterial M	40,120	1.11	F	4	Arterial M	1.11	F	Yes		Maximum General Plan lanes
96	South Watt Ave	Folsom Blvd	Kiefer Blvd	6	Arterial M	81,710	1.51	F	6	Arterial M	1.51	F	Yes		Maximum General Plan lanes
97	South Watt Ave	Kiefer Blvd	Jackson Rd	6	Arterial M	70,440	1.30	F	6	Arterial M	1.30	F	Yes		Maximum General Plan lanes
100	South Watt Ave	Elder Creek Rd	Florin Rd	6	Arterial M	61,020	1.13	F	6	Arterial M	1.13	F	Yes		Maximum General Plan lanes
104.3	Sunrise Blvd	Rio Del Oro Pkwy	Douglas Rd	6	Arterial M	64,030	1.19	F	6	Arterial M	1.19	F	Yes		Maximum General Plan lanes
105	Sunrise Blvd	Douglas Rd	Kiefer Blvd	5	Arterial M	43,840	1.22	F	6	Arterial M	0.81	D	No		
106	Sunrise Blvd	Kiefer Blvd	Jackson Rd	4	Arterial M	34,190	0.95	E	6	Arterial M	0.63	B	No		
110	Watt Ave	US 50	Folsom Blvd	6	Arterial H	106,270	1.77	F	6	Arterial H	1.77	F	Yes		Maximum General Plan lanes
117	White Rock Rd	Grant Line Rd	Prairie City Rd	4	Arterial M	55,950	1.55	F	4	Expressway	1.04	C	No		
132	Kiefer Blvd	Americanos Blvd	Grant Line Rd	2	Arterial M	19,150	1.06	F	4	Arterial M	0.53	A	No		
135	Rancho Cordova Pkwy	White Rock Rd	International Dr	6	Arterial M	49,910	0.92	E	6	Arterial M	0.92	E	Yes		Maximum General Plan lanes
136	Rancho Cordova Pkwy	International Dr	Rio Del Oro Pkwy	6	Arterial M	59,780	1.11	F	6	Arterial M	1.11	F	Yes		Maximum General Plan lanes
200	Kiefer Blvd	Tree View Ln	Eagles Nest Rd	4	Arterial M	37,540	1.04	F	4	Arterial M	1.04	F	Yes		Maximum General Plan lanes

ID	Roadway	Segment		Cumulative Plus Jackson Corridor Projects					Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures						
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	Travel Lanes	Facility Type ¹	Volume / Capacity Ratio	Level of Service	LOS Effect with LOS Improvement Measures?	Alternative LOS Improvement Measures ²	Constraint if Unable to Meet LOS Threshold
301	Douglas Rd	Rock Creek Pkwy	Kiefer Blvd	4	Arterial M	37,470	1.04	F	4	Arterial M	1.04	F	Yes		Maximum General Plan lanes
302	Kiefer Blvd	Happy Ln	Douglas Rd	6	Arterial M	62,910	1.17	F	6	Arterial M	1.17	F	Yes		Maximum General Plan lanes
304	Mayhew Rd	Routier Ext	Bradshaw Rd	4	Arterial M	39,790	1.11	F	6	Arterial M	0.74	C	No		
305	Mayhew Rd	Bradshaw Rd	Jackson Rd	4	Arterial M	47,420	1.32	F	6	Arterial M	0.88	D	No		
307	Mayhew Rd	Collector WJ-13	Elder Creek Rd	3	Arterial M	42,630	2.37	F	4	Arterial M	1.18	F	No		
312	Rock Creek Pkwy East	Collector WJ-16	Jackson Road	2	Arterial M	19,410	1.08	F	4	Arterial M	0.54	A	No		
317	Routier Ext	Old Placerville Road	Happy Lane	4	Arterial H	41,580	1.04	F							Maximum General Plan lanes
405	Collector JT-3	Collector JT-5	Jackson Rd	2	Arterial M	20,320	1.13	F	4	Arterial M	0.56	A	No		

Note: Gray shading represents changes in travel lanes or facility type that the project is responsible to provide.

¹ The following classifications are used to determine daily roadway capacity: Arterial L - Arterial, Low Access Control, Arterial M - Arterial, Moderate Access Control Arterial H - Arterial, High Access Control Rural Hwy - Rural 2-lane Highway, Rural S - Rural 2-lane Road, 24'-36' of pavement, Paved Shoulders Rural NS - Rural 2-lane Road, 24'-36' of pavement, No Shoulders Res Collector F - Residential Collector with Frontage, Res Collector NF - Residential Collector with No Frontage

² Alternative LOS improvement measures represent proposed improvements beyond the General Plan, as proposed by the County of Sacramento.

Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.

Source: DKS Associates 2019

Table SI-19: Cumulative Plus Jackson Corridor Projects (Alternative 2) Roadway Segment LOS Improvement Measures

ID	Roadway	Segment		Cumulative Plus Jackson Corridor Projects					Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures						
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS	Travel Lanes	Facility Type ¹	V/C Ratio	LOS	LOS Effect with LOS Improvement Measures?	Alternative LOS Improvement Measures ²	Constraint if Unable to Meet LOS Threshold
2	Bradshaw Rd	US 50	Lincoln Village Dr	6	Arterial M	84,620	1.57	F	6	Arterial M	1.57	F	Yes		Maximum General Plan lanes
3	Bradshaw Rd	Lincoln Village Dr	Old Placerville Rd	6	Arterial M	76,770	1.42	F	6	Arterial M	1.42	F	Yes		Maximum General Plan lanes
4	Bradshaw Rd	Old Placerville Rd	Goethe Rd	6	Arterial M	73,340	1.36	F	6	Arterial M	1.36	F	Yes		Maximum General Plan lanes
5.1	Bradshaw Rd	Goethe Rd	Collector WJ-8	6	Arterial M	62,160	1.15	F	6	Arterial M	1.15	F	Yes		Maximum General Plan lanes
5.2	Bradshaw Rd	Collector WJ-8	Kiefer Blvd	6	Arterial M	58,600	1.09	F	6	Arterial M	1.09	F	Yes		Maximum General Plan lanes
6.2	Bradshaw Rd	Collector WJ-9	Mayhew Rd	6	Arterial M	54,090	1.00	F	6	Arterial M	1.00	F	Yes		Maximum General Plan lanes
6.3	Bradshaw Rd	Mayhew Rd	Jackson Rd	6	Arterial M	57,490	1.06	F	6	Arterial M	1.06	F	Yes		Maximum General Plan lanes
16	Douglas Rd	Zinfandel Dr	Sunrise Blvd	6	Arterial M	50,360	0.93	E	6	Arterial M	0.93	E	Yes		Maximum General Plan lanes
23	Elder Creek Rd	Power Inn Rd	Florin-Perkins Rd	2	Arterial M	28,360	1.58	F	4	Arterial M	0.79	C	No		
25	Elder Creek Rd	South Watt Ave	Hedge Ave	4	Arterial M	52,900	1.47	F	6	Arterial M	0.98	E	No		
27	Elder Creek Rd	Mayhew Rd	Bradshaw Rd	4	Arterial M	40,490	1.12	F	6	Arterial M	0.75	C	No		
28.1	Elder Creek Rd	Bradshaw Rd	Vineyard Rd	3	Arterial M	30,740	1.71	F	4	Arterial M	0.85	D	No		
31.1	Excelsior Rd	Jackson Rd	Collector WJ-6	3	Arterial M	36,910	2.05	F	6	Arterial M	0.68	B	No		
31.2	Excelsior Rd	Collector WJ-6	Elder Creek Rd	3	Arterial M	36,220	2.01	F	6	Arterial M	0.67	B	No		
37	Florin Rd	Power Inn Rd	Florin-Perkins Rd	4	Arterial M	43,690	1.21	F	4	Arterial M	1.21	F	Yes	Construct 2-lane Alta Florin Road	Maximum General Plan lanes
41	Florin Rd	Mayhew Rd	Bradshaw Rd	4	Arterial M	40,200	1.12	F	6	Arterial M	0.74	C	No		
42.2	Florin Rd	Vineyard Rd	Excelsior Rd	3	Arterial M	19,920	1.11	F	4	Arterial M	0.55	A	No		
44	Folsom Blvd	Howe Ave	Jackson Rd	4	Arterial M	56,000	1.56	F	4	Arterial M	1.56	F	Yes		Maximum General Plan lanes
47	Fruitridge Rd	Florin Perkins Rd	South Watt Ave	2	Arterial M	27,770	1.54	F	4	Arterial M	0.77	C	No		
48	Fruitridge Rd	South Watt Ave	Hedge Ave	3	Arterial M	24,240	1.35	F	4	Arterial M	0.67	B	No		
51.2	Grant Line Rd	Chrysanthy Blvd	Kiefer Blvd	4	Arterial H	47,640	1.19	F	4	Expressway	0.88	B	No		
52.1	Grant Line Rd	Kiefer Blvd	Rancho Cordova Pkwy	4	Arterial H	37,030	0.93	E	4	Expressway	0.69	A	No		
56	Grant Line Rd	Sheldon Rd	Wilton Rd	4	Arterial M	45,430	1.26	F	4	Expressway	0.84	B	No		
57	Grant Line Rd	Wilton Rd	Bond Rd	4	Arterial M	40,370	1.12	F	4	Expressway	0.75	A	No		
58.2	Happy Ln	Routier Ext	Kiefer Blvd	2	Arterial M	20,580	1.14	F	2	Arterial M	1.14	F	Yes		Maximum General Plan lanes

ID	Roadway	Segment		Cumulative Plus Jackson Corridor Projects					Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures						
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS	Travel Lanes	Facility Type ¹	V/C Ratio	LOS	LOS Effect with LOS Improvement Measures?	Alternative LOS Improvement Measures ²	Constraint if Unable to Meet LOS Threshold
62	Howe Ave	US 50	Folsom Blvd	6	Arterial M	71,420	1.32	F	6	Arterial M	1.32	F	Yes		Maximum General Plan lanes
66.1	Jackson Rd	Florin Perkins Rd	14th Ave	4	Arterial M	44,100	1.23	F	4	Arterial M	1.23	F	Yes		Maximum General Plan lanes
66.2	Jackson Rd	14th Ave	Rock Creek Pkwy	4	Arterial M	61,980	1.72	F	4	Arterial M	1.72	F	Yes		Maximum General Plan lanes
66.3	Jackson Rd	Rock Creek Pkwy	Aspen 1 Dwy	4	Arterial M	57,690	1.60	F	4	Arterial M	1.60	F	Yes		Maximum General Plan lanes
66.4	Jackson Rd	Aspen 1 Dwy	South Watt Ave	4	Arterial M	55,370	1.54	F	4	Arterial M	1.54	F	Yes		Maximum General Plan lanes
67	Jackson Rd	South Watt Ave	Hedge Ave	4	Arterial M	66,380	1.84	F	6	Arterial M	1.23	F	Yes		Maximum General Plan lanes
68.1	Jackson Rd	Hedge Ave	Collector WJ-3	4	Arterial M	56,540	1.57	F	6	Arterial M	1.05	F	Yes		Maximum General Plan lanes
68.2	Jackson Rd	Collector WJ-3	Mayhew Rd	4	Arterial M	57,880	1.61	F	6	Arterial M	1.07	F	Yes		Maximum General Plan lanes
69	Jackson Rd	Mayhew Rd	Bradshaw Rd	6	Arterial M	56,220	1.04	F	6	Arterial M	1.04	F	Yes		Maximum General Plan lanes
70.1	Jackson Rd	Bradshaw Rd	Collector WJ-4	6	Arterial M	59,380	1.10	F	6	Arterial M	1.10	F	Yes		Maximum General Plan lanes
70.2	Jackson Rd	Collector WJ-4	Rock Creek Pkwy	6	Arterial M	59,660	1.10	F	6	Arterial M	1.10	F	Yes		Maximum General Plan lanes
71.1	Jackson Rd	Excelsior Rd	Collector JT-3	4	Arterial M	62,220	1.73	F	6	Arterial M	1.15	F	Yes		Maximum General Plan lanes
71.2	Jackson Rd	Collector JT-3	Tree View Ln	4	Arterial M	46,480	1.29	F	6	Arterial M	0.86	D	No		
71.3	Jackson Rd	Tree View Ln	Collector JT-4	4	Arterial M	41,360	1.15	F	6	Arterial M	0.77	C	No		
72.1	Jackson Rd	Eagles Nest Rd	Rockbridge Dr	4	Arterial M	37,120	1.03	F	6	Arterial M	0.69	B	No		
72.2	Jackson Rd	Rockbridge Dr	Sunrise Blvd	4	Arterial M	37,910	1.05	F	6	Arterial M	0.70	C	No		
73	Jackson Rd	Sunrise Blvd	Grant Line Rd	4	Arterial M	45,290	1.26	F	6	Arterial M	0.84	D	No		
76	Kiefer Blvd	Mayhew Rd	Bradshaw Rd	4	Arterial M	42,310	1.18	F	4	Arterial M	1.18	F	Yes		Maximum General Plan lanes
78.4	Kiefer Blvd	E Collector MS-1	Sunrise Blvd	3	Arterial M	39,820	2.21	F	4	Arterial M	1.11	F	Yes		Maximum General Plan lanes

ID	Roadway	Segment		Cumulative Plus Jackson Corridor Projects					Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures						
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS	Travel Lanes	Facility Type ¹	V/C Ratio	LOS	LOS Effect with LOS Improvement Measures?	Alternative LOS Improvement Measures ²	Constraint if Unable to Meet LOS Threshold
79	Kiefer Blvd	Sunrise Blvd	Rancho Cordova Pkwy	4	Arterial M	33,580	0.93	E	4	Arterial M	0.93	E	Yes		Maximum General Plan lanes
89.1	Mayhew Rd	Jackson Rd	Rock Creek Pkwy	4	Arterial M	47,790	1.33	F	6	Arterial M	0.89	D	No		
89.2	Mayhew Rd	Rock Creek Pkwy	Fruitridge Rd	4	Arterial M	46,860	1.30	F	6	Arterial M	0.87	D	No		
93	Old Placerville Rd	Routier Rd	Rockingham Dr	4	Arterial M	36,350	1.01	F	4	Arterial M	1.01	F	Yes		Maximum General Plan lanes
95	Rockingham Dr	Old Placerville Rd	Mather Field Rd	4	Arterial M	40,280	1.12	F	4	Arterial M	1.12	F	Yes		Maximum General Plan lanes
96	South Watt Ave	Folsom Blvd	Kiefer Blvd	6	Arterial M	81,880	1.52	F	6	Arterial M	1.52	F	Yes		Maximum General Plan lanes
97	South Watt Ave	Kiefer Blvd	Jackson Rd	6	Arterial M	70,930	1.31	F	6	Arterial M	1.31	F	Yes		Maximum General Plan lanes
100	South Watt Ave	Elder Creek Rd	Florin Rd	6	Arterial M	59,670	1.11	F	6	Arterial M	1.11	F	Yes		Maximum General Plan lanes
104.3	Sunrise Blvd	Rio Del Oro Pkwy	Douglas Rd	6	Arterial M	63,690	1.18	F	6	Arterial M	1.18	F	Yes		Maximum General Plan lanes
105	Sunrise Blvd	Douglas Rd	Kiefer Blvd	5	Arterial M	43,880	1.22	F	6	Arterial M	0.81	D	No		
106	Sunrise Blvd	Kiefer Blvd	Jackson Rd	4	Arterial M	33,930	0.94	E	6	Arterial M	0.63	B	No		
110	Watt Ave	US 50	Folsom Blvd	6	Arterial H	106,480	1.77	F	6	Arterial H	1.77	F	Yes		Maximum General Plan lanes
117	White Rock Rd	Grant Line Rd	Prairie City Rd	4	Arterial H	56,000	1.40	F	4	Arterial H	1.40	F	Yes		Maximum General Plan lanes
132	Kiefer Blvd	Americanos Blvd	Grant Line Rd	2	Arterial M	19,200	1.07	F	4	Arterial M	0.53	A	No		
135	Rancho Cordova Pkwy	White Rock Rd	International Dr	6	Arterial M	49,960	0.93	E	6	Arterial M	0.93	E	Yes		Maximum General Plan lanes
136	Rancho Cordova Pkwy	International Dr	Rio Del Oro Pkwy	6	Arterial M	59,540	1.10	F	6	Arterial M	1.10	F	Yes		Maximum General Plan lanes
200	Kiefer Blvd	Tree View Ln	Eagles Nest Rd	4	Arterial M	37,180	1.03	F	4	Arterial M	1.03	F	Yes		Maximum General Plan lanes
301	Douglas Rd	Rock Creek Pkwy	Kiefer Blvd	4	Arterial M	36,990	1.03	F	4	Arterial M	1.03	F	Yes		Maximum General Plan lanes
302	Kiefer Blvd	Happy Ln	Douglas Rd	6	Arterial M	63,170	1.17	F	6	Arterial M	1.17	F	Yes		Maximum General Plan lanes
304	Mayhew Rd	Routier Ext	Bradshaw Rd	4	Arterial M	39,470	1.10	F	6	Arterial M	0.73	C	No		
305	Mayhew Rd	Bradshaw Rd	Jackson Rd	4	Arterial M	40,970	1.14	F	6	Arterial M	0.76	C	No		

ID	Roadway	Segment		Cumulative Plus Jackson Corridor Projects					Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures						
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	V/C Ratio	LOS	Travel Lanes	Facility Type ¹	V/C Ratio	LOS	LOS Effect with LOS Improvement Measures?	Alternative LOS Improvement Measures ²	Constraint if Unable to Meet LOS Threshold
307	Mayhew Rd	Collector WJ-13	Elder Creek Rd	3	Arterial M	32,580	1.81	F	4	Arterial M	0.91	E	No		
312	Rock Creek Pkwy East	Collector WJ-16	Jackson Road	2	Arterial M	19,230	1.07	F	2	Arterial M	1.07	F	Yes		Maximum General Plan lanes
317	Routier Ext	Old Placerville Road	Happy Lane	4	Arterial H	41,410	1.04	F	4	Arterial H	1.04	F	Yes		Maximum General Plan lanes
405	Collector JT-3	Collector JT-5	Jackson Rd	2	Arterial M	20,070	1.12	F	4	Arterial M	0.56	A	No		

Note: Gray shading represents changes in travel lanes or facility type that the project is responsible to provide.
¹ The following classifications are used to determine daily roadway capacity: Arterial L - Arterial, Low Access Control
Arterial M - Arterial, Moderate Access Control Arterial H - Arterial, High Access Control Rural Hwy - Rural 2-lane Highway
Rural S - Rural 2-lane Road, 24'-36' of pavement, Paved Shoulders Rural NS - Rural 2-lane Road, 24'-36' of pavement, No Shoulders Res Collector F - Residential Collector with Frontage
Res Collector NF - Residential Collector with No Frontage
² Alternative LOS improvement measures represent proposed improvements beyond the General Plan, as proposed by the County of Sacramento.
Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.
Source: DKS Associates 2019

Similar to the Project, while implementation of LOS Improvement Measures TR-4, TR-5, TR-6, and CU-TR-1 under Alternative 3 would result in fair share payment toward improvements that would reduce effects such that LOS thresholds would not be exceeded for some segments, it cannot be guaranteed that all of these improvements would be implemented concurrent with the phasing of development because of the dynamic and interrelated nature of improvements that would serve multiple development projects. Because the timing of implementation of all required improvements cannot be guaranteed and their implementation is not subject to the responsibility of just the Project Applicant and the County, it cannot be guaranteed that cumulative effects to roadway segments would be reduced to a level such that LOS thresholds would not be exceeded at the time of phased development.

CUMULATIVE INTERSECTION OPERATIONS

PROJECT

Table SI-20 and Table SI-21 summarize the results of the operations analysis for the study area intersections under the Cumulative Plus Jackson Corridor Projects (Project) scenario. The tables include the implementation of intersection changes associated with the Jackson Corridor Projects. Table SI-21 illustrates the type of traffic control and number of lanes by type on each study area intersection approach. Shaded table cells indicate those locations where changes in traffic control and / or number of approach lanes by type would be fully funded by the project(s) shown in the last column. Shaded table cells in Table SI-20 illustrate those locations at which the LOS threshold would be exceeded. Plate SI-11 illustrates the resultant traffic operating conditions associated with the Cumulative Plus Jackson Corridor Projects (Project) scenario. Detailed intersection operations calculations and the full list of study area intersection operating conditions are included in Appendix TR-1 to ~~the Draft~~ this EIR.

A signal warrant analysis was conducted for all unsignalized intersections along Jackson Road, and other unsignalized intersections in close proximity to the Project. Detailed signal warrant calculation sheets are included in Appendix TR-1 to ~~the Draft~~ this EIR. The following unsignalized intersections would operate at unacceptable levels and meet one or more traffic signal warrant under the Cumulative Plus Jackson Corridor Projects (Project) conditions:

- Happy Lane and Old Placerville Road
- Eagles Nest Road and Florin Road

As shown in Table SI-20, the addition of vehicle trips generated by Jackson Corridor Projects would result in the exceedance of applicable LOS and delay thresholds under Cumulative Plus Jackson Corridor Projects (Project) conditions.

ALTERNATIVE 2

Table SI-22 and Table SI-23 summarize the results of the operations analysis for intersections within the traffic study area. Detailed intersection operations calculations and the full list of study area intersection operating conditions are included in Appendix TR-1.

Signal warrant analysis was also conducted for all unsignalized intersections along Jackson Road, and other unsignalized intersections near the project. Detailed signal warrant calculation sheets are included in Appendix TR-1 to the Draft this EIR.

With implementation of Alternative 2, the following unsignalized intersections would experience traffic volumes resulting in one or more traffic signal warrants being met:

- Happy Lane and Old Placerville Road
- Eagles Nest Road and Florin Road

As shown in Table SI-22, the addition of vehicle trips generated by project buildout would result in the exceedance of applicable LOS and delay thresholds under Cumulative Plus Jackson Corridor Projects (Alternative 2) conditions.

Table SI-20: Cumulative Plus Jackson Corridor Projects (Project) Intersection Levels of Service

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect	Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
1	Howe Avenue & College Town Drive/US 50 WB Ramps	Signal	D	45.6	Signal	D	40.0	No	Signal	E	77.0	Signal	E	64.9	No
2	Howe Avenue & US 50 EB Ramps	Signal	C	34.6	Signal	D	49.1	No	Signal	B	16.5	Signal	C	22.5	No
3	Power Inn Road/Howe Avenue & Folsom Blvd	Signal	F	88.0	Signal	F	91.7	No	Signal	E	66.5	Signal	F	84.6	Yes
4	Power Inn Road & 14th Avenue	Signal	E	61.0	Signal	F	157.9	Yes	Signal	E	72.6	Signal	F	116.5	Yes
5	Power Inn Road & Fruitridge Road	Signal	F	114.5	Signal	F	113.5	No	Signal	D	47.4	Signal	D	48.8	No
6	Jackson Road/Notre Dame Dr. & Folsom Blvd.	Signal	C	27.7	Signal	C	32.1	No	Signal	C	24.1	Signal	D	40.6	No
7	Florin Perkins Road/Julliard Dr. & Folsom Boulevard	Signal	C	20.8	Signal	C	28.6	No	Signal	D	41.2	Signal	C	30.1	No
8	Florin Perkins Road & Kiefer Blvd.	Two-way stop			Two-way stop			No	Two-way stop			Two-way stop			No
	Westbound Left Turn		C	16.4		C	20.9			C	20.7		D	32.6	
	Westbound Right Turn		C	10.9		B	12.3			B	11.2		B	13.0	
	Southbound Left Turn		A	9.3		B	10.1			B	10.4		B	12.8	
9	Florin Perkins Road & Jackson Road	Signal	C	25.1	Signal	D	42.9	No	Signal	D	38.5	Signal	D	46.5	No
10	Florin Perkins Road & Fruitridge Road	Signal	C	26.7	Signal	D	37.1	No	Signal	D	50.3	Signal	C	30.1	No
11	Florin Perkins Road & Elder Creek Road	Signal	C	31.7	Signal	C	27.5	No	Signal	C	30.0	Signal	C	32.8	No
12	Watt Avenue & Folsom Blvd.	Signal	F	169.1	Signal	F	180.3	Yes	Signal	F	140.0	Signal	F	203.6	Yes
13	S. Watt Ave. & Reith Ct/Manlove Road	Signal	B	15.7	Signal	B	12.7	No	Signal	A	9.8	Signal	B	11.0	No
14	S. Watt Avenue & Kiefer Blvd.	Signal	E	62.2	Signal	F	101.5	Yes	Signal	D	41.7	Signal	E	75.9	No
15	S. Watt Avenue & Canberra Dr.	Signal	B	13.4	Signal	B	13.1	No	Signal	A	9.1	Signal	A	9.0	No
16	S. Watt Avenue & Jackson Road	Signal	F	135.9	Signal	F	234.0	Yes	Signal	F	98.2	Signal	F	191.8	Yes
17	S. Watt Avenue & Fruitridge Road	Signal	D	44.4	Signal	E	71.5	Yes	Signal	E	79.3	Signal	F	102.4	Yes
18	S. Watt Avenue & Elder Creek Road	Signal	F	222.9	Signal	F	139.9	No	Signal	F	177.7	Signal	F	106.4	No
20	Elk Grove Florin Road/S. Watt Ave. & Florin Road	Signal	F	199.7	Signal	F	277.4	Yes	Signal	F	137.1	Signal	F	204.3	Yes
21	Elk Grove Florin Road & Gerber Road	Signal	E	56.7	Signal	E	71.0	No	Signal	E	74.9	Signal	E	79.7	No
23	Hedge Avenue & Jackson Road	Signal	C	34.7	Signal	F	128.3	Yes	Signal	B	16.3	Signal	D	40.4	40.4
24	Hedge Avenue & Fruitridge Road	All-way stop	E	44.2	All-way stop	C	25.5	No	All-way stop	D	30.7	All-way stop	B	18.6	No
25	Hedge Avenue & Elder Creek Road	Signal	F	103.7	Signal	F	109.3	Yes	Signal	F	103.2	Signal	F	122.4	Yes
26	Hedge Avenue & Tokay Lane	Two-way stop			Two-way stop			No	Two-way stop			Two-way stop			No
	Northbound Left Turn		A	0.0		A	0.0			A	0.0		A	0.0	

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect	Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
	Southbound Left Turn		B	10.9		B	10.6			A	9.3		A	9.3	
	Eastbound		F	99.5		F	92.7			E	47.3		E	45.0	
	Westbound		F	52.9		E	49.4			E	38.3		E	36.3	
27	Hedge Avenue & Florin Road	All-way stop	B	15.8	Signal	B	11.7	No	All-way stop	B	12.6	Signal	A	5.7	No
28	Mayhew Road & Kiefer Boulevard	Signal	C	27.7	Signal	F	97.5	Yes	Signal	D	44.9	Signal	E	72.8	No
29	Mayhew Road & Jackson Road	Two-way stop			Signal	F	160.2	Yes	Two-way stop			Signal	F	129.9	Yes
	Northbound Through - Left Turn		F	114.1						F	>300				
	Northbound Right Turn		C	16.1						C	18.5				
	Southbound		F	99.2						F	>300				
	Eastbound Left Turn		B	13.5						B	11.0				
	Westbound Left Turn		B	11.2						C	17.6				
30	Mayhew Road & Fruitridge Road	Two-way stop			Signal	B	18.8	No	Two-way stop		3.5	Signal	B	19.5	No
	Northbound Left Turn		A	0.0						A	7.5				
	Eastbound		A	9.8						A	9.3				
31	Mayhew Road & Elder Creek Road	Signal	A	7.0	Signal	F	>300	Yes	Signal	A	6.0	Signal	F	>300	Yes
32	Woodring Drive & Zinfandel Drive	Two-way stop			Two-way stop			Yes	Two-way stop			Two-way stop			Yes
	Eastbound		C	20.1		F	85.7			A	9.0		F	247.0	
	Northbound Left Turn		A	8.0		B	10.6			A	0.0		B	12.4	
33	Bradshaw Road & Folsom Blvd.	Signal	C	31.9	Signal	C	26.0	No	Signal	C	25.3	Signal	C	22.3	No
34	Bradshaw Road & US 50 WB Ramps	Signal	A	7.8	Signal	B	11.5	No	Signal	A	8.9	Signal	B	12.6	No
35	Bradshaw Road & US 50 EB Ramps	Signal	C	24.5	Signal	E	56.8	Yes	Signal	B	15.1	Signal	D	39.7	No
36	Bradshaw Road & Old Placerville Road	Signal	F	81.9	Signal	F	103.0	Yes	Signal	E	68.1	Signal	F	84.8	Yes
37	Bradshaw Road & Kiefer Boulevard	Signal	C	27.6	Signal	F	146.6	Yes	Signal	D	54.1	Signal	F	140.2	Yes
38	Bradshaw Road & Jackson Road	Signal	F	186.0	Signal	F	161.3	No	Signal	F	118.2	Signal	F	161.2	Yes
39	Bradshaw Road & Elder Creek Road	Signal	F	122.6	Signal	F	210.1	Yes	Signal	F	98.8	Signal	F	226.7	Yes
40	Bradshaw Road & Florin Road	Signal	F	129.5	Signal	F	112.4	No	Signal	E	59.7	Signal	E	57.0	No
41	Bradshaw Road & Gerber Road	Signal	F	83.1	Signal	F	84.3	No	Signal	D	43.0	Signal	D	49.2	No
42	Happy Lane & Old Placerville Road	Two-way stop			Two-way stop			Yes	Two-way stop			Two-way stop			Yes
	Northbound Left Turn		F	>300		F	>300			F	294.1		F	>300	

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect	Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
	Northbound Right Turn		E	40.9		F	243.1			C	16.9		F	61.9	
	Westbound Left Turn		C	16.0		C	22.5			C	15.3		E	42.4	
43	Happy Lane & Kiefer Boulevard	Free Turn			Signal	F	140.2	Yes	Free Turn			Signal	E	70.8	No
44	Excelsior Road & Kiefer Boulevard	Two-way stop			Signal	A	9.9	No	Two-way stop			Signal	B	14.8	No
45	Excelsior Road & Jackson Road	Signal	E	59.9	Signal	F	>300	Yes	Signal	D	39.0	Signal	F	280.2	Yes
46	Excelsior Road & Elder Creek Road	Two-way stop			Signal	F	88.7	Yes	Two-way stop			Signal	E	60.6	No
	Northbound Left Turn		A	7.9						A	7.9				
	Eastbound		F	>300						D	30.0				
47	Excelsior Road & Florin Road	All-way stop	F	62.4	Signal	F	109.4	Yes	All-way stop	F	67.3	Signal	E	68.0	No
48	Excelsior Road & Gerber Road/Birch Ranch Drive	All-way stop	B	13.6	Signal	E	43.6	No	All-way stop	B	14.3	Signal	E	38.8	No
49	Mather Field Road & US 50 WB Ramps	Signal	B	14.4	Signal	B	18.4	No	Signal	A	8.6	Signal	A	9.8	No
50	Mather Field Road & US 50 EB Ramps	Signal	B	19.2	Signal	B	17.8	No	Signal	C	21.1	Signal	B	14.2	No
51	Mather Field Road & Rockingham Drive	Signal	F	156.5	Signal	F	304.1	Yes	Signal	F	119.4	Signal	F	169.0	Yes
52	Mather Boulevard & Douglas Road	All-way stop	E	55.6	Signal	E	57.6	No	All-way stop	C	27.2	Signal	D	41.0	No
53	Zinfandel Drive & US 50 WB Ramps	Signal	C	20.9	Signal	B	10.9	No	Signal	E	65.0	Signal	D	49.7	No
54	Zinfandel Drive & US 50 EB Ramps/Gold Center Drive	Signal	F	120.8	Signal	F	112.6	No	Signal	F	95.0	Signal	F	81.5	No
55	Zinfandel Drive & White Rock Road	Signal	E	76.3	Signal	E	68.8	No	Signal	F	117.3	Signal	F	115.5	No
56	Zinfandel Drive & Data Drive	Signal	B	18.9	Signal	B	18.9	No	Signal	C	25.6	Signal	C	26.6	No
57	Zinfandel Drive & International Dr	Signal	E	77.2	Signal	E	80.0	No	Signal	F	97.3	Signal	F	81.7	No
58	Zinfandel Drive & Douglas Road	Signal	F	156.8	Signal	F	219.8	Yes	Signal	E	73.1	Signal	F	218.2	Yes
59	Eagles Nest Road/Zinfandel Drive & Kiefer Boulevard	Two-way stop			Signal	D	45.7	No	Two-way stop			Signal	D	41.7	No
	Southbound Left Turn		A	8.1						A	9.2				
	Westbound		F	85.8						F	208.0				
60	Eagles Nest Road & Jackson Road	Signal	C	23.0	Signal	E	67.6	No	Signal	C	23.3	Signal	E	62.5	No
61	Eagles Nest Road & Florin Road	Two-way stop			Two-way stop			Yes	Two-way stop			Two-way stop			Yes
	Northbound		F	>300		F	>300			F	>300		F	>300	
	Southbound		F	>300		F	>300			F	>300		F	>300	
	Eastbound Left Turn		B	10.2		B	11.1			A	8.5		A	9.4	

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect	Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
	Westbound Left Turn		A	0.0		A	8.3			A	9.4		A	8.7	
62	Sunrise Boulevard & US 50 WB Ramps	Signal	E	68.1	Signal	E	71.2	No	Signal	C	22.7	Signal	B	19.8	No
63	Sunrise Boulevard & US 50 EB Ramps	Signal	B	10.2	Signal	A	9.9	No	Signal	B	12.7	Signal	B	13.4	No
64	Sunrise Boulevard & Folsom Boulevard	Signal	D	43.5	Signal	D	45.7	No	Signal	D	40.5	Signal	D	43.6	No
65	Sunrise Boulevard & White Rock Road	Signal	E	69.3	Signal	E	67.9	No	Signal	F	127.3	Signal	F	128.3	No
66	Sunrise Boulevard & International Drive/Monier Circle	Signal	F	109.1	Signal	F	111.4	No	Signal	F	81.3	Signal	E	79.1	No
67	Sunrise Boulevard & Douglas Road	Signal	F	140.5	Signal	F	192.2	Yes	Signal	E	73.5	Signal	F	107.9	Yes
68	Sunrise Boulevard & Chrysanthy Boulevard	Signal	C	21.4	Signal	B	17.7	No	Signal	A	9.4	Signal	B	10.7	No
69	Sunrise Boulevard & Kiefer Boulevard	Signal	F	151.0	Signal	F	>300	Yes	Signal	F	138.0	Signal	F	259.2	Yes
70	Sunrise Boulevard & Jackson Road	Signal	D	39.6	Signal	F	90.3	Yes	Signal	D	45.4	Signal	E	78.3	Yes
71	Sunrise Boulevard & Florin Road	Signal	D	50.3	Signal	C	22.1	No	Signal	E	57.4	Signal	D	46.1	No
72	Sheldon Lake Drive/Sunrise Boulevard & Grant Line Road	Signal	F	91.2	Signal	F	127.9	Yes	Signal	C	33.1	Signal	E	65.0	Yes
73	Hazel Avenue & Tributary Point Drive/US 50 WB Off-ramp	Signal	F	148.3	Signal	F	149.0	No	Signal	F	103.3	Signal	F	102.5	No
74	Hazel Avenue & US 50 EB Ramps	Signal	B	16.4	Signal	B	17.7	No	Signal	F	83.6	Signal	F	85.2	No
76	Prairie City Road & White Rock Road	Signal	C	32.8	Signal	D	37.8	No	Signal	D	35.2	Signal	D	36.0	No
77	Grant Line Road & White Rock Road	Signal	C	26.1	Signal	B	16.0	No	Signal	C	29.8	Signal	C	24.3	No
78	Grant Line Road & Douglas Road	Signal	D	44.8	Signal	D	39.6	No	Signal	F	107.9	Signal	F	93.8	No
79	Grant Line Road & Kiefer Boulevard	Signal	B	12.5	Signal	B	14.9	No	Signal	B	10.6	Signal	B	16.7	No
80	Grant Line Road & Jackson Road	Signal	F	88.9	Signal	F	117.3	Yes	Signal	E	67.4	Signal	F	106.5	Yes
81	Watt Avenue & US-50 EB Ramps	Signal	C	23.3	Signal	C	29.4	No	Signal	B	15.6	Signal	B	19.5	No
82	Watt Avenue & US-50 WB Ramps	Signal	F	82.8	Signal	E	64.6	No	Signal	E	57.1	Signal	E	61.3	No
83	Mayhew Rd & Folsom Blvd.	Signal	B	12.8	Signal	C	20.7	No	Signal	B	15.8	Signal	B	19.6	No
84	65th Street Expy & Fruitridge Road	Signal	D	44.3	Signal	D	42.3	No	Signal	D	41.1	Signal	D	45.4	No
85	Power Inn Road & Elder Creek Road	Signal	E	67.3	Signal	E	75.1	No	Signal	D	45.0	Signal	E	61.8	No
86	Power Inn Road & Florin Rd	Signal	F	97.4	Signal	F	116.1	Yes	Signal	E	65.8	Signal	E	72.5	No
87	Florin Perkins Road & Florin Rd	Signal	D	44.2	Signal	E	59.3	No	Signal	F	107.4	Signal	F	113.8	Yes
88	Bradshaw Rd & Calvin Rd	Signal	C	26.4	Signal	D	38.6	No	Signal	C	20.9	Signal	C	23.1	No
89	Vineyard Rd & Calvin Rd	Signal	B	18.5	Signal	B	19.0	No	Signal	B	17.6	Signal	B	19.1	No
90	Excelsior Road & Calvin Rd	All-way stop	B	12.8	All-way stop	C	21.2	No	All-way stop	B	12.9	All-way stop	B	17.5	No

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect	Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
91	Grant Line Rd & Eagles Nest Rd/Sloughhouse Rd	Signal	C	34.4	Signal	D	44.1	Yes	Signal	D	44.8	Signal	D	50.5	Yes
92	Grant Line Rd & Calvine Rd	Signal	C	32.4	Signal	D	37.0	Yes	Signal	C	33.3	Signal	C	27.4	No
93	Grant Line Rd & Dwy/Wilton Rd	Signal	E	78.8	Signal	F	83.4	No	Signal	E	69.8	Signal	F	97.4	Yes
94	Grant Line Rd & Bond Rd/Wrangler Dr	Signal	B	14.8	Signal	B	16.8	No	Signal	B	15.5	Signal	B	16.9	No
95	Florin Perkins Road & 14th Avenue	Signal	D	44.1	Signal	E	65.6	Yes	Signal	C	30.9	Signal	D	45.3	No
96	Jackson Road & 14th Avenue	Signal	F	91.0	Signal	F	119.8	Yes	Signal	B	15.3	Signal	D	54.7	No
98	Aspen 1 Access Road & Jackson Road	Signal	A	0.0	Signal	A	0.0	No	Signal	A	6.6	Signal	A	0.0	No
99	Rancho Cordova Pkwy & US-50 WB Ramps	Signal	F	147.0	Signal	F	146.3	No	Signal	F	117.9	Signal	F	101.0	No
100	Rancho Cordova Pkwy & US-50 EB Ramps	Signal	C	24.0	Signal	B	17.1	No	Signal	C	28.3	Signal	C	27.3	No
101	Rancho Cordova Pkwy & Easton Valley Pkwy	Signal	C	24.2	Signal	C	25.5	No	Signal	B	11.2	Signal	B	14.3	No
102	Rancho Cordova Pkwy & White Rock Road	Signal	F	221.3	Signal	F	209.0	No	Signal	F	135.5	Signal	F	125.2	No
103	Rancho Cordova Pkwy & Douglas Road	Signal	E	67.2	Signal	E	57.4	No	Signal	E	58.0	Signal	E	77.2	Yes
104	Rancho Cordova Pkwy & Chrysanthy Boulevard/Chrysanthy Blvd	Signal	F	105.7	Signal	F	91.1	No	Signal	D	54.9	Signal	D	54.5	No
105	Rancho Cordova Pkwy & Kiefer Blvd	Signal	B	17.9	Signal	C	20.7	No	Signal	B	16.1	Signal	B	19.5	No
106	Rancho Cordova Pkwy & Grant Line Road	Signal	E	78.8	Signal	D	39.9	No	Signal	C	28.8	Signal	B	14.3	No
107	Americanos Blvd & White Rock Road	Signal	A	9.5	Signal	A	8.7	No	Signal	A	9.5	Signal	A	8.6	No
108	Americanos Blvd & Douglas Road	Signal	C	34.9	Signal	D	47.3	No	Signal	C	22.4	Signal	C	22.7	No
109	Americanos Blvd & Chrysanthy Blvd	Signal	C	24.7	Signal	C	22.5	No	Signal	C	22.2	Signal	C	25.5	No
110	Americanos Blvd & Kiefer Blvd	Signal	A	7.6	Signal	A	8.7	No	Signal	A	7.3	Signal	B	10.1	No
111	Grant Line Road & Chrysanthy Blvd	Signal	E	72.0	Signal	E	64.0	Yes	Signal	E	57.5	Signal	D	52.4	No
112	Hazel Avenue & Easton Valley Pkwy	Signal	B	10.3	Signal	A	8.7	No	Signal	A	6.0	Signal	A	6.0	No
113	Excelsior Road & Collector WJ-1/Collector JT-1	West Jackson/Jackson Township Project Int.			Signal	C	26.3	No	West Jackson/Jackson Township Project Int.			Signal	C	21.4	No
114	Excelsior Road & Collector WJ-2/Collector JT-2	West Jackson/Jackson Township Project Int.			Signal	B	14.1	No	West Jackson/Jackson Township Project Int.			Signal	B	16.7	No
115	W Collector MS-1 & Kiefer Boulevard	Mather South Project Int.			Signal	B	16.8	No	Mather South Project Int.			Signal	B	12.8	No
116	Northbridge Dr & Kiefer Boulevard	NewBridge Project Int.			Signal	A	6.6	No	NewBridge Project Int.			Signal	A	6.7	No
117	E Collector MS-1 & Kiefer Boulevard	Mather South Project Int.			Signal	B	19.5	No	Mather South Project Int.			Signal	C	30.1	No
118	Collector WJ-3 & Jackson Road	West Jackson Project Int.			Signal	B	16.7	No	West Jackson Project Int.			Signal	B	12.9	No
119	Collector WJ-4 & Jackson Road	West Jackson Project Int.			Signal	C	24.8	No	West Jackson Project Int.			Signal	C	20.7	No
120	Rock Creek Pkwy & Jackson Road	West Jackson Project Int.			Signal	F	128.3	Yes	West Jackson Project Int.			Signal	F	96.4	Yes

Intersection		A.M. Peak Hour						P.M. Peak Hour							
		Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect	Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
121	Collector WJ-5 & Jackson Road	West Jackson Project Int.			Signal	B	14.0	No	West Jackson Project Int.			Signal	B	15.0	No
122	Collector WJ-6 & Jackson Road	West Jackson Project Int.			Signal	B	17.5	No	West Jackson Project Int.			Signal	B	15.8	No
123	Excelsior Road & Collector WJ-6	West Jackson Project Int.			Signal	D	46.1	No	West Jackson Project Int.			Signal	B	16.5	No
124	S. Watt Avenue & Rock Creek Pkwy	West Jackson Project Int.			Signal	B	16.1	No	West Jackson Project Int.			Signal	B	13.5	No
125	Hedge Avenue & Rock Creek Pkwy Westbound	West Jackson Project Int.			Round	E	49.0	No	West Jackson Project Int.			Round	A	9.9	No
126	Hedge Avenue & Rock Creek Pkwy Eastbound	West Jackson Project Int.			Round	B	12.3	No	West Jackson Project Int.			Round	D	28.5	No
127	Mayhew Road & Rock Creek Pkwy Westbound	West Jackson Project Int.			Round	F	297.2	Yes	West Jackson Project Int.			Round	F	210.1	Yes
128	Mayhew Road & Rock Creek Pkwy Eastbound	West Jackson Project Int.			Round	F	191.0	Yes	West Jackson Project Int.			Round	F	>300	Yes
129	Bradshaw Road & Rock Creek Pkwy	West Jackson Project Int.			Signal	B	17.8	No	West Jackson Project Int.			Signal	D	50.3	No
130	Vineyard Road & Rock Creek Pkwy	West Jackson Project Int.			Signal	B	10.1	No	West Jackson Project Int.			Signal	C	22.4	No
131	Douglas Road & Rock Creek Pkwy	West Jackson Project Int.			Signal	D	35.8	No	West Jackson Project Int.			Signal	E	62.2	No
132	Bradshaw Road & Collector WJ-8	West Jackson Project Int.			Signal	B	12.5	No	West Jackson Project Int.			Signal	A	6.4	No
133	Bradshaw Road & Collector WJ-9	West Jackson Project Int.			Signal	B	10.2	No	West Jackson Project Int.			Signal	A	5.7	No
134	Bradshaw Road & Mayhew Road	West Jackson Project Int.			Signal	F	163.9	Yes	West Jackson Project Int.			Signal	F	128.4	Yes
135	Bradshaw Road & Collector WJ-10	West Jackson Project Int.			Signal	F	190.9	Yes	West Jackson Project Int.			Signal	C	28.5	No
136	Bradshaw Road & Collector WJ-11	West Jackson Project Int.			Signal	A	8.1	No	West Jackson Project Int.			Signal	B	15.0	No
137	Collector WJ-12 & Fruitridge Road	West Jackson Project Int.			Signal	A	6.6	No	West Jackson Project Int.			Signal	A	6.6	No
138	Mayhew Road & Collector WJ-13	West Jackson Project Int.			Signal	D	41.7	No	West Jackson Project Int.			Signal	C	31.9	No
139	Collector WJ-14 & Kiefer Boulevard	West Jackson Project Int.			Signal	C	28.2	No	West Jackson Project Int.			Signal	C	23.9	No
140	Douglas Road & Kiefer Boulevard	West Jackson Project Int.			Signal	F	162.1	Yes	West Jackson Project Int.			Signal	F	103.1	Yes
141	Vineyard Road & Elder Creek Road	West Jackson Project Int.			Signal	D	37.2	No	West Jackson Project Int.			Signal	C	29.0	No
142	Vineyard Road & Florin Road	West Jackson Project Int.			Signal	C	25.2	No	West Jackson Project Int.			Signal	C	32.8	No
143	Routier Ext & Kiefer Boulevard	West Jackson Project Int.			Signal	F	88.4	Yes	West Jackson Project Int.			Signal	E	71.4	No
144	Happy Ln/Happy Lane & Routier Ext	West Jackson Project Int.			Signal	E	78.9	No	West Jackson Project Int.			Signal	E	79.9	No
145	Routier Ext/Routier Rd & Old Placerville Road	West Jackson Project Int.			Signal	F	168.4	Yes	West Jackson Project Int.			Signal	F	118.4	Yes
146	Collector JT-3 & Jackson Road	Jackson Township Project Int.			Signal	F	83.6	Yes	Jackson Township Project Int.			Signal	D	48.2	No
147	Tree View Lane & Jackson Road	Jackson Township Project Int.			Signal	D	38.0	No	Jackson Township Project Int.			Signal	B	13.4	No
148	Collector JT-4 & Jackson Road	Jackson Township Project Int.			Signal	B	14.5	No	Jackson Township Project Int.			Signal	A	9.0	No
149	Tree View Lane & Collector JT-5	Jackson Township Project Int.			Signal	B	14.0	No	Jackson Township Project Int.			Signal	B	13.7	No
150	Tree View Lane & Collector JT-6	Jackson Township Project Int.			Signal	B	19.1	No	Jackson Township Project Int.			Signal	C	25.6	No
151	Tree View Lane & Collector JT-1	Jackson Township Project Int.			Signal	B	14.5	No	Jackson Township Project Int.			Signal	B	14.3	No

Intersection		A.M. Peak Hour						P.M. Peak Hour							
		Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect	Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
152	Tree View Lane & Kiefer Boulevard	Jackson Township Project Int.			Signal	B	11.6	No	Jackson Township Project Int.			Signal	B	14.0	No
153	HS/MS Dwy & Kiefer Boulevard	Jackson Township Project Int.			Signal	A	8.1	No	Jackson Township Project Int.			Signal	A	7.9	No
154	Rockbridge Dr & Jackson Road	NewBridge Project Int.			Signal	C	32.2	No	NewBridge Project Int.			Signal	B	18.3	No
155	Eagles Nest Road & N Bridgewater Dr	NewBridge Project Int.			Signal	A	3.4	No	NewBridge Project Int.			Signal	A	3.1	No
156	Eagles Nest Road & S Bridgewater Dr	NewBridge Project Int.			Signal	B	15.2	No	NewBridge Project Int.			Signal	B	13.4	No
157	Zinfandel Drive & Collector MS-2	Mather South Project Int.			Round	B	11.4	No	Mather South Project Int.			Round	B	12.1	No
158	Zinfandel Drive & Collector MS-3	Mather South Project Int.			Round	A	8.3	No	Mather South Project Int.			Round	A	9.2	No
159	Zinfandel Drive & Collector MS-4	Mather South Project Int.			Round	A	9.0	No	Mather South Project Int.			Round	A	9.2	No
160	Collector MS-5 & Collector MS-2	Mather South Project Int.			Two-way stop			No	Mather South Project Int.			Two-way stop			No
161	Northbound Left Turn					A	7.8						A	7.5	
	Eastbound Left Turn					B	10.2						B	10.7	
162	Collector MS-5 & Collector MS-3	Mather South Project Int.			Two-way stop			No	Mather South Project Int.			Two-way stop			No
	Northbound Left Turn					A	7.8						A	7.5	
	Eastbound					B	10.1						A	9.7	
163	Collector MS-5 & Collector MS-4	Mather South Project Int.			Two-way stop			No	Mather South Project Int.			Two-way stop			No
	Northbound Left Turn					A	8.5						A	8.2	
	Eastbound					C	18.2						D	33.3	
164	Collector MS-5 & W Collector MS-1/E Collector MS-1	Mather South Project Int.			Two-way stop			No	Mather South Project Int.			Two-way stop			No
	Northbound Left Turn					A	7.6						A	7.7	
	Eastbound Left Turn					B	11.8						B	12.4	
	Eastbound					A	9.4						A	9.3	

Note: Gray shading represents changes in traffic control that the project is responsible to provide.
Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.
Source: DKS Associates 2019

Table SI-21: Cumulative No Project and Cumulative Plus Jackson Corridor Projects (Project) Intersection Geometrics

Intersection		Traffic Control		Cumulative No Project Lane Geometrics				Cumulative Plus Jackson Corridor Projects Lane Geometrics				Project(s) Responsible for Change
		Existing	Existing Plus Jackson Corridor Projects	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
1	Howe Avenue & College Town Drive/US 50 Westbound Ramps	Signal	Signal	↑↑↑↱	↱↓↑↑↓	↱↱↱	↱↱↱↱↱	↑↑↑↱	↱↓↑↑↓	↱↱↱	↱↱↱↱↱	
2	Howe Avenue & US 50 Eastbound Ramps/US 50 Eastbound Entrance	Signal	Signal	↑↑↑↱	↱↓↑↑↓	↱↱↱↱		↑↑↑↱	↱↓↑↑↓	↱↱↱↱		
3	Power Inn Road/Howe Avenue & Folsom Blvd.	Signal	Signal	↱↱↑↑↑↱	↱↓↑↑↓↱↱	↱↱↑↱↱	↱↱↑↑↱↱↱	↱↱↑↑↑↱	↱↓↑↑↓↱↱	↱↱↑↱↱	↱↱↑↑↱↱↱	
4	Power Inn Road & 14th Avenue	Signal	Signal	↱↑↑↱↱	↱↓↑↑↓↱↱	↱↑↱↱	↱↑↱↱	↱↑↑↱↱	↱↓↑↑↓↱↱	↱↑↱↱	↱↑↱↱	
5	Power Inn Road & Fruitridge Road	Signal	Signal	↱↱↑↱↱	↱↓↑↑↓↱↱	↱↑↱↱	↱↑↑↱↱	↱↱↑↱↱	↱↓↑↑↓↱↱	↱↑↱↱	↱↑↑↱↱	
6	Jackson Road/Notre Dame Dr. & Folsom Blvd.	Signal	Signal	↱↱↱	↱↱↱	↱↑↑↱↱	↱↑↑↱↱	↱↱↱	↱↱↱	↱↑↑↱↱	↱↑↑↱↱	
7	Florin Perkins Road/Julliard Dr. & Folsom Boulevard	Signal	Signal	↱↱↱	↱↱↱	↱↑↑↱↱	↱↑↱↱	↱↱↱	↱↱↱	↱↑↑↱↱	↱↑↱↱	
8	Florin Perkins Road & Kiefer Blvd.	Two-way stop	Two-way stop	↑↱↱	↓↑↑↱↱		↱↱	↑↱↱	↓↑↑↱↱		↱↱	
9	Florin Perkins Road & Jackson Road	Signal	Signal	↱↑↑↱↱	↱↓↑↑↓↱↱	↱↑↑↱↱	↱↑↱↱	↱↑↑↱↱	↱↓↑↑↓↱↱	↱↑↑↱↱	↱↑↱↱	
10	Florin Perkins Road & Fruitridge Road	Signal	Signal	↱↑↑↱↱	↱↓↑↑↓↱↱	↱↑↑↱↱	↱↑↱↱	↱↑↑↱↱	↱↓↑↑↓↱↱	↱↑↑↱↱	↱↑↱↱	
11	Florin Perkins Road & Elder Creek Road	Signal	Signal	↱↑↑↱↱	↱↓↑↑↓↱↱	↱↑↑↱↱	↱↑↑↱↱	↱↑↑↱↱	↱↓↑↑↓↱↱	↱↑↑↱↱	↱↑↑↱↱	
12	S. Watt Ave./Watt Avenue & Folsom Blvd.	Signal	Signal	↱↱↑↑↑↱	↱↓↑↑↓↱↱↱	↱↱↑↑↑↱	↱↱↑↑↑↱	↱↱↑↑↑↱	↱↓↑↑↓↱↱↱	↱↱↑↑↑↱	↱↱↑↑↑↱	
13	S. Watt Ave. & Reith Ct/Manlove Road	Signal	Signal	↱↑↑↑↑↱	↱↓↑↑↓↱↱	↱↱	↱↱↱	↱↑↑↑↑↱	↱↓↑↑↓↱↱	↱↱	↱↱↱	
14	S. Watt Avenue & Kiefer Blvd.	Signal	Signal	↱↱↑↑↑↱	↱↓↑↑↓↱↱↱	↱↱↑↑↑↱	↱↱↑↑↑↱	↱↱↑↑↑↱	↱↓↑↑↓↱↱↱	↱↱↑↑↑↱	↱↱↑↑↑↱	
15	S. Watt Avenue & Canberra Dr.	Signal	Signal	↑↑↱↱	↓↑↑↑↱↱		↱↱	↑↑↱↱	↓↑↑↑↱↱		↱↱	
16	S. Watt Avenue & Jackson Road	Signal	Signal	↱↱↑↑↑↑↱	↱↓↑↑↓↱↱↱	↱↱↑↑↑↱	↱↱↑↑↑↱	↱↱↑↑↑↑↱	↱↓↑↑↓↱↱↱	↱↱↑↑↑↱	↱↱↑↑↑↱	West Jackson
17	S. Watt Avenue & Fruitridge Road	Signal	Signal	↱↑↑↑↑↱	↱↓↑↑↓↱↱	↱↑↱↱	↱↱	↱↑↑↑↑↱	↱↓↑↑↓↱↱	↱↑↱↱	↱↱↑↑↑↑↱	West Jackson
18	S. Watt Avenue & Elder Creek Road	Signal	Signal	↱↱↑↑↑↑↱	↱↓↑↑↓↱↱↱	↱↱↑↱↱	↱↑↑↑↱↱	↱↱↑↑↑↑↱	↱↓↑↑↓↱↱↱	↱↱↑↱↱	↱↑↑↑↱↱	
20	Elk Grove Florin Road/S. Watt Ave. & Florin Road	Signal	Signal	↱↱↑↑↑↑↱	↱↓↑↑↓↱↱↱	↱↑↑↑↱↱	↱↑↑↑↱↱	↱↱↑↑↑↑↱	↱↓↑↑↓↱↱↱	↱↑↑↑↱↱	↱↑↑↑↱↱	
21	Elk Grove Florin Road & Gerber Rd./Gerber Road	Signal	Signal	↱↱↑↑↑↑↱	↱↓↑↑↓↱↱↱	↱↱↑↑↑↱	↱↱↑↑↑↱	↱↱↑↑↑↑↱	↱↓↑↑↓↱↱↱	↱↱↑↑↑↱	↱↱↑↑↑↱	
23	Hedge Avenue & Jackson Road	Signal	Signal	↱↱	↱↱	↱↑↑↱↱	↱↑↑↑↱↱	↱↑↱↱	↱↱	↱↑↑↑↱↱	↱↑↑↑↱↱	West Jackson
24	Hedge Avenue & Fruitridge Road	All-way stop	Signal	↱↱	↱↱	↱↱	↱↱	↱↑↱↱	↱↓↑↱↱	↱↑↱↱	↱↑↱↱	West Jackson
25	Hedge Avenue & Elder Creek Road	All-way stop	Signal	↱↑↱↱	↱↓↑↱↱	↱↑↱↱	↱↑↱↱	↱↑↱↱	↱↓↑↱↱	↱↑↱↱	↱↑↱↱	West Jackson
26	Hedge Avenue & Tokay Lane	Two-way stop	Two-way stop	↱↱	↱↱	↱↱	↱↱	↱↱	↱↱	↱↱	↱↱	
27	Hedge Avenue & Florin Road	All-way stop	All-way stop	↱↱	↱↱	↱↑↱↱	↱↑↱↱	↱↱	↱↱	↱↑↱↱	↱↑↱↱	

Intersection		Traffic Control		Cumulative No Project Lane Geometrics				Cumulative Plus Jackson Corridor Projects Lane Geometrics				Project(s) Responsible for Change
		Existing	Existing Plus Jackson Corridor Projects	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
28	Mayhew Road & Kiefer Boulevard	Signal	Signal	↖ ↑ ↗	↘ ↓ ↙	↖ ↑ ↗	↖ ↑ ↗	↖ ↑ ↗	↘ ↓ ↙	↖ ↑ ↗	↖ ↑ ↗	
29	Mayhew Road & Jackson Road	Two-way stop	Signal	↖ ↗	↗ ↘	↖ ↑ ↑ ↗	↖ ↑ ↗	↖ ↗ ↑ ↑ ↗	↘ ↓ ↓ ↙	↖ ↗ ↑ ↑ ↗	↖ ↗ ↑ ↑ ↗	West Jackson
30	Mayhew Road & Fruitridge Road	Two-way stop	Signal	↖	↘	↗		↖ ↗ ↑ ↑	↘ ↓ ↓	↖ ↗		West Jackson
31	Mayhew Road & Elder Creek Road	Two-way stop	Signal	↗	↗ ↘	↖ ↑ ↗	↖ ↑ ↗	↖ ↗ ↑ ↑ ↗	↘ ↗	↖ ↑ ↗	↖ ↑ ↗	West Jackson
32	Zinfandel Drive & Woodring Drive	Two-way stop	Two-way stop	↖ ↑ ↑	↘ ↓	↗		↖ ↑ ↑	↘ ↓	↗		Mather South
33	Bradshaw Road & Folsom Blvd.	Signal	Signal	↖ ↗ ↑ ↗	↘ ↓ ↓ ↙	↖ ↑ ↑ ↗	↖ ↗ ↑ ↑ ↗	↖ ↗ ↑ ↗	↘ ↓ ↓ ↙	↖ ↑ ↑ ↗	↖ ↗ ↑ ↑ ↗	
34	Bradshaw Road & US 50 Westbound Ramps	Signal	Signal	↑ ↑ ↑ ↗	↘ ↓ ↓ ↓		↖ ↗ ↗	↑ ↑ ↑ ↗	↘ ↓ ↓ ↓		↖ ↗ ↗	
35	Bradshaw Road & US 50 Eastbound Ramps	Signal	Signal	↑ ↑ ↑ ↗	↘ ↓ ↓ ↓	↖ ↗ ↗		↑ ↑ ↑ ↗	↘ ↓ ↓ ↓	↖ ↗ ↗		
36	Bradshaw Road & Old Placerville Road	Signal	Signal	↖ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↙	↖ ↗	↖ ↗ ↑ ↗	↖ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↙	↖ ↗	↖ ↗ ↑ ↗	
37	Bradshaw Road & Kiefer Boulevard	Signal	Signal	↖ ↗ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↙	↖ ↗ ↑ ↑ ↗	↖ ↗ ↑ ↗	↖ ↗ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↙	↖ ↗ ↑ ↑ ↗	↖ ↗ ↑ ↑ ↗	West Jackson
38	Jackson Road & Bradshaw Road	Signal	Signal	↖ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↙	↖ ↑ ↗	↖ ↑ ↗	↖ ↗ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↙	↖ ↗ ↑ ↑ ↑ ↗	↖ ↗ ↑ ↑ ↑ ↗	West Jackson
39	Bradshaw Road & Elder Creek Road	Signal	Signal	↖ ↑ ↑ ↗	↘ ↓ ↓ ↙	↖ ↗	↖ ↗	↖ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↙	↖ ↗	↖ ↗ ↑ ↑ ↗	West Jackson
40	Bradshaw Road & Florin Road	Signal	Signal	↖ ↗ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↙	↖ ↗ ↑ ↗	↖ ↗ ↑ ↗	↖ ↗ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↙	↖ ↗ ↑ ↗	↖ ↗ ↑ ↗	
41	Bradshaw Road & Gerber Road	Signal	Signal	↖ ↗ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↙	↖ ↗ ↑ ↑ ↗	↖ ↑ ↑ ↗	↖ ↗ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↙	↖ ↗ ↑ ↑ ↗	↖ ↑ ↑ ↗	
42	Happy Lane & Old Placerville Road	Two-way stop	Signal	↖ ↗		↑ ↗	↖ ↑ ↑	↖ ↗		↑ ↗	↖ ↑ ↑	
43	Kiefer Boulevard & Happy Ln		Signal		↘	↖			↘	↖ ↑ ↑ ↑	↑ ↑ ↗	West Jackson
44	Excelsior Road & Kiefer Boulevard	Two-way stop	Signal	↗	↗ ↘		↗	↖ ↑ ↗	↘ ↓ ↙	↖ ↑ ↗	↖ ↑ ↗	West Jackson; Jackson Township
45	Excelsior Road & Jackson Road	Signal	Signal	↖ ↗	↘ ↓ ↙	↖ ↑ ↗	↖ ↑ ↗	↖ ↗	↘ ↓ ↓ ↙	↖ ↗ ↑ ↑ ↑ ↗	↖ ↗ ↑ ↑ ↑ ↗	West Jackson; Jackson Township
46	Excelsior Road & Elder Creek Road	Two-way stop	Signal	↖	↘ ↓	↗		↖	↘ ↓ ↓	↖ ↗		West Jackson
47	Excelsior Road & Florin Road	All-way stop	Signal	↗	↗ ↘	↗	↗	↖ ↗	↘ ↙	↖ ↗	↖ ↗	West Jackson
48	Excelsior Road & Gerber Road/Birch Ranch Drive	All-way stop	All-way stop	↖ ↑ ↗	↘ ↓ ↓ ↙	↖ ↗ ↗	↖ ↗	↖ ↑ ↗	↘ ↓ ↓ ↙	↖ ↗ ↗	↖ ↗	
49	Mather Field Road & US 50 Westbound Ramps	Signal	Signal	↑ ↑ ↑ ↗	↘ ↓ ↓ ↓		↖ ↗	↑ ↑ ↑ ↗	↘ ↓ ↓ ↓		↖ ↗	
50	Mather Field Road & US 50 Eastbound Ramps	Signal	Signal	↑ ↑ ↑ ↗	↘ ↓ ↓ ↓	↖ ↗ ↗		↑ ↑ ↑ ↗	↘ ↓ ↓ ↓	↖ ↗ ↗		
51	Mather Field Road & Rockingham Drive	Signal	Signal	↖ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↙	↖ ↗ ↗	↖ ↗	↖ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↙	↖ ↗ ↗	↖ ↗	
52	Mather Boulevard & Douglas Road	All-way stop	All-way stop		↘	↖ ↑ ↑	↑ ↗		↘	↖ ↑ ↑	↑ ↗	

Intersection		Traffic Control		Cumulative No Project Lane Geometrics				Cumulative Plus Jackson Corridor Projects Lane Geometrics				Project(s) Responsible for Change
		Existing	Existing Plus Jackson Corridor Projects	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
53	Zinfandel Drive & US 50 Westbound	Signal	Signal	↑↑↑↱	↘↓↓↓		↱↱↱	↑↑↑↱	↘↓↓↓		↱↱↱	
54	Zinfandel Drive & US 50 Eastbound Ramps/Gold Center Drive	Signal	Signal	↑↑↑↘	↘↓↓↓	↱↘↘↱	↱↱	↑↑↑↘	↘↓↓↓	↱↘↘↱	↱↱	
55	Zinfandel Drive & White Rock Road	Signal	Signal	↱↱↑↑↘	↘↓↓↓↘↘	↱↱↑↑↘	↱↱↑↘↱	↱↱↑↑↘	↘↓↓↓↘↘	↱↱↑↑↘	↱↱↑↘↱	
56	Zinfandel Drive & Data Drive	Signal	Signal	↱↑↑↘	↘↓↓↓↘	↱↘	↱↘↱	↱↑↑↘	↘↓↓↓↘	↱↘	↱↘↱	
57	Zinfandel Dr & International Dr	Signal	Signal	↱↱↑↑↑↱	↘↓↓↓↘↘	↱↱↑↑↘	↱↱↑↑↑↱	↱↱↑↑↑↱	↘↓↓↓↘↘	↱↱↑↑↘	↱↱↑↑↑↱	
58	Zinfandel Drive & Douglas Road	Signal	Signal	↱↘	↘↓↓↘↘	↱↑↘	↱↱↑↑↱	↱↘	↘↓↓↘↘	↱↑↘	↱↱↑↑↱	
59	Eagles Nest Road/Zinfandel Drive & Kiefer Boulevard		Signal	↱			↱	↱↱↑↑↱	↘↓↓↓↘↘	↱↱↑↑↱	↱↱↑↑↱	NewBridge; Mather South
60	Eagles Nest Road & Jackson Road	Two-way stop	Signal	↘	↘	↱↘	↱↘	↱↑↱	↘↓↓↘↘	↱↱↑↘	↱↑↑↱	NewBridge
61	Eagles Nest Rd/Eagles Nest Road & Florin Road	Two-way stop	Signal	↘	↘	↘	↘	↘	↘	↘	↘	
62	Sunrise Boulevard & US 50 Westbound Ramps	Signal	Signal	↑↑↑↱	↘↓↓↓		↱↱↱↱	↑↑↑↱	↘↓↓↓		↱↱↱↱	
63	Sunrise Boulevard & US 50 Eastbound Ramps	Signal	Signal	↑↑↑↑↱	↘↓↓↓	↱↱↱↱↱		↑↑↑↑↱	↘↓↓↓	↱↱↱↱↱		
64	Sunrise Boulevard & Folsom Boulevard	Signal	Signal	↱↱↑↑↑↑↱	↘↓↓↓↘↘	↱↱↑↑↱	↱↱↑↘↱	↱↱↑↑↑↑↱	↘↓↓↓↘↘	↱↱↑↑↱	↱↱↑↘↱	
65	Sunrise Boulevard & White Rock Road	Signal	Signal	↱↱↑↑↑↱	↘↓↓↓↘↘	↱↱↑↑↱	↱↱↑↑↑↑↱	↱↱↑↑↑↱	↘↓↓↓↘↘	↱↱↑↑↱	↱↱↑↑↑↑↱	
66	Sunrise Boulevard & International Drive/Monier Circle	Signal	Signal	↱↱↑↑↑↱	↘↓↓↓↘↘	↱↱↑↑↑↑↱	↱↱↑↑↑↑↱	↱↱↑↑↑↑↱	↘↓↓↓↘↘	↱↱↑↑↑↑↱	↱↱↑↑↑↑↱	
67	Sunrise Boulevard & Douglas Road	Signal	Signal	↱↱↑↑↑↱	↘↓↓↓↘↘	↱↱↑↑↘	↱↱↑↑↑↑↱	↱↱↑↑↑↑↱	↘↓↓↓↘↘	↱↱↑↑↘	↱↱↑↑↑↑↱	
68	Sunrise Boulevard & Chrysanthy Boulevard	Signal	Signal	↑↑↑↱	↓↓↓↘↘		↱↱↱	↑↑↑↱	↓↓↓↘↘		↱↱↱	
69	Sunrise Boulevard & Kiefer Boulevard	Signal	Signal	↱↑↑↱	↘↓↓↘↘	↘	↘↱	↱↑↑↱	↘↓↓↘↘	↱↱↑↑↱	↘↱	NewBridge; Mather South
70	Sunrise Boulevard & Jackson Road	Signal	Signal	↱↱↑↑↱	↘↓↓↓↘↘	↱↱↑↑↱	↱↱↑↑↱	↱↱↑↑↱	↘↓↓↓↘↘	↱↱↑↑↱	↱↱↑↑↱	
71	Sunrise Boulevard & Florin Road	Signal	Signal	↱↑↑	↘↓	↘		↱↑↑	↘↓	↘		
72	Sheldon Lake Drive/Sunrise Boulevard & Grant Line Road	Signal	Signal	↘	↘↘	↱↑↑↱	↱↑↘	↘	↘↘	↱↑↑↱	↱↑↘	
73	Hazel Avenue & Tributary Point Drive/US 50 Westbound Off- ramp	Signal	Signal	↱↱↑↑↑↑	↘↓↓↓↓↓	↱	↘↱↱	↱↱↑↑↑↑	↘↓↓↓↓↓	↱	↘↱↱	
74	Hazel Aveneu/Hazel Avenue & US 50 Eastbound Ramps	Signal	Signal	↑↑↘	↘↓↓↓	↱↱↱↱↱		↑↑↘	↘↓↓↓	↱↱↱↱↱		
76	White Rock Road & Prairie City Road	Signal	Signal		↘↘↘↘	↱↱↑↑	↑↑↱		↘↘↘↘	↱↱↑↑	↑↑↱	
77	Grant Line Road & White Rock Road	Signal	Signal	↱↑↑	↘↓↓	↱↱↱		↱↑↑	↘↓↓	↱↱↱		
78	Grant Line Road & Douglas Road	All-way stop	All-way stop	↱↱↑↑	↘↓↓	↱↱		↱↱↑↑	↘↓↓	↱↱		

Intersection		Traffic Control		Cumulative No Project Lane Geometrics				Cumulative Plus Jackson Corridor Projects Lane Geometrics				Project(s) Responsible for Change
		Existing	Existing Plus Jackson Corridor Projects	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
79	Grant Line Road & Kiefer Boulevard	All-way stop	All-way stop	↖↗↑↑↘↙	↗↓↓↖↙	↖↑↘↙	↖↑↘↙	↖↗↑↑↘↙	↗↓↓↖↙	↖↑↘↙	↖↑↘↙	
80	Grant Line Road & Jackson Road	Signal	Signal	↖↗↑↑↘↙	↗↓↓↖↙↘↙	↖↗↑↑↘↙	↖↗↑↑↘↙	↖↗↑↑↘↙	↗↓↓↖↙↘↙	↖↗↑↑↘↙	↖↗↑↑↘↙	
81	Watt Avenue & US-50 EB Ramps	Signal	Signal	↑↑↑↑↘↙	↗↘↓↓↓	↖↖↖↖		↑↑↑↑↘↙	↗↘↓↓↓	↖↖↖↖		
82	Watt Avenue & US-50 WB Ramps	Signal	Signal	↑↑↖↖	↗↘↓↓↓↓		↖↖↖↖↖	↑↑↖↖	↗↘↓↓↓↓		↖↖↖↖↖	
83	Mayhew Rd & Folsom Blvd.	Signal	Signal	↖↖↖		↑↑↘↙	↖↑↑	↖↖↖		↑↑↘↙	↖↑↑	
84	65th Street Expy & Fruitridge Road	Signal	Signal	↖↑↑↘↙	↗↓↓↖↙	↖↑↑	↖↑↑↘↙	↖↑↑↘↙	↗↓↓↖↙	↖↑↑	↖↑↑↘↙	
85	Power Inn Road & Elder Creek Road	Signal	Signal	↖↑↖	↘↓↓↖	↖↑↑↘↙	↖↑↖	↖↑↖	↘↓↓↖	↖↑↑↘↙	↖↑↖	
86	Power Inn Road & Florin Rd	Signal	Signal	↖↑↖	↗↓↓↖↙	↖↑↑↖	↖↑↑↑↘↙	↖↑↖	↗↓↓↖↙	↖↑↑↖	↖↑↑↑↘↙	
87	Florin Perkins Road & Florin Rd	Signal	Signal	↖↑↑↘↙	↗↓↓↖↙	↖↑↖	↖↑↑↘↙	↖↑↑↘↙	↗↓↓↖↙	↖↑↖	↖↑↑↘↙	
88	Bradshaw Rd & Calvin Rd	Signal	Signal	↖↗↑↑↖	↗↓↓↖↙↘↙	↖↗↑↑↑↑↘↙	↖↗↑↑↑↑↘↙	↖↗↑↑↖	↗↓↓↖↙↘↙	↖↗↑↑↑↑↘↙	↖↗↑↑↑↑↘↙	
89	Vineyard Rd & Calvin Rd	Signal	Signal	↖	↗↘↖	↖↑↖	↖↑↖	↖	↗↘↖	↖↑↖	↖↑↖	
90	Excelsior Road & Calvin Rd	All-way stop	Signal	↖↑↘↙	↗↓↓↖	↖↑↖	↖↑↖	↖↑↘↙	↗↓↓↖	↖↑↖	↖↑↖	
91	Grant Line Road & Eagles Nest Rd/Sloughhouse Rd	Signal	Signal	↖↑↑↘↙	↘↓↓↖	↖	↖↖	↖↑↑↘↙	↘↓↓↖	↖	↖↖	
92	Grant Line Road & Calvin Rd	Signal	Signal	↖↑↑	↘↓↓	↖↖		↖↑↑	↘↓↓	↖↖		
93	Grant Line Road & Driveway/Wilton Rd	Signal	Signal	↖↑↖	↘↓↓↖	↖↖	↖↖	↖↑↖	↘↓↓↖	↖↖	↖↖	
94	Bond Rd/Wrangler Dr & Grant Line Road	Signal	Signal	↖↑↖	↗↓↓↖↙	↖↖	↖	↖↑↖	↗↓↓↖↙	↖↖	↖	
95	Florin Perkins Road & 14th Avenue		Signal	↖↗↑↑↘↙	↗↓↓↖↙↘↙	↖↗↑↑↘↙	↖↗↑↑↘↙	↖↗↑↑↘↙	↗↓↓↖↙↘↙	↖↗↑↑↘↙	↖↗↑↑↘↙	
96	14th Avenue & Jackson Road		Signal		↖↖	↖↑↑	↑↑↘↙		↖↖	↖↑↑	↑↑↘↙	
97	Rock Creek Pkwy & Jackson Road		Signal	↖↑↘↙	↗↓↓↖	↖↑↖	↖↑↖	↖↑↘↙	↗↓↓↖	↖↑↖	↖↑↖	
98	Aspen 1 Access Road & Jackson Road		Signal	↖↖		↑↖	↖↑↑	↖↖		↑↖	↖↑↑	
99	Rancho Cordova Pkwy & US-50 WB Ramps		Signal	↖↖			↖↖	↖↖			↖↖	
100	Rancho Cordova Pkwy & US-50 EB Ramps		Signal	↑↖↖	↓↓↖	↖↖		↑↖↖	↓↓↖	↖↖		
101	Rancho Cordova Pkwy & Easton Valley Pkwy		Signal	↑↑↑↘↙	↓↓↓↓↖↙		↖↖↖	↑↑↑↘↙	↓↓↓↓↖↙		↖↖↖	
102	Rancho Cordova Pkwy & White Rock Road		Signal	↖↗↑↑↑↑↘↙	↗↓↓↓↓↖↙	↖↗↑↑↘↙	↖↗↑↑↘↙	↖↗↑↑↑↑↘↙	↗↓↓↓↓↖↙	↖↗↑↑↑↑↘↙	↖↗↑↑↑↑↘↙	
103	Rancho Cordova Pkwy & Douglas Road		Signal	↖↗↑↑↘↙	↗↓↓↓↓↖↙	↖↗↑↑↑↑↘↙	↖↗↑↑↑↑↘↙	↖↗↑↑↘↙	↗↓↓↓↓↖↙	↖↗↑↑↑↑↘↙	↖↗↑↑↑↑↘↙	
104	Rancho Cordova Pkwy & Chrysanthy Blvd		Signal	↖↗↑↑↘↙	↗↓↓↓↓↖↙	↖↗↑↑↘↙	↖↗↑↑↘↙	↖↗↑↑↘↙	↗↓↓↓↓↖↙	↖↗↑↑↘↙	↖↗↑↑↘↙	
105	Rancho Cordova Pkwy & Kiefer Blvd		Signal	↖↗↑↑↘↙	↗↓↓↓↓↖↙	↖↗↑↑↘↙	↖↗↑↑↘↙	↖↗↑↑↘↙	↗↓↓↓↓↖↙	↖↗↑↑↘↙	↖↗↑↑↘↙	
106	Grant Line Road & Rancho Cordova Pkwy		Signal		↖↖	↖↑↑	↑↑↘↙		↖↖	↖↑↑	↑↑↘↙	
107	Americanos Blvd & White Rock Road		Signal	↖↖		↑↑↘↙	↖↗↑↑	↖↖		↑↑↘↙	↖↗↑↑	
108	Americanos Blvd & Douglas Road		Signal	↖↑↘↙	↗↓↓↖	↖↑↑↘↙	↖↑↑↘↙	↖↑↘↙	↗↓↓↖	↖↑↑↘↙	↖↑↑↘↙	
109	Americanos Blvd & Chrysanthy Blvd		Signal	↖↖	↘↖	↖↑↘↙	↖↖	↖↖	↘↖	↖↑↘↙	↖↖	
110	Kiefer Blvd & Americanos Blvd		Signal		↖	↖	↖		↖	↖	↖	

Intersection		Traffic Control		Cumulative No Project Lane Geometrics				Cumulative Plus Jackson Corridor Projects Lane Geometrics				Project(s) Responsible for Change
		Existing	Existing Plus Jackson Corridor Projects	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
111	Grant Line Road & Chrysanthy Blvd		Signal	↖ ↑ ↑ ↗	↘ ↓ ↓ ↙	↖ ↗	↖ ↑ ↗	↖ ↑ ↑ ↗	↘ ↓ ↓ ↙	↖ ↗	↖ ↑ ↗	
112	Easton Valley Pkwy & Hazel Avenue		Signal	↖ ↑ ↗	↘ ↓ ↙	↖ ↖ ↑ ↑ ↗	↖ ↑ ↑ ↗	↖ ↑ ↗	↘ ↓ ↙	↖ ↖ ↑ ↑ ↗	↖ ↑ ↑ ↗	
113	Excelsior Road & Collector WJ-1/Collector JT-1		Signal					↖ ↑ ↗	↘ ↓ ↙	↖ ↑ ↗	↖ ↑ ↗	West Jackson; Jackson Township
114	Excelsior Road & Collector WJ-2/Collector JT-2		Signal					↖ ↑ ↗	↘ ↓ ↙	↖ ↑ ↗	↖ ↑ ↗	West Jackson; Jackson Township
115	Kiefer Boulevard & W Collector MS-1		Signal						↘ ↙	↖ ↖ ↑ ↑	↑ ↗	Mather South
116	Northbridge Dr & Kiefer Boulevard		Signal					↖ ↗		↑ ↗	↖ ↑ ↑	NewBridge
117	Kiefer Boulevard & E Collector MS-1		Signal						↘ ↙	↖ ↑ ↑	↑ ↑ ↗	Mather South
118	Collector WJ-3 & Jackson Road		Signal					↖ ↗		↑ ↗	↖ ↑ ↑	West Jackson
119	Collector WJ-4 & Jackson Road		Signal					↖ ↑ ↗	↘ ↓ ↙	↖ ↑ ↑ ↗	↖ ↑ ↑ ↗	West Jackson
120	Vineyard Road & Jackson Road		Signal					↖ ↖ ↑ ↗	↘ ↓ ↙	↖ ↖ ↑ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↑ ↗	West Jackson
121	Collector WJ-5 & Jackson Road		Signal					↖ ↑ ↗	↘ ↓ ↙	↖ ↑ ↑ ↗	↖ ↑ ↑ ↗	West Jackson
122	Collector WJ-6 & Jackson Road		Signal					↖ ↑ ↗	↘ ↓ ↙	↖ ↑ ↑ ↗	↖ ↑ ↑ ↗	West Jackson
123	Excelsior Road & Collector WJ-6		Signal					↖ ↑	↘ ↓	↖ ↗		West Jackson
124	S. Watt Avenue & Rock Creek Pkwy		Signal					↑ ↑ ↗	↑ ↓ ↓ ↙		↖ ↗	West Jackson
125	Hedge Avenue & Rock Creek Pkwy Westbound		Roundabout					↖	↘		↘	West Jackson
126	Hedge Avenue & Rock Creek Pkwy Eastbound		Roundabout					↗	↖	↘		West Jackson
127	Mayhew Road & Rock Creek Pkwy Westbound		Roundabout					↖ ↑	↘ ↓		↘	West Jackson
128	Mayhew Road & Rock Creek Pkwy Eastbound		Roundabout					↑ ↗	↑ ↖	↘		West Jackson
129	Bradshaw Road & Rock Creek Pkwy		Signal					↖ ↑ ↑ ↑	↘ ↓ ↓	↖ ↗		West Jackson
130	Vineyard Road & Rock Creek Pkwy		Signal					↖ ↑ ↑	↘ ↓	↖ ↗		West Jackson
131	Douglas Road & Rock Creek Pkwy		Signal					↖ ↑ ↑	↘ ↓	↖ ↗		West Jackson
132	Bradshaw Road & Collector WJ-8		Signal					↑ ↑ ↗	↑ ↓ ↓ ↙		↖ ↗	West Jackson
133	Bradshaw Road & Collector WJ-9		Signal					↑ ↑ ↗	↑ ↓ ↓ ↙		↖ ↗	West Jackson
131	Bradshaw Road & Mayhew Road		Signal					↖ ↖ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↙	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↗	West Jackson
135	Bradshaw Road & Collector WJ-10		Signal					↑ ↑ ↗	↑ ↓ ↓ ↙		↖ ↗	West Jackson
136	Bradshaw Road & Collector WJ-11		Signal					↖ ↑ ↑ ↑	↘ ↓ ↓	↖ ↗		West Jackson
137	Collector WJ-12 & Fruitridge Road		Signal					↖ ↑ ↗	↘ ↓ ↙	↖ ↑ ↗	↖ ↑ ↗	West Jackson
138	Mayhew Road & Collector WJ-13		Signal					↖ ↑ ↑	↘ ↓	↖ ↗		West Jackson

Intersection		Traffic Control		Cumulative No Project Lane Geometrics				Cumulative Plus Jackson Corridor Projects Lane Geometrics				Project(s) Responsible for Change
		Existing	Existing Plus Jackson Corridor Projects	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
139	Collector WJ-14 & Kiefer Boulevard		Signal					↘↑↗	↘↓↙	↘↑↑↘	↘↑↑↘	West Jackson
140	Douglas Road Extension & Kiefer Boulevard		Signal					↘↘↑↑↗	↘↓↑↙↙	↘↘↑↑↑↗	↘↘↑↑↗	West Jackson
141	Vineyard Road & Elder Creek Road		Signal					↘↘↑↑↗	↘↓↑↙↙	↘↘↑↑↗	↘↘↑↑↗	West Jackson
142	Vineyard Road & Florin Road	Signal	Signal	↘↘↗		↑↗	↘↑	↘↘↑↑↗	↘↓↑↙↙	↘↘↑↗	↘↘↑↑↗	West Jackson
143	Routier Ext & Kiefer Boulevard		Signal					↘↘↑↑↗	↘↓↑↙↙	↘↘↑↑↑↗	↘↘↑↑↑↗	West Jackson
144	Happy Lane & Routier Ext		Signal					↘↑↗	↘↓↙	↘↑↘	↘↑↘	West Jackson
145	Routier Ext/Routier Rd & Old Placerville Road		Signal					↘↑↑↗	↘↓↑↙↙	↘↑↑↗	↘↘↑↗	West Jackson
146	Jackson Road & Collector JT-3		Signal						↘↙	↘↘↑↑	↑↑↘	Jackson Township
147	Jackson Road & Tree View Lane		Signal						↘↙↙	↘↘↑↑	↑↑↗	Jackson Township
148	Jackson Road & Collector JT-4		Signal						↘↙	↘↑↑	↑↘	Jackson Township
149	Tree View Lane & Collector JT-5		Signal					↘↑↘	↘↓↙	↘↑↗	↘↑↗	Jackson Township
150	Tree View Lane & Collector JT-6		Signal					↘↑↘	↘↓↙	↘↑↗	↘↑↗	Jackson Township
151	Tree View Lane & Collector JT-1		Signal					↘↑↘	↘↓↙	↘↑↗	↘↑↗	Jackson Township
152	Tree View Lane & Kiefer Boulevard		Signal					↘↘↗		↑↑↗	↘↘↑↑	Jackson Township
153	HS/MS Dwy & Kiefer Boulevard		Signal					↘↗		↑↘	↘↑↑	Jackson Township
154	Jackson Road & Rockbridge Dr		Signal						↘↙	↘↑↑	↑↘	NewBridge
155	Eagles Nest Road & N Bridgewater Dr		Signal					↑↘	↑↓↙		↘↗	NewBridge
156	Eagles Nest Road & S Bridgewater Dr		Signal					↘↑↘	↘↓↙	↘↑↗	↘↑↗	NewBridge
157	Zinfandel Drive & Collector MS-2		Roundabout					↑↘	↑↘		↘	Mather South
158	Zinfandel Drive & Collector MS-3		Roundabout					↑↘	↑↘		↘↗	Mather South
159	Zinfandel Drive & Collector MS-4		Roundabout					↑↘	↑↘		↘↗	Mather South
160	Collector MS-5 & Collector MS-2		Two-way stop					↘	↘	↘		Mather South
161	Collector MS-5 & Collector MS-3		Two-way stop					↘	↘	↘		Mather South
162	Collector MS-5 & Collector MS-4		Two-way stop					↘	↘	↘		Mather South
163	E Collector MS-1/Collector MS-5 & W Collector MS-1		Two-way stop					↘↑	↘↓	↘↗		Mather South

Note: Gray shading represents changes in traffic control or approach lanes for which the project is responsible to pay a fair share.

Source: DKS Associates 2019

Table SI-22: Cumulative Plus Jackson Corridor Projects (Alternative 2) Intersection Levels of Service

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS	Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
1	Howe Avenue & College Town Drive/US 50 WB Ramps	Signal	D	45.6	Signal	D	34.3	No	Signal	E	77.0	Signal	E	73.6	No
2	Howe Avenue & US 50 EB Ramps	Signal	C	34.6	Signal	D	50.5	No	Signal	B	16.5	Signal	C	23.6	No
3	Power Inn Road/Howe Avenue & Folsom Blvd	Signal	F	88.0	Signal	F	108.2	Yes	Signal	E	66.5	Signal	F	88.4	Yes
4	Power Inn Road & 14th Avenue	Signal	E	61.0	Signal	F	166.0	Yes	Signal	E	72.6	Signal	F	123.7	Yes
5	Power Inn Road & Fruitridge Road	Signal	F	114.5	Signal	F	112.7	No	Signal	D	47.4	Signal	D	48.7	No
6	Jackson Road/Notre Dame Dr. & Folsom Blvd.	Signal	C	27.7	Signal	C	27.8	No	Signal	C	24.1	Signal	D	38.6	No
7	Florin Perkins Road/Julliard Dr. & Folsom Boulevard	Signal	C	20.8	Signal	C	29.6	No	Signal	D	41.2	Signal	C	31.2	No
8	Florin Perkins Road & Kiefer Blvd.	Two-way stop			Two-way stop			No	Two-way stop			Two-way stop			No
	Westbound Left Turn		C	16.4		C	21.3			C	20.7		E	35.1	
	Westbound Right Turn		C	10.9		B	12.2			B	11.2		B	13.6	
	Southbound Left Turn		A	9.3		B	10.1			B	10.4		B	13.4	
9	Florin Perkins Road & Jackson Road	Signal	C	25.1	Signal	D	46.3	No	Signal	D	38.5	Signal	D	49.0	No
10	Florin Perkins Road & Fruitridge Road	Signal	C	26.7	Signal	D	40.4	No	Signal	D	50.3	Signal	D	41.7	No
11	Florin Perkins Road & Elder Creek Road	Signal	C	31.7	Signal	C	29.4	No	Signal	C	30.0	Signal	C	33.4	No
12	Watt Avenue & Folsom Blvd.	Signal	F	169.1	Signal	F	182.3	Yes	Signal	F	140.0	Signal	F	199.9	Yes
13	S. Watt Ave. & Reith Ct/Manlove Road	Signal	B	15.7	Signal	B	13.5	No	Signal	A	9.8	Signal	B	10.9	No
14	S. Watt Avenue & Kiefer Blvd.	Signal	E	62.2	Signal	F	91.8	Yes	Signal	D	41.7	Signal	E	73.3	No
15	S. Watt Avenue & Canberra Dr.	Signal	B	13.4	Signal	B	13.6	No	Signal	A	9.1	Signal	A	9.2	No
16	S. Watt Avenue & Jackson Road	Signal	F	135.9	Signal	F	237.3	Yes	Signal	F	98.2	Signal	F	185.0	Yes
17	S. Watt Avenue & Fruitridge Road	Signal	D	44.4	Signal	F	93.1	Yes	Signal	E	79.3	Signal	F	114.3	Yes
18	S. Watt Avenue & Elder Creek Road	Signal	F	222.9	Signal	F	160.8	No	Signal	F	177.7	Signal	F	116.5	No
20	Elk Grove Florin Road/S. Watt Ave. & Florin Road	Signal	F	199.7	Signal	F	>300	Yes	Signal	F	137.1	Signal	F	238.2	Yes
21	Elk Grove Florin Road & Gerber Road	Signal	E	56.7	Signal	E	59.3	No	Signal	E	74.9	Signal	E	78.2	No
23	Hedge Avenue & Jackson Road	Signal	C	34.7	Signal	F	123.1	Yes	Signal	B	16.3	Signal	D	41.8	No
24	Hedge Avenue & Fruitridge Road	All-way stop	E	44.2	All-way stop	C	34.3	No	All-way stop	D	30.7	All-way stop	D	36.5	No
25	Hedge Avenue & Elder Creek Road	Signal	F	103.7	Signal	F	138.8	Yes	Signal	F	103.2	Signal	F	135.0	Yes
26	Hedge Avenue & Tokay Lane	Two-way stop			Two-way stop			No	Two-way stop			Two-way stop			No
	Northbound Left Turn		A	0.0		A	0.0			A	0.0		A	0.0	

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS	Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
	Southbound Left Turn		B	10.9		B	10.9			A	9.3		A	9.3	
	Eastbound		F	99.5		F	102.1			E	47.3		E	49.9	
	Westbound		F	52.9		F	52.9			E	38.3		E	38.0	
27	Hedge Avenue & Florin Road	All-way stop	B	15.8	Signal	A	9.9	No	All-way stop	B	12.6	Signal	A	6.1	No
28	Mayhew Road & Kiefer Boulevard	Signal	C	27.7	Signal	F	91.2	Yes	Signal	D	44.9	Signal	E	74.2	No
29	Mayhew Road & Jackson Road	Two-way stop			Signal	F	117.9	Yes	Two-way stop			Signal	F	107.2	Yes
	Northbound Through - Left Turn		F	114.1						F	>300				
	Northbound Right Turn		C	16.1						C	18.5				
	Southbound		F	99.2						F	>300				
	Eastbound Left Turn		B	13.5						B	11.0				
	Westbound Left Turn		B	11.2						C	17.6				
30	Mayhew Road & Fruitridge Road	Two-way stop			Signal	B	18.5	No	Two-way stop			Signal	B	18.8	No
	Northbound Left Turn		A	0.0						A	7.5				
	Eastbound		A	9.8						A	9.3				
31	Mayhew Road & Elder Creek Road	Signal	A	7.0	Signal	F	>300	Yes	Signal	A	6.0	Signal	F	<300	Yes
32	Woodring Drive & Zinfandel Drive	Two-way stop			Two-way stop			Yes	Two-way stop			Two-way stop			Yes
	Eastbound		C	20.1		F	85.0			A	9.0		F	223.4	
	Northbound Left Turn		A	8.0		B	10.6			A	0.0		B	12.4	
33	Bradshaw Road & Folsom Blvd.	Signal	C	31.9	Signal	C	25.5	No	Signal	C	25.3	Signal	C	22.4	No
34	Bradshaw Road & US 50 WB Ramps	Signal	A	7.8	Signal	B	11.1	No	Signal	A	8.9	Signal	B	12.2	No
35	Bradshaw Road & US 50 EB Ramps	Signal	C	24.5	Signal	D	54.7	No	Signal	B	15.1	Signal	D	39.5	No
36	Bradshaw Road & Old Placerville Road	Signal	F	81.9	Signal	F	101.6	Yes	Signal	E	68.1	Signal	F	82.4	Yes
37	Bradshaw Road & Kiefer Boulevard	Signal	C	27.6	Signal	F	144.2	Yes	Signal	D	54.1	Signal	F	137.6	Yes
38	Bradshaw Road & Jackson Road	Signal	F	186.0	Signal	F	172.2	No	Signal	F	118.2	Signal	F	161.0	Yes
39	Bradshaw Road & Elder Creek Road	Signal	F	122.6	Signal	F	173.1	Yes	Signal	F	98.8	Signal	F	201.7	Yes
40	Bradshaw Road & Florin Road	Signal	F	129.5	Signal	F	125.3	No	Signal	E	59.7	Signal	F	89.9	Yes
41	Bradshaw Road & Gerber Road	Signal	F	83.1	Signal	F	80.6	No	Signal	D	43.0	Signal	D	49.7	No
42	Happy Lane & Old Placerville Road	Two-way stop			Two-way stop			Yes	Two-way stop			Two-way stop			Yes
	Northbound Left Turn		F	>300		F	>300			F	294.1		F	>300	
	Northbound Right Turn		E	40.9		F	236.0			C	16.9		C	19.2	

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS	Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
	Westbound Left Turn		C	16.0		C	23.4			C	15.3		F	53.3	
43	Happy Lane & Kiefer Boulevard	Free Turn			Signal	F	139.2	Yes	Free Turn			Signal	E	67.8	No
44	Excelsior Road & Kiefer Boulevard	Two-way stop	A	0.0	Signal	A	9.9	No	Two-way stop	A	0.0	Signal	B	14.0	No
45	Excelsior Road & Jackson Road	Signal	E	59.9	Signal	F	330.8	Yes	Signal	D	39.0	Signal	F	269.1	Yes
46	Excelsior Road & Elder Creek Road	Two-way stop			Signal	F	81.2	No	Two-way stop			Signal	E	58.8	No
	Northbound Left Turn		A	7.9						A	7.9				
	Eastbound		F	>300						D	30.0				
47	Excelsior Road & Florin Road	All-way stop	F	62.4	Signal	F	111.2	Yes	All-way stop	F	67.3	Signal	E	74.2	No
48	Excelsior Road & Gerber Road/Birch Ranch Drive	Signal	B	13.6	Signal	B	11.7	No	Signal	B	14.3	Signal	B	11.7	No
49	Mather Field Road & US 50 WB Ramps	Signal	B	14.4	Signal	B	18.1	No	Signal	A	8.6	Signal	B	10.1	No
50	Mather Field Road & US 50 EB Ramps	Signal	B	19.2	Signal	B	17.9	No	Signal	C	21.1	Signal	B	14.6	No
51	Mather Field Road & Rockingham Drive	Signal	F	156.5	Signal	F	>300	Yes	Signal	F	119.4	Signal	F	170.3	Yes
52	Mather Boulevard & Douglas Road	Signal	E	55.6	Signal	E	62.1	Yes	Signal	C	27.2	Signal	E	66.9	Yes
53	Zinfandel Drive & US 50 WB Ramps	Signal	C	20.9	Signal	B	10.6	No	Signal	E	65.0	Signal	D	49.1	No
54	Zinfandel Drive & US 50 EB Ramps/Gold Center Drive	Signal	F	120.8	Signal	F	116.8	No	Signal	F	95.0	Signal	E	79.3	No
55	Zinfandel Drive & White Rock Road	Signal	E	76.3	Signal	E	68.2	No	Signal	F	117.3	Signal	F	111.6	No
56	Zinfandel Drive & Data Drive	Signal	B	18.9	Signal	B	19.1	No	Signal	C	25.6	Signal	C	26.7	No
57	Zinfandel Drive & International Dr	Signal	E	77.2	Signal	E	77.5	No	Signal	F	97.3	Signal	F	81.8	No
58	Zinfandel Drive & Douglas Road	Signal	F	156.8	Signal	F	216.8	Yes	Signal	E	73.1	Signal	F	220.1	Yes
59	Eagles Nest Road/Zinfandel Drive & Kiefer Boulevard	Two-way stop			Signal	D	42.5	No	Two-way stop			Signal	D	39.2	No
	Southbound Left Turn		A	8.1						A	9.2				
	Westbound		F	85.8						F	208.0				
60	Eagles Nest Road & Jackson Road	Signal	C	23.0	Signal	E	69.6	No	Signal	C	23.3	Signal	E	63.7	No
61	Eagles Nest Road & Florin Road	Two-way stop			Two-way stop			Yes	Two-way stop			Two-way stop			Yes
	Northbound		F	>300		F	>300			F	>300		F	>300	
	Southbound		F	>300		F	>300			F	>300		F	>300	
	Eastbound Left Turn		B	10.2		B	11.3			A	8.5		A	9.3	
	Westbound Left Turn		A	0.0		A	0.0			A	9.4		A	8.7	
62	Sunrise Boulevard & US 50 WB Ramps	Signal	E	68.1	Signal	E	71.2	No	Signal	C	22.7	Signal	C	21.5	No
63	Sunrise Boulevard & US 50 EB Ramps	Signal	B	10.2	Signal	B	10.1	No	Signal	B	12.7	Signal	B	13.2	No
64	Sunrise Boulevard & Folsom Boulevard	Signal	D	43.5	Signal	D	47.3	No	Signal	D	40.5	Signal	D	43.1	No

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS	Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
65	Sunrise Boulevard & White Rock Road	Signal	E	69.3	Signal	E	69.5	No	Signal	F	127.3	Signal	F	126.9	No
66	Sunrise Boulevard & International Drive/Monier Circle	Signal	F	109.1	Signal	F	118.6	Yes	Signal	F	81.3	Signal	E	76.7	No
67	Sunrise Boulevard & Douglas Road	Signal	F	140.5	Signal	F	190.0	Yes	Signal	E	73.5	Signal	F	105.4	Yes
68	Sunrise Boulevard & Chrysanthy Boulevard	Signal	C	21.4	Signal	B	18.8	No	Signal	A	9.4	Signal	B	10.2	No
69	Sunrise Boulevard & Kiefer Boulevard	Signal	F	151.0	Signal	F	>300	Yes	Signal	F	138.0	Signal	F	261.4	Yes
70	Sunrise Boulevard & Jackson Road	Signal	D	39.6	Signal	F	90.0	Yes	Signal	D	45.4	Signal	E	79.3	Yes
71	Sunrise Boulevard & Florin Road	Signal	D	50.3	Signal	C	22.9	No	Signal	E	57.4	Signal	D	45.9	No
72	Sheldon Lake Drive/Sunrise Boulevard & Grant Line Road	Signal	F	91.2	Signal	F	120.4	Yes	Signal	C	33.1	Signal	E	71.0	Yes
73	Hazel Avenue & Tributary Point Drive/US 50 WB Off-ramp	Signal	F	148.3	Signal	F	149.4	No	Signal	F	103.3	Signal	F	105.3	No
74	Hazel Avenue & US 50 EB Ramps	Signal	B	16.4	Signal	B	17.6	No	Signal	F	83.6	Signal	F	81.4	No
76	Prairie City Road & White Rock Road	Signal	C	32.8	Signal	D	37.6	No	Signal	D	35.2	Signal	D	36.1	No
77	Grant Line Road & White Rock Road	Signal	C	26.1	Signal	B	16.2	No	Signal	C	29.8	Signal	C	33.4	No
78	Grant Line Road & Douglas Road	Signal	D	44.8	Signal	D	39.0	No	Signal	F	107.9	Signal	F	92.2	No
79	Grant Line Road & Kiefer Boulevard	Signal	B	12.5	Signal	B	14.7	No	Signal	B	10.6	Signal	B	16.8	No
80	Grant Line Road & Jackson Road	Signal	F	88.9	Signal	F	119.0	Yes	Signal	E	67.4	Signal	F	101.1	Yes
81	Watt Avenue & US-50 EB Ramps	Signal	C	23.3	Signal	C	33.1	No	Signal	B	15.6	Signal	B	18.8	No
82	Watt Avenue & US-50 WB Ramps	Signal	F	82.8	Signal	E	67.2	No	Signal	E	57.1	Signal	E	61.2	No
83	Mayhew Rd & Folsom Blvd.	Signal	B	12.8	Signal	B	19.8	No	Signal	B	15.8	Signal	C	20.4	No
84	65th Street Expy & Fruitridge Road	Signal	D	44.3	Signal	D	46.0	No	Signal	D	41.1	Signal	D	46.2	No
85	Power Inn Road & Elder Creek Road	Signal	E	67.3	Signal	E	79.0	No	Signal	D	45.0	Signal	E	61.6	No
86	Power Inn Road & Florin Rd	Signal	F	97.4	Signal	F	119.3	Yes	Signal	E	65.8	Signal	E	73.9	No
87	Florin Perkins Road & Florin Rd	Signal	D	44.2	Signal	E	60.6	No	Signal	F	107.4	Signal	F	111.6	No
88	Bradshaw Rd & Calvine Rd	Signal	C	26.4	Signal	D	37.0	No	Signal	C	20.9	Signal	C	25.0	No
89	Vineyard Rd & Calvine Rd	Signal	B	18.5	Signal	B	18.6	No	Signal	B	17.6	Signal	B	19.5	No
90	Excelsior Road & Calvine Rd	Signal	B	12.8	Signal	C	29.0	No	Signal	B	12.9	Signal	B	17.9	No
91	Grant Line Rd & Eagles Nest Rd/Sloughhouse Rd	Signal	C	34.4	Signal	D	43.2	Yes	Signal	D	44.8	Signal	D	52.0	Yes
92	Grant Line Rd & Calvine Rd	Signal	C	32.4	Signal	D	36.5	Yes	Signal	C	33.3	Signal	C	30.9	No
93	Grant Line Rd & Dwy/Wilton Rd	Signal	E	78.8	Signal	F	83.4	Yes	Signal	E	69.8	Signal	F	95.2	Yes
94	Grant Line Rd & Bond Rd/Wrangler Dr	Signal	B	14.8	Signal	B	17.6	No	Signal	B	15.5	Signal	B	17.3	No
95	Florin Perkins Road & 14th Avenue	Signal	D	44.1	Signal	E	67.8	Yes	Signal	C	30.9	Signal	D	46.9	No
96	Jackson Road & 14th Avenue	Signal	F	91.0	Signal	F	119.3	Yes	Signal	B	15.3	Signal	E	57.0	Yes

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS	Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
98	Aspen 1 Access Road & Jackson Road	Signal	A	0.0	Signal	A	0.0	No	Signal	A	6.6	Signal	A	0.0	No
99	Rancho Cordova Pkwy & US-50 WB Ramps	Signal	F	147.0	Signal	F	147.6	No	Signal	F	117.9	Signal	F	104.1	No
100	Rancho Cordova Pkwy & US-50 EB Ramps	Signal	C	24.0	Signal	B	16.9	No	Signal	C	28.3	Signal	C	30.1	No
101	Rancho Cordova Pkwy & Easton Valley Pkwy	Signal	C	24.2	Signal	C	24.7	No	Signal	B	11.2	Signal	B	14.5	No
102	Rancho Cordova Pkwy & White Rock Road	Signal	F	221.3	Signal	F	200.8	No	Signal	F	135.5	Signal	F	128.0	No
103	Rancho Cordova Pkwy & Douglas Road	Signal	E	67.2	Signal	E	57.2	No	Signal	E	58.0	Signal	E	76.1	Yes
104	Rancho Cordova Pkwy & Chrysanthy Boulevard/Chrysanthy Blvd	Signal	F	105.7	Signal	F	93.5	No	Signal	D	54.9	Signal	D	54.9	No
105	Rancho Cordova Pkwy & Kiefer Blvd	Signal	B	17.9	Signal	C	20.9	No	Signal	B	16.1	Signal	B	19.4	No
106	Rancho Cordova Pkwy & Grant Line Road	Signal	E	78.8	Signal	D	38.4	No	Signal	C	28.8	Signal	B	14.8	No
107	Americanos Blvd & White Rock Road	Signal	A	9.5	Signal	A	8.9	No	Signal	A	9.5	Signal	A	8.4	No
108	Americanos Blvd & Douglas Road	Signal	C	34.9	Signal	D	47.0	No	Signal	C	22.4	Signal	C	23.5	No
109	Americanos Blvd & Chrysanthy Blvd	Signal	C	24.7	Signal	C	22.2	No	Signal	C	22.2	Signal	C	25.4	No
110	Americanos Blvd & Kiefer Blvd	Signal	A	7.6	Signal	A	8.7	No	Signal	A	7.3	Signal	A	9.8	No
111	Grant Line Road & Chrysanthy Blvd	Signal	E	72.0	Signal	E	71.1	No	Signal	E	57.5	Signal	D	54.9	No
112	Hazel Avenue & Easton Valley Pkwy	Signal	B	10.3	Signal	B	10.2	No	Signal	A	6.0	Signal	A	6.1	No
200	Excelsior Road & Collector WJ-1/Collector JT-1	West Jackson/Jackson Township Project Int.			Signal	C	22.4	No	West Jackson/Jackson Township Project Int.			Signal	B	19.6	No
201	Excelsior Road & Collector WJ-2/Collector JT-2	West Jackson/Jackson Township Project Int.			Signal	B	15.2	No	West Jackson/Jackson Township Project Int.			Signal	B	19.8	No
202	W Collector MS-1 & Kiefer Boulevard	Mather South Project Int.			Signal	B	17.3	No	Mather South Project Int.			Signal	B	12.6	No
203	Northbridge Dr & Kiefer Boulevard	NewBridge Project Int.			Signal	A	7.3	No	NewBridge Project Int.			Signal	A	6.8	No
204	E Collector MS-5 & Kiefer Boulevard	Mather South Project Int.			Signal	B	19.1	No	Mather South Project Int.			Signal	C	29.9	No
300	Collector WJ-3 & Jackson Road	West Jackson Project Int.			Signal	B	13.7	No	West Jackson Project Int.			Signal	A	9.2	No
301	Collector WJ-4 & Jackson Road	West Jackson Project Int.			Signal	C	23.3	No	West Jackson Project Int.			Signal	C	22.5	No
303	Rock Creek Pkwy & Jackson Road	West Jackson Project Int.			Signal	F	128.3	Yes	West Jackson Project Int.			Signal	F	96.4	Yes
304	Collector WJ-5 & Jackson Road	West Jackson Project Int.			Signal	B	13.6	No	West Jackson Project Int.			Signal	B	14.7	No
305	Collector WJ-6 & Jackson Road	West Jackson Project Int.			Signal	B	17.7	No	West Jackson Project Int.			Signal	B	15.7	No
306	Excelsior Road & Collector WJ-6	West Jackson Project Int.			Signal	D	38.3	No	West Jackson Project Int.			Signal	B	14.5	No
307	S. Watt Avenue & Rock Creek Pkwy	West Jackson Project Int.			Signal	B	18.2	No	West Jackson Project Int.			Signal	B	18.4	No
308	Hedge Avenue & Rock Creek Pkwy Westbound	West Jackson Project Int.			Round	F	60.5	Yes	West Jackson Project Int.			Round	B	11.2	No
309	Hedge Avenue & Rock Creek Pkwy Eastbound	West Jackson Project Int.			Round	C	24.0	No	West Jackson Project Int.			Round	B	11.2	No
310	Mayhew Road & Rock Creek Pkwy Westbound	West Jackson Project Int.			Round	F	181.2	Yes	West Jackson Project Int.			Round	F	106.4	Yes
311	Mayhew Road & Rock Creek Pkwy Eastbound	West Jackson Project Int.			Round	F	171.2	Yes	West Jackson Project Int.			Round	F	215.2	Yes

Intersection		A.M. Peak Hour						P.M. Peak Hour							
		Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS	Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
312	Bradshaw Road & Rock Creek Pkwy	West Jackson Project Int.			Signal	B	11.0	No	West Jackson Project Int.			Signal	D	47.7	No
314	Vineyard Road & Rock Creek Pkwy	West Jackson Project Int.			Signal	B	10.7	No	West Jackson Project Int.			Signal	C	21.9	No
315	Douglas Road & Rock Creek Pkwy	West Jackson Project Int.			Signal	C	32.1	No	West Jackson Project Int.			Signal	E	61.9	No
316	Bradshaw Road & Collector WJ-8	West Jackson Project Int.			Signal	B	12.2	No	West Jackson Project Int.			Signal	A	6.6	No
317	Bradshaw Road & Collector WJ-9	West Jackson Project Int.			Signal	A	9.3	No	West Jackson Project Int.			Signal	A	5.8	No
318	Bradshaw Road & Mayhew Road	West Jackson Project Int.			Signal	F	142.3	Yes	West Jackson Project Int.			Signal	F	118.1	Yes
319	Bradshaw Road & Collector WJ-10	West Jackson Project Int.			Signal	F	182.7	Yes	West Jackson Project Int.			Signal	C	26.9	No
320	Bradshaw Road & Collector WJ-11	West Jackson Project Int.			Signal	A	7.6	No	West Jackson Project Int.			Signal	B	15.0	No
321	Collector WJ-12 & Fruitridge Road	West Jackson Project Int.			Signal	B	17.9	No	West Jackson Project Int.			Signal	B	15.6	No
322	Mayhew Road & Collector WJ-13	West Jackson Project Int.			Signal	C	22.3	No	West Jackson Project Int.			Signal	C	20.9	No
323	Collector WJ-14 & Kiefer Boulevard	West Jackson Project Int.			Signal	C	30.0	No	West Jackson Project Int.			Signal	C	24.7	No
325	Douglas Road & Kiefer Boulevard	West Jackson Project Int.			Signal	F	237.5	Yes	West Jackson Project Int.			Signal	F	191.3	Yes
327	Vineyard Road & Elder Creek Road	West Jackson Project Int.			Signal	C	34.6	No	West Jackson Project Int.			Signal	C	28.1	No
328	Vineyard Road & Florin Road	West Jackson Project Int.			Signal	C	29.1	No	West Jackson Project Int.			Signal	C	29.6	No
329	Routier Ext & Kiefer Boulevard	West Jackson Project Int.			Signal	F	87.8	Yes	West Jackson Project Int.			Signal	E	71.6	No
330	Happy Ln/Happy Lane & Routier Ext	West Jackson Project Int.			Signal	E	79.6	No	West Jackson Project Int.			Signal	E	79.3	No
331	Routier Ext/Routier Rd & Old Placerville Road	West Jackson Project Int.			Signal	F	164.0	Yes	West Jackson Project Int.			Signal	F	117.3	Yes
400	Collector JT-3 & Jackson Road	Jackson Township Project Int.			Signal	F	81.2	Yes	Jackson Township Project Int.			Signal	D	47.0	No
401	Tree View Lane & Jackson Road	Jackson Township Project Int.			Signal	D	37.7	No	Jackson Township Project Int.			Signal	B	12.5	No
402	Collector JT-4 & Jackson Road	Jackson Township Project Int.			Signal	C	23.5	No	Jackson Township Project Int.			Signal	B	10.2	No
403	Tree View Lane & Collector JT-5	Jackson Township Project Int.			Signal	B	12.7	No	Jackson Township Project Int.			Signal	B	13.1	No
404	Tree View Lane & Collector JT-6	Jackson Township Project Int.			Signal	A	7.9	No	Jackson Township Project Int.			Signal	A	7.0	No
405	Tree View Lane & Collector JT-1	Jackson Township Project Int.			Signal	B	14.4	No	Jackson Township Project Int.			Signal	B	14.4	No
406	Tree View Lane & Kiefer Boulevard	Jackson Township Project Int.			Signal	B	10.8	No	Jackson Township Project Int.			Signal	B	13.2	No
407	HS/MS Dwy & Kiefer Boulevard	Jackson Township Project Int.			Signal	A	5.3	No	Jackson Township Project Int.			Signal	A	7.7	No
500	Rockbridge Dr & Jackson Road	NewBridge Project Int.			Signal	C	34.2	No	NewBridge Project Int.			Signal	B	19.7	No
501	Eagles Nest Road & N Bridgewater Dr	NewBridge Project Int.			Signal	A	3.4	No	NewBridge Project Int.			Signal	A	3.1	No
502	Eagles Nest Road & S Bridgewater Dr	NewBridge Project Int.			Signal	B	15.7	No	NewBridge Project Int.			Signal	B	13.6	No
600	Zinfandel Drive & Collector MS-2	Mather South Project Int.			Round	B	10.9	No	Mather South Project Int.			Round	B	11.6	No
601	Zinfandel Drive & Collector MS-3	Mather South Project Int.			Round	A	8.3	No	Mather South Project Int.			Round	A	9.1	No
602	Zinfandel Drive & Collector MS-4	Mather South Project Int.			Round	A	9.1	No	Mather South Project Int.			Round	A	9.1	No

Intersection		A.M. Peak Hour						P.M. Peak Hour							
		Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS	Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
603	Collector MS-5 & Collector MS-2	Mather South Project Int.			Two-way stop			No	Mather South Project Int.			Two-way stop			No
	Northbound Left Turn					A	7.8						A	7.5	
	Eastbound Left Turn					B	10.2						B	10.8	
604	Collector MS-5 & Collector MS-3	Mather South Project Int.			Two-way stop			No	Mather South Project Int.			Two-way stop			No
	Northbound Left Turn					A	7.8						A	7.5	
	Eastbound					A	9.9						A	9.7	
605	Collector MS-5 & Collector MS-4	Mather South Project Int.			Two-way stop			No	Mather South Project Int.			Two-way stop			No
	Northbound Left Turn					A	8.4						A	8.2	
	Eastbound					C	17.7						D	33.0	
606	Collector MS-5 & W Collector MS-1/E Collector MS-1	Mather South Project Int.			Two-way stop			No	Mather South Project Int.			Two-way stop			No
	Northbound Left Turn					A	7.6						A	7.7	
	Eastbound Left Turn					B	11.7						B	12.3	
	Eastbound					A	9.3						A	9.3	

Note: Gray shading represents changes in traffic control that the project is responsible to provide.

Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.

Source: DKS Associates 2019

Table SI-23: Cumulative No Project and Cumulative Plus Jackson Corridor Projects (Alternative 2) Intersection Geometrics

Intersection		Traffic Control		Cumulative No Project Lane Geometrics				Cumulative Plus Jackson Corridor Projects Lane Geometrics				Project(s) Responsible for Change
		Cumulative	Cumulative Plus Jackson Corridor Projects	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
1	Howe Avenue & College Town Drive/US 50 Westbound Ramps	Signal	Signal	↑↑↑↱	↘↓↓↓↓	↱↱↱	↱↱↱↘↱	↑↑↑↱	↘↓↓↓↓	↱↱↱	↱↱↱↘↱	
2	Howe Avenue & US 50 Eastbound Ramps/US 50 Eastbound Entrance	Signal	Signal	↑↑↑↱	↘↓↓↓	↱↱↱↱		↑↑↑↱	↘↓↓↓	↱↱↱↱		
3	Power Inn Road/Howe Avenue & Folsom Blvd.	Signal	Signal	↱↱↑↑↑↱	↘↓↓↓↓↘	↱↱↑↘	↱↱↑↑↱↱	↱↱↑↑↑↱	↘↓↓↓↓↘	↱↱↑↘	↱↱↑↑↱↱	
4	Power Inn Road & 14th Avenue	Signal	Signal	↱↑↑↘	↘↓↓↓↓↘	↱↑↘	↱↑↱	↱↑↑↘	↘↓↓↓↓↘	↱↑↘	↱↑↱	
5	Power Inn Road & Fruitridge Road	Signal	Signal	↱↱↑↘	↘↓↓↓↓↘	↱↑↘	↱↑↑↱	↱↱↑↘	↘↓↓↓↓↘	↱↑↘	↱↑↑↱	
6	Jackson Road/Notre Dame Dr. & Folsom Blvd.	Signal	Signal	↱↱↱	↘↘	↱↑↑↱	↱↑↑↱	↱↱↱	↘↘	↱↑↑↱	↱↑↑↱	
7	Florin Perkins Road/Julliard Dr. & Folsom Boulevard	Signal	Signal	↱↱↱	↘↘	↱↑↑↱	↱↑↘	↱↱↱	↘↘	↱↑↑↱	↱↑↘	
8	Florin Perkins Road & Kiefer Blvd.	Two-way stop	Two-way stop	↑↘	↓↓↘		↱↱	↑↘	↓↓↘		↱↱	
9	Florin Perkins Road & Jackson Road	Signal	Signal	↱↑↑↱	↘↓↓↘	↱↑↑↱	↱↑↘	↱↑↑↱	↘↓↓↘	↱↑↑↱	↱↑↘	
10	Florin Perkins Road & Fruitridge Road	Signal	Signal	↱↑↑↱	↘↓↓↘	↱↑↑↱	↱↑↘	↱↑↑↱	↘↓↓↘	↱↑↑↱	↱↑↘	
11	Florin Perkins Road & Elder Creek Road	Signal	Signal	↱↑↑↱	↘↓↓↘	↱↑↑↱	↱↑↑↱	↱↑↑↱	↘↓↓↘	↱↑↑↱	↱↑↑↱	
12	S. Watt Ave./Watt Avenue & Folsom Blvd.	Signal	Signal	↱↱↑↑↑↱	↘↓↓↓↓↘	↱↱↑↑↱	↱↱↑↑↱	↱↱↑↑↑↱	↘↓↓↓↓↘	↱↱↑↑↱	↱↱↑↑↱	
13	S. Watt Ave. & Reith Ct/Manlove Road	Signal	Signal	↱↑↑↑↱	↘↓↓↘	↘	↱↘↱	↱↑↑↑↱	↘↓↓↘	↘	↱↘↱	
14	S. Watt Avenue & Kiefer Blvd.	Signal	Signal	↱↱↑↑↘	↘↓↓↓↓↘	↱↱↑↑↱	↱↱↑↑↱	↱↱↑↑↘	↘↓↓↓↓↘	↱↱↑↑↱	↱↱↑↑↱	
15	S. Watt Avenue & Canberra Dr.	Signal	Signal	↑↑↘	↓↓↘		↱↱	↑↑↘	↓↓↘		↱↱	
16	S. Watt Avenue & Jackson Road	Signal	Signal	↱↱↑↑↑↱	↘↓↓↓↓↘	↱↱↑↑↱	↱↱↑↑↱	↱↱↑↑↑↱	↘↓↓↓↓↘	↱↱↑↑↱	↱↱↑↑↱	West Jackson
17	S. Watt Avenue & Fruitridge Road	Signal	Signal	↱↑↑↑↱	↘↓↓↓↓↘	↱↑↱	↱↘	↱↑↑↑↱	↘↓↓↓↓↘	↱↑↱	↱↱↑↑↑↱	West Jackson
18	S. Watt Avenue & Elder Creek Road	Signal	Signal	↱↱↑↑↑↱	↘↓↓↓↓↘	↱↱↑↱	↱↑↑↱	↱↱↑↑↑↱	↘↓↓↓↓↘	↱↱↑↱	↱↑↑↱	
20	Elk Grove Florin Road/S. Watt Ave. & Florin Road	Signal	Signal	↱↱↑↑↑↱	↘↓↓↓↓↘	↱↑↑↱	↱↑↑↱	↱↱↑↑↑↱	↘↓↓↓↓↘	↱↑↑↱	↱↑↑↱	
21	Elk Grove Florin Road & Gerber Rd./Gerber Road	Signal	Signal	↱↱↑↑↑↱	↘↓↓↓↓↘	↱↱↑↑↱	↱↱↑↑↱	↱↱↑↑↑↱	↘↓↓↓↓↘	↱↱↑↑↱	↱↱↑↑↱	
23	Hedge Avenue & Jackson Road	Signal	Signal	↱↘	↘↘	↱↑↑↱	↱↑↑↱	↱↑↱	↘↘	↱↑↑↱	↱↑↑↱	West Jackson
24	Hedge Avenue & Fruitridge Road	All-way stop	Signal	↘	↘	↘	↘	↱↑↱	↘↘	↱↑↘	↱↑↘	West Jackson
25	Hedge Avenue & Elder Creek Road	All-way stop	Signal	↱↑↱	↘↘	↱↑↘	↱↑↘	↱↑↱	↘↘	↱↑↘	↱↑↘	West Jackson
26	Hedge Avenue & Tokay Lane	Two-way stop	Two-way stop	↘	↘	↘	↘	↘	↘	↘	↘	
27	Hedge Avenue & Florin Road	All-way stop	All-way stop	↘	↘	↱↑↘	↱↑↘	↘	↘	↱↑↘	↱↑↘	
28	Mayhew Road & Kiefer Boulevard	Signal	Signal	↱↑↱	↘↘	↱↑↘	↱↑↘	↱↑↱	↘↘	↱↑↘	↱↑↘	
29	Mayhew Road & Jackson Road	Two-way stop	Signal	↱↱	↘	↱↑↑↱	↱↑↘	↱↱↑↑↱	↘↓↓↘	↱↱↑↑↑↱	↱↱↑↑↑↱	West Jackson

Intersection		Traffic Control		Cumulative No Project Lane Geometrics				Cumulative Plus Jackson Corridor Projects Lane Geometrics				Project(s) Responsible for Change
		Cumulative	Cumulative Plus Jackson Corridor Projects	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
30	Mayhew Road & Fruitridge Road	Two-way stop	Signal	↘	↗	↘		↘↘↑↑	↗↓↓	↘↘		West Jackson
31	Mayhew Road & Elder Creek Road	Two-way stop	Signal	↘	↗	↘↑↘	↘↑↘	↘↘↑↑↘	↗↗	↘↑↘	↘↑↘	West Jackson
32	Zinfandel Drive & Woodring Drive	Two-way stop	Two-way stop	↘↑↑	↗↓	↘		↘↑↑	↗↓	↘		Mather South
33	Bradshaw Road & Folsom Blvd.	Signal	Signal	↘↘↑↘	↗↓↓↘	↘↑↑↘	↘↘↑↑↘	↘↘↑↘	↗↓↓↘	↘↑↑↘	↘↘↑↑↘	
34	Bradshaw Road & US 50 Westbound Ramps	Signal	Signal	↑↑↑↘	↗↓↓↓		↘↘↘	↑↑↑↘	↗↓↓↓		↘↘↘	
35	Bradshaw Road & US 50 Eastbound Ramps	Signal	Signal	↑↑↑↘	↗↓↓↓	↘↘↘		↑↑↑↘	↗↓↓↓	↘↘↘		
36	Bradshaw Road & Old Placerville Road	Signal	Signal	↘↑↑↑↘	↗↓↓↓↘	↘↘	↘↘↑↘	↘↑↑↑↘	↗↓↓↓↘	↘↘	↘↘↑↘	
37	Bradshaw Road & Kiefer Boulevard	Signal	Signal	↘↘↑↑↑↘	↗↓↓↓↘	↘↘↑↑↘	↘↘↑↘	↘↘↑↑↑↘	↗↓↓↓↘	↘↘↑↑↘	↘↘↑↑↘	West Jackson
38	Jackson Road & Bradshaw Road	Signal	Signal	↘↑↑↘	↗↓↓↓↘	↘↑↘	↘↑↘	↘↘↑↑↑↘	↗↓↓↓↘	↘↘↑↑↑↘	↘↘↑↑↑↘	West Jackson
39	Bradshaw Road & Elder Creek Road	Signal	Signal	↘↑↑↘	↗↓↓↘	↘↘↘	↘↘↘	↘↑↑↘	↗↓↓↓↘	↘↘↘	↘↘↑↑↘	West Jackson
40	Bradshaw Road & Florin Road	Signal	Signal	↘↘↑↑↑↘	↗↓↓↓↘	↘↘↑↘	↘↘↑↘	↘↘↑↑↑↘	↗↓↓↓↘	↘↘↑↘	↘↘↑↘	
41	Bradshaw Road & Gerber Road	Signal	Signal	↘↘↑↑↑↘	↗↓↓↓↘	↘↘↑↑↘	↘↑↑↘	↘↘↑↑↑↘	↗↓↓↓↘	↘↘↑↑↘	↘↑↑↘	
42	Happy Lane & Old Placerville Road	Two-way stop	Signal	↘↘		↑↘	↘↑↑	↘↘		↑↘	↘↑↑	
43	Kiefer Boulevard & Happy Ln		Signal		↗	↘			↗↘	↘↑↑↑	↑↑↘	West Jackson
44	Excelsior Road & Kiefer Boulevard	Two-way stop	Signal	↘	↗		↘	↘↑↘	↗↓↘	↘↑↘	↘↑↘	West Jackson; Jackson Township
45	Excelsior Road & Jackson Road	Signal	Signal	↘↘	↗↓↘	↘↑↘	↘↑↘	↘↘	↗↓↓↘	↘↘↑↑↑↘	↘↘↑↑↑↘	West Jackson; Jackson Township
46	Excelsior Road & Elder Creek Road	Two-way stop	Signal	↘	↗↓	↘		↘↑	↗↓↓	↘↘		West Jackson
47	Excelsior Road & Florin Road	All-way stop	Signal	↘	↗	↘	↘	↘↘	↗↘	↘↘	↘↘	West Jackson
48	Excelsior Road & Gerber Road/Birch Ranch Drive	Signal	Signal	↘↑↘	↗↓↓↘	↘↘↘	↘↘	↘↑↘	↗↓↓↘	↘↘↘	↘↘	
49	Mather Field Road & US 50 Westbound Ramps	Signal	Signal	↑↑↑↘	↗↓↓↓		↘↘	↑↑↑↘	↗↓↓↓		↘↘	
50	Mather Field Road & US 50 Eastbound Ramps	Signal	Signal	↑↑↑↘	↗↓↓↓	↘↘↘		↑↑↑↘	↗↓↓↓	↘↘↘		
51	Mather Field Road & Rockingham Drive	Signal	Signal	↘↑↑↘	↗↓↓↓↘	↘↘↘	↘↘	↘↑↑↘	↗↓↓↓↘	↘↘↘	↘↘	
52	Mather Boulevard & Douglas Road	Signal	Signal		↗↘	↘↑↑	↑↘		↗↘	↘↑↑	↑↘	
53	Zinfandel Drive & US 50 Westbound	Signal	Signal	↑↑↑↘	↗↓↓↓		↘↘	↑↑↑↘	↗↓↓↓		↘↘	
54	Zinfandel Drive & US 50 Eastbound Ramps/Gold Center Drive	Signal	Signal	↑↑↑↘	↗↓↓↓	↘↘↘	↘↘	↑↑↑↘	↗↓↓↓	↘↘↘	↘↘	
55	Zinfandel Drive & White Rock Road	Signal	Signal	↘↘↑↑↘	↗↓↓↓↘	↘↘↑↑↘	↘↘↑↘	↘↘↑↑↘	↗↓↓↓↘	↘↘↑↑↘	↘↘↑↘	
56	Zinfandel Drive & Data Drive	Signal	Signal	↘↑↑↘	↗↓↓↘	↘↘	↘↘↘	↘↑↑↘	↗↓↓↘	↘↘	↘↘↘	

Intersection		Traffic Control		Cumulative No Project Lane Geometrics				Cumulative Plus Jackson Corridor Projects Lane Geometrics				Project(s) Responsible for Change
		Cumulative	Cumulative Plus Jackson Corridor Projects	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
57	Zinfandel Dr & International Dr	Signal	Signal	↖↖↑↑↑↗	↘↓↓↓↖	↖↖↑↑↗	↖↖↑↑↑↗	↖↖↑↑↑↗	↘↓↓↓↖	↖↖↑↑↗	↖↖↑↑↑↗	
58	Zinfandel Drive & Douglas Road	Signal	Signal	↖↗	↘↓↓↖	↖↑↗	↖↖↑↑↗	↖↗	↘↓↓↖	↖↑↗	↖↖↑↑↗	
59	Eagles Nest Road/Zinfandel Drive & Kiefer Boulevard		Signal	↗			↖	↖↖↑↑↗	↘↓↓↓↖	↖↖↑↑↗	↖↖↑↑↗	NewBridge; Mather South
60	Eagles Nest Road & Jackson Road	Two-way stop	Signal	↘	↗	↖↗	↖↗	↖↑↗	↘↓↓↖	↖↖↑↗	↖↑↑↗	NewBridge
61	Eagles Nest Rd/Eagles Nest Road & Florin Road	Two-way stop	Signal	↘	↗	↘	↘	↘	↗	↘	↘	
62	Sunrise Boulevard & US 50 Westbound Ramps	Signal	Signal	↑↑↑↗	↘↓↓↓		↖↖↗	↑↑↑↗	↘↓↓↓		↖↖↗	
63	Sunrise Boulevard & US 50 Eastbound Ramps	Signal	Signal	↑↑↑↑↗	↘↓↓↓	↖↖↖↗		↑↑↑↑↗	↘↓↓↓	↖↖↖↗		
64	Sunrise Boulevard & Folsom Boulevard	Signal	Signal	↖↖↑↑↑↑↗	↘↓↓↓↖	↖↖↑↑↗	↖↖↑↗	↖↖↑↑↑↑↗	↘↓↓↓↖	↖↖↑↑↗	↖↖↑↗	
65	Sunrise Boulevard & White Rock Road	Signal	Signal	↖↖↑↑↑↗	↘↓↓↓↖	↖↖↑↑↗	↖↖↑↑↑↗	↖↖↑↑↑↗	↘↓↓↓↖	↖↖↑↑↗	↖↖↑↑↑↗	
66	Sunrise Boulevard & International Drive/Monier Circle	Signal	Signal	↖↖↑↑↑↗	↘↓↓↓↖	↖↖↑↑↑↗	↖↖↑↑↑↗	↖↖↑↑↑↗	↘↓↓↓↖	↖↖↑↑↑↗	↖↖↑↑↑↗	
67	Sunrise Boulevard & Douglas Road	Signal	Signal	↖↖↑↑↑↗	↘↓↓↓↖	↖↖↑↑↗	↖↖↑↑↑↗	↖↖↑↑↑↗	↘↓↓↓↖	↖↖↑↑↗	↖↖↑↑↑↗	
68	Sunrise Boulevard & Chrysanthy Boulevard	Signal	Signal	↑↑↑↗	↓↓↖		↖↗	↑↑↑↗	↓↓↖		↖↗	
69	Sunrise Boulevard & Kiefer Boulevard	Signal	Signal	↖↑↑↗	↘↓↓↖	↘	↘↗	↖↑↑↗	↘↓↓↖	↖↖↑↑↗	↘↗	NewBridge; Mather South
70	Sunrise Boulevard & Jackson Road	Signal	Signal	↖↖↑↑↗	↘↓↓↓↖	↖↖↑↑↗	↖↖↑↑↗	↖↖↑↑↗	↘↓↓↓↖	↖↖↑↑↗	↖↖↑↑↗	
71	Sunrise Boulevard & Florin Road	Signal	Signal	↖↑↑	↘↓	↘		↖↑↑	↘↓	↘		
72	Sheldon Lake Drive/Sunrise Boulevard & Grant Line Road	Signal	Signal	↘	↗	↖↑↑↗	↖↑↗	↘	↗	↖↑↑↗	↖↑↗	
73	Hazel Avenue & Tributary Point Drive/US 50 Westbound Off- ramp	Signal	Signal	↖↖↑↑↑	↘↓↓↓↓	↗	↘↗	↖↖↑↑↑	↘↓↓↓↓	↗	↘↗	
74	Hazel Aveneu/Hazel Avenue & US 50 Eastbound Ramps	Signal	Signal	↑↑↗	↘↓↓↓	↖↖↖↗		↑↑↗	↘↓↓↓	↖↖↖↗		
76	White Rock Road & Prairie City Road	Signal	Signal		↘↘↖	↖↖↑↑	↑↑↗		↘↘↖	↖↖↑↑	↑↑↗	
77	Grant Line Road & White Rock Road	Signal	Signal	↖↑↑	↘↓↓	↖↗		↖↑↑	↘↓↓	↖↗		
78	Grant Line Road & Douglas Road	All-way stop	All-way stop	↖↖↑↑	↘↓↓	↖↗		↖↖↑↑	↘↓↓	↖↗		
79	Grant Line Road & Kiefer Boulevard	All-way stop	All-way stop	↖↖↑↑↗	↘↓↓↖	↖↖↑↗	↖↑↗	↖↖↑↑↗	↘↓↓↖	↖↖↑↗	↖↑↗	
80	Grant Line Road & Jackson Road	Signal	Signal	↖↖↑↑↗	↘↓↓↓↖	↖↖↑↑↗	↖↖↑↑↗	↖↖↑↑↗	↘↓↓↓↖	↖↖↑↑↗	↖↖↑↑↗	
81	Watt Avenue & US-50 EB Ramps	Signal	Signal	↑↑↑↑↗	↘↘↓↓	↖↖↗		↑↑↑↑↗	↘↘↓↓	↖↖↗		
82	Watt Avenue & US-50 WB Ramps	Signal	Signal	↑↑↗↗	↘↘↓↓↓		↖↖↖↗	↑↑↗↗	↘↘↓↓↓		↖↖↖↗	
83	Mayhew Rd & Folsom Blvd.	Signal	Signal	↖↖↗		↑↑↗	↖↑↑	↖↖↗		↑↑↗	↖↑↑	
84	65th Street Expy & Fruitridge Road	Signal	Signal	↖↑↑↗	↘↓↓↖	↖↑↑	↖↑↑↗	↖↑↑↗	↘↓↓↖	↖↑↑	↖↑↑↗	
85	Power Inn Road & Elder Creek Road	Signal	Signal	↖↑↗	↘↓↖	↖↑↑↗	↖↑↗	↖↑↗	↘↓↖	↖↑↑↗	↖↑↗	
86	Power Inn Road & Florin Rd	Signal	Signal	↖↑↗	↘↓↓↖	↖↑↑↗	↖↑↑↑↗	↖↑↗	↘↓↓↖	↖↑↑↗	↖↑↑↑↗	

Intersection		Traffic Control		Cumulative No Project Lane Geometrics				Cumulative Plus Jackson Corridor Projects Lane Geometrics				Project(s) Responsible for Change
		Cumulative	Cumulative Plus Jackson Corridor Projects	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
87	Florin Perkins Road & Florin Rd	Signal	Signal	↖ ↑ ↑ ↗	↘ ↓ ↓ ↙	↖ ↑ ↗	↖ ↑ ↑ ↗	↖ ↑ ↑ ↗	↘ ↓ ↓ ↙	↖ ↑ ↗	↖ ↑ ↑ ↗	
88	Bradshaw Rd & Calvine Rd	Signal	Signal	↖ ↖ ↑ ↗	↘ ↓ ↓ ↙ ↙	↖ ↖ ↑ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↑ ↗	↖ ↖ ↑ ↗	↘ ↓ ↓ ↙ ↙	↖ ↖ ↑ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↑ ↗	
89	Vineyard Rd & Calvine Rd	Signal	Signal	↘	↘ ↘ ↙	↖ ↑ ↗	↖ ↑ ↗	↘	↘ ↘ ↙	↖ ↑ ↗	↖ ↑ ↗	
90	Excelsior Road & Calvine Rd	Signal	Signal	↖ ↑ ↗	↘ ↓ ↙	↖ ↑ ↗	↖ ↑ ↗	↖ ↑ ↗	↘ ↓ ↙	↖ ↑ ↗	↖ ↑ ↗	
91	Grant Line Road & Eagles Nest Rd/Sloughhouse Rd	Signal	Signal	↖ ↑ ↑ ↗	↘ ↓ ↙	↘	↖ ↗	↖ ↑ ↑ ↗	↘ ↓ ↙	↘	↖ ↗	
92	Grant Line Road & Calvine Rd	Signal	Signal	↖ ↑ ↑	↘ ↓	↖ ↗		↖ ↑ ↑	↘ ↓	↖ ↗		
93	Grant Line Road & Driveway/Wilton Rd	Signal	Signal	↖ ↑ ↗	↘ ↓ ↙	↖ ↗	↖ ↗	↖ ↑ ↗	↘ ↓ ↙	↖ ↗	↖ ↗	
94	Bond Rd/Wrangler Dr & Grant Line Road	Signal	Signal	↖ ↑ ↗	↘ ↓ ↓ ↙	↖ ↗	↘	↖ ↑ ↗	↘ ↓ ↓ ↙	↖ ↗	↘	
95	Florin Perkins Road & 14th Avenue		Signal	↖ ↖ ↑ ↑ ↗	↘ ↓ ↓ ↙ ↙	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↗	↘ ↓ ↓ ↙ ↙	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↗	
96	14th Avenue & Jackson Road		Signal		↘ ↙	↖ ↑ ↑	↑ ↑ ↗		↘ ↙	↖ ↖ ↑ ↑	↑ ↑ ↗	
97	Rock Creek Pkwy & Jackson Road		Signal	↖ ↑ ↗	↘ ↓ ↙	↖ ↑ ↗	↖ ↑ ↗	↖ ↑ ↗	↘ ↓ ↙	↖ ↑ ↗	↖ ↑ ↗	
98	Aspen 1 Access Road & Jackson Road		Signal	↖ ↗		↑ ↗	↖ ↑ ↑	↖ ↗		↑ ↗	↖ ↑ ↑	
99	Rancho Cordova Pkwy & US-50 WB Ramps		Signal	↖ ↖			↖ ↙	↖ ↖			↖ ↙	
100	Rancho Cordova Pkwy & US-50 EB Ramps		Signal	↑ ↗ ↗	↓ ↓ ↙	↘ ↗		↑ ↗ ↗	↓ ↓ ↙	↘ ↗		
101	Rancho Cordova Pkwy & Easton Valley Pkwy		Signal	↑ ↑ ↑ ↗	↓ ↓ ↓ ↙ ↙		↖ ↖ ↗	↑ ↑ ↑ ↗	↓ ↓ ↓ ↙ ↙		↖ ↖ ↗	
102	Rancho Cordova Pkwy & White Rock Road		Signal	↖ ↖ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↙ ↙	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↑ ↗	↘ ↓ ↓ ↓ ↙ ↙	↖ ↖ ↑ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↑ ↗	
103	Rancho Cordova Pkwy & Douglas Road		Signal	↖ ↖ ↑ ↑ ↗	↘ ↓ ↓ ↙ ↙	↖ ↖ ↑ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↗	↘ ↓ ↓ ↙ ↙	↖ ↖ ↑ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↑ ↗	
104	Rancho Cordova Pkwy & Chrysanthy Blvd		Signal	↖ ↖ ↑ ↑ ↗	↘ ↓ ↓ ↙ ↙	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↗	↘ ↓ ↓ ↙ ↙	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↗	
105	Rancho Cordova Pkwy & Kiefer Blvd		Signal	↖ ↖ ↑ ↑ ↗	↘ ↓ ↓ ↙ ↙	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↗	↘ ↓ ↓ ↙ ↙	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↗	
106	Grant Line Road & Rancho Cordova Pkwy		Signal		↘ ↙	↖ ↑ ↑	↑ ↑ ↗		↘ ↙	↖ ↑ ↑	↑ ↑ ↗	
107	Americanos Blvd & White Rock Road		Signal	↖ ↗		↑ ↑ ↗	↖ ↖ ↑ ↑	↖ ↗		↑ ↑ ↗	↖ ↖ ↑ ↑	
108	Americanos Blvd & Douglas Road		Signal	↖ ↑ ↗	↘ ↓ ↙	↖ ↑ ↑ ↗	↖ ↑ ↑ ↗	↖ ↑ ↗	↘ ↓ ↙	↖ ↑ ↑ ↗	↖ ↑ ↑ ↗	
109	Americanos Blvd & Chrysanthy Blvd		Signal	↖ ↗	↘ ↙	↖ ↑ ↗	↖ ↗	↖ ↗	↘ ↙	↖ ↑ ↗	↖ ↗	
110	Kiefer Blvd & Americanos Blvd		Signal		↘	↖	↗		↘	↖	↗	
111	Grant Line Road & Chrysanthy Blvd		Signal	↖ ↖ ↑ ↑ ↗	↘ ↓ ↓ ↙ ↙	↖ ↑ ↗	↖ ↖ ↑ ↑ ↗	↖ ↖ ↑ ↑ ↗	↘ ↓ ↓ ↙ ↙	↖ ↑ ↗	↖ ↖ ↑ ↑ ↗	
112	Easton Valley Pkwy & Hazel Avenue		Signal	↖ ↑ ↗	↘ ↓ ↙ ↙	↖ ↖ ↑ ↑ ↗	↖ ↑ ↑ ↗	↖ ↑ ↗	↘ ↓ ↙ ↙	↖ ↖ ↑ ↑ ↗	↖ ↑ ↑ ↗	
200	Excelsior Road & Collector WJ-1/Collector JT-1		Signal					↖ ↑ ↗	↘ ↓ ↙	↖ ↑ ↗	↖ ↑ ↗	West Jackson; Jackson Township
201	Excelsior Road & Collector WJ-2/Collector JT-2		Signal					↖ ↑ ↗	↘ ↓ ↙	↖ ↑ ↗	↖ ↑ ↗	West Jackson; Jackson Township
202	Kiefer Boulevard & W Collector MS-1		Signal						↘ ↙	↖ ↖ ↑ ↑	↑ ↗	Mather South
203	Northbridge Dr & Kiefer Boulevard		Signal					↖ ↗		↑ ↗	↖ ↑ ↑	NewBridge
204	Kiefer Boulevard & E Collector MS-5		Signal						↘ ↙	↖ ↑ ↑	↑ ↑ ↗	Mather South
300	Collector WJ-3 & Jackson Road		Signal					↖ ↗		↑ ↗	↖ ↑ ↑	West Jackson
301	Collector WJ-4 & Jackson Road		Signal					↖ ↑ ↗	↘ ↓ ↙	↖ ↑ ↑ ↗	↖ ↑ ↑ ↗	West Jackson

Intersection		Traffic Control		Cumulative No Project Lane Geometrics				Cumulative Plus Jackson Corridor Projects Lane Geometrics				Project(s) Responsible for Change
		Cumulative	Cumulative Plus Jackson Corridor Projects	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
303	Vineyard Road & Jackson Road		Signal					↖↗↑↘	↘↓↖	↖↗↑↑↑↘	↖↗↑↑↑↘	West Jackson
304	Collector WJ-5 & Jackson Road		Signal					↖↑↘	↘↓↖	↖↑↑↘	↖↑↑↘	West Jackson
305	Collector WJ-6 & Jackson Road		Signal					↖↑↘	↘↓↖	↖↑↑↘	↖↑↑↘	West Jackson
306	Excelsior Road & Collector WJ-6		Signal					↖↑	↘↓	↖↘		West Jackson
307	S. Watt Avenue & Rock Creek Pkwy		Signal					↑↑↘	↓↓↓↓↖		↖↘	West Jackson
308	Hedge Avenue & Rock Creek Pkwy Westbound		Roundabout					↖	↘		↘	West Jackson
309	Hedge Avenue & Rock Creek Pkwy Eastbound		Roundabout					↘	↖	↘		West Jackson
310	Mayhew Road & Rock Creek Pkwy Westbound		Roundabout					↖↑	↘↓		↘	West Jackson
311	Mayhew Road & Rock Creek Pkwy Eastbound		Roundabout					↑↘	↓↓↖	↘		West Jackson
312	Bradshaw Road & Rock Creek Pkwy		Signal					↖↑↑↑	↘↓↓	↖↘		West Jackson
314	Vineyard Road & Rock Creek Pkwy		Signal					↖↑↑	↘↓	↖↘		West Jackson
315	Douglas Road & Rock Creek Pkwy		Signal					↖↑↑	↘↓	↖↘		West Jackson
316	Bradshaw Road & Collector WJ-8		Signal					↑↑↘	↓↓↓↓↖		↖↘	West Jackson
317	Bradshaw Road & Collector WJ-9		Signal					↑↑↘	↓↓↓↓↖		↖↘	West Jackson
318	Bradshaw Road & Mayhew Road		Signal					↖↗↑↑↑↘	↘↓↓↓↓↖	↖↗↑↑↑↘	↖↗↑↑↑↘	West Jackson
319	Bradshaw Road & Collector WJ-10		Signal					↑↑↘	↓↓↓↓↖		↖↘	West Jackson
320	Bradshaw Road & Collector WJ-11		Signal					↖↑↑↑	↘↓↓	↖↘		West Jackson
321	Collector WJ-12 & Fruitridge Road		Signal					↖↑↘	↘↓↖	↖↑↘	↖↑↘	West Jackson
322	Mayhew Road & Collector WJ-13		Signal					↖↑↑	↘↓	↖↘		West Jackson
323	Collector WJ-14 & Kiefer Boulevard		Signal					↖↑↘	↘↓↖	↖↑↑↘	↖↑↑↘	West Jackson
325	Douglas Road Extension & Kiefer Boulevard		Signal					↖↗↑↑↑↘	↘↓↓↓↓↖	↖↗↑↑↑↑↘	↖↗↑↑↑↑↘	West Jackson
327	Vineyard Road & Elder Creek Road		Signal					↖↗↑↑↑↘	↘↓↓↓↓↖	↖↗↑↑↑↑↘	↖↗↑↑↑↑↘	West Jackson
328	Vineyard Road & Florin Road	Signal	Signal	↖↖↘		↑↘	↖↑	↖↗↑↑↑↘	↘↓↓↓↓↖	↖↗↑↑↑↘	↖↗↑↑↑↑↘	West Jackson
329	Routier Ext & Kiefer Boulevard		Signal					↖↗↑↑↑↘	↘↓↓↓↓↖	↖↗↑↑↑↑↘	↖↗↑↑↑↑↘	West Jackson
330	Happy Lane & Routier Ext		Signal					↖↑↘	↘↓↖	↖↑↘	↖↑↘	West Jackson
331	Routier Ext/Routier Rd & Old Placerville Road		Signal					↖↑↑↑↘	↘↓↓↓↓↖	↖↑↑↑↘	↖↗↑↑↑↘	West Jackson
400	Jackson Road & Collector JT-3		Signal						↘	↖↗↑↑↑	↑↑↘	Jackson Township
401	Jackson Road & Tree View Lane		Signal						↘	↖↗↑↑↑	↑↑↘	Jackson Township
402	Jackson Road & Collector JT-4		Signal						↘	↖↑↑	↑↘	Jackson Township
403	Tree View Lane & Collector JT-5		Signal					↖↑↘	↘↓↖	↖↑↘	↖↑↘	Jackson Township
404	Tree View Lane & Collector JT-6		Signal					↖↑↘	↘↓↖	↖↑↘	↖↑↘	Jackson Township

Intersection		Traffic Control		Cumulative No Project Lane Geometrics				Cumulative Plus Jackson Corridor Projects Lane Geometrics				Project(s) Responsible for Change
		Cumulative	Cumulative Plus Jackson Corridor Projects	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
405	Tree View Lane & Collector JT-1		Signal					↖ ↑ ↗	↙ ↓ ↘	↖ ↑ ↗	↖ ↑ ↗	Jackson Township
406	Tree View Lane & Kiefer Boulevard		Signal					↖ ↗ ↘		↑ ↑ ↗	↖ ↗ ↑ ↑	Jackson Township
407	HS/MS Dwy & Kiefer Boulevard		Signal					↖ ↘		↑ ↗	↖ ↑ ↑	Jackson Township
500	Jackson Road & Rockbridge Dr		Signal						↘ ↙	↖ ↑ ↑	↑ ↗	NewBridge
501	Eagles Nest Road & N Bridgewater Dr		Signal					↑ ↗	↓ ↓ ↘		↖ ↘	NewBridge
502	Eagles Nest Road & S Bridgewater Dr		Signal					↖ ↑ ↗	↙ ↓ ↘	↖ ↑ ↗	↖ ↑ ↗	NewBridge
600	Zinfandel Drive & Collector MS-2		Roundabout					↑ ↗	↓ ↘		↘	Mather South
601	Zinfandel Drive & Collector MS-3		Roundabout					↑ ↗	↓ ↘		↖ ↘	Mather South
602	Zinfandel Drive & Collector MS-4		Roundabout					↑ ↗	↓ ↘		↖ ↘	Mather South
603	Collector MS-5 & Collector MS-2		Two-way stop					↘	↙	↘		Mather South
604	Collector MS-5 & Collector MS-3		Two-way stop					↘	↙	↘		Mather South
605	Collector MS-5 & Collector MS-4		Two-way stop					↘	↙	↘		Mather South
606	E Collector MS-1/Collector MS-5 & W Collector MS-1		Two-way stop					↖ ↑	↘ ↓	↖ ↘		Mather South

Note: Gray shading represents changes in traffic control or approach lanes for which the project is responsible to pay a fair share.
Source: DKS Associates 2019

LOS Improvement Measures

CU-TR-2. Cumulative Intersection Operations.

The Project Applicant shall implement LOS Improvement Measures TR-4, TR-5, TR-7, and CU-TR-2. The Project Applicant shall implement the set of improvements assigned to the project by the Tool (LOS Improvement Measure TR-14). Where feasible, the number of roadway lanes would be increased to reduce the effect. In locations where the LOS effect could not be improved to acceptable levels by implementing the County's standard number of approach lanes, the County would propose alternative LOS improvement measures. These generally include providing additional turn lanes, carrying an additional through lane past the intersection, or designating the intersection as a High Capacity Intersection.

PROJECT

- ~~The Project Applicant shall implement LOS Improvement Measures TR-4, TR-5, TR-7, and CU-TR-2.~~

The Project Applicant shall implement the set of improvements assigned to the Project by the tool (LOS Improvement Measure TR-4) as identified in Table SI-24a and Table SI-25a. Table SI-24a and Table SI-25a summarize recommended LOS improvement measures and the results of the operations analysis for the traffic study area intersections with improvements, which does not exceed the County's standard number of approach lanes, under the Cumulative Plus Jackson Corridor Projects (Project) scenario. Table SI-24b and Table SI-25b summarize recommended LOS improvement measures and the results of the operations analysis for the traffic study area intersections with ultimate improvement, which may exceed the County's standard number of approach lanes, under the Cumulative Plus Jackson Corridor Projects (Project) scenario.

Shaded table cells indicate those locations where changes in traffic control and/or number of approach lanes by type have been made to improve LOS at intersections operating at unacceptable levels, which would be the responsibility of the Jackson Corridor Projects to fund. Table SI-25a and Table SI-25b also identify those intersections that would continue operate at unacceptable levels after implementation of LOS improvement measures, along with the constraint resulting in the intersection not being able to meet the LOS threshold. In locations where the LOS effect could not be reduced such that it would not exceed the applicable threshold by implementing the County's standard number of approach lanes, the County has proposed alternative LOS improvement measures, which are shown in the "Alternative LOS Improvement Measures" column. These generally include providing additional turn lanes, carrying an additional through lane past the intersection, or designating the intersection as a High Capacity Intersection. These alternative LOS improvement measures would either fully improve the intersection LOS to acceptable levels or substantially improve the intersection LOS. Constraints to the implementation of LOS improvement measures (e.g., maximum general plan lanes, existing development) are identified in the "Constraint if Unable to Meet LOS Threshold" column. Detailed intersection operations calculations and the full list of study area intersection operating conditions are included in Appendix TR-1. Additionally, detailed descriptions of the "High Capacity Intersections" identified in Table SI-25b are provided in Appendix TR-1.

Implementation of LOS Improvement Measures TR-4, TR-5, TR-7, and CU-TR-2 would result in fair share payments toward improvements that would reduce the cumulative intersection effects of the Project. Several intersections would operate acceptably with implementation of the improvements. LOS improvement measures would generally involve improvements within the alignment or widening of the roadway. The programmatic impacts of constructing these improvements have been evaluated within the scope of the technical sections of the Draft EIR. However, as shown in Table SI-25a and Table SI-25b, because many intersections have reached the maximum number of lanes allowed under the general plan, alternative LOS improvement measures, which are subject to the same constraints as the primary LOS improvement measures, were recommended. But, even with implementation of these alternative LOS improvement measures, some intersections would continue to operate unacceptably. Thus, the addition of vehicle trips generated by Jackson Corridor Projects would result in the exceedance of applicable LOS and delay thresholds under Cumulative Plus Jackson Corridor Projects (Project) conditions.

ALTERNATIVE 2

- ~~The Project Applicant shall implement LOS Improvement Measures TR-4, TR-5, TR-7, and CU-TR-2.~~

The Project Applicant shall implement the set of improvements assigned to the Project by the tool (LOS Improvement Measure TR-4) as identified in Table SI-26a and Table SI-27a. Table SI-26a and Table SI-27a summarize recommended LOS improvement measures and the results of the operations analysis for the traffic study area intersections with improvements, which does not exceed the County's standard number of approach lanes, under the Cumulative Plus Jackson Corridor Projects (Alternative 2) scenario. Table SI-26b and Table SI-27b summarize recommended LOS improvement measures and the results of the operations analysis for the traffic study area intersections with ultimate improvement, which may exceed the County's standard number of approach lanes, under the Cumulative Plus Jackson Corridor Projects (Alternative 2) scenario.

Shaded table cells indicate those locations where changes in traffic control and/or number of approach lanes by type have been made to improve LOS at intersections operating at unacceptable levels, which would be the responsibility of the Jackson Corridor Projects to fund. Table SI-27a and Table SI-27b also identify those intersections that would continue operate at unacceptable levels after implementation of LOS improvement measures, along with the constraint prohibiting the intersection from achieving the LOS threshold. Detailed intersection operations calculations and the full list of study area intersection operating conditions are included in Appendix TR-1. Additionally, detailed descriptions of the "High Capacity Intersections" identified in Table SI-27b are provided in Appendix TR-1.

Implementation of LOS Improvement Measures TR-4, TR-5, TR-7, and CU-TR-2 would result in fair share payments toward improvements that would reduce the cumulative intersection effects of Alternative 2. Several intersections would operate acceptably with implementation of LOS improvement measures. LOS improvement measures would generally involve improvements within the alignment or widening of the roadway. The programmatic impacts of constructing these improvements have been evaluated within the scope of the technical sections of the Draft EIR. However, as shown in Table SI-26a and Table SI-27b, because many intersections have reached the maximum number of lanes

allowed under the general plan, alternative LOS improvement measures, which are subject to the same constraints as the primary LOS improvement measures, were recommended. But, even with implementation of these alternative LOS improvement measures, some intersections would continue to operate unacceptably. Thus, the addition of vehicle trips generated by Project buildout would result in the exceedance of applicable LOS and delay thresholds under Cumulative Plus Jackson Corridor Projects (Alternative 2) conditions.

This page intentionally left blank.

Table SI-24a: Cumulative Plus Jackson Corridor Projects (Project) Intersection Operations and County Standard Intersection Geometry

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Cumulative Plus Jackson Corridor Projects			Cumulative Plus Jackson Corridor Projects with County Standard LOS Improvement Measures			Alternative LOS Improvement Measures Needed	Cumulative Plus Jackson Corridor Projects			Cumulative Plus Jackson Corridor Projects with County Standard LOS Improvement Measures			Alternative LOS Improvement Measures Needed
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
3	Power Inn Road/Howe Avenue & Folsom Blvd	Signal	F	91.7	Signal	-	-	Yes	Signal	F	84.6	Signal	-	-	Yes
4	Power Inn Road & 14th Avenue	Signal	F	157.9	Signal	F	116.0	Yes	Signal	F	116.5	Signal	F	104.9	Yes
12	Watt Avenue & Folsom Blvd.	Signal	F	180.3	Signal	-	-	Yes	Signal	F	203.6	Signal	-	-	Yes
14	S. Watt Avenue & Kiefer Blvd.	Signal	F	101.5	Signal	F	91.0	Yes	Signal	E	75.9	Signal	E	68.1	No
16	S. Watt Avenue & Jackson Road	Signal	F	234.0	Signal	F	147.2	Yes	Signal	F	191.8	Signal	F	125.7	Yes
17	S. Watt Avenue & Fruitridge Road	Signal	E	71.5	Signal	D	39.2	No	Signal	F	102.4	Signal	D	54.0	No
20	Elk Grove Florin Road/S. Watt Ave. & Florin Road	Signal	F	277.4	Signal	F	146.0	No	Signal	F	204.3	Signal	F	122.6	No
23	Hedge Avenue & Jackson Road	Signal	F	128.3	Signal	D	48.1	No	Signal	D	40.4	Signal	B	19.8	No
25	Hedge Avenue & Elder Creek Road	Signal	F	109.3	Signal	-	-	Yes	Signal	F	122.4	Signal	-	-	Yes
28	Mayhew Road & Kiefer Boulevard	Signal	F	97.5	Signal	E	73.5	No	Signal	E	72.8	Signal	E	60.6	No
29	Mayhew Road & Jackson Road	Signal	F	160.2	Signal	E	69.7	No	Signal	F	129.9	Signal	E	77.9	No
31	Mayhew Road & Elder Creek Road	Signal	F	>300	Signal	E	79.8	No	Signal	F	>300	Signal	D	41.4	No
32	Woodring Drive & Zinfandel Drive	Two-way stop			Round	A	8.8	No	Two-way stop			Round	B	10.5	No
	Eastbound		F	85.7						F	247.0				
	Northbound Left Turn		B	10.6						B	12.4				
35	Bradshaw Road & US 50 EB Ramps	Signal	E	56.8	Signal	-	-	Yes	Signal	D	39.7	Signal	-	-	No
36	Bradshaw Road & Old Placerville Road	Signal	F	103.0	Signal	F	101.3	Yes	Signal	F	84.8	Signal	E	77.2	Yes
37	Bradshaw Road & Kiefer Boulevard	Signal	F	146.6	Signal	F	119.8	Yes	Signal	F	140.2	Signal	F	116.4	Yes
38	Bradshaw Road & Jackson Road	Signal	F	161.3	Signal	-	-	No	Signal	F	161.2	Signal	-	-	Yes
39	Bradshaw Road & Elder Creek Road	Signal	F	210.1	Signal	F	96.6	No	Signal	F	226.7	Signal	D	67.9	No
42	Happy Lane & Old Placerville Road	Two-way stop			Modify access control to allow only right-in and right-out on Happy Lane. Median will allow Westbound left-turns to Happy Lane. Construct 4-lane Routier extension.			No	Two-way stop			Modify access control to allow only right-in and right-out on Happy Lane. Median will allow Westbound left-turns to Happy Lane. Construct 4-lane Routier extension.			No
	Northbound Left Turn		F	>300						F	>300				
	Northbound Right Turn		F	243.1						F	61.9				
	Westbound Left Turn		C	22.5						E	42.4				
43	Happy Lane & Kiefer Boulevard	Signal	F	140.2	Signal	-	-	Yes	Signal	E	70.8	Signal	-	-	No
45	Excelsior Road & Jackson Road	Signal	F	>300	Signal	F	118.6	Yes	Signal	F	280.2	Signal	F	150.7	Yes
46	Excelsior Road & Elder Creek Road	Signal	F	88.7	Signal	B	14.6	No	Signal	E	60.6		B	17.3	No
47	Excelsior Road & Florin Road	Signal	F	109.4	Signal	D	47.2	No	Signal	E	68.0	Signal	E	67.3	No
51	Mather Field Road & Rockingham Drive	Signal	F	>300	Signal	-	-	Yes	Signal	F	169.0	Signal	-	-	Yes
58	Zinfandel Drive & Douglas Road	Signal	F	219.8	Signal	E	61.9	No	Signal	F	218.2	Signal	E	68.4	No
61	Eagles Nest Road & Florin Road	Two-way stop			Signal	F	142.4	Yes	Two-way stop			Signal	F	137.7	Yes
	Northbound		F	>300						F	>300				

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Cumulative Plus Jackson Corridor Projects			Cumulative Plus Jackson Corridor Projects with County Standard LOS Improvement Measures			Alternative LOS Improvement Measures Needed	Cumulative Plus Jackson Corridor Projects			Cumulative Plus Jackson Corridor Projects with County Standard LOS Improvement Measures			Alternative LOS Improvement Measures Needed
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
	Southbound		F	>300						F	>300				
	Eastbound Left Turn		B	11						A	9.4				
	Westbound Left Turn		A	8						A	8.7				
67	Sunrise Boulevard & Douglas Road	Signal	F	192.2	Signal	-	-	Yes	Signal	F	107.9	Signal	-	-	Yes
69	Sunrise Boulevard & Kiefer Boulevard	Signal	F	>300	Signal	F	118.3	No	Signal	F	259.2	Signal	E	71.1	No
70	Sunrise Boulevard & Jackson Road	Signal	F	90.3	Signal	D	54.4	No	Signal	E	78.3	Signal	D	52.8	No
72	Sheldon Lake Drive/Sunrise Boulevard & Grant Line Road	Signal	F	127.9	Signal	-	-	Yes	Signal	E	71.0	Signal	-	-	Yes
80	Grant Line Road & Jackson Road	Signal	F	117.3	Signal	E	76.3	No	Signal	F	106.5	Signal	C	34.0	No
86	Power Inn Road & Florin Rd	Signal	F	116.1	Signal	E	60.5	No	Signal	E	72.5	Signal	D	46.2	No
87	Florin Perkins Road & Florin Rd	Signal	E	59.3	Signal	E	58.8	No	Signal	F	113.8	Signal	F	100.0	No
91	Grant Line Rd & Eagles Nest Rd/Sloughhouse Rd	Signal	D	43.2	Signal	D	39.2	No	Signal	D	52.0	Signal	D	36.8	No
92	Grant Line Rd & Calvine Rd	Signal	D	36.5	Signal	B	11.3	No	Signal	C	27.4	Signal	A	9.3	No
93	Grant Line Rd & Dwy/Wilton Rd	Signal	F	83.4	Signal	E	59.7	No	Signal	F	97.4	Signal	F	82.2	Yes
95	Florin Perkins Road & 14th Avenue	Signal	E	65.6	Signal	-	-	Yes	Signal	D	45.3	Signal	-	-	No
96	Jackson Road & 14th Avenue	Signal	F	119.8	Signal	-	-	Yes	Signal	D	54.7	Signal	-	-	Yes
103	Rancho Cordova Pkwy & Douglas Road	Signal	E	57.9	Signal	-	-	No	Signal	E	77.2	Signal	-	-	Yes
303	Rock Creek Pkwy & Jackson Road	Signal	F	128.3	Signal	E	77.4	No	Signal	F	96.4	Signal	D	54.7	No
308	Hedge Avenue & Rock Creek Pkwy WB	Round	E	49.0	Round	B	13.8	No	Round	A	9.9	Round	B	13.4	No
310	Mayhew Road & Rock Creek Pkwy WB	Round	F	297.2	Round	-	-	Yes	Round	F	210.1	Round	-	-	Yes
311	Mayhew Road & Rock Creek Pkwy EB	Round	F	191.0	Round	-	-	Yes	Round	F	>300	Round	-	-	Yes
318	Bradshaw Road & Mayhew Road	Signal	F	163.9	Signal	F	120.2	Yes	Signal	F	128.4	Signal	F	103.6	Yes
319	Bradshaw Road & Collector WJ-10	Signal	F	190.9	Signal	D	44.6	No	Signal	C	28.5	Signal	C	20.5	No
325	Douglas Road & Kiefer Boulevard	Signal	F	162.1	Signal	F	125.9	Yes	Signal	F	103.1	Signal	F	95.7	Yes
329	Routier Ext & Kiefer Boulevard	Signal	F	88.4	Signal	-	-	Yes	Signal	E	71.4	Signal	-	-	Yes
331	Routier Ext/Routier Rd & Old Placerville Road	Signal	F	168.4	Signal	F	130.5	Yes	Signal	F	118.4	Signal	F	110.8	Yes
400	Collector JT-3 & Jackson Road	Signal	F	83.6	Signal	D	47.3	No	Signal	D	48.2	Signal	C	20.7	No

Note: Gray shading represents changes in traffic control that the project is responsible to provide.
 Bold values do not meet LOS policy. **Red** values with light gray shading indicate project effect.
 Source: DKS Associates 2019

Table SI-24b: Cumulative Plus Jackson Corridor Projects (Project) County Standard and Ultimate LOS Improvement Measures

Intersection		A.M. Peak Hour						P.M. Peak Hour					
		Cumulative Plus Jackson Corridor Projects with County Standard LOS Improvement Measures			Cumulative Plus Jackson Corridor Projects with Ultimate LOS Improvement Measures			Cumulative Plus Jackson Corridor Projects with County Standard LOS Improvement Measures			Cumulative Plus Jackson Corridor Projects with Ultimate LOS Improvement Measures		
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)
3	Power Inn Road/Howe Avenue & Folsom Blvd	Signal	F	91.7	-	-	-	Signal	F	84.6	-	-	-
4	Power Inn Road & 14th Avenue	Signal	F	116.0	-	-	-	Signal	F	104.9	-	-	-
12	Watt Avenue & Folsom Blvd.	Signal	F	180.3	Signal	D	40.6	Signal	F	203.6	Signal	D	41.7
14	S. Watt Avenue & Kiefer Blvd.	Signal	F	91.0	Signal	SB Ramps A NB Ramps A	SB Ramps 6.5 NB Ramps 4.8	Signal	E	68.1	Signal	SB Ramps B NB Ramps A	SB Ramps 13.9 NB Ramps 5.1
16	S. Watt Avenue & Jackson Road	Signal	F	147.2	-	-	-	Signal	F	125.7	-	-	-
25	Hedge Avenue & Elder Creek Road	Signal	F	109.3	Signal	E	61.0	Signal	F	122.4	Signal	E	74.3
35	Bradshaw Road & US 50 EB Ramps	Signal	E	56.8	-	-	-	Signal	D	39.7	-	-	-
36	Bradshaw Road & Old Placerville Road	Signal	F	101.3	-	-	-	Signal	E	77.2	-	-	-
37	Bradshaw Road & Kiefer Boulevard	Signal	F	119.8	-	-	-	Signal	F	116.4	-	-	-
38	Bradshaw Road & Jackson Road	Signal	F	161.3	Grade Separate			Signal	F	161.2	Grade Separate		
42	Happy Lane & Old Placerville Road	Modify access control to allow only right-in and right-out on Happy Lane. Median will allow Westbound left-turns to Happy Lane. Alternative mitigation is to construct the 4-lane Routier extension from Old Placerville Rd to Kiefer Blvd.											
43	Happy Lane & Kiefer Boulevard	Signal	F	140.2	Signal	C	26.5	Signal	E	70.8	Signal	B	19.7
45	Excelsior Road & Jackson Road	Signal	F	118.6	-	-	-	Signal	F	150.7	-	-	-
51	Mather Field Road & Rockingham Drive	Signal	F	>300	-	-	-	Signal	F	169.0	-	-	-
61	Eagles Nest Road & Florin Road	Signal	F	142.4	Signal	D	50.4	Signal	F	137.7	Signal	D	45.5
67	Sunrise Boulevard & Douglas Road	Signal	F	192.2	-	-	-	Signal	F	107.9	-	-	-
72	Sheldon Lake Drive/Sunrise Boulevard & Grant Line Road	Signal	F	127.9	Signal	E	68.0	Signal	E	71.0	Signal	C	27.3
93	Grant Line Rd & Dwy/Wilton Rd	Signal	E	59.7	Signal	C	22.0	Signal	F	82.2	Signal	C	28.6
95	Florin Perkins Road & 14th Avenue	Signal	E	65.6	-	-	-	Signal	D	45.3	-	-	-
96	Jackson Road & 14th Avenue	Signal	F	119.8	-	-	-	Signal	D	54.7	-	-	-
103	Rancho Cordova Pkwy & Douglas Road	Signal	E	57.9	Signal	D	39.0	Signal	E	77.2	Signal	E	62.7
310	Mayhew Road & Rock Creek Pkwy WB	Round	F	297.2	Signal	E	78.6	Round	F	210.1	Signal	D	40.5
311	Mayhew Road & Rock Creek Pkwy EB	Round	F	191.0				Round	F	>300			
318	Bradshaw Road & Mayhew Road	Signal	F	120.2	Signal	E	78.3	Signal	F	103.6	Signal	E	68.6
325	Douglas Road & Kiefer Boulevard	Signal	F	125.9	-	-	-	Signal	F	95.7	-	-	-
329	Routier Ext & Kiefer Boulevard	Signal	F	88.4	Signal	D	48.6	Signal	E	71.4	Signal	E	59.4
331	Routier Ext/Routier Rd & Old Placerville Road	Signal	F	130.5	Signal	D	53.6	Signal	F	110.8	Signal	D	35.0

Note: Gray shading represents changes in traffic control that the project is responsible to provide.
 Bold values do not meet LOS policy. Red values with light gray shading indicate project impacts.
 Source: DKS Associates 2019

Table SI-25a: Cumulative Plus Jackson Corridor Projects (Project) Intersection and Improvement Measures

Intersection		Traffic Control		Super Cumulative Plus Jackson Corridor Projects Lane Geometrics				Super Cumulative Plus Jackson Corridor Projects Lane Geometrics with County Standard LOS Improvement Measures				LOS Threshold Exceeded with LOS Improvement Measures?
		Super Cumulative Plus Jackson Corridor Projects	Super Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
3	Power Inn Road/Howe Avenue & Folsom Blvd.	Signal	Signal	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↗	↘↘↑↑↗↗	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↗	↘↘↑↑↗↗	Yes
4	Power Inn Road & 14th Avenue	Signal	Signal	↘↑↑↗	↗↓↑↓↘↘	↘↑↗	↘↑↗	↘↑↑↗	↗↓↑↓↘↘	↘↑↗	↘↑↗↗	Yes
12	S. Watt Ave./Watt Avenue & Folsom Blvd.	Signal	Signal	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↑↗	↘↘↑↑↗	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↑↗	↘↘↑↑↗	Yes
14	S. Watt Avenue & Kiefer Blvd.	Signal	Signal	↘↘↑↑↗	↗↓↑↘↘	↘↘↑↑↗	↘↘↑↑↗	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↑↗	↘↘↑↑↗	Yes
16	S. Watt Avenue & Jackson Road	Signal	Signal	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↑↗	↘↘↑↑↗	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↑↑↗	↘↘↑↑↑↗	Yes
17	S. Watt Avenue & Fruitridge Road	Signal	Signal	↘↑↑↑↗	↗↓↑↓↘↘	↘↑↗	↘↘↑↑↗	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↑↗	↘↘↑↑↗	No
20	Elk Grove Florin Road/S. Watt Ave. & Florin Road	Signal	Signal	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↑↑↗	↘↑↑↗	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↑↑↗	↘↘↑↑↑↗	No
23	Hedge Avenue & Jackson Road	Signal	Signal	↘↑↗	↗↓↘	↘↑↑↗	↘↑↑↗	↘↑↗	↗↓↘	↘↑↑↗	↘↑↑↗	No
25	Hedge Avenue & Elder Creek Road	Signal	Signal	↘↑↗	↗↓↘	↘↑↗	↘↑↗	↘↑↗	↗↓↘	↘↑↗	↘↑↗	Yes
28	Mayhew Road & Kiefer Boulevard	Signal	Signal	↘↑↗	↗↓↘	↘↑↗	↘↑↗	↘↑↗	↗↓↘	↘↑↗	↘↑↑↗	No
29	Mayhew Road & Jackson Road	Signal	Signal	↘↘↑↑↗	↗↓↑↘↘	↘↘↑↑↑↗	↘↘↑↑↑↗	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↑↑↗	↘↘↑↑↑↗	No
31	Waterman Road/Mayhew Road & Elder Creek Road	Signal	Signal	↘↘↑↑↗	↗↓↘	↘↑↗	↘↑↗	↘↘↑↑↗	↗↓↑↘↘	↘↘↑↑↑↗	↘↘↑↑↑↗	No
32	Woodring Drive & Zinfandel Drive	Two-way stop	Roundabout	↘↑↑	↗↓	↘		↘↑	↗↓	↘		No
35	Bradshaw Road & US 50 Eastbound Ramps	Signal	Signal	↑↑↑↗	↗↓↑↓	↘↘↗↗		↑↑↑↗	↗↓↑↓	↘↘↗↗		Yes
36	Bradshaw Road & Old Placerville Road	Signal	Signal	↘↑↑↑↗	↗↓↑↘↘	↘↗	↘↘↑↗	↘↑↑↑↗	↗↓↑↘↘	↘↑↗	↘↘↑↗	Yes
37	Bradshaw Road & Kiefer Boulevard	Signal	Signal	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↑↗	↘↘↑↑↗	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↑↑↗	↘↘↑↑↑↗	Yes
38	Jackson Road & Bradshaw Road	Signal	Signal	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↑↑↗	↘↘↑↑↑↗	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↑↑↗	↘↘↑↑↑↗	Yes
39	Bradshaw Road & Elder Creek Road	Signal	Signal	↘↑↑↗	↗↓↑↓↘↘	↘↘↗	↘↘↑↑↗	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↑↑↗	↘↘↑↑↑↗	No
42	Happy Lane & Old Placerville Road	Two-way stop	Access Control	↘↗		↑↗	↘↑↑	Happy Lane to become right-in and right-out only. Median will allow westbound left turns.				No
43	Kiefer Boulevard & Happy Ln	Signal	Signal		↗↓↘	↘↑↑↑	↑↑↑↗		↗↓↘	↘↑↑↑	↑↑↑↗	No
45	Excelsior Road & Jackson Road	Signal	Signal	↘↗	↗↓↑↘↘	↘↘↑↑↑↗	↘↘↑↑↑↗	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↑↑↗	↘↘↑↑↑↗	Yes
46	Excelsior Road & Elder Creek Road	Signal	Signal	↘↑	↗↓↑	↘↗		↘↑↑	↗↓↑	↘↗		No
47	Excelsior Road & Florin Road	Signal	Signal	↘↗	↗↓↘	↘↗	↘↗	↘↑↗	↗↓↘	↘↗	↘↗	No
51	Mather Field Road & Rockingham Drive	Signal	Signal	↘↑↑↗	↗↓↑↓↘↘	↘↘↗	↘↗	↘↑↑↗	↗↓↑↓↘↘	↘↘↗	↘↗	Yes
58	Zinfandel Drive & Douglas Road	Signal	Signal	↘↗	↗↓↘↘	↘↑↗	↘↘↑↑↗	↘↘↑↑↗	↗↓↑↘↘	↘↘↑↑↑↗	↘↘↑↑↑↗	No
61	Eagles Nest Rd/Eagles Nest Road & Florin Road	Two-way stop	Signal	↘	↗↘	↘	↘	↘	↗↘	↘	↘	Yes
67	Sunrise Boulevard & Douglas Road	Signal	Signal	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↑↗	↘↘↑↑↑↗	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↑↑↗	↘↘↑↑↑↗	Yes
69	Sunrise Boulevard & Kiefer Boulevard	Signal	Signal	↘↑↑↗	↗↓↘↘	↘↘↑↑↗	↘↗	↘↘↑↑↑↗	↗↓↑↓↘↘	↘↘↑↑↗	↘↘↑↑↗	No

Intersection		Traffic Control		Super Cumulative Plus Jackson Corridor Projects Lane Geometrics				Super Cumulative Plus Jackson Corridor Projects Lane Geometrics with County Standard LOS Improvement Measures				LOS Threshold Exceeded with LOS Improvement Measures?
		Super Cumulative Plus Jackson Corridor Projects	Super Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
70	Jackson Road & Sunrise Boulevard	Signal	Signal	↖↖↑↑↗	↗↓↑↓↖↖	↖↖↑↑↗	↖↖↑↑↗	↖↖↑↑↗	↗↓↑↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↑↗	No
72	Sheldon Lake Drive/Sunrise Boulevard & Grant Line Rd/Grant	Signal	Signal	↗	↗↖	↖↑↑↗	↖↑↗	↗	↗↖	↖↖↑↑↗	↖↑↗	Yes
80	Grant Line Road & Jackson Road	Signal	Signal	↖↖↑↑↗	↗↓↑↓↖↖	↖↖↑↑↗	↖↖↑↑↗	↖↖↑↑↑↗	↗↗↓↑↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↑↗	No
86	Power Inn Road & Florin Rd	Signal	Signal	↖↑↗	↗↓↑↓↖	↖↑↑↗	↖↑↑↑↗	↖↖↑↑↗	↗↓↑↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↑↗	No
87	Florin Perkins Road & Florin Rd	Signal	Signal	↖↑↑↗	↗↓↑↓↖	↖↑↗	↖↑↑↗	↖↖↑↑↗	↗↓↑↓↖	↖↑↗	↖↑↑↗	
91	Grant Line Rd & Eagles Nest Rd/Sloughhouse Rd	Signal	Signal	↖↑↑↗	↗↓↖	↗	↖↗	↖↑↗	↗↓↖	↖↑↗	↖↑↗	No
92	Grant Line Rd & Calvine Rd	Signal	Signal	↖↑↑	↗↓	↖↗		↖↖↑↑	↗↓↓	↖↖↗		No
93	Grant Line Rd & Driveway/Wilton Rd	Signal	Signal	↖↑↗	↗↓↖	↖↗	↖↗	↖↑↗	↗↓↖	↖↗	↖↑↗	Yes
95	Florin Perkins Road & 14th Avenue	Signal	Signal	↖↖↑↑↗	↗↓↑↓↖↖	↖↖↑↑↗	↖↖↑↑↗	↖↖↑↑↗	↗↓↑↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	Yes
96	14th Avenue & Jackson Road	Signal	Signal		↖↖	↖↑↑	↑↑↗		↖↖	↖↖↑↑	↑↑↗	Yes
103	Rancho Cordova Pkwy & Douglas Road	Signal	Signal	↖↖↑↑↗	↗↓↑↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	↖↖↑↑↗	↗↓↑↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↑↗	Yes
303	Vineyard Road & Jackson Road	Signal	Signal	↖↖↑↗	↗↓↖	↖↖↑↑↑↗	↖↖↑↑↑↗	↖↖↑↑↗	↗↓↑↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↑↗	No
308	Hedge Avenue & Rock Creek Pkwy Westbound	Roundabout	Roundabout	↖	↗		↗	↖	↗		↗↖	No
310	Mayhew Road & Rock Creek Pkwy Westbound	Roundabout	Signal	↖↑	↗↓		↗	↖↑↑↗	↗↓↓↖	↖↑↗	↖↑↗	Yes
311	Mayhew Road & Rock Creek Pkwy Eastbound	Roundabout		↑↗	↓↖	↗						Yes
318	Bradshaw Road & Mayhew Road	Signal	Signal	↖↖↑↑↑↗	↗↗↓↑↓↖↖	↖↖↑↑↗	↖↖↑↑↗	↖↖↑↑↑↗	↗↗↗↓↑↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↑↗	Yes
319	Bradshaw Road & Collector WJ-10	Signal	Signal	↑↑↗	↓↑↓↖		↖↗	↑↑↑↗	↓↑↓↖↖		↖↖↗	No
325	Douglas Road Extension & Kiefer Boulevard	Signal	Signal	↖↖↑↑↗	↗↓↑↓↖↖	↖↖↑↑↑↗	↖↖↑↑↗	↖↖↑↑↗	↗↓↑↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↑↗	Yes
329	Routier Ext & Kiefer Boulevard	Signal	Signal	↖↖↑↑↗	↗↓↑↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	↖↖↑↑↗	↗↓↑↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↑↗	Yes
331	Routier Ext/Routier Rd & Old Placerville Road	Signal	Signal	↖↑↑↗	↗↓↑↓↖↖	↖↑↑↗	↖↖↑↗	↖↖↑↑↗	↗↓↑↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↑↗	Yes
400	Collector JT-3 & Jackson Road	Signal	Signal		↗↖	↖↖↑↑	↑↑↗		↗↗↖	↖↖↑↑↑↑	↑↑↗	No

¹ High capacity intersections are defined in the Sacramento County General Plan and may include grade separations, additional turn lanes, and/or other features as deemed appropriate by the County.
² Alternative LOS improvement measures represent proposed LOS improvement measures beyond the General Plan or standard intersection geometry, excluding high capacity intersections, as proposed by the County of Sacramento.
Note: Gray shading represents changes in traffic control or approach lanes for which the project is responsible to pay a fair share.
Source: DKS Associates 2019

Table SI-25b: Cumulative Plus Jackson Corridor Projects (Project) Intersection LOS Deficiencies and Improvement Measures

Intersection		Traffic Control		Super Cumulative Plus Jackson Corridor Projects Lane Geometrics with County Standard LOS Improvement Measures				Super Cumulative Plus Jackson Corridor Projects Lane Geometrics with Ultimate LOS Improvement Measures				LOS Threshold Exceeded with LOS Improvement Measures?	High Capacity Inter- section? ¹	Alternative LOS Improvement Measures ²	Constraint if Unable to Meet LOS Threshold
		Super Cumulative Plus Jackson Corridor Projects	Mitigated Super Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach				
3	Power Inn Road/Howe Avenue & Folsom Blvd.	Signal	Signal	↖↖↑↑↑↗	↘↓↓↓↙↙	↖↖↑↗	↖↖↑↑↗↗	↖↖↑↑↑↗	↘↓↓↓↙↙	↖↖↑↗	↖↖↑↑↗↗	Yes	No		Existing development
4	Power Inn Road & 14th Avenue	Signal	Signal	↖↑↑↗	↘↓↓↓↙↙	↖↑↗	↖↑↗↗	↖↑↑↗	↘↓↓↓↙↙	↖↑↗	↖↑↗↗	Yes	No		Existing development
12	S. Watt Ave./Watt Avenue & Folsom Blvd.	Signal	Signal	↖↖↑↑↑↗	↘↓↓↓↙↙	↖↖↑↑↗	↖↖↑↑↗	↘↗	↘↘↙	↖↖↑↑↗	↖↖↑↑↗	No	Yes	Grade separated NBT and SBT	
14	S. Watt Avenue & Kiefer Blvd.	Signal	Signal	↖↖↑↑↗	↘↓↓↓↙↙	↖↖↑↑↗	↖↖↑↑↗		↘↘↙	↑↑↗	↖↑↑	No	Yes	Tight Diamond Interchange (SB Watt Ramps/Kiefer intersection shown)	
									↑↑↗	↖↑↑	Tight Diamond Interchange (NB Watt Ramps/Kiefer intersection shown)				
16	S. Watt Avenue & Jackson Road	Signal	Signal	↖↖↑↑↑↗	↘↓↓↓↙↙	↖↖↑↑↑↗	↖↖↑↑↑↗	↖↖↑↑↑↗	↘↘↓↓↓↙↙	↖↖↑↑↑↗	↖↖↑↑↑↗	Yes	Yes	Triple NBL, Free WBR and SBL via tunnel	Maximum General Plan Lanes
25	Hedge Avenue & Elder Creek Road	Signal	Signal	↖↑↗	↘↓↓↙	↖↑↗	↖↑↗	↖↖↑↗	↘↓↓↙	↖↑↗	↖↑↗	No	No	Dual NBL, Dual SBL	
35	Bradshaw Road & US 50 Eastbound Ramps	Signal	Signal	↑↑↑↗	↘↓↓↓	↖↖↗↗		↑↑↑↗	↘↓↓↓	↖↖↗↗		Yes	No		Maximum General Plan Lanes
36	Bradshaw Road & Old Placerville Road	Signal	Signal	↖↑↑↑↗	↘↓↓↓↙↙	↖↑↗	↖↖↑↗	↖↑↑↑↗	↘↓↓↓↙↙	↖↑↗	↖↖↑↗	Yes	No		Existing development
37	Bradshaw Road & Kiefer Boulevard	Signal	Signal	↖↖↑↑↑↗	↘↓↓↓↙↙	↖↖↑↑↑↗	↖↖↑↑↑↗	↖↖↑↑↑↗	↘↓↓↓↙↙	↖↖↑↑↑↗	↖↖↑↑↑↗	Yes	No	Carry 3 EBT and 3 WBT lanes through intersection	Maximum General Plan Lanes
38	Jackson Road & Bradshaw Road	Signal	Signal	↖↖↑↑↑↗	↘↓↓↓↙↙	↖↖↑↑↑↗	↖↖↑↑↑↗	Grade Separate				No	No		
42	Happy Lane & Old Placerville Road	Access Control	Access Control	Happy Lane to become right-in and right-out only. Median will allow westbound left turns.								Yes	No	Construct 4-lane Route extension from Old Placerville Rd to Kiefer Blvd	Maximum General Plan Lanes
43	Kiefer Boulevard & Happy Ln	Signal	Signal		↘↙	↖↑↑↑	↑↑↗		↘↘↙	↓↓↓↓	↑↑↑↗	No	No		Maximum lanes
45	Excelsior Road & Jackson Road	Signal	Signal	↖↖↑↑↑↗	↘↓↓↓↙↙	↖↖↑↑↑↗	↖↖↑↑↑↗	↖↖↑↑↑↗	↘↓↓↓↙↙	↖↖↑↑↑↗	↖↖↑↑↑↗	Yes	No	NBR overlap	Maximum General Plan Lanes
51	Mather Field Road & Rockingham Drive	Signal	Signal	↖↑↑↗	↘↓↓↓↙↙	↖↘↗	↘↗	↖↑↑↗	↘↓↓↓↙↙	↖↘↗	↘↗	Yes	No		Existing development
61	Eagles Nest Rd/ Eagles Nest Road & Florin Road	Signal	Signal	↘↗	↗	↘↗	↘↗	↖↗	↘↙	↖↗	↖↗	No	No		

Intersection		Traffic Control		Super Cumulative Plus Jackson Corridor Projects Lane Geometrics with County Standard LOS Improvement Measures				Super Cumulative Plus Jackson Corridor Projects Lane Geometrics with Ultimate LOS Improvement Measures				LOS Threshold Exceeded with LOS Improvement Measures?	High Capacity Intersection? ¹	Alternative LOS Improvement Measures ²	Constraint if Unable to Meet LOS Threshold
		Super Cumulative Plus Jackson Corridor Projects	Mitigated Super Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach				
67	Sunrise Boulevard & Douglas Road	Signal	Signal	↖↗↑↑↑↘	↗↓↓↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	↖↗↑↑↑↘	↗↓↓↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	Yes	No		Maximum General Plan Lanes
72	Sheldon Lake Drive/Sunrise Boulevard & Grant Line Rd/Grant	Signal	Signal	↘	↗↖	↖↗↑↑↘	↖↑↘	↘	↗↖	↖↗↑↑↘	↖↑↘	No	No		
93	Grant Line Rd & Driveway/Wilton Rd	Signal	Signal	↖↑↘	↗↓↓↖	↖↘	↖↑↘	↖↑↑↘	↗↓↓↖↖	↖↘	↖↗↘↘	No	No	Dual SBL, Dual WBL, Dual WBR	
95	Florin Perkins Road & 14th Avenue	Signal	Signal	↖↗↑↑↘	↗↓↓↓↖↖	↖↗↑↑↘	↖↗↑↑↘	↖↗↑↑↘	↗↓↓↓↖↖	↖↗↑↑↘	↖↗↑↑↘	Yes	No		Maximum lanes
96	14th Avenue & Jackson Road	Signal	Signal		↖↖	↖↗↑↑	↑↑↘		↖↖	↖↑↑	↑↑↘	Yes	No		Maximum lanes
103	Rancho Cordova Pkwy & Douglas Road	Signal	Signal	↖↗↑↑↘	↗↓↓↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	↖↗↑↑↑↘	↗↓↓↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	No	No	WBR Overlap	Maximum General Plan lanes
310	Mayhew Road & Rock Creek Pkwy Westbound	Roundabout	Signal	↖↑	↗↓		↘	↖↑↑↘	↗↓↓↖↖	↖↑↘	↖↑↘	No	No		
311	Mayhew Road & Rock Creek Pkwy Eastbound	Roundabout		↑↘	↓↖	↘						No	No		
318	Bradshaw Road & Mayhew Road	Signal	Signal	↖↗↑↑↑↘	↗↓↓↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	↖↗↑↑↑↘	↗↓↓↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	No	No	HCI, Triple EBL and dual SBR	Maximum General Plan lanes
325	Douglas Road Extension & Kiefer Boulevard	Signal	Signal	↖↗↑↑↘	↗↓↓↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	↖↗↑↑↘	↗↓↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	Yes	No		Maximum lanes
329	Routier Ext & Kiefer Boulevard	Signal	Signal	↖↗↑↑↘	↗↓↓↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	↖↗↑↑↑↘	↗↓↓↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	No	No		
331	Routier Ext/Routier Rd & Old Placerville Road	Signal	Signal	↖↗↑↑↘	↗↓↓↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	↖↗↑↑↘	↗↓↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	No	No	NBR overlap	

¹ High capacity intersections are defined in the Sacramento County General Plan and may include grade separations, additional turn lanes, and/or other features as deemed appropriate by the County.
² Alternative LOS reduction measures represent proposed LOS reduction measures beyond the General Plan or standard intersection geometry, excluding high capacity intersections, as proposed by the County of Sacramento.
Note: Gray shading represents changes in traffic control or approach lanes for which the project is responsible to pay a fair share.
Source: DKS Associates 2019

Table SI-26a: Cumulative Plus Jackson Corridor Projects (Alternative 2) Impacted Intersections Operations and County Standard Intersection Geometry

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Cumulative Plus Jackson Corridor Projects			County Standard Geometry Cumulative Plus Jackson Corridor Projects			Alternative LOS Improvement Measures	Cumulative Plus Jackson Corridor Projects			County Standard Geometry Cumulative Plus Jackson Corridor Projects			Alternative LOS Improvement Measures
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
3	Power Inn Road/Howe Avenue & Folsom Blvd	Signal	F	108.2	-	-	-	Yes	Signal	F	88.4	-	-	-	Yes
4	Power Inn Road & 14th Avenue	Signal	F	166.0	Signal	F	126.4	Yes	Signal	F	123.7	Signal	F	109.2	Yes
12	Watt Avenue & Folsom Blvd.	Signal	F	182.3	Signal	F	185.2	Yes	Signal	F	199.9	Signal	E	57.6	No
14	S. Watt Avenue & Kiefer Blvd.	Signal	F	91.8	Signal	F	83.2	Yes	Signal	E	73.3	Signal	E	66.2	No
16	S. Watt Avenue & Jackson Road	Signal	F	237.3	Signal	F	153.4	Yes	Signal	F	185.0	Signal	F	121.0	Yes
17	S. Watt Avenue & Fruitridge Road	Signal	F	93.1	Signal	D	44.0	No	Signal	F	114.3	Signal	D	49.6	No
20	Elk Grove Florin Road/S. Watt Ave. & Florin Road	Signal	F	>300	Signal	F	157.3	No	Signal	F	238.2	Signal	F	164.5	Yes
23	Hedge Avenue & Jackson Road	Signal	F	123.1	Signal	D	53.3	No	Signal	D	41.8	Signal	C	24.1	No
25	Hedge Avenue & Elder Creek Road	Signal	F	138.8	-	-	-	Yes	Signal	F	135.0	-	-	-	Yes
28	Mayhew Road & Kiefer Boulevard	Signal	F	91.2	Signal	E	68.2	No	Signal	E	74.2	Signal	E	62.4	No
29	Mayhew Road & Jackson Road	Signal	F	117.9	Signal	E	64.5	No	Signal	F	107.2	Signal	E	61.7	No
31	Mayhew Road & Elder Creek Road	Signal	F	>300	Signal	E	68.5	No	Signal	F	<300	Signal	D	43.3	No
32	Woodring Drive & Zinfandel Drive	Two-way stop			Round	A	8.7	No	Two-way stop			Round	B	10.4	No
	Eastbound		F	85.0						F	223.4				
	Northbound Left Turn		B	10.6						B	12.4				
36	Bradshaw Road & Old Placerville Road	Signal	F	101.6	Signal	F	98.6	Yes	Signal	F	82.4	Signal	E	76.4	No
37	Bradshaw Road & Kiefer Boulevard	Signal	F	144.2	Signal	F	117.3	Yes	Signal	F	137.6	Signal	F	113.1	Yes
38	Bradshaw Road & Jackson Road	Signal	F	172.2	-	-	-	No	Signal	F	161.0	-	-	-	Yes
39	Bradshaw Road & Elder Creek Road	Signal	F	173.1	Signal	E	66.1	No	Signal	F	201.7	Signal	D	49.4	No
40	Bradshaw Road & Florin Road	Signal	F	125.3	Signal	F	85.3	No	Signal	F	89.9	Signal	E	72.8	No
42	Happy Lane & Old Placerville Road	Two-way stop			Modify access control to allow only right-in and right-out on Happy Lane. Median will allow Westbound left-turns to Happy Lane. Construct 4-lane Routier extension.			Yes	Two-way stop			Modify access control to allow only right-in and right-out on Happy Lane. Median will allow Westbound left-turns to Happy Lane. Construct 4-lane Routier extension.			Yes
	Northbound Left Turn		F	>300						F	>300				
	Northbound Right Turn		F	236.0						C	19.2				
	Westbound Left Turn		C	23.4						F	53.3				
43	Happy Lane & Kiefer Boulevard	Signal	F	139.2	-	-	-	Yes	Signal	E	67.8	-	-	-	No
45	Excelsior Road & Jackson Road	Signal	F	330.8	Signal	F	106.9	Yes	Signal	F	269.1	Signal	F	144.6	Yes
47	Excelsior Road & Florin Road	Signal	F	111.2	Signal	D	48.4	No	Signal	E	74.2	Signal	E	73.1	No
51	Mather Field Road & Rockingham Drive	Signal	F	>300	-	-	-	Yes	Signal	F	170.3	-	-	-	Yes
58	Zinfandel Drive & Douglas Road	Signal	F	216.8	Signal	E	62.1	No	Signal	F	220.1	Signal	E	66.9	No
61	Eagles Nest Road & Florin Road	Two-way stop			Signal	F	121.3	Yes	Two-way stop			Signal	F	138.5	Yes
	Northbound		F	>300						F	>300				
	Southbound		F	>300						F	>300				

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Cumulative Plus Jackson Corridor Projects			County Standard Geometry Cumulative Plus Jackson Corridor Projects			Alternative LOS Improvement Measures	Cumulative Plus Jackson Corridor Projects			County Standard Geometry Cumulative Plus Jackson Corridor Projects			Alternative LOS Improvement Measures
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
	Eastbound Left Turn		B	11						A	9.3				
	Westbound Left Turn		A	0						A	8.7				
66	Sunrise Boulevard & International Drive/Monier Circle	Signal	F	118.6	-	-	-	Yes	Signal	E	76.7	-	-	-	No
67	Sunrise Boulevard & Douglas Road	Signal	F	190.0	Signal	F	189.8	Yes	Signal	F	105.4	Signal	F	90.9	Yes
69	Sunrise Boulevard & Kiefer Boulevard	Signal	F	>300	Signal	F	113.3	No	Signal	F	261.4	Signal	E	70.7	No
70	Sunrise Boulevard & Jackson Road	Signal	F	90.0	Signal	D	53.7	No	Signal	E	79.3	Signal	D	52.9	No
72	Sheldon Lake Drive/Sunrise Boulevard & Grant Line Road	Signal	F	120.4	Signal	D	36.4	No	Signal	E	71.0	Signal	E	70.1	Yes
80	Grant Line Road & Jackson Road	Signal	F	119.0	Signal	F	119.0	Yes	Signal	F	101.1	Signal	F	101.1	Yes
86	Power Inn Road & Florin Rd	Signal	F	119.3	Signal	E	57.1	No	Signal	E	73.9	Signal	D	47.1	No
91	Grant Line Rd & Eagles Nest Rd/Sloughhouse Rd	Signal	D	43.2	Signal	D	39.1	No	Signal	D	52.0	Signal	D	38.4	No
92	Grant Line Rd & Calvine Rd	Signal	D	36.5	Signal	B	11.6	No	Signal	C	30.9	Signal	A	9.5	No
93	Grant Line Rd & Dwy/Wilton Rd	Signal	F	83.4	Signal	E	59.8	No	Signal	F	95.2	Signal	F	82.1	Yes
95	Florin Perkins Road & 14th Avenue	Signal	E	67.8	-	-	-	Yes	Signal	D	46.9	-	-	-	No
96	Jackson Road & 14th Avenue	Signal	F	119.3	-	-	-	Yes	Signal	E	57.0	-	-	-	Yes
103	Rancho Cordova Pkwy & Douglas Road	Signal	E	57.9	Signal	E	57.2	No	Signal	E	76.1	Signal	E	76.1	Yes
303	Rock Creek Pkwy & Jackson Road	Signal	F	128.3	Signal	E	77.4	No	Signal	F	96.4	Signal	D	54.7	No
308	Hedge Avenue & Rock Creek Pkwy WB	Round	F	60.5	Round	C	15.5	No	Round	B	11.2	Round	B	10.2	No
310	Mayhew Road & Rock Creek Pkwy WB	Round	F	181.2	-	-	-	Yes	Round	F	106.4	-	-	-	Yes
311	Mayhew Road & Rock Creek Pkwy EB	Round	F	171.2	-	-	-	Yes	Round	F	215.2	-	-	-	Yes
318	Bradshaw Road & Mayhew Road	Signal	F	142.3	Signal	F	115.8	Yes	Signal	F	118.1	Signal	F	95.2	Yes
319	Bradshaw Road & Collector WJ-10	Signal	F	182.7	Signal	F	146.9	Yes	Signal	C	26.9	Signal	C	22.5	No
325	Douglas Road & Kiefer Boulevard	Signal	F	237.5	Signal	F	128.4	Yes	Signal	F	191.3	Signal	F	103.7	Yes
329	Routier Ext & Kiefer Boulevard	Signal	F	87.8	-	-	-	Yes	Signal	E	71.6	-	-	-	No
331	Routier Ext/Routier Rd & Old Placerville Road	Signal	F	164.0	Signal	F	127.4	Yes	Signal	F	117.3	Signal	F	108.8	Yes
400	Collector JT-3 & Jackson Road	Signal	F	81.2	Signal	D	47.2	No	Signal	D	47.0	Signal	B	18.9	No

(-): No changes to intersection geometry or operation.
 Note: Gray shading represents changes in traffic control that the project is responsible to provide.
 Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.

Table SI-26b: Cumulative Plus Jackson Corridor Projects (Alternative 2) County Standard and Ultimate LOS Improvement Measures

Intersection		A.M. Peak Hour						P.M. Peak Hour					
		Cumulative Plus Jackson Corridor Projects with County Standard LOS Improvement Measures			Cumulative Plus Jackson Corridor Projects with Ultimate LOS Improvement Measures			Cumulative Plus Jackson Corridor Projects with County Standard LOS Improvement Measures			Cumulative Plus Jackson Corridor Projects with Ultimate LOS Improvement Measures		
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)
3	Power Inn Road/Howe Avenue & Folsom Blvd	Signal	F	108.2	-	-	-	Signal	F	88.4	-	-	-
4	Power Inn Road & 14th Avenue	Signal	F	126.4	-	-	-	Signal	F	109.2	-	-	-
12	Watt Avenue & Folsom Blvd.	Signal	F	185.2	Signal	D	39.4	Signal	E	57.6	Signal	D	41.7
14	S. Watt Avenue & Kiefer Blvd.	Signal	F	83.2	Signal	SB Ramps A NB Ramps A	SB Ramps 6.5 NB Ramps 4.8	Signal	E	66.2	Signal	SB Ramps B NB Ramps B	SB Ramps 15.9 NB Ramps 12.7
16	S. Watt Avenue & Jackson Road	Signal	F	153.4	Signal	F	130.1	Signal	F	121.0	Signal	F	102.6
20	Elk Grove Florin Road/S. Watt Ave. & Florin Road	Signal	F	157.3	Signal	F	103.5	Signal	F	164.5	Signal	F	101.9
25	Hedge Avenue & Elder Creek Road	Signal	F	138.8	Signal	E	76.1	A	F	145.8	Signal	E	79.5
36	Bradshaw Road & Old Placerville Road	Signal	F	98.6	-	-	-	Signal	E	76.4	-	-	-
37	Bradshaw Road & Kiefer Boulevard	Signal	F	117.3	-	-	-	Signal	F	113.1	-	-	-
38	Bradshaw Road & Jackson Road	Signal	F	139.2	Grade Separate			Signal	F	67.8	Grade Separate		
42	Happy Lane & Old Placerville Road	Modify access control to allow only right-in and right-out on Happy Lane. Median will allow Westbound left-turns to Happy Lane. Alternative mitigation is to construct the 4-lane Routier extension from Old Placerville Rd to Kiefer Blvd.											
43	Happy Lane & Kiefer Boulevard	Signal	F	106.9	-	-	-	Signal	E	67.8	-	-	-
45	Excelsior Road & Jackson Road	Signal	F	106.9	-	-	-	Signal	F	144.6	-	-	-
51	Mather Field Road & Rockingham Drive	Signal	F	>300	-	-	-	Signal	F	170.3	-	-	-
61	Eagles Nest Road & Florin Road	Signal	F	121.3	Signal	E	69.6	Signal	F	138.5	Signal	D	49.1
66	Sunrise Boulevard & International Drive/Monier Circle	Signal	F	118.6	-	-	-	Signal	E	76.7	-	-	-
67	Sunrise Boulevard & Douglas Road	Signal	F	189.8	-	-	-	Signal	F	90.9	-	-	-
72	Sheldon Lake Drive/Sunrise Boulevard & Grant Line Road	Signal	D	36.4	Signal	D	35.1	Signal	E	70.1	Signal	C	27.5
80	Grant Line Road & Jackson Road	Signal	F	119.0	Signal	F	87.6	Signal	F	101.1	Signal	D	52.7
93	Grant Line Rd & Dwy/Wilton Rd	Signal	E	59.8	Signal	D	52.6	Signal	F	82.1	Signal	C	27.9
95	Florin Perkins Road & 14th Avenue	Signal	E	67.8	-	-	-	Signal	D	46.9	-	-	-
96	Jackson Road & 14th Avenue	Signal	F	119.3	-	-	-	Signal	E	57.0	-	-	-
103	Rancho Cordova Pkwy & Douglas Road	Signal	E	57.2	Signal	D	39.5	Signal	E	76.1	Signal	E	68.7
310	Mayhew Road & Rock Creek Pkwy WB	Round	F	181.2	Signal	E	78.6	Round	F	106.4	Signal	E	73.7
311	Mayhew Road & Rock Creek Pkwy EB	Round	F	171.2				Round	F	215.2			
318	Bradshaw Road & Mayhew Road	Signal	F	115.8	Signal	F	85.0	Signal	F	95.2	Signal	F	80.4
319	Bradshaw Road & Collector WJ-10	Signal	F	146.9	Signal	D	40.7	Signal	C	22.5	Signal	B	17.0
325	Douglas Road & Kiefer Boulevard	Signal	F	128.4	-	-	-	Signal	F	103.7	-	-	-
329	Routier Ext & Kiefer Boulevard	Signal	F	87.8	Signal	D	48.4	Signal	E	71.6	Signal	E	63.2
331	Routier Ext/Routier Rd & Old Placerville Road	Signal	F	127.4	Signal	D	47.2	Signal	F	108.8	Signal	C	32.3

Note: Gray shading represents changes in traffic control that the project is responsible to provide. (-): No changes to intersection geometry or operation.
 Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.
 Source: DKS Associates 2019

Table SI-27a: Cumulative Plus Jackson Corridor Projects (Alternative 2) Intersection LOS Deficiencies and Improvement Measures

Intersection		Traffic Control		Cumulative Plus Jackson Corridor Projects Lane Geometrics				Cumulative Plus Jackson Corridor Projects with County Standard LOS Improvement Measures				LOS Threshold Exceeded with Mitigation?
		Cumulative Plus Jackson Corridor Projects	Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
3	Power Inn Road/Howe Avenue & Folsom Blvd.	Signal	Signal	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↘	↖↗↑↑↘↘	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↘	↖↗↑↑↘↘	Yes
4	Power Inn Road & 14th Avenue	Signal	Signal	↖↑↑↘	↘↓↑↓↖↖	↖↑↘	↖↑↘	↖↑↑↘	↘↓↑↓↖↖	↖↑↘	↖↑↘↘	Yes
12	S. Watt Ave./Watt Avenue & Folsom Blvd.	Signal	Signal	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↑↘	↖↗↑↑↘	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↑↘	↖↗↑↑↘	Yes
14	S. Watt Avenue & Kiefer Blvd.	Signal	Signal	↖↗↑↑↘	↘↓↑↓↖↖	↖↗↑↑↘	↖↗↑↑↘	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↑↘	↖↗↑↑↘	Yes
16	S. Watt Avenue & Jackson Road	Signal	Signal	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↑↘	↖↗↑↑↘	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	Yes
17	S. Watt Avenue & Fruitridge Road	Signal	Signal	↖↑↑↑↘	↘↓↑↓↖↖	↖↑↘	↖↗↑↑↘	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↑↘	↖↗↑↑↘	No
20	Elk Grove Florin Road/S. Watt Ave. & Florin Road	Signal	Signal	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↑↑↘	↖↑↑↘	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	Yes
23	Hedge Avenue & Jackson Road	Signal	Signal	↖↑↘	↘↓↖	↖↑↑↘	↖↑↑↘	↖↑↘	↘↓↖	↖↑↑↘	↖↑↑↘	No
25	Hedge Avenue & Elder Creek Road	Signal	Signal	↖↑↘	↘↓↖	↖↑↘	↖↑↘	↖↑↘	↘↓↖	↖↑↘	↖↑↘	Yes
28	Mayhew Road & Kiefer Boulevard	Signal	Signal	↖↑↘	↘↓↖	↖↑↘	↖↑↘	↖↑↘	↘↓↖	↖↑↘	↖↑↑↘	No
29	Mayhew Road & Jackson Road	Signal	Signal	↖↗↑↑↘	↘↓↑↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	No
31	Waterman Road/Mayhew Road & Elder Creek Road	Signal	Signal	↖↗↑↑↘	↘↓↖	↖↑↘	↖↑↘	↖↗↑↑↘	↘↓↑↖	↖↗↑↑↑↘	↖↗↑↑↑↘	No
32	Woodring Drive & Zinfandel Drive	Two-way stop	Roundabout	↖↑↑	↘↓	↘		↖↑	↘↓	↘		No
36	Bradshaw Road & Old Placerville Road	Signal	Signal	↖↑↑↑↘	↘↓↑↓↖↖	↖↘	↖↗↑↘	↖↑↑↑↘	↘↓↑↓↖↖	↖↘	↖↗↑↘	Yes
37	Bradshaw Road & Kiefer Boulevard	Signal	Signal	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↑↘	↖↗↑↑↘	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	Yes
38	Jackson Road & Bradshaw Road	Signal	Signal	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	Yes
39	Bradshaw Road & Elder Creek Road	Signal	Signal	↖↑↑↘	↘↓↑↓↖↖	↖↖↘	↖↗↑↑↘	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	No
40	Bradshaw Road & Florin Road	Signal	Signal	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↘	↖↗↑↘	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↘	↖↗↑↑↑↘	No
42	Happy Lane & Old Placerville Road	Two-way stop	Access Control	↖↘		↑↘	↖↑↑	Happy Lane to become right-in and right-out only. Median will allow westbound left turns.				Yes
43	Kiefer Boulevard & Happy Ln	Signal	Signal		↘↓↖	↖↑↑↑	↑↑↘		↘↓↖	↖↑↑↑	↑↑↘	Yes
45	Excelsior Road & Jackson Road	Signal	Signal	↖↘	↘↓↑↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	↖↑↘	↘↓↑↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	Yes
47	Excelsior Road & Florin Road	Signal	Signal	↖↘	↘↓↖	↖↘	↖↘	↖↑↘	↘↓↖	↖↘	↖↘	No
51	Mather Field Road & Rockingham Drive	Signal	Signal	↖↑↑↘	↘↓↑↓↖↖	↖↖↘	↖↘	↖↑↑↘	↘↓↑↓↖↖	↖↖↘	↖↘	Yes
58	Zinfandel Drive & Douglas Road	Signal	Signal	↖↘	↘↓↖	↖↑↘	↖↗↑↑↘	↖↗↑↑↘	↘↓↑↖	↖↗↑↑↑↘	↖↗↑↑↑↘	No
61	Eagles Nest Rd/Eagles Nest Road & Florin Road	Two-way stop	Signal	↘	↘↖	↘	↘	↘	↘↖	↘	↘	Yes
66	Sunrise Boulevard & International Drive/Monier Circle	Signal	Signal	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	Yes
67	Sunrise Boulevard & Douglas Road	Signal	Signal	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↑↘	↖↗↑↑↑↘	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	Yes
69	Sunrise Boulevard & Kiefer Boulevard	Signal	Signal	↖↑↑↘	↘↓↖	↖↗↑↑↘	↖↘	↖↗↑↑↑↘	↘↓↑↓↖↖	↖↗↑↑↘	↖↗↑↑↘	No
70	Jackson Road & Sunrise Boulevard	Signal	Signal	↖↗↑↑↘	↘↓↑↓↖↖	↖↗↑↑↘	↖↗↑↑↘	↖↗↑↑↘	↘↓↑↖	↖↗↑↑↑↘	↖↗↑↑↑↘	No
72	Sheldon Lake Drive/Sunrise Boulevard & Grant Line Rd/Grant	Signal	Signal	↘	↘↖	↖↑↑↘	↖↑↘	↘	↘↖	↖↗↑↑↘	↖↑↘	Yes
80	Grant Line Road & Jackson Road	Signal	Signal	↖↗↑↑↘	↘↓↑↓↖↖	↖↗↑↑↘	↖↗↑↑↘	↖↗↑↑↘	↘↓↑↖	↖↗↑↑↘	↖↗↑↑↘	Yes
86	Power Inn Road & Florin Rd	Signal	Signal	↖↑↘	↘↓↑↖	↖↑↑↘	↖↑↑↑↘	↖↗↑↑↘	↘↓↑↖	↖↗↑↑↑↘	↖↗↑↑↑↘	No

Intersection		Traffic Control		Cumulative Plus Jackson Corridor Projects Lane Geometrics				Cumulative Plus Jackson Corridor Projects with County Standard LOS Improvement Measures				LOS Threshold Exceeded with Mitigation?
		Cumulative Plus Jackson Corridor Projects	Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
91	Grant Line Rd & Eagles Nest Rd/Sloughhouse Rd	Signal	Signal	↖↑↑↗	↘↓↖	↗	↖↘	↖↑↘	↘↓↖	↖↑↗	↖↑↗	No
92	Grant Line Rd & Calvine Rd	Signal	Signal	↖↑↑	↘↓	↖↗		↖↖↑↑	↘↓↓	↖↖↗		No
93	Grant Line Rd & Driveway/Wilton Rd	Signal	Signal	↖↑↘	↘↓↖	↖↘	↖↘	↖↑↘	↘↓↖	↖↘	↖↑↗	Yes
95	Florin Perkins Road & 14th Avenue	Signal	Signal	↖↖↑↑↗	↘↓↓↖↖	↖↖↑↑↗	↖↖↑↑↗	↖↖↑↑↗	↘↓↓↖↖	↖↖↑↑↗	↖↖↑↑↗	Yes
96	14th Avenue & Jackson Road	Signal	Signal		↖↖	↖↖↑↑	↑↑↗		↖↖	↖↖↑↑	↑↑↗	Yes
103	Rancho Cordova Pkwy & Douglas Road	Signal	Signal	↖↖↑↑↗	↘↓↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	↖↖↑↑↗	↘↓↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	Yes
303	Rock Creek Pkwy & Jackson Road	Signal	Signal	↖↖↑↗	↘↓↖	↖↖↑↑↑↗	↖↖↑↑↑↗	↖↖↑↑↗	↘↓↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	No
308	Hedge Avenue & Rock Creek Pkwy Westbound	Roundabout	Roundabout	↖	↘		↗	↖	↘		↗↖	No
310	Mayhew Road & Rock Creek Pkwy Westbound	Roundabout	Roundabout	↖↑	↘↓		↗	↖↑	↘↓		↗	Yes
311	Mayhew Road & Rock Creek Pkwy Eastbound	Roundabout	Roundabout	↑↘	↓↓↖	↗		↑↘	↓↓↖	↗		Yes
318	Bradshaw Road & Mayhew Road	Signal	Signal	↖↖↑↑↑↗	↘↓↓↓↖↖	↖↖↑↑↗	↖↖↑↑↗	↖↖↑↑↑↗	↘↓↓↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	Yes
319	Bradshaw Road & Collector WJ-10	Signal	Signal	↑↑↘	↓↓↓↖		↖↗	↑↑↑↗	↓↓↓↖		↖↗	Yes
325	Douglas Road Extension & Kiefer Boulevard	Signal	Signal	↖↖↑↑↗	↘↓↓↖↖	↖↖↑↑↑↗	↖↖↑↑↗	↖↖↑↑↗	↘↓↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	Yes
329	Routier Ext & Kiefer Boulevard	Signal	Signal	↖↖↑↑↗	↘↓↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	↖↖↑↑↗	↘↓↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	Yes
331	Routier Ext/Routier Rd & Old Placerville Road	Signal	Signal	↖↑↑↗	↘↓↓↖↖	↖↑↑↗	↖↖↑↗	↖↖↑↑↗	↘↓↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	Yes
400	Collector JT-3 & Jackson Road	Signal	Signal		↘↖	↖↖↑↑	↑↑↘		↘↘	↖↖↑↑↑	↑↑↘	No

¹ High capacity intersections are defined in the Sacramento County General Plan and may include grade separations, additional turn lanes, and/or other features as deemed appropriate by the County.
² Alternative LOS improvement measures represent proposed improvement measures beyond the General Plan or standard intersection geometry, excluding high capacity intersections, as proposed by the County of Sacramento.
Note: Gray shading represents changes in traffic control or approach lanes for which the project is responsible to pay a fair share.
Source: DKS Associates 2019

Table SI-27b: Cumulative Plus Jackson Corridor Projects (Alternative 2) Intersection LOS Deficiencies and Improvement Measures

Intersection		Traffic Control		Cumulative Plus Jackson Corridor Projects Lane Geometrics with County Standard LOS Improvement Measures				Cumulative Plus Jackson Corridor Projects Lane Geometrics with Ultimate LOS Improvement Measures				LOS Threshold Exceeded with LOS Improvement	High Capacity Intersection?	Alternative LOS Improvement Measures ²	Constraint if Unable to Meet LOS Threshold
		County Standard Cumulative Plus Jackson Corridor Projects	Cumulative Plus Jackson Corridor Projects with Ultimate LOS Improvement Measures	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach				
3	Power Inn Road/Howe Avenue & Folsom Blvd.	Signal	Signal	↖↖↑↑↑↗	↗↓↓↓↖↖	↖↖↑↗	↖↖↑↑↗↗	↖↖↑↑↑↗	↗↓↓↓↖↖	↖↖↑↗	↖↖↑↑↗↗	Yes	No		Existing development
4	Power Inn Road & 14th Avenue	Signal	Signal	↖↑↑↗	↗↓↓↓↖	↖↑↗	↖↑↗↗	↖↑↑↗	↗↓↓↓↖	↖↑↗	↖↑↗↗	Yes	No		Existing development
12	S. Watt Ave./Watt Avenue & Folsom Blvd.	Signal	Signal	↖↖↑↑↑↗	↗↓↓↓↖↖	↖↖↑↑↗	↖↖↑↑↗	↗↗	↗↖↖	↖↖↑↑↗	↖↖↑↑↗	No	Yes	Grade separated NBT and SBT	
14	S. Watt Avenue & Kiefer Blvd.	Signal	Signal	↖↖↑↑↗	↗↓↓↖↖	↖↖↑↑↗	↖↖↑↑↗		↗↖↖	↑↑↗	↖↑↑	No	Yes	Tight Diamond Interchange (SB Watt Ramps/Kiefer intersection shown)	
			Signal					↗↗		↑↑↗	↖↑↑			Tight Diamond Interchange (NB Watt Ramps/Kiefer intersection shown)	
16	S. Watt Avenue & Jackson Road	Signal	Signal	↖↖↑↑↑↗	↗↓↓↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	↖↖↑↑↑↗	↗↓↓↓↖↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗ *Free right	No	Yes	Triple SBL, Free WBR	
20	Elk Grove Florin Road/S. Watt Ave. & Florin Road	Signal	Signal	↖↖↑↑↑↗	↗↓↓↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	↖↖↑↑↑↗	↗↓↓↓↖↖↖	↖↖↖↑↑↗	↖↖↑↗	No	No	Dual SBR, Triple EBL	
25	Hedge Avenue & Elder Creek Road	Signal	Signal	↖↑↗	↗↓↓↖	↖↑↗	↖↑↗	↖↑↗	↗↓↓↖	↖↑↑↗	↖↑↑↗	No	No		
36	Bradshaw Road & Old Placerville Road	Signal	Signal	↖↑↑↑↗	↗↓↓↖↖	↖↗	↖↖↑↗	↖↑↑↑↗	↗↓↓↖↖	↖↗	↖↖↑↗	Yes	No		Existing development
37	Bradshaw Road & Kiefer Boulevard	Signal	Signal	↖↖↑↑↑↗	↗↓↓↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	↖↖↑↑↑↗	↗↓↓↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	Yes	No	Carry 3 EBT and 3 WBT lanes through intersection	Maximum General Plan Lanes
38	Jackson Road & Bradshaw Road	Signal	Signal	↖↖↑↑↑↗	↗↓↓↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	Grade Separate				No	No		
42	Happy Lane & Old Placerville Road	Access Control	Access Control	Happy Lane to become right-in and right-out only. Median will allow westbound left turns.								Yes	No	Construct 4-lane Routier extension from Old Placerville Rd to Kiefer Blvd	Maximum General Plan Lanes
43	Kiefer Boulevard & Happy Ln	Signal	Signal		↗↖	↖↑↑↑	↑↑↗		↗↖	↖↑↑↑	↑↑↗	Yes	No		Maximum lanes
45	Excelsior Road & Jackson Road	Signal	Signal	↖↑↗	↗↓↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	↖↖↑↑↑↗	↗↓↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	Yes	No	NBR overlap	Maximum General Plan Lanes
51	Mather Field Road & Rockingham Drive	Signal	Signal	↖↑↑↗	↗↓↓↓↖↖	↖↖↗	↖↗	↖↑↑↗	↗↓↓↓↖↖	↖↖↗	↖↗	Yes	No		Existing development
61	Eagles Nest Rd/Eagles Nest Road & Florin Road	Signal	Signal	↗↗	↗↖	↗↗	↗↗	↖↗	↗↖	↖↗	↖↗	No	No		
66	Sunrise Boulevard & International Drive/Monier Circle	Signal	Signal	↖↖↑↑↑↗	↗↓↓↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	↖↖↑↑↑↗	↗↓↓↓↖↖	↖↖↑↑↑↗	↖↖↑↑↑↗	Yes	No		Maximum General Plan Lanes

Intersection		Traffic Control		Cumulative Plus Jackson Corridor Projects Lane Geometrics with County Standard LOS Improvement Measures				Cumulative Plus Jackson Corridor Projects Lane Geometrics with Ultimate LOS Improvement Measures				LOS Threshold Exceeded with LOS Improvement	High Capacity Intersection? ¹	Alternative LOS Improvement Measures ²	Constraint if Unable to Meet LOS Threshold
		County Standard Cumulative Plus Jackson Corridor Projects	Cumulative Plus Jackson Corridor Projects with Ultimate LOS Improvement Measures	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach				
67	Sunrise Boulevard & Douglas Road	Signal	Signal	↖↗↑↑↑↘	↗↓↓↓↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	↖↗↑↑↑↘	↗↓↓↓↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	Yes	No		Maximum General Plan Lanes
72	Sheldon Lake Drive/Sunrise Boulevard & Grant Line Rd/Grant	Signal	Signal	↘	↗↘	↖↗↑↑↑↘	↖↑↘	↘	↗↗↘	↖↗↑↑↑↘	↖↑↘	No	No	Dual SBR	
80	Grant Line Road & Jackson Road	Signal	Signal	↖↗↑↑↑↘	↗↓↓↓↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	↖↗↑↑↑↘	↗↗↓↓↓↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	No	No	Dual SBR	
93	Grant Line Rd & Driveway/Wilton Rd	Signal	Signal	↖↑↘	↗↖↖	↖↘	↖↑↘	↖↑↑↑↘	↗↖↖	↖↘	↖↑↘	No	No		
95	Florin Perkins Road & 14th Avenue	Signal	Signal	↖↗↑↑↑↘	↗↓↓↓↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	↖↗↑↑↑↘	↗↓↓↓↓↖↖	↖↗↑↑↑↘	↖↗↑↑↑↘	Yes	No		Maximum lanes
96	14th Avenue & Jackson Road	Signal	Signal		↗↖↖	↖↗↑↑↑	↑↑↑↘		↗↖↖	↖↗↑↑↑	↑↑↑↘	Yes	No		Maximum lanes
103	Rancho Cordova Pkwy & Douglas Road	Signal	Signal	↖↗↑↑↑↘	↗↓↓↓↓↖↖	↖↗↑↑↑↑↘	↖↗↑↑↑↑↘	↖↗↑↑↑↘	↗↓↓↓↓↖↖	↖↗↑↑↑↑↘	↖↗↑↑↑↑↘	Yes	No	WBR Overlap	
310	Mayhew Road & Rock Creek Pkwy Westbound	Roundabout	Signal	↖↑	↗↖↖		↘	↖↑↑↑↘	↗↖↖↖	↖↑↘	↖↑↘	No	No		
311	Mayhew Road & Rock Creek Pkwy Eastbound	Roundabout		↑↘	↓↓↖	↘						No	No		
318	Bradshaw Road & Mayhew Road	Signal	Signal	↖↗↑↑↑↑↘	↗↓↓↓↓↓↖↖	↖↗↑↑↑↑↘	↖↗↑↑↑↑↘	↖↗↑↑↑↑↘	↗↗↓↓↓↓↓↖↖	↖↗↗↑↑↑↑↘	↖↗↑↑↑↑↘	Yes	No	HCI, Triple EBL and dual SBR	Maximum General Plan lanes
319	Bradshaw Road & Collector WJ-10	Signal	Signal	↑↑↑↑↘	↓↓↓↓↖		↖↘	↑↑↑↑↘	↓↓↓↓↖		↖↖↘	No	No	Dual SBL and Dual WBL	
325	Douglas Road Extension & Kiefer Boulevard	Signal	Signal	↖↗↑↑↑↘	↗↓↓↓↓↖↖	↖↗↑↑↑↑↘	↖↗↑↑↑↑↘	↖↗↑↑↑↘	↗↓↓↓↓↖↖	↖↗↑↑↑↑↘	↖↗↑↑↑↑↘	Yes	No		Maximum lanes
329	Routier Ext & Kiefer Boulevard	Signal	Signal	↖↗↑↑↑↘	↗↓↓↓↓↖↖	↖↗↑↑↑↑↘	↖↗↑↑↑↑↘	↖↗↑↑↑↑↘	↗↓↓↓↓↓↖↖	↖↗↑↑↑↑↘	↖↗↑↑↑↑↘	No	No		
331	Routier Ext/Routier Rd & Old Placerville Road	Signal	Signal	↖↗↑↑↑↘	↗↓↓↓↓↖↖	↖↗↑↑↑↑↘	↖↗↑↑↑↑↘	↖↗↑↑↑↘	↗↓↓↓↓↖↖	↖↗↑↑↑↑↘	↖↗↑↑↑↑↘	No	No	NBR overlap	

¹ High capacity intersections are defined in the Sacramento County General Plan and may include grade separations, additional turn lanes, and/or other features as deemed appropriate by the County.
² Alternative LOS reduction measures represent proposed reduction measures beyond the General Plan or standard intersection geometry, excluding high capacity intersections, as proposed by the County of Sacramento.
Note: Gray shading represents changes in traffic control or approach lanes for which the project is responsible to pay a fair share.
Source: DKS Associates 2019

CUMULATIVE FREEWAY FACILITY EFFECTS

PROJECT

CUMULATIVE FREEWAY SEGMENTS

Table SI-28 summarizes a.m. and p.m. peak hour US 50 freeway mainline operations under the Cumulative Plus Jackson Corridor Projects (Project) scenario. Detailed freeway mainline operations calculations are included in Appendix TR-1. The following freeway mainline location would experience unacceptable operating conditions with the addition of traffic generated by the Jackson Highway Master Plans:

- Eastbound
- Stockton Boulevard to 59th Street - a.m. peak hour

CUMULATIVE FREEWAY RAMP INTERSECTION QUEUING

Table SI-29 and Table SI-30 summarize a.m. and p.m. peak hour freeway ramp intersection queuing under the Cumulative No Project and Cumulative Plus Jackson Corridor Projects (Project) scenario. As shown in Table SI-30, implementation of the Jackson Corridor Projects (Project) scenario would result in freeway ramp intersections experiencing vehicle queues that would extend into the ramp's deceleration area, onto the freeway, or queues greater than the available storage capacity.

Due to the addition of traffic to freeway ramp intersections in the study area generated by the Jackson Corridor Projects (Project), the following locations would experience queues that exceed the available storage capacity:

- Eastbound
- Exit ramp to Howe Avenue - right turn queue length exceeds available storage – a.m. peak hour
- Exit ramp to Zinfandel Drive-right turn and through queue length exceeds available storage – a.m. peak hour
- Westbound
- Exit ramp to Rancho Cordova Parkway - left turn queue length exceeds available storage – a.m. and p.m. peak hours

Table SI-28: Cumulative Plus Jackson Corridor Projects (Project) Peak Hour Freeway Basic Segment Level of Service

Direction	Location	Cumulative No Project				Cumulative Plus Jackson Corridor Projects			
		A.M. Peak Hour		P.M. Peak Hour		A.M. Peak Hour		P.M. Peak Hour	
		Volume	LOS	Volume	LOS	Volume	LOS	Volume	LOS
Eastbound US 50	SR 99 / SR 51 to Stockton Boulevard	8,751	D	8,621	D	9,283	D	8,855	D
	Stockton Boulevard to 59th Street	8,168	F	7,811	F	8,622	F	8,051	F
	59th Street to 65th Street	7,637	D	7,341	D	8,092	E	7,521	D
	65th Street to Howe Avenue	8,019	D	7,658	D	8,284	D	7,812	D
	Howe Avenue to Watt Avenue	7,213	C	6,680	C	7,350	C	6,679	C
	Watt Avenue to Bradshaw Road	9,633	F	8,976	E	9,853	F	9,056	E
	Bradshaw Rd to Mather Field Rd	9,467	F	9,033	C	9,492	F	9,015	C
	Mather Field Rd to Zinfandel Drive	9,072	D	8,765	D	9,251	D	8,916	D
	Zinfandel Drive to Sunrise Blvd	6,313	C	6,367	F	6,426	C	6,551	F
	Sunrise Bl to Rancho Cordova Pkwy	5,835	C	5,875	F	5,918	C	6,121	F
	Rancho Cordova Pkwy to Hazel Ave	7,170	D	6,651	F	7,270	D	6,929	F
Westbound US 50	Hazel Ave to Rancho Cordova Pkwy	5,376	B	5,168	C	5,642	B	5,218	C
	Rancho Cordova Pkwy to Sunrise Bl	6,906	C	4,367	B	7,074	C	4,461	B
	Sunrise Blvd to Zinfandel Drive	8,587	D	5,211	B	8,789	D	5,378	B
	Zinfandel Drive to Mather Field Rd	9,480	D	7,384	C	9,503	D	7,454	C
	Mather Field Rd to Bradshaw Road	9,560	F	8,696	D	9,424	F	8,544	D
	Bradshaw Road to Watt Avenue	9,001	F	7,871	D	8,902	F	8,099	E
	Watt Avenue to Howe Avenue	7,880	F	5,864	F	7,704	F	6,132	F
	Howe Avenue to 65th Street	8,761	F	8,080	F	9,014	F	8,384	F
	65th Street to 59th Street	8,809	F	7,970	F	9,037	F	8,296	F
	59th Street to Stockton Boulevard	9,692	D	8,290	F	9,903	D	8,656	F
	Stockton Boulevard to SR 99 / SR 51	10,187	E	9,660	F	10,330	E	9,916	F

Bold values denote level of service "F" conditions.

Red shaded values indicate project effects.

Source: DKS Associates 2019

Table SI-29: Cumulative No Project Peak Hour Freeway Ramp Termini Queuing

Direction	US 50 Exit Ramp	Available Storage Length (feet / lane)			Maximum Queue Length (feet / lane)					
					A.M. Peak Hour			P.M. Peak Hour		
		L	T	R	L	T	R	L	T	R
Eastbound US-50	Howe Avenue	765	-	765	136	-	797	137	-	346
	Watt Avenue	1,500	-	1,500	210	-	403	244	-	242
	Bradshaw Road	1,250	-	1,250	149	-	566	159	-	317
	Mather Field Road	1,385	-	1,385	132	-	383	241	-	453
	Zinfandel Drive	1,025	1,025	1,025	163	1,416	1,306	396	368	930
	Sunrise Boulevard	1,695	-	1,695	106	-	199	196	-	114
	Rancho Cordova Pkwy.	-	-	1,850	-	-	394	-	-	528
	Hazel Avenue	1,310	-	1,310	305	-	23	711	-	18
Westbound US-50	Hazel Avenue	1,995		1,995	302		855	300		669
	Rancho Cordova Pkwy	1,065	-	-	1,651	-	-	1,746	-	-
	Sunrise Boulevard	1,540	-	1,540	52	-	198	23	-	442
	Zinfandel Drive	1,065	-	1,065	245	-	70	143	-	197
	Mather Field Road	1,335	-	1,335	362	-	331	176	-	183
	Bradshaw Road	1,330	-	1,330	177	-	122	265	-	47
	Watt Avenue	1,480	-	1,480	230	-	778	164	-	567
	Howe Avenue	1,355	1,355	1,355	85	412	804	199	412	684

Bold values exceed storage capacity.

L = left turn movement, T = through movement, R = right turn movement

Source: DKS Associates 2019

Table SI-30: Cumulative Plus Jackson Corridor Projects (Project) Peak Hour Freeway Ramp Termini Queuing

Direction	US 50 Exit Ramp	Available Storage Length (feet / lane)			Maximum Queue Length (feet / lane)					
					A.M. Peak Hour			P.M. Peak Hour		
		L	T	R	L	T	R	L	T	R
Eastbound US-50	Howe Avenue	765	-	765	148	-	1,065	167	-	510
	Watt Avenue	1,500	-	1,500	273	-	567	213	-	373
	Bradshaw Road	1,250	-	1,250	189	-	1132	119	-	764
	Mather Field Road	1,385	-	1,385	165	-	383	315	-	285
	Zinfandel Drive	1,025	1,025	1,025	150	1,407	1,341	448	371	675
	Sunrise Boulevard	1,695	-	1,695	109	-	196	211	-	105
	Rancho Cordova Pkwy.	-	-	1,850	-	-	369	-	-	521
	Hazel Avenue	1,310	-	1,310	302	-	27	770	-	18
Westbound US-50	Hazel Avenue	1,995		1,995	320		801	343		654
	Rancho Cordova Pkwy	1,065	-	-	1,736	-	-	1,703	-	-
	Sunrise Boulevard	1,540	-	1,540	58	-	165	44	-	403
	Zinfandel Drive	1,065	-	1,065	271	-	58	177	-	202
	Mather Field Road	1,335	-	1,335	512	-	474	264	-	238
	Bradshaw Road	1,330	-	1,330	237	-	119	324	-	54
	Watt Avenue	1,480	-	1,480	271	-	764	174	-	606
	Howe Avenue	1,355	1,355	1,355	43	412	707	175	412	742

Red shaded values indicate project effects.

L = left turn movement, T = through movement, R = right turn movement

Source: DKS Associates 2019

CUMULATIVE FREEWAY MERGE / DIVERGE / WEAVE SEGMENTS

Table SI-31 summarizes a.m. and p.m. peak hour freeway operations at ramp junctions and weaving areas under the Cumulative Plus Jackson Corridor Projects (Project) scenario. Detailed freeway ramp junction and weaving area operations calculations are included in Appendix TR-1.

As shown in Table SI-31, with implementation of the Jackson Corridor Projects, the following merge/diverge/weave segment would experience merge / diverge LOS worse than the freeway's LOS:

- Westbound
- Hazel Avenue to Rancho Cordova Parkway weave - a.m. peak hour

In summary, the addition of traffic generated by the Jackson Corridor Projects (Project) scenario would result in unacceptable operating conditions along freeway facilities within the study area.

ALTERNATIVE 2**CUMULATIVE FREEWAY SEGMENTS**

Table SI-32 summarizes a.m. and p.m. peak hour US 50 freeway mainline operations under the Cumulative Plus Jackson Corridor Projects (Alternative 2) scenario. Detailed freeway mainline operations calculations are included in Appendix TR-1. The following freeway mainline location would experience unacceptable operating conditions with the addition of traffic generated by the Jackson Corridor Projects:

- Eastbound
- Stockton Boulevard to 59th Street - a.m. peak hour

CUMULATIVE FREEWAY RAMP INTERSECTION QUEUING

Table SI-33 and Table SI-34 summarize a.m. and p.m. peak hour freeway ramp intersection queuing under the Cumulative No Project and Cumulative Plus Jackson Corridor Projects (Alternative 2) scenario. As shown in Table SI-34, implementation of the Jackson Corridor Projects (Alternative 2) scenario would result in freeway ramp intersections experiencing vehicle queues that would extend into the ramp's deceleration area, onto the freeway, or queues greater than the available storage capacity.

Due to the addition of traffic to freeway ramp intersections in the study area generated by the Jackson Corridor Projects (Alternative 2), the following locations would experience queues that exceed the available storage capacity:

- Eastbound
- Exit ramp to Howe Avenue - right turn queue length exceeds available storage – a.m. peak hour
- Exit ramp to Zinfandel Drive-right turn and through queue length exceeds available storage – a.m. peak hour
- Westbound

- Exit ramp to Rancho Cordova Parkway - left turn queue length exceeds available storage – a.m. and p.m. peak hours

CUMULATIVE FREEWAY MERGE / DIVERGE / WEAVE SEGMENTS

Table SI-35 summarizes a.m. and p.m. peak hour freeway operations at ramp junctions and weaving areas under the Cumulative Plus Jackson Corridor Projects (Alternative 2) scenario. Detailed freeway ramp junction and weaving area operations calculations are included in Appendix TR-1.

As shown in Table SI-35, with implementation of the Jackson Corridor Projects, the following merge/diverge/weave segment would experience merge/diverge LOS worse than the freeway's LOS:

- Westbound
- Hazel Avenue to Rancho Cordova Parkway weave - a.m. peak hour

In summary, the addition of traffic generated by the Jackson Corridor Projects (Alternative 2) scenario would result in unacceptable operating conditions along freeway facilities within the study area.

LOS Reduction Measures

CU-TR-3: Cumulative Freeway Improvements

The Project Applicant shall implement LOS Improvement Measure TR-8. The project Applicant shall pay a fair share contribution toward Caltrans' freeway facilities.

PROJECT AND ALTERNATIVE 2

**Table SI-31: Cumulative Plus Jackson Corridor Projects (Project) Peak Hour Freeway
Merge/Diverge/Weave Segment Level of Service**

Direction	Location	Junction Type	Cumulative No Project				Cumulative Plus Jackson Corridor Projects			
			A.M. Peak Hour		P.M. Peak Hour		A.M. Peak Hour		P.M. Peak Hour	
			Ramp Volume	LOS	Ramp Volume	LOS	Ramp Volume	LOS	Ramp Volume	LOS
Eastbound US 50	Northbound 65th Street Slip Entrance	Weave	945	F	777	F	928	F	724	F
	Howe Avenue / Hornet Drive Exit		2,088		2,140		2,125		2,267	
	Southbound Howe Avenue Loop Entrance	One-Lane Merge	729	D	1,342	D	722	D	1,338	D
	Northbound Howe Avenue Slip Entrance	One-Lane Merge	609	D	532	D	520	D	519	D
	Watt Avenue Exit	Two-Lane Diverge	1,538	B	1,705	B	1,530	B	1,604	A
	Southbound Watt Avenue Loop Entrance	One-Lane Merge	1,615	D	1,368	C	1,546	D	1,213	C
	Northbound Watt Avenue Slip Entrance	One-Lane Merge	682	D	588	C	642	D	597	C
	Bradshaw Road Exit	Two-Lane Diverge	2,068	F	1,631	B	2,255	F	1,835	C
	Southbound Bradshaw Road Loop Entrance	One-Lane Merge	268	D	422	D	272	D	505	D
	Northbound Bradshaw Road Slip Entrance	One-Lane Merge	1,486	D	1,029	C	1,491	D	1,102	C
	Mather Field Road Exit	Two-Lane Diverge	1,490	B	1,530	B	1,481	B	1,489	B
	Southbound Mather Field Road Loop Entrance	One-Lane Merge	252	C	222	C	251	C	169	C
	Northbound Mather Field Road Slip Entrance	Weave	431	F	894	F	607	F	1,123	F
	Zinfandel Drive Exit		3,083		1,861		3,090		1,797	
	Southbound Zinfandel Drive Loop Entrance	One-Lane Merge	183	C	173	C	186	C	151	C
	Northbound Zinfandel Drive Slip Entrance	Lane Addition	665	A	714	B	667	B	784	B
	Sunrise Boulevard Exit	Major Diverge	1,878	C	2,308	C	1,923	C	2,364	C
	Sunrise Boulevard Entrance	Lane Addition / Weave	1,233	D	1,122	C	1,185	B	1,162	C
	Rancho Cordova Parkway Exit	Major Diverge / Weave	374		763		330	C	816	

Direction	Location	Junction Type	Cumulative No Project				Cumulative Plus Jackson Corridor Projects			
			A.M. Peak Hour		P.M. Peak Hour		A.M. Peak Hour		P.M. Peak Hour	
			Ramp Volume	LOS	Ramp Volume	LOS	Ramp Volume	LOS	Ramp Volume	LOS
Westbound US 50	Rancho Cordova Parkway Entrance	Weave	1,787	F	1,748	F	1,747	F	1,823	F
	Hazel Avenue Exit		1,904		2,611		1,915		2,718	
	Hazel Avenue Entrance	Weave	1,174	E	2,148	F	1,070	D	2,091	D
	Aerojet Road Exit		584		203		625		171	
	Hazel Avenue Exit	Two-Lane Diverge	1,098	B	1,031	C	1,058	B	1,032	C
	Northbound Hazel Avenue Loop Entrance	One-Lane Merge	69	B	434	C	89	B	434	C
	Southbound Hazel Avenue Slip Entrance	Weave	2,306	F	2,263	F	2,374	F	2,302	F
	Rancho Cordova Parkway Exit		1,800		2,225		1,882		2,173	
	Rancho Cordova Parkway Entrance	Lane Addition / Weave	1,428	C	1,165	B	1,380	C	1,138	B
	Sunrise Boulevard Exit	Major Diverge / Weave	729		751	C	736		729	C
	Northbound Sunrise Boulevard Loop Entrance	Lane Addition	169	A	259	A	174	A	234	A
	Southbound Sunrise Boulevard Slip Entrance	Lane Addition	2,323	F	1,524	C	2,355	F	1,613	C
	Zinfandel Drive Exit	One-Lane Diverge	1,384	E	1,183	D	1,409	E	1,200	D
	Northbound Zinfandel Drive Loop Entrance	Lane Addition	909	C	1,443	D	797	C	1,295	C
	Southbound Zinfandel Drive Slip Entrance	One-Lane Merge	1,544	D	663	B	1,400	D	663	B
	Mather Field Road Exit	One-Lane Drop	1,350	D	826	C	1,586	D	1,025	C
	Northbound Mather Field Road Loop Entrance	One-Lane Merge	626	C	1,192	C	507	C	1,193	C
	Southbound Mather Field Road Slip Entrance	One-Lane Merge	303	C	504	C	423	C	428	B
	Bradshaw Road Exit	Two-Lane Diverge	1,533	C	1,756	B	1,704	C	1,809	B
	Northbound Bradshaw Road Loop Entrance	One-Lane Merge	999	F	927	D	1,381	F	1,593	D
	Southbound Bradshaw Road Slip Entrance	One-Lane Merge	385	F	851	D	393	F	816	D
	Watt Avenue Exit	Major Diverge	1,568	E	1,112	D	1,407	E	991	D

Direction	Location	Junction Type	Cumulative No Project				Cumulative Plus Jackson Corridor Projects			
			A.M. Peak Hour		P.M. Peak Hour		A.M. Peak Hour		P.M. Peak Hour	
			Ramp Volume	LOS	Ramp Volume	LOS	Ramp Volume	LOS	Ramp Volume	LOS
	Northbound Watt Avenue Loop Entrance	One-Lane Merge	774	D	1,125	D	742	D	1,100	D
	Southbound Watt Avenue Slip Entrance	Lane Addition	1,134	D	1,062	C	912	D	1,006	D
	Howe Avenue Exit	Major Diverge	1,879	E	1,687	D	1,701	E	1,695	D
	Northbound Howe Avenue Loop Entrance	One-Lane Merge	613	D	572	D	608	D	563	D
	Southbound Howe Avenue Slip Entrance	One-Lane Merge	668	F	699	C	812	F	646	C

Bold values denote level of service "F" conditions.

Red shaded values indicate project effects.

Source: DKS Associates 2019

Table SI-32: Cumulative Plus Jackson Corridor Projects (Alternative 2) Peak Hour Freeway Basic Segment Level of Service

Direction	Location	Cumulative No Project				Cumulative Plus Jackson Corridor Projects			
		A.M. Peak Hour		P.M. Peak Hour		A.M. Peak Hour		P.M. Peak Hour	
		Vol.	LOS	Vol.	LOS	Vol.	LOS	Vol.	LOS
Eastbound US 50	SR 99 / SR 51 to Stockton Boulevard	8,751	D	8,638	D	9,295	D	8,855	D
	Stockton Boulevard to 59th Street	8,168	F	7,819	F	8,642	F	8,051	F
	59th Street to 65th Street	7,637	D	7,343	D	8,099	E	7,521	D
	65th Street to Howe Avenue	8,019	D	7,667	D	8,272	D	7,812	D
	Howe Avenue to Watt Avenue	7,213	C	6,672	C	7,366	C	6,679	C
	Watt Avenue to Bradshaw Road	9,633	F	8,982	E	9,825	F	9,056	E
	Bradshaw Rd to Mather Field Rd	9,467	F	9,052	C	9,483	F	9,015	C
	Mather Field Rd to Zinfandel Drive	9,072	D	8,767	D	9,211	D	8,916	D
	Zinfandel Drive to Sunrise Blvd	6,313	C	6,370	F	6,400	C	6,551	F
	Sunrise Bl to Rancho Cordova Pkwy	5,835	C	5,878	F	5,892	C	6,121	F
Westbound US 50	Rancho Cordova Pkwy to Hazel Ave	7,170	D	6,636	F	7,249	D	6,929	F
	Hazel Ave to Rancho Cordova Pkwy	5,376	B	5,162	C	5,643	B	5,218	C
	Rancho Cordova Pkwy to Sunrise Bl	6,906	C	4,366	B	7,103	C	4,461	B
	Sunrise Blvd to Zinfandel Drive	8,587	D	5,233	B	8,801	D	5,378	B
	Zinfandel Drive to Mather Field Rd	9,480	D	7,406	C	9,493	D	7,454	C

Direction	Location	Cumulative No Project				Cumulative Plus Jackson Corridor Projects			
		A.M. Peak Hour		P.M. Peak Hour		A.M. Peak Hour		P.M. Peak Hour	
		Vol.	LOS	Vol.	LOS	Vol.	LOS	Vol.	LOS
	Mather Field Rd to Bradshaw Road	9,560	F	8,720	D	9,406	F	8,544	D
	Bradshaw Road to Watt Avenue	9,001	F	7,882	D	8,854	F	8,099	E
	Watt Avenue to Howe Avenue	7,880	F	5,892	F	7,679	F	6,132	F
	Howe Avenue to 65th Street	8,761	F	8,070	F	8,972	F	8,384	F
	65th Street to 59th Street	8,809	F	7,978	F	9,012	F	8,296	F
	59th Street to Stockton Boulevard	9,692	D	8,294	F	9,890	D	8,656	F
	Stockton Boulevard to SR 99 / SR 51	10,187	E	9,674	F	10,300	E	9,916	F

Notes: Vol. = Volume

Bold values denote level of service "F" conditions.

Red shaded values indicate project effects.

Source: DKS Associates 2019

Table SI-33: Cumulative No Project Peak Hour Freeway Ramp Termini Queuing

Direction	US 50 Exit Ramp	Available Storage Length (feet / lane)			Maximum Queue Length (feet / lane)					
					A.M. Peak Hour			P.M. Peak Hour		
		L	T	R	L	T	R	L	T	R
Eastbound US-50	Howe Avenue	765	-	765	136	-	797	137	-	346
	Watt Avenue	1,500	-	1,500	210	-	403	244	-	242
	Bradshaw Road	1,250	-	1,250	149	-	566	159	-	317
	Mather Field Road	1,385	-	1,385	132	-	383	241	-	453
	Zinfandel Drive	1,025	1,025	1,025	163	1,416	1,306	396	368	930
	Sunrise Boulevard	1,695	-	1,695	106	-	199	196	-	114
	Rancho Cordova Pkwy.	-	-	1,850	-	-	394	-	-	528
	Hazel Avenue	1,310	-	1,310	305	-	23	711	-	18
Westbound US-50	Hazel Avenue	1,995		1,995	302		855	300		669
	Rancho Cordova Pkwy	1,065	-	-	1,651	-	-	1,746	-	-
	Sunrise Boulevard	1,540	-	1,540	52	-	198	23	-	442
	Zinfandel Drive	1,065	-	1,065	245	-	70	143	-	197
	Mather Field Road	1,335	-	1,335	362	-	331	176	-	183
	Bradshaw Road	1,330	-	1,330	177	-	122	265	-	47
	Watt Avenue	1,480	-	1,480	230	-	778	164	-	567
	Howe Avenue	1,355	1,355	1,355	85	412	804	199	412	684

Bold values exceed storage capacity.

L = left turn movement, T = through movement, R = right turn movement

Source: DKS Associates 2019

Table SI-34: Cumulative Plus Jackson Corridor Projects (Alternative 2) Peak Hour Freeway Ramp Termini Queuing

Direction	US 50 Exit Ramp	Available Storage Length (feet / lane)			Maximum Queue Length (feet / lane)					
					A.M. Peak Hour			P.M. Peak Hour		
		L	T	R	L	T	R	L	T	R
Eastbound US-50	Howe Avenue	765	-	765	143	-	1,025	161	-	514
	Watt Avenue	1,500	-	1,500	274	-	605	226	-	328
	Bradshaw Road	1,250	-	1,250	191	-	1,147	119	-	734
	Mather Field Road	1,385	-	1,385	168	-	386	311	-	289
	Zinfandel Drive	1,025	1,025	1,025	152	1,398	1,359	439	369	662
	Sunrise Boulevard	1,695	-	1,695	111	-	188	220	-	98
	Rancho Cordova Pkwy.	-	-	1,850	-	-	365	-	-	555
	Hazel Avenue	1,310	-	1,310	311	-	27	760	-	16
Westbound US-50	Hazel Avenue	1,995		1,995	317		796	319		656
	Rancho Cordova Pkwy	1,065	-	-	1,705	-	-	1,682	-	-
	Sunrise Boulevard	1,540	-	1,540	57	-	185	38	-	410
	Zinfandel Drive	1,065	-	1,065	253	-	69	183	-	192
	Mather Field Road	1,335	-	1,335	489	-	456	248	-	221
	Bradshaw Road	1,330	-	1,330	232	-	118	291	-	53
	Watt Avenue	1,480	-	1,480	268	-	682	174	-	607
	Howe Avenue	1,355	1,355	1,355	47	412	754	170	412	785

Red shaded values indicate project effects.

L = left turn movement, T = through movement, R = right turn movement

Source: DKS Associates 2019

**Table SI-35: Cumulative Plus Jackson Corridor Projects (Alternative 2) Peak Hour Freeway
Merge/Diverge/Weave Segment Level of Service**

Direction	Location	Junction Type	Cumulative No Project				Cumulative Plus Jackson Corridor Projects			
			A.M. Peak Hour		P.M. Peak Hour		A.M. Peak Hour		P.M. Peak Hour	
			Ramp Vol.	LOS	Ramp Vol.	LOS	Ramp Vol.	LOS	Ramp Vol.	LOS
Eastbound US 50	Northbound 65th Street Slip Entrance	Weave	945	F	777	F	918	F	724	F
	Howe Avenue / Hornet Drive Exit		2,088		2,140		2,120		2,267	
	Southbound Howe Avenue Loop Entrance	One-Lane Merge	729	D	1,342	D	750	D	1,332	D
	Northbound Howe Avenue Slip Entrance	One-Lane Merge	609	D	532	D	528	D	524	D
	Watt Avenue Exit	Two-Lane Diverge	1,538	B	1,705	B	1,532	B	1,604	A
	Southbound Watt Avenue Loop Entrance	One-Lane Merge	1,615	D	1,368	C	1,551	D	1,213	C
	Northbound Watt Avenue Slip Entrance	One-Lane Merge	682	D	588	C	608	D	597	C
	Bradshaw Road Exit	Two-Lane Diverge	2,068	F	1,631	B	2,264	F	1,835	C
	Southbound Bradshaw Road Loop Entrance	One-Lane Merge	268	D	422	D	274	D	505	D
	Northbound Bradshaw Road Slip Entrance	One-Lane Merge	1,486	D	1,029	C	1,511	D	1,102	C
	Mather Field Road Exit	Two-Lane Diverge	1,490	B	1,530	B	1,481	B	1,489	B
	Southbound Mather Field Road Loop Entrance	One-Lane Merge	252	C	222	C	252	C	169	C
	Northbound Mather Field Road Slip Entrance	Weave	431	F	894	F	571	F	1,123	F
	Zinfandel Drive Exit		3,083		1,861		3,082		1,797	
	Southbound Zinfandel Drive Loop Entrance	One-Lane Merge	183	C	173	C	185	C	151	C
	Northbound Zinfandel Drive Slip Entrance	Lane Addition	665	A	714	B	656	B	784	B

Direction	Location	Junction Type	Cumulative No Project				Cumulative Plus Jackson Corridor Projects			
			A.M. Peak Hour		P.M. Peak Hour		A.M. Peak Hour		P.M. Peak Hour	
			Ramp Vol.	LOS	Ramp Vol.	LOS	Ramp Vol.	LOS	Ramp Vol.	LOS
Westbound US 50	Sunrise Boulevard Exit	Major Diverge	1,878	C	2,308	C	1,899	C	2,364	C
	Sunrise Boulevard Entrance	Lane Addition / Weave	1,233	D	1,122	C	1,174	B	1,162	C
	Rancho Cordova Parkway Exit	Major Diverge / Weave	374		763		327	C	816	
	Rancho Cordova Parkway Entrance	Weave	1,787	F	1,748	F	1,748	F	1,823	F
	Hazel Avenue Exit		1,904		2,611		1,950		2,718	
	Hazel Avenue Entrance	Weave	1,174	E	2,148	F	1,072	D	2,091	D
	Aerojet Road Exit		584		203		613		171	
	Hazel Avenue Exit	Two-Lane Diverge	1,098	B	1,031	C	1,057	B	1,032	C
	Northbound Hazel Avenue Loop Entrance	One-Lane Merge	69	B	434	C	93	B	434	C
	Southbound Hazel Avenue Slip Entrance	Weave	2,306	F	2,263	F	2,369	F	2,302	F
	Rancho Cordova Parkway Exit		1,800		2,225		1,867		2,173	
	Rancho Cordova Parkway Entrance	Lane Addition / Weave	1,428	C	1,165	B	1,389	C	1,138	B
	Sunrise Boulevard Exit	Major Diverge / Weave	729		751	C	760		729	C
	Northbound Sunrise Boulevard Loop Entrance	Lane Addition	169	A	259	A	170	A	234	A
	Southbound Sunrise Boulevard Slip Entrance	Lane Addition	2,323	F	1,524	C	2,354	F	1,613	C
	Zinfandel Drive Exit	One-Lane Diverge	1,384	E	1,183	D	1,393	E	1,200	D
	Northbound Zinfandel Drive Loop Entrance	Lane Addition	909	C	1,443	D	803	C	1,295	C
	Southbound Zinfandel Drive Slip Entrance	One-Lane Merge	1,544	D	663	B	1,349	D	663	B

Direction	Location	Junction Type	Cumulative No Project				Cumulative Plus Jackson Corridor Projects			
			A.M. Peak Hour		P.M. Peak Hour		A.M. Peak Hour		P.M. Peak Hour	
			Ramp Vol.	LOS	Ramp Vol.	LOS	Ramp Vol.	LOS	Ramp Vol.	LOS
	Mather Field Road Exit	One-Lane Drop	1,350	D	826	C	1,581	D	1,025	C
	Northbound Mather Field Road Loop Entrance	One-Lane Merge	626	C	1,192	C	499	C	1,193	C
	Southbound Mather Field Road Slip Entrance	One-Lane Merge	303	C	504	C	427	C	428	B
	Bradshaw Road Exit	Two-Lane Diverge	1,533	C	1,756	B	1,692	C	1,809	B
	Northbound Bradshaw Road Loop Entrance	One-Lane Merge	999	F	927	D	1,318	F	1,593	D
	Southbound Bradshaw Road Slip Entrance	One-Lane Merge	385	F	851	D	391	F	816	D
	Watt Avenue Exit	Major Diverge	1,568	E	1,112	D	1,364	E	991	D
	Northbound Watt Avenue Loop Entrance	One-Lane Merge	774	D	1,125	D	726	D	1,100	D
	Southbound Watt Avenue Slip Entrance	Lane Addition	1,134	D	1,062	C	919	D	1,006	D
	Howe Avenue Exit	Major Diverge	1,879	E	1,687	D	1,709	E	1,695	D
	Northbound Howe Avenue Loop Entrance	One-Lane Merge	613	D	572	D	607	D	563	D
	Southbound Howe Avenue Slip Entrance	One-Lane Merge	668	F	699	C	807	F	646	C

Notes: Ramp vol. = Ramp volume

Bold values denote level of service "F" conditions.

Red shaded values indicate project effects.

Source: DKS Associates 2019

To alleviate the impacts of the Jackson Highway Master Plans, the Sacramento County Department of Transportation has consulted with Caltrans and they have identified the following improvements. The Applicant shall provide a fair share contribution toward Caltrans' freeway facilities to the satisfaction of the Sacramento County Department of Transportation and Caltrans:

- Pay fair share toward the future conversion of HOV lanes to Toll Lanes or a Reversible Lane along US 50 from I-5 to Watt Avenue.
- Pay fair share toward the US 50 Integrated Corridor Management for the deployment of various Intelligent Transportation System improvements along US H50 and the City of Rancho Cordova, and regionally significant corridors in Sacramento County and the City of Folsom for incident management (non-capacity increasing) [Caltrans ID SAC25113].

Implementation of CU-TR-3 would result in fair share payment toward improvements that would reduce the effects-of the Jackson Corridor Projects on freeway facilities. However, the amount by which these improvements would improve operating conditions at the facilities detailed above are unknown at this time; thus, if implemented it cannot be assured that CU-TR-3 would improve operating conditions to acceptable levels at all affected freeway facilities. Additionally, because implementation of the improvements does not fall within Sacramento County's jurisdictional control, while the appropriate jurisdictions can and should implement feasible LOS improvement measures to reduce effects, it cannot be guaranteed that these improvements would be implemented concurrent with, or prior to, Project development.

CUMULATIVE ROADWAY FUNCTIONALITY IMPACTS

PROJECT

As described in Chapter 20, "Traffic and Circulation," impacts to roadway functionality can result in safety concerns. Table SI-36 summarizes the results of the rural roadway segment functionality analysis under the Cumulative Plus Jackson Corridor Projects (Project) scenario. This table includes the number of lanes assumed with the implementation of the Jackson Corridor Projects, which in many cases is greater than the number of lanes in the existing condition. The shaded table cells under the "Travel Lanes" heading illustrates new roadways and widened roadways that are assumed part of the Jackson Corridor Projects. The "Substandard" heading indicates whether a roadway meets the County standards of providing 12-foot travel lanes with 6-foot shoulders. If any of the Jackson Corridor Projects make improvements to a roadway segment such as widening, reconstruction of the entire substandard roadway segment to County standards would be required. The shaded table cells under the "Functionality Impact" heading indicate those locations with a functionality impact. Plate SI-13 depicts the location of the segments along which functionality impacts would occur.

As stated above, in the Joint TIS and in Chapter 20, "Traffic and Circulation," it was assumed that the Jackson Corridor Projects would construct several travel lanes on roadway segments that are internal to, or on the boundary of the Jackson Corridor

Projects, and the entire roadway segment would be reconstructed to County standards. The timing of implementation of these additional traffic lanes on these internal or boundary roadway segments would affect whether or not impacts would occur at some point before full build out of the Project. As shown in Table SI-36, implementation of the Jackson Corridor Projects (Project) would result in functionality impacts along 32 roadway segments within the study area. Therefore, the Project would have a cumulatively considerable contribution to a significant cumulative impact.

Table SI-36: Cumulative Plus Jackson Corridor Projects (Project) Roadway Functionality Impacts

ID	Roadway	Segment		Jurisdiction	Existing Substandard Roadways				Cumulative Plus Jackson Corridor Projects			
		From	To		Travel Lanes	Pavement (ft)	Substandard? ¹	Existing Volume	Travel Lanes	Facility Type ¹	Forecasted Volume	Functionality Impact? ²
15	Douglas Rd	Mather Blvd	Zinfandel Dr	County	2	23	Yes	6,635	4	Arterial M	34,000	Yes ³
16	Douglas Rd	Zinfandel Dr	Sunrise Blvd	Rancho Cordova/County	2	23	Yes	8,369	6	Arterial M	50,410	Yes ³
19	Eagles Nest Rd	Kiefer Blvd	Jackson Rd	County	2	20	Yes	740	4	Arterial M	13,170	Yes ³
20	Eagles Nest Rd	Jackson Rd	Florin Rd	County	2	<21	Yes	517	2	Arterial M	9,180	Yes
21	Eagles Nest Rd	Florin Rd	Grant Line Rd	County	2	<21	Yes	189	2	Arterial M	4,470	No
25	Elder Creek Rd	South Watt Ave	Hedge Ave	County	2	23	Yes	5,576	4	Arterial M	48,190	Yes ³
26	Elder Creek Rd	Hedge Ave	Mayhew Rd	County	2	23	Yes	5,797	4	Arterial M	33,950	Yes ³
27	Elder Creek Rd	Mayhew Rd	Bradshaw Rd	County	2	23	Yes	5,355	4	Arterial M	40,630	Yes ³
28	Elder Creek Rd	Bradshaw Rd	Excelsior Rd	County	2	23	Yes	2,158	3	Arterial M	33,740	Yes ³
30	Excelsior Rd	Kiefer Blvd	Jackson Rd	County	2	22	Yes	3,716	2	Arterial M	27,590	Yes
31	Excelsior Rd	Jackson Rd	Elder Creek Rd	County	2	<21	Yes	5,075	3	Arterial M	37,130	Yes ³
32	Excelsior Rd	Elder Creek Rd	Florin Rd	County	2	<21	Yes	4,203	3	Arterial M	12,510	Yes ³
33	Excelsior Rd	Florin Rd	Gerber Rd	County	2	<21	Yes	5,423	2	Arterial M	12,810	Yes
34	Excelsior Rd	Gerber Rd	Calvine Rd	County	2	<21	Yes	4,229	2	Arterial M	8,160	Yes
39	Florin Rd	South Watt Ave	Hedge Ave	County	2	22	Yes	7,718	4	Arterial M	14,880	Yes ³
40	Florin Rd	Hedge Ave	Mayhew Rd	County	2	22	Yes	6,312	4	Arterial M	17,360	Yes ³
41	Florin Rd	Mayhew Rd	Bradshaw Rd	County	2	22	Yes	6,317	4	Arterial M	23,450	Yes ³
42	Florin Rd	Bradshaw Rd	Excelsior Rd	County	2	22	Yes	3,478	4	Arterial M	25,600	Yes ³
43	Florin Rd	Excelsior Rd	Sunrise Blvd	County	2	22	Yes	3,835	2	Arterial M	17,620	Yes
48	Fruitridge Rd	Fruitridge Rd	Hedge Ave	City of Sacramento/County	2	22	Yes	2,890	3	Arterial M	20,600	Yes ³
49	Fruitridge Rd	Hedge Ave	Mayhew Rd	County	2	22	Yes	1,790	4	Arterial M	17,810	Yes ³
50	Grant Line Rd	White Rock Rd	Douglas Rd	Rancho Cordova/County	2	22	Yes	7,189	4	Arterial M	41,060	Yes ³
58	Happy Ln	Old Placerville Rd	Kiefer Blvd	County	2	22	Yes	4,635	4	Arterial M	13,720	Yes ³
59	Hedge Ave	Jackson Rd	Fruitridge Rd	County	2	22	Yes	3,061	2	Arterial M	9,920	Yes
60	Hedge Ave	Fruitridge Rd	Elder Creek Rd	City of Sacramento/County	2	22	Yes	3,737	2	Arterial M	6,870	Yes
61	Hedge Ave	Elder Creek Rd	Florin Rd	County	2	22	Yes	2,722	2	Arterial M	21,920	Yes
70	Jackson Rd	Bradshaw Rd	Excelsior Rd	County	2	26	Yes	13,030	6	Arterial M	59,220	Yes ³
71	Jackson Rd	Excelsior Rd	Eagles Nest Rd	County	2	26	Yes	10,478	4	Arterial M	62,440	Yes ³

ID	Roadway	Segment		Jurisdiction	Existing Substandard Roadways				Cumulative Plus Jackson Corridor Projects			
		From	To		Travel Lanes	Pavement (ft)	Substandard? ¹	Existing Volume	Travel Lanes	Facility Type ¹	Forecasted Volume	Functionality Impact? ²
74	Kiefer Blvd	Florin Perkins Rd	South Watt Ave	City of Sacramento/County	2	22	Yes	4,616	2	Arterial M	4,940	No
77	Kiefer Blvd	Bradshaw Rd	Happy Ln	County	2	22	Yes	4,618	6	Arterial M	51,510	Yes ³
78	Kiefer Blvd	Zinfandel Dr	Sunrise Blvd	County	2	22	Yes	656	3	Arterial M	39,640	Yes ³
83	Mather Blvd-Excelsior Rd ⁴	Douglas Rd	Kiefer Blvd	County	2	22	Yes	6,751	2	Res Collector F	6,350	No
89	Mayhew Rd	Jackson Rd	Fruitridge Rd	County	2	22	Yes	1,616	4	Arterial M	53,200	Yes ³
116	White Rock Rd	Fitzgerald Rd	Grant Line Rd	Rancho Cordova/County	2	20	Yes	2,490	4	Arterial M	55,990	Yes ³
123	Zinfandel Dr	Douglas Rd	Kiefer Blvd	County	2	<21	Yes	2,848	4	Arterial M	22,240	Yes ³

Note: Gray shading indicates changes in travel lanes or facility type that the project is responsible to provide. For all roadway segments to be widened, the project is responsible to build the entire roadway to County standards.

¹ Substandard rural roads are defined as rural, 2-lane roadway segments with travel lanes narrower than 12 feet and/or roadside shoulders narrower than 6 feet.

² Functionality impacts are triggered when a substandard rural road increases over a threshold of 6,000 ADT, or for a roadway already above 6,000 ADT, increases by more than 600 ADT.


³ The potential for an impact exists should the project generate traffic volumes on the roadway exceeding 6,000 ADT, or increasing more than 600 ADT on a roadway already above 6,000 ADT, prior to the construction of roadway improvements.

⁴ Excluding the roadway segment that is within the developed community of Independence at Mather.

⁵ The functionality impact is mitigated by improving the roadway to County standards, including widening travel lanes to 12 feet and/or widening or providing paved shoulders to 6 feet.

Red text with light gray shading indicate project impacts.

Source: DKS Associates 2019



Legend

- Substandard Roadways
- Functionality Impact
- Functionality Impact if Roadway is Not Already Improved
- Cities
- Mather Airport
- Jackson Township Project

Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 084

Plate SI-13: Cumulative Plus Jackson Corridor Projects (Project) – Functionality Impacts

ALTERNATIVE 2

Table SI-37 summarizes the results of the rural roadway segment functionality analysis under the Jackson Corridor Projects (Alternative 2) scenario. As stated above, the traffic analysis assumed that Alternative 2 would construct several travel lanes on roadway segments that are internal to, or on the boundary of, the Jackson Township Project, and the entire roadway segment would be reconstructed to County standards. The timing of implementation of these additional traffic lanes on these internal or boundary roadway segments would affect whether or not impacts would occur at some point before full build out of Alternative 2. Plate SI-14 depicts the location of the segments along which functionality impacts would occur.

As shown in Table SI-37, implementation of the Jackson Corridor Projects (Alternative 2) would result in functionality impacts along 19 roadway segments within the project study area. Therefore, the Project would have a cumulatively considerable contribution to a significant cumulative impact.

Mitigation Measures

CU-TR-4. Cumulative Roadway Functionality Improvements

The Project Applicant and subsequent developers shall implement LOS Improvement Measures TR-4, TR-5, and Mitigation Measure TR-11. The Applicant shall consult with the County on the timing needs of proposed improvements and shall either submit their fair share payment and/or enter into an agreement to construct the assigned improvements. Improvements would include widening the deficient rural roadway segments to County standards.

As development in the area is approved and proceeds to construction, the timing or assignment of specific traffic improvements may change but would nonetheless be assigned to each project based on their fair-share contribution to the overall area impacts.

PROJECT

Implementation of LOS Improvement Measures TR-4, and TR-5, and Mitigation Measures TR-11, and CU-TR-4 would result in fair share payment toward improvements that would reduce the cumulative roadway functionality impacts of the Jackson Corridor Projects (Project) scenario as shown in Table SI-38. However, it cannot be guaranteed that all of these improvements would be implemented concurrent with the phasing of development proposed for the Project because of the dynamic and interrelated nature of mitigation improvements that would serve multiple development projects. If all improvements were implemented in a timely way, all impacts would be reduced to a less-than-significant level. However, because the timing of implementation of all required improvements cannot be guaranteed and is not subject to the sole responsibility of just the Jackson Township Project Applicants and the County, it cannot be guaranteed that significant impacts to roadway segments would be reduced to a less-than-significant at the time of development. Therefore, the project would have a

considerable contribution to a **significant and unavoidable** cumulative roadway functionality impact.

ALTERNATIVE 2

Implementation of LOS Improvement Measures TR-4, and TR-5, and Mitigation Measures TR-11 and CU-TR-4 would result in fair share payment toward improvements that would reduce the cumulative roadway functionality impacts of the Jackson Corridor Projects (Alternative 2) scenario as shown in Table SI-39. However, it cannot be guaranteed that all of these improvements would be implemented concurrent with the phasing of development proposed for the Project because of the dynamic and interrelated nature of mitigation improvements that would serve multiple development projects. If all improvements were implemented in a timely way, all impacts would be reduced to a less-than-significant level. However, because the timing of implementation of all required improvements cannot be guaranteed and is not subject to the sole responsibility of just the Jackson Township Project Applicants and the County, it cannot be guaranteed that significant impacts to roadway segments would be reduced to a less-than-significant at the time of development. Therefore, the project would have a considerable contribution to a **significant and unavoidable** cumulative roadway functionality impact.

Table SI-37: Cumulative Plus Jackson Corridor Projects (Alternative 2) Roadway Functionality Impacts

ID	Roadway	Segment		Jurisdiction	Existing Substandard Roadways				Cumulative Plus Jackson Corridor Projects			
		From	To		Travel Lanes	Pavement (ft)	Substandard? ¹	Existing Volume	Travel Lanes	Facility Type ¹	Forecasted Volume	Functionality Impact? ²
15	Douglas Rd	Mather Blvd	Zinfandel Dr	County	2	23	Yes	6,635	4	Arterial M	33,390	Yes ³
16	Douglas Rd	Zinfandel Dr	Sunrise Blvd	Rancho Cordova/County	2	23	Yes	8,369	6	Arterial M	50,360	Yes ³
19	Eagles Nest Rd	Kiefer Blvd	Jackson Rd	County	2	20	Yes	740	4	Arterial M	13,130	Yes ³
20	Eagles Nest Rd	Jackson Rd	Florin Rd	County	2	<21	Yes	517	2	Arterial M	9,110	Yes
21	Eagles Nest Rd	Florin Rd	Grant Line Rd	County	2	<21	Yes	189	2	Arterial M	4,530	No
25	Elder Creek Rd	South Watt Ave	Hedge Ave	County	2	23	Yes	5,576	4	Arterial M	52,900	Yes ³
26	Elder Creek Rd	Hedge Ave	Mayhew Rd	County	2	23	Yes	5,797	4	Arterial M	33,660	Yes ³
27	Elder Creek Rd	Mayhew Rd	Bradshaw Rd	County	2	23	Yes	5,355	4	Arterial M	40,490	Yes ³
28	Elder Creek Rd	Bradshaw Rd	Excelsior Rd	County	2	23	Yes	2,158	3	Arterial M	30,740	Yes ³
30	Excelsior Rd	Kiefer Blvd	Jackson Rd	County	2	22	Yes	3,716	2	Arterial M	26,970	Yes
31	Excelsior Rd	Jackson Rd	Elder Creek Rd	County	2	<21	Yes	5,075	3	Arterial M	36,220	Yes ³
32	Excelsior Rd	Elder Creek Rd	Florin Rd	County	2	<21	Yes	4,203	3	Arterial M	12,520	Yes ³
33	Excelsior Rd	Florin Rd	Gerber Rd	County	2	<21	Yes	5,423	2	Arterial M	13,080	Yes
34	Excelsior Rd	Gerber Rd	Calvine Rd	County	2	<21	Yes	4,229	2	Arterial M	8,360	Yes
39	Florin Rd	South Watt Ave	Hedge Ave	County	2	22	Yes	7,718	4	Arterial M	12,010	Yes ³
40	Florin Rd	Hedge Ave	Mayhew Rd	County	2	22	Yes	6,312	4	Arterial M	13,280	Yes ³
41	Florin Rd	Mayhew Rd	Bradshaw Rd	County	2	22	Yes	6,317	4	Arterial M	40,200	Yes ³
42	Florin Rd	Bradshaw Rd	Excelsior Rd	County	2	22	Yes	3,478	4	Arterial M	26,070	Yes ³
43	Florin Rd	Excelsior Rd	Sunrise Blvd	County	2	22	Yes	3,835	2	Arterial M	17,090	Yes
48	Fruitridge Rd	South Watt Ave	Hedge Ave	City of Sacramento/County	2	22	Yes	2,890	3	Arterial M	24,240	Yes ³
49	Fruitridge Rd	Hedge Ave	Mayhew Rd	County	2	22	Yes	1,790	4	Arterial M	21,800	Yes ³
50	Grant Line Rd	White Rock Rd	Douglas Rd	Rancho Cordova/County	2	22	Yes	7,189	4	Arterial M	41,130	Yes ³
58	Happy Ln	Old Placerville Rd	Kiefer Blvd	County	2	22	Yes	4,635	2	Arterial M	13,820	Yes
59	Hedge Ave	Jackson Rd	Fruitridge Rd	County	2	22	Yes	3,061	2	Arterial M	11,760	Yes
60	Hedge Ave	Fruitridge Rd	Elder Creek Rd	City of Sacramento/County	2	22	Yes	3,737	2	Arterial M	10,010	Yes
61	Hedge Ave	Elder Creek Rd	Florin Rd	County	2	22	Yes	2,722	2	Arterial M	22,460	Yes
70	Jackson Rd	Bradshaw Rd	Excelsior Rd	County	2	26	Yes	13,030	6	Arterial M	59,380	Yes ³
71	Jackson Rd	Excelsior Rd	Eagles Nest Rd	County	2	26	Yes	10,478	4	Arterial M	62,220	Yes ³
74	Kiefer Blvd	Florin Perkins Rd	South Watt Ave	City of Sacramento/County	2	22	Yes	4,616	2	Arterial M	4,830	No

ID	Roadway	Segment		Jurisdiction	Existing Substandard Roadways				Cumulative Plus Jackson Corridor Projects			
		From	To		Travel Lanes	Pavement (ft)	Substandard? ¹	Existing Volume	Travel Lanes	Facility Type ¹	Forecasted Volume	Functionality Impact? ²
77	Kiefer Blvd	Bradshaw Rd	Happy Ln	County	2	22	Yes	4,618	6	Arterial M	50,960	Yes ³
78	Kiefer Blvd	Zinfandel Dr	Sunrise Blvd	County	2	22	Yes	656	3	Arterial M	39,820	Yes ³
83	Mather Blvd-Excelsior Rd ⁴	Douglas Rd	Kiefer Blvd	County	2	22	Yes	6,751	2	Res Collector F	6,410	No
89	Mayhew Rd	Jackson Rd	Fruitridge Rd	County	2	22	Yes	1,616	4	Arterial M	47,790	Yes ³
116	White Rock Rd	Fitzgerald Rd	Grant Line Rd	Rancho Cordova/County	2	20	Yes	2,490	4	Arterial M	55,810	Yes ³
123	Zinfandel Dr	Douglas Rd	Kiefer Blvd	County	2	<21	Yes	2,848	4	Arterial M	22,250	Yes ³

Note: Gray shading indicates changes in travel lanes or facility type that the project is responsible to provide. For all roadway segments to be widened, the project is responsible to build the entire roadway to County standards.

¹ Substandard rural roads are defined as rural, 2-lane roadway segments with travel lanes narrower than 12 feet and/or roadside shoulders narrower than 6 feet.

² Functionality impacts are triggered when a substandard rural road increases over a threshold of 6,000 ADT, or for a roadway already above 6,000 ADT, increases by more than 600 ADT.


³ The potential for an impact exists should the project generate traffic volumes on the roadway exceeding 6,000 ADT, or increasing more than 600 ADT on a roadway already above 6,000 ADT, prior to the construction of roadway improvements.

⁴ Excluding the roadway segment that is within the developed community of Independence at Mather.

⁵ The functionality impact is mitigated by improving the roadway to County standards, including widening travel lanes to 12 feet and/or widening or providing paved shoulders to 6 feet.

Red text with light gray shading indicate project impacts.

Source: DKS Associates 2019



Source: Image prepared and provided by DKS Associates in 2019

X15010101.09 070

Plate SI-14: Cumulative Plus Jackson Corridor Projects (Alternative 2) – Functionality Impacts

Table SI-38: Cumulative Plus Jackson Corridor Projects (Project) Functionality Mitigations

ID	Roadway	Segment		Cumulative Plus Jackson Corridor Projects				Mitigation	Impact after Mitigation?
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	Functionality Impact? ²		
15	Douglas Rd	Mather Blvd	Zinfandel Dr	4	Arterial M	34,000	Yes ³	Widen to County standards ⁵	No
16	Douglas Rd	Zinfandel Dr	Sunrise Blvd	6	Arterial M	50,410	Yes ³	Widen to County standards ⁵	No
19	Eagles Nest Rd	Kiefer Blvd	Jackson Rd	4	Arterial M	13,170	Yes ³	Widen to County standards ⁵	No
20	Eagles Nest Rd	Jackson Rd	Florin Rd	2	Arterial M	9,180	Yes	Widen to County standards ⁵	No
25	Elder Creek Rd	South Watt Ave	Hedge Ave	4	Arterial M	48,190	Yes ³	Widen to County standards ⁵	No
26	Elder Creek Rd	Hedge Ave	Mayhew Rd	4	Arterial M	33,950	Yes ³	Widen to County standards ⁵	No
27	Elder Creek Rd	Mayhew Rd	Bradshaw Rd	4	Arterial M	40,630	Yes ³	Widen to County standards ⁵	No
28	Elder Creek Rd	Bradshaw Rd	Excelsior Rd	3	Arterial M	33,740	Yes ³	Widen to County standards ⁵	No
30	Excelsior Rd	Kiefer Blvd	Jackson Rd	2	Arterial M	27,590	Yes	Widen to County standards ⁵	No
31	Excelsior Rd	Jackson Rd	Elder Creek Rd	3	Arterial M	37,130	Yes ³	Widen to County standards ⁵	No
32	Excelsior Rd	Elder Creek Rd	Florin Rd	3	Arterial M	12,510	Yes ³	Widen to County standards ⁵	No
33	Excelsior Rd	Florin Rd	Gerber Rd	2	Arterial M	12,810	Yes	Widen to County standards ⁵	No
34	Excelsior Rd	Gerber Rd	Calvine Rd	2	Arterial M	8,160	Yes	Widen to County standards ⁵	No
39	Florin Rd	South Watt Ave	Hedge Ave	4	Arterial M	14,880	Yes ³	Widen to County standards ⁵	No
40	Florin Rd	Hedge Ave	Mayhew Rd	4	Arterial M	17,360	Yes ³	Widen to County standards ⁵	No
41	Florin Rd	Mayhew Rd	Bradshaw Rd	4	Arterial M	23,450	Yes ³	Widen to County standards ⁵	No
42	Florin Rd	Bradshaw Rd	Excelsior Rd	4	Arterial M	25,600	Yes ³	Widen to County standards ⁵	No
43	Florin Rd	Excelsior Rd	Sunrise Blvd	2	Arterial M	17,620	Yes	Widen to County standards ⁵	No
48	Fruitridge Rd	Fruitridge Rd	Hedge Ave	3	Arterial M	20,600	Yes ³	Widen to County standards ⁵	No

ID	Roadway	Segment		Cumulative Plus Jackson Corridor Projects				Mitigation	Impact after Mitigation?
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	Functionality Impact? ²		
49	Fruitridge Rd	Hedge Ave	Mayhew Rd	4	Arterial M	17,810	Yes ³	Widen to County standards ⁵	No
50	Grant Line Rd	White Rock Rd	Douglas Rd	4	Arterial M	41,060	Yes ³	Widen to County standards ⁵	No
58	Happy Ln	Old Placerville Rd	Kiefer Blvd	4	Arterial M	13,720	Yes ³	Widen to County standards ⁵	No
59	Hedge Ave	Jackson Rd	Fruitridge Rd	2	Arterial M	9,920	Yes	Widen to County standards ⁵	No
60	Hedge Ave	Fruitridge Rd	Elder Creek Rd	2	Arterial M	6,870	Yes	Widen to County standards ⁵	No
61	Hedge Ave	Elder Creek Rd	Florin Rd	2	Arterial M	21,920	Yes	Widen to County standards ⁵	No
70	Jackson Rd	Bradshaw Rd	Excelsior Rd	6	Arterial M	59,220	Yes ³	Widen to County standards ⁵	No
71	Jackson Rd	Excelsior Rd	Eagles Nest Rd	4	Arterial M	62,440	Yes ³	Widen to County standards ⁵	No
77	Kiefer Blvd	Bradshaw Rd	Happy Ln	6	Arterial M	51,510	Yes ³	Widen to County standards ⁵	No
78	Kiefer Blvd	Zinfandel Dr	Sunrise Blvd	3	Arterial M	39,640	Yes ³	Widen to County standards ⁵	No
89	Mayhew Rd	Jackson Rd	Fruitridge Rd	4	Arterial M	53,200	Yes ³	Widen to County standards ⁵	No
116	White Rock Rd	Fitzgerald Rd	Grant Line Rd	4	Arterial M	55,990	Yes ³	Widen to County standards ⁵	No
123	Zinfandel Dr	Douglas Rd	Kiefer Blvd	4	Arterial M	22,240	Yes ³	Widen to County standards ⁵	No

Note: Gray shading indicates changes in travel lanes or facility type that the project is responsible to provide. For all roadway segments to be widened, the project is responsible to build the entire roadway to County standards. Red text with light gray shading indicate project impacts.

¹ Substandard rural roads are defined as rural, 2-lane roadway segments with travel lanes narrower than 12 feet and/or roadside shoulders narrower than 6 feet.

² Functionality impacts are triggered when a substandard rural road increases over a threshold of 6,000 ADT, or for a roadway already above 6,000 ADT, increases by more than 600 ADT.

³ The potential for an impact exists should the project generate traffic volumes on the roadway exceeding 6,000 ADT, or increasing more than 600 ADT on a roadway already above 6,000 ADT, prior to the construction of roadway improvements.

⁴ Excluding the roadway segment that is within the developed community of Independence at Mather.

⁵ The functionality impact is mitigated by improving the roadway to County standards, including widening travel lanes to 12 feet and/or widening or providing paved shoulders to 6 feet.

Source: DKS Associates 2019

Table SI-39: Cumulative Plus Jackson Corridor Projects (Alternative 2) Functionality Mitigations

ID	Roadway	Segment		Cumulative Plus Jackson Corridor Projects				Mitigation	Impact after Mitigation?
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	Functionality Impact? ²		
15	Douglas Rd	Mather Blvd	Zinfandel Dr	4	Arterial M	33,390	Yes ³	Widen to County standards ⁵	No
16	Douglas Rd	Zinfandel Dr	Sunrise Blvd	6	Arterial M	50,360	Yes ³	Widen to County standards ⁵	No
19	Eagles Nest Rd	Kiefer Blvd	Jackson Rd	4	Arterial M	13,130	Yes ³	Widen to County standards ⁵	No
20	Eagles Nest Rd	Jackson Rd	Florin Rd	2	Arterial M	9,110	Yes	Widen to County standards ⁵	No
25	Elder Creek Rd	South Watt Ave	Hedge Ave	4	Arterial M	52,900	Yes ³	Widen to County standards ⁵	No
26	Elder Creek Rd	Hedge Ave	Mayhew Rd	4	Arterial M	33,660	Yes ³	Widen to County standards ⁵	No
27	Elder Creek Rd	Mayhew Rd	Bradshaw Rd	4	Arterial M	40,490	Yes ³	Widen to County standards ⁵	No
28	Elder Creek Rd	Bradshaw Rd	Excelsior Rd	3	Arterial M	30,740	Yes ³	Widen to County standards ⁵	No
30	Excelsior Rd	Kiefer Blvd	Jackson Rd	2	Arterial M	26,970	Yes	Widen to County standards ⁵	No
31	Excelsior Rd	Jackson Rd	Elder Creek Rd	3	Arterial M	36,220	Yes ³	Widen to County standards ⁵	No
32	Excelsior Rd	Elder Creek Rd	Florin Rd	3	Arterial M	12,520	Yes ³	Widen to County standards ⁵	No
33	Excelsior Rd	Florin Rd	Gerber Rd	2	Arterial M	13,080	Yes	Widen to County standards ⁵	No
34	Excelsior Rd	Gerber Rd	Calvine Rd	2	Arterial M	8,360	Yes	Widen to County standards ⁵	No
39	Florin Rd	South Watt Ave	Hedge Ave	4	Arterial M	12,010	Yes ³	Widen to County standards ⁵	No
40	Florin Rd	Hedge Ave	Mayhew Rd	4	Arterial M	13,280	Yes ³	Widen to County standards ⁵	No
41	Florin Rd	Mayhew Rd	Bradshaw Rd	4	Arterial M	40,200	Yes ³	Widen to County standards ⁵	No
42	Florin Rd	Bradshaw Rd	Excelsior Rd	4	Arterial M	26,070	Yes ³	Widen to County standards ⁵	No
43	Florin Rd	Excelsior Rd	Sunrise Blvd	2	Arterial M	17,090	Yes	Widen to County standards ⁵	No

ID	Roadway	Segment		Cumulative Plus Jackson Corridor Projects				Mitigation	Impact after Mitigation?
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	Functionality Impact? ²		
48	Fruitridge Rd	South Watt Ave	Hedge Ave	3	Arterial M	24,240	Yes ³	Widen to County standards ⁵	No
49	Fruitridge Rd	Hedge Ave	Mayhew Rd	4	Arterial M	21,800	Yes ³	Widen to County standards ⁵	No
50	Grant Line Rd	White Rock Rd	Douglas Rd	4	Arterial M	41,130	Yes ³	Widen to County standards ⁵	No
58	Happy Ln	Old Placerville Rd	Kiefer Blvd	2	Arterial M	13,820	Yes	Widen to County standards ⁵	No
59	Hedge Ave	Jackson Rd	Fruitridge Rd	2	Arterial M	11,760	Yes	Widen to County standards ⁵	No
60	Hedge Ave	Fruitridge Rd	Elder Creek Rd	2	Arterial M	10,010	Yes	Widen to County standards ⁵	No
61	Hedge Ave	Elder Creek Rd	Florin Rd	2	Arterial M	22,460	Yes	Widen to County standards ⁵	No
70	Jackson Rd	Bradshaw Rd	Excelsior Rd	6	Arterial M	59,380	Yes ³	Widen to County standards ⁵	No
71	Jackson Rd	Excelsior Rd	Eagles Nest Rd	4	Arterial M	62,220	Yes ³	Widen to County standards ⁵	No
77	Kiefer Blvd	Bradshaw Rd	Happy Ln	6	Arterial M	50,960	Yes ³	Widen to County standards ⁵	No
78	Kiefer Blvd	Zinfandel Dr	Sunrise Blvd	3	Arterial M	39,820	Yes ³	Widen to County standards ⁵	No
89	Mayhew Rd	Jackson Rd	Fruitridge Rd	4	Arterial M	47,790	Yes ³	Widen to County standards ⁵	No
116	White Rock Rd	Fitzgerald Rd	Grant Line Rd	4	Arterial M	55,810	Yes ³	Widen to County standards ⁵	No
123	Zinfandel Dr	Douglas Rd	Kiefer Blvd	4	Arterial M	22,250	Yes ³	Widen to County standards ⁵	No

Note: Gray shading indicates changes in travel lanes or facility type that the project is responsible to provide. For all roadway segments to be widened, the project is responsible to build the entire roadway to County standards.

1 Substandard rural roads are defined as rural, 2-lane roadway segments with travel lanes narrower than 12 feet and/or roadside shoulders narrower than 6 feet.

2 Functionality impacts are triggered when a substandard rural road increases over a threshold of 6,000 ADT, or for a roadway already above 6,000 ADT, increases by more than 600 ADT.

3 The potential for an impact exists should the project generate traffic volumes on the roadway exceeding 6,000 ADT, or increasing more than 600 ADT on a roadway already above 6,000 ADT, prior to the construction of roadway improvements.

4 Excluding the roadway segment that is within the developed community of Independence at Mather.

5 The functionality impact is mitigated by improving the roadway to County standards, including widening travel lanes to 12 feet and/or widening or providing paved shoulders to 6 feet.

Red text with light gray shading indicate project impacts.

Source: DKS Associates 2019

CUMULATIVE PLUS JACKSON TOWNSHIP PROJECT**CUMULATIVE ROADWAY SEGMENT OPERATIONS CUMULATIVE PLUS JACKSON TOWNSHIP PROJECT****PROJECT**

Table SI-40 summarizes the results of the operations analysis for the traffic study area roadway segments under the Cumulative No Project and Cumulative Plus Jackson Township Project (Project) conditions. The table includes the new roadways or widened roadways, the roadway improvements that would be the responsibility of the Project, and the roadway segments where the LOS threshold would be exceeded. Detailed roadway segment operations calculations and the full list of study area roadway segment operating conditions are included in Appendix TR-1.

As shown in Table SI-40, the addition of vehicle trips generated by the Jackson Township Project (Project) scenario would result in the exceedance of applicable LOS and V/C thresholds along 13 roadway segments in the study area.

ALTERNATIVE 2

Table SI-41 summarizes the results of the operations analysis for the traffic study area roadway segments under the Cumulative No Project and Cumulative Plus Jackson Township Project (Alternative 2) conditions. Detailed roadway segment operations calculations and the full list of study area roadway segment operating conditions are included in Appendix TR-1.

As shown in Table SI-41, the addition of vehicle trips generated by the Jackson Township Project (Alternative 2) scenario would result in the exceedance of applicable LOS and V/C thresholds along 14 roadway segments in the study area.

LOS IMPROVEMENT MEASURES**CU-TR-5. Cumulative Roadway Segment Operations Cumulative Jackson Township Project**

The Project Applicant shall implement LOS Improvement Measure CU-TR-4 which requires the applicant to pay their appropriate fair share contribution toward the construction of the necessary improvements. Where feasible, the number of roadway lanes would be increased to improve roadway segment operations. However, the increased number of lanes could not exceed the maximum general plan designations of the appropriate jurisdictions.

PROJECT

Implementation of LOS Improvement Measures TR-4, TR-5, TR-6, CU-TR-1, and CU-TR-5 would result in fair share payments toward improvements that would reduce the cumulative roadway segment effects of the Project. As shown in Table SI-42, The shaded table cells under the “Travel Lanes” and “Facility Type” headings illustrate widened roadways for which that LOS improvement measure was identified, which would be the responsibility of the Jackson Corridor Projects to fund. The shaded table cells under the “Level of Service” heading indicate those locations that would continue to operate unacceptably after implementation of LOS improvement measures. The table also includes the constraint if the LOS threshold is unable to be met. In several locations where the improvements allowed under the general plan would not reduce the LOS impact sufficiently such that the threshold would be met, the County has proposed alternative LOS improvement measures, which are shown in the “Alternative LOS Improvement Measures” column. These alternative LOS improvement measures will either result in acceptable LOS along the roadway segments operating at unacceptable levels or substantially reduce the level of the LOS effect.

Implementation of LOS Improvement Measure CU-TR-5 would result in fair share payment toward improvements that would reduce the effects of the Jackson Township Project (Project) as shown in Table SI-42. However, as shown in Table SI-42, seven roadway segments operating unacceptably under the Cumulative Plus Jackson Township (Project) scenario would continue to operate at unacceptable levels with the implementation of all feasible improvement projects funded through LOS Improvement Measure CU-TR-5. Additionally, it cannot be guaranteed that any of these improvements would be implemented or implemented concurrent with, or prior to Project development.

Table SI-40: Cumulative Roadway Segment Levels of Service – LOS Deficiencies Triggered by Jackson Township Project (Project)

ID	Roadway	Segment		Cumulative No Project					Cumulative Plus Jackson Corridor Projects					Project(s) Responsible for Change in Lanes
		From	To	Travel Lanes	Facility Type¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	Travel Lanes	Facility Type¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	
31.1	Excelsior Rd	Jackson Rd	Collector WJ-6	2	Arterial M	11,960	0.66	B	3	Arterial M	37,780	2.10	F	West Jackson
31.2	Excelsior Rd	Collector WJ-6	Elder Creek Rd	2	Arterial M	11,960	0.66	B	3	Arterial M	37,130	2.06	F	West Jackson
66.2	Jackson Rd	14th Ave	Rock Creek Pkwy	4	Arterial M	40,320	1.12	F	4	Arterial M	61,500	1.71	F	
66.3	Jackson Rd	Rock Creek Pkwy	Aspen 1 Dwy	4	Arterial M	34,630	0.96	E	4	Arterial M	57,370	1.59	F	
67	Jackson Rd	South Watt Ave	Hedge Ave	4	Arterial M	38,240	1.06	F	4	Arterial M	67,850	1.88	F	
70.1	Jackson Rd	Bradshaw Rd	Collector WJ-4	2	Rural Hwy	23,120	1.01	F	6	Arterial M	59,220	1.10	F	West Jackson
70.2	Jackson Rd	Collector WJ-4	Happy Ln	2	Rural Hwy	23,190	1.01	F	6	Arterial M	59,210	1.10	F	West Jackson
71.1	Jackson Rd	Excelsior Rd	Collector JT-3	2	Rural Hwy	23,020	1.01	F	4	Arterial M	62,440	1.73	F	Jackson Township
71.2	Jackson Rd	Collector JT-3	Tree View Ln	2	Rural Hwy	23,020	1.01	F	4	Arterial M	46,480	1.29	F	Jackson Township
71.3	Jackson Rd	Tree View Ln	Collector JT-4	2	Rural Hwy	22,990	1.00	F	4	Arterial M	40,520	1.13	F	Jackson Township
73	Jackson Rd	Sunrise Blvd	Grant Line Rd	4	Arterial M	31,730	0.88	D	4	Arterial M	45,430	1.26	F	
79	Kiefer Blvd	Sunrise Blvd	Rancho Cordova Pkwy	4	Arterial M	20,760	0.58	A	4	Arterial M	33,480	0.93	E	
405	Collector JT-3	Collector JT-5	Jackson Rd						2	Arterial M	20,320	1.13	F	Jackson Township

Note: Gray shading indicates changes in travel lanes or facility type that the project is responsible to provide.
¹ The following classifications are used to determine daily roadway capacity: Arterial L - Arterial, Low Access Control
Arterial M - Arterial, Moderate Access Control Arterial H - Arterial, High Access Control Rural Hwy - Rural 2-lane Highway
Rural S - Rural 2-lane Road, 24'-36' of pavement, Paved Shoulders Rural NS - Rural 2-lane Road, 24'-36' of pavement, No Shoulders Res Collector F - Residential Collector with Frontage
Res Collector NF - Residential Collector with No Frontage
Bold values do not meet LOS policy. **Red values** with light gray shading indicate project effects.
Source: DKS Associates 2019

Table SI-41: Cumulative Roadway Segment Levels of Service - LOS Deficiencies Triggered by Jackson Township Project (Alternative 2)

ID	Roadway	Segment		Cumulative No Project					Cumulative Plus Jackson Corridor Projects					Project(s) Responsible for Change in Lanes
		From	To	Travel Lanes	Facility Type¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	Travel Lanes	Facility Type¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	
23	Elder Creek Rd	Power Inn Rd	Florin-Perkins Rd	2	Arterial M	25,170	1.40	F	2	Arterial M	28,360	1.58	F	
25	Elder Creek Rd	South Watt Ave	Hedge Ave	4	Arterial M	40,860	1.14	F	4	Arterial M	52,900	1.47	F	
31.1	Excelsior Rd	Jackson Rd	Collector WJ-6	2	Arterial M	11,960	0.66	B	3	Arterial M	36,910	2.05	F	West Jackson
31.2	Excelsior Rd	Collector WJ-6	Elder Creek Rd	2	Arterial M	11,960	0.66	B	3	Arterial M	36,220	2.01	F	West Jackson
66.2	Jackson Rd	14th Ave	Rock Creek Pkwy	4	Arterial M	40,320	1.12	F	4	Arterial M	61,980	1.72	F	
66.3	Jackson Rd	Rock Creek Pkwy	Aspen 1 Dwy	4	Arterial M	34,630	0.96	E	4	Arterial M	57,690	1.60	F	
67	Jackson Rd	South Watt Ave	Hedge Ave	4	Arterial M	38,240	1.06	F	4	Arterial M	66,380	1.84	F	
70.1	Jackson Rd	Bradshaw Rd	Collector WJ-4	2	Rural Hwy	23,120	1.01	F	6	Arterial M	59,380	1.10	F	West Jackson
70.2	Jackson Rd	Collector WJ-4	Happy Ln	2	Rural Hwy	23,190	1.01	F	6	Arterial M	59,660	1.10	F	West Jackson
71.1	Jackson Rd	Excelsior Rd	Collector JT-3	2	Rural Hwy	23,020	1.01	F	4	Arterial M	62,220	1.73	F	Jackson Township
71.2	Jackson Rd	Collector JT-3	Tree View Ln	2	Rural Hwy	23,020	1.01	F	4	Arterial M	46,480	1.29	F	Jackson Township
71.3	Jackson Rd	Tree View Ln	Collector JT-4	2	Rural Hwy	22,990	1.00	F	4	Arterial M	41,360	1.15	F	Jackson Township
73	Jackson Rd	Sunrise Blvd	Grant Line Rd	4	Arterial M	31,730	0.88	D	4	Arterial M	45,290	1.26	F	
95	Rockingham Dr	Old Placerville Rd	Mather Field Rd	4	Arterial M	31,970	0.89	D	4	Arterial M	40,280	1.12	F	

Note: Gray shading indicates changes in travel lanes or facility type that the project is responsible to provide.
¹ The following classifications are used to determine daily roadway capacity: Arterial L - Arterial, Low Access Control
Arterial M - Arterial, Moderate Access Control Arterial H - Arterial, High Access Control Rural Hwy - Rural 2-lane Highway
Rural S - Rural 2-lane Road, 24'-36' of pavement, Paved Shoulders Rural NS - Rural 2-lane Road, 24'-36' of pavement, No Shoulders Res Collector F - Residential Collector with Frontage
Res Collector NF - Residential Collector with No Frontage
Bold values do not meet LOS policy. **Red values** with light gray shading indicate project effects.
Source: DKS Associates 2019

Table SI-42: Cumulative Plus Jackson Corridor Projects Roadway Segment LOS Improvement Measures - LOS Deficiencies Triggered by Jackson Township Project (Project)

ID	Roadway	Segment		Cumulative Plus Jackson Corridor Projects					Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures						
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	Travel Lanes	Facility Type ¹	Volume / Capacity Ratio	Level of Service	LOS Threshold Exceeded with LOS Improvement Measures?	Alternative_ LOS Improvement Measures ²	Constraint if Unable to Meet LOS Threshold
31.1	Excelsior Rd	Jackson Rd	Collector WJ-6	3	Arterial M	37,780	2.10	F	6	Arterial M	0.70	B	No		
31.2	Excelsior Rd	Collector WJ-6	Elder Creek Rd	3	Arterial M	37,130	2.06	F	6	Arterial M	0.69	B	No		
66.2	Jackson Rd	14th Ave	Rock Creek Pkwy	4	Arterial M	61,500	1.71	F	4	Arterial M	1.71	F	Yes		Maximum General Plan lanes
66.3	Jackson Rd	Rock Creek Pkwy	Aspen 1 Dwy	4	Arterial M	57,370	1.59	F	4	Arterial M	1.59	F	Yes		Maximum General Plan lanes
67	Jackson Rd	South Watt Ave	Hedge Ave	4	Arterial M	67,850	1.88	F	6	Arterial M	1.26	F	Yes		Maximum General Plan lanes
70.1	Jackson Rd	Bradshaw Rd	Collector WJ-4	6	Arterial M	59,220	1.10	F	6	Arterial M	1.10	F	Yes		Maximum General Plan lanes
70.2	Jackson Rd	Collector WJ-4	Happy Ln	6	Arterial M	59,210	1.10	F	6	Arterial M	1.10	F	Yes		Maximum General Plan lanes
71.1	Jackson Rd	Excelsior Rd	Collector JT-3	4	Arterial M	62,440	1.73	F	6	Arterial M	1.16	F	Yes		Maximum General Plan lanes
71.2	Jackson Rd	Collector JT-3	Tree View Ln	4	Arterial M	46,480	1.29	F	6	Arterial M	0.86	D	No		
71.3	Jackson Rd	Tree View Ln	Collector JT-4	4	Arterial M	40,520	1.13	F	6	Arterial M	0.75	C	No		
71.4	Jackson Rd	Collector JT-4	Eagles Nest Rd	4	Arterial M	37,510	1.04	F					No		
73	Jackson Rd	Sunrise Blvd	Grant Line Rd	4	Arterial M	45,430	1.26	F	6	Arterial M	0.84	D	No		
79	Kiefer Blvd	Sunrise Blvd	Rancho Cordova Pkwy	4	Arterial M	33,480	0.93	E	4	Arterial M	0.93	E	Yes		Maximum General Plan lanes
405	Collector JT-3	Collector JT-5	Jackson Rd	2	Arterial M	20,320	1.13	F	4	Arterial M	0.56	A	No		

Note: Gray shading represents changes in travel lanes or facility type that the project is responsible to provide.

¹ The following classifications are used to determine daily roadway capacity: Arterial L - Arterial, Low Access Control, Arterial M - Arterial, Moderate Access Control Arterial H - Arterial, High Access Control Rural Hwy - Rural 2-lane Highway, Rural S - Rural 2-lane Road, 24'-36' of pavement, Paved Shoulders Rural NS - Rural 2-lane Road, 24'-36' of pavement, No Shoulders Res Collector F - Residential Collector with Frontage, Res Collector NF - Residential Collector with No Frontage

² Alternative LOS improvement measures represent proposed improvement measures beyond the General Plan, as proposed by the County of Sacramento.

Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.

Source: DKS Associates 2019

ALTERNATIVE 2

Implementation of LOS Improvement Measures TR-4, TR-5, TR-6, CU-TR-1, and CU-TR-5 would result in fair share payments toward improvements that would reduce the cumulative roadway segment effects of the Project. As shown in Table SI-43, implementation of LOS Improvement Measure CU-TR-5 would result in fair share payment toward improvements that would reduce the effects of the Jackson Township Project (Project) as shown in Table SI-43. However, as shown in Table SI-43, seven roadway segments operating unacceptably under the Cumulative Plus Jackson Township (Alternative 2) scenario would continue to operate at unacceptable levels with the implementation of all feasible improvement projects funded through LOS Improvement Measure CU-TR-5. Additionally, it cannot be guaranteed that any of these improvements would be implemented concurrent with, or prior to, project development.

CUMULATIVE INTERSECTION OPERATIONS CUMULATIVE JACKSON TOWNSHIP PROJECT**PROJECT**

Table SI-44 and Table SI-45 summarize the results of the operations analysis for the study area intersections under Cumulative Plus Jackson Township Project (Project) conditions. The tables include the implementation of intersection changes associated with the Jackson Township Project. Table SI-45 illustrates the type of traffic control and number of lanes by type on each study area intersection approach. Shaded table cells indicate those locations where changes in traffic control and/or number of approach lanes by type would be fully funded by the project(s) shown in the last column. Shaded table cells in Table SI-44 illustrate those locations where the LOS threshold would be exceeded. Detailed intersection operation calculations and the full list of study area intersection operating conditions are included in Appendix TR-1.

A signal warrant analysis was conducted for all unsignalized intersections along Jackson Road, and other unsignalized intersections in close proximity to the Project. Detailed signal warrant calculation sheets are included in Appendix TR-1. The following unsignalized intersection would operate at an unacceptable level and meet one or more traffic signal warrant under the Cumulative Plus Jackson Township Project (Project) conditions:

- Eagles Nest Road and Florin Road

As shown in Table SI-44, the addition of vehicle trips generated by the Jackson Township Project would result in the exceedance of applicable LOS and delay thresholds under Cumulative Plus Jackson Township Project (Project) conditions.

ALTERNATIVE 2

Table SI-46 and Table SI-47 summarize the results of the operations analysis for the study area intersections under Cumulative Plus Jackson Township Project (Alternative 2) conditions. The tables include the implementation of intersection changes associated with the Jackson Township Project. Table SI-47 illustrates the type of traffic control and number of lanes by type on each study area intersection approach. Shaded table cells indicate those locations where changes in traffic control and/or number of approach lanes by type would be fully funded by the project(s) shown in the last column. Shaded table cells in Table

SI-46 illustrate those locations where the LOS threshold would be exceeded. Detailed intersection operations calculations and the full list of study area intersection operating conditions are included in Appendix TR-1.

A signal warrant analysis was conducted for all unsignalized intersections along Jackson Road, and other unsignalized intersections in close proximity to the Project. Detailed signal warrant calculation sheets are included in Appendix TR-1. The following unsignalized intersection would operate at an unacceptable level and meet one or more traffic signal warrant under the Cumulative Plus Jackson Township Project (Alternative 2) conditions:

- Eagles Nest Road and Florin Road

As shown in Table SI-46, the addition of vehicle trips generated by the Jackson Township Project would result in the exceedance of applicable LOS and delay thresholds under Cumulative Plus Jackson Township Project (Alternative 2) conditions.

LOS IMPROVEMENT MEASURES

CU-TR-6. Cumulative Intersection Operations Cumulative Jackson Township Project

The Project Applicant shall implement LOS Improvement Measure CU-TR-2. The Project Applicant shall implement the set of improvements assigned to the Project by the tool (LOS Improvement Measure TR-4). Where feasible, the number of roadway lanes would be increased to reduce the effect. In locations where the LOS threshold exceedance could not be improved such that acceptable operating conditions would be achieved by implementing the County's standard number of approach lanes, the County would propose alternative LOS reduction measures. These generally include providing additional turn lanes, carrying an additional through lane past the intersection, or designating the intersection as a High Capacity Intersection.

PROJECT

The Project Applicant would implement LOS Improvement Measure CU-TR-2. This LOS improvement measure would require the Project Applicant to contribute their appropriate fair share contribution toward the construction of the improvements summarized in Table SI-48a through Table SI-49b below.

Table SI-48a and Table SI-49a summarize recommended LOS improvement measures and the results of the operations analysis for the traffic study area intersections with these measures implemented, which does not exceed the County's standard number of approach lanes, under the Cumulative Plus Jackson Township Project (Project) scenario. Table SI-48b and Table SI-49b summarize recommended LOS improvement measures and the results of the operations analysis for the traffic study area intersections with ultimate LOS improvement measures implemented, which may exceed the County's standard number of approach lanes, under the Cumulative Plus Jackson Township Project (Project) scenario.

Shaded table cells indicate those locations where changes in traffic control and/or number of approach lanes by type have been made to reduce the effects, which would be the responsibility of the Jackson Corridor Projects to fund. Table SI-49a and Table SI-49b also identify those intersections that would continue operate at unacceptable levels after

implementation of LOS improvement measures, along with the constraint if the LOS threshold is unable to be met. In locations where the threshold exceedance could not be improved such that acceptable operating conditions would be achieved by implementing the County's standard number of approach lanes, the County has proposed alternative LOS improvement measures, which are shown in the "Alternative LOS Improvement Measures" column. These generally include providing additional turn lanes, carrying an additional through lane past the intersection, or designating the intersection as a High Capacity Intersection. These alternative LOS improvement measures would either result in acceptable LOS along the roadway segments operating at unacceptable levels or substantially reduce the level of LOS the effect. Detailed intersection operations calculations and the full list of study area intersection operating conditions are included in Appendix TR-1. Implementation of LOS Improvement Measure CU-TR-6 would result in fair share payments toward improvements that would reduce the effects of the Jackson Township Project as shown in Table SI-48a and Table SI-48b. However, as shown in Table SI-49a and Table SI-49b, it cannot be guaranteed that all of these improvements would be implemented concurrent with the phasing of development proposed for the Jackson Township Project because of the dynamic and interrelated nature of LOS improvements measures that would serve multiple development projects. If all improvements were implemented in a timely way, all LOS threshold exceedances would be reduced to a level such that the applicable thresholds would not be exceeded. However, because the timing of implementation of all required improvements cannot be guaranteed and is not subject to the sole responsibility of just Jackson Township Project Applicants and the County, it cannot be guaranteed that the LOS threshold exceedances at intersections would be reduced to a level such that the applicable thresholds would not be exceeded at the time of development.

ALTERNATIVE 2

- ~~The project applicant shall implement LOS Improvement Measures TR-4, TR-5, TR-7, and CU-TR-2.~~

The Project applicant shall implement the set of improvements assigned to the project by the tool (LOS Improvement Measure TR-4) as identified in Table SI-50a and Table SI-51a. Table SI-50a and Table SI-51a summarize recommended LOS improvement measures and the results of the operations analysis for the traffic study area intersections with the implementation of improvement measures, which does not exceed the County's standard number of approach lanes, under the Cumulative Plus Jackson Corridor Projects (Alternative 2) scenario. Table SI-50b and Table SI-51b summarize recommended LOS improvement measures and the results of the operations analysis for the traffic study area intersections with ultimate LOS improvement measures implemented, which may exceed the County's standard number of approach lanes, under the Cumulative Plus Jackson Corridor Projects (Alternative 2) scenario.

Shaded table cells indicate those locations where changes in traffic control and/or number of approach lanes by type have been made to reduce the effects, which would be the responsibility of the Jackson Corridor Projects to fund. Table SI-51a and Table SI-51b also identify those intersections that would continue operate at unacceptable levels after implementation of LOS improvement measures, along with the constraint if the LOS threshold is unable to be met. Detailed intersection operations calculations and the full list of

study area intersection operating conditions are included in Appendix TR-1. Additionally, detailed descriptions of the “High Capacity Intersections” identified in Table SI-51b are provided in Appendix TR-1.

Implementation of LOS Improvement Measures TR-4, TR-5, TR-7, and CU-TR-2 would result in fair share payments toward improvements that would reduce the cumulative intersection effects of the Alternative 2. Several intersections would operate acceptably with implementation of LOS improvement measures. LOS improvement measures would generally involve improvements within the alignment or widening of the roadway. The programmatic impacts of constructing these improvements have been evaluated within the scope of the technical sections of this the Draft EIR. However, as shown in Table SI-51a and Table SI-51b, because many intersections have reached the maximum number of lanes allowed under the General Plan, alternative LOS improvement measures were recommended. But, even with implementation of these alternative LOS improvement measures, some intersections would continue to operate unacceptably. Thus, the addition of vehicle trips generated by Project buildout would result in the exceedance of applicable LOS and delay thresholds under Cumulative Plus Jackson Corridor Projects (Alternative 2) conditions.

Table SI-43: Cumulative Plus Jackson Corridor Projects Roadway Segment LOS Improvement Measures – LOS Deficiencies Triggered by Jackson Township Project (Alternative 2)

ID	Roadway	Segment		Cumulative Plus Jackson Corridor Projects					Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures						
		From	To	Travel Lanes	Facility Type¹	Forecasted Volume	Volume/ Capacity Ratio	Level of Service	Travel Lanes	Facility Type¹	Volume / Capacity Ratio	Level of Service	LOS Threshold Exceeded with LOS Improvement Measures?	Alternative LOS Improvement Measures-²	Constraint if Unable to Meet LOS Threshold
23	Elder Creek Rd	Power Inn Rd	Florin-Perkins Rd	2	Arterial M	28,360	1.58	F	4	Arterial M	0.79	C	No		
25	Elder Creek Rd	South Watt Ave	Hedge Ave	4	Arterial M	52,900	1.47	F	6	Arterial M	0.98	E	No		
31.1	Excelsior Rd	Jackson Rd	Collector WJ-6	3	Arterial M	36,910	2.05	F	6	Arterial M	0.68	B	No		
31.2	Excelsior Rd	Collector WJ-6	Elder Creek Rd	3	Arterial M	36,220	2.01	F	6	Arterial M	0.67	B	No		
66.2	Jackson Rd	14th Ave	Rock Creek Pkwy	4	Arterial M	61,980	1.72	F	4	Arterial M	1.72	F	Yes		Maximum General Plan lanes
66.3	Jackson Rd	Rock Creek Pkwy	Aspen 1 Dwy	4	Arterial M	57,690	1.60	F	4	Arterial M	1.60	F	Yes		Maximum General Plan lanes
67	Jackson Rd	South Watt Ave	Hedge Ave	4	Arterial M	66,380	1.84	F	6	Arterial M	1.23	F	Yes		Maximum General Plan lanes
70.1	Jackson Rd	Bradshaw Rd	Collector WJ-4	6	Arterial M	59,380	1.10	F	6	Arterial M	1.10	F	Yes		Maximum General Plan lanes
70.2	Jackson Rd	Collector WJ-4	Happy Ln	6	Arterial M	59,660	1.10	F	6	Arterial M	1.10	F	Yes		Maximum General Plan lanes
71.1	Jackson Rd	Excelsior Rd	Collector JT-3	4	Arterial M	62,220	1.73	F	6	Arterial M	1.15	F	Yes		Maximum General Plan lanes
71.2	Jackson Rd	Collector JT-3	Tree View Ln	4	Arterial M	46,480	1.29	F	6	Arterial M	0.86	D	No		
71.3	Jackson Rd	Tree View Ln	Collector JT-4	4	Arterial M	41,360	1.15	F	6	Arterial M	0.77	C	No		
73	Jackson Rd	Sunrise Blvd	Grant Line Rd	4	Arterial M	45,290	1.26	F	6	Arterial M	0.84	D	No		
95	Rockingham Dr	Old Placerville Rd	Mather Field Rd	4	Arterial M	40,280	1.12	F	4	Arterial M	1.12	F	Yes		Maximum General Plan lanes

Note: Gray shading represents changes in travel lanes or facility type that the project is responsible to provide.
1 The following classifications are used to determine daily roadway capacity: Arterial L - Arterial, Low Access Control
Arterial M - Arterial, Moderate Access Control Arterial H - Arterial, High Access Control Rural Hwy - Rural 2-lane Highway
Rural S - Rural 2-lane Road, 24'-36' of pavement, Paved Shoulders Rural NS - Rural 2-lane Road, 24'-36' of pavement, No Shoulders Res Collector F - Residential Collector with Frontage
Res Collector NF - Residential Collector with No Frontage
2 Alternative LOS improvement measures represent proposed LOS improvement measures beyond the General Plan, as proposed by the County of Sacramento.
Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.
Source: DKS Associates 2019

Table SI-44: Cumulative Plus Jackson Corridor Projects Intersection Levels of Service - LOS Deficiencies Triggered by Jackson Township Project (Project)

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect	Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
45	Excelsior Road & Jackson Road	Signal	E	59.9	Signal	F	>300	Yes	Signal	D	39.0	Signal	F	269.1	Yes
47	Excelsior Road & Florin Road	All-way stop	F	62.4	Signal	F	111.2	Yes	All-way stop	F	67.3	Signal	E	74.2	No
51	Mather Field Road & Rockingham Drive	Signal	F	156.5	Signal	F	>300	Yes	Signal	F	119.4	Signal	F	170.3	Yes
58	Zinfandel Drive & Douglas Road	Signal	F	156.8	Signal	F	216.8	Yes	Signal	E	73.1	Signal	F	220.1	Yes
61	Eagles Nest Road & Florin Road	Two-way stop			Two-way stop			Yes	Two-way stop			Two-way stop			Yes
	Northbound		F	>300		F	>300			F	>300		F	>300	
	Southbound		F	>300		F	>300			F	>300		F	>300	
	Eastbound Left Turn		B	10.2		B	11.3			A	8.5		A	9.3	
	Westbound Left Turn		A	0.0		A	0.0			A	9.4		A	8.7	
69	Sunrise Boulevard & Kiefer Boulevard	Signal	F	151.0	Signal	F	>300	Yes	Signal	F	138.0	Signal	F	261.4	Yes

Note: Gray shading represents changes in traffic control that the project is responsible to provide.
Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.
Source: DKS Associates 2019

Table SI-45: Cumulative Plus Jackson Corridor Projects Intersection Geometrics - LOS Deficiencies Triggered by Jackson Township Project (Project)

Intersection		Traffic Control		Super Cumulative No Project Lane Geometrics				Super Cumulative Plus Jackson Township Projects Lane Geometrics				Project(s) Responsible for Change
		Existing	Existing Plus Jackson Township Projects	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
45	Excelsior Road & Jackson Road	Signal	Signal	↘↗	↘↓↘	↘↑↗	↘↑↗	↘↗	↘↓↓↘↘	↘↘↑↑↑↗	↘↘↑↑↑↗	West Jackson; Jackson Township
47	Excelsior Road & Florin Road	All-way stop	Signal	↘	↗	↘	↘	↘↗	↗↘	↘↗	↘↗	West Jackson
51	Mather Field Road & Rockingham Drive	Signal	Signal	↘↑↑↗	↘↓↓↓↘	↘↘↗	↘↗	↘↑↑↗	↘↓↓↓↘	↘↘↗	↘↗	
58	Zinfandel Drive & Douglas Road	Signal	Signal	↘↗	↘↓↘↘	↘↑↗	↘↘↑↑↗	↘↗	↘↓↘↘	↘↑↗	↘↘↑↑↗	
61	Eagles Nest Rd/Eagles Nest Road & Florin Road	Two-way stop	Signal	↘	↗	↘	↘	↘	↗	↘	↘	
69	Sunrise Boulevard & Kiefer Boulevard	Signal	Signal	↘↑↑↗	↗↓↘↘	↘	↘↗	↘↑↑↗	↗↓↘↘	↘↘↑↑↗	↘↗	NewBridge; Mather South

Note: Gray shading represents changes in traffic control or approach lanes for which the project is responsible to pay a fair share.
Source: DKS Associates 2019

Table SI-46: Cumulative Plus Jackson Corridor Projects Intersection Levels of Service - LOS Deficiencies Triggered by Jackson Township Project (Alternative 2)

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect	Cumulative No Project			Cumulative Plus Jackson Township Projects			LOS Effect-
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
45	Excelsior Road & Jackson Road	Signal	E	59.9	Signal	F	330.8	Yes	Signal	D	39.0	Signal	F	269.1	Yes
51	Mather Field Road & Rockingham Drive	Signal	F	156.5	Signal	F	>300	Yes	Signal	F	119.4	Signal	F	170.3	Yes
61	Eagles Nest Road & Florin Road	Two-way stop			Two-way stop			Yes	Two-way stop			Two-way stop			Yes
	Northbound		F	>300		F	>300			F	>300		F	>300	
	Southbound		F	>300		F	>300			F	>300		F	>300	
	Eastbound Left Turn		B	10.2		B	11.3			A	8.5		A	9.3	
	Westbound Left Turn		A	0.0		A	0.0			A	9.4		A	8.7	

Note: Gray shading represents changes in traffic control that the project is responsible to provide.
Source: DKS Associates 2019

Table SI-47: Cumulative Plus Jackson Corridor Projects Intersection Geometrics - LOS Deficiencies Triggered by Jackson Township Project (Alternative 2)

Intersection		Traffic Control		Super Cumulative No Project Lane Geometrics				Super Cumulative Plus Jackson Township Projects Lane Geometrics				Project(s) Responsible for Change
		Existing	Existing Plus Jackson Township Projects	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
45	Excelsior Road & Jackson Road	Signal	Signal	↘↗	↘↓↘	↘↑↗	↘↑↗	↘↗	↘↓↓↘↘	↘↘↑↑↑↗	↘↘↑↑↑↗	West Jackson; Jackson Township
51	Mather Field Road & Rockingham Drive	Signal	Signal	↘↑↑↗	↘↓↓↓↘	↘↘↗	↘↗	↘↑↑↗	↘↓↓↓↘	↘↘↗	↘↗	
61	Eagles Nest Rd/Eagles Nest Road & Florin Road	Two-way stop	Signal	↘	↗	↘	↘	↘	↗	↘	↘	

Note: Gray shading represents changes in traffic control or approach lanes for which the project is responsible to pay a fair share.
Source: DKS Associates 2019

Table SI-48a: Cumulative Plus Jackson Corridor Projects Intersection Level of Service - LOS Deficiencies Triggered by Jackson Township (Project)

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Cumulative Plus Jackson Corridor Projects			Cumulative Plus Jackson Corridor Projects with County Standard LOS Improvement Measures			Alternative LOS Improvement Measures Needed	Cumulative Plus All			Cumulative Plus Jackson Corridor Projects with County Standard LOS Improvement Measures			Alternative LOS Improvement Measures Needed
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
45	Excelsior Road & Jackson Road	Signal	F	>300	Signal	F	118.6	Yes	Signal	F	269.1	Signal	F	150.7	Yes
47	Excelsior Road & Florin Road	Signal	F	111.2	Signal	D	47.2	No	Signal	E	74.2	Signal	E	67.3	No
51	Mather Field Road & Rockingham Drive	Signal	F	>300	Signal	-	-	Yes	Signal	F	170.3	Signal	-	-	Yes
58	Zinfandel Drive & Douglas Road	Signal	F	216.8	Signal	E	61.9	No	Signal	F	220.1	Signal	E	68.4	No
61	Eagles Nest Road & Florin Road	Two-way stop			Signal	F	142.4	Yes	Two-way stop			Signal	F	137.7	Yes
	Northbound		F	>300						F	>300				
	Southbound		F	>300						F	>300				
	Eastbound Left Turn		B	11						A	9.3				
	Westbound Left Turn		A	0						A	8.7				
69	Sunrise Boulevard & Kiefer Boulevard	Signal	F	>300	Signal	F	118.3	No	Signal	F	261.4	Signal	E	71.1	No

Note: Gray shading represents changes in traffic control that the project is responsible to provide.
Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.
Source: DKS Associates 2019

Table SI-48b: Cumulative Plus Jackson Corridor Projects Intersection Level of Service - LOS Deficiencies Triggered by Jackson Township (Project)

Intersection		A.M. Peak Hour						P.M. Peak Hour					
		Cumulative Plus Jackson Corridor Projects with County Standard LOS Improvement Measures			Cumulative Plus Jackson Corridor Projects with Ultimate LOS Improvement Measures			Cumulative Plus Jackson Corridor Projects with County Standard LOS Improvement Measures			Cumulative Plus Jackson Corridor Projects with Ultimate LOS Improvement Measures		
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)
45	Excelsior Road & Jackson Road	Signal	F	118.6	Signal	-	-	Signal	F	150.7	Signal	-	-
51	Mather Field Road & Rockingham Drive	Signal	F	>300	Signal	-	-	Signal	F	>300	Signal	-	-
61	Eagles Nest Road & Florin Road	Signal	F	142.4	Signal	D	50.4	Signal	F	137.7	Signal	D	45.5

Note: Gray shading represents changes in traffic control that the project is responsible to provide.
Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.
Source: DKS Associates 2019

Table SI-49a: Cumulative Plus Jackson Corridor Projects Intersection Level of Service - LOS Deficiencies Triggered by Jackson Township (Project)

		Traffic Control		Super Cumulative Plus Jackson Corridor Projects Lane Geometrics				Super Cumulative Plus Jackson Corridor Projects Lane Geometrics with County Standard LOS Improvement Measures				LOS Threshold Exceeded with LOS Improvement Measures?
		Super Cumulative Plus Jackson Corridor Projects	Super Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
45	Excelsior Road & Jackson Road	Signal	Signal	↘↗	↘↓↘↘	↘↗↑↑↑↗↗	↘↗↑↑↑↗↗	↘↑↗	↘↓↘↘↘	↘↗↑↑↑↗↗	↘↗↑↑↑↗↗	Yes
47	Excelsior Road & Florin Road	Signal	Signal	↘↗	↘↘	↘↗	↘↗	↘↑↗	↘↘	↘↗	↘↗	No
51	Mather Field Road & Rockingham Drive	Signal	Signal	↘↑↑↗↗	↘↓↘↘↘	↘↘↗	↘↗	↘↑↑↗↗	↘↓↘↘↘	↘↘↗	↘↗	Yes
58	Zinfandel Drive & Douglas Road	Signal	Signal	↘↗	↘↓↘↘	↘↑↗↗	↘↗↑↑↗↗	↘↗↑↑↗↗	↘↓↘↘↘	↘↗↑↑↑↗↗	↘↗↑↑↑↗↗	No
61	Eagles Nest Rd/Eagles Nest Road & Florin Road	Two-way stop	Signal	↘↗	↘↗	↘↗	↘↗	↘↗	↘↗	↘↗	↘↗	Yes
69	Sunrise Boulevard & Kiefer Boulevard	Signal	Signal	↘↑↑↗↗	↘↓↘↘	↘↗↑↑↗↗	↘↗↗	↘↗↑↑↑↗↗	↘↓↘↘↘↘	↘↗↑↑↗↗	↘↗↑↑↗↗	No

¹ High capacity intersections are defined in the Sacramento County General Plan and may include grade separations, additional turn lanes, and/or other features as deemed appropriate by the County.
² Alternative LOS improvement measures represent proposed LOS improvement measures beyond the General Plan or standard intersection geometry, excluding high capacity intersections, as proposed by the County of Sacramento.
Note: Gray shading represents changes in traffic control or approach lanes for which the project is responsible to pay a fair share.
Source: DKS Associates 2019

Table SI-49b: Cumulative Plus Jackson Corridor Projects Intersection Level of Service - LOS Deficiencies Triggered by Jackson Township (Project)

Intersection		Traffic Control		Super Cumulative Plus Jackson Corridor Projects Lane Geometrics with County Standard LOS Improvement Measures				Super Cumulative Plus Jackson Corridor Projects Lane Geometrics with Ultimate LOS Improvement Measures				LOS Threshold Exceeded with LOS Improvement Measures?	High Capacity Intersection? ¹	Alternative LOS Improvement Measures ²	Constraint if Unable to Meet LOS Threshold
		Super Cumulative Plus Jackson Corridor Projects	Super Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach				
45	Excelsior Road & Jackson Road	Signal	Signal	↘↑↗	↘↓↘↘↘	↘↗↑↑↑↗↗	↘↗↑↑↑↗↗	↘↗↑↑↗	↘↓↘↘↘	↘↗↑↑↑↗↗	↘↗↑↑↑↗↗	Yes	No	NBR overlap	Maximum General Plan Lanes
51	Mather Field Road & Rockingham Drive	Signal	Signal	↘↑↑↗↗	↘↓↘↘↘	↘↘↗	↘↗	↘↑↑↗↗	↘↓↘↘↘	↘↘↗	↘↗	Yes	No		Existing development
61	Eagles Nest Rd/Eagles Nest Road & Florin Road	Signal	Signal	↘↗	↘↗	↘↗	↘↗	↘↗	↘↘	↘↗	↘↗	No	No		

¹ High capacity intersections are defined in the Sacramento County General Plan and may include grade separations, additional turn lanes, and/or other features as deemed appropriate by the County.
² Alternative LOS improvement measures represent proposed LOS improvement measures beyond the General Plan or standard intersection geometry, excluding high capacity intersections, as proposed by the County of Sacramento.
Note: Gray shading represents changes in traffic control or approach lanes for which the project is responsible to pay a fair share.
Source: DKS Associates 2019

Table SI-50a: Cumulative Plus Jackson Corridor Projects Intersection Level of Service - LOS Deficiencies Triggered by Jackson Township (Alternative 2)

Intersection		A.M. Peak Hour							P.M. Peak Hour						
		Cumulative Plus Jackson Corridor Projects			Cumulative Plus Jackson Corridor Projects with County Standard LOS Improvement Measures			Alternative LOS Improvement Measures Needed	Cumulative Plus Jackson Corridor Projects			Cumulative Plus Jackson Corridor Projects with County Standard LOS Improvement Measures			Alternative LOS Improvement Measures Needed
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	
45	Excelsior Road & Jackson Road	Signal	F	330.8	Signal	F	106.9	Yes	Signal	F	269.1	Signal	F	144.6	Yes
51	Mather Field Road & Rockingham Drive	Signal	F	>300				Yes	Signal	F	170.3				Yes
61	Eagles Nest Road & Florin Road	Two-way stop			Signal	F	121.3	Yes	Two-way stop			Signal	F	138.5	Yes
	Northbound		F	>300						F	>300				
	Southbound		F	>300						F	>300				
	Eastbound Left Turn		B	11						A	9.3				
	Westbound Left Turn		A	0						A	8.7				

Note: Gray shading represents changes in traffic control that the project is responsible to provide.
Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.
Source: DKS Associates 2019

Table SI-50b: Cumulative Plus Jackson Corridor Projects Intersection Level of Service - LOS Deficiencies Triggered by Jackson Township (Alternative 2)

Intersection		A.M. Peak Hour						P.M. Peak Hour					
		Cumulative Plus Jackson Corridor Projects with County Standard LOS Improvement Measures			Cumulative Plus Jackson Corridor Projects with Ultimate LOS Improvement Measures			Cumulative Plus Jackson Corridor Projects with County Standard LOS Improvement Measures			Cumulative Plus Jackson Corridor Projects with Ultimate LOS Improvement Measures		
		Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)	Control	Int LOS	Delay (sec)
45	Excelsior Road & Jackson Road	Signal	F	106.9				Signal	F	144.6			
51	Mather Field Road & Rockingham Drive	Signal	F	>300				Signal	F	170.3			
61	Eagles Nest Road & Florin Road	Signal	F	121.3	Signal	E	69.6	Signal	F	138.5	Signal	D	49.1

Note: Gray shading represents changes in traffic control that the project is responsible to provide.
Bold values do not meet LOS policy. Red values with light gray shading indicate project effects.
Source: DKS Associates 2019

Table SI-5051a: Cumulative Plus Jackson Corridor Projects Intersection Level of Service - LOS Deficiencies Triggered by Jackson Township (Alternative 2)

Intersection		Traffic Control		Super Cumulative Plus Jackson Corridor Projects Lane Geometrics				Super Cumulative Plus Jackson Corridor Projects Lane Geometrics with County Standard LOS Improvement Measures				LOS Threshold Exceeded with LOS Improvement Measures?
		Super Cumulative Plus Jackson Corridor Projects	Super Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach	
45	Excelsior Road & Jackson Road	Signal	Signal	↘↗	↘↗↘↗	↘↗↗↗↗↗	↘↗↗↗↗	↘↗↗↗↗	↘↗↘↗↘↗	↘↗↗↗↗	↘↗↗↗↗	Yes
51	Mather Field Road & Rockingham Drive	Signal	Signal	↘↗↗↗	↘↗↘↗↘↗	↘↗↗	↘↗	↘↗↗↗	↘↗↘↗↘↗	↘↗↗	↘↗↗	Yes
61	Eagles Nest Rd/Eagles Nest Road & Florin Road	Two-way stop	Signal	↘	↗	↘	↘	↘	↗	↘	↘	Yes

¹ High capacity intersections are defined in the Sacramento County General Plan and may include grade separations, additional turn lanes, and/or other features as deemed appropriate by the County.
² Alternative LOS improvement measures represent proposed LOS improvement measures beyond the General Plan or standard intersection geometry, excluding high capacity intersections, as proposed by the County of Sacramento.
Note: Gray shading represents changes in traffic control or approach lanes for which the project is responsible to pay a fair share.
Source: DKS Associates 2019

Table SI-51b: Cumulative Plus Jackson Corridor Projects Intersection Level of Service - LOS Deficiencies Triggered by Jackson Township (Alternative 2)

Intersection		Traffic Control		Super Cumulative Plus Jackson Corridor Projects Lane Geometrics with County Standard LOS Improvement Measures				Super Cumulative Plus Jackson Corridor Projects Lane Geometrics with Ultimate LOS Improvement Measures				LOS Threshold Exceeded with LOS Improvement Measures?	High Capacity Intersection? ¹	Alternative LOS Improvement Measures ²	Constraint if Unable to Meet LOS Threshold
		Super Cumulative Plus Jackson Corridor Projects	Super Cumulative Plus Jackson Corridor Projects with LOS Improvement Measures	NB Approach	SB Approach	EB Approach	WB Approach	NB Approach	SB Approach	EB Approach	WB Approach				
45	Excelsior Road & Jackson Road	Signal	Signal	↖↗↑↑↑↘	↘↓↓↓↖↗	↖↗↑↑↑↘	↖↗↑↑↑↘	↖↗↑↑↑↘	↘↓↓↓↖↗	↖↗↑↑↑↘	↖↗↑↑↑↘	Yes	No	NBR overlap	Maximum General Plan Lanes
51	Mather Field Road & Rockingham Drive	Signal	Signal	↖↑↑↘	↘↓↓↓↖↗	↖↘↗	↖↘↗	↖↑↑↘	↘↓↓↓↖↗	↖↘↗	↖↘↗	Yes	No		Existing development
61	Eagles Nest Rd/Eagles Nest Road & Florin Road	Signal	Signal	↘	↖	↘	↘	↖↘	↖↗	↖↘	↖↘	No	No		

1 High capacity intersections are defined in the Sacramento County General Plan and may include grade separations, additional turn lanes, and/or other features as deemed appropriate by the County.

2 Alternative LOS improvement measures represent proposed LOS improvement measures beyond the General Plan or standard intersection geometry, excluding high capacity intersections, as proposed by the County of Sacramento.

Note: Gray shading represents changes in traffic control or approach lanes for which the project is responsible to pay a fair share.

Source: DKS Associates 2019

FREEWAY FACILITY EFFECTS CUMULATIVE PLUS JACKSON TOWNSHIP PROJECT

PROJECT

CUMULATIVE FREEWAY SEGMENTS CUMULATIVE JACKSON TOWNSHIP PROJECT

With implementation of the Cumulative Plus Project scenario, the Caltrans' threshold of significance (5 percent V/C increase) would not be exceeded along any of the freeway segments analyzed. Detailed freeway mainline operations calculations are included in Appendix TR-1. Additionally, none of the effects shown in Table SI-28 would be triggered by the Cumulative Plus Project scenario alone.

CUMULATIVE FREEWAY RAMP INTERSECTION QUEUING CUMULATIVE JACKSON TOWNSHIP PROJECT

Table SI-29 and Table SI-30 show the a.m. and p.m. peak hour freeway ramp intersection queuing under the Cumulative Plus Project scenario. Detailed freeway mainline operation calculations are included in Appendix TR-1. None of the effects shown in Table SI-29 and Table SI-30 would be triggered by the Cumulative Plus Project scenario alone.

CUMULATIVE FREEWAY MERGE / DIVERGE / WEAVE SEGMENTS CUMULATIVE JACKSON TOWNSHIP PROJECT

Table SI-31 summarizes a.m. and p.m. peak hour freeway operations at merge/diverge/weave segments under the Cumulative Plus Project scenario. Detailed merge/diverge/weave data and analysis is included in Appendix TR-1. As shown in Table SI-31, with implementation of the Cumulative Plus Project scenario, none of the merge/diverge/weave segments would experience merge/diverge LOS worse than the freeway's LOS. Thus, the Cumulative Plus Project scenario would not trigger any effects.

ALTERNATIVE 2

CUMULATIVE FREEWAY SEGMENTS CUMULATIVE JACKSON TOWNSHIP PROJECT

With implementation Alternative 2, the Caltrans' threshold of significance (5 percent V/C increase) would not be exceeded along any of the freeway segments analyzed. Detailed freeway mainline operations calculations are included in Appendix TR-1. Additionally, none of the effects shown in Table SI-32 would be triggered by the Alternative 2 alone.

CUMULATIVE FREEWAY RAMP INTERSECTION QUEUING CUMULATIVE JACKSON TOWNSHIP PROJECT

Table SI-33 and Table SI-34 show the a.m. and p.m. peak hour freeway ramp intersection queuing under the Cumulative Plus Alternative 2 scenario. Detailed freeway mainline operations calculations are included in Appendix TR-1. None of the effects shown in Table SI-33 and Table SI-34 would be triggered by Alternative 2 alone.

CUMULATIVE FREEWAY MERGE / DIVERGE / WEAVE SEGMENTS CUMULATIVE JACKSON TOWNSHIP PROJECT

Table SI-35 summarizes a.m. and p.m. peak hour freeway operations at merge/diverge/weave segments under the Cumulative Plus Alternative 2 scenario. Detailed merge/diverge/weave data and analysis is included in Appendix TR-1. As

shown in Table SI-35, with implementation of Alternative 2, none of the merge/diverge/weave segments would experience merge/diverge LOS worse than the freeway's LOS. Thus, the Cumulative Plus Alternative 2 scenario would not trigger any effects.

MITIGATION MEASURES

No mitigation is required.

CUMULATIVE ROADWAY FUNCTIONALITY IMPACTS CUMULATIVE JACKSON TOWNSHIP PROJECT

PROJECT

Table SI-52 summarizes the results of the rural roadway segment functionality analysis under Cumulative Plus Project conditions. This table includes the number of lanes assumed with the implementation of the Project, which in many cases is greater than the number of lanes in the existing condition. The shaded table cells under the "Travel Lanes" heading illustrates new roadways and widened roadways that are assumed part of the Project. The "Substandard" heading indicates whether or not a roadway meets the County standards of 12-foot lanes and 6-foot shoulders. If the Project makes improvements to a roadway segment such as widening, it would be required to reconstruct the entire substandard roadway segment to County standards. The shaded table cells under the "Functionality Impact" heading indicate those locations with a functionality impact.

As stated above and in Chapter 20, "Traffic and Circulation," the traffic analysis assumed that the Jackson Corridor Projects would construct several travel lanes on roadway segments that are internal to, or on the boundary of the Jackson Corridor Projects, and the entire roadway segment would be reconstructed to County standards at that time. The timing of implementation of such additional traffic lanes on these internal or boundary roadway segments will affect whether impacts would exist at some time before full build out of the Project.

As shown in Table SI-52, the implementation of the Jackson Township Project would result in functionality impacts along 20 roadway segments within the study area. Therefore, the Project would have a cumulatively considerable contribution to a significant cumulative impact.

ALTERNATIVE 2

Table SI-53 summarizes the results of the rural roadway segment functionality analysis under Cumulative Plus Alternative 2 conditions. As stated above, the traffic analysis assumed that Alternative 2 would construct several travel lanes on roadway segments that are internal to, or on the boundary of the Jackson Township Project, and the entire roadway segment would be reconstructed to County standards. The timing of implementation of these additional traffic lanes on these internal or boundary roadway segments would affect whether or not impacts would occur at some point before full build out of Alternative 2.

As shown in Table SI-53, implementation of Alternative 2 would result in functionality impacts along 22 roadway segments within the project study area. Therefore, the project would have a cumulatively considerable contribution to a significant cumulative impact.

MITIGATION MEASURES

CU-TR-7. Cumulative Roadway Functionality Improvements

The Project Applicant shall implement LOS Reduction Measures TR-4, TR-5, and Mitigation Measures TR-11 and CU-TR-4. The Applicant shall consult with the County on the timing needs of proposed improvements and shall either submit their fair share payment and/or enter into an agreement to construct the assigned improvements. Improvements would include widening the deficient rural roadway segments to County standards.

As development in the area is approved and proceeds to construction, the timing or assignment of specific traffic improvements may change but would nonetheless be assigned to each project based on their fair-share contribution to the overall area impacts.

PROJECT

Implementation of LOS Reduction Measures TR-4, TR-5, and Mitigation Measures TR-11, CU-TR-4, and CU-TR-7 would result in fair share payment toward improvements that would reduce the cumulative roadway functionality impacts of the Cumulative Plus Jackson Township (Project) scenario as shown in Table SI-54. However, it cannot be guaranteed that all of these improvements would be implemented concurrent with the phasing of development proposed for the Project because of the dynamic and interrelated nature of mitigation improvements that would serve multiple development projects. If all improvements were implemented in a timely way, all impacts would be reduced to a less-than-significant level. However, because the timing of implementation of all required improvements cannot be guaranteed and is not subject to the sole responsibility of just the Jackson Township Project Applicant and the County, it cannot be guaranteed that significant impacts to roadway segments would be reduced to a less-than-significant at the time of development. Therefore, the Project would have a considerable contribution to **significant and unavoidable** cumulative roadway functionality impact.

This page intentionally left blank.

Table SI-52: Cumulative Plus Jackson Corridor Projects Functionality - Impacts Triggered by Jackson Township (Project)

ID	Roadway	Segment		Jurisdiction	Existing Substandard Roadways				Cumulative Plus Jackson Corridor Projects			
		From	To		Travel Lanes	Pavement (ft)	Substandard? ¹	Existing Volume	Travel Lanes	Facility Type ¹	Forecasted Volume	Functionality Impact? ²
15	Douglas Rd	Mather Blvd	Zinfandel Dr	County	2	23	Yes	6,635	4	Arterial M	34,000	Yes ³
16	Douglas Rd	Zinfandel Dr	Sunrise Blvd	Rancho Cordova/County	2	23	Yes	8,369	6	Arterial M	50,410	Yes ³
25	Elder Creek Rd	South Watt Ave	Hedge Ave	County	2	23	Yes	5,576	4	Arterial M	48,190	Yes ³
26	Elder Creek Rd	Hedge Ave	Mayhew Rd	County	2	23	Yes	5,797	4	Arterial M	33,950	Yes ³
27	Elder Creek Rd	Mayhew Rd	Bradshaw Rd	County	2	23	Yes	5,355	4	Arterial M	40,630	Yes ³
28	Elder Creek Rd	Bradshaw Rd	Excelsior Rd	County	2	23	Yes	2,158	3	Arterial M	33,740	Yes ³
30	Excelsior Rd	Kiefer Blvd	Jackson Rd	County	2	22	Yes	3,716	2	Arterial M	27,590	Yes
31	Excelsior Rd	Jackson Rd	Elder Creek Rd	County	2	<21	Yes	5,075	3	Arterial M	37,130	Yes ³
32	Excelsior Rd	Elder Creek Rd	Florin Rd	County	2	<21	Yes	4,203	3	Arterial M	12,510	Yes ³
33	Excelsior Rd	Florin Rd	Gerber Rd	County	2	<21	Yes	5,423	2	Arterial M	12,810	Yes
41	Florin Rd	Mayhew Rd	Bradshaw Rd	County	2	22	Yes	6,317	4	Arterial M	23,450	Yes ³
42	Florin Rd	Bradshaw Rd	Excelsior Rd	County	2	22	Yes	3,478	4	Arterial M	25,600	Yes ³
48	Fruitridge Rd	Fruitridge Rd	Hedge Ave	City of Sacramento/ County	2	22	Yes	2,890	3	Arterial M	20,600	Yes ³
50	Grant Line Rd	White Rock Rd	Douglas Rd	Rancho Cordova/County	2	22	Yes	7,189	4	Arterial M	41,060	Yes ³
70	Jackson Rd	Bradshaw Rd	Excelsior Rd	County	2	26	Yes	13,030	6	Arterial M	59,220	Yes ³
71	Jackson Rd	Excelsior Rd	Eagles Nest Rd	County	2	26	Yes	10,478	4	Arterial M	62,440	Yes ³
77	Kiefer Blvd	Bradshaw Rd	Happy Ln	County	2	22	Yes	4,618	6	Arterial M	51,510	Yes ³
78	Kiefer Blvd	Zinfandel Dr	Sunrise Blvd	County	2	22	Yes	656	3	Arterial M	39,640	Yes ³
116	White Rock Rd	Fitzgerald Rd	Grant Line Rd	Rancho Cordova/County	2	20	Yes	2,490	4	Arterial M	55,990	Yes ³
123	Zinfandel Dr	Douglas Rd	Kiefer Blvd	County	2	<21	Yes	2,848	4	Arterial M	22,240	Yes ³

Note: Gray shading indicates changes in travel lanes or facility type that the project is responsible to provide. For all roadway segments to be widened, the project is responsible to build the entire roadway to County standards.

¹ Substandard rural roads are defined as rural, 2-lane roadway segments with travel lanes narrower than 12 feet and/or roadside shoulders narrower than 6 feet.

² Functionality impacts are triggered when a substandard rural road increases over a threshold of 6,000 ADT, or for a roadway already above 6,000 ADT, increases by more than 600 ADT.

³ The potential for an impact exists should the project generate traffic volumes on the roadway exceeding 6,000 ADT, or increasing more than 600 ADT on a roadway already above 6,000 ADT, prior to the construction of roadway improvements.

⁴ Excluding the roadway segment that is within the developed community of Independence at Mather.

⁵ The functionality impact is mitigated by improving the roadway to County standards, including widening travel lanes to 12 feet and/or widening or providing paved shoulders to 6 feet.

Red text with light gray shading indicate project impacts.

Source: DKS Associates 2019

Table SI-53: Cumulative Plus Jackson Corridor Projects Functionality – Impacts Triggered by Jackson Township (Alternative 2)

ID	Roadway	Segment		Jurisdiction	Existing Substandard Roadways				Cumulative Plus Jackson Corridor Projects			
		From	To		Travel Lanes	Pavement (ft)	Substandard? ¹	Existing Volume	Travel Lanes	Facility Type ¹	Forecasted Volume	Functionality Impact? ²
15	Douglas Rd	Mather Blvd	Zinfandel Dr	County	2	23	Yes	6,635	4	Arterial M	33,390	Yes ³
16	Douglas Rd	Zinfandel Dr	Sunrise Blvd	Rancho Cordova/County	2	23	Yes	8,369	6	Arterial M	50,360	Yes ³
25	Elder Creek Rd	South Watt Ave	Hedge Ave	County	2	23	Yes	5,576	4	Arterial M	52,900	Yes ³
26	Elder Creek Rd	Hedge Ave	Mayhew Rd	County	2	23	Yes	5,797	4	Arterial M	33,660	Yes ³
27	Elder Creek Rd	Mayhew Rd	Bradshaw Rd	County	2	23	Yes	5,355	4	Arterial M	40,490	Yes ³
28	Elder Creek Rd	Bradshaw Rd	Excelsior Rd	County	2	23	Yes	2,158	3	Arterial M	30,740	Yes ³
30.2	Excelsior Rd	Douglas Rd	Collector WJ-1/ Collector JT-1	County	2		Yes	3,716	4	Arterial M	26,970	Yes ³
30.3	Excelsior Rd	Collector WJ-1/ Collector JT-1	Collector WJ-2/ Collector JT-2	County	2		Yes	3,716	4	Arterial M	25,900	Yes ³
30.4	Excelsior Rd	Collector WJ-2/ Collector JT-2	Jackson Rd	County	2		Yes	3,716	4	Arterial M	25,400	Yes ³
31	Excelsior Rd	Jackson Rd	Elder Creek Rd	County	2	<21	Yes	5,075	3	Arterial M	36,220	Yes ³
32	Excelsior Rd	Elder Creek Rd	Florin Rd	County	2	<21	Yes	4,203	3	Arterial M	12,520	Yes ³
33	Excelsior Rd	Florin Rd	Gerber Rd	County	2	<21	Yes	5,423	2	Arterial M	13,080	Yes
40	Florin Rd	Hedge Ave	Mayhew Rd	County	2	22	Yes	6,312	4	Arterial M	13,280	Yes ³
41	Florin Rd	Mayhew Rd	Bradshaw Rd	County	2	22	Yes	6,317	4	Arterial M	40,200	Yes ³
48	Fruitridge Rd	South Watt Ave	Hedge Ave	City of Sacramento/ County	2	22	Yes	2,890	3	Arterial M	24,240	Yes ³
50	Grant Line Rd	White Rock Rd	Douglas Rd	Rancho Cordova/County	2	22	Yes	7,189	4	Arterial M	41,130	Yes ³
70	Jackson Rd	Bradshaw Rd	Excelsior Rd	County	2	26	Yes	13,030	6	Arterial M	59,380	Yes ³
71	Jackson Rd	Excelsior Rd	Eagles Nest Rd	County	2	26	Yes	10,478	4	Arterial M	62,220	Yes ³
77	Kiefer Blvd	Bradshaw Rd	Happy Ln	County	2	22	Yes	4,618	6	Arterial M	50,960	Yes ³
78	Kiefer Blvd	Zinfandel Dr	Sunrise Blvd	County	2	22	Yes	656	3	Arterial M	39,820	Yes ³
116.3	White Rock Rd	Americanos Blvd	Grant Line Rd	Rancho Cordova/County	2		Yes	2,490	4	Arterial M	16,530	Yes ³
123	Zinfandel Dr	Douglas Rd	Kiefer Blvd	County	2	<21	Yes	2,848	4	Arterial M	22,250	Yes ³

Note: Gray shading indicates changes in travel lanes or facility type that the project is responsible to provide. For all roadway segments to be widened, the project is responsible to build the entire roadway to County standards.

¹ Substandard rural roads are defined as rural, 2-lane roadway segments with travel lanes narrower than 12 feet and/or roadside shoulders narrower than 6 feet.

² Functionality impacts are triggered when a substandard rural road increases over a threshold of 6,000 ADT, or for a roadway already above 6,000 ADT, increases by more than 600 ADT.

³ The potential for an impact exists should the project generate traffic volumes on the roadway exceeding 6,000 ADT, or increasing more than 600 ADT on a roadway already above 6,000 ADT, prior to the construction of roadway improvements.

⁴ Excluding the roadway segment that is within the developed community of Independence at Mather.

⁵ The functionality impact is mitigated by improving the roadway to County standards, including widening travel lanes to 12 feet and/or widening or providing paved shoulders to 6 feet.

Red text with light gray shading indicate project impacts.

Source: DKS Associates 2019

**Table SI-54: Cumulative Plus Jackson Corridor Projects Functionality Mitigations -
Impacts Triggered by Jackson Township (Project)**

ID	Roadway	Segment		Cumulative Plus Jackson Corridor Projects				Mitigation	Impact after Mitigation?
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	Functionality Impact? ²		
15	Douglas Rd	Mather Blvd	Zinfandel Dr	4	Arterial M	34,000	Yes ³	Widen to County standards ⁵	No
16	Douglas Rd	Zinfandel Dr	Sunrise Blvd	6	Arterial M	50,410	Yes ³	Widen to County standards ⁵	No
25	Elder Creek Rd	South Watt Ave	Hedge Ave	4	Arterial M	48,190	Yes ³	Widen to County standards ⁵	No
26	Elder Creek Rd	Hedge Ave	Mayhew Rd	4	Arterial M	33,950	Yes ³	Widen to County standards ⁵	No
27	Elder Creek Rd	Mayhew Rd	Bradshaw Rd	4	Arterial M	40,630	Yes ³	Widen to County standards ⁵	No
28	Elder Creek Rd	Bradshaw Rd	Excelsior Rd	3	Arterial M	33,740	Yes ³	Widen to County standards ⁵	No
30	Excelsior Rd	Kiefer Blvd	Jackson Rd	2	Arterial M	27,590	Yes	Widen to County standards ⁵	No
31	Excelsior Rd	Jackson Rd	Elder Creek Rd	3	Arterial M	37,130	Yes ³	Widen to County standards ⁵	No
32	Excelsior Rd	Elder Creek Rd	Florin Rd	3	Arterial M	12,510	Yes ³	Widen to County standards ⁵	No
33	Excelsior Rd	Florin Rd	Gerber Rd	2	Arterial M	12,810	Yes	Widen to County standards ⁵	No
41	Florin Rd	Mayhew Rd	Bradshaw Rd	4	Arterial M	23,450	Yes ³	Widen to County standards ⁵	No
42	Florin Rd	Bradshaw Rd	Excelsior Rd	4	Arterial M	25,600	Yes ³	Widen to County standards ⁵	No
48	Fruitridge Rd	Fruitridge Rd	Hedge Ave	3	Arterial M	20,600	Yes ³	Widen to County standards ⁵	No

ID	Roadway	Segment		Cumulative Plus Jackson Corridor Projects				Mitigation	Impact after Mitigation?
		From	To	Travel Lanes	Facility Type ¹	Forecasted Volume	Functionality Impact? ²		
50	Grant Line Rd	White Rock Rd	Douglas Rd	4	Arterial M	41,060	Yes ³	Widen to County standards ⁵	No
70	Jackson Rd	Bradshaw Rd	Excelsior Rd	6	Arterial M	59,220	Yes ³	Widen to County standards ⁵	No
71	Jackson Rd	Excelsior Rd	Eagles Nest Rd	4	Arterial M	62,440	Yes ³	Widen to County standards ⁵	No
77	Kiefer Blvd	Bradshaw Rd	Happy Ln	6	Arterial M	51,510	Yes ³	Widen to County standards ⁵	No
78	Kiefer Blvd	Zinfandel Dr	Sunrise Blvd	3	Arterial M	39,640	Yes ³	Widen to County standards ⁵	No
116	White Rock Rd	Fitzgerald Rd	Grant Line Rd	4	Arterial M	55,990	Yes ³	Widen to County standards ⁵	No
123	Zinfandel Dr	Douglas Rd	Kiefer Blvd	4	Arterial M	22,240	Yes ³	Widen to County standards ⁵	No

Note: Gray shading indicates changes in travel lanes or facility type that the project is responsible to provide. For all roadway segments to be widened, the project is responsible to build the entire roadway to County standards.

1 Substandard rural roads are defined as rural, 2-lane roadway segments with travel lanes narrower than 12 feet and/or roadside shoulders narrower than 6 feet.

2 Functionality impacts are triggered when a substandard rural road increases over a threshold of 6,000 ADT, or for a roadway already above 6,000 ADT, increases by more than 600 ADT.

3 The potential for an impact exists should the project generate traffic volumes on the roadway exceeding 6,000 ADT, or increasing more than 600 ADT on a roadway already above 6,000 ADT, prior to the construction of roadway improvements.

4 Excluding the roadway segment that is within the developed community of Independence at Mather.

5 The functionality impact is mitigated by improving the roadway to County standards, including widening travel lanes to 12 feet and/or widening or providing paved shoulders to 6 feet.

Red text with light gray shading indicate project impacts.

Source: DKS Associates 2019

ALTERNATIVE 2

Implementation of LOS Reduction Measures TR-4 and TR-5, and Mitigation Measures TR-11, CU-TR-4, and CU-TR-7 would result in fair share payment toward improvements that would reduce the cumulative roadway functionality impacts of the Cumulative Plus Jackson Township (Alternative 2) scenario as shown in Table SI-54. However, it cannot be guaranteed that all of these improvements would be implemented concurrent with the phasing of development proposed for Alternative 2 because of the dynamic and interrelated nature of mitigation improvements that would serve multiple development projects. If all improvements were implemented in a timely way, all impacts would be reduced to a less-than-significant level. However, because the timing of implementation of all required improvements cannot be guaranteed and is not subject to the sole responsibility of just the Jackson Township applicants and the County, it cannot be guaranteed that significant impacts to roadway segments would be reduced to a less-than-significant at the time of development. Therefore, Alternative 2 would have a considerable contribution to a **significant and unavoidable** cumulative roadway functionality impact.

CUMULATIVE VMT IMPACTS**PROPOSED PROJECT**

As described in Chapter 2, "Project Description," of this ~~Recirculated Draft~~ EIR, the Applicant has requested that the County consider Alternative 2: SSHCP-Consistent Wetland Preserve to be the preferred project. For this reason, the following supplemental analysis of VMT is provided only for Alternative 2.

ALTERNATIVE 2

As describe in Chapter 20, "Traffic and Circulation," of this ~~Recirculated Draft~~ EIR, Project-generated VMT for Alternative 2 was modeled using SACOG's SACSIM~~45~~¹⁹ regional travel demand forecasting model and is summarized in Table SI-55. The cumulative scenario VMT calculations for Alternative 2 incorporated VMT-reducing features that have been incorporated into the Project design or that are required by Jackson Township's AQMP, GHGRP, or the Project's Development Agreement. Refer to Appendix TR-3 for a detailed list of the VMT reduction features considered to be part of the Project, VMT modeling data, and technical calculations.

Table SI-55: VMT Analysis Results

Land Use	Metric	Cumulative Regional Average	Significance Threshold	Cumulative Plus Alternative 2
Residential	VMT per Capita	47.2 <u>18.40</u>	44.6 <u>15.64</u>	46.6 <u>13.97</u>
Office	VMT per Employee	47.3 <u>13.31</u>	44.7 <u>11.31</u>	49.8 <u>12.68</u>
Retail	Net VMT	N/A	No Net Increase	Likely Net Decrease

As shown in Table SI-55, it is likely that the retail land uses of Alternative 2 would result in a net decrease in VMT under the Cumulative Plus Alternative 2 scenario. As

described in Chapter 20, “Traffic and Circulation,” of this ~~Recirculated Draft~~ EIR, it is anticipated that the regional retail sites within the Plan Area would fill the demand for similar retail uses from future residents of the Plan Area and it is expected that vehicle trip-tours produced from currently underserved areas, such as the Rancho Murieta and Independence at Mather communities, could be substantially shortened due to the proposed regional retail sites within the Plan Area. The regional retail sites within the Plan Area would also provide the neighboring Mather South, NewBridge, and West Jackson specific plan areas with more proximate regional retail options. Therefore, the proposed regional retail sites within the Plan Area are considered VMT neutral, at a minimum. Further, given that these regional retail uses represent intervening opportunities that could shift existing travel demand away from more distant locations, a net decrease in VMT is not only plausible, but likely.

However, as shown in Table SI-55, project-generated VMT under the Cumulative Plus Alternative 2 scenario would exceed the VMT significance thresholds for ~~residential-lands uses and~~ office land uses by 10.8 percent. Therefore, the Project would have a cumulatively considerable contribution to a significant cumulative VMT impact.

Implementation of Mitigation Measures TR-1, TR-2, and TR-3 would reduce Project-generated VMT impacts. These measures would pay for bus and/or shuttle operations between the Project and the Manlove Light Rail Station, and identify and fund additional Trip Reduction Services (TRSs). An Urban Services Plan (USP) has been developed that identifies the costs of implementing and operating the TRSs necessary to meet the goals and policies of the County’s General Plan (i.e., Policy LU-120) and recommends a financing mechanism for the identified services. As described in Chapter 15, “Land Use, Population, and Housing,” General Plan Policy LU-120 establishes performance criteria and criteria-based standards for all amendments to the Urban Policy Area. All future small lot maps and subsequent entitlements must demonstrate compliance with these criteria. Specifically, TMA participation is anticipated to reduce employee VMT by 8.3 percent and a carpooling/rideshare program would reduce employee VMT an additional 4.0 percent. This reduction (12.3 percent) would result in VMT per employee that is less than the regional threshold (Kimley-Horn 2022).

The County acknowledges that advancements in technology and transportation network planning have occurred subsequent to the adoption of the 2030 General Plan policies. The goal of TRS is to improve air quality and reduce greenhouse gas emissions by encouraging alternate modes of travel. Alternative TRSs may be considered by the County if it can be demonstrated that an equivalent reduction in VMT or transportation mode split, as documented in the project Transportation Impact Report, can be achieved.

~~These established policies and funding programs would encourage and facilitate implementation of TRSs, as identified herein. However, it cannot be guaranteed that the implementation of Mitigation Measures TR-1, TR-2, and TR-3 would reduce Project-generated VMT to less than significant levels in the cumulative scenario because the specific elements of the VMT-reducing mitigation measures that would be implemented are unknown at this time, and uncertainty exists related to the VMT reductions that would be achieved.~~ Therefore, Alternative 2 would have a less than considerable

contribution to a significant and unavoidable cumulative VMT impact. This impact would be **less than significant**.

MITIGATION MEASURES

- The Project Applicant shall implement Mitigation Measures TR-1, TR-2, and TR-3.

WATER SUPPLY

CUMULATIVE SETTING

The Plan area is in the unincorporated Sacramento County, near several other projects including NewBridge, Mather South, and West Jackson. The portion of the county where these projects would be developed is largely rural and sparsely developed. The Sacramento County Water Agency (SCWA) provides water supply and maintains infrastructure in the Zone 40/41 area which would serve the Plan Area. Regional water infrastructure is present near the Plan Area.

Zone 40 plans, acquires, constructs, and operates facilities for the conjunctive use of groundwater and surface water. The Central Basin, upon which the Project lies, is currently non-adjudicated. Central Basin groundwater supplies are managed through the existing Central Sacramento County Groundwater Management Plan and regional planning efforts to increase conjunctive use. The basin is beginning to recover from this historical overdraft condition, and groundwater availability is projected to increase between 2020 and 2040 (see Table WS-1).

The Water Forum Agreement (WFA) as updated in October of 2015, is a memorandum of understanding designed to provide a reliable and safe water supply to the region through 2030 while preserving the fishery, wildlife, recreational, and aesthetic values of the lower American River. Land-use decisions dependent on water supply from the three groundwater subbasins in Sacramento County must be consistent with the estimated average annual sustainable yields for those groundwater subbasins, as negotiated for the WFA. Groundwater extraction was within the WFA's sustainable yield from 2005 to 2015. Cumulative water supply impacts would be less than significant due to these existing management programs.

CUMULATIVE IMPACTS EVALUATION

As described in Chapter 19, "Water Supply," SCWA has been planning for and implementing regional water supply infrastructure upgrades in the Zone 40/41 area that serves the Plan Area and vicinity. As a result, the SCWA Water Supply Master Plan (WSMP) has been concurrently developed to address the sufficiency of water supply for the West Jackson, Jackson Township, and NewBridge projects. Additionally, the Water Supply Improvement Plan (WSIP) has been prepared to address specific infrastructure needs in the area. The 2016 WSIP develops the future water demands of Zone 40 assuming that the proposed Mather South, West Jackson, Jackson Township, and NewBridge projects are approved and proceed (SCWA 2016).

SCWA has included the Project and other anticipated projects including in the build-out scenario for future water demands. Table SI-56 provides a summary and schedule of

the SCWA's planned water supply projects that are planned through 2040 to meet projected water demand.

Table SI-56: Planned SCWA Water Supply Expansion Projects

Expected Future Water Supply Projects or Programs		
Name of Future Projects or Program	Implementation Year	Expected Increase in Water Supply to Agency, ac-ft/yr
Phase A NSA Project	2020	9,000
Disconnection of Anatolia GWTP	2020	-4,000
Phase B NSA Project	2025	27,000
Poppy Ridge GWTP Expansion	2025	4,000
West Jackson GWTP	2035	10,000
Big Horn GWTP Expansion	2035	5,000

Source: SCWA 2016

Notes: These projects will expand infrastructure capacity to allow SCWA to utilize more of its available water supplies. The expected increase in supplies includes supply for the wholesale customers. The retail and wholesale breakdown of the supplies from each project is not specifically known.

The evaluation of water supply impacts in Chapter 18, "Water Supply," evaluates the Project's consistency with programs intended to ensure comprehensive, regional management of water resources. As described in the WSA and summarized in Chapter 18, the planned water supplies for Zone 40 would be sufficient to meet the demands of the Project in addition to the existing and projected water supply obligations over the next 20 years (see Appendix WS-2). Therefore, the Project and Alternative 2 would not result in a considerable contribution such that a new significant cumulative impact related to water supply would occur. The cumulative impact would be **less than significant**.

MITIGATION MEASURES

No mitigation is required.

ENERGY

CUMULATIVE SETTING

The geographic area considered for cumulative impacts regarding energy use is Sacramento County and the service areas for SMUD and PG&E. SMUD and PG&E both employ programs and mechanisms to support provision of services for new developments to be built within their service territory. The most common mechanism includes connection fees to recoup the cost of infrastructure required to service new developments through standard billing services. Additionally, energy efficiency, power management strategies, and conservation measures, reducing energy demand in existing development can serve to reduce additional energy infrastructure and services required for new development.

SMUD purchases, generates, and distributes electric power to a 900-square mile services area in Sacramento County. Electricity purchased and produced by SMUD is generated from a variety of sources including hydro generation; cogeneration plants; advanced and renewable technologies such as wind, solar, and biomass/landfill gas power; and power purchased on the wholesale market. Various Federal, State, and local regulations govern the use of energy to limit the potential for wasteful, inefficient, or unnecessary consumption of energy. There is not an existing adverse cumulative condition related to inefficient use of energy.

Sacramento County is currently processing four specific and community master plans within the Jackson Road corridor, each of which is undergoing a separate evaluation for environmental impacts. Build out of the plans, if approved, would occur across a 20-plus year horizon. The projects include the NewBridge Specific Plan, the West Jackson Highway Master Plan, the Jackson Township Specific Plan, and the Mather South Community Master Plan. The total impact of these plans would result in the development of over 9,247 acres and would include at least 27,425 dwelling units, and over 20 million square feet of commercial, retail, office, and other nonresidential uses. In anticipation of the increased energy demand that would result from the implementation of these plans, the following new electrical infrastructure would be required to serve all four developments combined:

- One new bulk substation: Jackson Bulk Electrical substation;
- Eight project-specific distribution substations located on-site throughout the plan areas;
- Two expanded project-specific distribution substations within the West Jackson Highway Master Plan Project area; and
- Ancillary infrastructure including on-site and off-site distribution, sub-transmission, and connections to existing transmission lines in the area.

The above infrastructure would be needed to provide adequate service for the development of each new community while continuing to maintain adequate service levels for the existing development within the area. The bulk electrical substation and off-site transmission and sub-transmission lines are not specific to any one of the projects but are needed to meet the cumulative needs for all the projects in combination with existing development.

Based on the size and land uses included within each project, SMUD has estimated the following future energy demand:

- Mather South Community Master Plan - 27 megawatts (MW)
- Jackson Township Specific Plan - 44 MW
- NewBridge Specific Plan - 21 MW
- West Jackson Highway Master Plan - 223 MW

ELECTRICAL INFRASTRUCTURE NEEDS

DISTRIBUTION SUBSTATIONS

The following description generally summarizes the requirements for new SMUD distribution substations, such as those that will be located within each of the specific and community master plan areas. While exact design specifications are not available, this summary provides a good faith effort at evaluating the size, capacity, infrastructure, and design of each of the distribution substations to analyze the potential environmental impacts associated with the infrastructure.

Each of the eight substations would be approximately 1.5 acres in size and would be energized by connecting to 69,000 volts (69 kV) subtransmission lines that are supplied by the proposed Jackson Bulk Substation (described in detail below) and existing SMUD Bulk Substations. Bulk substations typically step-down transmission line voltage of 230,000 volts (230 kV) to subtransmission voltage of 69 kV through power transformers. The distribution substations would in turn step down the electricity supply to 12,000 volts (12 kV) for delivery to residential neighborhoods. Each distribution substation would include up to two transformers, eight capacitor banks, two backup battery systems, two metal clad switchgears, and two poles with a disconnect switch. Substations will require an access road of at least 20-feet wide if the access roads are straight, and 24-foot wide if there are turns. The distribution substations would receive electricity from 69-kV subtransmission lines. SMUD's standard construction for sub-transmission lines is overhead construction with poles that if pole-mounted would be approximately 65-feet tall. The distribution substations would distribute electricity via underground and/or overhead 12-kV lines to neighborhoods. Permanent utility easements would be required. Construction of the distribution substations would occur over a 1-year period.

SPECIFIC AND COMMUNITY PLAN INFRASTRUCTURE

The following section describes the existing and required electrical infrastructure that would be required within each of the four specific and community master plan areas. The approximate locations of the proposed new electrical infrastructure are illustrated on Plates EN-1 Proposed Substation Locations and Plate EN-2, Proposed Subtransmission Lines. Additional 69-kV routes may be required depending upon the final locations of the new distribution substations.

MATHER SOUTH COMMUNITY PLAN AREA

The Mather South Community Plan Area would require one new distribution substation and is proposed to be in one of two site options. Location A would be in the center of the Plan Area within COMM1 land use designation and would receive the 69-kV sub-transmission line along the east side of Zinfandel Drive. Location B would be located on the eastern side of the Plan Area within R17a and receive the 69-kV sub-transmission line along the east side of the Regional Bike Trail on the west side of the Folsom South Canal.

There is one existing 69-kV subtransmission line east of Sunrise Boulevard, and the cumulative projects would require three new 69-kV subtransmission routes within the project, including one along the north side of Douglas Road, one along the east side of Zinfandel Drive or the east side of the Regional Bike Trail, and one along Kiefer Boulevard.

JACKSON TOWNSHIP SPECIFIC PLAN AREA

The Jackson Township Specific Plan Area would require one new distribution substation near Jackson Road and Tree View Lane. There are four existing 230-kV transmission lines in an easement that runs along the southeasterly portion of the Jackson Township plan area. Two of the lines are owned by SMUD and two are owned by PG&E. The cumulative projects would require three new 69-kV sub-transmission routes within the project, including one along Kiefer Boulevard, one along Jackson Road, and one along Excelsior Road.

NEWBRIDGE SPECIFIC PLAN AREA

The NewBridge Specific Plan Area would require one new distribution substation west of the Folsom South Canal or the expansion of the existing SMUD distribution substation in the P/QP parcel (S-60) at the northwest corner of Jackson Road and Sunrise Boulevard. The determination of constructing a new distribution substation or expanding the existing distribution substation is dependent on construction constraints at the time of development. If a new distribution substation is constructed, the existing distribution substation will be removed after the new location is in service. The four 230-kV transmission lines described above also traverse the NewBridge Specific Plan area in an easement that runs along the north central portion. There are additionally, two existing 69-kV sub-transmission lines in the plan area, one located along the north side of Jackson Road and one on the east side of Sunrise Boulevard. The cumulative projects would require two new 69-kV sub-transmission routes within the project area, including one on the west side of Eagles Nest Road between Jackson Road and Kiefer Boulevard, and one on the south side of Kiefer Boulevard between the western NewBridge plan boundary and Sunrise Boulevard.

WEST JACKSON HIGHWAY MASTER PLAN

The West Jackson Highway Master Plan project would require the expansion of two existing distribution substations, one on the east side of Happy Lane south of Old Placerville Road and one along the west side of Mayhew and north of Jackson Road. The expansion of these distribution substations would result in impacts to the adjacent parcels, which will be evaluated in detail in the West Jackson Highway Master Plan EIR.

The project would also require four new distribution substations, near Fruitridge Road and Hedge Avenue; Jackson Road and Vineyard Road extension; Fruitridge Road and Bradshaw Road; Excelsior and Kiefer Boulevard; and Florin Road and Vineyard Road.

The project may also result in the removal of an existing distribution substation if no longer required by the existing customer, near Kiefer Boulevard and Bradshaw Road.

The four existing 230-kV transmission lines that are located south of Jackson Road and described above, also run along the northern portion of the West Jackson Highway Master Plan. The cumulative projects would require seven new 69-kV sub-transmission lines, including one along Kiefer Boulevard, one along Happy Lane, one along Jackson Road, one along Vineyard Road, one along Bradshaw Road, one along the east/west road between Bradshaw Road and Vineyard Road, and one along Hedge Avenue.

JACKSON BULK SUBSTATION

As noted above, because of the cumulative anticipated growth along the Jackson Road corridor, SMUD would require the construction and operation of a new bulk substation. The following description summarizes the general components and requirements for a new SMUD bulk substation, such as the Jackson Bulk Substation. While exact design specifications are not available, this summary provides a good faith effort at evaluating the size, capacity, infrastructure, and design of the project to analyze the potential environmental impacts associated with the project. The description of electrical infrastructure is largely derived from SMUD's recent Franklin Bulk Substation project.

The project would result in the construction and operation of a new bulk transmission substation, modify existing and construct new overhead 69-kV sub-transmission and make connections to existing 230-kV transmission lines that would link the distribution substations to the electrical grid. Project features would include the development of the Jackson Bulk Substation, up to eight new distribution substations located within nearby master plan areas (as described above), and sub-transmission lines.

BULK SUBSTATION LOCATION

SMUD would require the dedication of approximately 22 acres of land north of the existing Cordova-Hedge and Cordova-Pocket 230-kV transmission lines that are located within a utility easement south of Jackson Road. The two potential locations are shown on Plate EN-1.

Option 1 is located adjacent to the southeast corner of Jackson Road and Excelsior Road and is not located within any of the four proposed master plan projects discussed above. It is located within parcels APN 067-0050-039-0000 and 067-0050-040-0000. The parcels also include two single-family, detached homes and is designated as AG-160 (Agricultural-160 Acres). There are two retention ponds on the site which are designated wetlands and included in the U.S. Fish and Wildlife National Wetland Inventory. The substation location for Option 1 is located approximately 680 feet north of the nearest sensitive receptors. The site is located directly south of Jackson Road and north of two SMUD 230-kV transmission lines, and two PG&E lines, that run through the proposed south-easterly portion of the West Jackson Highway Master Plan development area.

Option 2 is located approximately 2,000 feet south of Jackson Road and 2,000 feet west of Excelsior Road and is within the project boundary of the West Jackson Highway Master Plan. This location is within a civic/employment designated portion of the master plan.

BULK SUBSTATION INFRASTRUCTURE

BULK SUBSTATION

The bulk substations would step down transmission line voltage of 230 kV to subtransmission voltage of 69 kV for distribution to distribution substations located within the four community and masterplan areas. The bulk substation area would be graded and partially covered in crushed gravel, except where concrete foundations for

the control building, transformers, circuit breakers and other equipment, oil containment, metal clad switchgear, and paved access roads would be built.

The main components of a bulk substation are the power transformers, steel structures, switches, control and relay equipment, circuit breakers, capacitor banks, electrical busses, cables and control building. Each power transformer would be approximately 35-feet tall, would contain approximately 25,000 to 30,000 gallons of insulating mineral oil. The maximum average sound level for each transformer would not exceed 80 decibel A-weighting (dBA) measured at a distance of 6-feet around the periphery of the transformer.

The bulk substation would also include circuit breakers and circuit switchers to receive and distribute electricity. Circuit breakers would be approximately 25-feet tall and would contain sulfur hexafluoride (SF₆) or other insulating medium. Sound levels would not exceed 140 decibels measured at 50-feet around the perimeter of the circuit breaker. Noise generated by the circuit breaker is typically intermittent.

The bulk substation also includes pad-mounted transformers which will contain approximately 85 gallons of insulating oil, which is typically natural ester oil, which is non-toxic and biodegradable. The bulk substation would also include battery systems using lead acid, which would be located inside the control building. Other optional electrical components may be included which utilize mineral oil for insulating.

ELECTRICAL BUS

The bulk substation would include a network of steel structures that would support equipment, electrical buses, varying in height from approximately 16 to 80 feet tall. The electrical bus would support equipment such as insulators and would support overhead conductors entering the bulk substation from the interconnecting transmission and sub-transmission overhead lines.

CONTROL BUILDING

The bulk substation would include a control building up to 50 feet high. The control building would be constructed with masonry block, concrete, or steel walls. The control building would include a restroom for employees and would be connected to municipal water and sewer if available.

ACCESS ROAD

The bulk substation would require two access roads of at least 20-feet wide if the access roads are straight, and 24-feet if there are turns.

BULK SUBSTATION FENCING, LANDSCAPING, AND LIGHTING

To maintain security and public safety, a minimum 10-foot fence would be installed around the perimeter of the bulk substation site. SMUD would work with Sacramento County to determine the most appropriate landscaping and screening improvements. Lighting would be included as required by the National Electrical Safety Code for substation operation. The installed lighting system would be designed for purposes of nighttime operations and maintenance and would be oriented to minimize glare onto surrounding property.

TRANSMISSION LINES

Transmission and subtransmission lines would be required to receive electricity from the grid at the Jackson Bulk Substation and distribute to the distribution substations. The receipt and distribution of electricity along electrical lines would require the dedication of a utility easement. Receipt of electricity from the grid would occur by connecting the Jackson Bulk Substation to the two SMUD 230-kV transmission lines. To make these connections, SMUD would install new steel poles up to 130-feet tall to the location of the new bulk substation. The number of new transmission poles needed would be determined by the distance between the new bulk substation and the existing transmission line right of way. Two poles at a minimum would be required. Distribution of electricity would occur across existing and new 69-kV wood or steel sub-transmission lines approximately 65 feet tall or along underground lines. The additional cost of underground 69-kV sub-transmission would be borne by the applicant requesting the facilities be installed underground and would require a feasibility study.

CONSTRUCTION, OPERATION, AND MAINTENANCE

Construction of the Jackson Bulk Substation would occur over approximately two years, in typical construction phases. During normal operations, the bulk substation would be operated remotely and continuously. Bulk substation maintenance would occur on a regular basis from two to four times per month for internal inspections and four times per year for perimeter maintenance. Major maintenance would occur about once every three years.

CUMULATIVE IMPACTS SUMMARY

The Project would be consistent with State and local policies related to energy efficiency and renewable energy, including the California Energy Code, which is intended to increase the energy efficiency of new development projects in the state. The Project would not include use of natural gas and would obtain electricity from SMUD, which has committed to providing 100 percent renewable energy by 2030.

Energy demand from the Project would not combine with the anticipated energy demand of cumulative projects in the region to result in wasteful, inefficient, or unnecessary consumption of energy. However, implementation of the four proposed master plans would result in a substantial increase in the regional demand for energy and the subsequent need to develop new supportive infrastructure (i.e., one bulk substation, eight distribution substations, two expanded distribution substations, transmission lines, sub-transmission lines, and accessory infrastructure). All new project-specific distribution substations would be located within the project boundaries of their associated maps, with the exception of the expanded distribution substations required by the West Jackson Highway Master Plan Project. Because the Plan Area under the Project and Alternative 2 have the same geographic boundaries, the energy infrastructure within the Plan Area would not change with implementation of Alternative 2.

The Jackson Bulk Substation (bulk substation) and ancillary facilities, however, would be at least partially located outside of the boundaries of these master plans. Should Option 1 be selected for the bulk substation, it would be located offsite for the four master plans. For infrastructure located within project boundaries, impacts would be addressed as direct

impacts within the appropriate resource areas within each project's EIR. However, because in most cases Option 1 and Option 2 would not be located within project boundaries of the four proposed master plan projects discussed above, an evaluation of cumulative impacts associated with each location is provided below. Table SI-57 includes an evaluation of the potential impacts of the new bulk substation if it were to be developed in either location. This analysis is programmatic in nature; a more detailed CEQA analysis will be performed by SMUD before construction of any of the proposed substations which will determine the environmental impacts and respective mitigation measures.

Table SI-57: Summary of Potential Environmental Impacts from Jackson Bulk Substation Construction and Operation

Affected Resources	Potential Impacts
Aesthetics and Visual Resources	<p>The aesthetic and visual characteristics of the proposed sites for Option 1 and 2 are similar and are characterized by grassland, rural residential homes, and agricultural land uses. The surrounding area is currently relatively rural, but with implementation of the Jackson Bulk Substation, eight distribution substations, and proposed community and master plan projects, would gradually transition to an urbanized community. The proposed bulk substation would be typical of other bulk substations in the region and would include a two-story control building, transformers (approximately 35-feet tall), power circuit breakers (approximately 25-feet tall), a network of steel structures to support electrical equipment (up to 100-feet tall), and overhead conductors entering the substation from the interconnecting sub-transmission and transmission overhead lines (up to 130-feet tall).</p> <p>Project construction would temporarily disrupt the existing visual environment as project materials would be staged and workers would be present on-site during the construction phase which would be approximately two years. However, these changes in the existing visual environment would be temporary, and consistent with the overall change to existing visual context in the Jackson Road corridor because of multiple large proposed master plans.</p> <p>Under both options, the bulk substation would be located adjacent to urbanizing areas and Jackson Road, and would be typical of supportive urban infrastructure seen in the community. The overall visual transformation of the surrounding areas is addressed in the project-specific visual resources chapter of this EIR and is inclusive of supporting infrastructure needed to support the community. As described therein, the Franklin Bulk Substation MND concluded that the project would result in less than significant impacts. No scenic resources nor scenic vistas are located on or adjacent to the sites or nearby for either Option 1 or Option 2. While development of the bulk substation would result in the visual transformation of the site from a rural character to urban infrastructure, its development would be completed in concert with the overall urbanization of the surrounding area such that construction of this facility would not result in the substantial degradation of views of the site. As described above, nighttime lighting would be included for safety and maintenance purposes but would be shielded and directionally controlled to prevent impacts to nearby sensitive land uses. Overall, the project would not result in a considerable contribution to a new significant cumulative impact related to visual resources. Cumulative impacts would be less than significant.</p>
Air Quality	Construction of the Jackson Bulk Substation and related infrastructure components under Options 1 and 2 would involve the use of off-road heavy-duty construction equipment. Construction of the bulk substation would be typical of

Affected Resources	Potential Impacts
	<p>construction activity for the project type and size. Use of this equipment during various construction phases would result in emissions of fugitive dust, diesel particulate matter, and other criteria air pollutants. It is anticipated that certain phases in the construction of the substation may result in fugitive dust emissions and criteria air pollutants which exceed applicable standards set by the Sacramento Metropolitan Air Quality Management District (SMAQMD). Given the proximity of both Option 1 and Option 2 to existing sensitive receptors, the use of construction equipment may also expose sensitive receptors to substantial pollutant concentrations. As a result, construction activity associated with bulk substation construction could result in significant air quality impacts. Construction of the bulk substation would be the responsibility of SMUD and would not be subject to the control of the County. Nonetheless, SMUD would be responsible for implementing appropriate mitigation developed in consultation with regulatory agencies to mitigate air quality impacts. Such mitigation could include construction practice and equipment limitations and renewable energy features. With implementation of mitigation, project-related impacts associated with the bulk substation could be reduced to a less-than-significant level. Mitigation Measure CU-2 below is recommended to reduce the project's contribution to impacts, specifically a reduction in fugitive dust emissions through the implementation of Fugitive Dust Control Plan during project construction. Mitigation Measure CU-3 below is recommended to reduce the project's contribution to impacts, specifically NO_x emissions during project construction through the implementation of NO_x reduction measures. However, even with implementation of this mitigation, cumulative construction-related air quality impacts could result in emissions above SMAQMD's thresholds for certain pollutants and, therefore, cumulative impacts would remain considerable and significant and unavoidable.</p> <p>Operation of the bulk substation under Option 1 or 2 would result in emissions associated with routine maintenance tasks including worker commute trips and the use of maintenance equipment, as needed. Similar to existing facilities such as the Franklin Bulk Substation, emissions during operations would be limited over the lifetime of the project and no permanent staff would be expected to be stationed at the facility. Therefore, no significant operational impacts would be expected, and this would not result in a considerable contribution to a significant cumulative impact. Cumulative impacts related to operations would be less than significant.</p>
Biological Resources	<p>The site for Option 1 includes two, single-family, detached homes on large lots which are surrounded by grassland habitat. There are also two retention ponds located within the parcel that are designated wetlands and could be disturbed during construction. The site for Option 2 is located within the project boundary of the West Jackson Highway Master Plan and consists of grassland habitat.</p> <p>Disturbance of special-status plant species and wildlife as well as their habitats could occur because of construction activities for the development of either Option 1 or Option 2. The total area of disturbance for development of the bulk substation would be a maximum of approximately 22 acres. This would not be a significant biological impact due to the extent of existing development on the Option 1 site, and the relatively small scale of the bulk substation in comparison to other larger development projects. Construction of the substation would be the responsibility of SMUD and would not be subject to the control of the County. Nonetheless, SMUD would be responsible for implementing appropriate mitigation developed in consultation with resource agencies to mitigate the impacts to special-status species and their habitats. Mitigation Measure CU-4 General Construction Measures, Mitigation Measure CU-5 Pre-Construction</p>

Affected Resources	Potential Impacts
	<p>Surveys, Mitigation Measure CU-6 Avoid Disturbance or Harm to Wildlife Species below is recommended to reduce the project's contribution to construction-related impacts. However, even with implementation of the mitigation measures listed above cumulative construction-related impacts would remain considerable and significant and unavoidable.</p> <p>Development of the project would contribute to the loss of biological resources within the region, but due to the relatively small amount of anticipated impacts this is not a considerable contribution to a significant cumulative biological resources impact. Mitigation Measure CU-7, Clean Water Act Permitting, and Mitigation Measure CU-8, Compensate for Permanent Loss of Wetlands below is recommended to reduce the project's contribution to this impact.</p>
Cultural Resources	<p>Construction activities for the development of the Jackson Bulk Substation and related infrastructure under Option 1 or Option 2 would involve ground disturbance, grading, and trenching activities that could result in the uncovering of previously undiscovered cultural resources on the site. Mitigation Measures CU-9 and CU-10 are recommended to minimize the potential for the project to result in potential impacts on cultural resources. With mitigation, the project would not result in a considerable contribution to a significant cumulative impact. Cumulative impacts would be less than significant.</p>
Geology and Soils	<p>Construction activities for the development of the Jackson Bulk Substation and related infrastructure under Option 1 or Option 2 would involve ground disturbance, grading, and trenching activities that could result in activities which expose soils and result in accelerated erosion. Construction activity could result in the movement of soils to other locations in the Plan Area to assist in the leveling the site. Because the project would disturb more than one acre of ground surface, the project would be required to comply with the Sacramento County Land Grading and Erosion Control Ordinance (Sacramento County Code Ch. 16.44). The ordinance establishes administrative procedures, minimum standards of review, and implementation and enforcement procedures for the control of erosion and sedimentation that are directly related to land grading activities.</p> <p>In addition to complying with the County's ordinances because the construction site would disturb more than one acre, it would be required to comply with the State's General Stormwater Permit for Construction Activities, which is Mitigation Measure CU-11. The Construction General Permit is issued by the State Water Resources Control Board and enforced by the Regional Board and requires preparation and implementation of a site-specific Stormwater Pollution Prevention Plan (SWPPP) that must always be kept on site for review by the State inspector. As such, the project would not result in substantial soil erosion or the loss of topsoil and would not contribute considerably to a significant cumulative impact. Cumulative impacts would be less than significant.</p>
Greenhouse Gas Emissions	<p>Operation of the Jackson Bulk Substation under Option 1 or 2 would result in GHG emissions associated with routine maintenance tasks including worker commute trips and the use of maintenance equipment, as needed. Similar to existing facilities such as the Franklin Bulk Substation, GHG emissions during operations would be limited over the lifetime of the project and no permanent staff would be expected to be stationed at the facility. Construction of the project and related infrastructure components under Option 1 or Option 2 would involve the use of off-road heavy-duty construction equipment resulting in GHG emissions and vehicle miles associated with construction worker commute trips.</p>

Affected Resources	Potential Impacts
	<p>The full design and construction details for the bulk substation are not known at this time. However, the Franklin Bulk Substation, which is similar in size to the Jackson Bulk Substation, resulted in 1,230 MTCO₂e during the initial year of construction. Based on similar size of the Jackson Bulk Substation, GHG emissions during the initial year of construction could potentially exceed SMAQMD's significance threshold of 1,100 MTCO₂e/year for construction activity. Therefore, implementation of Mitigation Measure CU-12 (described below) is suggested to reduce construction-generated GHG emissions to below 1,100 MTCO₂e/year. With implementation of the Mitigation Measure CU-12, the project would not result in a considerable contribution to a significant cumulative impact. Cumulative impacts would be less than significant.</p>
<p>Hazards and Hazardous Materials</p>	<p>Construction of the Jackson Bulk Substation and related infrastructure components under Option 1 or Option 2 would involve the transport and use of hazardous materials. These include mineral oil used to insulate transformers which would be in sealed transformer equipment, substation battery backup systems, containing liquid sulfuric acid, which would be in sealed cases, and petroleum products for use in construction equipment. As part of the SWPPP required for the project, a Spill Prevention and Response Plan (SPRP) would be implemented and would include action measures to minimize the potential release of hazardous materials into the environment. Mitigation Measures CU-13, CU-14, and CU-15 are suggested to ensure impacts of a potential release of hazardous materials into the environment are reduced to the largest degree possible. Mitigation Measure CU-13 requires environmental training on BMPs which would be employed for phases of construction in which hazardous materials are encountered. Mitigation Measure CU-14 requires the development of a Hazardous Substance Control and Emergency Response Plan. The plan would include BMPs for avoiding hazardous materials spills and specific measures to implement if a hazardous materials spill does occur. Operation the substation would require the storage and use of mineral oil onsite for the purpose of insulating the substation transformers. As part of Mitigation Measure CU-15, a Spill Prevention, Control, and Countermeasures (SPCC) Plan would be prepared to identify storage devices and containment measures for spill events. For operation of the project, Mitigation Measure CU-16 is also suggested, which would require the preparation of A Hazardous Materials Business Plan (HMBP), if operation of the Project required the handling or storage of hazardous materials equal to or greater 55 gallons for liquids, 500 pounds for solids and 200 cubic feet (at standard temperature and pressure) for compressed gases. The HMBP would also include an operation specific emergency response plan for the specific type of hazardous materials used on site. Although hazardous material would be used on site, with the implementation of Mitigation Measures CU-13 through CU-15, the risks for the accidental release of hazardous materials into the environment would be reduced such that the project would not result in a considerable contribution to a significant cumulative impact. Cumulative impacts would be less than significant.</p>
<p>Hydrology and Water Quality</p>	<p>Construction of the Jackson Bulk Substation at Option 1 or Option 2 would result in increased sediment erosion because of ground disturbance associated with activities such as grading, trenching, foundation installation, fence construction, and road improvements. Increased erosion could affect water quality in on-site and offsite water bodies. Substation construction could also result in the degradation of water quality from runoff of petroleum-based products associated with the use of construction equipment. Option 1 contains</p>

Affected Resources	Potential Impacts
	<p>wetland features and Option 2 contains two retention basins that are identified as freshwater ponds and classified as part of the Palustrine System, which includes all nontidal wetlands dominated by trees, shrubs, persistent emergents, emergent mosses or lichens, as well as all such wetlands that occur in tidal areas where salinity due to ocean-derived salts is below 0.5 ppt. Substation construction could result in changes in drainage patterns on the site. Substation construction would be required to comply with the Sacramento County Land Grading and Erosion Control Ordinance (Sacramento County Code Ch. 16.44). As discussed in the Geology and Soils section above, because the construction site would disturb more than one acre, it would also be required to comply with the State's General Stormwater Permit for Construction Activities which is issued by the State Water Resources Control Board and enforced by the Regional Board. This permit would require the preparation and implementation of a site-specific Stormwater Pollution Prevention Plan (SWPPP). Based on the results of this permitting process, if deemed applicable, standard erosion control measures would be implemented to protect water quality consistent with Regional Water Quality Control Board (RWQCB) and County requirements. The use of standard control measures through the permitting process, would ensure that substation construction activity would not violate any water quality standards or waste discharge requirements. Implementation of standard construction-related hydrology and water quality measures listed below as well as implementation of Mitigation Measures CU-11, and CU-13 through CU-15 would feasibly reduce this impact. Further, the facility would be designed to meet current State and County stormwater and water quality standards for the operation of the facility such that no significant operational hydrology and water quality impacts would occur. Therefore, the project would not result in a considerable contribution to a significant cumulative hydrology or water quality impact. Cumulative impacts would be less than significant.</p>
Noise and Vibration	<p>Construction activities for the development of the Jackson Bulk Substation and related infrastructure under Option 1 or Option 2 would involve the use of off-road heavy-duty construction equipment resulting in noise and vibration levels that could result in impacts on nearby sensitive receptors (e.g., residential land uses). Site construction characteristics would be similar to those in Mather South Community Master Plan (i.e., construction activity occurring in close proximity to sensitive receptors). Existing noise sensitive receptors exists approximately 2,035 feet east of the substation location in Option 1 and within approximately 680 feet south of the Plan Area boundary for Option 2.</p> <p>Construction activities would be intermittent and temporary in nature. Construction activities occurring during the quieter nighttime hours are of particular concern. If construction activities were to occur during the nighttime hours this could result in increased levels of annoyance and potential for sleep disruption to occupants of nearby dwellings. Because details regarding when construction activity would occur, temporary noise impacts may still occur. Construction of the substation would be the responsibility of SMUD and would not be subject to the control of the County. Nonetheless, SMUD would be responsible for implementing appropriate mitigation developed in consultation with regulatory agencies to mitigate air quality impacts. As such, construction noise mitigation strategies identified within Mitigation Measure CU-17 are proposed to mitigate substation construction activity on nearby noise sensitive receptors and could feasibly reduce this impact to below a level of significance. In general, this mitigation can and should be implemented by SMUD and would generally include the limitation of construction activity to daytime hours as</p>

Affected Resources	Potential Impacts
	<p>prescribed in the Sacramento County Noise Ordinance, which are exempt from the County's noise standards. Although this mitigation would help to reduce potential impacts on nearby sensitive receptors, because the full detail of construction activity is not known at this time, including the type and amount of construction equipment to be used as well as when construction activity would occur, noise impacts may still occur.</p> <p>As noted in the Noise Section of this EIR, a 224 mega-volt ampere (MVA) transformer, is estimated to generate a maximum noise level of 80 dBA L_{eq}/L_{50} at 6 feet (SMUD 2016). The exact size of the proposed bulk substation is unknown at this point. For this analysis it is assumed, based on information included in the Noise Section regarding the Franklin Bulk Substation MND (SMUD 2016), the proposed bulk substation would be of a similar size as the Franklin Bulk Substation. The County's zoning designation of the nearest noise sensitive land use is AG-160 (Agricultural-160 Acres). According to Sacramento County Code, Section 6.68.070 (a), this designation is not considered a noise sensitive land use and, therefore, the County daytime and nighttime exterior noise standards would not apply.</p> <p>Although the adjacent noise sensitive land use is not subject to the County's nighttime exterior noise standard, noise sensitive receptors on this property could be affected by operations of the bulk substation depending on its location under either Option 1 or Option 2. If the bulk substation were to generate noise levels of 80 dBA L_{eq}/L_{50} at 6 feet, the substation would not exceed the County of Sacramento's nighttime exterior noise standard of 45 dBA L_{eq}/L_{50} at the location of the nearest sensitive receptor for a (approximately 680 feet from the substation location for Option 2). Such mitigation could include the siting of noise-generating equipment away from sensitive receptors. With implementation of mitigation, project-related impacts would be reduced to below a level of significance. Mitigation Measure CU-16 below is recommended to reduce the project's contribution to a new significant cumulative impact. Cumulative impacts would be less than significant.</p>
Transportation	<p>Construction activities for the development of the Jackson Bulk Substation under Option 1 or Option 2 would result in construction-related commute and haul trips that could temporarily increase traffic volumes on local roadways. Construction of the facility would take place over approximately two years and would be temporary. Construction of the bulk substation would be the responsibility of SMUD and would not be subject to the control of the County. Nonetheless, SMUD would be responsible for implementing appropriate construction-traffic measures to ensure adequate access to and from the facility would be maintained. SMUD would also be required to coordinate with the County regarding construction-traffic management plans consistent with the Sacramento County Department of Transportation's Construction Traffic Management Program (Chapter 6 of the County's Project Delivery Manual). Therefore, no significant construction-related traffic impacts would occur. The facility would not require any permanent staff and would only require periodic maintenance. Therefore, this facility would not result in the substantial generation of operational traffic such that significant traffic impacts to local roadways and intersections would occur. Overall, the project would not result in a considerable contribution to a significant cumulative impact related to traffic impacts. Cumulative impacts would be less than significant.</p>

MITIGATION

Mitigation Measure CU-E-1 Coordination with SMUD

The project applicants for the NewBridge Specific Plan, the West Jackson Highway Master Plan, the Jackson Township Specific Plan, and the Mather South Community Master Plan, shall each coordinate with SMUD to identify the timing of construction of the Jackson Bulk Substation and seek to facilitate efficiencies in grading and pre-construction activities as feasible, as a condition of project approval.

AIR QUALITY

Mitigation Measure CU-E-2 Dust Control Plans

SMUD shall develop a Fugitive Dust Control Plan (FDCP) for the bulk substation. The FDCP shall be prepared before the start of construction activities. Measures to be included in the plan include, but are not limited to, the following:

- a. Water all exposed surfaces at least two times daily when soil moisture conditions have the potential to result in dust generation. Exposed surfaces include, but are not limited to soil piles, graded areas, unpaved parking areas, staging areas, and access roads.
- b. Cover or maintain at least two feet of freeboard space on haul trucks transporting soil, sand, or other loose material on the site. Any haul trucks that would be traveling along freeways or major roadways should be covered.
- c. Use wet power vacuum street sweepers to remove any visible track out mud or dirt onto adjacent public roads at least once a day. Use of dry power sweeping is prohibited.
- d. Limit vehicle speeds on unpaved roads to 15 miles per hour (mph).
- e. Temporary construction entrances shall be stabilized to control fugitive dust emissions.
- f. The FDCP shall identify a designated person or persons to monitor the fugitive dust emissions and enhance the implementation of the measures, as necessary, to minimize the transport of dust offsite and to ensure compliance with identified fugitive dust control measures. Their duty hours shall include holidays and weekend periods when work may not be in progress. The names and telephone numbers of such persons shall be provided to the SMAQMD Compliance Division before the start of any grading, or earthwork.
- g. Signs shall be posted at the substation site entrance a minimum of 30 days prior to initiation of Project construction. The signs shall include the following information: (a) Project Name; (b) Anticipated construction schedule(s); and (c) Telephone number(s) for designated construction activity monitor(s) or, if established, a complaint hotline. The designated construction monitor shall document and immediately notify SMUD and SMAQMD of any air quality complaints received. If necessary, the contractor will coordinate with SMUD and

SMAQMD to identify any additional feasible measures and/or strategies to be implemented to address public complaints.

Mitigation Measure CU-E-3 NO_x Reduction Measures

Consistent with SMAQMD-recommended “basic” and “enhanced” NO_x reduction measures, the following measures shall be implemented during bulk substation construction:

Basic Measures:

- a. Minimize idling time of diesel-powered equipment either by shutting equipment off when not in use or reducing the time of idling to 5 minutes [required by California Code of Regulations, Title 13, sections 2449(d)(3) and 2485]. Provide clear signage that posts this requirement for workers at the entrances to the site.
- b. Maintain all construction equipment in proper working condition according to manufacturer’s specifications. The equipment must be checked by a certified mechanic and determine to be running in proper condition before initial use in the project area. Documentation verifying compliance with this measure shall be retained on site and provided to SMAQMD upon request.
- c. When leasing equipment, the contractor shall use alternatively fueled equipment (e.g., electric, propane, etc.), in lieu of diesel- or gasoline fueled equipment, whenever possible and to the extent practicable.

Enhanced Measures:

- d. A comprehensive inventory of all off-road construction equipment, equal to or greater than 50 horsepower, that would be used in aggregate of 40 or more hours during substation construction shall be submitted to the SMAQMD.
 - The inventory shall include the horsepower rating, engine model year, and projected hours of use for each piece of equipment.
 - The contractor shall provide the anticipated construction timeline including start date, and name and phone number of the project manager and on-site foreman.
 - This information shall be submitted at least four business days before the use of subject heavy-duty off-road equipment.
 - The inventory shall be updated and submitted monthly throughout the duration of the project, except that an inventory shall not be required for any 30-day period in which no construction activity occurs.
- e. A plan shall be submitted to the SMAQMD demonstrating that combined emissions from heavy-duty off-road equipment (50 horsepower or more), construction vehicles, and haul truck to be used during substation construction, including owned, leased, and subcontractor vehicles, will achieve NO_x reductions sufficient to demonstrate compliance with the SMAQMD’s maximum allowable mass emissions threshold of 85 pounds per day (lbs/day) of NO_x.

- The plan shall include an inventory of all off-road equipment and haul trucks to be used during construction.
 - Acceptable options for reducing emissions may include use of late model engines, low-emission diesel products, alternative fuels, engine retrofit technology, after-treatment products, limitations on the use of off-road equipment and/or haul trucks, changes in construction schedules, the payment of mitigation fees to the SMAQMD, and/or other options as they become available. The SMAQMD's Construction Mitigation Calculator can be used to identify an equipment fleet that achieves this reduction.
- f. SMUD shall ensure that emissions from all off-road diesel powered equipment used in the project area do not exceed 40% opacity for more than three minutes in any one hour.
- Any equipment found to exceed 40 percent opacity (or Ringelmann 2.0) shall be repaired immediately.
 - Non-compliant equipment shall be documented and a summary provided to SMAQMD monthly. A visual survey of all in-operation equipment shall be made at least weekly.
 - A monthly summary of the visual survey results shall be submitted throughout the duration of the Project, except that the monthly summary shall not be required for any 30-day period in which no construction activity occurs. The monthly summary shall include the quantity and type of vehicles surveyed as well as the dates of each survey.

Once more detailed construction information becomes available, a refined emissions modeling analysis can be performed to determine if all or a portion of the above "Enhanced Measures" should be implemented to demonstrate compliance with SMAQMD's maximum allowable mass emissions threshold of 85 lbs/day of NO_x.

This analysis shall be conducted in accordance with applicable SMAQMD-recommended methodologies.

BIOLOGICAL RESOURCES

Mitigation Measure CU-E-4 General Construction Measures

The following general construction measures shall be implemented to avoid impacts to biological resources during construction of the bulk substation:

- Construction personnel shall minimize the work area footprint and the duration at a work area site, to the extent possible.
- Construction personnel shall use existing paved and unpaved roads to access the work area where present. Vehicles and equipment shall be parked on pavement, existing roads, and previously disturbed areas to the maximum extent feasible.

- Trash dumping, littering, open fires (such as barbecues), hunting, and pets shall be prohibited in work areas.

Mitigation Measure CU-E-5 Pre-Construction Surveys

The following measures shall be implemented to avoid impacts to special-status plants during construction of the bulk substation:

- Pre-construction surveys for special-status plants will be conducted within 250 feet of the Project Area, where access is possible, during the appropriate bloom period for identification.
- If surveys for special-status plants cannot be completed during the appropriate bloom period, topsoil (upper 2-4 inches) in the appropriate habitat for the surveyed specie(s) where ground disturbance will occur will be stockpiled before construction and respread after construction in suitable areas
- If any special-status plant species are found in the project area, orange or yellow construction flagging or fencing will be erected to provide a 20-foot -buffer area around the population to prevent encroachment by construction activities, if possible given the location of the population. The fencing will be maintained until construction is complete.
- If any special-status plant species are found in the project area and avoidance is not possible due to the location of the population, SMUD will consult with the appropriate resource agencies (California Department of Fish and Wildlife [CDFW] and/or California Native Plant Society [CNPS]) to develop mitigation and/or compensation measures needed to reduce the impact to a less than significant level.
- Where it is not feasible to avoid special-status plant locations within construction areas, seed collection and transplanting shall be performed for annual plant species in suitable areas.
- If an affected special-status plant is a perennial species, native plant nursery propagation shall be performed as well as planting within suitable areas.
- All special-status plant restoration and planting areas shall be monitored for a minimum of one year.

Mitigation Measure CU-E-6 Avoid Disturbance or Harm to Wildlife Species

Following preconstruction surveys and initiation of project construction, it is possible that wildlife species could subsequently enter or return to the project area. The following measures will be implemented to avoid disturbance or harm to these species:

- If any special-status species or other wildlife species are observed in the project area during construction, construction will cease until the species is allowed to move out of harm's way on their own accord.
- If they cannot be allowed to move out of harm's way on their own accord, SMUD field crews shall contact SMUD Environmental Services Management at (916)

732-5836, who will report the sighting to the appropriate agency (USFWS and/or CDFW). SMUD Environmental Management will have authority to stop activities until appropriate corrective measures have been completed or it is determined that the individual will not be harmed. Capture and relocation of trapped or injured species can only be attempted by agency-approved biologists.

Mitigation Measure CU-E-7 Clean Water Act Permitting

SMUD will obtain relevant CWA permits (Section 404 and 401). Additionally:

- All proposed discharges of dredge or fill material into waters of the U.S. will first be authorized by the United States Army Corps of Engineers (Corps), pursuant to Section 404 of the CWA. All Corps permit conditions will be implemented.
- Pursuant to Section 401 of the CWA, SMUD will obtain Water Quality Certification from the RWQCB for the proposed Project.

Mitigation Measure CU-E-8 Compensate for Permanent Loss of Wetlands

SMUD will compensate for the permanent loss of wetland habitat through the purchase of mitigation credits at a 1:1 creation ratio from the SMUD Nature Preserve Mitigation Bank or an alternative Corps-approved mitigation bank. This mitigation requirement may be refined or superseded by the terms of the Corps Section 404 permit for the project.

CULTURAL RESOURCES

Mitigation Measure CU-E-9 Cultural Resources

SMUD shall complete cultural resource surveys before any ground disturbing activities or construction activities associated with the bulk substation. Surveys will be completed prior to any ground disturbing activities or the Project construction activities to inventory and evaluate cultural resources affected by the Project, or affected by any components that might be added to the Project, or any existing components that may be modified.

Mitigation Measure CU-E-10 Cultural Resources: Prepare and implement Archaeological Resource Management and Treatment Plan to address significant or unique archeological resources.

In the case of the inadvertent discovery of a resource that is listed or eligible for listing in the National Register or California Register or of a unique archaeological resource as defined by CEQA, SMUD will have a qualified archaeologist prepare and implement an Archaeological Resource Management and Treatment Plan that specifies the treatment of the resources. Before implementation, this document shall be submitted for review to SMUD as CEQA Lead Agency. This plan shall be tailored to the specific needs of the Project and the particular resources present there. The proposed Archaeological Resources Management and Treatment Plan must minimally address the following:

A general research design shall be developed that:

- Charts a timeline of all research activities.

- Recapitulates any existing paleo-environmental, prehistoric, ethnohistoric, ethnographic, and historic contexts to create a comprehensive historic context for the Project Area.
- Poses research questions and testable hypotheses specifically applicable to the resource types encountered.
- Clearly articulates why it is in the public's interest to address the research questions that it poses.
- Artifact collection, retention/disposal, and curation policies shall be discussed, as related to the research questions formulated in the research design. These policies shall apply to archaeological materials and documentation resulting from evaluation and data recovery of the resource.
- Person(s) expected to perform each of the tasks, their responsibilities, and the reporting relationships between Project construction management and the mitigation and monitoring team shall be identified.
- The manner in which Native American observers or monitors shall be included, the procedures to be used to select them, and their roles and responsibilities shall be described.
- All impact-avoidance measures (such as flagging or fencing) to prohibit or otherwise restrict access to sensitive resource areas that are to be avoided during ground disturbance, construction, and/or operation shall be described. Any areas where these measures are to be implemented shall be identified. The description shall address how these measures would be implemented before the start of ground disturbance and how long they would be needed to protect the resources from Project-related impacts.
- The commitment to curate of all archaeological materials retained as a result of the archaeological investigations (survey, testing, data recovery), in accordance with CEQA Lead Agency requirements and the California State Historical Resources Commission's Guidelines for the Curation of Archaeological Collections (HRC 1993), into a retrievable storage collection in a public repository or museum shall be stated.

GEOLOGY AND SOILS

Mitigation Measure CU-E-11 Storm Water Pollution Protection Plan

SMUD shall prepare and implement a SWPPP that includes erosion control measures and construction waste containment measures to ensure that waters of the U.S. and the State are protected during and after project construction. The SWPPP shall include site design measures to minimize offsite storm water runoff that might otherwise affect surrounding habitats. The SWPPP would also include a Spill Prevention and Response Plan (SPRP) and a construction-specific Hazardous Substance Control and Emergency Response Plan (HSCERP) to minimize the potential for accidental releases of hazardous materials into the environment.

The SWPPP shall be prepared with the following objectives: (a) to identify pollutant sources, including sources of sediment, that may affect the quality of storm water discharges from the construction of the project; (b) to identify BMPs to reduce or eliminate pollutants in storm water discharges and authorized non-storm water discharges from the site during construction; (c) to outline and provide guidance for BMPs monitoring; (d) to identify project discharge points and receiving waters; (e) to address post-construction BMPs implementation and monitoring; and (f) to address sedimentation, siltation, turbidity, and non-visually detectable pollutant monitoring, and outline a sampling and analysis strategy.

The contractor shall implement the SWPPP including all BMPs and perform inspections of all BMPs. Potential SWPPP BMPs could include, but would not be limited to the following:

- Placing fiber rolls around onsite drain inlets to prevent sediment and construction-related debris from entering inlets.
- Placing fiber rolls along the perimeter of the site to reduce runoff flow velocities and prevent sediment from leaving the site.
- Placing silt fences down-gradient of disturbed areas to slow down runoff and retain sediment.
- Stabilizing construction entrance to reduce the tracking of mud and dirt onto public roads by construction vehicles.
- Staging and covering excavated and stored construction materials and soil stockpiles in stable areas to prevent erosion.

The construction-specific SPRP and HSCERP shall include preparations for quick and safe cleanup of accidental spills. It shall prescribe hazardous materials handling procedures for reducing the potential for a spill during construction and shall include an emergency response program to ensure quick and safe cleanup of accidental spills. The plan shall identify areas where refueling and vehicle maintenance activities and storage of hazardous materials, if any, will be permitted, with secondary containment.

Construction personnel shall not refuel or conduct equipment maintenance activities within 250 feet of any aquatic features. The SPRP and HSCERP shall identify BMPs in the event a spill occurs. BMPs may include but are not limited to the following: use of oil-absorbent materials, tarps, and storage drums to contain and control any minor releases; and storage and use of emergency-spill supplies and equipment in locations adjacent to work and staging areas.

GREENHOUSE GAS EMISSIONS

Mitigation Measure CU-E-12 Greenhouse Gas Reduction Measures

Prior to project construction, SMUD shall provide a plan to SMAQMD which demonstrates that the combined emissions from all off-road equipment, construction vehicles, and haul truck to be used in the construction project will implement GHG reduction strategies demonstrating that annual GHG emissions would be the SMAQMD's construction mass emissions threshold of 1,100 MTCO_{2e}/year.

- The plan shall include an inventory of all off-road equipment and haul trucks to be used during construction.
- Strategies for reducing GHG emissions could include the use of alternative fuels, changes in construction schedules, the phasing of haul truck trips. and/or other options as they become available.

If more detailed construction information becomes available a refined emissions modeling analysis can be performed. This analysis shall be conducted in accordance with applicable SMAQMD-recommended methodologies. The analysis shall include reduction measures sufficient to ensure construction activity would not exceed SMAQMD's mass emissions threshold of 1,100 MTCO₂e/year.

HAZARDS AND HAZARDOUS MATERIALS

Mitigation Measure CU-E-13 Worker Training for Hazardous Materials

SMUD shall establish an environmental training program to communicate environmental concerns and appropriate work practices to all field personnel, including spill prevention, emergency response measures, and proper BMP implementation. All personnel will review all site-specific plans, including, but not limited to, the Project's SWPPP, health and safety plan, and fugitive dust control plan.

Mitigation Measure CU-E-14 Spill Prevention, Control, and Countermeasures Plan

SMUD shall prepare and maintain an operation-specific Spill Prevention, Control, and Countermeasures Plan (SPCC Plan) in accordance with State and federal requirements, including 40 CFR 112. The SPCC Plan shall identify engineering and containment measures for preventing oil releases into waterways. An SPCC Plan is required when there is over 1,320 gallons of petroleum products on site (excluding vehicles).

Mitigation Measure CU-E-15 Hazardous Materials Business Plan

SMUD will evaluate applicability of the Hazardous Materials Business Plan (HMBP) requirements (the project would use or store hazardous materials equal to or greater than 55 gallons of liquids, 500 pounds of solids and/or 200 cubic feet [at standard temperature and pressure] of compressed gases) and file operation-specific HMBP in accordance with local, State, and federal laws. The HMBP shall identify site activities, provide an inventory of hazardous materials used onsite, provide a facilities map, and identify an emergency response plan/contingency plan.

NOISE AND VIBRATION

Mitigation Measure CU-E-16 Limit Construction Activity to Daytime Hours

Per Sacramento County Noise Ordinance requirements (Sacramento County Code Section 6.68), construction activity associated with the development of the Jackson Bulk Substation shall be limited to the hours of 6:00 a.m. and 8:00 p.m. on weekdays and between 7:00 a.m. and 8:00 p.m. on weekends.

Significance after Mitigation

Project applicants for each of the community and master plan projects would be required to comply with Mitigation Measure CU-1 to coordinate with SMUD during the grading and pre-construction activities to facilitate efficiencies where feasible.

Additionally, the specific design and siting details for the construction and operation of the bulk substation are not known at this time. The EIR has provided an analysis of the potential project and cumulative impacts associated with development of the bulk substation and other ancillary off-site facilities (e.g., power lines) based upon the best available information at this time. Development of the facility is the responsibility of SMUD as the utility provider and SMUD can and should mitigate for impacts related to development. Additional or substitute mitigation may be available when a specific site and the design of the project is known. Where standard development policies and requirements can be implemented to reduce impacts, they have been assumed in the above analysis. However, until specific site and design plans are developed, it is unknown whether specific impacts related to air quality, biological resources, greenhouse gas emissions, noise can be reduced. Therefore, at the program-level it is not possible to guarantee that all impacts related to would be able to be mitigated and this ~~Draft~~ EIR conservatively assumes that the project would have cumulatively considerable and **significant impacts** related to these resources.

This page intentionally left blank.

22 ADDITIONAL ANALYSIS

This chapter provides additional analysis about the Jackson Township Project's (Project's) potential effects in the region, including socioeconomic considerations, potential growth inducement, and environmental justice issues. This discussion is provided to inform decision makers about any potential implications of the Project or Alternative 2 and to comply with the California Environmental Quality Act (CEQA). While many of these topics are not required to be addressed by CEQA, they are nonetheless discussed here because the Sacramento Local Area Formation Commission (LAFCo) has policies requiring their consideration.

SOCIOECONOMICS

Section 15131 of the State CEQA Guidelines establishes parameters for evaluation of social and economic effects. Economic and social effects are not to be treated as significant effects on the environment, but may influence the analysis and decision-making in three key ways: (1) where a decision on a project would generate economic or social changes that, in turn, would result in physical changes that require analysis; (2) where social and economic conditions may inform the determination of whether a physical change resulting from the project would be significant; and (3) in determining whether changes in a project are feasible to reduce or avoid the significant effect on the environment identified in the environmental impact report (EIR).

PLAN AREA DEMOGRAPHICS

The Project is in unincorporated Sacramento County, California, between the City of Rancho Cordova to the north and the City of Elk Grove to the south, in Census Tract 90.05. As indicated in Table 22-1, Census Tract 90.05 is reflective of countywide trends in terms of median age of the population, percentage of the population over 65 years old, portion of the population that self-identifies as Hispanic or Latino, unemployment rate, and average household size (U.S. Census Bureau 2017). The percentage of the total population below the poverty level in Census Tract 90.05 is slightly lower than county-wide, while the portion of households that primarily speak a language other than English is slightly higher near the Project than the county overall.

There are no areas in Sacramento that can be described as areas of minority concentration (i.e., areas with minority concentration above 51 percent of total population) (SHRA 2016). As demonstrated in Table 22-2, Census Tract 90.05 is primarily white (nearly 60 percent), with other races comprising similar proportions of the population as in Sacramento County overall.

Table 22-1: Population Characteristics of Census Tract 90.05 and Sacramento County

	Census Tract 90.05 (Including Project Area)		Sacramento County	
	Number	Percent of Total	Number	Percent of Total
Total Population	3,337	-	1,495,400	-
Median age	31.1	-	35.9	-
Population over 65 years old	321	9.6	194,729	13.0
Population below poverty level	466	14.0	246,203	16.7
Hispanic or Latino Origin	770	23.0	340,565	22.8
Labor Force (16 years old or older)	1,772	-	730,604	-
Unemployed	177	10.0	64,373	8.8
Total Housing Units	1,214	-	564,349	-
Households	408	-	532,050	-
Average Household Size	2.82	-	2.76	-
Limited English-speaking Households	117	10.0	36,035	6.8

Source: U.S. Census Bureau 2017

Table 22-2: Demographics of Census Tract 90.05 and Sacramento County

	Census Tract 90.05 (Including Project Area)		Sacramento County	
	Number	Percent of Total	Number	Percent of Total
Total Population	3,337	-	1,495,400	-
White alone	2,000	59.9	877,495	58.7
Black or African American alone	295	8.8	147,425	9.9
American Indian or Alaska Native alone	59	1.8	10,384	0.7
Asian alone	265	7.9	229,441	15.3
Native Hawaiian and other Pacific Islander alone	46	1.4	16,019	1.1
Some Other Race alone	264	7.9	109,241	7.3
Two or more races	408	12.2	105,395	7.0

Source: U.S. Census Bureau 2017

AFFORDABLE HOUSING

Although there are existing rural residential homes in the Plan Area, it is not a substantial source of affordable housing. Furthermore, there would not be a net loss in affordable housing, as the seven high density sites in the Plan Area meet the criteria for providing affordable housing and would accommodate 2,137 affordable units. This accounts for 34.8 percent of the units in the Plan Area and satisfies the Project's share of the County's overall obligation. The Project is, therefore, not anticipated to affect the County's ability to adequately provide housing affordable to all household income levels. Refer to Chapter 15, "Land Use," for further discussion of the proportional obligation to regional housing needs within the unincorporated area of Sacramento County.

GROWTH INDUCEMENT

Growth can be induced through the elimination of obstacles to growth, through the stimulation of economic activity within the region, or through the establishment of policies or other precedents that directly or indirectly encourage additional growth. An EIR must discuss ways in which a project could directly or indirectly foster economic or population growth, or result in the construction of additional housing (Section 15126.2[d] of the State CEQA Guidelines). Although growth inducement itself is not considered an environmental effect, it could potentially lead to adverse environmental effects. Examples of projects likely to have significant growth-inducing impacts include extensions or expansions of infrastructure systems beyond what is needed to serve project-specific demand, and development of new residential subdivisions or industrial parks in areas that are only sparsely developed or are underdeveloped.

The Project would result in growth in the unincorporated area of the county by planning residential and commercial land uses in an area that is currently planned and used for primarily agriculture and is outside of the Urban Policy Area (UPA). This may indirectly reduce constraints to growth in the area. The Project would extend the UPA, which currently follows the northern border of the Plan Area, to include the Plan Area (see Plate PD-8 in Chapter 2, "Project Description"). As a result, the properties south of Jackson Road (also referred to as Jackson Highway), which are also currently zoned and used for agriculture, would be adjacent to the UPA. This area is within the USB and could be subject to increased development pressure following Project implementation because it would be adjacent to the UPA. However, it is worth noting that a large portion of the area south of Jackson Road directly adjacent to the Plan Area is part of the South Sacramento Habitat Conservation Plan preserve area, so development pressure to the south may be reduced.

The County has adopted policies that support the eventual development of the area between the UPA and the USB. Sacramento County 2030 General Plan Policies LU-119 and LU-120 sets the standards for UPA expansion, and the Office of Planning and Environmental Review has determined that the Project meets these standards. Implementing a policy in the manner it was intended to be applied is not precedent-setting. Further, there are pending draft land use plans that border the Plan Area to the east and the west (see Plate PD-2 in Chapter 2, "Project Description") that further

support the County's intent to allow growth and development in the area. Because the area is anticipated for future development, infrastructure (including roads) has been sized to accommodate buildout and the Project includes the extension of utilities beyond what is currently planned in the near-term by the providers. This concurrent planning process has been implemented through the County to encourage well-planned growth and is consistent with the growth identified in the Sacramento Region Blueprint and the 2030 General Plan. The development of these adjacent areas is separate from, and in no way reliant on, the Project.

The decision to allow any subsequent projects that result from induced growth would be the subject of separate discretionary processes by the respective lead agency(ies). Because the decision to allow growth is subject to separate discretionary decision making, and such decision making is itself subject to CEQA, this analysis of growth-inducing effects is not intended to determine site-specific environmental impacts and specific mitigation for any potentially induced growth. Rather, the discussion is intended to disclose the potential for environmental effects to occur more generally, such that decision makers are aware that additional environmental effects are a possibility if growth-inducing projects are approved. The decision of whether impacts do occur, their extent, and the ability to mitigate them is appropriately left to consideration by the agency responsible for approving such projects at the time complete applications for development are submitted.

CONVERSION OF OPEN SPACE

Open space land is defined in Section 65560(h) of the California Government Code as:

- lands designated for the preservation of natural resources;
- land used for the managed production of resources, including forest lands, rangeland, agricultural lands;
- space for outdoor recreation, including areas of outstanding scenic, historic, and cultural value and areas particularly suited for park and recreation purposes;
- space for public health and safety, including areas that require special management or regulation because of hazardous or special conditions such as earthquake fault zones, unstable soil areas, flood plains, watersheds, areas presenting high fire risks, areas required for the protection of water quality and water reservoirs, and areas required for the protection and enhancement of air quality;
- space in support of the mission of military installations; and
- area to protect Native American historical, cultural, and sacred sites.

Section 56059 of the Cortese-Knox-Hertzberg Local Government Reorganization Act utilizes the open space definition under Government Code Section 65560. A portion of the Plan Area is considered open space because it is currently designated as Agriculture on the Sacramento General Plan Land Use Diagram, whereas the remainder of the Plan Area is designated for industrial uses. With the exception of the

area set aside as wetland preserve, implementation of the Project would result in the conversion of a portion of the Plan Area's open space areas to urban uses.

Loss of open space is inherent in greenfield development. Implementation of Mitigation Measure AG-1 would obligate the Project Applicant to offset the loss of Important Farmland through 1:1 preservation of farmland within a permanent conservation easement. While conservation of agricultural land of the same quality elsewhere in the region could partially offset the direct conversion of Important Farmland and prime agricultural land that could occur within the Plan Area, this approach would not create new open space land to replace lands that could be lost. However, by preserving the highest value, or most sensitive, open space (i.e., much of the vernal pool habitat), and with implementation mitigation required to address the loss of Farmland, the loss of open space would be partially addressed consistent with adopted policies requiring protection or mitigation for loss of resources.

ENVIRONMENTAL JUSTICE

When considering a proposal, LAFCo must evaluate the extent to which the Project would promote environmental justice. The Cortese-Knox-Hertzberg Local Government Reorganization Act Section 56668(o) defines environmental justice as the fair treatment of people of all races, cultures, and incomes with respect to the location of public facilities and the provision of public services. As described above, the race, culture, and income of the occupants of the Plan Area and the immediate vicinity is comparable to the average demographics of the remainder of the county.

As described in Chapter 17, "Public Services," the Project has been designed to distribute future public facilities and services in an equitable fashion amongst the proposed land uses and a Public Facilities Financing Plan has been developed. The Project includes 368 acres of parks and open space areas, as well as 101 acres in public and quasi-public zones. The Project includes several internal neighborhood and community parks strategically located so that all residents are within proximity of park amenities. An initial sewer study and an initial water system study have been prepared, both of which indicate adequate capacity to serve the Project through existing and planned infrastructure. In addition, the Project is not anticipated to affect the provision of existing public services.

The effects of providing the public services and utilities to the Plan Area are evaluated throughout this EIR as part of the overall proposal. The EIR concludes that there are a number of significant and unavoidable impacts related to: aesthetics, agricultural resources, air quality, biological resources, hydrology and water quality, noise, and traffic and circulation. See Table ES-1 in "Executive Summary," for a summary of anticipated impacts. Existing land uses, including residences, would be subject to these effects. However, the proposal would not be implemented in a manner that discriminates against any population with respect to the location and provision of public services and utilities. The Project would be consistent with State policies designed to ensure that the location of public facilities and the provision of public services is carried out in a manner that ensures the fair treatment of people of all races, cultures, and

income levels, including minority populations and low-income populations. Further, there are no areas in Sacramento that can be described as areas of minority concentration (i.e., areas with minority concentration above 51 percent of total population) (SHRA 2016). As such, the project would not have disproportionate impacts to minority or disadvantaged populations.

23 RESPONSE TO COMMENTS

The Draft Environmental Impact Report (EIR) for the Jackson Township Specific Plan was released on September 16, 2019, for a 45-day public review period that concluded on October 31, 2019. A total of 36 individual letters were received during the comment period. After the Draft EIR public review period concluded, the Applicant requested preparation of a Recirculated Draft EIR to address public comments, clarify and expand upon the analysis in the Draft EIR, and reflect the updated regulatory context. The Recirculated Draft EIR was released on May 14, 2021, for public review for a period of 45 days. During this period, reviewers were directed to limit their comments to the revised information contained in this Recirculated Draft EIR. An additional 15 letters were received on the Recirculated Draft EIR. This Final EIR provides responses to comments received on both the Draft EIR and Recirculated Draft EIR. Each letter has been assigned a number, as indicated below.

For ease of review, individual comments addressing separate subjects within each letter are labeled based on the letter's numeric designation and comment number (e.g., the first comment in the first letter is Comment 1-1). The text of the comments has been provided, followed by a response. Note that the preface language of the letters is often excluded (where the text consists of salutations and brief descriptions of the commenting organization). Comment letters are included in their entirety in Appendix RTC-1.

Note that some of the written comments offer suggestions or express preferences related to the proposed development and do not address environmental issues or the adequacy of the EIR. All comment letters will be forwarded to the Board of Supervisors for consideration via this EIR. In conformance with Section 15088(a) of the State CEQA Guidelines, written responses were prepared addressing comments on environmental issues raised in comments on the EIR.

In addition, opportunity for oral comment on the Draft EIR was offered at the Vineyard Community Planning Advisory Council on November 14, 2019; the Cordova Community Planning Advisory Council on October 17, 2019; and at the Planning Commission hearing on October 28, 2019. Opportunity for oral comment on the Recirculated Draft EIR was provided at the Planning Commission hearing on June 28, 2021. The comments provided in these public hearings were either related to aspects of the master plan proposal and did not address the analysis or conclusion in the Draft EIR, or expressed concerns that are addressed in response to the written comments provided below. These comments were responded to by County staff during the meetings and are not included herein.

LIST OF WRITTEN COMMENT LETTERS

Comments on the Recirculated Draft EIR

1. William Brieger, member of the community
2. King Tunson, Program Specialist, Sacramento Fire
3. Carl Werder, member of the community
4. Mona G. Ebrahimi, Kronick for Auburn County Transportation Commission
5. Robert Stimpson, Mayor, City of Jackson
6. Kim Crawford, Environmental Services Specialist, Sacramento Municipal Utility District
7. Laura L. Taylor, Park Planning and Development Manager, Cordova Recreation and Park District
8. Mark White, Chair, Sacramento Environmental Commission
9. Elaine Zorbas, member of the community
10. Roxanne Fuentez, member of the community
11. Rachel DuBose, Air Quality Planner/Analyst, Sacramento Metropolitan Air Quality Management District
12. Ralph Proper, President, Environmental Council of Sacramento
13. Kevin Schroder, Senior Planner, Sacramento Regional Transit District
14. Alex Padilla, Branch Chief, Transportation Planning, California Department of Transportation
15. Justin Tweet, Co-Chair, 350 Sacramento

Comments on the Draft EIR:

16. Michael Grinstead, Senior Civil Engineer, Sacramento County Water Agency
17. Dylan Wood, Environmental Scientist, California Department of Fish and Wildlife
18. R.M. Johnson, Lieutenant, California Highway Patrol
19. Darcy Goulart, Planning Manager, City of Rancho Cordova
20. Albert Stricker, P.E., City of Rancho Cordova Public Works

21. Laura L. Taylor, ASLA, Park Planning and Development Manager, Cordova Recreation and Park District
22. Jordan Hensley, Environmental Scientist, Central Valley Regional Water Quality Control Board
23. Dan Bouzos, member of the community
24. Ralph Proper, President, Environmental Council of Sacramento; Sean Wirth, Co-Chair, Habitat 2020; Laurie Litman, President, 350 Sacramento; Barbara Leary, Chairperson, Sierra Club Sacramento Group, written correspondence
25. Kim Williams, Planning Manager, Elk Grove Unified School District
26. Jack Sales, member of the community
27. Lisa Infusino, member of the community
28. Melinda Martel, member of the community
29. Nancy L. Huggett, member of the community
30. Roxanne Fuentez, member of the community
31. Roxanne Fuentez, member of the community
32. Bob Armstrong, Regional San Development Services & Plan Check, Regional San
33. Paul Philley, AICP, Program Supervisor, Sacramento Air Quality Management District
34. Nicole Goi, Regional & Local Government Affairs, Sacramento Municipal Utility District
35. Blake D. Carmichael, member of the community
36. Chris Desomer, member of the community
37. Cheryl McElhany, member of the community
38. Carl Werder, Ag-Res SCGA Director, Sacramento Central Groundwater Agency
39. David Smith, Acting Branch Chief, California Department of Transportation Planning Division
40. C.J. Meaks, member of the community
41. David Gieselman, Senior Office Assistant, Sacramento County OES

- 42. Faye Miyagi, member of the community
- 43. John Merchant, member of the community
- 44. Joy Vandell, member of the community
- 45. Lisa Meyer, member of the community
- 46. Melissa Adams, member of the community
- 47. Michael Gomes, VP Business Development, Topcon Agriculture
- 48. Mike Roelstraete, member of the community
- 49. Vanessa Emerzian, Mather Alliance Core Group
- 50. Nicole Williams, member of the community
- 51. Scott and Tessa Grimm, members of the community

Comments received after the close of the comment period:

- 52. Mona Ebrahimi, Kronick on behalf of Amador County Transportation Commission, written correspondence
- 53. Roxanne Fuentez, member of the community

LETTER 1

William Brieger, member of the community, written correspondence; dated May 14, 2021.

Comment 1-1

Putting people out in the boondocks south of Hwy 50 is a terrible idea — straight out of the 1940-1990 playbook that spread Sacramento over a vast area unrealistic for public transit or walking or cycling to work.

Thanks to earlier sprawl, we have some of the nation's worst air quality and do more than our share to warm the planet by driving everywhere. We also have urbanized areas like Arden Arcade with miles of parking lots and failed strip malls — much of that could be re-developed with housing, eventually creating a workable, more compact city.

Instead, the proposal is to move people out into the country. The result is, to quote the EIR: "The project is expected to generate VMT per capita and VMT per employee greater than the regional average threshold."

Given that the existing regional average VMT threshold has created traffic, air pollution, expensive government services and contributed to climate change, we need to do better, not worse.

It is not complicated.

Response 1-1

The comment provides an opinion on the project based on the anticipated VMT disclosed in the Recirculated Draft EIR and recommends other areas in the County that could be considered for redevelopment. This comment is acknowledged for the record and will be forwarded to the decision makers for consideration. The comment does not raise a specific issue related to the Draft EIR, Recirculated Draft EIR, or the analysis of environmental impacts for which a further response can be provided.

LETTER 2

King Tunson, Program Specialist, Sacramento Fire Department, written correspondence; dated June 1, 2021.

Comment 2-1

I don't have any additional comments for the recirculated Draft EIR. Thanks

Response 2-1

The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 3

Carl Werder, member of the community, written correspondence; dated June 10, 2021.

Comment 3-1

I have looked at the Jackson Township water infrastructure documents WS-1 thru 3. It appears that these documents are comprehensive and clearly a lot of effort has gone into supporting the idea that water is available for this and future projects.

I do not support this idea that both surface and groundwater quantities going into the future will be as described in these WS1 thru 3 documents. The Sustainable Groundwater Management Act of 2014 (SGMA) set in motion the formation of Groundwater Sustainable Agencies (GSA's). The GSA for our basin as stated in these documents is the Sacramento Central Groundwater Agency (SCGA).

SCGA tried and failed to submit an alternative to a Groundwater Sustainable Plan (GSP). The main reason for the denial of this plan was the negotiated groundwater quantity of 273,000 A/F that was reported to the quantity one could extract without harm. This number has no scientific bases as it was negotiated. This should have been so stated in these documents.

As a result of this denial SCGA is now in the process of developing a GSP that has to be submitted by January 2022. This GSP will be reviewed and approved with implementation by 2024. The GSP will require SCGA to insure that the groundwater in our 118 basin is sustainable. At this present time it is not sustainable and any future development will only add to the problem of groundwater overdraft.

As evidence of this overdraft I've attached 2018 CASGEM Monitoring Well SCGA-6 that is located off Eagles Nest Road south of Florin Road. This well has dropped approximately 50 feet between 2004 and 2018.

There are two primary reasons for this overdraft that have resulted in a cone of depression in the Vineyard area. The first reason is the effects of Aerojet remediation efforts that cause a loss of recharge in the downstream area of Vineyard. As evidence I offer a spring of 2017 3D map from a 2019 presentation to SCGA.

The other reason for the overdraft is the six wells located around Wildhawk GWTP and the three wells at the Excelsior Wellfield. While some surface water is available, it cannot be depended upon during dry years like this year. Therefore, additional groundwater will be pumped during future dry years that may have to be stopped to

maintain sustainability of the groundwater as laid out by the GSP and enforced by SCGA.

Response 3-1

The comment raises a concern regarding the availability of water for the proposed project, as well as the three other proposed master plans concurrently in the entitlement process along Jackson Highway. The four projects are within Sacramento County Water Agency's Zone 40 service area and the South American Sub-Basin. The comment is correct that Sacramento Central Groundwater Authority was responsible for submitting a Groundwater Sustainability Plan (GSP) for the Sub-basin to the California Department of Water Resources by January 2022. As stated on page 18-25 of the Recirculated Draft EIR, SCWA has adequate and reliable water supply to provide water service to the Project. The comment expresses an opinion regarding the availability of surface and groundwater but does not provide evidence that this conclusion is inaccurate. The South American Sub-basin GSP was prepared and submitted as required in January 2022. The GSP's cumulative growth assumptions include the Jackson Township project in Appendix 2B, CoSANA Model Report, Table 5-4.

The comment questions the validity of the 273,000 acre-feet per year sustainable yield that is the basis of the Water Forum Agreement, citing SCGA's GSP-Alternative submittal to CA DWR (that also relied on 273,000 af/year) which was not approved. Note that CA DWR did not reject the 273,000 AFY figure as being unsupportable; rather, it said it was not able to determine from the information presented in the Alternative submission whether the 273,000 acre-feet per year (AFY) sustainable yield would be equivalent to the "sustainability goal" as particularly defined under the Sustainable Groundwater Management Act (SGMA). SCGA is prepared a SGMA-compliant GSP that will determine the sustainable yield of the South American Sub-basin to avoid undesirable results, as defined by SGMA. Until the time of an approved GSP by CA DWR there is no other sustainable yield number to use besides the 273,000 AFY. The 273,000 AFY sustainable yield is supported by the Water Forum Agreement Final Environmental Impact Report (https://www.waterforum.org/wp-content/uploads/2015/09/FEIR_WF_RES.pdf, accessed November 5, 2021) and the SCWA Zone 40 WSMP Final EIR (<https://waterresources.saccounty.net/Pages/Reports-Z40-EIR.aspx>, accessed December 2, 2019). Both of these EIRs identified the environmental effects associated with the groundwater extraction of 273,000 AFY and are hereby incorporated by reference. The WFA's sustainable yield is the best currently available information; identifying an alternative sustainable yield for the South American Sub-basin would be speculative and is outside the scope of this EIR. The SCGA has prepared a draft GSP and submitted it for CA DWR's review in January 2022. The draft GSP includes the Jackson Township project's water demands as stated above and determined the sustainable yield of the South American Sub-basin to avoid undesirable results, as defined by SGMA, as 235,000 AFY. Following submittal, CA DWR has two years to review and approve the GSP. Through that process, a new sustainable yield may be identified.

The comment identifies localized groundwater level reduction in Monitoring Well SCGA-6, and suggests the reduction is due to ongoing groundwater contamination remediation efforts and nine other wells in the Vineyard community. These wells are included in SCWA's Zone 40 Water Supply Master Plan (WSMP). The comment suggests that implementation of the GSP may result in reduced water withdrawals from these wells.

The County notes that SCGA has developed specific threshold ranges for individual wells that adjust for changes that have occurred in the basin from both a management and technical standpoint. Therefore, the pumping limits for wells in the area would reflect the ongoing remediation efforts. The WSA remains valid. Reference the Technical Memorandum regarding Groundwater Elevation Basin Management Objective (BMO) Threshold Development prepared for SCGA (RMC 2015) which is publicly available on SCGA's website (<https://scgah2o.saccounty.net/pages/reports.aspx>, accessed November 5, 2021), for further details.

Comment 3-2

I notice that three additional wells are planned to be located just north of Jackson Hwy at Excelsior Road. The Excelsior Wellfield had a lawsuit tied to it that went to the State Supreme Court. You may want to look into this ruling as I saw nothing in these documents referenced that addressed the concerns raised by this ruling.

Response 3-2

The comment refers to "three additional wells [that] are planned to be located just north of Jackson Highway at Excelsior Road," but does not specify the source document for this information. The Potable Water System Study (Recirculated Draft EIR Appendix WS-1) contains Figure 2-1, Existing Water System Facilities. Figure 2-1 incorrectly identifies the existing Wells W-121, W-122, and W-123 as the Excelsior Wellfield located north of Jackson Road at Excelsior Road. These existing wells are located approximately 2,700 to 4,500 feet south of Elder Creek Road. A note has been placed on Figure 2-1 to identify the correct location of these existing wells. No new wells are proposed with the Jackson Township project.

The comment also refers to a lawsuit related to the Excelsior Wellfield and indicates that the issues raised in that ruling should be addressed in this EIR. Although no citation was provided, it is assumed that the commenter is referring to *Vineyard Area Citizens For Responsible Growth v. City of Rancho Cordova* (2007) 40 Cal.4th 412, which set forth general guidelines for assessing long-term water supply impacts under CEQA. The Potable Water Study (Appendix WS-1), Water Supply Assessment (Appendix WS-2) and the Zone 40 Water Supply Master Plan Amendment for the Project (Appendix WS-3) assume that all phases of the project will eventually be built and will need water, and analyze, to the extent reasonably possible, the impacts of providing water to the entire proposed project. The existing and planned water supplies are clearly identified in Table 7 of the Water Supply Assessment. Surface water deliveries and their associated environmental impacts are thoroughly analyzed in the Freeport Regional Water Project

EIR (Freeport Regional Water Authority 2004) which is hereby incorporated by reference. Surface water and groundwater availability are the basis for SCWA's conjunctive use program as explained in SCWA's Zone 40 Water Supply Master Plan and associated EIR.

SCGA's Final Draft GSP for the South American Sub-Basin (October 29, 2021) modeling assumes water demands associated with future growth, including the Jackson Township Specific Plan project. This information is included in the Final Draft GSP, Appendix 2-B – CoSANA Model Report, Table 5-4 and Figure 5-17. These documents are available at <http://sasbgroundwater.org/resources.html> (accessed November 5, 2021).

Comment 3-3

At some point in the future water will be curtailed do to restrictions on groundwater and lack of surface water as our climate gets hotter. As part of this planned expansion to provide water to all of these developments along Jackson Hwy an important element needs to be added. Surface water in the winter has to be injected into the groundwater so as to bank groundwater for the summer months. This will have to be accomplished either by SCGA or SCWA. We cannot continue to rely on groundwater as it is a limited resource.

There is no reason why properly treated surface water from the Vineyard facility during the winter months cannot be injected into the Wildhawk and Excelsior wellfields and any future additional wellfields.

Response 3-3

SCGA's final draft GSP analyzes groundwater at sub-basin scale. Although the projected sustainable yield is 235,000 AFY, the final draft GSP does not call for reduction of groundwater use nor predict curtailment in the future.

Groundwater banking by SCWA is not relied upon as a project in the GSP to achieve sustainability.

LETTER 4

Mona G. Ebrahimi, Kronick for Amador County Transportation Commission, written correspondence; dated June 15, 2021.

Comment 4-1

I am writing on behalf of the Amador County Transportation Commission ("ACTC") and in response to the Jackson Township Specific Plan ("Project") Recirculated Draft Environmental Impact Report (RDEIR). ACTC's jurisdiction is the County of Amador, your neighbor to the east. As the Regional Transportation Planning Agency and Local

Transportation Commission to Amador County, ACTC's mission includes the protection and advancement of local, regional, state, and intrastate travel to the benefit of commuters traversing Amador County, including residents, workers, business people, and tourists.

The Project is one of four major development plan areas in the County between Highway 50 and State Route 16, also known as Jackson Road or Jackson Highway, that comprise build out of the County. The four development plan areas in the County are NewBridge Specific Plan, Mather South Community Master Plan, West Jackson Highway Master Plan, and Jackson Township Specific Plan. Together, the four plan areas anticipate development of over 9,250 acres and construction of nearly 22,000 dwelling units in generally vacant, agricultural, or industrial County land. The Jackson Township Specific Plan Project alone proposes to develop 1,391 acres, or about 15% of the total buildout of the region. The Project also proposes to build 6,242 dwelling units, undoubtedly leading to associated traffic and related transportation impacts. This is particularly so because this Project would convert vacant land into a robust new multi-use planned community. As such, ACTC's chief objective is to ensure inter-regional functionality between the two counties so that all traffic impacts from the Project are adequately mitigated, as required by law.

Response 4-1

This comment contains introductory text and generally describes the commenter's concerns regarding transportation impacts. However, it is important to clarify that although the Jackson Township Specific Plan area is 1,391 acres, the preferred project (Alternative 2) includes 259.8 acres of wetland preserves and 74.7 acres would retain existing agricultural land use designations. Therefore, the project would result in the development of urban land uses and associated infrastructure, parks, and schools on approximately 1,056.5 acres of the total 1,391-acre Plan Area.

Comment 4-2

All four of the plan areas rely on the County of Sacramento Jackson Corridor Development Projects Transportation Mitigation Strategy ("Transportation Mitigation Strategy") to mitigate project impacts to transportation networks. ACTC provided comments on the NewBridge Specific Plan when it was under consideration by the County in September and October of 2020. We request parity with the mitigation measures agreed upon for the NewBridge Project. Specifically, the following:

- The Jackson Township Specific Plan Project directly neighbors the NewBridge Specific Plan Project, and both front Jackson Road. However, Jackson Township is 300 acres larger and proposes nearly twice the number of residential dwelling units. RDEIR Appendix PD-1 shows a 30-foot landscape corridor and ACTC proposes that at least 14 feet along Jackson Highway with constraints that ensure no development, now or in the future, will occur in this right-of-way except for traffic improvements to relieve congestion or landscaping improvements. Doing this will mitigate some of the short term and cumulative impacts from the Project.

- The Transportation Mitigation Strategy currently states that Jackson Highway projects “are high priority projects and when triggered by the dynamic implementation tool, the County will work diligently on implementing those projects, including seeking outside funding sources (including Regional Transportation Improvement Program funds), if necessary.” (RDEIR, Appendix TR-2, pg. 2.) The Project should adopt this same language in the conditions of approval or MMRP to ensure that transportation impacts to Jackson Highway are prioritized and adequately mitigated.

Response 4-2

The comment refers to commitments made by Sacramento County and the applicant for the adjacent NewBridge Specific Plan in the Settlement Agreement resulting from the Amador County Transportation Commission’s litigation against the NewBridge Specific Plan and Sacramento County. The comment requests the following:

- That at least 14 feet of the proposed 30-foot landscape corridor along the project’s Jackson Road frontage be reserved to ensure that no development will occur within the requested 14 feet except for traffic improvements to relieve congestion or landscaping improvements; and
- The Transportation Mitigation Strategy’s language regarding prioritization of Jackson Highway transportation projects should be included in the conditions of approval or MMRP.

The Jackson Township Specific Plan (Appendix PD-1) proposes a 30-foot landscape corridor/public utilities and public facilities easement along the northern frontage of Jackson Road which includes a 14-foot-wide Class 1 bicycle/pedestrian path consisting of a 12-foot-wide paved surface with two-foot decomposed granite shoulders on each side (Appendix PD-1, Exhibit 4.2, Street Section A). This path is part of the larger trail network that was developed for the Jackson Corridor master plans to improve mobility and reduce traffic congestion. The requested 14 feet can be accommodated within the proposed 30-foot landscape corridor. A condition of approval has been included to ensure that the requested 14 feet will be reserved and identified on subsequent tentative and final subdivision maps for portions of the Jackson Township project containing the property.

The Transportation Mitigation Strategy was formally amended on March 9, 2021, to include the language specified in the comment regarding prioritization of Jackson Highway transportation projects. LOS Improvement Measure TR-4 in the FEIR includes a note clarifying this amendment and is included in both the conditions of approval and the MMRP.

Comment 4-3

As a mitigation measure or project alternative, the RDEIR should consider designs and measures that direct traffic to Kiefer Boulevard instead of Jackson Road. This would

help relieve some of the anticipated traffic congestion on Jackson Road and would better maintain the interregional functionality of the corridor.

Response 4-3

The comment suggests consideration of “designs and measures” that direct traffic to Kiefer Boulevard instead of Jackson Road to relieve some of the anticipated traffic congestion on Jackson Road but does not provide further specific proposals to direct traffic to Kiefer Boulevard. The project includes a General Plan Transportation Plan amendment to designate Kiefer Boulevard as a four-lane pre-2030 arterial roadway between Excelsior Road and the eastern project boundary. The transportation analysis and mitigation requirements include future connection and widening of Kiefer Boulevard between Bradshaw Road and Sunrise Boulevard, which will provide parallel relief to Jackson Road. Further widening of Kiefer Boulevard beyond the proposed four lanes is not feasible due to the existing and approved wetland preserves between Excelsior Road and Eagles Nest Road.

Comment 4-4

Additionally, please provide greater certainty with some of the identified traffic measures that do not appear to be connected to any performance standards. For instance, the RDEIR identifies significant impacts to “bicycles and pedestrian impacts” and “roadways functional impacts” and refers to a mitigation measure but also states “As development in the area is approved and proceeds to construction, the timing or assignment of specific traffic improvements may change but would nonetheless be assigned to each project based on their fair-share contribution to the overall area impacts.” (RDEIR ES-66 and 67.) There are no performance standards or metrics to evaluate how, when, or even if, measures will actually be required and implemented.

Response 4-4

The comment requests more clarification regarding implementation of some transportation measures and provides a citation to the Executive Summary of the EIR. The Transportation Mitigation Strategy (Appendix TR-2) implementation is discussed in greater detail on pages 20-78 through 20-88 of the Traffic and Circulation chapter of this FEIR. The LOS-based roadway measures will be required and implemented as needed to maintain acceptable levels of service, based on calculations done by the dynamic implementation tool when subsequent entitlements such as tentative subdivision maps are processed. Roadway functional improvements will also be required when ADT thresholds are exceeded, as calculated by the dynamic implementation tool. Bicycle and pedestrian facilities will generally be constructed alongside abutting roadways or land use. Such facilities would be reviewed at the time of tentative subdivision maps for consistency with the Specific Plan and applicable County standards. The subsequent projects’ conditions of approval would include construction and/or financing requirements to implement the various requirements associated with roadways, functional improvements, and trails.

Comment 4-5

Please also update the RDEIR to include information relevant to the installation and placement of stoplights and other traffic control/calming measures on Jackson Highway under the Project and Project alternatives, including:

- How many stoplights or traffic control measures would be added to Jackson Highway?
- Where would each stoplight or traffic control measure be placed?
- What is the distance between each stoplight and traffic control measure, new or existing, on Jackson Highway?

Response 4-5

The comment requests updating the EIR to include information regarding installation and placement of stoplights and other traffic control measures along Jackson Highway. The Jackson Township Specific Plan (Appendix PD-1) includes the proposed Circulation Diagram (Appendix PD-1, Exhibit 4.1, page 4-4) showing the proposed traffic signals, left turn ingress, and right in/right out controls along the project's Jackson Highway frontage, with distances between each stoplight and traffic control measure. There is one existing traffic signal at the Excelsior Road/Jackson Highway intersection. The project would add two new traffic signals at Grenville Drive (aka Treeview Lane) and Collector JT-3/Street "A" within the project's frontage along Jackson Highway. The cumulative transportation analysis identified the need for a traffic signal at the Eagles Nest Road/Jackson Road intersection. In addition, a traffic signal may be needed to provide access to the existing agricultural-residential parcels in the southeast portion of the project site if and when future development is proposed by the property owners. The Jackson Township project does not propose development of the existing agricultural-residential parcels.

Comment 4-6

In closing, ACTC is not opposed to the approval of any development project, inclusive of this one. Instead, ACTC is opposed to development projects that are approved without appropriate traffic analyses and full mitigation of identified significant impacts – especially those impacts related to traffic. ACTC will not oppose the Project if the comments and changes detailed in this letter are agreed upon and addressed.

Response 4-6

This comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 5

Robert Stimpson, Mayor, City of Jackson, written correspondence; dated June 17, 2021.

Comment 5-1

Thank you for the opportunity to comment on the Notice of Preparation for Jackson Township Specific Plan Recirculated Draft Environmental Impact Report (DEIR). On August 27, 2013, the City commented on the original DEIR with the main concern being the name of the proposed project - Jackson Township. Since the proposed name has not changed per our previous request, our concerns remain. We urge you to reconsider the name of "Jackson Township" and use a different name.

The City of Jackson was incorporated in 1905, however, for approximately 55 years prior to incorporation this general area, and the town site specifically, was referred to as "Jackson." Additionally, Highway 16 was created and named the "Jackson Highway" because since 1919 the road has been a thoroughfare between the Sacramento area and the County seat of Amador County: the City of Jackson. Use of the name "Jackson Township" for a new project on the Jackson Highway which leads to the historic City of Jackson is confusing at best and has the potential to impact emergency services for both locations as well as the economic vitality of the City of Jackson.

The Recirculated Draft Environmental Impact Report for Jackson Township Specific Plan, Chapter 17 Public Services, concludes that the impacts of concern regarding emergency response confusion with competing names is less-than-significant. This conclusion was based, in part, on the assumption that individuals in need of emergency services would correctly identify the area as "Jackson Township." The City respectfully disagrees with this assumption. It is much more likely that the caller will identify the location as just "Jackson." For this reason, the City again asserts that the close geographical relationship between the historic City of Jackson and the proposed project will inevitably lead to confusion amongst dispatch operators should the name "Jackson Township" be retained for the project.

Response 5-1

The potential for the Project to adversely affect emergency services is evaluated in Chapter 12, "Public Services," of the Recirculated Draft EIR (see "Impact: Impair Emergency Response" beginning on page 17-11). As explained therein, the County consulted with Metro Fire and the Sacramento Regional Fire/EMS Communications Center (SRFECC) to evaluate the concern raised in the City of Jackson's response to the NOP. The conclusion in this EIR regarding the potential for confusion caused by the similarity in the names for the Jackson Township Specific Plan and the City of Jackson is based on the opinions provided by the emergency responders. The analysis is not premised "on the assumption that individuals in need of emergency services would correctly identify the area as 'Jackson Township.'" Rather, the discussion explains that

established practices for obtaining location information would adequately address the potential for confusion. As explained on page 17-12 of the Recirculated Draft EIR:

“According to SRFECC staff, dispatchers receive location information from callers to assist them in determining the location of the incident and directing the call to the appropriate agency. When calls are received from landlines, dispatchers are provided with the billing address of that phone number to determine location. When calls are received from cell phones, dispatchers receive GPS triangulation data that assists the dispatcher in narrowing down the location of the call. This triangulation data uses signals from the cell phone that bounce off multiple cell phone towers in the area surrounding the caller, which determines a location. While triangulation data does not always reveal exact location, it would be able to differentiate between calls placed from the Plan Area and the City of Jackson, which are more than 30 miles apart. Furthermore, dispatchers are trained to determine location of an incident based on street address or intersection, rather than community name. So, if a caller identified their location as “Jackson Township,” the dispatcher is specially trained to get more specific location information from the caller to avoid confusion between community names and forward the call to the appropriate emergency response agency.”

In addition to the technical aspects of emergency response described above, it is common for subsequent subdivisions within large specific plans to have different marketing names that reflect their unique community identity or neighborhood themes. Examples in Sacramento County include the former Villages of Zinfandel and the Sunrise/Douglas Specific Plan. These two large developments are now known as Stonecreek and Anatolia, respectively. The City of Jackson’s concern regarding the naming of the specific plan is acknowledged for the record and will be forwarded to the decision-making bodies for their consideration.

Comment 5-2

The City of Jackson, together with the County of Amador, relies on tourism for a large part of its economy, and the Jackson Highway is the northwest portal to the City of Jackson. Tourists from great distances including Sacramento, San Francisco, and points beyond, utilize the Jackson Highway to access the City of Jackson and Amador County. A development named "Jackson Township" that includes commercial uses and which is located on the Jackson Highway - en route to the City of Jackson - could be confusing to tourists destined for the City of Jackson. The City's August 27, 2013 letter asked that the DEIR address the economic impact of this project on the City of Jackson. It appears that this issue was not addressed in the DEIR as requested.

To avoid these potential impacts the City of Jackson, the City is again requesting that the County of Sacramento require a name change for the proposed specific plan. A name that is not similar to any existing nearby or surrounding jurisdiction would alleviate any confusion and allow the new development to create its own identity.

Response 5-2

The Draft EIR correctly omits discussion of the potential economic impact to the City of Jackson from tourists that might confuse the new highly urbanized commercial development proposed in the Jackson Township Specific Plan for the historic City of Jackson. CEQA is concerned with direct and indirect physical changes in the environment that would result from implementation of the Project (State CEQA Guidelines Section 15358(b)). Economic effects need only be considered in an EIR where there is a clear link between those economic effects and physical environmental changes. It would be inappropriate for the County to speculate about the physical, environmental impacts in this case because the actual economic effect of the proposed community “confusing...tourists destined for the City of Jackson” is difficult to predict and there are not reasonably foreseeable physical effects of the lost tourism revenues anticipated by the City of Jackson.

Nonetheless, the City of Jackson’s concern is acknowledged for the record and will be forwarded to the decision-making bodies for their consideration.

LETTER 6

Kim Crawford, Environmental Services Specialist, Sacramento Municipal Utility District, written correspondence; dated June 23, 2021.

Comment 6-1

The Sacramento Municipal Utility District (SMUD) appreciates the opportunity to provide comments on the Recirculated Draft Environmental Impact Report for the Jackson Township Specific Plan Project (Project, SCH 2013082017). SMUD is the primary energy provider for Sacramento County and the proposed Project area. SMUD’s vision is to empower our customers with solutions and options that increase energy efficiency, protect the environment, reduce global warming, and lower the cost to serve our region. As a Responsible Agency, SMUD aims to ensure that the proposed Project limits the potential for significant environmental effects on SMUD facilities, employees, and customers.

SMUD previously collaborated with Sacramento County and provided comments on the Draft Environmental Impact Report on the Jackson Township Specific Plan Project and have no further comments to offer at this time but would appreciate if Sacramento County would continue to keep SMUD facilities in mind as environmental review of the Project moves forward. Please reroute the Project analysis for SMUD’s review if there are any changes to the scope of the Project.

Response 6-1

As requested, the County will continue to consider SMUD facilities as environmental review of the Project moves forward and will notify SMUD of any substantial changes to

the Project. The comments in SMUD's October 2019 letter on the Draft EIR are addressed below in Response 34-1.

LETTER 7

Laura L. Taylor, Park Planning and Development Manager, Cordova Recreation and Park District, written correspondence; dated June 24, 2021.

Comment 7-1

PREVIOUS CRPD RECOMMENDATIONS REGARDING THE DEIR

On October 8, 2019, CRPD recommended that the following information should be included with the Final EIR:

1. A preliminary timeline for the anticipated redevelopment of non-participating properties.

Response 7-1

The comment requests that the EIR include assumptions about the timing for redevelopment of the non-participating parcels in the Plan Area. The EIR evaluates the effect of developing the non-participating parcels in a manner consistent with the proposed specific plan for the purpose of the programmatic analysis. However, as explained in Chapter 2, "Project Description," these properties are not owned by the Applicant and are under no obligation to redevelop. Separate entitlement applications for rezoning or subdivision would be required for the non-participating properties (see page 2-2 of the Recirculated Draft EIR). The County has not developed specific assumptions about the development timeline for the nonparticipating properties. Such assumptions are not required to permit a reasoned analysis of potential environmental effects pursuant to CEQA. The Draft EIR has not been revised in response to this comment.

Comment 7-2

2. An outline of how the County plans to monitor the parkland requirements through the build-out of the Specific Plan area (including information regarding a Park Land Equalization Plan).

Response 7-2

The County's Department of Community Development would monitor the provision of parkland to ensure consistency with General Plan Policy PF-123 and Sacramento County Code Chapter 22.40, as identified in Chapter 17, "Public Services." No changes have been made to the EIR in response to this comment. In addition, the project's conditions of approval include requirements for the applicant to enter into a

Park Development Agreement with Cordova Recreation and Park District pursuant to CRPD's Ordinance 06/07-01.

Comment 7-3

3. Community Parks and Neighborhood Parks within the Specific Plan Area should be described as Quimby Parkland dedicated to Cordova Recreation and Park District. The text should also specify that the list of park amenities will be finalized after a public participation process. (This text could be added to Chapter 3, page 17 and Chapter 6, page 5 of the Specific Plan)
4. Quimby Parkland should be identified as programmable land unencumbered by biological resources, hazardous materials, utility easements, problem soils, floodplains, wetlands or utility easements (unrelated to the park use). The report should also state that all mitigation requirements attached to future park sites will need to be finalized before the District takes ownership of the land.

(Quimby Parkland could be identified on Exhibit 6. 1 of the Specific Plan Document. A definition of Quimby Parkland could also be added to Chapter 6 on page 1 or 2 of the Specific Plan Document.)

Response 7-3

The comment suggests edits to the specific plan and does not concern the analysis or conclusions of the EIR.

Comment 7-4

5. In addition to referencing the County's Tree Preservation Program, future reports need to specify that the developer should work with the District's Planning Staff, to determine if quality trees can be preserved on park land.

Response 7-4

The potential effects of the Project on native trees in the Plan Area are evaluated in Chapter 8, "Biological Resources," of this EIR in "Impact: Loss of Native Trees" (Recirculated Draft EIR page 8-82). Although this analysis assumes that all trees in the Plan Area would be removed as a result of the Project to account for the inherent uncertainty at this level of planning, the discussion acknowledges that Specific Plan Policy 7.2.3 requires that native trees are preserved where feasible and non-native trees determined to be a potential fire hazard or high-VOC emitting species, such as eucalyptus, are removed. Future development in the Plan Area, including parks, would be required to demonstrate consistency with the specific plan policies, including evaluation and preservation of trees.

The comment suggests requirements for future planning documents and does not concern the analysis or conclusions of the EIR. The comment is acknowledged for the record and will be forwarded to the decision-making bodies for their consideration.

Comment 7-5**FUTURE ACTIONS BY CRPD**

CRPD will continue to work with the County during the entitlement process and development phase of the Jackson Township Specific Plan Area. The District anticipates participating in the following future tasks:

- Final review of the Jackson Township Specific Plan Document (before the project is presented to the Sacramento County Board of Supervisors).
- Review of future Tentative Maps for portions of the Specific Plan Area.
- Review of Conditions of Approval specific to Cordova Recreation and Park District jurisdiction. Draft Conditions of Approval have been previously provided to the Office of Environmental Planning and Review.
- Review of any Development Agreements between the County and the developer regarding the infrastructure and build-out of the Specific Plan Area related to Cordova Recreation and Park District jurisdictional items.
- The preparation of Park Development Agreements between the District and the developer regarding the design, development and financing of Quimby park land within the Specific Plan Area.

Response 7-5

The comment outlines future actions anticipated by CRPD and does not concern the analysis or conclusions of the EIR. This comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 7-6**NEW CRPD RECOMMENDATIONS REGARDING THE RECIRCULATED DEIR**

After review of the Recirculated DEIR for Jackson Township Specific Plan, the District has added the following recommendation:

- The Final EIR should consider traffic and emissions from buildings and parking lots associated with park sites.

Response 7-6

The modeling conducted for evaluation of the Project in this EIR includes assumptions based on land use type. The operational emissions associated with the proposed community and neighborhood parks, including related VMT, are included in the general modeling conducted for development of the Plan Area with implementation of the Project. As discussed in the “Methodology” discussion in Chapter 6, “Air Quality,” of this EIR, operational emissions of criteria air pollutants and precursors were evaluated in accordance with SMAQMD Recommended Guidance for Land Use Emission Reduction Version 4.0 for Operational Emissions. Emissions estimates included long-term

operational emissions of ozone precursors (i.e., ROG and NO_x) associated with mobile sources (i.e., trip generation) and stationary sources (e.g., area-wide, energy consumption) based on full buildout of the Project. The proposed land uses and acreages for the Project were input into CalEEMod. CalEEMod accounts for park-related emissions from vehicle trips to and from the park, emissions generated to get water to the park, and emissions from fertilizers used at the park. No revisions have been made in response to this comment.

LETTER 8

Mark White, Chair, Sacramento Environmental Commission, written correspondence; dated June 24, 2021.

Comment 8-1

The Sacramento Environmental Commission (SEC), at its June 21, 2021 meeting, met to discuss multiple topics presented in the DEIR. As a result of this discussion, the SEC identified that the analysis of Climate Change warrants further consideration before the document can be considered complete.

The DEIR fails to identify BOS Resolution No. 2020-0856 Declaration of a Climate Emergency, adopted on December 16, 2020. This resolution is a policy statement which declares the understanding and intent of the County to sustain and accelerate short-term communitywide carbon elimination, and all efforts and actions necessary to eliminate GHG emissions by 2030.

The DEIR should acknowledge the resolution and assess whether the proposed project and Alternative 2, as mitigated, would contribute to meeting the County goal of eliminating GHG emissions by 2030. If the proposed mitigation would not contribute to eliminating GHG emission by 2030, the DEIR should make this finding, identify gaps and provide appropriate recommendations. Such an analysis is appropriate for full disclosure of environmental effects resulting from implementation of the project.

The SEC appreciates the opportunity to submit its comments on the above referenced DEIR.

Response 8-1

As explained under the subheading “Significance Criteria” (page 9-12 in Chapter 9, “Climate Change,” of the Revised Draft EIR), Sacramento County adopted Sacramento Metropolitan Air Quality Management District’s thresholds of significance by Resolution #2020-0855 on December 16, 2020. This EIR appropriately implements these thresholds to evaluate the greenhouse gas (GHG) emissions associated with the Project. The new SMAQMD GHG thresholds require that the Project meet both Tier 1 and Tier 2 BMPs and implement additional BMPs to meet the VMT target established by

SB 743. The Climate Emergency Resolution, which was also adopted by the Board on December 16, 2020, does not supersede these thresholds.

Rather, the Climate Emergency Resolution:

- “declares climate change an emergency requiring urgent and immediate mobilization of public and private resources;”
- commits the County to “build on existing climate action commitments and taking significant steps to sustain and accelerate short term communitywide carbon elimination, and all efforts and actions necessary to eliminate emissions by 2030, recognizing that such a goal will only be achieved through regional collaboration between multiple partners;”
- establishes that the CAP “shall explain the County’s approach to reduce greenhouse gas emissions in order to achieve carbon neutrality by 2030;”
- commits County staff to “evaluate the resources necessary to achieve carbon neutrality by 2030, and the emergency actions required to eliminate emissions by 2030;”
- plans to establish “a permanent Climate Emergency Mobilization Task Force composed of climate experts including but not limited to representatives of the scientific community and academia to oversee the development and implementation of a climate emergency response plan;”
- states that “it is vital that farmers operating within the County of Sacramento be supported during the climate emergency;”
- “commits to support outreach, information and education for County residents and staff on the urgent need to reduce GHG emissions, and the policies and strategies necessary to advance sustainability and resilience;” and
- expresses continued support for “local climate mitigation and adaptation efforts.”

While the Climate Emergency Resolution expresses an understanding of climate change and the intent to take additional action, it is not a mandate nor a directive for additional CEQA analysis. The Climate Emergency Resolution speaks to regional collaboration, existing commitments, and the need to develop a response plan. There is no implication that future projects in the County should provide an evaluation of project-level contribution to meeting the goal of eliminating GHG emissions by 2030 in addition to consistency with the established thresholds.

This EIR fully discloses the GHG emissions anticipated to result from the Project and indicates that the mitigated emissions from the Project would be below Sacramento County’s thresholds of significance. Further, this EIR does speak to the County’s draft Climate Action Plan (CAP), which the Climate Emergency Resolution identifies as the

appropriate document to establish a path toward carbon neutrality. This EIR includes mitigation measures (CC-1, CC-2, and CC-3) that require either implementation of the specific measures identified in the Greenhouse Gas Reduction Plan prepared for the Project or compliance with the GHG emissions reductions measures contained in the CAP, if adopted. Such participation shall be subject to demonstration that the CAP emission reductions measures selected are equivalent to or more effective than Mitigation Measures CC-1 and CC-2.

As explained above, the Climate Emergency Resolution is a policy statement from the Board of Supervisors and is separate from the thresholds used to evaluate a project under CEQA, which the Board of Supervisors adopted separately. Additional analysis of the Project's contribution to achieving the goal of carbon neutrality has not been conducted. However, additional analysis was performed for Alternative 2 and concludes that with implementation of Mitigation Measures CC-1 and CC-2, Alternative 2 achieves net negative GHG emissions in support of the County's GHG emissions reduction goals. This EIR has been revised to acknowledge the Resolution, as requested in the comment.

The following description has been added to page 9-11 in Chapter 9, "Climate Change," following the discussion in the subsection "Sacramento County Climate Action Planning."

SACRAMENTO COUNTY CLIMATE EMERGENCY RESOLUTION

The Climate Emergency Resolution, approved by the County's Board of Supervisors in December of 2020, declared a climate emergency, and calls for County action to chart a path towards and achieve carbon neutrality by 2030. The County's goal is aligned with EO B-55-18 related to achieving carbon neutrality.

This revision does not alter the conclusions with respect to the significance of any environmental impacts because it expands on information already contained in the regulatory setting of the EIR.

LETTER 9

Elaine Zorbas, member of the community, written correspondence; dated June 27, 2021.

Comment 9-1

This huge project development project should not be approved. It creates urban sprawl in Sacramento County in an area that needs to continue remain unpopulated. There is no good way to mitigate the traffic impacts, especially the congestion on Highway 16 for all vehicles coming towards Sacramento from east of the development. Its impact on air quality with resultant air pollution plus increased demands for water during this time of extreme drought will bring about environmental degradation.

With climate change upon us, this is not the time to add more houses and shopping centers that will only put more stress on the environment.

Response 9-1

The comment addresses the merits of the Project and is not related to the adequacy of the Recirculated Draft EIR. However, this comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 10

Roxanne Fuentez, member of the community, written correspondence; dated June 21, 2021.

Comment 10-1

I am opposed to the Jackson Township Specific Plan which proposes to develop 1,391 acres of open space in Sacramento County, as well as amend the Urban Policy Area. The Project would permanently change the visual character of the area. Construction of the Project would irreversibly commit future generations to urban land uses in this area. No new open space would be created to replace lands that would be lost. Once this land is paved over, it is lost forever to future generations.

The majority of the Plan Area is Vernal Pool Prairie with native wildflowers in annual grasslands surrounding Vernal Pool Complexes. Many plants in Vernal Pools are found only in these habitats, including Slender Orcutt Grass, and Sacramento Orcutt Grass, which are seriously endangered.

Vernal Pool Fairy Shrimp are rare and threatened, and Vernal Pool Tadpole Shrimp are rare and endangered - a large portion of the Plan Area is within designated critical habitat for these species. The Plan Area overlaps with Vernal Pool Critical Habitat Subunit 11 E, which is designated as critical habitat for Vernal Pool Fairy Shrimp, Vernal Pool Tadpole Shrimp, Slender Orcutt Grass, and Sacramento Orcutt Grass. About 779 acres or 57 percent of this subunit occurs in the Plan Area. The Project and Alternative 2 would destroy most of this area.

Sacramento County supports one of the largest remaining concentrations of breeding pairs of Swainson's Hawks. The area is very important to the survival and recovery of the species. The Project and Alternative 2 would remove suitable nest trees and cause the permanent loss of 516.7 acres of foraging habitat for Swainson's Hawks.

The Project would cause the loss of Burrowing Owls and their habitat. Mitigation measures, including passive or active relocation of owls were lined out in the original text of the Draft Environmental Impact Report.

The Project will remove 516,7 acres of foraging habitat for the Grasshopper Sparrow, Song Sparrow, Yellow-headed Blackbird, Loggerhead Shrike, Cooper's Hawk, Ferruginous Hawk, 'Mlite-tailed Kite, and Northern Harrier.

The Project will cause the abandonment of an active Tricolored Blackbird Colony and loss of numerous nests containing eggs or young. This would result in a substantial decline in the local nesting population of Tricolored Blackbirds and contribute to the decline of this threatened species.

The Plan Area provides nesting habitat for many common raptors and other common nesting birds. Construction work will result in nest abandonment and death of chicks and eggs of Mourning Doves, American Kestrels, Barn owls, and House Sparrows. This is a violation of the Section 3503 of the California Fish And Game Code.

Project development would result in the destruction of American Badger habitat and destroy dens and baby Badgers.

The removal of trees and structures in the Project Area will result in the loss of Pallid Bats and Western Red Bats, further reducing the population of bats in the region.

The perennial marsh areas, the large irrigation pond along Tree View Road; and surrounding uplands in the Plan Area provide habitat for the Western Pond Turtle. Construction activities would fill in aquatic habitat and crush, bury, or disturb turtles and their young, further reducing the population of this species in the region.

The Project will remove Western Spadefoot Toad habitat and kill Toads by mowing, raking, weed whacking, noise, vibration, exposure to herbicides, pesticides, and other toxins, and vehicular traffic. This will result in eventual elimination of this species from the affected habitat. This species is rare in the region and statewide and has already experienced substantial declines and habitat losses.

The Sanford Arrowhead and other special-status Vernal Pool plants would lose suitable habitat by the implementation of the Project and these plants will eventually become extinct.

The Golden Eagle forages in open terrain and has been observed foraging in the vicinity of the Plan Area. They will be impacted if the Project goes forward.

There are 96 native trees and 707 nonnative trees in the Plan Area. The Project would cause the loss of the native trees and the nonnative tree canopy.

The Project would cause the loss of 3 acres of Prime Farmland, 79 acres of Farmland of local Importance, and 1,044 acres of Grazing Land. Once this farmland is gone there is no way to get it back.

The Project would cause a substantial adverse change in the significance of a historical resource and a substantial change to Archaeological Resources. It could potentially

destroy buried Paleontological Resources. The Project may disturb human remains and cause a change in significance of a Tribal Resource.

The Project will contribute to groundwater pumping such that the average annual yield for the Central Sacramento Groundwater Basin is exceeded and groundwater recharge will be interfered with.

The Project will cause erosion, siltation, or Environmental Harm due to alteration of the existing drainage pattern.

The Project will increase the risk for flooding in the Plan Area, of adjacent parcels, and of Beach Stone Lakes.

The amount of development and lighting proposed would be a significant impact to the Area, which is rural and unlit, thus adversely affecting nighttime views of the Area.

Response 10-1

The comment generally summarizes the potential environmental effects of implementing the Project as outlined in the Draft EIR and Recirculated Draft EIR.

The potential for changes in land use to commit future generations to urban land uses within the Plan Area is acknowledged under the subheading “Irreversible Environmental Changes” in Chapter 21, “Summary of Impacts and their Disposition” (page 21-30 of the Recirculated Draft EIR).

Effects on biological resources are evaluated in Chapter 8, “Biological Resources.” Refer to “Impact: Loss of Habitat for Vernal Pool Invertebrates” beginning on page 8-37 of the Recirculated EIR, which was determined less than significant if the project obtains coverage under the South Sacramento Habitat Conservation Plan (SSHCP), as required by Mitigation Measure BIO-1. Swainson’s Hawk are addressed in “Impact: Loss of Swainson’s Hawk Foraging Habitat” (beginning on page 8-57 of the Recirculated Draft EIR) and “Impact: Loss of Swainson’s Hawk Nesting Habitat” (beginning on page 8-62 of the Recirculated Draft EIR). Both impacts would be reduced to a less-than-significant level through Mitigation Measure BIO-1.

Similarly, “Impact: Loss of Foraging Habitat for Other Special-Status Birds” (page 8-67 of the Recirculated Draft EIR) would be addressed by Mitigation Measure BIO-1. Although the Project would result in the conversion of 516.7 acres of suitable foraging habitat on Applicant-owned parcels (this number is expected to vary slightly with Alternative 2), Mitigation Measure BR-1 would reduce impacts to less than significant with mitigation by requiring development fees or land dedication in accordance with the SSHCP and implementation of all Avoidance and Minimization Measures. The potential loss of tricolored blackbird habitat, or nesting colonies is evaluated in “Impact: Loss of Tricolored Blackbird Nesting and Foraging Habitat” (beginning of page 8-55 of the Recirculated Draft EIR). This impact would also be reduced to a less-than-significant level with implementation of Mitigation Measure BIO-1 because the development was considered in the SSHCP, which established a program for mitigating impacts on a

regional scale. Impacts to burrowing owl are addressed in “Impact: Loss of Burrowing Owls and Habitat” beginning of page 8-51 of the Recirculated Draft EIR. As explained on page 8-2 of the Recirculated Draft EIR, the County began implementing the SSHCP in late 2019, following release of the Draft EIR, and participation in the SSHCP will be a requirement imposed by the County. Therefore, the chapter was updated to remove alternative mitigation previously considered and reflects the County’s current approach to SSHCP participation.

Potential for violation of Section 3503 of the Fish and Game Code is identified in “Impact: Loss of Common Raptor and Other Common Bird Nests” and Mitigation Measures BR-1, BR-2, and BR-3 are identified to reduce the impact to a less-than-significant level (page 8-68 of the Recirculated Draft EIR). Effects on American Badger, bat populations, perennial marsh habitat, Western Spadefoot Toad, special-status plants, golden eagles, and tree canopy are similar disclosed in Chapter 8 of this EIR.

Loss of Farmland is discussed in Chapter 5, “Agricultural Resources.” Effects on historical resources, archaeological resources, human remains, and tribal resources would be less than significant with mitigation identified in this EIR (refer to Chapter 10, “Cultural Resources”). Similarly, impacts on paleontological resources would be less than significant with mitigation identified in Chapter 12, “Geology, Soils, and Mineral Resources.”

“Impact: Contribute to Groundwater Pumping Such That the Average Annual Sustainable Yield for the Central Sacramento Groundwater Basin is Exceeded” is evaluated in Chapter 18, “Water Supply.” As indicated on page 18-25 of the Recirculated Draft EIR, “because Project water demands would be met through the conjunctive use of surface and groundwater supplies and adequate supplies are available such that overdraft of the underlying groundwater basin would not occur, the Project would result in less than significant impacts related to groundwater use.”

“Impact: Substantial Erosion, Siltation, or Environmental Harm due to Alteration of the Existing Drainage Pattern” in Chapter 14, “Hydrology, Drainage, and Water Quality,” would be less than significant with mitigation. Impacts related to flooding within the Plan Area and on adjacent parcels would also be less than significant. “Impact: Contribute to Flooding of Beach Stone Lakes” would be significant and unavoidable because the Project could result in a minimal increase in floodplain depth (less than 0.5 inch) and payment of the established mitigation fee and regional drainage solutions (as required in Mitigation Measure HYD-3) cannot be demonstrated to fully address this potential contribution to the existing flood risk. “Impact: New Sources of Light” evaluated in Chapter 4, “Aesthetics,” would also result in significant and unavoidable impacts because implementation of the Project would introduce a substantial amount of new lighting to an area that is currently rural and largely unlit. The Project would comply with County lighting policies and standards and would also use fixtures approved by with International Dark Sky Association (see page 4-18 of the Recirculated Draft EIR).

The comment does not address the analysis or conclusions in the EIR but is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 10-2

New electrical distribution substations would have to be constructed along Keifer, Jackson, and Excelsior Roads - thereby destroying more habitat. Two potential locations are: 22 acres with 2 single family homes on the land and 2 retention ponds on site which are designated wetlands and included in the U. S. Fish and Wildlife National Inventory. Or: a parcel 2,000 feet south of Jackson Road and 2,000 feet west of Excelsior Road. There would be a 2 story control building, transformers 35 feet tall, power circuit breakers 25 feet tall, networks of steel structures to support electrical equipment 100 feet tall, and overhead conductors entering the substation from interconnecting sub-transmission and transmission overhead lines up to 130 feet tall. Construction of this substation would result in considerable and significant impacts to biological resources. It would impact Area residents and the visual quality of the Area.

Response 10-2

The comment does not address the analysis or conclusions in the EIR but is acknowledged for the record and will be forwarded to the decision-making bodies for their consideration. Refer to Chapter 21, "Summary of Impacts and their Disposition," (pages 21-219 through 21-227 of the Recirculated Draft EIR) for a discussion of the anticipated indirect environmental impacts of the new bulk substation that would likely be required under cumulative conditions.

As indicated on page 21-233 of the Recirculated Draft EIR (Table SI-57), significant impacts to biological resources may occur due to construction of the substation. The Recirculated Draft EIR explains:

Construction of the substation would be the responsibility of SMUD and would not be subject to the control of the County. Nonetheless, SMUD would be responsible for implementing appropriate mitigation developed in consultation with resource agencies to mitigate the impacts to special-status species and their habitats.

Mitigation measures are recommended in this EIR to reduce the bulk substation's construction impacts. However, construction-related impacts would remain considerable and significant and unavoidable.

The cumulative impact to visual quality would be less than significant because, although "development of the bulk substation would result in the visual transformation of the site from a rural character to urban infrastructure, its development would be completed in concert with the overall urbanization of the surrounding area such that construction of this facility would not result in the substantial degradation of views of the site" (Recirculated Draft EIR page 21-222).

Comment 10-3

To alleviate impacts of Jackson Highway Master Plans, the applicant wants to institute toll lanes and reversible lanes on U.S. 50 from I-5 to Watt Avenue. This would not be a good idea.

Response 10-3

For clarification, the Applicant has not proposed toll lanes on Highway 50, and modification to Highway 50 is not a component of the proposed Project. Any modifications to Highway 50 would be done under Caltrans' jurisdiction. However, the County may condition development on participation in the Jackson Corridor Transportation Mitigation Strategy. Through this process, the Project Applicant would be required to construct or provide funding for a fair share of transportation improvements identified in the County's master list of cumulative improvements for the area. The comment does not address the analysis or conclusions in the EIR but is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 10-4

The No Project Alternative would reduce impacts to all resource areas. This alternative would be environmentally superior.

The No Project Alternative would allow for continued use of the Area for agriculture.

The No Project Alternative would retain grasslands, wildlife habitat, and trees in the Plan Area that support special status plants and wildlife species known to occur in the Region.

Under the No Project Alternative, impacts to archaeological, historical, paleontological, and tribal cultural resources would be less than under the Project due to reduced ground disturbance.

The No Project Alternative would generate lower air pollutant emissions because of continued agricultural activities and rural residential use.

The No Project Alternative would result in less impervious surface area as compared to development under the Project. This increases surface water infiltration and reduces sedimentation and other pollutants in stormwater runoff.

The No Project Alternative would result in less potential to affect groundwater recharge. Water demand is reduced and the effect on water supply is less than with the Project.

The No Project Alternative would have less impact on traffic and transportation than the Project.

The No Project Alternative would have less noise impacts than the Project.

The No Project Alternative would not result in any conflicts with existing land uses or divide an established community.

The No Project Alternative would avoid loss of open space lands and would not change the visual character of the Area.

Response 10-4

The comment consists of a restatement of the comparative environmental impacts of the No Project Alternative described in the Recirculated Draft EIR. The comment does not raise concerns regarding the analysis or conclusions of the Recirculated Draft EIR for which response is warranted. Nonetheless, the comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 11

Rachel DuBose, Air Quality Planner/Analyst, Sacramento Metropolitan Air Quality Management District, written correspondence; dated June 28, 2021.

Comment 11-1

Mitigation Measure AQ-3 seeks to prohibit the use of perchloroethylene in dry cleaners to reduce exposure of sensitive receptors to toxic air contaminants. Please note that the California Air Resources Board prohibited the installation of new perchloroethylene dry cleaning machines starting January 1, 2008. For more information on commercial cleaning of garments and our rules and regulations, please visit our Dry cleaning Operations webpage at <http://www.airquality.org/businesses/permits-registration-programs/permit-applications-recordkeeping-advisories/drycleaning-operations>.

AQ-3 also requires the project proponent to “Plant and maintain a vegetative buffer between truck loading/unloading facilities and nearby sensitive residences, schools, and daycare facilities.”

- All residences are considered “sensitive”, so the language should read: “Plant and maintain a vegetative buffer between truck loading/unloading facilities and nearby ~~sensitive~~ residences, schools, and daycare facilities.”
- Please add nursing homes, senior care and living centers, hospitals, and playgrounds to the list of sensitive land uses.
- Please refer to the Sac Metro Air District’s Recommended Guidance for Improving Air Quality Near Roadways: Plant Species and Best Practices for the Sacramento Region. It has recommendations on planning, planting and maintaining vegetative barriers to protect people from sources of toxic air pollution, including a matrix of tree and shrub species and sample conditions of approval language.

Link: <http://www.airquality.org/LandUseTransportation/Documents/LandscapingGuidanceforImprovingAirQualityNearRoadwaysMay2020V2.pdf>

Response 11-1

The comment states that the California Air Resources Board (CARB) outlawed the use of perchloroethylene in 2007. This statement is true. The comment also suggests that the Recirculated Draft EIR refer to the Sacramento Metropolitan Air Quality Management District's (SMAQMD's) Recommended Guidance for Improving Air Quality Near Roadways guidance. The comment also recommends that nursing homes, senior care and living centers, hospitals, and playgrounds be added to the list of sensitive receptors defined in Chapter 6, "Air Quality," of the Recirculated Draft EIR. In response, the text of the first paragraph under the subheading "Sensitive Land Uses," on page 6-9 of the Recirculated Draft EIR has been amended as follows:

Sensitive receptors are generally considered to include those land uses where exposure to pollutants could result in health-related risks to sensitive individuals, such as children or the elderly. Residential dwellings, schools, hospitals, playgrounds, nursing homes, senior care and living centers, and similar facilities are of primary concern because of the presence of individuals particularly sensitive to pollutants and/or the potential for increased and prolonged exposure to pollutants.

In addition, the language of Mitigation Measure AQ-3 on page 6-48 of the Recirculated Draft EIR has been revised as follows:

AQ-3: Before Design Review approval, the Project Applicant, its designee, or subsequent developer(s), shall implement design features to reduce TAC exposure during operation.

- Consistent with guidance in CARB's *Air Quality and Land Use Handbook*, proposed commercial and educational land uses that have the potential to emit TACs or host TAC-generating activity (e.g., loading docks that accommodate more than 100 trucks per day, more than 40 trucks with operating transport refrigeration units per day, or where transport refrigeration unit operations exceed 300 hours per week) shall be located at least 1,000 feet from existing and proposed on-site sensitive receptors (i.e., residential dwellings, schools, hospitals, playgrounds, nursing homes, senior care and living centers, and similar facilities) ~~as possible~~ such that they do not expose sensitive receptors to TAC emissions that exceed an incremental increase of 10 in 1 million for the cancer risk and/or a noncarcinogenic Hazard Index of 1.0 (CARB 2005).
- Loading dock design shall incorporate the use of buildings or walls to shield commercial activity from nearby residences or other sensitive land uses.

- Signs shall be posted at all loading docks and truck loading areas which indicate that diesel-powered delivery trucks must be shut off when not in use for longer than 5 minutes on the premises to reduce idling emissions.
- ~~Sensitive receptors, such as residential units and daycare centers, shall not be in the same building as dry-cleaning operations that use perchloroethylene. Dry-cleaning operations that use perchloroethylene shall not be located within 300 feet of any sensitive receptor. A setback of 500 feet shall be provided for operations with two or more machines.~~
- Plant and maintain a vegetative buffer between the truck loading/unloading facility and nearby sensitive residences, schools, and daycare facilities. As part of detailed site design, a landscape architect licensed by the California Landscape Architects Technical Committee shall identify all locations where trees should be located, accounting for areas where shade is desired such as along pedestrian and bicycle routes, the locations of solar photovoltaic panels, and other infrastructure. Special consideration shall be given to SMAQMD's Recommended Guidance for Improving Air Quality Near Roadways: Plant Species and Best Practices for the Sacramento Region.

The aforementioned text edits clarify the mitigation and do not alter the conclusions of the Recirculated Draft EIR. No further response is required.

LETTER 12

Ralph Propper, President, Environmental Council of Sacramento, written correspondence; dated June 28, 2021.

Comment 12-1

As stated on p. 20-1, vehicle miles traveled (VMT) has replaced congestion as the metric for determining transportation impacts under CEQA. Nonetheless, in the EIR level of service (relieving traffic congestion related to the development) is said to be "mitigated" by building additional roads and lanes. This will result in more VMT.

The EIR states that "delay-based traffic operations is provided herein for informational purposes. It is assumed for the purpose of this analysis that delay-based effects and the associated measures proposed to reduce these effects to acceptable levels would be included as conditions of approval and/or in the development agreement for the Project." On pp. 20-41/42, the EIR states that SB 743 requires amendment of CEQA Guidelines to provide an alternative to LOS for evaluating transportation impacts. Particularly within areas served by transit, those alternative criteria must "promote the reduction of greenhouse gas emissions, the development of multimodal transportation networks, and a diversity of land uses."

Measurements of transportation impacts may include “vehicle miles traveled, vehicle miles traveled per capita, automobile trip generation rates, or automobile trips generated.” The EIR continues, “Once the CEQA Guidelines are amended to include those alternative criteria, auto delay will no longer be considered a significant impact under CEQA.” Nonetheless, in the EIR there are plans to construct additional lanes of concrete highway. That is a “business as usual” approach. We can no longer plan for additional roadways that will result in increased VMT and the concomitant increase of GHG and other emissions.

Response 12-1

The comment recognizes the change in the methodology used to evaluate transportation impacts pursuant to CEQA that became effective between publication of the Draft EIR and the Recirculated Draft EIR. In response to SB 743, Public Resources Code Section 21099, and California Code of Regulations Section 15064.3, the Recirculated Draft EIR was revised to evaluate VMT. The Recirculated Draft identifies VMT impacts as significant and unavoidable.

The analyses of traffic operations (i.e., intersection and freeway level of service [LOS] analysis) provided in the Draft EIR have been retained in the Recirculated Draft EIR for disclosure. These discussions are not characterized as impacts or associated with mitigation measures that would be adopted by the County through the CEQA process. Rather, the County may use the LOS analyses to evaluate consistency with County regulations, including policies in the General Plan. As explained on page 20-1 of the Recirculated Draft EIR:

While a project’s effect on automobile delay is no longer a consideration when identifying a significant impact under CEQA, automobile delay and level of service (LOS) continue to be of interest to transportation engineers and planners who plan, design, operate, and maintain the roadway system. In addition, delay related to traffic congestion is a concern to drivers and passengers of vehicles using the roadway system (Sacramento County 2020).

For these reasons, the County developed the Jackson Corridor Transportation Mitigation Strategy (as approved by the Board of Supervisors on July 23, 2019 and amended on March 9, 2021). The LOS improvement measures identified in this strategy would be required by the County as conditions of approval and/or included in the development agreement for the Project. Through this separate process, the Project Applicant would be required to construct or provide funding for a fair share of transportation improvements identified in the county’s master list of cumulative improvements for the area.

The comment that the County can “no longer plan for additional roadways” is inaccurate. A key function of the County is to design and maintain adequate roadway infrastructure. Although new or expanded roadways would not be required as CEQA mitigation measures given the focus on VMT, the County must balance the reduction of

VMT with other obligations of local government. This comment is acknowledged for the record and will be provided to the decision makers for consideration.

Comment 12-2

On p. 20-56 the EIR states, “The Project would widen and/or complete many roadways that cross or border the Plan Area and would include new roadways to serve the proposed land uses.” More appropriate mitigation should be funding for Regional Transit to cause even more frequent public transit and additional, Earth-friendly shuttles to get people that live and work in the project area to and from public transit lines, than those suggested in the EIR. On page 20-77 the EIR states, “While most effects could theoretically be reduced to acceptable levels by adding more traffic lanes, grade separations, new roadways, and other similar measures, such LOS improvement measures mitigation may not be consistent with adopted policies and could result in secondary impacts to the environment and other users.”

On p. 21-8 it is stated, “As described in Chapter 20, “Traffic and Circulation,” of this Recirculated Draft EIR, analysis of vehicle miles traveled (VMT) is provided only for Alternative 2. Based on modeling, VMT generated under Alternative 2 would exceed the VMT significance thresholds for residential lands and office land uses (emphasis added). Implementation of Mitigation Measures TR-1, TR-2, and TR-3 would pay for bus and/or shuttle operations between the Project and the Manlove Light Rail Station and would identify and fund additional Trip Reduction Services. However, it cannot be guaranteed that the implementation of Mitigation Measures TR-1, TR-2, and TR-3 would reduce VMT impacts to less-than-significant levels because the specific elements of the VMT-reducing mitigation measures that would be implemented are unknown at this time, and uncertainty exists related to the VMT reductions that would be achieved.” To mitigate for this, the developer should commit funding to Regional Transit for increased public transportation.

On p. 21-17 the EIR states, “Project-generated GHG emissions would exceed applicable Sacramento County thresholds of significance for transportation and result in a cumulatively considerable contribution to climate change. These levels of emissions also indicate that the Project would not be consistent with Sacramento County’s CAP.” Therefore, adequate mitigation is required.

On p. 21-29 the EIR states, “Public transit is not currently provided to, or near the Plan Area. A conceptual transit system to serve the Jackson Corridor Projects (i.e., the Jackson Highway Master Plans, including the Jackson Township Project) has been developed by Sacramento County, SacRT, DKS Associates, and the applicants of the Jackson Corridor Projects as part of a joint transit planning process. This developer and those of adjacent projects should mitigate this by providing additional funds for public transit.”

The EIR provides “Sacramento County has established draft GHG thresholds for 2030. The Project’s build-out year is 2035, for which the 2030 GHG thresholds were extrapolated in alignment with State GHG reduction targets. Development of the Project

or Alternative 2 would result in the production of GHG emissions during construction activities and throughout the operational period of the Project, attributed to vehicle use, energy use, waste generation, water treatment and distribution, and other area sources.” (P. 21-51). It goes on to say, that even with implementation of mitigation suggested, the Project would reduce GHG emissions generated onsite and the remaining GHG emissions exceeding applicable thresholds would be offset through the purchase of carbon credits. Better mitigation than carbon credits is direct funding to RT for mass transit and additional Earth-friendly shuttles as suggested above.

We agree with the statement on p. 21-64 that the Jackson Corridor Projects include substantial amounts of higher density and mixed uses to help support transit use; however, transit service within walking distances of those uses is required to achieve a significant transit ridership. The “LOS Improvement Measures” beginning on p. 21-143 again call for more concrete, and instead should provide funding that will enable public transit to be utilized instead. In the words of teenager Greta Thornburg, “act like our house is on fire.” We cannot develop more roadway and arterials instead of funding additional mass transit, and project mitigation should reflect that.

We agree that implementation of Mitigation Measures TR-1, TR-2, and TR-3 would reduce Project-generated VMT impacts (p. 21-214). These measures should pay for bus and/or shuttle operations between the Project and the Manlove Light Rail Station, as well as identify and fund additional Trip Reduction Services (TRS). Such additional trip reduction services should include direct funding to RT for public transit to adequately serve the Project, because the Project “would have a considerable contribution to a significant and unavoidable cumulative VMT impact” (p. 21-214).

Response 12-2

As an initial matter, the statement that, “The Project would widen and/or complete many roadways that cross or border the Plan Area and would include new roadways to serve the proposed land uses” on page 20-56 the Recirculated Draft EIR is provided in the subsection “Methodology” where the transportation improvements proposed as elements of the Project and incorporated into the analysis are explained. Completing roadways that cross the Plan Area and serve the proposed uses is a component of the Project and is not a mitigation measure proposed in this EIR. Further, as explained in Response 12-1, the LOS Improvement Measures are anticipated to be required by the County through the approval process and in response to the County’s obligation to design and maintain adequate public facilities.

The comment suggests that “the developer should commit funding to Regional Transit for increased public transportation” to mitigate the VMT and GHG impacts identified in the Recirculated Draft EIR and suggests that mitigation requiring “direct funding to RT for mass transit and additional Earth-friendly shuttles” would be superior to the mitigation proposed in the Recirculated Draft EIR. Specifically, the comment suggests that Mitigation Measures TR-1, TR-2, and TR-3 “should pay for bus and/or shuttle operations between the Project and the Manlove Light Rail Station, as well as identify and fund additional Trip Reduction Services (TRS). Such additional trip reduction

services should include direct funding to RT for public transit to adequately serve the Project.” This is precisely what the mitigation measures in this EIR would accomplish. The enhanced transit program required by Mitigation Measures TR-1 and AQ-2b would implement a program to provide a non-revocable funding mechanism that would pay for bus and/or shuttle operations between the Project and the Manlove Light Rail Station. Mitigation Measure TR-2 would establish a special financing mechanism for the Project area to fund the TRS described in, and consistent with, the approvals for the Project, the Urban Services Plan, and the Public Facilities Financing Plan. Mitigation Measure TR-10 would require that the Project Applicant coordinate with Sacramento County and Sacramento Regional Transit District (or other transit operators) to provide the additional transit facilities. This would be accomplished through the annexation to County Service Area Number 10 or formation of a transportation services district (as required by Mitigation Measure TR-3). SacRT has also commented on the Recirculated Draft EIR and acknowledged the project has a financing plan that would fund the phasing of transit improvements and an infrastructure plan that identifies and funds transit facilities (see Comment 13-1, below).

LETTER 13

Kevin Schroder, Senior Planner, Sacramento Regional Transit District, written correspondence; dated June 28, 2021.

Comment 13-1

SacRT has the following comments regarding the Draft EIR:

SacRT recognizes the Project applicant or subsequent developers will provide a scaled approach toward providing transit options to the project site. The Project has a Public Facilities Financing Plan, which identifies funding mechanisms and phasing of transit improvements, while the Infrastructure Master Plan identifies the facilities and infrastructure for transit. This Project has a proposed Regional Transit Plan to assist in the scaled approach for funding bus and/or shuttle operations between the Project and the Manlove Light Rail Station, until transit routes are required to be established due to the phased development approach.

Response 13-1

The comment recognizes the commitments to public transit in the mitigation measures proposed in this EIR and the Public Facilities Financing Plan, Infrastructure Master Plan, and Regional Transit Master Plan for the Project. The comment acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 14

Alex Padilla, Branch Chief, Transportation Planning, California Department of Transportation, written correspondence; dated June 28, 2021.

Comment 14-1

Right of Way/ Encroachment

- Caltrans requests from County to show state right of way delineated in their site plans. Information for delineation of State Highway right of way can be found by requesting the Right of Way Record Maps for the area of proposed project. Please have the developer or representatives request all Right of Way record maps by contacting: D3rwmaprequest@dot.ca.gov for any right of way map request/information needs.
- All work proposed and performed within the State's highway right of way must be in accordance with Caltrans' standards and require a Caltrans Encroachment Permit prior to commencing construction. Email: D3encpermit@dot.ca.gov
- Caltrans recommends the applicant's consultants show any monument preservation plans (if applicable) in order to identify any vulnerable survey monuments that will need to be perpetuated, as required by PE Act 6731.2 and PLS Act 8771. All proposed work and improvements within Caltrans' Right of Way will require submittal of an Encroachment Permit with the Department.

Response 14-1

The comment provides specific requests related to site plans and encroachment permit requirements for work within Caltrans' right of way and is not related to the analysis or conclusions in this EIR. The encroachment permit process is explained in Chapter 20, "Traffic and Circulation," of the Recirculated Draft EIR (refer to pages 20-80 and 20-81). The comment acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 14-2

Traffic Operations/ Forecasting & Modeling

- Caltrans wants to thank Sacramento County for previously reaching out and coordinating with us on our mitigation and fair share agreement.
- Caltrans is requesting the previous mitigation strategies and fair share agreement that Sacramento County and Caltrans agreed to be incorporated into the financing plan of the Jackson Township Specific Plan. This mitigation and fair share agreement will help reduce the transportation impacts from the future build-out of the Plan Area towards Caltrans U.S. Highway 50 (US 50). As part of the fair share calculation, Caltrans requests a meeting with Sacramento County to discuss the Jackson Corridor Development Projects

Transportation Mitigation Strategy (adopted March 9, 2021) and the use of the Dynamic Implementation Tool.

- The three mitigation strategies that were identified in the mitigation and fair share agreement include the US 50 Integrated Corridor management (ICM) between State Route 99 (SR 99) and Hazel Avenue; US 50 High-Occupancy Lanes (HOV) Lanes from SR 99 to Watt Avenue; and, US 50 HOV Lanes between I-5 and Watt Avenue. These three mitigation strategies and fair share agreements were also included as part of the Mather South Community Master Plan, NewBridge Specific Plan, and West Jackson Highway Master Plan.

Response 14-2

The County has incorporated the LOS improvement strategies and fair share agreement, on which Sacramento County and Caltrans have previously reached agreement, into the financing plan and the conditions of approval of the Jackson Township Specific Plan. This request is not a comment on the analysis or conclusions of the Recirculated Draft EIR but will be forwarded to the decision makers for consideration.

Comment 14-3

Hydraulics

The project site is located within the Morrison Creek and Elder Creek watersheds boundary which belong to a 100-year floodplain according to the FEMA, Flood Insurance Rate Map.

- Caltrans is requesting prior to any modification of the existing FEMA floodplain in the Morrison Creek and Elder Creek watersheds, the project applicant shall obtain approval of a Conditional Letter of Map Revision (CLOMR) from FEMA.
- And the County needs to provide a mitigation measure for any loss of flood storage capacity due to the proposed Specific Plan.
- Based on Title 23, the Morrison Creek and the Elder Creek are listed as Regulated Streams of Central Valley Flood Protection Board (Board) of DWR. Therefore, the encroachment permit and 408 reviewing processing shall be obtained from the Board and US Army Corps.
- The development of this site will increase impervious surface area through the construction of proposed project with a corresponding increase in surface water runoff. This project will decrease the existing capacity of surface water detention, retention, and infiltration. No net increase to 100-year storm event peak discharge may be realized within the State's highway right of way and/or Caltrans drainage facilities because of the project.

- All grading and/or drainage improvements must maintain or improve existing drainage pathways and may not result in adverse hydrologic or hydraulic conditions within the State's highway right of way or to Caltrans drainage facilities.
- Runoff from the proposed project that will enter the State's highway right of way and/or Caltrans drainage facilities must meet all regional water quality control board water quality standards prior to entering the State's highway right of way or Caltrans drainage facilities. Appropriate storm water quality Best Management Practices may be applied to ensure that runoff from the site meets these standards (i.e., is free of oils, greases, metals, sands, sediment, etc.).
- Once installed, the property owner must properly maintain these new drainage systems in perpetuity. All work proposed and performed within the State's highway right of way must be in accordance with Caltrans' standards and require a Caltrans Encroachment Permit prior to beginning construction.

Response 14-3

The comment provides a summary of requirements related to evaluation of hydrology and water quality but does not comment directly on the analysis or conclusions in the Recirculated Draft EIR.

The Caltrans encroachment permit process is described in Chapter 20, "Traffic and Circulation," as explained in Response 14-1. A Caltrans encroachment permit would be secured for any work within Caltrans' right-of-way. Federal and State regulations related to flooding and drainage are included in Chapter 14, "Hydrology, Drainage, and Water Quality." Specifically, Title 23, Division 1 of the California Code of Regulations, which sets forth the Central Valley Flood Protection Board's duties pursuant to Sections 8534, 8608, and 8710-8723 of the Water Code, is described on page 14-10 of the Recirculated Draft EIR.

As explained on page 14-17 of the Recirculated Draft EIR, "[i]mprovements within the Plan Area would be subject to the requirements of the Stormwater Quality Design Manual for the Sacramento Region as a permit condition." Implementation of Mitigation Measures HYD-1a and HYD-1b would ensure that the Project would be required to demonstrate that the proposed design features would mitigate the development's potential to generate substantial erosion, siltation, or other environmental harm through the proposed drainage modifications.

The potential effect of the Project on FEMA floodplains is evaluated in "Impact: Increase the Potential for Flooding within the Plan Area" (pages 14-27 and 14-28 of the Recirculated Draft EIR). Mitigation Measure HYD-2 is proposed, which would require the Project Applicant or subsequent developers of the specific plan to obtain approval of a Conditional Letter of Map Revision (CLOMR) from FEMA prior to any modification of the existing FEMA mapped floodplain in the Morrison Creek and Elder Creek watersheds in the Plan Area. In addition, the Project Applicant and subsequent

developers of the specific plan would provide in-kind replacement for any loss in flood storage capacity resulting from floodplain modifications.

LETTER 15

Justin Tweet, Co-Chair, 350 Sacramento, written correspondence; dated June 28, 2021.

Comment 15-1

CHAPTER 3, ALTERNATIVES

We suggest the project objectives (DEIR p. 2) are stated excessively narrowly, and are more fundamentally expressed as, “provide housing to accommodate projected County population growth”. From that perspective, the DEIR should include an alternative which, consistent with existing general plan (GP) policies would evaluate a primarily infill growth strategy, rather than the County’s present emphasis on greenfield development, as is discussed below.

The GP has numerous policies supporting infill development in and contiguous to current urban land use; and also has two, more recent, policies authorizing greenfield development. We believe it would be useful and appropriate to consider an alternative under which the County would exercise its discretion to prioritize infill development over, greenfield projects, rather than the revers as at present.

Response 15-1

The objectives identified for the Project were developed in a manner consistent with Section 15124(b) of the State CEQA Guidelines and establish a “statement of the objectives sought by the proposed project.” While the County’s overarching goal is to accommodate projected population growth in the unincorporated county, as envisioned in the General Plan, the Project Applicant has established more specific objectives for the Project. An alternative that supports infill development as identified in the existing General Plan rather than the proposed project would, essentially, be the No Project Alternative. The No Project Alternative assumes no changes to the existing land use designations or General Plan policies. Buildout of the Plan Area would be consistent with existing entitlements. By extension, growth in other areas of the County would be assumed to reflect the General Plan and the existing policies that support infill development. Refer to Chapter 3, “Alternatives,” of this EIR. As stated on page 3-77, the No Project Alternative would not meet the established Project objectives.

Comment 15-2

CHAPTER 6, AIR QUALITY

1. Measures AQ-A1 and AQ-1b, are not consistent with the later DEIR claim that GHG emissions for construction equipment are insignificant.

Response 15-2

The comment claims to identify an inconsistency between identification of mitigation measures for construction in the air quality analysis (implying a potentially significant impact could occur) and dismissal of GHG emissions due to construction from detailed evaluation. The analysis of emissions with the potential to impair air quality is, fundamentally, different from the analysis of a project's contributions to GHG emissions and global climate change. The analyses are presented in separate chapters in this EIR and use different thresholds to evaluate impacts. As explained in detail below, the County has followed all appropriate methodology and evaluated the Project against adopted thresholds.

The analysis prepared in Chapter 6, "Air Quality," uses significance criteria developed in consideration of the criteria found in Appendix G of the State CEQA Guidelines as well as guidance provided by SMAQMD, the air district tasked with regulating ambient air quality in the Sacramento Valley Air Basin. As summarized on page 6-15 of the Recirculated Draft EIR, SMAQMD has developed a discrete criterion for determining the significance of short-term construction-related emissions of 85 pounds per day (lb/day) for oxides of nitrogen (NO_x), 80 lb/day and 14.6 tons/year for respirable particulate matter (PM₁₀), and 82 lb/day and 15 tons/year for fine particulate matter (PM_{2.5}). In addition, all SMAQMD-recommended Basic Construction Emission Control Practices (BMPs) shall be implemented to minimize emissions of PM₁₀ and PM_{2.5}; otherwise, the threshold for both PM₁₀ and PM_{2.5} is 0 lb/day. These emissions standards are used in the analysis prepared for Chapter 6, "Air Quality," to determine the significance of construction emissions of criteria air pollutants, which were found to be less than significant with mitigation.

As summarized on page 9-14 through 9-15 of Chapter 9, "Climate Change," Sacramento County, the lead agency overseeing the environmental review of the Project, has not adopted a threshold of significance for construction emissions:

Although emissions from the operation of newly constructed buildings adds to existing building stock resulting in a cumulative year-on-year increase in emissions, the level of construction activity required to build the new buildings in a region does not result in a cumulative increase in emissions because of the temporary nature of the construction activities.

Emission of GHGs from construction equipment was not determined to be "insignificant" in the Project analysis; rather, the County has determined, based on substantial evidence, that a separate threshold for GHG emissions associated with construction activities is not warranted. Because construction would occur over an extended period that may coincide with operation of aspects of the Project, the total construction emissions were estimated using CalEEMod, amortized over 65 years (to account for the 15-year construction period and 50-year Project operation), and added to the operational emissions in the revised GHGRP prepared for Alternative 2.

The comment's assertion that the effectiveness of Mitigation Measures AQ-1a and AQ-1b to reduce air quality impacts to a less-than-significant level is inconsistent with the findings and analysis in Chapter 9, "Climate Change," is irrelevant in this context given

that the analyses performed in each respective chapters use different thresholds of significance in consideration of the Appendix G checklist questions and guidance provided by SMAQMD with deference given to the County. A significant impact in one does not guarantee that a significant impact occurs in the other. The County has followed all appropriate methodology and evaluated the project against adopted thresholds. No evidence is offered by the commenter that the analysis presented in Draft EIR or Recirculated Draft EIR is inadequate. No changes to the Recirculated Draft EIR are required in response to this comment. No further response is required.

Comment 15-3

2. **AQ-2b, Bus/Shuttle service to Transit** (Alternative 2) would provide funding for bus/shuttle service between the project and the Manlove Light Rail Station. We are concerned that slow and/or incomplete build-out will diminish the value of the transit service, as discussed in the cumulative impacts section of these comments (DEIR Chapter 21).
3. **AQ-2b, EV Infrastructure** requires EV infrastructure as specified. State EV infrastructure standards are evolving rapidly. This measure should require compliance with Tier 2 or equivalent standards in effect at time of final project approvals, whichever is more stringent.
4. **AQ-2b, Hot water heating** requires, “electric hot water heaters”. Absent substantial contrary evidence, heat pumps should be specified because they are significantly more efficient
5. **AQ-2b, Turf Reduction.** The DEIR states, “developer(s) shall reduce the total square footage of residential turf associated with increased housing density”. This is difficult to parse. If it is merely an observation that increased density will result in less turf area, it should not be presented as a mandatory mitigation measure. If it is a mandatory mitigation measure, as presented, it is ineffective and unenforceable without a standard of required reduction.

Response 15-3

The comment addresses the quantifiable reduction measures included in the AQMP prepared for Alternative 2 (Appendix AQ-1 of the EIR) and presented in Mitigation Measure AQ-2b in this EIR.

The comment expresses concern that the slow or incomplete implementation of the bus/shuttle service provided at the Manlove Station may degrade transit services in the area. As stated in Chapter 21 of the Recirculated Draft EIR on page 21-29, the proposed transit systems and service recommended in the Recirculated Draft EIR would be a condition of Project approval; therefore, it is assumed that all transit-related projects implemented for the Project would be fully complete and operational. In addition, SacRT commented on the Recirculated Draft EIR and acknowledged the project has a financing plan that would fund the phasing of transit improvements and an infrastructure plan that identifies and funds transit facilities (see Comment 13-1).

Nonetheless, the language of Mitigation Measure AQ-2b has been amended in the first bullet on page 6-34 of the Recirculated Draft EIR, as shown below.

The comment suggests that the language pertaining to electric vehicle (EV) infrastructure recommended in Mitigation Measure AQ-2b be amended to be more flexible to comply with evolving technical improvements in this sector. In response, the text edits have been made to Mitigation Measure AQ-2b on pages 6-34 and 6-35 of the Recirculated Draft EIR, as shown below:

The comment also suggests that the language of Mitigation Measure AQ-2b be amended to require the use of heat pumps in addition to electric water heaters. While heat pumps are proven methods of heating and cooling homes in an energy efficient manner, the measures contained in Mitigation Measure AQ-2b are consistent with measures enumerated in the Air Quality Mitigation Plan (AQMP) prepared for the Project. Consistent with guidance by SMAQMD, the AQMP achieves a 35 percent reduction in ROG and NO_x emissions using a combination of on-site reduction measures; in this case, use of electric water heaters. On August 30, 2022, SMAQMD verified the technical adequacy of the AQMP indicating that the measures contained within it were sufficient to achieve a 35 percent reduction in ROG and NO_x emissions from the Project.

Finally, the comment also requests that the language of Mitigation Measure AQ-2b be revised to include a performance standard for a reduction in the total square footage of residential turf. The foreseeable reductions associated with this particular component of Mitigation Measure AQ-2b was not accounted for in the modeling performed for the AQMP; therefore, no standard is required to achieve reductions. This element has been removed from Mitigation Measure AQ-2b, as shown below.

The following text edits have been made to Mitigation Measure AQ-2b on pages 6-34 and 6-35 of the Recirculated Draft EIR:

AQ-2b: Alternative 2 shall include the following quantifiable reduction measures included in the AQMP prepared for Alternative 2 (Appendix AQ-1 of the EIR), which would reduce Alternative 2's operational criteria air pollutants and ozone precursors by at least 35 percent in comparison to the "unmitigated" Alternative 2, as conditions of approval:

TRANSPORTATION

- The Project Applicant or subsequent developer(s) shall implement a program to provide a non-revocable funding mechanism (administered and funded through a finance plan between the Project Applicant and the County) ~~to that would~~ pay for bus and/or shuttle operations between the project and the Manlove Light Rail Station. The nonrevocable funding mechanism would be administered by the County and would provide residents and employees of Jackson Township Alternative 2 with transit passes that would access the entire Regional Transit system.

- The Project Applicant or subsequent developer(s) shall install at least ~~10~~ 15 percent of all parking spaces with Tier 2 or an equivalent standard electric vehicle (EV) charging stations at commercial, retail, and office parking lots. ~~and up to~~ In addition, the Project Applicant and EGUSD would establish an agreement to provide for at least 5 percent EV charging stations at school parking lots or an alternative method to achieve equivalent reductions for Alternative 2. Each EV charging station shall have 2 connections. In total, this will result in the Plan Area providing 805 EV charging stations serving 1,610 non-residential parking spaces.
- The Project Applicant or subsequent developer(s) shall prewire all single-family housing ~~low density and medium density dwelling units (3,540 dwelling units for Alternative 2)~~ plus ~~10~~ 77 percent of the high-density multi-family residential housing (~~10 percent of 2,050 dwelling units for Alternative 2, or 205 units in high density housing~~) to be conducive to installation of electric charging stations of Tier 2 or an equivalent standard.

ENERGY

- The Project Applicant or subsequent developer(s) shall install ~~energy~~ electric efficient boilers as applicable in high-density housing (mid-rise apartments), discount club, office, high school, and supermarket land uses for Alternative 2.
- The Project Applicant or subsequent developer(s) shall install electric hot water heaters in all single and multi-family housing units (low, medium, and high density), or a total of 5,690 dwelling units for Alternative 2.

PROJECT DESIGN

- The Project Applicant or subsequent developer(s) shall install low-flow bathroom, kitchen, and shower fixtures; and low-flow toilets in all residential units and commercial buildings.
- The Project Applicant or subsequent developer(s) shall reduce the total square footage of residential turf associated with increased housing density.
- The Project Applicant or subsequent developer(s) shall install water efficient irrigation systems and water efficient landscaping for nonresidential areas.
- The Project Applicant or subsequent developer(s) shall preserve wetlands and create new greenbelts, parking, and other vegetative areas totaling approximately 400 acres for Alternative 2.
- The Project Applicant or subsequent developer(s) shall reduce VMT through membership in a Transportation Management Association (TMA). (This measure is also included as a component of Mitigation Measure TR-2 in Chapter 20, "Traffic and Circulation," which identifies participation in a TMA as a Trip Reduction Service option to reduce the Project's VMT.)

The aforementioned changes to the language of the Recirculated Draft EIR do not alter the significance conclusions contained therein. No further response is required.

Comment 15-4

CHAPTER 8, BIOLOGICAL RESOURCES

BR-5, re Agency Notification requires notification of CDFW prior to disturbing water bodies. Notification of the CVRWQB and USACE are also mandatory pursuant to CWA §401 and the Porter Cologne Water Quality Control Act, and CWA §404 respectively.

Response 15-4

The comment provides accurate information regarding agency notification requirements. The reference “BR-5” is unclear and there is no apparent correlation to the content of the EIR. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 15-5

CHAPTER 9, CLIMATE CHANGE

A. CONSTRUCTION ACTIVITIES

The DEIR declines to set thresholds for construction activity. We believe such thresholds would be appropriate because:

1. The relatively small percent of total emissions emitted is still significant, and not itself a reason to avoid managing,
2. No evidence is provided that the recreational and industrial components of this sector are substantial,
3. The fact that year-to-year emissions from construction are not projected to vary much on average is irrelevant. The parameter of concern is the ongoing mass loading of GHG from this sector.

We therefor suggest that the conclusion, “construction emissions would not contribute to a significant climate change impact, and no threshold is necessary”, is not substantiated.

Response 15-5

The comment states that the Recirculated Draft EIR declines to set thresholds for construction activity and that omission of such thresholds is not substantiated. At the time of preparing the initial Draft EIR, Sacramento County relied on its own thresholds of significance for determining climate change impacts using Sacramento County-specific

GHG inventory and population data. See Response15-2 for a discussion of Sacramento County's role as the lead agency overseeing the CEQA process for the Project.

The comment expresses disagreement with the County's approach. As explained on pages 9-14 to 9-15 in Chapter 9, "Climate Change," of the Recirculated Draft EIR, a separate evaluation of the Proposed Project's construction emissions is not provided because emissions from construction vehicles are a relatively small percentage of overall vehicle reductions, are temporary, and are expected to decrease over time as a result of the implementation of existing regulations and improved fuel efficiency. Notably, for the reasons provided above, adding the relatively small amount of GHG emissions to the operational emissions evaluated in "Impact: Project Greenhouse Gas Emissions" would not substantively change the analysis or conclusions of this EIR.

The GHGRP for Alternative 2 and the corresponding analysis in this EIR have been revised to clarify the analysis of construction emissions. The revised GHGRP for Alternative 2 incorporates amortized construction emissions (see Table CC-8 in the FEIR). Construction-related GHG emissions are considered to meet County thresholds of significance if operational GHG emissions meet thresholds.

Comment 15-6

B. MITIGATION MEASURES (DEIR p. 9-26 ff.)

For preferred Alternative 2, the DEIR presents three GHG measures, derived from an existing Greenhouse Gas Reduction Plan (GHGRP, DEIR Appendix AQ-1 and in turn partially based on SMAQMD's June 2020, Greenhouse Gas Thresholds for Sacramento County document. The measures are:

- Measure CC-1 provides:
 - BMPs 1 and 2, means-based measures relating respectively to electrification ("no natural gas") and EV infrastructure;
 - BMP 3, a performance-based measure presenting VMT requirements (15 percent per capita reduction for residents and office workers), and a list of seven general potential "strategies" to achieve the reductions;
- Measure CC-2 states, "*developments ... shall demonstrate consistency with the GHGRP for Alternative 2. Examples ... include... [a list of ten potential measures]*".
- Measure CC-3 states, "*If the County adopts a [CAP], ... projects ... shall comply with [its] measures ...subject to a demonstration that the ... measures selected are equivalent to or more effective than Mitigation Measures CC-1 and CC-2*".

We are concerned that **the GHG** mitigation scheme is unclear and unenforceable, among other reasons because it is presented in confusing fashion inconsistent with CEQA's informational purpose. We encourage the County to more coherently present the proposed GHG mitigation. Specific problems include:

1. **CC-1, Non sequitur.** CC-1 states, “Applicant shall implement ... (BMPs) included in Tier 1 of SMAQMD’s CEQA Guidance.... The proposed Tier 1 BMPs are as follows:” Since BMP compliance, “shall be required”, the word “proposed” is inappropriate and should be removed (of course, all DEIR measures are ‘proposed’ until certified by the lead agency, but the present context is measures which are presented in the DEIR as mandatory)
2. **CC-1, BMP 2, EV Infrastructure: Maintain CalGreen Consistency.** This measure states, “Projects shall meet the current ...CalGreen.... standard”. “Current standard” is ambiguous, but seems to refer to the standard current in 2021. CalGreen EV standards are evolving, with recent triennial updates progressively more rigorous in response to ambitious State EV goals, and this is highly likely to continue. Build-out of Jackson Township is projected to take 35 years (DEIR p. 29)). It would not be appropriate for future development to be held to a long-superseded standard. Please revise to indicate that future construction shall be governed by the Calgreen requirements current at the time of tentative map or design review approval.

3. **CC-1, BMP 3 is Unenforceable and Deferred Mitigation.**

Mitigation Measure CC-1, BMP 3, states, *“The Project shall also be required to comply with the second tier of SMAQMD’s updated thresholds, including.... A 15 percent reduction in VMT ... The GHGRP, or on-site mitigation measures, shall demonstrate that the Project’s operational emissions would not exceed the applicable thresholds for the aforementioned sectors”*.

We are concerned that:

- i. The DEIR merely repeats SMAQMD’s programmatic-level guidance, without particularizing it in this project-level DEIR, undermining the enforceability of the measure, as discussed below.
- ii. In failing to particularize the regulatory guidance for the Jackson Township project, the DEIR impermissibly defers the formulation of mitigation without providing substantial evidence that such deferral is impractical or infeasible, as required by CEQA Guidelines §15126.4(a)(1)(B).
- iii. We believe the Guidelines’ general peremptory statement, *“Formulation of mitigation measures shall not be deferred until some future time”*, indicates that the deferral of *“specific details of a mitigation measure”* allowed under subsection (B) was contemplated as an unusual circumstance, not a default CEQA strategy, as it is in danger of becoming. We also do not believe that the selection of the means to achieve the required 15 percent reduction of VMT is a “specific detail” of the mitigation; it is the fundamental identification of the mitigation approach itself, which identification the current DEIR impermissibly abdicates, merely listing possible “strategies”.

- iv. The proposed enforcement mechanism for BMP 3 is, *“The GHGRP, or on-site mitigation measures, shall demonstrate that the Project’s operational emissions would not exceed the applicable thresholds for the aforementioned sectors”*.

This is difficult to interpret, and thus unsure of implementation, because:

- i. As discussed below, the GHGRP is part of a completed technical document presented as Appendix AQ-1 the DEIR. There is no discussion of how this document could fulfill the indicated purpose, nor is any other “GHGRP” document identified.
 - ii. There is no indication of when the required demonstration should be submitted, or by whom, or to whom for approval, or with what public process if any, or what criteria would be used to determine whether the proposed measure(s) would actually achieve the required 15 percent reduction in VMT.
- d. For CEQA review purposes, the specific measures included in the two following proposed strategies should be identified:
- *“Adopt California Air Pollution Control Officers Association measures”*:
 - *“Adopt measures noted in Sacramento’s CAP checklist”*.

Response 15-6

The comment proposes changes to the language of Mitigation Measure CC-1 as it pertains to SMAQMD’s GHG-reducing Tiers. The word “proposed” has been removed from the text of Mitigation Measure CC-1, as suggested in the comment. In addition, the reference to the California Green Building Code has been augmented to clarify that the version of the building code in place at the time of the subsequent discretionary action shall apply. These revisions to the language of the Recirculated Draft EIR clarify the mitigation requirements, but do not substantially alter the analysis or conclusions contained therein.

The comment also asserts that the language of Mitigation Measure CC-1 that enumerates various strategies to reduce VMT (SMAQMD’s Tier 3) is unenforceable and deferred mitigation. Deferral of mitigation measures under CEQA only occurs when a lead agency puts off an analysis or orders a report without either setting performance standards or demonstrating how the impact can be mitigated in the manner described. In this case, Mitigation Measure CC-1, including each of SMAQMD’s tiers, works in tandem with Mitigation Measures CC-2 or CC-3 as a mitigation package that has qualitative and quantitative measures for reducing GHG emissions and specifies mandatory, enforceable targets for reduction. As presented in Appendix GHG-1, a combination of an enhanced transportation program, below market housing, multi-modal transportation options, and participation in a transportation management association (TMA), as included as language in Mitigation Measure CC-1, are quantifiable actions that would reduce VMT to the 15 percent target set forth by SMAQMD. These measures are quantified in Appendix GHG-1 and are compared to a regional VMT average to

demonstrate that use of these measures would result in a 15 percent decrease in project-generated VMT. SMAQMD has adopted this 15 percent decrease in VMT compared to the regional average as a Tier 3 Best Management Practice (BMP) of its tiered approach to mitigate GHG emissions. This approach is based on the regulatory requirements of SB 743. Finally, these measures would be enforced through adoption of the MMRP and approval of the AQMP, which would be overseen, implemented, and tracked by Sacramento County during the construction phasing of the Project.

This mitigation approach is consistent with guidance published and adopted by SMAQMD, which recommends that “when a lead agency does not have a previously approved community-wide GHG Reduction Plan or Climate Action Plan from which it can tier subsequent CEQA analyses for land use development projects...the District recommends the project proponent include all feasible mitigation measures to reduce GHG emissions” (SMAQMD 2021). In this instance, Sacramento County has not yet adopted a CAP qualified for CEQA tiering; therefore, the County has complied with SMAQMD’s tiered approach to reduce on-site GHG reduction measures, which include on-site measures to reduce VMT. As stated previously, these measures have been quantified and included as Appendix GHG-1 of the EIR, which was also deemed technically adequate by SMAQMD on August 30, 2022. These measures must be implemented by the Project Applicant and will be verified by the County and SMAQMD.

The aforementioned text edits do not alter the significance conclusions of the Recirculated Draft EIR. No further response is required.

Comment 15-7

4. **CC-2 is Unclear and Unenforceable.** CC-2 states, “*developments ...shall demonstrate consistency with the.... Examples ... include the following*”, followed by a list of ten potential measures.
 - a. The role of the GHGRP is confusingly stated. The peremptory, “*shall demonstrate consistency*”, is peculiar because, notwithstanding responsible agency review by SMAQMD, the GHGRP (DEIR Appendix AQ-1) is an un-adopted technical document without regulatory force supporting the Dear’s proposed measures. “[S]*hall demonstrate consistency*” seems to incorrectly suggest that “consistency” with the GHGRP demonstrates compliance with some regulatory standard, which is not necessarily the case. Any such potential misinterpretation would be contrary to CEQA’s informational purpose. We suggest this phrase be replaced with an explanation of the CEQA-based significance of the proposed measures in the context of the Dear’s overall GHG mitigation scheme.
 - b. No standard or process of review is presented. It’s difficult to understand the effect of Measure CC-2’s statement, “... *developments... shall demonstrate consistency with the GHGRP...*”, because:
 - of the preceding comment re identity of the GHGRP,

- the DEIR does not indicate a standard for evaluating such consistency,
 - the DEIR does not identify the official(s) to whom this demonstration should be submitted for approval,
 - The DEIR does not indicate when during the approval process the demonstration is to be submitted, or with what if any public process.
- c. Duplicative measures. Two of the ten listed measures (2nd & 3rd bullets) duplicate the CC-1, BMP 1 and 2 mandatory measures, but are stated differently and presented as optional, generating confusion contrary to CEQA's informational purpose.

Response 15-7

The comment asserts that Mitigation Measure CC-2 is unclear and unenforceable. The comment states that the role of the GHGRP is confusingly stated (i.e., “shall demonstrate consistency” on page 9-28 of the Recirculated Draft EIR) and that no standard is provided. In response to this comment, the County notes that at the time of preparing the programmatic analysis contained in the Recirculated Draft EIR, the exact land uses and land use maps that would be constructed and operated as future development is unknown. The wording of Mitigation Measure CC-2 provides future development with a list of development-level measures to reduce GHG emissions that are specifically required to demonstrate consistency with the GHGRP approved by SMAQMD. These measures may evolve or be expanded at the time that future development is approved based on changes to existing science or availability of new technologies.

The GHGRP and the measures contained therein are recommended as mitigation and would be implemented as a condition of Project approval through the MMRP. Sacramento County, in coordination with SMAQMD, would implement the measures of the GHGRP as a component of the MMRP, along with other relevant mitigation measures applied to the Project beyond those that address GHG emissions. As the lead agency, Sacramento County will oversee the timing and enforcement of Mitigation Measure CC-2, which requires that future development for residential and nonresidential projects demonstrate consistency with the GHGRP, as future tentative maps are approved for future land use development within the Project area.

The comment also states that measures listed under Mitigation Measure CC-2 are duplicative of mandatory measures required under SMAQMD's Tier 1 and 2 requirements identified in Mitigation Measure CC-1. Mitigation Measure CC-2 has been revised to reduce potential confusion by clarifying that the measures in the GHGRP must be implemented and to reduce overlap with the requirements in Mitigation Measure CC-1. With implementation of the identified mitigation measures, the Project would result in below net GHG emissions.

The aforementioned text edits do not alter the significance determinations of the Recirculated Draft EIR. No further response is required.

Comment 15-8

C. PROJECT RELATIONSHIP TO CAP

Measure CC-3 states, *“If the County adopts a [CAP], ... projects ... shall comply with [its] measures ...subject to a demonstration that the ... measures selected are equivalent to or more effective than Mitigation Measures CC-1 and CC-2”*.

1. This statement is concerning, particularly since the County will very soon release the final draft CAP, because it implies that the CAP's measure may be less protective than the current project's
2. No standard for determining relative effectiveness is provided and no public process is indicated, so this measure could put the County under pressure from the applicant to impose the most project-friendly alternative of the two options, outside of the CEQA process.
3. We believe it would be inconsistent with the County's 2011 GP FEIR commitment to adopt a comprehensive CAP, to approve the project before the CAP was adopted.

Response 15-8

A GHGRP has been prepared for Alternative 2 that includes specific measures to reduce GHG emissions. As explained in the responses above, Mitigation Measures CC-1 and CC-2 would require consistency with SMAQMD's Tier 1 and Tier 2 thresholds, as well as compliance with the commitments in the GHGRP. Project approval is predicated on the emissions reductions achieved through these measures. However, it is foreseeable that when land use maps are approved for future development constructed within the boundaries of the Plan Area, a CAP may be available containing quantifiable and substantiated GHG reduction measures that would be applicable to future development. Mitigation Measure CC-3 provides future development with the option of utilizing applicable measures in a CAP adopted by Sacramento County that achieve emission reductions at least equivalent to those in the GHGRP. The Project Applicant or subsequent developer would be obligated to produce evidence that these measures would achieve equivalent (or better) emissions reductions as implementation of Mitigation Measures CC-1 and CC-2.

There is no requirement that the analysis in this EIR demonstrate consistency with the analysis in the EIR prepared for the County's General Plan, and the commitments of that EIR do not impair the County's ability to consider the Project.

Comment 15-9**D. COUNTY'S INTENTION RE CARBON OFFSETS IS UNCLEAR**

As shown below, the great majority of the County's approved and planned growth is in Greenfield development, which by its nature induces high VMT. Such development will have difficulty in achieving the 15 VMT percent reduction required by SB 743 and SMAQMD's guidance. A potential "get around" is to offset the ensuing GHG emissions through purchase of carbon-credits. Such offsets have proven controversial in other jurisdictions and have been hedged with stringent requirements by the courts. We offer the attached four analyses of problems associated with such offsets, particularly in CA usage, hoping they will help inform any offset measure(s) presented in the final EIR.

The County's intentions regarding the use of carbon offsets for Jackson Township are uncertain because:

- Carbon offsets are not mentioned in the County's VMT policy (adopted Oct 6, 2020).
- The staff report for Sac Co's, "General Plan Amendment to Adopt SMAQMD Thresholds of Significance for CEQA Analyses of Greenhouse Gas Emissions" (adopted December 16, 2020), includes the statement:

The Board adopted Sacramento County's VMT significance threshold pursuant to SB 743 on October 6, 2020. If a project cannot incorporate the required BMPs, other reductions or purchasing and retiring GHG/carbon offsets from a registry approved by the SMAQMD may be required.

- The present DEIR does not seem to mention carbon offsets in the AQ, GHG, or Traffic chapters, but includes a single, brief reference in the "Summary of Impacts..." chapter (DEIR p. 21-51):

"... remaining GHG emissions exceeding applicable thresholds would be offset through the purchase of carbon credits".

If carbon offsets are in fact contemplated as the above suggests, they should be thoroughly evaluated in the DEIR, not deferred to some succeeding document, e.g., the problematic "GHGRP" discussed above as a component of CC-1, BMP 3. Deferring or avoiding the discussion would be inappropriate because:

1. of the probability that the County's planned, greenfield growth will need and seek offsets to comply with the VMT-reduction mandate.
2. the controversial nature of carbon-offsets.
3. the need for a stringent, clearly articulated framework for carbon offsets, as directed by the courts.

4. The fact that carbon-offsets may not comply with the requirements of the County's 2011 Phase 1 CAP and of SMAQMD's guidance, to "reduce" VMT. Reduction, by definition, must occur at the place of emission, and is not a synonym for "offset".

Response 15-9

The comment indicates that the statement found on page 21-51 pertaining to the purchase of carbon offsets is inconsistent with the discussions found in Chapter 9, "Climate Change." The referenced text has been clarified. In response to Comment 15-9, the following statement has been amended in paragraph 3 on page 21-51 of the Recirculated Draft EIR:

Sacramento County has established draft GHG thresholds for 2030. The Project's build out year is 2035, for which the 2030 GHG thresholds were extrapolated in alignment with State GHG reduction targets. Development of the Project or Alternative 2 would result in the production of GHG emissions during construction activities and throughout the operational period of the Project, attributed to vehicle use, energy use, waste generation, water treatment and distribution, and other area sources. With the implementation of mitigation, both the Project and Alternative 2 would reduce GHG emissions generated onsite ~~and the remaining GHG emissions exceeding applicable thresholds would be offset through the purchase of carbon credits through excluding natural gas combustion on-site, implementing Tier 2 CalGreen requirements for EV charging stations, and reducing VMT through various mechanisms (e.g., participation in a TMA, incorporation of traffic calming measures and pedestrian facilities, promotion of transit access points), among other onsite GHG reduction strategies.~~

The following text edits do not alter the significance conclusions of the Recirculated Draft EIR. No further response is required.

Comment 15-10

C. GREENHOUSE GAS REDUCTION PLAN (APPENDIX AQ-1)

1. GHGRP Measures not Reflected In DEIR

The following GHG-reduction measures are included in the GHGRP and factored into calculations of Jackson Township's GHG emissions (GHGRP p. 59 ff., Table 5-68), however they do not appear in the DEIR's mitigation measures:

- On-site transit center and park and ride facilities along the designated transit route of Jackson Highway.
- Bus rapid transit lanes on Jackson Highway.
- High efficacy public outdoor lighting .
- Energy efficient appliances in all dwelling units.
- Public electric vehicle charging stations.

Response 15-10

The comment states that there are measures quantified in the GHGRP that are not included as mitigation measures in Chapter 9, "Climate Change." As stated on page 9-27 of the Recirculated Draft EIR, Mitigation Measure CC-1 directs the Project Applicant to "implement the measures contained in the GHGRP prepared for Alternative 2." While these measures are not explicitly enumerated in the Recirculated Draft EIR, the language indicates that the GHGRP, included as Appendix GHG-1 to this EIR, is incorporated by reference and contains the specific measures that should be implemented by the project. Mitigation Measures CC-1 and CC-2 have been revised in the FEIR to clarify the project modifications assumed in the GHGRP.

Comment 15-11

2. LU Characterization is Unsubstantiated. The GHGRP's assertion that, "*Project is located in a suburban center*" (p. 58), is inconsistent with the DEIR's statement, "*land uses are primarily rural residential development and limited agricultural use (predominantly grazing) ... currently designated as Extensive Agriculture, General Agriculture ... and a small area of Agricultural-Urban Reserve*" (p. 15-1,15-2).

Response 15-11

The comment states that there is a discrepancy with the land use characterization in the GHGRP and the Recirculated Draft EIR. The referenced text identifies the California Air Pollution Control Officers Association (CAPCOA) land use definition "Suburban Center". For each land use definition, CAPCOA has established maximum percentage reduction for transportation mitigations that apply where there is not a project-specific traffic study that quantifies VMT reductions. Where there is a project-specific study (e.g., the traffic study) that quantifies VMT reductions, the full credit of that project-specific study can be applied regardless of the definition applied.

SMAQMD identified "Suburban Center" as the appropriate designation for the Project based on the Project's location and future conditions in a cumulative context (i.e., the Project will be located within the vicinity of other projects of similar suburban characteristics). The Suburban Center definition allows for a 20 percent VMT reduction from mitigation, which is more conservative than SMAQMD's 15 percent VMT reduction from urban, residential projects as defined as the Tier 3 BMP in its GHG CEQA guidelines. However, the location definition is of little importance in this case because the traffic study prepared for the Project demonstrated a specific VMT reduction credit for measures and the assumed VMT credit is based on project-specific studies.

The suburban characteristic applied to the Project in the GHGRP is used for modeling purposes as a method to quantify the number of GHG reductions that can be achieved through application of certain mitigation measures. As referenced above, CAPCOA relies on its own definitions of project characteristics in the absence of project-specific data. However, in this context, the GHGRP was founded on project-specific traffic data which was used to quantify VMT-reducing measures. The GHGRP was found

technically adequate by SMAQMD (the scientific body with the authority to review and approve air-related calculations within Sacramento County) on January 7, 2021. Therefore, the land use designation used in the GHGRP has been found to be adequate for this analysis. No edits to the Recirculated Draft EIR are required in responses to this comment.

Comment 15-12

CHAPTER 21, SUMMARY OF IMPACTS AND THEIR DISPOSITION

A. CUMULATIVE ANALYSIS (p. 21-32 ff.)

1. **Scope is Incomplete.** DEIR Table SI-1, “Cumulative Project List” displays 17 past, present, and probable future projects. All these will, or have the potential to, contribute to cumulative GHG emissions and impacts. However, for unstated reasons:
 - Two large County projects currently in planning are not included in the table: Grand Park and Upper West Side. These two developments total 33,248 planned dwelling units. Like Jackson Township, they will need project-specific GP amendments to extend the County’s Urban Policy Area (UPA)2 to the project areas.
 - The cumulative analysis is limited to the four Jackson Highway projects, presumably based on the DEIR’s assertion that the projects’ mutual proximity will confer VMT reductions. However, this does not obviate the necessity to consider the potential adverse cumulative impacts of all the projects, consistent with the procedure used for the AQ cumulative analysis, which considers the SMAQMD jurisdictional boundary as the cumulative project boundary (DEIR p. 21-37).

Response 15-12

The Recirculated Draft EIR’s cumulative analysis is based on the adopted projections from SACOG’s 2016 MTP/SCS, supplemented with information about the 17 projects listed in Table SI-1, including the master plan proposals that comprise the Jackson Highway Corridor Projects. This additional context is provided specifically for projects in close proximity to the Plan Area due to the elevated concern for some location-specific cumulative impacts. Grand Park and Upper West Side are not included in Table SI-1 because they do not share the same spatial relationship with the Plan Area (both plans are over 15 miles northwest of the Plan Area). Further, these projects did not have active applications with the County at the time of the NOP release (in 2013), which is the generally accepted guideline for establishing the baseline conditions for evaluation.

Additional dwelling units projected in the unincorporated County are included in the SACOG growth projections. The 2016 RTP/SCS forecasted 1,188,347 housing units in the region by 2036. At the time of Draft EIR preparation, the County believed that addition of Grand Park and Upper West Side to the list of cumulative projects would not change the evaluation of the cumulative condition because these projects are so far

from the Plan Area and substantial additional capacity is available within growth projections that the impact of overall growth in the region has been adequately considered. To add the Grand Park and Upper West projects would likely overestimate and overstate cumulative impacts.

However, out of an abundance of caution and in response to this comment, the County and the Project Applicant have revised the cumulative VMT analysis to include additional projects. The revised analysis includes Grand Park and Upper Westside, as suggested in the comment. As shown in Table SI-55 and Appendix TR-3, the cumulative VMT for both residents and office uses would be below the established thresholds.

Comment 15-13

2. The DEIR Lacks Analysis of Likely Incomplete Build-Out

The County has approved and in-planning almost four times as many dwelling units (DU) as projected market demand can absorb, as displayed below:

Estimated infill capacity	33,000 DU
Approved projects	48,534 DU
<u>In-planning projects</u>	<u>55,386 DU</u>
Total Approved/Planned	139,920 DU
Projected need, 2020-2040	37,230 DU

Of the total 139,920 approved and planned DU, 103,920 are proposed greenfield projects, which would increase regional VMT and associated GHG emissions; and 58,461 DU are outside the UPA and will need project-specific general plan amendments to proceed.

These developments are all competing for limited market share. The likely result of the over-abundance of entitled housing will be numerous partially built-out tracts scattered across the County. Such a land use pattern would:

- be impossible to service with transit;
- cause increased traffic and GHG emissions; • require more energy to build and operate than compact development;
- create more environmental impact than the same number of infill homes;
- make rational infrastructure planning difficult and construction costly.

The DEIR does not address the above concerns, and with no substantiation assumes timely full build-out as part of its mitigation scheme, as discussed below.

Response 15-13

The comment presents a concern that the County will buildout in an undesirable pattern as a result of the number of approved dwelling units related to projected demand. As

explained on page 2-37 of the Recirculated Draft EIR, the Project was analyzed assuming buildout in four discrete phases in response to market conditions. As is typical with all large development projects, entitlements are granted and development occurs and is responsive to economic demands. As demand increases, construction is accelerated, and as demand decreases, construction slows. While the commenter offers an opinion that additional impacts may occur because of slowed development, they do not offer any evidence to support these opinions and that slowed development would in fact directly or indirectly cause such impacts. Further, the analysis provided in the EIR acknowledges that all development, including the project, is subject to demand for its uses. When demand is present, development occurs and contributes to funding mechanisms that fund complimentary infrastructure and services. All of the impacts of such development are adequately evaluated in the Draft EIR and Recirculated Draft EIR consistent with the requirements of CEQA. The decision on timing of infrastructure development or public services deployment is evaluated by the County and other public services providers and occurs on a schedule to meet demand. There is no evidence to suggest that the analysis prepared, or the assumptions used are inadequate.

As an important point of clarification, the comment suggests that the EIR relies upon the assumption that project buildout would be timely and would serve as a “mitigation scheme. This is not correct. The buildout of the project was estimated to occur over 30 years or more subject to market demands. The timing of buildout is not a mitigation measure of the project. Rather, mitigation measures identified in the EIR are tied to specific actions and triggers for when mitigation would be required and these triggers are often tied to a certain level of buildout (e.g., building permits issued, specific traffic trips generated, acreage developed, units developed). The comment is acknowledged for the record and will be forwarded to the decisionmakers for consideration.

Comment 15-14

- a. Transit Service. The project proposes a shuttle service to the Manlove Light Rail Station to reduce induced VMT and resulting AQ impacts. The frequency and convenience of this service will be phased, with full service provided only at full build-out (DEIR p. 2-43). The oversupply of entitled development will likely delay build-out and full transit service beyond the estimated 35 years, and during this time project residents are less likely to abandon the convenience of personal automobiles for their daily commutes. The DEIR should analyze how the superfluity of entitlements will effect build-out rates and transit service quality, with associated AQ and GHG impacts.

Response 15-14

Refer to response to comment 15-3 for a discussion of this mitigation measure and reasonable assumptions regarding effectiveness.

Comment 15-15

- b. Cumulative VMT Reduction. The DEIR asserts that the cumulative effect of Jackson Corridor projects will reduce per capita VMT at full build-out because, “*various commercial land uses, though unknown at this time, could divert trips of longer distances*” (DEIR p. 21-40; Table SI-2, p. 21-41). Partial and/or extended build-out would reduce or obviate any such beneficial effect and, as for the Transit proposal, should be factored into the DEIR’s cumulative analysis.

Response 15-15

The comment refers to the analysis of cumulative air quality impacts under the subheading “Long-Term Operational Emissions of Criteria Air Pollutants and Precursors” in this EIR. The cumulative analysis of air quality impacts from operational emissions recognizes the potential for VMT reduction from buildout of the Jackson Highway Corridor Projects, as indicated in the comment. The analysis determines that the Project would result in a considerable contribution to a significant and unavoidable cumulative air quality impact. The comment suggests that an extended buildout period would limit the VMT reductions that could be achieved from the cumulative Jackson Corridor projects. The commenter offers no evidence to support this assertion. Please refer to Response 15-13.

Comment 15-16**3. Review of Impacts of Extending UPA**

The DEIR should include a cumulative impact analysis of the proposed project-specific UPA extension, because the County’s proposed mitigation for such extension has not been subject to prior environmental review.

The County’s 2011 general plan update (GPU) included two new Policies permitting project-specific expansion of the UPA. As a result, the UPA boundary, originally demarcating an area *within which* growth could be accommodated, becomes the line *from which* growth extends outward. Each new UPA boundary then becomes the new baseline from which further greenfield encroachment can occur, in a manner the County’s 2011 GPU FEIR characterized as “leap-frog”.

According to the 2011 FEIR analysis, such authorization would conflict with “smart growth” principles; undermine County policies directing infill and contiguous urban development; and absent mitigation cause significant impacts. The FEIR identified only one possible mitigation: phased development outward from the urban core.

However, the County instead adopted new Policy LU-120 directing the on-site form of such development. Such onsite mitigation does not address the location-based problems inherent in “leapfrog” development and was not considered in the EIR.

In summary, the FEIR identified significant impacts associated with project-specific UPA expansion; the mitigation proposed in the FEIR was not adopted; and the adopted

mitigation was not discussed in the FEIR. The County has not provided substantial evidence that such cumulative impacts will not occur with the four currently pending UPA general plan amendments, including Jackson Township's. Per CEQA Guidelines §21094(e)(4), cumulative impacts not adequately considered in a prior EIR must be considered in a subsequent tiered environmental document.

Response 15-16

As explained on page 1-3 in Chapter 1, "Introduction," this EIR is a standalone Program EIR not a subsequent document tiered to the General Plan EIR. The General Plan EIR was certified and without legal challenge and, as such, is deemed to adequately address the environmental impacts of the policies contained in the General Plan. The Final EIR for the General Plan EIR includes an evaluation of the General Plan policies consistency with smart growth principles, including a specific discussion of Policy LU-120 (page 3-38) and discloses the potential for significant impacts to result from the General Plan. Growth inducement and expansion of the UPA associated with the Project are evaluated in Chapter 22, "Additional Analysis," of the Recirculated Draft EIR (pages 22-3 and 22-4). As described therein, General Plan Policies LU-119 and LU-120 set the standards for eventual development of the area between the UPA and the USB, and the Office of Planning and Environmental Review has determined that the Project meets these standards. Further, because the area is anticipated for future development, infrastructure (including roads) has been sized to accommodate buildout and the Project includes the extension of utilities beyond what is currently planned in the near-term by the providers. This concurrent planning process has been implemented through the County to encourage well-planned growth and is consistent with the growth identified in the Sacramento Region Blueprint and the 2030 General Plan.

LETTER 16

Michael Grinstead, Senior Civil Engineer, Sacramento County Water Agency, written correspondence; dated October 17, 2019.

Comment 16-1

1. The document states "Future Expansion and implementation of planned projects in the NSA would be conducted by SCWA and would be subject to separate environmental review and approval." As noted in the EIR, the Jackson Township Specific Plan Area is not included in the 2030 Study Area analyzed in the 2005 Water Supply Master Plan. Therefore a Water Supply Master Plan Amendment (Amendment) was created for the Jackson Township Specific Plan Area. SCWA will rely upon this EIR to approve the Amendment. This EIR needs to provide environmental consideration for onsite and offsite infrastructure required to approve the Amendment. SCWA will rely upon the Amendment to provide water service to Jackson Township.

Response 16-1

As described in Chapter 19, “Water Supply,” SCWA has been planning for and implementing regional water supply infrastructure upgrades in the Zone 40/41 area that serves the Plan Area and vicinity. As a result, the SCWA Water Supply Master Plan Amendment (WSMP Amendment) has been concurrently developed to address the sufficiency of water supply for the West Jackson, Jackson Township, and NewBridge projects. Additionally, the Water Supply Improvement Plan (WSIP) has been prepared to address specific infrastructure needs in the area. The 2016 WSIP identified the future water demands of Zone 40 assuming that the proposed Mather South, West Jackson, Jackson Township, and NewBridge projects are approved and proceed (SCWA 2016). Since publication of the Recirculated Draft EIR, SCWA adopted the 2020 Urban Water Master Plan (SWCA 2021) which is based on the demand projection in the WSIP and, therefore, also reflects the water demand assumed with implementation of the Project.

The discussion of “Impact: Environmental Effects Due to the Construction of New or the Expansion of Existing Water Facilities” (beginning on page 18-13 of the Recirculated Draft EIR) describes the infrastructure expansion projects that SCWA has identified as necessary to serve the Project. As described, many of these projects would be constructed within existing or proposed roadways surrounding and within the project site. On-site and off-site impacts of the project have been fully evaluated throughout the Draft EIR and Recirculated Draft EIR. The effects of water supply infrastructure (e.g., pipelines, pump stations, wells) on resource areas such as air quality, biological resources, cultural resources, and noise would be consistent with those disclosed in the applicable resource chapters of this EIR, because all these similar types of facilities would be developed and were assumed and evaluated for the Project.

Water supply infrastructure to serve the Project and cumulative development anticipated in the area would be designed, constructed, and maintained by SCWA. In response to SCWA’s request, additional information regarding the potential environmental implications of the offsite infrastructure has been added to the discussion under the subheading “Offsite Infrastructure” on page 18-14 of the Recirculated Draft EIR:

The types of direct and indirect impacts that could result from the infrastructure identified in the WSMP Amendment are discussed programmatically below because the precise timing and design of improvements are not currently known. Effects of these projects are anticipated to be generally consistent with the impacts identified for the WSMP in the Draft Environmental Impact Report: 2002 Zone 40 Water Supply Master Plan (SWCA 2003) and may include:

- Agricultural Resources: Construction of facilities on designated farmland could result in an incremental loss of this resource.
- Aesthetics: Depending on the size, location, and design of new facilities, visual impacts may occur with implementation of the WSMP Amendment.
- Air Quality and Greenhouse Gas Emissions: Short-term, construction-generated emissions could potentially exceed SMAQMD daily emission thresholds.

- Noise: Construction activities associated with development of project facilities and operation of proposed stationary noise sources could result in noise levels at nearby noise-sensitive receptors that exceed County noise ordinance standards.
- Biological Resources: Construction and maintenance of proposed infrastructure could result in loss and/or disturbance of special-status plants and animals and their habitat.
- Cultural Resources: Historic, prehistoric, tribal cultural, and ethnographic resources could be affected by construction and maintenance of new facilities.

The types of impacts anticipated for offsite infrastructure would be consistent with those disclosed in the resource evaluation in Chapters 4 through 21 of this EIR and the mitigation identified in this EIR to address these impacts can and should be applied to development of the offsite infrastructure.

In addition, the following edits have been made to the second paragraph under the subheading “Conclusion” on page 18-20 of the Recirculated Draft EIR:

Development of onsite and offsite water supply infrastructure may result in physical environmental impacts to resource areas such as air quality, biological resources, cultural resources, and noise. These impacts are evaluated in applicable resource chapters of this EIR. Construction of onsite and offsite water supply infrastructure would not result in utility-specific adverse physical impacts.

These text revisions expand on the information in the Recirculated Draft EIR and do not change the conclusions in the Recirculated Draft EIR. See also the responses to Letter 3 for additional discussion of water supply.

Comment 16-2

2. The EIR should explain why the Water Supply Master Plan Amendment (Amendment) was created for the Jackson Township Specific Plan and explain why any differences in land uses or infrastructure between the EIR and the Water Supply Master Plan Amendment (Amendment) that was created for the Jackson Township Specific Plan are insignificant.

Response 16-2

The WSMP Amendment was based on the water demand associated with the Proposed Project. Alternative 2 would include a larger preserve area and fewer residential units. As a result, the water demand would be less than the Proposed Project evaluated in the WSMP Amendment, and development of the Plan Area as described for Alternative 2 would be within the scope of the impacts disclosed in this EIR.

In response to this comment, the text on page 18-23 of the Recirculated Draft EIR was revised as follows:

The Project includes a WSMP Amendment to modify the existing Zone 40 Water Supply Master Plan so that it includes provision of water service to the Jackson Township Specific Plan Area. The WSMP Amendment addresses the water demands and infrastructure necessary to service the Project and requires approval from the Sacramento County Water Agency Board of Directors (see Appendix WS-3). SCWA is required to develop and approve an amendment to the WSMP because the Project is located outside of the 2005 WSMP study area. Buildout assumptions in the WSMP are based on the maximum density allowed under the land use designations for the amended service area. For this reason, the projected number of dwelling units developed for the WSMP Amendment can be expected to differ from the actual planned number dwelling units for a specific area. Such minor differences in the number of dwelling units do not substantially affect the projected demands presented in the WSMP Amendment.

These text revisions expand on the information in the Recirculated Draft EIR and do not change the conclusions in the Recirculated Draft EIR.

LETTER 17

Dylan Wood, Environmental Scientist, California Department of Fish and Wildlife, written correspondence; dated October 31, 2019.

Comment 17-1

The South Sacramento Habitat Conservation Plan (SSHCP) is now in implementation. As a Plan Partner with a proposed project in the SSHCP area, CDFW recommends the Lead Agency's final Environmental Impact Report be consistent with the SSHCP and all associated avoidance and minimization measures. The draft EIR analyzes impacts for two alternatives, so for the purposes of these comments CDFW describes the original project as "Project" and the SSHCP-consistent project as "Alternative 2."

The draft EIR identifies three significant but unavoidable impacts to biological resources for the project. CDFW concurs with this analysis and expresses concern over the number of significant but unavoidable impacts and what these impacts may mean for sensitive biological resources within the Project area and for local ecosystems. With the adoption of the final SSHCP and issuance of final SSHCP permits from the agencies, the SSHCP provides an appropriate pathway for the Lead Agency to mitigate several of these significant but unavoidable impacts to a less than significant level. Alternative 2 provides the Project with the necessary attributes to be consistent with the SSHCP and thus, potentially change all three significant but unavoidable impacts to less than significant. As such, CDFW highly recommends Alternative 2 and participation in the SSHCP.

Response 17-1

CDFW's support for Alternative 2 is acknowledged. After consideration of this and other comments received on the Draft EIR, the Applicant has elected to propose Alternative 2 as the project, as reflected in the Recirculated Draft EIR.

Comment 17-2

The draft EIR also identifies several potentially significant impacts that would be reduced to less than significant with mitigation incorporated. Page 8-42 (Special-Status Plants) and Page 8-52 (Tricolored Blackbird) identify potential impacts to species listed under the California Endangered Species Act (CESA). The draft EIR and a review of CDFW BIOS, CNDBB, and CDFW records indicate several nesting colonies for tricolored blackbird (*Agelaius tricolor*) within or adjacent to the project area. One of these colonies shows in the project development area and would be lost with development of the site, while others are within close proximity to the impacted area. With this, the likelihood for "take" (CDFW defines "take" as hunt, pursue, catch, capture, or kill or attempt to do so) of tricolored blackbird is high, either from direct mortalities in the destruction of habitat or indirect mortalities due to noise and disturbance. Mitigation Measure BR-8 does not include how the Project would comply with CESA (e.g. disclosure of an incidental take permit) or associated measures to fully mitigate impacts to tricolored blackbird. CDFW is concerned that this impact may be significant due to the number of potentially impacted tricolored blackbirds (and habitat), high potential for take, and availability of sufficient full mitigation. CDFW strongly encourages consideration of Alternative 2 and participation in the SSHCP to facilitate an efficient permitting process and implementable mitigation strategy. CDFW has similar concerns in regards to special-status plants. The draft EIR and a review of CDFW BIOS and CNDBB indicates that there is potential for impact these plants. As such, Mitigation Measure BR-3 does not include how the Project would comply with CESA (e.g. disclosure of an incidental take permit) or associated measures to fully mitigate impacts to special-status plants. Due to the potential impacts to critical habitat for species such as Sacramento Orcutt Grass (*Orcuttia viscida*), full mitigation may be difficult to achieve. For this reason, CDFW again strongly encourages consideration of Alternative 2 and participation in the SSHCP to facilitate an efficient permitting process and implementable mitigation strategy.

Response 17-2

At the time the Draft EIR was released, the SSHCP had not been fully permitted by all the resource agencies. In response to this uncertainty, the Draft EIR included alternative mitigation measures that could be relied upon to reduce the anticipated impacts of the Project on biological resources if participation in the SSHCP were not an option. Both Mitigation Measures BR-3 and BR-8 (related to impacts to special-status plants and tricolored blackbird, respectively) would have required consultation with CDFW and compliance with applicable regulations under that oversight. Under the SSHCP mitigation option, the Project would comply with the provisions of the SSHCP and associated permits. Although not expressly stated in the mitigation measures, all the

mitigation alternatives would lead to the Project Applicant obtaining an incidental take permit, either with the resource agencies directly or through the SSHCP process.

As indicated in Response 17-1, the Recirculated Draft EIR identifies Alternative 2, which would be consistent with the SSHCP, as the proposed Project. The Recirculated Draft EIR removes the mitigation measures mentioned in this comment because the SSHCP is now fully executed and can be relied upon as the sole avenue for mitigation of potential effects to special-status plants and tricolored blackbird as a result of the Project. No further revisions are required in response to this comment.

Comment 17-3

Table BR-4 summarizes the regulatory status, suitable habitat, and potential for the Project to affect special-status species known or with potential to occur in the Plan Area. CDFW has identified several inconsistencies in this table:

- California Tiger Salamander (*Ambystoma californiense*) status: this species is threatened under CESA (CT), not CSC
- Greater sandhill crane status (*Grus canadensis Tabida*): this species is California Fully Protected (CFP)
- Use of SSHCP as a status: only three species' status are shown as "SSHCP"
- Ferruginous Hawk (*Buteo regalis*): this species is covered under the SSHCP but is not included in this table

CDFW recommends rechecking the listing status for species included in Table BR-4 and disclosing all 28 covered species under the SSHCP (with SSHCP status shown for each).

Response 17-3

The Recirculated Draft EIR was updated to reflect this comment. The statuses of California Tiger Salamander and Greater sandhill crane have been updated in Table BR-4, SSHCP has been added in the "status" column for species that are covered in the SSHCP and considered by Sacramento County to meet the definition of rare as described in Section 15380 of the State CEQA Guidelines, and Ferruginous Hawk is now specifically identified as "eliminated from further evaluation because the Plan Area is outside their current known breeding range and they are only considered sensitive to project effects during breeding.". No further revisions are required in response to this comment.

Comment 17-4

Page 8-26 describes CESA and the regulatory setting. The last sentence of the first paragraph states that "Section 2081 of CESA identifies the following criteria...". CDFW recommends revising this to state that "Section 2081 of the Fish and Game Code identifies the following criteria...".

Response 17-4

The text on page on 8-26 of the Recirculated Draft EIR was updated to reflect this comment. No further revisions are required.

LETTER 18

R.M. Johnson, Lieutenant, California Highway Patrol, written correspondence; dated October 28, 2019.

Comment 18-1

The East Sacramento Area Office of the California Highway Patrol recently received a "Notice of Completion," Environmental Impact Report for the proposed Jackson Township Specific Plan, State Clearing House (SCH) #2013082017. After our review, we have concerns with the potential impact this project could have on traffic congestion, and an increase in calls for service.

Our concerns relate to the proposed construction of a master planned community to include up to 6,043 residential units, 33.6 acres of office space, 76.9 acres of commercial property, 100 acres for elementary/middle/high schools. This project is located along the Jackson Road corridor and Excelsior Road in Sacramento County. There are several major roadways that will be impacted by the increased traffic congestion. Jackson Highway, State Route 16 (SR-16), is a two lane undivided highway with minimal shoulders, surrounded by agricultural fields. SR-16 already experiences significant traffic delays/congestion during commute hours and heavy commercial vehicle traffic due to the commercial businesses within the area, and the County Landfill. SR-16, Sunrise Boulevard, Zinfandel Drive, Bradshaw Road, and Mather Field Road are roadways within our jurisdiction and the California Highway Patrol, South Sacramento Area's jurisdiction that are significant ingress and egress routes that will be used to access the proposed community from both US Highway 50 and State Route 99 (SR-99). There are numerous cross streets within the vicinity of the planned project that will also see an increase in traffic congestion.

The aforementioned roadways currently experience traffic congestion during commute hours, and without proper traffic management engineering prior to the development of the proposed community, traffic congestion will significantly increase. This project could have a negative impact on our operations due to the increased traffic congestion, which ultimately will lead to an increase in traffic collisions and calls for service within our jurisdiction as well as our bordering South Sacramento Area.

Response 18-1

Sacramento County has endeavored to ensure that the necessary traffic management engineering and infrastructure upgrades occur in conjunction with buildout of the Project. This EIR articulates a traffic management strategy developed by Sacramento

County to respond to the cumulative development anticipated in the Jackson Highway corridor and addresses the anticipated congestion impacts that could occur. Increases in traffic congestion as a result of the Project may increase calls for service to the CHP, as indicated in the comment, but these increases must ultimately result in “substantial adverse physical impacts” to be considered potentially significant in the CEQA analysis, and no evidence is presented that this would occur. (See CEQA Guidelines Sections 15002(g) and 15382.) In addition, although analyses of traffic operations (i.e., intersection and freeway LOS analysis) provided in the Draft EIR have been retained in the EIR for disclosure, these discussions are no longer associated with impacts pursuant to CEQA. Refer to Response 12-1 for additional discussion. This comment is acknowledged for the record and will be forwarded to the decision-making bodies for their consideration.

LETTER 19

Darcy Goulart, Planning Manager, City of Rancho Cordova, written correspondence; dated October 31, 2019.

Comment 19-1

The City of Rancho Cordova appreciates the opportunity to provide comments on the draft Environmental Impact Report for the Jackson Township Specific Plan.

The City believes that there are many benefits to providing adequate parks and recreational facilities for residents within a community. The Jackson Township Specific Plan includes various parks, as well as open space areas that provide an opportunity for pedestrian and bike pathways. The City encourages the County to adopt the Cordova Recreation and Park District (CRPD) Impact Fee for construction of these various parks. Adopting the CRPD Park Impact fee will ensure that a similar level of park and recreational facilities enjoyed by the residents for the City of Rancho Cordova will also be constructed for the residents of the Jackson Township community.

Response 19-1

The comment offers a suggestion related to the funding of future parks in the Plan Area. As explained on page 17-17 of the Recirculated Draft EIR, “although funding is not an impact on the physical environment, a Public Facilities Financing Plan has been prepared for the Project ensure that adequate funding is available to CRPD for development, maintenance, and programming of parks and recreational facilities within the Plan Area.”

The City of Rancho Cordova’s support for adoption of the CRPD impact fee is noted. This comment will be forwarded to the decision-makers for their consideration.

LETTER 20

Albert Stricker, P.E., City of Rancho Cordova Public Works, written correspondence; dated October 10, 2019.

Comment 20-1

We have attached our response from September 21, 2018 on the New Bridge Specific Plan DEIR as both projects are tiered off the same Four Jackson Corridor Project's cumulative analyses. This letter summarizes our concerns on the cumulative Four Jackson Corridor Project impacts.

Response 20-1

The attached comment letter prepared for the NewBridge Specific Plan Draft EIR relates, primarily, to the cumulative analysis of traffic impacts in the Transportation Impact Report for the NewBridge Specific Plan. As noted in the comment, the cumulative methodology for analysis of traffic is consistent between the two EIRs.

The comment letter recognizes the cumulative analysis as a useful planning tool while noting that technological, social, and economic factors may influence actual conditions in the future. Per CEQA, the analysis of cumulative impacts is based on the best available information. This EIR does not speculate or attempt to foresee the unforeseeable on potential changes over the next century, as it should not (see CEQA Guidelines sections 15144 and 15145).

Many of the concerns raised in this comment letter relate to funding and timing and coordination of roadway improvements. As described in Response 12-1, congestion is no longer considered an impact under CEQA, and mitigation of these impacts is not required in this EIR. Therefore, detailed response to comments concerning the details of the LOS improvement measures identified in TR-1 are not provided.

As described in the Draft EIR, a transit planning effort involving staff from Sacramento County, Regional Transit and the applicants of the Jackson Corridor Projects was conducted to define an appropriate transit network and service frequency that could serve the proposed development in the Jackson Highway Corridor consistent with the intent of the County's policies. The transit planning effort defined standalone transit systems for each of the Jackson Highway Corridor Projects that would not only serve the transit needs of each independently but would also serve as cohesive and complementary transit system units that could operate efficiently together should more than one of the Jackson Corridor Projects be approved for development. Therefore, as stated in the Draft EIR, the transit planning effort and resulting transit system concept and plan was developed as a joint project transit system for that Jackson Highway Corridor Projects that could be implemented on a project-by-project basis.

See also Response 19-1 regarding parks.

Refer to Appendix RTC-1 for the full text of the comment letters and attachments.

Comment 20-2

For the Jackson Township project, we would like to have a better understanding of how Sacramento County will participate on impacted roadway facilities that are jointly held by the City and the County. We are particularly interested in the timing of funding and improvements on the following impacted roadway segments and intersections

- Sunrise Boulevard, Jackson Highway to Kiefer Boulevard
- Jackson Highway, Sunrise Boulevard to Grant Line Road
- Happy Lane/ Old Placerville intersection, and
- Functionality improvements along Grant Line Road (safety improvements and shoulders)

Response 20-2

The timing and funding of transportation facility improvements would be determined through the County's Jackson Corridor Transportation Mitigation Strategy (as approved by the Board of Supervisors on July 23, 2019 and amended on March 9, 2021). This dynamic tool is intended to respond to changing conditions, prioritizing projects, and allocating funding in response. The timing of the improvements listed above is not known at this time.

LETTER 21

Laura L. Taylor, ASLA, Park Planning and Development Manager, Cordova Recreation and Park District, written correspondence; dated October 28, 2019.

Comment 21-1

FINAL & SUPPLEMENTAL ENVIRONMENTAL IMPACT REPORTS:

As discussed in this review letter, CRPD recommends that the following information should be included with the FEIR:

1. A preliminary timeline for the anticipated redevelopment of non-participating properties.
2. An outline of how the County plans to monitor the parkland requirements through the build-out of the Specific Plan area (including information regarding a Park Land Equalization Plan).
3. CRPD will coordinate with County staff in review of the draft Development Agreement between the County and the Developer to insure terms relevant to the District's jurisdiction are adequate.

4. CRPD will coordinate with County staff in review of "Conditions of Approval" related to the District's jurisdiction that will be required of the Developer for the County's entitlement approval.
5. Community Parks and Neighborhood Parks within the Specific Plan area should be described as Quimby Parkland dedicated to the Cordova Recreation and Park District and the text should specify that the amenities to be included in Community parks will be finalized after a public participation process.
6. Quimby Parkland should be identified as programmable land unencumbered by biological resources, hazardous materials, utility easements outside of the standard Public Utility Easement, problem soils, floodplains wetlands and the report should state that all mitigation requirements attached to future park sites will need to be finalized before the District will take ownership of the land.
7. In addition to referencing the County's Tree Preservation Program, future reports need to specify that whenever possible and in consultation with District Planning staff, trees in good condition should be preserved.

Response 21-1

This comment from CRPD reflects the same concerns outlined in their comment on the Recirculated Draft EIR. Refer to Responses 7-1 through 7-6.

LETTER 22

Jordan Hensley, Environmental Scientist, Central Valley Regional Water Quality Control Board, written correspondence; dated October 17, 2019.

Comment 22-1

Appendix HYD-1: Drainage Report discusses conditions based on Alternative 1. If another alternative is preferred, Central Valley Water Board staff recommends updating Appendix HYD-1: Drainage Report to access conditions based on that alternative.

Response 22-1

The comment suggests that the drainage report used to inform the analysis in this EIR should be updated to reflect the preferred alternative. As discussed above, Alternative 2 is now the Project proposed by the Applicant. As described on page 14-23 of this EIR:

The Alternative 2 would include modifications to the existing drainage and overall development of the Plan Area in a manner similar to the Project. The potential modifications to Elder Creek and Morrison Creek drainages, including the design options for Morrison Creek, would be similar to the Project. In addition, Alternative 2 would increase the amount of undeveloped land in the eastern portion of the Plan Area, which could contribute to attenuation of stormwater and

a reduction in stormwater flows. Further, the main design features of the Drainage Master Plan that contribute to stormwater quality and hydromodification attenuation are proposed in the western (downstream) portion of the Plan Area and would not be affected. However, because detailed design of the subsequent development that could occur with implementation of Alternative 2 is not available, the effectiveness of future stormwater treatment facilities and drainage improvements cannot be definitively evaluated. Therefore, this impact is **potentially significant**. Mitigation Measures HYD-1a and HYD-1b would require demonstration that the design features described above would mitigate for the development's potential effects on water quality. Impacts under Alternative 2 would be **less than significant with mitigation**.

The drainage report is a part of the master planning process used by community planners, engineers, and interested parties as a tool to evaluate drainage needs in the proposed Plan Area. The drainage report analyzes the potential effects of the proposed developments and identifies the necessary improvements. This EIR presents evidence to support the assumption that Alternative 2 would have similar or reduced effects on drainage and that the drainage features described in the drainage report could be effectively applied to the alternative.

Mitigation Measure HYD-1b would require that detailed plans for the design of the improvements identified in the drainage report are submitted to Sacramento County prior to construction. These detailed plans would include geomorphic, hydrologic, soils, and vegetation analyses that demonstrate the proposed improvements will achieve the primary functions of flood conveyance and stormwater quality treatment while minimizing maintenance requirements. In addition, Mitigation Measure 1a would require preparation of detailed drainage studies prior to approval of future tentative maps.

In light of the evidence suggesting that Alternative 2 would have similar impacts to the land use plan evaluated in the drainage report and because the proposed mitigation measures would require verification and additional detailed planning for subsequent implementation of the Project, the County does not believe that update of the drainage report is necessary to perform an informed analysis of the proposed specific plan pursuant to CEQA.

Comment 22-2

I. Regulatory Setting

Basin Plan

The Central Valley Water Board is required to formulate and adopt Basin Plans for all areas within the Central Valley region under Section 13240 of the Porter Cologne Water Quality Control Act. Each Basin Plan must contain water quality objectives to ensure the reasonable protection of beneficial uses, as well as a program of implementation for achieving water quality objectives with the Basin Plans. Federal regulations require each state to adopt water quality standards to protect the public health or welfare,

enhance the quality of water and serve the purposes of the Clean Water Act. In California, the beneficial uses, water quality objectives, and the Antidegradation Policy are the State's water quality standards. Water quality standards are also contained in the National Toxics Rule, 40 CFR Section 131.36, and the California Toxics Rule, 40 CFR Section 131.38.

The Basin Plan is subject to modification as necessary, considering applicable laws, policies, technologies, water quality conditions and priorities. The original Basin Plans were adopted in 1975, and have been updated and revised periodically as required, using Basin Plan amendments. Once the Central Valley Water Board has adopted a Basin Plan amendment in noticed public hearings, it must be approved by the State Water Resources Control Board (State Water Board), Office of Administrative Law (OAL) and in some cases, the United States Environmental Protection Agency (USEPA). Basin Plan amendments only become effective after they have been approved by the OAL and in some cases, the USEPA. Every three (3) years, a review of the Basin Plan is completed that assesses the appropriateness of existing standards and evaluates and prioritizes Basin Planning issues. For more information on the Water Quality Control Plan for the Sacramento and San Joaquin River Basins, please visit our website: http://www.waterboards.ca.gov/central_valley/water_issues/basin_plans/

Antidegradation Considerations

All wastewater discharges must comply with the Antidegradation Policy (State Water Board Resolution 68-16) and the Antidegradation Implementation Policy contained in the Basin Plan. The Antidegradation Implementation Policy is available on page 74 at: https://www.waterboards.ca.gov/centralvalley/water_issues/basin_plans/sacsjr_201805.pdf

In part it states:

Any discharge of waste to high quality waters must apply best practicable treatment or control not only to prevent a condition of pollution or nuisance from occurring, but also to maintain the highest water quality possible consistent with the maximum benefit to the people of the State.

This information must be presented as an analysis of the impacts and potential impacts of the discharge on water quality, as measured by background concentrations and applicable water quality objectives.

The antidegradation analysis is a mandatory element in the National Pollutant Discharge Elimination System and land discharge Waste Discharge Requirements (WDRs) permitting processes. The environmental review document should evaluate potential impacts to both surface and groundwater quality.

Response 22-2

The comment provides a summary of requirements related to evaluation of hydrology and water quality. The Porter-Cologne Act, the permit conditions of the National

Pollutant Discharge Elimination System, and the State's Antidegradation Policy are described in Chapter 14, "Hydrology, Drainage, and Water Quality," of this EIR.

Groundwater is discussed in Chapter 18, "Water Supply," of this EIR, which explains that groundwater in the shallow aquifer underlying the Plan Area is good quality, while "the deep aquifer typically has higher concentrations of total dissolved solids, iron, and manganese" (Recirculated Draft EIR page 18-5). The Plan Area does not have any areas of groundwater recharge (see Recirculated Draft EIR page 18-3). As a result, the potential for surface activities to impair the quality of the groundwater basins is low. The Project would have a less-than-significant impact on water quality with mitigation incorporated.

Comment 22-3

II. Permitting Requirements

Construction Storm Water General Permit

Dischargers whose project disturb one or more acres of soil or where projects disturb less than one acre but are part of a larger common plan of development that in total disturbs one or more acres, are required to obtain coverage under the General Permit for Storm Water Discharges Associated with Construction Activities (Construction General Permit), Construction General Permit Order No. 2009-009- DWQ. Construction activity subject to this permit includes clearing, grading, grubbing, disturbances to the ground, such as stockpiling, or excavation, but does not include regular maintenance activities performed to restore the original line, grade, or capacity of the facility. The Construction General Permit requires the development and implementation of a Storm Water Pollution Prevention Plan (SWPPP). For more information on the Construction General Permit, visit the State Water Resources Control Board website at: [http://www.waterboards.ca.gov/water issues/programs/stormwater/constpermits.shtml](http://www.waterboards.ca.gov/water%20issues/programs/stormwater/constpermits.shtml)

Phase I and II Municipal Separate Storm Sewer System (MS4) Permits

The Phase I and II MS4 permits require the Permittees reduce pollutants and runoff flows from new development and redevelopment using Best Management Practices (BMPs) to the maximum extent practicable (MEP). MS4 Permittees have their own development standards, also known as Low Impact Development (LID)/postconstruction standards that include a hydromodification component. The MS4 permits also require specific design concepts for LID/post-construction BMPs in the early stages of a project during the entitlement and CEQA process and the development plan review process.

For more information on which Phase I MS4 Permit this project applies to, visit the Central Valley Water Board website at:

[http://www.waterboards.ca.gov/centralvalley/water issues/storm water/municipal p
ermits/](http://www.waterboards.ca.gov/centralvalley/water%20issues/storm%20water/municipal%20permits/)

For more information on the Phase II MS4 permit and who it applies to, visit the State Water Resources Control Board at: http://www.waterboards.ca.gov/water_issues/programs/stormwater/phase_ii_municipal.shtml

Industrial Storm Water General Permit

Storm water discharges associated with industrial sites must comply with the regulations contained in the Industrial Storm Water General Permit Order No. 2014-0057-DWQ. For more information on the Industrial Storm Water General Permit, visit the Central Valley Water Board website at:

http://www.waterboards.ca.gov/centralvalley/water_issues/storm_water/industrial_general_permits/index.shtml

Clean Water Act Section 404 Permit

If the project will involve the discharge of dredged or fill material in navigable waters or wetlands, a permit pursuant to Section 404 of the Clean Water Act may be needed from the United States Army Corps of Engineers (USAGE). If a Section 404 permit is required by the USAGE, the Central Valley Water Board will review the permit application to ensure that discharge will not violate water quality standards. If the project requires surface water drainage realignment, the applicant is advised to contact the Department of Fish and Game for information on Streambed Alteration Permit requirements. If you have any questions regarding the Clean Water Act Section 404 permits, please contact the Regulatory Division of the Sacramento District of USAGE at (916) 557-5250.

Clean Water Act Section 401 Permit - Water Quality Certification

If an USAGE permit (e.g., Non-Reporting Nationwide Permit, Nationwide Permit, Letter of Permission, Individual Permit, Regional General Permit, Programmatic General Permit), or any other federal permit (e.g., Section 10 of the Rivers and Harbors Act or Section 9 from the United States Coast Guard), is required for this project due to the disturbance of waters of the United States (such as streams and wetlands), then a Water Quality Certification must be obtained from the Central Valley Water Board prior to initiation of project activities. There are no waivers for 401 Water Quality Certifications. For more information on the Water Quality Certification, visit the Central Valley Water Board website at: https://www.waterboards.ca.gov/centralvalley/water_issues/water_quality_certification/

Waste Discharge Requirements - Discharges to Waters of the State

If USAGE determines that only non-jurisdictional waters of the State (i.e., "nonfederal" waters of the State) are present in the proposed project area, the proposed project may require a Waste Discharge Requirement (WDR) permit to be issued by Central Valley Water Board. Under the California Porter-Cologne Water Quality Control Act, discharges to all waters of the State, including all wetlands and other waters of the State including, but not limited to, isolated wetlands, are subject to State regulation. For more

information on the Waste Discharges to Surface Water NPDES Program and WDR processes, visit the Central Valley Water Board website at: [https://www.waterboards.ca.gov/centralvalley/water issues/waste to surface water/](https://www.waterboards.ca.gov/centralvalley/water%20issues/waste%20to%20surface%20water/)

Projects involving excavation or fill activities impacting less than 0.2 acre or 400 linear feet of non-jurisdictional waters of the state and projects involving dredging activities impacting less than 50 cubic yards of non-jurisdictional waters of the state may be eligible for coverage under the State Water Resources Control Board Water Quality Order No. 2004-0004-DWQ (General Order 2004-0004). For more information on the General Order 2004-0004, visit the State Water Resources Control Board website at: [https://www.waterboards.ca.gov/board decisions/adopted orders/water quality/2004/wgo/wgo2004-0004.pdf](https://www.waterboards.ca.gov/board%20decisions/adopted%20orders/water%20quality/2004/wgo/wgo2004-0004.pdf)

Dewatering Permit

If the proposed project includes construction or groundwater dewatering to be discharged to land, the proponent may apply for coverage under State Water Board General Water Quality Order (Low Risk General Order) 2003-0003 or the Central Valley Water Board's Waiver of Report of Waste Discharge and Waste Discharge Requirements (Low Risk Waiver) R5-2013-0145. Small temporary construction dewatering projects are projects that discharge groundwater to land from excavation activities or dewatering of underground utility vaults. Dischargers seeking coverage under the General Order or Waiver must file a Notice of Intent with the Central Valley Water Board prior to beginning discharge.

For more information regarding the Low Risk General Order and the application process, visit the Central Valley Water Board website at: [http://www.waterboards.ca.gov/board decisions/adopted orders/water quality/2003/wgo/wgo2003-0003.pdf](http://www.waterboards.ca.gov/board%20decisions/adopted%20orders/water%20quality/2003/wgo/wgo2003-0003.pdf) For more information regarding the Low Risk Waiver and the application process, visit the Central Valley Water Board website at: [http://www.waterboards.ca.gov/centralvalley/board decisions/adopted orders/waivers/rS-2013-0145 res.pdf](http://www.waterboards.ca.gov/centralvalley/board%20decisions/adopted%20orders/waivers/rS-2013-0145%20res.pdf)

Limited Threat General NPDES Permit

If the proposed project includes construction dewatering and it is necessary to discharge the groundwater to waters of the United States, the proposed project will require coverage under a National Pollutant Discharge Elimination System (NPDES) permit. Dewatering discharges are typically considered a low or limited threat to water quality and may be covered under the General Order for Limited Threat Discharges to Surface Water (Limited Threat General Order). A complete Notice of Intent must be submitted to the Central Valley Water Board to obtain coverage under the Limited Threat General Order. For more information regarding the Limited Threat General Order and the application process, visit the Central Valley Water Board website at: [https://www.waterboards.ca.gov/centralvalley/board decisions/adopted orders/general orders/r5-2016-0076-01.pdf](https://www.waterboards.ca.gov/centralvalley/board%20decisions/adopted%20orders/general%20orders/r5-2016-0076-01.pdf)

NPDES Permit

If the proposed project discharges waste that could affect the quality of surface waters of the State, other than into a community sewer system, the proposed project will require coverage under a National Pollutant Discharge Elimination System (NPDES) permit. A complete Report of Waste Discharge must be submitted with the Central Valley Water Board to obtain a NPDES Permit. For more information regarding the NPDES Permit and the application process, visit the Central Valley Water Board website at: <https://www.waterboards.ca.gov/centralvalley/help/permit/>

Response 22-3

The comment details permit requirements described in Chapter 14, “Hydrology, Drainage, and Water Quality,” of this EIR and does not directly address the analysis or conclusions in this EIR. No revisions have been made in response to this comment.

LETTER 23

Dan Bouzos, member of the community, written correspondence; dated October 31, 2019.

Comment 23-1

Questions regarding the impact to the owners of the non-participating properties have been addressed. Quality of life issues for the new residents; including transportation, open space, housing, jobs, shopping and restaurants are all available in the specific plan. Then finally, a monumental plan to protect and even create more habitat for the wildlife the project area are included. Everything has been taken into account!

It is a fantastic plan. Congratulations are in order to both county planning and to the applicant for a job well done! For the owners of the non-participating properties, the most impressive part of the plan is that those owners can continue to use their properties just as they have been doing. No changes will take place at all. The zoning of their properties remains the same! The only thing that will happen is their properties will be brought into the general plan. Once in the plan, zoning changes into the new allowed use can easily take place on their properties **if and only if** they decide to make those changes. Further, because of this general plan change, even if the owners of the non-participating properties do absolutely nothing, the value of all of the non-participating properties will increase dramatically due the possibility of easy re-zoning.

Response 23-2

The comment expresses support for the project and does not address the analysis or conclusions in this EIR. The comment acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 24

Ralph Propper, President, Environmental Council of Sacramento; Sean Wirth, Co-Chair, Habitat 2020; Laurie Litman, President, 350 Sacramento; Barbara Leary, Chairperson, Sierra Club Sacramento Group, written correspondence; dated October 31, 2019.

Comment 24-1

Agricultural Resources

There is insufficient mitigation for farmland lost in the Jackson Township Specific Plan DEIR. By converting all this farmland to urban/suburban uses, the GHG emissions will increase due to the increased number of motor vehicle trips (more vehicle miles traveled). Moreover, loss of agricultural resources will reduce the potential for carbon sequestration in the soil by application of compost or regenerative agriculture methods, in addition to the natural processes of plant growth and soil microbial action from farming. There needs to be better mitigation measures to ensure carbon soil sequestration occurs at least as much as it would if the agricultural resources were preserved.

Response 24-1

The existing use of the Plan Area is described on page 5-1 of Chapter 5, "Agricultural Resources," as primarily grazing with limited agricultural use. The existing uses on the property are not those commonly associated with "application of compost or regenerative agriculture methods" that are, in turn, associated with carbon sequestration. Implementation of the Project would convert a total of 62 acres of Prime Farmland and Farmland of Local Importance. Conversion of farmland and loss of agricultural resources is identified as a significant and unavoidable impact of the Project. As explained on page 5-11 of the Recirculated Draft EIR:

Implementation of Mitigation Measure AG-1 would require preservation of Farmland at a 1:1 ratio, consistent with Policy AG-5 of the 2030 General Plan. Policy AG-5 acknowledges that the Board of Supervisors retains the ability to override impacts to Farmland of Local Importance and Grazing Land and, if land is required to provide mitigation pursuant to the South Sacramento Habitat Conservation Plan, that the Board of Supervisors may consider the mitigation land as meeting the requirements of that policy. However, even with this mitigation, it must be recognized that prime soils are a finite resource. When an area is permanently taken out of agricultural production, there has been a net-loss of agricultural lands. Other agricultural lands may be preserved through compliance with mitigation, but new agricultural soils will not be created.

Mitigation Measure AG-1 would require in-kind preservation of important farmland that would protect of agricultural resources and the carbon sequestration potential of the property. While preservation of farmland does not replace the farmland lost to development, the County has determined that preservation is the only feasible

mitigation available that provides the appropriate nexus to the impacts that would occur. Therefore, the EIR appropriately identifies that a residual significant and unavoidable impact would occur.

The potential increase in VMT and the effect of the associated GHG emissions on climate change are disclosed in Chapter 9, "Climate Change," of this EIR. The analysis in this FEIR has been updated to reflect a revised GHGRP prepared for Alternative 2. This analysis uses the VMT modeled for Alternative 2. It also calculates the loss of carbon sequestration from vegetation removal, the carbon sequestration value of the vegetation preserve, and the carbon sequestration value of the trees that would be planted pursuant to Sacramento County Zoning Code Section 5.2.4. The analysis is based on standard methodology adopted by the County and SMAQMD's thresholds of significance. As explained in the analysis of "Impact: Project Greenhouse Gas Emissions," greenhouse emissions would be less than significant with implementation of Mitigation Measures CC-1 and CC-2, through which the Project would comply with the best management practices (BMPs) included in Tier 1 and Tier 2 of SMAQMD's CEQA Guidance. The GHGRP indicates that the Project would result in net negative GHG emissions relative to model defaults.

The comment suggests that additional mitigation should be included to "ensure carbon soil sequestration occurs at least as much as it would if the agricultural resources were preserved." The County does not have an established program for valuing carbon sequestration of farmland or implementing easements to ensure preservation of carbon sequestration potential. However, as shown in Table CC-8, the loss of vegetation is estimated to reduce the carbon sequestration potential of the Plan Area by 329 metric tons of carbon dioxide equivalent annually, while the planted trees would reduce emissions in the atmosphere by 730 metric tons. Therefore, the mitigation is understood to result in more carbon sequestration than if the agricultural resources were preserved.

Comment 24-2

Biological Resources

Use of the South Sacramento Habitat Conservation Plan (SSHCP) was offered as one of the options for dealing with California Endangered Species Act (CESA) and Federal Endangered Species Act (FESA) impacts, and it was clearly stated that the hardline preserves identified in the SSHCP conservation strategy would be provided. Since the SSHCP now has its permits and is in the implementation phase, we are assuming that the Jackson Township will be affected by and compliant with the SSHCP.

Response 24-2

The assumption expressed in this comment is accurate. The mitigation approach was revised in the Recirculated Draft EIR to reflect the status of the SSHCP. Refer to Chapter 8, "Biological Resources."

Comment 24-3

The Sacramento Chapter of the California Native Plant Society (CNPS), in coordination with State CNPS, ECOS and Habitat 2020, has embarked upon an ambitious regional campaign to promote the preferential use of California native plants in home and civic landscaping. It is called Homegrown Habitat, which contains a list of appropriate plants for our region. These nonprofits are currently building the capacity to ensure that these landscaping options are available locally. While utilizing these plants would not provide any avoidance or minimization or mitigation credits, it would go a long way to reducing water consumption and would provide carbon sequestration benefits (even during a drought when many non-local native plants and trees would perish), as well as resources for local insect and bird populations.

The use of these native California plants appropriate for our region in Jackson Township development will assist in creating pathways through the urban region in Sacramento between the agricultural, conservation lands and foothills on its eastern borders to the farmlands and delta to the west. Wide use of these plants reduces the “edge” effects of development near existing wild pathways (e. g. the American River parkway) through the Sacramento region. We strongly urge Jackson Township to adopt the use of California native plants appropriate for this region that was prepared by CNPS and require it for all landscaping within the project.

Residential landscaping accounts for more than 50% of the average daily water usage per household (Regional Water Authority Waterwise data). Additionally, during the summer when landscaping water demands are at their highest, 30% of this water is lost to evaporation from turf lawns (Regional Water Authority Waterwise data). Unfortunately, in long periods of drought such as the Sacramento region experienced in 2012-15, homeowners, HOAs and developers can lose significant landscaping investments because plant colonies and turf typically in use cannot withstand the valley’s high temperatures coupled with reduced water availability. Both individual homeowners and the region are hit with a double impact in these situations: (1) homeowners lose landscaping functionality (shade and privacy) as well as beauty and health benefits; and (2) the cost of time and money to replace non-native California landscaping when milder weather returns.

As a result, the Sacramento region loses landscape habitat and carbon sequestration. In addition, abandoned, dead landscapes can pose fire protection issues and lead to further air quality degradation if they become part of local fires. Finally, the associated loss of local insects, including pollinators, local and migratory birds, and animal populations that depend on local native plants directly contribute to the region’s loss of biodiversity. Unfortunately, climate change is promising more frequent and severe regional droughts, and this means the potential exists for a continuing cycle of boom and bust for residential landscaping. This cycle is broken when developers, HOAs, and homeowners landscape with local native plants found on the Homegrown Habitat plant list instead of turf lawns and non-local, higher water use plants.

A traditionally landscaped home can save up to 60% or more of its watering costs and a significant amount of landscape maintenance cost by converting to a landscape of Homegrown Habitat plants (Sacramento Valley Chapter, California Native Plant Society). These local native plants typically require low or very low amounts of water to thrive and have adapted to grow and thrive in the native soils and climate of the Sacramento region for thousands of years. Gardening and maintenance costs are significantly lower with these plants because they do not require fertilizer, pesticides or special soil amendments. Plant pallets can be selected for any shade or sun condition and can provide blooms and color throughout the year. Local insects, birds and animals thrive on these plants, so the uses of these plants contribute to the carbon sequestration and biodiversity in our region. The ability of local native plants to withstand climate change will contribute to homeowner shade, prosperity, and overall improved quality of life.

Carbon sequestration is achieved and maintained throughout the built environment in the Sacramento region through the broad use of the local native plants on the Homegrown Habitat plant list. Many of the trees and shrubs found on the list are long lived and woody which translates into sustained carbon sequestration. These plants are equipped to survive prolonged periods of low, very low or even no supplemental irrigation and, therefore, continue to sequester carbon when other non-drought tolerant plantings often perish, thus reducing the regional built environment's ability to sequester carbon.

The Homegrown Habitat plant list provides pallets of local native plants that achieve the above benefits. Experts in biology, entomology, conservation, education, and landscape design joined with the California Native Plant Society (CNPS), Sacramento Valley Chapter, to develop the list for the Sacramento region. The listed plants support hundreds of butterflies, moths, native bees, and other pollinators. They are homes for other beneficial insects, which in turn support local and migratory birds and animal populations. Year-round habitat for pollinators supports residential agricultural activity. These plants already survive without human attention along the American river parkway and are celebrated for their beauty and resilience. They are equally at home in front and back yards, HOA and developer common spaces, commercial landscapes, public and institutional spaces, and medians and agricultural hedgerows. A copy of the list of plants in the above-mentioned Homegrown Habitat is attached. We are requesting that you participate in the Homegrown Habitat advocated by CNPS.

Response 24-3

The comment encourages participation in the Homegrown Habitat program for landscaping. The comment does not raise a significant environmental issue pertaining to the analysis or conclusions in the EIR requiring a response but is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 24-4

Climate Change

We appreciate the opportunity to comment on Chapter 9, “Climate Change”, of the County’s *Jackson Township Specific Plan Draft Environmental Impact Report* (DEIR). Our greenhouse gas (GHG)-related comments are presented in the following seven sections. We first discuss the County’s past GHG-reduction commitments, because the DEIR:

- I. does not accurately describe County climate planning;
- II. uses inappropriate baseline data based on past planning;
- III. applies inappropriate thresholds of significance; and
- IV. is inconsistent with the County’s 2011 General Plan Update, associated Final Environmental Report (GP/FEIR), and Phase 1 CAP.

We also present,

- V. other DEIR-related concerns.

We conclude:

- VI. the DEIR is legally insufficient
- VII. the County’s failure to provide promised mitigation is contrary to the General Plan.

Response 24-4

The comment provides an overview of the detailed comments that follow. Refer to Responses 24-5 through 24-27, below.

Comment 24-5**I.THE DEIR DOES NOT ACCURATELY DESCRIBE COUNTY CLIMATE PLANNING**

The DEIR does not properly report the County’s multi-phase CAP Planning Process, the role of the first-phase CAP, the inconsistencies between the proposed project and the GP, and areas of controversy known to the County.

We discuss this topic below, explaining the nexus between the present DEIR and the County’s previous GHG commitments and existing Climate Action Plan (Phase 1 CAP). We begin with a brief introductory overview of the regulatory significance of a CAP.

A. The Role of Climate Action Plans (CAPs)

California has determined that climate change is a serious and immediate threat. Climate-forcing GHG emissions are one type of impact that lead agencies must consider under the California Environmental Quality Act (CEQA). An agency may do so either on a project-specific basis, or at a programmatic level via a “Climate Action Plan” (CAP). CAPs themselves also require CEQA review. If there is substantial evidence (i.e., a “fair argument”) that approving a project or plan such as a CAP may have a significant impact, an Environmental Impact Report is prepared.

Correctly done, CAPs can provide more comprehensive and detailed GHG-reduction than is practical on a project-specific basis; can ensure analysis of cumulative impacts; and allow consideration of broad policy and program-wide alternatives and mitigation not feasible during project-level review. CAPs can also provide co-benefits such as better air quality and health outcomes, habitat protection, more livable communities, and economic savings through energy and mobility efficiencies.

CAP “Streamlining” Function. If a jurisdiction adopts a CAP compliant with CEQA, future projects consistent with the CAP’s provisions may tier their GHG analysis from the CAP’s environmental document and are relieved of further GHG mitigation. This “streamlining” is efficient for lead agencies and project proponents. However, a weak CAP can be more troublesome than none, because inadequate measures may be (incorrectly) asserted as sufficient mitigation for future projects. A fully CEQA-compliant CAP from which future GHG analysis may be legitimately tiered is commonly referred to as being “qualified”.

CEQA’s Enforceability Requirements. A fundamental prerequisite of CEQA mitigation is that it be certain, i.e., “fully enforceable through permit conditions, agreements, or other legally binding instruments.” Enforceable and otherwise credible GHG-reduction mitigation is incumbent on lead agencies and project proponents, whether CEQA-compliance is tiered or project-specific, and lead agencies are prohibited from approving projects if feasible mitigation measures would reduce impacts. If CAP measures are not fully enforceable, they must be made so at the project level, and if there is substantial evidence that the measures would be inadequate, GHG impacts must be analyzed in the project EIR. A CAP proposing non-enforceable or ineffective measures thus fails its streamlining function. Arguably “non-qualified” CAPs create process uncertainty, ill-serving the lead agency, project proponents, and the general public.

B. The DEIR DOES NOT PROPERLY DESCRIBE THE COUNTY’S MULTI-PHASE CAP PLANNING PROCESS

The DEIR’s, “Sacramento County Climate Action Planning” section states,

The Sacramento County Climate Action Plan ... includes a GHG inventory for ... 2005, a GHG emission reduction target, and goals and implementation measures ... Sacramento County has developed thresholds of significance based on the 2005

GHG inventory developed for its CAP ... meeting these per capita thresholds of significance would demonstrate consistency with Sacramento County's CAP.

This wording is problematic, because without further context a reader might incorrectly infer that the County had adopted a “qualified” CEQA-compliant CAP which includes thresholds of significance and actionable implementation measures; and that consistency with the CAP would confer prima facie legitimacy on the DEIR’s proposed per capita thresholds. Such a reader would be mis-lead.

At the outset, the DEIR’s above reference to “The” CAP is confusing, because the County has adopted in its GP a multi-phase CAP strategy. The existing first-phase CAP adopted with the GP/FEIR in November 2011 is not, and was never intended or claimed to be, a “qualified” CEQA document from which subsequent environmental documents could be tiered. As designated in its sub-title, it is a concept-level, “*Framework and Strategy Document*”, meant to be the first component of, “*A tiered approach to the climate action plan ... the foundation for the CAP components which follow*”.

Similarly, the statement, “*Sacramento County has developed thresholds of significance based on the 2005 GHG inventory developed for its CAP*” could be misinterpreted. The adopted Phase 1 CAP does not include thresholds of significance applicable to particular projects; it presents only countywide mass GHG reduction targets, stating, “*The underlying inventory and the 2020 reduction targets will be refined during development of subsequent components of the Sacramento County CAP*”).

Consistent with its strategic orientation, the Phase 1 CAP lists goals and potential mitigation measures, but lacks any implementation commitments whatsoever.

The 2011 FEIR explains further,

Comprehensive plans to address climate change are being adopted by many jurisdictions, and they have come to be called Climate Action Plans. Part of the mitigation for significant impacts related to GHG emissions included in this EIR requires adoption of a Sacramento County Climate Action Plan ... intended to be completed in two phases, with the first phase being the strategy document to be adopted concurrently with the General Plan. The second phase will flesh out the strategies outlined in the phase I plan, and will include ... community outreach/information sharing, timelines, and detailed performance measures. ... Phasing the Climate Action Plan allows the County to consider and adopt the overall strategies and goals as a first step, rather than delaying County action until the more lengthy and detailed part of the process is complete. Mitigation in this EIR recognizes this two-step process.

The ‘comprehensive’ Phase 2 CAP to be subsequently developed is meant to be a “qualified” CEQA-compliant document. As explained during an effort to initiate development of the second-phase CAP, staff advised the County Board of Supervisors at a 2017 Board workshop,

... a primary benefit for completing the [Phase 2] Communitywide CAP is the streamlining of CEQA analysis. The Communitywide CAP will be a qualified GHG emission reduction plan in accordance with criteria identified in Section 15183.5 of the California Environmental Quality Act (CEQA) Guidelines. As such, new projects that are in compliance with the requirements of the Communitywide CAP will not be required to do a separate GHG analysis.

The County's website likewise states that the pending Phase 2 Plan will,

1) update the unincorporated County's GHG inventory and forecasts, 2) determine the GHG reduction targets which are required, and 3) propose measures to achieve the required GHG reductions for the entire County".

Unfortunately, as we review in section III below, development of the second-phase Climate Action Plan is among the GP/FEIR mitigation commitments yet to be accomplished.

C. The DEIR Does Not Properly Characterize the Role of the Phase 1 CAP

As noted above, the Phase 1 CAP is a strategic planning document which does not present thresholds of significance or actionable mitigation measures, explicitly deferring those to subsequent planning,

The thresholds presented in the DEIR are not, as might be inferred, included in the Phase 1 CAP and were not adopted with it. Rather, the thresholds are presented in the County's FEIR, which includes a link to the underlying 2005 inventory, making reference to the CAP superfluous. For these reasons we believe that the DEIR's repeated assertions of consistency with the Phase 1 CAP are immaterial; and in fact, we below demonstrate that the DEIR is *not* consistent with the CAP.

D. The DEIR Does Not Discuss Inconsistencies Between the Proposed Project and the GP

CEQA requires that lead agencies discuss inconsistencies between the proposed project and the GP. Such inconsistencies are alluded to above and will be reviewed further in section IV of these comments. They are not discussed in the DEIR as required.

Response 24-5

The comment provides general information about CAPs and contends that the Draft EIR does not accurately describe the County's on-going climate action planning process. As explained below, the County accurately described the regulatory setting and appropriately evaluated the Project's potential to conflict with the applicable plans, adopted for the purpose of reducing the emission of GHGs.

Under item B, the comment highlights text that is identified as "problematic" because the reader could be misled to believe that the County had adopted a qualified CAP (i.e., a

plan to reduce GHG emissions that meets the requirements set forth in Section 15183.5(b)(1) of the State CEQA Guidelines). Of note, while the format used to present the block of text implies a relationship between the statements, the quoted text spanned three pages of the Draft EIR and was pulled from text in the regulatory setting and the impact analysis. The Draft EIR did not mischaracterize the CAP. Nonetheless, to improve understanding and avoid misinterpretation, text was added in the Recirculated Draft EIR under the subheading “Sacramento Climate Action Planning” to elaborate on the status of the CAP and clarify that the County’s adopted Phase 1 CAP and Phase 2A CAP are not qualified plans through which subsequent projects may receive CEQA streamlining benefits. Refer to page 9-11 of the Recirculated Draft EIR.

The statement, “Sacramento County has developed thresholds of significance based on the 2005 GHG inventory developed for its CAP” was accurate at the time that the Draft EIR was released and indicates that the County used the same inventory for initial climate action planning and establishing CEQA thresholds of significance that would reflect State goals. The County does not anticipate that readers would be unable to distinguish between adopted thresholds and the data used in their development. However, as described on page 9-13 of the Recirculated Draft EIR, the County has since adopted the SMAQMD’s tiered threshold approach, which has replaced the draft 2030 thresholds for analysis of project impacts. These new thresholds are used to evaluate climate change impacts in the Recirculated Draft EIR.

The comment correctly characterizes the Phase 1 CAP as a strategic planning document that does not present thresholds of significance or actionable mitigation measures. As explained under the subheading “Significance Criteria” on page 9-12 of the Recirculated Draft EIR, “CEQA Guidelines Section 15064 and relevant portions of Appendix G recommend that a lead agency consider a project’s consistency with relevant, adopted plans, and discuss any inconsistencies with applicable regional plans including plans to reduce GHG emissions.” This is the basis for considering the CAP in this EIR. Additional analysis of the Project’s consistency with the County’s draft Phase 2B CAP was added to the Recirculated Draft EIR (refer to page 9-24). Note that the revised GHGRP reflected in the FEIR indicates that Project GHG emissions would be less than net zero with the implementation of mitigation.

Comment 24-6

E. The DEIR Does Not Identify Areas of Controversy Known to the County

CEQA requires that lead agencies identify known areas of controversy raised by the public. Our concerns have been made known. Representatives of our organizations have expressed them in writing to County staff and to the Board of Supervisors, and provided copies of a table displaying the inconsistencies between GHG-reduction measures presented in the FEIR and the GP, and documenting the failures of the County to implement the GP/FEIR commitments (Attachment 4 to these comments).

An initial letter to County staff observed,

Most mitigation measures included in the County's 2011 General Plan 2030 and the associated FEIR have not been implemented (see attached table, "Sacramento County GP 2030 – GHG Mitigation Status"). This is a concern because time is of the essence in reducing GHG emissions, and because the public needs confidence in the County's ability to implement measures to be presented in the Phase II CAP.

Our subsequent letter to the Board of Supervisors noted,

A number of greenhouse gas mitigation measures, including the above [relating to funding CAP implementation], were included in the County's November 2011 General Plan 2030 update and associated Environmental Impact Report. The adopted/certified measures have not been implemented (please see Attachment); nor has the County stated a reason supported by substantial evidence for the failure. We believe it is an environmental and legal necessity to begin the promised work without further delay.

In addition, representatives of our organizations have raised these concerns to County staff in numerous personal conversations and during several formal meetings. This area of controversy is not identified in the DEIR.

Response 24-6

The "areas of controversy" included in the comment do not apply to the Project but instead involve a general concern about the lack of implementation of the County's General Plan and CAP. Further, these concerns were not raised during the Project's scoping process, which is the usual way such concerns are raised by the public and made known to the lead agency. Note that the revised GHGRP reflected in the FEIR indicates that Project GHG emissions would be less than net zero with the implementation of mitigation.

The following discussion has been added to page ES-3 of this EIR:

ALTERNATIVES

Chapter 3, "Alternatives," includes evaluation of eight alternatives to the Jackson Township Specific Plan.

- No Project Alternative
- Alternative 1A: Increased Office Space
- Alternative 1B: Northwest Corner Residential-Commercial Swap
- Alternative 1C: Increased Office with Northwest Corner Residential-Commercial Swap
- Alternative 2: SSHCP-Consistent Wetland Preserve
- Alternative 2A: SSHCP-Consistent Wetland Preserve Thumb with Increased Office
- Alternative 3: Increased Wetland Preserve
- Alternative 4: Centralized Light Industrial

Alternatives 2, 2A, and 3 would slightly reduce impacts to biology, noise, and water supply when compared to the Project and would be consistent with Project Objectives. Although Alternative 3 would result in slightly reduced effects to biological resources due to the larger area set aside for preservation, the parcels north of Kiefer Boulevard remaining industrial would break up continuity of the Mather Preserve and would be inconsistent with the SSHCP. This alternative would also introduce a higher likelihood that industrial uses could be developed adjacent to the existing preserve and near residences (due to access improvements).

Among the alternatives evaluated in this EIR, Alternatives 2 and 2A are environmentally superior because they are consistent with the hardline preserve established in the SSHCP and would reduce impacts to biological resources due to the additional area set aside as wetland preserve. The expansion of the wetland preserve would also result in reduced development in the Plan Area overall, which would reduce effects related to ground disturbance (i.e., effects of wind erosion on air quality during construction) and reduce the residents and employees of the Plan Area, which would reduce demand for public services and utilities and decrease VMT. This would result in secondary benefits to air quality, energy use, and noise when compared to the Project. Alternatives 2 and 2A are preferred by the Office of Planning and Environmental Review due to their consistency with the SSHCP.

AREAS OF CONTROVERSY AND ISSUES TO BE RESOLVED

A notice of preparation (NOP) of a draft EIR was circulated to the public on July 19, 2013, in accordance with the State CEQA Guidelines. A public scoping meeting was held on August 29, 2013. The purpose of the NOP and the scoping meeting was to provide notification that an EIR for was being prepared for the project and to solicit input on the scope and content of the environmental document. The NOP and responses to the NOP are included in Appendix INT-2.

Key areas of concern identified during the public outreach process and through responses to the NOP and comments received at the August 2013 scoping meeting were traffic congestion, consistency with the South Sacramento Habitat Conservation Plan, and water supply. Other areas of controversy have included the methodology use in the greenhouse gas analysis and the status of the County's Climate Action Plan.

Issues to be resolved include choosing among alternatives to the Project. Additionally, if it adopts the project, the Sacramento County Board of Supervisors must decide whether specific social, economic, or other benefits of the Project outweigh its significant unavoidable environmental impacts; if so, the Board of Supervisors must adopt a Statement of Overriding Considerations.

These revisions clarify the context and content of the EIR but do not affect the analysis or conclusions of the EIR.

Comment 24-7**II. THE DEIR USES INAPPROPRIATE BASELINE DATA BASED ON PAST PLANNING**

The DEIR's use of its 2005 Inventory is inconsistent with the FEIR's commitment to regularly update the inventory, and the Inventory has been superseded.

A. The DEIR's Reliance on a 2005 GHG Inventory is Inconsistent with the GP/FEIR

The County committed in its 2011 GP/FEIR adoption to update the GHG Inventory at three-year intervals. Frequent updates are necessary because time is of the essence in implementing GHG-reduction measures: climate change is a function of mass atmospheric loading of GHGs, so reaching a given target sooner is more effective than doing so later. If proposed reduction measures are not having their intended effect, it is essential that this be discovered and remedied promptly.

Per the County's commitment, the Inventory should have been updated in 2011, 2014, and 2017. These updates have not been undertaken. As a result, the current DEIR relies on old data, inconsistent with the GP/FEIR's promises.

B. The County's Baseline 2005 GHG Inventory Has Been Superseded

Although the County's 2005 GHG Inventory was not regularly updated as promised, the Inventory was once updated to baseline year 2015, and presented to County Supervisors at the above-mentioned 2017 Board workshop. At that Workshop, staff presented draft GHG targets congruent with then-proposed State guidance (since adopted), and noted the GHG-reductions the County would have to make to achieve those targets.

Notably, the 2015 Inventory documents a 1.5 percent *increase* in County GHG emissions since 2005, signaling a possible adverse trend at odds with the State's goal of steadily *reducing* GHG emissions through 2050. The absence of the promised triennial updates makes it impossible to characterize the significance of this troubling signal.

The EIR should explain the use of 2005 data instead of the 2015 Inventory; and should also include a comparison of the DEIR's thresholds, based on the 2005 data, to the State-suggested thresholds based on more recent statewide data.

Response 24-7

The Recirculated Draft EIR was updated to disclose the County's 2015 inventory in the "Environmental Setting." Refer to page 9-3 of the Recirculated Draft EIR. Further, as explained in Response 24-5, the analysis and conclusions in the Recirculated Draft EIR use new SMAQMD targets that are not based on the 2005 inventory. As described on page 6-13 of the Recirculated Draft EIR, these new bright-line CEQA thresholds were

developed in consideration of long-term regional air quality planning. Projects that are found to result in emissions that exceed these thresholds would generate a cumulatively considerable contribution of regional air pollution, which could obstruct the region's attainment of the national ambient air quality standards and/or California ambient air quality standards or cause a localized exceedance of these concentration-based standards within the Sacramento Valley Air Basin. Note that the revised GHGRP reflected in the FEIR indicates that Project GHG emissions would be less than net zero with the implementation of mitigation.

The County's compliance with mitigation commitments in the *Sacramento County General Plan Update Final Environmental Impact Report* related to timing of emission inventories is a separate matter from evaluation of the Jackson Township Specific Plan.

Comment 24-8

III. THE DEIR APPLIES INAPPROPRIATE THRESHOLDS OF SIGNIFICANCE

The DEIR applies thresholds for 2020, 2030, and 2035 without having properly adopted them; does not identify a threshold for 2050; and does not justify the project-level use of statewide targets.

A. The County Applies Thresholds of General Use.

Comparison of three prior County EIRs adopted 2017-2018 and the current DEIR indicates that all four use identical thresholds for 2020 and 2030, as tabulated and displayed in Attachment 3 to these comments.

B. The DEIR's Thresholds for 2020 are Improper Because Not Adopted as Required

CEQA requires that thresholds of general application be adopted by ordinance, resolution, rule, or regulation; be developed through a public review process; and be supported by substantial evidence.

In its 2011 adoption of the GP FEIR, the County committed to,

Adopt a first-phase Climate Action Plan ... that contains the following elements and policies: enact a Climate Change Program that includes ... Reduction targets that apply to new development (Table CC-9).

As we note elsewhere, the Phase 1 Plan does not actually contain any such Climate Change Program, much less any reduction targets applying to new development, and its two envisioned elements appear to have simply been dropped without justification or process.

In any case, in directing that the Table CC-9 targets be included in a Climate Change program to be "*enacted*" at a **future time**, the County chose to not adopt the targets at

the time of FEIR adoption. We are unaware that the specified Climate Change Program, including reduction targets and supported by substantial evidence, has been enacted through a public process. If there was such a process, it should be referenced; otherwise the resultant status of the 2020 thresholds should be explained.

B. The DEIR's 2020 Thresholds are Also Improper Because Inconsistent with the FEIR

Even were the FEIR'S Table CC-9 thresholds adopted concurrent with FEIR adoption, their application in the current DEIR is improper, because they have been substantially modified, as displayed in Attachment 3 (Table 6) to these comments. Any such modification, to be valid, would have had to comply with above-referenced CEQA requirements, including public process. If there was such a process, it should be referenced; otherwise the resultant status of the 2020 thresholds should be explained.

Response 24-8

Thresholds of significance used in CEQA evaluations are different, and separate, from a CAP consistency evaluation. The comment inappropriately conflates CAP reduction targets with CEQA thresholds. To clarify, the County developed thresholds for use in the Draft EIR based on an existing inventory that has been used in other planning documents but did not apply the CAP as a threshold of significance.

The comments related to the implementation of the County's General Plan and progress towards adoption of the communitywide CAP are noted but are unrelated to the Project. This EIR is not required to provide environmental review of the County's General Plan goals and policies, which are reviewed under a separate CEQA process. Nor is it mandated to assess the efficacy of the County's climate change planning and CAP—also reviewed under a separate CEQA process.

The project-specific thresholds used in the Draft EIR reflect an update to the 2020 thresholds consistent with the reduction target established by SB 32 of 40 percent below 1990 levels by 2030 and 80 percent below 1990 levels by 2050. CEQA Guidelines section 15064.7 provides that "[l]ead agencies may also use thresholds on a case-by-case basis as provided in Section 15064(b)(2)." The thresholds used by the County in the Draft EIR were not "for general use" and were therefore not required to be formally adopted as claimed by the commenter. Section 15064(b)(2) provides that "[t]hresholds of significance...may assist lead agencies in determining whether a project may cause a significant impact."

However, as described above, discussion of the 2030 draft thresholds is no longer relevant to this EIR because the analysis in the Recirculated Draft EIR is based on consistency with SMAQMD's thresholds of significance, which Sacramento County adopted on December 16, 2020, by Resolution #2020-0855.

Comment 24-9**C. The DEIR's 2030 Thresholds are Improper Because Not Adopted**

Executive Order (EO) B-30-15 and SB 32 set a State GHG-reduction goal of 40percent below State levels by 2030. As acknowledged in the column headings of DEIR Table CC-2 and in a footnote, "...the 2030 thresholds have not been formally adopted by Sacramento County at the time of writing this Draft EIR". They are therefore not compliant with CEQA requirements for thresholds of general use and cannot be used to demonstrate compliance with State GHG-reduction goals.

Response 24-9

As described in Response 24-5, the analysis in the Recirculated Draft EIR is based on the SMAQMD thresholds adopted by the County in 2020. The 2030 thresholds are disclosed for informational purposes and are not intended to be used as a measure for determining the significance of GHG emissions associated with the Project. These thresholds were used in the previous analysis and were Sacramento County's most current thresholds of significance at that time.

Comment 24-10**D. The DEIR does not include a 2050 Target, Contravening Legal Requirements and the FEIR**

The DEIR does not identify a 2050 goal or threshold, stating,

The buildout year for the Project is 2035. To evaluate the Project in light of the 2050 statewide GHG reduction goal ..., the draft 2030 thresholds were extrapolated using a 17 percent reduction, as shown below in Table CC-2.

DEIR Table CC-2 includes a column labeled "2035 (Project- Specific Derived) Thresholds". A footnote adds,

"2035 thresholds are not adopted by Sacramento County but are interpolated based on 2030 thresholds and keeping the county aligned with greenhouse gas (GHG) reduction goal of 80 percent below 1990 levels by 2050 per Executive Order B-30-15".

To review the regulatory setting, the above-quoted 2050 target was established by Executive Order (EO) S-3-05. Subsequently, EO B-30-15 established an interim 2030 goal, later codified by SB 32. Judicial guidance has directed that CEQA GHG determinations be consistent with all statewide goals, including the 2050 target.

The County GP was adopted before enactment of the 2030 target and the above-cited judicial guidance re the 2050 goal. However, the FEIR properly states,

Currently only the 2020 target has been adopted by the state through legislation ... As a result, all of the impact discussions, mitigation, and strategies are based on meeting the 2020 target, not the longer-term 2050 target. If the 2050 target is adopted during the life of the General Plan, amendments to the General Plan strategies outlined in the sections to follow will become necessary.

The interim 2030 target was not envisioned when the GP was adopted; however, the same logic applies and, as the FEIR indicates, amending the GP's GHG strategies to recognize both the 2030 and 2050 targets is now necessary.

The DEIR's approach to the 2050 targets raises several concerns:

1. No 2050 Goal is Stated. The DEIR has not stated a countywide 2050 goal, or a threshold of significance applicable to this project that would support attainment of the countywide goal.
2. The 2035 Thresholds are Not Adopted. As the DEIR acknowledges, the proposed 2035 thresholds have not been adopted. The DEIR should explain how they can be used to demonstrate compliance with State GHG goals.
3. The 2005 Inventory is Outdated. As previously noted, the 2005 Inventory from which the DEIR derives its 2035 projections is outdated. The County's 2015 GHG Inventory presents more recent data and projects County GHG emissions to 2050. The 2015 Inventory is available online on the County's website. The DEIR should explain its use of the superseded 2005 data and projections.
4. The DEIR's "Project-Specific" Thresholds Conflicts with County Commitments. The 2035 Thresholds are identified as being "Project Specific". As mentioned previously and discussed further in section IV of these comments, this conflicts with the strategy presented in the Phase 1 CAP and with the mitigation commitments presented in the GP/FEIR to adopt "performance measures" through a comprehensive Phase 2 CAP planning process.
5. The GP's GHG strategies appear outdated, as do the FEIR's GHG impact discussions, mitigation, and strategies which inform them, because they have not been amended to recognize current regulatory requirements. It appears the DEIR suffers from related inadequacies.
6. The DEIR's mitigation is questionable re: complying with the State's 2050 goal, as discussed in section V of these comments.

Response 24-10

The County developed 2030 thresholds based on a GHG emissions level 80 percent below 1990 levels by 2050. The 2035 thresholds used in the Draft EIR were not adopted by Sacramento County but are interpolated based on 2030 thresholds and keeping the county aligned with the GHG reduction goal of 80 percent below 1990 levels by 2050 per Executive Order B-30-15. This approach allows an evaluation of the

Project's consistency with regulations adopted to reduce GHGs, consistent with CEQA. The evaluation of the proposed specific plan in this EIR is based on current regulations and is not based on the impact discussions, mitigation, or strategies in the *Sacramento County General Plan Update Final Environmental Impact Report*. Evaluation of the appropriateness of amendments to the General Plan strategies evaluated in the *Sacramento County General Plan Update Final Environmental Impact Report* would occur as a separate project. (Note that the Energy Element was amended in September of 2017 and the Air Quality Element was updated in December of 2020.)

The comment summarizes several concerns with the thresholds used in the Draft EIR. As summarized in the responses above, the Recirculated Draft EIR applied updated significance thresholds and mitigation measures, includes a summary of the 2015 inventory, and includes additional discussion regarding consistency with the County's Phase 1 and Phase 2 CAP. No revisions have been made in response to this comment.

Comment 24-11

E. The DEIR GHG Thresholds are Piecemealed Because Inconsistent with GP/FEIR Commitments

As detailed later in these comments, the County has not fulfilled its FEIR/GP GHG-reduction commitments. Implementation of the commitments would have yielded thresholds based on:

1. A series of updated GHG Inventories on which to base the thresholds inconsideration of actual GHG emission trends.
2. A Phase 2 CAP presenting "*detailed program and performance measures including timelines and the estimated amount of reduction expected from each measure*" and conferring the benefits of comprehensive planning identified in section I.A above. Using thresholds developed without reference to the promised comprehensive Phase 2 CAP constitutes piecemealed mitigation.

Response 24-11

There is nothing in CEQA or CEQA case law about "piecemealed mitigation." The term piecemeal in the CEQA context refers to the concept that the agency must review the "whole of the project," not individual pieces, when it determines the environmental impacts. Here, the County has properly evaluated all actions associated with the Project and there is no valid claim that the CEQA review was piecemealed. The County's commitment to develop a communitywide CAP to address the impacts of implementing the General Plan is a separate matter from the evaluation in this EIR and each project has independent utility.

Comment 24-12**F. The County has not Justified Project-Level Use of Statewide Targets**

Conformance with statewide GHG-reduction goals requires that countywide emissions achieve parity with, 40 percent below, and 80 percent below 1990 GHG-emission levels by 2020, 2030, and 2050 respectively. The County's thresholds are derived by applying these reductions to the 2005 Inventory, disaggregated to a projected County per capita basis, and applied to individual projects (we set aside for the moment our concerns regarding the County's outdated base data).

However, it is a mathematical impossibility for Sacramento County to achieve the statewide goals on a countywide basis by applying them only to new development. Reductions required for an individual project may not be the same as for the statewide population. A greater degree of reduction may be needed from new developments, because designing new buildings and infrastructure for energy efficiency and renewable energy use is likely to be easier and more likely to occur than by retrofitting older structures and systems.

The DEIR should explain how the DEIR's thresholds will support achieving the State's 2030 and 2050 goals on a countywide basis.

Response 24-12

The comment references the thresholds used in the Draft EIR. As explained above, these thresholds appropriately disclosed the impacts of the GHG emissions associated with implementation of the Project. However, the Recirculated Draft EIR was updated to reflect new thresholds adopted by the County in December of 2020. The thresholds were developed by SMAQMD to provide emissions mitigation consistent with the statewide GHG targets mandated by State law. Refer to Response 24-8 for further discussion of these thresholds.

As demonstrated in Appendix AQ-1 to this EIR, the Project would result in below net zero GHG emissions. This level of emissions is lower than the targets set by SMAQMD and would support Countywide attainment of the State's GHG reduction goals, including Assembly Bill 1279, which became law on September 16, 2022, and makes it the State's policy to achieve net zero GHG emissions no later than 2045.

Comment 24-13**IV.THE DEIR IS INCONSISTENT WITH THE COUNTY'S GP/FEIR AND PHASE I CAP**

The County modified and weakened the FEIR's GHG-reduction measures for inclusion in the GP without required justification and public process, so the measures as adopted in the FEIR are governing. The DEIR's GHG mitigation measures are inconsistent with both the FEIR and GP's versions of the measures.

To contrast the DEIR's provisions with the County's prior GHG-reduction commitments, we must first explain that the County did not fully or accurately reflect the FEIR's mitigation measures in the GP, substantially weakening them. The County's modifications were not supported by reasoned analysis or public process as required. We believe the FEIR's formulations are therefore governing. In any case, the current DEIR is inconsistent with both the FEIR and the GP's versions of the County's GHG-reduction commitments.

A. CEQA Mitigation Requirements

CEQA requires that mitigation measures be fully enforceable, and that if the CEQA "project" is adoption of a plan, mitigation measures can be incorporated into the plan.

The plain meaning is that CEQA mitigation measures must be enforceable in their entirety, and that if a jurisdiction chooses to ensure and demonstrate enforceability of the measures by including them in the adopted underlying plan, it is obliged to do so fully and accurately.

California courts have also determined that CEQA mitigation measures must be implemented; that measures are not mere expressions of hope; that adopted measures can only be deleted or changed with a legitimate reason through public process; and that measures cannot be defeated by ignoring them.

Response 24-13

The comment summarizes CEQA standards for mitigation and provides an assertion that the Draft EIR is inconsistent with the County's GHG reduction commitments in the General Plan and Final EIR. The reasoning for this assertion is unclear. No further response can be provided.

Comment 24-14

B. The County Did Not Fully or Accurately Include FEIR Measures in the GP and Phase 1 CAP as Specified

Sacramento County adopted its GP, associated FEIR, and its Phase 1 CAP together on November 9, 2011. The substantial discrepancies between the mitigation measures as presented in the FEIR and the GP respectively are displayed side-by-side in Attachment 2 to these comments, along with notes on the implementation status of the measures. The promised Phase 1 CAP measures are not displayed because they don't actually exist in that document, but their absence is noted in Attachment 2.

C. The County's Modifications Substantially Weaken the FEIR's Measures

As displayed in Attachment 2, few of the referenced FEIR measures are fully and accurately included in the GP, and the modifications substantially weaken the FEIR's measures, e.g.:

1. Phase 1 CAP Measures. FEIR mitigation measure CC-2.A specifies that the Phase 1 CAP shall provide for a green building program, a fee to support the CAP, and targets for new development. It does not.³⁵
2. Schedule and Commitment to Phase 2 CAP. The schedule and action for the Phase 2 CAP was changed from the FEIR's "adopt...within one year", to "prepare for...consideration", within three years;
4. Enforceability. Of the ten categorical "shall" statements in the FEIR, only one survives in the GP.

D. The County's Modifications Were Not Justified and are Not Reported

The FEIR's "Findings" section lists the FEIR measures verbatim, stating they, "...*have been incorporated into the Project to reduce this impact.*"

Then follows without explanation, "Actual text in the draft Land Use Element that complies with [the FEIR measures], listing the measures as modified and adopted in the GP.

The Findings then conclude, without discussion, that "*Modified versions of Mitigation Measures CC-1 and CC-2 have been incorporated into the Project to reduce impacts, but not to a less than significant level*".

The equivalency claimed between the measures as adopted in the FEIR and in the GP is patently false. The FEIR's measures were hardly "adopted into the project" because, as listed above and displayed in Attachment 2, a number were entirely excluded and others vitiated; and since the "modified" mitigation measures presented in the GP are different and substantially weaker than FEIR measure CC-2, it cannot be fairly said they "comply" with the FEIR measures.

No explanation or justification is offered in the Findings or elsewhere re the significant weakening of the FEIR's measures.

E. The County's Modifications Were Not Subject to Public Process

Staff's written and oral reports and Board of Supervisor's discussion, at the November 9, 2011 adoption meeting for the GP/FEIR/Phase 1 CAP, do not mention the "modification" of the FEIR's measures. A member of the public, reading the FEIR's peremptory "shall" mitigation language would naturally (but incorrectly) believe it was faithfully reproduced in the GP.

Response 24-14

The comment is specific to the incorporation of mitigation measures from the General Plan EIR into the General Plan and is not related to the analysis or conclusions in this EIR. No further response is required.

Comment 24-15**F. The Adopted FEIR's Conditions are Therefore Governing**

Absent supporting substantial evidence and public review as required by CEQA and case law, the County's modifications to the FEIR's mitigation measures are ineffective. The FEIR's adopted measures govern, and are the standard against which subsequent documents should be compared. We again note, however, that the current DEIR complies with *neither* the FEIR's measures nor the weaker, incomplete GP version.

G. The DEIR Thresholds and Mitigation Measures are Inconsistent with the Phase 1 CAP and GP/FEIR Commitments

The GP's GHG-reduction measures are shown in Attachment 2 to these comments. Although the GP's measures are weaker than the FEIR's and incomplete, both versions require triennial GHG Inventory updates, and development of,

"a second-phase Climate Action Plan ... that includes ... detailed programs and performance measures, including timelines and the estimated amount of reduction expected from each measure".

Fulfillment of these commitments would have yielded:

1. performance measures (thresholds) based on a series of relatively recent GHG Inventories, as discussed above;
2. detailed program measures (GHG-reduction measures) and estimated GHG reductions, developed in the context of and conferring the benefits associated with the comprehensive planning cited in section I.A above.

Both the current DEIR's thresholds and mitigation measures were developed outside of the multi-phase strategic framework declared in the adopted Phase 1 CAP and further described in the adopted FEIR/GP provisions quoted above. With no basis in promised comprehensive, countywide Phase 2 CAP planning, the DEIR's thresholds and mitigation measures constitute piecemealed mitigation.

Response 24-15

The comment indicates that the thresholds used in the Draft EIR were not consistent with commitment in the General Plan and associated EIR. Refer to Response 24-8 regarding the adopted EIR for the General Plan and Response 24-11 regarding the concept of "piecemealed mitigation." Lead agencies are not required to develop CAPs before evaluating the GHG emissions of projects.

Comment 24-16**V.OTHER DEIR-RELATED CONCERNS****A. Proposed CC-1A Mitigation is Problematic**

1. Organization is Unclear. CC-1A is broken into two subsections, “Transportation” and “Energy”. The Transportation section includes three bulleted, untitled items proposing transit and EV-related measures. The Energy section includes four bulleted, untitled items proposing efficiency requirements for high density residences and commercial structures, domestic appliances, and outdoor lighting. To improve clarity and facilitate referencing during review and subsequent mitigation monitoring, we suggest that the DEIR group and categorize the measures, e.g., as in the preceding two sentences, and assign alpha-numeric designations and/or short titles to each sub-measure, rather than or in addition to bullets.
2. Transit Measures are Unclear and Unenforceable. Please see our separate comments regarding Transportation.

Response 24-16

Mitigation Measure CC-1a was removed in the Recirculated Draft EIR. The specific concerns noted in this comment are no longer relevant.

Comment 24-17

3. EV Support Measures are Incomplete. Mitigation Measure CC-1A, under “Transportation”, presents two measures relating to electrical vehicle (EV) charging. There is no explanation of how the measures relate to California’s Title 24 CalGreen 2019 building codes affecting all new construction effective January 1, 2020, specifically the 2019 codes’ detailed requirements and specifications for EV parking/charging infrastructure. The DEIR’s proposed EV measures are much less comprehensive, and it’s unclear how or whether they are consistent with the 2019 codes.

The DEIR “Regulatory Setting ... State” section should discuss the 2019 CalGreen requirements, and the DEIR should explain how proposed measures relate to them.

CalGreen also includes optional Tier 1 and Tier 2 requirements conferring additional GHG-reduction benefits. A number of other California jurisdictions have adopted such measures. The DEIR should determine through reasoned analysis whether Tier 1 and 2 EV measures would be feasible and effective in reducing the project’s GHG-reduction impacts and should therefore be adopted.

4. Building Energy Measures are Incomplete. Building energy is a major source of GHG loading, along with on-road tailpipe emissions. Mitigation Measure CC-1A, under “Energy”, presents four assorted measures relating to building energy efficiency.

There is no explanation of how the measures relate to California Title 24 CalGreen building codes, specifically the 2019 Zero Net Energy requirements affecting all new construction effective January 1, 2020. The 2019 codes require *inter alia* installation of residential rooftop photovoltaics, high efficiency building thermal envelopes, and advanced mechanical system air filters. They encourage demand-responsive technologies such as battery storage, and heat-pump water heaters. The DEIR's proposed measures are much less comprehensive, and It's unclear how or whether they are consistent with the 2019 codes.

The DEIR "Regulatory Setting ... State" section should discuss the 2019 CalGreen requirements, and the DEIR should explain how proposed measures relate to them.

CalGreen also includes optional Tier 1 and Tier 2 requirements conferring additional GHG-reduction benefits. A number of other California jurisdictions have adopted such measures. The DEIR should determine through reasoned analysis whether CalGreen's Tier 1 and 2 building measures would be feasible and effective in reducing the project's GHG-reduction impacts and should therefore be adopted.

Response 24-17

The Recirculated Draft EIR contained information about the California Green Building Standards Code, as recommended in this comment (refer to the discussions on pages 9-9, 9-12, and 9-27). As revised, the measure specifies that subsequent projects must meet the version of the California Green Building Code (CalGreen) standards in place at the time of subsequent small lot tentative subdivision map or design review approval. No further revisions are necessary.

Comment 24-18

B. Proposed CC-1b GHGRP Impermissibly Defers Mitigation

As noted above, the DEIR does not present a countywide GHG goal or thresholds of significance for 2050. DEIR Mitigation Measure CC-1b proposes that the project proponent instead develop a "Green House Gas Reduction Plan" (GHGRP) to *inter alia* demonstrate compliance with the 2050 goals:

"CC-1b - the Project Applicant shall prepare a GHGRP or implement all feasible ... measures to meet ... GHG thresholds The per capita thresholds shall be developed based on [the] County's GHG inventory [and] statewide GHG reduction targets [for] ... 2030 and ... 2050. The GHGRP, or on-site mitigation measures, shall demonstrate ... emissions would not exceed the applicable thresholds...."

CEQA requires that formulation of mitigation measures not be deferred, but specific details may be developed after project approval when it is impractical or infeasible to include them during environmental review, provided the lead agency (1) commits itself to the mitigation, (2) adopts specific performance standards to be achieved, and (3) identifies the potential action(s) that can achieve the standard and that will be considered, analyzed, and potentially incorporated in the measure.

DEIR measure CC-1b appears to be an example of impermissible deferred mitigation. We have the following concerns:

1. The term “GHGRP” has a specific CEQA regulatory meaning. The DEIR, which is a CEQA document, confusingly uses the term here to denote a different, ad hoc planning process. This undermines the informational obligation of the DEIR, to clearly inform decision-making
2. The DEIR does not explain why it is impractical or infeasible to identify specific mitigation measures in the DEIR.
3. It’s unclear how the County has committed to implementation of this measure, or exactly what implementation would entail.
4. The DEIR does not identify specific performance standards to be achieved.
5. The DEIR does not identify potential actions that can achieve the (unstated) standard.
6. The regulatory logic of the measure is circular in that it requires the project proponent to both develop thresholds for 2030 and 2050, and to demonstrate compliance with those thresholds free of public review. Adopting thresholds is normally the function of a lead agency. Delegating this critical task to the prospective permittee requires reasoned justification.
7. The potential conflict between the proponent’s 2030 thresholds, and the 2030 thresholds already promulgated by the County in this and other DEIRs, is not explained.
8. The proposed applicant-produced thresholds would be based on “the County’s GHG inventory [and] statewide GHG reduction targets.” How these two disparate approaches using two different sets of base data would be reconciled, is not explained.
9. The enforceability of the measure is questionable because the language is ambivalent, i.e., (1) requiring either a GHGRP or “other feasible measures” or “*on-site mitigation*” and (2) not identifying criteria for “feasibility”; the process through which feasibility would be determined; and what if any public review would be involved.
10. If the thresholds to be developed in the GHGRP are of general applicability, they would require public process and formal adoption as discussed in section III above. If they are project-specific, they would be inconsistent with the GP/FEIR, as discussed in section IV above.

Response 24-18

The substantive concerns raised in this comment have been addressed in the Recirculated Draft EIR and FEIR. The Recirculated Draft EIR includes a project-specific GHGRP that provides detailed, quantified GHG reductions. The proposed mitigation would require demonstration of compliance with the GHGRP. (Note that the term “greenhouse gas reduction plan” is not used in the CEQA statute and is only once mentioned in the State CEQA Guidelines. Rather, Section 15183.5 of the State CEQA Guidelines identifies the requirements for a “plan for the reduction of greenhouse gases,” which is a plan developed at the programmatic or general plan level. The commenter appears to conflate the project’s GHGRP and the County’s Climate Action Plan, which is a plan for the reduction of greenhouse gases prepared consistent with Section 15183.5. The revised mitigation clearly references the GHGRP that has been prepared for the project.)

Comment 24-19**C. The DEIR Does Not Provide a Monitoring and Reporting Plan**

Pursuant to CEQA, the DEIR should describe a monitoring and reporting protocol to ensure that mitigation is implemented as required.

Response 24-19

CEQA Guidelines section 15097 does not require an MMRP be included in a Draft EIR, only that it be prepared and adopted “when a public agency has made findings.” (Id., § 15097, subd. (a).) The Final EIR contains an MMRP that will be presented to the Board of Supervisors for adoption along with findings.

Comment 24-20**D. The DEIR Does Not Adequately Fulfill its Informational Purpose**

A key purpose of CEQA is to provide information to decision-makers and the public regarding proposed projects and their environmental impacts. The DEIR suffers from a number of information deficiencies, as previously noted (items 1-5 below) and here raised *de novo* (items 6 and 7)

1. The Phase 1 CAP is not accurately characterized (these comments, section I.C).
2. Previous mitigation commitments are not faithfully described (comments, section IV.D).
3. Areas of controversy known to the County are not described (comments, section I.E).
4. Inconsistencies between the proposed project and the GP are not described (Comments, section I.D).

5. The State's strong emphasis on local climate action to address climate change is not mentioned in the DEIR's "Statewide GHG Emission Targets and the Climate Change Scoping Plan" section. The DEIR should reflect the Scoping Plan's advice that,

"The State must accommodate population growth and economic growth in a far more sustainable manner ... local governments ... are uniquely positioned to influence the future of the built environment and its associated GHG emissions. ... longer-term targets cannot be achieved without land use decisions that allows more efficient use and management of land and infrastructure."

Response 24-20

The Recirculated Draft EIR and FEIR have been updated to include additional clarification regarding the Phase 1 CAP. Mitigation from the General Plan EIR and prior comments on the General Plan, EIR, and CAP are not relevant to the analysis of the Project. Refer to Responses 24-5 and 24-6. Development of separate CEQA thresholds in the absence of an adopted CAP is not an inconsistency with the General Plan. Refer to Response 24-15. The suggested text has not been added to the regulatory setting under the subheading "Statewide GHG Emission Targets and the Climate Change Scoping Plan" because it is not germane to the analysis or conclusions in the EIR. See also Response 24-6 regarding areas of controversy.

Comment 24-21

6. Effects of GHG-induced warming are not meaningfully characterized.

The DEIR expresses prospective temperature increases as numeric changes to annual averages. However, the impacts the DEIR identifies to transportation and energy infrastructure, crop production, forests and rangelands, natural habitats, and especially public health, are sensitive not to annual averages, but to the frequency, duration, and severity of extreme events, e.g., hottest daytime summer temperatures, nighttime minima, and duration of extreme heat ("heat waves"). These can be expressed, e.g., as the change from historical baseline of days per year over a given maximum, nights over a given minimum, and increase in the numbers of heat waves of given durations. Projected health impacts associated with such extreme heat events should be identified, and there is now a considerable literature available on this subject.

CEQA requires that EIRs inform the public how bare numbers translate to potential health effects, or explain what the agency does know and why, given existing scientific constraints, it cannot translate potential health impacts further.

Response 24-21

There is no requirement under CEQA to provide a health risk assessment from global increase in temperature. CEQA only requires that an EIR discuss GHG emissions associated with the project in either a quantitative or qualitative manner and compare against an agency-determined threshold of significance (CEQA Guidelines Section 15064.4.).

As disclosed in the revised analysis presented in the Recirculated Draft EIR, the Project would have a less than significant impact due to GHG emissions. Therefore, it would not result in any public health risk associated with an increase in temperature.

Comment 24-22

7. Language Is Unclear. The following DEIR statement,

“CC-1A - The Project Applicant shall apply ... (GHG) mitigation measures as contained in the GHGRP into Alternative 2 to reduce operational emissions to Sacramento County’s extrapolated per capita GHG thresholds of significance”

is not readily comprehensible on several counts, e.g., its confusing reference to a GHGRP which is an element of a separate, unrelated mitigation measure, CC-1b. It therefore fails the DEIR’s informational purpose and should be clarified.

Response 24-22

This mitigation measure was revised in the Recirculated Draft EIR and FEIR. The Applicant prepared a revised GHGRP (dated August 25, 2022, Appendix AQ-1) based on Alternative 2 that also includes analysis of GHG emissions in comparison to the County and SMAQMD’s recently adopted significance thresholds. SMAQMD staff verified this GHGRP as technically adequate on August 30, 2022. Mitigation Measures CC-1 and CC-2 in the Recirculated Draft EIR require consistency with the measures identified in the GHGRP.

Comment 24-23

VI.THE DEIR IS LEGALLY INSUFFICIENT

Based on the preceding analyses we conclude the DEIR is legally impaired in several areas.

Our conclusion does not address the adequacy of any preceding document, such as the FEIR, whose mitigation measures we encourage the County to implement.

The DEIR is legally insufficient because it:

1. does not properly describe County climate action planning;
2. uses inappropriate baseline data;
3. applies inappropriate thresholds;
4. is inconsistent with the GP/FEIR and Phase 1 CAP;
5. presents piecemealed mitigation;
6. does not adequately detail transportation mitigation measures;
7. does not adequately consider energy alternatives;
8. proposes to impermissibly defer mitigation;
9. does not include a monitoring and reporting plan; and
10. fails its informational purpose.

Response 24-23

As demonstrated in Responses 24-1 through 24-22, above, the EIR fulfills its informational purpose and is sufficient to inform informed decision making pursuant to CEQA.

Comment 24-24**VII. THE COUNTY'S FAILURE TO PROVIDE PROMISED MITIGATION IMPUGNS THE GP**

As previously noted, the FEIR's unsubstantiated finding that, "*The following [FEIR] mitigation measures have been incorporated into the Project to reduce this impact*", is without substance. The measures incorporated into the project through inclusion in the GP are substantially different from and weaker than those in the certified FEIR.

We have also observed that even the weaker measures promised in the GP have not been implemented. These un-realized measures, include,

- triennial GHG inventory updates,
- development of a funding source to support ongoing climate change activities,
- preparation of a Phase 2 CAP, to include
 - economic analysis
 - detailed programs
 - detailed performance measures
 - timelines
 - GHG reductions expected
- ongoing climate program oversight, monitoring, and maintenance.

Further measures, promised in the FEIR but unreported in the GP, also remain undelivered:

- a Green Building Program
- 2020 reduction targets to replace interim FEIR Table CC-9 targets.

We have also shown that the 2011 GP adoption did not also adopt the FEIR's proposed 2020 target, nor do we know that the 2020 target was separately adopted later. There was naturally no reference in the GP to the later 2030 and 2050 GHG targets; and the GP has not been updated to recognize them, notwithstanding the FEIR's clear direction that such update would be necessary. Since the County has not adopted 2020, 2030, or 2050 targets, it is not possible to say that the Jackson Township DEIR complies with California's GHG-reduction goals.

Based on these observations we also question the County's "Finding" that the County has "substantially lessened" the GHG impacts of adopting its General Plan 2030.

"In 2011 the County found that implementation of the [mitigation measures] ... were part of the mitigation imposed to mitigate the climate change impacts of the general plan update. It cannot be said that failing to comply with [mitigation measures and State mandates] does not change the environmental conclusions in the general plan"

A WORD ABOUT CLIMATE CHANGE

There is no longer any rational doubt that climate change is adversely affecting the livability of our planet now; that physical environmental effects will grow increasingly serious in coming decades; and that without major, timely GHG-reductions, they will cause grave public health impacts and severe economic and social disruptions in the lifetimes of people alive today.

During the eight years over which the County has delayed providing its promised GHG-reduction, the world has increasingly experienced unprecedented heat waves, droughts, floods, storms, and fires. California has not escaped some of these disasters. The world's scientists tell us these are the predicted preliminary effects of a warming climate. The extent of the future change depends on our efforts to reduce GHG emissions.

Because climate change is a function of mass GHG emissions over time, mitigation deferred is mitigation denied. We appreciate the difficulties of transitioning from the long-accustomed land use and building models that have contributed to climate change to sustainable ones, and doing it quickly. But the exigencies of climate change, as reflected in State law, require broad and decisive change in how we think about energy efficiency. Fortunately, the required adjustments will bring many co-benefits. But we no longer have the luxury of delayed or token efforts.

Our organizations are committed to working with the County in every productive way we can. We look forward to ongoing engagement in the County's administrative process and are always available to discuss our comments and County plans for effective climate action.

Response 24-24

The comment reiterates earlier concerns related to the General Plan and integration of the mitigation measures from the EIR into the final General Plan and provides a statement about climate change. These are not comments on the Jackson Township Specific Plan or the analysis and conclusions of this EIR. These concerns are acknowledged and will be forwarded to the decisionmakers.

Comment 24-25

Land Use, Population and Housing

Adherence to General Plan

During the most recent General Plan update the Environmental Council of Sacramento (ECOS) supported the Jackson Corridor north of Jackson Road as a future urban growth area. However, it was always envisioned that growth would occur from west to east. What is happening now is just the opposite and just another example of leap-frog development.

In fact, mitigation measure LU-1 of the Final Environmental Impact Report states:

Growth within the Jackson Highway Corridor and Grant Line East New Growth Areas shall be phased through master planning processes. The phases shall be defined by a specific geographic area, with the earliest phases closest into the existing urban areas, and the later phases farthest outward. Each phase shall represent a geographic area that will accommodate no more than 10 years of growth, based on the latest SACOG projections. Development within the phases shall occur sequentially, and residential or commercial development in each subsequent phase shall be prohibited until the prior phase is developed to at least 50% of holding capacity.

Additionally, General Plan policy LU-119 calls for logical, comprehensive, and cohesive planning boundaries under point number four, as follows:

The County shall only accept applications to expand the UPA or initiate an expansion of the UPA or any Master Plan processes outside of the existing UPA if the Board finds that the proposal meets the following:

- *Parallel processes to expand UPA and prepare Master Plans: Proposed additions to the UPA will only be considered when accompanied by a request to initiate a Master Plan process for all land encompassed by the proposed UPA expansion boundary. Likewise, requests to initiate a Master Plan process outside the UPA will only be considered when accompanied by a request to expand the UPA to include all land encompassed by the proposed Master Plan.26*
- *Project Justification Statement and Outreach Plan: Proposed UPA expansions/Master Plan processes must be accompanied by both a “Justification Statement” and an “Outreach Plan”. The Justification Statement shall be a comprehensive explanation of the proposed request and the development it would allow. It must include background information, reasoning, and the goal(s) and benefits of the proposed project. The Outreach Plan shall describe how the project proponent plans to inform and engage neighbors and members of the general public about the proposed UPA expansion and project. 26 A “Master Plan” is defined as a plan that meets the requirements and intent of the Specific Plan statutes contained in Government Code §65450-65457, which requires a land use plan, a circulation plan, an infrastructure plan, and implementation*

measures. The requirement for a “Master Plan” might be fulfilled by a variety of planning tools, including a Specific Plan, a Community Plan, a Special Planning Area, a development agreement, or any combination thereof. County of Sacramento General Plan Land Use Element Amended December 13, 2017 131

- *Proximity to existing urbanized areas: Proposed UPA expansions/Master Plan processes must have significant borders that are adjacent to the existing UPA or a city boundary. As a guideline, “significant borders” generally means that the length of the boundary between the existing UPA or city boundary and the proposed UPA expansion/Master Plan should be 25 percent of the length of the boundary of the UPA expansion area.*
- *Logical, comprehensive, and cohesive planning boundaries: Proposed UPA expansions/Master Plan processes must consist of a contiguous set of parcels that have a regular outside boundary consistent with the logical planning boundary illustrations below. All parcels within this boundary must be included in both the proposed UPA expansion and proposed Master Plan area. LU-120 The County shall only consider approval of a proposed*

The proposed project boundaries, due to all the non-participating properties, looks very similar to the example of illogical planning boundaries shown in the third example. (attachment 1) and is therefore inconsistent with the fourth point above: Logical, comprehensive, and cohesive planning boundaries. The Jackson Township Specific Plan based upon the General Plan FEIR mitigation measure and the above stated General Plan policy is therefore inconsistent with the General Plan.

Response 24-25

The comment is related to the merits of the project and is not related to the content or analysis in the EIR. Project consistency with General Plan Policies LU-1 and LU-119 is evaluated in Chapter 15, “Land Use,” of this EIR. “Impact: Conflict with Sacramento County’s Land Use Plans” and “Impact: Conflict with Sacramento County’s Urban Policy Area/General Plan Growth Management Policy” are both identified as less than significant impacts.

Comment 24-26

Growth Inducement

The DEIR on Page 22-3 states:

The Project would extend the UPA, which currently follows the northern border of the Plan Area, to include the Plan Area (see Plate PD-8 in Chapter 2, “Project Description”). As a result, the properties south of Jackson Road (also referred to as Jackson Highway), which are also currently zoned and used for agriculture, would be adjacent to the UPA. This area is within the USB and could be subject to increased development pressure following Project implementation because it would be adjacent to the UPA. However, it is worth noting that a large portion of the area south of Jackson Road

directly adjacent to the Plan Area is part of the South Sacramento Habitat Conservation Plan preserve area, so development pressure to the south may be reduced.

In the DEIR it is noted that the area south of Jackson Road will be subject to increased development pressure, but indicates that the South Sacramento Habitat Conservation Plan would reduce that pressure. Until title or conservation easements are secured south of Jackson Road, that development pressure outside the UPA cannot be negated. Growth Inducement should be considered significant and mitigation included.

Response 24-26

While CEQA requires discussion and disclosure of growth inducing impacts, the state CEQA Guidelines state that “[i]t must not be assumed that growth in any area is necessarily beneficial, detrimental, or of little significance to the environment” (Section 15126.2(e)). Therefore, identification of the impact as significant and proposing mitigation in the EIR to limit growth would not be appropriate. In addition, approximately 1,240 acres immediately south of the Plan Area across Jackson Road is protected under conservation easement and owned by Sacramento Valley Conservancy.

Comment 24-27

Transit Mitigation

Providing adequate transit service to this project, and other projects in the Jackson Corridor, must be a critical component of this Jackson Township Specific Plan to achieve the objectives of the General Plan. Only through the provision of a robust public transit system can vehicle miles traveled be reduced and greenhouse gas reductions be achieved.

When ECOS last met with County staff and representatives of the projects in the Jackson Corridor we were assured that a Transportation Services District (County Service Area) would be established for all the projects in the Jackson Corridor. In fact, we were provided with a draft document which indicated the annual assessment per dwelling unit for each project (Attachment 4).

In reviewing the DEIR, what we find is a very vague and, in our view, unenforceable mitigation measure TR-7:

The Project applicant shall coordinate with Sacramento County and Sacramento Regional Transit District (or other transit operators) to provide the additional transit facilities and services assumed in the transportation analysis, or a cost-effective equivalent level of transit facilities and services. Ultimate transit service consists of 15-minute headways during peak hours and 30-minute headways during non-peak hours on weekdays. The implementation of the transit routes and service frequency must be phased with development of the Project and the ultimate service will be required at full development of the Project.

The operative word in this mitigation measure appears to be “coordinate”. There is no assurance that adequate transit service will be provided or, most importantly, how it will be funded. Therefore, based upon our previous assurances from the County and the project proponents in the Jackson Corridor, the mitigation measure must be revised to read:

MITIGATION MEASURE TR-7: TRANSIT IMPROVEMENTS - Prior to the recordation of any final subdivision map for the New Bridge Project, a Transportation Services District shall be formed. This can be accomplished through the annexation to County Service Area 10 or through the establishment of a new County Service Area. Prior to annexation to County Service Area 10 or the establishment of a new County Service Area, an engineering study shall be undertaken to determine the annual dwelling unit equivalent assessment for the projects in the Jackson Corridor to provide the additional transit facilities and services assumed in the transportation analysis. Ultimate transit service consists of 15- minute headways during peak hours and 30-minute headways during non-peak hours on weekdays. The implementation of the transit routes and service frequency must be phased with development of the Project and the ultimate service will be required at full development of the Project.

Only a clearly stated mitigation measure, as we have stated here, can withstand legal challenge. While ECOS has supported development in the Jackson Corridor, that support was predicated upon the assurance that adequate transit service would be provided to significantly reduce environmental impacts. This approach has been applied to other projects in the southeast County area in the past and there is no reason to change the approach now.

Response 24-27

This mitigation was revised in the Recirculated Draft EIR to address annexation to CSA 10 or formation of a transportation services district. The transit program is included in the finance plan prepared for the specific plan. No additional revisions are required in response to this comment.

LETTER 25

Kim Williams, Planning Manager, Elk Grove Unified School District, written correspondence; dated October 24, 2019.

Comment 25-1

Correction to Pages ES-7, ES-33, 6-32, 9-21, 11-22, and 11.23:

EGUSD is concerned that on six pages in this DEIR the statement is made that *"The Project Applicant or subsequent developer(s) shall install up to 10 percent of all parking spaces with electric vehicle (EV) charging stations at commercial, retail, and office parking lots and up to 5 percent at school parking lots for Alternative 2."* This same

statement is made on six pages (with somewhat varying wording). EGUSD cannot commit to placing EV charging stations at any of our school sites including those planned for the Jackson Township Specific Plan area. We would like the wording "and up to 5 percent at school parking lots" removed from Pages ES-7, ES-33, 6-32, 9-21, 11-22, and 11-23.

Response 25-1

Mitigation Measure AQ-2b has been revised to clarify EGUSD's responsibility for installation of EV charging stations. The Project Applicant is responsible for ensuring that the total reductions assumed in the AQMP for Alternative 2 are achieved. This is assumed to include charging stations on future school sites, subject to siting agreement between the Project Applicant and EGUSD.

In response to this comment, the second bullet under the subheading "Transportation" in Mitigation Measure AQ-2b is revised to

- The Project Applicant or subsequent developer(s) shall install at least ~~40~~ 15 percent of all parking spaces with Tier 2 or an equivalent standard electric vehicle (EV) charging stations at commercial, retail, and office parking lots. ~~and up to~~ In addition, the Project Applicant and EGUSD would establish an agreement to provide for at least 5 percent EV charging stations at school parking lots or an alternative method to achieve equivalent reductions for Alternative 2. Each EV charging station shall have 2 connections. In total, this will result in the Plan Area providing 805 EV charging stations serving 1,610 non-residential parking spaces.

This change does not alter the impact conclusions of the EIR because it would not affect the reductions achieved through the mitigation.

Comment 25-2

Correction to: Page 17-14, Table PS-2:

Estimated Student Generation Rate numbers referenced in this document, and the source Jackson Township Specific Plan Table 6-4, use outdated 2015 EGUSD Student Generation Rate numbers. Please note that the current February 2019 EGUSD Student Generation Rates are:

Grade Level	Single Family	Multi-Family Units
Elementary (K-6)	0.4021	0.2524
Middle School (7-8)	0.1065	0.0595
High School (9-12)	0.1953	0.1013
Total (K-12)	0.7039	0.4132

EGUSD no longer calculates Student Generation Rates for Condo/"Attached/For Sale" dwelling units. Those types of dwellings are now included in the Multi-Family Units category.

Response 25-2

The first paragraph of the discussion in “Impact: Result in Substantial Adverse Physical Impacts Associated With the Provision of Schools” and Table PS-2 on page 17-14 in Chapter 17, “Public Services,” is revised as follows in response to this comment:

Development of the Project would increase the local student population. Based on student generation rates provided by EGUSD and State of California criteria, the proposed Jackson Township Specific Plan estimates that student enrollment resulting from the Project would be approximately ~~4,038~~ 3,675 additional students, with approximately ~~2,147~~ 2,136 students in grades K–6 (elementary school), ~~633~~ 549 in grades 7–8 (middle school), and ~~1,258~~ 990 in grades 9–12 (high school). The Project designates three sites for elementary schools that are each approximately 12 acres in size and have a capacity of 850 students each. The Project also includes an 80-acre site designated for a joint high school and middle school that has a capacity for 1,200 middle school students and 2,200 high school students. Because these sites have a capacity that exceeds the expected demand, the proposed schools would also serve students from outside the Plan Area. Moreover, the Project would not exacerbate the overcrowding of the existing schools that serve the area or result in the construction of additional schools outside of the Plan Area. Table PS-2, below, recreates Table 6.4 from the Specific Plan (available as Appendix PD-1) and updates the student generation dates to reflect February 2019 EGUSD Student Generation Rates.

Table PS-1: Estimated Student Generation and School Site Demands

Land Use	Dwelling Units	Grades K-6 Factor	# of K-6 Students	Grades 7-8 Factor	# 7-8 Students	Grades 9-12 Factor	# 9-12 Students
Single Family (LDR, MDR)	3,906	0.3751 <u>0.4021</u>	1,465 <u>1,571</u>	0.1181 <u>0.1065</u>	461 <u>416</u>	0.2299 <u>0.1953</u>	898 <u>763</u>
Attached/ For Sale (20% of HDR/MU)	447	0.1358	61	0.0331	15	0.0795	36
Multi-Family/ Rental (80% of HDR/MU)	1,790 <u>2,237</u>	0.3469 <u>0.2524</u>	621 <u>565</u>	0.0879 <u>0.0595</u>	157 <u>133</u>	0.1818 <u>0.1013</u>	324 <u>227</u>
Total Units	6,143						
Total Students			2,147 <u>2,136</u>		633 <u>549</u>		1,258 <u>990</u>
Site Capacity (per school)			850		1,200		2,200
Required # of School Sites			2.53 <u>2.51</u>		0.53 <u>0.21</u>		0.57 <u>0.45</u>

Source: Jackson Township Specific Plan, Table 6-4. Updated to reflect 2019 student generation rates.

These revisions provide minor updated to the estimates of student generation and school site demand and do not substantially affect the analysis or conclusions in the Recirculated Draft EIR.

Comment 25-3

Corrections to: Page 17-15:

The second paragraph on this page has several inaccuracies. Please make the following corrections:

"Further, the ~~Project Applicant~~ prior to building permit issuance, home builders/developers would be required to pay all applicable State-mandated school impact fees to EGUSD at the time of development. The County would determine the assessable square footage that would be subject to the fee at that time.

*EGUSD would determine the capacity of existing schools at the time of build-out of the Plan Area, would determine the need for new school facilities, and would oversee the environmental review and development of new facilities. ~~*If school impact fees are not adequate to cover the need for new school facilities, EGUSD has the ability to misc. fees as necessary*~~. The California Legislature has declared that payment of the applicable school impact fee is deemed to be full and adequate mitigation under CEQA for impacts on school facilities (California Government Code Section 65996)."*

**This statement is not accurate. EGUSD prepares a School Facilities Needs Analysis annually based on State regulations and formulas. This document determines EGUSD's ability to adjust school impact fees (either up or down).*

Response 25-3

The second paragraph on page 17-15 in Chapter 17, "Public Services," is revised as follows in response to this comment:

Further, the ~~Project Applicant~~ prior to building permit issuance, home builders/developers would be required to pay all applicable State-mandated school impact fees to EGUSD at the time of development. The County would determine the assessable square footage that would be subject to the fee at that time. EGUSD would determine the capacity of existing schools at the time of build-out of the Plan Area, would determine the need for new school facilities, and would oversee the environmental review and development of new facilities. ~~If school impact fees are not adequate to cover the need for new school facilities, EGUSD has the ability to raise fees as necessary.~~ The California Legislature has declared that payment of the applicable school impact fee is deemed to be full and adequate mitigation under CEQA for impacts on school facilities (California Government Code Section 65996).

These revisions provide clarification regarding collection of fees to fund school facilities and do not substantially affect the analysis or conclusions in the Recirculated Draft EIR.

LETTER 26

Jack Sales, member of the community, written correspondence; dated October 30, 2019.

Comment 26-1

In both the Executive Summary and body of the DEIR reference is made to Greenhouse Gas Emission Reductions GHGRP energy as follows:

“The Project Applicant shall install high efficacy public outdoor lighting for 16 percent of total outdoor lighting”

Two points should be made -

1. The requirement should be high efficacy outdoor lighting for 100 percent of outdoor lighting.
2. Because of the characteristics of Solid State Lighting or LED Lighting (our most efficient source), and impacts of High Blue Content LEDs or High Temperature LEDs they should be prohibited. Only “high efficacy outdoor lighting” with a CCT (correlated color temperature) of less than 3000K should be allowed.

Previously higher CCT LEDs were considered more efficient, that is no longer the case in fact over all LEDs of 3000K and lower are the preferred.

Currently under Title 24 CalGreen Lighting Color Temperature Restrictions of 3000K is the recommended lighting standards for outdoor lighting in California.

References are made to lighting in the Design Guidelines ---

“Design Guidelines also require lighting to be focused downward whenever possible to avoid light pollution and parking lighting to have automatic controls to dim lights after certain hours or when no one is present.”

1. The Design Guidelines should require ALL outdoor lighting be fully shielded or have a BUG rating of U-0.
2. All outdoor lighting should be demand responsive dimming when the technology is available.
3. Title 24 requires residential security lighting to be motion sensor controlled.
4. Security lighting that motion sensor controlled should (shall) be fully shielded.
5. A CCT (correlated color temperature) of 3000K or less should be required in all applications.

6. In residential zones a CCT (correlated color temperature) of 2700K or less should be required.

Response 26-1

The comment recommends changes to the lighting requirements of the Project identified in the GHGRP and the Design Guidelines but does not correlate the recommendations to the analysis or conclusions of the EIR. Developments within the Plan Area would be subject to the version of the California Green Building Code (CCR Title 24) in effect at the time of construction, including requirements related to outdoor lighting. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 26-2

Addressing Glare ---

While glare has previously been primarily considered in CEQA documents in reference to day time glare it is extremely important at night.

Good lighting practice avoids glare, in fact it is a major consideration.

Again CCT plays a role as does light control.

The DEIR and Design Guide should -

1. Require ALL lighting to have CCT of 3000K or less preference for 2700K or 2200K.
2. Prohibit unshielded Flood Lights.

Response 26-2

The comment provides suggestions to address nighttime glare. As described in Chapter 4, "Aesthetics," of this EIR, the Project would comply with County lighting policies and standards and would also use fixtures approved by the International Dark Sky Association. Sacramento County Code dictates light placement to reduce glare pursuant to the Project site's designated lighting zone ("LZ"), which is LZ2 for low levels of ambient nighttime light in rural areas. In addition, Policy 7.6.1 of the Jackson Township Specific Plan requires all lighting applications to use fixtures approved by the International Dark Sky Association.

Comment 26-3

Lighting Zones (LZ) –

The DEIR presents the issue of Lighting Zones (LZ) as established under Title 24 and identifies the project as in LZ2. However under Title 24 the County can lower the

Lighting Zones. This may be appropriate for Jackson Township Specific Plan given the nature of the project and its location.

The City of Malibu not only that limits all outdoor lighting to 3000K it also declares the City to be Lighting Zone 1.

“C.

All other zoning districts including, but not limited to Commercial and Institutional zoning districts (CN, CC, CV, CG, I, RVP, and RD)

1.

All outdoor lighting shall comply with California Building Code Title 24 Lighting Zone One (LZ1).”

Surly if the City of Malibu can be LZ1 this development can be designated as LZ1.

The project Development Standards of the Jackson Township Specific Plan should reflect and acknowledge inclusion in LZ2 and further adopt or designate RVP, and RD as LZ1.

Adoption of IDA Fixture Seal of Approval ---

“the he County to require that all lighting applications be subject to Section 140.7 of the 2016 Building Efficiency Standards and use fixtures approved by the International Dark Sky Association.”

It is appropriate that all lighting in the County of Sacramento and all lighting in the State of California be complaint with the International Dark-Sky Association Fixture Seal of Approval Certification Program. It simply requires “Fully Shielded” or BUG U-0 and CCT => 3000K.

It provides certification of MINIMUM compliance even though more stringent technology exists.

This and all DEIRs, GP, SP, ZC by County of Sacramento should include requirements for IDA FC compliance.

Response 26-3

The Plan Area has been designated LZ2 by the County in conformance with Title 24 zoning rules set by the California State Energy Resources Conservation and Development Commission. The County has appropriately maintained compliance with these rules. The example given in the comment—the City of Malibu mandating the use of LZ1 in nonconformance with State rules—is heavily distinguishable from the Project. First and foremost, Malibu’s nonconforming use of LZ1 was not a result of CEQA mitigation, as advocated for in the comment. Instead, it was a component of their 2018

Dark Sky Ordinance, which took Malibu more than 5 years to prepare and adopt. CEQA requires mitigation be accomplishable within a “reasonable period of time;” otherwise, it is infeasible and inadequate (CEQA Guidelines Sections 15364, 15126.4(a)(1)). Second, the City of Malibu and Sacramento County are vastly different jurisdictions, in different parts of the state with differing topography, population, goals, and land uses. Third, different zoning districts are at issue. Malibu re-designated commercial and industrial zoning districts as LZ1, which are not the primary land uses identified in the proposed specific plan.

This comment does not address the adequacy of the EIR and does not raise a significant environmental issue requiring a response. Rather, the comment expresses its author’s opinions on lighting standards. No evidence is offered to suggest that the analysis in the EIR is inadequate. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 26-4

Sports Lighting ---

Reference is made to sports lighting regarding Schools and “ energy-efficient LED fixtures on tall (approximately 90-foot-tall)”

Again “energy-efficient LED fixtures” are essential and should be required.

They should also be required at Sacramento Raceway.

Today LED sports lighting can direct light with pinpoint precision, with no off site light.

Today LED sports lighting can address a requirement of “0.0fc” off site light levels.

Today LED sports lighting can be neighbor friendly with 0.0 foot candle light trespass.

The DEIR should recognize this capability of technology today and require 0.0 foot candle beyond the playing field.

The DEIR notes that “Because the Project complies with County lighting policies and standards and would also use fixtures approved by with International Dark Sky Association, and because of the scale of proposed development, no feasible mitigation is available to further reduce this impact. This impact would be significant and unavoidable.”

However impacts can be reduced even more by restricting CCT (correlated color temperature) less than 3000K and more like 2700K in most cases. Even restricting CCT to 2200K would be appropriate where historic or period fixtures were involved.

Response 26-4

The comment makes various recommendations that are specific to outdoor sports lighting. As indicated in the responses above, the project would comply with Title 24 energy efficiency requirements and all lighting fixtures would be approved by the International Dark Sky Association pursuant to Policy 7.6.1 of the Jackson Township Specific Plan.

The comment suggests that mitigation requiring LED sports lighting that results in 0 foot candles of light beyond the sports field and requiring CCT lighting of less than 3000K would reduce the significant and unavoidable impact associated with implementation of the Project. The language quoted in the comment is from “Impact: New Sources of Light” in Chapter 4, “Aesthetics,” of this EIR. The conclusion is based on the general potential to “introduce a substantial amount of new lighting to an area that is currently rural and largely unlit, thereby adversely affecting nighttime views of the Plan Area.”

As explained further in the impact discussion, although there could be a sports field constructed at the joint Middle School/High School identified in the plan, the school would be constructed by Elk Grove Unified School District (EGUSD). The County does not have the authority to determine the feasibility of or impose this mitigation on EGUSD. In addition, “EGUSD uses the most energy-efficient fixtures available at the time of construction, and fixtures are installed in a manner that creates the least possible amount of light pollution.”

The Sacramento Raceway produces light in the existing condition and the potential effect of the Raceway lighting is distinct from the overall ambient increase in light. In this instance, there is a potential for future residents to be exposed to the existing stadium lighting because the Sacramento Raceway is a non-participating property that could continue to operate for some time. It is the County’s understanding that the raceway is planned for closure in November 2023 (Smith, pers. comm. 2021). As explained in Chapter 4, there is no mitigation available to reduce this impact because the Project Applicant and the County does not have ownership control of the property. As such, it is infeasible to require that the Sacramento Raceway install energy-efficient LED fixtures.

Comment 26-5

The DEIR references the Sacramento Raceway ---

Mitigation of lighting impacts could be accomplished by the developer by updating, improving and bringing into compliance with the Project Design Guides of the existing Raceway lighting.

Response 26-5

The existing Sacramento Raceway is not an effect of the Project that requires mitigation. The raceway currently exists and is the primary source of nighttime lighting in the Plan Area, as documented in the Draft EIR (pages 4-2 and 4-11). As explained on page 7-18:

although it is anticipated that the Sacramento Raceway property would eventually be developed and converted to urban uses (which would reduce spillover lighting from that property), this parcel is currently a non-participating property that may remain in its current state during Project buildout. The tall light standards that light the racetrack and buildings could have a negative effect on proposed land uses. There is no mitigation available to reduce this impact because the Project Applicant and the County do not have ownership control of the property.

No revisions to the Draft EIR have been made in response to this comment.

Comment 26-6

Streams and Rivers ---

The DEIR references the Sacramento County General Plan regarding Stream Corridor Ordinance, Cosumnes River Protection...

Light Pollution has been identified as one component contributing to predation of endanger species such as salmon.

While direct light on our streams and rivers is without question responsible for predation on endangered salmon, over all ambient light levels at night in many cases have created "crepuscular light levels contributing to predation, proper lighting (shielding and CCT) can mitigate this issue.

Approved lighting by IDA and lower CCT can address these issues that may result beyond the project boundary.

All lighting adjacent to rivers and stream or vernal pools should be prohibited.

Response 26-6

The comment identifies General Plan Policy CO-7, which states that specific plans are reviewed for applicability of protection zones identified in the General Plan. The Plan Area is not in any of the protection zones noted in Policy CO-7. The Recirculated Draft EIR includes a discussion of lighting, the development standards applicable to the Plan Area, and potential effects on wildlife (refer to page 8-81). No revisions were made to the Draft EIR in response to this comment. Nonetheless, the comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 26-7

Jackson Township Specific Plan ---

As part of this DEIR is reference to the Jackson Township Specific Plan.

The Jackson Township Specific Plan references CCT, energy efficient LED lighting, dimming, none of which addresses requirements such as noted above.

The plan should be more specific., stating the requirements for; CCT of 3000K or less, adaptive lighting as noted previously.

Law Enforcement and CPTED.

CPTED principals do not support excessive lighting levels and do support reduction of glare. Motion sensor activated outdoor lighting enhances security without wasting energy or when properly shielded prevents glare.

A requirement for 1.5 foot-candles is excessive minimum maintained illumination is excessive. Ref. "Project lighting levels shall be 1.5 foot-candles of minimum maintained illumination per square foot of parking surface during business hours and 0.25 foot-candles of minimum maintained illumination per square foot of surface on any walkway, alcove, passageway, etc.,"

Note with new full spectrum 3000K LEDs these levels are not necessary.

Digital Billboards, Electronic Messaging ---

Digital Billboards should be prohibited. FULL STOP

In May 2019 the IDA Announces Lighting Guidelines for Electronic Messaging Centers please refer to the following Internet link. ---<https://www.darksky.org/ida-announces-lighting-guidelines-for-electronic-messaging-centers/>

Response 26-7

The comment is specific to the lighting and design requirements in the Jackson Township Specific Plan and does not address the analysis or conclusions in this EIR. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 26-8

Additional/Reference and Internet Links ---

IDA Announces Criteria for Community-Friendly Outdoor Sports Lighting

<https://www.darksky.org/ida-announces-criteria-for-community-friendly-outdoor-sports-lighting/>

Why is Blue Light at Night Bad?

<https://www.darksky.org/why-is-blue-light-at-night-bad/>

Tucson, Arizona, U.S. Skyglow Reduced 7% after Street Light Conversion

<https://www.darksky.org/tucson-arizona-u-s-skyglow-reduced-7-after-street-light-conversion/>

5 Popular Myths About LED Streetlights

<https://www.darksky.org/5-popular-myths-about-led-streetlights/>

City's LED Retrofit Shows Need For Careful Lighting Choices

<https://www.darksky.org/citys-led-retrofit-shows-need-for-careful-lighting-choices/>

LED: Why 3000K or Less

<https://www.darksky.org/our-work/lighting/lighting-for-citizens/3k/>

IDA Fixture Seal of Approval

<https://www.darksky.org/our-work/lighting/lighting-for-industry/fsa/>

CalGreen Lighting Color Temperature Restrictions

<https://efiling.energy.ca.gov/Lists/DocketLog.aspx?docketnumber=17-BSTD-03>

Comments Letters regarding 3000K/2700K CalGreen outdoor lighting

<https://efiling.energy.ca.gov/GetDocument.aspx?tn=224851&DocumentContentId=55438>

<https://efiling.energy.ca.gov/GetDocument.aspx?tn=224886&DocumentContentId=55478>

City of Malibu Dark Sky Ordinance

<https://www.malibucity.org/705/Dark-Sky-Ordinance>

Response 26-8

The comment provides additional reference links. These materials are acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 27

Lisa Infusino, member of the community, written correspondence; dated October 9, 2019.

Comment 27-1

Thank you for the opportunity to review and comment on the Draft EIR. I'm a resident of the Independence at Mather Community (the "Community") and am deeply concerned with the traffic impacts that the Plan will have on the Community. The traffic study (appendix TR-1) tables and various studies neglect to include the impact to the portion of the Community located on Excelsior Road-Mather Blvd. This exclusion is throughout the traffic study and is referenced as footnote 4. Why was this segment excluded and what impacts does the exclusion have on the data?

Response 27-1

The comment is specific to the technical analysis of traffic congestions included in Appendix TR-1. The segment of Excelsior Road-Mather Boulevard through the Community was studied in all scenarios, identified as segment ID #83 in the technical report. Table 3.5 shows this to be a significant impact for roadway capacity. Table 3.11 shows this to be a significant impact for rural roadway, which would be mitigated through construction of the Douglas Road Extension (i.e., the County would not widen to four lanes through the Community; however, providing a parallel route would greatly reduce cut-through traffic), as shown in Table 3.12. Table 3.15 shows that shoulders would be required where the roadway currently lacks them. Table 3.16 shows that the construction of the Douglas Road Extension fully mitigates the Project's impact to segment #83 in the Community. Table 3.19 shows that the shoulders fully mitigate the Project's functionality impact to segment #83.

Comment 27-2**Traffic Study (appendix TR-1), pages 127 and 160, tables 4.4 and 4.11:**

Project line item 83, please explain how and why the traffic volume decreases from 6,751 to 4,400 after the Plan and additional projects. This does not make sense.

Response 27-2

The comment is specific to the technical analysis of traffic congestions included in Appendix TR-1. With the Jackson Township project alone, Table 3.5 shows that traffic volumes would increase from 6,751 (existing) to 8,680 (with Jackson Township) on segment #83. This increase is attributable to cut through traffic from the Project site to US 50 and Rancho Cordova. With all four projects in place (i.e., also including West Jackson, NewBridge, and Mather South), however, the volume is anticipated to be 4,400 because several new roadways would be constructed, including Kiefer Boulevard between Happy Lane and Zinfandel Drive, Zinfandel Drive between Woodring Drive and Kiefer Boulevard, and a new major north/south roadway extending south of Routier Road's current terminus. This would provide motorists with several new options when traveling north from the Plan Area. In addition, some of the existing traffic that cuts through the Independence at Mather Community would have better options on new and widened roads elsewhere.

Comment 27-3**Traffic Study (appendix TR-1), pg. 71 table 3.5:**

Project line item 83, shows a level "F" of service from the Plan area north to Douglas Blvd. The mitigation listed in table 3.15 on page 108 suggests widening lanes to County levels. Please explain how this mitigation will help to reduce the traffic impact. The section of the road located within the Community is excluded. The lane transitions before and after the Community will only cause accidents to occur due to veering.

Response 27-3

The comment is specific to the technical analysis of traffic congestions included in Appendix TR-1. Table 3.15 presents mitigations for functionality impacts. Portions of roadway segment #83 outside of the Independence at Mather Community need shoulders to mitigate the safety impacts. Table 3.16 shows mitigations for the traffic/level of service impacts. Construction the Douglas Road Extension would reduce traffic volumes through the Independence at Mather Community to below the threshold of significance.

Comment 27-4

The northern/southern entrance into the Plan area is via Excelsior Road or via Sunrise Blvd. Excelsior Road is a two lane narrow street with vehicle parking on one side only. One car in each lane barely fits due to the narrow width of the street. Given the increased traffic on Excelsior, how are fire trucks and other large sized emergency response vehicles going to be able to navigate through the stopped traffic during peak commute time? There is no room on either side for expansion due to the proximity of the existing residences.

Response 27-4

The comment requests additional information about emergency access to the Plan Area. Refer to "Impact: Emergency Access and Hazardous Design Feature Impacts" (page 20-136 of the Recirculated Draft EIR), which explains that the effect on emergency access would be less than significant, in part because the design of local roads would occur in coordination with Sacramento Metro Fire to ensure that they would accommodate emergency vehicles. Excelsior Road is planned to be widened to a four-lane facility and would be constructed to County standards to ensure adequate access for emergency vehicles. See responses above for additional information.

Comment 27-5**Summary pages, ES-49 through ES-52:**

Many traffic impacts are categorized as "S" "significant" to "SU" "significant and unavoidable". As detailed and discussed, while construction and development of the Plan progresses, street and road improvements will not necessarily occur concurrently.

Rather, a transportation tool will prioritize the road projects for the entire County which will include roads not directly impacted by the Plan. The draft EIR makes reference to the Douglas Road Extension Bypass, however construction of the bypass does not appear to be a requirement for the Plan to move forward. Simply put, Excelsior Road cannot handle the additional volume of traffic that the Plan will bring to the Community and the Plan should be rejected.

Response 27-5

The comment provides an opinion on the merits of the Project based on the traffic impacts anticipated in the Draft EIR. This comment is acknowledged for the record and will be forwarded to the decision makers for consideration. Construction of the bypass is part of the Jackson Highway mitigation strategy, which the Jackson Township Specific Plan would participate in. The timing for construction would be determined by a traffic analysis tool that tracks traffic volumes as development progresses. Sacramento County Department of Transportation has commenced preliminary engineering work to identify the alignment of the bypass.

LETTER 28

Melinda Martel, member of the community, written correspondence; dated October 31, 2019.

Comment 28-1

As a longtime resident of Rancho Murieta, I am voicing my dissatisfaction over the changes you are making that will significantly increase my already nightmarish commute into town. Jackson Hwy was straightened years ago, a process that was many years in the making and the day they started straightening it, was the day we outgrew the new road and it has been progressively worse since. Now we are stuck at the Sloughhouse corn stand to get thru Grant Line, as soon as you pass Grant Line, you have to wait for Sunrise to clear. If Deer Creek runs over all that traffic funnels back onto Jackson Hwy. It then becomes a parking lot. Coming down sunrise at 4 pm, you are held up at z Keifer, but it does move, Jackson Hwy does not, the lights let few thru, there are no turn lanes and the Amador traffic in addition to all the drivers (school buses are unreliable, lots of students) make Jackson Hwy commute a nightmare and your proposals will significantly impact it for the worse. Please reconsider.

Response 28-1

The comment expresses concern regarding traffic and congestion on State Route (SR) 16. As of July 1, 2020, automobile delay is no longer a consideration when identifying a significant impact under CEQA. VMT has replaced congestion as the metric for determining transportation impacts under CEQA and the Recirculated Draft EIR was revised to evaluate VMT. The analyses of traffic operations provided in the Draft EIR are no longer characterized as impacts but were retained for disclosure because the

County may use the LOS analyses to evaluate consistency with County regulations, including policies in the General Plan.

Nonetheless, Applicant will participate in the Jackson Corridor Transportation Mitigation Strategy (as approved by the Board of Supervisors on July 23, 2019, and amended on March 9, 2021), which is assumed to be required by the County as conditions of approval and/or in the development agreement for the Project. Through this separate process, the Project Applicant would be required to construct or provide funding for a fair share of transportation improvements identified in the county's master list of cumulative improvements for the area that is designed to result in timely improvements to SR 16, including expansion to up to 6 lanes. Improvements to SR 16 have been identified as a regional priority and implementation of improvements would occur in step with development based on performance standards developed through the Mitigation Strategy.

The comment does not address the analysis or conclusions of this EIR. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 29

Nancy L. Huggett, member of the community, written correspondence; dated October 31, 2019.

Comment 29-1

The Jackson Township Specific Plan Draft Environmental Impact Report (DEIR) does not adequately mitigate for the following:

The permanent loss of natural space. This may seem trivial to some, but our connection to nature is essential to human physical and mental health. This is important, even when just viewing the landscape outside your window as you drive on Highway 16. The loss of natural space, or green fields, lowers the quality of life for Sacramento-area residents.

Response 29-1

The comment does not address the adequacy of the Draft EIR analysis or proposed mitigation but simply restates the impacts the Draft EIR identified. Thus, no changes to the document are necessary.

Comment 29-2

The potential deterioration of Sacramento-area's air quality. The increase in air pollutants emitted, because of the resulting increase in numbers of car trips and vehicle-miles-travelled (VMT). This project is basically leap-frog development.

The increase in climate-related gases emitted. This project will result in increased emissions of carbon dioxide and other climate-forcing gases, due to the significant increase in numbers of car trips and VMT.

Response 29-2

The comment does not address the adequacy of the Draft EIR analysis or proposed mitigation but simply restates the impacts the Draft EIR identified. Refer to Chapter 6, "Air Quality," and Chapter 9, "Climate Change." Thus, no changes to the document are necessary.

Comment 29-3

A loss of habitat for many species of animals, possibly including endangered ones.

Response 29-3

The comment does not address the adequacy of the Draft EIR analysis or proposed mitigation but simply restates the impacts the Draft EIR identified. Refer to Chapter 8, "Biological Resources." Thus, no changes to the document are necessary.

Comment 29-4

I recommend that the DEIR should consider an alternate plan with a much smaller footprint.

Response 29-4

The comment provides a policy recommendation and is not a comment on the analysis or conclusions of this EIR. This EIR includes several alternatives with reduced development footprints for consideration, including Alternatives 2, 2A, and 3. Following the publication of the DEIR, the applicant chose to proceed with Alternative 2 which includes a larger preserve area and a smaller development footprint. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 30

Roxanne Fuentez, member of the community, written correspondence; dated October 17, 2019.

Comment 30-1

I oppose the Jackson Township Specific Plan, which would develop 1,391 acres of open space in Sacramento County, along with a proposed Urban Policy Area (UPA) Amendment. The General Plan Goals of Sacramento County were to preserve open space - this proposed development flies in the face of those goals. This land should be

preserved as open space grassland for preservation of many species of birds and animals such as Swainson's Hawks, Western Burrowing Owls, American Badgers, White-tailed Kites, Tri-colored Blackbirds, Pallid Bats, and many others; also the Vernal Pool Fairy Shrimp occurs within the Plan Area, a large portion of which has been designated as critical habitat for this species. There is not enough open land left in Sacramento County to mitigate the loss of these habitats.

Response 30-1

The purpose of this EIR is to inform decision makers and the public about the Project's significant environmental impacts and ways to reduce or mitigate them. The comment expresses opposition to the project but does not address the adequacy of the EIR's analysis or proposed mitigation. Rather, the comment restates the impacts the EIR has already identified. Thus, no changes to the document are necessary. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 30-2

This land should also be preserved as possible agriculture land for future generations. There would be no Farm to Fork events if there were no lands left to farm. Also, there needs to be night sky areas for appreciation of celestial events.

Response 30-2

This comment encourages the preservation of agricultural land and night sky but does not identify any deficiencies in the EIR. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 30-3

The Sacramento Raceway is an important resource and needs to be protected from urban development. This Raceway provides a legal place for auto enthusiasts to race their vehicles. This provides safety for the racers and the public alike and is therefore an important and valuable facility that should be protected.

Response 30-3

This comment does not address the adequacy of the EIR and does not raise a significant environmental issue requiring a response. Rather, the comment expresses its author's opinion that the Sacramento Raceway should be protected. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 31

Roxanne Fuentez, member of the community, written correspondence; dated November 1, 2019.

Comment 31-1

I oppose the Jackson Township Specific Plan, which would develop 1,391 acres of open space in Sacramento County, move the UPA (Urban Policy Area), and rezone the plan area. This land should be preserved as open space grassland. In the Plan Area annual grassland and vernal pools provide habitat for many birds and animals. The rangeland and grassland with trees, farmsteads, barns, grazing cattle, horses, and sheep creates a pleasing visual panorama. This project would permanently change the visual character of the area. It would have multiple story buildings, which would block distant views of the horizon in all directions.

Response 31-1

The purpose of this EIR is to inform decision makers and the public about the Project's significant environmental impacts and ways to reduce or mitigate them. The comment expresses opposition to the project but does not address the adequacy of the EIR's analysis or proposed mitigation. Rather, the comment restates the impacts the EIR has already identified. Thus, no changes to the document are necessary. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 31-2

79 acres of Farmland of Local Importance, 3 acres of prime Farmland, and 1,044 acres of Grazing Land would be destroyed by this project. We should protect farmland and ranchland for future farmers. There can be no Farm To Fork events if there is no land left to farm.

The Plan Area contains vernal pools, seasonal wetlands, perennial marshes, creeks, drainage ditches, and ponds. The Plan Area contains Valley Grasslands, which surround vernal pool complexes providing areas for movement, nesting, and foraging for animals and birds. Many wild flowers and plants are found in these areas.

Response 31-2

The purpose of this EIR is to inform decision makers and the public about the Project's significant environmental impacts and ways to reduce or mitigate them. The comment does not address the adequacy of the EIR's analysis or proposed mitigation but simply restates the impacts the EIR has already identified. Thus, no changes to the document are necessary. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 31-3

The Plan Area contains vernal pools, seasonal wetlands, perennial marshes, creeks, drainage ditches, and ponds. The Plan Area contains Valley Grasslands, which surround vernal pool complexes providing areas for movement, nesting, and foraging for animals and birds. Many wild flowers and plants are found in these areas.

Federally listed plant species are Slender Orcutt Grass and Sacramento Orcutt Grass. State or Local Protected species of plants are Bogg's Lake Hedge - hyssop, Dwarf Downingia, Ahart' s Dwarf Rush, Legenere, and Sanford's Arrowhead. These would all be destroyed by the proposed project.

Over 800 trees are present in the plan area. These would be destroyed by the project.

The Plan Area provides critical habitat for the Federally Listed Vernal Pool Fairy Shrimp, the Vernal Pool Tadpole Shrimp, and the Valley Elderberry Longhorn Beetle. The Plan Area provides habitat for the State and Locally Protected Midvalley Fairy Shrimp, Ricksecker's Scavenger Beetle, Western Spadefoot Toad, and Western Pond Turtles. These animals and insects would be destroyed by the project.

500 of the Threatened Tricolored Blackbirds have been observed nesting in the Plan Area. The rare Cooper's Hawk occurs in the Plan Area. The Threatened Swainson' s Hawk forages and nests in the Plan Area. The California Species of Special Concern Northern Harrier occurs in the Plan Area. The White-Tailed Kite, a species Fully Protected under California Fish and Game Code, is found in the Plan Area. The Western Burrowing Owl, a California Species of Special Concern, occurs in the Plan Area. The Grasshopper Sparrow, a California Species of Special Concern, forages and nests in dense grasslands present in the Plan Area. The California Species of Special Concern Song Sparrow is present in the Plan Area. The Loggerhead Shrike, a California Species of Special Concern, forages and nests in the Plan Area. The Yellow-headed Blackbird, a California Species of Special Concern, forages and nests in the Plan Area. All of these birds and their habitat would be destroyed by the proposed project.

The American Badger, a California Species of Special Concern, occurs in the Plan Area. The Western Red Bat and the Pallid Bat, both California Species of Special Concern, are found in the Plan Area. These animals would be killed if the project is implemented.

Response 31-3

The purpose of this EIR is to inform decision makers and the public about the Project's significant environmental impacts and ways to reduce or mitigate them. The comment does not address the adequacy of the EIR's analysis or proposed mitigation but simply restates the impacts the EIR has already identified. Thus, no changes to the document are necessary. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 31-4

The primary cause of global temperature rise is the loss of green plants worldwide - trees, shrubs, and grasslands. These plants absorb CO₂ (Carbon Dioxide) the over presence of which is known to cause temperature rise. The destruction of millions of these plants per day is causing the global rise of temperatures. Therefore, implementation of the proposed project, since it would destroy over a thousand acres of grassland, shrubs, and trees, would add to a rise of global temperatures.

Response 31-4

The comment asserts that the conversion of open space to urban uses would contribute to rising global temperatures. As stated in on page 9-2 of the Recirculated Draft EIR, “no single project alone would measurably contribute to an incremental change in the global average temperature, or to global, local, or microclimates.” The comment attributes increased global temperatures to loss of plant life because of the Project but provides no evidence or citations for support. Refer to Response 24-1 for additional discussion of carbon sequestration. The comment does not address the analysis or conclusions of this EIR and no further response is required.

Comment 31-5

Archaeological artifacts found in the Plan Area were not fully documented. Therefore, it is possible that significant buried archaeological materials are present in the Plan Area and would be damaged or destroyed by the proposed project.

Tribal resources have not been fully documented in the Plan Area. Therefore, there is the potential for damage or destruction to these resources by the proposed project.

All historical structures have not been evaluated in the Plan Area, therefore implementation of the proposed project could potentially damage or destroy these resources.

Response 31-5

The comment generally summarizes the content of the EIR and does not comment on the analysis or conclusions in a manner that requires response. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 31-6

42 percent of the Plan Area is located within the Over Flight Zone of Mather Airport. The proposed project could impose limits on Mather Airport operations.

Response 31-6

Chapter 7, “Airport Compatibility,” specifically addresses the portions of the Plan Area located within the Overflight Zone. The CLUP restricts the land uses and maximum height of buildings within the Overflight Zone. The evaluation in “Impact: Safety Hazards to People Living and Working in the Vicinity of an Airport” indicates that “[n]one of the restricted uses cited in the CLUP land use compatibility table are proposed within the area located within the Overflight Zone” (Recirculated Draft EIR page 7-14). In this manner, the Airport imposes limits on proposed land uses within the established safety zones and the Project would not limit operation of Mather Airport. The comment does not address the analysis or conclusions of this EIR and no further response is required.

Comment 31-7

The proposed project will introduce new sources of light to the Plan Area. This will affect the life cycles of various animals. It will also impact the ability to see the night sky.

Response 31-7

The comment does not address the adequacy of the EIR’s analysis or proposed mitigation but simply restates the impacts the EIR has already identified. Refer to the discussion of lighting in “Impact: Interference with the Movement of any Native Resident or Migratory Species” (beginning on page 8-81 of the Recirculated Draft EIR) and “Impact: New Sources of Light” (beginning of page 4-17 of the Recirculated Draft EIR). The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 31-8

The loss of wetlands and other waters in large expanses of open space cannot be compensated for or mitigated. The loss of these areas and associated wildlife species should not be allowed. We need to preserve these large open areas within Sacramento County for future generations, and for animals to have places to live.

Response 31-8

This comment does not address the adequacy of the EIR and does not raise a significant environmental issue requiring a response. Rather, the comment expresses its author’s opinion that wetland resources should be preserved. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 31-9

The Sacramento Raceway is important to Sacramento County. No houses should be built near this facility. The Raceway provides a legal place for auto enthusiasts to race their vehicles. This provides safety for the racers and the public. Sacramento Raceway is an important and valuable facility, which should not be encroached upon.

Response 31-9

This comment does not address the adequacy of the EIR and does not raise a significant environmental issue requiring a response. Rather, the comment expresses its author's opinion that the Sacramento Raceway should be protected. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 31-10

During General Plan Hearings, Sacramento County Planners and Commissioners voiced their desire to preserve large areas of open space in Sacramento County. This proposed project contradicts that desire, and would instead destroy more irreplaceable open land forever. Please do not approve this Project.

Response 31-10

This comment does not address the adequacy of the EIR and does not raise a significant environmental issue requiring a response. Rather, the comment expresses its author's opposition to the project. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 32

Bob Armstrong, Regional San Development Services & Plan Check, Regional San, written correspondence; dated September 25, 2019.

Comment 32-1

Local sanitary sewer service for the proposed project site will be provided by the Sacramento Area Sewer District's (SASD) local sewer collection system. Ultimate conveyance of wastewater from the SASD collection system to the Sacramento Regional Wastewater Treatment Plant (SRWTP) for treatment and disposal will be provided by the Regional San Interceptor system.

Customers receiving service from Regional San and SASD are responsible for rates and fees outlined within the latest Regional San and SASD ordinances. Fees for connecting to the sewer system are set up to recover the capital investment of sewer treatment facilities that provides service to new customers. The SASD ordinance is located on the SASD website at <https://www.sacsewer.com/sewer-ordinance>, and the Regional San ordinance is located on the Regional San website at: <https://www.regionalsan.com/ordinance>.

Regional San and SASD are not land-use authorities. Projects identified within Regional San and SASD planning documents are based on growth projections provided by land-use authorities. Sewer studies will need to be completed to assess the impacts of any

proposed project that has the potential to increase flow demands. Onsite and offsite impacts associated with constructing sanitary sewer facilities to provide service must be included in subsequent environmental impact reports.

Response 32-1

The comment provides information about the services provided by Regional San and SASD. As described in Chapter 19, “Wastewater and Solid Waste Utilities,” of this EIR, a Sanitary Sewer Study has been prepared by the Project Applicant and approved by SASD. The County acknowledges that any change to the Project that could increase flow would require additional study. Onsite and offsite sanitary sewer facilities anticipated to serve the Plan Area are evaluated in “Impact: Adverse Effects Associated with Construction of Wastewater Treatment and Disposal Infrastructure” beginning on page 19-8 of the Recirculated Draft EIR. Subsequent evaluation of this infrastructure may be required if the design or conditions change in a manner which could result in a new or substantially more severe environmental effect.

Comment 32-2

The SRWTP provides secondary treatment using an activated sludge process. Incoming wastewater flows through mechanical bar screens through a primary sedimentation process. This allows most of the heavy organic solids to settle to the bottom of the tanks. These solids are later delivered to the digesters. Next, oxygen is added to the wastewater to grow naturally occurring microscopic organisms, which consume the organic particles in the wastewater. These organisms eventually settle on the bottom of the secondary clarifiers. Clean water pours off the top of these clarifiers and is chlorinated, removing any pathogens or other harmful organisms that may still exist. Chlorine disinfection occurs while the wastewater travels through a two mile “outfall” pipeline to the Sacramento River, near the town of Freeport, California. Before entering the river, sulfur dioxide is added to neutralize the chlorine. The design of the SRWTP and collection system was balanced to have SRWTP facilities accommodate some of the wet weather flows while minimizing idle SRWTP facilities during dry weather. The SRWTP was designed to accommodate some wet weather flows while the storage basins and interceptors were designed to accommodate the remaining wet weather flows.

A NPDES Discharge Permit was issued to Regional San by the Central Valley Regional Water Quality Control Board (Water Board) in December 2010. In adopting the new Discharge Permit, the Water Board required Regional San to meet significantly more restrictive treatment levels over its current levels. Regional San believed that many of these new conditions go beyond what is reasonable and necessary to protect the environment, and appealed the permit decision to the State Water Resources Control Board (State Board). In December 2012, the State Board issued an Order that effectively upheld the Permit. As a result, Regional San filed litigation in California Superior Court. Regional San and the Water Board agreed to a partial settlement in October 2013 to address several issues and a final settlement on the remaining issues were heard by the Water Board in August 2014. Regional San began the necessary

activities, studies and projects to meet the permit conditions. The new treatment facilities to achieve the permit and settlement requirements must be completed by May 2021 for ammonia and nitrate and May 2023 for the pathogen requirements.

Regional San currently owns and operates a 5-mgd Water Reclamation (WRF) that has been producing Title 22 tertiary recycled since 2003. The WRF is located within the SRWTP property in Elk Grove. A portion of the recycled water is used by Regional San at the SRWTP and the rest is wholesaled to the Sacramento County Water Agency (SCWA).

SCWA retails the recycled water, primarily for landscape irrigation use, to select customers in the City of Elk Grove. It should be noted that Regional San currently does not have any planned facilities that could provide recycled water to the proposed project or its vicinity. Additionally, Regional San is not a water purveyor and any potential use of recycled water in the project area must be coordinated between the key stakeholders, e.g. land use jurisdictions, water purveyors, users, and the recycled water producers.

Response 32-2

The comment provides information about Regional San's facilities and processes and is not a comment on the content or analysis in this EIR. The analysis in Chapter 18, "Water Supply," does not assume that recycled water would be provided to the Plan Area.

LETTER 33

Paul Philley, AICP, Program Supervisor, Sacramento Air Quality Management District, written correspondence; dated October 30, 2019.

Comment 33-1

- Mitigation Measure AQ-1B (in the Executive Summary and the Air Quality Chapter): We strongly recommend that the County use the language from our Enhanced On-Site Exhaust Controls guidance, including the footnote. See Attachment 1.

Response 33-1

Mitigation Measure AQ-1b includes all the same requirements as the Enhanced On-Site Controls Guidance, including the footnote. It is not clear from the comment what aspect of the guidance SMAQMD believes should be added or replaced in Mitigation Measure AQ-1b; however, the County believes that AQ-1b includes consistent requirements. For this reason, no changes have been made in response to this comment.

Comment 33-2

- Mitigation Measure AQ-2a (in the Executive Summary and the Air Quality Chapter): Clarify that this measure applies to the Proposed Project rather than the Alternative 2 Project Scenario (Alternative 2). An AQMP/GHGRP for Alternative 2 was verified for technical adequacy by SMAQMD on June 12, 2019.

Response 33-2

Language was added to Mitigation Measures AQ-2a in the Recirculated Draft EIR clarifying that it would only apply to the Project as proposed and would not apply to Alternative 2 because SMAQMD has verified the technical adequacy of the AQMP prepared for Alternative 2.

Comment 33-3

- Mitigation Measure AQ-2b (in the Executive Summary and the Air Quality Chapter): Please note that SMAQMD has submitted comments on the draft Public Facilities Financing Plan (PFFP) and draft Urban Services Plan (USP) requesting that the PFFP & USP be revised to clearly outline the funding mechanism(s) and minimum services provided in the Transportation Management Association (TMA) membership portion of this mitigation measure.

Response 33-3

The comment that SMAQMD submitted comments on the Public Facilities Financing Plan and Urban Services Plan regarding clear definition of the funding mechanisms for the Transportation Management Association (TMA) are noted. Descriptions of the TMA services and funding mechanisms are included beginning on page 38 of the Urban Services Plan and page 58 of the Public Facilities Financing Plan.

Comment 33-4

- Mitigation Measures CC-1A and CC-1B (in the Executive Summary and the Climate Change Chapter) are labeled in an inconsistent order compared to mitigation measures AQ-1A and AQ-1B. To reduce confusion for the enforcement staff and construction companies that must implement these measures, we recommend re-labeling the Proposed Project mitigation measure as CC-1A and the Alternative 2 mitigation measure as CC-1B.
- The mitigation measure currently identified in the DEIR as CC-1B: Clarify that this measure applies to the Proposed Project rather than Alternative 2. An AQMP/GHGRP for Alternative 2 was verified for technical adequacy by SMAQMD on June 12, 2019.

Response 33-4

As explained in the Recirculated Draft EIR, the GHGRP was revised to reflect the 2020 guidance for evaluating GHG impacts under CEQA that were developed and adopted

by SMAQMD. Mitigation Measures CC-1A and CC-1B in the Draft EIR were replaced with Mitigation Measures CC-1 and CC-2 in the Recirculated Draft EIR, which reflect the tiered BMPs endorsed by SMAQMD under the new guidance. Therefore, no changes have been made in response to this comment.

Comment 33-5

- Air Quality Chapter, Odors:
 - The Odor section of the Air Quality Chapter only states that the eastern boundary of the Plan Area could include sensitive land uses such as residences and is closer than SMAQMD-recommended 4-mile odor screening distance for siting sensitive land uses within the vicinity of the Sacramento Rendering Company (SRC). However, the entire Plan Area, no matter which alternative is chosen, is within this 4-mile odor screening distance. The Odor section should be revised to state that the entire Plan Area is within the 4-mile odor screening distance.
 - Since the year 2000, the SMAQMD has responded to 60 complaints per year (on average) from residents located in nearby development projects regarding SRC odors. To provide additional disclosure to new residents, we recommend the FEIR include the attached statement (Attachment 2) regarding our role in regulating the SRC. Should this project's sensitive land uses be constructed prior to the relocation of the SRC, we request that the County consider including funds in the PFFP/USP to reimburse the SMAQMD for increased complaint responses anticipated by locating additional sensitive receptors in close proximity to the SRC. SMAQMD staff is available to work with County staff on complaint response funding needs.

Response 33-5

CEQA requires disclosure of Project emissions that could lead to odors that may adversely affect a substantial number of people—not existing adverse environmental conditions potentially affecting the residents and users of a proposed project. SMAQMD's own Guide to Air Quality Assessment in Sacramento County echoes this rule of law when it states that an "impact of the existing environmental conditions on a project's future users or residents" is "not a CEQA impact." Further, SMAQMD's 4-mile odor screening distance is intended primarily for siting of "odor-generating facilities," not for siting of future residences near such existing facilities.

This comment does not identify any deficiencies in the EIR analysis. However, Recirculated Draft EIR was updated to indicate that the entire Plan Area is within the 4-mile screening buffer (refer to pages 6-9, 6-52, and 6-53). The project's financing plan is specific to the public facilities and infrastructure necessary to serve the project; it is not appropriate to include funding in the financing plan for purposes not related to public facilities and infrastructure. However, this comment is part of the administrative record and will be considered by the decision makers.

Comment 33-6

- Air Quality Chapter, Impacts and Analysis, Significance Criteria:
 - Please cite our white paper Foundation for a Threshold: *Justification for Air Quality Thresholds of Significance in the Sacramento Federal Nonattainment Area*, adopted by the SMAQMD Board of Directors in 2002, when citing our goal of reducing reactive organic gases (ROG) by 0.45 tons per year and oxides of nitrogen (NOx) by 0.49 tons per year through our operational significance thresholds.

Response 33-6

Citation to the white paper was added in the Recirculated Draft EIR. See pages 6-15 and 6-17.

Comment 33-7

- Table AQ-6: For clarity, we recommend adding a footnote to each “NA” statement, that notes that SMAQMD has operational ROG and NOx thresholds on a pounds-per-day basis.
- Table AQ-8: For clarity, we recommend adding a footnote to each “NA” statement, that notes that SMAQMD has operational ROG and NOx thresholds on a pounds-per-day basis.

Response 33-7

The Recirculated Draft EIR includes the suggested footnotes in Tables AQ-6 and AQ-8.

LETTER 34

Nicole Goi, Regional & Local Government Affairs, Sacramento Municipal Utility District, written correspondence; dated October 30, 2019.

Comment 34-1

SMUD would like to have the following details addressed:

Glossary: SMUD stands for Sacramento Municipal Utility District. Please make this correction in the glossary and anywhere else this error occurs.

Please change SMUD Environmental Management to SMUD Environmental Services.

Response 34-1

The comment identifies typographical errors that have been corrected in this EIR. These edits do not affect the analysis or conclusions in the EIR. Specifically, the first sentence of the third paragraph on page 9-16 is revised to read:

GHG emissions were estimated for electricity consumption based on GHG emission intensity factors for Sacramento ~~Metropolitan~~ Municipal Utility District (SMUD) and assumed compliance with California's Renewables Portfolio Standard (i.e., 60 percent renewable energy by 2030).

In addition, the definition on page 7 of the glossary is revised to read:

SMUD Sacramento ~~Metropolitan~~ Municipal Utility District

Finally, the last bullet of Mitigation Measure CU-E-6 on page 21-231 is revised to read:

- If they cannot be allowed to move out of harm's way on their own accord, SMUD field crews shall contact SMUD Environmental ~~Management~~ Services at (916) 732-5836, who will report the sighting to the appropriate agency (USFWS and/or CDFW). SMUD Environmental Management will have authority to stop activities until appropriate corrective measures have been completed or it is determined that the individual will not be harmed. Capture and relocation of trapped or injured species can only be attempted by agency-approved biologists.

LETTER 35

Blake D. Carmichael, member of the community, written correspondence; dated October 31, 2019.

Comment 35-1**Time/Duration**

Around 2002, between 7:30am and 8:00am, it took approximately 20-25 minutes to travel 19 miles (Rancho Murieta to Power Inn/Howe). Today if you leave Rancho Murieta at 7:30am, you may not get to the same area until 8:30am. Even when I leave earlier in the morning (i.e., 7:00am), I can still expect at least a 40-45 minute commute.

I have attempted to use alternate routes (i.e., Sunrise to 50 and similar variants; OR Grantline to Elder Creek and similar variants) with **most of those routes taking longer**. I shudder to think how **adding thousands of homes along Jackson/16 will impact commute times and communities along alternate routes**.

Response 35-1

As discussed in Response 28-1, improvements to SR 16 have been identified as a regional priority through a separate but related improvement program. The comment does not address the analysis or conclusions of this EIR. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 35-2**Safety**

The quality of Jackson/16 has progressively declined. The contours and lining of the road are such that **unsafe and illegal passing has become the norm**. Unfortunately, it is common to see multiple accidents along this route, some of which have been **fatal or life altering**.

I am strongly opposed to the county adding so many homes along the Jackson/16 corridor, particularly **without adequate infrastructure and safety improvements**. Doing so jeopardizes the safety of existing and future residents of this area. The citizens of Sacramento County deserve better.

Response 35-2

The comment expresses concern regarding existing safety on Jackson Highway. The analysis of "Impact: Roadway Functionality Impacts" on page 20-128 determines that the Project would result in significant and unavoidable impacts to roadway functionality, which can result in safety concerns. The analysis acknowledges the inherent difficulty with implementing the necessary facility upgrades as follows:

implementation of LOS Improvement Measures TR-4, TR-5, and Mitigation Measure TR-11 would result in fair share payment toward improvements that would reduce the impacts of the Project. However, it cannot be guaranteed that all of these improvements would be implemented concurrent with the phasing of development proposed for the Project because of the dynamic and interrelated nature of mitigation improvements that would serve multiple development projects. If all improvements were implemented in a timely way, all impacts would be reduced to a less-than-significant level. However, because the timing of implementation of all required improvements cannot be guaranteed and is not subject to the sole responsibility of just the Project Applicant and the County, it cannot be guaranteed that significant impacts to roadway functionality would be reduced to a less-than-significant at the time of development.

The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 36

Chris Desomer, member of the community, written correspondence; dated October 30, 2019.

Comment 36-1

I'm concerned about the new developments planned next to HWY16. It currently takes me 25 min to get to work. How long do you think it will take when this plan is implemented??? Don't "Funnel" our traffic East and West on HWY 16!

Response 36-1

As discussed in Response 28-1, improvements to SR 16 have been identified as a regional priority through a separate but related improvement program. The comment does not address the analysis or conclusions of this EIR. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 37

Cheryl McElhany, member of the community, written correspondence; dated October 30, 2019.

Comment 37-1

I am totally against the proposed plans for traffic on Jackson Rd. The back-up at Grantline during commute times is terrible now. So the impact of the massive development planned will be devastating for people trying to get to work in the morning and home at night. Please freeze these plans until a more acceptable plan can be developed.

Response 37-1

As discussed in Response 28-1, improvements to SR 16 have been identified as a regional priority through a separate but related improvement program. The comment does not address the analysis or conclusions of this EIR. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 38

Carl Werder, Ag-Res SCGA Director, Sacramento Central Groundwater Agency, written correspondence; dated November 20, 2019.

Comment 38-1

You requested this information at the Vineyard meeting last Thursday. The point of my presentation was to alert everyone to the fact that there may not be water available for all of this development along Jackson Hwy. Sacramento Central Groundwater Agency (SCGA) is now tasked with developing a Groundwater Sustainability Plan (GSP) by January 2022. (See Draft Plan Schedule)

SCGA originally submitted an Alternative Plan to DWR that was shot down this year. The primary reason for the denial of the Alternative Plan is the reliance on the negotiated groundwater extraction amount of 273,000 AF/yr. There is no scientific bases for this amount of groundwater extraction. Therefore, SCGA has until January 2022 to develop a GSP that scientifically determines a groundwater sustainability amount to insure that the basin remains at historical groundwater levels.

As part of your office's documents in support of development along Jackson Hwy is the attached Water Supply Assessment dated January 9, 2018. (See attached File) If you look at page 18 of this document you will see the paragraph I marked that talks about the Central Basin GMP. SCGA must address trigger points from the plan, but they have yet to do so. I've included one page showing these trigger points from the 2006 GMP. (See GMP 2006 trigger Points)

Response 38-1

A Water Supply Assessment was prepared by Sacramento County Water Agency (Appendix WS-2 to the EIR) pursuant to California Water Code Sections 10910-10915 and demonstrates that water supply is available for the project. The comment raises a concern regarding the availability of water for the proposed project, as well as the three other proposed master plans concurrently in the entitlement process along Jackson Highway. The four projects are within Sacramento County Water Agency's Zone 40 service area and the South American Sub-Basin. The comment is correct that Sacramento Central Groundwater Authority is responsible for submitting a Groundwater Sustainability Plan (GSP) for the Sub-basin to the California Department of Water Resources by January 2022. The South American Sub-basin GSP was prepared and submitted as required in January 2022. The GSP's cumulative growth assumptions include the Jackson Township project in Appendix 2B, CoSANA Model Report, Table 5-4.

The comment questions the validity of the 273,000 acre-feet per year sustainable yield that is the basis of the Water Forum Agreement. The 273,000 AFY sustainable yield was established and evaluated in the Water Forum Agreement Final Environmental Impact Report (City-County Office of Metropolitan Water Planning 1999). This sustainable yield was also used as the basis of analysis and modeling prepared in the SCWA Zone 40 WSMP Final EIR (SWCA 2002). Both of these EIRs identified the environmental effects associated with the conjunctive use (planned management and use) of surface and groundwater.

The WFA EIR evaluated regional surface and groundwater supply and demand impacts including the extraction of 273,000 AFY within the Central Area. The Central Area includes the areas where the following purveyors operate: Golden State Water Company, California-American Water Company, City of Sacramento, Elk Grove Water Works, Florin County Water District, Fruitridge Vista Water Company, Mather Air Force Base, Omochumne-Hartnell Water District (portion), Tokay Park Water Company, and the Sacramento County Water Agency (SCWA, which operates Zone 40 where the project is located). The 273,000 AFY average annual sustainable yield was recommended and ultimately approved and represents the year 2005 pumping amount for the Central Area by all purveyors and land owners. The Water Form underwent an extensive modeling process to identify the safe yield of the underlying groundwater basin. This modeling process consisted of developing assumptions for existing (at that time) water conditions, projected demands, location and depth of groundwater pumping, hydrologic conditions (e.g., pumping for local remediation efforts), and boundary conditions (e.g., interaction between groundwater basins). A series of modeled scenarios were evaluated including a 2030 Baseline Condition that assumed the full buildout of Sacramento County's Urban Policy Area (UPA) within which the project is located. Ultimately, the WFA recommended and adopted 273,000 AFY as the average annual sustainable yield of the Central Area groundwater basin (City-County Office of Metropolitan Water Planning 1999).

Considering this sustainable yield, the WFA EIR acknowledged that groundwater levels would continue to lower overtime, deepening cones of depression until the groundwater table stabilizes under the WFA sustainable yield.

The Zone 40 WSMP Final EIR evaluated surface and groundwater impacts for growth and development within its specific area, which falls within the Central Area of the South American Sub-basin. As described therein, the analysis demonstrates that when conjunctively managed, adequate supplies are available to meet projected growth demands. The Project's project-specific WSA supports this conclusion. The WFA's established sustainable yield of 273,000 AFY for the South American Sub-basin upon which the WFA EIR and Zone 40 WSMP and EIR rely upon, is the best information available regarding groundwater supply availability and management. While the commenter questions whether the sustainable yield is appropriate and cites other regional planning efforts that are in process, the commenter offers no evidence to support that the data and analysis relied upon in this EIR is inaccurate. As such, in absence of other validated data supporting a different sustainable yield, it reasonable and appropriate to rely upon this sustainable yield for the project's WSA. While the SCGA has prepared a GSP and submitted it for CA DWR's review, CA DWR has up to 2 years to review and approve the GSP. Until that occurs, the County has relied upon the best available information to assess the project's impacts to surface and groundwater supplies.

With regard to the commenter's assertion that there is no scientific basis to support the 273,000 AFY sustainable yield, the commenter is incorrect. For the reasons described above, an extensive and detailed modeling analysis considering a variety of variables was conducted in the development of the WFA. Through that scientific process, data

demonstrated that the Central Basin could be sustainably managed at the sustainable yield rate of 273,000 AFY. The environmental impacts (e.g., groundwater quality, subsidence, movement of contaminants, operations of wells) of this level of groundwater pumping were modeled and were presented in the EIR (see Section 4.3 of the WFA Draft EIR, 1999). While CA DWR reviewed an Alternative Plan prepared by SCGA, it was not able to determine from the information presented whether the 273,000 AFY sustainable yield, is equivalent to the sustainable yield defined by the Sustainable Groundwater Management Act (SGMA). SCGA has subsequently prepared a draft GSP that determined the sustainable yield of the sub-basin to avoid undesirable results, as defined by SGMA, to be 235,000 AFY. As stated above, the Jackson Township project's water demands are included in the SASB GSP.

Comment 38-2

As you can see by SCGA-6 monitoring well located on Eagles Nest Road between Florin and Grantline Roads the groundwater has dropped 50 feet in 15 years. (See attached SCGA-6 2019 and Monitoring Well Location Map) Note that the groundwater elevation has been below the WF low threshold for many years, a trigger point. This is just one example as a cone of depression exists under the Vineyard area. (See Fall 2018 GW Elevations) The red lines I've added are Jackson Hwy, Florin and Excelsior Roads. I've included an existing Supply Facilities map from 2014 so you can see the problem if additional wells are developed at the Excelsior Wellfield. Additional wells will only increase the problem we already have in this area.

As I stated on Thursday, the problem is that this area is not being recharged due to Aerojet's extraction wells to contain their contaminants. Any plans to use surface water at the Vineyard Treatment Plant are subject to USBR available quantities of water under contract. I understand that this water is third tear water subject to ups and downs of mother nature.

If you have any additional questions please respond to this email. Also, please accept this document and it's attachments as my comments to any and all environmental documents for these Jackson Hwy development projects.

Response 38-2

The comment references recent technical documents to state that a cone of depression in the groundwater table exists in the Central Area of the South American Sub-basin and that additional wells installed in this area would worsen the cone of depression. The County acknowledges that a cone of depression (i.e., an area of lowered groundwater elevations) does exist in the Central Area. The project would rely upon water supplies provided through SCWA in its Zone 40 service area. Water for Zone 40 is sourced through the conjunctive use of surface water entitlements and groundwater pumping managed in a way to maintain the sustainable yield of the overall groundwater basin. No additional wells beyond what is planned for by the Zone 40 Water Supply Master Plan are proposed to supply water to the project site.

The comment also cites a 2018 groundwater elevation exhibit showing the groundwater elevation decline over the last 15 years and refers to additional wells in the Excelsior Road well field which are included in SCWA's Zone 40 Water Supply Master Plan (WSMP). However, the comment does not reference the Technical Memorandum regarding groundwater elevation BMO threshold development prepared for SCGA (RMC 2015). As stated in the Technical Memorandum, this BMO establishes threshold values based on percentages of a range of groundwater elevations; it does not set forth fully quantified thresholds. Instead, a methodology was presented to define the groundwater elevation range, termed the bandwidth, relative to specific wells. The technical memorandum regarding groundwater elevation BMO threshold development implements this methodology, adjusting for changes that have occurred in the basin from both a management and a technical standpoint, to fully implement the BMO.

The comment is correct that surface water treated by SWCA delivered to Zone 40 through the Freeport Regional Water Authority is subject to curtailment during dry years. Surface water deliveries are thoroughly analyzed in the Freeport Regional Water Project EIR (FRWA 2005). Surface water and groundwater availability are the basis for SCWA's conjunctive use program as explained in SCWA's Zone 40 WSMP and associated EIR. The subsequent water supply planning process for each of the four master plans will include written verification from SCWA consistent with SCWA's first come, first served policy at the tentative subdivision map stage (SB 610 and SB 221, 2001) as each project is developed over time. These subsequent steps in conjunction with SCGA's SGMA compliant GSP will ensure the Sub-basin is sustainably managed.

These concerns are addressed in the Recirculated Draft EIR, refer to pages 18-21 and 18-25.

LETTER 39

David Smith, Acting Branch Chief, California Department of Transportation Planning Division, written correspondence; dated October 31, 2019.

Comment 39-1

Forecasting/Traffic Operations

Caltrans appreciates the early coordination from Sacramento County on impacts and mitigations to Caltrans facilities, especially the efforts to reduce vehicle miles traveled (VMT) by improving transit connections around the SR 16 corridor to Sacramento Regional Transit light-rail stations.

In addition to the impacts and mitigations summarized in Table ES-1 of the DEIR, we request Sacramento County continue to coordinate with Caltrans on mitigation measures for SR-16 and U.S. Highway 50 (US-50), some of which include the following:

- Ramp meter improvements at US-50 interchanges between Howe Avenue and Sunrise Boulevard. The DEIR states that LOS at these interchange ramps ranges from level of service (LOS) A-D; however, based on Caltrans observations, most of the interchanges operate at LOS F during the peak hours.
- Widen SR 16 from South Watt Avenue to Grant Line Road with recommended signal spacing of at least half a mile to accommodate future traffic growth.
- Fair share contribution towards high-occupancy vehicle (HOV) lane to a pricing strategy through a Managed Lane conversion.

Additionally, all new intersections proposed on the SHS will require an Intersection Control Evaluation (ICE) analysis and encroachment permit. Please contact Scott Waksdal (scott.waksdal@dot.ca.gov) for additional information on ICE.

Response 39-1

The comment requests continued coordination between the County and Caltrans regarding offsite improvements to transportation infrastructure and highlights existing requirements for modification to Caltrans' facilities. The comment does not address specific analysis or conclusions in the Draft EIR. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 39-2

Hydraulics

The development of Project site will increase impervious surface area through the construction of commercial buildings, residential, parks, wetlands, detention basin, parking and access roads with a corresponding increase in surface water runoff. The Project will decrease surface water detention, retention and infiltration. No net increase to 100-year storm event peak discharge may be realized within the State's highway right of way and/or Caltrans drainage facilities as a result of the project. Any cumulative impacts to Caltrans drainage facilities arising from effects of development on surface water runoff discharge from the 100-year storm event should be minimized through project drainage mitigation measures.

Increases in peak runoff discharge for the 100-year storm event to the State's highway right of way and to Caltrans' highway drainage facilities must be reduced to at or below the preconstruction levels. The cumulative effects on drainage due to development within the region should be considered in the overall development plan of this area.

All grading and/or drainage improvements must maintain or improve existing drainage pathways and may not result in adverse hydrologic or hydraulic conditions within the State's highway right of way or to Caltrans drainage facilities. The developer must maintain or improve existing drainage patterns and/or facilities affected by the proposed

project to the satisfaction of the State and Caltrans. This may be accomplished through the implementation of storm water management Best Management Practices (i.e., detention/retention ponds or basins, sub-surface galleries, on-site storage and/or infiltration ditches, etc.). Once installed, the property owner must properly maintain these systems. The proponent/developer may be held liable for future damages due to impacts for which adequate mitigation was not undertaken or sustained.

Runoff from the Project that will enter the State's highway right of way and/or Caltrans drainage facilities must meet all regional water quality control board water quality standards prior to entering the State's highway right of way or Caltrans drainage facilities. Appropriate storm water quality Best Management Practices may be applied to ensure that runoff from the site meets these standards (i.e., is free of oils, greases, metals, sands, sediment, etc.). Once installed, the property owner must properly maintain these systems in perpetuity.

Response 39-2

Refer to Response 14-3.

Comment 39-3

All work proposed and performed within the State's highway right of way must be in accordance with Caltrans' standards and require a Caltrans Encroachment Permit prior to commencing construction.

Based on Title 23, the Morrison Creek and the Elder Creek which are located within the Project site are listed as Regulated Streams of Central Valley Flood Protection Board (Board) of DWR. If this project is implemented within the boundary of Morrison Creek and Elder Creek, the encroachment permit shall be obtained from the Board.

Encroachment Permit/Maintenance:

An encroachment permit will be required from Caltrans for any work performed on the State right of way, if not previously obtained. To apply, a completed encroachment permit application, environmental documentation, and five sets of plans clearly indicating State right of way must be submitted to:

Hikmat Bsaibess
California Department of Transportation
District 3, Office of Permits
703 B Street
Marysville, CA 95901

Please provide our office with copies of any further actions regarding the Project. We would appreciate the opportunity to review and comment on any changes related to this development.

If you have any questions regarding these comments or require additional information, please contact Douglas Adams, Intergovernmental Review Coordinator, at (530) 741-4543 or by email at: douglas.adams@dot.ca.gov.

Response 39-3

Refer to Responses 14-1 and 14-3.

LETTER 40

C.J. Meaks, member of the community, written correspondence; dated October 30, 2019.

Comment 40-1

- 1) ES-33 - the high density housing (and medium, if it is likely to be rental housing) should have electric charging stations fully installed, not just prewired. And the rate should be more like 25% installed, and the rest prewired. As stated in the Table CC-1, transportation is the largest greenhouse gas driver in the state, and the inequality of opportunity to utilize green options is a major problem that needs to be addressed during construction, by the owner of the property, not the renter. Statewide executive order requires carbon neutrality by 2045, well within the early lifespan of this project. This will require virtually all passenger vehicles to be not gasoline powered, not just those owned by homeowners. In addition, secure weather proof storage at apartments that could be used for bicycle storage should be implemented at all complexes that don't have garages, in order to actually allow for alternative transportation use.

Response 40-1

The comment appears to reference the requirements in Mitigation Measure CC-1a, as presented in the Executive Summary to the Draft EIR. This mitigation measure was replaced in the Recirculated Draft EIR to reflect SMAQMD's CEQA Guidance and the impacts are identified as less than significant. Therefore, enhanced mitigation measures are not required. Nonetheless, the recommendations in this letter are acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 40-2

- 2) S-33 Please explain why only 16% of lighting is intended to be high efficiency?

Response 40-2

The comment appears to question the requirements in Mitigation Measure CC-1a, as presented in the Executive Summary for the Draft EIR. As stated therein, this requirement was consistent with guidance from the California Air Pollution Control Officer's Association. Note, however, this mitigation measure was removed in the

Recirculated Draft EIR because the mitigation strategy has been updated to reflect SMAQMD's tiered BMP strategy.

Comment 40-3

- 3) Ch 9 - being a development project with a lifespan of 50+ years, and the knowledge that 2035 standards are not the final standards in regards to climate change, this analysis really should be done to 2045, when the state has mandated carbon neutrality based on the reality of climate science. The buildings will continue to exist past build out date, and some will only be 10 years old in 2045.

Response 40-3

The comment is related to the methodology used in the analysis of GHG emissions. As explained in the "Significance Criteria" section of Chapter 9, "Climate Change," 2035 was the appropriate year to evaluate operational emissions because it was the anticipated buildout year of the Project. (Note that the revised GHG analysis in this FEIR is based on a 2040 operational year due to changes to the anticipated Project construction schedule.) The threshold previously applied in the analysis was based on the 2050 statewide GHG reduction goal identified in EO B-30-15, extrapolated using a 17 percent reduction. It would not be appropriate to hold current development to future standards for the purpose of the CEQA analysis. In addition, the Recirculated Draft EIR now bases the significance determination on SMAQMD's thresholds of significance.

Comment 40-4

- 4) Plate PD-10 - Why are the non participating parcels north of Kiefer and in the south east corner included, if the plan is for them to be undeveloped?

Response 40-4

Chapter 2, "Project Description," of this Recirculated Draft EIR explains that properties not owned by the Project Applicant (i.e., non-participating properties) are included in the proposed specific plan per Sacramento County 2030 General Plan requirements (page 2-2). Chapter 15, "Land Use," explains that proposed UPA expansions must have significant borders that are adjacent to the existing UPA or a city boundary and the boundary of the expansion must be logical pursuant to General Plan Policy LU-119 (page 115-27).

Comment 40-5

- 5) Plate PD-12 – bike paths need much more connectivity to be of use. Basically, all roads should have on or off road bikepaths associated with them, or appropriate bike/pedestrian only replacements.
- 6) Plate PD-17 - in order to promote ease/short distance of commute, at least some MD and HD housing areas could be near the HS/MS, or the HS/MS should be located more centrally.

Response 40-5

The comment offers opinions regarding Project design and is not related to the analysis and conclusions in this EIR. The comment is acknowledged for the record and will be forwarded to the decision-makers for consideration.

Comment 40-6

7) Pg 2-32 Table PD-2 This table assumes Job generation is based on 1 employee per 500 s.f. in GC, CC, MU, and 1 employee per 280 s.f. in Office. U.S. EIA data suggests that these numbers may be inaccurate.

(<https://www.eia.gov/consumption/commercial/data/2012/bc/cfm/b2.php>) Please reference the appropriate source that the numbers selected are based on. The U.S. EIA data suggests 1 office worker per 600 sf and 1 employee per ~1000 sf depending on commercial use. This would approximately halve the number of jobs that could be supported, which would cause the project to fail to meet the objective to create a jobs-housing balance within the community.

Response 40-6

As noted in the comment, one of the objectives of the Project is to “[d]evelop a project which promotes a jobs-housing balance in the Jackson Highway/Mather area.” A statement of project objectives is a required component of a project description. It articulates the underlying purpose of the project and may discuss project benefits. Here, the objective relates to development on the broader area, not solely within the Plan Area.

The job creation assumptions used in this EIR are based on local data and were provided by the Project Applicant. The EIR does not evaluate the Proposed Project for consistency with the stated objectives. Rather, the objectives are used in the evaluation of alternatives. Refer also to Chapter 15, “Land Use,” for evaluation of the Project’s consistency with the growth assumptions in Sacramento County’s land use plans and SACOG’s Blueprint and MTP/SCS. No revisions to the EIR were made in response to this comment.

Comment 40-7

8) pg 8-10 – Plate BR-4 shows existing trees, but where are the details showing which of the existing trees will be lost, and how many/what type of trees will be planted?

The tree plan will greatly impact the project objectives regarding greenhouse gas emissions and promoting walking, biking and bus use.

Response 40-7

Addressed in Mitigation Measure BR-6, the Project Applicant or subsequent developer(s) shall submit an arborist report for the project impact areas when appropriate habitat exists. The report shall be prepared by an ISA certified arborist and include the species, diameter, dripline, and health of all trees found within the project

impact area. The report shall include an exhibit that shows the trees and their driplines in proximity to the project improvements. The report shall identify any tree proposed for removal and shall quantify any encroachment from project equipment or facilities within driplines of any tree. The mitigation measure requires mitigation/replacement for loss of native trees. Removal of non-native trees is addressed in Loss of Non-native Tree Canopy Impact Discussion. Loss of non-native tree canopy would be address through Countywide Design Guidelines which require the planting of new trees in all new single-family lots, commercial buildings, parking lots, and street frontages.

LETTER 41

David Gieselman, Senior Office Assistant, Sacramento County OES, written correspondence; dated September 17, 2019.

Comment 41-1

Water supply is always an issue with new development and I don't think we should be approving any new residential development unless a long-term water supply is available. Just three years ago, this region was still in a severe drought. A couple wet years does not equal a reliable long-term water supply. Despite this, many residential developments are being approved primarily because the tax base is needed. I have to question the wisdom in these approvals when basic necessities cannot be secured long-term. It appears we are willing to sacrifice our future needs to satisfy our current needs. Sorry I don't have a solution but I am very concerned because these types of developments only add to the existing problem.

Response 41-1

The comment expresses concern regarding water supply. Refer to Chapter 18, 'Water Supply,' for discussion. The potential for the Project to result in demand for water that cannot be met by existing or reasonably foreseeable future service capacity is identified as a less-than-significant impact in this EIR. As noted on page 18-21 of the Recirculated Draft EIR, "[t]he water supply planning process requires subsequent written verification from SCWA (consistent with SCWA's first-come, first-served policy) at the tentative subdivision map stage for individual projects."

The comment regarding the merits of the Project is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 41-2

Sacramento Raceway ("the track") has been in operation for decades. These uses may not be permitted under the current zoning designation, but regardless, it has been in use for a very long time. My home is over 5 miles from the track and I can hear the engines, particularly on Saturday nights. If Jackson Township is approved, the noise complaints will put the track at risk. This is nearly the same thing as a person buying a

house near an airport and then complaining about the jet noise. In other words, the complaints are truly unreasonable. Obviously the racing community is strong in this area and this type of sport/recreation is still enjoyed by many. The track should be preserved.

Response 41-2

This comment does not address the adequacy of the EIR and does not raise a significant environmental issue requiring a response. Rather, the comment expresses its author's opinion that the Sacramento Raceway be preserved. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 42

Faye Miyagi, member of the community, written correspondence; dated October 30, 2019.

Comment 42-1

Thank you for taking our input regarding the Jackson Highway corridor. We moved to Rancho Murieta community last year to be closer to family again. There are only two real roads to get to the community: Jackson Highway and Stonehouse Rd. The traffic during rush hour or even during midday can get very congested. Impatience on the 2-lane highway can and has been deadly. To avoid hitting a deer, a cyclist or a car that's passing on a narrow road has given many people almost a heart attack. The road is not only narrow but it's pitch black dark during early morning and evening hours. My husband was hit by a deer coming from the opposite direction. There's little shoulder and if you do not drive a truck, hitting the gravel or ditch can cause the driver to lose control or damage your tires. Cars tailgate even when going 60 miles an hour....they want to go 70 or 80. Many think it's a country road so why not, but it's not designed for the speed. Stonehouse Rd is no better. It has many curves and hills. It's full of potholes and floods in the rainy season. We do not know what's feasible to improve these roads and I'd think widening the road is one option; maybe adding passing lanes and turnabouts are options; adding a third access road or overpass might be another. More housing and people are inevitable now it's time for a 50-year plan.

Response 42-1

As discussed in Response 28-1, improvements to SR 16 have been identified as a regional priority through a separate but related improvement program. The comment does not address the analysis or conclusions of this EIR. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 43

John Merchant, member of the community, written correspondence; dated November 15, 2019.

Comment 43-1

This is one of four projects in various stages of development. When Cordova Hills is added, new homes and residences along the Jackson Corridor and Sunrise Blvd exceed 29,000 dwellings. As we voice concern with each of these projects on a “one by one” basis, I fear we are losing the context of the global impact of the problem. The magnitude of the traffic impact, when all of these projects (West Jackson, Jackson Township, Newbridge, Mather South and Cordova Hills) are considered together, they are simply overwhelming for the community of Rancho Murieta. We are a community of nearly 6000 people. There is a development application in Sacramento Planning that would increase that population, at full buildout, to over 9000 residents. There is an ever increasing flow of traffic on Highway 16 from Amador County. Many of our residents rely on Highway 16 to commute to their place of employment. Our secondary school children are bussed south to both the junior and senior high schools. Sacramento is also a primary source of medical care and entertainment for our community. All of these uses are severely impacted by this development and are of great concern to us.

Response 43-1

The comment highlights the importance of Jackson Highway in the local transportation system. Cumulative traffic impacts are disclosed in Chapter 21, “Summary of Impacts.” All four of the Jackson Highway Corridor Projects and existing development are included in the cumulative context used in the cumulative traffic analysis. As discussed in Response 28-1, improvements to SR 16 have been identified as a regional priority through a separate but related improvement program.

The comment does not address the analysis or conclusions of this EIR. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 43-2

I stated that there is extensive mitigation associated Jackson Township which includes mass transit, bike corridors, walking paths, connectivity to light rail and the implementation of the Jackson Corridor (HWY 16) plan to improve approximately 8 miles of roadway. While this EIR specifically addresses the impacts created by the new residential/commercial development, it does not address our primary concerns. We are being asked to funnel into this new corridor from a two lane road and then proceed through 11 intersections with traffic lights and turn lanes. I explained that are commute is ALREADY horrendous, especially during the evening hours. There are times when the intersection at Bradshaw and Highway 16 is backed up for nearly one mile as commuters wait to proceed through the traffic light. I was not convinced that there are

clearly defined “triggers” to the construction of the new roads that will accompany this, and subsequent developments. Mr Darrow, the County’s Chief Engineer for the DOT, did not seem to command (or be able to communicate) the answer to this “chicken and egg” question. Ideally, the roads would be in place, waiting for the development to occur. We all know that will not happen. What impacts will our residents be forced to deal with as these 5 key developments begin to populate? I am encouraged to hear that county planning would be receptive to a presentation in our community by the Sacramento County DOT and I will work with Matt Hedges and Sue Frost to see if we can coordinate that for early in 2020. If it would be possible, I would like to see a presentation of that type be committed to formally by the County and recommended as a “condition of development”. We would also like DOT to address our perception that mitigation appears to be much more concentrated on traffic flows from North to South than the East to West traverse. I also mentioned that current traffic flow is creating a “cut through” on Scott Road which will increase as traffic becomes severely congested in the new corridor. There are residents in Rancho Murieta who will tell you today that they are using Scott Road to link at Highway 50, rather than wade into the commute congestion at Sunrise and Bradshaw Roads. Scott is a farm road that may reach one million individual trips per year. If this plan continues to force more and more traffic to this venue, I suggest the County should take steps to make it passable and make it safe. It was stated in the presentation by the developer that the current North/South one lane roads inside the new developments will be mitigated. Does mitigation stop at the project boundary line?

Response 43-2

The comment communicates several concerns related to existing traffic patterns and the condition of offsite transportation infrastructure. As acknowledged in the comment, this EIR includes extensive mitigation to address VMT. In addition, the County may condition development on participation in the Jackson Corridor Transportation Mitigation Strategy. Through this process, the Project Applicant would be required to construct or provide funding for a fair share of transportation improvements identified in the County’s master list of cumulative improvements for the area. The comment does not address the analysis or conclusions in the EIR but is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 44

Joy Vandell, member of the community, written correspondence; dated October 31, 2019.

Comment 44-1

Living off Indio Drive, at commute times it is very difficult to cross traffic to head west on Jackson. A traffic light would be cost prohibitive, however, a slower speed limit between Rancho Murieta and Dillard Road could be helpful.

Response 44-1

The comment offers a suggested traffic management strategy to address conditions on Jackson Highway. Refer to Response 28-1. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 45

Lisa Meyer, member of the community, written correspondence; dated November 6, 2019.

Comment 45-1

I wanted to share this picture, taken yesterday (11/5/19), which shows the daily situation of vehicles using the shoulder of westbound Highway 16 to turn northbound on Sunrise. This is illegal and dangerous. I've yet to see law enforcement in this location, so the behavior continues. The residents east of Sunrise need the congestion fixed. Not made worse by funneling East-West traffic on Highway 16.



It's come to my attention that you are taking comments on the EIR for the Jackson Township and Highway 16 Corridor until 10/31. As such, I wanted to share that the commute along Highway 16 is already bad and will become impossible given the proposed plan for that Highway 16. My 14 mile commute from Sloughhouse to work at Florin- Perkins Road has grown from 20 minutes to 40+ minutes over the last 5 years. The intersection at Grant Line and Hwy 16 backs up in all directions every morning. The intersection at Bradshaw and Hwy 16 is even worse. Both intersections have motorists driving along the shoulder to turn northbound from Hwy 16. This is illegal and dangerous. I see that the plan doesn't include widening Hwy 16 beyond Sunrise. The residents east of Sunrise need the congestion fixed. Not made worse by funneling East-West traffic on Highway 16. I can't begin to imagine how long my 14 mile commute will take if this plan is implemented.

Response 45-1

Refer to Response 28-1. The comment does not address the analysis or conclusions of this EIR. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 46

Melissa Adams, member of the community, written correspondence; dated October 31, 2019.

Comment 46-1

I live in Rancho Murieta and commute to Sacramento for work. Right now it takes me about 45 minutes to an hour to get to work. Your proposed "Funnel" of traffic for Highway 16 is absurd. This new plan would just create more traffic problems on Highway 16. Rancho Murieta is filled with families that drive Hwy 16 to take kids to school, and commute for work. PLEASE DO NOT FUNNEL THE TRAFFIC ON HIGHWAY 16!

Response 46-1

Refer to Response 28-1. The comment does not address the analysis or conclusions of this EIR. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 47

Michael Gomes, VP Business Development, Topcon Agriculture, written correspondence; dated October 30, 2019.

Comment 47-1

I am writing to you, as you are interested in understanding traffic issues from Sac County taxpayers regarding congestion on Highway 16 "Jackson Hwy" between Sacramento and Amador Counties. My wife and I have been Sacramento County residents for nearly 15 years, moving to the community of Rancho Murieta in January of 2005. My office is in Livermore, but frequently my job requires me to travel so often I drive the route to airports in Sacramento (SMF) or San Francisco (SFO). Congestion during the Morning hours (7am to 9am) and afternoons (3pm to 6:30pm), can be particularly difficult, especially from Dillard road to Howe Ave at each main artery intersection for North South roads adjoining Hwy 50. Most recently, a trip to SMF airport that takes 40 minutes at 5-6am, at 7:30 am recently took approximately 80 minutes, with 60 minutes in the described corridor. This is a normal occurrence for travel during these critical time windows and as residents we budget an additional 30-60 minutes of travel

time, each way, simply for Highway 16 traffic depending upon time of day. This situation is most noticeable when residents of East Sac County are commuting into urban centers or returning home in the evenings. It is also frequently strained, as Prison guards commuting to Folsom and Amador counties are coming on and off shifts for the 7am and 3pm shift changes.

Response 47-1

Refer to Response 28-1. The comment does not address the analysis or conclusions of this EIR. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 48

Mike Roelstraete, member of the community, written correspondence; dated October 30, 2019.

Comment 48-1

I'm concerned about the new developments planned next to HWY 16. It currently takes me 70 minutes to get to work to downtown. How long do you think it will take when this plan is implemented??? Don't "Funnel" our traffic East and West on HWY 16!

Response 48-1

Refer to Response 28-1. The comment does not address the analysis or conclusions of this EIR. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 49

Vanessa Emerzian, Mather Alliance Core Group, written correspondence; dated November 14, 2019.

Comment 49-1

Area of Concern: Excelsior Road Traffic Impacts to Independence at Mather Community

Issue/Impact: Proposed site will increase traffic on Excelsior Road through the Independence at Mather community.

The northern/southern entrance into the plan area is via Excelsior Road or Sunrise Boulevard. Excelsior Road that runs through the Independence at Mather community is a two-lane narrow street with houses on both sides of the street and vehicle parking on

one side of the street. The current traffic during commute hours creates gridlock. Therefore, no emergency vehicles could possibly maneuver through the traffic to respond to an emergency in the area.

In addition, the traffic causes many adverse issues for Mather residents. As a result, Mather Alliance members and residents have repeatedly requested that Sacramento County Department of Transportation, Department of Airports, and Economic Development staff to develop a more detailed plan, including funding resources, prioritization, potential restraints, and timing of delivery for the Douglas Road extension project.

Recommendations:

We request that Sacramento County Planning Commission include a commitment to move forward with a proposed plan to provide an alternate route that bypasses non-residential traffic away from Independence at Mather. We request that the Commissioners make this bypass plan a priority issue before further planning continues on the Jackson Township project.

Response 49-1

Refer to Response 28-1. The comment does not address the analysis or conclusions of this EIR. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration. In addition, Sacramento County Department of Transportation has begun design work on the Douglas Road bypass that will provide an alternative route around the Independence at Mather neighborhood. Sacramento County Department of Transportation staff presented the preliminary design to the Independence at Mather Homeowners Association in July of 2022.

Comment 49-2

Area of Concern: Drainage Plan

Issue/Impact: Proposed drainage management and hydromodification mitigation plans for the planned development.

While we understand the need for hydromodification mitigation with respect to existing drainages, we are concerned that reliance on large basins presents a potential subsurface hydraulic impact to preserve areas located immediately to the west.

Recommendations:

We contend that drainage management and hydromodification mitigation plans can be better achieved through use of more and smaller detention basins/bioswales dispersed across the northern half of the development area. By adopting a more dispersed approach, the natural drainages already present on the site can be more effectively used to manage stormwater discharge. Furthermore, smaller basins and swales incorporated along the margins of developed parcels help to incorporate natural

features within the community and help break up the visual impacts of development, both of which enhance the livability of the community as a whole.

We suggest that a good example of this more dispersed approach to drainage management exists in parts of Folsom where numerous small basins and marshes between neighborhoods serve to create a more natural and livable condition. Paired with walking/cycling paths, these natural buffers create a much more desirable community to live in and help mitigate the typical trappings of visually uninspiring landscaping and concrete block soundwalls. As discussed previously as an example, we believe a strategically placed small marsh filled detention would serve as an excellent way to manage stormwater flows.

Response 49-2

The commenter suggests the use of smaller detention basins/bioswales throughout the development versus larger basins proposed by the project. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 49-3

Area of Concern: Fill Sourcing and Noxious/Invasive Weed Mitigation/Abatement

Issue/Impact: The source and quality of fill required for grading in some portions of Jackson Township is not clearly defined. The DEIR and community Master Plan do not contain specific protections to prevent potentially contaminated soil disturbance and/or redistribution or noxious weed dispersal migration as applied to cut/fill materials sourced onsite or imported.

It is apparent that some portions of the Jackson Township development are slated to undergo a significant amount of grading and fill. It is unclear if sufficient material can be cut from higher elevations and regraded to infill lower lying areas. If adequate material for fill cannot be found onsite, we are concerned that imported fill materials could pose a risk to waterways and the nearby preserve if they are sourced from contaminated locations and/or areas with noxious/invasive weed problems.

Even if fill materials can be sourced onsite, the DEIR already notes that additional hazardous materials might be potentially uncovered during grading, notably in former USAF fuel storage, munitions disposal, and small arms firing range locations. However, there is ample reason to suspect that not all former USAF activities in the area were documented. Other decommissioned USAF sites (notably McClellan) have turned up some potentially serious contaminants in recent history, so the potential for unknown contaminants turning up in previously undocumented locations is not without precedent.

Although the DEIR specifies that a Contaminated Soil Contingency Plan must be submitted to the County prior to construction, there is no allowance for public review of this plan to ensure that adequate protections and monitoring procedures are in place to prevent disturbance and redistribution of potentially contaminated soils.

Furthermore, there are already well-documented and ongoing invasive weed problems occurring within and around the Mather preserve, especially toward the northern end. The DEIR does not appear to contain any language specifying mitigation procedures or best practices to ensure that grading activities for the Jackson Township development project do not inadvertently advance the spread of noxious weed species into the southern end of the Mather preserve, either through aerial dispersal or via existing waterways.

Recommendations:

We would like to see some additional clarification of planned excavation, grading, and imported fill plans, procedures and policies in the DEIR. Noxious/invasive weed management and dispersal mitigation plans should be a requisite component of the construction application process for this sensitive area. Such plans (including the Contaminated Soil Contingency Plan) should be made available for public review prior to approval and community input from stakeholders (especially those familiar with weed management and abatement best practices) should be solicited to ensure that environmental degradation to the area is not exacerbated.

Response 49-3

Detailed assumptions related to grading, excavation, and import of fill have not been developed for the Project because the specific plan does not include detailed design of subsequent projects in the Plan Area.

As described in Chapter 16, “Geology, Soils, and Mineral Resources,” on page 12-17 of the Recirculated Draft EIR,

The Project would comply with the Sacramento County Land Grading and Erosion Control Ordinance (Sacramento County Code Ch. 16.44). The ordinance was established to minimize damage to surrounding properties and public rights-of-way; limit degradation to the water quality of watercourses; and curb the disruption of drainage system flow caused by the activities of clearing, grubbing, grading, filling, and excavating land.

The management of invasive species at the Project site is governed by the newly adopted South Sacramento Habitat Conservation Plan (“SSHCP”). As described in Chapter 2, “Project Description,” of this EIR, several resource avoidance and minimization measures from the SSHCP have been incorporated into Project design, including control of invasive species and management of nonnative vegetation within the setback area and preserve. Upon acquiring the preserve lands, the South Sacramento Conservation Agency would implement measures identified in the SSHCP to ensure the long-term viability of the protected and restored vernal pool and wetland resources within the preserve. These measures would include routine management activities, as well as adaptive management practices, designed to achieve habitat health and functionality. Mitigation measures in the Recirculated Draft EIR were revised to reflect the applicability of the SSHCP. The SSHCP includes AMM EDGE-10, which

outlines requirements for the prevention of invasive species spread for covered activities.

Mitigation Measure HM-3 would require preparation of a hazardous materials contingency plan to “describe the necessary actions that would be taken if evidence of contaminated soil or groundwater is encountered during construction.”

The suggestion that input should be solicited on these plans is noted. No evidence is provided to suggest that the existing mitigation is inadequate as presented for mitigation of potential impacts under CEQA and the proposal has not been incorporated into this EIR. The comment will be forwarded to the decision makers for consideration.

Comment 49-4

Area of Concern: Preserve Management

Issue/Impact: The lack of coordination and cooperation between the current Preserve Manager and Mather stakeholders is of great concern to the Mather Alliance and other parties interested in preserving Mather’s vernal pools. This concern applies to the Jackson Township planned development area, which borders on the Mather preserve.

Recommendation:

The Alliance would like to see a requirement that the Preserve Manager include the input of local vernal pool experts and stakeholders in management actions.

Issue/Impact: The current preserve management efforts are not sufficient to control invasive plant species.

There are a number of volunteers willing to pull weeds in the preserve. Though this method of weed control is not cost effective from a profit-driven model of preserve management, it can be the safer way to remove some invasive plants. Lower cost methods such as pesticide use, controlled burns, and grazing can cause unintended negative impacts to vernal pool species. When free labor is available for weed pulling, it benefits the preserve to use it. Local vernal pool experts have commented for the last several years, with increasing concern, that not enough is being done to control threatening invasive plant species that are encroaching upon Mather’s vernal pools. This could be due to a lack of sufficient funding, or lack of a comprehensive strategy. In either case, the result is a lack of safe and effective action to protect the vernal pool species.

Recommendation:

Again, a number of volunteers are willing to give their time and expertise to help preserve the vernal pools of Mather. We believe Sacramento County would miss a great opportunity by not incorporating these volunteers into the preserve management. The Mather Alliance recommends that the County direct the current Preserve Manager to coordinate and cooperate with local Mather stakeholders. In addition, the Mather

Alliance requests that the County adopt a “pay-for-performance” approach for the Mather preserve with specific measurable objectives that the Preserve Manager must meet in order to retain the management contract. There is too much at stake to risk a lack of progress.

Response 49-4

The comment relates to management of the Mather Preserve and is not related to the analysis and conclusions of the EIR.

Comment 49-5

Area of Concern: Artificial Lighting

Issue/Impact: Artificial lighting, especially outdoor lighting, will disrupt the ecosystems and/or safety of plant and animal life within the proposed Jackson Township Specific Plan development area and its vicinity.

According to The International Dark Sky Association (IDSA) statistical research, “All life relies on Earth’s predictable rhythm of day and night. It’s encoded in the DNA of all plants and animals. Humans have radically disrupted this cycle by [artificially] lighting up the night. Plants and animals depend on Earth’s daily cycle of light and dark rhythm to govern life-sustaining behaviors such as reproduction, nourishment, sleep and protection from predators.

Scientific evidence suggests that artificial light at night has negative and deadly effects on many creatures including amphibians, birds, mammals, insects and plants.

Artificial Lights Disrupt the World’s Ecosystems. Nocturnal animals sleep during the day and are active at night. Light pollution radically alters their nighttime environment by turning night into day.

According to research scientist Christopher Kyba, for nocturnal animals, “The introduction of artificial light probably represents the most drastic change human beings have made to their environment. Predators use light to hunt, and prey species use darkness as cover near cities, cloudy skies are now hundreds or even thousands of times brighter than they were 200 years ago. We are only beginning to learn what a drastic effect this has had on nocturnal ecology.

Glare from artificial lights can also impact **wetland habitats** that are home to amphibians such as frogs and toads, whose nighttime croaking is part of the breeding ritual. Artificial lights disrupt this nocturnal activity, interfering with reproduction and reducing populations.

Artificial Lights have Devastating Effects on Many Bird Species. Birds that migrate or hunt at night navigate by moonlight and starlight. Artificial light can cause them to wander off course and toward the dangerous nighttime landscapes of cities. Every year millions of birds die colliding with needlessly illuminated buildings and towers. Migratory

birds depend on cues from properly timed seasonal schedules. Artificial lights can cause them to migrate too early or too late and miss ideal climate conditions for nesting, foraging, and other behaviors.

Ecosystems: Everything is Connected. Many insects are drawn to light, but artificial lights can create a fatal attraction. Declining insect populations negatively impact all species that rely on insects for food or pollination. Some predators exploit this attraction to their advantage, affecting food webs in unanticipated ways.”

Recommendations:

Request that Tsakopoulos Investments waive general developer’s lighting standards; instead, adopt Model Lighting Ordinance 2(MLO) developed by the IDSA and the Illuminating Engineering Society of North America to address the need for strong, consistent outdoor lighting regulation in North America.

Developed jointly over a period of seven years, the MLO encourages communities to adopt comprehensive outdoor lighting ordinances without devoting extensive staff time and resources to their development.

Prohibit sports field lighting within the development. The excessive amount of light associated with sports fields creates a number of environmental impacts as outlined in the section above.

Response 49-5

The comment expresses a concern about the lighting impacts of the project and suggest that alternate lighting standards be considered. The Recirculated Draft EIR includes a discussion of lighting and the development standards applicable to the Plan Area and potential effects on wildlife (refer to page 8-81). This impact would be less than significant. The commenter offers no evidence to suggest that the analysis in the EIR is inadequate. Nonetheless, the comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 49-6

Area of Concern: Mitigation of Impacts to Existing Species

Issue/Impact: Mitigation measures listed for species are vague.

One of the core values of the Mather community is our concern for the welfare of wildlife in the planned development area. This planned development necessitates earth movement and deposition that will likely devastate and obliterate acres of existing habitat for all critters currently living there. The least we can do is ensure that earth movement is done with the greatest of care to minimize the number of animals killed or “taken” by either destroying the critters or their habitats and ecosystems.

Recommendation:

Include specificity in the mitigation measures to inspect for wildlife pre-construction and to relocate individuals, including provisions for new homes (e.g., for burrowing owls, if present).

Response 49-6

The comment recommends that mitigation measures provide for performance of pre-construction surveys and relocation of potentially impacted species. Refer to Mitigation Measures BR-2, BR-3, and BR-4, which would require pre-construction surveys. In addition, Mitigation Measure BR-1 would require that developers of the specific plan obtain coverage for the Project under the SSHCP. The developers of the Jackson Township Specific Plan would implement all applicable Avoidance and Minimization Measures codified in the SSHCP at the time permits are obtained. Avoidance and Minimization Measures currently provided in the SSHCP are included in Appendix BR-3.

LETTER 50

Nicole Williams, member of the community, written correspondence; dated October 30, 2019.

Comment 50-1

I wanted to provide some input/concern regarding the pending Jackson and Rancho Cordova improvements and their impacts to Highway 16 and Rancho Murieta. I drive from Rancho Murieta to highway 50 to work daily and already spend time sitting in backed up traffic attempting to move through the stop lights at Grant Line and Sunrise Blvd on highway 16. In addition, I regularly travel Scott Road into Folsom and find that route to be incredibly uncomfortable, both given the road quality, speed other cars travel, and twists and turns of that road.

Response 50-1

Refer to Response 28-1. The comment does not address the analysis or conclusions of this EIR. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

Comment 50-2

My commute is already a challenge, but I accepted that difficulty because of the peace and space Rancho Murieta provides. Also, quite frankly, I sold my house in the 'Anatolia' new build area of Rancho Cordova because the rendering plant was far worse than my home disclosures shared. That being said, any move of the rendering plant towards Rancho Murieta will surely lead me to move again, as it would rob my home of it's saving grace - tranquility. That being said again, further traffic congestion, street

noise, and deadly car accidents would do the same. Please think of your citizens and plan and infrastructure that doesn't negatively impact us.

Response 50-2

Refer to Response 28-1. The comment does not address the analysis or conclusions of this EIR. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 51

Scott and Tessa Grimm, members of the community, written correspondence; dated October 30, 2019.

Comment 51-1

It currently takes me up to an hour to get to work from Rancho Murieta to Watt/HWY 50. How long do you think it will take when this plan is implemented??? Don't "Funnel" our traffic East and West on HWY 16!

Response 51-1

Refer to Response 28-1. The comment does not address the analysis or conclusions of this EIR. The comment is acknowledged for the record and will be forwarded to the decision makers for consideration.

LETTER 52

Mona Ebrahimi, Kronick on behalf of Amador County Transportation Commission, written correspondence; dated April 4, 2022.

Comment 52-1

I am again writing on behalf of the Amador County Transportation Commission ("ACTC") and in response to the Jackson Township Specific Plan ("Project") Recirculated Draft Environmental Impact Report ("RDEIR"). We have appreciated the opportunity to meet with you and the Project applicant team to discuss ACTC's ongoing concerns. Nonetheless, we remain concerned that significant environmental impacts remain unaddressed and unmitigated in the RDEIR.

The Project is one of four major development plan areas in the County region bordering State Route 16, also known as Jackson Road or SR-16. The four projects total over 9,250 acres and will dramatically change the nature of the region from undeveloped open space, agricultural, and industrial land to a dense multi-use development, including nearly 22,000 dwelling units. The Project proposes development of 1,391

acres, including 6,242 dwelling units, leading to significant traffic impacts. This is because the Project would convert vacant land into a robust new multi-use planned community. ACTC submits this comment letter to request that the County ensure environmental impacts to traffic, and specifically circulation, vehicle miles travelled ("VMT"), and consistency with the County's General Plan and policies, are adequately identified, analyzed, and mitigated.

ACTC submitted a comment letter on the Project to the County on June 15, 2021 for consideration by the Planning Commission prior to recommending approval of the Project. A copy of that letter is attached hereto as EXHIBIT A and the concerns and requested mitigation measures expressed therein are incorporated herein by reference. Specifically, we request parity with the mitigation measures agreed upon for the NewBridge Project as follows:

- The Project directly neighbors the NewBridge Specific Plan Project, and both front Jackson Road. However, Jackson Township is 300 acres larger and proposes nearly twice the number of residential dwelling units.¹ RDEIR, Appendix PD-1 shows a 30-foot landscape corridor and ACTC proposes that at least 14 feet along Jackson Road with constraints that ensure no development, now or in the future, will occur in this right-of-way except for traffic improvements to relieve congestion or landscaping improvements. Doing this will mitigate some of the short term and cumulative impacts from the Project.

Response 52-1

This comment contains introductory text and identifies features of Alternative 2 that may address effects from the Project. ACTC's June 15, 2021 letter is included as Letter 4, above.

The Project includes a 30-foot landscape/trail corridor along Jackson Highway. This area would include driveways, landscaping, bike paths, and pedestrian trails. No buildings are anticipated. The comment suggests that ensuring "no development" would occur within 14 feet along Jackson Highway would mitigate impacts associated with project. However, the comment does not define "no development," nor does it identify which impacts would be addressed or characterize how the proposal would mitigate the impacts. For these reasons, no further response can be provided.

Comment 52-2

- The Transportation Mitigation Strategy currently states that Jackson Road projects "are high priority projects and when triggered by the dynamic implementation tool, the County will work diligently on implementing those projects, including seeking outside funding sources (including Regional Transportation Improvement Program funds), if necessary." (RDEIR, Appendix TR-2, p. 2.) The Project should adopt this same language in the conditions of approval or MMRP to ensure that transportation impacts to Jackson Road are prioritized and adequately mitigated.

Response 52-2

The comment suggests that language from the Transportation Mitigation Strategy prioritizing projects along Jackson Road should be incorporated into the conditions of approval or MMRP for the project. LOS reduction measures are not required through the CEQA analysis because LOS is no longer considered a significant impact under CEQA. No change will be made to the EIR or MMRP in response to this comment. The County has committed to conditioning the project to participate in the regional LOS strategy. The language of the Transportation Mitigation Strategy, as adopted, would apply to all participating projects.

Comment 52-3

As a mitigation measure or project alternative, the RDEIR should consider designs and measures that direct traffic to Kiefer Boulevard instead of Jackson Road. This would help relieve some of the anticipated traffic congestion on Jackson Road and would better maintain the interregional functionality of the corridor.

Response 52-3

The County does not support physical features such as diverters or forced turn restrictions to preclude or discourage project traffic from using public roadways. Doing so would be inconsistent with the County's policies supporting a grid network and multimodal connectivity and would likely result in higher overall VMT than would be achieved were traffic allowed to use the most direct route to its destination. LOS reduction measures are not required through the CEQA analysis because LOS is no longer considered a significant impact under CEQA. No change will be made to the EIR or MMRP in response to this comment.

Comment 52-4

During the course of our meetings and communications, which postdated recirculation of the RDEIR and the Planning Commission hearing, the Project applicant disclosed, for the first time, that he intended to construct multiple driveways along Jackson Road. Specifically, the applicant represented that up to 22 driveways will be constructed along Jackson Road at Project buildout, and, at the very least, each parcel along the Road is anticipated to have a driveway exiting onto the Road. Thus, the applicant has plans to add driveways entering and exiting onto an identified thoroughfare to the Project and the County is aware of these plans. This is a Project element, however, not identified or analyzed in the RDEIR. (CEQA Guidelines section 15378 ["'Project' means the whole of an action..."]; *Laurel Heights Improvement Association v Regents of University of California* (1988) 47 Cal. 3d 376, *Stopthemillenniumhollywood.com v. City of Los Angeles* (2019) 39 Cal.App.5th 1; *City of Redlands v. County of San Bernardino* (2002) 96 Cal. App. 4th 398.).

Response 52-4

Discussions with ACTC identified where existing driveways are located (many of which, if not all, will be removed during the build-out of the specific plan) and where driveways conceptually might be located (not taking into consideration County Development Standards). The Project Applicant maintains that the exact number of driveways is not, and cannot, be known at this time because the precise future users and nature of development would be determined based on future project applications.

The Transportation Impact Analysis (Appendix TR-1) and VMT Analysis (Appendix TR-3) use assumptions regarding the number and placement of driveways that are appropriate for evaluation of the Project. These studies describe Jackson Highway as an “Arterial, Moderate Access Control” and assume 2 to 4 stops per mile, limited driveways, and speeds of 35 to 45 miles per hour (Appendix TR-1: Table 1.2). The modeling, therefore, appropriately accounts for impacts of stops, driveways, and speed on the arterial. As explained in Appendix TR-4, the transportation modeling incorporates friction from driveways, bicycle and pedestrian trails, and transit.

Neither CEQA nor the County's General Plan policies for preparation of specific plans require specificity beyond what is currently known at the time of application. Details such as driveways are typically unknown at the time of specific plan approval, and are determined when reviewing site or improvement plans, in accordance with County standards. Sacramento County's improvement standards are, notable, stricter (i.e., more restrictive of access) than those of Amador County. Amador County Public Works Agency standard plans PW-3 through PW-6B do not set any limitations of the maximum number or required spacing of driveways. The only driveway spacing requirements include 50-foot from radius returns and 10 feet from fire hydrants. Even if driveway details were fully known at this time, SB 743 specifically precludes LOS and traffic operations as a consideration under CEQA, and the County's General Plan policies only consider level of service for intersections and roadway segments. Thus, driveway spacing consistent with the County's improvement standards has no bearing on CEQA analysis and is consistent with the County's General Plan level of service policies.

Comment 52-5

Constructing handfuls of driveways that enter and exit onto a major thoroughfare will undoubtedly cause significant environmental impacts to traffic. This is especially true where the driveways will go to and from commercial and office uses in a vicinity that is generally undeveloped. To the extent that the applicant has information on driveways to be constructed as part of the Project; that must be evaluated in the RDEIR in order to comply with the law. Even if such information is not known with specificity, the County's own land use policies are instructive on the maximum number of driveways that can be constructed and the distance required between each one. (See, e.g., Sacramento County Improvement Standards, § 4 Street Design [“Driveways on Arterial and Thoroughfare streets shall have a minimum clear spacing of 150 feet between driveways.”].) That information can be used to analyze the additional traffic impacts and

to analyze this component of the Project after it is approved would constitute improper deferral. (Sundstrom v. County of Mendocino (1988) 202

Cal.App.3d 296).

Response 52-5

As explained above, significant environmental effects are based on VMT, not LOS. Even when considering the County's level of service policies, driveways are not assigned an LOS grade. Rather, they are considered holistically as part of the roadway classification as explained in Response 52-4. Arterial/thoroughfare roadways are assumed to have a higher degree of access control than local roadways. This assumption is reflected in both a higher roadway capacity than local roadways (for LOS analysis purposes), and more restrictive driveway spacing standards than local roadways (in the improvement standards).

Comment 52-6

ACTC appreciates that the applicant has agreed to the second of two requests in our earlier letter. We further understand that the applicant expressed a willingness to agree to constrain at least 14 feet along Jackson Road to ensure no development, now or in the future, will occur in this right-of-way, except for traffic improvements to relieve congestion or landscaping improvements. However, cutting handfuls of driveways into the otherwise "protected" area would defeat the purpose of reducing traffic impacts from the Project. A key purpose of preserving the space is to keep a barrier between development and Jackson Road, a major thoroughfare and, thereby, mitigate traffic impacts from the Project, prevent further development occurring within that right-of-way, and allowing the possibility of a future lane to aid in traffic congestion. Constructing driveways across the 14-foot reservation would have the opposite effect of what it is intended for—namely, to prohibit additional development and to decrease additional traffic congestion.

Response 52-6

The comment acknowledges project design features that were developed in collaboration with ACTC. For clarification, the County understands the purpose of the 14-foot reservation as solely to preserve the possibility of future roadway expansion, as requested by ACTC. This would result in larger building setbacks but would in no way change access assumptions for the current development proposal. The comment is related to project design and does not affect the analysis or conclusions in the EIR. No revisions have been made in response to this comment.

Comment 52-7

The Jackson Township Specific Plan, Exhibit 4.1 "Circulation Diagram" only shows that along Jackson Road, the Project will involve three traffic signals and three right-in/right-out lanes, one with a left turn ingress. There is no indication on the Exhibit, or anywhere in the Specific Plan, that driveways will be constructed along Jackson Road.

The RDEIR only mentions that "the capacity class categories are based upon the nature of traffic flow along the facility, including number of interruptions due to intersection control, driveways, and local streets" but fails to actually identify the location or number of driveways. (RDEIR, p. 20-21; Appendix TR-1, § 1.3.2.1.) The Jackson Road driveways are known to the County and should be analyzed in the RDEIR. Should the County believe the driveways are sufficiently analyzed in the RDEIR, we request that you provide a specific page number or figure demonstrating so.

Response 52-7

As described above, Jackson Road is assumed to be developed to the standards of an "arterial, moderate access control" in the segment analysis tables in Appendix TR-1. This assumes 2-4 stoplights per mile, driveways spacing of a "limited" nature, and a design speed of 35-45 mph. The classification is not dependent upon identifying a number or location of driveways, only the general nature of access being proposed. Because of the median on Jackson Road limiting most access points to right-in/right-out, and the spacing standards, a "moderate access control" classification is appropriate. 47th Avenue west of Franklin Boulevard would be a good example of a "low access control" roadway, with numerous full-access, substandard spacing driveways. As a default, moderate access control is an appropriate assumption for most roadways in unincorporated Sacramento County.

The County believes that the potential for driveways onto Jackson Highway has been sufficiently analyzed. Refer to Appendix TR-4 for a detailed discussion.

Comment 52-8

Throughout the Project documents, unimpeded pedestrian and bicycle access to trail networks is repeatedly described. (See, e.g., Project Specific Plan, § 4.4 "Mobility System" ["This multimodal network is an important component for connectivity and promoting non-vehicular travel within and outside of the Plan Area."].) The Project plans show a Class I Regional Bikeway Path (12 ft. Path) will extend the length of the Project border along Jackson Road.

(Id. at Exhibit 4.3.) The Regional Bike Path is "envisioned to provide convenient opportunities for pedestrians and cyclists to use alternative modes to reach frequent destinations within the Plan Area, such as to schools, parks, shopping and transit." (Id. at § 4.4.1.1.) Driveways placed roughly every 200 feet, which are in addition to the street intersections actually shown on Project plans, will undoubtedly impact the utility of such a path. The RDEIR, however, fails to disclose or discuss driveways that may intersect the Regional Bike Path, and the resulting impacts, such as impeding flow, threatening user safety, and decreasing willingness to use the Bike Path.

Further, the Project relies on use of these pedestrian and bicycle trails in various mitigation measures. (RDEIR, mitigation measures CC-1, TR-2, TR-9.) The RDEIR again fails to discuss how adding handfuls of driveways will impact the sufficiency of the Project mitigation measures.

Response 52-8

There are multiple bike paths and trails within the Plan Area. Bike paths and trails along the creek corridor and in designated open space would have limited intersections and driveways. Bike paths and trails along arterials are separated from the road but will have intersections and driveways in accordance with County Code, as would be expected on a Moderate Access Control Arterial.

The comment suggests that driveways along Jackson Highway would reduce the utility of the planned Class I bikeway and would affect the safety of bicyclists. The County does not agree that providing motor vehicle access to Jackson Highway is incompatible with the planned multimodal trail network. The utility of the planned bikeways was considered in the transportation modeling as described in Response 52-4. The County would evaluate subsequent pathway designs for potential conflicts. If necessary, safety features, such as signage or conflict markings (e.g., green paint at driveways), would be incorporated in the project design, in accordance with the design standards and guidance in effect at that time.

Comment 52-9

The VMT analysis relies on pedestrian and bicycle trails as "Modeled VMT Reduction Measures" and "Off-Model VMT Reduction Measures." (RDEIR Appendix TR-3 Revised VMT Analysis.) Even with these measures, the Project VMT will "exceed the County draft threshold" and is "expected to generate VMT per capita and VMT per employee greater than the regional average threshold." The addition of up to 22 driveways will further impact the effectiveness of this mitigation measure and such impacts and/or efficacy of mitigation is not discussed in the RDEIR.

Response 52-9

As indicated in the comment, the Project is anticipated to result in a significant and unavoidable impact due to induced VMT. The comment implies that driveways onto Jackson Highway would reduce the effectiveness of the VMT mitigation. No evidence is provided to support this assertion and the degree to which the significant impact would be made worse is unclear. The comment does not suggest new or revised mitigation for evaluation. Further, any efforts to restrict or otherwise limit the number of driveways, forcing more circuitous ingress and egress routes, may generate increased VMT. No changes to the EIR have been made in response this comment.

Comment 52-10

ACTC remains unopposed to the approval of any development project within Sacramento County, inclusive of this one. However, ACTC is opposed to development projects that are approved without adequate identification, analysis, and mitigation of anticipated environmental impacts as required by law, especially those impacts to traffic, circulation, and vehicle miles travelled.

Response 52-10

As explained in Chapter 20, "Traffic and Circulation," of this EIR, pursuant to Senate Bill (SB) 743, Public Resources Code Section 21099, and California Code of Regulations Section 15064.3, as of July 1, 2020, VMT has replaced congestion as the metric for determining transportation impacts under CEQA. Although the Draft EIR was published prior to this change in regulation, this EIR has been revised to include analysis of potential VMT effects. The effect of the Project on delay-based traffic operations is provided for informational purposes.

The County notes ACTC's opposition to development projects that affect traffic along Jackson Highway. However, identification and mitigation of these effects is not required in the EIR. Further, the County notes that some of ACTC's desired outcomes, such as turn restrictions, traffic barriers, and an ultimate widening of Jackson Road to eight lanes would result in substantial additional VMT and environmental impacts, compared to the Project proposal.

LETTER 53

Roxanne Fuentez, member of the community, written correspondence; dated December 6, 2021.

Comment 53-1

I am opposed to the Jackson Township Specific Project which proposes to develop 1,391 acres of open space in Sacramento County and amend the Urban Policy Area. The Project would permanently change the visual character of the area- it would be lost forever to future generations.

The majority of the Plan Area is Vernal Pool Prairie with native wildflowers in annual grasslands surrounding Vernal Pool Complexes. Many plants and animals are found only in these habitats, such as Slender Orcutt Grass and Sacramento Orcutt Grass, which are seriously endangered, and Vernal Pool Fairy Shrimp, which are rare and threatened, and Vernal Pool Tadpole Shrimp, which are rare and endangered. A large portion of the Plan Area is within Vernal Pool Critical Habitat Subunit 11E- about 779 acres or 57 percent of this Subunit occurs in the Plan Area and the Project and Alternative 2 would destroy most of this area.

Sacramento County has one of the largest remaining concentrations of breeding pairs of Swainson's Hawks. The Project and Alternative 2 would remove suitable nest trees and 516.7 acres of foraging habitat for the Swainson's Hawk.

The Project would cause the loss of Burrowing Owls and their young.

The Project will remove 516.7 acres of foraging habitat for the Grasshopper Sparrow, Song Sparrow, Yellow-headed Blackbird, Loggerhead Shrike, Coopers Hawk, Ferruginous Hawk, White-tailed Kite, and Northern Harrier.

The Project will cause the abandonment of an active Tricolored Blackbird Colony and loss of eggs and young of this threatened species.

American Badger dens and babies will be destroyed by the Project.

Western Pond Turtles and rare Western Spadefoot Toads will be destroyed by this Project

96 native trees and 707 nonnative trees will be destroyed by the Project.

1,126 acres of farmland will be destroyed by this Project.

Lighting from this Project will destroy nighttime views in the Area.

The No Project Alternative would reduce impacts to all resource areas and would be environmentally superior.

The No Project Alternative would retain grasslands, wildlife habitat, and trees in the Plan Area that support special status plants and wildlife species known to occur in the Region.

The No Project Alternative would allow for continued use of the Area for agriculture.

The No Project Alternative would result in less potential to affect groundwater recharge.

The No Project Alternative would have less impact on traffic and transportation than the Project.

To alleviate impacts of Jackson Highway Master Plans, the applicant wants to institute reversible lanes on U.S.50 from I-5 to Watt Avenue. This would be confusing to drivers and possibly lead to collisions. The applicant also wants to put toll lanes on U.S.50 from I-5 to Watt Avenue. This would slow traffic and cause more of a financial burden for drivers.

I am opposed to rezoning the land in this area. We must not destroy the remaining wildlife habitat and beautiful open space in Sacramento County.

Response 53-1

The comment reiterates material provided in Letter 10. Refer to Responses 10-1 through 10-4.

This page intentionally left blank.

24 BIBLIOGRAPHY

Executive Summary

No references were used in this chapter.

Chapter 1, Introduction

No references were used in this chapter.

Chapter 2, Project Description

SACOG. See Sacramento Area Council of Governments.

Sacramento Area Council of Governments. 2016 (February). SACOG 2016 MTP/SCS MODELING PROJECTIONS FOR 2012, 2020 AND 2036. Available: <https://www.sacog.org/data-library>. Accessed: September 5, 2018.

County of Sacramento. 2011. *General Plan of 2005-2030*. Amended November 9, 2011. Community Planning and Development Department.

———. 2015 (September). Sacramento County Zoning Code, Chapter 2: Zoning Districts.

Sacramento County Department of Transportation. 2018 (July). Project Master List. Available: <http://www.sacdot.com/Documents/A%20to%20Z%20Folder/PML/PML%207-17.pdf>. Accessed: September 11, 2018.

Chapter 3, Alternatives

No references were used in this chapter.

Chapter 4, Aesthetics

California Department of Transportation. 2019. California Scenic Highway Mapping System, Route 160 – Scenic Highway. Available: http://www.dot.ca.gov/hq/LandArch/16_livability/scenic_highways/. Accessed March 6, 2019.

Caltrans. See California Department of Transportation.

US Department of Energy. Office of Energy Efficiency and Renewable Energy Solar Technologies Office. 2014. Solar PV and Glare Factsheet. Available: <https://www.energy.gov/eere/solar/downloads/solar-pv-and-glare-factsheet>. Accessed May 17, 2018.

Meister Consultants Group. 2014. Solar PV and Glare Factsheet. Prepared for the US DOE, Solar Energy Technologies Office. Available: <https://www.energy.gov/eere/solar/downloads/solar-pv-and-glare-factsheet>. Accessed May 17, 2018.

Sacramento County. 2010 (April). *Final Environmental Impact Report: Sacramento County General Plan Update*. Control Number: 2002-GPB-0105. State

Clearinghouse Number: 2007082086. Prepared by Sacramento County Department of Environmental Review.

Williams, Kim. Planning Manager. Elk Grove Unified School District, Elk Grove, CA. July 17, 2019–email to Jessica Babcock of Ascent Environmental regarding typical lighting at school sites.

Chapter 5, Agricultural Resources

California Department of Conservation. 2016. Sacramento County, Farmland Mapping and Monitoring Program. Historic Land Use Conversion: 1998-present and Important Farmland Map. Available: <https://www.conservation.ca.gov/dlrp/fmmp/Pages/Sacramento.aspx>. Accessed Jan 2, 2019.

DOC. See California Department of Conservation.

Natural Resources Conservation Service. 2016 (April 28). *Web Soil Survey, National Cooperative Soil Survey*.

NRCS. See Natural Resources Conservation Service.

Sacramento County 2015 (September). Sacramento County Zoning Code, Chapter 2: Zoning Districts.

USDA. See U.S. Department of Agriculture.

U.S. Department of Agriculture. 2003 (December). *National Range and Pasture Handbook*. Natural Resources Conservation Service, Grazing Lands Institute.

Wilber, Monique. Conservation Program Support Supervisor. California Department of Conservation, Sacramento, CA. August 13, 2019–letter to Kate A. Wheatley of Taylor & Wiley regarding a request to remove two properties mapped as Farmland of Local Importance on the Important Farmland Map of Sacramento County.

Chapter 6, Air Quality

CAPCOA. See *California Air Pollution Control Officers Association*.

California Air Pollution Control Officers Association. 2016~~2021~~. CalEEMod Version 16.3.2. Available: <http://www.caleemod.com/>. *California Emissions Estimator Model User's Guide Version 2020.4.0 Users Guide*. Available: http://www.aqmd.gov/docs/default-source/caleemod/user-guide-2021/01_user-39-s-guide2020-4-0.pdf?sfvrsn=6. Accessed September 2019~~2022~~.

California Air Resources Board. 1994. Sacramento Area Regional Ozone Attainment Plan. November 15, 1994. Available: [http://www.airquality.org/ProgramCoordination/Documents/5\)%201994%20SIP%20Plan%20for%201979%20naaqs.pdf](http://www.airquality.org/ProgramCoordination/Documents/5)%201994%20SIP%20Plan%20for%201979%20naaqs.pdf). Accessed September 2019.

———. 2003. *HARP User Guide*. Sacramento, CA.

———. 2013. California Almanac of Emissions and Air Quality – 2013 Edition. Available: <https://ww3.arb.ca.gov/aqd/almanac/almanac13/almanac2013all.pdf>. Accessed August 2019.

- . 2017. Particulate Air Pollution and its Effects on California. Last Updated January 20, 2017. Available: <https://ww3.arb.ca.gov/research/ict/pm.htm>. Accessed August 2019.
- California Department of Public Health. 2019. Sacramento County's Health Status Profile for 2019. Available: https://www.cdph.ca.gov/Programs/CHSI/CDPH%20Document%20Library/ICS_SACRAMENTO2019.pdf. Accessed December 28, 2020.
- CARB. See California Air Resources Board.
- CDPH. See California Department of Public Health.
- DKS. 2019 (February). *Transportation Impact Report Jackson Township Specific Plan*. Prepared for Sacramento County Community Development PERD.
- . 2022 (July 1). *SB 743/VMT Analysis – Jackson Township*. Sacramento, CA. Letter memorandum to Todd Smith and Cameron Shew, County of Sacramento.
- EDCAPCD, FRAQMD, PCAPCD, SMAQMD, and YSAQMD. See El Dorado County Air Pollution Control District, Feather River Air Quality Management District, Sacramento Metropolitan Air Quality Management District, and Yolo-Solano Air Quality Management District.
- El Dorado County Air Pollution Control District, Feather River Air Quality Management District, Sacramento Metropolitan Air Quality Management District, and Yolo-Solano Air Quality Management District. 2002. *Foundation for a Threshold: Justification for Air Quality Thresholds of Significance in the Sacramento Federal Nonattainment Area*. Available: <http://www.airquality.org/LandUseTransportation/Documents/CEQAThresholdJustificationOperationalFinal.pdf>. Access December 14, 2020.
- EPA. See U.S. Environmental Protection Agency.
- Kleinfelder. 2015. Technical Memorandum, Potential Odors from the Sacramento Rendering Company at the Proposed Jackson Township Development.
- . 2019. *Air Quality Mitigation Plan and Greenhouse Gas Reduction Plan*.
- . 2020. *Analysis of Potential Health Effects Related to the Air Quality Impacts of the Jackson Township Specific Plan*.
- OEHHA. See Office of Environmental Health Hazard Assessment.
- Office of Environmental Health Hazard Assessment. 2012. Technical Support Document for Exposure Assessment and Stochastic Analysis. Available: <https://oehha.ca.gov/media/downloads/cnr/combinedsmall.pdf>. Accessed September 2019.
- Ostro, Bart, Brian Malig, Rachel Broadwin, Rupa Basu, Ellen B. Gold, Joyce T. Bromberger, Carol Derby, Steven Feinstein, Gail A. Greendale, Elizabeth A. Jackson, Howard M. Kravitz, Karen A. Matthews, Barbara Sternfeld, Kristin Tomey, Robin R. Green, and Rochelle Green. (2014). *Chronic PM_{2.5} Exposure and Inflammation: Determining Sensitive Subgroups in Mid-life Women*.

- Environmental Research. Volume 132, July 2014, Pages 168–175.
<http://www.sciencedirect.com/science/article/pii/S0013935114000899/> Accessed June 2019.
- Sacramento Metropolitan Air Quality Management District. 2009. SMAQMD's Recommended Odor Screening Distances. Available:
<http://www.airquality.org/LandUseTransportation/Documents/Ch7ScreeningDistancesFINAL12-2009.pdf>. Accessed June 2019.
- . 2016. SMAQMD's CEQA Guidelines Odor Impacts. Available:
<http://www.airquality.org/LandUseTransportation/Documents/Ch7Odors%20FINAL6-2016.pdf>. Accessed September 2019.
- . 2017. SMAQMD July 31st Presentation Health Risk Assessment for the Sacramento Rendering Company Rendering Facility. Available:
<http://www.airquality.org/StationarySources/Documents/SMAQMD%20SRC%20Public%20Meeting%202017%20presentation.pdf>. Accessed September 2019.
- . 2019a. Friant Ranch Interim Recommendation. Available:
<http://www.airquality.org/LandUseTransportation/Documents/FriantInterimRecommendation.pdf>. Accessed July 2019.
- . 2019b. MSAT Protocol
- . 2019c. *Odor Complaint History Sacramento Rendering Plant*.
- . 2020 (October). Final Guidance to Address the Friant Ranch Ruling for CEQA Projects in the Sac Metro Air District. Available:
<http://www.airquality.org/LandUseTransportation/Documents/SMAQMDFriantRanchFinalOct2020.pdf>. Accessed December 14, 2020.
- SMAQMD. See Sacramento Metropolitan Air Quality Management District.
- Smith, Dave. Owner, Sacramento Raceway, Sacramento, CA. November 18, 2021 – letter to Todd Smith of Sacramento County regarding County of Sacramento Planning Commission Report and Sacramento Raceway Park – Smith Racing Enterprise LLC.
- U.S. Environmental Protection Agency. 2017. Criteria Air Pollutants Homepage. Available: <https://www.epa.gov/criteria-air-pollutants>. Accessed September. 2019.
- . 2019. Greenbook: 8-Hour Ozone (2015) Designated Area/State Information with Design Values. Available: <https://www3.epa.gov/airquality/greenbook/jbtcw.html>. Accessed July 2019.
- Western Regional Climate Center. 2002. Prevailing Wind Direction. Available:
https://wrcc.dri.edu/Climate/comp_table_show.php?stype=wind_dir_avg. Accessed September 2019.
- . 2016. Climate Summaries Sacramento 5 ESE California. Available:
<https://wrcc.dri.edu/cgi-bin/cliMAIN.pl?ca7633>. Accessed September 2019.
- WRCC. See *Western Regional Climate Center*.

Zhu, Y., W. C. Hinds, S. Kim, S. Shen, and C. Sioutas. 2002. Study of Ultrafine Particles Near a Major Highway with Heavy-Duty Diesel Traffic. *Atmospheric Environment* 36:4323–4335.

Chapter 7, Airport Compatibility

Foothill Associates. 2015. *Bird Aircraft Strike Hazard Analysis*.

Sacramento County. 2014. *Mather Airport Master Plan Final EIR*. 2002-0325. Available: <https://planningdocuments.sacounty.net/>.

Sacramento County, Department of Airports. 2013. *Mather 2013 Draft Mather Airport Master Plan*.

Sacramento County, Department of Airports. *Sacramento County Airport System*. 2014-2017. *Passenger, Cargo, and Landing Statistics for Sacramento International Airport and Mather Airport*. Available: <https://sacramento.aero/scas/about/reports>. Accessed February 13, 2018.

Chapter 8, Biological Resources

California Department of Fish and Wildlife. 2012 (March 7). Staff Report on Burrowing Owl Mitigation. California Natural Resources Agency. Sacramento, CA.

———. 2019. California Natural Diversity Database (CNDDB) Swainson's Hawk Unprocessed Data – Commercial version dated December 30, 2018. Retrieved January 15, 2019 from <https://map.dfg.ca.gov/rarefind/view/RareFind.aspx>.

California Native Plant Society. 2018. Inventory of Rare and Endangered Plants of California (online edition, version 8-03 0.39). Available <http://www.rareplants.cnps.org>. Accessed August 31, 2018.

California Natural Diversity Database. 2018 (August). RareFind 5 (Commercial Version): An Internet Application for the Use of the California Department of Fish and Game's Natural Diversity Database. Biogeographic Data Branch, California Department of Fish and Game, Sacramento, CA. Accessed August 31, 2018.

CDFW. See California Department of Fish and Wildlife.

CNDDB. See California Natural Diversity Database.

CNPS. See California Native Plant Society.

County of Sacramento. 2011. *General Plan of 2005-2030*. Amended November 9, 2011. Community Planning and Development Department.

County of Sacramento, City of Rancho Cordova, City of Galt, Sacramento County Water Agency, Southeast Connector Joint Powers Authority. 2018 (January). *Final South Sacramento Habitat Conservation Plan*. Sacramento, CA.

County of Sacramento et al. See County of Sacramento, City of Rancho Cordova, City of Galt, Sacramento County Water Agency, Southeast Connector Joint Powers Authority.

Foothill Associates. 2004. *Excelsior Estates ±866.3-Acre Site Wetland Delineation Report*.

- . 2006. *Results of a Focused Survey for Sacramento Orcutt Grass (Orcuttia viscida) and Slender Orcutt grass (Orcuttia tenuis) on the Excelsior Estates ±866.3-Acre Site.*
- . 2007. *Orcutt Grass Survey on the ±866- Acre Excelsior Estates Site, Sacramento County, California.*
- . 2008. *Excelsior Estates Jurisdictional Determination Regulatory #200400791, Excelsior Estates ±866-Acre Site Sacramento County, California.*
- . 2010. *90-Day 2009-2010 Wet-Season Survey for Listed Vernal Pool Branchiopods, Excelsior Estates, Sacramento County, California.*
- . 2014. *Special-Status Plant Surveys on the ±886-Acre Excelsior Estates Site, Sacramento County, California, August 5, 2014.*
- . 2015 (December). *Final Biological Resources Assessment ±1,367-Acre Jackson Township Specific Plan Area Sacramento County, California.*
- Littlefield, C.D. and G.L. Ivey. 2000 (February). Conservation Assessment for greater Sandhill Cranes wintering on the Cosumnes River Floodplain and delta regions of California. Prepared for The Nature Conservancy, Cosumnes River Preserve.
- Pierson, E.D., W.E. Rainey, and C. Corben. 2006. Distribution and status of western red bats (*Lasiurus blossevillei*) in California. California Department of Fish and Game. Habitat Conservation Planning Branch, Species Conservation and Recover Program Report 2006-04. Sacramento, CA.
- Swainson's Hawk Technical Advisory Committee. 2000 (May 31). *Recommended Timing and Methodology for Swainson's Hawk Nesting Surveys in California's Central Valley.*
- USACE. See U.S. Army Corps of Engineers.
- U.S. Army Corps of Engineers. 2011. Record of Decision for Sun Ridge Properties EIS. U.S. Army Corps of Engineers, Sacramento District, Sacramento, CA.
- . 2015 (November 6). Letter to Tsakapoulos Investments regarding preliminary jurisdictional determination for the Jackson Township Specific Plan Project. Sacramento, CA. Prepared by Lisa M. Gibson, Sacramento District.
- U.S. Fish and Wildlife Service. 2005 (December). *Recovery Plan for Vernal Pool Ecosystems of California and Southern Oregon.* Portland, Oregon.
- . 2012. Conservancy fairy shrimp (*Branchinecta conservatio*) 5-year review: summary and evaluation. Sacramento Fish and Wildlife Office. Sacramento, CA.
- . 2017a. *Recovery Plan for Giant Garter Snake (Thamnophis gigas).* U.S. Fish and Wildlife Service, Pacific Southwest Region. Sacramento, CA.
- . 2017b. *Framework for Assessing Impacts to the Valley Elderberry Longhorn Beetle (Desmocerus californicus dimorphus).* Sacramento Fish and Wildlife Office. Sacramento, CA.

———. 2018. Official Species List for the Jackson Township Project. Consultation Code: 08ESMF00-2018-SLI-3110, Event Code: 08ESMF00-2018-E-09346. Letter obtained August 31, 2018. Sacramento Fish and Wildlife Office, Sacramento, CA.

USFWS. See U.S. Department of Fish and Wildlife Service.

Chapter 9, Climate Change

Black, Carolyn, Yohannes Tesfaigzi, Jed A. Bassein, and Lisa A. Miller. 2017. Wildfire Smoke Exposure and Human Health: Significant Gaps in Research for a Growing Public Health Issue. *Environmental Toxicology and Pharmacology*. 55 pp. 186-195.

California Air Resources Board. 2016 (October). 2016 ZEV Action Plan. Available: https://www.gov.ca.gov/wp-content/uploads/2017/09/2016_ZEV_Action_Plan.pdf. Accessed July 2019.

———. 2017 (November). *California's 2017 Climate Change Scoping Plan: The Strategy for Achieving California's 2030 Greenhouse Gas Target*. Available: https://www.arb.ca.gov/cc/scopingplan/scoping_plan_2017.pdf. Accessed July 2019.

———. 2018a (July 11). *California Greenhouse Gas Emission Inventory*. 2018 Edition. Available: https://www.arb.ca.gov/cc/inventory/data/data.htm?utm_medium=email&utm_source=govdelivery. Accessed July 2019.

———. 2018b (July 11). California Greenhouse Gas Emissions for 2000 to 2016: Trends of Emissions and Other Indicators. Available: https://www.arb.ca.gov/cc/inventory/pubs/reports/2000_2016/ghg_inventory_trends_00-16.pdf. Accessed July 2019.

———. 2018c. SB 375 Regional Greenhouse Gas Emissions Reduction Targets. Approved by the California Air Resources Board March 22, 2018. Available: <https://www.arb.ca.gov/cc/sb375/finaltargets2018.pdf>. Accessed July 2019.

CAL FIRE. See California Department of Forestry and Fire Protection.

California Department of Forestry and Fire Protection. 2007. Fire Hazard Severity Zones in SRA: Sacramento County. Available: https://osfm.fire.ca.gov/media/6756/fhszs_map34.pdf. Accessed April 8, 2021.

California Energy Commission. 2018 (March). 2019 Building Energy Efficiency Standards: Frequently Asked Questions. Available: http://www.energy.ca.gov/title24/2019standards/documents/2018_Title_24_2019_Building_Standards_FAQ.pdf. Accessed July 2019.

———. 2019 Cal-Adapt Annual Averages Tool. Available: <http://cal-adapt.org/tools/annual-averages/>. Accessed July 2019.

California Natural Resources Agency. 2018 (January). Safeguarding California Plan: 2018 Update. Available: <http://resources.ca.gov/docs/climate/safeguarding/update2018/safeguarding-california-plan-2018-update.pdf>. Accessed July 2019.

- CARB. See California Air Resources Board.
- CAPCOA. See California Air Pollution Control Officers Association.
- CEC. See California Energy Commission.
- CNRA. See California Natural Resources Agency.
- DKS Associates. 2019 (February). Transportation Impact Report Jackson Township Specific Plan. Prepared for Sacramento County Office of Planning and Environmental Review, Sacramento, CA. EPA. See U.S. Environmental Protection Agency.
- European Commission Joint Research Center. 2018 (March). Climate Change Promotes the Spread of Mosquito and Tick-Borne Viruses. *Science News*. Available: <https://www.sciencedaily.com/releases/2018/03/180316111311.htm>. Accessed July 2019.
- Governor's Office of Planning and Research. 2017a (November). Proposed Updates to the CEQA Guidelines. Available: http://opr.ca.gov/docs/20171127_Comprehensive_CEQA_Guidelines_Package_Nov_2017.pdf. Accessed July 2019.
- . 2017b (November). Technical Advisory on Evaluating Transportation Impacts in CEQA. Available: http://www.opr.ca.gov/docs/20171127_Transportation_Analysis_TA_Nov_2017.pdf. Accessed July 2019.
- Governor's Office of Planning and Research, California Natural Resources Agency, and California Energy Commission. 2019 (January). *California's Fourth Climate Change Assessment*. In coordination with the California Energy Commission and California Natural Resources Agency. January 16, 2019. Available: <http://climateassessment.ca.gov/state/docs/20190116-StatewideSummary.pdf>. Accessed July 2019.
- Intergovernmental Panel on Climate Change. 2013. Chapter 6, Carbon and Other Biogeochemical Cycles. Pages 465–570 in *Climate Change 2013: The Physical Science Basis*. Working Group I Contribution to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Available: http://www.climatechange2013.org/images/report/WG1AR5_ALL_FINAL.pdf. Accessed July 2019.
- . 2014. Climate Change 2014 Synthesis Report: Summary for Policymakers. Available: https://www.ipcc.ch/pdf/assessment-report/ar5/syr/AR5_SYR_FINAL_SPM.pdf. Accessed July 2019.
- . 2018. Global Warming of 1.5 Degrees Celsius: Summary for Policymakers. Available: https://report.ipcc.ch/sr15/pdf/sr15_spm_final.pdf. Accessed July 2019.
- IPCC. See Intergovernmental Panel on Climate Change.
- Kleinfelder. 2021. Revision 3a – Updated Greenhouse Gas Reduction Plan for the Proposed Jackson Township Specific Plan. January 4, 2021.

- OPR. See Governor's Office of Planning and Research.
- OPR et al. See Governor's Office of Planning and Research, California Natural Resources Agency, and California Energy Commission.
- Lister, Bradford C. and Adres Garcia. 2018 (September). Climate-Driven Declines in Arthropod Abundance Restructure a Rainforest Food Web. *Proceedings of the National Academy of Sciences of the United States*. 115 (44): pp. E10397-E10406. Available: <https://www.pnas.org/content/pnas/115/44/E10397.full.pdf>. Accessed July 2019.
- McKibben, Bill. 2018. How Extreme Weather is Shrinking the Planet. *The New Yorkers*. November 26, 2018 Issued. Available: <https://www.newyorker.com/magazine/2018/11/26/how-extreme-weather-is-shrinking-the-planet>. Accessed July 2019.
- Metro Fire. See Sacramento Metropolitan Fire District.
- SACOG. See Sacramento Area Council of Governments.
- Sacramento Area Council of Governments. 2016 *Metropolitan Transportation Plan and Sustainable Communities Strategy*. Available: https://www.sacog.org/sites/main/files/file-attachments/mtpscs_complete.pdf?1489089196. Accessed April 8, 2021.
- Sacramento County Water Agency. 2016. Appendix WS-1 Water Supply Assessment. Available <https://planning.saccounty.net/PlansandProjectsIn-Progress/Documents/Growth%20Area%20Plans/Mather%20South/DEIR%20-%201.8.19/Appendix%20WS-1.pdf>. Accessed April 8, 2021.
- Sacramento, County of. 2019. *2030 General Plan*. Available: <https://planning.saccounty.net/PlansandProjectsIn-Progress/Pages/GeneralPlan.aspx>. Accessed April 8, 2021.
- . 2021 (March). *Public Draft Climate Action Plan*. Available: <https://planning.saccounty.net/PlansandProjectsIn-Progress/Documents/Sacramento%20County%20Draft%20Communitywide%20Climate%20Action%20Plan.pdf>. Accessed March 18, 2021.
- Sacramento Metropolitan Air Quality Management District. 2018. *Guide to Air Quality Assessment in Sacramento County*. Available: <http://www.airquality.org/businesses/ceqa-land-use-planning/ceqa-guidance-tools>. Accessed April 8, 2021.
- . 2020. *Greenhouse Gas Thresholds for Sacramento County*. Available: <http://airquality.org/LandUseTransportation/Documents/SMAQMDGHGThresholds2020-03-04v2.pdf>.
- . 2021. *Guide to Air Quality Assessment in Sacramento County*, Chapter 6 Greenhouse Gas Emissions. Available: <http://www.airquality.org/LandUseTransportation/Documents/Ch6GHG2-26-2021.pdf>. Accessed April 8, 2021.

Sacramento Metropolitan Fire District. 2012. *Community Wildfire Protection Plan*. Available: <https://metrofire.ca.gov/community-wildfire-protection-plan>. Accessed April 8, 2021.

SCWA. See Sacramento County Water Agency.

SMAQMD. See Sacramento Metropolitan Air Quality Management District.

Smith, Dave. Owner, Sacramento Raceway, Sacramento, CA. November 18, 2021 – letter to Todd Smith of Sacramento County regarding County of Sacramento Planning Commission Report and Sacramento Raceway Park – Smith Racing Enterprise LLC.

Smith, Todd. Principal Planner. Office of Planning and Environmental Review, Sacramento County. Sacramento, CA. October 11, 2017—email to Dimitri Antoniou regarding greenhouse gas significance thresholds.

United Nations. 2015. Paris Agreement. Available: https://unfccc.int/sites/default/files/english_paris_agreement.pdf. Accessed July 2019.

U.S. Environmental Protection Agency. 2018 (April 2). EPA Administrator Pruitt: GHG Emissions Standards for Cars and Light Trucks Should be Revised. Available: <https://www.epa.gov/newsreleases/epa-administrator-pruitt-ghg-emissions-standards-cars-and-light-trucks-should-be>. Accessed July 2019.

———. 2019 (June). Fact Sheet – The Affordable Clean Energy Rule. Available: https://www.epa.gov/sites/production/files/2019-06/documents/bser_and_eg_fact_sheet_6.18.19_final.pdf. Accessed June 21, 2019.

Wade, Samuel. Branch chief. Transportation Fuels Branch, Industrial Strategies Division, California Air Resources Board, Sacramento, CA. June 30, 2017—email to Austin Kerr of Ascent Environmental regarding whether the Low Carbon Fuel Standard applies to fuels used by off-road construction equipment.

Chapter 10, Cultural Resources

ECORP Consulting, Inc. 2014. *Cultural Resources Inventory Addendum and Evaluation Report for the Excelsior Estates Project Area, Jackson Township Specific Plan, Sacramento County, California*. Prepared for Tsakopoulos Investments and U.S. Army Corps of Engineers Sacramento District.

Windmiller, Ric. 2014. *Excelsior Estates: Updated Cultural Resources Inventory and Evaluation for NHPA Section 106 Consultation, Sacramento County, California*. Prepared for Foothill Associates, Rocklin.

Chapter 11, Energy

AFDC. See Alternative Fuels Data Center.

Alternative Fuels Data Center. 2019. Alternative Fueling Station Counts by State. Available: <https://afdc.energy.gov/stations/states>. Accessed June 2, 2019.

- California Air Pollution Control Officers' Association. 2017. California Emissions Estimator Model Version 2016.3.2. Available: <http://www.caleemod.com/>. Accessed June 2, 2019.
- California Air Resources Board. 2016. *California's Advanced Clean Cars Program*. Available: <https://www.arb.ca.gov/msprog/acc/acc.htm> and <http://www.arb.ca.gov/newsrel/newsrelease.php?id=282>. Accessed June 2, 2019.
- . 2018a. EMFAC Web Database, Sacramento County. Available: <https://www.arb.ca.gov/emfac/2017/>. Accessed March 18, 2019.
- . 2018b. *Final Staff Report: Proposed Update to the SB 375 GHG Emissions Reduction Targets*. Available: <https://www.arb.ca.gov/msprog/acc/acc.htm> and <http://www.arb.ca.gov/newsrel/newsrelease.php?id=282>. Accessed March 18, 2019.
- California Department of Transportation. 2016. Highway Performance Monitoring System, Sacramento County. Available: <http://www.dot.ca.gov/hq/tsip/hpms/datalibrary.php>. Accessed June 2, 2018.
- California Energy Commission. 2003 (August). Reducing California's Petroleum Dependence. Joint Agency Report by California Energy Commission and California Air Resources Board. Available: <https://www.arb.ca.gov/fuels/carefinery/ab2076final.pdf>. Accessed July 2, 2019.
- . 2018. 2017 Total System Electric Generation in Gigawatt Hours. Available: http://www.energy.ca.gov/almanac/electricity_data/total_system_power.html. Accessed July 2, 2019.
- . 2019a. CEC Website Energy Reports: Sacramento County. Available: <http://ecdms.energy.ca.gov/elecbycounty.aspx>. Accessed June 2, 2019.
- . 2019b. 2019 California Energy Commission. 2018 (March). *2019 Building Energy Efficiency Standards: Frequently Asked Questions*. Available: https://www2.energy.ca.gov/title24/2019standards/documents/2018_Title_24_2019_Building_Standards_FAQ.pdf. Accessed July 2, 2019.
- Caltrans. See California Department of Transportation.
- CAPCOA. See California Air Pollution Control Officers' Association.
- CARB. See California Air Resources Board.
- CEC. See California Energy Commission.
- EIA. See U.S. Energy Information Administration.
- Kleinfelder. 2019. Revision 2 - Updated Air Quality Mitigation Plan and Greenhouse Gas Reduction Plan for the Proposed Jackson Township Specific Plan.
- South Coast Air Quality Management District. 1993. CEQA Air Quality Handbook. Available: <http://www.aqmd.gov/home/rules-compliance/ceqa/air-quality-analysis-handbook>. Accessed June 2, 2019.
- U.S. Energy Information Administration. 2019. California State Energy Profile. Available: <https://www.eia.gov/state/print.php?sid=CA>. Accessed June 2, 2019.

Chapter 12, Geology, Soils, and Mineral Resources

California Geological Survey. 2006. Relative Likelihood for the Presence of Naturally Occurring Asbestos in Eastern Sacramento County, California. Special Report 192. Available: https://www.conservation.ca.gov/cgs/Documents/Publications/Special-Reports/SR_192-Asbestos-Report.pdf.

———. 2019. *CGS Information Warehouse: Regulatory Maps*. Available at: <https://maps.conservation.ca.gov/cgs/informationwarehouse/regulatorymaps/>. Accessed March 12, 2019.

CGS. See California Geological Survey.

Natural Resources Conservation Service. 2016 (April 28). *Web Soil Survey, National Cooperative Soil Survey*.

Sacramento County. 2010 (April). *Sacramento County General Plan Update Final Environmental Impact Report*.

Shlemon, R.J. 1967 (May). Geologic Map of Northern Sacramento County, California.

Shlemon, R.J. 1995. Pleistocene channels of the lower American River, Sacramento County, California: (appended, five-page article) in Franks, A., and Moss, G. (leaders). *Geology of the Sacramento area, foothills, and the Sierra Nevada mountains: Association of Engineering Geologists Field Trip Guide*, 1995 Annual Meeting of the Association of Engineering Geologists and Groundwater Resources Association, Sacramento, CA.

USDA. See U.S. Department of Agriculture, Soil Conservation Service.

U.S. Department of Agriculture, Soil Conservation Service. 1993. *Soil Survey of Sacramento County, California*.

Chapter 13, Hazardous Materials

California Department of Forestry and Fire Protection. 2008. Very High Fire Hazard Severity Zones in LRA: As Recommended by CAL FIRE. Available: http://frap.fire.ca.gov/webdata/maps/sacramento/fhszl_map.34.pdf

BSK Associates. 2013 (September). *Phase I Environmental Site Assessment, Proposed Jackson Township Specific Plan Project (1,400 Contiguous Acres), Unincorporated Sacramento County, California*. Prepared for Excelsior Estates, LLC, Carmichael, CA.

Chapter 14, Hydrology, Drainage, and Water Quality

Au Clair, Stephen. 2019 (February 15). *Jackson Township Development: Beach Stone Lakes Area Impact Analysis*. Letter report to Todd Smith, Sacramento County Planning Department and Michael Johnson, Sacramento County Department of Water Resources. Sacramento, CA.

California Natural Resources Agency. 2018 (January). *Safeguarding California Plan: 2018 Update*. Available: <http://resources.ca.gov/docs/climate/safeguarding/update2018/safeguarding-california-plan-2018-update.pdf>. Accessed July 2019.

CES. See Civil Engineering Solutions.

- City of Rancho Cordova. 2006. *General Plan: Building our City, Building Our Future*. Available: <https://www.cityofranhocordova.org/i-want-to-/learn-about/general-plan>. Accessed: January 29, 2019.
- Civil Engineering Solutions. 2017. *Jackson Township Master Plan Drainage Report*. Prepared by Civil Engineering Solutions for Project Applicants.
- . 2019 (January). *Technical Memorandum: Jackson Township- Climate Change Technical Evaluation*. Prepared by Civil Engineering Solutions for Project Applicants.
- County of Sacramento 1985. *Vineyard Community Plan*. Sacramento, CA.
- County of Sacramento 2003. *Cordova Community Plan*. Sacramento, CA.
- David Ford Consulting Engineers. 2018 (April 9). *Additional information regarding proposed method for accounting for uncertainty associated with climate change for West Jackson Highway Master Plan*. Sacramento, CA. Letter memorandum to Tim Crush, PE of Wood Rodgers, Inc.
- Plummer, Thomas. Civil Engineering Solutions, Inc. Lincoln, CA. June 2018—email to Jim Wiley of Taylor and Wiley regarding the drainage study and clarifying data requests.
- Rancho Cordova. See City of Rancho Cordova.
- SCGA. See Sacramento County Groundwater Authority.
- Sacramento County Department of Water Resources. 2016 (February). ULOP Applicability in unincorporated Areas of Sacramento County. Available: <https://planning.saccounty.net/PlansandProjectsIn-Progress/Documents/Floodplain%20Management%20Amendments/ULOP%20CPAC%20Map.pdf>
- Sacramento County Groundwater Authority. 2014 (August). *Basin Management Report 2011-2012*. Prepared for the Sacramento Central Groundwater Authority by RMC Water and Environment. Available: <http://www.scgah2o.org/documents/2011-2012%20Basin%20Management%20Report.pdf>. Accessed: January 29, 2019.
- Sacramento Stormwater Quality Partnership. 2018 (July). *Sacramento Stormwater Quality Design Manual*.
- State Water Resources Control Board. 2012. Impaired Water Bodies: 2012 Integrated Report Approval Documents. Available: https://www.waterboards.ca.gov/water_issues/programs/tmdl/integrated2012.shtml?wbid=CAR5191100019980817123042. Accessed: October 27, 2017.
- Chapter 15, Land Use, Population, and Housing**
- County of Sacramento. 2011. *General Plan of 2005-2030*. Amended November 9, 2011. Community Planning and Development Department.
- DKS Associates. 2020 (October 2). *Jackson Township Specific Plan Revised VMT Analysis*. Letter Memorandum to Todd Smith, Sacramento County.
- SACOG. See Sacramento Area Council of Governments.

Sacramento Area Council of Governments. 2016. *Metropolitan Transportation Plan/Sustainable Community Strategy*. Available: <https://www.sacog.org/2016-mtpscs>. Accessed October 8, 2018.

Chapter 16, Noise

Berger et al. 2010 (July 6). Noise Navigator Sound Level Database [Microsoft Excel]. Seattle: University of Washington, Department of Environmental and Occupational Health Services.

California Department of Transportation. 2002 (January). California Airport Land Use Planning Handbook. Sacramento, CA. Prepared by Shutt Moen Associates. Available: http://www.dot.ca.gov/hq/env/noise/pub/TeNS_Sept_2013A.pdf. Accessed March 18, 2019.

———. 2013a (September). *Technical Noise Supplement*. California Department of Transportation Division of Environmental Analysis. Sacramento, CA. Prepared by ICF Jones & Stokes. Available: http://www.dot.ca.gov/hq/env/noise/pub/TeNS_Sept_2013A.pdf. Accessed March 18, 2019.

———. 2013b (September). *Transportation and Construction Vibration Guidance Manual*. Sacramento, CA: Noise, Division of Environmental Analysis. Sacramento, CA. Available: http://www.dot.ca.gov/hq/env/noise/pub/TCVGM_Sep13_FINAL.pdf. Accessed March 18, 2019.

Caltrans. See California Department of Transportation

EPA. See US Environmental Protection Agency.

FAA. See Federal Aviation Administration.

Federal Aviation Administration. 2000. FAA Aviation Noise Abatement Policy. Federal Register Vol. 65, No. 136. Available: <https://www.govinfo.gov/content/pkg/FR-2000-07-14/pdf/00-17860.pdf>. Accessed March 18, 2019.

Federal Highway Administration. 2006. *Roadway Construction Noise Model User's Guide*. FHWA-HEP-05-054. Available: https://www.fhwa.dot.gov/Environment/noise/construction_noise/rcnm/rcnm.pdf. Accessed March 18, 2019.

Federal Interagency Committee on Noise. 1992. *Federal Agency Review on Selected Airport Noise Analysis Issues*. Available: http://www.gsweventcenter.com/Draft_SEIR_References/1992_08_Federal_Interagency_Committee_on_Noise.pdf. Accessed March 18, 2019.

Federal Transit Administration. 2006. *Transit Noise and Vibration Impact Assessment*. Washington, D.C. Available: <https://www.transit.dot.gov/regulations-and-guidance/environmental-programs/fta-noise-and-vibration-impact-assessment>. Accessed March 18, 2019.

FHWA. See Federal Highway Administration.

FICON. See Federal Interagency Committee on Noise

FTA. See Federal Transit Administration.

Governor's Office of Planning and Research. 2017 (August). *State of California General Plan Guidelines*. Sacramento, CA. Available: <http://www.opr.ca.gov/planning/general-plan/>. Accessed March 18, 2019.

J.C. Brennan & Associates. 2019. Jackson Township Specific Plan Environmental Noise Analysis.

OPR. See Governor's Office of Planning and Research.

Rancho Cordova, City of. 2006. General Plan Noise Element. Available: <http://www.cityofranchocordova.org/i-want-to-learn-about/general-plan> Accessed: May 4, 2018.

Sacramento, City of. 2016. Railyard Specific Plan EIR.

Sacramento, County of. 1999. Report on the Status of Rubberized Asphalt Traffic Noise Reduction in Sacramento County. Available: http://www.asphaltrubber.org/Noise_Report_Synthesis/Noise_Reports/Sac_County_Noise_Study.pdf Accessed: April 13, 2018

———. 2017. General Plan Noise Element. Available: <http://www.per.saccounty.net/LandUseRegulationDocuments/Documents/General-Plan/Noise%20Element%20-%20Amended%2012-13-17.pdf> Accessed: April 13, 2018

———. Railyards Specific Plan EIR Section 4.10 Noise and Vibration. Available: <https://www.cityofsacramento.org/-/media/Corporate/Files/CDD/Planning/Environmental-Impact-Reports/Railyards-Specific-Plan/410Noise-and-Vibration.pdf?la=en>. Accessed March 18, 2019.

Sacramento Municipal Utility District. 2017. Franklin Electric Transmission Project EIR. Available: <https://www.smud.org/-/media/Documents/Corporate/Environmental-Leadership/Franklin-Addendum-ISMND.ashx?la=en&hash=96D7EC0C1E49F88ADC187655923ACDE22EAAED90>. Accessed March 18, 2019.

SMUD. See Sacramento Municipal Utility District.

U.S. Environmental Protection Agency. 1971. *Noise from Construction Equipment and Operations, Building Equipment, and Home Appliances*. Available: <http://www.doeal.gov/aso/DraftSERFEA/EPA1971NoiseFromConstructionEquipmentAndOperationsBuildingEquipmentAndHomeAppliances.pdf>. Accessed March 18, 2019.

Chapter 17, Public Services

California Department of Education. 2019. Enrollment Multi-Year Summary by Grade: Elk Grove Unified Report (34-67314).

Casentini, Greg. Assistant Chief, Fire Marshal, Community Risk Reduction Division. Metro Fire. April 12, 2016—personal communication with Jessica Heuer, Sacramento PER.

CDE. See California Department of Education.

Cordova Recreation and Park District. 2017. About CRPD, <https://crpd.com/about/>. Accessed December 7, 2017.

CRPD. See Cordova Recreation and Park District.

Elk Grove Unified School District. 2018. Schools. Available:
<http://www.egusd.net/schools/>. Accessed: 7/16/2018.

EGUSD. See Elk Grove Unified School District.

Frye, Jeff. Economic Development Manager, Sacramento Metropolitan Fire District, Mather, CA. February 26, 2018—letter to Jessica Lynch of Sacramento County regarding comments on the Jackson township Specific Plan.

Heinicke, William. Director, Planning, Elk Grove Unified School District, Elk Grove, CA. January 11, 2013—letter to Dave Defanti of Sacramento County regarding data needs for review of the Jackson Township Specific Plan.

Quintard, Casey. Operations Supervisor, Sacramento Regional Fire/EMA Communications Center. December 27, 2017—personal communication with Jessica Lynch, Sacramento PER.

Sacramento Metropolitan Fire District. 2012. About Us. Available:
<https://metrofire.ca.gov/index.php/about-us>. Accessed 7/16/2018.

Sacramento Sheriff's Department 2018. Kilgore Station Information. Available:
<https://www.sacsheriff.com/Pages/Organization/RanchoCordova/ED.aspx>. Accessed: July 24, 2018.

Sacramento County. 2010 (April). Final Environmental Impact Report: Sacramento County General Plan Update. Control Number: 2002-GPB-0105. State Clearinghouse Number: 2007082086. Prepared by Sacramento County Department of Environmental Review. Page 4-26.

Tucker, Don. Director of Facilities, Sacramento Public Library Authority. Sacramento, CA. January 3, 2013. Letter to Dave Defanti, Senior Planner, Sacramento County regarding need for library facilities.

Chapter 18, Water Supply

Blanke, Jim and Sevim Onsoy. 2015 (December). *Groundwater Elevation BMO Threshold Development*. Letter memorandum from RMC Water and Environment to Sacramento County Groundwater Authority. Available:
https://scgah2o.saccounty.net/Documents/Groundwater%20Elevation%20BMO%20Threshold%20Development_SCGA_Task%202%20TM_121615_final.pdf. Accessed December 28, 2020.

California Department of Water Resources. 1974 (July). *Bulletin No. 118-3 Evaluation of Groundwater Resources: Sacramento County*. Available:
https://water.ca.gov/LegacyFiles/pubs/groundwater/bulletin_118/evaluation_of_ground_water_resource_sacramento_county_bulletin_118-3_/b118-3_evalofgwres.pdf. Accessed January 27, 2019.

DWR. See California Department of Water Resources.

- Nguyen, Tan, Associate civil engineer. Sacramento County Water Agency: September 14, 2017—personal communication regarding NSA pipeline between the Vineyard SWTP and the Anatolia Storage Tanks.
- RegionalSAN. See Sacramento Regional County Sanitation District.
- SCGA. See Sacramento Central Groundwater Authority.
- Sacramento Central Groundwater Authority. 2006. *Central Sacramento County Groundwater Management Plan*. Available: <http://www.scgah2o.org/Pages/default.aspx>.
- . 2016. *South American Subbasin Alternative Submittal: 2014 Sustainable Groundwater Management Act*. Available: <http://www.scgah2o.org/Pages/South-American-Subbasin-Alternative-Submittal.aspx>.
- Sacramento City-County Office of Metropolitan Water Planning. 1999 (January). *Draft Environmental Impact Report for the Water Forum Proposal*. SCH# 95082041. Available: www.waterforum.org/resource-library-2-draft/. Accessed December 28, 2020.
- Sacramento County. 1993. Conservation Element: Background to the 1993 General Plan as Amended. Available: <https://planning.saccounty.net/PlansandProjectsIn-Progress/Pages/GeneralPlan.aspx>.
- . 2010. *Sacramento County General Plan Update Final EIR*. Available: <http://www.per.saccounty.net/PlansandProjectsIn-Progress/Pages/GeneralPlan.aspx>.
- Sacramento County Water Agency. 2003 (November). *Environmental Impact Report: 2002 Zone 40 Water Supply Master Plan*. SCH# 2002122068. Available: <https://waterresources.saccounty.net/Pages/Reports-Z40-EIR.aspx>. Accessed December 28, 2020.
- . 2005. *Zone 40: Water Supply Master Plan*. Sacramento, CA: Sacramento County Water Agency. Available: http://www.waterresources.saccounty.net/Zone%2040/Z40_WSMP.pdf.
- . 2016a. *Water Supply Assessment for Jackson Township*. Sacramento, CA: Sacramento County Water Agency.
- . 2016b (May). *Draft 2015 Urban Supply Water Management Plan*. Prepared by Brown and Caldwell for the Sacramento County Water Agency. Sacramento, CA.
- . 2016c. *Zone 40 Water Supply Master Plan Amendment for the Jackson Township Project*. Prepared by Brown and Caldwell for the Sacramento County Water Agency. Sacramento, CA.
- SCWA. See Sacramento County Water Agency.
- Stantec. 2017 (August). *Jackson Township Potable Water System Study*. Prepared by Stantec Consulting Service.
- WFA. See Water Forum Agreement.

Water Forum Agreement. 2000 (January). Available:
<http://www.waterforum.org/stakeholders/agreement/>.

Chapter 19, Wastewater and Solid Waste Utilities

Au Clair Consulting Engineers and Surveyors. 2016 (October). *Jackson Township Specific Plan Area Sanitary Sewer Study*.

CalRecycle. 2018. Facility/Site Summary Details: Sacramento County Landfill (Kiefer) (34-AA-0001). Available: <http://www.calrecycle.ca.gov/SWFacilities/Directory/34-AA-0001/Detail/>. Accessed July 23, 2018.

Sacramento Area Sewer District. 2011 (November). *Sewer System Capacity Plan: 2010 Update*.

Sacramento County. 2010 (April). *Final Environmental Impact Report: Sacramento County General Plan Update*. Control Number: 2002-GPB-0105. State Clearinghouse Number: 2007082086. Prepared by Sacramento County Department of Environmental Review.

———. 2011 (November). *Sacramento County General Plan of 2005-2030*. Land Use Element, last amended July 2016. Sacramento County, Community Planning and Development Department.

———. 2012. Integrated Solid Waste Management Systems. Sacramento, CA. Available: <http://www.wmr.saccounty.net/Documents/SWANA%20Award%20App.pdf>. Accessed May 17, 2016.

———. 2012. Sacramento County Active Transportation Plan. Available: https://sacdot.saccounty.net/Documents/A%20to%20Z%20Folder/Active%20Transportation/Sac%20ATP%20Plan%20+%20Appendices_June%20Final.pdf. Accessed October 27, 2022.

Sacramento Regional County Sanitation District. 2013 (February). *Interceptor Sequencing Study*.

———. 2014. *Sacramento Regional County Sanitation District EchoWater Project Draft EIR (State Clearinghouse No. 2012052017)*. Prepared by Ascent Environmental, Sacramento, CA.

———. 2015. State of the District.

SASD. See Sacramento Area Sewer District.

SRCSO. See Sacramento Regional County Sanitation District.

Chapter 20, Traffic and Circulation

California Department of Transportation. 2020a (May). *Transportation Impact Study Guide*. Available: <https://dot.ca.gov/-/media/dot-media/programs/transportation-planning/documents/sb-743/2020-05-20-approved-vmt-focused-tisg-a11y.pdf>. Accessed December 24, 2020.

———. 2020b. *Construction Manual: 2020 edition*. Available: <https://dot.ca.gov/-/media/dot-media/programs/construction/documents/policies-procedures-publications/construction-manual/2020cmsearchabledoc.pdf>. Accessed April 9, 2021.

Caltrans. See California Department of Transportation.

DKS Associates. 2019 (February). *Transportation Impact Report Jackson Township Specific Plan*. Prepared for Sacramento County Office of Planning and Environmental Review, Sacramento, CA.

———. 2020 (October 2). *Jackson Township Specific Plan Revised VMT Analysis*. Letter Memorandum to Todd Smith, Sacramento County.

Elk Grove, City of. 2003 (November). *The Elk Grove General Plan*. Elk Grove, California. Adopted November 19, 2003. Available: http://www.elkgrovecity.org/UserFiles/Servers/Server_109585/File/Departments/Planning/Projects/General%20Plan/COEG_GP_Full_2015.pdf. Accessed March 20, 2019.

———. 2019. (February). *City of Elk Grove General Plan*. Available: http://www.elkgrovecity.org/UserFiles/Servers/Server_109585/File/Departments/Planning/Projects/General%20Plan/GPU/Amend_2019-12/GP_Complete_web_2019-12.pdf. Accessed December 24, 2020.

Folsom, City of. 1993 (January). *City of Folsom General Plan*. Folsom, CA. Available: https://www.folsom.ca.us/city_hall/depts/community/planning/folsom_2035/general_plan.asp. Accessed March 20, 2019.

Rancho Cordova, City of. 2006. *Rancho Cordova General Plan*. Rancho Cordova, California. Adopted June 26, 2006. Available: <http://www.cityofranchocordova.org/home/showdocument?id=13735>. Accessed March 20, 2019.

SACOG. See Sacramento Area Council of Governments.

Sacramento Area Council of Governments. 2019. 2020 MTP/SCS. Adopted November 18, 2020.

Sacramento, City of. 2015. *Sacramento 2035 General Plan*. Sacramento, California: City of Sacramento Planning Department. Adopted March 3, 2015. Available: <http://www.cityofsacramento.org/Community-Development/Resources/Online-Library/2035--General-Plan>. Accessed March 20, 2019.

Sacramento County. 2007 (April). *Sacramento County Pedestrian Master Plan*. Prepared by Dowling Inc., Sacramento, CA. Available: http://www.sacdot.com/Documents/A%20to%20Z%20Folder/Pedestrian%20Master%20Plan/SAC_PED_PLAN_FINAL_042807_Small.pdf. Accessed March 20, 2019.

———. 2011 (April). *Sacramento County Bicycle Master Plan*. Prepared by Fehr & Peers Transportation Consultants, Sacramento, CA and Alta Planning and Design, Sacramento, CA. Accessed March 20, 2019.

———. 2020 (September). *County of Sacramento Transportation Analysis Guidelines*. Available: <https://sacdot.saccounty.net/Documents/A%20to%20Z%20Folder/Traffic%20Analysis/Transportation%20Analysis%20Guidelines%2009.10.20.pdf>. Accessed December 24, 2020.

Sacramento Regional Transit District. 2020. Our Services. Available: <http://www.sacrt.com/services/>.

Chapter 21, Summary of Impacts and Their Disposition

No references were used in this chapter.

DKS Associates. 2019 (February). *Transportation Impact Report Jackson Township Specific Plan*. Prepared for Sacramento County Office of Planning and Environmental Review, Sacramento, CA.

Kimley-Horn. 2022 (June 21). *Jackson Township: VMT Mitigation Analysis*. Sacramento, CA. Letter memorandum to Jim Wiley, Taylor & Wiley.

Chapter 22, Additional Analysis

Sacramento Housing and Redevelopment Agency. 2016 (November). 2013-2019 Consolidated Plan: Regional Plan, City of Sacramento, County of Sacramento. Revised June 21, 2013 and November 1, 2016. Prepared by the Sacramento Housing and Redevelopment Agency on behalf of the City and County of Sacramento.

U.S. Census Bureau. 2017. 2013-2017 American Community Survey 5-Year Estimates. Available: <https://www.census.gov/programs-surveys/acs/>.

Chapter 23, Response to Comments

City-County Office of Metropolitan Water Planning. 1999. *Water Forum Proposal Final EIR*. Available: https://www.waterforum.org/wp-content/uploads/2015/09/FEIR_WF_RES.pdf

Freeport Regional Water Authority. 2004. *Final Environmental Impact Report: Freeport Regional Water Project*. State Clearinghouse No. 2002032132. Available: <http://www.freeportproject.org/nodes/explore/environmental.php>

RMC. 2015 (December). Groundwater Elevation BMO Threshold Development. Technical Memorandum to Sacramento County Groundwater Authority. Available: <https://scgah2o.saccounty.net/pages/reports.aspx>

SWCA. 2021. *2020 Urban Water Management Plan*. Adopted June 15, 2021. Available: <https://waterresources.saccounty.net/scwa/Documents/Engineering%20Reports/SCWA%202020%20UWMP%20-%20Final%20%2806.24.21%29.pdf>

Smith, Dave. Owner, Sacramento Raceway, Sacramento, CA. November 18, 2021—letter to Todd Smith of Sacramento County regarding County of Sacramento Planning Commission Report and Sacramento Raceway Park – Smith Racing Enterprise LLC.

25 ACKNOWLEDGEMENTS

EIR PREPARERS

SACRAMENTO COUNTY OFFICE OF PLANNING AND ENVIRONMENTAL REVIEW

Todd Smith, ~~Principal Planner~~ Planning Director

EIR CONSULTANTS

Ascent Environmental, Inc.
455 Capitol Mall, Suite 300
Sacramento, CA 95814

APPLICANT

Tsakopoulos Investments

This page intentionally left blank.

RECORDING REQUESTED BY AND
WHEN RECORDED MAIL TO:

Sacramento County
Department of Community Development
Planning and Environmental Review Division

COUNTY MAIL CODE: 01-225
No Fee – For the Benefit of Sacramento
County (Code 6103)

SPACE ABOVE THIS LINE RESERVED FOR RECORDER'S USE

COUNTY OF SACRAMENTO
OFFICE OF PLANNING AND ENVIRONMENTAL REVIEW

MITIGATION MONITORING AND REPORTING PROGRAM

CONTROL NUMBER: PLNP2011-00095

NAME: Jackson Township Specific Plan

LOCATION: The project site is located on the east side of Excelsior Road and north of Jackson Road in the Vineyard and Cordova communities.

ASSESSOR'S PARCEL NUMBER(S): 067-0050-002, -004, -005, -019, -020, -021, -022, -028, -029, -045, -047, -051, and -058; 067-0060-007, -008, -010, -011, -012, -013, -014, and -016; 067-0070-002; 067-0080-023, -028, -031, -032, -033, -039, -040, -042, -045, -048, -049, -050, -051, -057, -059, and -061

OWNER: Tsakopoulos Investments
1435 River Park Drive, Suite 500
Sacramento, CA 95815
Attention: Angelo G. Tsakopoulos

APPLICANT: Tsakopoulos Investments
1435 River Park Drive, Suite 500
Sacramento, CA 95815
Attention: Angelo G. Tsakopoulos

PROJECT DESCRIPTION: The Jackson Township Specific Plan Project includes an approximately 1,391-acre planned community with up to 5,590 residential dwelling units of various densities (multi-family, detached, and attached single-family), a Town Center with commercial, office, and mixed uses, a Village Center with commercial and retail uses, nearly 80 acres of developed parks, three elementary school sites, a 70-acre combined high school/middle school site, a comprehensive multi-use trail system, and approximately 260 acres of wetland preserve.

The project will require amendments to the Sacramento County General Plan to include the proposed land uses, streets, and bikeways on the General Plan's Land Use Diagram, Transportation Plan, and Bicycle Master Plan, and both the Cordova and Vineyard Community Plans. The project will also require Sacramento County Water Agency Board of Directors' approval of a Water Supply Master Plan Amendment and Water Supply Assessment for the Jackson Township Specific Plan.

TYPE OF ENVIRONMENTAL DOCUMENT: Environmental Impact Report

PREPARED BY: Sacramento County
Office of Planning and Environmental Review
827 7th Street, Room 225
Sacramento, CA 95814

PHONE: (916) 874-6141

1.1 DECLARATION OF AGREEMENT

This Mitigation Monitoring and Reporting Program applies to certain real property, a Legal Description of which is attached as Exhibit A. I (We) the undersigned agree that this Mitigation Monitoring and Reporting Program applies to the real property described in Exhibit A. I (We) the undersigned am (are) the legal owner(s) of that property, and agree to comply with the requirements of this Mitigation Monitoring and Reporting Program (Summary and Mitigation Measures attached).

IN WITNESS WHEREOF, this declaration is hereby executed by the undersigned named legal owner(s) of the subject property on this ____ day of _____, 20____.

OWNER(S): _____
(Print name above) (title above)

Title: _____
(Print company, corporation, trust or organization name above, if applicable)

Signature: _____
(Signature above)

California All-Purpose Acknowledgment

Pursuant to SB 1050 (Chapter 197, Statutes of 2014), Civil Code section 1189 has been amended to provide that any certificate of acknowledgment taken within the State of California shall be in the following form:

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California)
County of _____)

On _____ before me, _____, Notary Public,
(Insert name and title of officer)
personally appeared _____ who proved to me on
the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within
instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized
capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity
upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing
paragraph is true and correct.

Witness my hand and official seal.

(Signature) (Seal)

1.2 TABLE OF MEASURES

<input type="checkbox"/>	Mitigation Measure AG-1: Permanent Conservation Easement.....	11
<input type="checkbox"/>	Mitigation Measure AG-2: Right-To-Farm Disclosure	13
<input type="checkbox"/>	Mitigation Measure AQ-1a: Reduce Construction Emissions.....	15
<input type="checkbox"/>	Mitigation Measure AQ-1b: Implement Enhanced Exhaust Control Practices	17
<input type="checkbox"/>	Mitigation Measure AQ-2b: Quantifiable Reduction Measure	20
<input type="checkbox"/>	Mitigation Measure AQ-3: Reduce Exposure to TACs.....	23
<input type="checkbox"/>	Mitigation Measure AQ-4 Consistency With an Applicable Air Quality Plan	26
<input type="checkbox"/>	Mitigation Measure AC-1: ALUC Review For Airport Plan Consistency	28
<input type="checkbox"/>	Mitigation Measure BR-1: Obtain Coverage Under SSHCP	30
<input type="checkbox"/>	Mitigation Measure BR-2: Avoidance and Impact Minimization of Special-Status Bird Nests	32
<input type="checkbox"/>	Mitigation Measure BR-3: Avoidance and Impact Minimization of Common Raptors and Other Common Bird Nests.....	34
<input type="checkbox"/>	Mitigation Measure BR-4: Avoidance and Impact Minimization of Special Status Bat Roosts	37
<input type="checkbox"/>	Mitigation Measure BR-5: Obtain Streambed Alteration Agreement	40
<input type="checkbox"/>	Mitigation Measure BR-6: Avoidance, Impact Minimization, Or Compensation of Native Trees	42
<input type="checkbox"/>	Mitigation Measure CC-1: Implement GHGRP	47
<input type="checkbox"/>	Mitigation Measure CC-2: Consistency with GHGRP	50
<input type="checkbox"/>	Mitigation Measure CC-3: Climate Action Plan	53
<input type="checkbox"/>	Mitigation Measure CR-1: Historical Resources Evaluation.....	55
<input type="checkbox"/>	Mitigation Measure CR-2: Inadvertent Discovery of Cultural Resources.....	57
<input type="checkbox"/>	Mitigation Measure GS-1: On-Site Training and Inadvertent Discovery of Paleontological Resources.....	60
<input type="checkbox"/>	Mitigation Measure HM-1: Phase 1 ESA.....	63
<input type="checkbox"/>	Mitigation Measure HM-2: Phase II ESA.....	65
<input type="checkbox"/>	Mitigation Measure HM-3: Hazardous Materials Contingency Plan	67
<input type="checkbox"/>	Mitigation Measure HYD-1A: Stormwater Quality Treatment Facilities.....	69
<input type="checkbox"/>	Mitigation Measure HYD-1b: Flood Conveyance and Stormwater Quality Treatment	71
<input type="checkbox"/>	Mitigation Measure HYD-2: Modification of Mapped Floodplain	73
<input type="checkbox"/>	Mitigation Measure HYD-3: Flooding Of Beach Stone Lakes	75
<input type="checkbox"/>	Mitigation Measure HYD-4: Potential For Flooding Due To Climate Change	77
<input type="checkbox"/>	Mitigation Measure NOI-1: Develop and Implement Noise Monitoring Plan.....	79

☐	Mitigation Measure NOI-2: Develop and Implement Vibration Control Plan	82
☐	Mitigation Measure NOI-3: Construct Sound Barriers	85
☐	Mitigation Measure NOI-4: Use Rubberized Hot-Mix Asphalt Along Excelsior Road.....	87
☐	Mitigation Measure NOI-5: Site-Specific Noise Study	89
☐	Mitigation Measure NOI-6: Reduce Noise Exposure to Existing Sensitive Receptors.....	91
☐	Mitigation Measure NOI-7: Future Noise Sensitive Receptors - Sacramento Raceway.....	94
☐	Mitigation Measure NOI-8: Outdoor Sound Barriers	97
☐	Mitigation Measure NOI-9: Timing of Rubberized Hot-Mix Asphalt Along Excelsior Road.....	99
☐	Mitigation Measure PS-1: Parkland Requirement and In-Lieu Fees	101
☐	Mitigation Measure TR-1: Implement Enhanced Transit Program of Mitigation Measure AQ-2B.....	103
☐	Mitigation Measure TR-2: Trip Reduction Services.....	105
☐	Mitigation Measure TR-3: Annexation Into or Formation of an Active Benefit Zone of County Service Area Number 10	109
☐	LOS Improvement Measure TR-4: Jackson Corridor Transportation Mitigation Strategy Participation	111
☐	LOS Improvement Measure TR-5: Use Of Dynamic Implementation Tool.....	113
☐	LOS Improvement Measure TR-6: Roadway Segment LOS Improvement.....	115
☐	LOS Improvement Measure TR-7: Intersection Operations Effects	117
☐	LOS Improvement Measure TR-8: Freeway Improvements.....	119
☐	Mitigation Measure TR-9: Bicycle and Pedestrian Improvements.....	121
☐	Mitigation Measure TR-10: Transit Improvements	123
☐	Mitigation Measure TR-11: Roadway Functionality Improvements	125
☐	Mitigation Measure CU-NOI-1: Use rubberized hot-mix asphalt for all offsite road widening projects implemented as part of the Mather South, NewBridge, Jackson Township or West Jackson plans....	127
☐	LOS Improvement Measure CU-TR-1: Cumulative Roadway Segment Operations	129
☐	LOS Improvement Measure CU-TR-2: Cumulative Intersection Operations	131
☐	LOS Improvement Measure CU-TR-3: Cumulative Freeway Improvements	133
☐	LOS Improvement Measure CU-TR-4: Cumulative Roadway Functionality Improvements	135
☐	LOS Improvement Measure CU-TR-5: Cumulative Roadway Segment Operations Cumulative Jackson Township.....	137

<input type="checkbox"/>	LOS Improvement Measure CU-TR-6: Cumulative Intersection Operations Cumulative Jackson Township Project.....	139
<input type="checkbox"/>	Mitigation Measure CU-TR-7: Cumulative Roadway Functionality Improvements	141
<input type="checkbox"/>	Mitigation Measure CU-E-3: Coordination with SMUD.....	143

1.3 PURPOSE AND PROCEDURES

Pursuant to Section 21081.6 of the Public Resources Code and Chapter 20.02 of the Sacramento County Code, a Mitigation Monitoring and Reporting Program has been established for the project entitled Jackson Township Specific Plan (Control Number: PLNP2011-00095).

1.3.1 Purpose

The purpose of this program is to assure diligent and good faith compliance with the Mitigation Measures which have been recommended in the environmental document and adopted as part of the project or made conditions of project approval, to avoid or mitigate potentially significant effects on the environment.

1.3.2 Notification and Compliance

It shall be the responsibility of the project applicant/owner to provide written notification to the Environmental Coordinator, in a timely manner, of the completion of each Mitigation Measure as identified on the following pages. The Environmental Coordinator will verify that the project complies with the adopted Mitigation Monitoring and Reporting Program (MMRP). Any non-compliance will be reported to the project applicant/owner, and it shall be the project applicant's/owner's responsibility to rectify the situation by bringing the project into compliance and re-notifying the Environmental Coordinator. Any indication that the project is proceeding without good-faith compliance could result in the imposition of administrative, civil and/or criminal penalties upon the project applicant/owner in accordance with Chapter 20.02 of the Sacramento County Code.

1.3.3 Payment

1. It shall be the responsibility of the project applicant to reimburse the County for all expenses incurred in the implementation of the Mitigation Monitoring and Reporting Program (MMRP), including any necessary enforcement actions. The applicant shall pay an initial deposit of **\$10,000**, which includes administrative costs of **\$948.00**. Over the course of the project, the Office of Planning and Environmental Review will regularly conduct cost accountings and submit invoices to the applicant when the County monitoring costs exceed the initial deposit.
2. Until the MMRP has been recorded and the administrative portion of the MMRP fee has been paid, no final parcel map or final subdivision map for the subject property shall be approved. Until the balance of the MMRP fee has been paid, no encroachment, grading, building, sewer connection, water connection or occupancy permit from Sacramento County shall be approved.

1.3.4 Recordation

In order to record the adopted Mitigation Monitoring and Reporting Program with the County Recorder as required by Section 20.02.050(b)(2) of the Sacramento County Code, the project applicant/owner shall provide to the Office of Planning and Environmental Review a Legal Description for the real property that is the subject of the project.

1.3.5 Completion

Pursuant to Section 20.02.060 of the Sacramento County Code, upon the determination of the Environmental Coordinator that compliance with the terms of the approved Mitigation Monitoring and Reporting Program has been achieved, and that there has been full payment of all fees for the project, the Environmental Coordinator shall record and issue a Program Completion Certificate for the project.

1.3.6 Property Transfer

The requirements of this adopted Program run with the real property that is the subject of the project, as described in Exhibit A. Successive owners, heirs and assigns of this real property are bound to comply with all of the requirements of the adopted Program.

Prior to any lease, sale, transfer or conveyance of any portion of the real property that is the subject of the project, the record owner(s) at the time of the application for the project, or his or her successor's in interest, shall provide a copy of the adopted Program to the prospective lessee, buyer, transferee, or one to whom the conveyance is made.

1.3.7 Penalties

Chapter 20.02 of the Sacramento County Code permits civil remedies and criminal penalties to be imposed in the event of non-compliance with an adopted Mitigation Monitoring and Reporting Program. The civil remedies, which are found in Section 20.02.090 of the Sacramento County Code, include injunctive relief, stop work orders, revocation of any special permit granted concurrently with the approval of a Program, and the abatement of any resulting nuisance. The criminal penalties, which are found in Section 20.02.080 of the Sacramento County Code, include a fine not to exceed five hundred dollars or imprisonment in the County jail not to exceed six months, or both.

Plans that are inconsistent with the adopted Mitigation Measures will not be approved.

In the event of an ongoing, serious non-compliance issue, the Environmental Coordinator may call for a "stop work order" on the project.

1.4 STANDARD PROVISIONS

Page one of all Project Plans must include the following statement in a conspicuous location:

“All Plans associated with this project are subject to the conditions of Mitigation Monitoring and Reporting Program PLNP2011-00095. For any questions regarding compliance with the MMRP document, contact MMRP staff at (916) 874-6141.”

All Project Plans and any revisions to those Plans shall be in full compliance with the adopted Mitigation Monitoring and Reporting Program (MMRP). The project applicant/owner shall submit one copy of all such Plans and any revisions to the Environmental Coordinator prior to final approval by the Sacramento County Building Permits and Inspection Division (BPID) or Site Improvement and Permit Section (SIPS). If the Environmental Coordinator determines that the Plans are not in full compliance with the adopted MMRP, the Plans shall be returned to the project applicant/owner with a letter specifying the items of non-compliance and instructing the applicant/owner to revise the Plans, and then resubmit one copy of the revised Plans to the Environmental Coordinator, for determination of compliance, prior to final approval by BPID or SIPS.

Additionally, the project applicant/owner shall notify the Environmental Coordinator no later than 48 hours prior to the start of construction and no later than 24 hours after its completion. The applicant/owner shall notify the Environmental Coordinator no later than 48 hours prior to any/all Final Inspection(s) by the County of Sacramento.

▪ **Mitigation Measure AG-1: Permanent Conservation Easement**

Prior to Sacramento County's approval of onsite grading permits or improvement plans within the portion of the Plan Area where Prime or Local Importance Farmland is impacted, whichever occurs first, the developers of the Jackson Township Specific Plan shall demonstrate that adequate land has been set aside through participation in the South Sacramento Habitat Conservation Plan to offset the loss of 64 acres of Important Farmland within the portion of the Plan Area proposed for development. Acreage of land preserved shall, at a minimum, result in a 1:1 preservation ratio for the portion of the Plan Area under consideration.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Applicant shall provide evidence that the Important Farmland has been preserved with a permanent conservation easement.

Verification (Action by the Environmental Coordinator):

1. Verify the adequacy of the permanent conservation easement.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure AG-2: Right-To-Farm Disclosure**

To ensure compliance with Sacramento County General Plan Policy AG-4, all prospective buyers of properties within 500 feet to the east of Excelsior Road and north of Jackson Road shall receive a recorded notice that would appear in the Title Report that they could be subject to inconvenience or discomfort resulting from accepted farming activities as per provisions of the Sacramento County Right-To-Farm Ordinance.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Identify all properties within 500 feet to the east of Excelsior Road and north of Jackson Road and provide the Office of Planning and Environmental Review a plan documenting how the notice will be recorded in the Title Report and ensure the compliance with this mitigation measure.

Verification (Action by the Environmental Coordinator):

1. Review and approve the plan documenting how the recorded notice would appear in the Title Report.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure AQ-1a: Reduce Construction Emissions**

For all future land use development applications processed within the Plan Area, the Project Applicant, its designee, or subsequent developer(s), shall require its construction contractors to implement SMAQMD's Basic Construction Emission Control Practices in place at the time of construction, which currently include the following:

- ▶ Water all exposed surfaces two times daily. Exposed surfaces include, but are not limited to soil piles, graded areas, unpaved parking areas, staging areas, and access roads;
- ▶ Cover or maintain at least two feet of free board space on haul trucks transporting soil, sand, or other loose material on the site. Any haul trucks that would be traveling along freeways or major roadways should be covered;
- ▶ Use wet power vacuum street sweepers to remove any visible trackout mud or dirt onto adjacent public roads at least once a day. Use of dry power sweeping is prohibited;
- ▶ Limit vehicle speeds on unpaved roads to 15 miles per hour (mph);
- ▶ Complete construction of all roadways, driveways, sidewalks, parking lots as soon as possible. In addition, building pads should be laid as soon as possible after grading unless seeding or soil binders are used;
- ▶ Minimize idling time either by shutting equipment off when not in use or reducing the time of idling to 5 minutes [required by California Code of Regulations, Title 13, sections 2449(d)(3) and 2485]. Provide clear signage that posts this requirement for workers at the entrances to the site; and
- ▶ Maintain all construction equipment is in proper working condition according to manufacturer's specifications. The equipment must be checked by a certified mechanic and determined to be running in proper condition before it is operated.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Include the above measure verbatim as a Construction Note and incorporate it into all Plans and Specifications for the project, and submit one copy to the Environmental Coordinator for review and approval prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to be in compliance with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure AQ-1b: Implement Enhanced Exhaust Control Practices**

The Project Applicant, its designee, or subsequent developer(s), shall implement SMAQMD's Enhanced Exhaust Control Practices for NO_x and exhaust PM emissions. Before the issuance of grading and/or building permits, Project Applicant, or its designee, shall submit to the County and SMAQMD an initial report of all off-road construction equipment, equal to or greater than 50 horsepower, that will be used 8 hours or more during any portion of the construction project before any grading activities. The initial report shall include the horsepower rating, engine model year, and projected hours of use for each piece of equipment. The Project Applicant shall provide the anticipated construction timeline including start date, and name and phone number of the project manager and on-site foreman. The information shall be submitted at least 4 business days before the use of subject heavy-duty off-road equipment. The report shall be updated and submitted monthly throughout the duration of the project, except that an inventory shall not be required for any 30-day period in which no construction activity occurs.

Before any grading activities, the Project Applicant, or its designee, shall provide a plan for approval by the County and SMAQMD demonstrating that the heavy-duty off-road vehicles (50 horsepower or more) to be used in the construction project, including owned, leased, and subcontractor vehicles, will achieve a project-wide fleet-average of 10 percent NO_x reduction (depending on available technology and engine Tier) compared to the most recent CARB fleet average. This plan shall be submitted in conjunction with the equipment inventory. Acceptable options for reducing emissions may include use of late model engines, low-emission diesel products, alternative fuels, engine retrofit technology, after-treatment products, and/or other options as they become available. If achievement of the aforementioned reductions over the statewide average are deemed infeasible by the County, SMAQMD, or construction contractor, the Applicant shall ensure the construction fleet meets the lowest fleetwide emissions average possible, through the use of all available on-site emissions reduction measures (e.g., highest tier engines, emission control devices, cleaner burning fuel).

The Project Applicant, or its designee, shall submit a final report at the end of the job, phase, or calendar year, as pre-arranged with SMAQMD staff and documented in the approval letter, to demonstrate continued project compliance. If modeled construction-generated emissions of NO_x are not reduced to a level below SMAQMD's thresholds of significance by the application of the aforementioned mitigation measures, then the project developer must pay a mitigation fee into SMAQMD's off-site mitigation program. By paying the appropriate off-site mitigation fee, construction-generated emissions of NO_x would be reduced to a less-than-significant level. The fee calculation to offset daily NO_x emissions shall be based on the SMAQMD-determined cost to reduce one ton of NO_x applicable at the time (currently \$30,000 per ton but subject to change in future years).

Once initial construction activities are finalized by the developer, and before the issuance of grading and/or building permits, quantification of construction-related

emissions shall be verified at the project level. As each project-level construction phase is finalized throughout the duration of the project buildout, the mitigation fee shall be calculated based on current information, available construction equipment, and proposed construction activities. As construction activities occur over the buildout period, the developer shall work with SMAQMD to continually update mitigation fees based on actual on-the-ground emissions. The final mitigation fees shall be based on the contractor equipment report provided by the developer to SMAQMD and shall reconcile any fee discrepancies due to schedule adjustments and increased or decreased equipment inventories. Equipment inventories and NO_x emission estimates for subsequent construction phases shall be coordinated with SMAQMD, and the off-site mitigation fee measure shall be assessed to any construction phase that would result in an exceedance of SMAQMD's mass emission threshold for NO_x.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Include the above measure verbatim as a Construction Note and incorporate it into all Plans and Specifications for the project, and submit one copy to the Environmental Coordinator for review and approval, which may include consultation with the SMAQMD, prior to the start of any construction work (including clearing and grubbing).
3. The Project Applicant, or its designee, shall submit a final report at the end of the job, phase, or calendar year, as pre-arranged with SMAQMD staff and documented in the approval letter, to demonstrate continued project compliance.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to be in compliance with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s), and review final report as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure AQ-2b: Quantifiable Reduction Measure**

Alternative 2 shall include the following quantifiable reduction measures included in the AQMP prepared for Alternative 2 (Appendix AQ-1 of the EIR), which would reduce Alternative 2's operational criteria air pollutants and ozone precursors by at least 35 percent in comparison to the "unmitigated" Alternative 2, as conditions of approval:

Transportation

- ▶ The Project Applicant or subsequent developer(s) shall implement a program to provide a non-revocable funding mechanism (administered and funded through a finance plan between the Project Applicant and the County) to pay for bus and/or shuttle operations between the project and the Manlove Light Rail Station. The nonrevocable funding mechanism would be administered by the County under contract with Regional Transit and would provide residents and employees of Jackson Township Alternative 2 with transit passes that would access the entire Regional Transit system. The transit services would be administered and funded through a finance plan between the Project Applicant and the County.
- ▶ The Project Applicant or subsequent developer(s) shall install at least 15 percent of all parking spaces with Tier 2 or an equivalent standard electric vehicle (EV) charging stations at commercial, retail, and office parking lots. In addition, the Project Applicant and EGUSD would establish an agreement to provide for at least 5 percent EV charging stations at school parking lots or an alternative method to achieve equivalent reductions for Alternative 2. Each EV charging station shall have 2 connections. In total, this will result in the Plan Area providing 805 EV charging stations serving 1,610 non-residential parking spaces.
- ▶ The Project Applicant or subsequent developer(s) shall prewire all single-family housing plus 77 percent of multi-family residential housing to be conducive to installation of electric charging stations of Tier 2 or an equivalent standard.

Energy

- ▶ The Project Applicant or subsequent developer(s) shall install electric boilers as applicable in high-density housing (mid-rise apartments), discount club, office, high school, and supermarket land uses for Alternative 2.
- ▶ The Project Applicant or subsequent developer(s) shall install electric hot water heaters in all single and multi-family housing units (low, medium, and high density), or a total of 5,690 dwelling units for Alternative 2.

Project Design

- ▶ The Project Applicant or subsequent developer(s) shall install low-flow bathroom, kitchen, and shower fixtures; and low-flow toilets in all residential units and commercial buildings.
- ▶ The Project Applicant or subsequent developer(s) shall reduce the total square footage of residential turf associated with increased housing density.
- ▶ The Project Applicant or subsequent developer(s) shall install water efficient irrigation systems and water efficient landscaping for non-residential areas.

- ▶ The Project Applicant or subsequent developer(s) shall preserve wetlands and create new greenbelts, parking, and other vegetative areas totaling approximately 400 acres for Alternative 2.
- ▶ The Project Applicant or subsequent developer(s) shall reduce VMT through membership in a Transportation Management Association (TMA). (This measure is also included as a component of Mitigation Measure TR-2 in Chapter 20, "Traffic and Circulation," which identifies participation in a TMA as a Trip Reduction Service option to reduce the Project's VMT.)

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. The applicant shall submit evidence to the Office of Planning and Environmental Review, which may include consultation with SMAQMD, that the above measures have been met.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to be in compliance with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure AQ-3: Reduce Exposure to TACs**

Before Design Review approval, the Project Applicant, its designee, or subsequent developer(s), shall implement design features to reduce TAC exposure during operation.

- ▶ Consistent with guidance in CARB's Air Quality and Land Use Handbook, proposed commercial and educational land uses that have the potential to emit TACs or host TAC-generating activity (e.g., loading docks that accommodate more than 100 trucks per day, more than 40 trucks with operating transport refrigeration units per day, or where transport refrigeration unit operations exceed 300 hours per week) shall be located at least 1,000 feet from existing and proposed on-site sensitive receptors (i.e., residential dwellings, schools, hospitals, playgrounds, nursing homes, senior care and living centers, and similar facilities) such that they do not expose sensitive receptors to TAC emissions that exceed an incremental increase of 10 in 1 million for the cancer risk and/or a noncarcinogenic Hazard Index of 1.0 (CARB 2005).
- ▶ Loading dock design shall incorporate the use of buildings or walls to shield commercial activity from nearby residences or other sensitive land uses.
- ▶ Signs shall be posted at all loading docks and truck loading areas which indicate that diesel-powered delivery trucks must be shut off when not in use for longer than 5 minutes on the premises to reduce idling emissions.
- ▶ Plant and maintain a vegetative buffer between the truck loading/unloading facility and nearby residences, schools, nursing homes, senior care and living centers, hospitals, playgrounds and daycare facilities. As part of detailed site design, a landscape architect licensed by the California Landscape Architects Technical Committee shall identify all locations where trees should be located, accounting for areas where shade is desired such as along pedestrian and bicycle routes, the locations of solar photovoltaic panels, and other infrastructure. Special consideration shall be given to SMAQMD's Recommended Guidance for Improving Air Quality Near Roadways: Plant Species and Best Practices for the Sacramento Region.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Implement required design measures concurrent with applicable building phases, and prior to final occupancy.

Verification (Action by the Environmental Coordinator):

1. Verify that the project has completed Design Review and was approved consistent with the above measures.
2. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to be in compliance with all required mitigation.
3. Monitor compliance during periodic site inspections of the construction work.
4. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure AQ-4 Consistency With an Applicable Air Quality Plan**

The Project Applicant, or subsequent developer(s), shall implement Mitigation Measures AQ-1a, AQ-1b, and AQ-2a (for the Proposed Project) or AQ-2b (for Alternative 2) to reduce emissions to the extent feasible.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to be in compliance with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure AC-1: ALUC Review For Airport Plan Consistency**

Upon acceptance of a complete application for development within the Plan Area, staff from the Sacramento County Office of Planning and Environmental Review shall transmit the completed Project application to the ALUC.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.

Verification (Action by the Environmental Coordinator):

1. Environmental Coordinator shall direct Office of Planning and Environmental Review staff to transmit the completed Project application to the ALUC.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure BR-1: Obtain Coverage Under SSHCP**

Obtain coverage for the Project under the SSHCP. In addition to payment of development fees and dedication of land in accordance with the SSHCP, the developers of the Jackson Township Specific Plan shall implement all applicable Avoidance and Minimization Measures codified in the SSHCP at the time permits are obtained. Draft Avoidance and Minimization Measures currently provided in the SSHCP are included in Appendix BR-3

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. The applicant shall submit evidence to the Office of Planning and Environmental Review that the payment of development fee and dedication of land has been completed.
3. Include applicable Avoidance and Minimization Measures codified in the SSHCP as a Construction Note and incorporate them into all Plans and Specifications for the project, and submit one copy to the Environmental Coordinator for review and approval prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to be in compliance with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure BR-2: Avoidance and Impact Minimization of Special-Status Bird Nests**

To avoid impacts to special-status nesting non-raptor birds the following shall apply:

1. If construction activity (which includes clearing, grubbing, or grading) is to commence within 500 feet of nesting habitat between February 1 and August 31, a survey for active migratory bird nests shall be conducted no more than 14 days before construction by a qualified biologist.
2. Trees slated for removal shall be removed during the period of September through January, to avoid the nesting season. Any trees that are to be removed during the nesting season, which is February through August, shall be surveyed by a qualified biologist and will only be removed if no active nests are found.
3. If active nest(s) are found in the survey area, a non-disturbance buffer, the size of which has been determined by a qualified biologist, shall be established and maintained around the nest to prevent nest failure. All construction activities shall be avoided within this buffer area until a qualified biologist determines that nestlings have fledged, or until September 1. If construction activities cause the nesting bird to vocalize, make defensive flights at intruders, get up from a brooding position, or fly off the nest, then the non-disturbance buffer shall be increased until the agitated behavior ceases.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. A completed pre-construction survey report shall be submitted to the Office of Planning and Environmental Review for review and approval. A final report shall be prepared addressing overall compliance with and success of the protection measure(s) as it relates to construction of the project.
3. Include the above measure verbatim as a Construction Note and incorporate it into all Plans and Specifications for the project and submit one copy to the Environmental Coordinator for review and approval prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Review pre-construction survey and final report, addressing overall compliance with and success of the protection measure(s).
2. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
3. Monitor compliance during periodic site inspections of the construction work.
4. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure BR-3: Avoidance and Impact Minimization of Common Raptors and Other Common Bird Nests**

The Project Applicant and all future proponents of development on non-participating properties shall implement the following measures to avoid the removal of active raptor nests.

- ▶ For project activities, including tree removal, that begin between March 1 and September 15, qualified biologists will conduct preconstruction surveys for nesting raptors and to identify active nests on and within 0.5 mile of the project site.
- ▶ Impacts to nesting raptors will be avoided by establishing appropriate buffers around active nest sites identified during preconstruction raptor surveys. No project activity will commence within the buffer areas until a qualified biologist has determined, in coordination with CDFW, the young have fledged, the nest is no longer active, or reducing the buffer would not likely result in nest abandonment. CDFW guidelines recommend implementation of a buffer of 500-feet for raptors unless there is a species- specific buffer, but the size of the buffer may be adjusted if a qualified biologist, in consultation with CDFW, determines that such an adjustment would not be likely to adversely affect the nest. Monitoring of the nest by a qualified biologist during and after construction activities will be required if the activity has potential to adversely affect the nest. If construction activities cause the nesting bird to vocalize, make defensive flights at intruders, get up from a brooding position, or fly off the nest, then the no-disturbance buffer shall be increased until the agitated behavior ceases.
- ▶ Trees will not be removed during the breeding season for nesting raptors unless a survey by a qualified biologist verifies that there is not an active nest in the tree.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. A Completed pre-construction survey report shall be submitted to the Office of Planning and Environmental Review for review and approval. A Final report shall be prepared addressing overall compliance with and success of the protection measure(s) as it relates to construction of the project. Both the pre-construction survey report, and final report shall be reviewed and approved by the Office of Planning and Environmental Review, in consultation with CDFW.
3. Include the above measure verbatim as a Construction Note and incorporate it into all Plans and Specifications for the project and submit one copy to the Environmental Coordinator for review and approval, which may include consultation with CDFW, prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Review pre-construction survey and final report, addressing overall compliance with and success of the protection measure(s).

2. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
3. Monitor compliance during periodic site inspections of the construction work.
4. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure BR-4: Avoidance and Impact Minimization of Special Status Bat Roosts**

The Project Applicant or subsequent developer(s) shall implement the following measures to minimize pallid bat mortality due to roost disturbance or destruction.

- ▶ If suitable roosting habitat for pallid bat will be affected by Project construction (e.g., removal of trees or buildings, modification of bridges/box culverts), a qualified wildlife biologist will conduct surveys for pallid bat during the appropriate time of year to maximize detectability to determine if pallid bats are roosting near the work area no less than 7 days and no more than 14 days before beginning vegetation removal, ground disturbance, and/or construction. Survey methodology may include visual surveys of bats (e.g., observation of bats during foraging period), inspection for suitable habitat, bat sign (e.g., guano), or use of ultrasonic detectors (e.g., Anabat, etc.). Visual surveys will include trees within 0.25 mile of Project construction activities if the potential roost could be disturbed by construction activity. If the potential roost is separated from the construction site by topographic, vegetation, structural, or other visual barriers or by areas of routine human disturbances that are greater than the project construction disturbances, surveys of those potential roosts will not be necessary. The type of survey will depend on the condition of the potential roosting habitat. If no bat roosts are found, then no further study is required.
- ▶ If evidence of pallid bat or other special-status bat use is observed, the number and species of bats using the roost will be determined. Bat detectors may be used to supplement survey efforts.
- ▶ If roosts are determined to be present and must be removed, the bats will be excluded from the roosting site before the facility is removed. A mitigation program addressing compensation, exclusion methods, and roost removal procedures will be developed and submitted to CDFW for approval, before implementation. Exclusion methods may include use of one-way doors at roost entrances (bats may leave, but not reenter), or sealing roost entrances when the site can be confirmed to contain no bats. Exclusion efforts may be restricted during periods of sensitive activity (e.g., during hibernation or while females in maternity colonies are nursing young). Loss of roosting habitat may be compensated with permanent, elevated bat houses or condos installed outside of, but near the construction area. Placement and height shall be determined based on species evicted or as determined by a qualified biologist in consultation with CDFW. Bat houses will be multi-chambered and be purchased or constructed in accordance with CDFW standards. The number of bat houses required will be dependent upon the size and number of colonies found, but at least one bat house will be installed for each pair of bats (if occurring individually), or of sufficient number to accommodate each colony of bats to be relocated.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. A Completed pre-construction survey report shall be submitted to the Office of Planning and Environmental Review for review and approval. A Final report, if required, shall be prepared addressing overall compliance with and success of the protection measure(s) as it relates to construction of the project. Both the pre-construction survey report and final report shall be reviewed and approved by the Office of Planning and Environmental Review, in consultation with CDFW.
3. Include the above measure verbatim as a Construction Note and incorporate it into all Plans and Specifications for the project and submit one copy to the Environmental Coordinator for review and approval, which may include consultation with CDFW, prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Review pre-construction survey and final report, if required, addressing overall compliance with and success of the protection measure(s).
2. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
3. Monitor compliance during periodic site inspections of the construction work.
4. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure BR-5: Obtain Streambed Alteration Agreement**

If Project activities will disturb the bed, bank, or associated riparian vegetation of any stream or pond on the Plan Area, the Project Applicant or subsequent developers of the specific plan shall notify the CDFW pursuant to Section 1602 of the Fish and Game Code before engaging in such activities. If appropriate, the Project Applicant or subsequent developers of the specific plan shall enter into a Streambed Alteration Agreement with CDFW and coordinate with CDFW in developing appropriate mitigation at a minimum 1:1 ratio of habitat lost or degraded to habitat restored and should abide by the conditions of any executed agreements.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Include the above measure verbatim as a Construction Note and incorporate it into all Plans and Specifications for the project and submit one copy to the Environmental Coordinator for review and approval, which may include consultation with CDFW, prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Verify Streambed Alteration Agreement.
2. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
3. Monitor compliance during periodic site inspections of the construction work.
4. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure BR-6: Avoidance, Impact Minimization, Or Compensation of Native Trees**

Before execution of any and all development projects within the Plan Area, the Project Applicant or subsequent developer(s) shall submit an arborist report for the project impact areas when appropriate habitat exists. The report shall be prepared by an ISA certified arborist and include the species, diameter, dripline, and health of all trees found within the project impact area. The report shall include an exhibit that shows the trees and their driplines in proximity to the project improvements. The report shall identify any tree proposed for removal and shall quantify any encroachment from project equipment or facilities within driplines of any tree. All native trees identified shall be mitigated for as follows:

- A. With the exception of the oak trees removed and compensated for through Part B below, all healthy native oak trees that are 6 inches dbh or larger on the Plan Area, all portions of adjacent off-site healthy native oak trees that are 6 inches dbh or larger which have driplines that extend onto the Plan Area, and all off-site healthy native oak trees that are 6 inches dbh or larger which may be impacted by utility installation and/or improvements associated with this Project, shall be preserved and protected as follows:
 - 1. A circle with a radius measurement from the trunk of the tree to the tip of its longest limb shall constitute the dripline protection area of the tree. Limbs must not be cut back to change the dripline. The area beneath the dripline is a critical portion of the root zone and defines the minimum protected area of the tree. Removing limbs which make up the dripline does not change the protected area.
 - 2. Chain link fencing or a similar protective barrier shall be installed 1 foot outside the driplines of the oak trees before initiating project construction, to avoid damage to the trees and their root systems.
 - 3. Any removal of paving or structures (i.e., demolition) that occurs within the dripline of a protected oak tree shall be done under the direct supervision of a certified arborist. To the maximum extent feasible, demolition work within the dripline protection area of the oak tree shall be performed by hand. If the certified arborist determines that it is not feasible to perform some portion(s) of this work by hand, then the smallest/lightest weight equipment that will adequately perform the demolition work shall be used.
 - 4. No signs, ropes, cables (except cables which may be installed by a certified arborist to provide limb support) or any other items shall be attached to the oak trees.
 - 5. No vehicles, construction equipment, mobile home/office, supplies, materials or facilities shall be driven, parked, stockpiled or located within the dripline of the oak trees.
 - 6. Any soil disturbance (scrapping, grading, trenching, and excavation) is to be avoided within the dripline of the oak trees. Where this is necessary, an ISA Certified Arborist will provide specifications for this work, including methods

- for root pruning, backfill specifications and irrigation management guidelines.
7. Before grading, excavation or trenching within 5 feet outside the driplines of protected oak trees, root pruning shall be required at the limits of grading or excavation to cut roots cleanly to a depth of the excavation or 36 inches (whichever is less). Roots shall be cut by manually digging a trench and cutting exposed roots with a saw, vibrating knife, rock saw, narrow trencher with sharp blades or other approved root-pruning equipment under the supervision of an ISA Certified Arborist.
 8. All underground utilities and drain or irrigation lines shall be routed outside the driplines of oak trees. If lines must encroach upon the dripline, they should be tunneled or bored under the tree under the supervision of a certified arborist.
 9. Any herbicides placed under paving materials must be safe for use around trees and labeled for that use. Any pesticides used on site must be tree-safe and not easily transported by water.
 10. Drainage patterns on the site shall not be modified so that water collects or stands within, or is diverted across, the dripline of the oak tree.
 11. No sprinkler or irrigation system shall be installed in such a manner that it sprays water within the dripline of the oak tree.
 12. Tree pruning required for clearance during construction must be performed by an ISA Certified Arborist or Tree Worker.
 13. Landscaping beneath the oak tree may include non-plant materials such as boulders, decorative rock, wood chips, organic mulch, non-compacted decomposed granite, etc. Landscape materials shall be kept 2 feet away from the base of the trunk. The only plant species which shall be planted within the dripline of the oak tree are those which are tolerant of the natural semi-arid environs of the trees. Limited drip irrigation approximately twice per summer is recommended for the understory plants.
- B. To the maximum extent feasible, all on-site healthy native oak trees shall be protected and preserved. Any substantial (>20%) encroachment and/or removal of native oak trees shall be compensated by planting native trees (valley oak/*Quercus lobata*, interior live oak/*Quercus wislizenii*, blue oak/*Quercus douglasii*), equivalent to the dbh inches lost, based on the ratios listed below, at locations that are authorized by the Environmental Coordinator. Encroachment of over 20 percent within the dripline radius of native trees will require compensatory mitigation based on the percentage of encroachment multiplied by the dbh. Encroachment over 50 percent will require compensation for the entire tree.

Equivalent compensation based on the following ratio is required:

- one D-pot seedling (40 cubic inches or larger) = 1 inch dbh
- one 15-gallon tree = 1 inch dbh

- one 24-inch box tree = 2 inches dbh
- one 36-inch box tree = 3 inches dbh

Replacement tree planting shall be completed before the issuance of building permits or a bond shall be posted by the Project Applicant to provide funding for purchase, planting, irrigation, and 3-year maintenance period, should the Project Applicant default on replacement tree mitigation. The bond shall be in an amount equal to the prevailing rate of the County Tree Preservation Fund.

Before the approval of Improvement Plans or building permits, a Replacement Oak Tree Planting Plan shall be prepared by a certified arborist or licensed landscape architect and shall be submitted to the Environmental Coordinator for approval. The Replacement Oak Tree Planting Plan(s) shall include the following minimum elements:

1. Species, size and locations of all replacement plantings;
2. Method of irrigation;
3. The Sacramento County Standard Tree Planting Detail L-1, including the 10-foot deep boring hole to provide for adequate drainage;
4. Planting, irrigation, and maintenance schedules;
5. Identification of the maintenance entity and a written agreement with that entity to provide care and irrigation of the trees for a 3-year establishment period, and to replace any of the replacement oak trees which do not survive during that period.

No replacement tree shall be planted within 15 feet of the driplines of existing oak trees or landmark size trees that are retained onsite, or within 15 feet of a building foundation or swimming pool excavation. The minimum spacing for replacement oak trees shall be 20 feet on-center. Examples of acceptable planting locations are publicly owned lands, common areas, and landscaped frontages (with adequate spacing). Generally unacceptable locations are utility easements (PUE, sewer, storm drains), under overhead utility lines, private yards of single family lots (including front yards), and roadway medians.

If oak tree replacement plantings are demonstrated to the satisfaction of the Environmental Coordinator to be infeasible for any or all trees removed, then compensation shall be through payment into the County Tree Preservation Fund. Payment shall be made at a rate of \$325.00 per dbh inch removed but not otherwise compensated, or at the prevailing rate at the time payment into the fund is made.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Include the above measure verbatim as a Construction Note and incorporate it into all Plans and Specifications for the project and submit one copy to the

Environmental Coordinator for review and approval prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure CC-1: Implement GHGRP**

Developers of the Jackson Township Specific Plan shall implement the measures contained in the GHGRP prepared for Alternative 2 (deemed technically adequate by SMAQMD on August 30, 2022). As evaluated and quantified in the GHGRP, Alternative 2 shall be required to comply with the best management practices (BMPs) included in Tier 1 of SMAQMD's CEQA Guidance. The Tier 1 BMPs are as follows:

- ▶ BMP 1: No natural gas (unless exempted by SMAQMD): Projects shall be designed and constructed without natural gas infrastructure. Alternatively, individual developments requiring natural gas infrastructure must demonstrate emissions reductions equivalent to the emissions anticipated from use of natural gas.
- ▶ BMP 2: Electric vehicle (EV) ready: Projects shall meet the current California Green Building Code (CalGreen) Tier 2 standards in place at the time of subsequent small lot tentative subdivision map or design review approval, except all EV capable spaces shall instead be EV ready as defined in the California Green Building Code. Further, projects shall provide rewiring of all single-family and 77 percent of high-density multi-family housing to support Tier 2 charging space requirements. To the extent practicable, such spaces shall be evenly distributed throughout the parking area provided.

The Project shall also be required to comply with the second tier of SMAQMD's updated thresholds, including:

- ▶ BMP 3: Residential projects shall achieve a 15 percent reduction in VMT per resident, and office projects should achieve a 15 percent reduction in VMT per worker compared to existing average VMT per capita for the county, or for the city if a more local SB 743 target has been established. Retail projects should achieve no net increase in total VMT, as required to show consistency with SB 743. To reduce VMT, projects shall implement Mitigation Measures TR-2 and TR-3.

The GHGRP, or on-site mitigation measures, shall demonstrate that the Project's operational emissions would not exceed the applicable thresholds for the aforementioned sectors.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Incorporate the above measure into all Plans and Specifications for the project and submit one copy to the Environmental Coordinator for review and approval, which may include consultation with SMAQMD, prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure CC-2: Consistency with GHGRP**

Future developments for residential (tentative maps) and nonresidential projects (Design Review) shall demonstrate consistency with the GHGRP for Alternative 2 by incorporating the following measures included in the GHGRP:

- ▶ Elimination of all on-site natural gas (unless exempted by SMAQMD);
- ▶ Electrification of construction equipment and improved fuel efficiency for equipment to the extent practicable;
- ▶ Installation of non-residential EV charging stations in 15% of provided parking spaces;
- ▶ Preservation of vegetated land;
- ▶ Use of electric landscaping equipment;
- ▶ Inclusion of on-site carbon-zero renewable energy systems capable of serving energy needs of any urban development within the Project, including energy needed for streetlights, sewer pumps, drainage pumps, traffic signals, water pumps, and commercial developments;
- ▶ Residential photovoltaic systems designed to be scalable over time to accommodate varying energy demands;
- ▶ Nonresidential buildings, and residential buildings of more than three stories, shall include photovoltaic or other on-site renewable energy to provide at least 1 percent of their electrical power demand, in compliance with technical standards specified in CalGreen Appendix 5, section A5.211.1, "On-site renewable energy;"
- ▶ Indoor water use efficiency; and
- ▶ Planting of on-site trees and other native and/or drought tolerant landscaping pursuant to Sacramento County Zoning Code Section 5.2.4.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Incorporate the above measure into all Plans and Specifications for the project, and submit one copy to the Environmental Coordinator, which may include consultation with SMAQMD, for review and approval prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to be in compliance with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure CC-3: Climate Action Plan**

When the County adopts a Final Climate Action Plan, future development projects within the Jackson Township Specific Plan may incorporate GHG emissions reductions measures contained therein. Such participation shall be subject to a demonstration that the emissions reductions measures selected are equivalent to or more effective than Mitigation Measures CC-1 and CC-2 for the portion of the Plan Area in question.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Incorporate the above measure into all Plans and Specifications for the project and submit one copy to the Environmental Coordinator for review and approval prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure CR-1: Historical Resources Evaluation**

Cultural resources studies shall be prepared for each future development application for non-participating properties, the property containing P-34-2106, and the 25-acre parcel within the Plan Area. All cultural resources studies shall be prepared by a cultural resources professional that meets the Secretary of the Interior's Professional Qualifications Standards. Studies should include a full pedestrian survey of the subject property.

A historic resource evaluation report shall be completed prior to development of the 25-acre property added to the Excelsior Estates APE that provides an eligibility analysis for the historic structures located within that property. The studies should provide mitigation strategies where required for resources.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Applicant shall submit Cultural Resources studies, prepared by a qualified archaeologist for review and approval by the Office of Planning and Environmental Review.
3. Include the above measure verbatim as a Construction Note and incorporate it into all Plans and Specifications for the project and submit one copy to the Environmental Coordinator for review and approval prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Verify the adequacy of the Cultural Resources studies.
2. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
3. Monitor compliance during periodic site inspections of the construction work.
4. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure CR-2: Inadvertent Discovery of Cultural Resources**

In the event that human remains are discovered in any location other than a dedicated cemetery, work shall be halted and the County Coroner contacted. For all other unexpected cultural resources discovered during Project construction, work shall be halted until a qualified archaeologist may evaluate the resource encountered.

1. Pursuant to Sections 5097.97 and 5097.98 of the State Public Resources Code, and Section 7050.5 of the State Health and Safety Code, if a human bone or bone of unknown origin is found during construction, all work is to stop and the County Coroner and the Office of Planning and Environmental Review shall be immediately notified. If the remains are determined to be Native American, the coroner shall Notify the Native American Heritage Commission within 24 hours, and the native American Heritage Commission shall identify the person or persons it believes to be the most likely descendent from the deceased Native American. The most likely descendent may make recommendations to the landowner or the person responsible for the excavation work, for means of treating or disposition of, with appropriate dignity, the human remains and any associated grave goods.

2. In the event of an inadvertent discovery of cultural resources (excluding human remains) during construction, all work must halt within a 100-foot radius of the discovery. A qualified professional archaeologist, meeting the Secretary of the Interior's Professional Qualification Standards for prehistoric and historic archaeology, shall be retained at the Project Applicant's expense to evaluate the significance of the find. If it is determined due to the types of deposits discovered that a Native American monitor is required, the Guidelines for Monitors/Consultants of Native American Cultural, Religious, and Burial Sites as established by the Native American Heritage Commission shall be followed, and the monitor shall be retained at the Project Applicant's expense.

- a) Work cannot continue within the 100-foot radius of the discovery site until the archaeologist and/or tribal monitor conducts sufficient research and data collection to make a determination that the resource is either 1) not cultural in origin; or 2) not potentially eligible for listing on the National Register of Historic Places or California Register of Historical Resources.
- b) If a potentially-eligible resource is encountered, then the archaeologist and/or tribal monitor, Planning and Environmental Review staff, and Project proponent shall arrange for either 1) total avoidance of the resource, if possible; or 2) test excavations or total data recovery as mitigation. The determination shall be formally documented in writing and submitted to the County Environmental Coordinator as verification that the provisions of CEQA for managing unanticipated discoveries have been met.

Implementation and Notification (Action by Project Applicant):

- 1. Comply fully with the above measure.

2. Include the above measure verbatim as a Construction Note and incorporate it into all Plans and Specifications for the project and submit one copy to the Environmental Coordinator for review and approval prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure GS-1: On-Site Training and Inadvertent Discovery of Paleontological Resources**

The Project Applicant or subsequent developers of the specific plan shall retain a qualified paleontologist to conduct an on-site training that will alert all construction personnel and operational staff about the possibility of encountering fossils. The appearance and types of fossils likely to be seen during construction will be described. Construction personnel shall be trained about the proper notification procedures should fossils be encountered.

If paleontological resources are discovered during earthmoving activities, the Project Applicant or subsequent developers of the specific plan shall immediately halt operations within 100 feet of the find and notify the Environmental Coordinator. The Project Applicant or subsequent developers of the specific plan shall retain a qualified paleontologist for identification and salvage of fossils so that construction delays can be minimized. If large specimens are discovered, the paleontologist shall have the authority to halt or divert grading and construction equipment while the finds are removed. The paleontologist shall be responsible for implementing all tasks summarized below:

- ▶ In the event of discovery, salvage of unearthed fossil remains, typically involving simple excavation of the exposed specimen but possibly also plaster-jacketing of large and/or fragile specimens, or more elaborate quarry excavations of richly fossiliferous deposits.
- ▶ Recovery of stratigraphic and geologic data to provide a context for the recovered fossil remains, typically including description of lithologies of fossil-bearing strata, measurement and description of the overall stratigraphic section, and photographic documentation of the geologic setting.
- ▶ Laboratory preparation (cleaning and repair) of collected fossil remains to a point of curation, generally involving removal of enclosing rock material, stabilization of fragile specimens (using glues and other hardeners), and repair of broken specimens.
- ▶ Cataloging and identification of prepared fossil remains, typically involving scientific identification of specimens, inventory of specimens, assignment of catalog numbers, and entry of data into an inventory database.
- ▶ Preparation of a final report summarizing the field and laboratory methods used, the stratigraphic units inspected, the types of fossils recovered, and the significance of the curated collection.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. The applicant shall submit a sign-in sheet with the name and signature of the qualified paleontologist who presented the training, and the names and signatures of the trainees to the Office of Planning and Environmental Review.
3. Include the above measure verbatim as a Construction Note and incorporate it into all Plans and Specifications for the projec, and submit one copy to the Environmental Coordinator for review and approval prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Review the adequacy of the training and the training sign-in sheet.
2. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
3. Monitor compliance during periodic site inspections of the construction work.
4. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure HM-1: Phase 1 ESA**

The future project applicant(s) or subsequent developers for all non-participating properties shall have a Phase I ESA prepared by a qualified professional in accordance with the American Society for Testing and Materials' E-1527-05 standard before or at the time of application. All applications for future development of such properties shall not be deemed complete until a Phase I ESA that includes analysis of potential for soil and groundwater contamination has been completed and submitted to the Sacramento County Office of Planning and Environmental Review.

Once a Phase I ESA that meets the satisfaction of the Environmental Coordinator has been submitted to the Office of Planning and Environmental Review, all applicable recommendations from the Phase I ESA shall be incorporated into the future project as required conditions of approval. If a Phase I ESA indicates the presence or likely presence of contamination, the County shall require a Phase II ESA, and recommendations of the Phase II ESA shall be fully implemented prior to ground disturbance.

For work requiring any demolition, the Phase I ESA shall make recommendations for any hazardous building materials survey work that shall be completed.

If the Phase I ESA indicates the potential for the presence of hazardous materials within the property or possible groundwater contamination, a focused CEQA analysis addressing hazardous materials shall be prepared for the future project. Any hazardous materials identified through this process shall be remediated consistent with applicable regulations.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Applicant shall submit the necessary ESAs, prepared by a qualified professional for review and approval by the Office of Planning and Environmental Review.
3. Incorporate the above measure and ESA requirements into all Plans and Specifications for the project and submit one copy to the Environmental Coordinator for review and approval prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Review the adequacy of the ESAs.
2. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
3. Monitor compliance during periodic site inspections of the construction work.
4. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure HM-2: Phase II ESA**

A Phase II ESA that includes soil and groundwater contamination sampling and analysis shall be submitted with all future applications for development within the Plan Area, including Applicant-owned properties, based on the recommendations within the Phase I ESA. Applications will not be considered complete until a Phase II ESA covering the entire property proposed for development is provided as required by the Phase I ESA.

Once a Phase II ESA with analyses of soil and groundwater contamination has been submitted to the satisfaction of the Environmental Coordinator, all recommendations for remediation activities and additional studies from the Phase II ESA shall be incorporated into the future project as required conditions of approval.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Prepare and submit the Phase II ESA to the Office of Planning and Environmental Review for review.
3. Comply with all recommended action outlined in the Phase II ESA and incorporate all recommendations for subsequent projects.
4. Incorporate the above measure and ESA requirements into all Plans and Specifications for the project and submit one copy to the Environmental Coordinator for review and approval prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Verify the adequacy of the Phase II ESA
2. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
3. Monitor compliance during periodic site inspections of the construction work.
4. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure HM-3: Hazardous Materials Contingency Plan**

At the time of any application to develop properties within the Plan Area, Project Applicant or subsequent developer(s) shall provide a hazardous materials contingency plan to Sacramento County EMD. The plan will describe the necessary actions that would be taken if evidence of contaminated soil or groundwater is encountered during construction. The contingency plan shall identify conditions that could indicate potential hazardous materials contamination, including soil discoloration, petroleum or chemical odors, and presence of underground storage tanks or buried building material.

The plan shall include the provision that, if at any time during the course of constructing the Project, evidence of soil and/or groundwater contamination with hazardous material is encountered, developers of the specific plan shall immediately halt construction and contact Sacramento County EMD. Work shall not recommence until the discovery has been assessed/treated appropriately (through such mechanisms as soil or groundwater sampling and remediation if potentially hazardous materials are detected above threshold levels) to the satisfaction of Sacramento County EMD, RWQCB, and DTSC (as applicable). The plan, and obligations to abide by and implement the plan, shall be incorporated into the construction and contract specifications of the Project.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Prepare and submit a Hazardous Materials Contingency Plan for review and approval by Sacramento County EMD.
3. Include the above measure verbatim as a Construction Note and incorporate it into all Plans and Specifications for the project and submit one copy to the Environmental Coordinator for review and approval, in consultation with Department of Environmental Management (EMD), prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Verify the Hazardous Materials Contingency Plan.
2. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
3. Monitor compliance during periodic site inspections of the construction work.
4. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure HYD-1A: Stormwater Quality Treatment Facilities**

Before approval of future tentative maps, the Project Applicant or future developer(s) shall submit a drainage study in accordance with the requirements outlined in the Sacramento Stormwater Quality Partnership's 2018 Stormwater Quality Design Manual (or subsequent updates). The study shall describe permanent stormwater quality treatment facilities capable of treating stormwater to the satisfaction of County DWR.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure and coordinate with County DWR.
2. Incorporate the necessary stormwater quality treatment facilities into all Plans and Specifications for the project and submit one copy to the Environmental Coordinator for review and approval prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure HYD-1b: Flood Conveyance and Stormwater Quality Treatment**

Prior to construction of the Jackson Township Drainage Master Plan improvements, detailed plans for the design of the improvements, accompanied by geomorphic, hydrologic, soils, and vegetation analyses that demonstrate the proposed improvements will achieve the primary functions of flood conveyance and stormwater quality treatment while minimizing maintenance requirements, shall be submitted to the County DWR for review and approval

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure and coordinate with County DWR.
2. The applicant shall submit required analyses and evidence of County DWR's review and approval.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure HYD-2: Modification of Mapped Floodplain**

Prior to any modification of the existing FEMA mapped floodplain in the Morrison Creek and Elder Creek watersheds in the Plan Area, the Project Applicant or subsequent developers of the specific plan shall obtain approval of a Conditional Letter of Map Revision (CLOMR) from FEMA. In addition, the Project Applicant and subsequent developers of the specific plan shall provide in-kind replacement for any loss in flood storage capacity resulting from floodplain modifications.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. The applicant shall submit evidence to the Office of Planning and Environmental Review that the CLOMR has been obtained and any necessary in-kind replacement has been provided.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure HYD-3: Flooding Of Beach Stone Lakes**

The Project Applicant or subsequent developers of the specific plan shall mitigate downstream impacts by either of the following options:

- a. Payment of the Beach Stone Lakes Mitigation Fee (Sacramento County Water Agency Zone 11A).
- b. Ensuring no net project-related increase in volume in Beach Stone Lakes by metering outflow from the Plan Area, increasing storage capacity of onsite facilities, directing drainage into downstream facilities offsite, or other regional drainage solutions as determined by the County Department of Water Resources.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. The applicant shall submit evidence to the Office of Planning and Environmental Review that one of the mitigation measure options has been implemented.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure HYD-4: Potential For Flooding Due To Climate Change**

At the time of submittal of backbone infrastructure plans, the Project Applicant or subsequent developers of the specific plan shall submit a hydrologic analysis that is based upon adopted County guidance regarding a reasonably foreseeable climate change scenario. Based on the results of the hydrologic analysis and if impacts are identified, the Project Applicant shall implement all feasible design measures within the Project's drainage system to adequately maintain pre-project flows with consideration of climate change effects. Potential improvements could include larger and additional culverts at roadway crossings and deepening the existing basin(s) within the Plan Area that would be subject to over-topping. Basin deepening would require minimal construction-related impacts including excavation and hauling of an additional increment of soil from the site. These construction-related impacts have been evaluated throughout this EIR.

Alternatively, if the County has adopted a regional solution for flooding related to climate-change, the Project Applicant or subsequent developers of the specific plan shall contribute its fair share towards funding the construction of the regional solution.

If the County has not developed a regional solution or has not adopted guidance for evaluating hydrologic climate-related impacts, the Project Applicant or subsequent developers of the specific plan shall prepare and submit a hydrologic analysis that is based on the best available technical information at that time, in consultation with the County's Department of Water Resources and the Office of Planning and Environmental Review.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. The applicant shall submit required analyses and evidence of County DWR's review and approval.
3. Include the above measure verbatim as a Construction Note and incorporate it into all Plans and Specifications for the project and submit one copy to the Environmental Coordinator for review and approval prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure NOI-1: Develop and Implement Noise Monitoring Plan**

Reduce sensitive receptor exposure to construction noise during noise-sensitive time periods.

Consistent with County Noise Control Ordinance Section 6.68.090 Exemptions, when an unforeseen or unavoidable condition occurs during a construction project and the nature of the project necessitates that work in process be continued until a specific phase is completed, the contractor or owner shall be allowed to continue work after 8:00 p.m. and to operate machinery and equipment necessary until completion of the specific work in progress can be brought to conclusion under conditions which will not jeopardize inspection acceptance or create undue financial hardships for the contractor or owner.

For all outdoor construction/decommissioning activity that is to take place outside of the Sacramento County construction noise exception timeframes (i.e., between 6:00 a.m. and 8:00 p.m., Monday through Friday, and between 7:00 a.m. and 8:00 p.m. on Saturdays and Sunday), the contractor shall ensure that a noise monitoring plan is prepared by a qualified acoustical engineer and approved by the Project Applicant and Sacramento County. The noise monitoring plan shall, at a minimum, include the following components:

- ▶ detailed description of the proposed nighttime construction/decommissioning activities,
- ▶ list of equipment used during all nighttime construction/decommissioning activities,
- ▶ projected noise levels generated during the nighttime construction/decommissioning activities at surrounding noise-sensitive land uses,
- ▶ location of sensitive receptors in relation to the proposed nighttime construction/decommissioning activities, and
- ▶ detailed description of the location and times that noise monitors would be deployed.

Subsequently, during any nighttime construction, noise shall be monitored and documented for the nearest sensitive land use to ensure that the County's exterior noise standards for non-transportation noise sources are not exceeded. In the event that monitored noise levels exceed applicable noise standards, onsite construction activities shall cease operations immediately. Before resuming nighttime construction activities, noise-control measures shall be implemented to reduce operational noise levels to below acceptable levels.

Noise control measures could include the following:

- ▶ All equipment shall be properly maintained and equipped with noise-reduction intake and exhaust mufflers and engine shrouds, in accordance with manufacturers' recommendations. Equipment engine shrouds shall be closed during equipment operation.

- ▶ Where available and feasible, equipment with back-up alarms shall be equipped with either audible self-adjusting backup alarms or alarms that only sound when an object is detected. Self-adjusting backup alarms shall automatically adjust to 5 dBA over the surrounding background levels. All non-self-adjusting backup alarms shall be set to the lowest setting required to be audible above the surrounding noise levels.
- ▶ To the extent that noise-generating outdoor construction activity needs to occur at night as part of a continuous construction activity, the activity shall be planned such that the portion that needs to take place closest to residential receptors takes place during less noise-sensitive daytime hours.
- ▶ Noise-reducing enclosures and techniques shall be used around stationary noise-generating equipment (e.g., concrete mixers, generators, compressors).
- ▶ Heavy-duty equipment shall be operated at the lowest operating power possible.
- ▶ No pile driving activity shall occur in the between 8:00 p.m. and 6:00 a.m. on Monday through Friday, and between 8:00 p.m. and 7:00 a.m. on Saturday and Sunday.
- ▶ Temporary noise curtains shall be installed as close as possible to the noise-generating activity such that the curtains obstruct the direct line of sight between the noise-generating construction/decommissioning activity and the nearby sensitive receptors. Temporary noise curtains shall consist of durable, flexible composite material featuring a noise barrier layer bounded to sound-absorptive material on one side. The noise barrier layer shall consist of rugged, impervious, material with a surface weight of at least one pound per square foot and be designed to result in a 10-dBA reduction at the sensitive receptor location.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Applicant shall submit Noise Monitoring Plan, prepared by qualified acoustical engineer for review and approval by the Office of Planning and Environmental Review.

Verification (Action by the Environmental Coordinator):

1. Verify the Noise Monitoring Plan for adequacy.
2. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
3. Monitor compliance during periodic site inspections of the construction work.
4. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure NOI-2: Develop and Implement Vibration Control Plan**

This mitigation measure would apply to construction activity involving pile-driving activities located within 100 feet of any building, to reduce the potential for structural damage, and within 550 feet of an occupied residence/building, to minimize disturbance from pile-driving activities.

A vibration control plan shall be developed by the Project Applicant and his/her construction contractors to be submitted to and approved by Sacramento County before issuance of any Improvement Plans or Grading Permits for the Project. The plan shall consider all potential vibration-inducing activities that would occur within the distance parameters described above and include various measures, setback distances, precautions, monitoring programs, and alternative methods to traditional pile-driving activities with the potential to result in structural damage or excessive noise. The following vibration control measures (or other equally effective measures approved by the County) shall be included in the plan:

- ▶ To prevent structural damage, minimum setback requirements for different types of ground vibration-producing activities (e.g., pile driving) for the purpose of preventing damage to nearby structures shall be established based on the proposed pile-driving activities and locations, once determined. Factors to be considered include the specific nature of the vibration producing activity (e.g., type and duration of pile driving), local soil conditions, and the fragility/resiliency of the nearby structures. Established setback requirements (i.e., 100 feet) can be breached if a project-specific, site specific analysis is conducted by a qualified geotechnical engineer or ground vibration specialist that indicates that no structural damage would occur at nearby buildings or structures.
- ▶ To prevent disturbance to sensitive land uses, minimum setback requirements for different types of ground vibration producing activities (e.g., pile driving) shall be established based on the proposed pile-driving activities and locations, once determined. Established setback requirements (i.e., 550 feet) can be breached only if a project-specific, site-specific, technically adequate ground vibration study indicates that the buildings would not be exposed to ground vibration levels in excess of 72 VdB, and ground vibration measurements performed during the construction activity confirm that the buildings are not being exposed to levels in excess of 72 VdB.
- ▶ All vibration-inducing activity within the distance parameters described above shall be monitored and documented for ground vibration noise and vibration noise levels at the nearest sensitive land use and associated recorded data submitted to Sacramento County so as not to exceed the recommended FTA and Caltrans levels.
- ▶ Alternatives to traditional pile driving (e.g., sonic pile driving, jetting, cast-in-place or auger cast piles, non-displacement piles, pile cushioning, torque or hydraulic piles) shall be considered and implemented where feasible to reduce vibration levels.

- ▶ Limit pile-driving activities to the daytime hours between 6:00 a.m. and 8:00 p.m. Monday through Friday and between 8:00 a.m. and 8:00 p.m. Saturday and Sunday.
- ▶ Predrill pile holes to the maximum feasible depth to reduce the number of blows required to seat a pile.
- ▶ Operate all vibration inducing impact equipment as far away from vibration-sensitive sites as reasonably possible from nearby structures.
- ▶ Phase pile-driving and high-impact activities so as not to occur simultaneously with other construction activities, to the extent feasible. The total vibration level produced could be significantly less when each vibration source is operated at separate times.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Applicant shall submit Vibration Control Plan for review and approval by the Office of Planning and Environmental Review.

Verification (Action by the Environmental Coordinator):

1. Review the adequacy of the Vibration Control Plan.
2. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
3. Monitor compliance during periodic site inspections of the construction work.
4. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure NOI-3: Construct Sound Barriers**

At the time of roadway improvements associated with the Project or Alternative 2, or implementation of the transportation mitigation strategy, install outdoor sound barriers at residential land uses along Excelsior Road between Jackson Road and Elder Creek Road to reduce increases in traffic noise levels associated with those improvements. The sound barriers must be constructed of solid material (e.g., brick, concrete) and designed to reduce noise by at least 5 dB. All barriers shall blend into the overall landscape and have an aesthetically pleasing appearance that agrees with the color and rural character of the houses and the general area, and not become the dominant visual element of the community.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Demonstrate that the sound barriers are designed to reduce noise by at least 5 dB.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction to ensure that the barriers are blended into overall landscape and have aesthetically pleasing appearance. Approve Project Plans that are determined to comply with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure NOI-4: Use Rubberized Hot-Mix Asphalt Along Excelsior Road**

Use rubberized hot-mix asphalt along the affected roadway (Excelsior Road between Jackson Road and Elder Creek Road) either (a) at the time the next repaving of this roadway segment occurs or, (b) during any roadway widening project that would occur on this roadway segment.

Pave the nearby segment of roadway with rubberized hot-mix asphalt (RHMA) or equivalent surface treatment with known noise-reducing properties on top of the roadway surface. The RHMA overlay shall be designed with appropriate thickness and rubber component quantity (typically 15 percent by weight of the total blend), such that traffic noise levels are reduced by an average of 4 to 6 dB (noise levels vary depending on travel speeds, meteorological conditions, and pavement quality) as compared to noise levels generated by vehicle traffic traveling on standard asphalt. RHMA has been found to achieve this level of noise reduction in other parts of California (Sacramento County 1999). Pavement will require more frequent than normal maintenance and repair to maintain its noise attenuation effectiveness.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure NOI-5: Site-Specific Noise Study**

Conduct site-specific noise study and implement recommendations. To prevent future sensitive receptors from disturbance during the sensitive times of the day, all applicants of a residential land use or a structure containing residential units shall, before the issuance of building permits, provide to the County a site-specific noise study prepared by a qualified acoustical engineer addressing interior noise levels in residential units. The noise study shall consider the types of land uses being proposed in the same building or in the vicinity as the residential units in a mixed-use structure and existing noise sources adjacent to the proposed structure. The noise study shall confirm, using approved calculation methodologies, that building design (e.g., building orientation) and building materials as well as exterior design features (e.g., fences, walls, and landscaping features) are sufficient to maintain exterior noise levels on the property of 55 L50 and 75 Lmax during the daytime and 50 L50 and 70 Lmax during the nighttime and an interior noise level of (L50) of 35 and maximum (Lmax) of 55 Ldn /CNEL, with windows closed, in residential units given the reasonably foreseeable noise generation sources within the building, and existing noise sources adjacent to the building. If the study shows such standards would not be met with the design as proposed, the Project Applicant or subsequent developer(s) shall implement recommendations of the study that are shown to achieve the standards.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Applicant shall submit Site-specific Noise Study, prepared by qualified acoustical engineer for review and approval by the Office of Planning and Environmental Review.
3. Implement recommendations in the site-specific noise study and incorporate it into all Plans and Specifications for the project.).

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure NOI-6: Reduce Noise Exposure to Existing Sensitive Receptors**

Reduce noise exposure to existing sensitive receptors from proposed stationary noise sources in non-residential land uses. The siting of new stationary sources in non-residential land uses shall first consider providing adequate distance between the noise source and residential land uses. Siting distance recommendations for each source type are provided below.

- ▶ New loading dock or commercial delivery sources shall be located a minimum of 1,600 feet from existing residential land uses.
- ▶ New HVAC units shall be located a minimum of 62 feet from existing residential land uses.
- ▶ New mechanical generators shall be located a minimum of 1,800 feet from existing residential land uses.
- ▶ New overhead transmissions lines and substations shall be located a minimum of 16 feet from existing residential land uses.
- ▶ If the above siting requirements cannot be achieved because of specific building locations or other site-specific constraints, the following measures shall be required for future development applications including stationary sources.
- ▶ Routine testing and preventive maintenance of emergency electrical generators shall be conducted during the less sensitive daytime hours (i.e., 6:00 a.m. to 8:00 p.m.), per the Sacramento County Noise Ordinance. All electrical generators shall be equipped with noise control (e.g., muffler) devices in accordance with manufacturers' specifications.
- ▶ External mechanical equipment, including HVAC units, associated with buildings shall incorporate features designed to reduce noise emissions below the stationary noise source criteria. These features may include, but are not limited to, locating equipment within equipment rooms or enclosures that incorporate noise reduction features, such as acoustical louvers, and exhaust and intake silencers. Equipment enclosures shall be oriented so that major openings (i.e., intake louvers, exhaust) are directed away from nearby noise-sensitive receptors. In addition, when locating HVAC units on buildings adjacent to residential land uses, HVAC units shall not be located directly adjacent to windows of residential units. HVAC locations shall be chosen to minimize noise at nearby residential land uses.
- ▶ Loading docks shall be located and designed so that noise emissions do not exceed the stationary noise source criteria established in this analysis (i.e., exterior daytime [6:00 a.m. to 8:00 p.m.] standards of 55 dB Leq/70 dB Lmax and the exterior nighttime [8:00 p.m. to 6:00 a.m.] standards of 50 dB Leq /70 dB Lmax) at any existing sensitive receptor. At the time of conformity review application submittal for discretionary entitlement, the Project Applicant or subsequent developer(s) shall provide to the County a specialized noise study to evaluate the specific design and ensure compliance with Sacramento County noise standards. Reduction of loading dock noise can be achieved by locating loading docks as far away as possible from

noise sensitive land uses, constructing noise barriers between loading docks and noise-sensitive land uses, or using buildings and topographic features to provide acoustic shielding for noise-sensitive land uses. Final design, location, and orientation shall be dictated by findings in the noise study, if applicable.

- ▶ Parking lots and structures shall be located and designed so that noise emissions do not exceed the stationary noise source criteria identified in this analysis (i.e., exterior daytime [6:00 a.m. to 8:00 p.m.] standards of 55 dB Leq/70 dB Lmax and the exterior nighttime [8:00 p.m. to 6:00 a.m.] standards of 50 dB Leq/ 70 dB Lmax) at any existing sensitive receptor. At the time of conformity review application submittal for discretionary entitlement, the Project Applicant or subsequent developer(s) shall provide to the County a specialized noise study to evaluate specific design and ensure compliance with Sacramento County noise standards. Reduction of parking lot noise can be achieved by locating parking lots away from noise sensitive land uses, constructing noise barriers between parking lots/structures and noise-sensitive land uses, incorporating noise barriers into parking structure designs (e.g., providing solid walls around the top levels of parking structures), or using buildings and topographic features to provide acoustic shielding for noise-sensitive land uses. Final design, location, and orientation shall be dictated by findings in the noise study, if applicable.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Incorporate the above measure into all Plans and Specifications for the project and submit one copy to the Environmental Coordinator for review and approval prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure NOI-7: Future Noise Sensitive Receptors - Sacramento Raceway**

This mitigation measure would apply to noise sensitive land uses to be developed as part of the Project that would be located in close proximity to the Sacramento Raceway and within the 55 L50 or 75 dBA Lmax contour lines, as depicted in Plate NOI-3, Plate NOI-4, and Plate NOI-5 in the Environmental Settings section of this chapter and in Appendix NOI-1 of this EIR. To prevent future noise sensitive receptors from disturbance associated with the Sacramento Raceway, site design shall adhere to the Jackson Township Specific Plan Design Guidelines and Sacramento County Countywide Design Guidelines to identify design principles and strategies to reduce noise exposure from the Sacramento Raceway to noise sensitive land uses developed as part of the Project. Common design principles to reduce noise exposure to noise sensitive land uses that should be considered during the site design process include:

- ▶ increasing the distance between the noise source and the receiver;
- ▶ placing nonresidential land uses such as parking lots, maintenance facilities, and utility areas between the source and the receiver;
- ▶ locating barrier-type buildings parallel to the noise source;
- ▶ orienting the residences and outdoor activity areas for these residences away from the noise source; and
- ▶ arranging the site plan to use buildings as noise barriers.

All applicants proposing a noise-sensitive land use in the portion of the Plan Area applicable to this mitigation measure shall, before the issuance of building permits, provide to the County a site-specific noise study prepared by a qualified acoustical engineer addressing exterior noise levels for applicable noise sensitive land uses and interior noise levels in residential units. The noise study shall confirm, using approved calculation methodologies, that building design (e.g., building orientation) and building materials as well as exterior design features (e.g., fences, walls, and landscaping features) are sufficient to maintain, consistent with Sacramento County non-transportation noise standards, exterior noise levels of 55 L50 and 75 Lmax during the daytime and 50 L50 and 70 Lmax during the nighttime and an interior noise level of (L50) of 35 and maximum (Lmax) of 55 dB Ldn /CNEL, with windows closed, in residential units given the reasonably foreseeable noise generation sources within the building, and existing noise sources adjacent to the building. If the study shows such standards would not be met with the design as proposed, the Project Applicants or subsequent developer(s) shall implement recommendations of the study that are shown to achieve the standards or implement all recommendations to reduce noise exposure from the Sacramento Raceway to the extent feasible.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.

2. Incorporate the above into all Plans and Specifications for the project and submit one copy to the Environmental Coordinator for review and approval prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure NOI-8: Outdoor Sound Barriers**

At the time of roadway improvements associated with the Project or Alternative 2, or implementation of the transportation mitigation strategy, outdoor sound barriers shall be installed along roadway segments demonstrated to result in a substantial noise level increase as indicated in Table NOI-15 for the Project and Table NOI-16 for Alternative 2. The sound barriers must be constructed of solid material (e.g., wood, brick, adobe, an earthen berm, or combination thereof) and designed to ensure that the incremental increase in traffic noise would be less than 5 dB Ldn. All barriers shall blend into the overall landscape and have an aesthetically pleasing appearance that agrees with the color and rural character of the houses and the general area, and not become the dominant visual element of the community.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure NOI-9: Timing of Rubberized Hot-Mix Asphalt Along Excelsior Road**

Use rubberized hot-mix asphalt along the affected roadway (Excelsior Road between Jackson Road and Elder Creek Road) either (a) at the time that the next repaving of this roadway segment occurs, (b) during any roadway widening project that would occur on this roadway segment. If option (b) is chosen, the Project Applicant or subsequent developer(s) shall conduct a traffic noise analysis every 2 years after Project approval to determine whether the Projects contribution to roadway volumes results in traffic noise levels along this roadway segment exceeding 65 dB Ldn. Pave the nearby segment of roadway with rubberized hot-mix asphalt (RHMA) or equivalent surface treatment with known noise-reducing properties on top of the roadway surface. The RHMA overlay shall be designed with appropriate thickness and rubber component quantity (typically 15 percent by weight of the total blend), such that traffic noise levels are reduced by an average of 4 to 6 dB (noise levels vary depending on travel speeds, meteorological conditions, and pavement quality) as compared to noise levels generated by vehicle traffic traveling on standard asphalt. RHMA has been found to achieve this level of noise reduction in other parts of California (Sacramento County 1999). Pavement will require more frequent than normal maintenance and repair to maintain its noise attenuation effectiveness.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure PS-1: Parkland Requirement and In-Lieu Fees**

At the time a small lot tentative map is submitted to the County, the developer of the property shall demonstrate that either (1) park acreage to meet the individual parkland requirements pursuant to Title 22 of the Sacramento County Code has been provided within the mapped area, or (2) in-lieu fees will be paid in an amount equivalent to any shortfalls in parkland dedication. Appropriate parkland dedication and/or adequacy of fees shall be verified by CRPD prior to the County's approval of the small lot tentative map. This requirement shall be met for all small lot tentative maps, including those located in portions of the Plan Area that do not include planned park facilities per the Specific Plan.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. The applicant shall submit evidence to the Office of Planning and Environmental Review that the payment of appropriate fees and/or parkland dedication has been provided to CRPD.

Verification (Action by the Environmental Coordinator):

1. Verify that the appropriate fees and/or parkland dedications have been provided to CRPD.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure TR-1: Implement Enhanced Transit Program of Mitigation Measure AQ-2B**

As detailed in MM AQ-2b, in Chapter 6, “Air Quality,” the Applicant or subsequent developer(s) shall implement a program to provide a non-revocable funding mechanism that would pay for bus and/or shuttle operations between the Project and the Manlove Light Rail Station. The non-revocable funding mechanism would be administered by the County and would provide residents and employees of Jackson Township with transit passes that would access the entire Regional Transit system.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Provide a copy of non-revocable funding mechanism for County’s review.

Verification (Action by the Environmental Coordinator):

1. Review and coordinate with Regional Transit for adequacy of the non-revocable funding mechanism.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure TR-2: Trip Reduction Services**

Jackson Township shall cooperate with the County in establishing a special financing mechanism for the Project area to fund the TRS described in, and consistent with, the approvals for the Project, the USP, and the Public Facilities Financing Plan. Such financing mechanism shall be established and the resulting annual service charge, fee, tax, or other mechanism shall be imposed on each residential unit and nonresidential unit to fund all aspects of the TRS, including, capital, maintenance, and operational costs. This mechanism shall be approved prior to the recordation of the first final small lot subdivision map or issuance of any building permit within the project area, whichever may occur first. Grading permits may be issued within the Project area prior to implementation of the financing mechanism.

The TRS shall be provided to the residents and non-residential uses within the project area. TRS shall be phased as development occurs and supported by transit funds generated from the Project as it builds out, such that services are available to establish trip reduction behavior within Project phases. TRS may include, but shall not be limited to, membership in a transportation management association, commute trip reduction, transit services, transit improvements, rideshare matching and vanpool coordination, commuter financial incentives, telework and/or flextime support, guaranteed ride home programs, parking management, shared parking coordination, special event transport management, transportation access guides, wayfinding, and multi-modal navigation tools.

The TMA shall include, at a minimum, the following programs:

- ▶ Commute Trip Reduction Marketing. Through this program, employers share information to promote trip reduction and educate employees about their travel choices to the employment location beyond driving such as carpooling, taking transit, walking, and biking. The program must include a onsite or online commuter information services, employee transportation coordinators, and a guaranteed ride home service (as described below).
- ▶ Guaranteed Ride Home. To ensure that employees have the flexibility to adapt to the challenges and circumstances they are presented with day-to-day, they must be sure that if they are without a personal vehicle, they are always able to return home. The program, at a minimum, shall be developed and implemented to include the following elements:
 - Determination of who is eligible. The program could cover all employees, or only those who use alternative modes for a specified portion of commuting.
 - Determination of what trips are eligible. The program could cover any trip, or it could be limited to unexpected business appointments, employee or family member sickness.
 - Maximum number of uses allowed during a certain period, maximum miles within a period, or maximum cost per trip.
 - Implementation responsibility.

- Procedures for using the service.
- Appropriate forms (e.g. registration and reimbursement vouchers).
- ▶ Employer-Sponsored Vanpool. Each employer will be required to sponsor participation in a vanpool program. Vanpooling is a flexible form of public transportation that provides groups of 5 to 15 people with a cost-effective and convenient rideshare option for commuting. The mode shift from long-distance, single-occupied vehicles to shared vehicles reduces overall commute VMT, thereby reducing GHG emissions. Employer costs primarily include the capital costs of vehicle acquisition and the labor costs of drivers, either through incentives to current employees or the hiring of dedicated drivers. The program, at a minimum, shall be developed and implemented to include the following elements:
 - Identification of a group transportation manager.
 - Selection and procurement of vans and equipment.
 - Development and implementation of financial structure of the program.
 - Driver and route selection.
 - Development of coordination agreements and responsibilities.
 - Development of procedures, agreements, and forms.
- ▶ Electric Bike Share Program. This measure will establish an electric bikeshare program. Electric bikeshare programs provide users with on-demand access to electric pedal assist bikes for short-term rentals. This encourages a mode shift from vehicles to electric bicycles, reducing VMT.
- ▶ Establish an Electric Scooter Share Program. This measure will establish a scooter share program. Scooter share programs provide users with on-demand access to electric scooters for short-term rentals. This encourages a mode shift from vehicles to scooters, reducing VMT.
- ▶ Employee Ridesharing Program. This measure will implement a ridesharing program. Ridesharing encourages carpooled vehicle trips in place of single-occupied vehicle trips, thereby reducing the number of trips, VMT, and GHG emissions.

Each employer in the Plan Area will be required to participate in the Jackson Township TMA and develop an individual Transportation System Monitoring (TSM) plan to track compliance and participation in the programs established in the Jackson Township TMA.

As noted above, these measures are potential components that could be included in the larger TRS but are not meant to serve as a required or complete list of such measures. Alternatives to these TRS may be considered by the County if it can be demonstrated that an equivalent reduction in VMT or transportation mode split, as documented in the project Transportation Report, can be achieved. The final TRS shall be developed in coordination with, and approved by, the County.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. The applicant shall submit final TRS to the County for review and approval.

Verification (Action by the Environmental Coordinator):

1. Review the adequacy of final TRS.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure TR-3: Annexation Into or Formation of an Active Benefit Zone of County Service Area Number 10**

The Applicant shall provide funding for the VMT reducing services of the AQMP, the GHGRP, or the Development Agreement through annexation into, or formation of, an active benefit zone of CSA 10 (or similar non-revocable funding mechanism). The funding for these specific VMT reducing services tied to the Air Quality Mitigation Plan, the GHRP, or the Development Agreement may be contracted through a transportation management association. This non-revocable funding mechanism shall be developed in coordination with, and approved, by the County.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. The applicant shall submit non-revocable funding mechanism to the County for review and approval.

Verification (Action by the Environmental Coordinator):

1. Review the non-revocable funding mechanism for adequacy.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **LOS Improvement Measure TR-4: Jackson Corridor Transportation Mitigation Strategy Participation**

The Project Applicant or subsequent developers shall participate in the implementation of the Jackson Corridor Transportation Mitigation Strategy as approved by the Board of Supervisors on July 23, 2019 and amended on March 9, 2021 by constructing or providing funding for its fair share of transportation improvements identified in the master list of cumulative improvements (see Appendix TR-1 to the EIR) and shown in Table TC-24 and Table TC-26 for the Proposed Project and Alternative 2, respectively. The Project Applicant shall enter into an agreement at the time of Project approval to use the Tool to identify improvements for each phase or development increment of the Project. The project Applicant shall also agree that required improvements will be constructed concurrent with each phase. For subsequent projects or phases with less than 300 dwelling unit equivalents (DUEs), at the discretion of the Director of the SacDOT, specific improvements may not be required to be constructed, but instead collected fair-share mitigation revenue shall be allowed to accrue in the mitigation budget that the County would manage to address unforeseen capacity and operations issues. For projects or phases with 300 DUEs or more, the Project Applicant may have the option to advance fund mitigation improvements for each phase of development or portions thereof, as identified by the Tool. Advanced funding could be provided through the creation of a Community Facilities District or similar financial mechanism, through a cash contribution upfront, and/or through the construction of the required improvements.

NOTE: The Jackson Corridor Transportation Mitigation Strategy was amended on March 9, 2021 to specify that Jackson Highway transportation projects are high priority projects and when triggered by the Dynamic Implementation Tool, the County will work diligently on implementing those projects, including seeking outside funding sources (including Regional Transportation Improvement Program funds), if necessary.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Enter into agreement for Jackson Corridor Transportation Mitigation Strategy to identify improvements for the Project.

Verification (Action by the Environmental Coordinator):

1. Review the agreement for Jackson Corridor Transportation Mitigation Strategy for adequacy.
2. Review the Project Plans prior to the start of construction. Approve Project Plans for subsequent projects or phases that are determined to comply with the Jackson Corridor Transportation Mitigation Strategy.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **LOS Improvement Measure TR-5: Use Of Dynamic Implementation Tool**

The Project Applicant shall, at the time of Project approval, enter into an agreement acknowledging that the project-specific list of improvements specified in LOS Improvement Measure TR-4 may be modified over time through the use of the Tool at each phase of project development, subject to the approval of the SacDOT.

As development proceeds, the Tool will be used to select which improvements the project would be required to fair-share fund and/or construct if its previously assigned improvement or improvements have already been constructed by another project.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Enter into an agreement acknowledging list of improvements in LOS Improvement Measure TR-4.

Verification (Action by the Environmental Coordinator):

1. Review the agreement for Jackson Corridor Transportation Mitigation Strategy for adequacy.
2. Review the Project Plans prior to the start of construction. Approve Project Plans for subsequent projects or phases that are determined to comply with the Jackson Corridor Transportation Mitigation Strategy.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **LOS Improvement Measure TR-6: Roadway Segment LOS Improvement**

The Project Applicant shall implement the set of improvements assigned to the project by the Tool (LOS Improvement Measure TR-4). Where feasible, the number of roadway lanes would be increased to reduce the effect. However, the roadways cannot be widened such that they exceed the maximum General Plan standards and designations of the appropriate jurisdictions.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Enter into an agreement acknowledging list of improvements in LOS Improvement Measure TR-4.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans for subsequent projects or phases that are determined to comply with the Jackson Corridor Transportation Mitigation Strategy.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **LOS Improvement Measure TR-7: Intersection Operations Effects**

The Project Applicant or subsequent developers shall implement the set of intersection improvements assigned to the project by the Tool (LOS Improvement Measure TR-4) and shown in Table TC-27 and Table TC-29 for the Proposed Project and Alternative 2, respectively. Where feasible, the number of roadway lanes would be increased to reduce the effect. In locations where the LOS effect could not be improved to acceptable levels by implementing the County's standard number of approach lanes, the County would propose alternative LOS improvement measures. These generally include providing additional turn lanes, carrying an additional through lane past the intersection, or designating the intersection as a High Capacity Intersection.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Enter into an agreement acknowledging list of improvements in LOS Improvement Measure TR-4.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans for subsequent projects or phases that are determined to comply with the Jackson Corridor Transportation Mitigation Strategy

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **LOS Improvement Measure TR-8: Freeway Improvements**

To alleviate the impacts of the Jackson Highway Master Plans, SacDOT has consulted with Caltrans and identified the following improvements. The Applicant shall provide a fair share contribution toward Caltrans' freeway facilities to the satisfaction of SacDOT and Caltrans:

- ▶ Pay fair share toward the future conversion of high-occupancy-vehicle lanes to toll lanes or a reversible lane along US 50 from I-5 to Watt Avenue.
- ▶ Pay fair share toward the US 50 Integrated Corridor Management for the deployment of various ITS improvements along US 50 and the City of Rancho Cordova, and regionally significant corridors in Sacramento County and the City of Folsom for incident management (non-capacity increasing) (Caltrans ID SAC25113).

Capacity improvements such as widening of the freeway and freeway junctions would reduce the severity of the effects but were considered infeasible due to right-of-way restrictions, legal and jurisdictional constraints, and potential economic infeasibility. Potential alternative improvements have been identified from Caltrans' US 50 Transportation Concept Report (TCR) and CSMP. The TCR and CSMP are focused on ITS and integrated corridor management (ICM) projects. ITS is the application of technology to ground transportation to improve safety, mobility, and efficiency. ICM projects focus on the management of corridors as a multimodal system and make operational decisions for the benefit of the corridor as a whole. ITS and ICM projects would have operational benefits to US 50 without adding additional capacity. The TCR and CSMP also identify potential improvements to parallel local facilities that would be expected to reduce travel demand on US 50.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. The applicant shall submit evidence to the Office of Planning and Environmental Review, which may include consultation with SacDOT and Caltrans, that the fair share payment requirement have been met.

Verification (Action by the Environmental Coordinator):

1. Verify the payment with SacDOT and Caltrans.
2. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure TR-9: Bicycle and Pedestrian Improvements**

Before approval of any tentative map, the Project Applicant or subsequent developer(s) shall coordinate with Sacramento County to identify the necessary on- and offsite pedestrian and bicycle facilities to serve the individual project and which would ensure bicycle and pedestrian safety. These facilities could include sidewalks, stop signs, standard pedestrian and school crossing warning signs, lane striping to provide a bicycle lane, bicycle parking, signs to identify pedestrian and bicycle paths, raised crosswalks, pedestrian signal heads, and all appropriate traffic calming measures as defined in the County's Neighborhood Traffic Management Program.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Coordinate with SacDOT to identify the necessary on- and offsite pedestrian and bicycle facilities. Incorporate necessary facilities into project Plans and Specifications for the project.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure TR-10: Transit Improvements**

The Project Applicant shall coordinate with Sacramento County and Sacramento Regional Transit District (or other transit operators) to provide the additional transit facilities and services assumed in the transportation analysis, or a cost-effective equivalent level of transit facilities and services. Ultimate transit service consists of 15-minute headways during peak hours and 30-minute headways during non-peak hours on weekdays. The implementation of the transit routes and service frequency must be phased with development of the project and the ultimate service will be required at full buildout of the Project. This shall be accomplished through the annexation to CSA 10 or formation of a transportation services district. Such annexation or formation shall occur prior to recordation of any final small lot subdivision map for the Project.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Coordinate with SacDOT and Sacramento Regional Transit District (or other transit operators) to provide additional transit facilities and services.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure TR-11: Roadway Functionality Improvements**

The Project Applicant or subsequent developers shall implement LOS Improvement Measures TR-4 and TR-5 and the associated functionality improvements shown in Table TC-37 and Table TC-39 for the Proposed Project and Alternative 2, respectively. The Project Applicant or subsequent developers shall consult with the County on the timing needs of proposed improvements and shall either submit their fair share payment and/or enter into an agreement to construct the assigned improvements. Improvements would include widening the deficient rural roadway segments to County standards.

As development in the area is approved and proceeds to construction, the timing or assignment of specific traffic improvements may change but would nonetheless be assigned to each project based on their fair-share contribution to the overall area impacts.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Coordinate with the County and submit evidence of fair share payment and/or agreement to construct the assigned improvements.

Verification (Action by the Environmental Coordinator):

1. Verify the fair share payment and/or adequacy of the agreement to construct the assigned improvements.
2. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

- **Mitigation Measure CU-NOI-1: Use rubberized hot-mix asphalt for all offsite road widening projects implemented as part of the Mather South, NewBridge, Jackson Township or West Jackson plans**

Projects are required to pave offsite segments of roadway with RHMA or equivalent surface treatment with known noise-reducing properties on top of the roadway surface. The RHMA overlay shall be designed with appropriate thickness and rubber component quantity (typically 15 percent by weight of the total blend), such that traffic noise levels are reduced by an average of 4 to 6 dB (noise levels vary depending on travel speeds, meteorological conditions, and pavement quality) as compared to noise levels generated by vehicle traffic traveling on standard asphalt. RHMA has been found to achieve this level of noise reduction in other parts of California (Sacramento County 1999). Pavement will require more frequent than normal maintenance and repair to maintain its noise attenuation effectiveness.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Include the above measure verbatim as a Construction Note and incorporate it into all Plans and Specifications for the project, and submit one copy to the Environmental Coordinator for review and approval prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to be in compliance with all required mitigation.
2. Monitor compliance during periodic site inspections of the construction work.
3. Participate in any Final Inspection(s) as necessary.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **LOS Improvement Measure CU-TR-1: Cumulative Roadway Segment Operations.**

The project applicant shall implement LOS Improvement Measures TR-4, TR-5, and TR-6. The project applicant shall implement the set of improvements assigned to the project by the Tool (LOS Improvement Measure TR-4). Where feasible, the number of roadway lanes would be increased to reduce the effect. However, the roadways cannot be widened such that they exceed the maximum General Plan standards and designations of the appropriate jurisdictions.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure, as documented herein for LOS Improvement Measures TR-4, TR-5, and TR-6.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans for subsequent projects or phases that are determined to comply with the Jackson Corridor Transportation Mitigation Strategy.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **LOS Improvement Measure CU-TR-2: Cumulative Intersection Operations**

The Project Applicant shall implement LOS Improvement Measures TR-4, TR-5, TR-7, and CU-TR-2. The Project Applicant shall implement the set of improvements assigned to the project by the Tool (LOS Improvement Measure TR-14). Where feasible, the number of roadway lanes would be increased to reduce the effect. In locations where the LOS effect could not be improved to acceptable levels by implementing the County's standard number of approach lanes, the County would propose alternative LOS improvement measures. These generally include providing additional turn lanes, carrying an additional through lane past the intersection, or designating the intersection as a High Capacity Intersection.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure, as documented herein for LOS Improvement Measures TR-4, TR-5, TR-6, and TR-14.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans for subsequent projects or phases that are determined to comply with the Jackson Corridor Transportation Mitigation Strategy.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **LOS Improvement Measure CU-TR-3: Cumulative Freeway Improvements**

The Project Applicant shall implement LOS Improvement Measure TR-8. The project Applicant shall pay a fair share contribution toward Caltrans' freeway facilities.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. The applicant shall submit evidence to the Office of Planning and Environmental Review, which may include consultation with SacDOT and Caltrans, that the fair share payment requirement have been met.

Verification (Action by the Environmental Coordinator):

1. Verify the payment with SacDOT and Caltrans.
2. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to comply with all required mitigation.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **LOS Improvement Measure CU-TR-4: Cumulative Roadway Functionality Improvements**

The Project Applicant and subsequent developers shall implement LOS Improvement Measures TR-4, TR-5, and Mitigation Measure TR-11. The Applicant shall consult with the County on the timing needs of proposed improvements and shall either submit their fair share payment and/or enter into an agreement to construct the assigned improvements. Improvements would include widening the deficient rural roadway segments to County standards.

As development in the area is approved and proceeds to construction, the timing or assignment of specific traffic improvements may change but would nonetheless be assigned to each project based on their fair-share contribution to the overall area impacts.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure as documented herein for LOS Improvement Measures TR-4 and TR-5, and Mitigation Measure TR-11.
2. Coordinate with the County and submit evidence of fair share payment and/or agreement to construct the assigned improvements.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to be in compliance with all required mitigation.
2. Verify the fair share payment and/or adequacy of the agreement to construct the assigned improvements.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **LOS Improvement Measure CU-TR-5: Cumulative Roadway Segment Operations Cumulative Jackson Township**

The Project Applicant shall implement LOS Improvement Measure CU-TR-4 which requires the applicant to pay their appropriate fair share contribution toward the construction of the necessary improvements. Where feasible, the number of roadway lanes would be increased to improve roadway segment operations. However, the increased number of lanes could not exceed the maximum general plan designations of the appropriate jurisdictions.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure, as documented herein for LOS Improvement Measure CU-TR-4.
2. Coordinate with the County and submit evidence of fair share payment and/or agreement to construct the assigned improvements.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to be in compliance with all required mitigation.
2. Verify the fair share payment and/or adequacy of the agreement to construct the assigned improvements.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **LOS Improvement Measure CU-TR-6: Cumulative Intersection Operations Cumulative Jackson Township Project**

The Project Applicant shall implement LOS Improvement Measure CU-TR-2. The Project Applicant shall implement the set of improvements assigned to the Project by the tool (LOS Improvement Measure TR-4). Where feasible, the number of roadway lanes would be increased to reduce the effect. In locations where the LOS threshold exceedance could not be improved such that acceptable operating conditions would be achieved by implementing the County's standard number of approach lanes, the County would propose alternative LOS reduction measures. These generally include providing additional turn lanes, carrying an additional through lane past the intersection, or designating the intersection as a High Capacity Intersection.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure, as documented herein for LOS Improvement Measures TR-4 and CU-TR-2.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to be in compliance with all required mitigation.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure CU-TR-7: Cumulative Roadway Functionality Improvements**

The Project Applicant shall implement LOS Reduction Measures TR-4, TR-5, and Mitigation Measures TR-11 and CU-TR-4. The Applicant shall consult with the County on the timing needs of proposed improvements and shall either submit their fair share payment and/or enter into an agreement to construct the assigned improvements. Improvements would include widening the deficient rural roadway segments to County standards.

As development in the area is approved and proceeds to construction, the timing or assignment of specific traffic improvements may change but would nonetheless be assigned to each project based on their fair-share contribution to the overall area impacts.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure, as documented herein for LOS Improvement Measures TR-4, TR-5, and Mitigation Measures TR-11 and CU-TR-4.
2. Coordinate with the County and submit evidence of fair share payment and/or agreement to construct the assigned improvements.

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to be in compliance with all required mitigation.
3. Verify the fair share payment and/or adequacy of the agreement to construct the assigned improvements.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____

▪ **Mitigation Measure CU-E-3: Coordination with SMUD**

The project applicants for the NewBridge Specific Plan, the West Jackson Highway Master Plan, the Jackson Township Specific Plan, and the Mather South Community Master Plan, shall each coordinate with SMUD to identify the timing of construction of the Jackson Bulk Substation and seek to facilitate efficiencies in grading and pre-construction activities as feasible, as a condition of project approval.

Implementation and Notification (Action by Project Applicant):

1. Comply fully with the above measure.
2. Include the above measure verbatim as a Construction Note and incorporate it into all Plans and Specifications for the project, and submit one copy to the Environmental Coordinator for review and approval prior to the start of any construction work (including clearing and grubbing).

Verification (Action by the Environmental Coordinator):

1. Review the Project Plans prior to the start of construction. Approve Project Plans that are determined to be in compliance with all required mitigation.

Comments:

Completion of Mitigation Verified:

Signature: _____ **Date:** _____