

## Peter Aldana Riverside County Assessor-County Clerk-Recorder 2724 Gateway Drive Riverside, CA 92507 (951) 486-7000 www.rivcoacr.org

## Receipt: 22-281393

Product	Name	Extended
FISH	CLERK FISH AND GAME FILINGS	\$50.00
	#Pages	2
	Document #	E-202200701
	Filing Type	5
	State Fee Prev Charged	false
	No Charge Clerk Fee	false
F&G Clerk Handling Fee		\$50.00
Total		\$50.00
Tender (On Account)	)	\$50.00
Account#	CEQAAAWEBB	
Account Name	CEQAAAWEBB - ALBERT A WEBB ASSOCIATES	
Customer Name	JACQUELINE N. GAMBOA	
Balance	\$3,789.25	
Comment	951-320-6009	

DFW 753.5a (REV. 01/01/22) Previously DFG 753.5a

		RECEIPT NUM	
			INGHOUSE NUMBER (If applicable)
SEE INSTRUCTIONS ON REVERSE. TYPE OR PRINT CLEARLY	<u>,</u>	2014051	)49
LEAD AGENCY	LEADAGENCY EMAIL		DATE
JURUPA COMMUNITY SERVICES DISTRICT	ERHEE@JCSD.US		07/26/2022
COUNTY/STATE AGENCY OF FILING			DOCUMENT NUMBER
RIVERSIDE			E-202200701
PROJECT TITLE			
ANNEXATION OF 27.46 ACRES IN TENTATIVE T	RACT MAP 38276 (PARA	DISE KNOLLS	5)
PROJECT APPLICANT NAME	PROJECT APPLICANT E	MAIL	PHONE NUMBER
JURUPA COMMUNITY SERVICES DISTRICT	ERHEE@JCSD.US		(951) 685-7434
PROJECT APPLICANT ADDRESS	CITY	STATE	ZIP CODE
11201 HARREL STREET,	JURUPA VALLEY	CA	91752
PROJECT APPLICANT (Check appropriate box)			,
X Local Public Agency School District	Other Special District	State /	Agency Private Entity
CHECK APPLICABLE FEES:	ue directly to CDFW		
Water Right Application or Petition Fee (State Water Resource)	rces Control Board only)	\$850.00 \$	
County documentary handling fee \$			\$50.00
☐ Other \$			
PAYMENT METHOD;			· · · · · · · · · · · · · · · · · · ·
🗌 Cash 🔲 Credit 🗌 Check 🕅 Other	TOTAL R	ECEIVED \$	\$50.00
SIGNATURE	ENCY OF FILING PRINTED N		
X Wallen	Deputy		

COPY - CDFW/ASB

## **NOTICE OF DETERMINATION**

TO:	County Clerk County of: Riverside 2720 Gateway Drive	FRO		•	le Agency: nmunity Services District
	Riverside, CA 92501		and any other states and	Address:	11201 Harrel Street Jurupa Valley, CA 91752
			n (r)an waard in der de skapen a	Contact:	Eddie Rhee Engineering Manager
				Phone:	951.685.7434
			FI	LED/	POSTED
TO:	<ul> <li>Office of Planning and Research</li> <li>P. O. Box 3044, Sacramento, CA 958</li> </ul>	312-3044		ty of Riv r Aldana ssor-Coun	erside ty Clerk-Recorder
	1400 Tenth Street Sacramento, California 95814		07/28	2200701 5/2022 01 1 of 2	:18 PM Fee: \$ 50.00
	NOD submitted electronically.		Remov	ed: III - Mini III III - Mini III III - Mini III	By: Deputy

## SUBJECT: Filing of Notice of Determination in Compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number	Contact Person:	Telephone Number:
(If submitted to SCH):	Eddie Rhee	951.685.7434
2014051049	Engineering Manager	
	y street address and cross street or att ap identified by quadrangle name):	tach a map showing project site (preferably a
Section 27, Township 2 South, Ra		ne Santa Ana River within the north half of d Meridian. (See attached Figure 1 – Regional Exhibit A.)
	Hor Country: City of Juruna Valley	Riverside County
General Project Location (City and	wor county). City of Julupa valley,	Reverside County

This is to advise that the ( $\Box$  Lead Agency or  $\boxtimes$  Responsible Agency) approved the above described project on July 25, 2022, and made the following determinations:

1.	The project will have a significant effect on the environment.
	The project will NOT have an significant effect on the environment with regards to the annexation to the Jurupa Community Cervices District and the provision of sewer and water services to the project.
2.	An Environmental Impact Report was prepared and certified for this project pursuant to the provisions of CEQA and reflects the independent judgment of the Lead Agency.
	A Negative Declaration was prepared for this project pursuant to the provisions of CEQA and reflects the independent judgment of the Lead Agency.

	A Mitigated Negative Declaration was prepared for this project pursuant to the provisions of CEQA and reflects the independent judgment of the Lead Agency.		
	An Addendum to the MND was prepared for this project pursuant to the provisions of CEQA and reflects the independent judgement of the Lead Agency.		
3. 🛛	Mitigation measures were made a condition of the approval of the project by the Lead Agency, these mitigation measures are not applicable to the provision of water or sewer services.		
·□	Mitigation measures were NOT made a condition of the approval of the project.		
4. 🛛	A Mitigation Monitoring or Reporting Plan was adopted for this project.		
	A Mitigation Monitoring or Reporting Plan was NOT adopted for this project.		
5. 🖂	A Statement of Overriding Considerations was adopted for this project by the Lead Agency.		
	A Statement of Overriding Considerations was NOT adopted for this project		
6. 🛛	Findings were made pursuant to the provisions of CEQA.		
	Findings were NOT made pursuant to the provisions of CEQA.		
7. 🖾	None of the conditions triggering subsequent or supplemental environmental review are present. There have been no changes in the project approved by the Lead Agency, changes in circumstances, or new information since the Lead Agency certified the EIR on April 21, 2016.		
	This certifies that the location and custodian of the documents which comprise the record of proceedings upon which this determination is based are available to the general public at the following location(s):		
	Custodian:	Location:	
	Jurupa Community Services District	11201 Harrel St	
		Jurupa Valley, CA 91752	

Date:1 26   22	Signature: EelMO
Date Received for Filing:	Eddie Rhee Title: Engineering Manager