



An Employee-Owned Company

March 22, 2019

Mr. William Dumka
Black Mountain Ranch LLC
16010 Camino Del Sur
San Diego, CA 92127

Reference: Greenhouse Gas Analysis for the Black Mountain Road Project (RECON Number 6524)

Dear Mr. Dumka:

This letter describes the results of a greenhouse gas (GHG) analysis for the Black Mountain Road Community Plan Amendment (CPA) Project (project) located in the city of San Diego, California. As discussed in this analysis, implementation of the project would not conflict with the City's Climate Action Plan (CAP). Therefore, impacts associated with GHG emissions would be less than significant.

1.0 PROJECT DESCRIPTION

The project proposes to reclassify a segment of Black Mountain Road from a 6-lane Primary Arterial to a 4-lane Major. The project segment of Black Mountain Road subject to the CPA (project roadway) stretches approximately 1.3 miles from Twin Trails Drive on the north to the southern boundary of the Rancho Peñasquitos community adjacent to the Los Peñasquitos Canyon Preserve. The project roadway currently operates as a 4-lane Major with landscaped center medians, contiguous sidewalks, and Class II bike lanes. The bridge section of Black Mountain Road over State Route 56 (SR-56) is wider and operates as a 5-lane Primary Arterial. The project proposes a General Plan Amendment (GPA) to Figure LU-2, Land Use and Street System Map in the Land Use and Community Planning Element of the General Plan to reclassify the project roadway from a Prime Arterial to a Major Arterial, and a CPA to the Rancho Peñasquitos Community Plan Circulation Element to reclassify the project roadway from a 6-lane Primary Arterial to a 4-lane Major¹. The City of San Diego (City) Planning Commission initiated the CPA on February 27, 2014.

The project proposes the following roadway improvement as a design feature to increase the northbound to westbound left-turn pocket storage and improve the flow of northbound traffic (project design feature):

Restripe the segment of Black Mountain Road between the SR-56 westbound ramps and SR-56 eastbound ramps to include an additional northbound lane along Black Mountain Road from the SR-56 eastbound ramps to the middle of the overpass. To accommodate the additional northbound lane created by this restriping on the overpass, the roadway north of the overpass bridge would need to be widened for northbound traffic. The widening would extend approximately 0.15 mile from the SR-56 westbound off-ramp to the first commercial driveway to the north of the overpass.

The following three roadway improvements identified in the Transportation Impact Study (TIS) would mitigate traffic impacts associated with the reclassification of the project roadway from a 6-lane Primary Arterial to a 4-lane Major:

MM-TRA-1: Install a traffic signal at the intersection of Sundance Avenue and Twin Trails Drive.

¹ The City of San Diego General Plan and Rancho Peñasquitos Community Plan use different nomenclature for roadway classifications. Consequently, the GPA would reclassify the project roadway as a Major Arterial, and the CPA would reclassify the project roadway as a 4-lane Major.

MM-TRA-2: Construct a continuous auxiliary lane on eastbound SR-56 between Camino Del Sur and Black Mountain Road.

MM-TRA-3: Construct an additional on-ramp lane at the Rancho Peñasquitos Boulevard/SR-56 westbound on-ramp.

Figure 1 shows the regional location, while Figure 2 shows the locations of the project design feature and three traffic mitigation measures in relation to the project roadway. Figures 3 through 5 show the footprints of MM-TRA-2, MM-TRA-3, and the project design feature, respectively. A figure showing the footprint of MM-TRA-1 is not included since this traffic mitigation measure is limited to installation of a traffic signal.

Concurrent with the GPA and CPA, the project would also amend the Black Mountain Ranch Subarea Plan and Transportation Phasing Plan to remove the requirement to widen the project roadway to a 6-lane Primary Arterial and to add the project design feature and three traffic mitigation measures. As a part of this amendment, the Transportation Phasing Plan for Black Mountain Ranch would be updated to reflect the project and mitigation measures.

Implementation of the project would subsequently require amending the Rancho Peñasquitos, Black Mountain Ranch, and Pacific Highlands Ranch Public Facilities Financing Plans to remove the requirement to widen the project roadway to a 6-lane Primary Arterial and to add the project design feature and three traffic mitigation measures. At such time the Public Facilities Financing Plans are updated for the Rancho Peñasquitos, Black Mountain Ranch, and Pacific Highlands Ranch communities, any changes to reflect the project and mitigation measures adopted by this action would be incorporated.

2.0 REGULATORY FRAMEWORK

In response to rising concern associated with increasing GHG emissions and global climate change impacts, several plans and regulations have been adopted at the international, national, and state levels with the aim of reducing GHG emissions. The following is a discussion of the plans and regulations most applicable to the project.

2.1 State

2.1.1 Executive Orders and Statewide GHG Emission Targets

EO S-3-05

This Executive Order (EO) established the following GHG emission reduction targets for the State of California:

- by 2010, reduce GHG emissions to 2000 levels;
- by 2020, reduce GHG emissions to 1990 levels; and
- by 2050, reduce GHG emissions to 80 percent below 1990 levels.

This EO also directs the secretary of the California Environmental Protection Agency (EPA) to oversee the efforts made to reach these targets, and to prepare biannual reports on the progress made toward meeting the targets and on the impacts to California related to global warming, including impacts to water supply, public health, agriculture, the coastline, and forestry. With regard to impacts, the report shall also prepare and report on mitigation and adaptation plans to combat the impacts. The first Climate Action Team Assessment Report was produced in March 2006 and has been updated every two years.



FIGURE 1
Regional Location



Project Roadway
Project Design Feature and Traffic Mitigation Measures

FIGURE 2

Project Location on Aerial Photograph



Permanent Impact
 Temporary Impact

FIGURE 3
MM-TRA-2 Footprint




Permanent Impact
 Temporary Impact

0 Feet 200



FIGURE 4
MM-TRA-3 Footprint



Permanent Impact
 Temporary Impact

FIGURE 5
Project Design Feature Footprint

EO B-30-15

This EO, issued on April 29, 2015, establishes an interim GHG emission reduction goal for the State of California by 2030 of 40 percent below 1990 levels. This EO also directed all state agencies with jurisdiction over GHG-emitting sources to implement measures designed to achieve the new interim 2030 goal, as well as the pre-existing, long-term 2050 goal identified in EO S-3-05. Additionally, this EO directed California Air Resources Board (CARB) to update its Climate Change Scoping Plan to address the 2030 goal. Therefore, in the coming months, CARB is expected to develop statewide inventory projection data for 2030 as well as commence its efforts to identify reduction strategies capable of securing emission reductions that allow for achievement of the EO's new interim goal.

2.1.2 California Global Warming Solutions Act

In response to EO S-3-05, the California Legislature passed Assembly Bill (AB) 32, the California Global Warming Solutions Act of 2006, and thereby enacted Sections 38500–38599 of the California Health and Safety Code. The heart of Assembly Bill (AB) 32 is its requirement that CARB establish an emissions cap and adopt rules and regulations that would reduce GHG emissions to 1990 levels by 2020. AB 32 also required CARB to adopt a plan by January 1, 2009 indicating how emission reductions would be achieved from significant GHG sources via regulations, market mechanisms, and other actions.

Approved in September 2016, Senate Bill (SB) 32 updates the California Global Warming Solutions Act of 2006. Under SB 32, the state would reduce its GHG emissions to 40 percent below 1990 levels by 2030. In implementing the 40 percent reduction goal, CARB is required to prioritize emissions reductions to consider the social costs of the emissions of GHGs. ‘Social costs’ is defined as “an estimate of the economic damages, including, but not limited to, changes in net agricultural productivity; impacts to public health; climate adaptation impacts, such as property damages from increased flood risk; and changes in energy system costs, per metric ton of greenhouse gas emission per year.”

2.1.3 Climate Change Scoping Plan

As directed by the California Global Warming Solutions Act of 2006, CARB adopted the *Climate Change Scoping Plan: A Framework for Change* (Scoping Plan) in 2008, which identifies the main strategies California will implement to achieve the GHG reductions necessary to reduce forecasted business as usual (BAU) emissions in 2020 to the state’s historic 1990 emissions level (CARB 2008). In October 2017, CARB released a revised version of *The 2017 Climate Change Scoping Plan Update, The Proposed Strategy for Achieving California’s 2030 Greenhouse Gas Target* (Proposed Second Update to the Scoping Plan; CARB 2017). The Proposed Second Update to the Scoping Plan identifies the state strategy for achieving its 2030 interim reduction target codified by SB 32. The plan proposes to build on existing programs such as the Cap-and-Trade Regulation, Low Carbon Fuel Standard (LCFS), Advanced Clean Cars Program (ACC), Renewable Portfolio Standard (RPS), Sustainable Communities Strategy (SCS), and the Short-Lived Climate Pollutant Reduction Strategy. It also proposes further strategies to reduce waste emissions through cogeneration, reduce GHG emissions from the refinery sector by 20 percent, and new policies to address GHG emissions from natural and working lands.

2.1.4 California Advanced Clean Car Program

The ACC Program, adopted January 2012, combines the control of smog, soot-causing pollutants, and GHG emissions into a single coordinated package of requirements for model years 2015 through 2025. Accordingly, the ACC program coordinates the goals of the Pavley, low emissions vehicle (LEV), zero emission vehicle (ZEV), and Clean Fuels Outlet (CFO) programs in order to lay the foundation for the commercialization and support of ultra-clean vehicles.

AB 1493 (Pavley) directed CARB to adopt vehicle standards that lowered GHG emissions from passenger vehicles and light-duty trucks to the maximum extent technologically feasible, beginning with the 2009

model year. CARB has adopted amendments to its regulations that would enforce AB 1493 but provide vehicle manufacturers with new compliance flexibility.

CARB has also adopted a second phase of the Pavley regulations, originally termed ‘Pavley II’ but now called the ‘Low Emission Vehicle III’ (LEV III) Standards or ACC Program, which covers model years 2017 to 2025. CARB estimates that LEV III will reduce vehicle GHGs by an additional 4.0 million metric tons (MT) of carbon dioxide equivalent (CO₂E) for a 2.4 percent reduction over Pavley I. These reductions come from improved vehicle technologies such as smaller engines with superchargers, continuously variable transmissions, and hybrid electric drives. On August 7, 2012, the final regulation for the adoption of LEV III became effective.

2.1.5 Low Carbon Fuel Standard

EO S-01-07 directed that a statewide goal be established to reduce the carbon intensity of California’s transportation fuels by at least 10 percent by 2020 through a LCFS. LCFS promotes the use of GHG-reducing transportation fuels (e.g., liquid biofuels, renewable natural gas, electricity, and hydrogen) through a declining carbon intensity standard. The carbon intensity of a fuel is a measure of the GHG emissions associated with the production, distribution, and consumption of a fuel. CARB approved LCFS in 2009 and implemented it in 2010 as an early action measure under AB 32. Subsequently CARB approved amendments to the LCFS, which began implementation January 1, 2013. Due to a court ruling that found procedural issues related to the original adoption of the LCFS, CARB re-adopted the LCFS regulation in September 2015, which went into effect on January 1, 2016. The program establishes a strong framework to promote the low carbon fuel adoption necessary to achieve the Governor’s 2030 and 2050 GHG goals (CARB 2016).

2.1.6 Regional Emissions Targets – Senate Bill 375

SB 375, the 2008 Sustainable Communities and Climate Protection Act, was signed into law in September 2008 and requires CARB to set regional targets for reducing passenger vehicle GHG emissions in accordance with the Scoping Plan. The purpose of SB 375 is to align regional transportation planning efforts, regional GHG reduction targets, and fair-share housing allocations under state housing law. SB 375 requires Metropolitan Planning Organizations (MPOs) to adopt a Sustainable Communities Strategy or Alternative Planning Strategy to address GHG reduction targets from cars and light-duty trucks in the context of that MPO’s Regional Transportation Plan (RTP). San Diego Association of Governments (SANDAG) is the San Diego region’s MPO. The CARB targets for the SANDAG region require a 7 percent reduction in GHG emissions per capita from automobiles and light-duty trucks compared to 2005 levels by 2020 and a 13 percent reduction by 2035.

2.2 Local

2.2.1 San Diego Forward: The Regional Plan

SANDAG is the regional authority that creates regional-specific documents to provide guidance to local agencies, as SANDAG does not have land use authority. SANDAG’s San Diego Forward: The Regional Plan, adopted in 2015, combines two of the region’s existing planning documents: the Regional Comprehensive Plan for the San Diego Region (RCP) and the RTP/SCS. The RCP, adopted in 2004, laid out key principles for managing the region’s growth while preserving natural resources and limiting urban sprawl. The plan covered eight policy areas, including urban form, transportation, housing, health environment, economic prosperity, public facilities, our borders, and social equity. These policy areas were addressed in the 2050 RTP/SCS and are now fully integrated into the Regional Plan.

2.2.2 City of San Diego General Plan

The City General Plan includes several climate change-related policies aimed at reducing GHG emissions from future development and City operations. For example, Conservation Element policy CE-A.2 aims to

“reduce the City’s carbon footprint” and to “develop and adopt new or amended regulations, programs, and incentives as appropriate to implement the goals and policies set forth” related to climate change. The Land Use and Community Planning Element, the Mobility Element, the Urban Design Element, and the Public Facilities, Services, and Safety Element also identify GHG reduction and climate change adaptation goals. These elements contain policy language related to sustainable land use patterns, alternative modes of transportation, energy efficiency, water conservation, waste reduction, and greater landfill efficiency. The overall intent of these policies is to support climate protection actions, while retaining flexibility in the design of implementation measures, which could be influenced by new scientific research, technological advances, environmental conditions, or state and federal legislation.

2.2.3 Climate Action Plan

In December 2015, the City adopted its CAP (City of San Diego 2015). The CAP identifies measures to meet GHG reduction targets for 2020 and 2035. The CAP consists of a 2010 inventory of GHG emissions, a BAU projection for emissions at 2020 and 2035, state targets, and emission reductions with implementation of the CAP. The City identifies GHG reduction strategies focusing on energy- and water-efficient buildings; clean and renewable energy; bicycling, walking, transit, and land use; zero waste; and climate resiliency. Accounting for future population and economic growth, the City projects that GHG emissions will be approximately 15.9 million metric tons (MMT) CO₂E in 2020 and 16.7 MMT CO₂E in 2035. To achieve its proportional share of the state reduction targets for 2020 (AB 32) and 2050 (EO S-3-05), the City would need to reduce emissions below the 2010 baseline by 15 percent in 2020 and 50 percent by 2035. To meet these goals, the City must implement strategies that reduce emissions to approximately 11.0 MMT CO₂E in 2020 and 6.5 MMT CO₂E in 2035. Through implementation of the CAP, the City is projected to reduce emissions even further below targets by 1.2 MMT CO₂E by 2020 and 205,462 MTCO₂E by 2035.

In 2016, the City amended the Land Development Manual to include a GHG emission significance threshold and amended the Climate Action Plan to revise text and incorporate a Climate Action Plan Consistency Checklist that is required for new development projects subject to CEQA to demonstrate consistency with the City’s CAP. Additionally, the Planning Department has provided guidance for determining CAP consistency for program-level environmental documents (e.g. community plan updates). The Consistency Checklist was most recently updated in February 2017.

3.0 THRESHOLDS OF SIGNIFICANCE

In accordance with CEQA Section 15064.4, the GHG significance threshold used in this analysis is based on the project’s consistency with the City’s adopted CAP. Thus, implementation of a project would be considered to have a significant climate change impact if it would:

- Conflict with an applicable plan, policy, or regulation of an agency adopted for the purpose of reducing the emissions of GHG, specifically the City CAP.

As a means to implement the CAP, the City created a Consistency Checklist utilized by projects to assure compliance with the measures identified in the CAP (City of San Diego 2017). The Consistency Checklist includes three steps in evaluating if a project is consistent with the CAP. Step 1 of the CAP Consistency Checklist evaluates a project’s consistency with the growth projections used in the development of the CAP. Projects that are consistent with the adopted General Plan and Community Plan land use and zoning designations, or projects that are not consistent with these designations but would result in an equivalent or less GHG-intensive project when compared to the existing designations, would be consistent with the growth projections used in development with the CAP. With implementation of the applicable project-specific measures identified in Step 2 of the checklist, these projects would be consistent with the CAP. A project that is not consistent with the existing land use and zoning designations and would result in a more GHG-intensive project may still be consistent with the CAP if it is located within a Transit Priority Area (TPA) and implements CAP Strategy 3 actions, as determined in Step 3.

Step 2 of the CAP Consistency Checklist is to review and evaluate a project's consistency with specific applicable strategies and actions of the CAP. Step 2 applies to development projects that involve permits that would require a certificate of occupancy, and includes measures associated with cool/green roofs, plumbing fixtures and fittings, energy performance standards/renewable energy, electric vehicle charging, bicycle parking spaces, shower facilities, designated parking spaces, and a transportation demand management program.

Step 3 of the CAP Consistency Checklist is to determine if a project that is located in a TPA but includes a land use plan and/or zoning designation amendment that would result in an increase in GHG emissions when compared to the existing designations, is nevertheless consistent with the assumptions in the CAP, because it would implement CAP Strategy 3 actions.

The following is a discussion of the project's consistency with the City's CAP. GHG emissions calculations are also provided for informational purposes only.

4.0 EMISSION CALCULATIONS

As the project would reclassify the project roadway from a 6-lane Primary Arterial to a 4-lane Major and implement roadway improvements, it would not generate additional traffic or increase vehicle miles traveled. The main source of project emissions would be associated with construction of the roadway improvements.

4.1 Construction Emissions

Construction activities emit GHGs primarily through combustion of fuels (mostly diesel) in the engines of off-road construction equipment and through combustion of diesel and gasoline in on-road construction vehicles and the commute vehicles of the construction workers. Smaller amounts of GHGs are also emitted through the energy use embodied in water use for fugitive dust control.

GHG emissions were calculated using the Road Construction Emissions Model, Version 8.1.0 (Sacramento Metropolitan Air Quality Management District 2016). The model is a spreadsheet that estimates emissions based on numerous parameters regarding the type of construction, area to be disturbed, the period of construction and year of construction. Inputs were the length of the improvement, the type of improvement (new roadway or road widening), the year of construction, and area of construction. The roadway construction emissions model estimates emissions from vehicle and equipment exhausts, fugitive dust, and off-gassing emissions during all phases of construction.

As discussed in Section 1.0, there are four proposed roadway improvements. Emissions due to construction of these improvements were calculated for each roadway improvement.

The exact construction schedule and equipment required for these improvements is not known at this time. Emission calculations are based on model defaults and estimates of the maximum disturbance area based on preliminary concept drawings provided in the TIS prepared for the project (KOA Corporation 2016). It was assumed that installation of the signal at the intersection of Sundance Avenue and Twin Trails Drive would take five days and would require a crane and a drill rig. The auxiliary lane would be approximately 0.5-mile in length, and it was assumed that construction would last for six months. The ramp lane would be approximately 0.3 mile in length, and it was assumed that construction would last for one month. The portion of Black Mountain Road that would be widened would be approximately 0.15 mile in length, and it was assumed that construction would last for one month. The typical equipment required for roadway construction includes backhoes, crawler tractors, excavators, graders, loaders, rollers, scrapers, and signal boards. Additionally, construction of the auxiliary lane would require the reconstruction of an existing bridge. Therefore, in addition to the listed equipment, cranes and drill rigs were included in the emissions estimates.

Table 1 summarizes the construction GHG emissions associated with installation of the traffic signal (MM-TRA-1), construction of the SR-56 auxiliary lane (MM-TRA-2), and construction of the Rancho Peñasquitos Boulevard/SR-56 on-ramp lane (MM-TRA-3), and Black Mountain Road restriping/widening (project design feature), respectively. Road Construction Emissions Model input and output are contained in Attachments 1 through 4.

Table 1 Construction GHG Emissions	
Roadway Improvement	GHG Emissions (MT CO ₂ E)
MM-TRA-1 Sundance Avenue/Twin Trails Drive Signal Installation	4
MM-TRA-2 SR-56 Auxiliary Lane	446
MM-TRA-3 Rancho Peñasquitos Boulevard/SR-56 Ramp Lane	68
Project Design Feature Black Mountain Road Restriping/Widening	44
Total	562

4.2 Operational Emissions

As discussed, the project would not generate additional trips. Implementation of the project would result in a future redistribution of vehicles on the roadway network in the vicinity of the project. However, based on the TIS prepared for the project that analyzed year 2050 traffic volumes on area roadways with and without implementation of the project, the project would not result in an increase in vehicle miles traveled on roadways in the vicinity of the project (KOA Corporation 2016). Therefore, the project would not result in an increase in mobile sources of GHG emissions. Other operational sources of GHG emissions include energy (electricity and natural gas), area (landscape maintenance equipment), water and wastewater, and solid waste sources. The energy required to operate the additional traffic signal would be negligible. The project would not include any area, water and wastewater, or solid waste sources of emissions.

5.0 CAP CONSISTENCY

The following is a discussion of the Specific Plan's consistency with Steps 1 through 3 of the checklist.

5.1 Step 1

The first step in determining CAP consistency is to assess the project's consistency with the growth projections used in the development of the CAP. Step 1 of the CAP Consistency Checklist evaluates the Specific Plan as follows (City of San Diego 2017):

- A. Is the proposed project consistent with the existing General Plan and Community Plan land use and zoning designations? OR
- B. If the proposed project is not consistent with the existing land use plan and zoning designations, and includes a land use plan and/or zoning designation amendment, would the proposed amendment result in an increased density within a TPA and implement CAP Strategy 3 actions, as determined in Step 3 to the satisfaction of the Development Services Department? OR
- C. If the proposed project is not consistent with the existing land use plan and zoning designations, does the project include a land use plan and/or amendment that would result in an equivalent or less GHG-intensive project when compared to the existing designations?

However, the project is not a development project. The project would reclassify the project roadway from a 6-lane Primary Arterial to a 4-lane Major and implement the project design feature and three traffic mitigation measures. The project would not include any land use or zoning change, and would therefore be consistent

Mr. William Dumka
Page 13
March 22, 2019

with the existing General Plan and Community Plan land use and zoning designations. Therefore, the project would be consistent with the growth projections used in the development of the CAP.

5.2 Step 2

The second step of the CAP consistency review is to review and evaluate a project's consistency with the applicable strategies and actions of the CAP. As stated in the CAP Checklist, "Step 2 only applies to development projects that involve permits that would require a certificate of occupancy from the Building Office or project comprised of one and two family dwellings or townhouses as defined in the California Residential Code and their accessory structures" (City of San Diego 2017). The Checklist also states that non-building infrastructure projects such as roads and pipelines are not subject to Step 2. Because the project is limited to reclassification of the project roadway from a 6-lane Primary Arterial to a 4-lane Major and implementation of the project design feature and three traffic mitigation measures, the project is not subject to the requirements of Step 2 of the Checklist because "such actions would not result in new occupancy buildings from which GHG emissions reductions could be achieved."

5.3 Step 3

The third step of the CAP consistency review only applies if Step 1 is answered in the affirmative under option B. The project would be consistent with the existing General Plan and Community Plan land use and zoning designations. Therefore, Step 3 is not applicable to the project.

6.0 CONCLUSIONS

Implementation of a project would be considered to have a significant climate change impact if it would conflict with an applicable plan, policy, or regulation of an agency adopted for the purpose of reducing the emissions of GHG, specifically the City CAP. As the project would reclassify the project roadway from a 6-lane Primary Arterial to a 4-lane Major and implement roadway improvements, it would not generate additional traffic or increase vehicle miles traveled. The main source of project emissions would be associated with construction of the roadway improvements. The significance of the project's GHG impacts was assessed using the City's CAP Checklist. As discussed in this analysis, the project would not include any land use or zoning change, and would therefore be consistent with the existing General Plan and Community Plan land use and zoning designations. Therefore, the project would be consistent with the growth projections used in the development of the CAP. As the project would reclassify the project roadway from a 6-lane Primary Arterial to a 4-lane Major and implement four roadway improvements, the project is not subject to the requirements of Step 2 of the Checklist, and Step3 is not applicable. The project would not conflict with the City's CAP, and impacts would be less than significant.

If you have any questions about the results of this analysis, please contact me at jfleming@reconenvironmental.com or (619) 308-9333 x177.

Sincerely,


Jessica Fleming
Associate Environmental Analyst

JLF:jg

cc: Anna L. McPherson, City of San Diego

Attachments

Mr. William Dumka
Page 14
March 22, 2019

7.0 REFERENCES CITED

California Air Resources Board (CARB)

2008 Climate Change Scoping Plan: A Framework for Change.
http://www.arb.ca.gov/cc/scopingplan/document/adopted_scoping_plan.pdf. December.

2017 The 2017 Climate Change Scoping Plan Update, The Proposed Strategy for Achieving California's 2030 Greenhouse Gas Target. October 27, 2017.

KOA Corporation

2016 Black Mountain Road Transportation Impact Study (8th Submittal). May 2016.

Sacramento Metropolitan Air Quality Management District

2016 Road Emissions Construction Model, Version 8.1.0. May 2016.

San Diego, City of

2015 Climate Action Plan. Adopted December.

2017 Climate Action Plan Consistency Checklist. Approved by City Council July 12, 2016. Revised February 2017.

ATTACHMENTS

ATTACHMENT 1

Road Construction Emissions Model, Version 8.1.0

Daily Emission Estimates for -> Signal Installation														
Project Phases (Pounds)	ROG (lbs/day)	CO (lbs/day)	NOx (lbs/day)	Total	Exhaust	Fugitive Dust	Total	Exhaust	Fugitive Dust	SOx (lbs/day)	CO2 (lbs/day)	CH4 (lbs/day)	N2O (lbs/day)	CO2e (lbs/day)
	PM10 (lbs/day)	PM10 (lbs/day)	PM2.5 (lbs/day)	PM2.5 (lbs/day)	PM2.5 (lbs/day)	0.00	0.00	0.00	0.00	0.00	0.02	1,623.87	0.46	0.02
Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grading/Excavation	0.88	5.07	10.65	5.01	0.42	4.59	1.33	0.38	0.96	0.02	1,623.87	0.46	0.02	1,639.93
Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Maximum (pounds/day)	0.88	5.07	10.65	5.01	0.42	4.59	1.33	0.38	0.96	0.02	1,623.87	0.46	0.02	1,639.93
Total (tons/construction project)	0.00	0.01	0.03	0.01	0.00	0.01	0.00	0.00	0.00	0.00	4.06	0.00	0.00	4.10

Notes: Project Start Year -> 20

1

Maximum Arc

3a DR

Total Material Imported/Exported Volume (yd ³ /day)		Daily VMT (miles/day)				
use	Soil	Asphalt	Soil Hauling	Asphalt Hauling	Worker Commute	Water Truck
ng	0	0	0	0	0	0
on	0	0	0	0	200	0
de	0	0	0	0	0	0
ng	0	0	0	0	0	0

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.

CO₂e emissions are estimated by multiplying mass emissions for each GHG by its global warming potential (GWP), 1, 25 and 298 for CO₂, CH₄ and N₂O, respectively. Total CO₂e is then estimated by summing CO₂e estimates over all GHGs.

Total Emission Estimates by Phase for -> Signal Installation					Total	Exhaust	Fugitive Dust	Total	Exhaust	Fugitive Dust					
Project Phases (Tons for all except CO2e. Metric tonnes for CO2e)	ROG (tons/phase)	CO (tons/phase)	NOx (tons/phase)	PM10 (tons/phase)	PM10 (tons/phase)	PM10 (tons/phase)	PM2.5 (tons/phase)	PM2.5 (tons/phase)	PM2.5 (tons/phase)	SOx (tons/phase)	CO2 (tons/phase)	CH4 (tons/phase)	N2O (tons/phase)	CO2e (MT/phase)	
Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Grading/Excavation	0.00	0.01	0.03	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	4.06	0.00	3.72	
Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Maximum (tons/phase)	0.00	0.01	0.03	0.01	0.00	0.01	0.00	0.00	0.00	0.00	4.06	0.00	0.00	3.72	
Total (tons/construction project*)	0.00	0.01	0.03	0.01	0.00	0.01	0.00	0.00	0.00	0.00	4.06	0.00	0.00	3.72	

PM4.0 and PM5.0 active to remove 50% percent of fugitive dust from venturi and associated dust control measures if a minimum number of venturi trucks are specified.

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.

CO₂e emissions are estimated by multiplying mass emission

Road Construction Emissions Model		Version 8.1.0																																								
Data Entry Worksheet																																										
<p>Note: Required data input sections have a yellow background. Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background.</p> <p>The user is required to enter information in cells D10 through D24, E28 through G35, and D38 through D41 for all project types. Please use "Clear Data Input & User Overrides" button first before changing the Project Type or begin a new project.</p>																																										
Input Type <table border="1"> <tr> <td>Project Name</td> <td>Signal Installation</td> </tr> <tr> <td>Construction Start Year</td> <td>2018</td> </tr> <tr> <td>Project Type <i>For 4: Other Linear Project Type, please provide project specific off-road equipment population and vehicle trip data</i></td> <td>4</td> </tr> <tr> <td>Project Construction Time</td> <td>1.00</td> </tr> <tr> <td>Working Days per Month</td> <td>5.00</td> </tr> <tr> <td>Predominant Soil/Site Type: Enter 1, 2, or 3 <i>(for project within "Sacramento County", follow soil type selection instructions in cells E18 to E20 otherwise see instructions provided in cells J18 to J22)</i></td> <td>2</td> </tr> <tr> <td>Project Length</td> <td>0.02</td> </tr> <tr> <td>Total Project Area</td> <td>0.23</td> </tr> <tr> <td>Maximum Area Disturbed/Day</td> <td>0.23</td> </tr> <tr> <td>Water Trucks Used?</td> <td>2</td> </tr> </table>			Project Name	Signal Installation	Construction Start Year	2018	Project Type <i>For 4: Other Linear Project Type, please provide project specific off-road equipment population and vehicle trip data</i>	4	Project Construction Time	1.00	Working Days per Month	5.00	Predominant Soil/Site Type: Enter 1, 2, or 3 <i>(for project within "Sacramento County", follow soil type selection instructions in cells E18 to E20 otherwise see instructions provided in cells J18 to J22)</i>	2	Project Length	0.02	Total Project Area	0.23	Maximum Area Disturbed/Day	0.23	Water Trucks Used?	2																				
Project Name	Signal Installation																																									
Construction Start Year	2018																																									
Project Type <i>For 4: Other Linear Project Type, please provide project specific off-road equipment population and vehicle trip data</i>	4																																									
Project Construction Time	1.00																																									
Working Days per Month	5.00																																									
Predominant Soil/Site Type: Enter 1, 2, or 3 <i>(for project within "Sacramento County", follow soil type selection instructions in cells E18 to E20 otherwise see instructions provided in cells J18 to J22)</i>	2																																									
Project Length	0.02																																									
Total Project Area	0.23																																									
Maximum Area Disturbed/Day	0.23																																									
Water Trucks Used?	2																																									
<p>To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.</p> 																																										
<p>Enter a Year between 2014 and 2025 (inclusive)</p> <p>1) New Road Construction : Project to build a roadway from bare ground, which generally requires more site preparation than widening an existing roadway 2) Road Widening : Project to add a new lane to an existing roadway 3) Bridge/Overpass Construction : Project to build an elevated roadway, which generally requires some different equipment than a new roadway, such as a crane 4) Other Linear Project Type: Non-roadway project such as a pipeline, transmission line, or levee construction</p> <p>1) Sand Gravel : Use for quaternary deposits (Delta/West County) 2) Weathered Rock-Earth : Use for Laguna formation (Jackson Highway area) or the lone formation (Scott Road, Rancho Murieta) 3) Blasted Rock : Use for Salt Springs State or Copper Hill Volcanics (Folsom South of Highway 50, Rancho Murieta)</p> <p>Please note that the soil type instructions provided in cells E18 to E20 are specific to Sacramento County. Maps available from the California Geologic Survey (see weblink below) can be used to determine soil type outside Sacramento County. http://www.consrv.ca.gov/cgs/information/geologic_mapping/Pages/googlemaps.aspx#regionalseries</p>																																										
Material Hauling Quantity Input <table border="1"> <thead> <tr> <th>Material Type</th> <th>Phase</th> <th>Haul Truck Capacity (yd³) (assume 20 if unknown)</th> <th>Import Volume (yd³/day)</th> <th>Export Volume (yd³/day)</th> </tr> </thead> <tbody> <tr> <td rowspan="3">Soil</td> <td>Grubbing/Land Clearing</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Grading/Excavation</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Drainage/Utilities/Sub-Grade</td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="3">Asphalt</td> <td>Paving</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Grubbing/Land Clearing</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Grading/Excavation</td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="2"></td> <td>Drainage/Utilities/Sub-Grade</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Paving</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Material Type	Phase	Haul Truck Capacity (yd ³) (assume 20 if unknown)	Import Volume (yd ³ /day)	Export Volume (yd ³ /day)	Soil	Grubbing/Land Clearing				Grading/Excavation				Drainage/Utilities/Sub-Grade				Asphalt	Paving				Grubbing/Land Clearing				Grading/Excavation					Drainage/Utilities/Sub-Grade				Paving			
Material Type	Phase	Haul Truck Capacity (yd ³) (assume 20 if unknown)	Import Volume (yd ³ /day)	Export Volume (yd ³ /day)																																						
Soil	Grubbing/Land Clearing																																									
	Grading/Excavation																																									
	Drainage/Utilities/Sub-Grade																																									
Asphalt	Paving																																									
	Grubbing/Land Clearing																																									
	Grading/Excavation																																									
	Drainage/Utilities/Sub-Grade																																									
	Paving																																									
Mitigation Options <table border="1"> <tr> <td>On-road Fleet Emissions Mitigation</td> <td>Select "2010 and Newer On-road Vehicles Fleet" option when the on-road heavy-duty truck fleet for the project will be limited to vehicles of model year 2010 or newer</td> </tr> <tr> <td>Off-road Equipment Emissions Mitigation</td> <td>Select "20% NOx and 45% Exhaust PM reduction" option if the project will be required to use a lower emitting off-road construction fleet. The SMAQMD Construction Mitigation Calculator can be used to confirm compliance with this mitigation measure (http://www.airquality.org/ceqa/mitigation.shtml).</td> </tr> <tr> <td></td> <td>Select "Tier 4 Equipment" option if some or all off-road equipment used for the project meets CARB Tier 4 Standard</td> </tr> </table>			On-road Fleet Emissions Mitigation	Select "2010 and Newer On-road Vehicles Fleet" option when the on-road heavy-duty truck fleet for the project will be limited to vehicles of model year 2010 or newer	Off-road Equipment Emissions Mitigation	Select "20% NOx and 45% Exhaust PM reduction" option if the project will be required to use a lower emitting off-road construction fleet. The SMAQMD Construction Mitigation Calculator can be used to confirm compliance with this mitigation measure (http://www.airquality.org/ceqa/mitigation.shtml).		Select "Tier 4 Equipment" option if some or all off-road equipment used for the project meets CARB Tier 4 Standard																																		
On-road Fleet Emissions Mitigation	Select "2010 and Newer On-road Vehicles Fleet" option when the on-road heavy-duty truck fleet for the project will be limited to vehicles of model year 2010 or newer																																									
Off-road Equipment Emissions Mitigation	Select "20% NOx and 45% Exhaust PM reduction" option if the project will be required to use a lower emitting off-road construction fleet. The SMAQMD Construction Mitigation Calculator can be used to confirm compliance with this mitigation measure (http://www.airquality.org/ceqa/mitigation.shtml).																																									
	Select "Tier 4 Equipment" option if some or all off-road equipment used for the project meets CARB Tier 4 Standard																																									
<small>The remaining sections of this sheet contain areas that require modification when 'Other Project Type' is selected.</small>																																										

Note: The program's estimates of construction period phase length can be overridden in cells D50 through D53, and F50 through F53.

Construction Periods	User Overrides of Construction Months	Program Calculated Months	User Override of Phase Starting Date	Program Default Phase Starting Date
Grubbing/Land Clearing	0.00	0.10	1/1/2018	1/1/2018
Grading/Excavation	1.00	0.45	1/11/2018	1/1/2018
Drainage/Utilities/Sub-Grade	0.00	0.30	3/1/2018	2/1/2018
Paving	0.00	0.15	4/1/2018	2/1/2018
Totals (Months)		1		

Note: Soil Hauling emission default values can be overridden in cells D61 through D64, and F61 through F64.

Soil Hauling Emissions										
User Input	User Override of Miles/Round Trip	Program Estimate of Miles/Round Trip	User Override of Truck Round Trips/Day	Default Values Round Trips/Day	Calculated Daily VMT					
Miles/round trip: Grubbing/Land Clearing				0	0.00					
Miles/round trip: Grading/Excavation				0	0.00					
Miles/round trip: Drainage/Utilities/Sub-Grade				0	0.00					
Miles/round trip: Paving				0	0.00					
Emission Rates	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Grubbing/Land Clearing (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grading/Excavation (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93
Draining/Utilities/Sub-Grade (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Paving (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hauling Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Pounds per day - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pounds per day - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tons per const. Period - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pounds per day - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pounds per day - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total tons per construction project	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Note: Asphalt Hauling emission default values can be overridden in cells D87 through D90, and F87 through F90.

Asphalt Hauling Emissions										
User Input	User Override of Miles/Round Trip	Program Estimate of Miles/Round Trip	User Override of Truck Round Trips/Day	Default Values Round Trips/Day	Calculated Daily VMT					
Miles/round trip: Grubbing/Land Clearing				0	0.00					
Miles/round trip: Grading/Excavation				0	0.00					
Miles/round trip: Drainage/Utilities/Sub-Grade				0	0.00					
Miles/round trip: Paving				0	0.00					
Emission Rates	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Grubbing/Land Clearing (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grading/Excavation (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93
Draining/Utilities/Sub-Grade (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Paving (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Pounds per day - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pounds per day - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tons per const. Period - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pounds per day - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pounds per day - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total tons per construction project	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Note: Worker commute default values can be overridden in cells D113 through D118.

Worker Commute Emissions		User Override of Worker Commute Default Values	Default Values								
User Input		Z0		Calculated Daily Trips	Calculated Daily VMT						
Miles/ one-way trip		20									
One-way trips/day		2		0	0.00						
No. of employees: Grubbing/Land Clearing				10	200.00						
No. of employees: Grading/Excavation		5		0	0.00						
No. of employees: Drainage/Utilities/Sub-Grade				0	0.00						
No. of employees: Paving				0	0.00						
Emission Rates	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Grubbing/Land Clearing (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Grading/Excavation (grams/mile)	0.03	1.33	0.15	0.05	0.02	0.00	393.83	0.01	0.01	395.91	
Draining/Utilities/Sub-Grade (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Paving (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Grubbing/Land Clearing (grams/trip)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Grading/Excavation (grams/trip)	1.17	3.21	0.26	0.00	0.00	0.00	87.83	0.02	0.01	91.49	
Draining/Utilities/Sub-Grade (grams/trip)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Paving (grams/trip)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Pounds per day - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Grading/Excavation	0.04	0.66	0.07	0.02	0.01	0.00	175.58	0.01	0.00	176.58	
Tons per const. Period - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.44	0.00	0.00	0.44	
Pounds per day - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Total tons per construction project	0.00	0.00	0.00	0.00	0.00	0.00	0.44	0.00	0.00	0.44	

Note: Water Truck default values can be overridden in cells D145 through D148, and F145 through F148.

Water Truck Emissions		User Override of Default # Water Trucks	Program Estimate of Number of Water Trucks	User Override of Truck Miles Traveled/Vehicle/Day	Default Value Miles Traveled/Vehicle/Day	Calculated Daily VMT					
User Input											
Grubbing/Land Clearing - Exhaust						0.00					
Grading/Excavation - Exhaust						0.00					
Drainage/Utilities/Subgrade						0.00					
Paving						0.00					
Emission Rates	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Grubbing/Land Clearing (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Grading/Excavation (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93	
Draining/Utilities/Sub-Grade (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Paving (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Pounds per day - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Total tons per construction project	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Note: Fugitive dust default values can be overridden in cells D171 through D173.

Fugitive Dust	User Override of Max Acreage Disturbed/Day	Default Maximum Acreage/Day	PM10 pounds/day	PM10 tons/period	PM2.5 pounds/day	PM2.5 tons/period
Fugitive Dust - Grubbing/Land Clearing			0.00	0.00	0.00	0.00
Fugitive Dust - Grading/Excavation			4.59	0.01	0.96	0.00
Fugitive Dust - Drainage/Utilities/Subgrade			0.00	0.00	0.00	0.00

Values in cells D183 through D216, D234 through D267, D285 through D318, and D336 through D369 are required when 'Other Project Type' is selected.

Off-Road Equipment Emissions														
Grubbing/Land Clearing	Number of Vehicles	Default Mitigation Option		Default	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
		Override of Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option Selected)												
		Override of Default Number of Vehicles	Program-estimate	Equipment Tier	Type	pounds/day								
				Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Crawler Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Excavators	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Graders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Rollers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Scrapers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Signal Boards	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Tractors/Loaders/Backhoes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
User-Defined Off-road Equipment														
If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab														
Number of Vehicles		Equipment Tier	Type	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	Grubbing/Land Clearing		pounds per day	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	Grubbing/Land Clearing		tons per phase	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Grading/Excavation	Number of Vehicles	Default		Mitigation Option		Default	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e		
		Override of		Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option														
		Override of Default Number of Vehicles	Program-estimate	Selected)	Equipment Tier	Type	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	
					Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
1.00					Model Default Tier	Bore/Drill Rigs	0.28	1.95	3.91	0.11	0.10	0.01	880.26	0.27	0.01	889.42		
					Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
1.00					Model Default Tier	Cranes	0.56	2.47	6.67	0.29	0.27	0.01	568.03	0.18	0.00	573.92		
					Model Default Tier	Crawler Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Excavators	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Graders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Rollers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Scrapers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Signal Boards	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Tractors/Loaders/Backhoes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
					Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
User-Defined Off-road Equipment		If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab						ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Number of Vehicles		Equipment Tier						pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	
0.00		N/A						0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A						0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A						0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A						0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A						0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A						0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	Grading/Excavation							pounds per day	0.84	4.42	10.58	0.40	0.37	0.01	1,448.29	0.45	0.01	1,463.35
	Grading/Excavation							tons per phase	0.00	0.01	0.03	0.00	0.00	0.00	3.62	0.00	0.00	3.66

Drainage/Utilities/Subgrade	Default			Mitigation Option Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option is selected)	Default		ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e														
	Number of Vehicles	Override of																												
		Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option is selected)																												
Override of Default Number of Vehicles	Program-estimate	Selected)	Equipment Tier				pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day													
			Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00													
			Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Crawler Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Excavators	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Graders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Rollers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Scrapers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Signal Boards	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Tractors/Loaders/Backhoes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
			Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00												
User-Defined Off-road Equipment		If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab			Equipment Tier	Type	ROG pounds/day	CO pounds/day	NOx pounds/day	PM10 pounds/day	PM2.5 pounds/day	SOx pounds/day	CO2 pounds/day	CH4 pounds/day	N2O pounds/day	CO2e pounds/day														
0.00		N/A	0	0.00			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00															
0.00		N/A	0	0.00			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00															
0.00		N/A	0	0.00			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00															
0.00		N/A	0	0.00			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00															
0.00		N/A	0	0.00			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00															
0.00		N/A	0	0.00			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00															
Drainage/Utilities/Sub-Grade							pounds per day		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00													
Drainage/Utilities/Sub-Grade							tons per phase		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00													

Paving	Default Number of Vehicles	Mitigation Option		Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option Selected)	Equipment Tier	Type	pounds/day	CO2e								
		Override of														
		Override of Default Number of Vehicles	Program-estimate													
				Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Crawler Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Excavators	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Graders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Rollers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Scrapers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Signal Boards	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Tractors/Loaders/Backhoes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
User-Defined Off-road Equipment		If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab					ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
	Number of Vehicles		Equipment Tier	Type		pounds/day										
0.00		N/A			0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A			0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A			0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A			0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A			0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A			0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total Emissions all Phases (tons per construction period) =>						0.00	0.01	0.03	0.00	0.00	0.00	3.62	0.00	0.00	3.66	

Equipment default values for horsepower and hours/day can be overridden in cells D391 through D424 and F391 through F424.

Equipment	User Override of Horsepower	Default Values Horsepower	User Override of Hours/day	Default Values Hours/day
Aerial Lifts		63		8
Air Compressors		78		8
Bore/Drill Rigs		206		8
Cement and Mortar Mixers		9		8
Concrete/Industrial Saws		81		8
Cranes		226		8
Crawler Tractors		208		8
Crushing/Proc. Equipment		85		8
Excavators		163		8
Forklifts		89		8
Generator Sets		84		8
Graders		175		8
Off-Highway Tractors		123		8
Off-Highway Trucks		400		8
Other Construction Equipment		172		8
Other General Industrial Equipment		88		8
Other Material Handling Equipment		167		8
Pavers		126		8
Paving Equipment		131		8
Plate Compactors		8		8
Pressure Washers		13		8
Pumps		84		8
Rollers		81		8
Rough Terrain Forklifts		100		8
Rubber Tired Dozers		255		8
Rubber Tired Loaders		200		8
Scrapers		362		8
Signal Boards		6		8
Skid Steer Loaders		65		8
Surfacing Equipment		254		8
Sweepers/Scrubbers		64		8
Tractors/Loaders/Backhoes		98		8
Trenchers		81		8
Welders		46		8

END OF DATA ENTRY SHEET

ATTACHMENT 2

Road Construction Emissions Model, Version 8.1.0

Daily Emission Estimates for -> Black Mountain Road Auxiliary Lane														
Project Phases (Pounds)	ROG (lbs/day)	CO (lbs/day)	NOx (lbs/day)	Total	Exhaust	Fugitive Dust	Total	Exhaust	Fugitive Dust	SOx (lbs/day)	CO2 (lbs/day)	CH4 (lbs/day)	N2O (lbs/day)	CO2e (lbs/day)
	PM10 (lbs/day)	PM10 (lbs/day)	PM2.5 (lbs/day)	PM2.5 (lbs/day)	PM2.5 (lbs/day)									
Grubbing/Land Clearing	1.32	10.32	15.16	10.66	0.66	10.00	2.68	0.60	2.08	0.02	2,072.44	0.59	0.02	2,092.86
Grading/Excavation	8.53	61.88	94.79	14.60	4.60	10.00	6.27	4.19	2.08	0.11	11,268.36	3.30	0.10	11,381.71
Drainage/Utilities/Sub-Grade	4.57	35.12	44.10	12.50	2.50	10.00	4.41	2.33	2.08	0.06	5,624.74	1.22	0.05	5,670.32
Paving	2.02	17.97	19.66	1.27	1.27	0.00	1.15	1.15	0.00	0.03	2,748.37	0.75	0.03	2,774.96
Maximum (pounds/day)	8.53	61.88	94.79	14.60	4.60	10.00	6.27	4.19	2.08	0.11	11,268.36	3.30	0.10	11,381.71
Total (tons/construction project)	0.37	2.78	3.98	0.76	0.20	0.56	0.30	0.19	0.12	0.00	486.93	0.13	0.00	491.59

Notes: Project Start Year -> 201

Project Length

Total 1

Maximum Area Dis

Water Tru

Total Material Imported/Exported Volume (yd ³ /day)		Daily VMT (miles/day)				
		Soil Hauling	Asphalt Hauling	Worker Commute	Water Truck	
use	Soil	Asphalt	Soil Hauling	Asphalt Hauling	Worker Commute	Water Truck
ng	0	0	0	0	200	0
on	0	0	0	0	800	0
le	0	0	0	0	560	0
ng	0	0	0	0	400	0

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.

CO₂e emissions are estimated by multiplying mass emissions for each GHG by its global warming potential (GWP), 1, 25 and 298 for CO₂, CH₄ and N₂O, respectively. Total CO₂e is then estimated by summing CO₂e estimates over all GHGs.

Total Emission Estimates by Phase for -> Black Mountain Road Auxiliary Lane				Total	Exhaust	Fugitive Dust	Total	Exhaust	Fugitive Dust	SOx (tons/phase)	CO2 (tons/phase)	CH4 (tons/phase)	N2O (tons/phase)	CO2e (MT/phase)
Project Phases <small>(Tons for all except CO2e. Metric tonnes for CO2e)</small>	ROG (tons/phase)	CO (tons/phase)	NOx (tons/phase)	PM10 (tons/phase)	PM10 (tons/phase)	PM10 (tons/phase)	PM2.5 (tons/phase)	PM2.5 (tons/phase)	PM2.5 (tons/phase)	CO2 (tons/phase)	CH4 (tons/phase)	N2O (tons/phase)	CO2e (MT/phase)	
Grubbing/Land Clearing	0.01	0.07	0.10	0.07	0.00	0.07	0.02	0.00	0.01	0.00	13.68	0.00	0.00	12.53
Grading/Excavation	0.25	1.84	2.82	0.43	0.14	0.30	0.19	0.12	0.06	0.00	334.67	0.10	0.00	306.66
Drainage/Utilities/Sub-Grade	0.09	0.70	0.87	0.25	0.05	0.20	0.09	0.05	0.04	0.00	111.37	0.02	0.00	101.85
Paving	0.02	0.18	0.19	0.01	0.01	0.00	0.01	0.01	0.00	0.00	27.21	0.01	0.00	24.92
Maximum (tons/phase)	0.25	1.84	2.82	0.43	0.14	0.30	0.19	0.12	0.06	0.00	334.67	0.10	0.00	306.66
Total (tons/construction project)	0.37	2.78	3.98	0.76	0.20	0.56	0.30	0.19	0.12	0.00	486.93	0.13	0.00	445.97

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.

Total F-M-10 emissions shown in Column 1 are the sum of exhaust and fugitive dust emissions shown in columns 3 and 11. Total F-M-2.5 emissions shown in Column 1 are the sum of exhaust and fugitive dust emissions shown in columns 3 and 9. CO₂ emissions are estimated by multiplying mass emissions for each GHG by its global warming potential (GWP) – 1, 25 and 298 for CO₂, CH₄ and N₂O, respectively. Total CO₂ is then estimated by summing CO₂ estimates over all GHGs.

The CO₂e emissions are reported as metric tons per phase.

Road Construction Emissions Model

Data Entry Worksheet

Version 8.1.0

Note: Required data input sections have a yellow background.

Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background.

The user is required to enter information in cells D10 through D24, E28 through G35, and D38 through D41 for all project types.

Please use "Clear Data Input & User Overrides" button first before changing the Project Type or begin a new project.

Input Type

Project Name

Black Mountain Road Auxiliary Lane

Construction Start Year

2018

Enter a Year between 2014 and 2025
(inclusive)

Project Type

2

- 1) New Road Construction : Project to build a roadway from bare ground, which generally requires more site preparation than widening an existing roadway
- 2) Road Widening : Project to add a new lane to an existing roadway
- 3) Bridge/Overpass Construction : Project to build an elevated roadway, which generally requires some different equipment than a new roadway, such as a crane
- 4) Other Linear Project Type: Non-roadway project such as a pipeline, transmission line, or levee construction

Project Construction Time

6.00

months

Working Days per Month

22.00

days (assume 22 if unknown)

Predominant Soil/Site Type: Enter 1, 2, or 3
(for project within "Sacramento County", follow soil type selection
instructions in cells E18 to E20 otherwise see instructions provided in
cells J18 to J22)

2

- 1) Sand Gravel : Use for quaternary deposits (Delta/West County)
- 2) Weathered Rock-Earth : Use for Laguna formation (Jackson Highway area) or the lone formation (Scott Road, Rancho Murieta)
- 3) Blasted Rock : Use for Salt Springs State or Copper Hill Volcanics (Folsom South of Highway 50, Rancho Murieta)

Project Length

0.50

miles

Total Project Area

2.20

acres

Maximum Area Disturbed/Day

0.50

acres

Water Trucks Used?

2

1. Yes
2. No



To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.

Please note that the soil type instructions provided in cells E18 to E20 are specific to Sacramento County. Maps available from the California Geologic Survey (see weblink below) can be used to determine soil type outside Sacramento County.

http://www.conervation.ca.gov/cgs/information/geologic_mapping/Pages/googlemaps.aspx#regionalseries

Material Hauling Quantity Input

Material Type	Phase	Haul Truck Capacity (yd ³) (assume 20 if unknown)	Import Volume (yd ³ /day)	Export Volume (yd ³ /day)
Soil	Grubbing/Land Clearing			
	Grading/Excavation			
	Drainage/Utilities/Sub-Grade			
Asphalt	Paving			
	Grubbing/Land Clearing			
	Grading/Excavation			
	Drainage/Utilities/Sub-Grade			
	Paving			

Mitigation Options

On-road Fleet Emissions Mitigation

Select "2010 and Newer On-road Vehicles Fleet" option when the on-road heavy-duty truck fleet for the project will be limited to vehicles of model year 2010 or newer
Select "20% NOx and 45% Exhaust PM reduction" option if the project will be required to use a lower emitting off-road construction fleet. The SMAQMD Construction Mitigation Calculator can be used to confirm compliance with this mitigation measure (<http://www.airquality.org/ceqa/mitigation.shtml>).
Select "Tier 4 Equipment" option if some or all off-road equipment used for the project meets CARB Tier 4 Standard

The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional.

Note: The program's estimates of construction period phase length can be overridden in cells D50 through D53, and F50 through F53.

Construction Periods	User Override of Construction Months	Program Calculated Months	User Override of Phase Starting Date	Program Default Phase Starting Date
Grubbing/Land Clearing		0.60		1/1/2018
Grading/Excavation		2.70		1/20/2018
Drainage/Utilities/Sub-Grade		1.80		4/13/2018
Paving		0.90		6/7/2018
Totals (Months)		6		

Note: Soil Hauling emission default values can be overridden in cells D61 through D64, and F61 through F64.

Note: Asphalt Hauling emission default values can be overridden in cells D87 through D90, and F87 through F90.

Note: Worker commute default values can be overridden in cells D113 through D118.

Worker Commute Emissions		User Override of Worker Commute Default Values											
User Input		Default Values		Calculated Daily Trips		Calculated Daily VMT							
Miles/ one-way trip		20											
One-way trips/day		2											
No. of employees: Grubbing/Land Clearing		5		10		200.00							
No. of employees: Grading/Excavation		20		40		800.00							
No. of employees: Drainage/Utilities/Sub-Grade		14		28		560.00							
No. of employees: Paving		10		20		400.00							
Emission Rates	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e			
Grubbing/Land Clearing (grams/mile)	0.03	1.33	0.15	0.05	0.02	0.00	393.83	0.01	0.01	395.91			
Grading/Excavation (grams/mile)	0.03	1.33	0.15	0.05	0.02	0.00	393.83	0.01	0.01	395.91			
Draining/Utilities/Sub-Grade (grams/mile)	0.03	1.33	0.15	0.05	0.02	0.00	393.83	0.01	0.01	395.91			
Paving (grams/mile)	0.03	1.33	0.15	0.05	0.02	0.00	393.83	0.01	0.01	395.91			
Grubbing/Land Clearing (grams/trip)	1.17	3.21	0.26	0.00	0.00	0.00	87.83	0.02	0.01	91.49			
Grading/Excavation (grams/trip)	1.17	3.21	0.26	0.00	0.00	0.00	87.83	0.02	0.01	91.49			
Draining/Utilities/Sub-Grade (grams/trip)	1.17	3.21	0.26	0.00	0.00	0.00	87.83	0.02	0.01	91.49			
Paving (grams/trip)	1.17	3.21	0.26	0.00	0.00	0.00	87.83	0.02	0.01	91.49			
Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e			
Pounds per day - Grubbing/Land Clearing	0.04	0.66	0.07	0.02	0.01	0.00	175.58	0.01	0.00	176.58			
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	1.16	0.00	0.00	1.17			
Pounds per day - Grading/Excavation	0.15	2.62	0.28	0.08	0.03	0.01	702.34	0.02	0.01	706.33			
Tons per const. Period - Grading/Excavation	0.00	0.08	0.01	0.00	0.00	0.00	20.86	0.00	0.00	20.98			
Pounds per day - Drainage/Utilities/Sub-Grade	0.11	1.84	0.20	0.06	0.02	0.00	491.64	0.01	0.01	494.43			
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.04	0.00	0.00	0.00	0.00	9.73	0.00	0.00	9.79			
Pounds per day - Paving	0.08	1.31	0.14	0.04	0.02	0.00	351.17	0.01	0.01	353.16			
Tons per const. Period - Paving	0.00	0.01	0.00	0.00	0.00	0.00	3.48	0.00	0.00	3.50			
Total tons per construction project	0.01	0.13	0.01	0.00	0.00	0.00	35.23	0.00	0.00	35.43			

Note: Water Truck default values can be overridden in cells D145 through D148, and F145 through F148.

Water Truck Emissions		User Override of Program Estimate of Number of Water Trucks		User Override of Truck Miles Traveled/Vehicle/Day		Default Values Miles Traveled/Vehicle/Day		Calculated Daily VMT					
User Input		Default # Water Trucks	Number of Water Trucks	Miles Traveled/Vehicle/Day		Miles Traveled/Vehicle/Day		SOx	CO2	CH4	N2O	CO2e	
Grubbing/Land Clearing - Exhaust		0	0	40.00		0.00							
Grading/Excavation - Exhaust		0	0	40.00		0.00							
Drainage/Utilities/Subgrade		0	0	40.00		0.00							
Paving		0	0	40.00		0.00							
Emission Rates	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e			
Grubbing/Land Clearing (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93			
Grading/Excavation (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93			
Draining/Utilities/Sub-Grade (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93			
Paving (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93			
Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e			
Pounds per day - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
Pounds per day - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
Tons per const. Period - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
Pounds per day - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
Pounds per day - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
Total tons per construction project	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			

Note: Fugitive dust default values can be overridden in cells D171 through D173.

Fugitive Dust	User Override of Max Acreage Disturbed/Day	Default Maximum Acreage/Day	PM10 pounds/day	PM10 tons/period	PM2.5 pounds/day	PM2.5 tons/period
Fugitive Dust - Grubbing/Land Clearing		0.50	10.00	0.07	2.08	0.01
Fugitive Dust - Grading/Excavation		0.50	10.00	0.30	2.08	0.06
Fugitive Dust - Drainage/Utilities/Subgrade		0.50	10.00	0.20	2.08	0.04

Off-Road Equipment Emissions																
Grubbing/Land Clearing	Number of Vehicles	Default Mitigation Option		Default	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e		
		Override of Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option Selected)														
		Override of Default Number of Vehicles	Program-estimate	Equipment Tier	Type	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day		
				Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
			1	Model Default Tier	Crawler Tractors	0.63	2.61	8.34	0.32	0.29	0.01	775.49	0.24	0.01		
				Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
			2	Model Default Tier	Excavators	0.60	6.76	6.39	0.31	0.28	0.01	1,072.06	0.33	0.01		
				Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Graders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Rollers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
			1	Model Default Tier	Scrapers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Signal Boards	0.06	0.30	0.36	0.01	0.01	0.00	49.31	0.01	0.00		
				Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Tractors/Loaders/Backhoes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
				Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
User-Defined Off-road Equipment																
If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab				Equipment Tier	Type	ROG pounds/day	CO pounds/day	NOx pounds/day	PM10 pounds/day	PM2.5 pounds/day	SOx pounds/day	CO2 pounds/day	CH4 pounds/day	N2O pounds/day	CO2e pounds/day	
	Number of Vehicles															
	0.00			N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
		Grubbing/Land Clearing				pounds per day	1.28	9.67	15.09	0.64	0.59	0.02	1,896.85	0.58	0.02	1,916.28
		Grubbing/Land Clearing				tons per phase	0.01	0.06	0.10	0.00	0.00	0.00	12.52	0.00	0.00	12.65

Grading/Excavation	Default Number of Vehicles	Mitigation Option		Default	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e											
		Override of Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option is selected)																							
		Program estimate	Selected																						
Override of Default Number of Vehicles		Equipment Tier	Type	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day											
		Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
		Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
1.00		Model Default Tier	Bore/Drill Rigs	0.28	1.95	3.91	0.11	0.10	0.01	880.26	0.27	0.01	889.42												
		Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
		Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
1.00	0	Model Default Tier	Cranes	0.56	2.47	6.67	0.29	0.27	0.01	568.03	0.18	0.00	573.92												
1.00	1	Model Default Tier	Crawler Tractors	0.63	2.61	8.34	0.32	0.29	0.01	775.49	0.24	0.01	783.53												
		Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
3.00	3	Model Default Tier	Excavators	0.90	10.14	9.58	0.46	0.43	0.02	1,608.08	0.50	0.01	1,624.78												
		Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
		Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
2.00	2	Model Default Tier	Graders	1.67	9.39	16.72	0.94	0.86	0.01	1,258.82	0.39	0.01	1,271.83												
		Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
		Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
		Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
		Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
		Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
		Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
		Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
		Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
		Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
		Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
2.00	2	Model Default Tier	Rollers	0.52	3.92	5.05	0.35	0.32	0.01	534.41	0.17	0.00	539.95												
		Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
		Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
1.00	1	Model Default Tier	Rubber Tired Loaders	0.42	1.71	5.25	0.18	0.16	0.01	619.57	0.19	0.01	626.01												
2.00	2	Model Default Tier	Scrapers	2.26	17.33	28.00	1.10	1.01	0.03	3,008.05	0.94	0.03	3,039.27												
1.00	1	Model Default Tier	Signal Boards	0.06	0.30	0.36	0.01	0.01	0.00	49.31	0.01	0.00	49.56												
		Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
		Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
		Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
4.00	4	Model Default Tier	Tractors/Loaders/Backhoes	1.08	9.44	10.63	0.75	0.69	0.01	1,264.00	0.39	0.01	1,277.10												
		Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
		Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
User-Defined Off-road Equipment	If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab		Equipment Tier	Type	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e											
Number of Vehicles			Equipment Tier	Type	pounds/day																				
0.00		N/A			0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
0.00		N/A			0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
0.00		N/A			0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
0.00		N/A			0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
0.00		N/A			0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
0.00		N/A			0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
	Grading/Excavation			pounds per day	8.38	59.26	94.50	4.51	4.15	0.11	10,566.02	3.28	0.09	10,675.38											
	Grading/Excavation			tons per phase	0.25	1.76	2.81	0.13	0.12	0.00	313.81	0.10	0.00	317.06											

Drainage/Utilities/Subgrade	Default Number of Vehicles	Mitigation Option		Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option is selected)	Equipment Tier	pounds/day	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
		Override of Default Number of Vehicles	Program estimate														
		Selected															
	1			Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		1		Model Default Tier	Air Compressors	0.40	2.47	2.67	0.20	0.20	0.00	375.27	0.04	0.00	0.00	377.00	
				Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Crawler Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Excavators	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	1			Model Default Tier	Generator Sets	0.51	3.75	4.11	0.26	0.26	0.01	623.04	0.04	0.00	0.00	625.56	
		1		Model Default Tier	Graders	0.84	4.69	8.36	0.47	0.43	0.01	629.41	0.20	0.01	0.00	635.92	
				Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	1			Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
		1		Model Default Tier	Plate Compactors	0.04	0.21	0.25	0.01	0.01	0.00	34.48	0.00	0.00	0.00	34.65	
				Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
		1		Model Default Tier	Pumps	0.53	3.81	4.17	0.28	0.28	0.01	623.04	0.05	0.00	0.00	625.61	
				Model Default Tier	Rollers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	1			Model Default Tier	Rough Terrain Forklifts	0.16	2.31	2.01	0.10	0.09	0.00	346.54	0.11	0.00	0.00	350.13	
				Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	1			Model Default Tier	Scrapers	1.13	8.67	14.00	0.55	0.51	0.02	1,504.03	0.47	0.01	0.00	1,519.64	
		1		Model Default Tier	Signal Boards	0.06	0.30	0.36	0.01	0.01	0.00	49.31	0.01	0.00	0.00	49.56	
				Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	3			Model Default Tier	Tractors/Loaders/Backhoes	0.81	7.08	7.97	0.56	0.52	0.01	948.00	0.30	0.01	0.00	957.82	
				Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
User-Defined Off-road Equipment		If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab					ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Number of Vehicles						Equipment Tier	Type	pounds/day									
0.00					N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00					N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00					N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00					N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00					N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00					N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
		Drainage/Utilities/Sub-Grade					pounds per day	4.46	33.29	43.91	2.44	2.31	0.05	5,133.10	1.20	0.04	5,175.89
		Drainage/Utilities/Sub-Grade					tons per phase	0.09	0.66	0.87	0.05	0.05	0.00	101.64	0.02	0.00	102.48

Paving	Default Number of Vehicles	Mitigation Option		Default	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e											
		Override of Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option is selected)																							
		Program estimate	Selected																						
				Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Crawler Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Excavators	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Graders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
1				Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
1				Model Default Tier	Pavers	0.32	2.84	3.50	0.17	0.16	0.00	458.58	0.14	0.00											
				Model Default Tier	Paving Equipment	0.24	2.52	2.64	0.13	0.12	0.00	406.90	0.13	0.00											
				Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
2				Model Default Tier	Rollers	0.52	3.92	5.05	0.35	0.32	0.01	534.41	0.17	0.00											
				Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Scrapers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
1				Model Default Tier	Signal Boards	0.06	0.30	0.36	0.01	0.01	0.00	49.31	0.01	0.00											
				Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
3				Model Default Tier	Tractors/Loaders/Backhoes	0.81	7.08	7.97	0.56	0.52	0.01	948.00	0.30	0.01											
				Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
				Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
User-Defined Off-road Equipment		If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab			ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e											
Number of Vehicles		Equipment Tier			Type	pounds/day																			
0.00		N/A			0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
0.00		N/A			0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
0.00		N/A			0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
0.00		N/A			0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
0.00		N/A			0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
0.00		N/A			0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00											
Total Emissions all Phases (tons per construction period) =>					pounds per day	1.94	16.66	19.51	1.23	1.13	0.02	2,397.20	0.74	0.02	2,421.80										
					tons per phase	0.02	0.16	0.19	0.01	0.01	0.00	23.73	0.01	0.00	23.98										
						0.36	2.65	3.97	0.20	0.18	0.00	451.70	0.13	0.00	456.16										

Equipment default values for horsepower and hours/day can be overridden in cells D391 through D424 and F391 through F424.

Equipment	User Override of Horsepower	Default Values Horsepower	User Override of Hours/day	Default Values Hours/day
Aerial Lifts		63		8
Air Compressors		78		8
Bore/Drill Rigs		206		8
Cement and Mortar Mixers		9		8
Concrete/Industrial Saws		81		8
Cranes		226		8
Crawler Tractors		208		8
Crushing/Proc. Equipment		85		8
Excavators		163		8
Forklifts		89		8
Generator Sets		84		8
Graders		175		8
Off-Highway Tractors		123		8
Off-Highway Trucks		400		8
Other Construction Equipment		172		8
Other General Industrial Equipment		88		8
Other Material Handling Equipment		167		8
Pavers		126		8
Paving Equipment		131		8
Plate Compactors		8		8
Pressure Washers		13		8
Pumps		84		8
Rollers		81		8
Rough Terrain Forklifts		100		8
Rubber Tired Dozers		255		8
Rubber Tired Loaders		200		8
Scrapers		362		8
Signal Boards		6		8
Skid Steer Loaders		65		8
Surfacing Equipment		254		8
Sweepers/Scrubbers		64		8
Tractors/Loaders/Backhoes		98		8
Trenchers		81		8
Welders		46		8

END OF DATA ENTRY SHEET

ATTACHMENT 3

Road Construction Emissions Model, Version 8.1.0

Daily Emission Estimates for -> Black Mountain Road Ramp Widening														
Project Phases (Pounds)	ROG (lbs/day)	CO (lbs/day)	NOx (lbs/day)	Total	Exhaust	Fugitive Dust	Total	Exhaust	Fugitive Dust	SOx (lbs/day)	CO2 (lbs/day)	CH4 (lbs/day)	N2O (lbs/day)	CO2e (lbs/day)
	PM10 (lbs/day)	PM10 (lbs/day)	PM2.5 (lbs/day)	PM2.5 (lbs/day)	PM2.5 (lbs/day)									
Grubbing/Land Clearing	1.32	10.32	15.16	17.66	0.66	17.00	4.13	0.60	3.54	0.02	2,072.44	0.59	0.02	2,092.86
Grading/Excavation	7.69	57.47	84.20	21.20	4.20	17.00	7.36	3.82	3.54	0.10	9,820.07	2.85	0.09	9,918.36
Drainage/Utilities/Sub-Grade	4.57	35.12	44.10	19.50	2.50	17.00	5.87	2.33	3.54	0.06	5,624.74	1.22	0.05	5,670.32
Paving	2.02	17.97	19.66	1.27	1.27	0.00	1.15	1.15	0.00	0.03	2,748.37	0.75	0.03	2,774.96
Maximum (pounds/day)	7.69	57.47	84.20	21.20	4.20	17.00	7.36	3.82	3.54	0.10	9,820.07	2.85	0.09	9,918.36
Total (tons/construction project)	0.06	0.44	0.61	0.19	0.03	0.16	0.06	0.03	0.03	0.00	73.99	0.02	0.00	74.69

Notes: Project Start Year -> 20

1

Maximum Arg

117

Total Material Imported/Exported Volume (yd ³ /day)		Daily VMT (miles/day)			
		Soil Hauling	Asphalt Hauling	Worker Commute	Water Truck
Soil	Asphalt	0	0	200	0
0	0	0	0	800	0
0	0	0	0	560	0
0	0	0	0	400	0

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.

CO₂e emissions are estimated by multiplying mass emissions for each GHG by its global warming potential (GWP), 1, 25 and 298 for CO₂, CH₄ and N₂O, respectively. Total CO₂e is then estimated by summing CO₂e estimates over all GHGs.

Total Emission Estimates by Phase for -> Black Mountain Road Ramp Widening				Total	Exhaust	Fugitive Dust	Total	Exhaust	Fugitive Dust	SOx (tons/phase)	CO2 (tons/phase)	CH4 (tons/phase)	N2O (tons/phase)	CO2e (MT/phase)
Project Phases (Tons for all except CO2e. Metric tonnes for CO2e)	ROG (tons/phase)	CO (tons/phase)	NOx (tons/phase)	PM10 (tons/phase)	PM10 (tons/phase)	PM2.5 (tons/phase)	PM2.5 (tons/phase)	PM2.5 (tons/phase)	SOx (tons/phase)	CO2 (tons/phase)	CH4 (tons/phase)	N2O (tons/phase)	CO2e (MT/phase)	
Grubbing/Land Clearing	0.00	0.01	0.02	0.02	0.00	0.02	0.00	0.00	0.00	0.00	2.28	0.00	0.00	2.09
Grading/Excavation	0.04	0.28	0.42	0.10	0.02	0.08	0.04	0.02	0.02	0.00	48.61	0.01	0.00	44.54
Drainage/Utilities/Sub-Grade	0.02	0.12	0.15	0.06	0.01	0.06	0.02	0.01	0.01	0.00	18.56	0.00	0.00	16.98
Paving	0.00	0.03	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.53	0.00	0.00	4.15
Maximum (tons/phase)	0.04	0.28	0.42	0.10	0.02	0.08	0.04	0.02	0.02	0.00	48.61	0.01	0.00	44.54
Total (tons/construction project)	0.06	0.44	0.61	0.19	0.03	0.16	0.06	0.03	0.03	0.00	73.99	0.02	0.00	67.76

Total (non-construction project) 0.00 0.11 0.01 0.10 0.00

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.

Total PM₁₀ emissions shown in Column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM_{2.5} emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.

The CO₂e emissions are reported as metric tons per phase.

Road Construction Emissions Model		Version 8.1.0																																								
Data Entry Worksheet																																										
<p>Note: Required data input sections have a yellow background. Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. The user is required to enter information in cells D10 through D24, E28 through G35, and D38 through D41 for all project types. Please use "Clear Data Input & User Overrides" button first before changing the Project Type or begin a new project.</p>																																										
Input Type <table border="1"> <tr> <td>Project Name</td> <td colspan="2">Black Mountain Road Ramp Widening</td> </tr> <tr> <td>Construction Start Year</td> <td colspan="2">2018</td> </tr> <tr> <td>Project Type</td> <td colspan="2">2</td> </tr> <tr> <td>Project Construction Time</td> <td>1.00</td> <td>month</td> </tr> <tr> <td>Working Days per Month</td> <td>22.00</td> <td>days (assume 22 if unknown)</td> </tr> <tr> <td>Predominant Soil/Site Type: Enter 1, 2, or 3 (for project within "Sacramento County", follow soil type selection instructions in cells E18 to E20 otherwise see instructions provided in cells J18 to J22)</td> <td colspan="2">1) New Road Construction : Project to build a roadway from bare ground, which generally requires more site preparation than widening an existing roadway 2) Road Widening : Project to add a new lane to an existing roadway 3) Bridge/Overpass Construction : Project to build an elevated roadway, which generally requires some different equipment than a new roadway, such as a crane 4) Other Linear Project Type: Non-roadway project such as a pipeline, transmission line, or levee construction</td> </tr> <tr> <td>Project Length</td> <td colspan="2">0.30 miles</td> </tr> <tr> <td>Total Project Area</td> <td colspan="2">0.85 acres</td> </tr> <tr> <td>Maximum Area Disturbed/Day</td> <td colspan="2">0.85 acres</td> </tr> <tr> <td>Water Trucks Used?</td> <td colspan="2">1. Yes 2. No</td> </tr> </table>			Project Name	Black Mountain Road Ramp Widening		Construction Start Year	2018		Project Type	2		Project Construction Time	1.00	month	Working Days per Month	22.00	days (assume 22 if unknown)	Predominant Soil/Site Type: Enter 1, 2, or 3 (for project within "Sacramento County", follow soil type selection instructions in cells E18 to E20 otherwise see instructions provided in cells J18 to J22)	1) New Road Construction : Project to build a roadway from bare ground, which generally requires more site preparation than widening an existing roadway 2) Road Widening : Project to add a new lane to an existing roadway 3) Bridge/Overpass Construction : Project to build an elevated roadway, which generally requires some different equipment than a new roadway, such as a crane 4) Other Linear Project Type: Non-roadway project such as a pipeline, transmission line, or levee construction		Project Length	0.30 miles		Total Project Area	0.85 acres		Maximum Area Disturbed/Day	0.85 acres		Water Trucks Used?	1. Yes 2. No											
Project Name	Black Mountain Road Ramp Widening																																									
Construction Start Year	2018																																									
Project Type	2																																									
Project Construction Time	1.00	month																																								
Working Days per Month	22.00	days (assume 22 if unknown)																																								
Predominant Soil/Site Type: Enter 1, 2, or 3 (for project within "Sacramento County", follow soil type selection instructions in cells E18 to E20 otherwise see instructions provided in cells J18 to J22)	1) New Road Construction : Project to build a roadway from bare ground, which generally requires more site preparation than widening an existing roadway 2) Road Widening : Project to add a new lane to an existing roadway 3) Bridge/Overpass Construction : Project to build an elevated roadway, which generally requires some different equipment than a new roadway, such as a crane 4) Other Linear Project Type: Non-roadway project such as a pipeline, transmission line, or levee construction																																									
Project Length	0.30 miles																																									
Total Project Area	0.85 acres																																									
Maximum Area Disturbed/Day	0.85 acres																																									
Water Trucks Used?	1. Yes 2. No																																									
Material Hauling Quantity Input <table border="1"> <thead> <tr> <th>Material Type</th> <th>Phase</th> <th>Haul Truck Capacity (yd³) (assume 20 if unknown)</th> <th>Import Volume (yd³/day)</th> <th>Export Volume (yd³/day)</th> </tr> </thead> <tbody> <tr> <td rowspan="3">Soil</td> <td>Grubbing/Land Clearing</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Grading/Excavation</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Drainage/Utilities/Sub-Grade</td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="3">Asphalt</td> <td>Paving</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Grubbing/Land Clearing</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Grading/Excavation</td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="2"></td> <td>Drainage/Utilities/Sub-Grade</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Paving</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Material Type	Phase	Haul Truck Capacity (yd ³) (assume 20 if unknown)	Import Volume (yd ³ /day)	Export Volume (yd ³ /day)	Soil	Grubbing/Land Clearing				Grading/Excavation				Drainage/Utilities/Sub-Grade				Asphalt	Paving				Grubbing/Land Clearing				Grading/Excavation					Drainage/Utilities/Sub-Grade				Paving			
Material Type	Phase	Haul Truck Capacity (yd ³) (assume 20 if unknown)	Import Volume (yd ³ /day)	Export Volume (yd ³ /day)																																						
Soil	Grubbing/Land Clearing																																									
	Grading/Excavation																																									
	Drainage/Utilities/Sub-Grade																																									
Asphalt	Paving																																									
	Grubbing/Land Clearing																																									
	Grading/Excavation																																									
	Drainage/Utilities/Sub-Grade																																									
	Paving																																									
Mitigation Options <table border="1"> <tr> <td>On-road Fleet Emissions Mitigation</td> <td>Select "2010 and Newer On-road Vehicles Fleet" option when the on-road heavy-duty truck fleet for the project will be limited to vehicles of model year 2010 or newer</td> </tr> <tr> <td>Off-road Equipment Emissions Mitigation</td> <td>Select "20% NOx and 45% Exhaust PM reduction" option if the project will be required to use a lower emitting off-road construction fleet. The SMAQMD Construction Mitigation Calculator can be used to confirm compliance with this mitigation measure (http://www.airquality.org/ceqa/mitigation.shtml). Select "Tier 4 Equipment" option if some or all off-road equipment used for the project meets CARB Tier 4 Standard</td> </tr> </table>			On-road Fleet Emissions Mitigation	Select "2010 and Newer On-road Vehicles Fleet" option when the on-road heavy-duty truck fleet for the project will be limited to vehicles of model year 2010 or newer	Off-road Equipment Emissions Mitigation	Select "20% NOx and 45% Exhaust PM reduction" option if the project will be required to use a lower emitting off-road construction fleet. The SMAQMD Construction Mitigation Calculator can be used to confirm compliance with this mitigation measure (http://www.airquality.org/ceqa/mitigation.shtml). Select "Tier 4 Equipment" option if some or all off-road equipment used for the project meets CARB Tier 4 Standard																																				
On-road Fleet Emissions Mitigation	Select "2010 and Newer On-road Vehicles Fleet" option when the on-road heavy-duty truck fleet for the project will be limited to vehicles of model year 2010 or newer																																									
Off-road Equipment Emissions Mitigation	Select "20% NOx and 45% Exhaust PM reduction" option if the project will be required to use a lower emitting off-road construction fleet. The SMAQMD Construction Mitigation Calculator can be used to confirm compliance with this mitigation measure (http://www.airquality.org/ceqa/mitigation.shtml). Select "Tier 4 Equipment" option if some or all off-road equipment used for the project meets CARB Tier 4 Standard																																									
<small>The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional.</small>																																										



Note: The program's estimates of construction period phase length can be overridden in cells D50 through D53, and F50 through F53.

Construction Periods	User Overrides of Construction Months	Program Calculated Months	User Override of Phase Starting Date	Program Default Phase Starting Date
Grubbing/Land Clearing		0.10		1/1/2018
Grading/Excavation		0.45		1/5/2018
Drainage/Utilities/Sub-Grade		0.30		1/19/2018
Paving		0.15		1/29/2018
Totals (Months)		1		

Note: Soil Hauling emission default values can be overridden in cells D61 through D64, and F61 through F64.

User Input	Soil Hauling Emissions		User Override of Truck Round Trips/Day	Default Values Round Trips/Day	Calculated Daily VMT									
	User Override of Miles/Round Trip	Program Estimate of Miles/Round Trip			ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Miles/round trip: Grubbing/Land Clearing		30.00		0	0.00									
Miles/round trip: Grading/Excavation		30.00		0	0.00									
Miles/round trip: Drainage/Utilities/Sub-Grade		30.00		0	0.00									
Miles/round trip: Paving		30.00		0	0.00									
Hauling Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e				
Pounds per day - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Total tons per construction project	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Note: Asphalt Hauling emission default values can be overridden in cells D87 through D90, and F87 through F90.

User Input	Asphalt Hauling Emissions		User Override of Truck Round Trips/Day	Default Values Round Trips/Day	Calculated Daily VMT									
	User Override of Miles/Round Trip	Program Estimate of Miles/Round Trip			ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Miles/round trip: Grubbing/Land Clearing		30.00		0	0.00									
Miles/round trip: Grading/Excavation		30.00		0	0.00									
Miles/round trip: Drainage/Utilities/Sub-Grade		30.00		0	0.00									
Miles/round trip: Paving		30.00		0	0.00									
Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e				
Pounds per day - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Total tons per construction project	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Note: Worker commute default values can be overridden in cells D113 through D118.

Worker Commute Emissions		User Override of Worker Commute Default Values											
User Input		Default Values											
Miles/ one-way trip	20	Calculated Daily Trips		Calculated Daily VMT									
One-way trips/day	2												
No. of employees: Grubbing/Land Clearing	5			10									
No. of employees: Grading/Excavation	20			40									
No. of employees: Drainage/Utilities/Sub-Grade	14			28									
No. of employees: Paving	10			20									
		400.00											
Emission Rates	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e			
Grubbing/Land Clearing (grams/mile)	0.03	1.33	0.15	0.05	0.02	0.00	393.83	0.01	0.01	395.91			
Grading/Excavation (grams/mile)	0.03	1.33	0.15	0.05	0.02	0.00	393.83	0.01	0.01	395.91			
Draining/Utilities/Sub-Grade (grams/mile)	0.03	1.33	0.15	0.05	0.02	0.00	393.83	0.01	0.01	395.91			
Paving (grams/mile)	0.03	1.33	0.15	0.05	0.02	0.00	393.83	0.01	0.01	395.91			
Grubbing/Land Clearing (grams/trip)	1.17	3.21	0.26	0.00	0.00	0.00	87.83	0.02	0.01	91.49			
Grading/Excavation (grams/trip)	1.17	3.21	0.26	0.00	0.00	0.00	87.83	0.02	0.01	91.49			
Draining/Utilities/Sub-Grade (grams/trip)	1.17	3.21	0.26	0.00	0.00	0.00	87.83	0.02	0.01	91.49			
Paving (grams/trip)	1.17	3.21	0.26	0.00	0.00	0.00	87.83	0.02	0.01	91.49			
Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e			
Pounds per day - Grubbing/Land Clearing	0.04	0.66	0.07	0.02	0.01	0.00	175.58	0.01	0.00	176.58			
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.19			
Pounds per day - Grading/Excavation	0.15	2.62	0.28	0.08	0.03	0.01	702.34	0.02	0.01	706.33			
Tons per const. Period - Grading/Excavation	0.00	0.01	0.00	0.00	0.00	0.00	3.48	0.00	0.00	3.50			
Pounds per day - Drainage/Utilities/Sub-Grade	0.11	1.84	0.20	0.06	0.02	0.00	491.64	0.01	0.01	494.43			
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.01	0.00	0.00	0.00	0.00	1.62	0.00	0.00	1.63			
Pounds per day - Paving	0.08	1.31	0.14	0.04	0.02	0.00	351.17	0.01	0.01	353.16			
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.00	0.00	0.58			
Total tons per construction project	0.00	0.02	0.00	0.00	0.00	0.00	5.87	0.00	0.00	5.90			

Note: Water Truck default values can be overridden in cells D145 through D148, and F145 through F148.

Water Truck Emissions		User Override of Program Estimate of Number of Water Trucks			User Override of Truck Miles Traveled/Vehicle/Day		Default Values Miles Traveled/Vehicle/Day			Calculated Daily VMT		
User Input		Default # Water Trucks	Number of Water Trucks	Program Estimate of Number of Water Trucks	Miles Traveled/Vehicle/Day		Miles Traveled/Vehicle/Day		Miles Traveled/Vehicle/Day		Miles Traveled/Vehicle/Day	
Grubbing/Land Clearing - Exhaust		0	0	0	40.00		0.00		0.00		0.00	
Grading/Excavation - Exhaust		0	0	0	40.00		0.00		0.00		0.00	
Drainage/Utilities/Subgrade		0	0	0	40.00		0.00		0.00		0.00	
Paving		0	0	0	40.00		0.00		0.00		0.00	
Emission Rates	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e		
Grubbing/Land Clearing (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93		
Grading/Excavation (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93		
Draining/Utilities/Sub-Grade (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93		
Paving (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93		
Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e		
Pounds per day - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Total tons per construction project	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Note: Fugitive dust default values can be overridden in cells D171 through D173.

Fugitive Dust	User Override of Max Acreage Disturbed/Day	Default Maximum Acreage/Day	PM10 pounds/day	PM10 tons/period	PM2.5 pounds/day	PM2.5 tons/period
Fugitive Dust - Grubbing/Land Clearing		0.85	17.00	0.02	3.54	0.00
Fugitive Dust - Grading/Excavation		0.85	17.00	0.08	3.54	0.02
Fugitive Dust - Drainage/Utilities/Subgrade		0.85	17.00	0.06	3.54	0.01

Off-Road Equipment Emissions														
Grubbing/Land Clearing	Number of Vehicles	Default Mitigation Option		Default	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
		Override of Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option Selected)												
		Override of Default Number of Vehicles	Program-estimate	Equipment Tier	Type	pounds/day								
				Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
			1	Model Default Tier	Crawler Tractors	0.63	2.61	8.34	0.32	0.29	0.01	775.49	0.24	
				Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
			2	Model Default Tier	Excavators	0.60	6.76	6.39	0.31	0.28	0.01	1,072.06	0.33	
				Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Graders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Rollers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Scrapers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Signal Boards	0.06	0.30	0.36	0.01	0.01	0.00	49.31	0.01	
				Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Tractors/Loaders/Backhoes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
User-Defined Off-road Equipment														
If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab														
Number of Vehicles		Equipment Tier	Type	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	Grubbing/Land Clearing				pounds per day	1.28	9.67	15.09	0.64	0.59	0.02	1,896.85	0.58	0.02
	Grubbing/Land Clearing				tons per phase	0.00	0.01	0.02	0.00	0.00	0.00	2.09	0.00	2.11

Grading/Excavation	Number of Vehicles	Default		Mitigation Option		Default	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
		Override of		Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option is selected)												
		Override of Default Number of Vehicles	Program-estimate	Selected)	Equipment Tier	Type	pounds/day									
					Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		0			Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		1			Model Default Tier	Crawler Tractors	0.63	2.61	8.34	0.32	0.29	0.01	775.49	0.24	0.01	783.53
					Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		3			Model Default Tier	Excavators	0.90	10.14	9.58	0.46	0.43	0.02	1,608.08	0.50	0.01	1,624.78
					Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2			Model Default Tier	Graders	1.67	9.39	16.72	0.94	0.86	0.01	1,258.82	0.39	0.01	1,271.83
					Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2			Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Rollers	0.52	3.92	5.05	0.35	0.32	0.01	534.41	0.17	0.00	539.95
					Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		1			Model Default Tier	Rubber Tired Loaders	0.42	1.71	5.25	0.18	0.16	0.01	619.57	0.19	0.01	626.01
		2			Model Default Tier	Scrapers	2.26	17.33	28.00	1.10	1.01	0.03	3,008.05	0.94	0.03	3,039.27
		1			Model Default Tier	Signal Boards	0.06	0.30	0.36	0.01	0.01	0.00	49.31	0.01	0.00	49.56
					Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		4			Model Default Tier	Tractors/Loaders/Backhoes	1.08	9.44	10.63	0.75	0.69	0.01	1,264.00	0.39	0.01	1,277.10
					Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
User-Defined Off-road Equipment		If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab					ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Number of Vehicles		Equipment Tier					Type	pounds/day								
0.00		N/A					0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A					0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A					0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A					0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A					0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A					0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Grading/Excavation		pounds per day			7.54	54.84	83.92	4.12	3.79	0.09	9,117.73	2.83	0.08	9,212.03
		Grading/Excavation		tons per phase			0.04	0.27	0.42	0.02	0.02	0.00	45.13	0.01	0.00	45.60

Drainage/Utilities/Subgrade	Default Number of Vehicles	Mitigation Option		Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option is selected)	Equipment Tier	pounds/day	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
		Override of Default Number of Vehicles	Program estimate													
	1			Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Air Compressors	0.40	2.47	2.67	0.20	0.20	0.00	375.27	0.04	0.00	0.00	377.00
				Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Crawler Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Excavators	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	1			Model Default Tier	Generator Sets	0.51	3.75	4.11	0.26	0.26	0.01	623.04	0.04	0.00	0.00	625.56
	1			Model Default Tier	Graders	0.84	4.69	8.36	0.47	0.43	0.01	629.41	0.20	0.01	0.00	635.92
				Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	1			Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Plate Compactors	0.04	0.21	0.25	0.01	0.01	0.00	34.48	0.00	0.00	0.00	34.65
				Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	1			Model Default Tier	Pumps	0.53	3.81	4.17	0.28	0.28	0.01	623.04	0.05	0.00	0.00	625.61
				Model Default Tier	Rollers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	1			Model Default Tier	Rough Terrain Forklifts	0.16	2.31	2.01	0.10	0.09	0.00	346.54	0.11	0.00	0.00	350.13
				Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	1			Model Default Tier	Scrapers	1.13	8.67	14.00	0.55	0.51	0.02	1,504.03	0.47	0.01	0.00	1,519.64
	1			Model Default Tier	Signal Boards	0.06	0.30	0.36	0.01	0.01	0.00	49.31	0.01	0.00	0.00	49.56
				Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3			Model Default Tier	Tractors/Loaders/Backhoes	0.81	7.08	7.97	0.56	0.52	0.01	948.00	0.30	0.01	0.00	957.82
				Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
User-Defined Off-road Equipment		If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab				Type	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Number of Vehicles		Equipment Tier				Type	pounds/day									
0.00		N/A				0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A				0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A				0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A				0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A				0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A				0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Drainage/Utilities/Sub-Grade				pounds per day	4.46	33.29	43.91	2.44	2.31	0.05	5,133.10	1.20	0.04	5,175.89
		Drainage/Utilities/Sub-Grade				tons per phase	0.01	0.11	0.14	0.01	0.01	0.00	16.94	0.00	0.00	17.08

Paving	Default Number of Vehicles	Mitigation Option		Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option is selected)	Equipment Tier	Type	pounds/day	CO2e								
		Default	Override of													
		Override of Default Number of Vehicles	Program estimate	Selected												
					Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Crawler Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Excavators	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Graders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1					Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1					Model Default Tier	Pavers	0.32	2.84	3.50	0.17	0.16	0.00	458.58	0.14	0.00	463.33
					Model Default Tier	Paving Equipment	0.24	2.52	2.64	0.13	0.12	0.00	406.90	0.13	0.00	411.13
					Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2					Model Default Tier	Rollers	0.52	3.92	5.05	0.35	0.32	0.01	534.41	0.17	0.00	539.95
					Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Scrapers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1					Model Default Tier	Signal Boards	0.06	0.30	0.36	0.01	0.01	0.00	49.31	0.01	0.00	49.56
					Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3					Model Default Tier	Tractors/Loaders/Backhoes	0.81	7.08	7.97	0.56	0.52	0.01	948.00	0.30	0.01	957.82
					Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
User-Defined Off-road Equipment		If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab					ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
	Number of Vehicles		Equipment Tier	Type			pounds/day									
0.00			N/A				0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			N/A				0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			N/A				0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			N/A				0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			N/A				0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			N/A				0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Paving				pounds per day	1.94	16.66	19.51	1.23	1.13	0.02	2,397.20	0.74	0.02	2,421.80
		Paving				tons per phase	0.00	0.03	0.03	0.00	0.00	0.00	3.96	0.00	0.00	4.00
Total Emissions all Phases (tons per construction period) =>							0.06	0.42	0.61	0.03	0.03	0.00	68.11	0.02	0.00	68.78

Equipment default values for horsepower and hours/day can be overridden in cells D391 through D424 and F391 through F424.

Equipment	User Override of Horsepower	Default Values Horsepower	User Override of Hours/day	Default Values Hours/day
Aerial Lifts		63		8
Air Compressors		78		8
Bore/Drill Rigs		206		8
Cement and Mortar Mixers		9		8
Concrete/Industrial Saws		81		8
Cranes		226		8
Crawler Tractors		208		8
Crushing/Proc. Equipment		85		8
Excavators		163		8
Forklifts		89		8
Generator Sets		84		8
Graders		175		8
Off-Highway Tractors		123		8
Off-Highway Trucks		400		8
Other Construction Equipment		172		8
Other General Industrial Equipment		88		8
Other Material Handling Equipment		167		8
Pavers		126		8
Paving Equipment		131		8
Plate Compactors		8		8
Pressure Washers		13		8
Pumps		84		8
Rollers		81		8
Rough Terrain Forklifts		100		8
Rubber Tired Dozers		255		8
Rubber Tired Loaders		200		8
Scrapers		362		8
Signal Boards		6		8
Skid Steer Loaders		65		8
Surfacing Equipment		254		8
Sweepers/Scrubbers		64		8
Tractors/Loaders/Backhoes		98		8
Trenchers		81		8
Welders		46		8

END OF DATA ENTRY SHEET

ATTACHMENT 4

Road Construction Emissions Model, Version 8.1.0

Daily Emission Estimates for -> Black Mountain Road Restripping/Widening																
Project Phases (Pounds)	ROG (lbs/day)	CO (lbs/day)	NOx (lbs/day)	Total	Exhaust	Fugitive Dust	Total	Exhaust	Fugitive Dust	PM2.5 (lbs/day)	PM2.5 (lbs/day)	SOx (lbs/day)	CO2 (lbs/day)	CH4 (lbs/day)	N2O (lbs/day)	CO2e (lbs/day)
	PM10 (lbs/day)	PM10 (lbs/day)	PM2.5 (lbs/day)	PM2.5 (lbs/day)	PM2.5 (lbs/day)	CO2 (lbs/day)	CH4 (lbs/day)	N2O (lbs/day)	CO2e (lbs/day)							
Grubbing/Land Clearing	1.02	6.94	11.97	12.51	0.51	12.00	2.95	0.46	2.50	0.02	1,536.41	0.42	0.01	1,551.27		
Grading/Excavation	4.06	28.30	44.96	14.13	2.13	12.00	4.41	1.92	2.50	0.05	5,399.38	1.47	0.05	5,451.82		
Drainage/Utilities/Sub-Grade	4.03	30.40	38.79	14.13	2.13	12.00	4.48	1.99	2.50	0.05	4,992.74	1.02	0.05	5,031.77		
Paving	1.22	11.29	11.82	0.72	0.72	0.00	0.64	0.64	0.00	0.02	1,849.16	0.47	0.02	1,866.44		
Maximum (pounds/day)	4.06	30.40	44.96	14.13	2.13	12.00	4.48	1.99	2.50	0.05	5,399.38	1.47	0.05	5,451.82		
Total (tons/construction project)	0.04	0.27	0.38	0.13	0.02	0.11	0.04	0.02	0.02	0.00	47.94	0.01	0.00	48.38		

Notes: Project Start Year -> 20

1

Maximum Arg

117

No	Total Material Imported/Exported Volume (yd ³ /day)		Daily VMT (miles/day)			
	Soil	Asphalt	Soil Hauling	Asphalt Hauling	Worker Commute	Water Truck
ng	0	0	0	0	200	0
on	0	0	0	0	800	0
e	0	0	0	0	560	0
ng	0	0	0	0	400	0

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.

CO₂e emissions are estimated by multiplying mass emissions for each GHG by its global warming potential (GWP), 1, 25 and 298 for CO₂, CH₄ and N₂O, respectively. Total CO₂e is then estimated by summing CO₂e estimates over all GHGs.

Total Emission Estimates by Phase for -> Black Mountain Road Restripping/Widening															
Project Phases <small>(Tons for all except CO2e. Metric tonnes for CO2e)</small>				Total		Exhaust		Fugitive Dust		Total		Exhaust		Fugitive Dust	
	ROG (tons/phase)	CO (tons/phase)	NOx (tons/phase)	PM10 (tons/phase)	PM10 (tons/phase)	PM10 (tons/phase)	PM2.5 (tons/phase)	PM2.5 (tons/phase)	PM2.5 (tons/phase)	SOx (tons/phase)	CO2 (tons/phase)	CH4 (tons/phase)	N2O (tons/phase)	CO2e (MT/phase)	
Grubbing/Land Clearing	0.00	0.01	0.01	0.01	0.00	0.01	0.00	0.00	0.00	0.00	1.69	0.00	0.00	1.55	
Grading/Excavation	0.02	0.14	0.22	0.07	0.01	0.06	0.02	0.01	0.01	0.00	26.73	0.01	0.00	24.48	
Drainage/Utilities/Sub-Grade	0.01	0.10	0.13	0.05	0.01	0.04	0.01	0.01	0.01	0.00	16.48	0.00	0.00	15.06	
Paving	0.00	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.05	0.00	0.00	2.79	
Maximum (tons/phase)	0.02	0.14	0.22	0.07	0.01	0.06	0.02	0.01	0.01	0.00	26.73	0.01	0.00	24.48	
Total (tons/construction project)	0.04	0.27	0.38	0.13	0.02	0.11	0.04	0.02	0.02	0.00	47.94	0.01	0.00	43.89	

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K. CO₂ emissions are calculated by multiplying the emission factor for each GHG by the total emissions in Column F (GWt). A-25 - LNSC - GMU - LNSC - T-1 LNSC is the multiplier for the CO₂ emissions for each GHG.

CO₂e emissions are estimated by multiplying mass emissions

Road Construction Emissions Model		Version 8.1.0																																								
Data Entry Worksheet																																										
<p>Note: Required data input sections have a yellow background. Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background.</p> <p>The user is required to enter information in cells D10 through D24, E28 through G35, and D38 through D41 for all project types. Please use "Clear Data Input & User Overrides" button first before changing the Project Type or begin a new project.</p>																																										
<p>Input Type</p> <table border="1"> <tr> <td>Project Name</td> <td colspan="2">Black Mountain Road Restriping/Widening</td> </tr> <tr> <td>Construction Start Year</td> <td colspan="2">2018</td> </tr> <tr> <td>Project Type</td> <td colspan="2">2</td> </tr> <tr> <td>Project Construction Time</td> <td>1.00</td> <td>month</td> </tr> <tr> <td>Working Days per Month</td> <td>22.00</td> <td>days (assume 22 if unknown)</td> </tr> <tr> <td>Predominant Soil/Site Type: Enter 1, 2, or 3 (for project within "Sacramento County", follow soil type selection instructions in cells E18 to E20 otherwise see instructions provided in cells J18 to J22)</td> <td colspan="2">1) New Road Construction : Project to build a roadway from bare ground, which generally requires more site preparation than widening an existing roadway 2) Road Widening : Project to add a new lane to an existing roadway 3) Bridge/Overpass Construction : Project to build an elevated roadway, which generally requires some different equipment than a new roadway, such as a crane 4) Other Linear Project Type: Non-roadway project such as a pipeline, transmission line, or levee construction</td> </tr> <tr> <td>Project Length</td> <td colspan="2">0.15 miles</td> </tr> <tr> <td>Total Project Area</td> <td>0.60 acres</td> <td></td> </tr> <tr> <td>Maximum Area Disturbed/Day</td> <td>0.60 acres</td> <td></td> </tr> <tr> <td>Water Trucks Used?</td> <td colspan="2">1. Yes 2. No</td> </tr> </table>			Project Name	Black Mountain Road Restriping/Widening		Construction Start Year	2018		Project Type	2		Project Construction Time	1.00	month	Working Days per Month	22.00	days (assume 22 if unknown)	Predominant Soil/Site Type: Enter 1, 2, or 3 (for project within "Sacramento County", follow soil type selection instructions in cells E18 to E20 otherwise see instructions provided in cells J18 to J22)	1) New Road Construction : Project to build a roadway from bare ground, which generally requires more site preparation than widening an existing roadway 2) Road Widening : Project to add a new lane to an existing roadway 3) Bridge/Overpass Construction : Project to build an elevated roadway, which generally requires some different equipment than a new roadway, such as a crane 4) Other Linear Project Type: Non-roadway project such as a pipeline, transmission line, or levee construction		Project Length	0.15 miles		Total Project Area	0.60 acres		Maximum Area Disturbed/Day	0.60 acres		Water Trucks Used?	1. Yes 2. No											
Project Name	Black Mountain Road Restriping/Widening																																									
Construction Start Year	2018																																									
Project Type	2																																									
Project Construction Time	1.00	month																																								
Working Days per Month	22.00	days (assume 22 if unknown)																																								
Predominant Soil/Site Type: Enter 1, 2, or 3 (for project within "Sacramento County", follow soil type selection instructions in cells E18 to E20 otherwise see instructions provided in cells J18 to J22)	1) New Road Construction : Project to build a roadway from bare ground, which generally requires more site preparation than widening an existing roadway 2) Road Widening : Project to add a new lane to an existing roadway 3) Bridge/Overpass Construction : Project to build an elevated roadway, which generally requires some different equipment than a new roadway, such as a crane 4) Other Linear Project Type: Non-roadway project such as a pipeline, transmission line, or levee construction																																									
Project Length	0.15 miles																																									
Total Project Area	0.60 acres																																									
Maximum Area Disturbed/Day	0.60 acres																																									
Water Trucks Used?	1. Yes 2. No																																									
<p>Material Hauling Quantity Input</p> <table border="1"> <thead> <tr> <th>Material Type</th> <th>Phase</th> <th>Haul Truck Capacity (yd³) (assume 20 if unknown)</th> <th>Import Volume (yd³/day)</th> <th>Export Volume (yd³/day)</th> </tr> </thead> <tbody> <tr> <td rowspan="3">Soil</td> <td>Grubbing/Land Clearing</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Grading/Excavation</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Drainage/Utilities/Sub-Grade</td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="3">Asphalt</td> <td>Paving</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Grubbing/Land Clearing</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Grading/Excavation</td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="2"></td> <td>Drainage/Utilities/Sub-Grade</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Paving</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Material Type	Phase	Haul Truck Capacity (yd ³) (assume 20 if unknown)	Import Volume (yd ³ /day)	Export Volume (yd ³ /day)	Soil	Grubbing/Land Clearing				Grading/Excavation				Drainage/Utilities/Sub-Grade				Asphalt	Paving				Grubbing/Land Clearing				Grading/Excavation					Drainage/Utilities/Sub-Grade				Paving			
Material Type	Phase	Haul Truck Capacity (yd ³) (assume 20 if unknown)	Import Volume (yd ³ /day)	Export Volume (yd ³ /day)																																						
Soil	Grubbing/Land Clearing																																									
	Grading/Excavation																																									
	Drainage/Utilities/Sub-Grade																																									
Asphalt	Paving																																									
	Grubbing/Land Clearing																																									
	Grading/Excavation																																									
	Drainage/Utilities/Sub-Grade																																									
	Paving																																									
<p>Mitigation Options</p> <table border="1"> <tr> <td>On-road Fleet Emissions Mitigation</td> <td>Select "2010 and Newer On-road Vehicles Fleet" option when the on-road heavy-duty truck fleet for the project will be limited to vehicles of model year 2010 or newer</td> </tr> <tr> <td>Off-road Equipment Emissions Mitigation</td> <td>Select "20% NOx and 45% Exhaust PM reduction" option if the project will be required to use a lower emitting off-road construction fleet. The SMAQMD Construction Mitigation Calculator can be used to confirm compliance with this mitigation measure (http://www.airquality.org/ceqa/mitigation.shtml). Select "Tier 4 Equipment" option if some or all off-road equipment used for the project meets CARB Tier 4 Standard</td> </tr> </table>			On-road Fleet Emissions Mitigation	Select "2010 and Newer On-road Vehicles Fleet" option when the on-road heavy-duty truck fleet for the project will be limited to vehicles of model year 2010 or newer	Off-road Equipment Emissions Mitigation	Select "20% NOx and 45% Exhaust PM reduction" option if the project will be required to use a lower emitting off-road construction fleet. The SMAQMD Construction Mitigation Calculator can be used to confirm compliance with this mitigation measure (http://www.airquality.org/ceqa/mitigation.shtml). Select "Tier 4 Equipment" option if some or all off-road equipment used for the project meets CARB Tier 4 Standard																																				
On-road Fleet Emissions Mitigation	Select "2010 and Newer On-road Vehicles Fleet" option when the on-road heavy-duty truck fleet for the project will be limited to vehicles of model year 2010 or newer																																									
Off-road Equipment Emissions Mitigation	Select "20% NOx and 45% Exhaust PM reduction" option if the project will be required to use a lower emitting off-road construction fleet. The SMAQMD Construction Mitigation Calculator can be used to confirm compliance with this mitigation measure (http://www.airquality.org/ceqa/mitigation.shtml). Select "Tier 4 Equipment" option if some or all off-road equipment used for the project meets CARB Tier 4 Standard																																									
<p>The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional.</p>																																										



Note: The program's estimates of construction period phase length can be overridden in cells D50 through D53, and F50 through F53.

Construction Periods	User Overrides of Construction Months	Program Calculated Months	User Override of Phase Starting Date	Program Default Phase Starting Date
Grubbing/Land Clearing		0.10		1/1/2018
Grading/Excavation		0.45		1/5/2018
Drainage/Utilities/Sub-Grade		0.30		1/19/2018
Paving		0.15		1/29/2018
Totals (Months)		1		

Note: Soil Hauling emission default values can be overridden in cells D61 through D64, and F61 through F64.

User Input	Soil Hauling Emissions		User Override of Truck Round Trips/Day	Default Values Round Trips/Day	Calculated Daily VMT									
	User Override of Miles/Round Trip	Program Estimate of Miles/Round Trip			ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Miles/round trip: Grubbing/Land Clearing		30.00		0	0.00									
Miles/round trip: Grading/Excavation		30.00		0	0.00									
Miles/round trip: Drainage/Utilities/Sub-Grade		30.00		0	0.00									
Miles/round trip: Paving		30.00		0	0.00									
Hauling Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e				
Pounds per day - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Total tons per construction project	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Note: Asphalt Hauling emission default values can be overridden in cells D87 through D90, and F87 through F90.

User Input	Asphalt Hauling Emissions		User Override of Truck Round Trips/Day	Default Values Round Trips/Day	Calculated Daily VMT									
	User Override of Miles/Round Trip	Program Estimate of Miles/Round Trip			ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Miles/round trip: Grubbing/Land Clearing		30.00		0	0.00									
Miles/round trip: Grading/Excavation		30.00		0	0.00									
Miles/round trip: Drainage/Utilities/Sub-Grade		30.00		0	0.00									
Miles/round trip: Paving		30.00		0	0.00									
Emissions Rates	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e				
Grubbing/Land Clearing (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93				
Grading/Excavation (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93				
Draining/Utilities/Sub-Grade (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93				
Paving (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93				
Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e				
Pounds per day - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Total tons per construction project	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Note: Worker commute default values can be overridden in cells D113 through D118.

Worker Commute Emissions		User Override of Worker Commute Default Values											
User Input		Default Values											
Miles/ one-way trip	20	Calculated Daily Trips		Calculated Daily VMT									
One-way trips/day	2												
No. of employees: Grubbing/Land Clearing	5	10		200.00									
No. of employees: Grading/Excavation	20	40		800.00									
No. of employees: Drainage/Utilities/Sub-Grade	14	28		560.00									
No. of employees: Paving	10	20		400.00									
Emission Rates	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e			
Grubbing/Land Clearing (grams/mile)	0.03	1.33	0.15	0.05	0.02	0.00	393.83	0.01	0.01	395.91			
Grading/Excavation (grams/mile)	0.03	1.33	0.15	0.05	0.02	0.00	393.83	0.01	0.01	395.91			
Draining/Utilities/Sub-Grade (grams/mile)	0.03	1.33	0.15	0.05	0.02	0.00	393.83	0.01	0.01	395.91			
Paving (grams/mile)	0.03	1.33	0.15	0.05	0.02	0.00	393.83	0.01	0.01	395.91			
Grubbing/Land Clearing (grams/trip)	1.17	3.21	0.26	0.00	0.00	0.00	87.83	0.02	0.01	91.49			
Grading/Excavation (grams/trip)	1.17	3.21	0.26	0.00	0.00	0.00	87.83	0.02	0.01	91.49			
Draining/Utilities/Sub-Grade (grams/trip)	1.17	3.21	0.26	0.00	0.00	0.00	87.83	0.02	0.01	91.49			
Paving (grams/trip)	1.17	3.21	0.26	0.00	0.00	0.00	87.83	0.02	0.01	91.49			
Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e			
Pounds per day - Grubbing/Land Clearing	0.04	0.66	0.07	0.02	0.01	0.00	175.58	0.01	0.00	176.58			
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.19			
Pounds per day - Grading/Excavation	0.15	2.62	0.28	0.08	0.03	0.01	702.34	0.02	0.01	706.33			
Tons per const. Period - Grading/Excavation	0.00	0.01	0.00	0.00	0.00	0.00	3.48	0.00	0.00	3.50			
Pounds per day - Drainage/Utilities/Sub-Grade	0.11	1.84	0.20	0.06	0.02	0.00	491.64	0.01	0.01	494.43			
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.01	0.00	0.00	0.00	0.00	1.62	0.00	0.00	1.63			
Pounds per day - Paving	0.08	1.31	0.14	0.04	0.02	0.00	351.17	0.01	0.01	353.16			
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.00	0.00	0.58			
Total tons per construction project	0.00	0.02	0.00	0.00	0.00	0.00	5.87	0.00	0.00	5.90			

Note: Water Truck default values can be overridden in cells D145 through D148, and F145 through F148.

Water Truck Emissions		User Override of Program Estimate of Number of Water Trucks			User Override of Truck Miles Traveled/Vehicle/Day		Default Values Miles Traveled/Vehicle/Day			Calculated Daily VMT	
User Input		Default # Water Trucks	Number of Water Trucks	Program Estimate of Number of Water Trucks	Miles Traveled/Vehicle/Day		Miles Traveled/Vehicle/Day		Miles Traveled/Vehicle/Day		Calculated Daily VMT
Grubbing/Land Clearing - Exhaust		0	0	0	40.00		40.00		0.00		
Grading/Excavation - Exhaust		0	0	0	40.00		40.00		0.00		
Drainage/Utilities/Subgrade		0	0	0	40.00		40.00		0.00		
Paving		0	0	0	40.00		40.00		0.00		
Emission Rates	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Grubbing/Land Clearing (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93	
Grading/Excavation (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93	
Draining/Utilities/Sub-Grade (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93	
Paving (grams/mile)	0.07	0.36	1.51	0.10	0.04	0.02	1,590.26	0.00	0.05	1,605.93	
Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Pounds per day - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Total tons per construction project	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Note: Fugitive dust default values can be overridden in cells D171 through D173.

Fugitive Dust	User Override of Max Acreage Disturbed/Day	Default Maximum Acreage/Day	PM10 pounds/day	PM10 tons/period	PM2.5 pounds/day	PM2.5 tons/period
Fugitive Dust - Grubbing/Land Clearing		0.60	12.00	0.01	2.50	0.00
Fugitive Dust - Grading/Excavation		0.60	12.00	0.06	2.50	0.01
Fugitive Dust - Drainage/Utilities/Subgrade		0.60	12.00	0.04	2.50	0.01

Off-Road Equipment Emissions																							
Grubbing/Land Clearing	Default Number of Vehicles		Mitigation Option		Default	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e								
			Override of Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option Selected)																				
	Override of Default Number of Vehicles	Program-estimate																					
					Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
1.00	1				Model Default Tier	Crawler Tractors	0.63	2.61	8.34	0.32	0.29	0.01	775.49	0.24	0.01								
					Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
1.00	2				Model Default Tier	Excavators	0.30	3.38	3.19	0.15	0.14	0.01	536.03	0.17	0.00								
					Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Graders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Rollers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Scrapers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
1.00	1				Model Default Tier	Signal Boards	0.06	0.30	0.36	0.01	0.01	0.00	49.31	0.01	0.00								
					Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Tractors/Loaders/Backhoes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
					Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								
User-Defined Off-road Equipment																							
If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab																							
Number of Vehicles		Equipment Tier		Type	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e									
0.00			N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00									
0.00			N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00									
0.00			N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00									
0.00			N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00									
0.00			N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00									
0.00			N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00									
0.00			N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00									
	Grubbing/Land Clearing			pounds per day	0.98	6.29	11.90	0.48	0.45	0.01	1,360.83	0.41	0.01	1,374.69									
	Grubbing/Land Clearing			tons per phase	0.00	0.01	0.01	0.00	0.00	0.00	1.50	0.00	0.00	1.51									

Grading/Excavation	Default Number of Vehicles	Mitigation Option		Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option is selected)	Equipment Tier	Type	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	CO _{2e}	
		Default	Override of Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option is selected)														
		Override of Default Number of Vehicles	Program estimate														
				Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00	0		Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	1.00	1		Model Default Tier	Crawler Tractors	0.63	2.61	8.34	0.32	0.29	0.01	775.49	0.24	0.01	783.53		
				Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	1.00	3		Model Default Tier	Excavators	0.30	3.38	3.19	0.15	0.14	0.01	536.03	0.17	0.00	541.59		
				Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	1.00	2		Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Graders	0.84	4.69	8.36	0.47	0.43	0.01	629.41	0.20	0.01	635.92		
				Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	1.00	2		Model Default Tier	Rollers	0.26	1.96	2.52	0.17	0.16	0.00	267.21	0.08	0.00	269.98		
				Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	1.00	1		Model Default Tier	Rubber Tired Loaders	0.42	1.71	5.25	0.18	0.16	0.01	619.57	0.19	0.01	626.01		
	1.00	2		Model Default Tier	Scrapers	1.13	8.67	14.00	0.55	0.51	0.02	1,504.03	0.47	0.01	1,519.64		
	1.00	1		Model Default Tier	Signal Boards	0.06	0.30	0.36	0.01	0.01	0.00	49.31	0.01	0.00	49.56		
				Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	1.00	4		Model Default Tier	Tractors/Loaders/Backhoes	0.27	2.36	2.66	0.19	0.17	0.00	316.00	0.10	0.00	319.27		
				Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
				Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
User-Defined Off-road Equipment		If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab					ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Number of Vehicles							Type	pounds/day									
0.00					N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00					N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00					N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00					N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00					N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00					N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	Grading/Excavation						pounds per day	3.91	25.68	44.68	2.05	1.88	0.05	4,697.04	1.45	0.04	4,745.50
	Grading/Excavation						tons per phase	0.02	0.13	0.22	0.01	0.01	0.00	23.25	0.01	0.00	23.49

Drainage/Utilities/Subgrade	Default			Mitigation Option Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option is selected)	Default		ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e		
	Number of Vehicles	Override of Default Number of Vehicles																
		Program estimate	Selected		Equipment Tier		pounds/day											
					Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Air Compressors	0.40	2.47	2.67	0.20	0.20	0.00	375.27	0.04	0.00	377.00		
					Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Crawler Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Excavators	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Generator Sets	0.51	3.75	4.11	0.26	0.26	0.01	623.04	0.04	0.00	625.56		
					Model Default Tier	Graders	0.84	4.69	8.36	0.47	0.43	0.01	629.41	0.20	0.01	635.92		
					Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Plate Compactors	0.04	0.21	0.25	0.01	0.01	0.00	34.48	0.00	0.00	34.65		
					Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Pumps	0.53	3.81	4.17	0.28	0.28	0.01	623.04	0.05	0.00	625.61		
					Model Default Tier	Rollers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Rough Terrain Forklifts	0.16	2.31	2.01	0.10	0.09	0.00	346.54	0.11	0.00	350.13		
					Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Scrapers	1.13	8.67	14.00	0.55	0.51	0.02	1,504.03	0.47	0.01	1,519.64		
					Model Default Tier	Signal Boards	0.06	0.30	0.36	0.01	0.01	0.00	49.31	0.01	0.00	49.56		
					Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Tractors/Loaders/Backhoes	0.27	2.36	2.66	0.19	0.17	0.00	316.00	0.10	0.00	319.27		
					Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
					Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
User-Defined Off-road Equipment		If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab			Equipment Tier	Type	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e		
	Number of Vehicles						pounds/day											
	0.00				N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
	0.00				N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
	0.00				N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
	0.00				N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
	0.00				N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
	0.00				N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
		Drainage/Utilities/Sub-Grade				pounds per day	3.93	28.57	38.59	2.07	1.96	0.05	4,501.10	1.01	0.04	4,537.34		
		Drainage/Utilities/Sub-Grade				tons per phase	0.01	0.09	0.13	0.01	0.01	0.00	14.85	0.00	0.00	14.97		

Paving	Default Number of Vehicles	Mitigation Option		Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option Selected)	Equipment Tier	Type	pounds/day	CO2e									
		Override of	Default														
		Override of Default Number of Vehicles	Program-estimate														
				Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Crawler Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Excavators	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Graders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
1.00	1			Model Default Tier	Pavers	0.32	2.84	3.50	0.17	0.16	0.00	458.58	0.14	0.00	463.33		
1.00	1			Model Default Tier	Paving Equipment	0.24	2.52	2.64	0.13	0.12	0.00	406.90	0.13	0.00	411.13		
				Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
1.00	2			Model Default Tier	Rollers	0.26	1.96	2.52	0.17	0.16	0.00	267.21	0.08	0.00	269.98		
				Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Scrapers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
1.00	1			Model Default Tier	Signal Boards	0.06	0.30	0.36	0.01	0.01	0.00	49.31	0.01	0.00	49.56		
				Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
1.00	3			Model Default Tier	Tractors/Loaders/Backhoes	0.27	2.36	2.66	0.19	0.17	0.00	316.00	0.10	0.00	319.27		
				Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
				Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
User-Defined Off-road Equipment		If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab					ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
	Number of Vehicles		Equipment Tier	Type		pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
		Paving				pounds per day		1.14	9.97	11.68	0.68	0.62	0.02	1,497.99	0.46	0.01	1,513.27
		Paving				tons per phase		0.00	0.02	0.02	0.00	0.00	0.00	2.47	0.00	0.00	2.50
Total Emissions all Phases (tons per construction period) =>								0.04	0.24	0.38	0.02	0.02	0.00	42.07	0.01	0.00	42.47

Equipment default values for horsepower and hours/day can be overridden in cells D391 through D424 and F391 through F424.

Equipment	User Override of Horsepower	Default Values Horsepower	User Override of Hours/day	Default Values Hours/day
Aerial Lifts		63		8
Air Compressors		78		8
Bore/Drill Rigs		206		8
Cement and Mortar Mixers		9		8
Concrete/Industrial Saws		81		8
Cranes		226		8
Crawler Tractors		208		8
Crushing/Proc. Equipment		85		8
Excavators		163		8
Forklifts		89		8
Generator Sets		84		8
Graders		175		8
Off-Highway Tractors		123		8
Off-Highway Trucks		400		8
Other Construction Equipment		172		8
Other General Industrial Equipment		88		8
Other Material Handling Equipment		167		8
Pavers		126		8
Paving Equipment		131		8
Plate Compactors		8		8
Pressure Washers		13		8
Pumps		84		8
Rollers		81		8
Rough Terrain Forklifts		100		8
Rubber Tired Dozers		255		8
Rubber Tired Loaders		200		8
Scrapers		362		8
Signal Boards		6		8
Skid Steer Loaders		65		8
Surfacing Equipment		254		8
Sweepers/Scrubbers		64		8
Tractors/Loaders/Backhoes		98		8
Trenchers		81		8
Welders		46		8

END OF DATA ENTRY SHEET