

Appendix E Noise Modeling Data

Appendices

This page intentionally left blank.

Table 1 Existing Roadway Noise Levels 50 Feet from Roadway Centerline (SoundPLAN)

Roadway	Existing Roadway Noise Levels, Leq (dBA)	
	Daytime	Nighttime
Jurupa WO Sierra	71.9	65.8
Jurupa EO Etiwanda	76.0	70.0
Jurupa EO Vintage Rd	80.3	74.3
Jurupa WO Auto Center Dr	81.5	75.5
Jurupa WO I-15 Ramps	81.5	75.5
Jurupa WO Etiwanda	73.3	67.2
Marlay Ave WO Mulberry Ave	66.1	60.1
Milliken Ave NO Jurupa	50.6	44.5
Milliken Ave SO Airport	50.6	44.5
Milliken Ave SO Riverside Dr	73.9	67.9
Milliken between SR-60 Ramps	78.9	72.9
Milliken NO SR-60 Ramps	79.4	77.3
Milliken SO SR-60 EB Off-Ramp	72.0	65.9
Milliken SO Mission	79.4	73.3
Milliken SO Philadelphia	80.7	74.7
Mission Blvd EO Milliken	75.1	69.1
Mission Blvd WO fork WO SR-60 On-Ramp	75.6	69.5
Mission Blvd WO Wineville Ave	75.2	69.2
Mission EO SR-60 On Ramp EB	72.9	66.9
Mission WO SR-60 On Ramp EB	73.0	66.9
Mission WO SR-60 On Ramp WB	69.4	63.4
Philadelphia St EO Etiwanda	75.5	69.4
Philadelphia St EO Vintage Ave	73.4	67.4
Philadelphia St EO Wineville Ave	70.4	64.4
Philadelphia St WO Wineville Ave	79.8	73.8
Philadelphia WO Etiwanda	73.4	67.4
Santa Ana St WO Vintage Ave	57.0	51.0
Sierra Ave SO Jurupa Ave	73.6	67.6
Universe Drive SO Philadelphia	73.2	67.2
Wineville Ave NO Philadelphia Street	77.9	71.9
Wineville Ave SO Mission	67.7	61.7
NB I-15 Off Ramp to Jurupa St	73.6	67.6
SB I-15 On Ramp From Jurupa St	75.4	69.4
WB SR-60 Off-Ramp to I-15 NB	76.8	70.8
Country Village Rd NO WB SR-60 Ramps	79.4	73.3
Country Village Rd SO SR-60 WB Ramps	78.3	72.2
Etiwanda Ave SO Bellegrave Ave	73.3	67.3
Eitwanda Ave NO Philadelphia ST	82.7	76.7
Etiwanda Ave SO Riverside Dr.	72.3	73.3
Etiwanda Ave SO Cantu-Galleano Ranch Rd	75.3	69.3
Etiwanda Ave SO Slover	82.2	76.1
Etiwanda NO Cantu Galleano	78.8	72.8

Etiwanda NO Hopkins St	81.9	75.9
Etiwanda NO Iberia St	83.1	77.0
Etiwanda NO Jurupa	80.7	74.7
Etiwanda NO Marlay Ave	81.6	75.6
Etiwanda NO Slover	83.8	77.8
Etiwanda NO Van Buren	83.1	77.1
Etiwanda SO Van Buren	81.8	75.8
Mission Blvd SO Country Village Rd	78.5	72.5

Noise level estimated using SoundPLAN 7.3 modeling software.
Traffic data from Iteris, 2018

Table 2 Estimated Roadway Noise Levels, All Receivers (SoundPLAN)

Sensitive Receiver	2035 without restriction	2035 with restriction	Change in Noise Level (dB)	Jurisdiction
	L _{dn} (dBA)	L _{dn} (dBA)		
Commercial Use: 302 S Milliken Ave	59.4	61.9	2.5	Ontario
Commercial Use: 119 S Milliken Ave	59	61.7	2.7	Ontario
Commercial Use: 1851 S Wineville	75	76.3	1.3	Ontario
Commercial Use: 2802 S Milliken Ave	68.5	69.5	1	Ontario
Religious Institution: 3300 Cornerstone Dr (SE)	58.6	59.5	0.9	Eastvale
Religious Institution: 3300 Cornerstone Dr (NE)	60.8	62.4	1.6	Eastvale
Commercial Use: 4020 Etiwanda	70.8	70	-0.8	Jurupa Valley
Commercial Use: 4555 E Jurupa	73	74.3	1.3	Ontario
Commercial Use: 4880 Motor Lane	73.4	74.8	1.4	Ontario
Commercial Use: 11076 Venture Dr	72.4	73.7	1.3	Ontario
Commercial Use: 13191 Jurupa Ave	68.9	70	1.1	Fontana
Home along Springfield Dr (near Milliken)	55.2	56.1	0.9	Ontario
Home at Mulberry/Marlay (near Marlay)	52.2	51.1	-1.1	Fontana
Home at Philadelphia/Chardonay (near Philadelphia)	58.7	59.4	0.7	Jurupa Valley
Homes off Etiwanda (near 50th St)	69.1	68.9	-0.2	Jurupa Valley
Home along Celeste Ct (near Jurupa) ¹	60.4	61.9	1.5	Fontana
Homes near 9935 Mission Blvd	76.6	75.6	-1	Jurupa Valley
Homes off 27th St (near Sierra) ¹	63.5	64.4	0.9	Jurupa Valley

Noise level estimated using SoundPLAN 7.3 modeling software; Traffic data from Iteris, 2018

Bold values indicate a significant noise increase

Existing 6-foot boundary wall was included in the SoundPLAN model for these buildings

Etiwanda Truck Ordinance Average Daily Traffic

	Type	Road Link	Length (mi)	Existing			Opening Year 2020									2035							
				No Prohibition			Speed	No Prohibition			With Prohibition			Speed		No Prohibition			With Prohibition			Speed	
				Autos	Light Trucks	Trucks	No Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro
1	Arterial	AIRPORT DR EO Milliken	0.18	5,680	102	799	22.8	5,743	107	775	5,734	107	761	22.8	22.8	6533	170	471	6,522	171	462	25.2	25
2	Arterial	AIRPORT DR EO Wanamaker	0.5	5,731	103	407	26	5,802	108	413	5,792	108	406	26.0	26.0	6689	174	494	6,677	174	486	24.7	25
3	Arterial	AIRPORT DR WO Kettering Dr	0.13	5,731	103	814	25.8	5,802	108	790	5,792	108	776	25.8	25.8	6689	174	494	6,677	174	486	28.4	29
4	Arterial	AIRPORT DR WO Milliken	0.21	6,071	107	428	21.6	6,156	113	436	6,125	113	430	21.6	21.7	7219	186	540	7,183	185	533	19.4	20
5	Arterial	Armstrong Road NO Sierra	0.16	8,751	107	210	33.2	10,106	122	260	10,080	122	284	33.2	33.2	27046	304	881	26,967	303	982	34.6	35
6	Arterial	BELLEGRAVE AVE EO I-15	0.24	11,826	129	392	34.5	13,255	147	453	13,305	147	407	34.5	34.5	31113	373	1220	31,242	375	1,077	29.1	32
7	Arterial	BELLEGRAVE AVE EO Jurupa Road	0.81	8,365	102	392	31.4	9,753	119	451	9,798	120	402	31.4	31.4	27105	332	1185	27,248	334	1,035	32.6	35
8	Arterial	BELLEGRAVE AVE WO Jurupa Road	0.22	13,101	151	470	27.3	14,429	169	529	14,485	169	480	27.3	27.3	31025	390	1273	31,158	393	1,140	31.6	33
9	Arterial	Cantu-Galleano Ranch Road WO Etiwanda	1	13,716	244	1,233	42.3	14,841	263	1,281	15,073	266	923	42.3	42.4	28905	506	1884	29,394	512	1,336	41.5	43
10	Arterial	Cantu-Galleano Ranch Road WO Wineville Ave	0.44	17,900	300	1,560	40.7	18,933	322	1,628	19,211	325	1,336	40.7	40.8	31839	594	2475	32,333	600	2,012	32.8	36
11	Arterial	CHERRY AVE EO Mulberry	0.39	7,734	82	118	26.7	8,283	88	132	8,324	88	84	26.7	26.7	15147	166	310	15,228	166	186	24.1	25
12	Arterial	Country Village NO SR-60 WB Ramps	0.33	18,050	247	1,759	33.1	19,577	273	1,776	19,841	275	659	33.1	33.0	38663	595	1988	39,229	602	725	38.0	40
13	Arterial	COUNTRY VILLAGE RD NO WB SR-60 Ramps	0.04	18,554	253	1,774	33.1	19,944	277	1,791	20,207	279	714	33.1	33.0	37314	575	1998	37,843	581	785	39.3	40

Etiwanda Truck Ordinance Average Daily Traffic

	Type	Road Link	Length (mi)	Existing			Opening Year 2020						2035										
				No Prohibition			Speed	No Prohibition			With Prohibition			Speed		No Prohibition			With Prohibition			Speed	
				Autos	Light Trucks	Trucks	No Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro
15	Arterial	Country Village SO Philadelphia	0.34	18,050	247	1,759	25.4	19,577	273	1,776	19,841	275	659	25.4	25.2	38663	595	1988	39,229	602	725	38.1	40
16	Arterial	Country Village SO Philadelphia ST	0.25	18,050	247	1,759	23.9	19,577	273	1,776	19,841	275	659	25.4	25.2	38663	595	1988	39,229	602	725	38.1	40
17	Arterial	Country Village SO SR-60 WB Ramps	0.12	14,536	214	1,502	33.8	15,443	231	1,500	15,595	232	716	33.8	33.8	26786	448	1472	27,065	450	704	38.5	39
18	Arterial	Etiwanda SO Bellegrave Ave	0.47	8,731	97	175	44.4	8,684	98	176	8,732	98	159	44.4	44.4	8090	109	186	8,135	110	168	46.5	48
19	Arterial	Etiwanda NO Philadelphia ST	0.51	25,644	525	4,200	34.7	26,246	535	4,079	26,807	540	2,481	34.7	34.6	33766	660	2565	34,504	666	1,589	27.7	30
20	Arterial	ETIWANDA AVE SO Riverside Dr.	0.22	20,718	372	1,688	38.7	21,499	390	1,749	21,865	394	1,125	38.7	38.7	31263	617	2515	31,815	624	1,585	40.2	42
21	Arterial	ETIWANDA AVE SO Cantu-Galleano Ranch Rd	0.31	16,817	207	496	40.7	16,820	212	499	17,055	214	335	40.7	40.7	16861	278	531	17,098	281	356	36.5	38
23	Arterial	ETIWANDA AVE SO Slover	0.47	19,747	361	3,818	26.5	20,363	372	3,716	20,875	379	3,258	26.5	26.5	28067	510	2440	28,795	520	2,147	27.4	28
24	Arterial	Etiwanda NO Cantu Galleano	0.48	18,203	333	1,348	39.1	18,744	347	1,376	19,216	356	891	39.1	39.1	25511	524	1727	26,082	532	960	42.7	43
25	Arterial	Etiwanda NO Hopkins St	0.3	20,763	370	3,653	34.9	21,845	391	3,581	22,617	400	1,391	34.9	34.9	35376	654	2681	36,692	671	1,074	39.8	41
26	Arterial	Etiwanda NO Iberia St	0.31	28,169	507	4,696	33.8	29,307	533	4,597	30,155	544	1,285	33.8	33.9	43529	856	3366	44,840	876	992	38.6	41
27	Arterial	Etiwanda NO Jurupa	0.59	15,965	279	2,852	35	16,621	288	2,782	17,121	296	2,568	35.0	35.0	24816	404	1913	25,593	415	1,770	34.4	35
28	Arterial	Etiwanda NO Marlay Ave	0.41	22,500	388	3,522	35.4	23,211	398	3,434	23,693	404	2,749	35.4	35.4	32103	521	2336	32,791	529	1,881	34.3	37

Etiwanda Truck Ordinance Average Daily Traffic

	Type	Road Link	Length (mi)	Existing			Opening Year 2020						2035										
				No Prohibition			Speed	No Prohibition			With Prohibition			Speed		No Prohibition			With Prohibition			Speed	
				Autos	Light Trucks	Trucks	No Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro
29	Arterial	Etiwanda NO San Sevaire	0.03	27,386	493	4,479	37.4	28,758	524	4,411	29,480	533	2,294	37.4	37.7	45914	917	3558	47,125	934	1,876	33.4	37
30	Arterial	Etiwanda NO Slover	0.18	31,415	532	5,494	22.4	31,849	541	5,319	32,445	548	4,871	22.4	22.4	37277	659	3130	37,985	668	2,875	23.2	26
31	Arterial	Etiwanda NO SR-60 Off Ramp	0.38	29,083	527	4,921	27.8	30,262	555	4,814	31,111	565	1,341	27.8	28.1	44996	910	3479	46,309	926	1,024	32.7	37
32	Arterial	Etiwanda NO SR-60 ON ramp	0.09	28,094	508	4,662	35.9	29,374	538	4,576	30,220	547	1,780	35.9	36.1	45372	911	3502	46,738	929	1,402	32.1	36
33	Arterial	Etiwanda NO Van Buren	0.06	29,361	523	4,878	35.3	30,846	559	4,803	31,559	568	2,884	35.3	35.5	49414	1008	3863	50,613	1,026	2,343	31.8	35
34	Arterial	Etiwanda SO Van Buren	0.13	23,438	402	3,660	37.1	24,606	431	3,610	25,021	436	2,344	37.1	37.2	39204	788	2990	39,898	797	1,956	34.3	38
35	Arterial	GRANITE HILL DR WO Country Village Road	0.53	2,404	23	85	33.4	2,979	30	91	2,988	30	76	33.4	33.3	10162	124	171	10,200	125	141	39.9	41
36	Arterial	GRANITE HILL DR WO Country Village Road	1.02	494	3	13	33	829	7	19	830	7	15	33.0	33.1	5016	60	89	5,021	60	61	42.2	43
37	Arterial	Haven NO Jurupa	0.91	5,951	61	141	18.6	6,549	67	157	6,597	67	159	18.6	18.6	14020	141	361	14,134	142	366	18.2	18
38	Arterial	Haven NO Mission	0.3	7,043	96	179	18.5	7,395	101	185	7,480	101	189	18.5	18.5	11796	157	259	11,938	157	266	18.2	19
39	Arterial	Haven NO SR-60	0.25	13,106	256	1,354	15.5	13,730	259	1,365	13,788	259	1,330	15.5	15.5	21525	295	1501	21,621	295	1,463	14.7	16
40	Arterial	Haven SO Jurupa St	0.4	7,043	96	179	18.5	7,395	100	185	7,465	101	189	18.5	18.5	11796	157	259	11,938	157	266	18.6	19
41	Arterial	Haven SO Mission	0.31	7,652	153	1,167	18.4	8,212	154	1,175	8,251	155	1,182	18.4	18.4	15205	165	1275	15,402	166	1,287	18.3	18

Etiwanda Truck Ordinance Average Daily Traffic

	Type	Road Link	Length (mi)	Existing			Opening Year 2020									2035								
				No Prohibition			Speed	No Prohibition			With Prohibition			Speed			No Prohibition			With Prohibition			Speed	
				Autos	Light Trucks	Trucks	No Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	
42	Arterial	Hopkins EO Etiwanda	0.41	7,112	164	858	25.5	7,091	169	826	7,172	171	221	25.5	25.8	6828	235	427	6,906	237	126	24.4	26	
43	Arterial	Hopkins WO Etiwanda	0.48	1,694	84	954	29.2	1,883	102	940	1,925	104	508	29.2	29.2	4,251	327	767	4,357	334	420	24.7	27.4	
44	Arterial	Iberia WO Etiwanda	0.48	914	21	225	29.1	955	23	217	957	21	56	29.1	29.1	1467	53	114	1,469	50	32	24.9	28	
45	Arterial	JURUPA AVE E/O Sierra	0.24	2,498	28	77	36.1	2,738	31	84	2,747	31	59	36.1	36.1	5735	68	168	5,756	68	112	35.9	36	
46	Arterial	JURUPA AVE EO Mulberry	0.52	12,223	160	318	34.3	12,483	165	341	12,475	163	347	34.3	34.4	15739	231	624	15,729	228	636	33.8	35	
47	Arterial	JURUPA AVE WO Sierra	0.51	8,071	90	227	35.6	8,739	98	257	8,689	97	341	35.6	35.6	17094	199	627	16,989	198	858	34.8	35	
48	Arterial	Jurupa EO Etiwanda	1.02	9,995	152	896	34.5	10,044	153	871	9,934	151	1,157	34.5	34.5	10660	162	565	10,542	159	746	34.6	35	
49	Arterial	JURUPA ST Between I-15 Ramps	0.16	16,025	240	3,602	26.7	16,168	246	3,505	15,995	244	3,986	26.7	26.6	17957	315	2287	17,763	313	2,593	25.9	26	
50	Arterial	Jurupa St EO Haven Ave	0.47	16,643	177	789	28.4	17,208	190	843	17,168	191	884	28.4	28.4	24274	360	1512	24,376	361	1,560	26.4	26	
51	Arterial	JURUPA ST EO Milliken	0.19	18,576	234	1,627	28.5	18,751	241	1,684	18,637	241	1,692	28.5	28.5	20,941	335	2,393	20,813	334	2,406	27.3	28.4	
52	Arterial	JURUPA ST EO Vintage Road	0.18	9,346	248	2,612	29.4	9,336	249	2,524	9,138	244	3,563	29.4	29.4	9,215	264	1,422	9,020	259	1,987	29.3	29.4	
53	Arterial	JURUPA ST WO Auto Center Dr	0.52	12,007	226	3,434	30.8	12,007	229	3,317	11,882	227	4,533	30.8	30.8	12002	264	1858	11,876	262	2,516	30.8	31	
54	Arterial	Jurupa St WO Commerce Pkwy	0.3	22,656	263	1,731	27.2	23,261	280	1,813	23,209	280	1,858	27.2	27.2	30813	484	2840	30,733	483	2,869	25.8	26	

Etiwanda Truck Ordinance Average Daily Traffic

	Type	Road Link	Length (mi)	Existing			Opening Year 2020									2035								
				No Prohibition			Speed	No Prohibition			With Prohibition			Speed		No Prohibition			With Prohibition			Speed		
				Autos	Light Trucks	Trucks	No Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	
55	Arterial	JURUPA ST WO I-15 Ramps	0.21	19,713	245	1,703	26	19,930	253	1,764	19,791	251	1,769	26.0	26.0	22646	355	2527	22,486	354	2,535	24.3	26	
56	Arterial	JURUPA ST WO Milliken	0.23	22,698	264	1,732	26.7	23,347	281	1,815	23,206	280	1,831	26.7	26.7	31459	488	2857	31,264	486	2,883	22.7	25	
57	Arterial	Jurupa Street WO I-15 Ramps	0.21	11,957	225	3,420	28.1	11,949	228	3,303	11,822	225	4,528	28.1	28.1	11,846	261	1,835	11,721	258	2,493	27.7	28.1	
58	Arterial	Jurupa WO Etiwanda	0.51	4,692	69	462	29.8	4,659	70	447	4,604	68	1,341	29.8	29.8	4247	79	266	4,197	76	781	29.7	30	
59	Arterial	Kettering Drive NO Jurupa Street	0.58	59	1	16	30.8	67	1	17	66	1	17	30.8	30.7	161	4	23	159	4	24	30.2	30	
60	Arterial	Kettering Drive SO Airport Dr	0.46	59	1	16	25.9	67	1	17	66	1	17	25.9	25.8	161	4	23	159	4	24	25.6	25.6	
61	Arterial	MARLAY AVE WO Mulberry Ave	0.65	1,699	27	64	32.6	1,605	25	60	1,760	28	38	32.6	32.8	436	4	11	476	5	7	33.9	34.4	
62	Arterial	Marlay EO Etiwanda	0.35	6,358	225	1,371	33.3	6,333	228	1,329	6,330	225	887	33.3	33.2	6,023	265	808	6,020	262	547	32.4	33.3	
63	Arterial	Marlay WO Etiwanda	0.5	5,634	215	1,871	26.2	5,587	211	1,802	5,553	211	1,709	26.2	26.2	4999	158	938	4,968	157	891	24.4	26	
64	Arterial	MILLIKEN AVE NO Airport Dr	0.25	16,414	172	790	12.8	16,655	182	828	16,629	181	853	12.8	12.8	19669	304	1300	19,638	303	1,340	13.1	14	
65	Arterial	MILLIKEN AVE NO Jurupa	0.5	55	-	2	17.7	125	2	5	123	2	7	17.7	17.7	1005	22	42	973	22	82	17.5	18	
66	Arterial	MILLIKEN AVE SO Airport	0.5	55	-	2	17.7	127	2	5	125	2	7	17.7	17.7	1,030	22	45	1,000	22	85	17.6	17.6	
67	Arterial	MILLIKEN AVE SO Jurupa	0.7	4,311	31	120	17.9	4,888	43	153	4,842	42	171	17.9	17.9	12,106	188	560	11,977	187	641	17.6	17.9	

Etiwanda Truck Ordinance Average Daily Traffic

	Type	Road Link	Length (mi)	Existing			Opening Year 2020						2035										
				No Prohibition			Speed	No Prohibition			With Prohibition			Speed		No Prohibition			With Prohibition			Speed	
				Autos	Light Trucks	Trucks	No Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro
68	Arterial	MILLIKEN AVE SO Riverside Dr	0.49	6,197	90	455	40.5	7,071	98	486	7,063	98	623	40.5	40.5	17,995	198	873	17,974	198	1,136	40.1	42.4
69	Arterial	MILLIKEN AVE SO SR-60 EB Ramps	0.02	7,386	118	1,955	40	8,516	133	1,959	8,450	132	2,273	40.0	40.0	22638	321	2011	22,435	319	2,334	26.6	31
70	Arterial	Milliken bet Ramps	0.13	5,561	93	1,951	34.9	6,147	101	1,909	6,019	98	2,489	34.9	34.8	13476	197	1383	13,166	192	1,795	29.9	33
71	Arterial	Milliken NO Philadelphia	0.31	5,370	98	529	17.9	6,040	109	566	5,985	109	605	17.9	17.9	14,419	250	1,028	14,272	249	1,104	17.5	17.8
72	Arterial	Milliken NO Ramps	0.19	4,654	86	2,089	21.5	4,995	91	2,039	4,775	87	3,025	21.5	21.5	9,253	154	1,417	8,815	147	2,085	21.0	21.8
73	Arterial	Milliken OR EB Off	0.39	2,066	32	360	28.9	2,319	34	364	2,234	33	477	28.9	28.9	5,484	55	414	5,258	52	544	23.0	23.2
74	Arterial	Milliken OR EB On	0.42	1,871	31	499	18.6	1,964	34	514	1,917	33	604	18.6	18.5	3,126	74	698	3,048	73	825	18.8	18.8
75	Arterial	Milliken OR WB Off	0.38	858	13	135	29.6	1,164	16	147	1,166	16	148	29.6	29.7	4995	47	298	5008	48	301	28	28
76	Arterial	Milliken OR WB On	0.37	3,791	62	747	18.9	4,018	68	787	3,977	68	834	18.9	19.0	6858	141	1292	6,784	140	1,373	20.1	20
77	Arterial	Milliken SO Mission	0.33	4654	86	2089	17	4,995	91	2,039	4,775	87	3,025	17.0	17.0	9253	154	1417	8815	147	2085	16.5	17.2
78	Arterial	Milliken SO Philadelphia	0.07	9,888	183	2,921	36.3	10,821	202	2,886	10,581	198	4,714	36.3	36.3	22,484	438	2,454	21,938	430	3,989	28.7	31.4
79	Arterial	Milliken SO Ramps	0.26	7,386	118	1,955	30.4	8,516	133	1,959	8,450	132	2,273	30.4	30.3	22,638	321	2,011	22,435	319	2,334	34.5	37.7
80	Arterial	MISSION BLVD EO Milliken	0.62	7,379	83	713	27.6	8,340	104	748	8,274	104	1,266	27.6	27.6	20,350	360	1,188	20,168	358	2,051	31.8	32.3

Etiwanda Truck Ordinance Average Daily Traffic

	Type	Road Link	Length (mi)	Existing			Opening Year 2020						2035										
				No Prohibition			Speed	No Prohibition			With Prohibition			Speed		No Prohibition			With Prohibition			Speed	
				Autos	Light Trucks	Trucks	No Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro
84	Arterial	MISSION BLVD SO Country Village Rd	0.06	12,595	206	1,515	34.4	13,232	219	1,500	13,232	218	1,098	34.4	34.5	21,201	387	1,315	21,202	384	966	41.0	42.2
85	Arterial	MISSION BLVD SO San Sevaine	0.85	8,389	121	367	35.2	9,191	136	410	9,234	136	295	35.2	35.1	19221	320	945	19,319	320	648	42.7	43
86	Arterial	MISSION BLVD WO fork that is WO SR-60 WB On-Ramp	0.53	6,696	72	610	27.8	7,608	89	642	7,541	89	1,020	27.8	27.8	19003	304	1047	18,813	303	1,695	48.8	51
87	Arterial	MISSION BLVD WO Wineville Ave	0.27	7,450	85	749	27.4	8,406	105	782	8,339	105	1,327	27.4	27.3	20,350	360	1,188	20,168	358	2,051	31.8	32.3
89	Arterial	Mission EO Milliken	0.19	7,379	83	713	17.2	8,340	104	748	8,274	104	1,266	17.2	17.2	20350	360	1188	20168	358	2051	15.6	15.9
90	Arterial	Mission EO SR-60 ON Ramp EB	0.25	4,598	49	220	43.7	5,104	58	249	5,040	58	375	43.7	43.7	11424	169	612	11265	168	961	51.8	51.6
91	Arterial	Mission EO SR-60 ON Ramp WB	0.26	18,174	250	1,651	33.3	18,851	261	1,734	18,807	262	1,906	33.3	33.3	27309	400	2767	27243	402	3056	46.0	45.8
92	Arterial	Mission WO Milliken	1.07	4,501	84	328	22.4	4,957	94	356	4,902	93	365	22.4	22.4	10,658	218	710	10,528	216	728	19.8	20.4
93	Arterial	Mission WO SR-60 ON Ramp EB	0.24	4,649	50	227	43.7	5,174	60	259	5,110	59	379	43.7	43.7	11738	179	664	11,574	178	1,016	51.7	52
94	Arterial	Mission WO SR-60 ON Ramp WB	0.23	2,047	22	78	40.1	2,434	30	101	2,426	30	162	40.1	40.1	7265	125	383	7,239	125	679	55.4	55
95	Arterial	MULBERRY AVE NO Jurupa St.	0.51	8,472	166	1,399	31.7	9,155	180	1,394	9,462	185	955	31.7	31.6	17688	356	1332	18,330	366	914	31.8	33
96	Arterial	MULBERRY AVE NO Philadelphia Street	0.14	18,050	247	1,759	38.5	19,659	277	1,780	20,080	282	867	38.5	38.4	39770	651	2041	40,697	665	982	25.7	27
97	Arterial	MULBERRY AVE SO Jurupa Street	0.51	11,323	185	1,551	40.7	12,306	207	1,564	12,672	212	727	40.7	40.8	24,599	486	1,727	25,393	499	795	32.1	34.7

Etiwanda Truck Ordinance Average Daily Traffic

	Type	Road Link	Length (mi)	Existing			Opening Year 2020									2035							
				No Prohibition			Speed	No Prohibition			With Prohibition			Speed		No Prohibition			With Prohibition			Speed	
				Autos	Light Trucks	Trucks	No Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro
98	Arterial	MULBERRY AVE SO Marlay Ave	0.36	12,193	204	1,542	40.3	13,141	225	1,556	13,555	231	725	40.3	40.3	24995	490	1735	25,845	504	800	33.8	36
99	Arterial	MULBERRY AVE SO Slover Ave	0.5	7,948	110	965	32.8	8,530	126	975	8,771	129	712	32.8	32.7	15,799	327	1,106	16,278	333	805	33.7	34.2
100	Arterial	Philadelphia EO Etiwanda	0.46	5,933	195	752	26.7	6,359	199	744	6,400	198	1,065	26.7	26.5	11689	250	640	11,769	248	913	39.5	40
102	Arterial	PHILADELPHIA ST EO Vintage Ave	0.1	2,334	64	524	29	2,483	68	525	2,512	68	757	29.0	29.1	4,341	119	542	4,395	120	782	31.3	32.1
103	Arterial	PHILADELPHIA ST EO Wineville Ave	0.5	1,179	31	269	29.5	1,189	31	258	1,106	30	1,525	29.5	29.4	1315	34	121	1223	33	691	33.4	33.5
104	Arterial	PHILADELPHIA ST WO Country Village Road	0.39	-	-	-	0.0	1,131	20	41	1,131	20	41	-	-	15,264	270	558	15,430	277	414	38.4	39.0
105	Arterial	PHILADELPHIA ST WO Vintage Ave	0.5	1,179	31	269	29.5	1,189	31	258	1,106	30	1,525	29.5	29.4	1315	34	121	1,223	33	691	33.5	34
106	Arterial	PHILADELPHIA ST WO Wineville Ave	0.96	4,835	140	2,349	27.8	5,119	146	2,297	4,891	141	4,381	27.8	27.6	8667	223	1643	8,259	215	3,100	27.6	30
107	Arterial	Philadelphia WO Etiwanda	0.39	2,334	64	524	27.7	2,483	68	525	2,512	68	757	27.7	27.8	4,341	119	542	4,395	120	782	31.2	32.1
109	Arterial	RIVERSIDE DR EO Milliken	0.26	5,866	70	800	29.5	6,673	86	835	6,709	87	801	29.5	29.5	16,765	286	1,272	16,868	288	1,218	33.9	36.6
111	Arterial	RIVERSIDE DR EO Milliken	0.32	5,866	70	800	29.4	6,673	86	835	6,709	87	801	29.4	29.5	16,765	286	1,272	16,868	288	1,218	33.9	36.6
113	Arterial	RIVERSIDE DR WO Etiwanda	1.06	4,322	52	407	34.4	4,809	64	426	4,857	65	362	34.4	34.5	10,890	218	662	11,011	220	558	35.1	38.2
114	Arterial	RIVERSIDE DR WO Milliken	0.51	9,468	121	618	32.4	9,982	128	622	10,038	128	638	32.4	32.4	16,407	210	678	16,504	211	695	32.3	34.5

Etiwanda Truck Ordinance Average Daily Traffic

	Type	Road Link	Length (mi)	Existing			Opening Year 2020						2035										
				No Prohibition			Speed	No Prohibition			With Prohibition			Speed		No Prohibition			With Prohibition			Speed	
				Autos	Light Trucks	Trucks	No Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro
115	Arterial	RIVERSIDE DR WO Wineville Ave	0.36	5,866	70	800	32.3	6,673	86	835	6,709	87	801	32.3	32.3	16765	286	1272	16,868	288	1,218	33.9	37
116	Arterial	ROCKERFELLER AVE NO Jurupa Street	0.51	1203	11	79	23.2	1,255	12	84	1,228	11	83	23.2	23.3	1909	22	144	1866	21	141	21.7	22.5
117	Arterial	Rockerfeller SO Airport	0.5	363	5	22	25.7	376	6	24	360	5	25	25.7	25.7	543	12	47	518	11	48	25.4	25.5
118	Arterial	San Sevaine EO Etiwanda	0.89	3,768	119	729	31.9	3,837	123	708	3,851	124	801	31.9	32.0	4,693	174	450	4,711	176	507	35.8	36.3
120	Arterial	SAN SEVAINE WAY WO Mission/Country Village Dr	0.31	4,618	123	828	30.9	4,746	128	805	4,676	126	736	30.9	30.9	6,344	197	515	6,247	194	472	35.3	36.2
121	Arterial	SANTA ANA AVE EO Mulberry	0.52	2,021	60	195	35.4	2,070	61	196	2,173	63	159	35.4	35.5	2,685	76	207	2,821	78	168	34.7	36.3
122	Arterial	SANTA ANA AVE WO Sierra	0.5	3,502	59	167	35.1	3,602	61	165	3,601	61	182	35.1	35.1	4,848	83	142	4,847	83	156	34.4	34.5
123	Arterial	SANTA ANA ST WO Etiwanda	0.68	3,152	176	549	28.3	3,184	179	529	3,260	181	309	28.3	28.3	3,580	210	280	3,667	212	168	25.7	27.7
124	Arterial	SANTA ANA ST WO Vintage Ave	0.48	73	1	12	30.8	122	2	15	112	2	32	30.8	30.9	739	10	49	639	8	116	33.2	33.6
125	Arterial	SANTA ANA ST WO Vintage Ave	0.29	3,856	81	694	27.4	3,844	83	666	3,834	83	647	27.4	27.4	3,696	104	316	3,687	103	307	26.4	27.8
126	Arterial	SIERRA AVE SO Jurupa Ave	0.67	12,714	141	389	25.2	13,895	155	444	13,784	154	567	25.2	25.2	28664	335	1131	28,413	332	1,489	21.5	22
127	Arterial	Sierra Avenue SO Jurupa Ave	0.34	12,714	141	389	25.2	13,895	155	444	13,784	154	567	25.2	25.2	28664	335	1131	28,413	332	1,489	24.5	25
128	Arterial	SLOVER AVE EO Mulberry	0.52	9,670	132	516	39.7	9,630	133	520	9,897	135	505	39.7	39.7	9129	152	575	9,381	155	558	38.7	40

Etiwanda Truck Ordinance Average Daily Traffic

	Type	Road Link	Length (mi)	Existing			Opening Year 2020									2035							
				No Prohibition			Speed	No Prohibition			With Prohibition			Speed		No Prohibition			With Prohibition			Speed	
				Autos	Light Trucks	Trucks	No Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro
129	Arterial	SLOVER AVE WO Sierra	0.25	7,641	81	148	33.7	7,577	80	148	7,631	81	152	33.7	33.6	6781	62	143	6,829	62	146	33.7	34
130	Arterial	Slover EO Etiwanda	1	7,079	107	786	35.8	6,840	106	750	6,822	107	831	35.8	35.8	3848	87	301	3,838	89	332	35.7	37
131	Arterial	Slover WO Etiwanda	0.95	1,824	21	105	26.2	1,899	24	109	1,899	24	109	26.2	26.2	2,837	67	155	2,835	67	155	25.2	25.9
132	Arterial	Universe Drive SO Philadelphia	0.33	586	26	520	30.2	689	31	512	677	31	1,055	30.2	30.2	1,983	93	412	1,944	91	842	26.0	28.0
133	Arterial	VAN BUREN BLVD EO Etiwanda	1.43	38,400	494	2,739	33.4	39,480	507	2,848	39,655	510	2,864	33.4	33.4	52,981	663	4,207	53,222	666	4,232	40.2	42.1
135	Arterial	Van Buren WO Edtiwanda	0.14	32,079	427	5,684	30.0	33,187	446	5,596	33,089	446	6,298	30.0	30.0	47,036	682	4,493	46,893	683	5,047	40.9	43.4
136	Arterial	VINTAGE AVE NO Iberia	0.3	914	21	225	29.3	955	23	217	957	21	56	29.3	29.3	1467	53	114	1,469	50	32	25.8	28
137	Arterial	VINTAGE AVE NO Jurupa Street	0.5	4,869	187	1,458	26.3	4,914	187	1,402	4,830	184	1,621	26.3	26.3	5,474	184	705	5,379	181	811	22.6	25.6
138	Arterial	VINTAGE AVE NO Philadelphia Street	0.5	1,958	94	681	27.9	2,124	105	685	2,181	106	403	27.9	28.1	4205	242	735	4328	244	431	31.7	32.5
139	Arterial	VINTAGE AVE SO Jurupa Street	0.51	4,654	179	2,150	26.2	4,677	179	2,076	4,541	176	2,169	26.2	26.2	4968	185	1155	4,823	182	1,205	24.9	26
140	Arterial	VINTAGE AVE SO Philadelphia	0.31	781	61	423	29.7	829	69	417	791	68	414	29.7	29.6	1434	170	343	1,365	168	341	28.9	29
141	Arterial	Wall Street EO Milliken	0.21	863	6	58	29.8	901	6	61	890	6	59	29.8	29.8	1378	10	98	1,360	10	94	29.4	30
142	Arterial	WINEVILLE AVE NO Philadelphia Street	0.49	3,070	82	1,560	27.9	3,240	83	1,527	3,082	79	2,170	27.9	27.9	5369	96	1110	5,092	91	1,567	29.8	32

Etiwanda Truck Ordinance Average Daily Traffic

	Type	Road Link	Length (mi)	Existing				Opening Year 2020						2035									
				No Prohibition			Speed	No Prohibition			With Prohibition			Speed		No Prohibition			With Prohibition			Speed	
				Autos	Light Trucks	Trucks	No Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro
144	Arterial	WINEVILLE AVE SO Airport	0.51	3,856	81	694	27.4	3,844	83	666	3,834	83	647	27.4	27.4	3,696	104	316	3,687	103	307	26.1	27.6
145	Arterial	WINEVILLE AVE SO Mission	0.42	754	13	139	32.0	1,115	28	157	1,117	28	218	32.0	32.0	5634	215	385	5648	215	556	41.0	41.9
146	Arterial	WINEVILLE AVE SO Riverside Drive	0.48	2,169	31	259	30.4	2,774	58	327	2,775	58	353	30.4	30.4	10,343	392	1,176	10,351	392	1,295	34.6	34.6
147	Arterial	Wineville NO Cantu Galleano	0.21	3,075	37	242	31.6	3,712	63	280	3,711	63	297	31.6	31.6	11681	390	749	11653	389	808	44.6	44.6
148	Arterial	Wineville NO Harrell St	0.27	3,121	40	247	30.3	3,532	45	257	3,530	45	275	30.3	30.3	8677	113	382	8,653	112	422	35.0	35
149	Freeway	SR-60 EB EO Milliken Ramps	0.45	45,173	725	9,112	49.9	46,609	730	9,089	46,795	730	8,840	49.9	49.9	64557	797	8807	64,823	797	8,567	51.0	51
150	Freeway	SR-60 EB between I-15 Ramps	0.61	51,572	739	9,246	46.2	52,904	747	9,236	53,111	747	8,996	46.2	46.2	69552	845	9105	69,831	845	8,868	49.3	49
151	Freeway	SR-60 WB between I-15 Ramps	0.55	53,304	776	9,274	47.8	54,813	786	9,279	54,887	789	9,041	47.8	47.9	73671	917	9337	73,774	920	9,098	47.3	47
152	Freeway	I-15 SB Between SR-60 Ramps	0.87	53,335	603	5,130	49.6	55,316	623	5,317	55,017	618	5,564	49.6	49.5	80073	873	7652	79,624	866	8,021	49.9	50
153	Freeway	I-15 NB Between SR-60 Ramps	0.42	51,299	571	4,419	50.7	53,678	593	4,654	53,590	589	4,815	50.7	50.6	83,418	862	7,590	83,274	856	7,868	50.0	49.8
154	Freeway	SR-60 WB EO Milliken Ramps	0.06	71,759	1,160	13,145	47.9	73,022	1,166	13,087	73,017	1,176	13,027	47.9	47.9	88805	1247	12360	88,800	1,257	12,303	46.4	46
155	Freeway	SR-60 EB between Etiwanda Ramps	0.95	56,353	770	9,220	44.8	57,903	779	9,198	57,866	778	9,110	44.8	44.8	77,273	887	8,927	77,222	887	8,843	50.3	50.4
156	Freeway	SR-60 WB WO Etiwanda Ave Ramps	0.42	68,904	950	10,435	42.9	70,843	963	10,451	70,651	962	10,387	42.9	43.0	95077	1126	10649	94,812	1,125	10,584	50.9	51

Etiwanda Truck Ordinance Average Daily Traffic

	Type	Road Link	Length (mi)	Existing			Opening Year 2020						2035										
				No Prohibition			Speed	No Prohibition			With Prohibition			Speed		No Prohibition			With Prohibition			Speed	
				Autos	Light Trucks	Trucks	No Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro
157	Freeway	SR-60 EB EO Etiwanda Ramps	0.41	60,807	836	9,825	42.1	62,504	846	9,811	62,480	846	9,640	42.1	42.2	83,717	975	9,630	83,683	974	9,462	50.9	50.9
158	Freeway	SR-60 EB between Country Village Ramps	0.57	54,363	753	9,374	45.1	55,932	762	9,345	55,805	760	9,335	45.1	45.1	75540	876	8984	75,363	874	8,975	49.9	50
159	Freeway	SR-60 WB EO Etiwanda Ramps	0.38	57809	793	9467	46.4	59,373	802	9,413	59,267	801	9,300	46.4	46.4	78928	911	8736	78783	910	8632	52.1	52
160	Freeway	SR-60 WB between Country Village Ramps	0.55	52,311	733	9,205	48.2	53,717	739	9,138	53,599	738	9,236	48.2	48.3	71292	818	8301	71,131	817	8,389	51.5	52
161	Freeway	I-15 NB Between Jurupa St Ramps	0.85	73,552	817	6,537	65.2	77,076	849	6,952	77,381	844	7,099	65.2	65.2	121124	1254	12135	121,626	1,247	12,408	49.7	49
162	Freeway	I-15 SB Between Jurupa St Ramps	0.84	79,808	873	7,263	61.9	82,491	901	7,599	82,059	896	7,790	61.9	61.8	116025	1245	11795	115,397	1,237	12,105	50.3	51
163	Freeway	I-15 NB NO Jurupa Street	0.33	77,220	861	6,984	70.7	80,893	895	7,426	81,166	890	7,573	70.7	70.6	126803	1321	12951	127,252	1,313	13,225	59.7	59
164	Freeway	I-15 SB NO Jurupa Street	0.37	82,975	924	7,850	64.9	85,741	953	8,207	85,283	947	8,400	64.9	64.8	120313	1310	12674	119,649	1,301	12,985	53.8	54
165	Freeway	SR-60 WB WO Milliken Ramps	0.3	84,351	1,365	15,217	41.3	86,841	1,384	15,338	86,894	1,393	15,334	41.3	41.3	117970	1626	16856	118,043	1,637	16,851	39.0	39
166	Freeway	I-15 NB NO SR-60	0.19	78,595	874	7,048	62.5	82,123	909	7,477	82,261	902	7,804	62.5	62.4	126,221	1,342	12,844	126,443	1,331	13,440	58.1	57.1
167	Freeway	I-15 SB SO SR-60	0.72	66,086	867	7,546	64.9	68,187	889	7,747	67,802	882	7,945	64.9	64.6	94,450	1,166	10,259	93,900	1,157	10,529	63.5	63.9
168	Freeway	SR-60 EB WO Milliken Ramps	0.42	73,411	1,181	13,743	43.5	75,913	1,205	13,958	76,478	1,202	13,862	43.5	43.5	107,189	1,503	16,649	108,015	1,498	16,534	42.5	42.1
169	Freeway	I-15 SB NO SR-60	0.23	85,292	934	7,808	58.6	87,950	963	8,151	87,420	957	8,535	58.6	58.4	121174	1327	12432	120,421	1,317	13,043	58.2	58

Etiwanda Truck Ordinance Average Daily Traffic

	Type	Road Link	Length (mi)	Existing			Opening Year 2020									2035								
				No Prohibition			Speed	No Prohibition			With Prohibition			Speed		No Prohibition			With Prohibition			Speed		
				Autos	Light Trucks	Trucks	No Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	
170	Freeway	SR-60 EB WO Etiwanda Ave Ramps	0.3	65,660	897	10,191	41.7	67,137	905	10,180	67,164	905	10,009	41.7	41.7	85,603	1,002	10,046	85,638	1,002	9,878	51.7	51.7	
171	Freeway	I-15 NB NO SR-60 On-Ramps (at Philadelphia)	0.23	78595	874	7048	62.5	82,123	909	7,477	82,261	902	7,804	62.5	62.4	126221	1342	12844	126443	1331	13440	58.1	57.1	
172	Freeway	I-15 NB SO SR-60 Off-Ramp	0.8	72,654	989	8,490	59.5	73,307	1,009	8,675	73,351	1,011	8,939	59.5	59.4	81465	1254	10987	81,513	1,257	11,329	67.7	67	
173	Freeway	I-15 SB NO SR-60 Off-Ramp	0.16	85,292	934	7,808	58.6	88,027	963	8,151	87,122	957	8,535	58.6	58.4	122220	1327	12432	120,923	1,317	13,043	58.2	58	
174	Freeway	I-15 SB NO SR-60 On-Ramp	0.18	64,111	844	7,442	44.4	66,116	865	7,638	65,735	858	7,900	44.4	44.3	91,185	1,132	10,094	90,643	1,123	10,449	44.0	44.2	
175	Freeway	I-15 SB SO I-10 On-Ramp	0.24	69,190	774	6,809	70.8	72,309	799	7,138	72,084	795	7,276	70.8	70.6	111301	1111	11245	110,940	1,106	11,472	58.9	59	
176	Freeway	I-15 NB S of Jurupa Street	0.45	78,595	874	7,048	62.5	82,518	909	7,477	82,870	902	7,804	62.5	62.4	131,554	1,342	12,844	132,144	1,331	13,440	46.6	45.5	
177	Freeway	I-15 NB SO SR-60	0.42	69754	954	8291	68.7	70,470	972	8,463	70,569	974	8,822	68.7	68.6	79415	1191	10614	79528	1193	11073	68.4	67.9	
178	Freeway	I-15 SB S of Jurupa Street	0.45	85,292	934	7,808	58.6	88,392	963	8,151	87,912	957	8,535	58.6	58.4	127138	1327	12432	126,422	1,317	13,043	47.2	47	
179	Freeway	I-15 SO NB SR-60 On-Ramp	0.25	64,924	721	5,476	47.5	67,638	744	5,718	67,316	737	6,055	47.5	47.5	101558	1036	8737	101,054	1,027	9,274	46.1	46	
180	Freeway	SR-60 EB EO Milliken Off-Ramp	0.29	69,620	1,119	12,996	45.0	71,895	1,137	13,171	72,519	1,134	13,005	45.0	45.0	100,332	1,362	15,356	101,231	1,358	15,160	41.7	41.2	
181	Freeway	SR-60 EB WO I-15 SB On-Ramp	0.11	54,472	773	9,445	45.6	56,778	790	9,490	56,800	790	9,332	45.6	45.6	85,603	1,002	10,046	85,638	1,002	9,878	55.4	55.4	
182	Freeway	SR-60 WB EO Milliken EB off Ramp	0.2	82,480	1,335	14,719	42.1	85,263	1,351	14,826	85,280	1,361	14,706	42.1	42.2	120,057	1,552	16,158	120,081	1,564	16,027	35.8	35.8	

Etiwanda Truck Ordinance Average Daily Traffic

	Type	Road Link	Length (mi)	Existing			Opening Year 2020						2035										
				No Prohibition			Speed	No Prohibition			With Prohibition			Speed		No Prohibition			With Prohibition			Speed	
				Autos	Light Trucks	Trucks	No Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro
183	Freeway	SR-60 WB EO I-15 On-Ramp	0.6	61711	1127	12786	49.2	63,698	1,132	12,724	63,763	1,145	12,524	49.2	49.3	88535	1192	11946	88628	1206	11760	47.7	47.6
108	Freeway	POMONA FWY WO Etiwanda WB Off-Ramp	0.94	52,725	722	8,856	48.2	52,632	731	8,808	52,639	729	8,743	48.2	48.3	51471	840	8213	51,477	838	8,152	51.2	51
184	Ramp	NB I-15 Off Ramp to Jurupa Street	0.44	5,043	58	511	14.1	5,047	60	526	4,770	57	759	14.1	13.9	5,097	88	709	4,817	84	1,032	14.0	13.9
185	Ramp	NB I-15 Off Ramp to SR-60 EB	0.83	2,900	35	199	39.0	3,165	37	212	3,161	37	149	39.0	39.0	6,472	63	373	6,463	63	256	48.0	48.0
186	Ramp	NB I-15 Off Ramp to SR-60 WB	0.41	18,455	384	3,872	15.8	18,209	380	3,809	18,077	389	4,042	15.8	15.8	15134	330	3023	15,026	338	3,206	17.3	17
187	Ramp	NB I-15 On Ramp from Jurupa Street	0.41	3,668	44	447	15.5	3,817	46	474	3,782	45	474	15.5	15.4	5679	67	816	5,626	66	817	14.2	14
188	Ramp	NB I-15 Ramp to I-10	0.19	30,466	369	2,830	23.8	30,202	371	2,830	29,922	365	2,902	23.8	23.8	26,906	390	2,834	26,658	384	2,906	25.6	25.7
189	Ramp	SB I-15 Off Ramp to Jurupa Street	0.43	3,166	51	587	18.3	3,249	52	609	3,223	51	610	18.3	18.4	4288	65	878	4,252	64	880	14.8	15
190	Ramp	SB I-15 Off-Ramp to EB SR-60	1.07	11,188	124	745	27.1	11,069	122	732	10,795	121	977	27.1	27.1	9,579	94	568	9,344	94	754	27.9	27.9
191	Ramp	SB I-15 Off-Ramp to WB SR-60	0.88	20,769	207	1,933	31.7	21,566	218	2,102	21,521	217	2,127	31.7	31.7	31522	360	4211	31,454	358	4,267	38.8	39
192	Ramp	SB I-15 On Ramp From Jurupa Street	0.44	5,484	61	544	14.9	5,459	63	551	5,326	62	810	14.9	14.9	5149	82	636	5,024	81	938	15.7	16
193	Ramp	SB I-15 Ramp to SR-60	0.13	31,957	331	2,678	40.6	32,634	340	2,834	32,398	338	2,970	40.6	40.6	41,101	454	4,779	40,797	452	5,021	34.8	35.0
194	Ramp	SR-60 EB Off Ramp to I-15 (shared)	0.24	24,446	394	3,884	14.9	25,285	407	4,081	25,718	405	4,107	14.9	14.8	35,774	565	6,549	36,408	561	6,593	22.1	21.2

Etiwanda Truck Ordinance Average Daily Traffic

	Type	Road Link	Length (mi)	Existing			Opening Year 2020									2035								
				No Prohibition			Speed	No Prohibition			With Prohibition			Speed			No Prohibition			With Prohibition			Speed	
				Autos	Light Trucks	Trucks	No Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	
195	Ramp	SR-60 EB Off Ramp to I-15 NB	0.82	13,670	154	1,572	34.3	14,484	165	1,760	14,887	164	1,782	34.3	34.3	24663	306	4107	25,389	304	4,166	34.2	34	
196	Ramp	SR-60 EB Off Ramp to I-15 SB	0.52	10,776	240	2,312	34.4	10,801	241	2,322	10,711	240	2,309	34.4	34.4	11112	259	2442	11,019	258	2,428	28.5	29	
197	Ramp	SR-60 EB Off-Ramp at Country Village	0.29	6,444	84	452	19.8	6,572	85	466	6,685	85	355	19.8	19.9	8177	98	645	8,320	99	487	16.5	17	
198	Ramp	SR-60 EB On-Ramp at Country Village	0.28	2,458	39	214	29	2,622	42	224	2,724	43	119	29.0	29.0	4671	73	355	4,865	75	180	27.6	28	
199	Ramp	SR-60 Off-Ramp EO Etiwanda	0.33	5,084	71	611	23.5	5,019	71	605	5,111	72	554	23.5	23.5	4209	71	524	4,285	72	480	23.1	23	
200	Ramp	SR-60 Off-Ramp WO Mission	0.49	9,307	127	971	14.7	9,235	126	982	9,330	127	910	14.7	14.5	8330	114	1119	8,416	115	1,035	13.1	13	
201	Ramp	SR-60 On Ramp EO Etiwanda	0.34	4,454	67	606	28.0	4,601	68	613	4,613	67	541	28.0	28.0	6,444	87	702	6,461	87	619	26.4	26.4	
202	Ramp	SR-60 On-Ramp Between Mission Blvd	0.02	16,127	228	1,572	22.1	16,417	232	1,632	16,386	233	1,628	22.1	22.1	20,044	276	2,384	20,005	277	2,377	26.0	26.1	
203	Ramp	SR-60 ON-Ramp WO Mission	0.29	16,179	228	1,579	22	16,489	232	1,642	16,454	233	1,639	22.0	22.1	20358	286	2436	20,314	287	2,432	19.7	20	
204	Ramp	SR-60 WB Off-Ramp EO Country Village	0.27	2,689	42	222	29.7	2,963	46	240	3,024	47	128	29.7	29.6	6394	93	460	6,539	95	227	27.8	28	
206	Ramp	SR-60 WB On-Ramp From Country Village Road	0.3	5,498	60	262	28	5,656	63	275	5,668	63	159	28.0	27.9	7636	94	436	7,651	93	243	26.7	27	
207	Ramp	WB SR-60 Off-Ramp to I-15 (shared)	0.16	15,601	173	1,161	32.3	16,031	176	1,172	15,762	173	1,326	32.3	32.3	21405	209	1312	21,037	205	1,486	28.5	29	
208	Ramp	WB SR-60 Off-Ramp to I-15 NB	0.51	13,625	150	1,057	33.8	13,960	152	1,064	13,690	149	1,304	33.8	33.8	18141	175	1147	17,780	171	1,407	31.9	32	

Etiwanda Truck Ordinance Average Daily Traffic

	Type	Road Link	Length (mi)	Existing				Opening Year 2020						2035									
				No Prohibition			Speed	No Prohibition			With Prohibition			Speed		No Prohibition			With Prohibition			Speed	
				Autos	Light Trucks	Trucks	No Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro	Autos	Light Trucks	Trucks	Autos	Light Trucks	Trucks	No Pro	With Pro
209	Ramp	WB SR-60 Off-Ramp to I-15 SB	0.82	1,975	23	104	29.7	2,071	24	109	2,067	24	55	29.7	29.7	3265	34	166	3,257	34	80	29.0	29