

Notice of Determination

Appendix D

To:
[] Office of Planning and Research
U.S. Mail: P.O. Box 3044
Sacramento, CA 95812-3044
Street Address: 1400 Tenth St., Rm 113
Sacramento, CA 95814

[] County Clerk
County of:
Address:

From:
Public Agency: Central Valley Flood Protection Bd
Address: 3310 El Camino Avenue, Suite 170
Sacramento, CA 95821
Contact: James Herota
Phone: (916) 574-0651

Lead Agency (if different from above):
Madera County
Address: 200 W. 4th St, Suite 3100
Madera, CA 93637
Contact: Matthew Treber
Phone: (559) 675-7821

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse): 2018031001

Project Title: Common Diversion Facility Project

Project Applicant: Madera County

Project Location (include county): 0.5 miles from the intersection of Killkelly Road and Killarney Drive, Madera.

Project Description:
Approval of Permit No. 19324, under California Code of Regulations, Title 23, Section 6, for work within an adopted plan of flood control, within a Regulated Stream (Table 8.1; Title 23, Div. 1, Article 8):
To remove two 4-inch diameter and five 20-inch diameter existing adjacent river intake pipes; install one new 36-inch diameter river intake structure; restore the right (west) bank by placing riprap on the shoreline; and authorize the existing - agricultural pump station, including two pumps and 4-inch diameter and 30-inch diameter underground water distribution pipes.

This is to advise that the Central Valley Flood Protection Board has approved the above ([] Lead Agency or [X] Responsible Agency)

described project on April 26, 2019 and has made the following determinations regarding the above described project.
(date)

- 1. The project [] will [X] will not have a significant effect on the environment.
2. [X] An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA.
[] A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures [X] were [] were not made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan [X] was [] was not adopted for this project.
5. A statement of Overriding Considerations [] was [X] was not adopted for this project.
6. Findings [X] were [] were not made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:
3310 El Camino Avenue, Suite 170, Sacramento, CA 95821

Signature (Public Agency): [Signature] Title: Executive Officer Governor's Office of Planning & Research

Date: 4.30.19 Date Received for filing at OPR: APR 30 2019

STATE CLEARINGHOUSE

Sheila Brown

From: Herota, James@CVFPB <James.Herota@CVFlood.ca.gov>
Sent: Tuesday, April 30, 2019 12:53 PM
To: OPR State Clearinghouse
Subject: Please Stamp the Enclosed four (4) State Clearinghouse Filings and return stamped copies
Attachments: 19120 NOE.pdf - Adobe Acrobat Pro 2017.pdf; 19324 NOD.pdf - Adobe Acrobat Pro 2017.pdf; 19233 NOD .pdf - Adobe Acrobat Pro 2017.pdf; SBFCA NOD.pdf

To: State Clearinghouse Filings - Please stamp the enclosed four (4) State Clearinghouse Filings and return stamped copies to:

James.Herota@CVFlood.ca.gov

Regards,

James Herota, MPPA
Senior Environmental Scientist
Central Valley Flood Protection Board
(916) 574-0651

Governor's Office of Planning & Research
APR 30 2019
STATE CLEARINGHOUSE

*emailed
cm*