The Junipers Project Environmental Impact Report SCH No. 2018041032 - Project No. 586670

Appendix E

Greenhouse Gas Emissions Technical Report (including CAP Checklist)

February 2020



# The Junipers Project

# Greenhouse Gas Emissions Technical Report

December 2019 | LEN-84

Prepared for:

#### Carmel Land, LLC

16465 Via Esprillo, Suite 150 San Diego, CA 92127

Prepared by:

#### HELIX Environmental Planning, Inc.

7578 El Cajon Boulevard La Mesa, CA 91942

# The Junipers Project

# Greenhouse Gas Emissions Technical Report

Prepared for:

**Carmel Land, LLC** 16465 Via Esprillo, Suite 150 San Diego, CA 92127

Prepared by:

HELIX Environmental Planning, Inc. 7578 El Cajon Boulevard La Mesa, CA 91942

December 2019 | LEN-84

# TABLE OF CONTENTS

#### <u>Section</u>

#### **Page**

| EXECUT | TIVE SUN                                    | /MARY ES-1  |  |  |  |
|--------|---|---|--|--|--|
| 1.0    | INTRO                                       | INTRODUCTION1   |  |  |  |
|        | 1.1<br>1.2<br>1.3                           | Project Location1Project Description1Regulatory Requirements and Project Design Features that Reduce GHG Emissions21.3.1Area Source Reductions21.3.2Energy Efficiencies21.3.3Mobile Source Reductions31.3.4Water and Waste Reduction3                               |  |  |  |
| 2.0    | ENVIRC                                      | DNMENTAL SETTING  |  |  |  |
|        | 2.1<br>2.2<br>2.3                           | Climate Change Overview4Greenhouse Gases4Regulatory Framework62.3.1Federal62.3.2State72.3.3Local10  |  |  |  |
| 3.0    | THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY1 |   |  |  |  |
|        | 3.1<br>3.2                                  | Significance Criteria11Methodology and Assumptions123.2.1Construction Emissions123.2.2Operation Emissions14   |  |  |  |
| 4.0    | PROJEC                                      | T IMPACTS   |  |  |  |
|        | 4.1<br>4.2                                  | Direct and Indirect Emissions of Greenhouse Gases184.1.1Construction Emissions184.1.2Operational Emissions18Climate Action Plan Consistency194.2.1Step 1: Land Use Consistency194.2.2Step 2: CAP Measures Consistency204.2.3Step 3: TPA Consistency224.2.4Summary22 |  |  |  |
| 5.0    | LIST OF                                     | PREPARERS   |  |  |  |
| 6.0    | REFERE                                      | NCES  |  |  |  |

## TABLE OF CONTENTS (cont.)

#### LIST OF APPENDICES

- A CalEEMod Output
- B CAP Consistency Checklist
- C SANDAG Series 13 Data

#### LIST OF FIGURES

| <u>No.</u> | Title             | Follows Page |
|------------|-------------------|--------------|
| 1          | Regional Location | 2            |
| 2          | Project Vicinity  | 2            |
| 3          | Site Plan         | 2            |

#### LIST OF TABLES

#### No. <u>Title</u>

# 1Photovoltaic Panel System Sizing by Plan22Global Warming Potentials and Atmospheric LIfetimes63Construction Equipment Assumptions134Anticipated Construction Schedule135Estimated Construction Emissions186Estimated Annual Operational Greenhouse Gas Emissions197CAP Measure Consistency20

#### Page

# ACRONYMS AND ABBREVIATIONS

| АВ                | Accombly Bill  |
|-------------------|--|
| ADT               | Assembly Bill<br>average daily trips                     |
| AEP               | Association of Environmental Professionals               |
| ALF               | Association of Linvi onmental Professionals              |
| CAA               | Clean Air Act  |
| CAFE              | Corporate Average Fuel Economy                           |
| CAP               | Climate Action Plan                                      |
| CARB              | California Air Resources Board                           |
| CalEEMod          | California Emission Estimator Model                      |
| CALGreen          | California Green Building Standards Code                 |
| CBSC              | California Building Standards Commission                 |
| CCR               | California Code of Regulations                           |
| CEQA              | California Environmental Quality Act                     |
| CFCs              | chlorofluorocarbons                                      |
| $C_2F_6$          | Hexafluoroethane   |
| CF <sub>4</sub>   | Tetraflouromethane                                       |
| CH <sub>4</sub>   | methane  |
| CO                | carbon monoxide  |
| CO <sub>2</sub>   | carbon dioxide   |
| CO <sub>2</sub> e | CO <sub>2</sub> -equivalent                              |
| County            | San Diego County   |
| EO                | Executive Order  |
|                   |  |
| °F                | Fahrenheit   |
| GHG               | greenhouse gas   |
| GWP               | Global Warming Potential                                 |
| GWI               | Global Warning Fotential                                 |
| HFCs              | hydrofluorocarbons                                       |
|                   |  |
| IPCC              | United Nations Intergovernmental Panel on Climate Change |
|                   | Low Carbon Fuel Standard                                 |
| LCFS              |  |
| LLG               | Linscott, Law, & Greenspan Engineers                     |
| MAWA              | Maximum Applied Water Allowance                          |
| MMT               | million metric tons                                      |
| mpg               | miles per gallon   |
| MPO               | Metropolitan Planning Organization                       |
| MT                | metric ton   |
|                   |  |

# ACRONYMS AND ABBREVIATIONS (cont.)

| N <sub>2</sub> O | nitrous oxide                                   |
|------------------|---|
| NASA             | National Aeronautics and Space Administration   |
| NHTSA            | National Highway Traffic Safety Administration  |
| NOAA             | National Oceanic and Atmospheric Administration |
| NO <sub>X</sub>  | nitrogen oxides                                 |
| PFCs             | perfluorocarbons                                |
| ppm              | parts per million                               |
| RTP              | Regional Transportation Plan                    |
| SANDAG           | San Diego Association of Governments            |
| SB               | Senate Bill                                     |
| SCAQMD           | South Coast Air Quality Management District     |
| SCS              | Sustainable Communities Strategy                |
| SF <sub>6</sub>  | sulfur hexaflouride                             |
| USEPA            | U.S. Environmental Protection Agency            |
| VMT              | vehicle miles traveled                          |
| VOC              | volatile organic compound                       |

# **EXECUTIVE SUMMARY**

This report evaluates the potential greenhouse gas (GHG) emission impacts associated with the proposed Junipers Project (Project), located in the city of San Diego.

The Project would result in GHG emissions during construction and operation. Construction sources of GHG emissions include heavy construction equipment, worker vehicle miles traveled, and water use. Operational sources of GHG emissions sources include area (landscape maintenance), energy, transportation, water use, and solid waste.

According to the City of San Diego's (City's) Significance Determination Thresholds, projects that are consistent with the City's Climate Action Plan (CAP), as determined through the CAP Consistency Checklist, would result in a less-than-significant GHG emission cumulative impact. If a project is not consistent with the City's CAP, as determined through the CAP Consistency Checklist, a potentially significant cumulative GHG impact would occur.

Per Step 1 of the CAP consistency analysis, the Project would require a Community Plan Amendment and zone change and the Project is not located in a Transit Priority Area (TPA); therefore, the Project does not comply with Options A or B of Step 1 of the CAP Consistency Checklist. As demonstrated in this analysis, however, the Project would result in a less GHG-intensive land use than the assumptions utilized in development of the CAP; therefore, the Project would be consistent with the CAP via Option C.

Regarding Step 2, the Project would be consistent with all applicable CAP Consistency Checklist items and would implement all Step 2 strategies; therefore, the Project is consistent with Step 2. Step 3 consistency is not applicable to the Project because the Project is not located within a TPA.

As demonstrated in this report, the Project would be consistent with the CAP and, therefore, the Project would result in a less-than-significant cumulative impact regarding GHG emissions.



This page intentionally left blank



# 1.0 INTRODUCTION

## 1.1 **PROJECT LOCATION**

The Junipers Project (Project) is located on an approximately 112.3-acre property at 14455 Peñasquitos Drive (Assessor's Parcel Numbers [APNs] 313-011-06, 313-011-07, 313-011-10, and 313-060-10) in the Rancho Peñasquitos Community Plan Area of the city of San Diego. The Project is located west of Interstate 15 (I-15), north of Carmel Mountain Road, and east of Peñasquitos Drive. Surrounding uses include single- and multi-family residential to the west and north, and a hotel (Hotel Karlan) immediately to the south. A large commercial shopping area is located immediately east of I-15 and the Project site along Carmel Mountain Road and Rancho Carmel Drive. Black Mountain Open Space Park is located farther west of the Project site, west of Peñasquitos Drive.

The majority of the site is zoned as Residential (RS-1-14), and is designated as Park, Open Space, and Recreation in the City of San Diego (City) General Plan, and Open Space/Golf Course in the Rancho Peñasquitos Community Plan. The southernmost area of the site (existing tennis courts and shed) is zoned as Commercial-Visitor (CV-1-1), and is designated as Commercial Employment, Retail and Services. Refer to Figure 1, *Regional Location*, and Figure 2, *Project Vicinity*.

## 1.2 **PROJECT DESCRIPTION**

The Project entails the development of a vacant property formerly used as a golf course to create a residential subdivision with a total of 536 units. The Project would include 455 attached and detached, multi-family, age-restricted residences, 81 affordable age-restricted multi-family apartments, a public park, publicly accessible trails, open space/parks for development use, and internal private streets. As part of the Project approval, zoning would be changed to RM-1-1 and RM-3-7, a General Plan Amendment would change the land use designation to Residential, and a Community Plan Amendment would change the land use designation to Low-Medium Density Residential. An approximately 2.75-mile, publicly accessible "social loop" pedestrian and bike trail would be developed and privately maintained around the perimeter of the Project. The public park would exceed 3 acres and provide opportunities for recreation, gathering, and social interaction. A mobility zone and bicycle hub are proposed within a privately owned, privately maintained park with a public access easement. This park will be located in the southeastern portion of the site near the transit stops at Carmel Mountain Road.

Vehicular access to the Project site would be provided from Peñasquitos Drive at the existing intersection with Janal Way, and from a new right-in only access road off of Carmel Mountain Road (with an emergency egress right-out lane onto Carmel Mountain Road). The access road would terminate at a roundabout from which one private street would extend north to connect with the residences in the western portion of the site, and a second private road would extend east leading to another roundabout from which one street would extend north to connect with the residences within the eastern portion of the site. There is one cul-de-sac proposed in the northernmost portion of the Project site. All other proposed private roadways would be interconnected within the Project site. Pedestrian and other non-vehicular (e.g., bicycle) circulation would be accommodated throughout the site. Refer to Figure 3, *Site Plan*.



## 1.3 REGULATORY REQUIREMENTS AND PROJECT DESIGN FEATURES THAT REDUCE GHG EMISSIONS

#### 1.3.1 Area Source Reductions

• Natural gas fireplaces would be installed in each of the 133 single detached units with four additional natural gas fireplaces in and around the Clubhouse. No other fireplaces or hearths would be installed.

#### 1.3.2 Energy Efficiencies

- The Project would be designed to meet 2016 Title 24 energy efficiency standards.
- The Project would install rooftop photovoltaic (PV) solar systems on all residential products for a combined total system size of at least 1,396 direct current (DC) kilowatts (kW). The breakdown of PV system size by unit is provided Table 1, *Photovoltaic Panel System Sizing by Plan*, below.

| Plan                         | Number of<br>Dwelling Units | Plan Area | PV System Size<br>per Unit (kW DC) | Total kW DC per<br>Plan |
|------------------------------|-----------------------------|-----------|------------------------------------|-------------------------|
| Duplex 1                     | 46                          | 1,802     | 2.68                               | 123.28                  |
| Duplex 2                     | 45                          | 2,111     | 3.02                               | 135.90                  |
| Duplex 3                     | 45                          | 2,331     | 3.35                               | 150.75                  |
| 50x90 1                      | 36                          | 1,738     | 2.68                               | 96.48                   |
| 50x90 2                      | 32                          | 1,945     | 3.02                               | 46.64                   |
| 50x90 3                      | 32                          | 2,331     | 3.35                               | 107.20                  |
| 50x90 4                      | 33                          | 2,468     | 3.69                               | 121.77                  |
| Cluster 1                    | 62                          | 1,209     | 1.68                               | 104.16                  |
| Cluster 2                    | 31                          | 1,505     | 2.35                               | 72.85                   |
| Cluster 2X                   | 31                          | 1,984     | 3.02                               | 93.62                   |
| Cluster 3                    | 31                          | 1,781     | 2.68                               | 83.08                   |
| Cluster 3X                   | 31                          | 2,244     | 3.35                               | 103.85                  |
| Affordable 1BR               | 65                          | 600       | 1.2                                | 78.00                   |
| Affordable 2BR               | 16                          | 900       | 1.79                               | 28.64                   |
| Affordable<br>Community Room | 1                           | 1,400     | -                                  | -                       |
|                              |                             |           | TOTAL kW DC                        | 1,396.22                |

| Table 1                                  |
|--|
| PHOTOVOLTAIC PANEL SYSTEM SIZING BY PLAN |

Source: SunStreet 2019.

Notes:


1. Sizes are based upon proposed roof for each product and orientation.

2. Assumed 75% maximum system size allowed by SDG&E on market rate units and 100% of SDG&E allowable on affordable for rent building.

- 3. Rounded market rate based on 335W panels
- 4. System proposed exceeds 2019 Title 24




The Junipers Draft Greenhouse Gas Emissions Technical Report



HELIX Environmental Planning

## **Regional Location**

Figure 1






:\PROJECTS\N\NDG\NDG-01\_TheJunipers\Map\GHG\Fig2\_Aerial.mxd\_LEN-84\_5/2019 - SAB

**Project Vicinity** 

Figure 2





This page intentionally left blank

#### 1.3.3 Mobile Source Reductions

- Pre-wiring (i.e., cabinets and conduits provided for future wiring) of 3 percent of parking
  required (a total of 37 spaces for the future installation of electric vehicle (EV) charging stations,
  with 50 percent of that number (19 of the 37 spaces) to contain additional necessary equipment
  to be create active vehicle charging stations consistent with the City Climate Action Plan. The
  Project proposes the 19 fully active EV charging stations and also would provide EV-ready
  pre-wiring in all 455 market-rate residential garages (exceeding the requirement by 419 spaces).
- The Project is designed to comply with the following measures as described by the California Air Pollution Control Officers Association (CAPCOA; 2010).
  - LUT-5 Increased Transit Accessibility Locating a project near transit will facilitate the use of transit by people traveling to or from the project site. The use of transit results in a mode shift and therefore reduced vehicle miles traveled (VMT). The Project site is located adjacent to San Diego Metropolitan Transit System Line 20, with a stop on both sides of Carmel Mountain Road at the intersection of Carmel Mountain Road and Peñasquitos Drive, within approximately 0.5 mile of the center of the Project site.
  - LUT-6 Integrate Affordable and Below Market Rate Housing Income has a statistically significant effect on the probability that a commuter will take transit or walk to work. The Project would provide 81 affordable apartment units.
  - SDT-1 Neighborhood/Site Enhancements Providing a pedestrian access network to link areas of the project site encourages people to walk instead of drive. This mode shift results in people driving less and thus a reduction in VMT. The Project would provide a pedestrian access network that internally links all uses and connects to all existing or planned external streets and pedestrian facilities contiguous with the Project site. The linkages would be ADA compliant, generally level (overall developed portions of the site range less than 40 feet in elevation), and would connect to Carmel Mountain Road via a 10-foot wide sidewalk connecting to sidewalks/paths linking all project residences.

#### 1.3.4 Water and Waste Reduction

The City has enacted codes and policies directed at the achievement of State-required diversion levels, including the Refuse and Recyclable Materials Storage Regulations (San Diego Municipal Code Chapter 14, Article 2 Division 8), Recycling Ordinance (Municipal Code Chapter 6, Article 6, Division 7), and the Construction and Demolition Debris Deposit Ordinance (Municipal Code Chapter 6, Article 6, Division 6). A Waste Management Plan (HELIX 2019) has been developed to divert solid waste such as household waste and debris from construction and demolition away from landfills.

 At least 54 percent of operational waste would be diverted from landfills through reuse, recycling, and on-site composting. As specified in the Project Waste Management Plan (HELIX 2019), this includes 40 percent of household waste consistent with current City ordinances and regulations through recycling of glass/paper/solid plastic and green waste, as well as diversion of percentages of household food waste and HOA-maintained area green waste, to total a 54 percent Project diversion rate overall.



- The Project would provide areas for storage and collection of recyclables and yard waste in accordance with 2016 California Green Building Standards Code (CALGreen).
- The Project would provide 20 percent water reduction from the statewide average in accordance with 2016 CALGreen.

# 2.0 ENVIRONMENTAL SETTING

## 2.1 CLIMATE CHANGE OVERVIEW

Global climate change refers to changes in average climatic conditions on Earth, as a whole, including temperature, wind patterns, precipitation, and storms. Global temperatures are moderated by naturally occurring atmospheric gases. These gases are commonly referred to as GHGs because they function like a greenhouse by letting light in but preventing heat from escaping, thus warming the Earth's atmosphere. These gases allow solar radiation (sunlight) into the Earth's atmosphere but prevent radiative heat from escaping, thus warming the Earth's atmosphere.

GHGs are emitted by natural processes and human (anthropogenic) activities. Anthropogenic GHG emissions are primarily associated with (1) the burning of fossil fuels during motorized transport, electricity generation, natural gas consumption, industrial activity, manufacturing, and other activities; (2) deforestation; (3) agricultural activity; and (4) solid waste decomposition.

The temperature record shows a decades-long trend of warming, with 2016 global surface temperatures ranking as the warmest year on record since 1880. (National Aeronautics and Space Administration [NASA] 2018). The newest release in long-term warming trends announced 2017 ranked as the second warmest year with an increase of 1.62 degrees Fahrenheit compared to the 1951-1980 average (NASA 2018). GHG emissions from human activities are the most significant driver of observed climate change since the mid-20<sup>th</sup> century (Intergovernmental Panel on Climate Change [IPCC] 2013). The IPCC constructed several emission trajectories of GHGs needed to stabilize global temperatures and climate change impacts. The statistical models show a "high confidence" that temperature increase caused by anthropogenic GHG emissions could be kept to less than two degrees Celsius relative to pre-industrial levels if atmospheric concentrations are stabilized at about 450 parts per million (ppm) carbon dioxide equivalent (CO<sub>2</sub>e) by the year 2100 (IPCC 2014).

## 2.2 GREENHOUSE GASES

The GHGs, as defined under California Assembly Bill (AB) 32, include carbon dioxide ( $CO_2$ ), methane ( $CH_4$ ), nitrous oxide ( $N_2O$ ), hydrofluorocarbons (HFCs), perfluorocarbons (PFCs), and sulfur hexafluoride ( $SF_6$ ). Although water vapor is the most abundant and variable GHG in the atmosphere, it is not considered a pollutant; it maintains a climate necessary for life.

**Carbon Dioxide.** CO<sub>2</sub> is the most important and common anthropogenic GHG. CO<sub>2</sub> is an odorless, colorless GHG. Natural sources include the decomposition of dead organic matter; respiration of bacteria, plants, animals, and fungi; evaporation from oceans; and volcanic outgassing. Anthropogenic sources of CO<sub>2</sub> include burning fuels, such as coal, oil, natural gas, and wood. Data from ice cores indicate that CO<sub>2</sub> concentrations remained steady prior to the current period for approximately 10,000 years. The atmospheric CO<sub>2</sub> concentration in 2010 was 390 ppm, 39 percent above the



concentration at the start of the Industrial Revolution (about 280 ppm in 1750). As of April 2018, the CO<sub>2</sub> concentration exceeded 408 ppm, a 46 percent increase since 1750 (National Oceanic and Atmospheric Administration [NOAA] 2018).

**Methane.** CH<sub>4</sub> is a gas and is the main component of natural gas used in homes. A natural source of methane is from the decay of organic matter. Geological deposits known as natural gas fields contain methane, which is extracted for fuel. Other sources are from decay of organic material in landfills, fermentation of manure, and cattle digestion.

**Nitrous Oxide.** N<sub>2</sub>O is produced by both natural and human-related sources. N<sub>2</sub>O is emitted during agricultural and industrial activities, as well as during combustion of fossil fuels and solid waste. Primary human-related sources of N<sub>2</sub>O are agricultural soil management, animal manure management, sewage treatment, mobile and stationary combustion of fossil fuel, adipic (fatty) acid production, and nitric acid production.

**Fluorocarbons.** Fluorocarbons are gases formed synthetically by replacing all hydrogen atoms in methane or ethane with chlorine and/or fluorine atoms. Chlorofluorocarbons are nontoxic, nonflammable, insoluble, and chemically nonreactive in the troposphere (the level of air at Earth's surface). Chlorofluorocarbons were first synthesized in 1928 for use as refrigerants, aerosol propellants, and cleaning solvents. They destroy stratospheric ozone; therefore, their production was stopped as required by the Montreal Protocol.

**Sulfur Hexafluoride.**  $SF_6$  is an inorganic, odorless, colorless, nontoxic, nonflammable gas.  $SF_6$  is used for insulation in electric power transmission and distribution equipment, in the magnesium industry, in semi-conductor manufacturing, and as a tracer gas for leak detection.

GHGs have long atmospheric lifetimes that range from one year to several thousand years. Long atmospheric lifetimes allow for GHGs to disperse around the globe. Because GHGs vary widely in the power of their climatic effects, climate scientists have established a unit called global warming potential (GWP). The GWP of a gas is a measure of both potency and lifespan in the atmosphere as compared to CO<sub>2</sub>. For example, because methane and N<sub>2</sub>O are approximately 25 and 298 times more powerful than CO<sub>2</sub>, respectively, in their ability to trap heat in the atmosphere, they have GWPs of 25 and 298, respectively (CO<sub>2</sub> has a GWP of 1). CO<sub>2</sub>e is a quantity that enables all GHG emissions to be considered as a group despite their varying GWP. The GWP of each GHG is multiplied by the prevalence of that gas to produce CO<sub>2</sub>e. The atmospheric lifetime and GWP of selected GHGs are summarized in Table 2, *Global Warming Potentials and Atmospheric Lifetimes*. As shown in the table, the GWP for common GHGs ranges from 1 (CO<sub>2</sub>) to 22,800 (SF<sub>6</sub>).



| Greenhouse Gas   | Atmospheric Lifetime<br>(years) | Global Warming Potential<br>(100-year time horizon) |
|--|---------------------------------|---|
| Carbon Dioxide (CO <sub>2</sub> )                      | 50-200                          | 1   |
| Methane (CH <sub>4</sub> )                             | 12                              | 25  |
| Nitrous Oxide (N <sub>2</sub> O)                       | 114                             | 298   |
| HFC-134a   | 14                              | 1,430   |
| PFC: Tetraflouromethane (CF <sub>4</sub> )             | 50,000                          | 7,390   |
| PFC: Hexafluoroethane (C <sub>2</sub> F <sub>6</sub> ) | 10,000                          | 12,200  |
| Sulfur Hexafluoride (SF <sub>6</sub> )                 | 3,200                           | 22,800  |

 Table 2

 GLOBAL WARMING POTENTIALS AND ATMOSPHERIC LIFETIMES

Source: IPCC 2007

HFC: hydrofluorocarbon; PFC: perfluorocarbon

## 2.3 **REGULATORY FRAMEWORK**

All levels of government have some responsibility for the protection of air quality, and each level (federal, state, and regional/local) has specific responsibilities relating to air quality regulation. GHG emissions and the regulation of GHGs is a relatively new component of air quality.

#### 2.3.1 Federal

#### 2.3.1.1 Federal Clean Air Act

The U.S. Supreme Court ruled on April 2, 2007, in *Massachusetts v. U.S. Environmental Protection Agency* (USEPA) that  $CO_2$  is an air pollutant, as defined under the Clean Air Act (CAA), and that the USEPA has the authority to regulate emissions of GHGs. The USEPA announced that GHGs (including  $CO_2$ ,  $CH_4$ ,  $N_2O$ , HFC, PFC, and SF<sub>6</sub>) threaten the public health and welfare of the American people. This action was a prerequisite to finalizing the USEPA's GHG emissions standards for light-duty vehicles, which were jointly proposed by the USEPA and the United States Department of Transportation's National Highway Traffic Safety Administration (NHTSA), as described below.

#### 2.3.1.2 Light-Duty Vehicle Greenhouse Gas Emissions Standards and Corporate Average Fuel Economy Standards

The USEPA and the Department of Transportation's NHTSA have been working together on developing a national program of regulations to reduce GHG emissions and to improve fuel economy of light-duty vehicles. The USEPA is finalizing the first-ever national GHG emissions standards under the CAA, and the NHTSA is finalizing Corporate Average Fuel Economy (CAFE) standards under the Energy Policy and Conservation Act. On April 1, 2010, the USEPA and NHTSA announced a joint Final Rulemaking establishing standards for 2012 through 2016 model year vehicles. This was followed up on October 15, 2012, when the agencies issued a Final Rulemaking with standards for model years 2017 through 2025. The rules require these vehicles to meet an estimated combined average emissions level of 250 grams of CO<sub>2</sub> per mile by 2016, decreasing to an average industry fleet-wide level of 163 grams of CO<sub>2</sub> per mile in model year 2025. The 2016 standard is equivalent to 35.5 miles per gallon (mpg), and the 2025 standard is equivalent to 54.5 mpg if the levels were achieved solely through improvements in fuel efficiency. The agencies expect, however, that a portion of these improvements will be made through improvements in air-conditioning leakage and the use of alternative refrigerants that would not contribute to fuel



economy. These standards would cut GHG emissions by an estimated 2 billion metric tons and 4 billion barrels of oil over the lifetime of the vehicles sold under the program (model years 2017–2025). The combined USEPA GHG standards and NHTSA CAFE standards resolve previously conflicting requirements under both federal programs and the standards of the State of California and other states that have adopted the California standards (USEPA 2011; USEPA and NHTSA 2012).

#### 2.3.2 State

#### 2.3.2.1 California Code of Regulations, Title 24, Part 6

California Code of Regulations (CCR) Title 24 Part 6: California's Energy Efficiency Standards for Residential and Nonresidential Buildings were first established in 1978 in response to a legislative mandate to reduce California's energy consumption. Energy-efficient buildings require less electricity, natural gas, and other fuels. Electricity production from fossil fuels and on-site fuel combustion (typically for water heating) results in GHG emissions.

The Title 24 standards are updated periodically to allow the consideration and possible incorporation of new energy-efficiency technologies and methods. The latest update to the Title 24 standards occurred in 2016 and went into effect January 1, 2017. The 2016 update to the Building Energy Efficiency Standards focuses on several key areas to improve the energy efficiency of newly constructed buildings and additions and alterations to existing buildings. The most significant efficiency improvements to the residential standards include improvements for attics, walls, water heating, and lighting. The standards are divided into three basic sets. First, there is a basic set of mandatory requirements that apply to all buildings. Second, there is a set of performance standards – the energy budgets – that vary by climate zone (of which there are 16 in California) and building type; thus, the standards are tailored to local conditions. Finally, the third set constitutes an alternative to the performance standards, which is a set of prescriptive packages that are basically a recipe or a checklist compliance approach. The next update to Title 24 will occur in 2019 and go into effect on January 1, 2020. The 2019 standards will continue to improve construction of new buildings and alterations to existing buildings.

#### 2.3.2.2 California Green Building Standards Code

The California Green Building Standards Code (24 CCR, Part 11) is a code with mandatory requirements for new residential and nonresidential buildings (including buildings for retail, office, public schools and hospitals) throughout California. The CALGreen code is Part 11 of the California Building Standards Code in Title 24 of the CCR (CBSC 2017). The current 2016 standards for new construction of, and additions and alterations to, residential and nonresidential buildings went into effect on January 1, 2017. The 2019 standards, which will go into effect January 2020, will continue to improve upon the current 2016 standards.

The development of the CALGreen Code is intended to (1) cause a reduction in GHG emissions from buildings; (2) promote environmentally responsible, cost-effective, healthier places to live and work; (3) reduce energy and water consumption; and (4) respond to the directives by the governor. In short, the code is established to reduce construction waste; make buildings more efficient in the use of materials and energy; and reduce environmental impact during and after construction.

The CALGreen Code contains requirements for storm water control during construction; construction waste reduction; indoor water use reduction; material selection; natural resource conservation; site irrigation conservation; and more. The code provides for design options that allow the designer to



determine how best to achieve compliance for a given site or building condition. The code also requires building commissioning, which is a process for the verification that all building systems, such as heating and cooling equipment and lighting systems, are functioning at their maximum efficiency.

#### 2.3.2.3 Executive Order S-3-05

On June 1, 2005, Executive Order (EO) S-3-05 proclaimed that California is vulnerable to climate change impacts. It declared that increased temperatures could reduce snowpack in the Sierra Nevada, further exacerbate California's air quality problems, and potentially cause a rise in sea levels. In an effort to avoid or reduce climate change impacts, EO S-3-05 calls for a reduction in GHG emissions to the year 2000 level by 2010, to year 1990 levels by 2020, and to 80 percent below 1990 levels by 2050.

#### 2.3.2.4 Assembly Bill 32 – Global Warming Solution Act of 2006

The California Global Warming Solutions Act of 2006, widely known as AB 32, requires that the California Air Resources Board (CARB) develop and enforce regulations for the reporting and verification of statewide GHG emissions. CARB is directed to set a GHG emission limit, based on 1990 levels, to be achieved by 2020. The bill requires CARB to adopt rules and regulations in an open public process to achieve the maximum technologically feasible and cost-effective GHG emission reductions.

#### 2.3.2.5 Executive Order B-30-15

On April 29, 2015, EO B-30-15 established a California GHG reduction target of 40 percent below 1990 levels by 2030. The EO aligns California's GHG reduction targets with those of leading international governments, including the 28-nation European Union. California is on track to meet or exceed the target of reducing GHG emissions to 1990 levels by 2020, as established in AB 32. California's new emission reduction target of 40 percent below 1990 levels by 2030 will make it possible to reach the ultimate goal established by EO S-3-05 of reducing emissions 80 percent under 1990 levels by 2050.

#### 2.3.2.6 Senate Bill 32

As a follow-up to AB 32 and in response to EO-B-30-15, Senate Bill (SB) 32 was passed by the California legislature in August 2016 to codify the EO's California GHG emission reduction target of 40 percent below 1990 levels by 2030.

#### 2.3.2.7 Assembly Bill 1493 – Vehicular Emissions of Greenhouse Gases

AB 1493 (Pavley) requires that CARB develop and adopt regulations that achieve "the maximum feasible reduction of GHGs emitted by passenger vehicles and light-duty truck and other vehicles determined by CARB to be vehicles whose primary use is noncommercial personal transportation in the State." On September 24, 2009, CARB adopted amendments to the Pavley regulations that intend to reduce GHG emissions in new passenger vehicles from 2009 through 2016. The amendments bind California's enforcement of AB 1493 (starting in 2009), while providing vehicle manufacturers with new compliance flexibility. The amendments also prepare California to merge its rules with the federal CAFE rules for passenger vehicles (CARB 2013a). In January 2012, CARB approved a new emissions-control program for model years 2017 through 2025. The program combines the control of smog, soot, and global warming gases and requirements for greater numbers of zero-emission vehicles into a single packet of standards called Advanced Clean Cars (CARB 2013a).



#### 2.3.2.8 Assembly Bill 341

In 2011, the State legislature enacted AB 341 (California Public Resource Code section 42649.2), increasing the diversion target to 75 percent statewide. AB 341 also requires the provision of recycling service to commercial and residential facilities that generate 4 cubic yards or more of solid waste per week.

#### 2.3.2.9 Executive Order S-01-07

This EO, signed by Governor Schwarzenegger on January 18, 2007, directs that a statewide goal be established to reduce the carbon intensity of California's transportation fuels by at least 10 percent by the year 2020. It orders that a Low Carbon Fuel Standard (LCFS) for transportation fuels be established for California and directs the CARB to determine whether a LCFS can be adopted as a discrete early action measure pursuant to AB 32. CARB approved the LCFS as a discrete early action item with a regulation adopted and implemented in April 2010. Although challenged in 2011, the Ninth Circuit Court of Appeals reversed the District Court's opinion and rejected arguments that implementing LCFS violates the interstate commerce clause in September 2013. CARB, therefore, is continuing to implement the LCFS statewide.

#### 2.3.2.10 Senate Bill (SB) 375

SB 375 aligns regional transportation planning efforts, regional GHG reduction targets, and affordable housing allocations. Metropolitan Planning Organizations (MPOs) are required to adopt a Sustainable Communities Strategy (SCS), which allocates land uses in the MPO's Regional Transportation Plan (RTP). Qualified projects consistent with an approved SCS or Alternative Planning Strategy categorized as "transit priority projects" would receive incentives to streamline California Environmental Quality Act (CEQA) processing.

#### 2.3.2.11 California Air Resources Board: Scoping Plan

On December 11, 2008, the CARB adopted the Scoping Plan (CARB 2008) as directed by AB 32. The Scoping Plan proposes a set of actions designed to reduce overall GHG emissions in California to the levels required by AB 32. Measures applicable to development projects include those related to energy-efficiency building and appliance standards, use of renewable sources for electricity generation, regional transportation targets, and green building strategies. Relative to transportation, the Scoping Plan includes nine measures or recommended actions intended to reduce VMT and vehicle GHGs through fuel and efficiency measures. These measures would be implemented statewide rather than on a project-by-project basis.

In response to EO B-30-15 and SB 32, all state agencies with jurisdiction over sources of GHG emissions were directed to implement measures to achieve reductions of GHG emissions to meet the 2030 and 2050 targets. CARB was directed to update the Scoping Plan to reflect the 2030 target and, therefore, is moving forward with the update process. The mid-term target is critical to help frame the suite of policy measures, regulations, planning efforts, and investments in clean technologies and infrastructure needed to continue driving down emissions. CARB is moving forward with a second update to the Scoping Plan to reflect the 2030 target set by EO B-30-15 and codified by SB 32. The 2017 Climate Change Scoping Plan Update, Proposed Strategy for Achieving California's 2030 Greenhouse Gas Target, was adopted in December 2017. The Scoping Plan Update establishes a proposed framework for California to meet a 40 percent reduction in GHGs by 2030 compared to 1990 levels (CARB 2017).



## 2.3.3 Local

#### 2.3.3.1 San Diego Association of Governments: Climate Action Strategy

The San Diego Association of Governments (SANDAG) Climate Action Strategy serves as a guide to help policymakers address climate change as they make decisions to meet the needs of growing populations, as well as to maintain and enhance quality of life and promote economic stability (SANDAG 2010). The purpose of the strategy is to identify land use, transportation, and other related policy measures that could reduce GHG emissions from passenger cars and light-duty trucks as part of the development of the SCS for the 2050 RTP in compliance with SB 375. Additional policy measures are identified for buildings and energy use, protecting transportation and energy infrastructures from climate impacts, and assisting SANDAG and other local agencies in reducing GHG emissions from their operations.

#### 2.3.3.2 City of San Diego General Plan

The City's General Plan (City of San Diego 2008) includes various goals and policies designed to help result in a reduction in GHG emissions. As discussed in the General Plan, climate change and GHG reduction policies are addressed in multiple chapters of the General Plan. The policies related to climate change relevant to the Project are as follows (City of San Diego 2008):

#### Goals

To reduce the City's overall carbon dioxide footprint by improving energy efficiency, increasing use of alternative modes of transportation, employing sustainable planning and design techniques, and providing environmentally sound waste management.

#### Policies

- **CE-A.4** Pursue the development of "clean" or "green" sector industries that benefit San Diego's environment and economy.
- **CE-A.5** Employ sustainable or "green" building techniques for the construction and operation of buildings.
- **CE-A.7** Construct and operate buildings using materials, methods, and mechanical and electrical systems that ensure a healthful indoor air quality. Avoid contamination by carcinogens, volatile organic compounds, fungi, molds, bacteria, and other known toxins.
- **CE-A.8** Reduce construction and demolition waste in accordance with Public Facilities Element, Policy PF-I.2, or by renovating or adding on to existing buildings, rather than constructing new buildings.
- **CE-A.9** Reuse building materials, use materials that have recycled content, or use materials that are derived from sustainable or rapidly renewable resources to the extent possible.
- **CE-A.10** Include features in buildings to facilitate recycling of waste generated by building occupants and associated refuse storage areas.
- **CE-A.12** Reduce the San Diego Urban Heat Island, through actions such as:



- Using cool roofing materials, such as reflective, low heat retention tiles, membranes and coatings, or vegetated eco-roofs to reduce heat build-up;
- Planting trees and other vegetation, to provide shade and cool air temperatures. In particular, properly position trees to shade buildings, air conditioning units, and parking lots; and
- Reducing heat build-up in parking lots through increased shading or use of cool paving materials as feasible.

#### 2.3.3.3 City of San Diego Climate Action Plan

The City adopted a CAP that quantifies GHG emissions, establishes citywide reduction targets for 2020 and 2035, identifies strategies and measures to reduce GHG levels, and provides guidance for monitoring progress on an annual basis (City of San Diego 2015). The CAP identifies a comprehensive set of goals, policies, and actions that the City can use to reduce GHG emissions/climate change impacts. The CAP includes five strategies: (1) water- and energy-efficient buildings; (2) clean and renewable energy; (3) bicycling, walking, transit, and land use; (4) zero waste; and (5) climate resiliency.

To provide a mechanism for CEQA tiering, the City developed a CAP Consistency Checklist to provide a streamlined review process for GHG emissions for development subject to CEQA. The checklist contains measures that are required to be implemented on a project-by-project basis to ensure that the specified emission targets identified in the CAP are achieved. Implementation of the measures identified in the checklist ensures that new development is consistent with the CAP's assumptions for relevant CAP strategies for achieving identified GHG reduction targets (City of San Diego 2017).

# 3.0 THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

## 3.1 SIGNIFICANCE CRITERIA

Given the relatively small levels of emissions generated by a typical development in relationship to the total amount of GHG emissions generated on a national or global basis, individual development projects are not expected to result in significant, direct impacts with respect to climate change. However, given the magnitude of the impact of GHG emissions on the global climate, GHG emissions from new development could result in significant, cumulative impacts with respect to climate change. Thus, the potential for a significant GHG impact is limited to cumulative impacts.

According to the City's Significance Determination Thresholds, projects that are consistent with the City's CAP, as determined through the CAP Consistency Checklist, would result in a less-than-significant cumulative impact regarding GHG emissions. If a project is not consistent with the City's CAP, as determined through the CAP Consistency Checklist, potentially significant cumulative GHG impacts would occur.



## 3.2 METHODOLOGY AND ASSUMPTIONS

GHG emissions were calculated using the California Emission Estimator Model (CalEEMod), Version 2016.3.2. CalEEMod is a computer model used to estimate criteria air pollutant and GHG emissions resulting from construction and operation of land development projects throughout the state of California. CalEEMod was developed by the South Coast Air Quality Management District (SCAQMD) with the input of several air quality management and pollution control districts. The proposed Project and two other buildout scenarios were analyzed for comparative purposes as part of this quantitative analysis:

- Scenario 1: Project Buildout of the proposed Project;
- Scenario 2: Current Zoning Maximum allowable single-family residential development under the existing RS-1-14 zoning designation; and
- Scenario 3: Community Plan Land Use Designation Redevelopment of the golf course and tennis courts consistent with the existing General Plan and Community Plan designation.

Emissions from each GHG source category are discussed below with respect to each of the three development scenarios. The input data and subsequent construction and operation emission estimates for the proposed Project are discussed below. CalEEMod output files are included in Appendix A.

#### 3.2.1 Construction Emissions

#### 3.2.1.1 Scenario 1: Buildout of the Proposed Project

As described above, construction emissions are assessed using the CalEEMod, Version 2016.3.2. CalEEMod contains OFFROAD2011 emission factors and EMFAC2014 emission factors from CARB's models for off-road equipment and on-road vehicles, respectively. The construction analysis included modeling of the projected construction equipment that would be used during each construction activity and quantities of earth and debris to be moved. The model calculates GHG emissions in terms of metric tons (MT) of CO<sub>2</sub>e.

Construction would require heavy equipment during site preparation, mass grading, underground utilities, building construction, and paving. Construction equipment estimates are based on default values in CalEEMod, Version 2016.3.2. Table 3, *Construction Equipment Assumptions*, presents a summary of the assumed equipment that would be involved in each stage of construction.



| Construction Phase    | Equipment                 | Number |
|-----------------------|---------------------------|--------|
|                       | Concrete/Industrial Saws  | 1      |
| Demolition            | Excavators                | 3      |
|                       | Rubber Tired Dozers       | 2      |
| Site Proparation      | Rubber Tired Dozers       | 3      |
| Site Preparation      | Tractors/Loaders/Backhoes | 4      |
|                       | Excavators                | 2      |
|                       | Graders                   | 1      |
| Grading               | Rubber Tired Dozers       | 1      |
|                       | Scrapers                  | 2      |
|                       | Tractors/Loaders/Backhoes | 2      |
|                       | Cranes                    | 1      |
|                       | Forklifts                 | 3      |
| Building Construction | Generator Sets            | 1      |
|                       | Tractors/Loaders/Backhoes | 3      |
|                       | Welders                   | 1      |
|                       | Pavers                    | 2      |
| Paving                | Paving Equipment          | 2      |
|                       | Rollers                   | 2      |
| Architectural Coating | Air Compressors           | 1      |

 Table 3

 CONSTRUCTION EQUIPMENT ASSUMPTIONS

Source: CalEEMod (output data, including equipment horsepower, is provided in Appendix A)

The construction schedule was determined by using CalEEMod defaults, input from the Project Applicant, and standard assumptions for similarly sized projects, and by taking into consideration the size of the Project in order to estimate necessary construction activities and length of days per construction activity. As shown in Table 4, *Anticipated Construction Schedule*, Project development was assumed to start in November 2019 and end in February 2023.

Table 4 ANTICIPATED CONSTRUCTION SCHEDULE

|                       | Construction Period |            |                           |  |
|-----------------------|---------------------|------------|---------------------------|--|
| Construction Activity | Start               | End        | Number of<br>Working Days |  |
| Demolition            | 11/1/2019           | 11/30/2019 | 21                        |  |
| Site Preparation      | 12/1/2019           | 2/28/2020  | 65                        |  |
| Grading               | 3/1/2020            | 5/29/2020  | 65                        |  |
| Building Construction | 6/1/2020            | 9/30/2022  | 610                       |  |
| Paving                | 10/1/2022           | 11/30/2022 | 43                        |  |
| Architectural Coating | 12/1/2022           | 2/28/2023  | 64                        |  |

Source: CalEEMod (output data are provided in Appendix A)

Start and end dates are subject to approved Project Approvals and Hearings

The quantity, duration, and intensity of construction activity have an effect on the amount of construction emissions and their related emissions that occur at any one time. As such, the emission forecasts provided herein reflect a specific set of conservative assumptions based on the expected construction scenario wherein a relatively large amount of construction is occurring in a relatively intensive manner. Because of this conservative assumption, actual emissions could be less than those



forecasted. If construction is delayed or occurs over a longer time period, emissions could be reduced because of (1) a more modern and cleaner-burning construction equipment fleet mix than incorporated in the CalEEMod, and/or (2) a less intensive buildout schedule (i.e., fewer daily emissions occurring over a longer time interval). A complete listing of the assumptions used in the analysis and model output is provided in Appendix A of this report.

Construction emissions were amortized over 30 years per Association of Environmental Professionals (AEP) and SCAQMD recommendations (AEP 2010; SCAQMD 2009).

#### 3.2.1.2 Scenario 2: Maximum Residential Buildout Consistent with Existing Zoning

In order to ensure consistency across scenarios, construction emissions were estimated for the maximum residential development scenario consistent with the existing zoning (831 single family residential dwelling units) utilizing the same demolition, site preparation, and grading assumptions as for the Project Scenario with building construction, paving, and architectural coating phases based on CalEEMod defaults for equipment and phasing based on development size.

# 3.2.1.3 Scenario 3: Redevelopment Consistent with Existing Community Plan Land Use Designation

In order to ensure consistency across scenarios, construction emissions were estimated for the existing community plan land use designation scenario (110.46-acre golf course and 1.85-acres of tennis courts) using assumptions scaled based on the Palo Alto Golf Course Reconfiguration Project (Appendix B of the certified EIR for a 156-acre golf course reconfiguration [State Clearinghouse #2013012053]).

#### 3.2.2 Operation Emissions

CalEEMod was used to estimate potential operational GHG emissions from area sources (landscape maintenance), energy sources (natural gas and electricity), mobile sources, solid waste, and water supply and wastewater treatment.

Emissions from each GHG source category are discussed below with respect to each of the three development scenarios.

#### 3.2.2.1 Scenario 1: Buildout of the Proposed Project

Operation of the Project would result in GHG emissions from area sources, energy sources, mobile sources, solid waste, and water supply. Per the construction schedule assumptions, construction of the Project is assumed to be completed in 2023, with the first full year of operation potentially being 2024.

#### Area Sources

Potential area sources include GHG emissions occurring from the use of landscaping equipment and fireplaces. Area source emissions were calculated using CalEEMod default values for landscaping and the assumption that the Project include a total of 137 natural gas fireplaces, consistent with the design feature described in Section 1.3.



#### **Energy Sources**

As represented in CalEEMod, energy sources include emissions associated with building electricity and natural gas usage (non-hearth). Projects that increase electricity consumption also result in an indirect increase in GHG emissions. The generation of electricity through the combustion of fossil fuels typically yields CO<sub>2</sub>, and to a much smaller extent, methane, and nitrous oxide. The electricity and natural gas use associated with the Project was estimated assuming CalEEMod default consumption rates and emission factors for San Diego Gas & Electric (SDG&E), which would be the energy source provider to the site. Based on these factors, it was estimated the Project would demand 2,377 megawatt-hours of electricity and 6,017 million British Thermal Units (mmBTU)

As described in Section 1.3, the Project is designed to include rooftop PV systems for a combined total system size of at least 1,396 DC kW. Assuming a Capacity Factor of 28.9 percent, consistent with the statewide average for California (Berkeley Lab 2018), total electricity generation is estimated at 3,537 megawatt-hours per year.<sup>1</sup> This exceeds the expected electricity demand of the Project by approximately 1,160 megawatt-hours per year, thereby resulting in a net offset of electricity related emissions.

#### Mobile sources

The Project would consist of redevelopment in the vicinity of (i.e., immediately across I-15 from) an identified SANDAG Smart Growth Area (Potential Community Center). In addition, the southeastern portion of the Project site would be within a SANDAG-identified Transit Oriented District and the Project would include the VMT reducing measures identified in Section 1.3.3. Mobile-source GHG emissions were based on daily trip data provided by Linscott, Law, & Greenspan Engineers (LLG; 2019), average trip length as determined using SANDAG 2020 Regional Transportation Plan Series 13 Forecast Model (Appendix C), and the inclusion of the measures identified in Section 1.3 within CalEEMod (Appendix A).

#### Solid Waste

Solid waste generated would also contribute to GHG emissions. Treatment and disposal of solid waste produces significant amounts of methane. With the Project design features described in Section 1.3, consistent with the Waste Management Plan prepared for the Project, it was assumed the Project would generate 322 tons of waste per year.

#### Water and Wastewater

Water-related GHG emissions are from the conveyance and treatment of water. The California Energy Commission's 2006 Refining Estimates of Water-Related Energy Use in California defines average energy values for water in Southern California. These values are used in CalEEMod to establish default water-related emission factors. As described in Section 1.3, the Project would provide 20 percent water reduction from the statewide average in accordance with 2016 CALGreen. This reduction was applied to CalEEMod default water consumption and wastewater generation rates by land use were to estimate GHG emissions associated with water and wastewater.

<sup>&</sup>lt;sup>1</sup> 1,396.22 kW \* 24 hours/day \* 365.24 days/year \* 28.9% = 3,537,050.60 kWh/year



#### 3.2.2.2 Scenario 2: Maximum Residential Buildout Consistent with Existing Zoning

As previously described, the Project site is currently zoned RS-1-14. For the purposes of this comparative analysis, the existing zoning designation scenario assumes development of 831 non-age restricted residential units. The 831-unit assumption is based upon the minimum lot size required by the existing zoning (5,000 square feet), with an 85 percent building efficiency (i.e., 15 percent of the 112.3-acre site would be developed as internal roadways and landscaping). This scenario uses the "Single Family Housing" land use category in CalEEMod and assumes a 2024 operational year consistent with first full operational year of the Project scenario.

#### Area Sources

Area sources include GHG emissions that would occur from the use of landscaping equipment and fireplaces. Area source emissions were calculated using CalEEMod default values for landscaping and included the assumption that all fireplaces would be natural gas.

#### **Energy Sources**

As represented in CalEEMod, energy sources include emissions associated with building electricity and natural gas usage (non-hearth). Projects that increase electricity consumption also result in an indirect increase in GHG emissions. The generation of electricity through the combustion of fossil fuels typically yields CO<sub>2</sub>, and to a much smaller extent, methane, and nitrous oxide. The electricity and natural gas use associated with the existing zoning scenario was estimated assuming CalEEMod default consumption rates and emission factors for SDG&E, which would be the energy source provider to the site. Emission estimates assume Scenario 2 would include some rooftop solar consistent with the requirements of the 2019 updates to Title 24.

#### **Mobile Sources**

Mobile-source GHG emissions were modeled in CalEEMod utilizing trip generation rates available in the City of San Diego Trip Generation Manual and average trip lengths available in SANDAG's (Not So) Brief Guide of Vehicular Traffic Generation Rates for the San Diego Region (City of San Diego 2003; SANDAG 2002). Annual VMT was estimated to be approximately 24 million miles.

#### Solid Waste

Solid waste generated would also contribute to GHG emissions. Treatment and disposal of solid waste produces significant amounts of methane. CalEEMod default values for solid waste generation based on the land use type were used to estimate GHG emissions associated with solid waste.

#### Water and Wastewater

Water-related GHG emissions are from the conveyance and treatment of water. The California Energy Commission's 2006 Refining Estimates of Water-Related Energy Use in California defines average energy values for water in Southern California. These values are used in CalEEMod to establish default water-related emission factors. CalEEMod default water consumption and wastewater generation rates by land use were used to estimate GHG emissions associated with water and wastewater.



# 3.2.2.3 Scenario 3: Redevelopment Consistent with Existing Community Plan Land Use Designation

As previously described, the existing Community Plan land use designation for the Project site is Open Space with policy direction to preserve the existing golf course as an open space and community amenity. For the purposes of this comparative analysis, the existing land use designation scenario assumes redevelopment of a golf course and tennis courts consistent with the Community Plan and the previous use of the site. The "Golf Course" land use category in CalEEMod was selected for the golf course and the "Racquet Club" land use category was used for the tennis courts (assuming a 110.46-acre golf course and a 1.85-acres of tennis courts). Modeling assumes a 2024 operational year consistent with the first full operational year of the proposed Project.

#### Area Sources

Area sources include GHG emissions that would occur from the use of landscaping equipment. Area source emissions were calculated using estimates of gasoline and diesel fuel usage for landscaping equipment for golf course facilities (Golf Course Superintendents Association of America [GCSAA] 2017). It was assumed a golf course of this size would consume 3,063 gallons of diesel fuel per year and 4,200 gallons of gasoline per year.

#### **Energy Sources**

As represented in CalEEMod, energy sources include emissions associated with building electricity and natural gas usage (non-hearth). Projects that increase electricity consumption also result in an indirect increase in GHG emissions. The generation of electricity through the combustion of fossil fuels typically yields CO<sub>2</sub>, and to a much smaller extent, methane, and nitrous oxide. The electricity and natural gas use associated with the existing land use scenario was estimated assuming CalEEMod default consumption rates and emission factors for SDG&E, which would be the energy source provider to the site.

#### **Mobile Sources**

Mobile-source GHG emissions were modeled in CalEEMod utilizing trip generation rates available in the City of San Diego Trip Generation Manual and average trip lengths available in SANDAG's (Not So) Brief Guide of Vehicular Traffic Generation Rates for the San Diego Region (City of San Diego 2003; SANDAG 2002). Annual VMT was estimated to be approximately 2.1 million miles.

#### Solid Waste

Solid waste generated would also contribute to GHG emissions. Treatment and disposal of solid waste produces significant amounts of methane. CalEEMod default values for solid waste generation based on the land use type were used to estimate GHG emissions associated with solid waste.

#### Water and Wastewater

Water-related GHG emissions are from the conveyance and treatment of water. The California Energy Commission's 2006 Refining Estimates of Water-Related Energy Use in California defines average energy values for water in Southern California. These values are used in CalEEMod to establish default water-related emission factors. CalEEMod default water consumption and wastewater generation rates by land use were used to estimate GHG emissions associated with water and wastewater.



# 4.0 **PROJECT IMPACTS**

This section evaluates potential impacts of the proposed Project related to the generation of GHG emissions.

## 4.1 DIRECT AND INDIRECT EMISSIONS OF GREENHOUSE GASES

#### 4.1.1 Construction Emissions

GHG emissions would be associated with the construction phases of each of the three development scenarios analyzed through use of heavy equipment and vehicle trips by the construction crew commuting to the site (see Section 3.2.1 and Appendix A for construction assumptions). Emissions of GHGs related to construction activities would be temporary. Table 5, *Estimated Construction Emissions*, presents the emission estimates from CalEEMod for each of the three scenarios analyzed. As noted above, construction emissions were amortized over 30 years.

| Year  | Scenario 1 | Scenario 2 | Scenario 3 |
|---|------------|------------|------------|
| 2019  | 135        | 79         | 126        |
| 2020  | 800        | 786        | 511        |
| 2021  | 852        | 882        | -          |
| 2022  | 680        | 866        | -          |
| 2023  | 16         | 848        | -          |
| 2024  | -          | 109        | -          |
| TOTAL   | 2,483      | 3,569      | 637        |
| Amortized Construction Emissions <sup>1</sup> | 83         | 119        | 21         |

#### Table 5 ESTIMATED CONSTRUCTION EMISSIONS (MT CO2e per Year)

Source: CalEEMod (output data are provided in Appendix A)

Note: totals may not sum due to rounding

<sup>1</sup> Construction emissions are amortized over 30 years.

#### 4.1.2 Operational Emissions

The estimated 2024 (i.e., the first full year of operation) operational GHG emissions from area sources, energy usage, motor vehicles, solid waste generation, water supply, and wastewater treatment, considering the assumptions described in Section 3.2.2, above, are shown in Table 6, *Estimated Annual Operational Greenhouse Gas Emissions*.



| Emission Sources                     | Scenario 1 | Scenario 2 | Scenario 3 |
|--------------------------------------|------------|------------|------------|
| Area Sources                         | 115        | 669        | 68         |
| Energy Sources                       | (57)       | 1,271      | 269        |
| Vehicular (Mobile) Sources           | 1,303      | 8,777      | 779        |
| Solid Waste Sources                  | 162        | 490        | 282        |
| Water Sources                        | 222        | 429        | 517        |
| OPERATIONAL SUB-TOTAL                | 1,745      | 11,636     | 1,916      |
| Amortized Construction (Table 5)     | 83         | 119        | 21         |
| TOTAL                                | 1,827      | 11,755     | 1,937      |
| Difference From Project (Scenario 1) | -          | (9,928)    | (110)      |

| Table 6   |
|---|
| ESTIMATED ANNUAL OPERATIONAL GREENHOUSE GAS EMISSIONS |
| (MT CO₂e per Year)                                    |

Source: CalEEMod output data are provided in Appendix A

Note: totals may not sum due to rounding

As shown in Table 6, annual emissions from buildout of the existing zoning (Scenario 2) would be approximately 9,928 MT CO<sub>2</sub>e per year greater than the proposed Project (Scenario 1) and annual emissions from redevelopment of the previous uses consistent with the existing Community Plan Land Use designation (Scenario 3) would be approximately 110 MT CO<sub>2</sub>e per year greater than the proposed Project (Scenario 1).

## 4.2 CLIMATE ACTION PLAN CONSISTENCY

Global climate change is inherently a cumulative impact; a project participates in this potential impact through its incremental contribution combined with the cumulative increase of all other sources of GHGs. The City's CAP Consistency Checklist also serves as the significance determination threshold for cumulative impacts related to climate change.

The City's CAP was adopted to ensure that emissions from activities in the City would not exceed established state targets. The CAP assumes a baseline level of construction and buildout of the land use and zoning as of the CAP's adoption. Land use changes, such as ones proposed by the Project, would potentially result in an increase in emissions compared to those assumed in the CAP by allowing a greater intensity of development or allowing land uses that have a higher rate of vehicle trips.

The first step is to assess a project's consistency with the growth projections utilized in the development of the CAP, as determined through the CAP Consistency Checklist. The second step is to review and evaluate a project's consistency with applicable strategies and actions of the CAP. The third step is to determine whether a project with a land use and/or zone designation change within a TPA would be consistent with the assumptions of the CAP. Step 3 would only apply if Step 1 is answered in the affirmative under Option B. The Project's consistency with the CAP Consistency Checklist is presented below.

#### 4.2.1 Step 1: Land Use Consistency

The Project would not be consistent with the existing General Plan and Community Plan land use designation, but would result in a less GHG-intensive land use. The first step in determining CAP consistency is to assess the Project's consistency with the growth projections used in the development



of the CAP. Step 1 allows for three options for concluding a project is consistent: Option A asks if the proposed project is consistent with the existing General Plan and Community Plan land use and zoning designations. The existing General Plan and Community Plan land use designations for the project site are Park, Open Space, and Recreation, and Open Space/ Golf Course, respectively, with a small portion in the south designated Commercial. The primary existing zoning designation is Residential Single Unit (RS-1-14), which would allow for construction of up to an estimated 831 dwelling units, compared to the 536 units proposed by the Project. The Project consists of a retirement community with 536 multi-family residential units and would therefore not be consistent with the existing single-family zoning designation or the existing open space land use designation. The applicant is proposing a Community Plan Amendment to re-designate the majority of the site to Low-Medium Density Residential with an associated rezone. Therefore, Option A would not apply to the Project. Option B asks if the proposed project would result in an increase in density within a TPA and, if so, requires the project to implement various actions included under Step 3 of the CAP Checklist. The Project is not located within a TPA; therefore, Option B would not apply to the Project.

Option C asks if the proposed project would result in an equivalent or less GHG-intensive project when compared to the existing designations. As detailed previously, operational GHG emissions were calculated for three scenarios for comparison purposes: the proposed Project, the existing RS-1-14 zoning designation based on 831 dwelling units, and the existing Community Plan Land Use as a golf course. The proposed Project would result in emissions of 1,827 MT CO<sub>2</sub>e per year, which would be 110 MT CO<sub>2</sub>e less than development as a golf course land use and 9,928 MT CO<sub>2</sub>e less than the maximum potential development under the existing zoning. Because the Project would result in lower emissions than the existing land use, the proposed Project would be consistent with the CAP under Option C.

## 4.2.2 Step 2: CAP Measures Consistency

*The Project would be consistent with applicable CAP measures.* After determining consistency with Step 1 of the Checklist, Step 2 determines a project's consistency with applicable CAP measures. The Project's conformance with each CAP measure is described in Table 7, CAP Measure Consistency.

| CAP Consistency Checklist Item   | Consistency Evaluation   |
|--|--|
| Strategy 1: Energy- and Water-Efficient Buildings  |  |
| <ol> <li>Cool/Green Roofs</li> <li>Would the project include roofing materials with a minimum 3-year aged solar reflection and thermal emittance or solar reflection index equal to or greater than the values specified in the voluntary measures under CALGreen Building Standards Code?; or</li> <li>Would the project roof construction have a thermal mass over the roof membrane, including areas of vegetated (green) roofs, weighing at least 25 pounds per square foot as specified in the voluntary measures under CALGreen Building Standards Code?; or</li> <li>Would the project include a combination of the above two options?</li> </ol> | <b>Consistent</b> . Where not covered by solar panels, the Project would include roofing materials with a minimum 3-year aged solar reflection and thermal emittance or solar reflection index equal to or greater than the values specified in the voluntary measures under CALGreen Building Standards Code. |

Table 7 CAP MEASURE CONSISTENCY



#### Table 7 (cont.) CAP MEASURE CONSISTENCY

| CAP Consistency Checklist Item   | Consistency Evaluation  |
|--|---|
| Strategy 1: Energy- and Water-Efficient Buildings (cont.)  |   |
| 2. Plumbing fixtures and fittings<br>With respect to plumbing fixtures or fittings provided as part of the project,<br>would those low-flow fixtures/appliances be consistent with each of the<br>following:   | <b>Consistent</b> . The Project would implement low-flow fixtures and appliances consistent with the measures specified for residential   |
| <ul> <li>Residential buildings:</li> <li>Kitchen faucets: maximum flow rate not to exceed 1.5 gallons per minute at 60 psi;</li> <li>Standard dishwashers: 4.25 gallons per cycle;</li> <li>Compact dishwashers: 3.5 gallons per cycle; and</li> <li>Clothes washers: water factor of 6 gallons per cubic feet of drum capacity?</li> </ul>  | buildings.  |
| <ul> <li>Nonresidential buildings:         <ul> <li>Plumbing fixtures and fittings that do not exceed the maximum flow rate specified in Table A5.303.2.3.1 (voluntary measures) of the CALGreen Building Standards Code; and</li> <li>Appliance and fixtures for commercial applications that meet the provisions of Section A5.303.3 (voluntary measures) of the CALGreen Building Standards Code?</li> </ul> </li> </ul>  |   |
| Strategy 3: Bicycling, Walking, Transit & Land Use   |   |
| <ul> <li>3. Electric Vehicle Charging <ul> <li>Multiple-family projects of 17 dwelling units or less: Would 3% of the total parking spaces required, or a minimum of one space, whichever is greater, be provided with a listed cabinet, box, or enclosure connected to a conduit linking the parking spaces with the electrical service, in a manner approved by the building and safety official, to allow for the future installation of electric vehicle supply equipment to provide electric vehicle charging stations at such time as it is needed for use by residents?</li> <li>Multiple-family projects of more than 17 dwelling units: Of the total required listed cabinets, boxes, or enclosures, would 50% have the necessary electric vehicle supply equipment installed to provide active electric vehicle charging stations ready for use by residents?</li> <li>Non-residential projects: Of the total required listed cabinets, boxes, or enclosures, would 50% have the necessary electric vehicle charging stations ready for use by residents?</li> </ul> </li> </ul> | <b>Consistent</b> . The Project would provide<br>1,241 parking spaces and far exceed<br>City pre-wiring requirements (i.e.,<br>cabinets and conduits provided for<br>future wiring) of 3 percent of parking<br>required (a total of 37 spaces) for the<br>future installation of EV charging<br>stations, with 50 percent of that<br>number (19 of the 37 spaces) to<br>contain additional necessary<br>equipment to be active vehicle<br>charging stations. The Project proposes<br>the 19 fully active EV charging stations<br>and also would provide EV-ready pre-<br>wiring in all 455 market-rate<br>residential garages). |
| 4. Bicycle Parking Spaces  | Not Applicable. As a residential  |
| Would the project provide more short- and long-term bicycle parking spaces than required in the City's Municipal Code (Chapter 14, Article 2, Division 5)?   | development, this item would not  |
| than required in the City's Municipal Code (Chapter 14, Article 2, Division 5)?<br>5. Shower facilities<br>If the Project includes nonresidential development that would accommodate<br>over 10 tenant occupants (employees), would the project include<br>changing/shower facilities in accordance with the voluntary measures under<br>the CALGreen Building Standards Code?   | apply to the Project.<br><b>Not Applicable</b> . As a residential<br>development, this item would not<br>apply to the Project.  |



#### Table 7 (cont.) CAP MEASURE CONSISTENCY

| CAP Consistency Checklist Item   | Consistency Evaluation             |
|--|------------------------------------|
| Strategy 3: Bicycling, Walking, Transit & Land Use (cont.)                       |                                    |
| 6. Designated Parking Spaces   | Not Applicable. As a residential   |
| If the project includes a nonresidential use in a TPA, would the project provide | development located outside a TPA, |
| designated parking for a combination of low-emitting, fuel efficient, and        | this item would not apply to the   |
| carpool/vanpool vehicles?  | Project.                           |
| 7. Transportation Demand Management Program                                      | Not Applicable. As a residential   |
| If the project would accommodate over 50 tenant-occupants (employees),           | development, this item would not   |
| would it include a transportation demand management program that would           | apply to the Project.              |
| be applicable to existing tenants and future tenants?                            |                                    |

As summarized in Table 7, the Project would be consistent with all applicable CAP Consistency Checklist Step 2 measures and would be consistent with the City's CAP with respect to planning and land use strategies. The Project would not impede the City's ability to implement the actions identified in the CAP to achieve the CAP's targets and associated GHG emission reductions.

## 4.2.3 Step 3: TPA Consistency

*Not applicable*. Because the Project site is not located in a City-designated TPA, defined by SB 743 as an area within one-half mile of a site containing an existing rail transit station, a ferry terminal served by either a bus or rail transit service, or the intersection of two or more major bus routes with a frequency of service of 15 minutes or less during the morning and afternoon peak commute periods, Step 3 is not applicable.

## 4.2.4 Summary

Per Step 1 of the CAP consistency analysis, the Project would require a Community Plan amendment and zone change and the Project is not located in a TPA; therefore, the Project does not comply with Options A or B of Step 1 of the CAP Consistency Checklist. However, as demonstrated in this analysis, the Project would result in a less GHG-intensive land use than the assumptions utilized in development of the CAP; therefore, the Project would be consistent with Step 1 of the CAP Consistency Checklist under Option C.

Regarding Step 2, the Project would be consistent with all applicable CAP Consistency Checklist items and would implement all Step 2 strategies; therefore, the Project is consistent with Step 2. Step 3 consistency is not applicable to the Project because the Project is not located within a TPA.

As demonstrated in this report, the Project would be consistent with the CAP, and therefore, the Project would result in a less-than-significant cumulative impact regarding GHG emissions.



# 5.0 LIST OF PREPARERS

Victor Ortiz Joanne M. Dramko, AICP Tammy Ching Senior Air Quality Specialist Principal Air Quality Specialist, Quality Assurance Reviewer Project Manager

HELIX Environmental Planning, Inc. 7578 El Cajon Boulevard La Mesa, CA 91942



## 6.0 **REFERENCES**

- Association of Environmental Professionals (AEP). 2010. Spring 2010 Advanced CEQA Workshop. San Diego Chapter. May 13.
- California Air Pollution Control Officers Association. 2016. California Emission Estimator Model (CalEEMod) Version 2016.3.2.

2010. Quantifying Greenhouse Gas MItigation Measures. August

California Air Resources Board (CARB). 2017. California's 2017 Climate Change Scoping Plan. Available at: <u>https://www.arb.ca.gov/cc/scopingplan/scoping\_plan\_2017.pdf</u>

2013. Clean Car Standards – Pavley, Assembly Bill 1493. Accessed September 2014. Available at: <u>http://www.arb.ca.gov/cc/ccms/ccms.htm</u>

2008. Climate Change Scoping Plan – A Framework for Change. December.

California Building Standards Commission (CBSC). 2017. CALGreen (Part 11 of Title 24). Available at: <u>http://www.bsc.ca.gov/Home/CALGreen.aspx</u>

Golf Course Superintendents Association of America (GCSAA). 2017. Golf Course Environmental Profile Phase II, Volume V – Energy Use and Environmental Practices on U.S. Golf Courses.

HELIX Environmental Planning (HELIX). 2019. The Junipers Project Waste Management Plan. August.

Intergovernmental Panel on Climate Change (IPCC). 2014. *Mitigation of Climate Change*. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Edenhofer, O., R. Pichs-Madruga, Y. Sokona, E. Farahani, S. Kadner, K. Seyboth, A. Adler, I. Baum, S. Brunner, P. Eickemeier, B. Kriemann, J. Savolainen, S. Schlömer, C. von Stechow, T. Zwickel and J.C. Minx (eds.)]. Cambridge University Press, Cambridge, United Kingdom, and New York, NY, USA.

2007. Climate Change 2007: The Physical Science Basis, Summary for Policy Makers (Working Group Fourth Assessment Report). February. Available at: <u>http://www.ipcc.ch/SPM2feb07.pdf</u>

Linscott, Law & Greenspan Engineers (LLG). 2019. Transportation Impact Analysis – The Junipers . October.

National Aeronautics and Space Administration, Goddard Institute for Space Studies (NASA). 2018. NASA News & Features Releases. Long-Term Warming Trend Continued in 2017: NASA, NOAA. <u>https://www.giss.nasa.gov/research/news/20180118/</u>. Accessed July 2018.

National Oceanic and Atmospheric Administration (NOAA). 2018. Earth System Research Laboratory. Available at: <u>http://www.esrl.noaa.gov/gmd/ccgg/trends/global.html</u>. Accessed July 2018.



San Diego Association of Governments (SANDAG). 2010. Climate Action Strategy. February. Preliminary Draft available at: <u>http://www.sandag.org/uploads/publicationid/publicationid\_1481\_10940.pdf</u>

2002. SANDAG (Not So) Brief Guide of Vehicular Traffic Generation Rates for the San Diego Region. April.

San Diego, City of. 2017. City of San Diego Climate Action Plan Consistency Checklist. Approved July 2016, revised July 2017.

https://www.sandiego.gov/sites/default/files/city\_of\_san\_diego\_cap\_checklist.pdf

2015. Final Climate Action Plan. December. <u>https://www.sandiego.gov/sustainability/climate-action-plan</u>

2003. City of San Diego Trip Generation Manual. Revised May.

- South Coast Air Quality Management District (SCAQMD). 2009. Greenhouse Gas CEQA Significance Threshold Stakeholder Working Group 14. Available at: <u>http://www.aqmd.gov/ceqa/handbook/GHG/2009/nov19mtg/ghgmtg14.pdf</u>. November 19, 2009.
- U.S. Energy Information Administration (USEIA). 2017. Frequently Asked Questions. Available at: <u>https://www.eia.gov/tools/faqs/faq.php?id=307&t=11</u>
- U.S. Environmental Protection Agency (USEPA). 2011 (November 22, last update). Proposed Endangerment and Cause or Contribute Findings for Greenhouse Gases under the Clean Air Act. Washington, D.C.: USEPA. Available at: <u>http://www.epa.gov/climatechange/endangerment/</u>
- U.S. Environmental Protection Agency and U.S. Department of Transportation, National Highway Traffic Safety Administration (USEPA and NHTSA). 2012 (October 15). 2017 and Later Model Year Light-Duty Vehicle Greenhouse Gas Emissions and Corporate Average Fuel Economy Standards. *Federal Register* (Volume 77, No. 199, pp. 62623–63200). Washington, D.C.: USEPA and NHTSA



This page intentionally left blank



# Appendix A

## CalEEMod Output

## The Junipers

San Diego County, Annual

## **1.0 Project Characteristics**

## 1.1 Land Usage

| Land Uses            | Size   | Metric        | Lot Acreage | Floor Surface Area | Population |
|----------------------|--------|---------------|-------------|--------------------|------------|
| Retirement Community | 536.00 | Dwelling Unit | 112.30      | 536,000.00         | 1533       |

#### **1.2 Other Project Characteristics**

| Urbanization               | Urban                    | Wind Speed (m/s)           | 2.6   | Precipitation Freq (Days)  | 40    |
|----------------------------|--------------------------|----------------------------|-------|----------------------------|-------|
| Climate Zone               | 13                       |                            |       | Operational Year           | 2024  |
| Utility Company            | San Diego Gas & Electric |                            |       |                            |       |
| CO2 Intensity<br>(Ib/MWhr) | 720.49                   | CH4 Intensity<br>(Ib/MWhr) | 0.029 | N2O Intensity<br>(Ib/MWhr) | 0.006 |

#### 1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - 536 DU on 112.3 acres

Construction Phase - Construction schedule adjusted for 2023 buildout

Demolition - 10,983 of demo debris per Waste Management Plan

Grading - 12,100 tons of vegetation per Waste Management Plan Balanced Grading per Hunsaker

Architectural Coating - Rule 67 Compliance

Vehicle Trips - Trip Rate: LLG2019 Trip Distance: SANDAG Series 13

Woodstoves - 137 NG fireplaces included in Single Detached and Clubhouse

Solid Waste - 322 tons of waste sent to landfills per Waste Management Plan

Construction Off-road Equipment Mitigation -

Mobile Land Use Mitigation - LUT-5: 0.5 mile from center of Project. LUT-6: 81 affordable units (81/536=0.15). SDT-1: pedestrian access network connects offsite.

Area Mitigation -

Energy Mitigation - SunStreet2019 - Project will provide 1,396.22 kW DC or larger onsite PV system. Berkeley Lab, Utility-Scale Solar 2018 Edition states CA average PV Capacity Factor is 28.9% 1,396.22 kW \* 24 hr/day \* 365.24 days/yr \* 28.9% = 3,537,050.60 kWh/yr

Water Mitigation -

| Table Name              | Column Name                     | Default Value | New Value |
|-------------------------|---------------------------------|---------------|-----------|
| tblArchitecturalCoating | EF_Residential_Exterior         | 250.00        | 100.00    |
| tblArchitecturalCoating | EF_Residential_Interior         | 250.00        | 50.00     |
| tblConstDustMitigation  | WaterUnpavedRoadMoistureContent | 0             | 12        |
| tblConstDustMitigation  | WaterUnpavedRoadVehicleSpeed    | 0             | 15        |
| tblConstructionPhase    | NumDays                         | 220.00        | 64.00     |
| tblConstructionPhase    | NumDays                         | 3,100.00      | 610.00    |
| tblConstructionPhase    | NumDays                         | 200.00        | 21.00     |
| tblConstructionPhase    | NumDays                         | 310.00        | 65.00     |

| tblConstructionPhase | NumDays                  | 220.00   | 43.00     |
|----------------------|--------------------------|----------|-----------|
| tblConstructionPhase | NumDays                  | 120.00   | 65.00     |
| tblFireplaces        | FireplaceWoodMass        | 3,078.40 | 0.00      |
| tblFireplaces        | NumberGas                | 294.80   | 137.00    |
| tblFireplaces        | NumberNoFireplace        | 53.60    | 399.00    |
| tblFireplaces        | NumberWood               | 187.60   | 0.00      |
| tblGrading           | MaterialExported         | 0.00     | 12,100.00 |
| tblLandUse           | LotAcreage               | 107.20   | 112.30    |
| tblSolidWaste        | SolidWasteGenerationRate | 246.56   | 322.00    |
| tblVehicleTrips      | DV_TP                    | 11.00    | 0.00      |
| tblVehicleTrips      | HO_TTP                   | 39.60    | 0.00      |
| tblVehicleTrips      | HS_TTP                   | 18.80    | 0.00      |
| tblVehicleTrips      | HW_TL                    | 10.80    | 4.84      |
| tblVehicleTrips      | HW_TTP                   | 41.60    | 100.00    |
| tblVehicleTrips      | PB_TP                    | 3.00     | 0.00      |
| tblVehicleTrips      | PR_TP                    | 86.00    | 100.00    |
| tblVehicleTrips      | ST_TR                    | 2.03     | 4.00      |
| tblVehicleTrips      | SU_TR                    | 1.95     | 4.00      |
| tblVehicleTrips      | WD_TR                    | 2.40     | 4.00      |
| tblWoodstoves        | NumberCatalytic          | 26.80    | 0.00      |
| tblWoodstoves        | NumberNoncatalytic       | 26.80    | 0.00      |
| tblWoodstoves        | WoodstoveWoodMass        | 3,019.20 | 0.00      |

## 2.0 Emissions Summary

## 2.1 Overall Construction

#### Unmitigated Construction

|         | ROG     | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e     |
|---------|---------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|----------|
| Year    | tons/yr |        |        |                 |                  |                 |               |                   |                  |                 |          | МТ        | /yr       |                 |        |          |
| 2019    | 0.0925  | 1.1065 | 0.5346 | 1.4400e-<br>003 | 0.3391           | 0.0460          | 0.3851        | 0.1329            | 0.0426           | 0.1754          | 0.0000   | 134.7151  | 134.7151  | 0.0274          | 0.0000 | 135.3989 |
| 2020    | 0.5288  | 4.7175 | 3.7803 | 8.8700e-<br>003 | 0.9562           | 0.2085          | 1.1646        | 0.4070            | 0.1937           | 0.6006          | 0.0000   | 796.5735  | 796.5735  | 0.1423          | 0.0000 | 800.1320 |
| 2021    | 0.4462  | 3.1643 | 3.6254 | 9.4100e-<br>003 | 0.4533           | 0.1296          | 0.5829        | 0.1216            | 0.1218           | 0.2434          | 0.0000   | 849.6331  | 849.6331  | 0.0975          | 0.0000 | 852.0700 |
| 2022    | 1.0565  | 2.4043 | 2.9731 | 7.5200e-<br>003 | 0.3481           | 0.0952          | 0.4433        | 0.0933            | 0.0893           | 0.1827          | 0.0000   | 677.5888  | 677.5888  | 0.0858          | 0.0000 | 679.7342 |
| 2023    | 1.3847  | 0.0307 | 0.0728 | 1.8000e-<br>004 | 0.0130           | 1.5800e-<br>003 | 0.0145        | 3.4500e-<br>003   | 1.5700e-<br>003  | 5.0100e-<br>003 | 0.0000   | 15.8572   | 15.8572   | 5.9000e-<br>004 | 0.0000 | 15.8720  |
| Maximum | 1.3847  | 4.7175 | 3.7803 | 9.4100e-<br>003 | 0.9562           | 0.2085          | 1.1646        | 0.4070            | 0.1937           | 0.6006          | 0.0000   | 849.6331  | 849.6331  | 0.1423          | 0.0000 | 852.0700 |

## 2.1 Overall Construction

## Mitigated Construction

|                      | ROG    | NOx      | СО                | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2    | NBio- CO2  | Total CO2    | CH4             | N2O    | CO2e     |
|----------------------|--------|----------|-------------------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-----------------|-------------|------------|--------------|-----------------|--------|----------|
| Year                 |        |          |                   |                 | tor              | ns/yr           |               |                   |                  |                 |             |            | T/yr         |                 |        |          |
| 2019                 | 0.0925 | 1.1065   | 0.5346            | 1.4400e-<br>003 | 0.1640           | 0.0460          | 0.2100        | 0.0628            | 0.0426           | 0.1054          | 0.0000      | 134.7150   | 134.7150     | 0.0274          | 0.0000 | 135.3988 |
| 2020                 | 0.5288 | 4.7175   | 3.7803            | 8.8700e-<br>003 | 0.5871           | 0.2085          | 0.7956        | 0.2252            | 0.1937           | 0.4188          | 0.0000      | 796.5729   | 796.5729     | 0.1423          | 0.0000 | 800.1315 |
| 2021                 | 0.4462 | 3.1642   | 3.6254            | 9.4100e-<br>003 | 0.4533           | 0.1296          | 0.5829        | 0.1216            | 0.1218           | 0.2434          | 0.0000      | 849.6327   | 849.6327     | 0.0975          | 0.0000 | 852.0696 |
| 2022                 | 1.0565 | 2.4043   | 2.9731            | 7.5200e-<br>003 | 0.3481           | 0.0952          | 0.4433        | 0.0933            | 0.0893           | 0.1827          | 0.0000      | 677.5884   | 677.5884     | 0.0858          | 0.0000 | 679.7339 |
| 2023                 | 1.3847 | 0.0307   | 0.0728            | 1.8000e-<br>004 | 0.0130           | 1.5800e-<br>003 | 0.0145        | 3.4500e-<br>003   | 1.5700e-<br>003  | 5.0100e-<br>003 | 0.0000      | 15.8572    | 15.8572      | 5.9000e-<br>004 | 0.0000 | 15.8720  |
| Maximum              | 1.3847 | 4.7175   | 3.7803            | 9.4100e-<br>003 | 0.5871           | 0.2085          | 0.7956        | 0.2252            | 0.1937           | 0.4188          | 0.0000      | 849.6327   | 849.6327     | 0.1423          | 0.0000 | 852.0696 |
|                      | ROG    | NOx      | со                | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2    | NBio-CO2   | Total CO2    | CH4             | N20    | CO2e     |
| Percent<br>Reduction | 0.00   | 0.00     | 0.00              | 0.00            | 25.79            | 0.00            | 21.01         | 33.21             | 0.00             | 20.86           | 0.00        | 0.00       | 0.00         | 0.00            | 0.00   | 0.00     |
| Quarter              | Sta    | art Date | End               | I Date          | Maxim            | um Unmitiga     | ated ROG +    | NOX (tons/        | quarter)         | Maxi            | mum Mitigat | ed ROG + N | IOX (tons/qu | iarter)         |        |          |
| 1                    | 11     | -1-2019  | 1-31              | -2020           |                  |                 | 1.7683        |                   |                  |                 |             | 1.7683     |              |                 |        |          |
| 2                    | 2-     | 1-2020   | 4-30              | -2020           | 1.7129 1.7129    |                 |               | 1.7129            |                  |                 |             |            |              |                 |        |          |
| 3                    | 5-     | 1-2020   | 7-31              | -2020           | 1.2277 1.2277    |                 |               | 1.2277            |                  |                 |             |            |              |                 |        |          |
| 4                    | 8-     | 1-2020   | 10-3 <sup>-</sup> | 1-2020          |                  |                 | 0.9996        |                   |                  | 0.9996          |             |            |              |                 |        |          |
| 5                    | 11     | -1-2020  | 1-31              | -2021           | 0.9749           |                 |               |                   |                  |                 | 0.9749      |            |              |                 |        |          |
|                      |        | 1-2021   |                   | -2021           |                  |                 | 0.8804        |                   |                  | 0.8804          |             |            |              |                 |        |          |

| 7  | 5-1-2021  | 7-31-2021  | 0.9040 | 0.9040 |
|----|-----------|------------|--------|--------|
| 8  | 8-1-2021  | 10-31-2021 | 0.9071 | 0.9071 |
| 9  | 11-1-2021 | 1-31-2022  | 0.8853 | 0.8853 |
| 10 | 2-1-2022  | 4-30-2022  | 0.8008 | 0.8008 |
| 11 | 5-1-2022  | 7-31-2022  | 0.8221 | 0.8221 |
| 12 | 8-1-2022  | 10-31-2022 | 0.6815 | 0.6815 |
| 13 | 11-1-2022 | 1-31-2023  | 1.6268 | 1.6268 |
| 14 | 2-1-2023  | 4-30-2023  | 0.6743 | 0.6743 |
|    |           | Highest    | 1.7683 | 1.7683 |

## 2.2 Overall Operational

## Unmitigated Operational

|          | ROG     | NOx             | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2      | Total CO2      | CH4             | N2O             | CO2e           |
|----------|---------|-----------------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|----------------|----------------|-----------------|-----------------|----------------|
| Category | tons/yr |                 |        |                 |                  |                 |               |                   |                  |                | МТ       | /yr            |                |                 |                 |                |
| Area     | 3.0623  | 0.1390          | 4.0178 | 8.0000e-<br>004 |                  | 0.0296          | 0.0296        |                   | 0.0296           | 0.0296         | 0.0000   | 114.4091       | 114.4091       | 8.3100e-<br>003 | 1.9800e-<br>003 | 115.2062       |
| Energy   | 0.0324  | 0.2773          | 0.1180 | 1.7700e-<br>003 |                  | 0.0224          | 0.0224        |                   | 0.0224           | 0.0224         | 0.0000   | 1,097.910<br>4 | 1,097.910<br>4 | 0.0374          | 0.0124          | 1,102.527<br>9 |
| Mobile   | 0.4458  | 1.7310          | 4.5618 | 0.0155          | 1.4232           | 0.0125          | 1.4357        | 0.3811            | 0.0116           | 0.3927         | 0.0000   | 1,434.499<br>0 | 1,434.499<br>0 | 0.0761          | 0.0000          | 1,436.400<br>6 |
| Waste    |         | ,<br> <br> <br> |        | ,               |                  | 0.0000          | 0.0000        |                   | 0.0000           | 0.0000         | 65.3631  | 0.0000         | 65.3631        | 3.8629          | 0.0000          | 161.9343       |
| Water    |         |                 |        |                 |                  | 0.0000          | 0.0000        |                   | 0.0000           | 0.0000         | 11.0793  | 228.5468       | 239.6261       | 1.1472          | 0.0288          | 276.8792       |
| Total    | 3.5406  | 2.1472          | 8.6977 | 0.0181          | 1.4232           | 0.0645          | 1.4877        | 0.3811            | 0.0636           | 0.4447         | 76.4424  | 2,875.365<br>2 | 2,951.807<br>6 | 5.1318          | 0.0431          | 3,092.948<br>2 |

## 2.2 Overall Operational

## Mitigated Operational

|                      | ROG    | NOx    | CC   | ) S         | SO2           | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitiv<br>PM2. |                   | aust<br>12.5  | PM2.5<br>Total | Bio- C | D2 NBi  | o- CO2      | Total CO2      | CH4             | N2O             | CO2e           |
|----------------------|--------|--------|------|-------------|---------------|------------------|-----------------|---------------|-----------------|-------------------|---------------|----------------|--------|---------|-------------|----------------|-----------------|-----------------|----------------|
| Category             |        |        |      |             |               | to               | ns/yr           |               |                 |                   |               |                |        |         |             | M              | Г/yr            |                 |                |
| Area                 | 3.0623 | 0.1390 | 4.01 |             | 0000e-<br>004 |                  | 0.0296          | 0.0296        |                 | 0.0               | 296           | 0.0296         | 0.000  | 0 114   | .4091       | 114.4091       | 8.3100e-<br>003 | 1.9800e-<br>003 | 115.2062       |
| Energy               | 0.0324 | 0.2773 | 0.11 | 80 1.7<br>C | 700e-<br>003  |                  | 0.0224          | 0.0224        |                 | 0.0               | 224           | 0.0224         | 0.000  | 0 -58   | .0288       | -58.0288       | -0.0091         | 2.7300e-<br>003 | -57.4430       |
| Mobile               | 0.4312 | 1.6575 | 4.24 | 15 0.0      | .0141         | 1.2777           | 0.0114          | 1.2891        | 0.342           | 21 0.0            | 106           | 0.3527         | 0.000  | 0 1,3   | 01.589<br>4 | 1,301.589<br>4 | 0.0703          | 0.0000          | 1,303.347<br>6 |
| Waste                | F,     |        |      |             |               |                  | 0.0000          | 0.0000        |                 | 0.0               | 000           | 0.0000         | 65.36  | s1 0.   | 0000        | 65.3631        | 3.8629          | 0.0000          | 161.9343       |
| Water                | F,     |        |      |             |               |                  | 0.0000          | 0.0000        |                 | 0.0               | 000           | 0.0000         | 8.863  | 5 182   | .8374       | 191.7009       | 0.9177          | 0.0230          | 221.5033       |
| Total                | 3.5260 | 2.0737 | 8.37 | 73 0.0      | .0166         | 1.2777           | 0.0634          | 1.3411        | 0.342           | 21 0.0            | 626           | 0.4047         | 74.22  | i5 1,54 | 40.807<br>2 | 1,615.033<br>7 | 4.8501          | 0.0277          | 1,744.548<br>4 |
|                      | ROG    |        | NOx  | со          | so            |                  |                 |               | M10<br>otal     | Fugitive<br>PM2.5 | Exhau<br>PM2. |                |        | io- CO2 | NBio-       | CO2 Total      | CO2 C           | H4 N            | 20 CO26        |
| Percent<br>Reduction | 0.41   |        | 3.42 | 3.68        | 7.9           | 97 1             | 0.22 1          | .63 9         | .85             | 10.22             | 1.54          | 4 8.9          | 98     | 2.90    | 46.4        | 41 45.         | 29 5            | .49 35          | .68 43.60      |

## 3.0 Construction Detail

**Construction Phase** 

| Phase<br>Number | Phase Name            | Phase Type            | Start Date | End Date   | Num Days<br>Week | Num Days | Phase Description |
|-----------------|-----------------------|-----------------------|------------|------------|------------------|----------|-------------------|
| 1               | Demolition            | Demolition            | 11/1/2019  | 11/29/2019 | 5                | 21       |                   |
| 2               | Site Preparation      | Site Preparation      | 12/1/2019  | 2/28/2020  | 5                | 65       |                   |
| 3               | Grading               | Grading               | 3/1/2020   | 5/29/2020  | 5                | 65       |                   |
| 4               | Building Construction | Building Construction | 6/1/2020   | 9/30/2022  | 5                | 610      |                   |
| 5               | Paving                | Paving                | 10/1/2022  | 11/30/2022 | 5                | 43       |                   |
| 6               | Architectural Coating | Architectural Coating | 12/1/2022  | 2/28/2023  | 5                | 64       |                   |

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 162.5

Acres of Paving: 0

Residential Indoor: 1,085,400; Residential Outdoor: 361,800; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

| Phase Name            | Offroad Equipment Type    | Amount | Usage Hours | Horse Power | Load Factor |
|-----------------------|---------------------------|--------|-------------|-------------|-------------|
| Demolition            | Concrete/Industrial Saws  | 1      | 8.00        | 81          | 0.73        |
| Demolition            | Excavators                | 3      | 8.00        | 158         | 0.38        |
| Demolition            | Rubber Tired Dozers       | 2      | 8.00        | 247         | 0.40        |
| Site Preparation      | Rubber Tired Dozers       | 3      | 8.00        | 247         | 0.40        |
| Site Preparation      | Tractors/Loaders/Backhoes | 4      | 8.00        | 97          | 0.37        |
| Grading               | Excavators                | 2      | 8.00        | 158         | 0.38        |
| Grading               | Graders                   | 1      | 8.00        | 187         | 0.41        |
| Grading               | Rubber Tired Dozers       | 1      | 8.00        | 247         | 0.40        |
| Grading               | Scrapers                  | 2      | 8.00        | 367         | 0.48        |
| Grading               | Tractors/Loaders/Backhoes | 2      | 8.00        | 97          | 0.37        |
| Building Construction | Cranes                    | 1      | 7.00        | 231         | 0.29        |
| Building Construction | Forklifts                 | 3      | 8.00        | 89          | 0.20        |
| Building Construction | Generator Sets            | 1      | 8.00        | 84          | 0.74        |
| Building Construction | Tractors/Loaders/Backhoes | 3      | 7.00        | 97          | 0.37        |
| Building Construction | Welders                   | 1      | 8.00        | 46          | 0.45        |
| Paving                | Pavers                    | 2      | 8.00        | 130         | 0.42        |
| Paving                | Paving Equipment          | 2      | 8.00        | 132         | 0.36        |
| Paving                | Rollers                   | 2      | 8.00        | 80          | 0.38        |
| Architectural Coating | Air Compressors           | 1      | 6.00        | 78          | 0.48        |

Trips and VMT

| Phase Name            | Offroad Equipment<br>Count | Worker Trip<br>Number | Vendor Trip<br>Number | Hauling Trip<br>Number | Worker Trip<br>Length | Vendor Trip<br>Length | Hauling Trip<br>Length | Worker Vehicle<br>Class | Vendor<br>Vehicle Class | Hauling<br>Vehicle Class |
|-----------------------|----------------------------|-----------------------|-----------------------|------------------------|-----------------------|-----------------------|------------------------|-------------------------|-------------------------|--------------------------|
| Demolition            | 6                          | 15.00                 | 0.00                  | 1,086.00               | 10.80                 | 7.30                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Site Preparation      | 7                          | 18.00                 | 0.00                  | 1,196.00               | 10.80                 | 7.30                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Grading               | 8                          | 20.00                 | 0.00                  | 0.00                   | 10.80                 | 7.30                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Building Construction | 9                          | 386.00                | 57.00                 | 0.00                   | 10.80                 | 7.30                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Paving                | 6                          | 15.00                 | 0.00                  | 0.00                   | 10.80                 | 7.30                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Architectural Coating | 1                          | 77.00                 | 0.00                  | 0.00                   | 10.80                 | 7.30                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |

#### **3.1 Mitigation Measures Construction**

Water Exposed Area

Water Unpaved Roads

Reduce Vehicle Speed on Unpaved Roads

## 3.2 Demolition - 2019

|               | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|---------------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category      |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |         |
| l'agiavo Baot |        |        |        |                 | 0.1190           | 0.0000          | 0.1190        | 0.0180            | 0.0000           | 0.0180         | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | 0.0369 | 0.3757 | 0.2316 | 4.1000e-<br>004 |                  | 0.0189          | 0.0189        |                   | 0.0175           | 0.0175         | 0.0000   | 36.3577   | 36.3577   | 0.0101 | 0.0000 | 36.6105 |
| Total         | 0.0369 | 0.3757 | 0.2316 | 4.1000e-<br>004 | 0.1190           | 0.0189          | 0.1378        | 0.0180            | 0.0175           | 0.0356         | 0.0000   | 36.3577   | 36.3577   | 0.0101 | 0.0000 | 36.6105 |

#### 3.2 Demolition - 2019

#### Unmitigated Construction Off-Site

|          | ROG             | NOx             | СО              | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----------------|-----------------|-----------------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |                 |                 |                 |                 | ton              | s/yr            |                 |                   |                  |                 |          |           | MT        | /yr             |        |         |
| Hauling  | 4.7700e-<br>003 | 0.1664          | 0.0363          | 4.3000e-<br>004 | 9.2900e-<br>003  | 6.2000e-<br>004 | 9.9100e-<br>003 | 2.5500e-<br>003   | 5.9000e-<br>004  | 3.1500e-<br>003 | 0.0000   | 42.3320   | 42.3320   | 3.8300e-<br>003 | 0.0000 | 42.4278 |
| Vendor   | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Worker   | 6.2000e-<br>004 | 4.8000e-<br>004 | 4.6100e-<br>003 | 1.0000e-<br>005 | 1.2600e-<br>003  | 1.0000e-<br>005 | 1.2700e-<br>003 | 3.4000e-<br>004   | 1.0000e-<br>005  | 3.4000e-<br>004 | 0.0000   | 1.1789    | 1.1789    | 4.0000e-<br>005 | 0.0000 | 1.1798  |
| Total    | 5.3900e-<br>003 | 0.1669          | 0.0409          | 4.4000e-<br>004 | 0.0106           | 6.3000e-<br>004 | 0.0112          | 2.8900e-<br>003   | 6.0000e-<br>004  | 3.4900e-<br>003 | 0.0000   | 43.5109   | 43.5109   | 3.8700e-<br>003 | 0.0000 | 43.6076 |

|               | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|---------------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-----------------|----------|-----------|-----------|--------|--------|---------|
| Category      |        |        |        |                 | ton              | s/yr            |               |                   |                  |                 |          |           | MT        | /yr    |        |         |
| Fugitive Dust |        |        |        |                 | 0.0535           | 0.0000          | 0.0535        | 8.1100e-<br>003   | 0.0000           | 8.1100e-<br>003 | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | 0.0369 | 0.3757 | 0.2316 | 4.1000e-<br>004 |                  | 0.0189          | 0.0189        |                   | 0.0175           | 0.0175          | 0.0000   | 36.3576   | 36.3576   | 0.0101 | 0.0000 | 36.6105 |
| Total         | 0.0369 | 0.3757 | 0.2316 | 4.1000e-<br>004 | 0.0535           | 0.0189          | 0.0724        | 8.1100e-<br>003   | 0.0175           | 0.0256          | 0.0000   | 36.3576   | 36.3576   | 0.0101 | 0.0000 | 36.6105 |

#### 3.2 Demolition - 2019

#### Mitigated Construction Off-Site

|          | ROG             | NOx             | СО              | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----------------|-----------------|-----------------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |                 |                 |                 |                 | ton              | s/yr            |                 |                   |                  |                 |          |           | МТ        | /yr             |        |         |
| Hauling  | 4.7700e-<br>003 | 0.1664          | 0.0363          | 4.3000e-<br>004 | 9.2900e-<br>003  | 6.2000e-<br>004 | 9.9100e-<br>003 | 2.5500e-<br>003   | 5.9000e-<br>004  | 3.1500e-<br>003 | 0.0000   | 42.3320   | 42.3320   | 3.8300e-<br>003 | 0.0000 | 42.4278 |
| Vendor   | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Worker   | 6.2000e-<br>004 | 4.8000e-<br>004 | 4.6100e-<br>003 | 1.0000e-<br>005 | 1.2600e-<br>003  | 1.0000e-<br>005 | 1.2700e-<br>003 | 3.4000e-<br>004   | 1.0000e-<br>005  | 3.4000e-<br>004 | 0.0000   | 1.1789    | 1.1789    | 4.0000e-<br>005 | 0.0000 | 1.1798  |
| Total    | 5.3900e-<br>003 | 0.1669          | 0.0409          | 4.4000e-<br>004 | 0.0106           | 6.3000e-<br>004 | 0.0112          | 2.8900e-<br>003   | 6.0000e-<br>004  | 3.4900e-<br>003 | 0.0000   | 43.5109   | 43.5109   | 3.8700e-<br>003 | 0.0000 | 43.6076 |

3.3 Site Preparation - 2019

|               | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|---------------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category      |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |         |
| Fugitive Dust |        |        |        |                 | 0.1994           | 0.0000          | 0.1994        | 0.1093            | 0.0000           | 0.1093         | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | 0.0477 | 0.5013 | 0.2427 | 4.2000e-<br>004 |                  | 0.0263          | 0.0263        |                   | 0.0242           | 0.0242         | 0.0000   | 37.5856   | 37.5856   | 0.0119 | 0.0000 | 37.8829 |
| Total         | 0.0477 | 0.5013 | 0.2427 | 4.2000e-<br>004 | 0.1994           | 0.0263          | 0.2257        | 0.1093            | 0.0242           | 0.1335         | 0.0000   | 37.5856   | 37.5856   | 0.0119 | 0.0000 | 37.8829 |

## 3.3 Site Preparation - 2019

## Unmitigated Construction Off-Site

|          | ROG             | NOx             | CO              | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----------------|-----------------|-----------------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |                 |                 |                 |                 | ton              | s/yr            |                 |                   |                  |                 |          |           | MT        | /yr             |        |         |
| Hauling  | 1.7800e-<br>003 | 0.0620          | 0.0135          | 1.6000e-<br>004 | 8.5500e-<br>003  | 2.3000e-<br>004 | 8.7800e-<br>003 | 2.2000e-<br>003   | 2.2000e-<br>004  | 2.4200e-<br>003 | 0.0000   | 15.7790   | 15.7790   | 1.4300e-<br>003 | 0.0000 | 15.8147 |
| Vendor   | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Worker   | 7.8000e-<br>004 | 6.0000e-<br>004 | 5.7900e-<br>003 | 2.0000e-<br>005 | 1.5900e-<br>003  | 1.0000e-<br>005 | 1.6000e-<br>003 | 4.2000e-<br>004   | 1.0000e-<br>005  | 4.3000e-<br>004 | 0.0000   | 1.4820    | 1.4820    | 5.0000e-<br>005 | 0.0000 | 1.4832  |
| Total    | 2.5600e-<br>003 | 0.0626          | 0.0193          | 1.8000e-<br>004 | 0.0101           | 2.4000e-<br>004 | 0.0104          | 2.6200e-<br>003   | 2.3000e-<br>004  | 2.8500e-<br>003 | 0.0000   | 17.2610   | 17.2610   | 1.4800e-<br>003 | 0.0000 | 17.2979 |

|               | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|---------------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category      |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr    |        |         |
| Fugitive Dust |        |        |        |                 | 0.0897           | 0.0000          | 0.0897        | 0.0492            | 0.0000           | 0.0492         | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | 0.0477 | 0.5013 | 0.2427 | 4.2000e-<br>004 |                  | 0.0263          | 0.0263        |                   | 0.0242           | 0.0242         | 0.0000   | 37.5855   | 37.5855   | 0.0119 | 0.0000 | 37.8828 |
| Total         | 0.0477 | 0.5013 | 0.2427 | 4.2000e-<br>004 | 0.0897           | 0.0263          | 0.1160        | 0.0492            | 0.0242           | 0.0734         | 0.0000   | 37.5855   | 37.5855   | 0.0119 | 0.0000 | 37.8828 |

#### 3.3 Site Preparation - 2019

#### Mitigated Construction Off-Site

|          | ROG             | NOx             | СО              | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----------------|-----------------|-----------------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |                 |                 |                 |                 | ton              | s/yr            |                 |                   |                  |                 |          |           | MT        | /yr             |        |         |
| Hauling  | 1.7800e-<br>003 | 0.0620          | 0.0135          | 1.6000e-<br>004 | 8.5500e-<br>003  | 2.3000e-<br>004 | 8.7800e-<br>003 | 2.2000e-<br>003   | 2.2000e-<br>004  | 2.4200e-<br>003 | 0.0000   | 15.7790   | 15.7790   | 1.4300e-<br>003 | 0.0000 | 15.8147 |
| Vendor   | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Worker   | 7.8000e-<br>004 | 6.0000e-<br>004 | 5.7900e-<br>003 | 2.0000e-<br>005 | 1.5900e-<br>003  | 1.0000e-<br>005 | 1.6000e-<br>003 | 4.2000e-<br>004   | 1.0000e-<br>005  | 4.3000e-<br>004 | 0.0000   | 1.4820    | 1.4820    | 5.0000e-<br>005 | 0.0000 | 1.4832  |
| Total    | 2.5600e-<br>003 | 0.0626          | 0.0193          | 1.8000e-<br>004 | 0.0101           | 2.4000e-<br>004 | 0.0104          | 2.6200e-<br>003   | 2.3000e-<br>004  | 2.8500e-<br>003 | 0.0000   | 17.2610   | 17.2610   | 1.4800e-<br>003 | 0.0000 | 17.2979 |

3.3 Site Preparation - 2020

|               | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|---------------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category      |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |         |
| Fugitive Dust |        |        |        |                 | 0.3891           | 0.0000          | 0.3891        | 0.2136            | 0.0000           | 0.2136         | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | 0.0876 | 0.9120 | 0.4625 | 8.2000e-<br>004 |                  | 0.0472          | 0.0472        |                   | 0.0435           | 0.0435         | 0.0000   | 71.8760   | 71.8760   | 0.0233 | 0.0000 | 72.4571 |
| Total         | 0.0876 | 0.9120 | 0.4625 | 8.2000e-<br>004 | 0.3891           | 0.0472          | 0.4363        | 0.2136            | 0.0435           | 0.2571         | 0.0000   | 71.8760   | 71.8760   | 0.0233 | 0.0000 | 72.4571 |

## 3.3 Site Preparation - 2020

## Unmitigated Construction Off-Site

|          | ROG             | NOx             | СО     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----------------|-----------------|--------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |                 |                 |        |                 | ton              | s/yr            |                 |                   |                  |                 |          |           | МТ        | /yr             |        |         |
| Hauling  | 3.1600e-<br>003 | 0.1125          | 0.0258 | 3.1000e-<br>004 | 9.3700e-<br>003  | 3.6000e-<br>004 | 9.7300e-<br>003 | 2.5000e-<br>003   | 3.4000e-<br>004  | 2.8400e-<br>003 | 0.0000   | 30.5106   | 30.5106   | 2.7500e-<br>003 | 0.0000 | 30.5793 |
| Vendor   | 0.0000          | 0.0000          | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Worker   | 1.4300e-<br>003 | 1.0600e-<br>003 | 0.0104 | 3.0000e-<br>005 | 3.1000e-<br>003  | 2.0000e-<br>005 | 3.1300e-<br>003 | 8.2000e-<br>004   | 2.0000e-<br>005  | 8.5000e-<br>004 | 0.0000   | 2.8053    | 2.8053    | 8.0000e-<br>005 | 0.0000 | 2.8074  |
| Total    | 4.5900e-<br>003 | 0.1136          | 0.0361 | 3.4000e-<br>004 | 0.0125           | 3.8000e-<br>004 | 0.0129          | 3.3200e-<br>003   | 3.6000e-<br>004  | 3.6900e-<br>003 | 0.0000   | 33.3159   | 33.3159   | 2.8300e-<br>003 | 0.0000 | 33.3867 |

|               | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|---------------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category      |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |         |
| Fugitive Dust |        |        |        |                 | 0.1751           | 0.0000          | 0.1751        | 0.0961            | 0.0000           | 0.0961         | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | 0.0876 | 0.9120 | 0.4625 | 8.2000e-<br>004 |                  | 0.0472          | 0.0472        |                   | 0.0435           | 0.0435         | 0.0000   | 71.8759   | 71.8759   | 0.0233 | 0.0000 | 72.4570 |
| Total         | 0.0876 | 0.9120 | 0.4625 | 8.2000e-<br>004 | 0.1751           | 0.0472          | 0.2223        | 0.0961            | 0.0435           | 0.1396         | 0.0000   | 71.8759   | 71.8759   | 0.0233 | 0.0000 | 72.4570 |

#### 3.3 Site Preparation - 2020

#### Mitigated Construction Off-Site

|          | ROG             | NOx             | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----------------|-----------------|--------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |                 |                 |        |                 | ton              | s/yr            |                 |                   |                  |                 |          |           | МТ        | /yr             |        |         |
| Hauling  | 3.1600e-<br>003 | 0.1125          | 0.0258 | 3.1000e-<br>004 | 9.3700e-<br>003  | 3.6000e-<br>004 | 9.7300e-<br>003 | 2.5000e-<br>003   | 3.4000e-<br>004  | 2.8400e-<br>003 | 0.0000   | 30.5106   | 30.5106   | 2.7500e-<br>003 | 0.0000 | 30.5793 |
| Vendor   | 0.0000          | 0.0000          | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Worker   | 1.4300e-<br>003 | 1.0600e-<br>003 | 0.0104 | 3.0000e-<br>005 | 3.1000e-<br>003  | 2.0000e-<br>005 | 3.1300e-<br>003 | 8.2000e-<br>004   | 2.0000e-<br>005  | 8.5000e-<br>004 | 0.0000   | 2.8053    | 2.8053    | 8.0000e-<br>005 | 0.0000 | 2.8074  |
| Total    | 4.5900e-<br>003 | 0.1136          | 0.0361 | 3.4000e-<br>004 | 0.0125           | 3.8000e-<br>004 | 0.0129          | 3.3200e-<br>003   | 3.6000e-<br>004  | 3.6900e-<br>003 | 0.0000   | 33.3159   | 33.3159   | 2.8300e-<br>003 | 0.0000 | 33.3867 |

3.4 Grading - 2020

|               | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|---------------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category      |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |          |
| Fugitive Dust |        |        |        |                 | 0.2819           | 0.0000          | 0.2819        | 0.1169            | 0.0000           | 0.1169         | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000   |
| Off-Road      | 0.1446 | 1.6314 | 1.0386 | 2.0200e-<br>003 |                  | 0.0707          | 0.0707        |                   | 0.0650           | 0.0650         | 0.0000   | 177.0740  | 177.0740  | 0.0573 | 0.0000 | 178.5057 |
| Total         | 0.1446 | 1.6314 | 1.0386 | 2.0200e-<br>003 | 0.2819           | 0.0707          | 0.3525        | 0.1169            | 0.0650           | 0.1819         | 0.0000   | 177.0740  | 177.0740  | 0.0573 | 0.0000 | 178.5057 |

## 3.4 Grading - 2020

#### Unmitigated Construction Off-Site

|          | ROG             | NOx             | СО     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----------------|-----------------|--------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |                 |                 |        |                 | ton              | s/yr            |                 |                   |                  |                 |          |           | МТ        | /yr             |        |        |
| Hauling  | 0.0000          | 0.0000          | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   | 0.0000          | 0.0000          | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   | 2.4000e-<br>003 | 1.7700e-<br>003 | 0.0174 | 5.0000e-<br>005 | 5.2100e-<br>003  | 4.0000e-<br>005 | 5.2500e-<br>003 | 1.3900e-<br>003   | 3.0000e-<br>005  | 1.4200e-<br>003 | 0.0000   | 4.7117    | 4.7117    | 1.4000e-<br>004 | 0.0000 | 4.7152 |
| Total    | 2.4000e-<br>003 | 1.7700e-<br>003 | 0.0174 | 5.0000e-<br>005 | 5.2100e-<br>003  | 4.0000e-<br>005 | 5.2500e-<br>003 | 1.3900e-<br>003   | 3.0000e-<br>005  | 1.4200e-<br>003 | 0.0000   | 4.7117    | 4.7117    | 1.4000e-<br>004 | 0.0000 | 4.7152 |

|               | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|---------------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category      |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr    |        |          |
| Fugitive Dust |        |        |        |                 | 0.1269           | 0.0000          | 0.1269        | 0.0526            | 0.0000           | 0.0526         | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000   |
| Off-Road      | 0.1446 | 1.6314 | 1.0386 | 2.0200e-<br>003 |                  | 0.0707          | 0.0707        |                   | 0.0650           | 0.0650         | 0.0000   | 177.0737  | 177.0737  | 0.0573 | 0.0000 | 178.5055 |
| Total         | 0.1446 | 1.6314 | 1.0386 | 2.0200e-<br>003 | 0.1269           | 0.0707          | 0.1975        | 0.0526            | 0.0650           | 0.1176         | 0.0000   | 177.0737  | 177.0737  | 0.0573 | 0.0000 | 178.5055 |

## 3.4 Grading - 2020

#### Mitigated Construction Off-Site

|          | ROG             | NOx             | СО     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----------------|-----------------|--------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |                 |                 |        |                 | ton              | s/yr            |                 |                   |                  |                 |          |           | MT        | '/yr            |        |        |
| Hauling  | 0.0000          | 0.0000          | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   | 0.0000          | 0.0000          | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   | 2.4000e-<br>003 | 1.7700e-<br>003 | 0.0174 | 5.0000e-<br>005 | 5.2100e-<br>003  | 4.0000e-<br>005 | 5.2500e-<br>003 | 1.3900e-<br>003   | 3.0000e-<br>005  | 1.4200e-<br>003 | 0.0000   | 4.7117    | 4.7117    | 1.4000e-<br>004 | 0.0000 | 4.7152 |
| Total    | 2.4000e-<br>003 | 1.7700e-<br>003 | 0.0174 | 5.0000e-<br>005 | 5.2100e-<br>003  | 4.0000e-<br>005 | 5.2500e-<br>003 | 1.3900e-<br>003   | 3.0000e-<br>005  | 1.4200e-<br>003 | 0.0000   | 4.7117    | 4.7117    | 1.4000e-<br>004 | 0.0000 | 4.7152 |

3.5 Building Construction - 2020

|          | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |          |
| Off-Road | 0.1632 | 1.4773 | 1.2973 | 2.0700e-<br>003 |                  | 0.0860          | 0.0860        |                   | 0.0809           | 0.0809         | 0.0000   | 178.3397  | 178.3397  | 0.0435 | 0.0000 | 179.4274 |
| Total    | 0.1632 | 1.4773 | 1.2973 | 2.0700e-<br>003 |                  | 0.0860          | 0.0860        |                   | 0.0809           | 0.0809         | 0.0000   | 178.3397  | 178.3397  | 0.0435 | 0.0000 | 179.4274 |

#### 3.5 Building Construction - 2020

#### Unmitigated Construction Off-Site

|          | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|----------|
| Category |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr             |        |          |
| Hauling  | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000         | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Vendor   | 0.0167 | 0.5003 | 0.1329 | 1.1900e-<br>003 | 0.0291           | 2.4400e-<br>003 | 0.0316        | 8.4100e-<br>003   | 2.3300e-<br>003  | 0.0108         | 0.0000   | 115.8088  | 115.8088  | 8.8800e-<br>003 | 0.0000 | 116.0307 |
| Worker   | 0.1096 | 0.0811 | 0.7953 | 2.3800e-<br>003 | 0.2384           | 1.7100e-<br>003 | 0.2401        | 0.0633            | 1.5800e-<br>003  | 0.0649         | 0.0000   | 215.4475  | 215.4475  | 6.4700e-<br>003 | 0.0000 | 215.6092 |
| Total    | 0.1263 | 0.5814 | 0.9283 | 3.5700e-<br>003 | 0.2675           | 4.1500e-<br>003 | 0.2716        | 0.0718            | 3.9100e-<br>003  | 0.0757         | 0.0000   | 331.2563  | 331.2563  | 0.0154          | 0.0000 | 331.6399 |

|          | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |          |
| Off-Road | 0.1632 | 1.4773 | 1.2973 | 2.0700e-<br>003 |                  | 0.0860          | 0.0860        | 1<br>1<br>1       | 0.0809           | 0.0809         | 0.0000   | 178.3395  | 178.3395  | 0.0435 | 0.0000 | 179.4272 |
| Total    | 0.1632 | 1.4773 | 1.2973 | 2.0700e-<br>003 |                  | 0.0860          | 0.0860        |                   | 0.0809           | 0.0809         | 0.0000   | 178.3395  | 178.3395  | 0.0435 | 0.0000 | 179.4272 |

#### 3.5 Building Construction - 2020

#### Mitigated Construction Off-Site

|          | ROG    | NOx    | СО     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|----------|
| Category |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |          |
| Hauling  | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000         | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Vendor   | 0.0167 | 0.5003 | 0.1329 | 1.1900e-<br>003 | 0.0291           | 2.4400e-<br>003 | 0.0316        | 8.4100e-<br>003   | 2.3300e-<br>003  | 0.0108         | 0.0000   | 115.8088  | 115.8088  | 8.8800e-<br>003 | 0.0000 | 116.0307 |
| Worker   | 0.1096 | 0.0811 | 0.7953 | 2.3800e-<br>003 | 0.2384           | 1.7100e-<br>003 | 0.2401        | 0.0633            | 1.5800e-<br>003  | 0.0649         | 0.0000   | 215.4475  | 215.4475  | 6.4700e-<br>003 | 0.0000 | 215.6092 |
| Total    | 0.1263 | 0.5814 | 0.9283 | 3.5700e-<br>003 | 0.2675           | 4.1500e-<br>003 | 0.2716        | 0.0718            | 3.9100e-<br>003  | 0.0757         | 0.0000   | 331.2563  | 331.2563  | 0.0154          | 0.0000 | 331.6399 |

3.5 Building Construction - 2021

|          | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | '/yr   |        |          |
|          | 0.2481 | 2.2749 | 2.1631 | 3.5100e-<br>003 |                  | 0.1251          | 0.1251        |                   | 0.1176           | 0.1176         | 0.0000   | 302.2867  | 302.2867  | 0.0729 | 0.0000 | 304.1099 |
| Total    | 0.2481 | 2.2749 | 2.1631 | 3.5100e-<br>003 |                  | 0.1251          | 0.1251        |                   | 0.1176           | 0.1176         | 0.0000   | 302.2867  | 302.2867  | 0.0729 | 0.0000 | 304.1099 |

#### 3.5 Building Construction - 2021

#### Unmitigated Construction Off-Site

|          | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr    |        |          |
| Hauling  | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000         | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000   |
| Vendor   | 0.0230 | 0.7644 | 0.2039 | 1.9900e-<br>003 | 0.0494           | 1.6200e-<br>003 | 0.0510        | 0.0143            | 1.5500e-<br>003  | 0.0158         | 0.0000   | 194.4722  | 194.4722  | 0.0144 | 0.0000 | 194.8330 |
| Worker   | 0.1751 | 0.1249 | 1.2585 | 3.9000e-<br>003 | 0.4040           | 2.8600e-<br>003 | 0.4068        | 0.1073            | 2.6300e-<br>003  | 0.1100         | 0.0000   | 352.8743  | 352.8743  | 0.0101 | 0.0000 | 353.1271 |
| Total    | 0.1981 | 0.8894 | 1.4623 | 5.8900e-<br>003 | 0.4533           | 4.4800e-<br>003 | 0.4578        | 0.1216            | 4.1800e-<br>003  | 0.1258         | 0.0000   | 547.3464  | 547.3464  | 0.0245 | 0.0000 | 547.9601 |

|          | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |          |
| Off-Road | 0.2481 | 2.2749 | 2.1631 | 3.5100e-<br>003 |                  | 0.1251          | 0.1251        | 1<br>1<br>1       | 0.1176           | 0.1176         | 0.0000   | 302.2863  | 302.2863  | 0.0729 | 0.0000 | 304.1095 |
| Total    | 0.2481 | 2.2749 | 2.1631 | 3.5100e-<br>003 |                  | 0.1251          | 0.1251        |                   | 0.1176           | 0.1176         | 0.0000   | 302.2863  | 302.2863  | 0.0729 | 0.0000 | 304.1095 |

#### 3.5 Building Construction - 2021

#### Mitigated Construction Off-Site

|          | ROG    | NOx      | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|----------|--------|----------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category |        | <u>.</u> |        |                 | ton              | s/yr            |               | <u>.</u>          |                  |                |          |           | МТ        | /yr    |        |          |
| Hauling  | 0.0000 | 0.0000   | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000         | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000   |
| Vendor   | 0.0230 | 0.7644   | 0.2039 | 1.9900e-<br>003 | 0.0494           | 1.6200e-<br>003 | 0.0510        | 0.0143            | 1.5500e-<br>003  | 0.0158         | 0.0000   | 194.4722  | 194.4722  | 0.0144 | 0.0000 | 194.8330 |
| Worker   | 0.1751 | 0.1249   | 1.2585 | 3.9000e-<br>003 | 0.4040           | 2.8600e-<br>003 | 0.4068        | 0.1073            | 2.6300e-<br>003  | 0.1100         | 0.0000   | 352.8743  | 352.8743  | 0.0101 | 0.0000 | 353.1271 |
| Total    | 0.1981 | 0.8894   | 1.4623 | 5.8900e-<br>003 | 0.4533           | 4.4800e-<br>003 | 0.4578        | 0.1216            | 4.1800e-<br>003  | 0.1258         | 0.0000   | 547.3464  | 547.3464  | 0.0245 | 0.0000 | 547.9601 |

3.5 Building Construction - 2022

|          | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr    |        |          |
|          | 0.1664 | 1.5225 | 1.5954 | 2.6300e-<br>003 |                  | 0.0789          | 0.0789        |                   | 0.0742           | 0.0742         | 0.0000   | 225.9321  | 225.9321  | 0.0541 | 0.0000 | 227.2853 |
| Total    | 0.1664 | 1.5225 | 1.5954 | 2.6300e-<br>003 |                  | 0.0789          | 0.0789        |                   | 0.0742           | 0.0742         | 0.0000   | 225.9321  | 225.9321  | 0.0541 | 0.0000 | 227.2853 |

## 3.5 Building Construction - 2022

#### Unmitigated Construction Off-Site

|          | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|----------|
| Category |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr             |        |          |
| Hauling  | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000         | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Vendor   | 0.0160 | 0.5393 | 0.1442 | 1.4700e-<br>003 | 0.0369           | 1.0400e-<br>003 | 0.0379        | 0.0107            | 1.0000e-<br>003  | 0.0117         | 0.0000   | 143.9194  | 143.9194  | 0.0105          | 0.0000 | 144.1805 |
| Worker   | 0.1238 | 0.0851 | 0.8729 | 2.8100e-<br>003 | 0.3018           | 2.0900e-<br>003 | 0.3039        | 0.0802            | 1.9200e-<br>003  | 0.0821         | 0.0000   | 253.9772  | 253.9772  | 6.9200e-<br>003 | 0.0000 | 254.1502 |
| Total    | 0.1398 | 0.6244 | 1.0171 | 4.2800e-<br>003 | 0.3387           | 3.1300e-<br>003 | 0.3418        | 0.0909            | 2.9200e-<br>003  | 0.0938         | 0.0000   | 397.8965  | 397.8965  | 0.0174          | 0.0000 | 398.3307 |

|          | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr    |        |          |
| Off-Road | 0.1664 | 1.5225 | 1.5954 | 2.6300e-<br>003 |                  | 0.0789          | 0.0789        | 1<br>1<br>1       | 0.0742           | 0.0742         | 0.0000   | 225.9318  | 225.9318  | 0.0541 | 0.0000 | 227.2850 |
| Total    | 0.1664 | 1.5225 | 1.5954 | 2.6300e-<br>003 |                  | 0.0789          | 0.0789        |                   | 0.0742           | 0.0742         | 0.0000   | 225.9318  | 225.9318  | 0.0541 | 0.0000 | 227.2850 |

#### 3.5 Building Construction - 2022

#### Mitigated Construction Off-Site

|          | ROG    | NOx    | СО     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|----------|
| Category |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr             |        |          |
| Hauling  | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000         | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Vendor   | 0.0160 | 0.5393 | 0.1442 | 1.4700e-<br>003 | 0.0369           | 1.0400e-<br>003 | 0.0379        | 0.0107            | 1.0000e-<br>003  | 0.0117         | 0.0000   | 143.9194  | 143.9194  | 0.0105          | 0.0000 | 144.1805 |
| Worker   | 0.1238 | 0.0851 | 0.8729 | 2.8100e-<br>003 | 0.3018           | 2.0900e-<br>003 | 0.3039        | 0.0802            | 1.9200e-<br>003  | 0.0821         | 0.0000   | 253.9772  | 253.9772  | 6.9200e-<br>003 | 0.0000 | 254.1502 |
| Total    | 0.1398 | 0.6244 | 1.0171 | 4.2800e-<br>003 | 0.3387           | 3.1300e-<br>003 | 0.3418        | 0.0909            | 2.9200e-<br>003  | 0.0938         | 0.0000   | 397.8965  | 397.8965  | 0.0174          | 0.0000 | 398.3307 |

3.6 Paving - 2022

|          | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr    |        |         |
| Off-Road | 0.0237 | 0.2392 | 0.3135 | 4.9000e-<br>004 |                  | 0.0122          | 0.0122        |                   | 0.0112           | 0.0112         | 0.0000   | 43.0593   | 43.0593   | 0.0139 | 0.0000 | 43.4074 |
| Paving   | 0.0000 |        |        |                 |                  | 0.0000          | 0.0000        |                   | 0.0000           | 0.0000         | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Total    | 0.0237 | 0.2392 | 0.3135 | 4.9000e-<br>004 |                  | 0.0122          | 0.0122        |                   | 0.0112           | 0.0112         | 0.0000   | 43.0593   | 43.0593   | 0.0139 | 0.0000 | 43.4074 |

## 3.6 Paving - 2022

#### Unmitigated Construction Off-Site

|          | ROG             | NOx             | СО              | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----------------|-----------------|-----------------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |                 |                 |                 |                 | ton              | s/yr            |                 |                   |                  | МТ              | '/yr     |           |           |                 |        |        |
| Hauling  | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   | 1.0600e-<br>003 | 7.3000e-<br>004 | 7.4800e-<br>003 | 2.0000e-<br>005 | 2.5900e-<br>003  | 2.0000e-<br>005 | 2.6000e-<br>003 | 6.9000e-<br>004   | 2.0000e-<br>005  | 7.0000e-<br>004 | 0.0000   | 2.1764    | 2.1764    | 6.0000e-<br>005 | 0.0000 | 2.1779 |
| Total    | 1.0600e-<br>003 | 7.3000e-<br>004 | 7.4800e-<br>003 | 2.0000e-<br>005 | 2.5900e-<br>003  | 2.0000e-<br>005 | 2.6000e-<br>003 | 6.9000e-<br>004   | 2.0000e-<br>005  | 7.0000e-<br>004 | 0.0000   | 2.1764    | 2.1764    | 6.0000e-<br>005 | 0.0000 | 2.1779 |

|          | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr    |        |         |
| Off-Road | 0.0237 | 0.2392 | 0.3135 | 4.9000e-<br>004 |                  | 0.0122          | 0.0122        |                   | 0.0112           | 0.0112         | 0.0000   | 43.0592   | 43.0592   | 0.0139 | 0.0000 | 43.4074 |
| Paving   | 0.0000 |        |        |                 |                  | 0.0000          | 0.0000        |                   | 0.0000           | 0.0000         | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Total    | 0.0237 | 0.2392 | 0.3135 | 4.9000e-<br>004 |                  | 0.0122          | 0.0122        |                   | 0.0112           | 0.0112         | 0.0000   | 43.0592   | 43.0592   | 0.0139 | 0.0000 | 43.4074 |

## 3.6 Paving - 2022

#### Mitigated Construction Off-Site

|          | ROG             | NOx             | СО              | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----------------|-----------------|-----------------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |                 |                 |                 |                 | ton              | s/yr            |                 |                   |                  |                 |          |           | MT        | '/yr            |        |        |
| Hauling  | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   | 1.0600e-<br>003 | 7.3000e-<br>004 | 7.4800e-<br>003 | 2.0000e-<br>005 | 2.5900e-<br>003  | 2.0000e-<br>005 | 2.6000e-<br>003 | 6.9000e-<br>004   | 2.0000e-<br>005  | 7.0000e-<br>004 | 0.0000   | 2.1764    | 2.1764    | 6.0000e-<br>005 | 0.0000 | 2.1779 |
| Total    | 1.0600e-<br>003 | 7.3000e-<br>004 | 7.4800e-<br>003 | 2.0000e-<br>005 | 2.5900e-<br>003  | 2.0000e-<br>005 | 2.6000e-<br>003 | 6.9000e-<br>004   | 2.0000e-<br>005  | 7.0000e-<br>004 | 0.0000   | 2.1764    | 2.1764    | 6.0000e-<br>005 | 0.0000 | 2.1779 |

3.7 Architectural Coating - 2022

|                 | ROG             | NOx    | СО     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|-----------------|-----------------|--------|--------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category        |                 |        |        |                 | ton              | s/yr            |                 |                   |                  |                 |          |           | MT        | ∵/yr            |        |        |
| , and a country | 0.7206          |        |        |                 |                  | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
|                 | 2.2500e-<br>003 | 0.0155 | 0.0200 | 3.0000e-<br>005 |                  | 9.0000e-<br>004 | 9.0000e-<br>004 |                   | 9.0000e-<br>004  | 9.0000e-<br>004 | 0.0000   | 2.8086    | 2.8086    | 1.8000e-<br>004 | 0.0000 | 2.8132 |
| Total           | 0.7228          | 0.0155 | 0.0200 | 3.0000e-<br>005 |                  | 9.0000e-<br>004 | 9.0000e-<br>004 |                   | 9.0000e-<br>004  | 9.0000e-<br>004 | 0.0000   | 2.8086    | 2.8086    | 1.8000e-<br>004 | 0.0000 | 2.8132 |

#### 3.7 Architectural Coating - 2022

#### Unmitigated Construction Off-Site

|          | ROG             | NOx             | со     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----------------|-----------------|--------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |                 |                 |        |                 | ton              | s/yr            |                 |                   |                  |                 |          |           | МТ        | '/yr            |        |        |
| Hauling  | 0.0000          | 0.0000          | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   | 0.0000          | 0.0000          | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   | 2.7900e-<br>003 | 1.9200e-<br>003 | 0.0197 | 6.0000e-<br>005 | 6.7900e-<br>003  | 5.0000e-<br>005 | 6.8400e-<br>003 | 1.8000e-<br>003   | 4.0000e-<br>005  | 1.8500e-<br>003 | 0.0000   | 5.7159    | 5.7159    | 1.6000e-<br>004 | 0.0000 | 5.7198 |
| Total    | 2.7900e-<br>003 | 1.9200e-<br>003 | 0.0197 | 6.0000e-<br>005 | 6.7900e-<br>003  | 5.0000e-<br>005 | 6.8400e-<br>003 | 1.8000e-<br>003   | 4.0000e-<br>005  | 1.8500e-<br>003 | 0.0000   | 5.7159    | 5.7159    | 1.6000e-<br>004 | 0.0000 | 5.7198 |

|                 | ROG             | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|-----------------|-----------------|--------|--------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category        |                 |        |        |                 | ton              | s/yr            |                 |                   |                  |                 |          |           | МТ        | /yr             |        |        |
| Archit. Coating | 0.7206          |        |        |                 |                  | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Off-Road        | 2.2500e-<br>003 | 0.0155 | 0.0200 | 3.0000e-<br>005 |                  | 9.0000e-<br>004 | 9.0000e-<br>004 |                   | 9.0000e-<br>004  | 9.0000e-<br>004 | 0.0000   | 2.8086    | 2.8086    | 1.8000e-<br>004 | 0.0000 | 2.8132 |
| Total           | 0.7228          | 0.0155 | 0.0200 | 3.0000e-<br>005 |                  | 9.0000e-<br>004 | 9.0000e-<br>004 |                   | 9.0000e-<br>004  | 9.0000e-<br>004 | 0.0000   | 2.8086    | 2.8086    | 1.8000e-<br>004 | 0.0000 | 2.8132 |

#### 3.7 Architectural Coating - 2022

#### Mitigated Construction Off-Site

|          | ROG             | NOx             | со     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----------------|-----------------|--------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |                 |                 |        |                 | ton              | s/yr            |                 |                   |                  |                 |          |           | МТ        | '/yr            |        |        |
| Hauling  | 0.0000          | 0.0000          | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   | 0.0000          | 0.0000          | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   | 2.7900e-<br>003 | 1.9200e-<br>003 | 0.0197 | 6.0000e-<br>005 | 6.7900e-<br>003  | 5.0000e-<br>005 | 6.8400e-<br>003 | 1.8000e-<br>003   | 4.0000e-<br>005  | 1.8500e-<br>003 | 0.0000   | 5.7159    | 5.7159    | 1.6000e-<br>004 | 0.0000 | 5.7198 |
| Total    | 2.7900e-<br>003 | 1.9200e-<br>003 | 0.0197 | 6.0000e-<br>005 | 6.7900e-<br>003  | 5.0000e-<br>005 | 6.8400e-<br>003 | 1.8000e-<br>003   | 4.0000e-<br>005  | 1.8500e-<br>003 | 0.0000   | 5.7159    | 5.7159    | 1.6000e-<br>004 | 0.0000 | 5.7198 |

3.7 Architectural Coating - 2023

|                      | ROG             | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------------------|-----------------|--------|--------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category             |                 |        |        |                 | ton              | s/yr            |                 |                   |                  |                 |          |           | MT        | /yr             |        |        |
| , a crime o counting | 1.3756          |        |        |                 |                  | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
|                      | 4.0200e-<br>003 | 0.0274 | 0.0380 | 6.0000e-<br>005 |                  | 1.4900e-<br>003 | 1.4900e-<br>003 |                   | 1.4900e-<br>003  | 1.4900e-<br>003 | 0.0000   | 5.3618    | 5.3618    | 3.2000e-<br>004 | 0.0000 | 5.3699 |
| Total                | 1.3796          | 0.0274 | 0.0380 | 6.0000e-<br>005 |                  | 1.4900e-<br>003 | 1.4900e-<br>003 |                   | 1.4900e-<br>003  | 1.4900e-<br>003 | 0.0000   | 5.3618    | 5.3618    | 3.2000e-<br>004 | 0.0000 | 5.3699 |

#### 3.7 Architectural Coating - 2023

#### Unmitigated Construction Off-Site

|          | ROG             | NOx             | СО     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----------------|-----------------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |                 |                 |        |                 | ton              | s/yr            |               |                   |                  |                 |          |           | МТ        | /yr             |        |         |
| Hauling  | 0.0000          | 0.0000          | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Vendor   | 0.0000          | 0.0000          | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Worker   | 5.0400e-<br>003 | 3.3400e-<br>003 | 0.0348 | 1.2000e-<br>004 | 0.0130           | 9.0000e-<br>005 | 0.0131        | 3.4500e-<br>003   | 8.0000e-<br>005  | 3.5300e-<br>003 | 0.0000   | 10.4954   | 10.4954   | 2.7000e-<br>004 | 0.0000 | 10.5022 |
| Total    | 5.0400e-<br>003 | 3.3400e-<br>003 | 0.0348 | 1.2000e-<br>004 | 0.0130           | 9.0000e-<br>005 | 0.0131        | 3.4500e-<br>003   | 8.0000e-<br>005  | 3.5300e-<br>003 | 0.0000   | 10.4954   | 10.4954   | 2.7000e-<br>004 | 0.0000 | 10.5022 |

|                 | ROG             | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|-----------------|-----------------|--------|--------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category        |                 |        |        |                 | ton              | s/yr            |                 |                   |                  |                 |          |           | МТ        | /yr             |        |        |
| Archit. Coating | 1.3756          |        |        |                 |                  | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Off-Road        | 4.0200e-<br>003 | 0.0274 | 0.0380 | 6.0000e-<br>005 |                  | 1.4900e-<br>003 | 1.4900e-<br>003 |                   | 1.4900e-<br>003  | 1.4900e-<br>003 | 0.0000   | 5.3618    | 5.3618    | 3.2000e-<br>004 | 0.0000 | 5.3699 |
| Total           | 1.3796          | 0.0274 | 0.0380 | 6.0000e-<br>005 |                  | 1.4900e-<br>003 | 1.4900e-<br>003 |                   | 1.4900e-<br>003  | 1.4900e-<br>003 | 0.0000   | 5.3618    | 5.3618    | 3.2000e-<br>004 | 0.0000 | 5.3699 |

#### 3.7 Architectural Coating - 2023

#### **Mitigated Construction Off-Site**

|          | ROG             | NOx             | СО     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----------------|-----------------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |                 |                 |        |                 | ton              | s/yr            |               |                   |                  |                 |          |           | МТ        | '/yr            |        |         |
| Hauling  | 0.0000          | 0.0000          | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Vendor   | 0.0000          | 0.0000          | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Worker   | 5.0400e-<br>003 | 3.3400e-<br>003 | 0.0348 | 1.2000e-<br>004 | 0.0130           | 9.0000e-<br>005 | 0.0131        | 3.4500e-<br>003   | 8.0000e-<br>005  | 3.5300e-<br>003 | 0.0000   | 10.4954   | 10.4954   | 2.7000e-<br>004 | 0.0000 | 10.5022 |
| Total    | 5.0400e-<br>003 | 3.3400e-<br>003 | 0.0348 | 1.2000e-<br>004 | 0.0130           | 9.0000e-<br>005 | 0.0131        | 3.4500e-<br>003   | 8.0000e-<br>005  | 3.5300e-<br>003 | 0.0000   | 10.4954   | 10.4954   | 2.7000e-<br>004 | 0.0000 | 10.5022 |

## 4.0 Operational Detail - Mobile

#### 4.1 Mitigation Measures Mobile

Increase Transit Accessibility

Integrate Below Market Rate Housing

Improve Pedestrian Network

|             | ROG    | NOx    | CO     | SO2    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2      | Total CO2      | CH4    | N2O    | CO2e           |
|-------------|--------|--------|--------|--------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|----------------|----------------|--------|--------|----------------|
| Category    |        |        |        |        | ton              | s/yr            |               |                   |                  |                |          |                | MT             | /yr    |        |                |
| Mitigated   | 0.4312 | 1.6575 | 4.2415 | 0.0141 | 1.2777           | 0.0114          | 1.2891        | 0.3421            | 0.0106           | 0.3527         | 0.0000   | 1,301.589<br>4 | 1,301.589<br>4 | 0.0703 | 0.0000 | 1,303.347<br>6 |
| Unmitigated | 0.4458 | 1.7310 | 4.5618 | 0.0155 | 1.4232           | 0.0125          | 1.4357        | 0.3811            | 0.0116           | 0.3927         | 0.0000   | 1,434.499<br>0 | 1,434.499<br>0 | 0.0761 | 0.0000 | 1,436.400<br>6 |

#### 4.2 Trip Summary Information

|                      | Ave      | rage Daily Trip Ra | ate      | Unmitigated | Mitigated  |
|----------------------|----------|--------------------|----------|-------------|------------|
| Land Use             | Weekday  | Saturday           | Sunday   | Annual VMT  | Annual VMT |
| Retirement Community | 2,144.00 | 2,144.00           | 2144.00  | 3,777,213   | 3,391,026  |
| Total                | 2,144.00 | 2,144.00           | 2,144.00 | 3,777,213   | 3,391,026  |

#### 4.3 Trip Type Information

|                      |            | Miles      |             |            | Trip %     |             |         | Trip Purpos | e %     |
|----------------------|------------|------------|-------------|------------|------------|-------------|---------|-------------|---------|
| Land Use             | H-W or C-W | H-S or C-C | H-O or C-NW | H-W or C-W | H-S or C-C | H-O or C-NW | Primary | Diverted    | Pass-by |
| Retirement Community | 4.84       | 7.30       | 7.50        | 100.00     | 0.00       | 0.00        | 100     | 0           | 0       |

## 4.4 Fleet Mix

| Land Use             | LDA      | LDT1     | LDT2     | MDV      | LHD1     | LHD2     | MHD      | HHD      | OBUS     | UBUS     | MCY      | SBUS     | MH       |
|----------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Retirement Community | 0.606234 | 0.039465 | 0.179154 | 0.102641 | 0.014368 | 0.005395 | 0.016820 | 0.024508 | 0.001929 | 0.001857 | 0.005869 | 0.000761 | 0.000998 |

## 5.0 Energy Detail

Historical Energy Use: N

Page 32 of 40

## The Junipers - San Diego County, Annual

## 5.1 Mitigation Measures Energy

Kilowatt Hours of Renewable Electricity Generated

|                            | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O             | CO2e      |
|----------------------------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|-----------------|-----------|
| Category                   |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | '/yr            |                 |           |
| Electricity<br>Mitigated   |        |        |        |                 |                  | 0.0000          | 0.0000        |                   | 0.0000           | 0.0000         | 0.0000   | -379.1115 | -379.1115 | -0.0153         | -0.0032         | -380.4338 |
| Electricity<br>Unmitigated | n      |        |        |                 |                  | 0.0000          | 0.0000        |                   | 0.0000           | 0.0000         | 0.0000   | 776.8277  | 776.8277  | 0.0313          | 6.4700e-<br>003 | 779.5372  |
| NaturalGas<br>Mitigated    | 0.0324 | 0.2773 | 0.1180 | 1.7700e-<br>003 | ,                | 0.0224          | 0.0224        | ,                 | 0.0224           | 0.0224         | 0.0000   | 321.0827  | 321.0827  | 6.1500e-<br>003 | 5.8900e-<br>003 | 322.9907  |
| NaturalGas<br>Unmitigated  | 0.0324 | 0.2773 | 0.1180 | 1.7700e-<br>003 |                  | 0.0224          | 0.0224        |                   | 0.0224           | 0.0224         | 0.0000   | 321.0827  | 321.0827  | 6.1500e-<br>003 | 5.8900e-<br>003 | 322.9907  |

Page 33 of 40

## The Junipers - San Diego County, Annual

# 5.2 Energy by Land Use - NaturalGas

# <u>Unmitigated</u>

|                         | NaturalGa<br>s Use | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O             | CO2e     |
|-------------------------|--------------------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|-----------------|----------|
| Land Use                | kBTU/yr            |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |                 |          |
| Retirement<br>Community | 6.01686e<br>+006   | 0.0324 | 0.2773 | 0.1180 | 1.7700e-<br>003 |                  | 0.0224          | 0.0224        |                   | 0.0224           | 0.0224         | 0.0000   | 321.0827  | 321.0827  | 6.1500e-<br>003 | 5.8900e-<br>003 | 322.9907 |
| Total                   |                    | 0.0324 | 0.2773 | 0.1180 | 1.7700e-<br>003 |                  | 0.0224          | 0.0224        |                   | 0.0224           | 0.0224         | 0.0000   | 321.0827  | 321.0827  | 6.1500e-<br>003 | 5.8900e-<br>003 | 322.9907 |

#### Mitigated

|                         | NaturalGa<br>s Use | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O             | CO2e     |
|-------------------------|--------------------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|-----------------|----------|
| Land Use                | kBTU/yr            |        |        |        |                 | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |                 |          |
| Retirement<br>Community | 6.01686e<br>+006   | 0.0324 | 0.2773 | 0.1180 | 1.7700e-<br>003 |                  | 0.0224          | 0.0224        | 1<br>1<br>1       | 0.0224           | 0.0224         | 0.0000   | 321.0827  | 321.0827  | 6.1500e-<br>003 | 5.8900e-<br>003 | 322.9907 |
| Total                   |                    | 0.0324 | 0.2773 | 0.1180 | 1.7700e-<br>003 |                  | 0.0224          | 0.0224        |                   | 0.0224           | 0.0224         | 0.0000   | 321.0827  | 321.0827  | 6.1500e-<br>003 | 5.8900e-<br>003 | 322.9907 |

Page 34 of 40

# The Junipers - San Diego County, Annual

# 5.3 Energy by Land Use - Electricity

# <u>Unmitigated</u>

|                         | Electricity<br>Use | Total CO2 | CH4    | N2O             | CO2e     |
|-------------------------|--------------------|-----------|--------|-----------------|----------|
| Land Use                | kWh/yr             |           | Π      | ſ/yr            |          |
| Retirement<br>Community | 2.37701e<br>+006   | 776.8277  | 0.0313 | 6.4700e-<br>003 | 779.5372 |
| Total                   |                    | 776.8277  | 0.0313 | 6.4700e-<br>003 | 779.5372 |

#### **Mitigated**

|                         | Electricity<br>Use | Total CO2 | CH4     | N2O     | CO2e      |
|-------------------------|--------------------|-----------|---------|---------|-----------|
| Land Use                | kWh/yr             |           | МТ      | /yr     |           |
| Retirement<br>Community | -1.16004e<br>+006  | -379.1115 | -0.0153 | -0.0032 | -380.4338 |
| Total                   |                    | -379.1115 | -0.0153 | -0.0032 | -380.4338 |

# 6.0 Area Detail

6.1 Mitigation Measures Area

# The Junipers - San Diego County, Annual

|             | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5      | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O             | CO2e     |
|-------------|--------|--------|--------|-----------------|------------------|-----------------|---------------|------------------------|------------------|----------------|----------|-----------|-----------|-----------------|-----------------|----------|
| Category    |        |        |        |                 | ton              | s/yr            |               |                        |                  |                |          |           | МТ        | /yr             |                 |          |
| Mitigated   | 3.0623 | 0.1390 | 4.0178 | 8.0000e-<br>004 |                  | 0.0296          | 0.0296        |                        | 0.0296           | 0.0296         | 0.0000   | 114.4091  | 114.4091  | 8.3100e-<br>003 | 1.9800e-<br>003 | 115.2062 |
| Unmitigated | 3.0623 | 0.1390 | 4.0178 | 8.0000e-<br>004 |                  | 0.0296          | 0.0296        | <b></b><br>-<br>-<br>- | 0.0296           | 0.0296         | 0.0000   | 114.4091  | 114.4091  | 8.3100e-<br>003 | 1.9800e-<br>003 | 115.2062 |

# 6.2 Area by SubCategory

<u>Unmitigated</u>

|                          | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5         | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O             | CO2e     |
|--------------------------|--------|--------|--------|-----------------|------------------|-----------------|-----------------|---------------------------|------------------|-----------------|----------|-----------|-----------|-----------------|-----------------|----------|
| SubCategory              |        |        |        |                 | ton              | s/yr            |                 |                           |                  |                 |          |           | МТ        | /yr             |                 |          |
| Architectural<br>Coating | 0.8385 |        |        |                 |                  | 0.0000          | 0.0000          | ,<br>,<br>,               | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000          | 0.0000   |
| Consumer<br>Products     | 2.0934 |        |        |                 |                  | 0.0000          | 0.0000          | <br>-<br>-<br>-<br>-<br>- | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000          | 0.0000   |
| Hearth                   | 0.0109 | 0.0932 | 0.0397 | 5.9000e-<br>004 |                  | 7.5300e-<br>003 | 7.5300e-<br>003 |                           | 7.5300e-<br>003  | 7.5300e-<br>003 | 0.0000   | 107.9080  | 107.9080  | 2.0700e-<br>003 | 1.9800e-<br>003 | 108.5493 |
| Landscaping              | 0.1196 | 0.0458 | 3.9782 | 2.1000e-<br>004 |                  | 0.0221          | 0.0221          | <br>,<br>,<br>,<br>,<br>, | 0.0221           | 0.0221          | 0.0000   | 6.5010    | 6.5010    | 6.2400e-<br>003 | 0.0000          | 6.6570   |
| Total                    | 3.0623 | 0.1390 | 4.0178 | 8.0000e-<br>004 |                  | 0.0296          | 0.0296          |                           | 0.0296           | 0.0296          | 0.0000   | 114.4091  | 114.4091  | 8.3100e-<br>003 | 1.9800e-<br>003 | 115.2063 |

# The Junipers - San Diego County, Annual

#### 6.2 Area by SubCategory

#### Mitigated

|                          | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5     | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O             | CO2e     |
|--------------------------|--------|--------|--------|-----------------|------------------|-----------------|-----------------|-----------------------|------------------|-----------------|----------|-----------|-----------|-----------------|-----------------|----------|
| SubCategory              |        |        |        |                 | ton              | s/yr            |                 |                       |                  |                 |          |           | МТ        | /yr             |                 |          |
| Architectural<br>Coating | 0.8385 |        |        |                 |                  | 0.0000          | 0.0000          |                       | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000          | 0.0000   |
| Consumer<br>Products     | 2.0934 |        |        |                 |                  | 0.0000          | 0.0000          |                       | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000          | 0.0000   |
| Hearth                   | 0.0109 | 0.0932 | 0.0397 | 5.9000e-<br>004 |                  | 7.5300e-<br>003 | 7.5300e-<br>003 |                       | 7.5300e-<br>003  | 7.5300e-<br>003 | 0.0000   | 107.9080  | 107.9080  | 2.0700e-<br>003 | 1.9800e-<br>003 | 108.5493 |
| Landscaping              | 0.1196 | 0.0458 | 3.9782 | 2.1000e-<br>004 |                  | 0.0221          | 0.0221          | 1<br>1<br>1<br>1<br>1 | 0.0221           | 0.0221          | 0.0000   | 6.5010    | 6.5010    | 6.2400e-<br>003 | 0.0000          | 6.6570   |
| Total                    | 3.0623 | 0.1390 | 4.0178 | 8.0000e-<br>004 |                  | 0.0296          | 0.0296          |                       | 0.0296           | 0.0296          | 0.0000   | 114.4091  | 114.4091  | 8.3100e-<br>003 | 1.9800e-<br>003 | 115.2063 |

# 7.0 Water Detail

#### 7.1 Mitigation Measures Water

Apply Water Conservation Strategy

Page 37 of 40

The Junipers - San Diego County, Annual

|           | Total CO2 | CH4    | N2O    | CO2e     |
|-----------|-----------|--------|--------|----------|
| Category  |           | МТ     | /yr    |          |
| Intigated | 191.7009  | 0.9177 | 0.0230 | 221.5033 |
|           | 239.6261  | 1.1472 | 0.0288 | 276.8792 |

# 7.2 Water by Land Use

<u>Unmitigated</u>

|                         | Indoor/Out<br>door Use | Total CO2 | CH4    | N2O    | CO2e     |
|-------------------------|------------------------|-----------|--------|--------|----------|
| Land Use                | Mgal                   |           | МТ     | /yr    |          |
| Retirement<br>Community | 34.9226 /<br>22.0164   | 239.6261  | 1.1472 | 0.0288 | 276.8792 |
| Total                   |                        | 239.6261  | 1.1472 | 0.0288 | 276.8792 |

Page 38 of 40

# The Junipers - San Diego County, Annual

#### 7.2 Water by Land Use

### Mitigated

|                         | Indoor/Out<br>door Use | Total CO2 | CH4    | N2O    | CO2e     |
|-------------------------|------------------------|-----------|--------|--------|----------|
| Land Use                | Mgal                   |           | МТ     | /yr    |          |
| Retirement<br>Community | 27.938 /<br>17.6131    | 191.7009  | 0.9177 | 0.0230 | 221.5033 |
| Total                   |                        | 191.7009  | 0.9177 | 0.0230 | 221.5033 |

# 8.0 Waste Detail

### 8.1 Mitigation Measures Waste

### Category/Year

|             | Total CO2 | CH4    | N2O    | CO2e     |
|-------------|-----------|--------|--------|----------|
|             |           | MT     | 7/yr   |          |
| miligutou   | 65.3631   | 3.8629 | 0.0000 | 161.9343 |
| Unmitigated | 65.3631   | 3.8629 | 0.0000 | 161.9343 |

Page 39 of 40

# The Junipers - San Diego County, Annual

#### 8.2 Waste by Land Use

# <u>Unmitigated</u>

|                         | Waste<br>Disposed | Total CO2 | CH4    | N2O    | CO2e     |
|-------------------------|-------------------|-----------|--------|--------|----------|
| Land Use                | tons              |           | МТ     | 7/yr   |          |
| Retirement<br>Community | 322               | 65.3631   | 3.8629 | 0.0000 | 161.9343 |
| Total                   |                   | 65.3631   | 3.8629 | 0.0000 | 161.9343 |

#### Mitigated

|                         | Waste<br>Disposed | Total CO2 | CH4    | N2O    | CO2e     |
|-------------------------|-------------------|-----------|--------|--------|----------|
| Land Use                | tons              |           | МТ     | /yr    |          |
| Retirement<br>Community | 322               | 65.3631   | 3.8629 | 0.0000 | 161.9343 |
| Total                   |                   | 65.3631   | 3.8629 | 0.0000 | 161.9343 |

# 9.0 Operational Offroad

| Equipment Type | Number | Hours/Day | Days/Year | Horse Power | Load Factor | Fuel Type |
|----------------|--------|-----------|-----------|-------------|-------------|-----------|

# The Junipers - San Diego County, Annual

# **10.0 Stationary Equipment**

# Fire Pumps and Emergency Generators

| Equipment Type | Number | Hours/Day | Hours/Year | Horse Power | Load Factor | Fuel Type |
|----------------|--------|-----------|------------|-------------|-------------|-----------|

#### **Boilers**

| Equipment Type | Number | Heat Input/Day | Heat Input/Year | Boiler Rating | Fuel Type |
|----------------|--------|----------------|-----------------|---------------|-----------|

#### User Defined Equipment

| Equipment Type | Number |
|----------------|--------|

# 11.0 Vegetation

# The Junipers

# San Diego County, Mitigation Report

# **Construction Mitigation Summary**

| Phase                 | ROG  | NOx  | со   | SO2     | Exhaust<br>PM10 | Exhaust<br>PM2.5 | Bio- CO2 | NBio-<br>CO2 | Total CO2 | CH4  | N2O  | CO2e |
|-----------------------|------|------|------|---------|-----------------|------------------|----------|--------------|-----------|------|------|------|
|                       |      |      |      | Percent | Reduction       |                  |          |              |           |      |      |      |
| Architectural Coating | 0.00 | 0.00 | 0.00 | 0.00    | 0.00            | 0.00             | 0.00     | 0.00         | 0.00      | 0.00 | 0.00 | 0.00 |
| Building Construction | 0.00 | 0.00 | 0.00 | 0.00    | 0.00            | 0.00             | 0.00     | 0.00         | 0.00      | 0.00 | 0.00 | 0.00 |
| Demolition            | 0.00 | 0.00 | 0.00 | 0.00    | 0.00            | 0.00             | 0.00     | 0.00         | 0.00      | 0.00 | 0.00 | 0.00 |
| Grading               | 0.00 | 0.00 | 0.00 | 0.00    | 0.00            | 0.00             | 0.00     | 0.00         | 0.00      | 0.00 | 0.00 | 0.00 |
| Paving                | 0.00 | 0.00 | 0.00 | 0.00    | 0.00            | 0.00             | 0.00     | 0.00         | 0.00      | 0.00 | 0.00 | 0.00 |
| Site Preparation      | 0.00 | 0.00 | 0.00 | 0.00    | 0.00            | 0.00             | 0.00     | 0.00         | 0.00      | 0.00 | 0.00 | 0.00 |

**OFFROAD Equipment Mitigation** 

#### CalEEMod Version: CalEEMod.2016.3.2

# Page 2 of 11

#### Date: 12/17/2019 4:41 PM

| Equipment Type            | Fuel Type | Tier      | Number Mitigated | Total Number of Equipment | DPF       | Oxidation Catalyst |
|---------------------------|-----------|-----------|------------------|---------------------------|-----------|--------------------|
| Air Compressors           | Diesel    | No Change | 0                | 1                         | No Change | 0.00               |
| Concrete/Industrial Saws  | Diesel    | No Change | 0                | 1                         | No Change | 0.00               |
| Cranes                    | Diesel    | No Change | 0                | 1                         | No Change | 0.00               |
| Excavators                | Diesel    | No Change | 0                | 5                         | No Change | 0.00               |
| Forklifts                 | Diesel    | No Change | 0                | 3                         | No Change | 0.00               |
| Generator Sets            | Diesel    | No Change | 0                | 1                         | No Change | 0.00               |
| Graders                   | Diesel    | No Change | 0                | 1                         | No Change | 0.00               |
| Pavers                    | Diesel    | No Change | 0                | 2                         | No Change | 0.00               |
| Paving Equipment          | Diesel    | No Change | 0                | 2                         | No Change | 0.00               |
| Rollers                   | Diesel    | No Change | 0                | 2                         | No Change | 0.00               |
| Rubber Tired Dozers       | Diesel    | No Change | 0                | 6                         | No Change | 0.00               |
| Scrapers                  | Diesel    | No Change | 0                | 2                         | No Change | 0.00               |
| Tractors/Loaders/Backhoes | Diesel    | No Change | 0                | 9                         | No Change | 0.00               |
| Welders                   | Diesel    | No Change | 0                | 1                         | No Change | 0.00               |

CalEEMod Version: CalEEMod.2016.3.2

| Page | 3 of | 11 |
|------|------|----|
|------|------|----|

Date: 12/17/2019 4:41 PM

| Equipment Type                | ROG          | NOx          | со                | SO2          | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2     | NBio- CO2    | Total CO2    | CH4          | N2O          | CO2e         |
|-------------------------------|--------------|--------------|-------------------|--------------|--------------|---------------|--------------|--------------|--------------|--------------|--------------|--------------|
|                               |              | Ur           | mitigated tons/yr |              |              |               |              |              | Unmitiga     | ted mt/yr    |              |              |
| Air Compressors               | 6.27000E-003 | 4.28600E-002 | 5.79800E-002      | 1.00000E-004 | 2.39000E-003 | 2.39000E-003  | 0.00000E+000 | 8.17041E+000 | 8.17041E+000 | 5.00000E-004 | 0.00000E+000 | 8.18300E+000 |
| Concrete/Industria<br>I Saws  | 4.85000E-003 | 3.76800E-002 | 3.88700E-002      | 7.00000E-005 | 2.41000E-003 | 2.41000E-003  | 0.00000E+000 | 5.64540E+000 | 5.64540E+000 | 4.00000E-004 | 0.00000E+000 | 5.65534E+000 |
| Cranes                        | 1.09520E-001 | 1.27396E+000 | 5.30380E-001      | 1.54000E-003 | 5.22800E-002 | 4.81000E-002  | 0.00000E+000 | 1.35284E+002 | 1.35284E+002 | 4.37500E-002 | 0.00000E+000 | 1.36377E+002 |
| Excavators                    | 2.41400E-002 | 2.41300E-001 | 3.15200E-001      | 5.00000E-004 | 1.16700E-002 | 1.07400E-002  | 0.00000E+000 | 4.40966E+001 | 4.40966E+001 | 1.41600E-002 | 0.00000E+000 | 4.44506E+001 |
| Forklifts                     | 1.17130E-001 | 1.06991E+000 | 1.06732E+000      | 1.40000E-003 | 7.55400E-002 | 6.94900E-002  | 0.00000E+000 | 1.22877E+002 | 1.22877E+002 | 3.97400E-002 | 0.00000E+000 | 1.23870E+002 |
| Generator Sets                | 1.09540E-001 | 9.66540E-001 | 1.12459E+000      | 2.01000E-003 | 5.13200E-002 | 5.13200E-002  | 0.00000E+000 | 1.72388E+002 | 1.72388E+002 | 8.83000E-003 | 0.00000E+000 | 1.72609E+002 |
| Graders                       | 1.54600E-002 | 2.05580E-001 | 5.89700E-002      | 2.20000E-004 | 6.57000E-003 | 6.05000E-003  | 0.00000E+000 | 1.89496E+001 | 1.89496E+001 | 6.13000E-003 | 0.00000E+000 | 1.91028E+001 |
| Pavers                        | 8.90000E-003 | 9.02500E-002 | 1.24010E-001      | 2.00000E-004 | 4.29000E-003 | 3.94000E-003  | 0.00000E+000 | 1.77591E+001 | 1.77591E+001 | 5.74000E-003 | 0.00000E+000 | 1.79027E+001 |
| Paving Equipment              | 7.66000E-003 | 7.47200E-002 | 1.09480E-001      | 1.80000E-004 | 3.64000E-003 | 3.35000E-003  | 0.00000E+000 | 1.53878E+001 | 1.53878E+001 | 4.98000E-003 | 0.00000E+000 | 1.55122E+001 |
| Rollers                       | 7.15000E-003 | 7.42100E-002 | 7.99900E-002      | 1.10000E-004 | 4.28000E-003 | 3.93000E-003  | 0.00000E+000 | 9.91232E+000 | 9.91232E+000 | 3.21000E-003 | 0.00000E+000 | 9.99247E+000 |
| Rubber Tired<br>Dozers        | 1.65980E-001 | 1.75125E+000 | 6.32110E-001      | 1.29000E-003 | 8.56200E-002 | 7.87700E-002  | 0.00000E+000 | 1.14219E+002 | 1.14219E+002 | 3.66500E-002 | 0.00000E+000 | 1.15136E+002 |
| Scrapers                      | 6.45400E-002 | 7.63890E-001 | 4.84810E-001      | 9.80000E-004 | 2.97900E-002 | 2.74100E-002  | 0.00000E+000 | 8.65055E+001 | 8.65055E+001 | 2.79800E-002 | 0.00000E+000 | 8.72049E+001 |
| Tractors/Loaders/<br>Backhoes | 1.90530E-001 | 1.92452E+000 | 2.25338E+000      | 3.09000E-003 | 1.15230E-001 | 1.06010E-001  | 0.00000E+000 | 2.72079E+002 | 2.72079E+002 | 8.79100E-002 | 0.00000E+000 | 2.74277E+002 |
| Welders                       | 9.28200E-002 | 4.60540E-001 | 5.25710E-001      | 7.80000E-004 | 2.25900E-002 | 2.25900E-002  | 0.00000E+000 | 5.74073E+001 | 5.74073E+001 | 7.54000E-003 | 0.00000E+000 | 5.75957E+001 |

Page 4 of 11

Date: 12/17/2019 4:41 PM

| Equipment Type                | ROG          | NOx          | со               | SO2          | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2     | NBio- CO2    | Total CO2    | CH4          | N2O          | CO2e         |
|-------------------------------|--------------|--------------|------------------|--------------|--------------|---------------|--------------|--------------|--------------|--------------|--------------|--------------|
|                               |              | М            | itigated tons/yr |              |              |               |              |              | Mitigate     | ed mt/yr     |              |              |
| Air Compressors               | 6.27000E-003 | 4.28600E-002 | 5.79800E-002     | 1.00000E-004 | 2.39000E-003 | 2.39000E-003  | 0.00000E+000 | 8.17040E+000 | 8.17040E+000 | 5.00000E-004 | 0.00000E+000 | 8.18299E+000 |
| Concrete/Industrial<br>Saws   | 4.85000E-003 | 3.76800E-002 | 3.88700E-002     | 7.00000E-005 | 2.41000E-003 | 2.41000E-003  | 0.00000E+000 | 5.64539E+000 | 5.64539E+000 | 4.00000E-004 | 0.00000E+000 | 5.65533E+000 |
| Cranes                        | 1.09520E-001 | 1.27396E+000 | 5.30380E-001     | 1.54000E-003 | 5.22800E-002 | 4.81000E-002  | 0.00000E+000 | 1.35283E+002 | 1.35283E+002 | 4.37500E-002 | 0.00000E+000 | 1.36377E+002 |
| Excavators                    | 2.41400E-002 | 2.41300E-001 | 3.15200E-001     | 5.00000E-004 | 1.16700E-002 | 1.07400E-002  | 0.00000E+000 | 4.40965E+001 | 4.40965E+001 | 1.41600E-002 | 0.00000E+000 | 4.44505E+001 |
| Forklifts                     | 1.17130E-001 | 1.06991E+000 | 1.06732E+000     | 1.40000E-003 | 7.55400E-002 | 6.94900E-002  | 0.00000E+000 | 1.22876E+002 | 1.22876E+002 | 3.97400E-002 | 0.00000E+000 | 1.23870E+002 |
| Generator Sets                | 1.09540E-001 | 9.66540E-001 | 1.12459E+000     | 2.01000E-003 | 5.13200E-002 | 5.13200E-002  | 0.00000E+000 | 1.72388E+002 | 1.72388E+002 | 8.83000E-003 | 0.00000E+000 | 1.72609E+002 |
| Graders                       | 1.54600E-002 | 2.05580E-001 | 5.89700E-002     | 2.20000E-004 | 6.57000E-003 | 6.05000E-003  | 0.00000E+000 | 1.89496E+001 | 1.89496E+001 | 6.13000E-003 | 0.00000E+000 | 1.91028E+001 |
| Pavers                        | 8.90000E-003 | 9.02500E-002 | 1.24010E-001     | 2.00000E-004 | 4.29000E-003 | 3.94000E-003  | 0.00000E+000 | 1.77591E+001 | 1.77591E+001 | 5.74000E-003 | 0.00000E+000 | 1.79027E+001 |
| Paving Equipment              | 7.66000E-003 | 7.47200E-002 | 1.09480E-001     | 1.80000E-004 | 3.64000E-003 | 3.35000E-003  | 0.00000E+000 | 1.53878E+001 | 1.53878E+001 | 4.98000E-003 | 0.00000E+000 | 1.55122E+001 |
| Rollers                       | 7.15000E-003 | 7.42100E-002 | 7.99900E-002     | 1.10000E-004 | 4.28000E-003 | 3.93000E-003  | 0.00000E+000 | 9.91231E+000 | 9.91231E+000 | 3.21000E-003 | 0.00000E+000 | 9.99246E+000 |
| Rubber Tired Dozers           | 1.65980E-001 | 1.75124E+000 | 6.32110E-001     | 1.29000E-003 | 8.56200E-002 | 7.87700E-002  | 0.00000E+000 | 1.14219E+002 | 1.14219E+002 | 3.66500E-002 | 0.00000E+000 | 1.15136E+002 |
| Scrapers                      | 6.45400E-002 | 7.63880E-001 | 4.84810E-001     | 9.80000E-004 | 2.97900E-002 | 2.74100E-002  | 0.00000E+000 | 8.65054E+001 | 8.65054E+001 | 2.79800E-002 | 0.00000E+000 | 8.72048E+001 |
| Tractors/Loaders/Ba<br>ckhoes | 1.90530E-001 | 1.92451E+000 | 2.25338E+000     | 3.09000E-003 | 1.15230E-001 | 1.06010E-001  | 0.00000E+000 | 2.72079E+002 | 2.72079E+002 | 8.79100E-002 | 0.00000E+000 | 2.74277E+002 |
| Welders                       | 9.28200E-002 | 4.60540E-001 | 5.25710E-001     | 7.80000E-004 | 2.25900E-002 | 2.25900E-002  | 0.00000E+000 | 5.74072E+001 | 5.74072E+001 | 7.54000E-003 | 0.00000E+000 | 5.75956E+001 |

#### CalEEMod Version: CalEEMod.2016.3.2

Page 5 of 11

#### Date: 12/17/2019 4:41 PM

Equipment Type ROG NOx CO SO2 Exhaust PM10 Exhaust PM2.5 Bio- CO2 NBio- CO2 Total CO2 CH4 N2O CO2e Percent Reduction Air Compressors Concrete/Industrial • 0.00000E+000 i 0.00000E+000 i 0.00000E+000 i 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 1.77135E-006 1.77135E-006 0.00000E+000 i 0.00000E+000 i 1.76824E-006 Saws Cranes 0.00000E+000 0.0000E+000 0.0000E 1.25662E-006 0.00000E+000 0.00000E+000 1.17321E-006 Excavators 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 1.13388E-006 1.13388E-006 0.00000E+000 0.00000E+000 1.12485E-006 Forklifts 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 1.22074E-006 1.22074E-006 0.00000E+000 0.00000E+000 1.21095E-006 Generator Sets • 0.00000E+000 ! 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 1.16017E-006 1.16017E-006 0.00000E+000 0.00000E+000 1.15869E-006 Graders 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 1.05543E-006 1.05543E-006 0.00000E+000 0.00000E+000 1.57045E-006 Pavers 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 1.12618E-006 1.12618E-006 0.00000E+000 0.00000E+000 1.11715E-006 Paving Equipment 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 1.29973E-006 1.29973E-006 0.00000E+000 0.00000E+000 6.44653E-007 1.00885E-006 Rollers 0.00000E+000 0.00000E+000 1.00075E-006 Rubber Tired Dozers 0.00000E+000 5.71021E-006 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 1.13816E-006 1.13816E-006 0.00000E+000 0.00000E+000 1.12910E-006 Scrapers 0.00000E+000 1.30909E-005 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 0.00000E+000 1.15600E-006 1.15600E-006 0.00000E+000 0.00000E+000 1.14672E-006 Tractors/Loaders/Ba 0.00000E+000 i 5.19610E-006 i 0.00000E+000 i 0.00000E+000 i 0.00000E+000 i 0.00000E+000 i 0.00000E+000 i 0.17613E-006 i 1.17613E-006 i 0.00000E+000 i 0.0000E+000 i 0.000 1.16670E-006 ckhoes 0.00000E+000 0.0000E+000 Welders

#### **Fugitive Dust Mitigation**

|   | Yes/No | Mitigation Measure                        | Mitigation Input |       | Mitigation Input |      | Mitigation Input       |      |
|---|--------|---|------------------|-------|------------------|------|------------------------|------|
| Γ | No     | Soil Stabilizer for unpaved Roads         | PM10 Reduction   | 0.00  | PM2.5 Reduction  | 0.00 |                        |      |
| ľ | No     | Replace Ground Cover of Area<br>Disturbed |                  | 0.00  | PM2.5 Reduction  | 0.00 |                        |      |
|   | Yes    | Water Exposed Area                        | PM10 Reduction   | 55.00 | PM2.5 Reduction  |      | Frequency (per<br>day) | 2.00 |

CalEEMod Version: CalEEMod.2016.3.2

| CalEEMo | d Version: CalEEMod.2016.3.2 |                    | Page 6 o | f 11                  |       | Date: 12/17/2019 4:41 PM |  |  |  |
|---------|------------------------------|--------------------|----------|-----------------------|-------|--------------------------|--|--|--|
| Yes     | Unpaved Road Mitigation      | Moisture Content % | -        | /ehicle Speed<br>mph) | 15.00 |                          |  |  |  |
| No      | Clean Paved Road             | % PM Reduction     | 0.00     |                       |       |                          |  |  |  |

|                       |               | Unmitigated |       | Mit  | tigated | Percent Reduction |       |  |
|-----------------------|---------------|-------------|-------|------|---------|-------------------|-------|--|
| Phase                 | Source        | PM10        | PM2.5 | PM10 | PM2.5   | PM10              | PM2.5 |  |
| Architectural Coating | Fugitive Dust | 0.00        | 0.00  | 0.00 | 0.00    | 0.00              | 0.00  |  |
| Architectural Coating | Roads         | 0.02        | 0.01  | 0.02 | 0.01    | 0.00              | 0.00  |  |
| Building Construction | Fugitive Dust | 0.00        | 0.00  | 0.00 | 0.00    | 0.00              | 0.00  |  |
| Building Construction | Roads         | 1.06        | 0.28  | 1.06 | 0.28    | 0.00              | 0.00  |  |
| Demolition            | Fugitive Dust | 0.12        | 0.02  | 0.05 | 0.01    | 0.55              | 0.55  |  |
| Demolition            | Roads         | 0.01        | 0.00  | 0.01 | 0.00    | 0.00              | 0.00  |  |
| Grading               | Fugitive Dust | 0.28        | 0.12  | 0.13 | 0.05    | 0.55              | 0.55  |  |
| Grading               | Roads         | 0.01        | 0.00  | 0.01 | 0.00    | 0.00              | 0.00  |  |
| Paving                | Fugitive Dust | 0.00        | 0.00  | 0.00 | 0.00    | 0.00              | 0.00  |  |
| Paving                | Roads         | 0.00        | 0.00  | 0.00 | 0.00    | 0.00              | 0.00  |  |
| Site Preparation      | Fugitive Dust | 0.59        | 0.32  | 0.26 | 0.15    | 0.55              | 0.55  |  |
| Site Preparation      | Roads         | 0.02        | 0.01  | 0.02 | 0.01    | 0.00              | 0.00  |  |

**Operational Percent Reduction Summary** 

#### CalEEMod Version: CalEEMod.2016.3.2

# Page 7 of 11

Date: 12/17/2019 4:41 PM

| Category              | ROG  | NOx  | со      | SO2       | Exhaust<br>PM10 | Exhaust<br>PM2.5 | Bio- CO2 | NBio-<br>CO2 | Total CO2 | CH4    | N2O    | CO2e   |
|-----------------------|------|------|---------|-----------|-----------------|------------------|----------|--------------|-----------|--------|--------|--------|
|                       |      |      | Percent | Reduction |                 |                  |          |              |           |        |        |        |
| Architectural Coating | 0.00 | 0.00 | 0.00    | 0.00      | 0.00            | 0.00             | 0.00     | 0.00         | 0.00      | 0.00   | 0.00   | 0.00   |
| Consumer Products     | 0.00 | 0.00 | 0.00    | 0.00      | 0.00            | 0.00             | 0.00     | 0.00         | 0.00      | 0.00   | 0.00   | 0.00   |
| Electricity           | 0.00 | 0.00 | 0.00    | 0.00      | 0.00            | 0.00             | 0.00     | 148.80       | 148.80    | 148.80 | 148.84 | 148.80 |
| Hearth                | 0.00 | 0.00 | 0.00    | 0.00      | 0.00            | 0.00             | 0.00     | 0.00         | 0.00      | 0.00   | 0.00   | 0.00   |
| Landscaping           | 0.00 | 0.00 | 0.00    | 0.00      | 0.00            | 0.00             | 0.00     | 0.00         | 0.00      | 0.00   | 0.00   | 0.00   |
| Mobile                | 3.27 | 4.25 | 7.02    | 9.29      | 8.43            | 8.46             | 0.00     | 9.27         | 9.27      | 7.53   | 0.00   | 9.26   |
| Natural Gas           | 0.00 | 0.00 | 0.00    | 0.00      | 0.00            | 0.00             | 0.00     | 0.00         | 0.00      | 0.00   | 0.00   | 0.00   |
| Water Indoor          | 0.00 | 0.00 | 0.00    | 0.00      | 0.00            | 0.00             | 20.00    | 20.00        | 20.00     | 20.00  | 19.99  | 20.00  |
| Water Outdoor         | 0.00 | 0.00 | 0.00    | 0.00      | 0.00            | 0.00             | 0.00     | 0.00         | 0.00      | 0.00   | 0.00   | 0.00   |

# **Operational Mobile Mitigation**

Project Setting: Suburban Center

| Mitigation | Category | Measure                             | % Reduction | Input Value 1 | Input Value 2 | Input Value |
|------------|----------|-------------------------------------|-------------|---------------|---------------|-------------|
| No         | Land Use | Increase Density                    | 0.00        | 0.00          | 0.00          |             |
| No         | Land Use | Increase Diversity                  | -0.01       | 0.13          |               |             |
| No         | Land Use | Improve Walkability Design          | 0.00        | 0.00          |               |             |
| No         | Land Use | Improve Destination Accessibility   | 0.00        | 0.00          |               |             |
| Yes        | Land Use | Increase Transit Accessibility      | 0.08        | 0.50          |               |             |
| Yes        | Land Use | Integrate Below Market Rate Housing | 0.01        | 15.00         |               |             |
|            | Land Use | Land Use SubTotal                   | 0.08        |               |               |             |

| IEEMod Version: CalEEMod.2016.3.2 |                           | Page 8 of 11   |       | Date: 12/17/2019 4:41 PM                    |       |  |  |
|-----------------------------------|---------------------------|--|-------|---|-------|--|--|
| Yes                               | Neighborhood Enhancements | Improve Pedestrian Network                             |       | Project Site and<br>Connecting Off-<br>Site |       |  |  |
| No                                | Neighborhood Enhancements | Provide Traffic Calming Measures                       |       | *   | 25.00 |  |  |
| No                                | Neighborhood Enhancements | Implement NEV Network                                  | 0.00  |   |       |  |  |
|                                   | Neighborhood Enhancements | Neighborhood Enhancements Subtotal                     | 0.02  |   |       |  |  |
| No                                | Parking Policy Pricing    | Limit Parking Supply                                   | 0.00  | 0.00  |       |  |  |
| No                                | Parking Policy Pricing    | Unbundle Parking Costs                                 | 0.00  | 0.00  |       |  |  |
| No                                | Parking Policy Pricing    | On-street Market Pricing                               | 0.00  | 0.00  |       |  |  |
|                                   | Parking Policy Pricing    | Parking Policy Pricing Subtotal                        | 0.00  | ·   |       |  |  |
| No                                | Transit Improvements      | Provide BRT System                                     | 0.00  | 0.00  |       |  |  |
| No                                | Transit Improvements      | Expand Transit Network                                 | 0.00  | 0.00  |       |  |  |
| No                                | Transit Improvements      | Increase Transit Frequency                             | 0.00  | ·   | 0.00  |  |  |
|                                   | Transit Improvements      | Transit Improvements Subtotal                          | 0.00  |   |       |  |  |
|                                   | · • • <del>/</del>        | Land Use and Site Enhancement Subtotal                 | 0.10  |   |       |  |  |
| No                                | Commute                   | Implement Trip Reduction Program                       |       |   |       |  |  |
| No                                | Commute                   | Transit Subsidy  |       | ·   |       |  |  |
| No                                | Commute                   | Implement Employee Parking "Cash Out"                  | 4.50  | ·   |       |  |  |
| No                                | Commute                   | Workplace Parking Charge                               |       | 0.00  |       |  |  |
| No                                | Commute                   | Encourage Telecommuting and Alternative Work Schedules | 0.00  |   |       |  |  |
| No                                | Commute                   | Market Commute Trip Reduction Option                   | 0.00  | •+<br>                                      |       |  |  |
| No                                | Commute                   | Employee Vanpool/Shuttle                               | 0.00  | ·   | 2.00  |  |  |
| No                                | Commute                   | Provide Ride Sharing Program                           | 10.00 | •   |       |  |  |
|                                   | ;Commute                  | Commute Subtotal                                       | 0.00  | ·   |       |  |  |

| C | CalEEMod Version: CalEEMod.2016.3.2 |             | Page 9 of 11                 |      | Date: 12/17/2019 4:41 PM |  |  |
|---|-------------------------------------|-------------|------------------------------|------|--------------------------|--|--|
|   | No                                  | School Trip | Implement School Bus Program | 0.00 |                          |  |  |
|   |                                     |             | Total VMT Reduction          | 0.10 |                          |  |  |

# Area Mitigation

| Measure Implemented | Mitigation Measure                           | Input Value |
|---------------------|--|-------------|
| No                  | Only Natural Gas Hearth                      |             |
| No                  | No Hearth                                    |             |
| No                  | Use Low VOC Cleaning Supplies                |             |
| No                  | Use Low VOC Paint (Residential Interior)     | 250.00      |
| No                  | Use Low VOC Paint (Residential Exterior)     | 250.00      |
| No                  | Use Low VOC Paint (Non-residential Interior) | 250.00      |
| No                  | Use Low VOC Paint (Non-residential Exterior) | 250.00      |
| No                  | Use Low VOC Paint (Parking)                  | 250.00      |
| No                  | % Electric Lawnmower                         | 0.00        |
| No                  | % Electric Leafblower                        | 0.00        |
| No                  | % Electric Chainsaw                          | 0.00        |

# Energy Mitigation Measures

| Measure Implemented | Mitigation Measure               | Input Value 1 | Input Value 2 |
|---------------------|----------------------------------|---------------|---------------|
| No                  | Exceed Title 24                  | 0.00          |               |
| No                  | Install High Efficiency Lighting | 0.00          |               |
| Yes                 | On-site Renewable                | 3,537,050.60  | 0.00          |

# CalEEMod Version: CalEEMod.2016.3.2

Page 10 of 11

| Appliance Type | Land Use Subtype | % Improvement |
|----------------|------------------|---------------|
| ClothWasher    |                  | 30.00         |
| DishWasher     |                  | 15.00         |
| Fan            |                  | 50.00         |
| Refrigerator   | r                | 15.00         |

# Water Mitigation Measures

| Measure Implemented Mitigation Measure I |  | Input Value 1 | Input Value 2 |
|--|--|---------------|---------------|
| Yes                                      | Apply Water Conservation on Strategy   | 20.00         | 20.00         |
| No                                       | Use Reclaimed Water                    | 0.00          | 0.00          |
| No                                       | Use Grey Water                         | 0.00          |               |
| No                                       | Install low-flow bathroom faucet       | 32.00         |               |
| No                                       | Install low-flow Kitchen faucet        | 18.00         |               |
| No                                       | Install low-flow Toilet                | 20.00         |               |
| No                                       | Install low-flow Shower                | 20.00         |               |
| No                                       | Turf Reduction                         | 0.00          |               |
| No                                       | Use Water Efficient Irrigation Systems | 6.10          |               |
| No                                       | Water Efficient Landscape              | 0.00          | 0.00          |

# **Solid Waste Mitigation**

| CalEEMod Version: CalEEMod.2016.3.2  | Page 11 of 11 |  |  |  |  |
|--|---------------|--|--|--|--|
| Institute Recycling and Composting Services<br>Percent Reduction in Waste Disposed |               |  |  |  |  |

Date: 12/17/2019 4:41 PM

Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

# Junipers Project - Zoning Analysis (831 DU)

San Diego County, Annual

# **1.0 Project Characteristics**

# 1.1 Land Usage

| Land Uses             | Size   | Metric        | Lot Acreage | Floor Surface Area | Population |
|-----------------------|--------|---------------|-------------|--------------------|------------|
| Single Family Housing | 831.00 | Dwelling Unit | 112.30      | 1,495,800.00       | 2377       |

#### **1.2 Other Project Characteristics**

| Urbanization               | Urban                    | Wind Speed (m/s)           | 2.6   | Precipitation Freq (Days)  | 40    |
|----------------------------|--------------------------|----------------------------|-------|----------------------------|-------|
| Climate Zone               | 13                       |                            |       | <b>Operational Year</b>    | 2024  |
| Utility Company            | San Diego Gas & Electric |                            |       |                            |       |
| CO2 Intensity<br>(Ib/MWhr) | 720.49                   | CH4 Intensity<br>(Ib/MWhr) | 0.029 | N2O Intensity<br>(Ib/MWhr) | 0.006 |

#### **1.3 User Entered Comments & Non-Default Data**

Page 2 of 42

Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

Project Characteristics -

Land Use - 112.3-acre project site

Construction Phase - Demo, SitePrep, Grading, and Paving same as project. Building and coating scaled based on DUs.

Demolition -

Grading -

Vehicle Trips - Trip rates and distance provided by Linscott Law & Greenspan Engineers (LLG)

Woodstoves - Natural gas fireplaces assumed

Area Mitigation -

Energy Mitigation - 2019 Title 24 requirement to provide 2,381.64 kW DC (2.866 kW per DU) onsite PV system. Berkeley Lab, Utility-Scale Solar 2018 Edition states CA average PV Capacity Factor is 28.9% 2,381.64 kW \* 24 hr/day \* 365.24 days/yr \* 28.9% = 6,033,435 kWh/yr

#### Page 3 of 42

#### Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

| Table Name           | Column Name                   | Default Value | New Value |  |  |  |
|----------------------|-------------------------------|---------------|-----------|--|--|--|
| tblConstructionPhase | NumDays                       | 220.00        | 99.00     |  |  |  |
| tblConstructionPhase | NumDays                       | 3,100.00      | 945.00    |  |  |  |
| tblConstructionPhase | NumDays                       | 200.00        | 21.00     |  |  |  |
| tblConstructionPhase | NumDays                       | 310.00        | 65.00     |  |  |  |
| tblConstructionPhase | NumDays                       | 220.00        | 43.00     |  |  |  |
| tblConstructionPhase | NumDays                       | 120.00        | 65.00     |  |  |  |
| tblFireplaces        | FireplaceWoodMass             | 3,078.40      | 0.00      |  |  |  |
| tblFireplaces        | NumberGas                     | 457.05        | 831.00    |  |  |  |
| tblFireplaces        | NumberNoFireplace             | 83.10         | 0.00      |  |  |  |
| tblFireplaces        | NumberWood                    | 290.85        | 0.00      |  |  |  |
| tblLandUse           | LotAcreage                    | 269.81        | 112.30    |  |  |  |
| tblVehicleTrips      | DV_TP                         | 11.00         | 0.00      |  |  |  |
| tblVehicleTrips      | HO_TTP                        | 39.60         | 0.00      |  |  |  |
| tblVehicleTrips      | HS_TTP                        | 18.80         | 0.00      |  |  |  |
| tblVehicleTrips      | HW_TL                         | 10.80         | 7.92      |  |  |  |
| tblVehicleTrips      | HW_TTP                        | 41.60         | 100.00    |  |  |  |
| tblVehicleTrips      | PB_TP                         | 3.00          | 0.00      |  |  |  |
| tblVehicleTrips      | PR_TP                         | 86.00         | 100.00    |  |  |  |
| tblVehicleTrips      | ST_TR                         | 9.91          | 10.00     |  |  |  |
| tblVehicleTrips      | SU_TR                         | 8.62          | 10.00     |  |  |  |
| tblVehicleTrips      | tblVehicleTrips WD_TR         |               | 10.00     |  |  |  |
| tblWoodstoves        | tblWoodstoves NumberCatalytic |               | 0.00      |  |  |  |
| tblWoodstoves        | NumberNoncatalytic            | 41.55         | 0.00      |  |  |  |
| tblWoodstoves        | WoodstoveWoodMass             | 3,019.20      | 0.00      |  |  |  |

# 2.0 Emissions Summary

Page 4 of 42

Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

# 2.1 Overall Construction

# **Unmitigated Construction**

|         | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|---------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Year    |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |          |
| 2019    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 78.1243   | 78.1243   | 0.0222 | 0.0000 | 78.6801  |
| 2020    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 782.5189  | 782.5189  | 0.1431 | 0.0000 | 786.0969 |
| 2021    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 879.2766  | 879.2766  | 0.1033 | 0.0000 | 881.8591 |
| 2022    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 863.1759  | 863.1759  | 0.1011 | 0.0000 | 865.7025 |
| 2023    |     |     |    |     |                  |                 |               |                   |                  |                |          | 845.7169  |           |        |        |          |
| 2024    |     |     |    |     |                  |                 |               |                   |                  |                |          | 108.3012  |           |        |        |          |
| Maximum |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 879.2766  | 879.2766  | 0.1431 | 0.0000 | 881.8591 |

Page 5 of 42

Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

# 2.1 Overall Construction

# Mitigated Construction

|                      | ROG      | NOx      | CO   | SO2                   | Fugitive<br>PM10                             | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total                             | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|----------------------|----------|----------|------|-----------------------|--|-----------------|---------------|-------------------|------------------|--|----------|-----------|-----------|--------|--------|----------|
| Year                 |          |          |      |                       | tor  | ns/yr           |               |                   |                  |  |          |           | M         | T/yr   |        |          |
| 2019                 |          |          |      |                       |  |                 |               |                   |                  |  | 0.0000   | 78.1242   | 78.1242   | 0.0222 | 0.0000 | 78.6800  |
| 2020                 | <br>     |          |      |                       |  |                 |               |                   |                  | ÷  | 0.0000   | 782.5184  | 782.5184  | 0.1431 | 0.0000 | 786.0964 |
| 2021                 | <br><br> |          |      |                       |  |                 |               |                   |                  | ÷  | 0.0000   | 879.2762  | 879.2762  | 0.1033 | 0.0000 | 881.8587 |
| 2022                 | r,       |          |      | ,<br>,<br>,<br>,<br>, |  |                 |               |                   |                  |  | 0.0000   | 863.1755  | 863.1755  | 0.1011 | 0.0000 | 865.7021 |
| 2023                 | F,       |          |      |                       |  |                 |               |                   |                  |  | 0.0000   | 845.7165  | 845.7165  | 0.0981 | 0.0000 | 848.1686 |
| 2024                 | r,       |          |      | ,<br>,<br>,<br>,<br>, |  |                 |               |                   |                  |  | 0.0000   | 108.3011  | 108.3011  | 0.0189 | 0.0000 | 108.7729 |
| Maximum              |          |          |      |                       |  |                 |               |                   |                  |  | 0.0000   | 879.2762  | 879.2762  | 0.1431 | 0.0000 | 881.8587 |
|                      | ROG      | NOx      | со   | SO2                   | Fugitive<br>PM10                             | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total                             | Bio- CO2 | NBio-CO2  | Total CO2 | CH4    | N20    | CO2e     |
| Percent<br>Reduction | 0.00     | 0.00     | 0.00 | 0.00                  | 0.00   | 0.00            | 0.00          | 0.00              | 0.00             | 0.00                                       | 0.00     | 0.00      | 0.00      | 0.00   | 0.00   | 0.00     |
| Quarter              | St       | art Date | End  | Date                  | Maximum Unmitigated ROG + NOX (tons/quarter) |                 |               |                   |                  | Maximum Mitigated ROG + NOX (tons/quarter) |          |           |           |        |        |          |
|                      |          |          | Hig  | hest                  |  |                 |               |                   |                  |  |          |           |           |        |        |          |

Page 6 of 42

Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

# 2.2 Overall Operational

# Unmitigated Operational

|          | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2       | Total CO2       | CH4     | N2O    | CO2e            |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------------|-----------------|---------|--------|-----------------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |                 | MT              | /yr     |        |                 |
| Area     |     |     |    |     |                  |                 |               | 1<br>1<br>1       |                  |                | 0.0000   | 664.6160        | 664.6160        | 0.0222  | 0.0120 | 668.7474        |
| Energy   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 3,235.764<br>2  | 3,235.764<br>2  | 0.1084  | 0.0373 | 3,249.595<br>9  |
| Mobile   |     |     |    |     |                  |                 |               | 1<br>1<br>1       |                  |                | 0.0000   | 8,766.377<br>2  | 8,766.377<br>2  | 0.4332  | 0.0000 | 8,777.206<br>4  |
| Waste    |     |     |    |     |                  |                 |               |                   |                  |                | 197.8289 | 0.0000          | 197.8289        | 11.6914 | 0.0000 | 490.1127        |
| Water    |     |     |    |     |                  |                 |               |                   |                  |                | 17.1771  | 354.3328        | 371.5099        | 1.7785  | 0.0446 | 429.2660        |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 215.0060 | 13,021.09<br>02 | 13,236.09<br>62 | 14.0336 | 0.0939 | 13,614.92<br>83 |

Page 7 of 42

Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

#### 2.2 Overall Operational

# Mitigated Operational

|                      | ROG  | NOx | СО                    | SO2  | Fugit<br>PM |                  | haust<br>M10 | PM10<br>Total | Fugitiv<br>PM2 |                   | aust<br>I2.5 | PM2.5<br>Total | Bio- C         | O2 NBi   | o- CO2       | Total CO2       | CH4     | N2O   | CO2e              |
|----------------------|------|-----|-----------------------|------|-------------|------------------|--------------|---------------|----------------|-------------------|--------------|----------------|----------------|----------|--------------|-----------------|---------|-------|-------------------|
| Category             |      |     |                       |      |             | tons/yr          |              |               |                |                   |              |                |                |          |              | M.              | T/yr    |       |                   |
| Area                 |      |     |                       |      |             |                  |              |               |                |                   |              |                | 0.00           | 00 66    | 4.6160       | 664.6160        | 0.0222  | 0.012 | 0 668.7474        |
| Energy               |      |     | <br>-<br>-<br>-<br>-  |      |             |                  |              |               |                |                   |              |                | 0.00           | 00 1,2   | 63.984<br>7  | 1,263.984<br>7  | 0.0290  | 0.020 | 9 1,270.939<br>0  |
| Mobile               |      |     |                       |      |             |                  |              |               |                |                   |              |                | 0.00           | 00 8,7   | 66.377<br>2  | 8,766.377<br>2  | 0.4332  | 0.000 | 0 8,777.206<br>4  |
| Waste                |      |     |                       |      |             |                  |              |               |                |                   |              |                | 197.8          | 289 0    | .0000        | 197.8289        | 11.6914 | 0.000 | 0 490.1127        |
| Water                |      |     | 1<br>1<br>1<br>1<br>1 |      |             |                  |              |               |                |                   |              |                | 17.17          | 71 35    | 4.3328       | 371.5099        | 1.7785  | 0.044 | 6 429.2660        |
| Total                |      |     |                       |      |             |                  |              |               |                |                   |              |                | 215.0          | 060 11,  | 049.31<br>07 | 11,264.31<br>67 | 13.9543 | 0.077 | 5 11,636.27<br>15 |
|                      | ROG  | N   | Ox                    | со   | SO2         | Fugitive<br>PM10 | Exha<br>PM   |               | M10<br>otal    | Fugitive<br>PM2.5 | Exhau<br>PM2 |                | 12.5 I<br>otal | Bio- CO2 | NBio-        | CO2 Total       | CO2 0   | CH4   | N20 CO            |
| Percent<br>Reduction | 0.00 | 0   | .00                   | 0.00 | 0.00        | 0.00             | 0.0          | 00 0          | 0.00           | 0.00              | 0.00         | 0 0            | .00            | 0.00     | 15.          | 14 14.          | 90 0    | .57   | 17.48 14.         |

# 3.0 Construction Detail

**Construction Phase** 

#### Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

| Phase<br>Number | Phase Name            | Phase Type            | Start Date | End Date   | Num Days<br>Week | Num Days | Phase Description |
|-----------------|-----------------------|-----------------------|------------|------------|------------------|----------|-------------------|
| 1               | Demolition            | Demolition            | 11/1/2019  | 11/29/2019 | 5                | 21       |                   |
| 2               | Site Preparation      | Site Preparation      | 12/1/2019  | 2/28/2020  | 5                | 65       |                   |
| 3               | Grading               | Grading               | 3/1/2020   | 5/29/2020  | 5                | 65       |                   |
| 4               | Building Construction | Building Construction | 6/1/2020   | 1/12/2024  | 5                | 945      |                   |
| 5               | Paving                | Paving                | 1/13/2024  | 3/13/2024  | 5                | 43       |                   |
| 6               | Architectural Coating | Architectural Coating | 3/14/2024  | 7/30/2024  | 5                | 99       |                   |

#### Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 162.5

Acres of Paving: 0

Residential Indoor: 3,028,995; Residential Outdoor: 1,009,665; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

| Junipers Project - Z                    | oning Analysis | (831 DU) - | - San Diego County, Annual |  |
|---|----------------|------------|----------------------------|--|
| ••••••••••••••••••••••••••••••••••••••• |                | (00.20)    |                            |  |

| Phase Name            | Offroad Equipment Type    | Amount | Usage Hours | Horse Power | Load Factor |
|-----------------------|---------------------------|--------|-------------|-------------|-------------|
| Demolition            | Concrete/Industrial Saws  | 1      | 8.00        | 81          | 0.73        |
| Demolition            | Excavators                | 3      | 8.00        | 158         | 0.38        |
| Demolition            | Rubber Tired Dozers       | 2      | 8.00        | 247         | 0.40        |
| Site Preparation      | Rubber Tired Dozers       | 3      | 8.00        | 247         | 0.40        |
| Site Preparation      | Tractors/Loaders/Backhoes | 4      | 8.00        | 97          | 0.37        |
| Grading               | Excavators                | 2      | 8.00        | 158         | 0.38        |
| Grading               | Graders                   | 1      | 8.00        | 187         | 0.41        |
| Grading               | Rubber Tired Dozers       | 1      | 8.00        | 247         | 0.40        |
| Grading               | Scrapers                  | 2      | 8.00        | 367         | 0.48        |
| Grading               | Tractors/Loaders/Backhoes | 2      | 8.00        | 97          | 0.37        |
| Building Construction | Cranes                    | 1      | 7.00        | 231         | 0.29        |
| Building Construction | Forklifts                 | 3      | 8.00        | 89          | 0.20        |
| Building Construction | Generator Sets            | 1      | 8.00        | 84          | 0.74        |
| Building Construction | Tractors/Loaders/Backhoes | 3      | 7.00        | 97          | 0.37        |
| Building Construction | Welders                   | 1      | 8.00        | 46          | 0.45        |
| Paving                | Pavers                    | 2      | 8.00        | 130         | 0.42        |
| Paving                | Paving Equipment          | 2      | 8.00        | 132         | 0.36        |
| Paving                | Rollers                   | 2      | 8.00        | 80          | 0.38        |
| Architectural Coating | Air Compressors           | 1      | 6.00        | 78          | 0.48        |

Trips and VMT

#### Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

| Phase Name            | Offroad Equipment<br>Count | Worker Trip<br>Number | Vendor Trip<br>Number | Hauling Trip<br>Number | Worker Trip<br>Length | Vendor Trip<br>Length | Hauling Trip<br>Length | Worker Vehicle<br>Class | Vendor<br>Vehicle Class | Hauling<br>Vehicle Class |
|-----------------------|----------------------------|-----------------------|-----------------------|------------------------|-----------------------|-----------------------|------------------------|-------------------------|-------------------------|--------------------------|
| Demolition            | 6                          | 15.00                 | 0.00                  | 39.00                  | 10.80                 | 7.30                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Site Preparation      | 7                          | 18.00                 | 0.00                  | 0.00                   | 10.80                 | 7.30                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Grading               | 8                          | 20.00                 | 0.00                  | 0.00                   | 10.80                 | 7.30                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Building Construction | 9                          | 299.00                | 89.00                 | 0.00                   | 10.80                 | 7.30                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Paving                | 6                          | 15.00                 | 0.00                  | 0.00                   | 10.80                 | 7.30                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Architectural Coating | 1                          | 60.00                 | 0.00                  | 0.00                   | 10.80                 | 7.30                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |

#### **3.1 Mitigation Measures Construction**

#### 3.2 Demolition - 2019

#### Unmitigated Construction On-Site

|               | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|---------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category      |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr    |        |         |
| Fugitive Dust |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 36.3577   | 36.3577   | 0.0101 | 0.0000 | 36.6105 |
| Total         |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 36.3577   | 36.3577   | 0.0101 | 0.0000 | 36.6105 |

Page 11 of 42

# Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

#### 3.2 Demolition - 2019

### Unmitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  | MT             | /yr      |           |           |                 |        |        |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 1.5202    | 1.5202    | 1.4000e-<br>004 | 0.0000 | 1.5237 |
| Vendor   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 1.1789    | 1.1789    | 4.0000e-<br>005 | 0.0000 | 1.1798 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 2.6991    | 2.6991    | 1.8000e-<br>004 | 0.0000 | 2.7035 |

#### Mitigated Construction On-Site

|               | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|---------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category      |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | ∵/yr   |        |         |
| Fugitive Dust |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 36.3576   | 36.3576   | 0.0101 | 0.0000 | 36.6105 |
| Total         |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 36.3576   | 36.3576   | 0.0101 | 0.0000 | 36.6105 |

Page 12 of 42

# Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

### 3.2 Demolition - 2019

#### Mitigated Construction Off-Site

|          | ROG  | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|--|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |  |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr             |        |        |
| Hauling  |  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 1.5202    | 1.5202    | 1.4000e-<br>004 | 0.0000 | 1.5237 |
| Vendor   | ra — — — — — — — — — — — — —<br>11<br>11<br>11 |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   | n  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 1.1789    | 1.1789    | 4.0000e-<br>005 | 0.0000 | 1.1798 |
| Total    |  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 2.6991    | 2.6991    | 1.8000e-<br>004 | 0.0000 | 2.7035 |

3.3 Site Preparation - 2019

Unmitigated Construction On-Site

|                | ROG                   | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5     | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|----------------|-----------------------|-----|----|-----|------------------|-----------------|---------------|-----------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category       |                       |     |    |     | ton              | s/yr            |               |                       |                  |                |          |           | MT        | /yr    |        |         |
| r ugitivo Euot |                       |     |    |     |                  |                 |               | -<br>-<br>-<br>-<br>- |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road       | F)<br> <br> <br> <br> |     |    |     |                  |                 |               |                       |                  |                | 0.0000   | 37.5856   | 37.5856   | 0.0119 | 0.0000 | 37.8829 |
| Total          |                       |     |    |     |                  |                 |               |                       |                  |                | 0.0000   | 37.5856   | 37.5856   | 0.0119 | 0.0000 | 37.8829 |

Page 13 of 42

# Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

#### 3.3 Site Preparation - 2019

### Unmitigated Construction Off-Site

|          | ROG  | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|--|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |  |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |        |
| Hauling  |  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   | ra — — — — — — — — — — — — —<br>11<br>11<br>11 |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   | n  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 1.4820    | 1.4820    | 5.0000e-<br>005 | 0.0000 | 1.4832 |
| Total    |  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 1.4820    | 1.4820    | 5.0000e-<br>005 | 0.0000 | 1.4832 |

#### Mitigated Construction On-Site

|               | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|---------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category      |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |         |
| Fugitive Dust |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 37.5855   | 37.5855   | 0.0119 | 0.0000 | 37.8828 |
| Total         |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 37.5855   | 37.5855   | 0.0119 | 0.0000 | 37.8828 |

Page 14 of 42

# Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

#### 3.3 Site Preparation - 2019

#### Mitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |        |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 1.4820    | 1.4820    | 5.0000e-<br>005 | 0.0000 | 1.4832 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 1.4820    | 1.4820    | 5.0000e-<br>005 | 0.0000 | 1.4832 |

3.3 Site Preparation - 2020

Unmitigated Construction On-Site

|               | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|---------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category      |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr    |        |         |
| Fugitive Dust |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 71.8760   | 71.8760   | 0.0233 | 0.0000 | 72.4571 |
| Total         |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 71.8760   | 71.8760   | 0.0233 | 0.0000 | 72.4571 |

Page 15 of 42

# Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

#### 3.3 Site Preparation - 2020

### Unmitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr             |        |        |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   | r:  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   | r:  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 2.8053    | 2.8053    | 8.0000e-<br>005 | 0.0000 | 2.8074 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 2.8053    | 2.8053    | 8.0000e-<br>005 | 0.0000 | 2.8074 |

#### Mitigated Construction On-Site

|               | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|---------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category      |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | ∵/yr   |        |         |
| Fugitive Dust |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 71.8759   | 71.8759   | 0.0233 | 0.0000 | 72.4570 |
| Total         |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 71.8759   | 71.8759   | 0.0233 | 0.0000 | 72.4570 |

Page 16 of 42

# Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

#### 3.3 Site Preparation - 2020

#### Mitigated Construction Off-Site

|          | ROG | NOx | СО | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |        |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 2.8053    | 2.8053    | 8.0000e-<br>005 | 0.0000 | 2.8074 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 2.8053    | 2.8053    | 8.0000e-<br>005 | 0.0000 | 2.8074 |

3.4 Grading - 2020

Unmitigated Construction On-Site

|               | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|---------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category      |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr    |        |          |
| Fugitive Dust |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000   |
| Off-Road      | r,  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 177.0740  | 177.0740  | 0.0573 | 0.0000 | 178.5057 |
| Total         |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 177.0740  | 177.0740  | 0.0573 | 0.0000 | 178.5057 |

Page 17 of 42

# Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

# 3.4 Grading - 2020

Unmitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | '/yr            |        |        |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   | r:  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 4.7117    | 4.7117    | 1.4000e-<br>004 | 0.0000 | 4.7152 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 4.7117    | 4.7117    | 1.4000e-<br>004 | 0.0000 | 4.7152 |

#### Mitigated Construction On-Site

|               | ROG     | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |  |
|---------------|---------|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|--|
| Category      | tons/yr |     |    |     |                  |                 |               |                   |                  |                |          | MT/yr     |           |        |        |          |  |
| Fugitive Dust |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000   |  |
| Off-Road      |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 177.0737  | 177.0737  | 0.0573 | 0.0000 | 178.5055 |  |
| Total         |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 177.0737  | 177.0737  | 0.0573 | 0.0000 | 178.5055 |  |

Page 18 of 42

Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

## 3.4 Grading - 2020

Mitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |        |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   | r,  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 4.7117    | 4.7117    | 1.4000e-<br>004 | 0.0000 | 4.7152 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 4.7117    | 4.7117    | 1.4000e-<br>004 | 0.0000 | 4.7152 |

3.5 Building Construction - 2020

|          | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |          |
|          |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 178.3397  | 178.3397  | 0.0435 | 0.0000 | 179.4274 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 178.3397  | 178.3397  | 0.0435 | 0.0000 | 179.4274 |

Page 19 of 42

## Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

### 3.5 Building Construction - 2020

### Unmitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e     |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|----------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr             |        |          |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Vendor   | r:  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 180.8242  | 180.8242  | 0.0139          | 0.0000 | 181.1708 |
| Worker   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 166.8881  | 166.8881  | 5.0100e-<br>003 | 0.0000 | 167.0134 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 347.7123  | 347.7123  | 0.0189          | 0.0000 | 348.1841 |

|          | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |          |
| Off-Road |     |     |    |     |                  |                 |               | -<br>             |                  |                | 0.0000   | 178.3395  | 178.3395  | 0.0435 | 0.0000 | 179.4272 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 178.3395  | 178.3395  | 0.0435 | 0.0000 | 179.4272 |

Page 20 of 42

## Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

### 3.5 Building Construction - 2020

### Mitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e     |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|----------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |          |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Vendor   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 180.8242  | 180.8242  | 0.0139          | 0.0000 | 181.1708 |
| Worker   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 166.8881  | 166.8881  | 5.0100e-<br>003 | 0.0000 | 167.0134 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 347.7123  | 347.7123  | 0.0189          | 0.0000 | 348.1841 |

3.5 Building Construction - 2021

|          | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |          |
| Off-Road |     |     |    |     |                  |                 |               | 1<br>1<br>1       |                  |                | 0.0000   | 302.2867  | 302.2867  | 0.0729 | 0.0000 | 304.1099 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 302.2867  | 302.2867  | 0.0729 | 0.0000 | 304.1099 |

Page 21 of 42

### Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

### 3.5 Building Construction - 2021

### Unmitigated Construction Off-Site

|          | ROG                        | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e     |
|----------|----------------------------|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|----------|
| Category |                            |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |          |
| Hauling  |                            |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Vendor   | ri<br>11<br>11<br>11<br>11 |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 303.6495  | 303.6495  | 0.0225          | 0.0000 | 304.2129 |
| Worker   | n                          |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 273.3404  | 273.3404  | 7.8300e-<br>003 | 0.0000 | 273.5363 |
| Total    |                            |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 576.9900  | 576.9900  | 0.0304          | 0.0000 | 577.7492 |

|          | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr    |        |          |
| Off-Road |     |     |    |     |                  |                 |               | -<br>             |                  |                | 0.0000   | 302.2863  | 302.2863  | 0.0729 | 0.0000 | 304.1095 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 302.2863  | 302.2863  | 0.0729 | 0.0000 | 304.1095 |

Page 22 of 42

## Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

### 3.5 Building Construction - 2021

### Mitigated Construction Off-Site

|          | ROG | NOx | СО | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e     |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|----------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |          |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Vendor   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 303.6495  | 303.6495  | 0.0225          | 0.0000 | 304.2129 |
| Worker   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 273.3404  | 273.3404  | 7.8300e-<br>003 | 0.0000 | 273.5363 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 576.9900  | 576.9900  | 0.0304          | 0.0000 | 577.7492 |

3.5 Building Construction - 2022

|          | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |          |
|          |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 301.2428  | 301.2428  | 0.0722 | 0.0000 | 303.0471 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 301.2428  | 301.2428  | 0.0722 | 0.0000 | 303.0471 |

Page 23 of 42

## Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

### 3.5 Building Construction - 2022

### Unmitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e     |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|----------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |          |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Vendor   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 299.6216  | 299.6216  | 0.0218          | 0.0000 | 300.1653 |
| Worker   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 262.3115  | 262.3115  | 7.1500e-<br>003 | 0.0000 | 262.4902 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 561.9331  | 561.9331  | 0.0289          | 0.0000 | 562.6555 |

|          | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |          |
| Off-Road |     |     |    |     |                  |                 |               | -<br>             |                  |                | 0.0000   | 301.2425  | 301.2425  | 0.0722 | 0.0000 | 303.0467 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 301.2425  | 301.2425  | 0.0722 | 0.0000 | 303.0467 |

Page 24 of 42

## Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

### 3.5 Building Construction - 2022

### Mitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e     |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|----------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |          |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Vendor   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 299.6216  | 299.6216  | 0.0218          | 0.0000 | 300.1653 |
| Worker   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 262.3115  | 262.3115  | 7.1500e-<br>003 | 0.0000 | 262.4902 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 561.9331  | 561.9331  | 0.0289          | 0.0000 | 562.6555 |

3.5 Building Construction - 2023

|          | ROG | NOx | CO          | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|----------|-----|-----|-------------|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category |     |     |             |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |          |
| Off-Road |     |     | 1<br>1<br>1 |     |                  |                 |               | 1<br>1<br>1       |                  |                | 0.0000   | 301.3462  | 301.3462  | 0.0717 | 0.0000 | 303.1383 |
| Total    |     |     |             |     |                  |                 |               |                   |                  |                | 0.0000   | 301.3462  | 301.3462  | 0.0717 | 0.0000 | 303.1383 |

Page 25 of 42

## Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

### 3.5 Building Construction - 2023

### Unmitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e     |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|----------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr             |        |          |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Vendor   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 292.0790  | 292.0790  | 0.0199          | 0.0000 | 292.5755 |
| Worker   | r:  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 252.2917  | 252.2917  | 6.5400e-<br>003 | 0.0000 | 252.4552 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 544.3707  | 544.3707  | 0.0264          | 0.0000 | 545.0306 |

|          | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr    |        |          |
| Off-Road |     |     |    |     |                  |                 |               | -<br>             |                  |                | 0.0000   | 301.3458  | 301.3458  | 0.0717 | 0.0000 | 303.1380 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 301.3458  | 301.3458  | 0.0717 | 0.0000 | 303.1380 |

Page 26 of 42

## Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

### 3.5 Building Construction - 2023

### Mitigated Construction Off-Site

|          | ROG | NOx | СО | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e     |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|----------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |          |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Vendor   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 292.0790  | 292.0790  | 0.0199          | 0.0000 | 292.5755 |
| Worker   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 252.2917  | 252.2917  | 6.5400e-<br>003 | 0.0000 | 252.4552 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 544.3707  | 544.3707  | 0.0264          | 0.0000 | 545.0306 |

3.5 Building Construction - 2024

|          | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |         |
| On Road  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 11.5925   | 11.5925   | 2.7400e-<br>003 | 0.0000 | 11.6610 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 11.5925   | 11.5925   | 2.7400e-<br>003 | 0.0000 | 11.6610 |

Page 27 of 42

## Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

### 3.5 Building Construction - 2024

### Unmitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |         |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Vendor   | ra  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 11.1624   | 11.1624   | 7.5000e-<br>004 | 0.0000 | 11.1813 |
| Worker   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 9.3215    | 9.3215    | 2.3000e-<br>004 | 0.0000 | 9.3273  |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 20.4839   | 20.4839   | 9.8000e-<br>004 | 0.0000 | 20.5086 |

|          | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |         |
| Off-Road |     |     |    |     |                  |                 |               | -<br>             |                  |                | 0.0000   | 11.5924   | 11.5924   | 2.7400e-<br>003 | 0.0000 | 11.6610 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 11.5924   | 11.5924   | 2.7400e-<br>003 | 0.0000 | 11.6610 |

Page 28 of 42

## Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

### 3.5 Building Construction - 2024

### Mitigated Construction Off-Site

|          | ROG | NOx | СО | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5    | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|----------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |     |     |    |     | ton              | s/yr            |               |                      |                  |                |          |           | MT        | /yr             |        |         |
| Hauling  |     |     |    |     |                  |                 |               |                      |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Vendor   |     |     |    |     |                  |                 |               |                      |                  |                | 0.0000   | 11.1624   | 11.1624   | 7.5000e-<br>004 | 0.0000 | 11.1813 |
| Worker   |     |     |    |     |                  |                 |               | <br>-<br>-<br>-<br>- |                  |                | 0.0000   | 9.3215    | 9.3215    | 2.3000e-<br>004 | 0.0000 | 9.3273  |
| Total    |     |     |    |     |                  |                 |               |                      |                  |                | 0.0000   | 20.4839   | 20.4839   | 9.8000e-<br>004 | 0.0000 | 20.5086 |

3.6 Paving - 2024

|          | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr    |        |         |
| Off-Road |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 43.0570   | 43.0570   | 0.0139 | 0.0000 | 43.4052 |
| Paving   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 43.0570   | 43.0570   | 0.0139 | 0.0000 | 43.4052 |

Page 29 of 42

## Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

## 3.6 Paving - 2024

Unmitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | '/yr            |        |        |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 2.0108    | 2.0108    | 5.0000e-<br>005 | 0.0000 | 2.0121 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 2.0108    | 2.0108    | 5.0000e-<br>005 | 0.0000 | 2.0121 |

|          | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | '/yr   |        |         |
| Off-Road |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 43.0570   | 43.0570   | 0.0139 | 0.0000 | 43.4051 |
| Paving   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 43.0570   | 43.0570   | 0.0139 | 0.0000 | 43.4051 |

Page 30 of 42

Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

## 3.6 Paving - 2024

Mitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |        |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   | r,  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 2.0108    | 2.0108    | 5.0000e-<br>005 | 0.0000 | 2.0121 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 2.0108    | 2.0108    | 5.0000e-<br>005 | 0.0000 | 2.0121 |

3.7 Architectural Coating - 2024

|                 | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|-----------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category        |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | '/yr            |        |         |
| Archit. Coating |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Off-Road        | ri  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 12.6386   | 12.6386   | 7.1000e-<br>004 | 0.0000 | 12.6564 |
| Total           |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 12.6386   | 12.6386   | 7.1000e-<br>004 | 0.0000 | 12.6564 |

Page 31 of 42

## Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

### 3.7 Architectural Coating - 2024

### Unmitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr             |        |         |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Vendor   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Worker   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 18.5183   | 18.5183   | 4.6000e-<br>004 | 0.0000 | 18.5298 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 18.5183   | 18.5183   | 4.6000e-<br>004 | 0.0000 | 18.5298 |

|                 | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|-----------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category        |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr             |        |         |
| Archit. Coating |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Off-Road        | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 12.6386   | 12.6386   | 7.1000e-<br>004 | 0.0000 | 12.6564 |
| Total           |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 12.6386   | 12.6386   | 7.1000e-<br>004 | 0.0000 | 12.6564 |

Page 32 of 42

## Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

### 3.7 Architectural Coating - 2024

### Mitigated Construction Off-Site

|          | ROG | NOx | СО | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | '/yr            |        |         |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Vendor   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Worker   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 18.5183   | 18.5183   | 4.6000e-<br>004 | 0.0000 | 18.5298 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 18.5183   | 18.5183   | 4.6000e-<br>004 | 0.0000 | 18.5298 |

## 4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Page 33 of 42

Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

|             | ROG | NOx | СО | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2      | Total CO2      | CH4    | N2O    | CO2e           |
|-------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|----------------|----------------|--------|--------|----------------|
| Category    |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |                | МТ             | /yr    |        |                |
| Mitigated   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 8,766.377<br>2 | 8,766.377<br>2 | 0.4332 | 0.0000 | 8,777.206<br>4 |
| Unmitigated |     |     |    |     |                  |                 |               | <br>              |                  |                | 0.0000   | 8,766.377<br>2 | 8,766.377<br>2 | 0.4332 | 0.0000 | 8,777.206<br>4 |

### 4.2 Trip Summary Information

|                       | Ave      | rage Daily Trip Ra | ate      | Unmitigated | Mitigated  |
|-----------------------|----------|--------------------|----------|-------------|------------|
| Land Use              | Weekday  | Saturday           | Sunday   | Annual VMT  | Annual VMT |
| Single Family Housing | 8,310.00 | 8,310.00           | 8310.00  | 23,956,733  | 23,956,733 |
| Total                 | 8,310.00 | 8,310.00           | 8,310.00 | 23,956,733  | 23,956,733 |

### 4.3 Trip Type Information

|                       |            | Miles      |             |            | Trip %     |             |         | Trip Purpos | e %     |
|-----------------------|------------|------------|-------------|------------|------------|-------------|---------|-------------|---------|
| Land Use              | H-W or C-W | H-S or C-C | H-O or C-NW | H-W or C-W | H-S or C-C | H-O or C-NW | Primary | Diverted    | Pass-by |
| Single Family Housing | 7.92       | 7.30       | 7.50        | 100.00     | 0.00       | 0.00        | 100     | 0           | 0       |

## 4.4 Fleet Mix

| Land Use              | LDA      | LDT1     | LDT2     | MDV      | LHD1     | LHD2     | MHD      | HHD      | OBUS     | UBUS     | MCY      | SBUS     | MH       |
|-----------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Single Family Housing | 0.606234 | 0.039465 | 0.179154 | 0.102641 | 0.014368 | 0.005395 | 0.016820 | 0.024508 | 0.001929 | 0.001857 | 0.005869 | 0.000761 | 0.000998 |

# 5.0 Energy Detail

Historical Energy Use: N

Page 34 of 42

## Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

### 5.1 Mitigation Measures Energy

Kilowatt Hours of Renewable Electricity Generated

|                            | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2      | Total CO2      | CH4             | N2O             | CO2e           |
|----------------------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|----------------|----------------|-----------------|-----------------|----------------|
| Category                   |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |                | MT             | /yr             |                 |                |
| Electricity<br>Mitigated   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 226.8841       | 226.8841       | 9.1300e-<br>003 | 1.8900e-<br>003 | 227.6755       |
| Electricity<br>Unmitigated |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 2,198.663<br>6 | 2,198.663<br>6 | 0.0885          | 0.0183          | 2,206.332<br>3 |
| NaturalGas<br>Mitigated    |     |     |    |     |                  |                 |               | ,                 |                  |                | 0.0000   | 1,037.100<br>6 | 1,037.100<br>6 | 0.0199          | 0.0190          | 1,043.263<br>5 |
| NaturalGas<br>Unmitigated  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 1,037.100<br>6 | 1,037.100<br>6 | 0.0199          | 0.0190          | 1,043.263<br>5 |

Page 35 of 42

## Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

### 5.2 Energy by Land Use - NaturalGas

### <u>Unmitigated</u>

|                          | NaturalGa<br>s Use | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2      | Total CO2      | CH4    | N2O    | CO2e           |
|--------------------------|--------------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|----------------|----------------|--------|--------|----------------|
| Land Use                 | kBTU/yr            |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |                | MT             | /yr    |        |                |
| Single Family<br>Housing | 1.94345e<br>+007   |     |     |    |     |                  | 1<br>1<br>1     |               | 1<br>1<br>1       |                  |                | 0.0000   | 1,037.100<br>6 | 1,037.100<br>6 | 0.0199 | 0.0190 | 1,043.263<br>5 |
| Total                    |                    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 1,037.100<br>6 | 1,037.100<br>6 | 0.0199 | 0.0190 | 1,043.263<br>5 |

#### Mitigated

|                          | NaturalGa<br>s Use | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2      | Total CO2      | CH4    | N2O    | CO2e           |
|--------------------------|--------------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|----------------|----------------|--------|--------|----------------|
| Land Use                 | kBTU/yr            |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |                | MT             | /yr    |        |                |
| Single Family<br>Housing | 1.94345e<br>+007   |     |     |    |     |                  |                 |               | -<br>-<br>-<br>-  |                  |                | 0.0000   | 1,037.100<br>6 | 1,037.100<br>6 | 0.0199 | 0.0190 | 1,043.263<br>5 |
| Total                    |                    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 1,037.100<br>6 | 1,037.100<br>6 | 0.0199 | 0.0190 | 1,043.263<br>5 |

Page 36 of 42

Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

## 5.3 Energy by Land Use - Electricity

## <u>Unmitigated</u>

|                          | Electricity<br>Use | Total CO2      | CH4    | N2O    | CO2e           |
|--------------------------|--------------------|----------------|--------|--------|----------------|
| Land Use                 | kWh/yr             |                | МТ     | /yr    |                |
| Single Family<br>Housing | 6.72768e<br>+006   | 2,198.663<br>6 | 0.0885 | 0.0183 | 2,206.332<br>3 |
| Total                    |                    | 2,198.663<br>6 | 0.0885 | 0.0183 | 2,206.332<br>3 |

#### **Mitigated**

|                          | Electricity<br>Use | Total CO2 | CH4             | N2O             | CO2e     |
|--------------------------|--------------------|-----------|-----------------|-----------------|----------|
| Land Use                 | kWh/yr             |           | МТ              | /yr             |          |
| Single Family<br>Housing | 694241             | 226.8841  | 9.1300e-<br>003 | 1.8900e-<br>003 | 227.6755 |
| Total                    |                    | 226.8841  | 9.1300e-<br>003 | 1.8900e-<br>003 | 227.6755 |

# 6.0 Area Detail

6.1 Mitigation Measures Area

CalEEMod Version: CalEEMod.2016.3.2

Page 37 of 42

### Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

Use only Natural Gas Hearths

|             | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|-------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category    |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |          |
| Mitigated   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 664.6160  | 664.6160  | 0.0222 | 0.0120 | 668.7474 |
| Unmitigated |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 664.6160  | 664.6160  | 0.0222 | 0.0120 | 668.7474 |

6.2 Area by SubCategory

<u>Unmitigated</u>

|                          | ROG     | NOx | СО | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e     |
|--------------------------|---------|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|----------|
| SubCategory              | tons/yr |     |    |     |                  |                 |               |                   | МТ               | /yr            |          |           |           |                 |        |          |
| Architectural<br>Coating |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Consumer<br>Products     |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Hearth                   |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 654.5370  | 654.5370  | 0.0126          | 0.0120 | 658.4266 |
| Landscaping              |         |     |    |     |                  |                 |               | 1                 |                  |                | 0.0000   | 10.0790   | 10.0790   | 9.6700e-<br>003 | 0.0000 | 10.3208  |
| Total                    |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 664.6160  | 664.6160  | 0.0222          | 0.0120 | 668.7474 |

Page 38 of 42

Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

### 6.2 Area by SubCategory

### Mitigated

|                          | ROG     | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e     |
|--------------------------|---------|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|----------|
| SubCategory              | tons/yr |     |    |     |                  |                 |               |                   | МТ               | /yr            |          |           |           |                 |        |          |
| Architectural<br>Coating |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Consumer<br>Products     |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Hearth                   |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 654.5370  | 654.5370  | 0.0126          | 0.0120 | 658.4266 |
| Landscaping              |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 10.0790   | 10.0790   | 9.6700e-<br>003 | 0.0000 | 10.3208  |
| Total                    |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 664.6160  | 664.6160  | 0.0222          | 0.0120 | 668.7474 |

# 7.0 Water Detail

7.1 Mitigation Measures Water

Page 39 of 42

Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

|          | Total CO2 | CH4    | N2O    | CO2e     |
|----------|-----------|--------|--------|----------|
| Category |           | MT     | /yr    |          |
|          | 371.5099  | 1.7785 | 0.0446 | 429.2660 |
|          | 371.5099  | 1.7785 | 0.0446 | 429.2660 |

# 7.2 Water by Land Use

<u>Unmitigated</u>

|                          | Indoor/Out<br>door Use | Total CO2 | CH4    | N2O    | CO2e     |
|--------------------------|------------------------|-----------|--------|--------|----------|
| Land Use                 | Mgal                   |           | МТ     | /yr    |          |
| Single Family<br>Housing | 54.143 /<br>34.1336    | 371.5099  | 1.7785 | 0.0446 | 429.2660 |
| Total                    |                        | 371.5099  | 1.7785 | 0.0446 | 429.2660 |

Page 40 of 42

Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

### 7.2 Water by Land Use

### Mitigated

|                          | Indoor/Out<br>door Use | Total CO2 | CH4    | N2O    | CO2e     |
|--------------------------|------------------------|-----------|--------|--------|----------|
| Land Use                 | Mgal                   |           | МТ     | /yr    |          |
| Single Family<br>Housing | 54.143 /<br>34.1336    | 371.5099  | 1.7785 | 0.0446 | 429.2660 |
| Total                    |                        | 371.5099  | 1.7785 | 0.0446 | 429.2660 |

### 8.0 Waste Detail

#### 8.1 Mitigation Measures Waste

### Category/Year

|             | Total CO2 | CH4     | N2O    | CO2e     |
|-------------|-----------|---------|--------|----------|
|             |           | МТ      | 7/yr   |          |
| J J         | 197.8289  | 11.6914 | 0.0000 | 490.1127 |
| Unmitigated | 197.8289  | 11.6914 | 0.0000 | 490.1127 |

Page 41 of 42

Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

### 8.2 Waste by Land Use

### <u>Unmitigated</u>

|                          | Waste<br>Disposed | Total CO2 | CH4     | N2O    | CO2e     |
|--------------------------|-------------------|-----------|---------|--------|----------|
| Land Use                 | tons              |           | МТ      | /yr    |          |
| Single Family<br>Housing | 974.57            | 197.8289  | 11.6914 | 0.0000 | 490.1127 |
| Total                    |                   | 197.8289  | 11.6914 | 0.0000 | 490.1127 |

#### **Mitigated**

|                          | Waste<br>Disposed | Total CO2 | CH4     | N2O    | CO2e     |
|--------------------------|-------------------|-----------|---------|--------|----------|
| Land Use                 | tons              |           | МТ      | /yr    |          |
| Single Family<br>Housing | 974.57            | 197.8289  | 11.6914 | 0.0000 | 490.1127 |
| Total                    |                   | 197.8289  | 11.6914 | 0.0000 | 490.1127 |

# 9.0 Operational Offroad

| Equipment Type |  |
|----------------|--|
|----------------|--|

Page 42 of 42

Junipers Project - Zoning Analysis (831 DU) - San Diego County, Annual

## **10.0 Stationary Equipment**

### Fire Pumps and Emergency Generators

| Equipment Type Number Hours/Day Hours/Year Horse Power Load Factor Fuel |                | _      |           |            |             |             |           |
|---|----------------|--------|-----------|------------|-------------|-------------|-----------|
|   | Equipment Type | Number | Hours/Day | Hours/Year | Horse Power | Load Factor | Fuel Type |

#### Boilers

| Equipment Type | Number | Heat Input/Day | Heat Input/Year | Boiler Rating | Fuel Type |
|----------------|--------|----------------|-----------------|---------------|-----------|

### User Defined Equipment

| Equipment Type | Number |
|----------------|--------|
|                |        |

## 11.0 Vegetation

### Junipers Project - Golf Course Land Use Analysis

San Diego County, Annual

### **1.0 Project Characteristics**

#### 1.1 Land Usage

| Land Uses    | Size   | Metric   | Lot Acreage | Floor Surface Area | Population |
|--------------|--------|----------|-------------|--------------------|------------|
| Golf Course  | 110.41 | Acre     | 110.41      | 4,809,459.60       | 0          |
| Racquet Club | 80.46  | 1000sqft | 1.85        | 80,460.00          | 0          |

### **1.2 Other Project Characteristics**

| Urbanization               | Urban                    | Wind Speed (m/s)           | 2.6   | Precipitation Freq (Days)  | 40    |
|----------------------------|--------------------------|----------------------------|-------|----------------------------|-------|
| Climate Zone               | 13                       |                            |       | <b>Operational Year</b>    | 2024  |
| Utility Company            | San Diego Gas & Electric |                            |       |                            |       |
| CO2 Intensity<br>(Ib/MWhr) | 720.49                   | CH4 Intensity<br>(Ib/MWhr) | 0.029 | N2O Intensity<br>(Ib/MWhr) | 0.006 |

### 1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use -

Construction Phase - Scaled from Palo Alto Golf Course Reconfiguration Project DEIR (State Clearinghouse #2013012053)

Off-road Equipment - Palo Alto Golf Course Reconfiguration Project DEIR (State Clearinghouse #2013012053)

Off-road Equipment - Palo Alto Golf Course Reconfiguration Project DEIR (State Clearinghouse #2013012053)

Off-road Equipment - Palo Alto Golf Course Reconfiguration Project DEIR (State Clearinghouse #2013012053)

Off-road Equipment -

Off-road Equipment - Palo Alto Golf Course Reconfiguration Project DEIR (State Clearinghouse #2013012053) Trips and VMT - Palo Alto Golf Course Reconfiguration Project DEIR (State Clearinghouse #2013012053) Demolition -

Grading - Palo Alto Golf Course Reconfiguration Project DEIR (State Clearinghouse #2013012053)

Vehicle Trips - Trip rates and lengths provided by Linscott Law & Greenspan Engineers (LLG)

| Table Name           | Column Name                | Default Value | New Value |
|----------------------|----------------------------|---------------|-----------|
| tblConstructionPhase | NumDays                    | 3,100.00      | 53.00     |
| tblConstructionPhase | NumDays                    | 200.00        | 10.00     |
| tblConstructionPhase | NumDays                    | 310.00        | 62.00     |
| tblConstructionPhase | NumDays                    | 310.00        | 136.00    |
| tblConstructionPhase | NumDays                    | 120.00        | 90.00     |
| tblOffRoadEquipment  | OffRoadEquipmentUnitAmount | 1.00          | 0.00      |
| tblOffRoadEquipment  | OffRoadEquipmentUnitAmount | 3.00          | 0.00      |
| tblOffRoadEquipment  | OffRoadEquipmentUnitAmount | 2.00          | 0.00      |
| tblOffRoadEquipment  | OffRoadEquipmentUnitAmount | 3.00          | 0.00      |
| tblOffRoadEquipment  | OffRoadEquipmentUnitAmount | 1.00          | 0.00      |
| tblOffRoadEquipment  | OffRoadEquipmentUnitAmount | 1.00          | 0.00      |
| tblOffRoadEquipment  | OffRoadEquipmentUnitAmount | 2.00          | 4.00      |
| tblOffRoadEquipment  | OffRoadEquipmentUnitAmount | 3.00          | 1.00      |

| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 2.00     | 1.00     |
|---------------------|----------------------------|----------|----------|
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 1.00     | 0.00     |
| tblOffRoadEquipment | UsageHours                 | 7.00     | 4.00     |
| tblOffRoadEquipment | UsageHours                 | 7.00     | 8.00     |
| tblOffRoadEquipment | UsageHours                 | 8.00     | 6.00     |
| tblTripsAndVMT      | HaulingTripNumber          | 0.00     | 2,636.00 |
|                     |                            |          |          |
| tblTripsAndVMT      | HaulingTripNumber          | 112.00   | 1,129.00 |
| tblTripsAndVMT      | VendorTripNumber           | 801.00   | 5.00     |
| tblTripsAndVMT      | WorkerTripNumber           | 8.00     | 15.00    |
| tblTripsAndVMT      | WorkerTripNumber           | 15.00    | 20.00    |
| tblTripsAndVMT      | WorkerTripNumber           | 2,054.00 | 20.00    |
| tblVehicleTrips     | CC_TL                      | 7.30     | 6.30     |
| tblVehicleTrips     | CC_TL                      | 7.30     | 6.30     |
| tblVehicleTrips     | CC_TTP                     | 48.00    | 100.00   |
| tblVehicleTrips     | CC_TTP                     | 69.50    | 100.00   |
| tblVehicleTrips     | CNW_TTP                    | 19.00    | 0.00     |
| tblVehicleTrips     | CNW_TTP                    | 19.00    | 0.00     |
| tblVehicleTrips     | CW_TTP                     | 33.00    | 0.00     |
| tblVehicleTrips     | CW_TTP                     | 11.50    | 0.00     |
| tblVehicleTrips     | DV_TP                      | 39.00    | 0.00     |
| tblVehicleTrips     | DV_TP                      | 39.00    | 0.00     |
| tblVehicleTrips     | PB_TP                      | 9.00     | 0.00     |
| tblVehicleTrips     | PB_TP                      | 9.00     | 0.00     |
| tblVehicleTrips     | PR_TP                      | 52.00    | 100.00   |
| tblVehicleTrips     | PR_TP                      | 52.00    | 100.00   |
| tblVehicleTrips     | ST_TR                      | 5.82     | 8.00     |
| tblVehicleTrips     | ST_TR                      | 21.35    | 0.37     |

| tblVehicleTrips | SU_TR | 5.88  | 8.00 |
|-----------------|-------|-------|------|
| tblVehicleTrips | SU_TR | 17.40 | 0.37 |
| tblVehicleTrips | WD_TR | 5.04  | 8.00 |
| tblVehicleTrips | WD_TR | 14.03 | 0.37 |

# 2.0 Emissions Summary

Page 5 of 32

Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

### 2.1 Overall Construction

### **Unmitigated Construction**

|         | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|---------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Year    |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr    |        |          |
| 2019    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 125.4513  | 125.4513  | 0.0278 | 0.0000 | 126.1458 |
| 2020    | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 512.6150  | 512.6150  | 0.1374 | 0.0000 | 516.0507 |
| Maximum |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 512.6150  | 512.6150  | 0.1374 | 0.0000 | 516.0507 |

#### Mitigated Construction

|                      | ROG  | NOx              | СО   | SO2  | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5              | Exhaust<br>PM2.5 | PM2.5<br>Total   | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|----------------------|------|------------------|------|------|------------------|-----------------|---------------|--------------------------------|------------------|------------------|----------|-----------|-----------|--------|--------|----------|
| Year                 |      |                  |      |      | tor              | ns/yr           |               |                                |                  |                  |          |           | М         | T/yr   |        |          |
| 2019                 |      |                  |      |      |                  |                 |               |                                |                  |                  | 0.0000   | 125.4512  | 125.4512  | 0.0278 | 0.0000 | 126.1457 |
| 2020                 | F,   | ,<br>,<br>,<br>, |      |      |                  |                 |               | ¶===============<br> <br> <br> |                  | +<br>!<br>!<br>! | 0.0000   | 512.6146  | 512.6146  | 0.1374 | 0.0000 | 516.0502 |
| Maximum              |      |                  |      |      |                  |                 |               |                                |                  |                  | 0.0000   | 512.6146  | 512.6146  | 0.1374 | 0.0000 | 516.0502 |
|                      | ROG  | NOx              | СО   | SO2  | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5              | Exhaust<br>PM2.5 | PM2.5<br>Total   | Bio- CO2 | NBio-CO2  | Total CO2 | CH4    | N20    | CO2e     |
| Percent<br>Reduction | 0.00 | 0.00             | 0.00 | 0.00 | 0.00             | 0.00            | 0.00          | 0.00                           | 0.00             | 0.00             | 0.00     | 0.00      | 0.00      | 0.00   | 0.00   | 0.00     |

Page 6 of 32

### Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

| Quarter | Start Date | End Date | Maximum Unmitigated ROG + NOX (tons/quarter) | Maximum Mitigated ROG + NOX (tons/quarter) |
|---------|------------|----------|--|--|
|         |            | Highest  |  |  |

## 2.2 Overall Operational

### Unmitigated Operational

|          | ROG     | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total      | Bio- CO2 | NBio- CO2       | Total CO2       | CH4             | N2O             | CO2e            |
|----------|---------|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|---------------------|----------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Category | tons/yr |     |    |     |                  |                 |               |                   |                  | MT/yr               |          |                 |                 |                 |                 |                 |
| Area     |         |     |    |     |                  |                 |               |                   |                  |                     | 0.0000   | 3.4100e-<br>003 | 3.4100e-<br>003 | 1.0000e-<br>005 | 0.0000          | 3.6300e-<br>003 |
| Energy   |         |     |    |     |                  |                 |               |                   |                  |                     | 0.0000   | 268.1463        | 268.1463        | 9.7500e-<br>003 | 2.7300e-<br>003 | 269.2035        |
| Mobile   |         |     |    |     |                  |                 |               |                   |                  | <br> <br> <br> <br> | 0.0000   | 777.8965        | 777.8965        | 0.0396          | 0.0000          | 778.8865        |
| Waste    |         |     |    |     |                  |                 |               |                   |                  |                     | 113.9388 | 0.0000          | 113.9388        | 6.7336          | 0.0000          | 282.2786        |
| Water    |         |     |    |     |                  |                 |               |                   |                  | r                   | 1.5097   | 508.4826        | 509.9923        | 0.1755          | 7.9000e-<br>003 | 516.7334        |
| Total    |         |     |    |     |                  |                 |               |                   |                  |                     | 115.4485 | 1,554.528<br>9  | 1,669.977<br>4  | 6.9585          | 0.0106          | 1,847.105<br>6  |

Page 7 of 32

Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

### 2.2 Overall Operational

### Mitigated Operational

|                      | ROG  | NOx | CO   | SO2  | 2 Fugit<br>PM |                  | haust<br>M10            | PM10<br>Total | Fugitiv<br>PM2.     |                   | aust<br>12.5 | PM2.5<br>Total | Bio-         | · CO2  | NBio- CO2       | Total CO                  | 02 0    | CH4          | N2O             | CO2e            |
|----------------------|------|-----|------|------|---------------|------------------|-------------------------|---------------|---------------------|-------------------|--------------|----------------|--------------|--------|-----------------|---------------------------|---------|--------------|-----------------|-----------------|
| Category             |      |     |      |      |               | tons/yr          |                         |               |                     |                   |              |                |              |        |                 |                           | MT/yr   |              |                 |                 |
| Area                 |      |     |      |      |               |                  |                         |               | 1<br>1<br>1         |                   |              |                | 0.0          | 0000   | 3.4100e-<br>003 |                           |         | 000e-<br>005 | 0.0000          | 3.6300e-<br>003 |
| Energy               |      |     |      |      |               |                  |                         |               |                     |                   |              |                | 0.0          | 0000   | 268.1463        | 268.146                   |         | 500e-<br>003 | 2.7300e-<br>003 | 269.2035        |
| Mobile               |      |     |      |      |               |                  |                         |               | <br> <br> <br> <br> |                   |              |                | 0.0          | 0000   | 777.8965        | 777.896                   | 65 O.   | 0396         | 0.0000          | 778.8865        |
| Waste                |      |     |      |      |               |                  |                         |               |                     |                   |              |                | 113.         | .9388  | 0.0000          | 113.938                   | 38 6.   | 7336         | 0.0000          | 282.2786        |
| Water                |      |     |      |      |               |                  |                         |               |                     |                   |              |                | 1.5          | 5097   | 508.4826        | 509.992                   | 23 0.   | 1755         | 7.9000e-<br>003 | 516.7334        |
| Total                |      |     |      |      |               |                  |                         |               |                     |                   |              |                | 115.         | .4485  | 1,554.528<br>9  | 1,669.9 <sup>-</sup><br>4 | 77 6.9  | 9585         | 0.0106          | 1,847.105<br>6  |
|                      | ROG  | N   | IOx  | со   | SO2           | Fugitive<br>PM10 | Exha<br>PM <sup>2</sup> |               |                     | Fugitive<br>PM2.5 | Exha<br>PM2  |                | M2.5<br>otal | Bio- C | O2 NBic         | -CO2 To                   | tal CO2 | СН           | 4 N             | 20 CO26         |
| Percent<br>Reduction | 0.00 | 0   | 0.00 | 0.00 | 0.00          | 0.00             | 0.0                     | 0 0           | .00                 | 0.00              | 0.0          | 00 0           | 0.00         | 0.0    | 0 0.            | 00                        | 0.00    | 0.0          | 0 0.            | 0.00            |

# 3.0 Construction Detail

**Construction Phase** 

| Phase<br>Number | Phase Name                                    | Phase Type            | Start Date | End Date  | Num Days<br>Week | Num Days | Phase Description |
|-----------------|---|-----------------------|------------|-----------|------------------|----------|-------------------|
|                 | Import Fill, Mobilization, Staking and Layout | Site Preparation      | 11/1/2019  | 3/5/2020  | 5                | 90       |                   |
| 2               | Demolition                                    | Demolition            | 2/17/2020  | 2/28/2020 | 5                | 10       |                   |
| 3               | Rough Grading                                 | Grading               | 3/1/2020   | 5/26/2020 | 5                | 62       |                   |
| 4               | Fine Grading                                  | Grading               | 3/1/2020   | 9/7/2020  | 5                | 136      |                   |
| 5               | Construction                                  | Building Construction | 3/28/2020  | 6/10/2020 | 5                | 53       |                   |

#### Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

#### Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)

#### OffRoad Equipment

| Junipers Project - | Golf Course Land | Use Analysis - | San Diego | County, Annual |
|--------------------|------------------|----------------|-----------|----------------|
|                    |                  |                |           |                |

| Phase Name                                    | Offroad Equipment Type    | Amount | Usage Hours | Horse Power | Load Factor |
|---|---------------------------|--------|-------------|-------------|-------------|
| Import Fill, Mobilization, Staking and Layout | Rubber Tired Dozers       | 3      | 8.00        | 247         | 0.40        |
| Import Fill, Mobilization, Staking and Layout | Tractors/Loaders/Backhoes | 4      | 8.00        | 97          | 0.37        |
| Demolition                                    | Concrete/Industrial Saws  | 0      | 8.00        | 81          | 0.73        |
| Demolition                                    | Excavators                | 0      | 8.00        | 158         | 0.38        |
| Demolition                                    | Rubber Tired Dozers       | 2      | 8.00        | 247         | 0.40        |
| Demolition                                    | Rubber Tired Loaders      | 1      | 8.00        | 203         | 0.36        |
| Rough Grading                                 | Excavators                | 0      | 8.00        | 158         | 0.38        |
| Rough Grading                                 | Graders                   | 0      | 8.00        | 187         | 0.41        |
| Rough Grading                                 | Rubber Tired Dozers       | 1      | 8.00        | 247         | 0.40        |
| Rough Grading                                 | Scrapers                  | 4      | 8.00        | 367         | 0.48        |
| Rough Grading                                 | Tractors/Loaders/Backhoes | 1      | 6.00        | 97          | 0.37        |
| Fine Grading                                  | Rubber Tired Dozers       | 1      | 8.00        | 247         | 0.40        |
| Fine Grading                                  | Tractors/Loaders/Backhoes | 2      | 8.00        | 97          | 0.37        |
| Fine Grading                                  | Trenchers                 | 1      | 4.00        | 78          | 0.50        |
| Construction                                  | Cranes                    | 1      | 4.00        | 231         | 0.29        |
| Construction                                  | Forklifts                 | 0      | 8.00        | 89          | 0.20        |
| Construction                                  | Generator Sets            | 0      | 8.00        | 84          | 0.74        |
| Construction                                  | Tractors/Loaders/Backhoes | 1      | 8.00        | 97          | 0.37        |
| Construction                                  | Welders                   | 0      | 8.00        | 46          | 0.45        |

Trips and VMT

| Phase Name                              | Offroad Equipment<br>Count | Worker Trip<br>Number | Vendor Trip<br>Number | Hauling Trip<br>Number | Worker Trip<br>Length | Vendor Trip<br>Length | Hauling Trip<br>Length | Worker Vehicle<br>Class | Vendor<br>Vehicle Class | Hauling<br>Vehicle Class |
|---|----------------------------|-----------------------|-----------------------|------------------------|-----------------------|-----------------------|------------------------|-------------------------|-------------------------|--------------------------|
| Import Fill,<br>Mobilization, Staking 3 | 7                          | 18.00                 | 0.00                  | 2,636.00               | 10.80                 | 7.30                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Demolition                              | 3                          | 15.00                 | 0.00                  | 1,129.00               | 10.80                 | 7.30                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Rough Grading                           | 6                          | 20.00                 | 0.00                  | 0.00                   | 10.80                 | 7.30                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Construction                            | 2                          | 20.00                 | 5.00                  | 0.00                   | 10.80                 | 7.30                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Fine Grading                            | 4                          | 10.00                 | 0.00                  | 0.00                   | 10.80                 | 7.30                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |

## **3.1 Mitigation Measures Construction**

# 3.2 Import Fill, Mobilization, Staking and Layout - 2019

|               | ROG     | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |  |  |  |  |
|---------------|---------|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|--|--|--|--|
| Category      | tons/yr |     |    |     |                  |                 |               |                   |                  |                |          | MT/yr     |           |        |        |         |  |  |  |  |
| Fugitive Dust |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |  |  |  |  |
| Off-Road      | n       |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 73.4627   | 73.4627   | 0.0232 | 0.0000 | 74.0437 |  |  |  |  |
| Total         |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 73.4627   | 73.4627   | 0.0232 | 0.0000 | 74.0437 |  |  |  |  |

### 3.2 Import Fill, Mobilization, Staking and Layout - 2019

#### Unmitigated Construction Off-Site

|          | ROG     | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |  |  |  |
|----------|---------|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|---------|--|--|--|
| Category | tons/yr |     |    |     |                  |                 |               |                   |                  |                |          | MT/yr     |           |                 |        |         |  |  |  |
| Hauling  |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 49.0919   | 49.0919   | 4.4400e-<br>003 | 0.0000 | 49.2031 |  |  |  |
| Vendor   | n       |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |  |  |  |
| Worker   | n       |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 2.8967    | 2.8967    | 9.0000e-<br>005 | 0.0000 | 2.8990  |  |  |  |
| Total    |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 51.9886   | 51.9886   | 4.5300e-<br>003 | 0.0000 | 52.1021 |  |  |  |

|               | ROG                                     | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|---------------|---|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category      |   |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | '/yr   |        |         |
| Fugitive Dust |   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | n — — — — — — — — — — — — — — — — — — — |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 73.4626   | 73.4626   | 0.0232 | 0.0000 | 74.0437 |
| Total         |   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 73.4626   | 73.4626   | 0.0232 | 0.0000 | 74.0437 |

#### 3.2 Import Fill, Mobilization, Staking and Layout - 2019

#### Mitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr             |        |         |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 49.0919   | 49.0919   | 4.4400e-<br>003 | 0.0000 | 49.2031 |
| Vendor   | ,   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Worker   | ,   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 2.8967    | 2.8967    | 9.0000e-<br>005 | 0.0000 | 2.8990  |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 51.9886   | 51.9886   | 4.5300e-<br>003 | 0.0000 | 52.1021 |

#### 3.2 Import Fill, Mobilization, Staking and Layout - 2020

Unmitigated Construction On-Site

|               | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|---------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category      |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr    |        |         |
| Fugitive Dust |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | r:  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 78.5621   | 78.5621   | 0.0254 | 0.0000 | 79.1973 |
| Total         |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 78.5621   | 78.5621   | 0.0254 | 0.0000 | 79.1973 |

#### 3.2 Import Fill, Mobilization, Staking and Layout - 2020

#### Unmitigated Construction Off-Site

|          | ROG | NOx | СО | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr             |        |         |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 53.0842   | 53.0842   | 4.7800e-<br>003 | 0.0000 | 53.2037 |
| Vendor   | r:  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Worker   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 3.0662    | 3.0662    | 9.0000e-<br>005 | 0.0000 | 3.0685  |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 56.1504   | 56.1504   | 4.8700e-<br>003 | 0.0000 | 56.2722 |

#### Mitigated Construction On-Site

|               | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|---------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category      |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | '/yr   |        |         |
| Fugitive Dust |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 78.5620   | 78.5620   | 0.0254 | 0.0000 | 79.1972 |
| Total         |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 78.5620   | 78.5620   | 0.0254 | 0.0000 | 79.1972 |

#### 3.2 Import Fill, Mobilization, Staking and Layout - 2020

#### Mitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr             |        |         |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 53.0842   | 53.0842   | 4.7800e-<br>003 | 0.0000 | 53.2037 |
| Vendor   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Worker   | ,   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 3.0662    | 3.0662    | 9.0000e-<br>005 | 0.0000 | 3.0685  |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 56.1504   | 56.1504   | 4.8700e-<br>003 | 0.0000 | 56.2722 |

3.3 Demolition - 2020

Unmitigated Construction On-Site

|               | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|---------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category      |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |         |
| Fugitive Dust |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Off-Road      | r:  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 10.2505   | 10.2505   | 3.3200e-<br>003 | 0.0000 | 10.3334 |
| Total         |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 10.2505   | 10.2505   | 3.3200e-<br>003 | 0.0000 | 10.3334 |

Page 15 of 32

#### Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

#### 3.3 Demolition - 2020

#### Unmitigated Construction Off-Site

|          | ROG | NOx | СО | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5   | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|---------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |     |     |    |     | ton              | s/yr            |               |                     |                  |                |          |           | MT        | /yr             |        |         |
| Hauling  |     |     |    |     |                  |                 |               |                     |                  |                | 0.0000   | 43.5370   | 43.5370   | 3.9200e-<br>003 | 0.0000 | 43.6350 |
| Vendor   | r:  |     |    |     |                  |                 |               | <br> <br> <br> <br> |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Worker   | r:  |     |    |     |                  |                 |               |                     |                  |                | 0.0000   | 0.5437    | 0.5437    | 2.0000e-<br>005 | 0.0000 | 0.5441  |
| Total    |     |     |    |     |                  |                 |               |                     |                  |                | 0.0000   | 44.0807   | 44.0807   | 3.9400e-<br>003 | 0.0000 | 44.1791 |

#### Mitigated Construction On-Site

|               | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|---------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category      |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr             |        |         |
| Fugitive Dust |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Off-Road      |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 10.2505   | 10.2505   | 3.3200e-<br>003 | 0.0000 | 10.3334 |
| Total         |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 10.2505   | 10.2505   | 3.3200e-<br>003 | 0.0000 | 10.3334 |

Page 16 of 32

#### Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

#### 3.3 Demolition - 2020

#### Mitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |         |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 43.5370   | 43.5370   | 3.9200e-<br>003 | 0.0000 | 43.6350 |
| Vendor   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Worker   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.5437    | 0.5437    | 2.0000e-<br>005 | 0.0000 | 0.5441  |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 44.0807   | 44.0807   | 3.9400e-<br>003 | 0.0000 | 44.1791 |

3.4 Rough Grading - 2020

Unmitigated Construction On-Site

|               | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|---------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category      |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr    |        |          |
| Fugitive Dust |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000   |
| Off-Road      | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 194.6368  | 194.6368  | 0.0630 | 0.0000 | 196.2106 |
| Total         |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 194.6368  | 194.6368  | 0.0630 | 0.0000 | 196.2106 |

Page 17 of 32

#### Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

#### 3.4 Rough Grading - 2020

#### Unmitigated Construction Off-Site

|          | ROG | NOx | СО | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |        |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 4.4942    | 4.4942    | 1.3000e-<br>004 | 0.0000 | 4.4976 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 4.4942    | 4.4942    | 1.3000e-<br>004 | 0.0000 | 4.4976 |

#### Mitigated Construction On-Site

|               | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|---------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category      |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |          |
| Fugitive Dust |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000   |
| Off-Road      |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 194.6366  | 194.6366  | 0.0630 | 0.0000 | 196.2103 |
| Total         |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 194.6366  | 194.6366  | 0.0630 | 0.0000 | 196.2103 |

Page 18 of 32

#### Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

#### 3.4 Rough Grading - 2020

#### Mitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr             |        |        |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 4.4942    | 4.4942    | 1.3000e-<br>004 | 0.0000 | 4.4976 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 4.4942    | 4.4942    | 1.3000e-<br>004 | 0.0000 | 4.4976 |

3.5 Fine Grading - 2020

Unmitigated Construction On-Site

|               | ROG                   | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5     | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|---------------|-----------------------|-----|----|-----|------------------|-----------------|---------------|-----------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category      |                       |     |    |     | ton              | s/yr            |               |                       |                  |                |          |           | MT        | /yr    |        |         |
| l'agiavo Baot |                       |     |    |     |                  |                 |               | -<br>-<br>-<br>-<br>- |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | F)<br> <br> <br> <br> |     |    |     |                  |                 |               |                       |                  |                | 0.0000   | 98.2258   | 98.2258   | 0.0318 | 0.0000 | 99.0200 |
| Total         |                       |     |    |     |                  |                 |               |                       |                  |                | 0.0000   | 98.2258   | 98.2258   | 0.0318 | 0.0000 | 99.0200 |

Page 19 of 32

#### Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

#### 3.5 Fine Grading - 2020

#### Unmitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr             |        |        |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 4.9292    | 4.9292    | 1.5000e-<br>004 | 0.0000 | 4.9329 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 4.9292    | 4.9292    | 1.5000e-<br>004 | 0.0000 | 4.9329 |

#### Mitigated Construction On-Site

|               | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e    |
|---------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|---------|
| Category      |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr    |        |         |
| Fugitive Dust |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 98.2257   | 98.2257   | 0.0318 | 0.0000 | 99.0199 |
| Total         |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 98.2257   | 98.2257   | 0.0318 | 0.0000 | 99.0199 |

Page 20 of 32

#### Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

#### 3.5 Fine Grading - 2020

#### Mitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |        |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   | n   |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 4.9292    | 4.9292    | 1.5000e-<br>004 | 0.0000 | 4.9329 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 4.9292    | 4.9292    | 1.5000e-<br>004 | 0.0000 | 4.9329 |

3.6 Construction - 2020

Unmitigated Construction On-Site

|          | ROG | NOx | CO    | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----|-----|-------|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |     |     |       |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |         |
| On Road  |     |     | -<br> |     |                  |                 |               |                   |                  |                | 0.0000   | 13.9474   | 13.9474   | 4.5100e-<br>003 | 0.0000 | 14.0601 |
| Total    |     |     |       |     |                  |                 |               |                   |                  |                | 0.0000   | 13.9474   | 13.9474   | 4.5100e-<br>003 | 0.0000 | 14.0601 |

Page 21 of 32

#### Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

#### 3.6 Construction - 2020

#### Unmitigated Construction Off-Site

|          | ROG | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | МТ        | /yr             |        |        |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 3.4962    | 3.4962    | 2.7000e-<br>004 | 0.0000 | 3.5029 |
| Worker   | r:  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 3.8418    | 3.8418    | 1.2000e-<br>004 | 0.0000 | 3.8447 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 7.3380    | 7.3380    | 3.9000e-<br>004 | 0.0000 | 7.3476 |

#### Mitigated Construction On-Site

|          | ROG | NOx | CO    | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e    |
|----------|-----|-----|-------|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |     |     |       |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |         |
| Off-Road |     |     | -<br> |     |                  |                 |               |                   |                  |                | 0.0000   | 13.9473   | 13.9473   | 4.5100e-<br>003 | 0.0000 | 14.0601 |
| Total    |     |     |       |     |                  |                 |               |                   |                  |                | 0.0000   | 13.9473   | 13.9473   | 4.5100e-<br>003 | 0.0000 | 14.0601 |

Page 22 of 32

#### Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

#### 3.6 Construction - 2020

#### Mitigated Construction Off-Site

|          | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O    | CO2e   |
|----------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr             |        |        |
| Hauling  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 3.4962    | 3.4962    | 2.7000e-<br>004 | 0.0000 | 3.5029 |
| Worker   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 3.8418    | 3.8418    | 1.2000e-<br>004 | 0.0000 | 3.8447 |
| Total    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 7.3380    | 7.3380    | 3.9000e-<br>004 | 0.0000 | 7.3476 |

#### 4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Page 23 of 32

Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

|             | ROG | NOx | СО | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N2O    | CO2e     |
|-------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|--------|--------|----------|
| Category    |     |     |    |     | ton              | s/yr            |               |                   |                  |                |          |           | MT        | /yr    |        |          |
| Mitigated   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 777.8965  | 777.8965  | 0.0396 | 0.0000 | 778.8865 |
| Unmitigated |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 777.8965  | 777.8965  | 0.0396 | 0.0000 | 778.8865 |

#### 4.2 Trip Summary Information

|              | Ave     | rage Daily Trip Ra | ate    | Unmitigated | Mitigated  |
|--------------|---------|--------------------|--------|-------------|------------|
| Land Use     | Weekday | Saturday           | Sunday | Annual VMT  | Annual VMT |
| Golf Course  | 883.28  | 883.28             | 883.28 | 2,025,538   | 2,025,538  |
| Racquet Club | 29.77   | 29.77              | 29.77  | 68,269      | 68,269     |
| Total        | 913.05  | 913.05             | 913.05 | 2,093,807   | 2,093,807  |

#### 4.3 Trip Type Information

|              |            | Miles      |             |            | Trip %     |             |         | Trip Purpos | e %     |
|--------------|------------|------------|-------------|------------|------------|-------------|---------|-------------|---------|
| Land Use     | H-W or C-W | H-S or C-C | H-O or C-NW | H-W or C-W | H-S or C-C | H-O or C-NW | Primary | Diverted    | Pass-by |
| Golf Course  | 9.50       | 6.30       | 7.30        | 0.00       | 100.00     | 0.00        | 100     | 0           | 0       |
| Racquet Club | 9.50       | 6.30       | 7.30        | 0.00       | 100.00     | 0.00        | 100     | 0           | 0       |

#### 4.4 Fleet Mix

| Land Use     | LDA      | LDT1     | LDT2     | MDV      | LHD1     | LHD2     | MHD      | HHD      | OBUS     | UBUS     | MCY      | SBUS     | MH       |
|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Golf Course  | 0.606234 | 0.039465 | 0.179154 | 0.102641 | 0.014368 | 0.005395 | 0.016820 | 0.024508 | 0.001929 | 0.001857 | 0.005869 | 0.000761 | 0.000998 |
| Racquet Club | 0.606234 | 0.039465 | 0.179154 | 0.102641 | 0.014368 | 0.005395 | 0.016820 | 0.024508 | 0.001929 | 0.001857 | 0.005869 | 0.000761 | 0.000998 |

Page 24 of 32

#### Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

#### 5.0 Energy Detail

#### Historical Energy Use: N

#### 5.1 Mitigation Measures Energy

|                            | ROG | NOx | СО | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O             | CO2e     |
|----------------------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|-----------------|----------|
| Category tons/yr           |     |     |    |     |                  |                 |               |                   |                  | MT             | /yr      |           |           |                 |                 |          |
| Electricity<br>Mitigated   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 218.5117  | 218.5117  | 8.8000e-<br>003 | 1.8200e-<br>003 | 219.2739 |
| Electricity<br>Unmitigated |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 218.5117  | 218.5117  | 8.8000e-<br>003 | 1.8200e-<br>003 | 219.2739 |
| NaturalGas<br>Mitigated    |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 49.6346   | 49.6346   | 9.5000e-<br>004 | 9.1000e-<br>004 | 49.9296  |
| NaturalGas<br>Unmitigated  |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 49.6346   | 49.6346   | 9.5000e-<br>004 | 9.1000e-<br>004 | 49.9296  |

Page 25 of 32

#### Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

#### 5.2 Energy by Land Use - NaturalGas

#### <u>Unmitigated</u>

|              | NaturalGa<br>s Use       | ROG | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O             | CO2e    |
|--------------|--------------------------|-----|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|-----------------|---------|
| Land Use     | Land Use kBTU/yr tons/yr |     |     |    |     |                  |                 |               | MT                | '/yr             |                |          |           |           |                 |                 |         |
| Golf Course  | 0                        |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000          | 0.0000  |
| Racquet Club | 930118                   |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 49.6346   | 49.6346   | 9.5000e-<br>004 | 9.1000e-<br>004 | 49.9296 |
| Total        |                          |     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 49.6346   | 49.6346   | 9.5000e-<br>004 | 9.1000e-<br>004 | 49.9296 |

#### Mitigated

|              | NaturalGa<br>s Use       | ROG              | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N2O             | CO2e    |
|--------------|--------------------------|------------------|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|-----------------|---------|
| Land Use     | Land Use kBTU/yr tons/yr |                  |     |    |     |                  |                 |               | МТ                | /yr              |                |          |           |           |                 |                 |         |
| Golf Course  | 0                        |                  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000          | 0.0000  |
| Racquet Club | 930118                   | 1<br>1<br>1<br>1 |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 49.6346   | 49.6346   | 9.5000e-<br>004 | 9.1000e-<br>004 | 49.9296 |
| Total        |                          |                  |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 49.6346   | 49.6346   | 9.5000e-<br>004 | 9.1000e-<br>004 | 49.9296 |

Page 26 of 32

Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

#### 5.3 Energy by Land Use - Electricity

#### <u>Unmitigated</u>

|              | Electricity<br>Use | Total CO2 | CH4             | N2O             | CO2e     |
|--------------|--------------------|-----------|-----------------|-----------------|----------|
| Land Use     | kWh/yr             |           | Π               | /yr             |          |
| Golf Course  | 0                  | 0.0000    | 0.0000          | 0.0000          | 0.0000   |
| Racquet Club | 668623             | 218.5117  | 8.8000e-<br>003 | 1.8200e-<br>003 | 219.2739 |
| Total        |                    | 218.5117  | 8.8000e-<br>003 | 1.8200e-<br>003 | 219.2739 |

#### Mitigated

|              | Electricity<br>Use | Total CO2 | CH4             | N2O             | CO2e     |
|--------------|--------------------|-----------|-----------------|-----------------|----------|
| Land Use     | kWh/yr             |           | МТ              | 7/yr            |          |
| Golf Course  | 0                  | 0.0000    | 0.0000          | 0.0000          | 0.0000   |
| Racquet Club | 668623             | 218.5117  | 8.8000e-<br>003 | 1.8200e-<br>003 | 219.2739 |
| Total        |                    | 218.5117  | 8.8000e-<br>003 | 1.8200e-<br>003 | 219.2739 |

#### 6.0 Area Detail

6.1 Mitigation Measures Area

Page 27 of 32

Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

|             | ROG              | NOx | CO | SO2                   | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5     | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2       | Total CO2       | CH4             | N2O    | CO2e            |
|-------------|------------------|-----|----|-----------------------|------------------|-----------------|---------------|-----------------------|------------------|----------------|----------|-----------------|-----------------|-----------------|--------|-----------------|
| Category    | Category tons/yr |     |    |                       |                  |                 |               |                       |                  |                |          | МТ              | /yr             |                 |        |                 |
| Mitigated   |                  |     |    |                       |                  |                 |               |                       |                  |                | 0.0000   | 3.4100e-<br>003 | 3.4100e-<br>003 | 1.0000e-<br>005 | 0.0000 | 3.6300e-<br>003 |
| Unmitigated |                  |     | r  | r<br>1<br>1<br>1<br>1 |                  |                 |               | r<br>1<br>1<br>1<br>1 |                  |                | 0.0000   | 3.4100e-<br>003 | 3.4100e-<br>003 | 1.0000e-<br>005 | 0.0000 | 3.6300e-<br>003 |

#### 6.2 Area by SubCategory

<u>Unmitigated</u>

|                          | ROG                 | NOx | CO | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2       | Total CO2       | CH4             | N2O    | CO2e            |
|--------------------------|---------------------|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------------|-----------------|-----------------|--------|-----------------|
| SubCategory              | SubCategory tons/yr |     |    |     |                  |                 |               |                   |                  | MT             | /yr      |                 |                 |                 |        |                 |
| Architectural<br>Coating |                     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000          | 0.0000          | 0.0000          | 0.0000 | 0.0000          |
| Consumer<br>Products     |                     |     |    | 1   |                  |                 |               |                   |                  |                | 0.0000   | 0.0000          | 0.0000          | 0.0000          | 0.0000 | 0.0000          |
| Landscaping              |                     |     |    | 1   |                  |                 |               |                   |                  |                | 0.0000   | 3.4100e-<br>003 | 3.4100e-<br>003 | 1.0000e-<br>005 | 0.0000 | 3.6300e-<br>003 |
| Total                    |                     |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 3.4100e-<br>003 | 3.4100e-<br>003 | 1.0000e-<br>005 | 0.0000 | 3.6300e-<br>003 |

Page 28 of 32

#### Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

#### 6.2 Area by SubCategory

Mitigated

|                          | ROG     | NOx | со | SO2 | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2       | Total CO2       | CH4             | N2O    | CO2e            |
|--------------------------|---------|-----|----|-----|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------------|-----------------|-----------------|--------|-----------------|
| SubCategory              | tons/yr |     |    |     |                  |                 |               |                   |                  |                |          | MT              | /yr             |                 |        |                 |
| Architectural<br>Coating |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000          | 0.0000          | 0.0000          | 0.0000 | 0.0000          |
| Consumer<br>Products     |         | ,   |    |     |                  |                 |               |                   |                  |                | 0.0000   | 0.0000          | 0.0000          | 0.0000          | 0.0000 | 0.0000          |
| Landscaping              |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 3.4100e-<br>003 | 3.4100e-<br>003 | 1.0000e-<br>005 | 0.0000 | 3.6300e-<br>003 |
| Total                    |         |     |    |     |                  |                 |               |                   |                  |                | 0.0000   | 3.4100e-<br>003 | 3.4100e-<br>003 | 1.0000e-<br>005 | 0.0000 | 3.6300e-<br>003 |

7.0 Water Detail

7.1 Mitigation Measures Water

Page 29 of 32

Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

|          | Total CO2 | CH4    | N2O             | CO2e     |
|----------|-----------|--------|-----------------|----------|
| Category |           | MT     | Г/yr            |          |
|          | 509.9923  | 0.1755 | 7.9000e-<br>003 | 516.7334 |
| - g      | 509.9923  | 0.1755 | 7.9000e-<br>003 | 516.7334 |

#### 7.2 Water by Land Use

<u>Unmitigated</u>

|              | Indoor/Out<br>door Use | Total CO2 | CH4    | N2O             | CO2e     |
|--------------|------------------------|-----------|--------|-----------------|----------|
| Land Use     | Mgal                   |           | МТ     | √yr             |          |
| Golf Course  | 0/<br>131.551          | 477.6430  | 0.0192 | 3.9800e-<br>003 | 479.3090 |
| Racquet Club | 4.75866 /<br>2.9166    | 32.3493   | 0.1563 | 3.9200e-<br>003 | 37.4245  |
| Total        |                        | 509.9923  | 0.1755 | 7.9000e-<br>003 | 516.7334 |

Page 30 of 32

Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

#### 7.2 Water by Land Use

#### Mitigated

|              | Indoor/Out<br>door Use | Total CO2 | CH4    | N2O             | CO2e     |
|--------------|------------------------|-----------|--------|-----------------|----------|
| Land Use     | Mgal                   |           | MT     | ī/yr            |          |
| Golf Course  | 0 /<br>131.551         | 477.6430  | 0.0192 | 3.9800e-<br>003 | 479.3090 |
| Racquet Club | 4.75866 /<br>2.9166    | 32.3493   | 0.1563 | 3.9200e-<br>003 | 37.4245  |
| Total        |                        | 509.9923  | 0.1755 | 7.9000e-<br>003 | 516.7334 |

#### 8.0 Waste Detail

#### 8.1 Mitigation Measures Waste

#### Category/Year

|     | Total CO2 | CH4    | N2O    | CO2e     |  |
|-----|-----------|--------|--------|----------|--|
|     | MT/yr     |        |        |          |  |
| , i | 113.9388  | 6.7336 | 0.0000 | 282.2786 |  |
|     | 113.9388  | 6.7336 | 0.0000 | 282.2786 |  |

Page 31 of 32

Junipers Project - Golf Course Land Use Analysis - San Diego County, Annual

#### 8.2 Waste by Land Use

#### <u>Unmitigated</u>

|              | Waste<br>Disposed | Total CO2 | CH4    | N2O    | CO2e     |
|--------------|-------------------|-----------|--------|--------|----------|
| Land Use     | tons              |           | MT     | /yr    |          |
| Golf Course  | 102.68            | 20.8431   | 1.2318 | 0.0000 | 51.6379  |
| Racquet Club | 458.62            | 93.0957   | 5.5018 | 0.0000 | 230.6407 |
| Total        |                   | 113.9388  | 6.7336 | 0.0000 | 282.2786 |

#### Mitigated

|              | Waste<br>Disposed | Total CO2 | CH4    | N2O    | CO2e     |
|--------------|-------------------|-----------|--------|--------|----------|
| Land Use     | tons              |           | МТ     | /yr    |          |
| Golf Course  | 102.68            | 20.8431   | 1.2318 | 0.0000 | 51.6379  |
| Racquet Club | 458.62            | 93.0957   | 5.5018 | 0.0000 | 230.6407 |
| Total        |                   | 113.9388  | 6.7336 | 0.0000 | 282.2786 |

#### 9.0 Operational Offroad

| Equipment Type |  |
|----------------|--|
|----------------|--|

#### **10.0 Stationary Equipment**

#### Fire Pumps and Emergency Generators

| Equipment Type | Number | Hours/Day | Hours/Year | Horse Power | Load Factor | Fuel Type |
|----------------|--------|-----------|------------|-------------|-------------|-----------|

#### Boilers

| Equipment Type | Number | Heat Input/Day | Heat Input/Year | Boiler Rating | Fuel Type |
|----------------|--------|----------------|-----------------|---------------|-----------|
|                |        |                |                 |               |           |

#### User Defined Equipment

| Equipment Type | Number |
|----------------|--------|
|                |        |

#### 11.0 Vegetation

The Junipers - Golf Course Land Use Analysis Onsite Fuel Usage

| Fuel                    | Quantity <sup>1</sup> | Emission Factor <sup>2</sup> (g<br>CO <sub>2</sub> /gal) | MT CO 2 |
|-------------------------|-----------------------|--|---------|
| Gas                     | 4200                  | 8,890.40   | 37.34   |
| Diesel                  | 3063                  | 10,160.46  | 31.12   |
| TOTAL                   |                       |  | 68.46   |
| <sup>1</sup> GCSAA 2017 | ,                     |  |         |
| <sup>2</sup> USEIA 2017 |                       |  |         |

# Appendix B

CAP Consistency Checklist

# SD CLIMATE ACTION PLAN CONSISTENCY CHECKLIST INTRODUCTION

In December 2015, the City adopted a Climate Action Plan (CAP) that outlines the actions that City will undertake to achieve its proportional share of State greenhouse gas (GHG) emission reductions. The purpose of the Climate Action Plan Consistency Checklist (Checklist) is to, in conjunction with the CAP, provide a streamlined review process for proposed new development projects that are subject to discretionary review and trigger environmental review pursuant to the California Environmental Quality Act (CEQA).<sup>1</sup>

Analysis of GHG emissions and potential climate change impacts from new development is required under CEQA. The CAP is a plan for the reduction of GHG emissions in accordance with CEQA Guidelines Section 15183.5. Pursuant to CEQA Guidelines Sections 15064(h)(3), 15130(d), and 15183(b), a project's incremental contribution to a cumulative GHG emissions effect may be determined not to be cumulatively considerable if it complies with the requirements of the CAP.

This Checklist is part of the CAP and contains measures that are required to be implemented on a project-by-project basis to ensure that the specified emissions targets identified in the CAP are achieved. Implementation of these measures would ensure that new development is consistent with the CAP's assumptions for relevant CAP strategies toward achieving the identified GHG reduction targets. Projects that are consistent with the CAP as determined through the use of this Checklist may rely on the CAP for the cumulative impacts analysis of GHG emissions. Projects that are not consistent with the CAP must prepare a comprehensive project-specific analysis of GHG emissions, including quantification of existing and projected GHG emissions and incorporation of the measures in this Checklist to the extent feasible. Cumulative GHG impacts would be significant for any project that is not consistent with the CAP.

The Checklist may be updated to incorporate new GHG reduction techniques or to comply with later amendments to the CAP or local, State, or federal law.

<sup>&</sup>lt;sup>1</sup> Certain projects seeking ministerial approval may be required to complete the Checklist. For example, projects in a Community Plan Implementation Overlay Zone may be required to use the Checklist to qualify for ministerial level review. See Supplemental Development Regulations in the project's community plan to determine applicability.

This page intentionally left blank

# SUBMITTAL APPLICATION

- The Checklist is required only for projects subject to CEQA review.<sup>2</sup>
- If required, the Checklist must be included in the project submittal package. Application submittal procedures can be found in <u>Chapter 11: Land Development Procedures</u> of the City's Municipal Code.
- The requirements in the Checklist will be included in the project's conditions of approval.
- The applicant must provide an explanation of how the proposed project will implement the requirements described herein to the satisfaction of the Planning Department.

|     |         |        | . •    |
|-----|---------|--------|--------|
| Ann | ication | Inform | nation |
|     | leacion |        |        |

| Contact Information  |                              |                                |
|--|------------------------------|--------------------------------|
| Project No./Name:  |                              |                                |
| Property Address:  |                              |                                |
| Applicant Name/Co.:  |                              |                                |
| Contact Phone:   | Contact Email:               |                                |
| Was a consultant retained to complete this checklist?<br>Consultant Name:  | □ Yes □ No<br>Contact Phone: | If Yes, complete the following |
| Company Name:  | Contact Email:               |                                |
| Project Information  |                              |                                |
| 1. What is the size of the project (acres)?  |                              |                                |
| <ol> <li>Identify all applicable proposed land uses:</li> <li>□ Residential (indicate # of single-family units):</li> </ol>          |                              |                                |
| Residential (indicate # of multi-family units):  |                              |                                |
| Commercial (total square footage):   |                              |                                |
| Industrial (total square footage):   |                              |                                |
| <ul> <li>Other (describe):</li> <li>3. Is the project or a portion of the project located in a<br/>Transit Priority Area?</li> </ul> | □ Yes □ No                   |                                |

4. Provide a brief description of the project proposed:

<sup>&</sup>lt;sup>2</sup> Certain projects seeking ministerial approval may be required to complete the Checklist. For example, projects in a Community Plan Implementation Overlay Zone may be required to use the Checklist to qualify for ministerial level review. See Supplemental Development Regulations in the project's community plan to determine applicability.



### Step 1: Land Use Consistency

The first step in determining CAP consistency for discretionary development projects is to assess the project's consistency with the growth projections used in the development of the CAP. This section allows the City to determine a project's consistency with the land use assumptions used in the CAP.

|  | Step 1: Land Use Consistency   |     |    |
|--|--|-----|----|
| Checklist Item<br>(Check the appropriate box   | and provide explanation and supporting documentation for your answer)  | Yes | No |
| <ul> <li>zoning designations?;<sup>3</sup></li> <li>B. If the proposed project includes a land use pla result in an increased actions, as determined</li> <li>C. If the proposed project the project include a la</li> </ul> | consistent with the existing General Plan and Community Plan land use and <u>OR</u> ,<br>is not consistent with the existing land use plan and zoning designations, and<br>n and/or zoning designation amendment, would the proposed amendment<br>density within a Transit Priority Area (TPA) <sup>4</sup> and implement CAP Strategy 3<br>in Step 3 to the satisfaction of the Development Services Department?; <u>OR</u> ,<br>is not consistent with the existing land use plan and zoning designations, does<br>nd use plan and/or zoning designation amendment that would result in an<br>-intensive project when compared to the existing designations? |     |    |

If "**Yes**," proceed to Step 2 of the Checklist. For question B above, complete Step 3. For question C above, provide estimated project emissions under both existing and proposed designation(s) for comparison. Compare the maximum buildout of the existing designation and the maximum buildout of the proposed designation.

If "**No**," in accordance with the City's Significance Determination Thresholds, the project's GHG impact is significant. The project must nonetheless incorporate each of the measures identified in Step 2 to mitigate cumulative GHG emissions impacts unless the decision maker finds that a measure is infeasible in accordance with CEQA Guidelines Section 15091. Proceed and complete Step 2 of the Checklist.

<sup>&</sup>lt;sup>3</sup> This question may also be answered in the affirmative if the project is consistent with SANDAG Series 12 growth projections, which were used to determine the CAP projections, as determined by the Planning Department.

<sup>&</sup>lt;sup>4</sup> This category applies to all projects that answered in the affirmative to question 3 on the previous page: Is the project or a portion of the project located in a transit priority area.

### Step 2: CAP Strategies Consistency

The second step of the CAP consistency review is to review and evaluate a project's consistency with the applicable strategies and actions of the CAP. Step 2 only applies to development projects that involve permits that would require a certificate of occupancy from the Building Official or projects comprised of one and two family dwellings or townhouses as defined in the California Residential Code and their accessory structures.<sup>5</sup> All other development projects that would not require a certificate of occupancy from the Building Official shall implement Best Management Practices for construction activities as set forth in the <u>Greenbook</u> (for public projects).

| Step 2: CAP Strategies Consistency  | y   |    |     |
|---|-----|----|-----|
| Checklist Item<br>(Check the appropriate box and provide explanation for your answer)   | Yes | No | N/A |
| Strategy 1: Energy & Water Efficient Buildings  |     |    |     |
| 1. Cool/Green Roofs.  |     |    |     |
| <ul> <li>Would the project include roofing materials with a minimum 3-year aged solar reflection and thermal emittance or solar reflection index equal to or greater than the values specified in the voluntary measures under <u>California Green Building Standards Code</u> (Attachment A)?; <u>OR</u></li> <li>Would the project roof construction have a thermal mass over the roof</li> </ul> |     |    |     |
| membrane, including areas of vegetated (green) roofs, weighing at least 25 pounds per square foot as specified in the voluntary measures under <u>California</u> <u>Green Building Standards Code</u> ?; <u>OR</u>  |     |    |     |
| <ul> <li>Would the project include a combination of the above two options?</li> </ul>   |     |    |     |
| Check "N/A" only if the project does not include a roof component.  |     |    |     |

<sup>&</sup>lt;sup>5</sup> Actions that are not subject to Step 2 would include, for example: 1) discretionary map actions that do not propose specific development, 2) permits allowing wireless communication facilities, 3) special events permits, 4) use permits or other permits that do not result in the expansion or enlargement of a building (e.g., decks, garages, etc.), and 5) non-building infrastructure projects such as roads and pipelines. Because such actions would not result in new occupancy buildings from which GHG emissions reductions could be achieved, the items contained in Step 2 would not be applicable.

| Strategy 3: Bicycling, Walking, Transit & Land Use   |  |  |
|--|--|--|
| 3. Electric Vehicle Charging   |  |  |
| <ul> <li><u>Multiple-family projects of 17 dwelling units or less</u>: Would 3% of the total parking spaces required, or a minimum of one space, whichever is greater, be provided with a listed cabinet, box or enclosure connected to a conduit linking the parking spaces with the electrical service, in a manner approved by the building and safety official, to allow for the future installation of electric vehicle supply equipment to provide electric vehicle charging stations at such time as it is needed for use by residents?</li> <li><u>Multiple-family projects of more than 17 dwelling units</u>: Of the total required listed cabinets, boxes or enclosures, would 50% have the necessary electric vehicle supply equipment installed to provide active electric vehicle charging stations ready for use by residents?</li> <li><u>Non-residential projects</u>: Of the total required listed cabinets, boxes or enclosures, would 50% have the necessary electric vehicle charging stations ready for use by residents?</li> <li><u>Non-residential projects</u>: Of the total required listed cabinets, boxes or enclosures, would 50% have the necessary electric vehicle supply equipment installed to provide active electric vehicle charging stations ready for use?</li> <li><u>Non-residential projects</u>: Of the total required listed cabinets, boxes or enclosures, would 50% have the necessary electric vehicle supply equipment installed to provide active electric vehicle charging stations ready for use?</li> </ul> |  |  |
| Strategy 3: Bicycling, Walking, Transit & Land Use<br>(Complete this section if project includes non-residential or mixed uses)  |  |  |
| 4. Bicycle Parking Spaces Would the project provide more short- and long-term bicycle parking spaces than required in the City's Municipal Code ( <u>Chapter 14, Article 2, Division 5</u> )? <sup>6</sup> Check "N/A" only if the project is a residential project.   |  |  |

<sup>&</sup>lt;sup>6</sup> Non-portable bicycle corrals within 600 feet of project frontage can be counted towards the project's bicycle parking requirements.

| 0-10         0         0           11-50         1 shower stall         2           51-100         1 shower stall         3           101-200         1 shower stall         4           1 shower stall plus 1         1 two-tier locker plus 1 | Occupants<br>(Employees) | Shower/Changing<br>Facilities Required          | Two-Tier (12" X 15" X<br>72") Personal Effects<br>Lockers Required |  |  |
|---|--------------------------|---|--|--|--|
| 51-1001 shower stall3101-2001 shower stall41 shower stall plus 11 two-tier locker plus 1  | 0-10                     | 0   | 0  |  |  |
| 101-200     1 shower stall     4       1 shower stall plus 1     1 two-tier locker plus 1   | 11-50                    | 1 shower stall                                  | 2  |  |  |
| 1 shower stall plus 1 1 two-tier locker plus 1  | 51-100                   | 1 shower stall                                  | 3  |  |  |
| 1 shower stall plus 1 1 two-tier locker plus 1  | 101-200                  | 1 shower stall                                  | 4  |  |  |
| Over 200     additional shower stall     two-tier locker for each     L       for each 200 additional     50 additional tenant-       tenant-occupants     occupants  | Over 200                 | additional shower stall for each 200 additional | two-tier locker for each 50 additional tenant-                     |  |  |

|            | Number of Required Parking                                      | Number of Designated Parking  |                |  |  |
|------------|---|---|----------------|--|--|
|            | <b>Spaces</b><br>0-9  | <b>Spaces</b><br>0  |                |  |  |
|            | 10-25   | 2   |                |  |  |
|            | 26-50   | 4   |                |  |  |
|            | 51-75   | 6   | -              |  |  |
|            | 76-100  | 9   | -              |  |  |
|            | 101-150   | 11  |                |  |  |
|            | 151-200   | 18  |                |  |  |
|            | 201 and over  | At least 10% of total   |                |  |  |
| be conside | red eligible for designated pa<br>to be provided within the ove | stickers from expired HOV lane<br>rking spaces. The required desi<br>erall minimum parking requiren | gnated parking |  |  |
| auditiont  | " only if the project is a reside                               | ential project, or if it does not inc   | clude          |  |  |
| Check "N/A | ntial use in a TPA.   |   |                |  |  |

|   | - |   |
|---|---|---|
| 7. Transportation Demand Management Program   |   |   |
| If the project would accommodate over 50 tenant-occupants (employees), would it include a transportation demand management program that would be applicable to existing tenants and future tenants that includes:                         |   |   |
| At least one of the following components:   |   |   |
| Parking cash out program  |   |   |
| <ul> <li>Parking management plan that includes charging employees market-rate for<br/>single-occupancy vehicle parking and providing reserved, discounted, or free<br/>spaces for registered carpools or vanpools</li> </ul>              |   |   |
| <ul> <li>Unbundled parking whereby parking spaces would be leased or sold separately<br/>from the rental or purchase fees for the development for the life of the<br/>development</li> </ul>  |   |   |
| And at least three of the following components:   |   |   |
| <ul> <li>Commitment to maintaining an employer network in the SANDAG iCommute<br/>program and promoting its RideMatcher service to tenants/employees</li> </ul>   |   |   |
| On-site carsharing vehicle(s) or bikesharing  |   |   |
| Flexible or alternative work hours  |   |   |
| Telework program  |   |   |
| Transit, carpool, and vanpool subsidies   |   |   |
| Pre-tax deduction for transit or vanpool fares and bicycle commute costs  |   | П |
| <ul> <li>Access to services that reduce the need to drive, such as cafes, commercial<br/>stores, banks, post offices, restaurants, gyms, or childcare, either onsite or within<br/>1,320 feet (1/4 mile) of the structure/use?</li> </ul> |   |   |
| Check "N/A" only if the project is a residential project or if it would not accommodate over 50 tenant-occupants (employees).   |   |   |
|   |   |   |
|   |   |   |
|   |   |   |
|   |   |   |
|   |   |   |
|   |   |   |
|   |   |   |
|   |   |   |
|   |   |   |
|   |   |   |
|   |   |   |
|   |   |   |
|   |   |   |

## Step 3: Project CAP Conformance Evaluation (if applicable)

The third step of the CAP consistency review only applies if Step 1 is answered in the affirmative under option B. The purpose of this step is to determine whether a project that is located in a TPA but that includes a land use plan and/or zoning designation amendment is nevertheless consistent with the assumptions in the CAP because it would implement CAP Strategy 3 actions. In general, a project that would result in a reduction in density inside a TPA would not be consistent with Strategy 3.The following questions must each be answered in the affirmative and fully explained.

1. Would the proposed project implement the General Plan's City of Villages strategy in an identified Transit Priority Area (TPA) that will result in an increase in the capacity for transit-supportive residential and/or employment densities?

Considerations for this question:

- Does the proposed land use and zoning designation associated with the project provide capacity for transit-supportive residential densities within the TPA?
- Is the project site suitable to accommodate mixed-use village development, as defined in the General Plan, within the TPA?
- Does the land use and zoning associated with the project increase the capacity for transit-supportive employment intensities within the TPA?
- 2. Would the proposed project implement the General Plan's Mobility Element in Transit Priority Areas to increase the use of transit? Considerations for this question:
  - Does the proposed project support/incorporate identified transit routes and stops/stations?
  - Does the project include transit priority measures?
- 3. Would the proposed project implement pedestrian improvements in Transit Priority Areas to increase walking opportunities? Considerations for this question:
  - Does the proposed project circulation system provide multiple and direct pedestrian connections and accessibility to local activity centers (such as transit stations, schools, shopping centers, and libraries)?
  - Does the proposed project urban design include features for walkability to promote a transit supportive environment?

#### 4. Would the proposed project implement the City of San Diego's Bicycle Master Plan to increase bicycling opportunities? Considerations for this question:

- Does the proposed project circulation system include bicycle improvements consistent with the Bicycle Master Plan?
- Does the overall project circulation system provide a balanced, multimodal, "complete streets" approach to accommodate mobility needs of all users?

#### 5. Would the proposed project incorporate implementation mechanisms that support Transit Oriented Development? <u>Considerations for this question:</u>

- Does the proposed project include new or expanded urban public spaces such as plazas, pocket parks, or urban greens in the TPA?
- Does the land use and zoning associated with the proposed project increase the potential for jobs within the TPA?
- Do the zoning/implementing regulations associated with the proposed project support the efficient use of parking through mechanisms such as: shared parking, parking districts, unbundled parking, reduced parking, paid or time-limited parking, etc.?

### 6. Would the proposed project implement the Urban Forest Management Plan to increase urban tree canopy coverage?

Considerations for this question:

- Does the proposed project provide at least three different species for the primary, secondary and accent trees in order to accommodate varying parkway widths?
- Does the proposed project include policies or strategies for preserving existing trees?
- Does the proposed project incorporate tree planting that will contribute to the City's 20% urban canopy tree coverage goal?

# SD CLIMATE ACTION PLAN CONSISTENCY CHECKLIST ATTACHMENT A

This attachment provides performance standards for applicable Climate Action Pan (CAP) Consistency Checklist measures.

| Land Use Type                    | Roof Slope | Minimum 3-Year Aged<br>Solar Reflectance | Thermal Emittance | Solar Reflective Index |
|----------------------------------|------------|--|-------------------|------------------------|
| Law Diag Desidential             | ≤2:12      | 0.55                                     | 0.75              | 64                     |
| Low-Rise Residential             | > 2:12     | 0.20                                     | 0.75              | 16                     |
| High-Rise Residential Buildings, | ≤2:12      | 0.55                                     | 0.75              | 64                     |
| Hotels and Motels                | > 2:12     | 0.20                                     | 0.75              | 16                     |
| Nex Desidential                  | ≤2:12      | 0.55                                     | 0.75              | 64                     |
| Non-Residential —                | > 2:12     | 0.20                                     | 0.75              | 16                     |

CALGreen does not include recommended values for low-rise residential buildings with roof slopes of  $\leq$  2:12 for San Diego's climate zones (7 and 10). Therefore, the values for climate zone 15 that covers Imperial County are adapted here.

Solar Reflectance Index (SRI) equal to or greater than the values specified in this table may be used as an alternative to compliance with the aged solar reflectance values and thermal emittance.

| able 2 Fixture Flow Rates for Non-Residential Buildings related to Question 2: Plumbing Fixtures a<br>Fittings supporting Strategy 1: Energy & Water Efficient Buildings of the Climate Action Pla |   |                                       |  |  |
|--|---|---------------------------------------|--|--|
|  | Fixture Type                              | Maximum Flow Rate                     |  |  |
|  | Showerheads                               | 1.8 gpm @ 80 psi                      |  |  |
|  | Lavatory Faucets                          | 0.35 gpm @60 psi                      |  |  |
|  | Kitchen Faucets                           | 1.6 gpm @ 60 psi                      |  |  |
|  | Wash Fountains                            | 1.6 [rim space(in.)/20 gpm @ 60 psi]  |  |  |
|  | Metering Faucets 0.18 gallons/cycle       |                                       |  |  |
|  | Metering Faucets for Wash Fountains       | 0.18 [rim space(in.)/20 gpm @ 60 psi] |  |  |
|  | Gravity Tank-type Water Closets           | 1.12 gallons/flush                    |  |  |
|  | Flushometer Tank Water Closets            | 1.12 gallons/flush                    |  |  |
|  | Flushometer Valve Water Closets           | 1.12 gallons/flush                    |  |  |
|  | Electromechanical Hydraulic Water Closets | 1.12 gallons/flush                    |  |  |
|  | Urinals                                   | 0.5 gallons/flush                     |  |  |
| Source: Adapted  | Urinals                                   |                                       |  |  |

Source: Adapted from the <u>California Green Building Standards Code</u> (CALGreen) Tier 1 non-residential voluntary measures shown in Tables A5.303.2.3.1 and A5.106.11.2.2, respectively. See the <u>California Plumbing Code</u> for definitions of each fixture type.

Where complying faucets are unavailable, aerators rated at 0.35 gpm or other means may be used to achieve reduction.

Acronyms:

gpm = gallons per minute psi = pounds per square inch (unit of pressure)

in. = inch

| Table 3Standards for Appliances and Fixtures for Commercial Application related to Question 2:Plumbing Fixtures and Fittings supporting Strategy 1: Energy & Water Efficient Buildings of<br>the Climate Action Plan   |   |   |  |  |  |  |
|--|---|---|--|--|--|--|
| Appliance/Fixture Type   | Standard  |   |  |  |  |  |
| Clothes Washers  | Maximum Water Factor<br>(WF) that will reduce the use of water by 10 percent<br>below the California Energy Commissions' WF standards<br>for commercial clothes washers located in Title 20<br>of the California Code of Regulations. |   |  |  |  |  |
| Conveyor-type Dishwashers  | 0.70 maximum gallons per rack (2.6 L)<br>(High-Temperature)   | 0.62 maximum gallons per rack (4.4<br>L) (Chemical) |  |  |  |  |
| Door-type Dishwashers  | 0.95 maximum gallons per rack (3.6 L)<br>(High-Temperature)   | 1.16 maximum gallons per rack (2.6<br>L) (Chemical) |  |  |  |  |
| Undercounter-type Dishwashers  | 0.90 maximum gallons per rack (3.4 L)<br>(High-Temperature)   | 0.98 maximum gallons per rack (3.7<br>L) (Chemical) |  |  |  |  |
| Combination Ovens  | Consume no more than 10 gallons per hour (3   | 8 L/h) in the full operational mode.                |  |  |  |  |
| Commercial Pre-rinse Spray Valves (manufactured on or after January 1, 2006)       Function at equal to or less than 1.6 gallons per minute (0.10 L/s) at 60 psi (414 kPa) a seconds per plate.         Be capable of cleaning 60 plates in an average time of not more than 30 seconds per plate.         Be equipped with an integral automatic shutoff.         Operate at static pressure of at least 30 psi (207 kPa) when designed for a fl rate of 1.3 gallons per minute (0.08 L/s) or less. |   |   |  |  |  |  |
| Source: Adapted from the <u>California Green Building Standa</u><br>the <u>California Plumbing Code</u> for definitions of each applia   |   | sures shown in Section A5.303.3. See                |  |  |  |  |
| Acronyms:<br>L = liter<br>L/h = liters per hour<br>L/s = liters per second<br>psi = pounds per square inch (unit of pressure)<br>kPa = kilopascal (unit of pressure)   |   |   |  |  |  |  |

# Appendix C

## SANDAG Series 13 Data

# Table CSANDAG Vehicle Miles of Travel Report

Scenario ID 991

Junipers - 2020 Junipers - Project Site

| VMT per Resident       |           |             |                        |                         |                  |  |
|------------------------|-----------|-------------|------------------------|-------------------------|------------------|--|
|                        | Residents | Total Trips | Person Miles of Travel | Vehicle Miles of Travel | VMT per Resident |  |
| Regionwide             | 3,435,715 | 12,302,411  | 77,559,665             | 56,353,219              | 16.4             |  |
| Jurisdiction San Diego | 1,453,025 | 5,228,315   | 29,404,995             | 20,993,979              | 14.4             |  |
| CPA Rancho Penasquitos | 45,928    | 171,466     | 1,190,810              | 879,796                 | 19.2             |  |
| Project Site           | 2,601     | 10,041      | 65,988                 | 48,580                  | 18.7             |  |

| VMT per Employee       |           |             |                        |                         |                  |  |
|------------------------|-----------|-------------|------------------------|-------------------------|------------------|--|
|                        | Employees | Total Trips | Person Miles of Travel | Vehicle Miles of Travel | VMT per Employee |  |
| Regionwide             | 1,444,771 | 4,995,914   | 41,235,140             | 35,989,589              | 24.9             |  |
| Jurisdiction San Diego | 783,383   | 2,649,114   | 21,579,539             | 18,994,993              | 24.2             |  |
| CPA Rancho Penasquitos | 5,091     | 19,414      | 158,538                | 132,534                 | 26.0             |  |
| Project Site           | 253       | 944         | 6,770                  | 5,583                   | 22.1             |  |

Report Generated: 01/10/19



#### TABLE1 (Continued)

May 2003

#### TRIP GENERATION RATE SUMMARY (WEEKDAY)

|  | DRIVEWAY <sup>(1)(2)</sup> CUMULATIVE <sup>(8)</sup>   |  |  | OUR AND<br>RATIO                                   |
|--|--|--|--|--|
| LAND USE   | VEHICLE TRIP RATE  | VEHICLE TRIP RATE  | AM (IN:OUT)  | PM (IN:OUT)  |
| <b>LODGING</b> <sup>(3)</sup><br>Hotel (w/convention facilities/restaurant)  | 10 trips/room; 300 trips/acre  | 10 trips/room; 300 trips/acre  | 6% (6:4)   | 8% (6:4)   |
| Motel<br>Resort Hotel  | 9 trips/room; 200 trips/acre<br>8 trips/room; 100 trips/acre   | 9 trips/room; 200 trips/acre<br>8 trips/room; 100 trips/acre   | 8% (4:6)<br>5% (6:4)                               | 9% (4:6)<br>7% (6:4)                               |
| MILITARY BASE <sup>(3)</sup>   | 2.5 trips/employee (military or civilian)  | 2.5 trips/employee (military or civilian)  | 9% (9:1)   | 10% (6:4)  |
| OFFICE<br>Commercial Office <sup>(6)</sup>   | Ln(T) = 0.756 Ln(x) + 3.95; 450 trips/acre   | Ln(T) = 0.756 Ln(x) + 3.95; 450 trips/acre   | 13% (9:1)  | 14% (2:8)  |
| Corporate Headquarters/Single Tenant Office  | 10  trips/1,000 sq. ft.  | 10  trips/1,000 sq. ft.  | 15% (9:1)  | 14% (2.8)  |
| Department of Motor Vehicles<br>Government Office (Civic Center):  | 180 trips/1,000 sq. ft.; 900 trips/acre<br>30 trips/1,000 sq. ft.  | 18 trips/1,000 sq. ft.   | 6% (6:4)<br>9% (9:1)                               | 11% (4:6)<br>12% (3:7)                             |
| Less than 100,000 sq. ft.<br>100,000 sq. ft. or more<br>Medical Office:  | 50 trips/1,000 sq. ft.; 500 trips/acre   | 20 trips/1,000 sq. ft.<br>16 trips/1,000 sq. ft.   | 9% (9:1)<br>9% (9:1)<br>6% (8:2)                   | 12% (3:7)<br>12% (3:7)<br>10% (3:7)                |
| Less than 100,000 sq. ft. 100,000 sq. ft.  |  | 20 trips/1,000 sq. ft.<br>16 trips/1,000 sq. ft.   | 6% (8:2)<br>6% (8:2)                               | 10% (3:7)<br>10% (3:7)                             |
| Post Office:<br>Distribution (central/walk-in only)<br>Community (without mail drop lane)<br>Community (with mail drop lane)<br>Less than 100,000 sq. ft.<br>100,000 sq. ft. or more | 90 trips/1,000 sq. ft.<br>200 trips/1,000 sq. ft.; 1,300 trips/acre<br>300 trips/1,000 sq. ft.; 2,000 trips/acre   | 76 trips/1,000 sq. ft.<br>168 trips/1,000 sq. ft.; 1,092 trips/acre<br>168 trips/1,000 sq. ft.; 1,092 trips/acre<br>252 trips/1,000 sq. ft.; 1,680 trips/acre              | 5%<br>6% (6:4)<br>7% (5:5)<br>7% (5:5)<br>7% (5:5) | 7%<br>9% (5.5)<br>9% (3.7)<br>7% (6:4)<br>8% (7:3) |
| RECREATION<br>Bowling Center<br>Golf Course<br>Marina<br>Movie Theater<br>Park:  | 30 trips/lane; 300 trips/acre<br>600 trips/course; 40 trips/hole; 8 trips/acre<br>4 trips/berth; 20 trips/acre<br>80 trips/1,000 sq. ft.; 1.8 trips/seat                   | 30 trips/lane; 300 trips/acre<br>600 trips/course; 40 trips/hole; 8 trips/acre<br>4 trips/berth; 20 trips/acre<br>80 trips/1,000 sq. ft.; 1.8 trips/seat                   | 7% (7:3)<br>6% (8:2)<br>3% (3:7)<br>0.3%           | 10% (4:6)<br>9% (3:7)<br>7% (6:4)<br>8% (7:3)      |
| Beach, Ocean or Bay<br>Developed<br>Undeveloped<br>Racquetball/Tennis/Health Club<br>San Diego Zoo<br>Sea World<br>Sport Facility:   | 600 trips/1,000 ft. shoreline; 60 trips/acre<br>50 trips/acre<br>5 trips/acre<br>40 trips/1,000 sq. ft.; 40 trips/court; 300 trips/acre<br>115 trips/acre<br>80 trips/acre | 600 trips/1,000 ft. shoreline; 60 trips/acre<br>50 trips/acre<br>5 trips/acre<br>40 trips/1,000 sq. ft.; 40 trips/court; 300 trips/acre<br>115 trips/acre<br>80 trips/acre | 4%<br>4%<br>4% (6:4)<br>                           | 11% (4:6)<br>8%<br>8%<br>9% (6:4)<br>              |
| Indoor<br>Outdoor  | 30 trips/acre<br>50 trips/acre   | 30 trips/acre<br>50 trips/acre   |  |  |