



Appendix FEIR-6


Shade/Shadow Study



9:00 AM



10:00 AM




11:00 AM



12:00 PM




1:00 PM




2:00 PM







3:00 PM




4:00 PM




5:00 PM




+4 HOURS OF SHADOW - CEQA OVERLAY*
 (A PROJECT IMPACT WOULD NORMALLY BE CONSIDERED SIGNIFICANT IF SHADOW-SENSITIVE USES WOULD BE SHADED BY PROJECT-RELATED STRUCTURES [...] FOR MORE THAN FOUR HOURS BETWEEN THE HOURS OF 9:00 A.M. AND 5:00 P.M. PACIFIC DAYLIGHT TIME (BETWEEN EARLY APRIL AND LATE OCTOBER)).



9:00 AM



10:00 AM



11:00 AM




12:00 PM






1:00 PM




2:00 PM





3:00 PM



+3 HOURS OF SHADOW - CEQA OVERLAY*
 (A PROJECT IMPACT WOULD NORMALLY BE CONSIDERED SIGNIFICANT IF SHADOW-SENSITIVE USES WOULD BE SHADED BY PROJECT-RELATED STRUCTURES FOR MORE THAN THREE HOURS BETWEEN THE HOURS OF 9:00 A.M. AND 3:00 P.M. PACIFIC STANDARD TIME (BETWEEN LATE OCTOBER AND EARLY APRIL) [...])