

Appendix FEIR-3

Personal Communication with Lijin Sun



Everest Yan

From: Lijin Sun <LSun@aqmd.gov>
Sent: Wednesday, May 16, 2018 3:58 PM
To: Everest Yan
Subject: RE: CalEEMod Default Vehicle Fleet Mix

No new updates on the construction HRA analysis at this time. We have been short-staffed. Therefore, we have not kicked off the public process to develop the recommendations. In the meantime, please continue to consult with the Lead Agency to ensure that the analysis and intended methodologies are sufficient as substantial evidence for the CEQA document. As you know, we use the revised new OEHHA methodology for determining operational health impacts for permitting applications and also for all CEQA projects where we are the Lead Agency.

Thank you,
Lijin

Lijin Sun, J.D.
Program Supervisor, CEQA IGR
South Coast Air Quality Management District
21865 Copley Drive, Diamond Bar, CA 91765
Direct: (909) 396-3308
Fax: (909) 396-3324

From: Everest Yan [mailto:e.yan@eyestoneeir.com]
Sent: Wednesday, May 16, 2018 3:50 PM
To: Lijin Sun <LSun@aqmd.gov>
Subject: RE: CalEEMod Default Vehicle Fleet Mix

Thanks Lijin,

On a different topic, has there been any new guidance from the SCAQMD regarding the use of new OEHHA health risk guidelines for construction analyses? Thanks again.

Everest

From: Lijin Sun [mailto:LSun@aqmd.gov]
Sent: Wednesday, May 16, 2018 11:20 AM
To: Everest Yan
Cc: Barbara Radlein
Subject: RE: CalEEMod Default Vehicle Fleet Mix

Hi Everest,

My colleague, Barbara Radlein, Program Supervisor, CEQA/Rule Development, may help answer your CalEEMod questions. Barbara is copied on this email.