


NOTICE OF DETERMINATION

				Date:	April 14, 2021	
То:	Х	1400	e of Planning and Research Tenth Street, Room 121 mento, CA 95814	From:	East Bay Municipal Utility District (EBMUD) Responsible Agency/Project Applicant 375 Eleventh Street, MS 701 Oakland, CA 94607-4240	
	X Cour 1106		ty Clerk-Recorder ty of Alameda Madison Street and, CA 94607	Contact:	An Bartlett; 510-287-2060; an.bartlett@ebmud.cor California Department of Transportation (Caltrans) Lead Agency/Project Applicant 111 Grand Ave., Oakland, CA 94612	
				Contact:	Cristin Hallissy; 510-622-8717	
•		•	·		1108 or 21152 of the Public Resources Code.	
State Clearinghou			ise Number (if submitted to State Clear	inghouse):	2018122057	
Project Title:			Interstate 80/Gilman Street Interchange Improvement Project			
Project Location:			City of Berkeley, Alameda County (see a ttached map)			
Project Description: This is to advise th			Water Pipeline Project (Project) and a Transportation Commission to facilita Project. The utility agreement will restreey cled water pipe at the Gilman Street Berkeley. Approximately 1,000 feet of Frontage Road and 5th Street, and 1,50 Gilman Street, where it will be connected installing the recycled water pipeline of Improvement Project - Initial Study Nof No Significant Impact, prepared by Alameda County Transportation Comwork as part of the Interstate 80/Gilman	uthorized a ute installation ult in installa eet interchang f the pipeline 00 feet will be cted to an exist were a nalyzed (egative Declar California D mission will can Street Inte	5 1	
			Lead Agency 🛮 Respons	ible Agency	<u> </u>	
April 13, 2021 and has made the following of				terminations	regarding the above described project.	
2.	The project will will not have a significant effect on the environment. An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA. EBMUD considered the Negative Declaration as prepared for this project by CEQA lead agency Caltrans.					
•			nsures ☐ were were not made a c			
5. A statement of			porting or monitoring plan \square was \boxtimes was not adopted for this project. For one considerations \square was \boxtimes was not adopted for this project. For ere \square were not made pursuant to the provisions of CEQA.			
This is	to ce	rtify tha	t the Environmental Impact Repor	t		
		•	Negative/Mitigated Negative	Declaration		
recor	d of pr	oject ap	proval is available to the General Publ	icat:		
httı	os://w	ww.alar	oal Utility District, Office of the Secretar nedactc.org/wp-content/uploads/2019/0 dices 20190617.pdf		, 375 Eleventh Street, Oakland, CA 94607, and <u>OGilman FED IS-</u>	
Secr	etary o	of the Dis	strict			
{00060	302;1}					



Gilman Interchange Recycled Water Project Location Map



{00060302;1}