

Appendix B10-4

Critical Habitat by Ecoregion

Critical Habitat within Treatable Landscape by Ecoregion

| Scientific Name | Common Name | Acres within Ecoregion | | | | | | | | | | | | | | | | | |
|---|-------------------------------------|--------------------------|---------------------------|--------------|---------------------------|---------------|-----------------|------|--------------------------|------------------------------|-------------------|----------------------------------|---|-------------------|---------------|-------------------------|---------------|---------------------------------|---|
| | | Central California Coast | Southern California Coast | Great Valley | Northern California Coast | Mojave Desert | Colorado Desert | Mono | Southeastern Great Basin | Northwestern Basin and Range | Klamath Mountains | Northern California Coast Ranges | Northern California Interior and Coast Ranges | Southern Cascades | Sierra Nevada | Sierra Nevada Foothills | Modoc Plateau | Central California Coast Ranges | Southern California Mountains and Valleys |
| <i>Deinandra</i> (=Hemizonia) <i>conjugens</i> | Otay tarplant | | 1,067 | | | | | | | | | | | | | | | | |
| <i>Deinandra</i> <i>increscens</i> ssp. <i>villosa</i> | Gaviota Tarplant | | 5,053 | | | | | | | | | | | | | | | | |
| <i>Delphinium</i> <i>bakeri</i> | Baker's larkspur | | | | 1,661 | | | | | | | | | | | | | | |
| <i>Delphinium</i> <i>luteum</i> | Yellow larkspur | | | | 2,016 | | | | | | | | | | | | | | |
| <i>Diplacus</i> <i>vandenbergensis</i> | Vandenberg monkeyflower | | 5,237 | | | | | | | | | | | | | | | | |
| <i>Erigeron</i> <i>parishii</i> | Parish's daisy | | | | | 88 | | | | | | | | | | | | | 335 |
| <i>Eriodictyon</i> <i>capitatum</i> | Lompoc yerba santa | | 5,190 | | | | | | | | | | | | | | | | |
| <i>Eriogonum</i> <i>kennedyi</i> var. <i>austromontanum</i> | Southern mountain wild-buckwheat | | | | | | | | | | | | | | | | | | 31 |
| <i>Eriogonum</i> <i>ovalifolium</i> var. <i>vineum</i> | Cushenbury buckwheat | | | | | 5 | | | | | | | | | | | | | 550 |
| <i>Fremontodendron</i> <i>mexicanum</i> | Mexican flannelbush | | <1 | | | | | | | | | | | | | | | | <1 |
| <i>Holocarpha</i> <i>macradenia</i> | Santa Cruz tarplant | 883 | | | | | | | | | | | | | | | | | |
| <i>Ivesia</i> <i>webberi</i> | Webber's ivesia | | | | | | | 179 | | | | | | 229 | | | | | |
| <i>Lasthenia</i> <i>conjugens</i> | Contra Costa goldfields | 326 | | 380 | 3,152 | | | | | | | | | | | | | 857 | |
| <i>Lesquerella</i> <i>kingii</i> ssp. <i>bernardina</i> | San Bernardino Mountains bladderpod | | | | | | | | | | | | | | | | | | 10 |
| <i>Limnanthes</i> <i>floccosa</i> ssp. <i>californica</i> | Butte County meadowfoam | | | 3,841 | | | | | | | | | | | 4,336 | | | | |
| <i>Monardella</i> <i>viminea</i> | Willow monardella | | 22 | | | | | | | | | | | | | | | | |
| <i>Navarretia</i> <i>fossalis</i> | Spreading navarretia | | 397 | | | | | | | | | | | | | | | | 1,145 |
| <i>Neostapfia</i> <i>colusana</i> | Colusa grass | | | 22,517 | | | | | | | | | | | 1,319 | | | | |
| <i>Orcuttia</i> <i>inaequalis</i> | San Joaquin Orcutt grass | | | 20,807 | | | | | | | | | | | 11,175 | | | | |
| <i>Orcuttia</i> <i>pilosa</i> | Hairy Orcutt grass | | | 13,630 | | | | | | | | | | | 735 | | | | |
| <i>Orcuttia</i> <i>tenuis</i> | Slender Orcutt grass | | | 969 | | | | | | | 3,945 | 9,079 | 2,231 | | 11,513 | | | | |
| <i>Orcuttia</i> <i>viscida</i> | Sacramento Orcutt grass | | | 7,086 | | | | | | | | | | | | | | | |
| <i>Oxytheca</i> <i>parishii</i> var. <i>goodmaniana</i> | Cushenbury oxytheca | | 368 | | | | | | | | | | | | | | | | 363 |
| <i>Pentachaeta</i> <i>lyonii</i> | Lyon's pentachaeta | | 1,207 | | | | | | | | | | | | | | | | |
| <i>Piperia</i> <i>yadonii</i> | Yadon's piperia | 2,078 | | | | | | | | | | | | | | | | | |
| <i>Poa</i> <i>atropurpurea</i> | San Bernardino bluegrass | | | | | | | | | | | | | | | | | | 532 |
| <i>Polygonum</i> <i>hickmanii</i> | Scotts Valley Polygonum | 31 | | | | | | | | | | | | | | | | | |
| <i>Sidalcea</i> <i>keckii</i> | Keck's Checker-mallow | | | | | | | | | | | | | | 799 | | | | |
| <i>Taraxacum</i> <i>californicum</i> | California taraxacum | | | | | | | | | | | | | | | | | | 454 |
| <i>Thlaspi</i> <i>californicum</i> | Kneeland Prairie penny-cress | | | | 74 | | | | | | | | | | | | | | |
| <i>Tuctoria</i> <i>greenii</i> | Greene's tuctoria | | | 20,854 | | | | | | | | | 28 | | 2,533 | | | | |

Source: Compiled by Ascent Environmental in 2019 from data downloaded from USFWS