MITIGATED NEGATIVE DECLARATION FOR 2019 TEHAMA-COLUSA CANAL AUTHORITY IN BASIN WATER TRANSFERS

LEAD AGENCY: Tehama-Colusa Canal Authority

PO Box 1025 Willows, CA 95988

AVAILABILITY OF DOCUMENTS: The initial study for this mitigated negative declaration is available for review at: Tehama-Colusa Canal Authority, 5513 State Highway 162, Willows, CA 95988 and online at http://www.tccanal.com/news.php.

Questions or comments regarding this mitigated negative declaration and initial study may be addressed to:


Tehama-Colusa Canal Authority
Attention: Mr. Jeff Sutton
PO Box 1025
Willows, CA 95988
Fax (530) 934-2355 or e-mail: jsutton@tccanal.com

Project Description: Unpredictable hydrologic conditions have led the Tehama-Colusa Canal Authority (TCCA) and its Member Units to solicit willing sellers to transfer water in 2019. A number of entities have expressed interest in transferring water to the Member Units of the TCCA. The TCCA would negotiate with these sellers, on behalf of the Member Units, to identify potential transfers and the specifics of each transfer arrangement, which, collectively, constitute the "proposed project" addressed in the Initial Study. Transfers would be from willing sellers within the Sacramento Valley to buyers within the Sacramento Valley. This Mitigated Negative Declaration is based on the Environmental Assessment/Initial Study (EA/IS) that analyzes these water transfers. The water would be made available for transfer through a combination of cropland idling and groundwater substitution.

Project Location: The proposed transfers could originate in Colusa, Glenn, Sacramento, Shasta, Sutter, Tehama, or Yolo Counties from sellers shown on the map on the next page. The transfer buyers could be in Colusa, Glenn, Tehama, or Yolo Counties.

Findings: An initial study was prepared to assess the proposed transfers' potential effects on the environment and the significance of those impacts. Based on the initial study, the TCCA has determined that the proposed project will not have a significant impact on the environment. This conclusion is supported by the following findings:

- The project will not result in impacts to agriculture and forestry resources, cultural resources, hazards and hazardous materials, land use and planning, mineral resources, population and housing, public services, recreation, transportation/traffic, tribal cultural resources, utilities and service systems, and wildlfires.
- The project will result in less than significant impacts to aesthetics, air quality, biological resources, energy, geology and soils, greenhouse gas emissions, hydrology and water quality, and noise.



Potential Selling Entities

Mitigation Measures: The initial study incorporated the following mitigation measures:

Mitigation Measure AQ-1

Selling agency would reduce pumping at diesel wells to reduce emissions to below the thresholds. If an agency is transferring water through cropland idling and groundwater substitution in the same year, the reduction in vehicle emissions can partially offset groundwater substitution pumping at a rate of 4.25 AF of water produced by idling to one acre-foot of groundwater pumped. Agencies may also decide to replace old diesel wells to reduce emission below the thresholds.

Any selling agency with potentially significant emissions, as determined by this EA/IS, will be required to submit information prior to the transfer that documents the wells that would be pumped to stay below the thresholds. The selling agency must also maintain recordkeeping logs that document the specific engine to be used for groundwater substitution transfers, the power rating (hp), and applicable emission factors. Emission calculations for daily emissions will be completed for comparison to the significance thresholds determined for each selling agency. In the annual report, the selling agencies will be required to submit documentation specifying that the wells would only be pumped in accordance with the transfer proposals.

Mitigation Measure VEG and WILD-1: Protect Existing Habitat for Terrestrial Wildlife Mitigation Measure VEG and WILD-1 includes measures to avoid potentially significant impacts to terrestrial species associated with making water available for transfer through cropland idling actions and reduce any potential impacts to less than significant:

- As part of the review and approval process for proposed water transfers, Reclamation will have access to the land to verify how the water proposed for transfer is being made available and to verify that actions to protect the giant garter snake are being implemented.
- Movement corridors for aquatic species (including pond turtle and giant garter snake)
 include major irrigation and drainage canals. The water seller will keep adequate water in
 major irrigation and drainage canals. Canal water depths should be similar to years when
 transfers do not occur or, where information on existing water depths is limited, at least
 two feet of water will be considered sufficient.
- Maintaining water in smaller drains and conveyance infrastructure supports key habitat
 attributes such as emergent vegetation for giant garter snake escape cover and foraging
 habitat. If cropland idling/shifting occurs, Reclamation will work with sellers to document
 that adequate water remains in drains and canals. Documentation may include flow
 records, photo documentation, or other means of documentation subject to approval by
 Reclamation and USFWS.
- Fields abutting or immediately adjacent to areas with known important giant garter snake populations (Appendix G) will not be permitted to participate in cropland idling/shifting transfers. Important giant garter snake populations are defined for purposes of this mitigation measure as populations previously identified by biologists from USFWS, USGS, and possibly contract biologists. These populations of giant garter snakes were identified early on as having been identified in previous consultations and are in, or connected to, areas that are considered public or protected. Most of these areas have specific management plans for giant garter snakes either for mitigation or as wildlife refuges. One factor influencing the importance of these areas is that they can provide a refuge for snakes independent of rice production. Fields abutting or immediately adjacent to the following areas are considered important giant garter snake populations:

- Little Butte Creek between Llano Seco and Upper Butte Basin Wildlife Area
- Butte Creek between Upper Butte Basin and Gray Lodge Wildlife areas
- Colusa Basin drainage canal between Delevan and Colusa National Wildlife Refuges
- Gilsizer Slough
- Colusa Drainage Canal
- Land side of the Toe Drain along the Sutter Bypass
- Willow Slough and Willow Slough Bypass in Yolo County
- Hunters and Logan Creeks between Sacramento and Delevan National Wildlife Refuges
- Lands in the Natomas Basin
- At the end of the water transfer year, Reclamation will prepare an annual monitoring report that contains the following:
 - Maps of rice production and all cropland idling actions within the seller district that occurred within the range of potential methods of making water available for transfer analyzed in this EA/IS.
 - Results of current scientific research, summary of monitoring pertinent to water transfer actions, and new giant garter snake detections.
 - Discussion of conservation measure effectiveness.
 - Cumulative history of crop idling and crop shifting specifically to make water available for transfer within the sellers' area.

The report will be submitted to the USFWS and CDFW no later than January 31, prior to the next year of potential transfers.

- Reclamation will establish annual meetings with the Service to discuss the contents and findings of the annual report. These meetings will be scheduled following the distribution of the monitoring report and prior to February 29.
- If, upon Reclamation's review of monitoring reports or other scientific literature, it appears
 that the Project is having unanticipated effects on the giant garter snake, Reclamation will
 contact the Service to discuss the information available and effectiveness of Project
 conservation measures.
- Reclamation will monitor the effectiveness of the conservation measures by funding giant garter snake distribution and occupancy research. The research, conducted by USGS, includes annual sampling of giant garter snake within the action area and focuses on their distribution and occupancy dynamics. The research is designed to evaluate the effectiveness of the conservation measures to maintain giant garter snake occupancy at sites making water available for transfer.

Mitigation Measure GW-1: Monitoring Program and Mitigation Plan

The objective of Mitigation Measure GW-1 is to avoid potentially significant adverse environmental effects from groundwater level declines such as (1) impacts to other legal users of water; (2) land subsidence; (3) adverse effects to groundwater-dependent vegetation and/or (4) migration of reduced quality groundwater. The mitigation measure also requires prompt corrective action so that impacts discussed previously will be reduced to less than significant in the event unanticipated effects occur. The measure accomplishes this by monitoring groundwater levels and land subsidence in the period during which groundwater is being pumped in lieu of diverting the surface water. Additionally, the mitigation plan identifies necessary preventative action measures if monitoring shows that identified trigger points are reached during transfer-related pumping.

Reclamation will verify that sellers implement the monitoring program and mitigation plan to avoid potentially significant adverse effects of transfer-related groundwater extraction. In addition, each entity making surface water available for transfer through groundwater substitution actions must confirm that the proposed groundwater pumping will be compatible with state and local regulations and Groundwater Management Plans (GMPs). As Groundwater Sustainability Plans (GSPs) are developed by Groundwater Sustainability Agencies, potential sellers must confirm that the proposed pumping and the following Monitoring Program and Mitigation Plan verified by Reclamation is compatible with applicable GSPs.

Well Review Process

Potential sellers must submit well data for Reclamation and, where appropriate, DWR review, as part of the transfer approval process. Required information will be detailed in the most current version of the *DRAFT Technical Information for Preparing Water Transfer Proposals* (Reclamation and DWR 2015).

Monitoring Program

Potential sellers must complete and implement a monitoring program subject to Reclamation's approval that shall include, at a minimum, the following components:

Monitoring Well Network

The monitoring program shall incorporate a sufficient number of monitoring wells, as determined by Reclamation, to accurately characterize groundwater levels from the appropriate aquifers and their response in the area before, during, and after transfer-related substitution pumping takes place. Depending on local conditions, additional groundwater level monitoring may be required near ecological resource areas. It should be noted that monitoring well networks have been established for some of the participating pumping wells (those wells being used in lieu of diverting surface water that is being made available for transfer) that have also participated in water transfers in previous years. For wells that have not participated in water transfers previously, the sellers would identify, in the transfer proposal, suitable monitoring wells as defined below for review and approval by Reclamation. If a suitable monitoring well(s) is not identified for a participating pumping well, the well will not be allowed to participate in a water transfer until a suitable monitoring well(s) is identified.

The monitoring well network would include the participating pumping well and a suitable groundwater level monitoring well(s) in the vicinity of the participating pumping well(s). Suitable monitoring well(s) would: (1) be within a two-mile radius of the seller's groundwater substitution pumping well; (2) be located within the same Bulletin 118 subbasin as the groundwater substitution pumping well; and (3) have a screen depth(s) in the same aquifer level (shallow, intermediate, or deep) as the groundwater substitution pumping well. Wells with short historic records could be considered, but short records (that do not extend to 2014 or earlier) could limit the transfer because the historic low would not reflect the persistent dry conditions from 2011 to 2015. In this situation, the lowest groundwater level for the short period of record would be

used, but because the groundwater level would likely be higher than the historic low during the prior drought period, the groundwater level triggers (described below) would be more restrictive (i.e., the lowest recorded groundwater level could be reached more quickly during transfer-related groundwater substitution pumping than occurred in the short period of record when groundwater levels were higher).

Monitoring requirements at the participating groundwater substitution pumping well and suitable monitoring well(s) would detect impacts to third parties and land subsidence. Monitoring and mitigation for impacts to groundwater dependent deep-rooted vegetation and migration of reduced quality groundwater are discussed below under "Other Monitoring".

Groundwater Level Monitoring

Sellers will collect measurements of groundwater levels in both the participating wells and monitoring wells. Groundwater level measurements will be used to identify potential concerns for both third party impacts and irreversible subsidence based on the identified trigger points. Groundwater level monitoring will include measurements before, during, and after transfer-related substitution pumping. The seller will measure groundwater levels as follows:

- <u>Prior to transfer</u>: Groundwater levels will be measured in both the participating pumping well(s) and the monitoring well(s) monthly from March in the year of the proposed transferrelated substitution pumping until the start of the transfer- pumping. Monitoring will also be conducted on the day that the transfer- pumping begins, prior to the pump being turned on.
- During transfer-related substitution pumping: Groundwater levels will be measured in both the participating pumping well(s) and the monitoring well(s) weekly throughout the pumping period.
- Post-transfer pumping: Groundwater levels will be measured in both the participating
 well(s) and the monitoring well(s) weekly for one month after the end of transfer-related
 pumping, after which groundwater levels will be measured monthly through March of the
 year following the end of the pumping.

Groundwater Level Triggers

The primary criteria used to identify potentially significant impacts to groundwater levels are the BMOs set by GMPs. In the Sacramento Valley, Shasta, Tehama, Glenn, Butte, Colusa, Sutter, Yuba, Nevada, Placer, Sacramento and Yolo counties have established GMPs to provide guidance in managing the resource.

In areas where quantitative BMO groundwater level triggers exist, sellers will manage groundwater levels to these triggers and initiate the mitigation plan (discussed below) if groundwater levels reach the trigger. In areas where quantitative BMOs do not exist, sellers will manage groundwater levels to maintain them above the identified historic low groundwater level (trigger) and will initiate the mitigation plan (discussed below) if groundwater levels reach the trigger. Most of the quantitative BMOs within the Seller Service Area are tied to historic low groundwater levels. Therefore, the use of historic low groundwater levels in areas without quantitative BMOs is consistent with the approach for areas with quantitative BMOs. As part of a seller's transfer proposal subject to Reclamation's review and approval, the seller will need to identify the monitoring wells and the specific groundwater level trigger for each well (established through the local BMO or the historic low groundwater level for that well).

Groundwater level declines due to pumping occur initially at the pumping well and then propagate outward from that location. The magnitude of groundwater level decline caused by pumping also decreases with increasing distance from the pumping well. Therefore,

(

(<u>•</u>

groundwater level declines caused by transfer-related substitution pumping would be measured first at the pumping well and subsequently at the monitoring well. The decline would be greatest at the participating well and lower at the monitoring well. Therefore, it is likely that groundwater levels in the participating well would decline to the historic low level sooner than at the monitoring well(s). The monitoring well(s) would provide information surrounding the participating well to avoid potential cumulative impacts.

Other Monitoring

Groundwater Quality

For municipal sellers, the comprehensive water quality testing requirements of Title 22 are considered sufficient for the water transfer monitoring program. Agricultural sellers shall measure specific conductance in samples from each participating production well. Samples shall be collected when the seller first initiates transfer-related substitution pumping, monthly during the pumping period, and at the termination of transfer-related pumping.

Groundwater Pumping Measurements

All groundwater wells pumping to replace surface water made available for transfer shall be configured with a permanent instantaneous and totalizing flow meter capable of accurately measuring well discharge rates and volumes. Flow meters will be installed and calibrated in accordance with manufacturer's recommendations and the relevant documentation will be submitted by the seller to Reclamation. Flow meter readings will be recorded just prior to initiation of transfer-related substitution pumping and no less than monthly throughout the duration of the pumping period, as close as practical to the last day of the month. Readings will also be recorded just after cessation of pumping.

Shallow Groundwater Level Monitoring for Deep Rooted Vegetation

To avoid significant effects to vegetation and allow sellers to modify actions before significant effects occur, sellers will monitor groundwater level data to verify that significant adverse effects to deep-rooted vegetation are avoided. This monitoring is only required in areas with deep-rooted vegetation (i.e. oak trees and riparian trees that would have tap roots greater than 10 feet deep) within a one-half mile radius of the participating well and areas where groundwater levels are between 10 to 25 feet below ground surface prior to starting the transfer of surface water made available from groundwater substitution actions. This monitoring is not required in areas with no deep-rooted vegetation (i.e., oak trees and riparian trees that would not have tap roots greater than 10 feet deep) within one-half mile of the participating wells or in areas where vegetation is located along waterways or irrigated fields that will continue to have water during the period of transfer.

The seller would be required to identify if monitoring for deep-rooted vegetation is required in their transfer proposal to Reclamation and DWR. Existing resources such as DWR's groundwater dependent ecosystem maps (https://gis.water.ca.gov/app/NCDatasetViewer/) or any existing biological survey data in the area could be used to identify deep-rooted vegetation near the participating well.

If deep rooted vegetation is identified near the participating well, a groundwater level monitoring well with the following requirements would need to be identified and monitored: (1) monitoring well is within a one-half mile radius of the deep-rooted vegetation; and (2) monitoring well would measure shallow groundwater level changes (within the interval between 10 to 25 feet below ground surface). The participating well can function as the monitoring well if the previously mentioned requirements are met. If monitoring data at the monitoring well indicate that groundwater levels have dropped below root zones (i.e., more than 10 feet, where groundwater was 10 to 25 feet below ground surface prior to starting the surface-water transfer), the seller must implement actions set forth in the mitigation plan. If historic data show that groundwater

levels in the area have typically varied by more than this amount annually during the proposed transfer period, then the transfer may be allowed to proceed.

If no monitoring wells with the requirements discussed in the previous paragraph exist, monitoring would be based on visual observations by a qualified biologist of the health of these areas of deep-rooted vegetation until it is feasible to obtain or install shallow groundwater monitoring. If significant adverse impacts to deep-rooted vegetation¹ occur as a result of the transfer, despite the monitoring efforts and implementation of the mitigation plan, the seller will prepare a report. This report will document the result of the restoration activity to plant, maintain, and monitor restoration of vegetation for five years to replace the losses.

Coordination Plan

The monitoring program will include a plan to coordinate the collection and organization of monitoring data. This plan will describe how input from third- party well owners will be incorporated into the monitoring program and will include a plan for communication with Reclamation as well as other decision makers.

Additionally, Reclamation, Member Units of the TCCA, and potential seller(s) will coordinate closely with potentially affected third parties to collect and monitor groundwater data. If a third party expects that it may be affected by a proposed transfer, that party should contact Reclamation and the seller with its concern. The burden of collecting groundwater data will not be the responsibility of the third party. If warranted, additional groundwater level monitoring to address the third-party's concern may be incorporated into the monitoring and mitigation plans required by Mitigation Measure GW-1.

Evaluation and Reporting

The monitoring program will describe the method of reporting monitoring data. At a minimum, sellers will provide data summary tables to Reclamation, both during and after transfer-related substitution pumping. Post-transfer reporting will continue through March of the year following the transfer. Sellers will provide a final summary report to Reclamation evaluating the effects of the water transfer. The final report will identify transfer-related effects on groundwater and surface water (both during and after pumping), and the extent of effects, if any, on local groundwater users. It shall include groundwater level contour maps for the area in which transfer-related pumping action is located, showing pre-transfer groundwater levels, groundwater levels at the end of the transfer period, and recovered groundwater levels in March of the year following the transfer. Groundwater level contour maps for different aquifer depths should also be included where data are available. The summary report shall also identify the extent of transfer-related effects, if any, to ecological resources such as fish, wildlife, and vegetation resources.

Mitigation Plan

Potential sellers must complete and implement a mitigation plan to avoid potentially significant groundwater impacts and ensure prompt corrective action in the event unanticipated effects occur. If and when groundwater level triggers are first reached at either the participating well(s) or the suitable monitoring well (s) (either BMO triggers or historic low groundwater levels), transfer-related pumping would stop from the participating well that reached the trigger. Transfer-related pumping could not continue from the participating well (in the same year or a future year) until groundwater levels recovered to above the groundwater level trigger at the participating well and/or monitoring well where the trigger was reached. Implementation of the

(

¹ Loss of a substantial percentage of the deep-rooted vegetation as determined by Reclamation based on site-specific circumstances in consultation with a qualified biologist.

mitigation plan thus avoids any potentially significant groundwater impacts. Other corrective actions could include:

- Lowering of pumping bowls in non-transferring wells affected by substitution pumping.
- Reimbursement to non-transferring third parties for significant increases in their groundwater pumping costs due to the groundwater substitution pumping action, as compared with their costs absent the transfer.
- Reimbursement to non-transferring third parties for modifications to infrastructure that may be affected.
- Other appropriate actions based on local conditions.

MANDATORY FINDINGS OF SIGNIFICANCE

- No substantial evidence exists that the proposed project would have a negative or adverse effect on the environment.
- The project would not substantially degrade the quality of the environment, significantly reduce the habitat for fish and wildlife species, result in fish or wildlife populations below a self-sustaining level, reduce the number or restrict the range of a special-status species, or eliminate important examples of California history or prehistory.
- The project would not have environmental effects that would cause substantial direct or indirect adverse effects on humans.
- The project would not have environmental effects that are individually limited but cumulatively considerable.

In accordance with Section 21082.1 of the California Environmental Quality Act, the TCCA staff has independently reviewed and analyzed the initial study (attached) and proposed mitigated negative declaration for the proposed project and finds that the initial study and proposed mitigated negative declaration reflect the independent judgment of the TCCA staff.

Jeffrey/P/ Sutton, General Manager

eliama-Colusa Canal Authority

2-//-/9 Date

		(
		(
		()
		(
		(
		(
		(
		(
		(



Appendix C

Notice of Completion & Environmental Document Transmittal

Droings Tiste. 9010 Tohoma	a-Colusa Canal Authority In-Ba	asin Water Transfo	are	
Lead Agency: Tehama-Colus	o Canal Authority		Contact Person: Jel	if Sutton
Mailing Address: P.O. Box 10	126		Phone: (530)-934-	
Winnerson and the state of the	Too U			
City, Minorio		7th, <u>agago</u>	County, CHOIN	
Project Location: County:M	Iultiple - see project descriptio	n City/Nearest Cor	nmunity: Multiple - se	ee prolect description
Cross Streets: N/A - Interagen		Sign 100,000 CO		Zip Code:
Longitude/Latitude (degrees, m	*** -*********************************	/27.1 # NI / 122	° 13 ′ 8.5 ″ W To	stal Acres: N/A
Assessor's Parcel No.: N/A - inf				V
	······································			nnge: Base:
	#:	waterways:	Ç.	shooler
Airports:		Kallways:	Sc	hools:
Document Type:	photo yerd house state some store thront state amount			ance larger years plant blood array graph spans Appen arrant bright
**	☐ Draft EIR	7 JA 115517 A	1 NOT	V Joint Doggament
CEQA: NOP Early Cons	Supplement/Subsequent EII	NEPA: ☐	NOI Other:	✓ Joint Document ☐ Final Document
☐ Neg Dec	(Prior SCH No.)	` E	Draft EIS	Other:
Mit Neg Dec	Other:		FONSI	[
Local Action Type:				
General Plan Update	Specific Plan	Rezone		Annexation
General Plan Amendment		Prezone		Redevelopment
General Plan Element	Planned Unit Developmen			Coastal Permit
Community Plan	☐ Site Plan	☐ Land Divi	ision (Subdivision, etc	c.) X Other:water transfer
			sens and proc some that every block is	
Development Type:				
Residential: Units	Acres	——————————————————————————————————————		
Office: Sq.ft.	Acres Employees		rtation: Type	<u> </u>
Commercial:Sq.ft.	Acres Employees	Mining:	Mineral	3.4347
I Industrial: Sq.ft.	Acres Employees	Power:	restment Type	MWMGD
	A THE STREET STREET STREET STREET STREET	Hazardo	ous Waste:Type	LIVENIA TO THE TANK T
Water Facilities: Type	MGD_		nteragency water trans	sfer
Project Issues Discussed in	n Document:			
Aesthetic/Visual	☐ Fiscal	Recreation/P	arks	▼ Vegetation
Agricultural Land	Flood Plain/Flooding	Schools/Univ		Water Quality
Air Quality	Forest Land/Fire Hazard	Septic Syster		Water Supply/Groundwate
Archeological/Historical	Geologic/Seismic	Sewer Capac		✓ Wetland/Riparian
Biological Resources	Minerals	Soil Erosion/	Compaction/Grading	Growth Inducement
Coastal Zone	Noise Noise	Solid Waste	_	Land Use
☐ Drainage/Absorption	Population/Housing Balan			Cumulative Effects
⊠ Economic/Jobs	Public Services/Facilities	Traffic/Circu	ılation	Other:
0.022 COM 2000 June 1444 Days GAR 2004 June 4005				
Present Land Use/Zoning/G				
	agricultural property and wate		ed to agricultural buy	yers.
Project Description: (pleas This Mitigated Negative Dec	e use a separate page if nece claration and EA/IS analyze en	essary) vironmental impa	cts of proposed wate	er transfers from willing seller
	Valley to help address water			
	om entities in northern Califor			

Note: The State Clearinghouse will assign identification numbers for all new projects. If a SCH number already exists for a project (e.g. Notice of Preparation or previous draft document) please fill in.

The water would be made available for transfer through a combination of cropland idling and groundwater substitution. The transfers could originate in Colusa, Glenn, Sacramento, Shasta, Sutter, Tehama, or Yolo counties. The transfer buyers could be in

Colusa, Glenn, Tehama, or Yolo counties.

Revie	wing Agencies Checklist	
	gencies may recommend State Clearinghouse distrit have already sent your document to the agency pleas	
	Air Resources Board Boating & Waterways, Department of California Emergency Management Agency California Highway Patrol Caltrans District # Caltrans Division of Aeronautics Caltrans Planning Central Valley Flood Protection Board Coachella Valley Mtns. Conservancy Coastal Commission Colorado River Board Conservation, Department of Corrections, Department of Delta Protection Commission Education, Department of Energy Commission Fish & Game Region # 1, 2 Food & Agriculture, Department of General Services, Department of Health Services, Department of Housing & Community Development	Office of Historic Preservation Office of Public School Construction Parks & Recreation, Department of Pesticide Regulation, Department of Public Utilities Commission Regional WQCB # Resources Agency Resources Recycling and Recovery, Department of S.F. Bay Conservation & Development Comm. San Gabriel & Lower L.A. Rivers & Mtns. Conservancy San Joaquin River Conservancy Santa Monica Mtns. Conservancy State Lands Commission SWRCB: Clean Water Grants X SWRCB: Water Quality X SWRCB: Water Rights Tahoe Regional Planning Agency Toxic Substances Control, Department of S Water Resources, Department of Other: Other:
	Native American Heritage Commission Public Review Period (to be filled in by lead agency Date February 13, 2019	
Lead A	gency (Complete if applicable):	
Addres City/St	ting Firm: CDM Smith s: 1755 Creekside Oaks Drive, Suite 200 ate/Zip: Sacramento, CA 95833 t: Carrie Buckman 916-576-7482	Applicant: Address: City/State/Zip: Phone:
Signat	ure of Lead Agency Representative:	$99.5 \mu = 2-11-19$
Authori	ty cited: Section 21083, Public Resources Code. Ref	ference: Section 21161, Public Resources Code.

INITIAL STUDY FOR 2019 TEHAMA-COLUSA CANAL AUTHORITY IN BASIN WATER TRANSFERS

- 1. Project title: 2019 Tehama-Colusa Canal Authority In Basin Water Transfers
- 2. Lead agency name and address: Tehama-Colusa Canal Authority

PO Box 1025

Willows, CA 95988

- 3. Contact person and phone number: Mr. Jeff Sutton, (530) 934-2125
- 4. Project location: The proposed transfers could originate in Colusa, Glenn, Sacramento, Shasta, Sutter, Tehama, or Yolo counties. The transfer buyers could be in Colusa, Glenn, Tehama, or Yolo counties.
- 5. Project sponsor's name and address: Same as Lead Agency.
- 6. General plan designation: Not Applicable Interagency Agricultural Water Transfers
- 7. Zoning: All lands with potential to participate in the transfers are agricultural.
- 8. Description of project: (Describe the whole action involved, including but not limited to later phases of the project, and any secondary, support, or off-site features necessary for its implementation. Attach additional sheets if necessary.)

 Refer to Chapter 2 of the Initial Study.
- Surrounding land uses and setting: Briefly describe the project's surroundings: Refer to Chapter 2 of the Initial Study.
- 10. Other public agencies whose approval is required (e.g., permits, financing approval, or participation agreement.)

 The Tehama-Colusa Canal Authority will coordinate with their Member Units and the sellers identified in this Initial Study.

 Transfer negotiations will occur between the Authority and interested sellers. Reclamation approval is required for transfer of water subject to Reclamation contract and use of Central Valley Project facilities. As a Federal agency, Reclamation does not complete CBOA compliance; however, Reclamation will verify that buyers and sellers have complied with CEQA in accordance with Central Valley Project Improvement Act requirements. Chapter 2 describes the involvement of State agencies, including the California Department of Water Resources and State Water Resources Control Board.

ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED:

The e	environmental factors chec ntially Significant Impact"	ked be as ind	slow would be potentially affer icated by the checklist on the fo	cted by llowin	y this project, involving at least one impact that is a g pages.
	Aesthetics		Agriculture and Forestry Resources		Air Quality
	Biological Resources		Cultural Resources		Geology /Solls
	Greenhouse Gas Emissions		Hazards & Hazardous Materials		Hydrology / Water Quality
	Land Use / Planning		Mineral Resources		Noise
	Population / Housing		Public Services		Recreation
	Transportation/Traffic		Utilities / Service Systems		Mandatory Findings of Significance
DETE	RMINATION: (To be comple	eted by	the Lead Agency)		
On th	e basis of this initial evalua	ition:			
	find that the proposed LARATION will be prepare		ct COULD NOT have a sig	nificat	nt effect on the environment, and a NEGATIVE
effect	find that although the pro in this case because revis ATIVE DECLARATION v	ions i	n the project have been made	nt effe by or	ct on the environment, there will not be a significant agreed to by the project proponent. A MITIGATED
	find that the proposed pro ORT is required.	oject N	IAY have a significant effect (on the	environment, and an ENVIRONMENTAL IMPACT
impac legal	et on the environment, but standards, and 2) has been	at leas addre	t one effect 1) has been adequated by mitigation measures by	itely ar ased o	impact" or "potentially significant unless mitigated" nalyzed in an earlier document pursuant to applicable in the earlier analysis as described on attached sheets, couly the effects that remain to be addressed.
effect (b) ha	s (a) have been analyzed ac we been avoided or mitigat	lequate ed pur	ely in an earlier EIR or NEGAT	IVE D ATIV	on the environment, because all potentially significant ECLARATION pursuant to applicable standards, and E DECLARATION, including revisions or mitigation lired.
	Aille P	<	1. At		2-11-19
Signa	iture 1) who		Date
Sign	/_/ ttyre			~	Date

Public Draft Environmental Assessment/Initial Study

2019 Tehama-Colusa Canal Authority In-Basin Water Transfers

California

	•			(: ·
				C .
				€ :
				(_i :
				(<u> </u>
				6 .
				· .
				Ę
				(
				C
				(
				Ç
				(-
				Ċ
				<u> </u>
				(.
				(
				(
				(
				(
		·		(
				(
				(
				(
				7
				<u> </u>
				(
				(
				(
				7
				Υ.
				(
				(
				(
				(
				(
				6
				Ć.
				\in
				(4
				(
				(
				(
				(
				X A
				(1

Contents

Chapter 1 Introduction 1-1 1.1 Background 1-2 1.2 Need for Proposal and Project Objectives 1-3 1.3 Document Structure 1-3 Chapter 2 Alternatives 2-1 2.1 No Action 2-1 2.2 Proposed Action/Proposed Project 2-1 2.2.1 Sellers 2-2 2.2.2 Buyers 2-5 2.2.3 Potential Methods of Making Water Available for Transfer 2-5 2.3 Environmental Setting 2-8 2.3.1 Aesthetics 2-8 2.3.2 Air Quality 2-8 2.3.3 Biological Resources 2-9 2.3.4 Geology and Soils 2-11 2.3.5 Greenhouse Gas Emissions 2-11 2.3.6 Hydrology and Water Quality 2-11 2.3.7 Noise 2-14 Chapter 3 Environmental Impacts 3-1 1. Agriculture and Forest Resources 3-2 1V. Biological Resources 3-2 V. Cultural Resources 3-21 VII. Geology and Soils 3-23 VIII. Greenhouse Gas Emissions 3-25 XI. Hazards and Hazardous Materials 3-25		Page
1.1 Background 1-2 1.2 Need for Proposal and Project Objectives 1-3 1.3 Document Structure 1-3 Chapter 2 Alternatives 2-1 2.1 No Action 2-1 2.2 Proposed Action/Proposed Project 2-1 2.2.1 Sellers 2-2 2.2.2 Buyers 2-5 2.2.3 Potential Methods of Making Water Available for Transfer 2-5 2.3 Environmental Setting 2-8 2.3.1 Aesthetics 2-8 2.3.2 Air Quality 2-8 2.3.3 Biological Resources 2-9 2.3.4 Geology and Soils 2-11 2.3.5 Greenhouse Gas Emissions 2-11 2.3.6 Hydrology and Water Quality 2-11 2.3.7 Noise 2-14 Chapter 3 Environmental Impacts 3-1 1. Aesthetics 3-1 1. Agriculture and Forest Resources 3-2 1V. Biological Resources 3-2 V. Cultural Resources 3-2 VII. Geology and Soils 3-21 V. I. Energy 3-22 VII. Geology and Hydreids 3-25 IX. Hydrology and Water Quality 3-28	Chapter 1 Introduction	1-1
1.3 Document Structure 1-3 Chapter 2 Alternatives 2-1 2.1 No Action 2-1 2.2 Proposed Action/Proposed Project 2-1 2.2.1 Sellers 2-2 2.2.2 Buyers 2-5 2.2.3 Potential Methods of Making Water Available for Transfer 2-5 2.3 Environmental Setting 2-8 2.3.1 Aesthetics 2-8 2.3.2 Air Quality 2-8 2.3.3 Biological Resources 2-9 2.3.4 Geology and Soils 2-11 2.3.5 Greenhouse Gas Emissions 2-11 2.3.6 Hydrology and Water Quality 2-11 2.3.7 Noise 2-14 Chapter 3 Environmental Impacts 3-1 1. Aesthetics 3-1 1. Agriculture and Forest Resources 3-2 III. Air Quality 3-3 IV. Biological Resources 3-2 V. Cultural Resources 3-21 V. Cultural Resources 3-21 V. Henergy 3-22 VII. Geology and Soils 3-23 VIII. Greenhouse Gas Emissions 3-25 IX. Hydrology and Water Quality 3-28 <		1-2
1.3 Document Structure 1-3 Chapter 2 Alternatives 2-1 2.1 No Action 2-1 2.2 Proposed Action/Proposed Project 2-1 2.2.1 Sellers 2-2 2.2.2 Buyers 2-5 2.2.3 Potential Methods of Making Water Available for Transfer 2-5 2.3 Environmental Setting 2-8 2.3.1 Aesthetics 2-8 2.3.2 Air Quality 2-8 2.3.3 Biological Resources 2-9 2.3.4 Geology and Soils 2-11 2.3.5 Greenhouse Gas Emissions 2-11 2.3.6 Hydrology and Water Quality 2-11 2.3.7 Noise 2-14 Chapter 3 Environmental Impacts 3-1 1. Aesthetics 3-1 1. Agriculture and Forest Resources 3-2 III. Air Quality 3-3 IV. Biological Resources 3-2 V. Cultural Resources 3-21 V. Cultural Resources 3-21 V. Henergy 3-22 VII. Geology and Soils 3-23 VIII. Greenhouse Gas Emissions 3-25 IX. Hydrology and Water Quality 3-28 <		
2.1 No Action		
2.2 Proposed Action/Proposed Project 2-1 2.2.1 Sellers 2-2 2.2.2 Buyers 2-5 2.2.3 Potential Methods of Making Water Available for Transfer 2-5 2.3 Environmental Setting 2-8 2.3.1 Aesthetics 2-8 2.3.2 Air Quality 2-8 2.3.3 Biological Resources 2-9 2.3.4 Geology and Soils 2-11 2.3.5 Greenhouse Gas Emissions 2-11 2.3.7 Noise 2-11 2.3.7 Noise 2-14 Chapter 3 Environmental Impacts 3-1 I. Aesthetics 3-1 II. Agriculture and Forest Resources 3-2 III. Air Quality 3-3 IV. Biological Resources 3-2 V. Cultural Resources 3-21 VI. Energy 3-22 VII. Geology and Soils 3-23 VIII. Greenhouse Gas Emissions 3-23 VIII. Greenhouse Gas Emissions 3-25 IX. Hazards and Hazardous Materials 3-25 XI. Land Use and Planning 3-40 XII. Mineral Resources 3-40	Chapter 2 Alternatives	2-1
2.2.1 Sellers	2.1 No Action	2-1
2.2.1 Sellers	2.2 Proposed Action/Proposed Project	2-1
2.2.3 Potential Methods of Making Water Available for Transfer 2-5 2.3 Environmental Setting 2-8 2.3.1 Aesthetics 2-8 2.3.2 Air Quality 2-8 2.3.3 Biological Resources 2-9 2.3.4 Geology and Soils 2-11 2.3.5 Greenhouse Gas Emissions 2-11 2.3.6 Hydrology and Water Quality 2-11 2.3.7 Noise 2-14 Chapter 3 Environmental Impacts 3-1 I. Aesthetics 3-1 II. Agriculture and Forest Resources 3-2 III. Air Quality 3-3 IV. Biological Resources 3-8 V. Cultural Resources 3-21 VI. Energy 3-22 VII. Geology and Soils 3-23 VIII. Greenhouse Gas Emissions 3-25 IX. Hazards and Hazardous Materials 3-27 X. Hydrology and Water Quality 3-28 XI. Land Use and Planning 3-40 XII. Mineral Resources 3-40		
2.3 Environmental Setting 2-8 2.3.1 Aesthetics 2-8 2.3.2 Air Quality 2-8 2.3.3 Biological Resources 2-9 2.3.4 Geology and Soils 2-11 2.3.5 Greenhouse Gas Emissions 2-11 2.3.6 Hydrology and Water Quality 2-11 2.3.7 Noise 2-14 Chapter 3 Environmental Impacts 3-1 I. Agriculture and Forest Resources 3-2 III. Air Quality 3-3 IV. Biological Resources 3-3 V. Cultural Resources 3-2 VI. Energy 3-22 VII. Geology and Soils 3-23 VIII. Greenhouse Gas Emissions 3-25 IX. Hazards and Hazardous Materials 3-27 X. Hydrology and Water Quality 3-28 XI. Land Use and Planning 3-40 XII. Mineral Resources 3-40	2.2.2 Buyers	2-5
2.3 Environmental Setting 2-8 2.3.1 Aesthetics 2-8 2.3.2 Air Quality 2-8 2.3.3 Biological Resources 2-9 2.3.4 Geology and Soils 2-11 2.3.5 Greenhouse Gas Emissions 2-11 2.3.6 Hydrology and Water Quality 2-11 2.3.7 Noise 2-14 Chapter 3 Environmental Impacts 3-1 I. Agriculture and Forest Resources 3-2 III. Air Quality 3-3 IV. Biological Resources 3-3 V. Cultural Resources 3-2 VI. Energy 3-22 VII. Geology and Soils 3-23 VIII. Greenhouse Gas Emissions 3-25 IX. Hazards and Hazardous Materials 3-27 X. Hydrology and Water Quality 3-28 XI. Land Use and Planning 3-40 XII. Mineral Resources 3-40	2.2.3 Potential Methods of Making Water Available for Transfer	2-5
2.3.1 Aesthetics 2-8 2.3.2 Air Quality 2-8 2.3.3 Biological Resources 2-9 2.3.4 Geology and Soils 2-11 2.3.5 Greenhouse Gas Emissions 2-11 2.3.6 Hydrology and Water Quality 2-11 2.3.7 Noise 2-14 Chapter 3 Environmental Impacts 3-1 I. Aesthetics 3-1 II. Agriculture and Forest Resources 3-2 III. Air Quality 3-3 IV. Biological Resources 3-8 V. Cultural Resources 3-21 VI. Energy 3-22 VII. Geology and Soils 3-23 VIII. Greenhouse Gas Emissions 3-25 IX. Hazards and Hazardous Materials 3-27 X. Hydrology and Water Quality 3-28 XI. Land Use and Planning 3-40 XII. Mineral Resources 3-40		
2.3.3 Biological Resources 2-9 2.3.4 Geology and Soils 2-11 2.3.5 Greenhouse Gas Emissions 2-11 2.3.6 Hydrology and Water Quality 2-11 2.3.7 Noise 2-14 Chapter 3 Environmental Impacts 3-1 I. Aesthetics 3-1 II. Agriculture and Forest Resources 3-2 III. Air Quality 3-3 IV. Biological Resources 3-8 V. Cultural Resources 3-21 VI. Energy 3-22 VII. Geology and Soils 3-23 VIII. Greenhouse Gas Emissions 3-25 IX. Hazards and Hazardous Materials 3-27 X. Hydrology and Water Quality 3-28 XI. Land Use and Planning 3-40 XII. Mineral Resources 3-40	2.3.1 Aesthetics	2-8
2.3.3 Biological Resources 2-9 2.3.4 Geology and Soils 2-11 2.3.5 Greenhouse Gas Emissions 2-11 2.3.6 Hydrology and Water Quality 2-11 2.3.7 Noise 2-14 Chapter 3 Environmental Impacts 3-1 I. Aesthetics 3-1 II. Agriculture and Forest Resources 3-2 III. Air Quality 3-3 IV. Biological Resources 3-8 V. Cultural Resources 3-21 VI. Energy 3-22 VII. Geology and Soils 3-23 VIII. Greenhouse Gas Emissions 3-25 IX. Hazards and Hazardous Materials 3-27 X. Hydrology and Water Quality 3-28 XI. Land Use and Planning 3-40 XII. Mineral Resources 3-40	2.3.2 Air Quality	2-8
2.3.5 Greenhouse Gas Emissions 2-11 2.3.6 Hydrology and Water Quality 2-11 2.3.7 Noise 2-14 Chapter 3 Environmental Impacts 3-1 I. Aesthetics 3-1 II. Agriculture and Forest Resources 3-2 III. Air Quality 3-3 IV. Biological Resources 3-8 V. Cultural Resources 3-21 VI. Energy 3-22 VII. Geology and Soils 3-23 VIII. Greenhouse Gas Emissions 3-25 IX. Hazards and Hazardous Materials 3-27 X. Hydrology and Water Quality 3-28 XI. Land Use and Planning 3-40 XII. Mineral Resources 3-40	, ·	
2.3.6 Hydrology and Water Quality 2-11 2.3.7 Noise 2-14 Chapter 3 Environmental Impacts 3-1 I. Aesthetics 3-1 II. Agriculture and Forest Resources 3-2 III. Air Quality 3-3 IV. Biological Resources 3-8 V. Cultural Resources 3-21 VI. Energy 3-22 VII. Geology and Soils 3-23 VIII. Greenhouse Gas Emissions 3-25 IX. Hazards and Hazardous Materials 3-27 X. Hydrology and Water Quality 3-28 XI. Land Use and Planning 3-40 XII. Mineral Resources 3-40	2.3.4 Geology and Soils	2-11
2.3.7 Noise 2-14 Chapter 3 Environmental Impacts 3-1 I. Aesthetics 3-1 II. Agriculture and Forest Resources 3-2 III. Air Quality 3-3 IV. Biological Resources 3-8 V. Cultural Resources 3-21 VI. Energy 3-22 VII. Geology and Soils 3-23 VIII. Greenhouse Gas Emissions 3-25 IX. Hazards and Hazardous Materials 3-27 X. Hydrology and Water Quality 3-28 XI. Land Use and Planning 3-40 XII. Mineral Resources 3-40	2.3.5 Greenhouse Gas Emissions	2-11
2.3.7 Noise 2-14 Chapter 3 Environmental Impacts 3-1 I. Aesthetics 3-1 II. Agriculture and Forest Resources 3-2 III. Air Quality 3-3 IV. Biological Resources 3-8 V. Cultural Resources 3-21 VI. Energy 3-22 VII. Geology and Soils 3-23 VIII. Greenhouse Gas Emissions 3-25 IX. Hazards and Hazardous Materials 3-27 X. Hydrology and Water Quality 3-28 XI. Land Use and Planning 3-40 XII. Mineral Resources 3-40	2.3.6 Hydrology and Water Quality	2-11
I. Aesthetics3-1II. Agriculture and Forest Resources3-2III. Air Quality3-3IV. Biological Resources3-8V. Cultural Resources3-21VI. Energy3-22VII. Geology and Soils3-23VIII. Greenhouse Gas Emissions3-25IX. Hazards and Hazardous Materials3-27X. Hydrology and Water Quality3-28XI. Land Use and Planning3-40XII. Mineral Resources3-40	2.3.7 Noise	2-14
I. Aesthetics3-1II. Agriculture and Forest Resources3-2III. Air Quality3-3IV. Biological Resources3-8V. Cultural Resources3-21VI. Energy3-22VII. Geology and Soils3-23VIII. Greenhouse Gas Emissions3-25IX. Hazards and Hazardous Materials3-27X. Hydrology and Water Quality3-28XI. Land Use and Planning3-40XII. Mineral Resources3-40		2.1
II. Agriculture and Forest Resources3-2III. Air Quality3-3IV. Biological Resources3-8V. Cultural Resources3-21VI. Energy3-22VII. Geology and Soils3-23VIII. Greenhouse Gas Emissions3-25IX. Hazards and Hazardous Materials3-27X. Hydrology and Water Quality3-28XI. Land Use and Planning3-40XII. Mineral Resources3-40		
III. Air Quality 3-3 IV. Biological Resources 3-8 V. Cultural Resources 3-21 VI. Energy 3-22 VII. Geology and Soils 3-23 VIII. Greenhouse Gas Emissions 3-25 IX. Hazards and Hazardous Materials 3-27 X. Hydrology and Water Quality 3-28 XI. Land Use and Planning 3-40 XII. Mineral Resources 3-40		
IV. Biological Resources 3-8 V. Cultural Resources 3-21 VI. Energy 3-22 VII. Geology and Soils 3-23 VIII. Greenhouse Gas Emissions 3-25 IX. Hazards and Hazardous Materials 3-27 X. Hydrology and Water Quality 3-28 XI. Land Use and Planning 3-40 XII. Mineral Resources 3-40	· ·	
V. Cultural Resources3-21VI. Energy3-22VII. Geology and Soils3-23VIII. Greenhouse Gas Emissions3-25IX. Hazards and Hazardous Materials3-27X. Hydrology and Water Quality3-28XI. Land Use and Planning3-40XII. Mineral Resources3-40		
VI. Energy3-22VII. Geology and Soils3-23VIII. Greenhouse Gas Emissions3-25IX. Hazards and Hazardous Materials3-27X. Hydrology and Water Quality3-28XI. Land Use and Planning3-40XII. Mineral Resources3-40		
VII. Geology and Soils3-23VIII. Greenhouse Gas Emissions3-25IX. Hazards and Hazardous Materials3-27X. Hydrology and Water Quality3-28XI. Land Use and Planning3-40XII. Mineral Resources3-40		
VIII. Greenhouse Gas Emissions3-25IX. Hazards and Hazardous Materials3-27X. Hydrology and Water Quality3-28XI. Land Use and Planning3-40XII. Mineral Resources3-40		
IX. Hazards and Hazardous Materials3-27X. Hydrology and Water Quality3-28XI. Land Use and Planning3-40XII. Mineral Resources3-40		
X. Hydrology and Water Quality		
XI. Land Use and Planning		
XII. Mineral Resources 3-40		
	•	
XIII. Noise		
VIV D1-1: 4 II!		
XIV. Population and Housing	, o	
XV. Public Services		
XVI. Recreation		
XVII. Transportation		
XVIII. Tribal Cultural Resources 3-44		
XIX. Utilities and Service Systems	· · · · · · · · · · · · · · · · · · ·	

4.1 Indian T 4.2 Indian S 4.3 Socioecc 4.4 Environr 4.5 Consulta	Other Reclamation Environmental Compliance Requirements4-1rust Assets (ITAs)4-1acred Sites4-1onomics4-2mental Justice4-4tion and Coordination4-5019 Stakeholder Involvement4-5
4.5.2 R	esource Agency Involvement
Tables	 .
Table 2-2. Pot Table 2-3. Est Table 2-4. Star Table 2-5. Typ Table 3-1. CE Table 3-2. Cur Table 3-3. And Table 4-1. List	ential Methods of Making Water Available for Transfer by Seller (Upper Limits in AF)
Figure 2-1. Po	tential Selling Entities2-3
Figure 3-1. Sin	nulated Change in Groundwater Head at Location 21 (See Figure H-1 for Location) under the Proposed Action
Append	dices
Appendix A Appendix B Appendix C Appendix D Appendix E Appendix F Appendix G Appendix H Appendix I Appendix J	Supplemental Materials Special Status Wildlife Species with Potential to Occur Special Status Plant Species with Potential to Occur Groundwater Existing Conditions Air Quality Emissions Calculations Greenhouse Gas Emissions Calculation GGS Important Population Maps Groundwater Modeling Results 2015 Water Transfers Data Reports Cumulative Projects

Chapter 1 Introduction

This Environmental Assessment (EA) and Initial Study (IS) for water transfers in contract year 2019¹ was prepared by the U.S. Department of the Interior, Bureau of Reclamation (Reclamation) and the Tehama-Colusa Canal Authority (TCCA). This joint EA/IS document satisfies the requirements of the National Environmental Policy Act (NEPA) (42 United States Code [USC] §4231 et seq.), the Council of Environmental Quality implementing regulations (40 Code of Federal Regulations [CFR] §1500-1508), the Department of the Interior's NEPA regulations (43 CFR Part 46), the California Environmental Quality Act (CEQA), and the Governor's Office of Planning and Research regulations to implement CEQA (Sections 15000-15387 of the California Code of Regulations). Reclamation is the federal lead agency responsible for NEPA review, through the EA, for the proposed 2019 TCCA water transfers, and the TCCA is the state lead agency responsible for CEQA review, through the IS, for the proposed 2019 TCCA water transfers.

This EA/IS describes the potential direct, indirect, and cumulative effects of transferring water from willing sellers, resulting from actions taken by the sellers to make water available for transfer, to the Member Units of the TCCA. The sellers hold water rights on northern California waterways or contracts with the United States (for Base Supply² and Central Valley Project (CVP) Water³ ["Project Water"]). This EA/IS also identifies mitigation measures that have been incorporated to minimize or avoid project-related impacts. The water transfers included in this document are only those involving Base Supply or CVP facilities. These water transfers would require approval from Reclamation, which necessitates compliance with NEPA. These water transfers would also require CEQA compliance for the buyers and sellers.

Other water transfers not involving the TCCA and its Member Units could occur during the same time period. The San Luis & Delta-Mendota Water Authority (SLDMWA) and Reclamation completed an Environmental Impact Statement/Environmental Impact Report (EIS/EIR) on Long-Term Water Transfers from 2015 to 2024 (Reclamation and SLDMWA 2015). The document has been updated in the Revised Draft Environmental Impact Report/ Supplemental Draft Environmental Impact Statement (RDEIR/SDIEIS) for transfers from 2019 to 2024 (Reclamation and SLDMWA 2019). The RDEIR/SDEIS includes some of the same water sources as this EA/IS, but the water would be transferred to different potential buyers; that is, the

Water Service Contract Year is March 1, 2019 through February 29, 2020. Sacramento River Settlement Contract Year is April 1, 2019 through October 31, 2019.

² Article 1(b) of the Sacramento River Settlement Contract defines Base Supply as the quantity of Surface Water established in Articles 3 and 5 which may be diverted by the Contractor from its Source of Supply each month during the period April through October of each Year without payment to the United States for such quantities diverted.

³ Article 1(n) of the Sacramento River Settlement Contract defines Project water as all Surface Water diverted or scheduled to be diverted each month during the period April through October of each Year by the Contractor from its Source of Supply which is in excess of the Base Supply.

sellers have only the amounts of water listed in Chapter 2 available for transfer, but the water could be purchased by SLDMWA or TCCA members. SLDMWA may purchase water from sources in addition to those described in Chapter 2. Also, State Water Project (SWP) contractors may engage in water transfers to augment supply.

1.1 Background

The Member Units of the TCCA may experience water shortages in 2019 and are soliciting willing sellers to transfer surface water to them. A number of entities that use surface water from the Sacramento River have expressed interest in transferring water to Member Units of the TCCA. The TCCA would negotiate with these sellers, on behalf of the Member Units, to identify potential transfers of water and the specifics of each transfer arrangement, which, collectively, constitute the "proposed project" to be addressed under CEQA. The TCCA and these willing sellers are using this EA/IS to inform decision-makers and the public of the potential environmental effects of the proposed water transfers and determine whether the transfers may result in significant environmental impacts that warrant the preparation of an EIR under CEQA.

To facilitate the transfer of water throughout the State, Reclamation is considering whether it should approve and facilitate water transfers between willing sellers and buyers when Base Supply or CVP facilities are involved. Reclamation will not take part in the transfer negotiation process, nor will Reclamation develop a "program" to connect buyers and sellers. Reclamation would focus on the approval and facilitation of individual transfers of water involving Base Supply or involving CVP facilities; these transfers constitute the "proposed action" to be addressed under NEPA. Reclamation is using this EA/IS to evaluate the potential environmental effects of the proposed action and determine whether it may result in significant environmental impacts.

Transfers of water would occur from sellers in the Sacramento River area to buyers that divert Project Water⁴ from the Tehama-Colusa or Corning Canals (Canals). The Project Water is diverted from the Sacramento River at the Red Bluff Pumping Plant. Construction of the Red Bluff Pumping Plant was completed in 2012 and includes a fish screen and pumping capacity of up to 2,000 cfs into the Canals (with potential future capacity of 2,500 cfs) (TCCA 2012). Water made available for transfer would be released from Shasta Reservoir, typically at the same times as it would have been released to the sellers, but it would be diverted by TCCA at the Red Bluff Pumping Plant. Depending on the requested delivery schedule and fishery conditions in the Sacramento River, Reclamation may reoperate CVP facilities to change the pattern of water releases from storage. Reclamation would only consider these operational changes if they would not adversely affect downstream conditions for fish or the ability to meet flow and water quality standards. Reclamation would review and approve, as appropriate, proposed water transfers in accordance with the *DRAFT Technical Information for Preparing Water Transfer Proposals* (Reclamation and DWR 2015), the Sacramento River Settlement Contracts and state and federal law.

⁴ Article 1(u) of the Water Service Contract defines Project Water as all water that is developed, diverted, stored, or delivered by the Secretary in accordance with the statutes authorizing the Project and in accordance with the terms and conditions of water rights acquired pursuant to California law.

1.2 Need for Proposal and Project Objectives


Hydrologic conditions and precipitation are unpredictable. As of January 15, 2019, the seasonal average rainfall to date has been 77 percent of the historic seasonal average (DWR 2019). However, January is still early in the wet season and is not an indicator of precipitation for the rest of the season. If the following months have little rain and snowfall, water year 2019⁵ could be a dry year. During past dry conditions in 2008-2009 and 2013-2015, CVP water made available for diversion (as defined in Article 3 of the Water Service Contract) by Member Units of the TCCA was constrained (pursuant to Article 12 of the Water Service Contract), and users are concerned that supplies in 2019 could be similarly limited. While it is too early in the 2019 water year to estimate the amount of Project Water the CVP can make available, the constraints on water made available for diversion in past years have caused concern for the TCCA Member Units that they may not have adequate supplies to maintain their permanent crops in 2019.

If Reclamation reduces water supplies in contract year 2019, the Member Units of the TCCA are in need of approximately 44,775 acre-feet (AF) of water to irrigate permanent crops to prevent the long-term impacts of allowing these crops to die. Reclamation's need is to review and approve, if appropriate, the transfer of Base Supply that may require the use of CVP facilities, consistent with state and federal law, the Sacramento River Settlement Contract, and the *DRAFT Technical Information for Preparing Water Transfer Proposals* (Reclamation and DWR 2015).

1.3 Document Structure

To consider environmental impacts of the Proposed Action pursuant to both NEPA and CEQA, Chapter 3 includes the analysis of possible effects to resources using an initial study checklist adapted from the CEQA Guidelines, Appendix G. While CEQA requires a determination of significance for each impact discussed in an IS based on the significance criteria, NEPA does not require this for an EA. For NEPA, preparation of an EIS is triggered if a federal action has the potential to "significantly affect the quality of the human environment," which is based on the context and intensity for each potential impact. The significance thresholds used in this EA/IS also encompass the factors taken into account under NEPA to evaluate the context and the intensity of the effects of an action. The CEQA Checklist does not incorporate all discussions required by Department of the Interior Regulations, Executive Orders, and Reclamation guidelines when preparing environmental documentation; Chapter 4 includes these additional discussions.

⁵ Water Year 2019 is the twelve month period starting October 1, 2018 through September 30, 2019.



Chapter 2 Alternatives

2.1 No Action

For the No Action Alternative, the TCCA, on behalf of the Member Units, would not buy water from willing sellers that required Reclamation approval during contract year 2019. Agricultural and urban water users could experience shortages in contract year 2019. If supplies are constrained, users may take alternative water supply actions in response to shortages, including increased groundwater pumping, cropland idling, reduction of landscape irrigation or permanent crop irrigation, or water rationing. Water users may also seek to transfer water from other sellers not listed in this document, which may require additional NEPA or CEQA analysis. In the absence of transfers, growers may not have enough water to meet demands, and some permanent crops could be lost.

2.2 Proposed Action/Proposed Project

The Proposed Action and Proposed Project (referred to herein as the Proposed Action) is the sale and transfer of Base Supply in contract year 2019 from willing sellers to Member Units of the TCCA. Reclamation has approval authority over transfers of Base Supply or transfers of water that involve the use of CVP facilities.

The Proposed Action includes potential transfers of up to 44,775 AF of Base Supply from 22 entities, listed in Table 2-1 and shown in Figure 2-1, to Member Units of the TCCA. The quantities in Table 2-1 summarize the maximum potential transfer quantities. Transfers or exchanges of Project Water for contract years 2016 through 2020 are covered by the Accelerated Water Transfer and Exchange Program EA/FONSI (Reclamation 2016). The Proposed Action only includes potential transfer of Base Supply of up to 44,775 AF. These water transfers also include transfers of water between "common landowners" that own land in multiple water districts that may want to move water from one district to another to preserve permanent crops. Table 2-1 shows potential upper limits for transfers of water if Sacramento River Settlement Contractors receive 100 percent of the Contract Total¹, or if the Contract Total is reduced by 25 percent. This list represents those agencies with whom the TCCA may negotiate the transfer of water. For analytical purposes, the full 44,775 AF is assumed to be available; however, it is not possible to determine which negotiations would be successful, what combination of sellers would ultimately transfer water to Member Units of the TCCA, or how much water would ultimately be transferred to Member Units of the TCCA. For this reason, modeling and environmental analysis considers the quantities provided in Table 2-1 for 100 percent of the Contract Total to display the impacts that would be associated with the transfer of water from

¹ Contract Total is defined as the sum of the Base Supply and Project Water available for diversion by the Contractor for the period April 1 through October 31.

2019 Tehama-Colusa Canal Authority Water Transfers
Public Draft Environmental Assessment/Initial Study

each seller. These potential water transfers add up to more than the Member Units of the TCCA's transfer demand of 44,775 AF, so the analysis provides a conservative description of potential environmental impacts by assessing impacts of all potential water transfers. Member Units of the TCCA, however, would only acquire a subset of these water transfers. As discussed in Chapter 1, the Long-Term Water Transfers RDEIR/SDEIS includes some of the same water sources as other transfer-related environmental documents, but the sellers would not sell the same quantities to multiple sources (just one buyer).

Reclamation would evaluate each proposal individually, as it is received, to determine if it meets the terms of the Settlement Contract and state and federal law. Reclamation has followed this process in past years when approving the transfer of water (such as when approving water transfers in 2013, 2014, and 2015). Reclamation may reoperate CVP facilities to change the pattern of water releases from storage to deliver water made available for transfer to Member Units of the TCCA.

2.2.1 Sellers

Table 2-1 lists agencies that have expressed interest in making water available for transfer in 2019, the maximum amount of water to be transferred if Sacramento River Settlement Contractors receive 100 percent of the Contract Total or if the Contract Total is reduced by 25 percent, and the method by which the sellers could make water available for transfer. Many agencies are uncertain about which method of making water available for transfer would be used, and have therefore included potential upper limits in Table 2-1 for both methods evaluated in this EA/IS. While the entity making water available could use one or both methods for making water available or may shift the volume of water made available during a particular period, the overall amount of water transferred would not exceed the maximum volumes listed in Table 2-1. As discussed above, these transfer volumes are assessed in this EA/IS to allow the transfer of water to move forward if Reclamation does not declare contract year 2019 a Critical Year. This analysis is conservative because these greater water transfer volumes would have greater potential for environmental impact than the lessor transfer volumes based on water supplies of 75 percent. Because the hydrology for the remainder of the water year is uncertain, Table 2-1 also shows the maximum transfer volumes for each method of making water available if the Contract Total is reduced by 25 percent in a Critical Year.

The majority of the surface water would be transferred between April and September, subject to contract limitation as specified in Article 3(c)(2) of the Settlement Contract, but a small amount of water could also be transferred in October to provide irrigation after harvest, when needed. If water is delivered in October, the overall amount of water made available would not change. If water is made available in October, the overall totals from April through October would still stay within the upper limits provided in Table 2-1.




Figure 2-1. Potential Selling Entities.

Table 2-1. Potential Methods of Making Water Available for Transfer by Seller (Upper Limits in AF)

	100 Percent of Contract Total (Upper Limits in AF)			75 Percent of Contract Total (Upper Limits in AF)			
Water Agency	Groundwater Substitution	Cropland Idling/ Crop Shifting	Maximum Transfer Volume	Groundwater Substitution	Cropland Idling/ Crop Shifting	Maximum Transfer Volume	
Anderson-Cottonwood Irrigation District	4,800	0	4,800	4,800	0	. 4,800	
Baber, Jack et al.	4,600	2,310	2,310	4,800	2,310	2,310	
Canal Farms	1,000	635	1,000	1,000	635	1,000	
Conaway Preservation Group	1,000	21,350	21,350	0.000	16,014	16,014	
Eastside Mutual Water Company	2,230	1,846	2,230	2,000	1,481	2,000	
Giusti Farms	1,000	1,840	1,000	1,000	0	1,000	
Glenn-Colusa Irrigation District	11,300	33,000	44,300	11,300	33,000	44,300	
Maxwell Irrigation District	3,000	5,000	8,000	3,000	5,000	8,000	
Natomas Central Mutual Water Company	20,000	0	20,000	20,000	0	20,000	
Pelger Mutual Water Company	4,670	2,538	4,670	4,000	1,903	4,000	
Pelger Road 1700 LLC	5,200	0	5,200	5,200	0	5,200	
Pleasant Grove-Verona Mutual Water Company	15,000	9,000	15,000	15,000	9,000	15,000	
Princeton-Codora-Glenn Irrigation District	6,600	6,600	13,200	6,600	6,600	13,200	
Provident Irrigation District	10,000	9,900	19,900	10,000	9,900	19,900	
Reclamation District 108	15,000	20,000	35,000	15,000	20,000	35,000	
Reclamation District 1004	7,175	20,000	27,175	5,400	15,000	20,400	
River Garden Farms	10,000	10,000	16,000	10,000	10,000	16,000	
Sutter Mutual Water Company	18,000	18,000	36,000	15,000	10,000	25,000	
Sycamore Mutual Water Company	8,000	7,000	15,000	8,000	7,000	15,000	
T&P Farms	1,200	890	1,200	1,170	667	1,170	
Te Velde Revocable Family Trust	7,094	6,975	5,387	2,925	1,548	4,473	
Windswept Land & Livestock	2,000	0	2,000	2,000	0	2,000	
Total ¹	153,269	172,047	300,722	138,599	150,058	275,767	

Note:

¹ These totals cannot be added together. Agencies could make water available through groundwater substitution, cropland idling, or a combination of the two; however, they will not make the full quantity available through both methods. Table 2-1 reflects the total upper limit for each agency.

2.2.2 Buyers

Table 2-2 identifies entities that may be interested in buying water made available for transfer. Not all of these potential buyers may end up actually purchasing water from the sellers. Purchase decisions depend on a number of factors, including, but not limited to, hydrology, water demands, availability of other supplies, and transfer costs. Reclamation may be asked to reoperate the CVP to deliver the water made available for transfer, and the reoperation could be limited based on specific hydrologic conditions, biological conditions, or water quality issues. Reclamation cannot guarantee that it will be able to reoperate the CVP at specific times to accommodate water transfers.

Table 2-2. Potential Buyers

Member Units of the TCCA Colusa County Water District
Colusa County Water District
+ + · · · · · · · · · · · · · · · · · ·
Corning Water District
Cortina Water District
Davis Water District
Dunnigan Water District
4-M Water District
Glenn Valley Water District
Glide Water District
Holthouse Water District
Kanawha Water District
Lagrande Water District
Westside Water District

2.2.3 Potential Methods of Making Water Available for Transfer

This EA/IS analyzes transfers of water made available from groundwater substitution and cropland idling/crop shifting actions, which are further described below. No other methods of making water available for transfer are covered by the evaluation in this EA/IS.

Reclamation will only approve water transfers that are consistent with provisions of state and federal law that protect against injury to third parties as a result of water transfers. Several important principles include requirements that the water transfer will not violate the provisions of federal or state law, will have no significant adverse effect on the ability of the CVP to deliver Project Water, will be limited to water that would have been consumptively used or irretrievably lost to beneficial use, and will not adversely affect water supplies for fish and wildlife purposes. Also, Settlement Contractors must transfer water consistent with their Settlement Contracts. Reclamation would not approve water transfers for which these basic principles have not been met.

In 2019, some water transfers may be accomplished through forbearance agreements. Under such agreements, a Settlement Contractor would forbear (i.e., temporarily suspend) the diversion of some of their Base Supply, which in the absence of forbearance, would have been diverted during 2019 for use on lands within the Settlement Contractor's service area. This forbearance would be undertaken in a manner that allows Reclamation to pick up and deliver the forborne

water supply as Project Water to Member Units of the TCCA. A forbearance agreement would not change the way that water is made available for transfer, conveyed to buyers, or used by the buyers; therefore, it would not change the environmental effects of the water transfer.

Additional information about water rights protection and water transfers is located at http://www.waterboards.ca.gov/waterrights/water_issues/programs/water_transfers/docs/watertransferguide.pdf in a SWRCB staff document titled *A Guide to Water Transfers - Draft* (SWRCB 1999).

2.2.3.1 Groundwater Substitution

Transfer of water made available through groundwater substitution actions occur when sellers choose to pump groundwater in lieu of diverting surface water supplies, thereby making the surface water available for transfer. Sellers making water available for transfer through groundwater substitution actions are agricultural users. Water could be made available for transfer by the agricultural users during the irrigation season of April through September. Some small amount of transfer could occur in October when needed.

The conveyance infrastructure used to deliver water made available for transfer to the Member Units of the TCCA would depend on the seller's location. Some sellers, like Glenn-Colusa Irrigation District (ID), have conveyance structures that can deliver water to Member Units of the TCCA. These conveyance structures are typically used to deliver water to Glenn-Colusa ID from the Tehama-Colusa Canal. During a transfer, these deliveries to the sellers would be reduced and additional water would stay in the TCCA area. Most of the agencies making water available for transfer through groundwater substitution actions typically divert surface water from the Sacramento River downstream of the Red Bluff Pumping Plant and the Tehama-Colusa Canal. Delivering water to the TCCA at the Red Bluff Pumping Plant instead of downstream users on the Sacramento River could reduce flow in the Sacramento River between the diversion points. Reclamation would work closely with the TCCA to make sure that these water transfers do not affect the flow requirements in the Sacramento River. Because the TCCA diversion is downstream from the Sacramento River temperature control point, potential changes in flows would not affect temperature compliance in the Sacramento River.

Water made available through groundwater substitution actions would temporarily decrease levels in groundwater basins near the participating wells. Water produced from wells initially comes from groundwater storage. Groundwater storage would refill (or "recharge") over time, which affects surface water sources. Groundwater pumping captures some groundwater that would otherwise discharge to streams as baseflow and can also induce recharge from streams. Once pumping ceases, this stream depletion continues, replacing the pumped groundwater slowly over time until the depleted storage fully recharges. Therefore, the amount of water actually transferred is less than the substitution pumping volume. The Proposed Action includes measures that would reduce the amount of water that Member Units of the TCCA actually receive by an estimated 13 percent depletion factor to prevent any adverse impacts associated with groundwater/surface water interaction.

2.2.3.2 Cropland Idling/Crop Shifting

Cropland idling actions would make water available for transfer that would have otherwise been consumptively used absent the transfer. Typically, the proceeds from the water transfer would

pay growers to idle land that they would have otherwise placed into production. Rice has been the crop idled most frequently in previous transfer programs, and is the crop that could be idled to make water available for transfer in contract year 2019.

The quantity of water made available for transfer through cropland idling actions would be calculated based on the evapotranspiration of applied water (ETAW). ETAW is the portion of applied surface water that is evaporated from the soil and plant surfaces and actually used by the crop. For 2019, this EA/IS only analyzes cropland idling from rice crops, which have an ETAW of 3.3 AF/acre (Reclamation and DWR 2015).

For a transfer of water made available through a crop shifting action, water is made available when farmers shift from growing a higher water use crop to a lower water use crop. The difference between the ETAW values would be the amount of water that can be transferred. Transfers of water in 2019 could include water made available by shifting from rice to a crop with a lower water use. Table 2-3 provides a listing of the estimated ETAW values for crops suitable for shifting.

Table 2-3. Estimated ETAW Values for Crops Suitable for Shifting

Crop	ETAW (AF/acre)
Alfalfa ¹	1.7 (July – Sept)
Bean	1.5
Corn	1.8
Cotton	2.3
Melon	1.1
Milo	1.6
Onion	1.1
Pumpkin	1.1
Sudan Grass	3.0
Sugar Beets	2.5
Sunflower	1,4
Tomato	1.8
Vine Seed/ Cucurbits	1.1
Wild Rice	2.0

Source: Reclamation and DWR 2015

Notes:

Water made available through cropland idling or crop shifting actions would be available at the beginning of the season (April or May) and would be available for transfer on the same pattern as it would otherwise have been used by the crop. Water would be delivered to the TCCA on pattern; that is, in the same volume and at the same time as it would have been consumptively used by the crop, absent the transfer. While the EA/IS analyzes cropland idling transfers from multiple sources, the total amount of water made available through cropland idling actions would not be more than 44,775 AF, or 13,568 acres of land idled.

Consistent with the provisions contained in Water Code Section 1018, potential sellers are encouraged to incorporate measures into their crop idling actions to protect habitat value in the

Only alfalfa grown in the Sacramento Valley floor north of the American River will be allowed to be a crop which is eligible to make water available for transfer based on crop shifting. Fields must be disced on, or prior to, the start of the transfer period. Alfalfa acreage in the footbills or mountain areas is not eligible for transfer.

area to be idled. Idled land cannot be irrigated during the transfer season, but vegetation that is supported only through precipitation or that has begun to senesce may remain on the idled fields. Excessive vegetation supported by seepage from irrigation supplies or shallow groundwater would result in a decrease in the amount of water made available for transfer through cropland idling actions.

Crop shifting would generally reduce potential environmental effects that are more likely associated with cropland idling. The agencies interested in making water available for transfer through crop shifting actions are also interested in making water available for transfer through cropland idling actions, but are not sure of the distribution between the two methods. To be conservative that the potential impacts are fully addressed, this EA/IS analyzes the effects as if all water made available for transfer was made available from crop idling actions because crop idling actions have the greater potential for effects.

2.3 Environmental Setting

The environmental setting, in which implementation of the No Action Alternative or Proposed Action would occur, is summarized below for resources that could be affected by the transfer of water. Additional details regarding relevant existing environmental conditions are provided in Chapter 3 within the analysis of potential impacts.

2.3.1 Aesthetics

The Central Valley of California is primarily agricultural in nature, with Interstate 5 running from north to south through the valley floor. Views in the region from most major roadways and scenic routes are of agricultural fields or urban landscapes. The mix of orchard and row crop types, fallow fields, rice, and other irrigated crops and dry fields create the visual character for most of the project area. Urban centers, such as Sacramento and Redding break up the farmland that dominates the views in the Central Valley, creating some major nighttime light sources near the city centers.

2.3.2 Air Quality

Air quality in California is regulated by the U.S. Environmental Protection Agency (USEPA), the California Air Resources Board (CARB), and locally by Air Pollution Control Districts (APCDs) or Air Quality Management Districts (AQMDs). The following air districts regulate air quality within the project study area: Colusa County APCD, Feather River AQMD, Glenn County APCD, Sacramento Metropolitan AQMD, Shasta County AQMD, Tehama County APCD and Yolo/Solano AQMD.

In the Sacramento Valley Air Basin, ozone (O₃), inhalable particulate matter (PM₁₀), and fine particulate matter (PM_{2.5}) are pollutants of concern because ambient concentrations of these pollutants exceed the California Ambient Air Quality Standards (CAAQS). Additionally, ambient O₃ and PM_{2.5} concentrations exceed the National Ambient Air Quality Standards (NAAQS), while PM₁₀ and carbon monoxide (CO) concentrations recently attained the NAAQS and are designated maintenance. Table 2-4 summarizes the attainment status for the counties located in the Sacramento Valley.

The Sacramento Valley Air Basin is bounded by the North Coast Ranges on the west and the Northern Sierra Nevada Mountains on the east, forming a bowl-shaped valley. The Sacramento Valley has a Mediterranean climate, which is characterized by hot dry summers and mild rainy winters.

Most of the sellers' service area supports agricultural land uses. Crop cycles, including land preparation and harvest, contribute to pollutant emissions, primarily particulate matter. Groundwater pumping with diesel and natural gas-fueled engines also emits air pollutants through exhaust. The primary pollutants emitted by diesel pumps are nitrogen oxides (NOx), volatile organic compounds (VOC), CO, PM₁₀, and PM_{2.5}; NOx and VOCs are precursors to O₃ formation.

Table 2-4. State and Federal Attainment Status

County	O ₃ CAAQS	PM _{2,5} CAAQS	PM₁₀ CAAQS	O₃ NAAQS	PM _{2.5} NAAQS	PM ₁₀ NAAQS	CO NAAQS
Colusa	A	А	N	Α	Α	Α	Α
Glenn	А	Α	N	Α	Α	Α	А
Sacramento	N	А	N	N ³	Α	М	М
Shasta	N	Α	N	А	Α	Α	А
Sutter	N-T	Α	N	N 2,3	A	Α	Α
Tehama	N	U	N	Α	Α	A	А
Yolo	N	U	N	N ³	Α	Α	М

Source: 17 California Code of Regulations §60200-60210; 40 CFR 81; CARB 2018; USEPA 2018

Key.

A = attainment (background air quality in the region is less than (has attained) the ambient air quality standards)

CO = carbon monoxide

N = nonattainment (background air quality exceeds the ambient air quality standards)

N-T = nonattainment/transitional (a subcategory of nonattainment where an area is close to attainment, has only two days exceeding standards, and is projected to meet standards within three years)

 $O_3 = ozone$

PM₁₀ = inhalable particulate matter

PM_{2.5} = fine particulate matter

U = unclassified/attainment (area does not have enough monitors to determine the background concentrations; treated the same as attainment)

2.3.3 Biological Resources

The project area includes the Sacramento watershed. Natural communities associated with the Sacramento River include valley/foothill riparian and natural seasonal wetland. In the Sacramento Valley, seasonally flooded agriculture, in particular rice fields, provide important foraging habitat for a variety of wildlife species. There are approximately 500,000 acres of rice fields in the Sacramento Valley which, along with natural wetlands, support millions of waterfowl along the Pacific Flyway (California Rice Commission 2011). Flooded agriculture within the Sacramento Valley accounts for approximately 57 percent of food resources available

Nonattainment/transitional areas are defined as those areas that during a single calendar year, the State standards were not exceeded more than three times at any monitoring location within the area

The Sacramento Metro nonattainment area for Sutter County is defined as the "portion south of a line connecting the northern border of Yolo County to the southwestern tip of Yuba County and continuing along the southern Yuba County border to Placer County" (40 CFR 81.305)

³ 8-hour O₃ classification = moderate

to waterfowl (Petrie and Petrick 2010). Rice fields also provide foraging, resting, breeding, and wintering habitat for shorebirds and wading birds, and foraging habitat for raptors. These habitats are also important for foraging, refuge, and dispersal for reptiles, amphibians, and mammals.

(

Special-status wildlife species with potential to occur in the project area are listed in Appendix B. As described in the appendix, five species have potential to be affected by rice idling and are further evaluated in Chapter 3. This includes the following species: giant garter snake (GGS) (*Thamnophis gigas*), greater sandhill crane (*Grus canadensis tabida*), black tern (*Chlidonias niger*), tricolored blackbird (*Agelaius tricolor*), and pacific pond turtle (*Actinemys marmorata*). The following listings apply to the above species under the Federal and California Endangered Species Acts (ESA).

- GGS listed as threatened under the Federal and California ESAs (CDFW 2015a).
- Greater Sandhill Crane listed as threatened under the California ESA and is fully protected under the California Fish and Game Code (CDFW 2015a; CDFW 2015b).
- Black Tern listed as a State Species of Concern (CDFW 2018).
- Pacific Pond Turtle status is under review under the Federal ESA and considered a State Species of Concern by CDFW (CDFW 2018).

Tricolored Blackbird – considered a State Species of Concern by CDFW. On December 3, 2014, the California Fish and Game Commission granted emergency protections to the Tricolored blackbird. The action granted a 180-day period for CDFW to determine whether to make the protections permanent. In June 2015, the Commission determined not to advance a petition to list the species under the California ESA. In September 2015, USFWS announced that the Tricolored Blackbird is one of several species that it will formally consider for protection under the ESA.

In addition to these special-status species, migratory birds are protected under the Migratory Bird Treaty Act. Special-status plant species with potential to occur are listed in Appendix C. Based on the analysis presented in the appendix, no special-status plants would be affected by the project. Appendix B also summarizes fish species of management concern within the project area. The California drought that started in 2012 resulted in limited water storage and a corresponding reduction of the cold water pool in Shasta Reservoir. The drought resulted in elevated temperatures in the upper reaches of the Sacramento River, which contributed to low survival rates for wild juvenile winter-run Chinook salmon in 2014 and 2015 (SWRCB 2015). The National Marine Fisheries Service (NMFS) has identified Sacramento River winter-run Chinook salmon as a "Species in the Spotlight" because it is one of the eight most at-risk species in the country (NMFS 2016). NMFS developed a five-year action plan to identify priority actions to help the species.

The Sacramento River Temperature Management Plan, which is required annually, guides the release of water from Shasta Reservoir to maintain healthy fisheries during summer and fall when temperatures rise. In 2015 and 2016, Reclamation, in coordination with NMFS, USFWS, DWR, CDFW, and the SWRCB, modified the previous Shasta Temperature Management Plans in an attempt to better utilize the current cold-water resource and manage the seasonal

temperature risks to winter-run Chinook salmon. These plan updates incorporated lessons learned from drought years in 2014 and 2015 to improve temperatures for winter-run. Water Year 2017 was one of the wettest years on record for the CVP. Considering these conditions, the approach for 2017 and 2018 operations focused on a balanced approach that maintained a reasonable temperature target to protect the winter-run Chinook salmon, while ensuring that the cold water was available to be utilized throughout the season (Reclamation 2017, 2018). Reclamation, DWR, the fishery resource agencies, and SWRCB are currently considering 2019 operations. Diversion of water by Member Units of the TCCA occurs below the lowest temperature control compliance point on the Sacramento River and would not affect Reclamation's ability to meet temperature targets.

2.3.4 Geology and Soils

The Central Valley consists of mostly flat terrain associated with low gradient river valleys. There are some earthquake faults in the region, but earthquakes are generally associated with coastal California, west of the Central Valley. Strong seismic shaking is not common in the Central Valley, and liquefaction and other seismic-related ground failure are not major hazards in the region. Landslides and other hazards associated with unstable soil are uncommon due to the flat terrain. Dust from agricultural activities, such as plowing, grading, and discing, is a common occurrence in the Central Valley agricultural area, including the project area, and is a normal part of the agriculture practice in the region.

2.3.5 Greenhouse Gas Emissions

The greenhouse gas (GHG) analysis focuses on the following three pollutants: carbon dioxide (CO₂), methane (CH₄), and nitrous oxide (N₂O). The other two pollutant groups commonly evaluated in various GHG reporting protocols, hydrofluorocarbons and perfluorocarbons, are not expected to be emitted in large quantities because of the Proposed Action and are not discussed further in this section.

Agricultural emissions represented approximately eight percent of California's GHG emissions in 2015 (CARB 2017). Agricultural emissions represent the sum of emissions from agricultural energy use (from pumping and farm equipment), agricultural residue burning, agricultural soil management (the practice of using fertilizers, soil amendments, and irrigation to optimize crop yield), enteric fermentation (fermentation that takes place in the digestive system of animals), histosols (soils that are composed mainly of organic matter) cultivation, manure management, and rice cultivation.

2.3.6 Hydrology and Water Quality

2.3.6.1 Surface Water

The Sacramento River flows south for 447 miles through the northern Central Valley and enters the Delta from the north. The major tributaries to the Sacramento River are the Feather, Yuba, and American rivers. Reclamation owns and operates the CVP, which has major reservoirs on the Sacramento River (Shasta Reservoir) and the American River (Folsom Reservoir).

2.3.6.2 Surface Water Quality

While surface water quality in the Sacramento River system is generally good, several water bodies within the area of analysis have been identified as impaired by certain constituents of concern and appear on the most recent 303(d) list of impaired waterways under the Clean Water Act (SWRCB 2011).

2.3.6.3 Groundwater

Redding Area Groundwater Basin

Historically, groundwater levels have remained stable within the Redding Area Groundwater Basin. Seasonal fluctuations in groundwater levels are generally less than five feet and can be up to 16 feet during drought years (Anderson-Cottonwood ID 2011). During the recent drought from 2012 to 2016 (Mount et al. 2017), water levels in the Redding Area Groundwater Basin, and in particular the Anderson subbasin, decreased up to 18 feet. Groundwater levels have shown some recovery during recent wet conditions in water year (WY) 2017 in the Anderson subbasin (see Groundwater Level Change-Spring 2008 to Spring 2018 in Appendix D, p. D-3). Groundwater levels in the Anderson subbasin have recovered to spring 2016 levels but not to pre-drought levels, (i.e., spring 2011 levels). It should be noted that groundwater level declines discussed above were due to five consecutive drought years and only one wet year where partial recovery occurred. This is consistent with historic patterns of drawdown and recovery. Appendix D includes groundwater monitoring data in the Anderson-Cottonwood ID area (the potential selling entity in the Redding Basin).

Groundwater Pumping-Related Land Subsidence. Land subsidence has not been monitored in the Redding Area Groundwater Basin, however, there would be potential for subsidence in some areas of the basin if groundwater levels decline below historic low levels. This is due to the fact that the groundwater basin west of the Sacramento River is composed of the Tehama Formation. This formation has exhibited subsidence in Yolo County. This same formation occurs in the Redding Area Groundwater Basin and could be conducive to land subsidence.

Groundwater Quality. Groundwater in the Redding Area Groundwater Basin area of analysis is typically of good quality, as evidenced by its low total dissolved solids (TDS) concentrations, which range from 70 to 360 milligrams per liter (mg/L). Areas of high salinity (poor water quality), are generally found on the western basin margins, where the groundwater is derived from marine sedimentary rock. Elevated levels of iron, manganese, nitrate, and high TDS have been detected in some areas (DWR 2003). Localized high concentrations of boron have been detected in the southern portion of the basin (DWR Northern District 2002).

Sacramento Valley Groundwater Basin

The Sacramento Valley Groundwater Basin includes portions of Tehama, Glenn, Butte, Yuba, Colusa, Placer, and Yolo Counties. Under normal hydrologic conditions, groundwater accounts for less than 30 percent of the annual supply used for agricultural and urban purposes within the Sacramento Valley.

Groundwater levels in the northern Sacramento Valley Groundwater Basin have declined over the last decade (spring 2008 to spring 2018) mostly due to the persistent dry weather conditions since 2006 (see Groundwater Level Change-Spring 2008 to Spring 2018 in Appendix D, p. D-3). On average, in the shallow, intermediate, and deep aquifer zones, groundwater elevations have

declined 4.8, 9.3, and 10.6 feet, respectively (see Plates 1S-B, 1I-B, and 1D-B showing change in groundwater levels between Spring 2004 and Spring 2017 in Appendix D). These decreases in groundwater levels have caused wells to go dry in parts of the valley, particularly during the driest years of 2014 and 2015. Water Year 2017 was classified as one of the wettest years on record since 1983. On average, spring 2017 groundwater levels across the state recovered in comparison to spring 2016 levels. About 5.4 percent of the monitored wells showed an increase of greater than 25 feet between spring 2016 and spring 2017, and approximately 56.7 percent of the wells showed a change of less than 5 feet (includes increase or decrease) between spring 2016 and spring 2017 (DWR 2017).

Groundwater levels in the northern Sacramento Valley Groundwater Basin show an increase of 4.1, 4.7, and 5.9 feet in the shallow, intermediate, and deep aquifer zones between spring 2016 and spring 2017 (see Plates 1S-A, 1I-A and 1D-A in Appendix D). Water Year 2018 was not a dry year but precipitation trends for the year were below average. On average, spring 2018 groundwater levels across the state showed minimal decline in comparison to Spring 2017 groundwater levels (see Groundwater Level Change- Spring 2017 to Spring 2018 in Appendix D, p. D-5). About 19.6 percent of the monitored wells showed a decrease in groundwater levels between 5 to 25 feet and 63.5 percent of the wells showed a change of less than 5 feet (includes increase or decrease) (DWR 2018a). In comparison, groundwater levels between Spring 2015 and Spring 2018 showed more recovery with 22.4 percent of the wells statewide indicating an increase of 5 to 25 feet between Spring 2015 and Spring 2018. A large concentration of these wells are in the southern portion of the Sacramento Valley Groundwater Basin. About 14 percent of the monitored wells showed a decrease in groundwater levels between 5 to 25 feet and 54.3 percent of the wells showed a change of less than 5 feet (includes increase or decrease) (DWR 2018a).

In summary, groundwater levels in the Sacramento Valley Groundwater Basin are showing continued recovery with some wells showing an increase in groundwater levels in comparison to Spring 2015 levels but not to pre-drought levels. Past groundwater trends are indicative of groundwater levels declining moderately during extended droughts and recovering to pre-drought levels after subsequent wet periods. Appendix D includes groundwater well monitoring data to further characterize groundwater levels in the Sacramento Valley Groundwater Basin near the potential selling entities.

Appendix I includes monitoring data reports from the 2015 transfer period. Groundwater levels hydrographs in Appendix I shows groundwater levels at the participating pumping wells and near-by monitoring wells. Groundwater levels trends during the 2015 transfer season indicate substantial declines in groundwater levels during the transfer period (up to 200 feet of decline at some participating pumping wells). However, groundwater levels recovered to pre-transfer levels within one to three months post transfers.

Land Subsidence. Historically, land subsidence occurred in the eastern portion of Yolo County and the southern portion of Colusa County, owing to groundwater extraction and geology. Due to groundwater withdrawal over several decades, as much as four feet of land subsidence has occurred east of the town of Zamora. In Yolo County within Conaway Ranch, DWR observed land subsidence estimated at approximately 0.2 foot from 2012 to 2013 and an additional 0.6 foot from 2013 to 2014 (DWR 2018b). Ground surface elevations have reverted to pre-2012

trends at Conaway Ranch since 2014 and approximately 0.03 feet of subsidence has been recorded since 2015 (DWR 2018a). In comparison, slightly less than 0.1 foot of subsidence occurred over the previous 22 years (1991-2012). The area between Zamora, Knights Landing, and Woodland has been most affected (Yolo County 2012). Subsidence in this region is generally related to groundwater pumping and subsequent consolidation of loose aquifer sediments.

Groundwater Quality. Groundwater quality in the Sacramento Valley Groundwater Basin is generally good and sufficient for municipal, agricultural, domestic, and industrial uses. However, there are some localized groundwater quality issues in the basin. Some of the water quality issues within the Sacramento Valley may include occurrences of saltwater intrusion or elevated levels of nitrates, naturally occurring boron, and other introduced chemicals (DWR 2003).

2.3.7 Noise

Noise is generally measured in decibels (dB), which are measured on a logarithmic scale so that each increase in 10 dB equals a doubling of loudness. The letter "A" is added to the abbreviation (dBA) to indicate an "A-weighted" scale, which filters out very low and very high frequencies that cannot be heard by the human ear. A Community Noise Survey conducted in Glenn County indicated that typical noise levels in noise sensitive areas, including rural areas, are relatively quiet and fall in the range of 48 dB to 60 dB Ldn² (Glenn County 1993). These noise levels would be reflective of conditions in the other counties.

The buyers and seller1s areas are primarily agricultural; major noise sources include traffic, railroad operations, airports, industrial operations, farming operations, and fixed noise sources. Typical noise levels created by a range of farm equipment are presented in Table 2-5.

Table 2-5. Typical Noise Levels Associated with Farm Equipment

Equipment	Distance (feet)	Sound Level (dB)	
Diesel Wheel Tractor			
- with Disc	150	72-75	
- with Furrow	50	69-79	
Weed Sprayer (1-cylinder)	50	74-75	
Aero Fan 391 Speed Sprayer	200	74-76	
Diesel Engine	50	75-85	

Source: Brown-Buntin Associates, Inc. in Glenn County 1993

Key: dB = decibel

² The day-night average sound level (Ldn) is the average noise level, expressed in decibels, over a 24-hour period.

Chapter 3 Environmental Impacts

The following sections use the checklist from Appendix G of the CEQA Guidelines as a template to assess potential environmental effects under both CEQA and NEPA. The discussion for each resource focuses on potential impacts; resources that would not be affected are briefly discussed. Since the project area is not near state responsibility areas or lands classified as very high fire hazard severity zones, Section XX. Wildfires from Appendix G of the CEQA Guidelines is not discussed in this Chapter.

I. AESTHETICS

-- Except as provided in Public Resources Code Section 21099, would the project:

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impac
a) Have a substantial adverse effect on a scenic vista?				\boxtimes
b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?				
c) In non-urbanized areas, substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced form publicly accessible vantage point.) If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?				
d) Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?				\boxtimes

a, b, d) No Impact. The No Action Alternative and Proposed Action would not affect any scenic vista, damage scenic resources, or create a new light source. The Proposed Action would not affect scenic vistas relative to rivers or reservoirs because there would be no changes beyond historical or seasonal fluctuations in flows or water levels. The Proposed Action does not include any construction or new structures that could damage scenic resources (i.e., trees, rock outcroppings, historic buildings, etc.) or produce notable sources of light or glare.

2019 Tehama-Colusa Canal Authority Water Transfers Public Draft Environmental Assessment/Initial Study

c) Less than Significant. The No Action Alternative could increase cropland idling in 2019 if water supplies are limited. Water made available for transfer through cropland idling actions under the Proposed Action would temporarily increase the amount of idled lands in the sellers' area (in a non-urbanized area). However, the amount of potentially idled cropland under the Proposed Action would be limited when compared to the amount of active cropland in the area. Idled lands, visually similar to fallowed fields, are typical features of agricultural landscapes as part of normal cultivation practices. The crop pattern resulting from the Proposed Action would likely be indistinguishable from those under normal cropping patterns. This impact would be less than significant as there would be no substantial changes or degradation to the visual character or quality of the sites and their surroundings.

II. AGRICULTURE AND FOREST RESOURCES:

In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Department of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state's inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment Project; and forest carbon measurement methodology provided in Forest Protocols adopted by the California Air Resources Board. Would the project:

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impac
a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non- agricultural use?				
b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?				\boxtimes
c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?				
d) Result in the loss of forest land or conversion of forest land to non-forest				\boxtimes

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact			
e) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?							
a, b) No Impact. The No Action Alternative could result in increased cropland idling in 2019 within the buyers' area if surface water supplies from the CVP are reduced. One-year water transfers under the Proposed Action would temporarily take land out of production in sellers' area, but would not affect the long-term agricultural uses of the land. Cropland idling for a single year would be similar to fallowing a field under a normal crop rotation and would not convert any land to non-agricultural use. Cropland idling would not affect Williamson Act contracts or the long-term designations of Prime Farmland or other Farmland Mapping and Monitoring Program classifications.							
c, d) No Impact. The No Action Alter existing forest lands or timber, as the plands or resources.	-		-	A.			
e) No Impact. The No Action Alternative and the Proposed Action could result in increased cropland idling and could temporarily take land out of production. Temporary cropland idling would not convert any agricultural land to non-agricultural use. The No Action Alternative and the Proposed Action would not affect existing forest land, and would therefore not convert any forest land to non-forest use.							
III. AIR QUALITY Where available, the significance criteria estab control district may be relied upon to make the				or air pollution			
	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact			
a) Conflict with or obstruct implementation of the applicable air quality plan?		\boxtimes					
b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?							

2019 Tehama-Colusa Canal Authority Water Transfers Public Draft Environmental Assessment/Initial Study

	Potentially Significant Impact	Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact
c) Expose sensitive receptors to substantial pollutant concentrations?				
d) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?				

Less Then

a) Less than Significant with Mitigation Incorporation

No Action Alternative: Under the No Action Alternative, growers could idle crops or pump groundwater to supplement surface water supplies (if CVP supplies are reduced). Crop idling actions could increase fugitive dust emissions. Although there could be emission increases under the No Action Alternative, the emissions would be consistent with existing trends in air quality and would be the same as existing conditions; therefore, emissions could not impede implementation of any air quality plan.

Proposed Action: The air districts associated with the counties of Shasta, Tehama, Glenn, Butte, Colusa, Sutter, and Yuba comprise the Northern Sacramento Valley Planning Area (NSVPA). The NSVPA has jointly committed to preparing and adopting an Air Quality Attainment Plan (AQAP) to achieve and maintain healthful air in these counties. The Sacramento Metropolitan AQMD and the Yolo/Solano AQMD have also adopted various air quality plans for the pollutants for which they are currently designated nonattainment. As part of these plans, several control measures were adopted by the various counties to attain and maintain air quality standards. These control measures are then promulgated in the rules and regulations at each air district; therefore, if a Proposed Action is consistent with the air districts' and State regulations, then the project is in compliance with the AQAP. The air quality impacts from actions taken to make water available for transfer are associated with the actions taken to reduce consumptive use.

The Proposed Action would use a combination of electric, diesel, and propane driven groundwater pumps depending on the specific water agency. All diesel-fueled engines are subject to CARB's Airborne Toxic Control Measure (ATCM) for Stationary Ignition Engines (17 California Code of Regulations [CCR] 93115). The ATCM does not expressly prohibit the use of diesel engines for agricultural purposes; therefore, diesel engines may be used for in lieu groundwater pumping associated with making surface water available for transfer through groundwater substitution actions as long as they are replaced when required by the compliance schedule. All pumps proposed to be used by the water agencies would operate in compliance with all rules and regulations at the federal, state, and local levels, including the ATCM.

As part of the planning efforts, several of the air districts developed significance thresholds for mass daily and/or annual emission rates of criteria pollutants to assess whether a proposed project would violate air quality standards or contribute substantially to an existing or projected air quality violation. Colusa, Glenn, and Shasta counties do not have published significance thresholds; therefore, the threshold used to define a "major source" in the Clean Air Act (100

tons per year) was used to evaluate significance. Table 3-1 summarizes the significance thresholds used by each air district and the general conformity *de minimis* thresholds.

Table 3-1. CEQA and General Conformity Operational Significance Thresholds

Air District	Voc	NOx	co	SOx	PM ₁₀	PM _{2,5}
Sacramento Metropolitan AQMD	65 lbs/day	65 lbs/day				1414
Yolo-Solano AQMD	10 tpy	10 tpy	1		80 lbs/day	
Feather River AQMD	25 lbs/day	25 lbs/day			80 lbs/day	
De Minimis Threshold (General Conformity)	100 tpy	100 tpy	100 tpy	100 tpy	100 tpy	100 tpy

Source: Feather River AQMD 2010; Sacramento Metropolitan AQMD 2015; Yolo-Solano AQMD 2007, 40 CFR 93.153(b). Key:

-- = no threshold; AQMD = air quality management district; CO = carbon monoxide; lbs/day = pounds per day; NOx = nitrogen oxides; PM₁₀ = inhalable particulate matter; PM_{2.5} = fine particulate matter; SOx = sulfur oxides; tpy = tons per year; VOC = volatile organic compounds

In addition to the CEQA significance thresholds, the federal general conformity regulations apply to a proposed federal action in a nonattainment or maintenance area if the total of direct and indirect emissions of the relevant criteria pollutants and precursor pollutants caused by the proposed action equal or exceed certain *de minimis* amounts (40 CFR 93.153). Conformity means that such federal actions must be consistent with a state implementation plan's (SIP's) purpose of eliminating or reducing the severity and number of violations of the NAAQS and achieving expeditious attainment of those standards.

Groundwater substitution pumping could increase air emissions in the seller area. Cropland idling actions could reduce vehicle exhaust emissions, but increase fugitive dust emissions. Cropland idling actions could offset some of the emissions from groundwater substitution pumping, but cropland idling actions may not occur up to the upper limits and therefore cannot be counted on to reduce impacts of groundwater substitution pumping. This section only analyzes impacts from groundwater substitution pumping to estimate the maximum potential emissions that could occur under the Proposed Action.

Some of the water made available for transfer through groundwater substitution actions could go to users who would have pumped groundwater in response to surface water shortages under the No Action Alternative. The emissions from the reduction compared to the No Action Alternative could offset some of the emissions in the Proposed Action, but the quantity of the offset is uncertain. Therefore, this offset is also not considered within the analysis.

Table E-3 in Appendix E summarizes the maximum daily emissions that would be estimated to occur in each water agency subject to a daily significance threshold. Table E-10 in Appendix E summarizes the annual emissions that would occur in each water agency subject to an annual significance threshold. Significance was determined for individual water agencies. As shown Appendix E, Pleasant Grove-Verona Mutual Water Company and Sutter Mutual Water Company would exceed the daily VOC and NOx thresholds for the Feather River AQMD (Table E-3). The other sellers would be below the daily and annual emissions thresholds. The following mitigation measure would reduce the severity of the air quality impacts:

• AQ-1 – Selling agency would reduce pumping at diesel wells to reduce emissions to below the thresholds. If an agency is making water available for transfer through cropland idling

and groundwater substitution actions in the same year, the reduction in vehicle emissions can partially offset groundwater substitution pumping at a rate of 4.25 AF of water produced by idling to one acre-foot of groundwater pumped. Agencies may also decide to replace old diesel wells to reduce emission below the thresholds.

Any selling agency with potentially significant emissions, as determined by this EA/IS, will be required to submit information prior to making water available for transfer through groundwater substitution actions that documents the wells that would be pumped to stay below the thresholds. The selling agency must also maintain recordkeeping logs that document the specific engine to be used for making water available for transfer through groundwater substitution actions, the power rating (hp), and applicable emission factors. Emission calculations for daily emissions will be completed for comparison to the significance thresholds determined for each selling agency. In the annual report, the selling agencies will be required to submit documentation specifying that the wells would only be pumped in accordance with the transfer proposals. Mitigated emissions are provided in Table E-59 of Appendix E. Implementation of the above mitigation measure would reduce VOC and NOx emissions to less than significant, but the water made available for transfer through groundwater substitution actions from diesel wells would be limited to a smaller amount than described in Chapter 2.

As discussed above, in addition to the CEQA significance thresholds, the federal general conformity regulations apply to a proposed federal action in a nonattainment or maintenance area if the total of direct and indirect emissions of the relevant criteria pollutants and precursor pollutants caused by the proposed action equal or exceed certain *de minimis* amounts (40 CFR 93.153). Figure E-1 in Appendix E shows the CO maintenance area; Figure E-2 in Appendix E shows the O₃ nonattainment area; Figure E-3 in Appendix E shows the PM₁₀ maintenance area; and Figure E-4 in Appendix shows the PM_{2.5} nonattainment area.

Because the mitigation measures would be a requirement of project implementation, mitigated emissions for the Proposed Action were compared to the general conformity *de minimis* thresholds. Table E-1 in Appendix E summarizes the general conformity applicability evaluation.

b) Less than Significant

No Action Alternative: As described previously, the No Action Alternative would not change emissions relative to existing emissions. Because emissions would not increase, the No Action Alternative would not result in a cumulative impact to air quality.

Proposed Action: All counties affected by the Proposed Action are located in areas designated nonattainment for the PM₁₀ CAAQS. Additionally, Sacramento, Shasta, Tehama, and Yolo Counties are designated nonattainment for the O₃ CAAQS, while Sutter County is designated nonattainment-transitional for the O₃ CAAQS. Nonattainment status represents a cumulatively significant impact within the area. O₃ is a secondary pollutant, meaning that it is formed in the atmosphere from reactions of precursor compounds under certain conditions. Primary precursor compounds that lead to O₃ formation include volatile organic compounds and nitrogen oxides; therefore, the significance thresholds established by the air districts for VOC and NOx are intended to maintain or attain the O₃ CAAQS and NAAQS.

As previously discussed, the general conformity regulations apply to nonattainment and maintenance areas and are intended to demonstrate that a federal action would comply with the state implementation plan and would not cause the air quality in the region to be degraded. Therefore, if the total of direct and indirect emissions is less than the general conformity de minimis thresholds, then the project would not be cumulatively considerable because the ambient air quality standards would continue to be maintained. As shown in Appendix E, Table E-57, emissions that would occur in the nonattainment and maintenance areas in the region are less than the general conformity *de minimis* thresholds.

However, emissions would also occur in air districts that are in attainment of the NAAQS and CAAQS. Therefore, the cumulative impact of the engines operating within the individual air districts were compared to a significance threshold of 100 tons per year. This threshold was selected because it is the threshold at which a permitted source would be categorized as a major source. The threshold is therefore considered to be sufficient to evaluate if the total emissions from a project could cause the air quality standards to be exceeded.

As shown in Table 3-2, total criteria pollutant emissions would not exceed the cumulative emissions threshold in either the Colusa County or Glenn County APCDs. In addition, only electric engines are proposed to be operated in the Shasta County and Yolo/Solano AQMDs. Because emissions would neither exceed the general conformity de minimis threshold in nonattainment or maintenance areas, nor the major source threshold in attainment areas, emissions from the project would not be cumulatively considerable.

Table 3-2. Cumulative Emissions in Attainment Areas

Air District	VOC (tpy)	NOx (tpy)	CO (tpy)	SOx (tpy)	PM ₁₀ (tpy)	PM _{2.5} (tpy)
Colusa County APCD	6	42	15	5	1	1
Feather River AQMD ¹	<1	1	1	<1	<1	<1
Glenn County APCD	5	64	14	4	1	1

Notes:

Key:

APCD = air pollution control district; CO = carbon monoxide; NOx = nitrogen oxides; PM10 = inhalable particulate matter; PM2.5 = fine particulate matter; SOx = sulfur oxides; tpy = tons per year; VOC = volatile organic compounds

c) Less than Significant

No Action Alternative and Proposed Action: The proposed engines would either be remotely located in rural areas or would be located on existing agricultural land. The engines would not be located within one-quarter mile of a sensitive receptor. Additionally, emissions from individual engines would not exceed any district's significance criteria. Therefore, air quality impacts would be less than significant.

d) Less than Significant

No Action Alternative and Proposed Action: The use of diesel engines during groundwater substitution pumping may generate near-field odors that are considered a nuisance. Diesel

Sutter County, which is located within the Feather River AQMD, is partially located in the Sacramento Metro O₃ nonattainment region and partially located within an O₃ attainment area. Pelger Mutual Water Company is the only water agency with non-electric engines located in the attainment portion of Sutter County. Therefore, this table only summarizes emissions from Pelger Mutual Water Company because all other water agencies with engines in Sutter County are applicable to the general conformity regulations.

equipment emits a distinctive odor that may be considered offensive to certain individuals. The local air districts have rules (e.g., Sacramento Metropolitan AQMD Rule 402) that prohibit emissions that could cause nuisance or annoyance to a considerable number of people. All water agencies would operate their engines in compliance with the local rules and regulations. Therefore, the proposed operation of any diesel-fueled engines would have a less than significant impact associated with the creation of objectionable odors affecting a substantial number of people.

IV. BIOLOGICAL RESOURCES

- Would the project:

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?				
b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in City or regional plans, policies, regulations or by the California Department of Fish and Wildlife or US Fish and Wildlife Service?				
c) Have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?				
d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?				
e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?				
f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?				

a) Less than Significant Impact with Mitigation Incorporation

No Action Alternative: Dry hydrologic conditions could affect special status fish species. Reclamation and DWR currently operate the CVP and SWP based on the Biological Opinions on

the Continued Long-term Operations of the CVP/SWP and D1641. In compliance with the SWRCB Water Rights Orders 90-5 and 91-1, Reclamation is currently implementing the most recent Temperature Management Plan for 2018 (Reclamation 2018) and is in the process of developing the 2019 plan. The Temperature Management Plan establishes monthly average releases from Keswick Reservoir, monitoring, and compliance points for temperatures in the Sacramento River. This is consistent with the objective of the SWRCB Orders to provide suitable habitat temperatures in the Sacramento River for winter-run Chinook salmon and other listed species.

Under the No Action Alternative, growers in the buyers' area would idle crops if surface water supplies are reduced. Rice idling actions could have an adverse effect to GGS that use flooded rice fields for foraging and protective cover habitat during the summer months. Rice idling would have similar adverse effects to pacific pond turtle.

Proposed Action:

Fishery Resources

Under the Proposed Action, water made available for transfer would be released from Shasta Reservoir based on agricultural irrigation patterns and in compliance with the SWRCB Water Rights Orders 90-5 and 91-1. The Orders establish in-stream temperature criteria to manage the cold water storage within Shasta Reservoir and make cold water releases from Shasta Reservoir to provide suitable habitat temperatures for winter-run Chinook salmon, spring-run Chinook salmon, California Central Valley steelhead, and the Southern Distinct Population Segment of North American green sturgeon in the Sacramento River between Keswick Dam and Bend Bridge, while retaining sufficient carryover storage to manage for the following year's winter-run Chinook salmon cohort. In addition, to the extent feasible, another objective is to manage for suitable temperatures and stabilize flows for naturally-spawning fall-run/late-fall-run Chinook salmon, for cold water storage and releases to protect winter-run Chinook salmon and other listed species.

Water made available for transfer to Member Units of the TCCA would be delivered on the same pattern as it would have been diverted by the sellers in the absence of transfers, unless changes are requested to aid implementation of the Temperature Management Plan. The largest volume of water made available for transfer would be made available in June, Sacramento River flows would slightly decrease from the TCCA point of diversion at the Red Bluff Pumping Plant to the point of diversion of the seller, located downstream (except for ACID's point of diversion). during the transfer period. The largest change in flow could be approximately 180 cfs in June. For comparison, flows in the Sacramento River near Colusa averaged 6.841 cfs in June 2018 (DWR 2018c). The transfers would not affect flows downstream of the point where water would have been diverted if a transfer did not occur; therefore, flows into the Delta would not be affected. The changes of up to 180 cfs in Sacramento River flows (3 percent of June 2018 flows) would not be substantial enough to affect special status fish species. Adult migration by special status fish species, including Chinook salmon, steelhead, and green sturgeon, would not be affected by slightly decreased flows. This magnitude of flow decrease would not reduce spawning habitat availability and incubation, increase redd dewatering or juvenile stranding, or reduce the suitability of habitat conditions during juvenile rearing of these species. In addition, Reclamation would

continue to comply with the SWRCB Orders under a Temperature Management Plan to meet temperature requirements in the Sacramento River.

During 2014 and 2015, Reclamation worked with the resource agencies to modify operations to take advantage of the water made available for transfer. Some of the water made available for transfer was held in Shasta Reservoir and delivered to buyers later in the year. This action was accomplished with cooperation from transferring parties as part of the Temperature Management Plan; and allowed more water to stay in Shasta Reservoir which helped maintain the cold water pool for use later into the season to help winter-run salmon. This action could be taken again in 2019 if it would help meet temperature objectives for sensitive fish species. Because the decrease in flow in the Sacramento River would be minor, and temperatures would be maintained to protect winter-run Chinook salmon and other listed species, impacts to special status aquatic species in the Sacramento River would be less-than-significant. Reclamation is consulting frequently with USFWS and NMFS on CVP and SWP operations relative to special status fish species.

Special status fish species in the Delta would not be affected by the Proposed Action because flows downstream of the sellers' point(s) of diversion would not change from the No Action Alternative.

Groundwater Substitution Water made available through groundwater substitution actions under the Proposed Action would reduce groundwater levels and potentially deplete surface water flows in rivers and creeks (see Section IX (b)). Surface water depletions in the Sacramento and American rivers as a result of making water available through groundwater substitution action would not be substantial, nor would they be of sufficient magnitude to affect special status fish species.

Reduced surface water flows in smaller creeks could affect special status fish species. Based on a review of field sampling data and reports, this analysis concluded that there is no evidence of the presence of special-status fish species in the following creeks and any streamflow depletion would have no effects on special status fish species: Walker Creek, French Creek, Willow Creek, South Fork Willow Creek, Funks Creek, Stone Corral Creek, Lurline Creek, Cortina Creek, Sand Creek, Sycamore Slough (Colusa County), Wilkins Slough Canal, Honcut Creek, North Honcut Creek, South Honcut Creek, and Dry Creek (tributary of Bear River).

The Proposed Action could have an adverse impact on fish habitat if it resulted in decreased flows to a degree that would substantially affect riverine, riparian, or wetland habitats in a river or stream, or interfere with fish movement or access to or from areas where the fish spawn. This degree of decreased flow is measured as both a minimum change in flow of one cfs and a ten percent change in mean flow (where quantitative flow data were available). A qualitative assessment was applied in instances where quantitative flow data were not available. The one cfs minimum flow threshold was used as a conservative measure of detectability by a fish. The ten percent threshold was used to determine measurable flow changes based on several major legally certified environmental documents in the Central Valley related to fisheries (Trinity River Mainstem Fishery Restoration Record of Decision, December 19, 2000; San Joaquin River Agreement Record of Decision in March 1999; Freeport Regional Water Project Record of Decision, January 4, 2005; Lower Yuba Accord EIR/EIS; Long-Term Water Transfers Record of

Decision (ROD), 2015). If either of these thresholds were reached, further evaluation of fishery impacts was conducted to determine adverse impacts.

For creeks with the presence of special status fish species, the groundwater modeling estimated there would be a less than one cfs reduction in average monthly flow in Big Chico Creek, Stony Creek, Salt River, Little Chico Creek, and Putah Creek. A flow reduction of one cfs or less is not of sufficient magnitude to affect special status fish species.

There would be reductions in flows greater than one cfs in Colusa Basin Drain, Coon Creek, Eastside Cross Canal, Cache Creek and Butte Creek. Historical stream flow information from the U.S. Geological Survey was gathered where available and used as the measure of baseline flow. For locations for which historical flow data were unavailable, a quantitative analysis was not possible; thus a qualitative discussion of potential impacts is included for these locations.

Based on available historical flow data, reductions in stream flows in Colusa Basin Drain and Butte Creek would be less than ten percent of monthly average stream flows. In Colusa Basin Drain, monthly decreases in flows due to the Proposed Action would range from zero percent to 0.1 percent of monthly historical flows from 1998 to 2018. In Butte Creek, monthly decreases in flows due to the Proposed Action would range from 0.01 percent to 0.2 percent of monthly historical flows from 2007 to 2018. These flow changes would be small, and the habitat for special status species in these waterbodies would not be substantially affected by the Proposed Action.

In Cache Creek, drawdown over 1 cfs would occur in January and February following transfers of water made available through groundwater substitution actions based on groundwater modeling. The decreases in flows due to the Proposed Action could be greater than 10 percent of monthly historical average in below normal or dry year types when flows in the creek are below 20 cfs. In low flow conditions, there is no passable connection for fish between the Delta and mouth of Cache Creek (Sacramento River Watershed Program 2010). Impacts to special status fish species in Cache Creek would be less than significant.

Historical flow data were limited for Coon Creek; data were available for two years from 2003 to 2005. Based on the Sacramento Valley Hydrologic Index, 2003 and 2005 were above normal years and 2004 was a below normal year. Between 2003 and 2005, December through March flows ranged from 50 cfs to 200 cfs. Flows in April and May ranged from 20 to 40 cfs (Bergfeld, pers. comm., 2014). Based on the groundwater modeling, drawdown over 1 cfs would occur in February, March, April, and May following the transfers. If Coon Creek flows are at the low end of the range, there could be a slightly greater than 10 percent reduction in flows in March and April. This calculation represents a worst case scenario because baseline flows used in this calculation are at the low end of existing flow data range during 2003-2005. If the calculation included the mid- or high end of the range for baseline flows identified above, the reduction due to the Proposed Action would be less than ten percent. Therefore, this flow reduction would likely occur less frequently than assumed. As a result, it is concluded that effects of the Proposed Action to fisheries resources in Coon Creek would be less than significant.

Historical flow data were not available for East Side/Cross Canal. The East Side Canal serves as a flood management structure with a major levee on the west side of the canal that intercepts all

of the watersheds north of the community of Pleasant Grove in Sutter County, including Coon Creek, Markham Ravine, and Auburn Ravine. The canal collects flood waters, natural flows, and agricultural return flows and has a design capacity of up to 16,000 cfs (DWR 2010). Riparian vegetation is generally absent due to periodic levee maintenance and herbicide applications on adjacent farmlands. However, the channel does have a variety of rooted aquatic vegetation, such as cattails, and riparian shrubs including willows. The area provides a variety of habitats for fish and numerous other wildlife species (County of Placer 2002). The Cross Canal is the outlet channel for all of the watersheds intercepted by the East Side Canal and those from the south, including Curry Creek, and Pleasant Grove Creek (County of Placer 2002). The groundwater model estimates up to a 14.6 cfs reduction in flow in August and 12.9 cfs reduction in flow in September. Based on the number of water bodies that drain into the East Side/Cross Canal and the large design capacity of the canal, it is unlikely that a 12.9 to 14.6 cfs reduction would substantially reduce the limited fish habitat in the canal. As a result, it is concluded that effects of the Proposed Action to fisheries resources in East Side/Cross Canal would be less than significant.

Terrestrial Resources

Cropland Idling The following is a discussion of effects of rice idling actions on special status wildlife species that are present in the sellers' area. Additional special status animal and plant species have the potential to occur in the project area, but would not be affected by the Proposed Action. Appendices A and B list special status animal and plant species that could be present in the project area and the reason for the no effect determination.

Rice idling could affect special status species that use rice fields for forage, cover, nesting, breeding, or resting. Under the Proposed Action, a maximum of 13,568 acres of rice could be idled in Colusa, Glenn, Sutter, and Yolo counties based on the proposed transfer volumes in Table 2-3 and an ETAW of 3.3 acre-feet per acre for rice. Table 3-3 shows the annual harvested rice acreages in each county from 2007 to 2017.

Table 3-3, Annual Harvested Rice Acreage by County in Sellers' Area

Year	Glenn	Colusa	Sutter	Yolo	Total
2007	82,668	148,550	108,241	32,660	372,119
2008	77,770	150,200	92,344	30,057	350,371
2009	89,483	152,400	109,766	36,593	388,242
2010	88,209	154,000	115,000	41,400	398,609
2011	84,900	149,000	112,000	42,500	388,400
2012	84,800	150,000	116,000	40,500	391,300
2013	85,300	149,000	116,000	38,400	388,700
2014	73,300	111,000	75,900	39,300	299,500
2015	60,400	100,200	92,400		253,000
2016	73,700	149,000	119,000	32,000	373,700
2017	73,700	134,900	78,200		286,800
Average (2007-17)	79,475	140,750	103,168	37,046	353,704

Source: U.S. Department of Agriculture (USDA) 2007-2018

Rice harvested acreage in California decreased in 2014 and 2015 due to the drought and water restrictions. In 2016, rice harvested acreage increased 33 percent compared to 2015 acreages

(USDA 2016b). In 2017, rice harvested acreage decreased 7 percent compared to 2016. This decrease is largely due to higher prices for competing commodities (USDA 2017).

Giant Garter Snake

Rice idling actions could affect the GGS that use flooded rice fields for foraging and protective cover habitat during the summer months. GGS require water during their active phase, extending from spring until fall. During the winter months, GGS are dormant and occupy burrows in upland areas. While the preferred habitat of GGS is natural wetland areas with slow moving water, GGS use rice fields and their associated water supply and tail water canals as habitat, particularly where natural wetland habitats are not available. Because of the historic loss of natural wetlands, rice fields and their associated canals and drainage ditches have become important habitat for GGS.

Rice idling would affect available habitat for GGS. The GGS displaced from idled rice fields would need to find other areas to live. This may lead to indirect effects such as reduced reproductive success, reduced condition prior to the start of the overwintering period, and increased predation risk. Because GGS in rice fields are within an active rice growing region that experiences variability in rice production and farming activities, they are already subject to these risks. If water levels in major canals in the sellers' areas decrease, GGS may have more limited aquatic habitat and options for movement through the areas.

The USGS led a giant garter snake study in 2016 to assess the effects of rice idling on occupancy dynamics of giant garter snakes in the Sacramento Valley (USGS 2017). The first year of surveys (May to September 2016) included 83 samples sites across 5 survey basins (American, Butte, Colusa, Sutter, and Yolo). The study found 91 snakes at 51 sites. The primary purpose of the study is to examine the effects of water transfers, particularly rice idling, on giant garter snake distribution and occupancy, and to assess the effectiveness of the measures that could reduce effects on GGS. During the first year of the study (2016), the primary objective was to determine whether sites associated with active and fallowed rice fields differ in the probability of giant garter snake occurrence. Distribution, occurrence, and detection probability of giant garter snakes were also evaluated for several other biological variables, including the percent cover of submerged vegetation, capture rate of fish, and capture rate of frogs. Related to rice production, preliminary results for 2016 indicate that there is a positive correlation between occupancy of giant garter snake and the presence of rice within a 1, 2, and 3 kilometer buffer distance from survey sites. The probability of occurrence appears to level off at its highest when there is at least 60 percent rice within a 3 kilometer buffer (USGS 2017).

Work by the USGS suggests that giant garter snakes are most likely to occur within areas of historical tule marsh, and the likelihood of encountering them drops substantially with distance from these areas of historical habitat (Halstead et al. 2014). Without best management practices to protect GGS, cropland idling to make water available for transfer could have significant effects on GGS because land could be idled in (or near) areas with known populations of GGS and dry canals could limit movement of snakes. Mitigation Measure VEG and WILD-1 identifies best management practices that would reduce these effects. The mitigation measure would minimize idling of lands adjacent to naturalized lands and refuges and corridors between these areas, with high likelihood of GGS occurrence. Implementation of the mitigation measure will also protect movement corridors for GGS by maintaining at least 2 feet of water in major

irrigation ditches and drainage canals. This measure also keeps emergent aquatic vegetation intact for giant garter snake escape cover and foraging. By maintaining water in agricultural ditches, some GGS would successfully relocate to find alternate forage, cover, and breeding areas during idling events. The mitigation measure also includes voluntary training by sellers to continue GGS best management practices, including educating maintenance personnel to recognize and avoid contact with GGS, cleaning only one side of a conveyance channel per year, and implementing other measures to enhance habitat for GGS.

(

Incorporation of Mitigation Measure VEG and WILD-1 would reduce impacts of rice idling under the Proposed Action to a less than significant impact on GGS because it would avoid or reduce many of the potential indirect impacts associated with loss of habitat and displacement of GGS. Some individual snakes would be exposed to displacement and the associated increased risk of predation, reduced food availability, increased competition, and potentially reduced fecundity. The number of individual snakes affected is expected to be small because the Mitigation Measure avoids areas where GGS populations are known to occur. The measure to maintain at least 2 feet of water in major irrigation and drainage canals near idled fields would also protect GGS. In addition, no more than 4 percent of average annual rice acreage from 2007 to 2017 would be affected.

Pacific Pond Turtle

Ditches and drains associated with rice fields provide suitable habitat for the pacific pond turtle. Actions that result in the desiccation of aquatic habitat could result in the turtle migrating to new areas, which in turn puts them at an increased risk of predation. If adequate water is not maintained in canals, the turtle may have limited movement corridors. Without best management practices to protect the turtle, this impact would be significant. Mitigation Measure VEG and WILD-1 requires that sellers maintain at least 2 feet of water in major irrigation and drainage canals to provide movement corridors for aquatic species, including the pond turtle. This would be implemented in areas where cropland idling or crop shifting occurs. Canal water depths should be similar to years when transfers do not occur or, where information on existing water depths is limited, at least two feet of water would be sufficient. The mitigation measure minimizes impacts to pacific pond turtle because it would maintain aquatic habitat for the turtle and the opportunity to migrate to new areas; therefore, effects to the pacific pond turtle from making water available for transfer through cropland idling actions would be less than significant after mitigation.

Special Status Bird Species and Migratory Birds

Many migratory bird species use seasonally flooded agricultural land for nesting and forage habitat during the summer rearing season. Among these are special-status species such as the black tern, which uses flooded rice land and emergent vegetation for foraging (for insects and small vertebrates) and for nesting. Reduction of seasonally flooded agricultural habitat could adversely affect local populations of special status species such as the black tern. However, the decisions regarding crop shifting/idling would have already been made prior to the onset of the species breeding season (May through August), such that terns returning to the area would be able to select appropriate nesting sites for that year. The maximum amount of rice idling would be 13,568 acres, which is approximately 4 percent of the average acreage (353,704 acres) of rice harvested in the project vicinity. Therefore, nesting habitat would be available in active rice fields nearby. The impacts to the species would be less than significant, and they would be

further reduced through implementation of the mitigation measure aimed at the protection of GGS because best management practices would minimize idling near wildlife refuges that provide important habitat for terns. The practice to maintain at least 2 feet of water in major irrigation and drainage canals near idled fields would also protect the tern by supporting emergent vegetation in canals for forage on small aquatic insects, emergent plants, and seeds.

Special-status bird species including bank swallows and tricolored blackbirds forage in rice fields near their nesting colonies. Although the rice plants are not tall or sturdy enough to support nests, the seasonally flooded fields provide resources required for breeding colony locations, which consist of open access to water and suitable foraging space with insect prey. The primary concern for the tricolored blackbird's association with rice fields is the use of the habitat as a source of insects and waste grain forage. Tricolored blackbirds may use rice fields year-round and would also use emergent vegetation in return ditches and irrigation canals associated with the seasonally flooded fields. The rice agriculture cycle provides insect forage in the flooded fields during the summer and waste grain forage over winter. Rice idling could affect the population's foraging distribution behavior and patterns and could reduce foraging and breeding habitat for these species.

In addition, many raptors forage in summer and/or winter over rice fields, preying on various wildlife, including waterfowl. A reduction in the number of waterfowl or other prey could affect local populations.

For the millions of birds that use rice fields during winter migration, this approximately four percent of the average planted acreage (353,704) reduction in crops planted is not expected to affect the amount of post-harvest flooded agriculture that provides important winter forage for migratory birds, particularly waterfowl and shorebirds. Farmers in the Sacramento Valley only flood-up a fraction of the cropland planted; typically around 60 percent in normal water years (Miller et al 2010, Central Valley Joint Venture 2006) and as little as 15 percent in critically dry years (Buttner 2014). The decision on whether to flood is not based on what was produced for the year but instead is determined by the availability of fall and winter water. Growers divert a separate water supply, pursuant to state water rights, in fall and winter for rice decomposition. Particularly during drier years (when transfers occur), the amount of land flooded is limited by availability of fall water supply rather than the amount of land that was planted during the irrigation season. Because the Proposed Action does not include transfers of water that would otherwise be used for rice decomposition or otherwise affect the availability of fall and winter water, it would not change the availability of water for post-harvest flooding and therefore would not result in a reduction of winter foraging and resting habitat for migrating birds.

The location of cropland idling does have the potential to affect the use of historic roost sites, particularly for sandhill cranes, which exhibit site fidelity (Zeiner et al. 1990), typically returning to the same location each year to winter. Idling fields or crop shifting within areas that sandhill cranes historically return to may affect their wintering distribution patterns due to reduced forage availability on idled or crop shifted fields. Although the birds would disperse as their main food source diminishes, cropland idling and/or crop shifting could affect the timing of dispersal and could negatively affect those individuals that have not had sufficient time to prepare for winter migration.

While the effects to migratory birds would be small overall because the maximum reduction in rice production would be within the historic range of variation, there may be localized significant effects on some birds that typically use sites that have fewer rice fields in production nearby. Incorporation of Mitigation Measure GW-1, described below in Section IX "Hydrology and Water Quality," would minimize idling in known wintering areas that support high concentrations of wintering waterfowl and shorebirds, and water transfers would not include rice decomposition water and therefore would not reduce the availability of post-harvest forage. Incorporation of Mitigation Measure GW-1 would reduce effects to migratory birds to less than significant.

Mitigation Measure VEG and WILD-1: Protect Existing Habitat for Terrestrial Wildlife Mitigation Measure VEG and WILD-1 includes measures to avoid potentially significant impacts to terrestrial species associated with making water available for transfer through cropland idling actions and reduce any potential impacts to less than significant:

- As part of the review and approval process for proposed water transfers, Reclamation will have access to the land to verify how the water proposed for transfer is being made available and to verify that actions to protect the giant garter snake are being implemented.
- Movement corridors for aquatic species (including pond turtle and giant garter snake) include major irrigation and drainage canals. The water seller will keep adequate water in major irrigation and drainage canals. Canal water depths should be similar to years when transfers do not occur or, where information on existing water depths is limited, at least two feet of water will be considered sufficient.
- Maintaining water in smaller drains and conveyance infrastructure supports key habitat
 attributes such as emergent vegetation for giant garter snake escape cover and foraging
 habitat. If cropland idling/shifting occurs, Reclamation will work with sellers to document
 that adequate water remains in drains and canals. Documentation may include flow records,
 photo documentation, or other means of documentation subject to approval by Reclamation
 and USFWS.
- Fields abutting or immediately adjacent to areas with known important giant garter snake populations (Appendix G) will not be permitted to participate in cropland idling/shifting transfers. Important giant garter snake populations are defined for purposes of this mitigation measure as populations previously identified by biologists from USFWS, USGS, and possibly contract biologists. These populations of giant garter snakes were identified early on as having been identified in previous consultations and are in, or connected to, areas that are considered public or protected. Most of these areas have specific management plans for giant garter snakes either for mitigation or as wildlife refuges. One factor influencing the importance of these areas is that they can provide a refuge for snakes independent of rice production. Fields abutting or immediately adjacent to the following areas are considered important giant garter snake populations:
 - Little Butte Creek between Llano Seco and Upper Butte Basin Wildlife Area
 - Butte Creek between Upper Butte Basin and Gray Lodge Wildlife areas

- Colusa Basin drainage canal between Delevan and Colusa National Wildlife Refuges
- Gilsizer Slough
- Colusa Drainage Canal
- Land side of the Toe Drain along the Sutter Bypass
- Willow Slough and Willow Slough Bypass in Yolo County
- Hunters and Logan Creeks between Sacramento and Delevan National Wildlife Refuges
- Lands in the Natomas Basin
- At the end of the water transfer year, Reclamation will prepare an annual monitoring report that contains the following:
 - Maps of rice production and all cropland idling actions within the seller district that
 occurred within the range of potential methods of making water available for transfer
 analyzed in this EA/IS.
 - Results of current scientific research, summary of monitoring pertinent to water transfer actions, and new giant garter snake detections.
 - Discussion of conservation measure effectiveness.
 - Cumulative history of crop idling and crop shifting specifically to make water available for transfer within the sellers' area.

The report will be submitted to the USFWS and CDFW no later than January 31, prior to the next year of potential transfers.

- Reclamation will establish annual meetings with the Service to discuss the contents and findings of the annual report. These meetings will be scheduled following the distribution of the monitoring report and prior to February 29.
- If, upon Reclamation's review of monitoring reports or other scientific literature, it appears that the Project is having unanticipated effects on the giant garter snake, Reclamation will contact the Service to discuss the information available and effectiveness of Project conservation measures.
- Reclamation will monitor the effectiveness of the conservation measures by funding giant garter snake distribution and occupancy research. The research, conducted by USGS, includes annual sampling of giant garter snake within the action area and focuses on their distribution and occupancy dynamics. The research is designed to evaluate the effectiveness of the conservation measures to maintain giant garter snake occupancy at sites making water available for transfer.

b, c) Less than Significant Impact with Mitigation Incorporation

No Action Alternative: Flow and elevation changes within the river and reservoirs due to dry weather conditions during 2006-2015, lack of precipitation, and limited snow pack resulted in

adverse conditions for managed and unmanaged wetlands. As a result of decreased flow in the rivers, there were limited or no connections between the riparian areas and wetlands in floodplains associated with these rivers. Water Year 2017, being an exceptionally wet year, helped to alleviate these issues. Water Year 2018 was classified as a below normal year. Increased precipitation during 2017 increased flow in the rivers and helped reconnect riparian areas. Additionally, wetlands and reservoir water surface elevations have increased in many of the large reservoirs, such as Shasta, Folsom, and Oroville. Cropland idling under the No Action Alternative in response to water shortages would not reduce the amount of tail water that flows to wetlands.

Proposed Action: Under the Proposed Action, Reclamation would deliver the water made available for transfer to the Member Units of the TCCA on the same pattern that it would have been diverted by the seller if no transfer occurred. This operation would result in a small change in flow between the Red Bluff Pumping Plant and the point where water would have been diverted by the seller absent the transfer. The largest change in flow would be about 180 cfs in June (if the Settlement Contractors receive 100 percent of the Contract Total). Flows in the Sacramento River near Colusa averaged 6,841 cfs in June 2018 (DWR 2018a). The water transfers would not affect flows downstream of the point where water would have been diverted if a transfer did not occur, so flows into the Delta would not be affected. The Proposed Action would result in minor effects to any riparian habitat near the rivers. There would not be any dewatering of root zones to such an extent to cause die back of riparian tree and shrub foliage, branches or entire plants. Impacts would be less than significant.

As discussed in (a), water made available for transfer through groundwater substitution actions could result in streamflow depletion in rivers and creeks, which could directly impact natural communities by changing the timing and volume of flows within rivers. Natural communities potentially affected include valley/foothill riparian, managed and natural seasonal wetlands. In the Sacramento and American rivers, there would be minor changes in flow due to transfers and there would be no associated effects to natural communities.

An initial screening evaluation of modeled flows in several smaller creeks was conducted. If the flow reduction caused by implementing the transfer would be one cfs or less, then no further analysis was required because the effect was considered too small to have a substantial effect on natural communities and terrestrial species. Based on these criteria, the evaluation concluded that impacts to natural communities in the following waterways are less than significant: Deer Creek, Antelope Creek, Paynes Creek, Seven Mile Creek, Elder Creek, Mill Creek (in Tehama County), Thomes Creek, Mill Creek (Thomes Creek tributary), Auburn Ravine, Honcut Creek, Freshwater Creek, Funks Creek, Stony Creek, Putah Creek, Spring Valley Creek, Dry Creek (tributary to Bear River), Walker Creek, North Fork Walker Creek, Big Chico Creek, Little Chico Creek, and the South Fork of Willow Creek.

If flow reductions were estimated greater than one cfs in one month, then a second screening evaluation was conducted to evaluate effects to natural communities. Similar to the fisheries analysis described above, flow reductions greater than a ten percent change in mean monthly flow was assumed to have a potential impact to natural communities and required further evaluation.

There would be reductions in flows greater than one cfs in Colusa Basin Drain, Coon Creek, Eastside Cross Canal, Cortina Creek, Cache Creek, Butte Creek, Lower Sycamore Slough, Willow Creek, and Stone Corral Creek, which could affect natural communities.

Based on available stream flow data, mean monthly reductions in flow in Colusa Basin Drain and Butte Creek would be less than ten percent; therefore, reductions in stream flow would not be substantial enough to affect natural communities and impacts would be less than significant.

Measured flow data was not available for Stone Corral Creek. Glenn-Colusa Irrigation District supplements flows to Stone Corral Creek during the irrigation season and fall months by releasing irrigation water; therefore, flows would be maintained and would not affect natural communities. Impacts to Stone Corral Creek would be less than significant.

As described above, historical flow data were limited for Coon Creek. If Coon Creek flows are at the low end of the range of available data, there could be a slightly greater than ten percent reduction in flows in March and April because the model shows a reduction of flows of 5.7 cfs in March and 4.3 cfs in April. This calculation represents a worst case scenario because baseline flows used in this calculation are at the low end of existing flow data range during 2003-2005. If the calculation included the mid- or high end of the range for baseline flows, the reduction due to the Proposed Action would be less than ten percent. Therefore, a large percentage of flow reduction would occur less frequently. As a result, it is concluded that effects of the Proposed Action to natural communities at Coon Creek would be less than significant.

Historical flow data were not available for East Side/Cross Canal. As described above, the East Side/Cross Canal is an actively managed flood management structure that collects flood waters, natural flows, and agricultural return flows from several water bodies. Riparian vegetation is generally absent due to periodic levee maintenance and herbicide applications on adjacent farmlands. However, the channel does have a variety of rooted aquatic vegetation, such as cattails, and riparian shrubs including willows. The groundwater model estimates up to a 14.6 cfs reduction in flow in August and 12.9 cfs reduction in flow in September. Because vegetation is managed near the canal, natural communities would not be affected. Aquatic vegetation in the canal would not be affected because the canal is a large flood facility that collects substantial drainage and a 12.9 to 14.6 cfs decrease would not likely be of a magnitude to affect vegetation in the canal. As a result, it is concluded that effects of the Proposed Action to natural communities in East Side/Cross Canal would be less than significant.

In Cache Creek, monthly decreases in flows due to the Proposed Action would range from zero percent to 12.7 percent of monthly historic flows from 2008 to 2018. The decrease of 12.7 percent occurs only once in August, when Cache Creek average stream flow is low, about 1.5 cfs, and the Proposed Action would decrease flows by about 0.19 cfs. The reduction in stream flow would be so small that it would not have likely affect riparian natural communities.

Historical flow data are not available for Lower Sycamore Slough, Cortina Creek, and Willow Creek. The percentage change in flow in these streams due to the Proposed Action could not be determined. Flow reductions as the result of groundwater declines would be observed at monitoring wells in the region and adverse effects on riparian vegetation would be mitigated by implementation of Mitigation Measure GW-1 because it requires monitoring of wells and

implementing a mitigation plan if the seller's monitoring efforts indicate that the operation of the wells for groundwater substitution pumping are causing substantial adverse impacts. With implementation of Mitigation Measure GW-1, effects to natural communities would be less than significant.

Cropland idling to make water available for transfer would result in idling of less than four percent of the average planted rice acreage (353,704) in the seller area. Additionally, cropland idling would only reduce agricultural diversions by the amount of water consumptively used by the crop (when planted), and the remaining water that typically runs off as tailwater would still remain in the agricultural delivery system (canals and waterways leading into the fields). As a result, wetlands would continue to receive irrigation tail water flows. The incremental effect to wetlands under the Proposed Action would be less than significant.

d) Less Than Significant Impact with Mitigation Incorporation

No Action Alternative: The lack of available water due to water shortages or critically dry conditions could affect movement corridors or nursery sites for GGS and other fish and wildlife. Wildlife that is dependent on water as a means of moving from one area to another may be unable to relocate due to the parched landscape. GGS present in areas of rice idling would have to move across dewatered habitat to find suitable areas with water. Moving across dewatered areas could expose snakes to a number of potential impacts associated with the need to relocate. These include the energetic costs associated with relocation, a reduction in food supplies associated with the decrease in habitat, increased predation, potential for increased competition in new habitats, and potentially reduced reproduction and recruitment for those individuals displaced. Dewatered areas could also affect movement of the pacific pond turtle that occupy drainage ditches and irrigation canals. Dewatering could require the turtle to migrate to new areas, which in turn puts them at an increased risk of predation.

Proposed Action: For species that use irrigated rice fields and drainage ditches for habitat, such as GGS and pacific pond turtle, these species would need to relocate to other suitable habitat and could be exposed to a number of potential impacts associated with the need to relocate, as described above. Idling rice may affect the species' ability to move from one place to another if the movement corridor is dry and does not support vegetation for cover and refuge. This impact could be potentially significant. Mitigation Measure VEG and WILD-1 would require sellers to maintain at least 2 feet of water in major irrigation canals/ drainage canals. Mitigation Measure VEG and WILD-1 also prohibits transfers from areas with important giant garter snake populations, thereby maintaining protected habitats and movement corridors for use by several populations of giant garter snake.

Maintenance water in smaller drains and conveyance infrastructure support key habitat attributes such as emergent vegetation which GGS and pacific pond turtle utilize for escape cover and foraging habitat. Ensuring water remains in these key habitats reduces the potential impact to suitable habitat and the need for GGS individuals and pacific pond turtle to relocate. Mitigation Measure VEG and WILD-1 would reduce potential impacts to movement corridors of GGS and pacific pond turtle; therefore, impacts would be less than significant after mitigation.

e, f) Less Than Significant Impact

No Action Alternative: The Yuba-Sutter Regional Conservation Plan (YSRCP) is applicable to the project area. The plan is a regional strategy for conserving species and habitats while still allowing for economic development.

The YSRCP is both a state Natural Community Conservation Plan (NCCP) and a federal HCP. Sutter County serves as the lead in coordination and preparation of the YSRCP working with the other permit applicants: Yuba County, City of Yuba City, City of Wheatland, and City of Live Oak. The YSRCP covers some of the potentially affected species associated with the Proposed Action, including GGS, greater sandhill crane, and tricolored blackbird (Sutter County 2015). Specifically, the YSRCP considers the habitat function and value of agricultural lands for covered species and establishes a process for protection of agricultural areas and important habitat.

Cropland idling under the No Action Alternative in response to water shortages would not conflict with the conservation objectives of the plan because of the limited amount of crop acreage that would be idled compared to the amount of active cropland available. Cropland idling also would not include or result in any infrastructure for economic development. Increases in groundwater pumping (if surface water supplies are reduced) could affect the water supplies needed to fulfill the water needs of the conservation banks and preserves established by some of these HCPs.

Proposed Action: Cropland idling to make water available for transfer under the Proposed Action would not conflict with the conservation objectives of the plan because of the limited amount of crop acreage that would be idled compared to the amount of active cropland available.

Water transfers under the Proposed Action would have a less than significant impact on the natural communities that are covered in the plan because of the temporary nature of the transfers and the minimal changes in flows and reservoir levels associated with water transfers, as described above for Impacts b and c. The small change in flows would not adversely affect riparian habitat or wetlands associated with the Sacramento River, Shasta Reservoir, or small streams or have adverse effects to special status species covered that use these habitats. Mitigation Measure GW-1 also requires sellers to address third-party impacts from in lieu groundwater pumping to make surface water available for transfer, specifically in areas where groundwater subbasins include conservation banks or preserves for GGS. The Proposed Action would not conflict with HCP and NCCP provisions. Impacts would be less than significant.

V. CULTURAL RESOURCES

- Would the project

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Cause a substantial adverse change in the significance of a historical resource pursuant to §15064.5?				\boxtimes
b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to State CEOA \$15064.5?				

2019 Tehama-Colusa Canal Authority Water Transfers Public Draft Environmental Assessment/Initial Study

c) Disturb any human remains, including those interred outside of formal cemeteries? A-c) No Action Alternative. Under the No Action Alternative, reservoir levels in 2019 are belownistoric average conditions. These conditions may lead to the exposure of cultural resources that have been inundated for many years.	r
nistoric average conditions. These conditions may lead to the exposure of cultural resources that nave been inundated for many years.	1
The NIA delign Alternative record not include around distribute activities land alternation on	
The No Action Alternative would not include ground disturbing activities, land alteration, or construction that could disturb historical or archeological resources or potential burial sites.	
Proposed Action. The decline of water surface elevations in Shasta Reservoir would be the result of the operation of those reservoirs to fulfill downstream regulatory requirements. Reclamation and DWR will release water from the CVP and SWP reservoirs to meet the operational requirements of the Biological Opinions on the Continued Long-term Operations of the CVP/SWP and D1641. Diversions of water made available for transfer would not result in the release of any additional water from Shasta Reservoir. Operation of the reservoir would remain unchanged when compared to the No Action Alternative.	
There would be no ground disturbing activities, land alteration, or construction proposed that could disturb historical or archeological resources associated with the Proposed Action. Thus, there would be no disturbance impacts to existing or potential burial sites, cemeteries, or human remains interred outside of formal cemeteries.	
A Reclamation archaeologist was consulted in 2015 to ensure the Proposed Action would have no adverse impact on any historic properties. It was determined that this type of activity does not have the potential to cause effects on historic properties, if present, and Reclamation has no further obligation under National Historic Preservation Act Section 106, pursuant to 36 CFR Part 800.3(a)(1).	
VI. ENERGY – Would the project	
Less Than Potentially Significant with Less Than Significant Mitigation Significant Impact Incorporation Impact In	No mpact
a) Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?	
b) Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?	\boxtimes

a) Less than Significant Impact

No Action Alternative: Under No Action Alternative, surface water supplies to sellers and buyers could be reduced due to water shortages. Sellers and buyers would increase groundwater pumping to make up water shortages. This pumping would not be a wasteful use of energy and would not result in significant impacts.

Proposed Action: Making water available for transfer through groundwater substitution actions would involve increased energy use for the groundwater pumps. This pumping would not be a wasteful use of energy and would not result in significant impacts.

b) No Impact. California has a "Renewable Energy Program" focused on development of new utility-level renewable energy sources and rebates for consumers installing facilities. California also has an "Energy Efficiency Strategic Plan" that includes goals to improve agricultural irrigation energy efficiency and improve use of renewable energy (California Public Utilities Commission 2008). The No Action and Proposed Project would not result in the construction of new facilities, so they would not conflict with these statewide plans or local general plans.

VII. GEOLOGY AND SOILS

-- Would the project:

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:				
i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.				
ii) Strong seismic ground shaking?				\boxtimes
iii) Seismic-related ground failure, including liquefaction?				
iv) Landslides?				\boxtimes
b) Result in substantial soil erosion or the loss of topsoil?			\boxtimes	
c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?				

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact
d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?				
e) Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water?				
f) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?				\boxtimes

a) No Impact. There are no new facilities or construction proposed for the No Action Alternative or Proposed Action, and no existing facilities fall within an Alquist-Priolo Earthquake Fault Zone, as shown in the Interim Revision of Special Publication 42 of the Division of Mines and Geology, Fault Rupture Zones in California (California Department of Conservation 2007). Therefore, the No Action Alternative and Proposed Action would not expose people or structures to impacts related to fault rupture, ground shaking, ground failure, liquefaction, or landslides.

b) Less than Significant

No Action Alternative: In 2019, reductions in surface water deliveries could lead to increased cropland idling in both the seller and buyer areas. The soils in both buyer and seller areas consist of fine particles of clay, loam, some sand, and silty clays (USDA Natural Resources Conservation Service [NRCS] 2009a, 2009b, 2011, 2012). These soils are susceptible to wind erosion but have a relatively low wind erodibility index. The Natural Resource Conservation Service estimated in the 2012 Natural Resources Inventory that approximately 0.75 tons per acre of topsoil are eroded annually by wind from cultivated land, and 0.65 tons per acre of topsoil are eroded annually from non-cultivated land (USDA 2015c).

Agricultural practices determine the amount of erosion due to wind to a greater extent than climate in the Sacramento Valley. Farming operations such as plowing, leveling, planting, weeding, mowing, cutting, and baling all increase the potential for erosion by stirring up or exposing top soil. Fallow fields experience a net reduction in erosion due to wind by avoiding these practices. Fine soils such as sand and silts erode at a higher rate than the clays and silty clays found in the project area. Therefore, the soils in the project area have a relatively low risk of erosion due to wind when left in a dry and unplanted condition.

Proposed Action: Similar to the No Action Alternative, increased cropland idling in the Sacramento Valley to make water available for transfer is not likely to substantially increase erosion of sediments. Buyers are likely to use transferred water on permanent crops (such as

orchards). The soils underlying these fields have a low risk of erosion due to wind; therefore, continued cultivation is not likely to substantially increase erosion.

- c) Less than Significant. The project area is underlain by clay and is located in flat terrain. No new construction or ground disturbing actions are proposed for either the No Action Alternative or the Proposed Action that could result in on- or off-site landslide, lateral spreading, liquefaction, or collapse. Water made available for transfer through groundwater substitution actions could reduce groundwater levels in the seller areas, which could decrease pore-water pressure and result in a loss of structural support for clay and silt beds. This impact is analyzed in more detail in the groundwater section of Hydrology and Water Quality. The analysis finds that the potential for land subsidence from increased groundwater pumping (under the No Action Alternative and the Proposed Action) would be small.
- d, e, f) No Impact. There are no expansive soils known to exist in the project area. There are no septic tanks or alternative waste water disposal systems proposed or required for the No Action Alternative or Proposed Action. The Proposed Action does not include new construction, and thus no new waste water generation or risk of affecting paleontological resources. Therefore, there would be no impact resulting from the implementation of the Proposed Action.

VIII. GREENHOUSE GAS EMISSIONS

- Would the project:

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?				
b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?			\boxtimes	

a, b) Less than Significant

No Action Alternative: Surface water shortages in 2019 may cause an increase or decrease in groundwater pumping and cropland idling. These actions will generally follow the pattern of what has happened during previous dry periods under existing conditions.

Proposed Action: This analysis estimates emissions using available emissions data and information on fuel type, engine size (hp), and annual transfer amounts included in the proposed alternatives. Existing emissions data used in the analysis includes:

- Diesel and natural gas fuel emission factors from The Climate Registry (TCR 2016)
- Electric utility CO₂ emission factors from TCR (2017)

2019 Tehama-Colusa Canal Authority Water Transfers Public Draft Environmental Assessment/Initial Study

- Emissions & Generation Resource Integrated Database (eGRID) CH4 and N2O emission factors from USEPA (USEPA 2017)
- "Comparison of Summertime Emission Credits from Land Fallowing Versus Groundwater Pumping" (Byron Buck & Associates 2009)

In 2009, Byron Buck & Associates completed a comparison of the relative reduction in emissions due to cropland idling activities versus groundwater substitution pumping. Byron Buck & Associates estimated the gallons of fuel consumed by farm equipment that would be reduced per acre idled and the average quantity of fuel consumed by groundwater pumping. It was assumed that an agency would need 4.25 AF of water produced by idling to offset the equivalent emissions of one AF of groundwater pumped (Byron Buck & Associates 2009). Using this ratio, the expected reductions in vehicular exhaust emissions from cropland idling were estimated.

Each GHG contributes to climate change differently, as expressed by its global warming potential (GWP). GHG emissions are discussed in terms of CO₂ equivalent (CO₂e) emissions, which express, for a given mixture of GHG, the amount of CO₂ that would have the same GWP over a specific timescale. CO₂e is determined by multiplying the mass of each GHG by its GWP. This analysis uses the GWP from the Intergovernmental Panel and Climate Change Fourth Assessment Report (Forster et al. 2007) for a 100-year time period to estimate CO₂e. This approach is consistent with the federal GHG Reporting Rule (40 CFR 98), as effective on January 1, 2014 (78 Federal Register 71904) and California's 2000-2014 GHG Emission Inventory Technical Support Document (CARB 2016). The GWPs used in this analysis are 25 for CH₄ and 298 for N₂O.

CARB uses a threshold of 25,000 metric tons CO₂e per year as a threshold for including facilities in its cap-and-trade regulation (17 CCR 95800-96023). Because the goal of the regulation is to reduce GHG emissions statewide, this threshold was deemed appropriate to assess significance.

In the seller area, groundwater substitution pumping could increase GHG emissions while cropland idling could reduce vehicle exhaust emissions. Cropland idling could offset some of the emissions from groundwater substitution pumping, but the quantity of water made available for transfer under each method could be much less than what is included in Table 2-1. Therefore, impacts were evaluated for the full volume of water made available through groundwater substitution actions, without regard for any potential offsets from idled land. Table F-1 in Appendix F summarizes the GHG emissions associated with the Proposed Action. Appendix F, Climate Change Analysis Emission Calculations also provides detailed GHG Emission calculations.

Emissions from groundwater substitution would be up to 20,060 metric tons CO₂e per year (detailed calculations are provided in Appendix F), which is lower than the CARB cap-and-trade threshold of 25,000 metric tons CO₂e per year. As a result, the Proposed Action would not conflict with any plan, policy, or regulation adopted for the purpose of reducing GHG emissions and impacts would be less than significant.

IX. HAZARDS AND HAZARDOUS MATERIALS

-- Would the project:

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?				\boxtimes
b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?				
c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?				
d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?				
e) For a project located within an airport use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?				
f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?				\boxtimes
g) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?				

a-g) No Impact. The No Action Alternative and Proposed Action would not involve the transport or use of hazardous materials, nor change in any way, public exposure to hazards or hazardous materials. The No Action Alternative and Proposed Action would not occur on a hazardous materials site and therefore would not create a risk to the public or environment. The No Action Alternative and Proposed Action would not affect a public airport or private air strip. The No Action Alternative and the Proposed Action would not interfere with an adopted emergency response plan or emergency evacuation plan. There are no new structures or buildings included in the Proposed Action; therefore, no people or structures would be exposed to a significant risk of loss, injury or death, such as wildland fires, as a result of implementation.

X. HYDROLOGY AND WATER QUALITY

- Would the project:

Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact
		\boxtimes	
			\boxtimes
			\boxtimes
		Significant with Potentially Mitigation	Significant with Less Than Potentially Mitigation Significant

a) Less than Significant

No Action Alternative: The No Action Alternative would not violate any waste discharge requirements as no changes to waste discharges to surface waters would occur. CVP and SWP operations in the Delta would be managed to meet water quality standards.

Proposed Action: Under the Proposed Action, Reclamation would deliver the water made available for transfer to Member Units of the TCCA on the same patterns as it would have been diverted by the seller if no transfer occurred. This operation would result in a small change in flow between the Red Bluff Pumping Plant and the point where water would have been diverted by the seller absent the transfer. The largest change in flow could be approximately 180 cfs in

June. For comparison, flows in the Sacramento River near Colusa averaged 6,841 cfs in June 2018 (DWR 2018b). The water transfers would not affect flows downstream of the point where water would have been diverted if a transfer did not occur, therefore flows into the Delta would not be affected. Changes in flows would not violate any existing water quality standards or worsen any water quality and flow standard violation.

b) Less than Significant with Mitigation Incorporation

No Action Alternative: It is too early in 2019 to know the volume of available surface water supply. In the past, multi-year dry conditions have limited the volume of water made available for delivery to CVP water service contractors. In the Sacramento Valley, constraints on the availability of water have historically resulted in increased groundwater pumping and decreased groundwater levels. However, groundwater levels have typically rebounded quickly after the dry periods (see Appendix D for historical groundwater monitoring data). As discussed in Chapter 2, groundwater level declines during past transfers have also shown recovery to pre-transfer levels one to three years post transfer. Overall wet conditions in 2017 resulted in groundwater levels in the Sacramento Valley Basin recovering to better than 2016 levels but not pre-drought levels. If hydrologic conditions in 2019 are dry, this could result in increased reliance on groundwater and result in groundwater level declines.

Proposed Action: Groundwater pumped in lieu of diverting surface water could affect groundwater hydrology. The potential effects could be short term declines in local groundwater levels, interaction with surface water, and land subsidence. Potential effects to water quality are discussed in Section (e) below.

Increased groundwater substitution pumping could result in temporary declines of groundwater levels. Groundwater substitution pumping could occur from April through October and the pumped groundwater would be used for crop irrigation within the seller's area. Declining groundwater levels resulting from increased groundwater substitution pumping could cause: (1) increased groundwater pumping costs due to increased pumping depth; (2) decreased yield from groundwater wells due to reduction in the saturated thickness of the aquifer; (3) decline of the groundwater table to a level below the vegetative root zone, which could result in environmental effects; and 4) third-party impacts to neighboring wells.

Some of the transferred surface water made available through groundwater substitution pumping would be delivered to users within the same groundwater basin, and therefore could offset the groundwater substitution pumping associated with the Proposed Action. The amount of offset is uncertain, so to be conservative, the analysis considers impacts to groundwater without this offset.

Groundwater Levels

Redding Area Groundwater Basin. Municipal, industrial, and agricultural water demands in the Redding Area Groundwater Basin are approximately 8 million AF per year (DWR 2003). Groundwater is a major source of water supply within the Redding Area Groundwater Basin watershed. The exact quantity of groundwater that is pumped from the Redding Area Groundwater Basin is unknown; however, it is estimated that approximately 50,000 AF of water

is pumped annually from domestic, municipal, industrial, and agricultural production wells (CH2M Hill 2003 as cited in Anderson-Cottonwood ID 2011). This magnitude of pumping represents approximately six percent of the average annual runoff (850,000 AF) in the basin. Agricultural, industrial, and municipal groundwater users in the Redding Area Groundwater Basin pump primarily from deeper continental deposits; whereas, domestic groundwater users in the basin generally pump from shallower deposits (Anderson-Cottonwood ID 2011).

Some of the surface water made available for transfer through groundwater substitution actions would originate from the Redding Area Groundwater Basin (Anderson and Enterprise subbasins) in Shasta County through actions taken by Anderson-Cottonwood ID. DWR conducted a statewide groundwater basin assessment and prioritized Anderson and Enterprise subbasins as medium priority due to strong surface water and groundwater interaction in the area and concerns over endangered Sacramento River salmon runs (DWR 2014a). According to the timeline set forth by California's Sustainable Groundwater Management Act (SGMA), medium priority basins are required to have groundwater sustainability plans (GSP) developed by January 31, 2022. The Enterprise-Anderson Groundwater Sustainability Agency is currently working on developing a GSP for the Anderson and Enterprise subbasins.

The proposed Anderson-Cottonwood ID transfer would withdraw up to 4,800 AF per year of groundwater from production wells (see Table H-1 in Appendix H for details on number of wells and pumping capacity). Unlike other transfers of water made available through groundwater substitution actions, Anderson-Cottonwood ID's proposed transfer was not simulated in the Sacramento Valley Groundwater Model (SACFEM2013) because the model area does not include the Redding Area Groundwater Basin. However, Anderson-Cottonwood ID has tested operation of the wells proposed for groundwater substitution under the Proposed Action in the past at similar production rates and has observed no substantial impacts on groundwater levels or groundwater supplies (Anderson-Cottonwood ID 2013). Additionally, Anderson-Cottonwood ID used the same wells for groundwater substitution transfers in 2013, 2014 and 2015. Groundwater monitoring conducted in the vicinity of the production wells indicates groundwater levels recovered to pre-transfer levels soon after transfers occurred (Anderson-Cottonwood ID 2014, MBK Engineers 2016). Based on the results of the aquifer tests and monitoring data collected as part of previous transfers, water made available for transfer through groundwater substitution actions are unlikely to have significant effects on groundwater levels. Because of the uncertainty of how groundwater levels could change, especially during a very dry year, Anderson-Cottonwood ID will implement the Monitoring Program and Mitigation Plan discussed below under Mitigation Measure GW-1.

Sacramento Valley Groundwater Basin. In the Sacramento Valley, past trends indicate groundwater levels decline moderately during extended droughts and recover to pre-drought levels after subsequent wet periods (see Appendix D). As defined by Assembly Bill 1152, DWR and other monitoring entities, extensively monitor groundwater levels in the basin. Some of the surface water made available for transfer through groundwater substitution actions would originate from the Sacramento Valley Groundwater Basin (Colusa, Sutter, Yolo and the North American subbasin). DWR conducted a statewide groundwater basin assessment and prioritized the Colusa and Sutter subbasins as medium priority; the Yolo and the North American subbasins have been prioritized as high priority. GSPs for all four subbasins are under development.

Groundwater drawdown impacts associated with the groundwater substitution pumping that would occur under the Proposed Action were evaluated using the SACFEM2013 groundwater model. The model simulated the changes in groundwater levels from water transfers during water year 1976, which was selected because it was a critically dry year and presents what could occur under very dry conditions. The effects of concurrent groundwater substitution pumping from 187 wells that are part of the Proposed Action have been modeled to estimate effects to groundwater resources. Appendix H, Groundwater Modeling Results Appendix, summarizes (1) key characteristics of the SACFEM2013 groundwater model; (2) simulated drawdown of groundwater levels under September 1977 hydrologic conditions; and (3) groundwater head hydrographs at 34 selected locations and seven simulated model layers (varying depths throughout the model) at or near the seller service areas.

Figure 3-1 shows the change in groundwater levels at Location 21 at varying groundwater depths to illustrate the simulated groundwater drawdown and recovery process within the Sacramento Valley. Location 21 was selected because most areas in the model exhibit smaller drawdown changes than those shown in Location 21 (see simulated drawdown shown in Figures H-1 through H-4 in Appendix H). Location 21 is near Sycamore MWC and is in the northwestern portion of the Sacramento Valley approximately four miles from the Sacramento River and Butte Creek intersection and two miles from the Sacramento River and Sycamore Creek intersection. Approximately 60 percent of the pumping near Sycamore MWC (8,000 AF) was concentrated in aquifer model layers 5 and 6 (approximately 480 to 910 ft bgs). The pumping in aquifer layers 5 and 6 resulted in approximately 10 feet of drawdown due to the Proposed Action, as compared to Baseline conditions. Most of the recovery near the pumping zone occurs in the year following the transfer event. Recovery at the water table was more gradual. Groundwater recovery is highly dependent on (1) hydrology of the years following the transfer; (2) proximity of a transfer well to surface water; (3) pumping in the year following the transfer; and (4) aquifer properties. Appendix H, Groundwater Modeling Results, includes simulated groundwater head hydrographs for locations throughout the Sacramento Valley.

Groundwater substitution pumping under the Proposed Action could result in temporary drawdown that exceeds what would have occurred under the No Action Alternative. Model results show that increased groundwater pumping due to the Proposed Action could cause localized declines of groundwater levels, or cones of depressionthat in some instances extend beyond the boundaries of the seller areas (see simulated drawdown Figures H-1 through H-4 in Appendix H). Groundwater substitution pumping could result in groundwater declines in excess of seasonal variation and these effects on non-participating wells could be significant. To reduce these significant effects to less than significant, the Mitigation Measure GW-1 (below) specifies that transferring agencies establish monitoring and mitigation programs for transfers based on groundwater substitution actions. The requirements of GW-1 would require monitoring of groundwater levels within the local pumping area and if effects were reported or occurred, the participating seller agencies in the Sacramento Valley Groundwater Basin would compensate for effects or reduce pumping until the groundwater basin recharges as specified in GW-1. Mitigation Measure GW-1 would reduce the impacts to less than significant.

Groundwater/Surface Water Interaction

The implementation of groundwater substitution pumping can lower the groundwater table and may change the relative difference between the groundwater and surface water levels. This

change could reduce the amount of surface water, as compared to pre-pumping conditions, due to two mechanisms. The mechanisms are:

- Induced leakage. Lowering the groundwater table causes a condition where the groundwater table is lower than the surface water level. This condition causes leakage out of a surface water body and could also increase percolation rates on irrigated lands.
- Interception of groundwater. A pumping well used for groundwater substitution pumping can intercept groundwater that would have discharged to the surface water absent the pumping.

Because these mechanisms may result in a depletion of streamflow, the volume of water actually transferred is not the same as the volume of groundwater pumped through a substitution action. The amount of water that can justifiably be considered to be transferred is the volume of substitution pumping less the amount of induced leakage and the amount of intercepted groundwater flow. The Proposed Action includes measures that would reduce the amount of water that the Member Units of the TCCA receive by an estimated 13 percent depletion factor to prevent any adverse impacts associated with groundwater/surface water interaction. This would mitigate potential stream depletion as a result of the Proposed Action. Additionally, the potential effects to fish and riparian vegetation from decreased streamflows are assessed in the Biological Resources section.

Land Subsidence

Excessive groundwater extraction from unconfined and confined aquifers could lower groundwater levels and decrease pore-water pressure in the aquifer. The reduction in pore-water pressure could result in a loss of structural support within clay and silt beds in the aquifer. The loss of structural support could cause the compression of clay and silt beds resulting in a lowering of the ground surface elevation (land subsidence). The compression of fine-grained deposits, such as clay and silt, is largely permanent. Infrastructure damage and alteration of drainage patterns are possible consequences of land subsidence.

Redding Area Groundwater Basin. DWR and USGS have been involved in land subsidence monitoring efforts throughout California and data collected thus far in the Redding Area Groundwater Basin have not indicated any subsidence issues. DWR has categorized Anderson and Enterprise subbasins (groundwater subbasins underlying Anderson-Cottonwood ID) as having a low potential for subsidence (DWR 2014b).

The portion of the Redding Area Groundwater Basin west of the Sacramento River is composed of the Tehama Formation. The Tehama Formation has exhibited subsidence in Yolo County. This same formation occurs in the Redding Area Groundwater Basin and could be conducive to subsidence.

The potential for subsidence as a result of the Proposed Action is small since the groundwater substitution pumping is small compared to overall pumping in the region. While the potential for subsidence is minimal, Anderson-Cottonwood ID will implement the Monitoring Program and Mitigation Plan described below under Mitigation Measure GW-1, which includes subsidence monitoring. The subsidence monitoring will measure changes in the ground surface elevation,

and will help determine whether subsidence is short-term or long-term. The monitoring and mitigation actions would verify that this impact would be less than significant.

Sacramento Valley Groundwater Basin. Most areas of the Sacramento Valley Groundwater Basin have not experienced land subsidence that has caused impacts to the overlying land. As discussed in Chapter 2, portions of Colusa and Yolo counties have experienced subsidence and subsidence has also been measured at Conaway Ranch (Yolo County). Subsidence in this region is generally related to groundwater pumping and subsequent consolidation of loose aquifer sediments. The Proposed Action does not include a groundwater substitution action within Conaway Ranch. Groundwater substitution pumping within the Sacramento Valley Groundwater Basin could increase the potential for land subsidence to cause significant impacts when groundwater levels fall below historic low water levels. Significant impacts would be reduced to less than significant with Mitigation Measure GW-1. Therefore, the effect on potential land subsidence in the Sacramento Valley Groundwater Basin after mitigation would be less than significant.




Figure 3-1. Simulated Change in Groundwater Head at Location 21 (See Figure H-1 for Location) under the Proposed Action

Mitigation Measure GW-1: Monitoring Program and Mitigation Plan

The objective of Mitigation Measure GW-1 is to avoid potentially significant adverse environmental effects from groundwater level declines such as (1) impacts to other legal users of water; (2) land subsidence; (3) adverse effects to groundwater-dependent vegetation and/or (4) migration of reduced quality groundwater. The mitigation measure also requires prompt corrective action so that impacts discussed previously will be reduced to less than significant in the event unanticipated effects occur. The measure accomplishes this by monitoring groundwater levels and land subsidence in the period during which groundwater is being pumped in lieu of

2019 Tehama-Colusa Canal Authority Water Transfers Public Draft Environmental Assessment/Initial Study

diverting the surface water. Additionally, the mitigation plan identifies necessary preventative action measures if monitoring shows that identified trigger points are reached during transfer-related pumping.

Reclamation will verify that sellers implement the monitoring program and mitigation plan to avoid potentially significant adverse effects of transfer-related groundwater extraction. In addition, each entity making surface water available for transfer through groundwater substitution actions must confirm that the proposed groundwater pumping will be compatible with state and local regulations and Groundwater Management Plans (GMPs). As Groundwater Sustainability Plans (GSPs) are developed by Groundwater Sustainability Agencies, potential sellers must confirm that the proposed pumping and the following Monitoring Program and Mitigation Plan verified by Reclamation is compatible with applicable GSPs.

Well Review Process

Potential sellers must submit well data for Reclamation and, where appropriate, DWR review, as part of the transfer approval process. Required information will be detailed in the most current version of the *DRAFT Technical Information for Preparing Water Transfer Proposals* (Reclamation and DWR 2015).

Monitoring Program

Potential sellers must complete and implement a monitoring program subject to Reclamation's approval that shall include, at a minimum, the following components:

Monitoring Well Network

The monitoring program shall incorporate a sufficient number of monitoring wells, as determined by Reclamation, to accurately characterize groundwater levels from the appropriate aquifers and their response in the area before, during, and after transfer-related substitution pumping takes place. Depending on local conditions, additional groundwater level monitoring may be required near ecological resource areas. It should be noted that monitoring well networks have been established for some of the participating pumping wells (those wells being used in lieu of diverting surface water that is being made available for transfer) that have also participated in water transfers in previous years. For wells that have not participated in water transfers previously, the sellers would identify, in the transfer proposal, suitable monitoring wells as defined below for review and approval by Reclamation. If a suitable monitoring well(s) is not identified for a participating pumping well, the well will not be allowed to participate in a water transfer until a suitable monitoring well(s) is identified.

The monitoring well network would include the participating pumping well and a suitable groundwater level monitoring well(s) in the vicinity of the participating pumping well(s). Suitable monitoring well(s) would: (1) be within a two-mile radius of the seller's groundwater substitution pumping well; (2) be located within the same Bulletin 118 subbasin as the groundwater substitution pumping well; and (3) have a screen depth(s) in the same aquifer level (shallow, intermediate, or deep) as the groundwater substitution pumping well. Wells with short historic records could be considered, but short records (that do not extend to 2014 or earlier) could limit the transfer because the historic low would not reflect the persistent dry conditions from 2011 to 2015. In this situation, the lowest groundwater level for the short period of record would be used, but because the groundwater level would likely be higher than the historic low

during the prior drought period, the groundwater level triggers (described below) would be more restrictive (i.e., the lowest recorded groundwater level could be reached more quickly during transfer-related groundwater substitution pumping than occurred in the short period of record when groundwater levels were higher).

Monitoring requirements at the participating groundwater substitution pumping well and suitable monitoring well(s) would detect impacts to third parties and land subsidence. Monitoring and mitigation for impacts to groundwater dependent deep-rooted vegetation and migration of reduced quality groundwater are discussed below under "Other Monitoring".

Groundwater Level Monitoring

Sellers will collect measurements of groundwater levels in both the participating wells and monitoring wells. Groundwater level measurements will be used to identify potential concerns for both third party impacts and irreversible subsidence based on the identified trigger points. Groundwater level monitoring will include measurements before, during, and after transfer-related substitution pumping. The seller will measure groundwater levels as follows:

- Prior to transfer: Groundwater levels will be measured in both the participating pumping well(s) and the monitoring well(s) monthly from March in the year of the proposed transfer-related substitution pumping until the start of the transfer- pumping. Monitoring will also be conducted on the day that the transfer- pumping begins, prior to the pump being turned on.
- During transfer-related substitution pumping: Groundwater levels will be measured in both the participating pumping well(s) and the monitoring well(s) weekly throughout the pumping period.
- Post-transfer pumping: Groundwater levels will be measured in both the participating well(s) and the monitoring well(s) weekly for one month after the end of transfer-related pumping, after which groundwater levels will be measured monthly through March of the year following the end of the pumping.

Groundwater Level Triggers

Groundwater Level Triggers

The primary criteria used to identify potentially significant impacts to groundwater levels are the BMOs set by GMPs. In the Sacramento Valley, Shasta, Tehama, Glenn, Butte, Colusa, Sutter, Yuba, Nevada, Placer, Sacramento and Yolo counties have established GMPs to provide guidance in managing the resource.

In areas where quantitative BMO groundwater level triggers exist, sellers will manage groundwater levels to these triggers and initiate the mitigation plan (discussed below) if groundwater levels reach the trigger. In areas where quantitative BMOs do not exist, sellers will manage groundwater levels to maintain them above the identified historic low groundwater level (trigger) and will initiate the mitigation plan (discussed below) if groundwater levels reach the trigger. Most of the quantitative BMOs within the Seller Service Area are tied to historic low groundwater levels. Therefore, the use of historic low groundwater levels in areas without

quantitative BMOs is consistent with the approach for areas with quantitative BMOs. As part of a seller's transfer proposal subject to Reclamation's review and approval, the seller will need to identify the monitoring wells and the specific groundwater level trigger for each well (established through the local BMO or the historic low groundwater level for that well).

Groundwater level declines due to pumping occur initially at the pumping well and then propagate outward from that location. The magnitude of groundwater level decline caused by pumping also decreases with increasing distance from the pumping well. Therefore, groundwater level declines caused by transfer-related substitution pumping would be measured first at the pumping well and subsequently at the monitoring well. The decline would be greatest at the participating well and lower at the monitoring well. Therefore, it is likely that groundwater levels in the participating well would decline to the historic low level sooner than at the monitoring well(s). The monitoring well(s) would provide information surrounding the participating well to avoid potential cumulative impacts.

Other Monitoring

Groundwater Quality

For municipal sellers, the comprehensive water quality testing requirements of Title 22 are considered sufficient for the water transfer monitoring program. Agricultural sellers shall measure specific conductance in samples from each participating production well. Samples shall be collected when the seller first initiates transfer-related substitution pumping, monthly during the pumping period, and at the termination of transfer-related pumping.

Groundwater Pumping Measurements

All groundwater wells pumping to replace surface water made available for transfer shall be configured with a permanent instantaneous and totalizing flow meter capable of accurately measuring well discharge rates and volumes. Flow meters will be installed and calibrated in accordance with manufacturer's recommendations and the relevant documentation will be submitted by the seller to Reclamation. Flow meter readings will be recorded just prior to initiation of transfer-related substitution pumping and no less than monthly throughout the duration of the pumping period, as close as practical to the last day of the month. Readings will also be recorded just after cessation of pumping.

Shallow Groundwater Level Monitoring for Deep Rooted Vegetation

To avoid significant effects to vegetation and allow sellers to modify actions before significant effects occur, sellers will monitor groundwater level data to verify that significant adverse effects to deep-rooted vegetation are avoided. This monitoring is only required in areas with deep-rooted vegetation (i.e. oak trees and riparian trees that would have tap roots greater than 10 feet deep) within a one-half mile radius of the participating well and areas where groundwater levels are between 10 to 25 feet below ground surface prior to starting the transfer of surface water made available from groundwater substitution actions. This monitoring is not required in areas with no deep-rooted vegetation (i.e., oak trees and riparian trees that would not have tap roots greater than 10 feet deep) within one-half mile of the participating wells or in areas where vegetation is located along waterways or irrigated fields that will continue to have water during the period of transfer.

The seller would be required to identify if monitoring for deep-rooted vegetation is required in their transfer proposal to Reclamation and DWR. Existing resources such as DWR's groundwater dependent ecosystem maps (https://gis.water.ca.gov/app/NCDatasetViewer/) or any existing biological survey data in the area could be used to identify deep-rooted vegetation near the participating well.

If deep rooted vegetation is identified near the participating well, a groundwater level monitoring well with the following requirements would need to be identified and monitored: (1) monitoring well is within a one-half mile radius of the deep-rooted vegetation; and (2) monitoring well would measure shallow groundwater level changes (within the interval between 10 to 25 feet below ground surface). The participating well can function as the monitoring well if the previously mentioned requirements are met. If monitoring data at the monitoring well indicate that groundwater levels have dropped below root zones (i.e., more than 10 feet, where groundwater was 10 to 25 feet below ground surface prior to starting the surface-water transfer), the seller must implement actions set forth in the mitigation plan. If historic data show that groundwater levels in the area have typically varied by more than this amount annually during the proposed transfer period, then the transfer may be allowed to proceed.

If no monitoring wells with the requirements discussed in the previous paragraph exist, monitoring would be based on visual observations by a qualified biologist of the health of these areas of deep-rooted vegetation until it is feasible to obtain or install shallow groundwater monitoring. If significant adverse impacts to deep-rooted vegetation occur as a result of the transfer, despite the monitoring efforts and implementation of the mitigation plan, the seller will prepare a report. This report will document the result of the restoration activity to plant, maintain, and monitor restoration of vegetation for five years to replace the losses.

Coordination Plan

The monitoring program will include a plan to coordinate the collection and organization of monitoring data. This plan will describe how input from third- party well owners will be incorporated into the monitoring program and will include a plan for communication with Reclamation as well as other decision makers.

Additionally, Reclamation, Member Units of the TCCA, and potential seller(s) will coordinate closely with potentially affected third parties to collect and monitor groundwater data. If a third party expects that it may be affected by a proposed transfer, that party should contact Reclamation and the seller with its concern. The burden of collecting groundwater data will not be the responsibility of the third party. If warranted, additional groundwater level monitoring to address the third-party's concern may be incorporated into the monitoring and mitigation plans required by Mitigation Measure GW-1.

Evaluation and Reporting

The monitoring program will describe the method of reporting monitoring data. At a minimum, sellers will provide data summary tables to Reclamation, both during and after transfer-related substitution pumping. Post-transfer reporting will continue through March of the year following the transfer. Sellers will provide a final summary report to Reclamation evaluating the effects of

¹ Loss of a substantial percentage of the deep-rooted vegetation as determined by Reclamation based on site-specific circumstances in consultation with a qualified biologist.

the water transfer. The final report will identify transfer-related effects on groundwater and surface water (both during and after pumping), and the extent of effects, if any, on local groundwater users. It shall include groundwater level contour maps for the area in which transfer-related pumping action is located, showing pre-transfer groundwater levels, groundwater levels at the end of the transfer period, and recovered groundwater levels in March of the year following the transfer. Groundwater level contour maps for different aquifer depths should also be included where data are available. The summary report shall also identify the extent of transfer-related effects, if any, to ecological resources such as fish, wildlife, and vegetation resources.

Mitigation Plan

Potential sellers must complete and implement a mitigation plan to avoid potentially significant groundwater impacts and ensure prompt corrective action in the event unanticipated effects occur. If and when groundwater level triggers are first reached at either the participating well(s) or the suitable monitoring well (s) (either BMO triggers or historic low groundwater levels), transfer-related pumping would stop from the participating well that reached the trigger. Transfer-related pumping could not continue from the participating well (in the same year or a future year) until groundwater levels recovered to above the groundwater level trigger at the participating well and/or monitoring well where the trigger was reached. Implementation of the mitigation plan thus avoids any potentially significant groundwater impacts. Other corrective actions could include:

- Lowering of pumping bowls in non-transferring wells affected by substitution pumping.
- Reimbursement to non-transferring third parties for significant increases in their groundwater pumping costs due to the groundwater substitution pumping action, as compared with their costs absent the transfer.
- Reimbursement to non-transferring third parties for modifications to infrastructure that may be affected.
- Other appropriate actions based on local conditions.

c (i) Less than Significant

No Action Alternative: Under normal farming practices, growers leave fields fallow during some cropping cycles in order to make improvements such as land leveling and weed abatement or to reduce pest problems and build soils. Growers manage potential soil erosion impacts to avoid substantial loss of soils and to protect soil quality (USDA NRCS 2009c). Growers would continue such erosion control techniques as surface roughening tillage to produce clods, ridges, and depressions to reduce wind velocity and trap drifting soil; establishment of barriers at intervals perpendicular to wind direction; or, application of mulch (USDA NRCS 2009c). Therefore, cropland idling under the No Action Alternative would not result in substantial soil erosion, sediment deposition or siltation into waterways. Impacts to water quality would be less than significant.

Proposed Action: The Proposed Action could include cropland idling in addition to the idling that would occur under the No Action Alternative, which has the potential to increase sediment erosion into nearby waterways. Similar to the No Action Alternative, growers would implement measures to prevent the loss of topsoil. Additionally, the rice crop cycle and the soil textures in the sellers' areas reduce the potential for erosion due to wind in this region. The process of rice cultivation includes incorporating the leftover rice straw into the soils after harvest through discing. Once dried, the combination of decomposed straw and clay texture soils typically produces a hard, crust-like surface. If left undisturbed, this surface texture would remain intact throughout the summer, when erosion due to wind would be expected to occur, until winter rains begin. This surface type would not be conducive to soil loss from erosion due to wind. During the winter rains, the hard, crust-like surface typically remains intact and the amount of sediment transported through winter runoff would not be expected to increase. Therefore, there would be little-to-no increase in sediment transport or siltation resulting from erosion due to wind or due to winter runoff from idled rice fields under the Proposed Action and the resultant impact would be less than significant.

- c(ii), c(iii), c(iv), d) No Impact. The Proposed Action and No Action Alternative would not involve any actions that would result in flooding or create runoff water that would exceed the capacity of existing drainage systems, impede or redirect flood flows or provide a substantial source of polluted runoff.
- e) Less Than Significant. Changes in groundwater levels and the potential change in groundwater flow directions could cause a change in groundwater quality through a number of mechanisms. One mechanism is the potential mobilization of areas of poorer quality water, drawn down from shallow zones, or drawn up into previously unaffected areas. Changes in groundwater gradients and flow directions could also cause (or speed) the lateral migration of poorer quality water.

No Action Alternative: Surface water shortages would likely cause some water users to pump additional groundwater. The groundwater pumping could cause water quality concerns, as described above. However, the amount of groundwater pumping would follow historic dry year trends and would not likely change groundwater quality compared to existing conditions.

Proposed Action:

Redding Area Groundwater Basin. Groundwater in the Redding Area Groundwater Basin is typically of good quality, as evidenced by its low TDS concentrations, which range from 70 to 360 mg/L. Areas of high salinity (poor water quality), are generally found on the western basin margins, where the groundwater is derived from marine sedimentary rock. Elevated levels of iron, manganese, nitrate, and high TDS have been detected in some areas (DWR 2003).

Groundwater extraction under the Proposed Action would be limited to withdrawals during the irrigation season of the 2019 contract year. Since groundwater in the Redding area is of good quality, adverse effects from the migration of reduced groundwater quality would be anticipated to be minimal.

2019 Tehama-Colusa Canal Authority Water Transfers Public Draft Environmental Assessment/Initial Study

Sacramento Valley Groundwater Basin. Groundwater quality in the Sacramento Valley Groundwater Basin is generally good and sufficient for municipal, agricultural, domestic, and industrial uses. However, there are some localized groundwater quality issues in the basin. Arsenic was detected above the maximum contaminant level (MCL) in 22 percent of the primary aquifers within the Sacramento Valley. Nutrient concentration within the central Sacramento Valley region was above the MCLs in about three percent of the primary aquifers. In the southern portion of the basin, nutrients were detected above the MCLs in about one percent of the primary aquifers (Bennett et al. 2011).

Groundwater extraction under the Proposed Action would be limited to withdrawals during the irrigation season of the 2019 contract year. Extraction near areas of reduced groundwater quality would not be expected to result in a permanent change to groundwater quality conditions. Consequently, effects from the migration of reduced groundwater quality would be less than significant.

XI, LAND USE AND PLANNING

- Would the project:

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Physically divide an established community?				\boxtimes
b) Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?				
a, b) No Impact. The No Action Alternative a construction or new structures that could divid policies, or zoning.				s,
XII. MINERAL RESOURCES - Would the project				
	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Thau Significant Impact	No Impact
a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?				\boxtimes
b) Result in the loss of availability of a locally- important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?				

a, b) No Impact. The No Action Alternative and Proposed Action do not require construction or other activities that would result in the loss of availability of known mineral resources or mineral resource recovery sites.

XIII. NOISE

- Would the project result in:

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?				
b) Generation of excessive groundborne vibration or groundborne noise levels?				\boxtimes
c) For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, expose people residing or working in the project area to excessive noise levels?				

- a) Less Than Significant. The No Action Alternative would not increase ambient noise levels. The Proposed Action would result in the temporary operation of existing electric, diesel, and propane driven wells that would result in temporary increases in noise levels. All the wells would be located in rural areas, which are generally in a farm setting with typical noise from agricultural operations. The wells would be operated by a willing landowner; therefore, any localized noise levels would be approved by the landowner. Noise impacts from increased well operation would be less than significant.
- b, c) No Impact. The No Action Alternative and Proposed Action would not result in groundborne vibration or noise and would not result in noise near a public or private airport. The Proposed Action would only rely on existing facilities and equipment. No new construction activities would be associated with the Proposed Action and no ground-disturbing actions with the potential to generate groundborne vibrations would occur. Certain wells may be located within an airport land use plan, but there would be no new permanent residents or workers near the wells that could be affected by any plane noise. For private airstrips, the Proposed Action would not expose people in the vicinity to excessive noise levels.

2019 Tehama-Colusa Canal Authority Water Transfers
Public Draft Environmental Assessment/Initial Study

Public Draft Environmental Assessment/	Initial Study				
XIV. POPULATION AND HOUSING - Would the project;					
		Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Induce substantial unplanned population g an area, either directly (for example, by po- new homes and businesses) or indirectly (example, through extension of roads or of infrastructure)?	roposing for				
b) Displace substantial numbers of existing phousing, necessitating the construction of replacement housing elsewhere?					\boxtimes
a) No Impact. The No Action Altern growth. Water transfers would help r maximum acreage under production housing would be constructed, demo-	educe wate or require r	r shortages, nore farm v	, and would not vorkers to meet	increase the labor demands.	
b) No Impact. The No Action Alterr demolition, or other activities that co construction of replacement housing.	uld displac	Proposed Ac e existing h	ction would not ousing or peop	include construction include construction include construction includes included included includes included includes include construction include constructi	etion, e the
XV. PUBLIC SERVICES Would the project result in substantial adver altered governmental facilities, need for new could cause significant environmental impact performance objectives for any of the public	or physically ets, in order to	y altered gove	rnmental facilities	, the construction of	which
	Potentially Significant Impact	Signific Miti	gation Si	0	No apact
a) Fire protection?					\boxtimes
b) Police protection?		. [\boxtimes
c) Schools?					\boxtimes
d) Parks?					\boxtimes
e) Other governmental facilities (including roads)?					

a-e) No Impact. The No Action Alternative and Proposed Action would not create any new demand for public services or require any existing public facilities to be altered. Water made available for transfer would be transported using existing conveyance facilities and pumping stations, and would not require the use of area roads, so there would be no impact to roads or other government facilities. Water transfers would not affect the supplies available to

municipalities or other jurisdictions for fire protection, parks, or school use. Therefore, there would be no impact to public services or public facilities as a result of this project.

			•	
XVI. RECREATION - Would the project:				
	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?				
b) Include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?				\boxtimes
 a, b) No Impact. The No Action Alternative ar recreation facilities or require construction or e XVII. TRANSPORTATION Would the project: 	_		•	
	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Cause a conflict with a program, plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?				
b) Conflict or be inconsistent with CEQA Guidelines				
section 15064.3, subdivision (b)?				\boxtimes
				\boxtimes

a-d) No Impact. The No Action Alternative and Proposed Action would not create any new demand on transportation services. The Proposed Action has no construction activities that would increase the traffic on roads in the project area. The amount of water transferred would be less than what is supplied during normal water years, and so would not create an increase in farm activity in the buyer's area that could increase traffic. There would neither be an impact to the level of service or air traffic patterns in the project area, nor would there be an increase in hazards due to design features, inadequate emergency access or parking capacity, or conflict with adopted policies supporting alternative transportation.

2019 Tehama-Colusa Canal Authority Water Transfers Public Draft Environmental Assessment/Initial Study

XVIII. TRIBAL CULTURAL RESOURCES -- Would the project:

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feather, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:				
i) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k), or				
ii) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resource Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe. a) No Impact. The No Action Alternative a disturbing activities, land alteration, or cons resources.	and Proposed atruction prop	Action would not	include ground sturb tribal cult	ural
XIX. UTILITIES AND SERVICE SYSTEMS - Would the project:		v		
	Potenti Signific Impa	ant Mitigation	Significant	No Impact
a) Require or result in the relocation or construction new or expanded water, wastewater treatment, of storm water drainage, electrical power, natural gor telecommunications facilities, the construction relocation of which could cause significant environmental effects?	or gas,			
b) Have sufficient water supplies available to serve project and reasonably foreseeable future development during normal, dry and multiple dr years?	<u> </u>			

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact
c) Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?				
d) Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?				\boxtimes
e) Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?				\boxtimes
a-e) No Impact. The No Action Alternative and demand on utilities or service systems. There we resulting from implementing the Proposed Action of new water or wastewater treatment facilities, a existing facilities. There would be no increase in could exceed existing capacities, and no new storunder the Proposed Action.	ould be no impa n. Transfers wo as all water tran demand for wa rm water draina	ct to utility or sould not require usfers would be astewater treatmage facilities wo	ervice system the construct done using ment facilities ould be requi	ms etion s that ired
Water transfers would be done within the existin supplies for the sellers would be required. Buyer, the transfers would provide agricultural water in	s would also no	ot require new v	vater supplie	vater s as
There would be no solid waste generated as a res landfill would be required. Thus, there would be a result of the Proposed Action.				
XXI. MANDATORY FINDINGS OF SIGNIFICANCE	.—			
S	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?				

	Potentially Significant Impact	Significant with Mitigation Incorporation	Less Than Significant Impact	No Impac
b) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?				
c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?				

- a) Less than Significant with Mitigation Incorporation. Water transfers would not have substantial incremental effects to habitat or species relative to the conditions that would occur in response to the dry hydrologic conditions. Mitigation Measures VEG and WILD-1 and GW-1 would reduce potential special status species impacts to less than significant. Water transfers would not degrade the quality of the environment or eliminate examples of California history or prehistory.
- b) Less than Significant with Mitigation Incorporation. This cumulative impacts analysis identifies past, present and reasonably foreseeable future projects with the potential to contribute to cumulative effects, when combined with the Proposed Action. Appendix J summarizes the cumulative projects analyzed in this EA/IS. The conditions with these projects, including the Proposed Action, are referred to as the cumulative condition. Information used in this cumulative impacts analysis is based on the best information available at this time.

The Proposed Action could have potential cumulatively considerable impacts to air quality, biological resources, and groundwater resources. The cumulative analysis for these resources follows. The Proposed Action would not have cumulatively considerable impacts to other resources evaluated in this EA/IS.

Air Quality

All counties affected by the Proposed Action are located in areas designated nonattainment for the PM₁₀ CAAQS. Additionally, Sacramento, Shasta, Tehama, and Yolo Counties are designated nonattainment for the O₃ CAAQS and Sutter County is designated nonattainment-transitional for the O₃ CAAQS. Nonattainment status represents a cumulatively significant impact within the area. O₃ is a secondary pollutant, meaning that it is formed in the atmosphere from reactions of precursor compounds under certain conditions. Primary precursor compounds that lead to O₃ formation include volatile organic compounds and nitrogen oxides; therefore, the significance thresholds established by the air districts for VOC and NOx are intended to maintain or attain the O₃ CAAQS and NAAQS. Because no single project determines the nonattainment status of a region, individual projects would only contribute to the area's designation on a cumulative basis.

As previously discussed, the general conformity regulations apply to nonattainment and maintenance areas and are intended to demonstrate that a federal action would comply with the

state implementation plan and would not cause the air quality in the region to be degraded. Therefore, if the total of direct and indirect emissions is less than the general conformity de minimis thresholds, then the project would not be cumulatively considerable because the ambient air quality standards would continue to be maintained. Furthermore, if total emissions in attainment areas are less than 100 tons per year, the threshold for a "major source" in the New Source Review regulations, then emissions would not be cumulatively considerable.

As discussed in Section III Air Quality, total emissions would not exceed the general conformity de minimis thresholds in nonattainment and maintenance areas or the major source threshold in attainment areas. Therefore, air quality impacts would not be cumulatively considerable.

Biological Resources

The Proposed Action would result in a slight decrease in Sacramento River flows from the Red Bluff Pumping Plant to the sellers' points of diversion. Transfers from the cumulative projects discussed in Appendix J would result in increased flows downstream of the sellers' points of diversion to the Delta. Detailed analysis in the Long-Term Water Transfers EIS/EIR and subsequent RDEIR/SDEIS concluded that cumulative change in flow due to transfers would not reduce the suitability of habitat conditions during adult immigration by Chinook salmon, steelhead, and green sturgeon (Reclamation and SLDMWA 2015, Reclamation and SLDMWA 2019). This magnitude of cumulative flow change would also not appreciably reduce spawning habitat availability and incubation, increase redd dewatering or juvenile stranding, or reduce the suitability of habitat conditions during juvenile rearing for these sensitive fish species because the increase in flow is so small compared to baseline flows. Other special-status fish species, including hardhead and Sacramento splittail would also not be affected by small changes in river flow.

The Proposed Action includes up to 13,568 acres of rice idling in Glenn, Colusa, Yolo, and Sutter counties. Transfers under the cumulative condition would result in the idling of more rice fields than those included in the Proposed Action, including a maximum of 100,193 acres of rice idling in Glenn, Colusa, Yolo, Sutter, and Butte counties. The actual quantity of water transferred in a given year, as evidenced by past dry years would likely be less than the maximum quantities in Table H-1.

As described under IV. Biological Resources, rice fields provide habitat for GGS, pacific pond turtle, and migratory birds. For the GGS and pacific pond turtle, rice idling could result in reduced forage and cover habitat, hindered movement, and increased predation risk. For migratory birds, rice idling could reduce nesting, forage, and rearing habitat. Additional rice idled under the cumulative condition could increase these effects relative to the Proposed Action.

Mitigation Measure VEG and WILD-1 includes best management practices to reduce potential effects to special status species, including GGS and pacific pond turtle, and migratory birds. Other water transfers facilitated by Reclamation and DWR using Federal and State facilities would be required to have similar measures in place to protect special status species, as specified in *DRAFT Technical Information for Preparing Water Transfer Proposals* (Reclamation and DWR 2014). As a result, cumulative impacts to these species would not be expected to be significant. Further, Mitigation Measure VEG and WILD-1 would reduce potential effects of the

2019 Tehama-Colusa Canal Authority Water Transfers Public Draft Environmental Assessment/Initial Study

Proposed Action on special status species under cumulative conditions, such that the Proposed Action's contribution to any such impacts would be minimal.

Groundwater substitution transfers under the cumulative condition would also result in streamflow depletion and potentially affect flows for fish and natural communities. The transfers included in the cumulative impacts analysis (Table J-1 in Appendix J) are generally in different areas of the Sacramento Valley than those included in the Proposed Action and would not substantially increase streamflow depletion in any one area. As a result, any losses in stream flows would be minor and effects to fisheries or natural communities would be less than significant under the cumulative condition.

Groundwater Resources

The reduction in recharge due to the decrease in precipitation and runoff in the past years in addition to the increase in groundwater substitution transfers would lower groundwater levels. The groundwater modeling for the Proposed Action suggests that groundwater pumping used in lieu of the surface water made available for transfer in addition to the groundwater pumping which would occur as a result of the dry conditions would not cause significant adverse effects to groundwater levels with the implementation of Mitigation Measure GW-1. The additional groundwater substitution transfers in the cumulative condition are in different areas of the Sacramento Valley (focused in the Feather and American River areas rather than the Sacramento River area); therefore, this addition to the cumulative condition is not likely to cause a significant cumulative impact.

Other water transfers facilitated by Reclamation and DWR using Federal and State facilities would be required to have measures similar to Mitigation Measure GW-1 to protect groundwater resources, as specified in *DRAFT Technical Information for Preparing Water Transfer Proposals* (Reclamation and DWR 2014). Reclamation will not approve transfers if appropriate monitoring and mitigation programs are not in place and are not implemented. Monitoring and mitigation programs would reduce cumulative groundwater effects. Reclamation will verify that monitoring and mitigation are appropriately implemented and groundwater effects do not occur. Coordination of groundwater programs in the Sacramento Valley would also minimize and avoid the potential for cumulative effects to groundwater resources. DWR is involved in multiple groundwater programs in the Sacramento Valley, including monitoring programs. Reclamation will work with DWR to track program activities, collect and combine data, and assess potential groundwater effects. Because of the required groundwater monitoring and mitigation for transfer approval and agency coordination, the Proposed Action would not result in a cumulatively considerable contribution to effects on groundwater.

c) No Impact. The Proposed Action would not result in environmental effects that cause substantial adverse impacts to human beings. Effects in the sellers' area would be temporary, occurring only in 2019, and do not present a substantial risk to water supplies to human beings. The Proposed Action would provide additional water to the buyers' area, which would benefit agricultural production and the regional economies in the buyers' area. There would be no long-term effects of the Proposed Action. The Proposed Action would be used to meet anticipated water supply shortages within the service area of the Member Units of the TCCA during drought conditions and would not permanently increase the Contract Total of the Member Units of the TCCA. Therefore, there would be no contribution to growth-inducing impacts.

Chapter 4 Other Reclamation Environmental Compliance Requirements

In addition to resources analyzed in Chapter 3, Department of the Interior Regulations, Executive Orders, and Reclamation guidelines require a discussion of the following additional items when preparing environmental documentation.

4.1 Indian Trust Assets (ITAs)

ITAs are defined as legal interests in property held in trust by the U.S. government for Indian tribes or individuals, or property protected under U.S. law for federally recognized Indian tribes or individuals. ITAs can include land, minerals, federally-reserved hunting and fishing rights, federally-reserved water rights, and in-stream flows associated with a reservation or Rancheria. By definition, ITAs cannot be sold, leased, or otherwise encumbered without approval of the U.S. The following ITAs overlay the boundaries of the Sacramento Valley Groundwater Basin: Auburn Rancheria, Chico Rancheria, Colusa, Cortina, Paskenta and Rumsey

Groundwater substitution is the only transfer method under the Proposed Action that could affect ITAs. Auburn Rancheria, Cortina, and Rumsey lie on the border of the basin, where groundwater levels would be less affected by proposed groundwater pumping. Groundwater modeling in the Sacramento Valley Groundwater Basin shows that there would be essentially no effect to groundwater table elevations from groundwater substitution transfers near the Chico Rancheria, and Paskenta sites (see Figure H-5 in Appendix H). The Colusa Rancheria is near an area of potential drawdown; however, the drawdown is on the opposite side of the river from the Colusa Rancheria. The changes in groundwater levels near the Colusa Rancheria would be negligible and would not affect groundwater pumping.

The Redding Rancheria falls within the Redding Groundwater Basin, which is where groundwater substitution transfers would occur by Anderson-Cottonwood ID. The groundwater evaluation concludes that there would not be significant effects to groundwater elevations in the Redding Groundwater Basin based on past pump tests and that Anderson-Cottonwood ID would develop and implement a Monitoring Program and Mitigation Plan because of the uncertainty of changes in groundwater levels in a critical water year. As a result, there would be no effects to the Redding Rancheria.

Because groundwater substitution transfers would not affect groundwater table elevations near the ITA sites, the Proposed Action would not affect ITAs.

4.2 Indian Sacred Sites

As defined by Executive Order 13007: Indian Sacred Sites, a sacred site "means any specific, discrete, narrowly delineated location on Federal land that is identified by an Indian tribe, or

Indian individual determined to be an appropriately authoritative representative of an Indian religion, as sacred by virtue of its established religious significance to, or ceremonial use by, an Indian religion; provided that the tribe or appropriately authoritative representative of an Indian religion has informed the agency of the existence of such a site." The affected environment for the Proposed Action does not include Federal land; therefore, there is no potential for Indian Sacred Sites to be affected by the Proposed Action.

4.3 Socioeconomics

Under the No Action Alterative growers facing water shortages would take actions to protect permanent crops first to protect their investments. If available, growers would likely pump groundwater to substitute for reduced surface water supplies. If groundwater is not available, growers would idle field crops and use available surface water to irrigate permanent crops. Cropland idling in other districts could also occur under the No Action Alternative, but estimates are unavailable at this time because other districts have not yet considered what actions they would take if surface water supplies are reduced.

In the TCCA buyer area, growers generally do not have access to groundwater supplies to irrigate crops. Water shortages to the TCCA Member Units may cause growers to have inadequate water supplies to irrigate permanent crops. This could cause permanent crops to die or be permanently damaged. Damage to and loss of permanent crops would have long-term adverse effects to the regional economy in the Sacramento Valley. If the permanent crop is lost, growers would lose annual revenues earned from sales and their initial investments to establish the crop. These economic effects would last beyond 2019. There may also be increased costs to remove the lost permanent crops and prepare the land for subsequent planting. These would be adverse economic impacts under the No Action Alternative.

Under the Proposed Action, a maximum of 13,568 acres of rice could be idled in addition to rice acres idled as a result of the drought. Under the Proposed Action, growers selling water for transfers would be compensated for their expected losses in income that they would have received for selling a crop. As a result, growers would not experience a net loss in income and would presumably receive more revenue than if the crop were produced, which would be an economic benefit to participating growers.

Adverse regional economic effects would occur to businesses and individuals who support farming activities, such as farm workers, fertilizer and chemical dealers, wholesale and agricultural service providers, truck transport, and others involved in crop production and processing. These businesses and individuals would not receive compensation from the water transfer. Cropland idling would result in direct effects to employment, labor income and output. This analysis estimates effects to employment to represent the magnitude of potential economic effects of the proposed cropland idling. There would be similar relative effects to labor income and output to the regional economy.

The transfer water would be used to irrigate permanent crops in Tehama, Glenn, Colusa, and Yolo counties that would have little or no water under the No Action Alternative. This would offset some of the economic effects of cropland idling because water would be used to irrigate crops within the same economic region and there would be fewer leakages outside the region.

For example, some farm workers could travel within the region to the crops that would be irrigated with transferred water and they would not lose their jobs as a result of idling. Some businesses that support the region would also experience less of a decline in sales because the transferred water would be used locally and farm related supplies would still be purchased. Because the buyers and sellers are within the same or proximate economic region, there would be fewer adverse economic effects of cropland idling than if the sellers were more geographically separated.

Rice production provides approximately 2.2 farm jobs per 1,000 acres (University of California Cooperative Extension 2016). Based on the maximum acreages proposed for idling as a result of the Proposed Action, the direct effects of rice idling would be approximately 29 jobs lost in Colusa, Glenn, Sutter, and Yolo counties. These job losses would largely occur in the agricultural sector and account for approximately one percent of the 2017 farm jobs in Colusa, Glenn, Sutter and Yolo counties. Some of these direct effects may be offset if farm workers can shift from working fields that are idled to fields where the transfer water is being used. According to the University of California Cooperative Extension studies, permanent crops such as walnuts are more labor intensive and provide approximately 3.4 jobs per 1,000 acres (University of California Cooperative Extension 2015).

There would also be secondary regional economic impacts as a result of increased idling. Secondary effects occur because of the linkages among industries and include effects to employment, income, and output of agriculture support industries such as seed, fertilizer, and fuel and as a result of reduced household spending by farm workers. Rice production provides approximately \$918/acre in revenue to support industries such as seed, fertilizer/herbicides/insecticides/fungicides, equipment rental and fuel. Based on the maximum acreage proposed for idling as a result of the Proposed Action, the indirect effects of rice idling would cause a little less than one percent reduction in revenue for the support industries in comparison to their reported 2017 earnings. Further, the Proposed Action would last for one year and growers could put the land back into agricultural production in the subsequent year if water supplies increase. Therefore, economic effects from cropland idling would be a temporary effect.

Secondary effects could also occur in the forward linkage industries such as rice milling, transportation businesses or the insurance/banking industry. Forward linkages describe the process of how a company in a given sector sells its goods, products, or supplies to a company in a different sector. However, impacts to forward linkage sectors would be minor since the idling acreage would be less than 20 percent of the total rice acreage harvested. Further, the Proposed Action would last for one year and growers could put the land back into agricultural production in the subsequent year if water supplies increase. Therefore, economic effects from cropland idling would be a temporary effect.

In the buyer area, water transfers under the Proposed Action would provide water for irrigation that would help maintain crop production. Even with transfers, growers could continue to face water shortages and take actions to address reduce supplies. Transfer water would be used to irrigate permanent crops to keep them alive through the dry year and support long-term production. Permanent crops are typically more labor intensive and have higher value than field crops. Continued irrigation of permanent crops through the 2019 irrigation season would support farm labor and provide revenue to the region through 2019 and in the long-term. Transfer water

would help local farm economies in the TCCA service area of the Sacramento Valley by providing employment and wages to farm laborers. Transfers would protect growers' investments in permanent crops and farm income. Transfers would provide long-term economic benefits by keeping permanent crops alive through the 2019 dry conditions. If permanent crops do not survive through 2019, there would be substantial long-term adverse economic effects to the buyer area by reducing employment and income in subsequent years. The Proposed Action would benefit the regional economy in the buyer area.

4.4 Environmental Justice

The 1994 Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations, requires all Federal agencies to conduct "programs, policies, and activities that substantially affect human health or the environment, in a manner that ensures that such programs, policies, and activities do not have the effect of excluding persons (including populations) from participation in, denying persons (including populations) the benefits of, or subjecting persons (including populations) to discrimination under, such programs, policies, and activities, because of their race, color, or national origin." Cropland idling could affect farm labor employment by temporarily reducing the amount of agricultural land in production or the number of farm workers needed to work existing land. The five-year (2013 to 2017) annual median household income for Glenn, Colusa, Sutter and Yolo counties ranges from \$46K-\$61K annually which is lower than state-average of \$67K (U.S. Census Bureau 2013-2017). Additionally, the unemployment rates in Glenn and Sutter counties is 15.5% and 13.8% respectively which is higher than the state average of 11.1% (U.S. Census Bureau 2013-2017). These statistics indicate a potential for environmental justice effects in the seller area.

Economic effects in the buyers' and sellers' areas if water supplies are reduced under the No Action Alternative are described in Section 4.3. These effects would also be relevant for environmental justice issues. In the TCCA area, reduced water supplies could cause long-term damage to or loss of permanent crops, which would reduce farm worker employment for the long-term. This could result in a disproportionate impact to low income and minority workers under the No Action Alternative.

Under the Proposed Action, cropland idling transfers could disproportionately and adversely affect minority and low-income farm workers by reducing agricultural production. A maximum of 13,568 acres of rice could be idled under the Proposed Action. Based on the maximum idling acreage under the Proposed Action, approximately 28 farm workers jobs would be lost in Glenn, Colusa, Sutter, and Yolo counties (0.2 percent of total 2017 farm employment). This magnitude of job losses is within historic annual fluctuations in farm worker employment. Annual changes in farm worker employment from 2005 to 2017 indicates a steady growth of one percent or higher through 2016, with a slight decrease in 2017 (EDD 2018). Assuming a similar growth trend in farm worker employment in 2018, a 0.2 percent reduction in farm jobs would potentially be negated by the overall increasing employment trend. All farm worker effects would be temporary and only occur during the 2018 crop season. Cropland idling under the Proposed Action would not result in an adverse and disproportionately high effect to farm employment.

Water transfers under the Proposed Action would provide water to agricultural users in the buyers' area. Increased water supply would mostly be used to irrigate permanent crops that would not otherwise be irrigated due to water shortages under the No Action Alternative. This would provide employment for the labor intensive, permanent crops, which would provide farm employment for low income and minority workers. This would be a beneficial effect to environmental justice populations in the buyer's area.

4.5 Consultation and Coordination

4.5.1 2019 Stakeholder Involvement

Reclamation and the TCCA continue to coordinate with interested sellers to implement water transfers in 2019. Tables 2-1 is the result of coordination among agencies. Table 4-1 summarizes the list of agencies and persons consulted in compliance with Council of Environmental Quality implementing regulations (40 Code of Federal Regulations [CFR] §1508.9).

Table 4-1. List of Agencies and Persons Consulted

Person/Agency	Title	
Darren Cordova (MBK Engineers)	Sellers Representative	

4.5.2 Resource Agency Involvement

In 2015, USFWS issued a Programmatic Biological Opinion on Long-Term Water Transfers from 2015 to 2024 that includes transfers to TCCA and other users. This biological opinion is currently being updated for 2019-2024, and the TCCA transfers in 2019 will be included in this revised opinion.

4.5.3 Public Comments

Reclamation and TCCA released the Draft EA/IS for a 30-day public review period, beginning on February 13, 2019.

		•		6
				Q.
				(°
				· · · · · · · · · · · · · · · · · · ·
				Ç
				6
				Ć.
				(;
				(
				(:
				6
				Çi.
				Ć.
				<i>(</i> :
				(·
				(₁ ,
				(
	·			(;
				(
				í
		•		(
				(
				(
				(
				· •
				(
				(
				(
				(
•				(
•				(
				(
			•	(
				(
				(
				`
				(
				6
				(
				(:
				E
				· ·
				A
				(
				^
				Ę .
				e
				(*)