Print Form

Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: 2019039162

Project Title: City of Parlier 1, 2, 3 TCP Removal Treatment System

Lead Agency: City of Parlier

Contact Name: Bertha Augustine

Email: bertha@parlier.ca.us Phone Number: (559) 646-3545

Project Location: Parlier, Fresno County
City *County*

Project Decription (Proposed actions, location, and/or consequences).

The City of Parlier intends to construct a water treatment system designed to remove 1, 2, 3 – Trichloropropane (TCP) from the water system due to levels above State Water Board maximum permitted levels. This includes construction and installation of treatment trains, connecting pipelines, and related equipment. The project will occur on the existing water distribution system. The Addendum was prepared to address minor changes that were made to the project description after the MND was adopted by the City in May of 2019. The Addendum addresses installation and operation of an additional TCP treatment facility at Well #8 (Location 4) in the City as well as the addition of approximately 300 feet of pipeline that will be installed from South Milton Avenue to the proposed TCP treatment facility located north of Well #2A.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

The proposed project results less than significant impacts with mitigation incorporation to biological and cultural resources.

A brief description of mitigation measures included in the Mitigated Negative Declaration include:

Mitigation Measures (Biology): Includes preconstruction surveys, avoidance, timing of construction, and similar protection measures for protected species.

Mitigation Measure (Cultural): Avoidance and/or care of undiscovered/unknown cultural resources.

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

None so far. A public hearing was held in May 2019 and no public comments were received. An additional public hearing will occur for the Addendum on February 4, 2021.

Provide a list of the responsible or trustee agencies for the project.

The proposed Project will include, but not be limited to, the following regulatory requirements:

- The adoption of the Addendum to the Mitigated Negative Declaration by the City of Parlier
- Regional Water Quality Control Board
- Air District Permits
- Compliance with other federal, state and local requirements.