## Notice of Completion & Environmental Document Transmittal

Mail to: State Clearinghouse, P.O. Box 3044, Sacramento, CA 95812-3044 (916) 445-0613 For Hand Delivery/Street Address: 1400 Tenth Street, Sacramento, CA 95814

scн4 0 1 9 0 4 9 1 4 8

Lead Agency: Planada Community Services District	Contact Person: Daniel Chavez			
Mailing Address: P.O. Box 905 City: Planada	Phone: (209) 382-0213			
City. I landud	Zip: 95365 County: Merced  City/Nearest Community: Planada  Zip Code: 95365  19 10 10 17 17 17 17 18 Total Acres: n/a  Section: 4, 33 Twp.: 75,8S Range: 15E Base: MDB&M  Waterways: Miles Creek			
Project Location: County:Merced				
Cross Streets: Live Oak and Childs Avenue				
Longitude/Latitude (degrees, minutes and seconds): 120 Assessor's Parcel No.: various				
Within 2 Miles: State Hwy #: 140				
Airports: n/a	Railways: BNSF Schools: Cesar Chavez ES			
Document Type:				
CEQA: NOP Draft EIR Early Cons Supplement/Subsequent Neg Dec (Prior SCH No.) Mit Neg Dec Other:				
Local Action Type:				
☐ General Plan Update       ☐ Specific Plan         ☐ General Plan Amendment       ☐ Master Plan         ☐ General Plan Element       ☐ Planned Unit Development         ☐ Community Plan       ☐ Site Plan	Rezone APR 26 2019 Annexation Prezone Redevelopment Use Permit CLEARINGHOLD Coastal Permit Land Division (Subdivision, etc.) Other: Capital Project			
Development Type:				
☐ Residential: Units         Acres           ☐ Office:         Sq.ft.         Employer	loyees Transportation: Type			
Commercial:Sq.ft Acres Empl	oyees Mining: Mineral			
☐ Industrial: Sq.ft Acres Emplo	Oyees   Power: Type			
Recreational:	Hazardous Waste: Type			
Water Facilities: Type MGD _	☑ Other: Wastewater collection system repair			
Project Issues Discussed in Document:				
☐ Aesthetic/Visual       ☐ Fiscal         ☒ Agricultural Land       ☒ Flood Plain/Floodi         ☒ Air Quality       ☐ Forest Land/Fire H         ☒ Archeological/Historical       ☒ Geologic/Seismic         ☒ Biological Resources       ☐ Minerals         ☐ Coastal Zone       ☒ Noise         ☒ Drainage/Absorption       ☒ Population/Housin	Hazard  Septic Systems  Sewer Capacity  Soil Erosion/Compaction/Grading Solid Waste  Water Supply/Groundwater  Wetland/Riparian  Growth Inducement  Land Use			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the	on:			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated.	on: signations  e if necessary) hat will address aging infrastructure and prevent unsanitary conditions for the improvements to the sewer line consist of a combination between the such as pipe bursting or cured-in-place pipe. Possibly all segments may that only specific segments of the network will need replacement. Most of does not necessitate excavation. These portions will be abandoned in-place			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings.	on: signations  e if necessary) hat will address aging infrastructure and prevent unsanitary conditions for the improvements to the sewer line consist of a combination between the such as pipe bursting or cured-in-place pipe. Possibly all segments may that only specific segments of the network will need replacement. Most of does not necessitate excavation. These portions will be abandoned in-place			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings. Clearinghouse Contact:	on: signations at if necessary) hat will address aging infrastructure and prevent unsanitary conditions for the improvements to the sewer line consist of a combination between the such as pipe bursting or cured-in-place pipe. Possibly all segments may that only specific segments of the network will need replacement. Most of does not necessitate excavation. These portions will be abandoned in-place parallel to the existing pipelines.  Project Sent to the following State Agencies  X Resources  Cal EPA			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings.	on: signations  in in ecessary) hat will address aging infrastructure and prevent unsanitary conditions for the improvements to the sewer line consist of a combination between the such as pipe bursting or cured-in-place pipe. Possibly all segments may that only specific segments of the network will need replacement. Most of does not necessitate excavation. These portions will be abandoned in-place parallel to the existing pipelines.  Project Sent to the following State Agencies X ResourcesX Resources			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings. Clearinghouse Contact:	on: signations  if necessary) hat will address aging infrastructure and prevent unsanitary conditions for the improvements to the sewer line consist of a combination between the such as pipe bursting or cured-in-place pipe. Possibly all segments may that only specific segments of the network will need replacement. Most of does not necessitate excavation. These portions will be abandoned in-place parallel to the existing pipelines.  Project Sent to the following State Agencies  X Resources Cal EPA Boating & Waterways ARB: Airport & Freight Central Valley Flood Prot. ARB: Transportation Projects Coastal Comm ARB: Major Industrial/Energ			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings.  Clearinghouse Contact:  (916) 445-0613  Review Began:  — 2019	on: signations  if necessary) hat will address aging infrastructure and prevent unsanitary conditions for se improvements to the sewer line consist of a combination between the uch as pipe bursting or cured-in-place pipe. Possibly all segments may that only specific segments of the network will need replacement. Most of does not necessitate excavation. These portions will be abandoned in-place parallel to the existing pipelines.  Project Sent to the following State Agencies  X Resources Cal EPA Boating & Waterways ARB: Airport & Freight Central Valley Flood Prot. ARB: Transportation Projects Coastal Comm ARB: Major Industrial/Energ Colorado Rvr Bd Resources, Recycl.& Recovery			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings. Clearinghouse Contact:	on: signations  if necessary) hat will address aging infrastructure and prevent unsanitary conditions for the improvements to the sewer line consist of a combination between the such as pipe bursting or cured-in-place pipe. Possibly all segments may that only specific segments of the network will need replacement. Most of does not necessitate excavation. These portions will be abandoned in-place parallel to the existing pipelines.  Project Sent to the following State Agencies  X Resources Cal EPA Boating & Waterways ARB: Airport & Freight Central Valley Flood Prot. ARB: Transportation Projects Coastal Comm ARB: Major Industrial/Energ			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings.  Clearinghouse Contact:  (916) 445-0613  Review Began:  — 2019	on: dignations distinct in the sewer line consist of a combination between the such as pipe bursting or cured-in-place pipe. Possibly all segments may that only specific segments of the network will need replacement. Most of does not necessitate excavation. These portions will be abandoned in-place parallel to the existing pipelines.  Project Sent to the following State Agencies  X Resources Cal EPA Boating & Waterways ARB: Airport & Freight Central Valley Flood Prot. ARB: Transportation Projects Coastal Comm ARB: Major Industrial/Energy Colorado Rvr Bd Resources, Recycl. & Recovery Conservation SWRCB: Div. of Drinking Water SWRCB: Div. Drinking Water SWRCB: Div. Financial Assisted			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings.  Clearinghouse Contact:  (916) 445-0613  Review Began:  — 2019	on: dignations dignati			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings.  Clearinghouse Contact:  (916) 445-0613  Review Began:  — 2019	on: signations in finecessary) hat will address aging infrastructure and prevent unsanitary conditions for the improvements to the sewer line consist of a combination between the such as pipe bursting or cured-in-place pipe. Possibly all segments may that only specific segments of the network will need replacement. Most of does not necessitate excavation. These portions will be abandoned in-place parallel to the existing pipelines.  Project Sent to the following State Agencies  X Resources Cal EPA Boating & Waterways ARB: Airport & Freight Central Valley Flood Prot. ARB: Transportation Projects Coastal Comm ARB: Major Industrial/Energ Colorado Rvr Bd Resources, Recycl. & Recovery Conservation SWRCB: Div. of Drinking Water SWRCB: Div. Of Drinking Water SWRCB: Div. Drinking Water SWRCB: Div. Financial Assisted Historic Preservation SWRCB: Wtr Quality X Parks & Rec SWRCB: Wtr Rights Bay Cons & Dev Comm. X Reg. WQCB #			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings.  Clearinghouse Contact:  (916) 445-0613  Review Began:  — 2019	on: signations  a if necessary) hat will address aging infrastructure and prevent unsanitary conditions for the improvements to the sewer line consist of a combination between the such as pipe bursting or cured-in-place pipe. Possibly all segments may that only specific segments of the network will need replacement. Most of does not necessitate excavation. These portions will be abandoned in-place parallel to the existing pipelines.  Project Sent to the following State Agencies  X Resources Boating & Waterways Central Valley Flood Prot. Coastal Comm ARB: Major Industrial/Energ Colorado Rvr Bd Resources, Recycl. & Recovery Conservation SWRCB: Div. of Drinking Water SWRCB: Div. Drinking Water SWRCB: Div. Financial Assisted Historic Preservation SWRCB: Wtr Quality X Parks & Rec SWRCB: Wtr Rights Bay Cons & Dev Comm. X Reg. WQCB # Toxic Sub Ctrl-CTC			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings.  Clearinghouse Contact:  (916) 445-0613  Review Began:  — 2019	on: signations  a if necessary) hat will address aging infrastructure and prevent unsanitary conditions for the improvements to the sewer line consist of a combination between the such as pipe bursting or cured-in-place pipe. Possibly all segments may that only specific segments of the network will need replacement. Most of does not necessitate excavation. These portions will be abandoned in-place parallel to the existing pipelines.  Project Sent to the following State Agencies  X Resources  ARB: Airport & Freight Central Valley Flood Prot. ARB: Transportation Projects Coastal Comm ARB: Major Industrial/Energ Colorado Rvr Bd Conservation SWRCB: Div. of Drinking War Cal Fire Historic Preservation SWRCB: Div. Financial Assist Historic Preservation SWRCB: Wtr Quality X Parks & Rec SWRCB: Wtr Quality Toxic Sub Ctrl-CTC Yth/Adlt Corrections Corrections			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings.  Clearinghouse Contact:  (916) 445-0613  Review Began:  4 - 24 - 2019  COMPLIANCE  5 - 28 - 2019	on: signations  a if necessary) hat will address aging infrastructure and prevent unsanitary conditions for the improvements to the sewer line consist of a combination between the ach as pipe bursting or cured-in-place pipe. Possibly all segments may that only specific segments of the network will need replacement. Most of does not necessitate excavation. These portions will be abandoned in-place parallel to the existing pipelines.  Project Sent to the following State Agencies  X Resources  ARB: Airport & Freight Central Valley Flood Prot. ARB: Transportation Projects Coastal Comm ARB: Major Industrial/Energ Colorado Rvr Bd Conservation SWRCB: Div. of Drinking War Col Fire SWRCB: Div. Of Drinking War Cal Fire Historic Preservation SWRCB: Wtr Quality X Parks & Rec SWRCB: Wtr Rights Bay Cons & Dev Comm. X Reg. WQCB # Toxic Sub Ctrl-CTC Yth/Adlt Corrections Corrections Independent Comm			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings (916) 445-0613  Review Began:  (916) 445-0613  Review Began:  (916) 445-0613	on: idignations  if necessary) hat will address aging infrastructure and prevent unsanitary conditions for the improvements to the sewer line consist of a combination between the uch as pipe bursting or cured-in-place pipe. Possibly all segments may that only specific segments of the network will need replacement. Most of does not necessitate excavation. These portions will be abandoned in-place parallel to the existing pipelines.  Project Sent to the following State Agencies  X Resources Boating & Waterways Central Valley Flood Prot. Coastal Comm ARB: Airport & Freight ARB: Transportation Projects Coastal Comm ARB: Major Industrial/Energ Colorado Rvr Bd Resources, Recycl. & Recovery SWRCB: Div. of Drinking War SWRCB: Div. Financial Assist Historic Preservation SWRCB: Div. Financial Assist Historic Preservation SWRCB: Wtr Quality X Parks & Rec Bay Cons & Dev Comm. X Reg. WQCB # Toxic Sub Ctrl-CTC Yth/Adlt Corrections Corrections Independent Comm Delta Protection Comm			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings.  Clearinghouse Contact:  (916) 445-0613  Review Began:  4 - 24 - 2019  COMPLIANCE  5 - 28 - 2019	on: ignations  if necessary) hat will address aging infrastructure and prevent unsanitary conditions for the improvements to the sewer line consist of a combination between the uch as pipe bursting or cured-in-place pipe. Possibly all segments may that only specific segments of the network will need replacement. Most of does not necessitate excavation. These portions will be abandoned in-place parallel to the existing pipelines.  Project Sent to the following State Agencies  X Resources  Boating & Waterways Central Valley Flood Prot. Coastal Comm ARB: Major Industrial/Energ Colorado Rvr Bd Resources, Recycl. & Recovery Conservation SWRCB: Div. of Drinking War SWRCB: Div. Financial Assist Historic Preservation SWRCB: Wtr Quality X Parks & Rec Bay Cons & Dev Comm. X Reg. WQCB # Toxic Sub Ctrl-CTC Yth/Adlt Corrections Corrections Independent Comm Delta Protection Comm Delta Stewardship Council			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings (916) 445-0613  Review Began:  (916) 445-0613  Review Began:  (916) 445-0613	on: ignations ig			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings.  Clearinghouse Contact:  (916) 445-0613  Review Began:  4 - 24 - 2019  COMPLIANCE  5 - 28 - 2019  ase note State Clearinghouse Number H#) on all Comments	on: ignations if necessary) hat will address aging infrastructure and prevent unsanitary conditions for he improvements to the sewer line consist of a combination between the uch as pipe bursting or cured-in-place pipe. Possibly all segments may that only specific segments of the network will need replacement. Most of does not necessitate excavation. These portions will be abandoned in-place parallel to the existing pipelines.  Project Sent to the following State Agencies  X Resources  ARB: Airport & Freight Central Valley Flood Prot. Coastal Comm Colorado Rvr Bd Colorado Rvr Bd Resources, Recycl. & Recovery Conservation SWRCB: Div. of Drinking War SWRCB: Div. Financial Assist Historic Preservation SWRCB: Wtr Quality AParks & Rec Bay Cons & Dev Comm. X Parks & Rec Bay Cons & Dev Comm. X Reg. WQCB # Toxic Sub Ctrl-CTC Yth/Adlt Corrections Corrections Independent Comm Delta Stewardship Council Energy Commission Trans Planning X NAHC			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings.  Clearinghouse Contact:  (916) 445-0613  Review Began:  4 - 24 - 2019  COMPLIANCE  5 - 28 - 2019  ase note State Clearinghouse Number H#) on all Comments  H#:  2019 49148	on:  ignations  offi necessary) hat will address aging infrastructure and prevent unsanitary conditions for the improvements to the sewer line consist of a combination between the unch as pipe bursting or cured-in-place pipe. Possibly all segments may that only specific segments of the network will need replacement. Most of does not necessitate excavation. These portions will be abandoned in-place parallel to the existing pipelines.  Project Sent to the following State Agencies  X Resources Boating & Waterways Central Valley Flood Prot. Coastal Comm ARB: Airport & Freight ARB: Transportation Projects Colorado Rvr Bd Resources, Recycl.& Recovery Conservation X CDFW # SWRCB: Div. of Drinking War Cal Fire Historic Preservation X Parks & Rec Bay Cons & Dev Comm. X Parks & Rec Bay Cons & Dev Comm. X Reg. WQCB # Toxic Sub Ctrl-CTC Yth/Adlt Corrections Corrections Corrections Independent Comm Aeronautics Delta Protection Comm Delta Stewardship Council Energy Commission Trans Planning X NAHC Other Public Utilities Comm Santa Monica Bay Restoration			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground in the repair is anticipated to oc	on: ignations ig			
Present Land Use/Zoning/General Plan Designation: Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings and the sequence of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings are sequence of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings are sequence of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings are sequence of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings are sequence of the repair in the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings are sequence of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings are sequence of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings are sequence of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings are sequence of the repair in the repair in the repair in the repair is anticipated to occur in-ground in the repair is anticipated to occur in-ground, which and capped in the repair is anticipated to occur in-ground, which are sequence in the repair is anticipated to occur in-ground, which are sequence is anticipated in the repair in the repair	on: idignations in finecessary) hat will address aging infrastructure and prevent unsanitary conditions for the improvements to the sewer line consist of a combination between the such as pipe bursting or cured-in-place pipe. Possibly all segments may that only specific segments of the network will need replacement. Most of does not necessitate excavation. These portions will be abandoned in-place parallel to the existing pipelines.  Project Sent to the following State Agencies  X Resources  Sate PA  Boating & Waterways  Central Valley Flood Prot.  Coastal Comm  ARB: Airport & Freight  ARB: Transportation Projects  Coastal Comm  ARB: Major Industrial/Energ  Resources, Recycl.& Recovery  Conservation  SWRCB: Div. of Drinking War  SWRCB: Div. Financial Assist  Historic Preservation  X Parks & Rec  Bay Cons & Dev Comm.  Y DWR  SWRCB: Wtr Quality  Toxic Sub Ctrl-CTC  Yth/Adlt Corrections  Corrections  Corrections  Independent Comm  Aeronautics  Delta Protection Comm  Delta Protection Comm  Aeronautics  Delta Protection Comm  Toxic Sub Ctrl-CTC  Yth/Adlt Corrections  Corrections  Corrections  Corrections  Independent Comm  Santa Monica Bay Restoration  Santa Monica Bay Restoration  State Lands Comm  Tahoe Rgl Plan Agency  OES			
Present Land Use/Zoning/General Plan Designation Planada Community Plan - various zoning and des Project Description: (please use a separate page The CSD has proposed sewer line improvements the Community and surrounding area (Project). The Traditional Method and the Trenchless Methods surrequire replacement or repair, but it is anticipated the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground, which and capped at both ends, with new pipe installed proceedings of the repair is anticipated to occur in-ground in the repair is anticipated to oc	cellities			

## **Reviewing Agencies Checklist**

م ماد، . ۸	rity cited: Section 21083, Public Resources Code. Re	oference: S			
Signa	ture of Lead Agency Representative:	2m	Date: 1/25/19		
Phone	: (203) 123-2000				
Contact: Desmond Johnston Phone: (209) 723-2066		Phone: (209) 382-0213			
Address: 2816 Park Avenue City/State/Zip: Merced, CA 95348		City/S	State/Zip: Planada, CA 95365		
		Addre	ess: P.O. Box 905		
Consulting Firm: QK, Inc.		Appli	Applicant: Planada CSD		
Lead	Agency (Complete if applicable):				
Load	Agency (Complete if applicable)				
Starting Date 4/26/2019		Endir	Ending Date 5/28/2019		
		10 y )			
Local	Public Review Period (to be filled in by lead ager	ncv)			
<u>×</u>	Native American Heritage Commission				
	Housing & Community Development	1	Other:		
	Health Services, Department of	0	Other:		
	General Services, Department of				
	Forestry and Fire Protection, Department of	X	Water Resources, Department of		
	Food & Agriculture, Department of		Toxic Substances Control, Department of		
<u>x</u>	Fish & Game Region #5	<u> </u>	Tahoe Regional Planning Agency		
100000	_ Energy Commission		SWRCB: Water Rights		
	Education, Department of	X	SWRCB: Water Quality		
	Delta Protection Commission	-	SWRCB: Clean Water Grants		
	Corrections, Department of	97 <u></u>	State Lands Commission		
X	Conservation, Department of		Santa Monica Mtns. Conservancy		
	Colorado River Board	3-	San Joaquin River Conservancy		
	Coastal Commission	_	San Gabriel & Lower L.A. Rivers & Mtns. Conservancy		
1	Coachella Valley Mtns. Conservancy	_	S.F. Bay Conservation & Development Comm.		
	Central Valley Flood Protection Board	v <u></u>	Resources Recycling and Recovery, Department of		
	Caltrans Planning	97 <u></u>	Resources Agency		
	Caltrans Division of Aeronautics	×	Regional WQCB #		
	_ Caltrans District #		Public Utilities Commission		
	California Highway Patrol		Pesticide Regulation, Department of		
	_ California Emergency Management Agency	W	Parks & Recreation, Department of		
	Boating & Waterways, Department of		Office of Public School Construction		
	_ Air Resources Board	X	Office of Historic Preservation		