

Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: _____

Project Title: City of Davis Wastewater Treatment Plant Storage Building

Lead Agency: City of Davis

Contact Name: Dianna Jensen, P.E.

Email: DJensen@cityofdavis.org Phone Number: (916) 757-5686

Project Location: Woodland Yolo
City *County*

Project Description (Proposed actions, location, and/or consequences).

The project consist of constructing a new 40-ft wide by 80-ft long by 24-ft high storage building at the City of Davis' Wastewater Treatment Plant. The new building will be a prefabricated metal building with associated trenching for water and electrical. There will also be some grading and paving for access to the new building.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

Air Quality: There is potentially significant effects from a net increase in pollutants and exposure to sensitive receptors to pollutant concentrations that are associated with the project's construction activities. Mitigation for the construction activities include minimizing dust plumes associated with construction, limiting equipment to a maximum speed of 15 MPH, covering or limiting the filling of dirt hauling vehicles to 2-ft freeboard, requiring construction equipment to meet exhaust emission requirements, and maintain good operating conditions of all construction equipment. **Biological Resources:** There is potentially significant effects on the habitat of the giant garter snake (GSS), Burrowing Owl (BO), and Western Pond Turtle (WPT). Mitigation to address their habitat is for a qualified biologist(s) to visit the project site prior to construction to do determine if there are GSS or WPT present and if the BO is within 250 feet of the project site. For the WPT, temporary barriers are to be placed around the construction site to prevent ingress prior to construction. **Cultural Resources:** There is potential significant effects to cause a substantial adverse change in a previously unidentified archaeological resource or disturb previously unidentified human remain(s). Mitigation includes if undiscovered cultural resources or human remains are identified during construction, construction activities will stop. For cultural resources, a qualified archaeologist will evaluate the resource. For human remains, the Yolo County coroner will evaluate the remains.

Geology/Soils: There is potentially significant effects if undiscovered paleontological resources or unique geological features are destroyed during construction. Mitigation is to stop construction activities if either paleontological resources or unique geological features are identified and to develop an appropriate treatment plan prior to resuming construction.

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

There are no known issues associated with this project.

Provide a list of the responsible or trustee agencies for the project.

City of Davis for

- CEQA Lead Agency
- Planning Use
- Building Permit.