

Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: _____

Project Title: **Adelanto R³ Extension Project**

Lead Agency: **Mojave Water Agency**

Contact Name: **Tony Winkel**

Email: **twinkel@mojavewater.org** Phone Number: **(760) 946-7000**

Project Location: **Victorville, CA** **San Bernardino**
City *County*

Project Description (Proposed actions, location, and/or consequences).

The Mojave Water Agency (MWA) is proposing the Adelanto R³ Extension Project (Project) to extend its wholesale water delivery service to the community of Adelanto by constructing approximately 1 mile of underground pipeline along Mesa View Drive, beginning at MWA's existing turnout 6/7 located approximately 0.13 mile north of Del Rosa Road on the south to the Adelanto reservoir tanks located on Olivine Road, approximately 0.17 mile west of the intersection with Mesa View Drive. The Project includes upgrades to MWA's existing Turnout 6/7 by the addition of a booster pump unit, minor piping and electrical modifications, and the relocation of Turnout 7 to the Adelanto reservoir tanks site.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

Biological Resources - no CA or Federally-listed species or habitat. Mitigation measures for nesting bird avoidance and Joshua Tree relocation plan.
 Cultural Resources - no known cultural resources within Project area. Mitigation measures for unanticipated finds.
 Geology and Soils - no issues. Mitigation measure for soil management.
 Hazards and Hazardous Materials - Not within a hazardous area. Mitigation measures for asphalt disposal, spill prevention, spark arresters on welding equipment.
 Hydrology and Water Quality - No issues. Mitigation measure for SWPPP
 Tribal and Cultural Resources - No known resources. Mitigation measures for unanticipated discovery.

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

No known areas of controversy. Project will provide a consistent water source for the City of Adelanto. MWA has been working with both City of Victorville and City of Adelanto.

Provide a list of the responsible or trustee agencies for the project.

No responsible or trustee agencies. No permits required.