

Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: _____

Project Title: **Huston Creek WWTP Dewatering Building and Primary Clarifier Project**Lead Agency: **Crestline Sanitation District**Contact Name: **Rick Dever, General Manager**Email: **rdever@crestlinesanitation.com** Phone Number: **(909) 338-1751**Project Location: **Crestline, CA** **San Bernardino**
City *County*

Project Description (Proposed actions, location, and/or consequences).

The Crestline Sanitation District (CSD) is proposing to upgrade its existing wastewater treatment plant by adding a primary clarifier, backup generator, trickling filter recirculation pumps, and a sludge dewatering building with associated sludge dewatering and conveyance equipment (proposed Project). Construction is estimated to occur in approximately 2020 and last approximately 24 months. The existing facilities in the proposed project area were constructed in 1952 (e.g. primary clarifiers) and 1984 (e.g. sludge handling facility). These facilities are reaching the end of their serviceable life, and are not designed to meet current engineering standards and community wastewater treatment demands.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

Biological Resources - no CA or Federally-listed species or habitat. Mitigation measures for nesting bird avoidance.
 Cultural Resources - no known cultural resources within Project area. Mitigation measures for unanticipated finds.
 Geology and Soils - no issues. Mitigation measure for soil management and unanticipated finds of paleo resources
 Hazards and Hazardous Materials - Not within a hazardous area. Mitigation measures for asphalt disposal, spill prevention, spark arresters on welding equipment.
 Tribal and Cultural Resources - No known resources. Mitigation measures for unanticipated discovery.
 Wildfire - Site is in a high fire area. Mitigation measures for welding, working around dried vegetation and in Red Flag Warnings.

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

No known areas of controversy. Project will upgrade critical infrastructure of an existing Wastewater Treatment Plant.

Provide a list of the responsible or trustee agencies for the project.

No responsible or trustee agencies. No permits required.