

Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: n/a

2019129034

Project Title: Murrieta Road Transmission Pipeline Project

Lead Agency: Eastern Municipal Water District

Contact Name: Joseph Broadhead, Principal Water Resource Specialist - CEQA

Email: broadheadj@emwd.org

Phone Number: (916) 928-3777

Project Location: Menifee

City

Riverside

County

Project Description (Proposed actions, location, and/or consequences).

Eastern Municipal Water District (District) proposes to implement the Murrieta Road Transmission Pipeline Project (proposed Project) to construct and operate a 36- to 42-inch-diameter water transmission line from the Perris II Desalter Complex (Desalter) in the City of Menifee approximately 1.33 miles south, mostly in the Murrieta Road right-of-way, to La Piedra Road, where the proposed pipeline will connect to an existing 36-inch diameter water main in La Piedra Road about 250 feet east of its intersection with Murrieta Road. The proposed Project will provide capacity to transmit potable water from the Desalter to the existing main in La Piedra Road. The proposed project site is located west of Interstate 215 and east of Interstate 15 in the City of Menifee, Riverside County. The proposed Project site would be within the public right-of-way except for two site segments: one on the District Sun City Regional Water Reclamation Facility property at the north end of the site; and a second possible segment along the east side of Murrieta Road extending 250 feet north from La Piedra Road.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

The IS/MND provides an analysis to determine if the proposed Project would result in any significant impacts and/or if mitigation measures (MM) would be required to reduce identified impacts. With implementation of applicable MMs, all potential impacts would be reduced to less than significant. The IS/MND identifies project-level mitigation measures BIO-1 through BIO-3 to reduce potential impacts related to regulatory permitting and implementation of all permit conditions, nesting birds, and tree removal; MMs CULT-1 through CULT-7, which address monitoring and treatment of cultural resources, development of a cultural resources monitoring plan, tribal monitoring agreements, evaluation of discovered artifacts, disposition of inadvertent discoveries, non-disclosure of reburial locations, and compliance with the Health and Safety Code; GEO-1 through GEO-3 requiring implementation of the recommendations set forth in the Geotechnical Review, and retention of and training by a qualified paleontologist; and HYDRO-1 requiring development and implementation of a Storm Water Pollution Prevention Plan pursuant to the National Pollutant Discharge Elimination System requirements.

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

No known areas of controversy.

Provide a list of the responsible or trustee agencies for the project.

☐ California Division of Drinking Water
☐ California Occupational Safety and Health Administration
☐ City of Menifee
☐ Occupational Health and Safety Administration
☐ San Diego Regional Water Quality Control Board