



Jared Blumenfeld
Secretary for
Environmental Protection

Department of Toxic Substances Control



Gavin Newsom Governor

Meredith Williams, Ph.D.
Director
8800 Cal Center Drive
Sacramento, California 95826-3200

5/29/2020

Governor's Office of Planning & Research

May 6, 2020

MAY 06 2020

Ms. Danielle Ruiz
California Department of Transportation (Caltrans)
703 B Street
Marysville, California 95901
Danielle.Ruiz@dot.ca.gov

STATE CLEARINGHOUSE

MITIGATED NEGATIVE DECLARATION FOR THREE LAKE BRIDGES-REPLACE BRIDGE AND UPGRADE BRIDGE RAIL (MORRISON, ROBINSON, AND KELSEY CREEK) – DATED APRIL 2020 (STATE CLEARINGHOUSE NUMBER: 2020049046)

Dear Mr. Ruiz:

The Department of Toxic Substances Control (DTSC) received a Mitigated Negative Declaration (MND) for Three Lake Bridges-Replace Bridge and Upgrade Bridge Rail (Morrison, Robinson, and Kelsey Creeks). The Project proposes to upgrade the bridge rails and shoulder widths at Morrison Creek and Robinson Creek, and to replace the bridge at Kelsey Creek in order to support the widening and new rails, in Lake County on SR 20 PM 16.81 in Lucerne, SR 29 PM 50.82 in Upper Lake, and SR 175 PM 19.48 in Cobb. If existing structure(s) could not have supported the new railings and bridge widening, then the structure(s) would be replaced. The proposed project would bring all three bridges to current design standards and would construct standard transitions to and from improved structures. The upgraded bridge rails on all three structures would consist of concrete barriers modified with architectural treatment and equipped with tubular bicycle railings to accommodate the bicyclists and pedestrians that share the corridor with other modes of traffic. A standard Midwest Guardrail System (MGS) would be installed at both the approaches and departures of all three bridges, and vegetation control pads for the new MGS would be constructed to limit future vegetation control maintenance activities.

DTSC recommends that the following issues be evaluated in the MND Hazards and Hazardous Materials section:

 The MND should acknowledge the potential for historic or future activities on or near the project site to result in the release of hazardous wastes/substances on the project site. In instances in which releases have occurred or may occur, further studies should be carried out to delineate the nature and extent of the Ms. Danielle Ruiz May 6, 2020 Page 2

- contamination, and the potential threat to public health and/or the environment should be evaluated. The MND should also identify the mechanism(s) to initiate any required investigation and/or remediation and the government agency who will be responsible for providing appropriate regulatory oversight.
- 2. Refiners in the United States started adding lead compounds to gasoline in the 1920s in order to boost octane levels and improve engine performance. This practice did not officially end until 1992 when lead was banned as a fuel additive in California. Tailpipe emissions from automobiles using leaded gasoline contained lead and resulted in aerially deposited lead (ADL) being deposited in and along roadways throughout the state. ADL-contaminated soils still exist along roadsides and medians and can also be found underneath some existing road surfaces due to past construction activities. Due to the potential for ADL-contaminated soil DTSC, recommends collecting soil samples for lead analysis prior to performing any intrusive activities for the project described in the MND.
- 3. If any sites within the project area or sites located within the vicinity of the project have been used or are suspected of having been used for mining activities, proper investigation for mine waste should be discussed in the MND. DTSC recommends that any project sites with current and/or former mining operations onsite or in the project site area should be evaluated for mine waste according to DTSC's 1998 Abandoned Mine Land Mines Preliminary Assessment Handbook (https://dtsc.ca.gov/wp-content/uploads/sites/31/2018/11/aml_handbook.pdf).
- 4. If buildings or other structures are to be demolished on any project sites included in the proposed project, surveys should be conducted for the presence of lead-based paints or products, mercury, asbestos containing materials, and polychlorinated biphenyl caulk. Removal, demolition and disposal of any of the above-mentioned chemicals should be conducted in compliance with California environmental regulations and policies. In addition, sampling near current and/or former buildings should be conducted in accordance with DTSC's 2006 Interim Guidance Evaluation of School Sites with Potential Contamination from Lead Based Paint, Termiticides, and Electrical Transformers (https://dtsc.ca.gov/wpcontent/uploads/sites/31/2018/09/Guidance Lead Contamination 050118.pdf).
- If any projects initiated as part of the proposed project require the importation of soil to backfill any excavated areas, proper sampling should be conducted to ensure that the imported soil is free of contamination. DTSC recommends the imported materials be characterized according to DTSC's 2001 Information Advisory Clean Imported Fill Material (https://dtsc.ca.gov/wpcontent/uploads/sites/31/2018/09/SMP_FS_Cleanfill-Schools.pdf).
- If any sites included as part of the proposed project have been used for agricultural, weed abatement or related activities, proper investigation for organochlorinated pesticides should be discussed in the MND. DTSC

Ms. Danielle Ruiz May 6, 2020 Page 3

recommends the current and former agricultural lands be evaluated in accordance with DTSC's 2008 *Interim Guidance for Sampling Agricultural Properties (Third Revision)* (https://dtsc.ca.gov/wp-content/uploads/sites/31/2018/09/Ag-Guidance-Rev-3-August-7-2008-2.pdf).

DTSC appreciates the opportunity to comment on the MND. Should you need any assistance with an environmental investigation, please submit a request for Lead Agency Oversight Application, which can be found at: https://dtsc.ca.gov/wp-content/uploads/sites/31/2018/09/VCP_App-1460.doc. Additional information regarding voluntary agreements with DTSC can be found at: https://dtsc.ca.gov/brownfields/.

If you have any questions, please contact me at (916) 255-3710 or via email at Gavin.McCreary@dtsc.ca.gov.

Sincerely,

Gavin McCreary Project Manager

Site Evaluation and Remediation Unit Site Mitigation and Restoration Program Department of Toxic Substances Control

anna Malanny

cc: (via email)

Governor's Office of Planning and Research State Clearinghouse State.Clearinghouse@opr.ca.gov

Ms. Lora Jameson, Chief
Site Evaluation and Remediation Unit
Department of Toxic Substances Control
Lora.Jameson@dtsc.ca.gov

Mr. Dave Kereazis
Office of Planning & Environmental Analysis
Department of Toxic Substances Control
Dave.Kereazis@dtsc.ca.gov