TO: Office of Planning and Research 1400 Tenth Street, Room 222 P.O. Box 3044 Sacramento, CA 95814

1416 Ninth Street P.O. Box 942896

Sacramento, CA 94296-0001

FROM: Department of Parks and Recreation

PROJECT TITLE: Treatment and Protection of Upland Rock Shelter Sites

LOCATION: Crystal Cove State Park **COUNTY:** Orange

DESCRIPTION OF THE NATURE AND PURPOSE OF PROJECT:

Archaeological sites known as rock shelters within the park are being impacted as a result of visitor use including illegal trails, graffiti, and other forms of vandalism. This project would address these impacts through a range of protection measures including trail brushing, revegetation and fencing. These methods will be uded

assessed following their implementation to determine whether furth Archaeological and Native American monitoring of the ground distribution in this project.	her measures should be implemented.
Further detail regarding the project including resource protection in Environmental Coordinator listed below.	neasures may be obtained by contacting the
PUBLIC AGENCY APPROVING THE PROJECT: California Department of Division or District Carrying out the Project Carrying Out Car	
EXEMPT STATUS: ☐ Declared Emergency (Section 15269(a)) ☐ Emergency Project (Section 15269(b) and (c)) ☐ Statutory Exemption ☐ Categorical Exemption Class: 6 Section: 15306	
REASONS WHY PROJECT IS EXEMPT: No potential for signification compliance with CEQA §15300.2. If the project is implemented a including resource protection measures provided by CDPR special Information Collection. The action falls under the Departmental List §15300.4 as:	as indicated within the project description lists, then it is exempt under CEQA §15306 –
 "Experimental Resource Management" (Class 6). 	
CONTACT: Luke Serna, Environmental Coordinator California Department of Parks and Recreation Southern Service Center 2797 Truxtun Rd. San Diego, CA 92106	PHONE NO.: (619) 221-7060 EMAIL: enviro@parks.ca.gov
By M.	8/4/2020
Barnev Matsumoto, Manager	Date

By M.	8/4/2020
Barney Matsumoto, Manager Southern Service Center	Date