Print From

# Summary Form for Electronic Document Submittal

**Form F**

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: _____

Project Title: Springfield Water System Improvements Project

Lead Agency: Pajaro/Sunny Mesa Community Services District

Contact Name: Judy Vazquez, Operations Manager

Email: judyvazquez@pajarosunnymesa.com Phone Number: (831) 722-1389

Project Location: Moss Landing (Unincorporated Community), Monterey County

*City* *County*

Project Description (Proposed actions, location, and/or consequences).

The project is the Springfield Water System Improvements Project, located north of the community of Moss Landing in unincorporated northern Monterey County. The project is located primarily within the existing road rights-of-way of dirt roads, the Moss Landing Mobile Home Park, Springfield Road, and Struve Road. An additional portion of the project is located at the former site of Moss Landing Middle School east of Highway 1. The project area is comprised of public right-of-way assessor parcels. Due to the linear nature of the pipeline component, many individual parcels are included within the project area. A complete list of parcels in the project area is presented on the attached page in Table 1. Water to serve the proposed project would be provided from an existing test well at the Moss Landing Middle School Site, referred to as SW-2. Water produced at SW-2 would feed the distribution system. The distribution system would consist of approximately two linear miles of new eight-inch water lines and approximately 3,600 linear feet of existing distribution system piping to be replaced. The distribution system would connect to the Moss Landing Mobile Home Park, which includes 105 mobile home sites, as well as new and existing connections along Springfield Road and Struve Road.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

See attachment

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

N/A

Provide a list of the responsible or trustee agencies for the project.

State Water Resources Control Board - Responsible Agency
Pajaro Sunny Mesa Community Services District - Lead Agency