



State of California
The Natural Resources Agency
California Department of Forestry and Fire Protection (CAL FIRE)

NOTICE OF EXEMPTION

2020080303

PROJECT TITLE Lockwood Station Generator Installation

PROJECT LOCATION 67850 Jolon Road
Lockwood, CA 93932 **COUNTY** Monterey
T23S, R8E, S16, MDBM

LEAD AGENCY San Benito – Monterey Unit (CAL FIRE)

CONTACT Timothy Montgomery
ADDRESS 2221 Garden Road **PHONE** (831) 601-6547
Monterey, CA 93940

PROJECT DESCRIPTION

The project is located at the CAL FIRE Lockwood Fire Station located at 67850 Jolon Road, Lockwood, CA 93932. The project area is rural and surrounded by ranch lands with grass and oak woodland vegetation. The project involves the installation of a DG50-2 Caterpillar generator and a new propane tank to provide electrical power to the facility in the event of a power outage. The generator measures approximately 7' x 3.25' x 4.5' and weighs 2,110 lbs. A 5' x 8' concrete footing will be poured to provide a level foundation for the generator. Minor trenching will be completed at lineal distances of approximately 15 feet at a depth of 30 inches to connect the propane tank to the generator and then to the station electrical system.

EXEMPTION STATUS

- ☒ Categorical Exemption Type/Section: §15303 New Construction of Small Structures; Class 3 (d)
- ☐ Statutory Exemption (state code section):
- ☐ Ministerial (§21080(b)(1); 15268)
- ☐ Declared Emergency (§21080(b)(3); 15269(a))
- ☐ Emergency Project (§21080(b)(4); 15269(b)(c))

REASONS PROJECT IS EXEMPT

This project fits within the above-listed Categorical Exemption listed in the CEQA Guidelines. Field review by CAL FIRE staff confirmed that no exceptions apply which would preclude the use of a Notice of Exemption for this project. CAL FIRE has concluded that no significant environmental impact would occur to aesthetics, agriculture and forestland/timberland, air quality, biological resources, cultural resources, geology and soils, greenhouse gas emissions, hazards and hazardous materials, hydrology and water quality, land use planning, mineral resources, noise, population and housing, public services, recreation, transportation/traffic, or to utilities and service systems. Documentation of the environmental review completed by the Department is kept on file at the CAL FIRE San Benito – Monterey Unit Headquarters office at 2221 Garden Road, Monterey, CA 93940.

DATE RECEIVED FOR FILING

Governor's Office of Planning & Research

AUG 19 2020

STATE CLEARINGHOUSE

8/18/2020

Matthew Reischman, Assistant Deputy Director Date
Resource Protection and Improvement
California Department of Forestry and Fire Protection