PARTNER
Engineering and Science, Inc.®

PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT

459-475 South 4th Street
San Jose, California 95112

Report Date: August 5, 2019
Partner Project No. 19-253616.1

Prepared for:

Urban Catalyst Operating Partnership LLC
99 Almaden Boulevard, Suite 840
San Jose, California 95110

PARTNER
Engineering and Science, Inc.

August 5, 2019

Joshua Burroughs
Urban Catalyst Operating Partnership LLC
99 Almaden Boulevard, Suite 840
San Jose, California 95110

Subject: Phase I Environmental Site Assessment
459-475 South 4th Street
San Jose, California 95112
Partner Project No. 19-253616.1

Dear Joshua Burroughs:

Partner Engineering and Science, Inc. (Partner) is pleased to provide the results of the *Phase I Environmental Site Assessment* (Phase I ESA) report of the abovementioned address (the "subject property"). This assessment was performed in conformance with the scope and limitations as detailed in the ASTM Practice E1527-13 Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process.

This assessment included a site reconnaissance as well as research and interviews with representatives of the public, property ownership, site manager, and regulatory agencies. An assessment was made, conclusions stated, and recommendations outlined.

We appreciate the opportunity to provide environmental services to you. If you have any questions concerning this report, or if we can assist you in any other matter, please contact me at (415) 992-3755.

Sincerely,

Jay Grenfell
Relationship Manager

EXECUTIVE SUMMARY

Partner Engineering and Science, Inc. (Partner) has performed a Phase I Environmental Site Assessment (ESA) in accordance with the scope of work and limitations of ASTM Standard Practice E1527-13, the Environmental Protection Agency Standards and Practices for All Appropriate Inquiries (AAI) (40 CFR Part 312) and set forth by Urban Catalyst Operating Partnership LLC for the property located at 459-475 South 4th Street in San Jose, Santa Clara County, California (the "subject property"). The Phase I Environmental Site Assessment is designed to provide Urban Catalyst Operating Partnership LLC with an assessment concerning environmental conditions (limited to those issues identified in the report) as they exist at the subject property.

Property Description

The subject property is located on the southwestern side of South 4th Street within a mixed commercial and residential area of San Jose, California. Please refer to the table below for further description of the subject property:

Subject Property Data	
Addresses:	459, 465, 467, 469 and 475 South 4th Street, San Jose, California
Additional Addresses:	459, 465, 475 and 479 South 4th Street
Property Use:	Single and Multi-Family Residential
Land Acreage (Ac):	0.45 Ac
Number of Buildings:	Three
Number of Floors:	One (459 South 4th Street) Two + partial basement (465-469 South 4th Street) Two (475 South 4th Street)
Gross Building Area (SF):	1,150 SF (459 South 4th Street) Approximately 2,200 SF (465-469 South 4th Street) 10,721 SF (475 South 4th Street)
Net Rentable Area (SF):	1,150 SF (459 South 4th Street) Approximately 2,200 SF (465-469 South 4th Street) 10,721 SF (475 South 4th Street)
Date of Construction:	Circa 1901 (459 South 4th Street) Circa 1901 (465-469 South 4th Street) 1960 (475 South 4th Street)
Assessor's Parcel Number (APN):	467-47-057 and 092
Type of Construction:	Wood-framed structures
Current Tenants:	Single-family residence (459 South 4th Street) Three (3) apartment units (465-469 South 4th Street) Twelve (12) apartment units (475 South 4th Street)
Site Assessment Performed By:	Christopher Olsen of Partner
Site Assessment Conducted On:	July 31, 2019

The subject property is currently occupied by sixteen (16) tenants for residential use. Onsite operations consist of general residential uses and routine facility maintenance.

In addition to the current structures, the subject property is improved with asphalt-paved parking/drive areas, two storage sheds, chicken coops, perimeter fencing and landscaped areas.

According to available historical sources, the subject property was formerly developed with residential-type buildings, sheds, out buildings and the northwestern end of a brewery as early as 1884; developed with residences, out buildings and northwestern end of the San Jose Brewery in 1891; developed with the existing 459 and 465-469 South 4th Street buildings circa 1901; developed with residential buildings, two water tanks, corral and a vacant structure in 1915; developed with residential buildings from at least 1939 to 1956; and developed with the existing multi-family residential apartment building (475 South 4th Street) in 1960. The subject property has been occupied by various residential tenants since at least 1901.

The immediately surrounding properties consist of a residence (451 South 4th Street) and a parking lot to the northwest; multi-family residential apartment building (452 South 4th Street), University Commons – multi-family residential apartment building (460 South 4th Street), Alkadee Apartments (470 South 4th Street) and Spartan Gas Station (498 South 4th Street) to the northeast across South 4th Street; residence (127 East William Street), Bicycle Express (131 East William Street) and Spartan Barber Shop (487 South 4th Street) to the southeast; and multi-family residential apartment buildings (452 and 470 South 3rd Street) and Home First – Sobrato House Youth Center (480/496 South 3rd Street) to the southwest.

According to Allterra Environmental's April 9, 2015 First Quarter 2015 Semi-Annual Groundwater Monitoring Report for Spartan Gas Station – 498 South 4th Street (located adjacent to the northeast of the property), the depth to groundwater in the vicinity of the subject property is inferred to be approximately 11-37 feet below ground surface (bgs) and groundwater flow is inferred to be toward the northeast.

Findings

A *recognized environmental condition (REC)* refers to the presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: due to release to the environment; under conditions indicative of a release to the environment; or under conditions that pose a material threat of a future release to the environment. The following was identified during the course of this assessment:

- Partner did not identify any recognized environmental conditions during the course of this assessment.

A *controlled recognized environmental condition (CREC)* refers to a REC resulting from a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority, with hazardous substances or petroleum products allowed to remain in place subject to the implementation of required controls. The following was identified during the course of this assessment:

- Partner did not identify any controlled recognized environmental conditions during the course of this assessment.

A *historical recognized environmental condition (HREC)* refers to a past release of any hazardous substances or petroleum products that has occurred in connection with the property and has been addressed to the satisfaction of the applicable regulatory authority or meeting unrestricted use criteria established by a

regulatory authority, without subjecting the property to any required controls. The following was identified during the course of this assessment:

- Partner did not identify any historical recognized environmental conditions during the course of this assessment.

An *environmental issue* refers to environmental concerns identified by Partner, which do not qualify as RECs; however, warrant further discussion. The following was identified during the course of this assessment:

- Due to the age of the subject property buildings, there is a potential that asbestos-containing material (ACM) and/or lead-based paint (LBP) are present. Readily visible suspect ACMs and painted surfaces were observed in good condition.

Conclusions, Opinions and Recommendations

Partner has performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E1527-13 of 459-475 South 4th Street in San Jose, Santa Clara County, California (the "subject property"). Any exceptions to, or deletions from, this practice are described in Section 1.5 of this report.

This assessment has revealed no evidence of recognized environmental conditions in connection with the subject property; however, environmental issues were identified. Based on the conclusions of this assessment, Partner recommends the following:

- An Operations and Maintenance (O&M) Program should be implemented in order to safely manage the suspect ACMs and LBP located at the subject property.

TABLE OF CONTENTS

1.0 INTRODUCTION 1
1.1 Purpose 1
1.2 Scope of Work 1
1.3 Limitations 2
1.4 User Reliance 2
1.5 Limiting Conditions 3
2.0 SITE DESCRIPTION 4
2.1 Site Location and Legal Description 4
2.2 Current Property Use 4
2.3 Current Use of Adjacent Properties 4
2.4 Physical Setting Sources 5
2.4.1 Topography 5
2.4.2 Hydrology 5
2.4.3 Geology/Soils 6
2.4.4 Flood Zone Information 6
3.0 HISTORICAL INFORMATION 7
3.1 Aerial Photograph Review 7
3.2 Fire Insurance Maps 9
3.3 City Directories 11
3.4 Historical Topographic Maps 13
4.0 REGULATORY RECORDS REVIEW 15
4.1 Regulatory Agencies 15
4.1.1 State Department 15
4.1.2 Health Department 15
4.1.3 Fire Department 15
4.1.4 Air Pollution Control Agency 15
4.1.5 Regional Water Quality Agency 16
4.1.6 Department of Toxic Substances Control 16
4.1.7 Building Department 16
4.1.8 Planning Department 17
4.1.9 Oil & Gas Exploration 17
4.1.10 Assessor's Office 17
4.2 Mapped Database Records Search 18
4.2.1 Regulatory Database Summary 18
4.2.2 Subject Property Listings 19
4.2.3 Adjacent Property Listings 19
4.2.4 Sites of Concern Listings 20
4.2.5 Orphan Listings 20
5.0 USER PROVIDED INFORMATION AND INTERVIEWS 21
5.1 Interviews 21
5.1.1 Interview with Owner 21
5.1.2 Interview with Report User 22

5.1.3 Interview with Key Site Manager 22
5.1.4 Interviews with Past Owners, Operators and Occupants 22
5.1.5 Interview with Others 22
5.2 User Provided Information 22
5.2.1 Title Records, Environmental Liens, and AULs 22
5.2.2 Specialized Knowledge 22
5.2.3 Actual Knowledge of the User 22
5.2.4 Valuation Reduction for Environmental Issues 22
5.2.5 Commonly Known or Reasonably Ascertainable Information 23
5.2.6 Previous Reports and Other Provided Documentation 23
6.0 SITE RECONNAISSANCE 24
6.1 General Site Characteristics 24
6.2 Potential Environmental Hazards 25
6.3 Non-ASTM Services 26
6.3.1 Asbestos-Containing Materials (ACMs) 26
6.3.2 Lead-Based Paint (LBP) 27
6.3.3 Radon 27
6.3.4 Lead in Drinking Water 28
6.3.5 Mold 28
6.4 Adjacent Property Reconnaissance 28
7.0 FINDINGS AND CONCLUSIONS 30
8.0 SIGNATURES OF ENVIRONMENTAL PROFESSIONALS 31
9.0 REFERENCES 32

Figures

Figure 1 Site Location Map
Figure 2 Site Plan
Figure 3 Topographic Map

Appendices

Appendix A Site Photographs
Appendix B Historical/Regulatory Documentation
Appendix C Regulatory Database Report
Appendix D Qualifications

1.0 INTRODUCTION

Partner Engineering and Science, Inc. (Partner) has performed a Phase I Environmental Site Assessment (ESA) in conformance with the scope and limitations of ASTM Standard Practice E1527-13 and the Environmental Protection Agency Standards and Practices for All Appropriate Inquiries (AAI) (40 CFR Part 312) for the property located at 459-475 South 4th Street in San Jose, Santa Clara County, California (the "subject property"). Any exceptions to, or deletions from, this scope of work are described in the report.

1.1 Purpose

The purpose of this ESA is to identify existing or potential Recognized Environmental Conditions (as defined by ASTM Standard E1527-13) affecting the subject property that: 1) constitute or result in a material violation or a potential material violation of any applicable environmental law; 2) impose any material constraints on the operation of the subject property or require a material change in the use thereof; 3) require clean-up, remedial action or other response with respect to Hazardous Substances or Petroleum Products on or affecting the subject property under any applicable environmental law; 4) may affect the value of the subject property; and 5) may require specific actions to be performed with regard to such conditions and circumstances. The information contained in the ESA Report will be used by Client to: 1) evaluate its legal and financial liabilities for transactions related to foreclosure, purchase, sale, loan origination, loan workout or seller financing; 2) evaluate the subject property's overall development potential, the associated market value and the impact of applicable laws that restrict financial and other types of assistance for the future development of the subject property; and/or 3) determine whether specific actions are required to be performed prior to the foreclosure, purchase, sale, loan origination, loan workout or seller financing of the subject property.

This ESA was performed to permit the *User* to satisfy one of the requirements to qualify for the innocent landowner, contiguous property owner, or bona fide prospective purchaser limitations on scope of Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) (42 U.S.C. §9601) liability (hereinafter, the "*landowner liability protections*," or "*LLPs*"). ASTM Standard E1527-13 constitutes "*all appropriate inquiry* into the previous ownership and uses of the *property* consistent with good commercial or customary practice" as defined at 42 U.S.C. §9601(35)(B).

1.2 Scope of Work

The scope of work for this ESA is in accordance with the requirements of ASTM Standard E1527-13. This assessment included: 1) a property and adjacent site reconnaissance; 2) interviews with key personnel; 3) a review of historical sources; 4) a review of regulatory agency records; and 5) a review of a regulatory database report provided by a third-party vendor. Partner contacted local agencies, such as environmental health departments, fire departments and building departments in order to determine any current and/or former hazardous substances usage, storage and/or releases of hazardous substances on the subject property. Additionally, Partner researched information on the presence of activity and use limitations (AULs) at these agencies. As defined by ASTM E1527-13, AULs are the legal or physical restrictions or limitations on the use of, or access to, a site or facility: 1) to reduce or eliminate potential exposure to hazardous substances or petroleum products in the soil or groundwater on the subject property; or 2) to prevent

activities that could interfere with the effectiveness of a response action, in order to ensure maintenance of a condition of no significant risk to public health or the environment. These legal or physical restrictions, which may include institutional and/or engineering controls (IC/ECs), are intended to prevent adverse impacts to individuals or populations that may be exposed to hazardous substances and petroleum products in the soil or groundwater on the property.

If requested by Client, this report may also include the identification, discussion of, and/or limited sampling of asbestos-containing materials (ACMs), lead-based paint (LBP), mold, and/or radon.

1.3 Limitations

Partner warrants that the findings and conclusions contained herein were accomplished in accordance with the methodologies set forth in the Scope of Work. These methodologies are described as representing good commercial and customary practice for conducting an ESA of a property for the purpose of identifying recognized environmental conditions. There is a possibility that even with the proper application of these methodologies there may exist on the subject property conditions that could not be identified within the scope of the assessment or which were not reasonably identifiable from the available information. Partner believes that the information obtained from the record review and the interviews concerning the subject property is reliable. However, Partner cannot and does not warrant or guarantee that the information provided by these other sources is accurate or complete. The conclusions and findings set forth in this report are strictly limited in time and scope to the date of the evaluations. The conclusions presented in the report are based solely on the services described therein, and not on scientific tasks or procedures beyond the scope of agreed-upon services or the time and budgeting restraints imposed by the Client. No other warranties are implied or expressed.

Some of the information provided in this report is based upon personal interviews, and research of available documents, records, and maps held by the appropriate government and private agencies. This report is subject to the limitations of historical documentation, availability, and accuracy of pertinent records, and the personal recollections of those persons contacted.

This practice does not address requirements of any state or local laws or of any federal laws other than the all appropriate inquiry provisions of the LLPs. Further, this report does not intend to address all of the safety concerns, if any, associated with the subject property.

Environmental concerns, which are beyond the scope of a Phase I ESA as defined by ASTM include the following: ACMs, LBP, radon, and lead in drinking water. These issues may affect environmental risk at the subject property and may warrant discussion and/or assessment; however, are considered non-scope issues. If specifically requested by the Client, these non-scope issues are discussed in Section 6.3.

1.4 User Reliance

Urban Catalyst Operating Partnership LLC engaged Partner to perform this assessment in accordance with an agreement governing the nature, scope and purpose of the work as well as other matters critical to the engagement. All reports, both verbal and written, are for the sole use and benefit of Urban Catalyst Operating Partnership LLC.

Either verbally or in writing, third parties may come into possession of this report or all or part of the information generated as a result of this work. In the absence of a written agreement with Partner granting such rights, no third parties shall have rights of recourse or recovery whatsoever under any course of action against Partner, its officers, employees, vendors, successors or assigns. Any such unauthorized user shall be responsible to protect, indemnify and hold Partner, Client and their respective officers, employees, vendors, successors and assigns harmless from any and all claims, damages, losses, liabilities, expenses (including reasonable attorneys' fees) and costs attributable to such Use. Unauthorized use of this report shall constitute acceptance of and commitment to these responsibilities, which shall be irrevocable and shall apply regardless of the cause of action or legal theory pled or asserted. Additional legal penalties may apply.

1.5 Limiting Conditions

The findings and conclusions contain all of the limitations inherent in these methodologies that are referred to in ASTM E1527-13.

Specific limitations and exceptions to this ESA are more specifically set forth below:

- Interviews with past owners, operators and occupants were not reasonably ascertainable and thus constitute a data gap. Based on information obtained from other historical sources (as discussed in Section 3.0), this data gap is not expected to alter the findings of this assessment.
- Partner requested information relative to deed restrictions and environmental liens, a title search, and completion of a pre-survey questionnaire from the Report User. This information was not provided at the time of the assessment.
- Partner was unable to determine the property use at 5-year intervals, which constitutes a data gap. Except for property tax files and recorded land title records, which were not considered to be sufficiently useful, Partner reviewed all standard historical sources and conducted appropriate interviews.
- Partner observed approximately 31% of all interior units and all common areas. Based on the size and nature of use of the unobserved units (residential), this limited method of survey is not expected to alter the overall findings of this assessment.

2.0 SITE DESCRIPTION

2.1 Site Location and Legal Description

The subject property at 459-475 South 4th Street in San Jose, California is located on the southwestern side of South 4th Street. According to the Santa Clara County Assessor, the subject property is legally described as Assessor Parcel Numbers 467-47-057 and 092.

Please refer to Figure 1: Site Location Map, Figure 2: Site Plan, Figure 3: Topographic Map, and Appendix A: Site Photographs for the location and site characteristics of the subject property.

2.2 Current Property Use

The subject property is currently occupied by sixteen (16) tenants for residential use. Onsite operations consist of general residential uses and routine facility maintenance. The subject property consists of three (3) residential structures that are located on the northwestern, central and southeastern sides of the property. The 459 South 4th Street building is located at the northwestern end of the subject property, and is a single-story single-family residence. The residence contains a living room, dining room, kitchen, two bedrooms and closets. This building does not contain a basement. The 465-469 South 4th Street building is located adjacent to the southeast of the 459 South 4th Street residence. The 465-469 South 4th Street building contains a 2-bedroom, 1-bathroom ground floor apartment unit (465) and two 1-bedroom, 1-bathroom apartments (467 and 469) on the second floor. The 2nd floor is accessed by stairways on the northwestern and southeastern sides of the structure. A partial basement is accessed from the interior of the 465 unit. The basement was observed to contain a concrete floor, and was used primarily for storage of household items. A natural gas-fired furnace and three natural gas-fired water heaters were observed in the basement. The 475 South 4th Street building is located on the southeastern and southwestern sides of the subject property, and contains a total of twelve (12) apartment units on the 1st and 2nd floors of the building. Tuck under parking, one laundry room and a maintenance supply closet are located in a portion of the ground floor. The second floor is accessed by one exterior stairway. A second exterior stairway was recently removed and is planned for replacement in the near future. This building does not contain a basement. In addition to the current structures, the subject property is improved with asphalt-paved parking/drive areas, two storage sheds, chicken coops, perimeter fencing and landscaped areas.

The subject property is designated for residential development by the City of San Jose.

The subject property was not identified in the regulatory database report which is discussed in Section 4.2.

2.3 Current Use of Adjacent Properties

The subject property is located within a mixed commercial and residential area of San Jose, California. During the vicinity reconnaissance, Partner observed the following land use on properties in the immediate vicinity of the subject property:

Immediately Surrounding Properties	
Northwest:	A residence (451 South 4th Street) and a parking lot are located adjacent to the northwest.
Northeast:	South 4th Street is located adjacent to the northeast, beyond which is a multi-family residential apartment building (452 South 4th Street), University Commons – multi-family

Immediately Surrounding Properties	
	residential apartment building (460 South 4th Street), Alkadee Apartments (470 South 4th Street) and Spartan Gas Station (498 South 4th Street).
Southeast:	A residence (127 East William Street), Bicycle Express (131 East William Street) and Spartan Barber Shop (487 South 4th Street) are located adjacent to the southeast.
Southwest:	Multi-family residential apartment buildings (452 and 470 South 3rd Street) and Home First – Sobrato House Youth Center (480/496 South 3rd Street) are located adjacent to the southwest.

The adjacent property to the northeast was identified on the Environmental Data Resources, Inc. (EDR) Historical Auto Stations, Underground Storage Tank (UST), Leaking UST (LUST), Historic LUST, California Environmental Reporting System (CERS), CERS Hazardous Waste, CERS Tanks, Statewide Environmental Evaluation and Planning System UST (SWEEPS UST), Historic UST (HIST UST), Certified Unified Program Agency (CUPA) Listings, San Jose Hazardous Material Site List (San Jose HazMat), Resource Conservation Recovery Act Non-Generator (RCRA Non-Gen) and Historic Cortese databases in the regulatory database report of Section 4.2.

2.4 Physical Setting Sources

2.4.1 Topography

The United States Geological Survey (USGS) *San Jose West, California* Quadrangle 7.5-minute series topographic map was reviewed for this ESA. According to the contour lines on the topographic map, the subject property is located at approximately 100 feet above mean sea level (MSL). The contour lines in the area of the subject property indicate the area is sloping gently toward the northeast. The subject property is depicted on the 2012 map as located in a developed urban area, and the exact site improvements are not shown.

A copy of the most recent topographic map is included as Figure 3 of this report.

2.4.2 Hydrology

According to Allterra Environmental's April 9, 2015 First Quarter 2015 Semi-Annual Groundwater Monitoring Report for Spartan Gas Station – 498 South 4th Street (located adjacent to the northeast of the property), the depth to groundwater in the vicinity of the subject property is inferred to be approximately 11-37 feet below ground surface (bgs) and groundwater flow is inferred to be toward the northeast.

The nearest surface water in the vicinity of the subject property is the Coyote Creek located approximately 3,200 feet northeast of the subject property. No settling ponds, lagoons, surface impoundments, wetlands or natural catch basins were observed at the subject property during this assessment.

According to available information, a public water system operated by the City of San Jose serves the subject property vicinity. According to the 2018 Water Quality Report, shallow groundwater directly beneath the subject property is not utilized for domestic purposes. The sources of public water for the City of San Jose are imported water from Hetch Hetchy (located in the Sierra Nevada Mountains) and water that is purchased from the San Francisco Public Utilities Commission.

2.4.3 Geology/Soils

The subject property is situated within the Santa Clara Valley, which is an intermontane basin in the coastal region of the State of California. The rocks that underlie the basins and form the surrounding mountains are primarily marine sediments and metamorphic and igneous rocks, all of which are Mesozoic age but locally include rocks of the Cenozoic age. The Property is located at approximately 100 feet above mean sea level. The estimated depth to bedrock at the Property is approximately 1,200 to 1,300 feet below the ground surface.

Based on information obtained from the USDA Natural Resources Conservation Service Web Soil Survey online database, the subject property is mapped as Urban Land-Elpaloalto Complex. The Urban Land-Elpaloalto Complex series consists of well drained slightly decomposed plant material, clay loam and silty clay loam soil that formed in alluvium derived from metamorphic and sedimentary rock and/or alluvium derived from metavolcanics. Urban Land is described as disturbed and human transported material. The Urban Land index indicated that 70% of the site area is classified as urban land, with the remaining 30% classified as Elpaloalto and minor components. Slopes range from 0 to 2 percent.

2.4.4 Flood Zone Information

Partner performed a review of the Flood Insurance Rate Map, published by the Federal Emergency Management Agency. According to Community Panel Number 06085C0234H, dated May 18, 2009, the subject property appears to be located in Zone D, an area of possible but undetermined flood hazards.

A copy of the reviewed flood map is included in Appendix B of this report.

3.0 HISTORICAL INFORMATION

Partner obtained historical use information about the subject property from a variety of sources. A chronological listing of the historical data found is summarized in the table below:

Historical Use Information		
Period/Date	**Source**	**Description/Use**
1884	Sanborn Map	Residential-type buildings, sheds, out buildings and the northwestern end of a brewery
1891	Sanborn Map	Residences, out buildings and northwestern end of the San Jose Brewery
1901-Present	Aerial Photographs, Sanborn Maps, City Directories, Regulatory Agency Records, Interviews, Onsite Observations	Residential

The subject property has been occupied by various residential tenants since at least 1901. No potential environmental concerns were identified in association with the current or former use of the subject property.

3.1 Aerial Photograph Review

Partner obtained available aerial photographs of the subject property and surrounding area from Environmental Data Resources (EDR) on July 23, 2019. The following was observed on the subject property and adjacent properties during the aerial photograph review:

Date: 1939	*Scale: 1"=500'*
Subject Property:	The subject property appears to be developed with residential-type buildings and out buildings.
Northwest:	The area adjacent to the northwest appears to be developed with residential-type buildings.
Northeast:	The area adjacent to the northeast of a road appears to be developed with residential-type buildings.
Southeast:	The area adjacent to the southeast appear to be developed with residential and commercial-type buildings.
Southwest:	The area adjacent to the southwest appears to be developed with residential-type buildings and contains vacant land.

Date: 1948	*Scale: 1"=500'*
Subject Property:	No significant changes visible
Northwest:	No significant changes visible
Northeast:	The area adjacent to the northeast of a road appears to be developed with residential-type buildings and a gasoline service station, and contains a vacant lot.
Southeast:	No significant changes visible
Southwest:	The area adjacent to the southwest appears to be developed with residential-type buildings and parking lots.

Date: 1950		***Scale: 1"=500'***
Subject Property:	No significant changes visible	
Northwest:	No significant changes visible	
Northeast:	No significant changes visible	
Southeast:	No significant changes visible	
Southwest:	No significant changes visible	

Date: 1956		***Scale: 1"=500'***
Subject Property:	No significant changes visible	
Northwest:	No significant changes visible	
Northeast:	The area adjacent to the northeast of a road appears to be developed with residential-type buildings and a gasoline service station.	
Southeast:	No significant changes visible	
Southwest:	No significant changes visible	

Date: 1963		***Scale: 1"=500'***
Subject Property:	The subject property appears to be developed with the three existing residential-type buildings and contains paved areas.	
Northwest:	No significant changes visible	
Northeast:	No significant changes visible	
Southeast:	No significant changes visible	
Southwest:	No significant changes visible	

Date: 1968		***Scale: 1"=500'***
Subject Property:	No significant changes visible	
Northwest:	No significant changes visible	
Northeast:	No significant changes visible	
Southeast:	No significant changes visible	
Southwest:	No significant changes visible	

Dates: 1974, 1982 and 1993		***Scale: 1"=500'***
Subject Property:	No significant changes visible	
Northwest:	No significant changes visible	
Northeast:	No significant changes visible	
Southeast:	No significant changes visible	
Southwest:	No significant changes visible	

Date: 2006		***Scale: 1"=500'***
Subject Property:	No significant changes visible	
Northwest:	No significant changes visible	
Northeast:	No significant changes visible	
Southeast:	No significant changes visible	
Southwest:	The area adjacent to the southwest appears to be developed with residential-type buildings and contains a vacant lot.	

Date: 2009		*Scale: 1"=500'*
Subject Property:	No significant changes visible	
Northwest:	No significant changes visible	
Northeast:	No significant changes visible	
Southeast:	No significant changes visible	
Southwest:	The area adjacent to the southwest appears to be developed with residential-type buildings.	

Dates: 2012 and 2016		*Scale: 1"=500'*
Subject Property:	No significant changes visible	
Northwest:	No significant changes visible	
Northeast:	No significant changes visible	
Southeast:	No significant changes visible	
Southwest:	No significant changes visible	

Copies of the aerial photographs are included in Appendix B of this report.

3.2 Fire Insurance Maps

Partner reviewed the collection of Sanborn Fire insurance maps from Environmental Data Resources (EDR) on July 23, 2019. The following was observed on the subject property and adjacent properties during the fire insurance map review:

Date: 1884	
Subject Property:	The subject property is depicted as developed with residential-type buildings, sheds, out buildings and the northwestern end of a brewery. The portion of the brewery on the subject property appears to be a storage area and beer cellar.
Northwest:	The area adjacent to the northwest is depicted as undeveloped land and developed with one out building.
Northeast:	The area adjacent to the northeast of South 4th Street is depicted as developed with residential-type buildings, a cattle corral, water tank, windmill, sheds and out buildings.
Southeast:	The area adjacent to the southeast is depicted as developed with a brewery, sheds and residential-type buildings.
Southwest:	The area adjacent to the southwest is depicted as developed with residential-type buildings and out buildings, and contains vacant land.

Date: 1891	
Subject Property:	The subject property is depicted as developed with residential-type buildings, out buildings and the northwestern end of a brewery.
Northwest:	The area adjacent to the northwest is depicted as developed with a residence and out building.
Northeast:	The area adjacent to the northeast of South 4th Street is depicted as developed with residential-type buildings, a carriage house and out buildings.
Southeast:	The area adjacent to the southeast is depicted as developed with a brewery, sheds and residential-type buildings.
Southwest:	The area adjacent to the southwest is depicted as developed with residential-type buildings and out buildings.

Date: 1891	
Date: 1915	
Subject Property:	The subject property is depicted as developed with residential-type buildings, two water tanks, corral, vacant building and out buildings.
Northwest:	No significant changes depicted
Northeast:	The area adjacent to the northeast of South 4th Street is depicted as developed with residential-type buildings, out buildings and one building described as a flat.
Southeast:	The area adjacent to the southeast is depicted as developed with residential-type buildings, sheds and a vacant building.
Southwest:	The area adjacent to the southwest is depicted as developed with residential-type buildings and out buildings, and contains vacant land.

Date: 1950	
Subject Property:	The subject property is depicted as developed with the existing 459 and 465-469 South 4th Street residences, two additional residential buildings and multiple garages.
Northwest:	No significant changes depicted
Northeast:	The area adjacent to the northeast of South 4th Street is depicted as developed with residential-type buildings, out buildings and a gasoline service station.
Southeast:	The area adjacent to the southeast is depicted as developed with residential-type buildings, garages and stores.
Southwest:	The area adjacent to the southwest is depicted as developed with a residence, apartment buildings and out buildings, and contains vacant land.

Date: 1969	
Subject Property:	The subject property is depicted as developed with the existing 459 and 465-469 South 4th Street residences, a garage and the existing 12-unit apartment building (475 South 4th Street).
Northwest:	The area adjacent to the northwest is depicted as vacant land.
Northeast:	The area adjacent to the northeast of South 4th Street is depicted as developed with apartment buildings and a gasoline service station.
Southeast:	No significant changes depicted
Southwest:	No significant changes depicted

Date: 1984	
Subject Property:	No significant changes depicted
Northwest:	The area adjacent to the northwest is depicted as developed with a commercial-type building and parking lot.
Northeast:	The area adjacent to the northeast of South 4th Street is not depicted on the map.
Southeast:	No significant changes depicted
Southwest:	The area adjacent to the southwest is depicted as developed with a residence and apartment buildings.

Copies of reviewed Sanborn Maps are included in Appendix B of this report.

3.3 City Directories

Partner reviewed historical city directories obtained from Environmental Data Resources (EDR) on July 23, 2019 for past names and businesses that were listed for the subject property and adjacent properties. The findings are presented in the following table:

City Directory Search for 459-475 South 4th Street (Subject Property)

Year(s)	Occupant Listed
1922, 1925, 1930, 1940, 1945, 1950, 1955, 1957, 1960, 1963, 1966, 1970, 1975, 1980, 1985, 1986, 1991, 1996, 2000, 2006, 2010 and 2014	Multiple residential listings (459-475 South 4th Street)

Based on the city directory review, no environmentally sensitive listings were identified for the subject property addresses.

City Directory Search for Adjacent Properties

Year(s)	Occupant Listed
1922	Residential (452 South 3rd Street); Residential (480 South 3rd Street); Residential (451 South 4th Street); Residential (452 South 4th Street); Residential (498 South 4th Street); Residential (127 East William Street)
1925	Residential (452 South 3rd Street); Mojmir Apartments - residential (470 South 3rd Street); Residential (480 South 3rd Street); Residential (451 South 4th Street); Residential (452 South 4th Street); Residential (498 South 4th Street); Residential (127 East William Street)
1930	Residential (452 South 3rd Street); Mojmir Apartments - residential (470 South 3rd Street); Residential (480 South 3rd Street); Residential (451 South 4th Street); Residential (452 South 4th Street); Residential (460 South 4th Street); Vacant (487 South 4th Street); Vacant (498 South 4th Street); Residential (127 East William Street)
1935	Residential (452 South 3rd Street); Mojmir Apartments - residential (470 South 3rd Street); Residential (480 South 3rd Street); Residential (127 East William Street)
1940	Residential (452 South 3rd Street); Mojmir Apartments - residential (470 South 3rd Street); Residential (480 South 3rd Street); Residential (451 South 4th Street); Residential (452 South 4th Street); Residential (487 South 4th Street); Residential (498 South 4th Street); Residential (127 East William Street)
1945	Residential (452 South 3rd Street); Mojmir Apartments - residential (470 South 3rd Street); Residential (480 South 3rd Street); Residential (451 South 4th Street); Residential (452 South 4th Street); Residential (487 South 4th Street); Residential (498 South 4th Street); Residential (127 East William Street)
1950	Casa Joya Apartments with residential listings (452 South 3rd Street); Four Seventy South Third Apartments - residential (470 South 3rd Street); Residential (480 South 3rd Street); Residential (451 South 4th Street); Residential (452 South 4th Street); Residential (487 South 4th Street); **Saavon Service Station (498 South 4th Street);** Residential (127 East William Street); Residential (131 East William Street)
1955	Casa Joya Apartments with residential listings (452 South 3rd Street); Lynn Marr Apartments - residential (470 South 3rd Street); Residential (480 South 3rd Street); Residential (451 South 4th Street); Vacant (452 South 4th Street); Alkadee Apartments - Residential (470 South 4th Street); Vacant (487 South 4th Street); **Saavon Service Station (498 South 4th Street);** Residential (127 East William Street); Vacant (131 East William Street)

City Directory Search for Adjacent Properties

Year(s)	Occupant Listed
1957	Residential (452 South 3rd Street); Residential (470 South 3rd Street); Residential (480 South 3rd Street); Residential (451 South 4th Street); Residential (452 South 4th Street); Residential (460 South 4th Street); Residential (470 South 4th Street); **Twenty Percent Service Gas Station (498 South 4th Street);** Residential (127 East William Street)
1960	Casa Joya Apartments with residential listings (452 South 3rd Street); Residential (480 South 3rd Street); Residential (451 South 4th Street); Residential (452 South 4th Street); Alkadee Apartments - Residential (470 South 4th Street); Spartan Barber Shop (487 South 4th Street); **Twenty Percent Service Gas Station (498 South 4th Street);** Residential (127 East William Street); Vacant (131 East William Street)
1963	Residential (452 South 3rd Street); Residential (470 South 3rd Street); Residential (480 South 3rd Street); Residential (451 South 4th Street); Residential (452 South 4th Street); Residential (470 South 4th Street); **Puritan Oil Company (498 South 4th Street);** Residential (127 East William Street)
1966	Casa Joya Apartments with residential listings (452 South 3rd Street); Lynn Marr Apartments - residential (470 South 3rd Street); Residential (480 South 3rd Street); Residential (451 South 4th Street); Residential (452 South 4th Street); Residential (460 South 4th Street); Alkadee Apartments - Residential (470 South 4th Street); Spartan Barber Shop (487 South 4th Street); **Puritan Oil Gas Station (498 South 4th Street);** Residential (127 East William Street); Galeria Lamps and Shades (131 East William Street)
1970	Casa Joya Apartments with residential listings (452 South 3rd Street); Vacant (480 South 3rd Street); Residential (451 South 4th Street); Residential (452 South 4th Street); Residential (460 South 4th Street); Alkadee Apartments - Residential (470 South 4th Street); Spartan Barber Shop (487 South 4th Street); **Puritan Oil Gas Station (498 South 4th Street);** Residential (127 East William Street); Galeria Lamps and Shades (131 East William Street)
1975	Casa Joya Apartments with residential listings (452 South 3rd Street); Lynn Marr Apartments - residential (470 South 3rd Street); Residential (480 South 3rd Street); Residential (480 South 3rd Street); Residential (451 South 4th Street); Residential (451 South 4th Street); Residential (452 South 4th Street); Residential (452 South 4th Street); Residential (460 South 4th Street); Residential (460 South 4th Street); Alkadee Apartments - Residential (470 South 4th Street); Residential (470 South 4th Street); Spartan Barber Shop (487 South 4th Street); **Spartan Gas Station (498 South 4th Street);** Residential (127 East William Street); Family Thrift Shop (131 East William Street)
1980	Residential (452 South 3rd Street); Residential (470 South 3rd Street); Residential (452 South 4th Street); Residential (460 South 4th Street); Residential (470 South 4th Street); Shaw's Lightweight Cycles (131 East William Street)
1985	Residential (480 South 3rd Street); Discount Photo Supply (451 South 4th Street); Residential (452 South 4th Street); Residential (460 South 4th Street); Residential (470 South 4th Street); **Spartan Gas Station (498 South 4th Street);** C&C Bike Shop (131 East William Street)
1986	Residential (452 South 3rd Street); Residential (470 South 3rd Street); Residential (480 South 3rd Street); Discount Photo Supply (451 South 4th Street); Residential (452 South 4th Street); Residential (460 South 4th Street); Residential (470 South 4th Street); **Spartan Gas Station (498 South 4th Street);** C&C Bike Shop (131 East William Street)

City Directory Search for Adjacent Properties	
Year(s)	**Occupant Listed**
1991	Residential (452 South 3rd Street); Residential (470 South 3rd Street); Discount Photo Supply (451 South 4th Street); Residential (452 South 4th Street); Residential (460 South 4th Street); Residential (470 South 4th Street); Thomas Ma (498 South 4th Street);
1996	Ice Cream Catering by Uncle Tommy's Carnival and residential (452 South 3rd Street); Lynn Marr Apartments - residential (470 South 3rd Street); Discount Photo Supply (451 South 4th Street); Residential (452 South 4th Street); Residential (460 South 4th Street); Residential (470 South 4th Street); **Spartan Gas Station (498 South 4th Street);** Bicycle Express (131 East William Street)
2000	Residential (452 South 3rd Street);); Lynn Marr Apartments - residential (470 South 3rd Street); Discount Photo Supply (451 South 4th Street); Residential (452 South 4th Street); Residential (460 South 4th Street); Residential (470 South 4th Street); Spartan Barber Shop (487 South 4th Street); Stephen Lopes (498 South 4th Street); Residential (127 East William Street); Bicycle Express (131 East William Street)
2006	Residential (452 South 4th Street); Residential (460 South 4th Street); Residential (470 South 4th Street); **Spartan Gas Station (498 South 4th Street);** Residential (127 East William Street); Bicycle Express (131 East William Street)
2010	Mojmin Properties (470 South 3rd Street); Spartan Barber Shop (487 South 4th Street); **Spartan Gas Station (498 South 4th Street);** Bicycle Express (131 East William Street)
2014	Mojmin Properties (470 South 3rd Street); Spartan Barber Shop (487 South 4th Street); **Lee Service Station (498 South 4th Street);** Bicycle Express (131 East William Street)

According to the city directory review, the adjacent property to the northeast was occupied by a gasoline service station. Refer to Section 4.2.3 for a discussion of this adjacent property.

Copies of reviewed city directories are included in Appendix B of this report.

3.4 Historical Topographic Maps

Partner reviewed historical topographic maps obtained from Environmental Data Resources (EDR) on July 22, 2019. The following was observed on the subject property and adjacent properties during the topographic map review:

Date: 1889	
Subject Property:	The subject property is depicted as developed with one or more structures.
Northwest:	The area adjacent to the northwest is depicted as developed with one or more structures.
Northeast:	The area adjacent to the northeast of a road is depicted as developed with one or more structures.
Southeast:	The area adjacent to the southeast is depicted as developed with one or more structures.
Southwest:	The area adjacent to the southwest is depicted as developed with one or more structures.

Dates: 1897 and 1899	
Subject Property:	No significant changes depicted
Northwest:	No significant changes depicted

Dates: 1897 and 1899	
Northeast:	No significant changes depicted
Southeast:	No significant changes depicted
Southwest:	No significant changes depicted

Date: 1953	
Subject Property:	The subject property is located in a developed urban area, and the exact site improvements are not shown.
Northwest:	The area adjacent to the northwest is located in a developed urban area, and the exact site improvements are not shown.
Northeast:	The area adjacent to the northeast of a road is located in a developed urban area, and the exact site improvements are not shown.
Southeast:	The area adjacent to the southeast is located in a developed urban area, and the exact site improvements are not shown.
Southwest:	The area adjacent to the southwest is located in a developed urban area, and the exact site improvements are not shown.

Dates: 1961, 1968, 1973, 1980 and 2012	
Subject Property:	No significant changes depicted
Northwest:	No significant changes depicted
Northeast:	No significant changes depicted
Southeast:	No significant changes depicted
Southwest:	No significant changes depicted

Copies of reviewed topographic maps are included in Appendix B of this report.

4.0 REGULATORY RECORDS REVIEW

4.1 Regulatory Agencies

4.1.1 State Department

Regulatory Agency Data	
Name of Agency:	California Environmental Protection Agency (CalEPA)
Point of Contact:	**N/A – Online Records**
Agency Address:	1001 I Street, Sacramento, California 95812
Agency Phone Number:	(916) 323-2514
Date of Contact:	July 22, 2019
Method of Communication:	Internet
Summary of Communication:	No records regarding hazardous substance use, storage or releases, or the presence of USTs and AULs on the subject property were on file with the CalEPA.

4.1.2 Health Department

Regulatory Agency Data	
Name of Agency:	Santa Clara County Environmental Health Department (SCCEHD)
Point of Contact:	**Melissa Belloso**
Agency Address:	1555 Berger Drive, Building 2, Suite 300, San Jose, California 95112
Agency Phone Number:	(408) 918-3428
Date of Contact:	July 22, 2019
Method of Communication:	Email
Summary of Communication:	No records regarding hazardous substance use, storage or releases, or the presence of USTs and AULs on the subject property were on file with the SCCEHD.

4.1.3 Fire Department

Regulatory Agency Data	
Name of Agency:	San Jose Fire Department (SJFD)
Point of Contact:	**Michael Murtiff**
Agency Address:	1661 Senter Road, San Jose, California 95112
Agency Phone Number:	(408) 535-7694
Date of Contact:	July 22, 2019
Method of Communication:	Email
Summary of Communication:	No records regarding hazardous substance use, storage or releases, or the presence of USTs and AULs on the subject property were on file with the SJFD.

4.1.4 Air Pollution Control Agency

Regulatory Agency Data	
Name of Agency:	Bay Area Air Quality Management District (BAAQMD) and California Air Resources Control Board (CARB)

Regulatory Agency Data	
Point of Contact:	**Staff**
Agency Address:	939 Ellis Street, San Francisco, California 94109
Agency Phone Number:	(415) 771-6000
Date of Contact:	July 22, 2019
Method of Communication:	Internet and Telephone
Summary of Communication:	No Permits to Operate (PTO), Notices of Violation (NOV), or Notices to Comply (NTC) or the presence of AULs, dry cleaning machines, or USTs were on file for the subject property with the BAAQMD or CARB.

4.1.5 Regional Water Quality Agency

Regulatory Agency Data	
Name of Agency:	Regional Water Quality Control Board (RWQCB)
Point of Contact:	**N/A - GeoTracker**
Agency Address:	1515 Clay Street, Suite 1400, Oakland, California 94612
Agency Phone Number:	(510) 622-2300
Date of Contact:	July 22, 2019
Method of Communication:	Internet
Summary of Communication:	No records regarding hazardous substance use, storage or releases, or the presence of USTs and AULs on the subject property were on file with the RWQCB.

4.1.6 Department of Toxic Substances Control

Regulatory Agency Data	
Name of Agency:	California Department of Toxic Substances Control (DTSC)
Point of Contact:	**N/A – EnviroStor and Hazardous Waste Tracking System (HWTS)**
Agency Address:	1001 I Street, Sacramento, California 95814
Agency Phone Number:	(916) 255-3687
Date of Contact:	July 22, 2019
Method of Communication:	Internet
Summary of Communication:	No records regarding hazardous substance use, storage or releases, or the presence of USTs and AULs on the subject property were on file with the DTSC. There were no records for the subject property address in the HWTS database.

4.1.7 Building Department

Regulatory Agency Data	
Name of Agency:	San Jose Building Department (SJBD)
Point of Contact:	**N/A – Online Records**
Agency Address:	200 East Santa Clara Street, San Jose, California 95113
Agency Phone Number:	(408) 535-3555
Date of Contact:	July 22, 2019

Regulatory Agency Data	
Method of Communication:	Online Records
Summary of Communication:	Review of SJBD records identified multiple permits associated with re-roofing the residential buildings, electrical permits, interior remodeling permits, repair permits for termite damage, water heater replacement permits, staircase replacement permits, balcony repair/replacement permits and repair of fire damage to the 475 South 4th Street building. No environmentally significant information was included in the file.

4.1.8 Planning Department

Regulatory Agency Data	
Name of Agency:	San Jose Planning Department (SJPD)
Point of Contact:	**N/A – Online Records**
Agency Address:	200 East Santa Clara Street, San Jose, California 95113
Agency Phone Number:	(408) 535-3555
Date of Contact:	July 22, 2019
Method of Communication:	Online Records
Summary of Communication:	According to records reviewed, the subject property is zoned CG (General Commercial) for residential and commercial uses.

4.1.9 Oil & Gas Exploration

Regulatory Agency Data	
Name of Agency:	California Division of Oil, Gas and Geothermal Resources (DOGGR)
Point of Contact:	**N/A – Online Records**
Agency Address:	801 K Street, MS 20-22, Sacramento, California 95814
Agency Phone Number:	(916) 322-1110
Date of Contact:	July 22, 2019
Method of Communication:	Online DOGGR mapping system
Summary of Communication:	According to DOGGR's online mapping system, no oil or gas wells are located on or adjacent to the subject property.

4.1.10 Assessor's Office

Regulatory Agency Data	
Name of Agency:	Santa Clara Assessor (SCA)
Point of Contact:	**N/A – Online Records**
Agency Address:	70 West Hedding Street, San Jose, California
Agency Phone Number:	(408) 299-5500
Date of Contact:	July 22, 2019
Method of Communication:	In Person

Regulatory Agency Data

Summary of Communication: According to records reviewed, the subject property is identified by Assessor Parcel Numbers (APN) 467-47-057 and 092, and contains a total of approximately 0.45 acres. No additional pertinent information was available for the subject property.

Copies of pertinent documents are included in Appendix B of this report.

4.2 Mapped Database Records Search

Information from standard federal, state, county, and city environmental record sources was provided by Environmental Data Resources, Inc. (EDR). Data from governmental agency lists are updated and integrated into one database, which is updated as these data are released. The information contained in this report was compiled from publicly available sources and the locations of the sites are plotted utilizing a geographic information system, which geocodes the site addresses. The accuracy of the geocoded locations is approximately +/-300 feet.

Using the ASTM definition of migration, Partner considers the migration of hazardous substances or petroleum products in any form onto the subject property during the evaluation of each site listed on the radius report, which includes solid, liquid, and vapor.

4.2.1 Regulatory Database Summary

Radius Report Data

Database	Search Radius (mile)	Subject Property	Adjacent Properties	Sites of Concern
Federal NPL or Delisted NPL Site	1.00	N	N	N
Federal CERCLIS Site	0.50	N	N	N
Federal CERCLIS-NFRAP Site	0.50	N	N	N
Federal RCRA CORRACTS Facility	1.00	N	N	N
Federal RCRA TSDF Facility	0.50	N	N	N
Federal RCRA Generators Site (LQG, SQG, CESQG, Non-Gen)	0.25	N	**Y**	N
Federal IC/EC Registries	0.50	N	N	N
Federal ERNS Site	Subject Property	N	N	N
State/Tribal Equivalent NPL	1.00	N	N	N
State/Tribal Equivalent CERCLIS	1.00	N	N	N
State/Tribal Landfill/Solid Waste Disposal Site	0.50	N	N	N
State/Tribal Leaking Storage Tank Site	0.50	N	**Y**	N
State/Tribal Registered Storage Tank Sites (UST/AST)	0.25	N	**Y**	N
State/Tribal Voluntary Cleanup Sites (VCP)	0.50	N	N	N
State/Tribal Spills	0.50	N	N	N
Federal Brownfield Sites	0.50	N	N	N
State Brownfield Sites	0.50	N	N	N
EDR MGP	1.00	N	N	N
EDR US Hist Auto Station	Varies	N	**Y**	N

Radius Report Data				
Database	**Search Radius (mile)**	**Subject Property**	**Adjacent Properties**	**Sites of Concern**
EDR US Hist Cleaners	Varies	N	N	N
Historic LUST	0.50	N	**Y**	N
CERS, CERS Hazardous Waste, CERS Tanks	0.25	N	**Y**	N
SWEEPS UST and HIST UST	0.25	N	**Y**	N
CUPA Listings	0.25	N	**Y**	N
San Jose HazMat	0.25	N	**Y**	N
Historic Cortese	0.50	N	**Y**	N

4.2.2 Subject Property Listings

The subject property is not identified in the regulatory database report.

4.2.3 Adjacent Property Listings

The adjacent property to the northeast was identified on the EDR Historical Auto Stations, UST, LUST, Historic LUST, CERS, CERS Hazardous Waste, CERS Tanks, SWEEPS UST, HIST UST, CUPA Listings, San Jose HazMat, RCRA Non-Gen and Historic Cortese databases in the regulatory database report, as discussed below:

- The property, identified as Spartan Gas Station/Super Gas & Mart at 498 South 4th Street, is located adjacent to the northeast of the subject property. The EDR Historical Auto Stations database identified a gasoline service station at this adjacent property since at least 1950. The CERS and CUPA databases indicated that this site is a registered hazardous waste generator, chemical storage UST and HMBP facility with multiple reported violations. The UST databases indicated that this site contained one 8,000-gallon diesel fuel UST, one 10,000-gallon gasoline UST, one 12,000-gallon gasoline UST and two 6,000-gallon gasoline USTs. The RCRA Non-Gen indicated that Super Gas & Mart is a registered non-generator of hazardous wastes with no reported violations. The LUST, CERS, Historic Cortese and Historic LUST databases indicated that the groundwater contamination case associated with a release of gasoline was closed on December 23, 2016. The most recent groundwater monitoring report for this site (Allterra, 2015) indicated that groundwater flow direction was to the northeast, which is away from the subject property. Two groundwater monitoring wells (MW-5 and MW-8A/8B) was located beneath South 4th Street to the southwest of this site. These wells contained non-detectable concentrations of petroleum hydrocarbon constituents during the most recent sampling event. The plume of groundwater contamination from this site extended to the northeast, away from the subject property. Based on LUST case closure, groundwater gradient and results of the most recent sampling event, this site is not expected to represent a significant environmental concern and it is unlikely that a regulatory file review for this site would alter the findings of this assessment.

Based on the findings, vapor migration is not expected to represent a significant environmental concern at this time.

4.2.4 Sites of Concern Listings

No sites of concern are identified in the regulatory database report.

Based on the findings, vapor migration is not expected to represent a significant environmental concern at this time.

4.2.5 Orphan Listings

No orphan listings of concern are identified in the regulatory database report.

A copy of the regulatory database report is included in Appendix C of this report.

5.0 USER PROVIDED INFORMATION AND INTERVIEWS

In order to qualify for one of the *Landowner Liability Protections (LLPs)* offered by the Small Business Liability Relief and Brownfields Revitalization Act of 2001 (the *Brownfields Amendments*), the *User* must conduct the following inquiries required by 40 CFR 312.25, 312.28, 312.29, 312.30, and 312.31. The *User* should provide the following information to the *environmental professional*. Failure to provide this information could result in a determination that *all appropriate inquiries* is not complete. The *User* is asked to provide information or knowledge of the following:

- Review Title and Judicial Records for Environmental Liens and AULs
- Specialized Knowledge or Experience of the User
- Actual Knowledge of the User
- Reason for Significantly Lower Purchase Price
- Commonly Known or *Reasonably Ascertainable* information
- Degree of Obviousness
- Reason for Preparation of this Phase I ESA

Fulfillment of these user responsibilities is key to qualification for the identified defenses to CERCLA liability. Partner requested our Client to provide information to satisfy User Responsibilities as identified in Section 6 of the ASTM guidance.

Pursuant to ASTM E1527-13, Partner requested the following site information from Urban Catalyst Operating Partnership LLC (User of this report).

User Responsibilities				
Item	**Provided By User**	**Not Provided By User**	**Discussed Below**	**Does Not Apply**
Environmental Pre-Survey Questionnaire			**X**	
Title Records, Environmental Liens, and AULs			**X**	
Specialized Knowledge			**X**	
Actual Knowledge			**X**	
Valuation Reduction for Environmental Issues			**X**	
Identification of Key Site Manager	**Section 5.1.3**			
Reason for Performing Phase I ESA	**Section 1.1**			
Prior Environmental Reports		**X**		
Other				**X**

5.1 Interviews

5.1.1 Interview with Owner

The owner of the subject property was not available to be interviewed at the time of the assessment.

5.1.2 Interview with Report User

Please refer to Section 5.2 below for information requested from the Report User.

5.1.3 Interview with Key Site Manager

Mr. AJ Amin, key site manager and Property Manager, indicated that he had no information pertaining to any pending, threatened, or past litigation relevant to hazardous substances or petroleum products in, on, or from the subject property; any pending, threatened, or past administrative proceedings relevant to hazardous substances or petroleum products in, on, or from the subject property; or any notices from a governmental entity regarding any possible violation of environmental laws or possible liability relating to hazardous substances or petroleum products.

According to Mr. Amin, the subject property consists of three residential buildings that are currently 100% occupied by residential tenants. Mr. Amin was unaware of any underground storage tanks, prior hazardous substance spill/release incidents, water intrusion issues or mold at the subject property. Mr. Amin provided access to representative apartment units, common areas and exterior areas of the subject property. Mr. Amin has been the Property Manager for 2 years.

5.1.4 Interviews with Past Owners, Operators and Occupants

Interviews with past owners, operators and occupants were not conducted since information regarding the potential for contamination at the subject property was obtained from other sources.

5.1.5 Interview with Others

As the subject property is not an abandoned property as defined in ASTM 1527-13, interview with others were not performed.

5.2 User Provided Information

5.2.1 Title Records, Environmental Liens, and AULs

Partner was not provided with title records or environmental lien and AUL information for review as part of this assessment.

5.2.2 Specialized Knowledge

No specialized knowledge of environmental conditions associated with the subject property was provided by the User at the time of the assessment.

5.2.3 Actual Knowledge of the User

No actual knowledge of any environmental lien or AULs encumbering the subject property or in connection with the subject property was provided by the User at the time of the assessment.

5.2.4 Valuation Reduction for Environmental Issues

No knowledge of valuation reductions associated with the subject property was provided by the User at the time of the assessment.

5.2.5 Commonly Known or Reasonably Ascertainable Information

The User did not provide information that is commonly known or *reasonably ascertainable* within the local community about the subject property at the time of the assessment.

5.2.6 Previous Reports and Other Provided Documentation

No previous reports or other pertinent documentation was provided to Partner for review during the course of this assessment.

6.0 SITE RECONNAISSANCE

The weather at the time of the site visit was sunny and clear. Refer to Section 1.5 for limitations encountered during the field reconnaissance and Sections 2.1 and 2.2 for subject property operations. The table below provides the site assessment details:

Site Assessment Data	
Site Assessment Performed By:	Christopher Olsen
Site Assessment Conducted On:	July 31, 2019

The table below provides the subject property personnel interviewed during the field reconnaissance:

Site Visit Personnel for 459-475 South 4th Street (Subject Property)			
Name	**Title/Role**	**Contact Number**	**Site Walk* Yes/No**
Mr. AJ Amin	Key Site Manager and Property Manager	(408) 883-0197	Yes

* Accompanied Partner during the field reconnaissance activities and provided information pertaining to the current operations and maintenance of the subject property

No potential environmental concerns were identified during the onsite reconnaissance.

6.1 General Site Characteristics

6.1.1 Solid Waste Disposal

Solid waste generated at the subject property is disposed of in commercial dumpsters located adjacent to the 475 South 4th Street building on the subject property. An independent solid waste disposal contractor, San Jose Green Team, removes solid waste from the subject property. According to property personnel, only household trash is collected in the on-site solid waste dumpsters. No evidence of illegal dumping of solid waste was observed during the Partner site reconnaissance.

6.1.2 Sewage Discharge and Disposal

Sanitary discharges on the subject property are directed into the municipal sanitary sewer system. The City of San Jose services the subject property vicinity. No wastewater treatment facilities or septic systems were observed or reported on the subject property.

6.1.3 Surface Water Drainage

Storm water is removed from the subject property primarily by sheet flow action across the paved surfaces towards storm water drains located in the adjacent public right of way. Site storm water from roofs, landscaped areas, and paved areas is directed to off-site concrete swales, which drain to the public right of way, and to off-site storm water drains. The subject property is connected to a municipal owned and maintained sewer system.

The subject property does not appear to be a designated wetland area, based on information obtained from the United States Fish & Wildlife Service; however, a comprehensive wetlands survey would be required in order to formally determine actual wetlands on the subject property.

No surface impoundments, wetlands, natural catch basins, settling ponds, or lagoons are located on the subject property. No drywells were identified on the subject property.

6.1.4 Source of Heating and Cooling

Heating systems as well as domestic hot water equipment are fueled by electricity and natural gas provided by Pacific Gas and Electric Company (PG&E). The mechanical system is comprised of individual natural gas-fired wall heaters in each residential unit. No cooling systems were observed at the subject property. Hot water is provided by individual natural gas-fired water heaters.

6.1.5 Wells and Cisterns

No aboveground evidence of wells or cisterns was observed during the site reconnaissance.

6.1.6 Wastewater

Domestic wastewater generated at the subject property is disposed by means of the sanitary sewer system. No industrial process is currently performed at the subject property.

6.1.7 Septic Systems

No septic systems were observed or reported on the subject property.

6.1.8 Additional Site Observations

No additional general site characteristics were observed during the site reconnaissance.

6.2 Potential Environmental Hazards

6.2.1 Hazardous Substances and Petroleum Products Used or Stored at the Site

No evidence of the use of reportable quantities of hazardous substances was observed on the subject property. Small quantities of general maintenance supplies were found to be properly labeled and stored at the time of the assessment with no signs of leaks, stains, or spills. The storage and use of maintenance supplies does not appear to pose a significant threat to the environmental integrity of the subject property at this time.

6.2.2 Aboveground & Underground Hazardous Substance or Petroleum Product Storage Tanks (ASTs/USTs)

No evidence of current or former ASTs or USTs was observed during the site reconnaissance.

6.2.3 Evidence of Releases

No spills, stains or other indications that a surficial release has occurred at the subject property were observed.

6.2.4 Polychlorinated Biphenyls (PCBs)

No potential PCB-containing equipment (transformers, oil-filled switches, hoists, lifts, dock levelers, hydraulic elevators, etc.) was observed on the subject property during Partner's reconnaissance.

6.2.5 Strong, Pungent or Noxious Odors

No strong, pungent or noxious odors were evident during the site reconnaissance.

6.2.6 Pools of Liquid

No pools of liquid were observed on the subject property during the site reconnaissance.

6.2.7 Drains, Sumps and Clarifiers

No drains, sumps, or clarifiers, other than those associated with storm water removal, were observed on the subject property during the site reconnaissance.

6.2.8 Pits, Ponds and Lagoons

No pits, ponds or lagoons were observed on the subject property.

6.2.9 Stressed Vegetation

No stressed vegetation was observed on the subject property.

6.2.10 Additional Potential Environmental Hazards

No additional environmental hazards, including landfill activities or radiological hazards, were observed.

6.3 Non-ASTM Services

6.3.1 Asbestos-Containing Materials (ACMs)

Asbestos is the name given to a number of naturally occurring, fibrous silicate minerals mined for their useful properties such as thermal insulation, chemical and thermal stability, and high tensile strength. The Occupational Safety and Health Administration (OSHA) regulation 29 CFR 1926.1101 requires certain construction materials to be *presumed* to contain asbestos, for purposes of this regulation. Construction materials including, but not limited to, thermal system insulation (TSI), surfacing material, and asphalt/vinyl flooring that are present in a building and that have not been appropriately tested may be considered "presumed asbestos-containing material" (PACM).

The subject property buildings were constructed circa 1901 and 1960, and may have asbestos containing materials (ACMs: materials containing >1% asbestiform components determined by the EPA 600/R-93/116 Method using Polarized Light Microscopy) present. Partner has conducted a limited, visual evaluation of accessible areas for the presence of suspect ACMs at the subject property. The objective of this visual survey was to note the presence and condition of suspect ACM observed. Please refer to the table below for identified suspect ACMs:

Suspect ACMs

Suspect ACM	Location	Friable Yes/No	Physical Condition
Drywall Systems	Building Interiors	No	Good
Flooring	Building Interiors	No	Good
Stucco	Building Exteriors	No	Good

The limited visual survey consisted of noting observable materials (materials which were readily accessible and visible during the course of the site reconnaissance) that are commonly known to potentially contain asbestos. This activity was not designed to discover all sources of suspect ACM, PACM, or asbestos at the site; or to comply with any regulations and/or laws relative to planned disturbance of building materials such as renovation or demolition, or any other regulatory purpose. Rather, it is intended to give the User an indication if significant (significant due to quantity, accessibility, or condition) potential sources of ACM or PACM are present at the subject property. Additional sampling, assessment, and evaluation will be warranted for any other use.

Partner was not provided building plans or specifications for review, which may have been useful in determining areas likely to have used ACM.

According to the US EPA, ACM and PACM that is intact and in good condition can, in general, be managed safely in-place under an Operations and Maintenance (O&M) Program until removal is dictated by renovation, demolition, or deteriorating material condition. Prior to any disturbance of the construction materials within this facility, a comprehensive ACM survey is recommended.

6.3.2 Lead-Based Paint (LBP)

Lead is a highly toxic metal that affects virtually every system of the body. LBP is defined as any paint, varnish, stain, or other applied coating that has 1 mg/cm^2 (or 5,000 ug/g or 0.5% by weight) or more of lead. Congress passed the Residential Lead-Based Paint Hazard Reduction Act of 1992, also known as "Title X", to protect families from exposure to lead from paint, dust, and soil. Under Section 1017 of Title X, intact LBP on most walls and ceilings is not considered a "hazard," although the condition of the paint should be monitored and maintained to ensure that it does not become deteriorated. Further, Section 1018 of this law directed the Housing and Urban Development (HUD) and the US EPA to require the disclosure of known information on LBP and LBP hazards before the sale or lease of most housing built before 1978.

Based on the age of the subject property buildings (pre-1978), there is a potential that LBP is present. Interior and exterior painted surfaces were observed in good condition and therefore not expected to represent a "hazard," although the condition of the paint should be monitored and maintained to ensure that it does not become deteriorated.

Actual material samples would need to be collected in order to determine if LBP is present.

6.3.3 Radon

Radon is a colorless, odorless, naturally occurring, radioactive, inert, gaseous element formed by radioactive decay of radium (Ra) atoms. The US EPA has prepared a map to assist National, State, and local organizations to target their resources and to implement radon-resistant building codes. The map divides the country into three Radon Zones, according to the table below:

EPA Radon Zones		
EPA Zones	**Average Predicted Radon Levels**	**Potential**
Zone 1	Exceed 4.0 pCi/L	Highest
Zone 2	Between 2.0 and 4.0 pCi/L	Moderate

EPA Radon Zones		
EPA Zones	**Average Predicted Radon Levels**	**Potential**
Zone 3	Less than 2.0 pCi/L	Low

It is important to note that the EPA has found homes with elevated levels of radon in all three zones, and the US EPA recommends site-specific testing in order to determine radon levels at a specific location. However, the map does give a valuable indication of the propensity of radon gas accumulation in structures.

Radon sampling was not conducted as part of this assessment. Review of the US EPA Map of Radon Zones places the subject property in Zone 2. Based upon the radon zone classification, radon is not considered to be a significant environmental concern.

6.3.4 Lead in Drinking Water

According to available information, a public water system operated by the City of San Jose serves the subject property vicinity. According to the 2018 Water Quality Report, shallow groundwater directly beneath the subject property is not utilized for domestic purposes. The sources of public water for the City of San Jose are imported water from Hetch Hetchy (located in the Sierra Nevada Mountains) and water that is purchased from the San Francisco Public Utilities Commission. According to the City of San Jose and the 2018Annual Water Quality Report, water supplied to the subject property are is in compliance with all State and Federal regulations pertaining to drinking water standards, including lead and copper.

6.3.5 Mold

Molds are microscopic organisms found virtually everywhere, indoors and outdoors. Mold will grow and multiply under the right conditions, needing only sufficient moisture (e.g.in the form of very high humidity, condensation, or water from a leaking pipe, etc.) and organic material (e.g., ceiling tile, drywall, paper, or natural fiber carpet padding).

Partner observed accessible, interior areas for the subject property buildings for significant evidence of mold growth with the exceptions detailed in Section 1.5 of this report; however, this ESA should not be used as a mold survey or inspection. Additionally, this limited assessment was not designed to assess all areas of potential mold growth that may be affected by mold growth on the subject property. Rather, it is intended to give the client an indication as to whether or not conspicuous (based on observed areas) mold growth is present at the subject property. This evaluation did not include a review of pipe chases, mechanical systems, or areas behind enclosed walls and ceilings.

No obvious indications of water damage or mold growth were observed during Partner's visual assessment.

6.4 Adjacent Property Reconnaissance

The adjacent property reconnaissance consisted of observing the adjacent properties from the subject property premises. The adjacent property to the northeast is developed with a gasoline filling station. Refer to Section 4.2.3 for a discussion of this adjacent property.

No items of environmental concern were identified on the remaining adjacent properties during the site assessment, including hazardous substances, petroleum products, ASTs, USTs, evidence of releases, PCBs, strong or noxious odors, pools of liquids, sumps or clarifiers, pits or lagoons, stressed vegetation, or any other potential environmental hazards.

7.0 FINDINGS AND CONCLUSIONS

Findings

A *REC* refers to the presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: due to release to the environment; under conditions indicative of a release to the environment; or under conditions that pose a material threat of a future release to the environment. The following was identified during the course of this assessment:

- Partner did not identify any recognized environmental conditions during the course of this assessment.

A *CREC* refers to a REC resulting from a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority, with hazardous substances or petroleum products allowed to remain in place subject to the implementation of required controls. The following was identified during the course of this assessment:

- Partner did not identify any controlled recognized environmental conditions during the course of this assessment.

A *HREC* refers to a past release of any hazardous substances or petroleum products that has occurred in connection with the property and has been addressed to the satisfaction of the applicable regulatory authority or meeting unrestricted use criteria established by a regulatory authority, without subjecting the property to any required controls. The following was identified during the course of this assessment:

- Partner did not identify any historical recognized environmental conditions during the course of this assessment.

An *environmental issue* refers to environmental concerns identified by Partner, which do not qualify as RECs; however, warrant further discussion. The following was identified during the course of this assessment:

- Due to the age of the subject property buildings, there is a potential that ACM and/or LBP are present. Readily visible suspect ACMs and painted surfaces were observed in good condition.

Conclusions, Opinions and Recommendations

Partner has performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E1527-13 of 459-475 South 4th Street in San Jose, Santa Clara County, California (the "subject property"). Any exceptions to, or deletions from, this practice are described in Section 1.5 of this report.

This assessment has revealed no evidence of recognized environmental conditions in connection with the subject property; however, environmental issues were identified. Based on the conclusions of this assessment, Partner recommends the following:

- An O&M Program should be implemented in order to safely manage the suspect ACMs and LBP located at the subject property.

8.0 SIGNATURES OF ENVIRONMENTAL PROFESSIONALS

Partner has performed a Phase I Environmental Site Assessment of the property located at 459-475 South 4th Street in San Jose, Santa Clara County, California in conformance with the scope and limitations of the protocol and the limitations stated earlier in this report. Exceptions to or deletions from this protocol are discussed earlier in this report.

By signing below, Partner declares that, to the best of our professional knowledge and belief, we meet the definition of *Environmental Professional* as defined in §312.10 of 40 CFR §312. Partner has the specific qualifications based on education, training, and experience to assess a *property* of the nature, history, and setting of the subject *property*. Partner has developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.

Prepared By:

Christopher Olsen
Environmental Professional

Reviewed By:

David Gerhardstein
Senior Author

9.0 REFERENCES

Reference Documents

Alterra, First Quarter 2015 Semi-Annual Groundwater Monitoring Report, 498 South 4th Street, San Jose, California, April 9, 2015

American Society for Testing and Materials, Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process, ASTM Designation: E1527-13.

EDR, Aerial Photographs (1939-2016)

EDR, City Directory Abstract, July 2019

EDR, Radius Report, July 2019

EDR, Sanborn Fire Insurance Maps (1884-1984)

EDR, Topographic Maps (1889-2012)

Federal Emergency Management Agency, Federal Insurance Administration, National Flood Insurance Program, Flood Insurance Map, accessed via internet, July 2019

United States Department of Agriculture, Natural Resources Conservation Service, accessed via internet, July 2019

United States Department of Agriculture, Natural Resources Conservation Service, Web Soil Survey, accessed via the internet, July 2019

United States Environmental Protection Agency, EPA Map of Radon Zones (Document EPA-402-R-93-071), accessed via the internet, July 2019

United States Geological Survey, accessed via the Internet, July 2019

United States Geological Survey Topographic Map 2012, 7.5 minute series, accessed via internet, July 2019

FIGURES

1 SITE LOCATION MAP

2 SITE PLAN

3 TOPOGRAPHIC MAP

PARTNER



N

Drawing Not To Scale

KEY:
Subject Property

FIGURE 1: SITE LOCATION MAP
Project No. 19-253616.1

PARTNER

N

GROUNDWATER FLOW

KEY:
Subject Property

FIGURE 2: SITE PLAN
Project No. 19-253616.1

PARTNER



N

USGS 7.5 Minute *San Jose West, California* Quadrangle
Created: 2012

KEY:
Subject Property

FIGURE 3: TOPOGRAPHIC MAP
Project No. 19-253616.1

PARTNER

APPENDIX A: SITE PHOTOGRAPHS

1. Northeastern side of 459 South 4th Street

2. Northeastern and southeastern sides of 459 South 4th Street

3. Southwestern side of 459 South 4th Street

4. Northeastern and southeastern sides of 456-469 South 4th Street

5. Southeastern side of 456-469 South 4th Street

6. Southwestern side of 456-469 South 4th Street

7. Northeastern side of 475 South 4th Street

8. Northwestern side of 475 South 4th Street

9. Northeastern side of 475 South 4th Street

10. Southwestern side of 475 South 4th Street

11. Dumpsters adjacent to the 475 South 4th Street building

12. Patio adjacent to the southwestern side of the 475 South 4th Street building

13. Damaged stairway adjacent to the 475 South 4th Street building

14. Tuck under parking at the 475 South 4th Street building

15. Living room in the 459 South 4th Street building

16. Living room in the 459 South 4th Street building

17. Kitchen in the 459 South 4th Street building

18. Bedroom in the 459 South 4th Street building

19. Living room in the 469 South 4th Street unit

20. Kitchen in the 469 South 4th Street unit

21. Bedroom in the 469 South 4th Street unit

22. Bathroom in the 469 South 4th Street unit

23. Water heaters in the partial basement in the 465-469 South 4th Street building

24. Partial basement in the 465-469 South 4th Street building

25. Partial basement in the 465-469 South 4th Street building

26. Interior of a studio unit (475 South 4th Street #12)

27. Kitchen in the studio unit (475 South 4th Street #12)

28. Bathroom in the studio unit (475 South 4th Street #12)

29. Laundry room in the 475 South 4th Street building

30. Paint storage in the 475 South 4th Street building

31. Residence and parking area (451 South 4th Street) adjacent to the northwest

32. Spartan Barber Shop (487 South 4th Street) adjacent to the southeast

33. Bicycle Express (131 East William Street) adjacent to the southeast

34. Home First – Sobrato House Youth Center (480/496 S. 3rd Street) adjacent to the southwest

35. Multi-family residential apartment buildings northeast of South 4th Street

36. Spartan Gas Station (498 South 4th Street) adjacent to the northeast

APPENDIX B: HISTORICAL/REGULATORY DOCUMENTATION

PARTNER

500 1000 2000

N

Key: Subject Property

500 1000 2000

N

Key: Subject Property

500 1000 2000

N

Key: Subject Property

500 1000 2000

N

Key: Subject Property

500 1000 2000

N

Key: Subject Property

500 1000 2000

N

Key: Subject Property



500 1000 2000

N

Key: Subject Property



500 1000 2000

N

Key: Subject Property



500 1000 2000

N

Key: Subject Property



500 1000 2000

N

Key: Subject Property



500 1000 2000

N

Key: Subject Property



500 1000 2000

N

Key: Subject Property



500 1000 2000

N

Key: Subject Property



Volume 1, Sheet 32
Volume 1, Sheet 32
Volume 1, Sheet 29
Volume 1, Sheet 29

0 Feet 150 300 600

N

Key: Subject Property





Volume 1, Sheet 21
Volume 1, Sheet 21
Volume 1, Sheet 19
Volume 1, Sheet 19

0 Feet 150 300 600

N

Key: Subject Property

APPENDIX B: Certified Sanborn Maps
Project No. 19-253616.1

PARTNER



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 87B4-4A28-B120



Volume 1, Sheet 69
Volume 1, Sheet 68
Volume 1, Sheet 67
Volume 1, Sheet 54
Volume 1, Sheet 53
Volume 1. Sheet 52

0 Feet 150 300 600

N

Key: Subject Property





Volume 1, Sheet xxxx
Volume 1, Sheet 69
Volume 1, Sheet 68
Volume 1, Sheet 67
Volume 1, Sheet 54
Volume 1. Sheet 53

0 Feet 150 300 600

N

Key: Subject Property

APPENDIX B: Certified Sanborn Maps
Project No. 19-253616.1

PARTNER



Volume 1, Sheet 68
Volume 1, Sheet 69
Volume 1, Sheet 54
Volume 1, Sheet 53
Volume 1, Sheet 52
Volume 1. Sheet xxxx

0 Feet 150 300 600

N

Key: Subject Property



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #87B4-4A28-B120



Volume 1, Sheet 69
Volume 1, Sheet 68

0 Feet 150 300 600

Key: Subject Property

459 & 475 South 4th
459 & 475 South 4th Street
San Jose, CA 95112

Inquiry Number: 5724332.5
July 23, 2019

The EDR-City Directory Abstract

Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2017 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1922 through 2014. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 660 feet of the target property.

A summary of the information obtained is provided in the text of this report.

RECORD SOURCES

EDR's Digital Archive combines historical directory listings from sources such as Cole Information and Dun & Bradstreet. These standard sources of property information complement and enhance each other to provide a more comprehensive report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.



RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

Year	Source	TP	Adjoining	Text Abstract	Source Image
2014	EDR Digital Archive	-	X	X	-
	EDR Digital Archive	X	X	X	-
2010	EDR Digital Archive	-	X	X	-
	EDR Digital Archive	X	X	X	-
2006	Haines Company, Inc.	-	X	X	-
	Haines Company, Inc.	X	X	X	-
2001	Haines Company, Inc.	-	-	-	-
2000	Haines & Company	-	X	X	-
	Haines & Company	X	X	X	-
1996	Pacific Bell	-	X	X	-
	Pacific Bell	X	X	X	-
1991	PACIFIC BELL WHITE PAGES	-	X	X	-

EXECUTIVE SUMMARY

Year	Source	TP	Adjoining	Text Abstract	Source Image
1991	PACIFIC BELL WHITE PAGES	X	X	X	-
1986	Pacific Bell	-	X	X	-
	Pacific Bell	X	X	X	-
1985	Pacific Bell	-	X	X	-
	Pacific Bell	X	X	X	-
1982	Pacific Telephone	-	X	X	-
1980	Pacific Telephone	-	X	X	-
	Pacific Telephone	X	X	X	-
1978	R. L. Polk & Co.	-	-	-	-
1975	Pacific Telephone	-	X	X	-
	Pacific Telephone	X	X	X	-
1974	R. L. Polk Co.	-	-	-	-
1970	R. L. Polk & Co.	-	X	X	-
	R. L. Polk & Co.	X	X	X	-
1968	R. L. Polk Co.	-	-	-	-
1966	R. L. Polk & Co.	-	X	X	-
	R. L. Polk & Co.	X	X	X	-
1965	R. L. Polk Co.	-	-	-	-
1964	R. L. Polk Co.	-	-	-	-
1963	Pacific Telephone	-	X	X	-
	Pacific Telephone	X	X	X	-
1962	R. L. Polk & Co.	-	-	-	-
1960	R. L. Polk Co.	-	X	X	-
	R. L. Polk Co.	X	X	X	-
1957	Pacific Telephone	-	X	X	-
	Pacific Telephone	X	X	X	-
	R. L. Polk Co.	-	X	X	-
	R. L. Polk Co.	X	X	X	-
1955	R. L. Polk Co.	-	X	X	-
	R. L. Polk Co.	X	X	X	-
1950	R. L. Polk & Co.	-	X	X	-
	R. L. Polk & Co.	X	X	X	-
1946	R. L. Polk Co.	-	-	-	-
1945	R. L. Polk Co.	-	X	X	-
	R. L. Polk Co.	X	X	X	-
1942	R.L. Polk	-	-	-	-
1940	R. L. Polk Co.	-	X	X	-
	R. L. Polk Co.	X	X	X	-
1936	R. L. Polk Co.	-	-	-	-
1935	R. L. Polk & Co. of California	-	X	X	-
1931	R. L. Polk Co.	-	-	-	-
1930	R. L. Polk Co. of California	-	X	X	-

EXECUTIVE SUMMARY

Year	Source	TP	Adjoining	Text Abstract	Source Image
1930	R. L. Polk Co. of California	X	X	X	-
1926	R. L. Polk Co.	-	-	-	-
1925	R. L. Polk & Co.	-	X	X	-
	R. L. Polk & Co.	X	X	X	-
1922	R. L. Polk Co.	-	X	X	-
	R. L. Polk Co.	X	X	X	-

FINDINGS

TARGET PROPERTY INFORMATION

ADDRESS

459 & 475 South 4th Street
San Jose, CA 95112

FINDINGS DETAIL

Target Property research detail.

4TH ST S

459 4TH ST S

Year	*Uses*	*Source*
2000	HARDING Walter	Haines & Company
1975	Perez Maria Mrs	Pacific Telephone
1970	Vacant	R. L. Polk & Co.
1966	VACANT	R. L. Polk & Co.
1960	Owen Ethel Mrs	R. L. Polk Co.
1955	Owen Carl E	R. L. Polk Co.
1950	Owen C E	R. L. Polk & Co.
1945	Owen C E	R. L. Polk Co.
1940	Owen C E	R. L. Polk Co.
1930	Owen C E	R. L. Polk Co. of California
1925	Owen Carl	R. L. Polk & Co.
1922	Owen Carl	R. L. Polk Co.

475 4TH ST S

Year	*Uses*	*Source*
2000	APARTMENTS	Haines & Company
	HARDING Walter	Haines & Company
	HOANG Sau Thi	Haines & Company
	HOU Jichaag	Haines & Company
	LEONPEREZ Erasmo	Haines & Company
	LOPEZ Carmela Leon	Haines & Company
	RAMIREZ Araceli	Haines & Company
	TRAN Loan	Haines & Company
1996	4 hou Jichaag	Pacific Bell
	6 Tran Loan	Pacific Bell
	Ramirez Araceli I	Pacific Bell
1975	Baracco Andrew	Pacific Telephone

FINDINGS

Year	Uses	Source
1975	Ceccarelli S	Pacific Telephone
	Corpuz G	Pacific Telephone
	Davis Apartments	Pacific Telephone
	De Krokhaleff Nathalie	Pacific Telephone
	Greenburg	Pacific Telephone
	Keith K	Pacific Telephone
	Staley Sue	Pacific Telephone
	Thomton S	Pacific Telephone
	Vacant	Pacific Telephone
	Williams David	Pacific Telephone
	Wilson R	Pacific Telephone
1970	Cable Robt	R. L. Polk & Co.
	Darnstaat Robt	R. L. Polk & Co.
	Davis Apartments	R. L. Polk & Co.
	Dewberry Ann S	R. L. Polk & Co.
	Frisbee David C	R. L. Polk & Co.
	Kurahara Maxine S	R. L. Polk & Co.
	No Return	R. L. Polk & Co.
	Pankow Charles T	R. L. Polk & Co.
	Rittmiller Sharon	R. L. Polk & Co.
	Ruiz Mary	R. L. Polk & Co.
	Sargentine Sue	R. L. Polk & Co.
	Tarter J	R. L. Polk & Co.
	Uribe Manuel	R. L. Polk & Co.
1966	ALLEN ROGER	R. L. Polk & Co.
	BAIR PENNY	R. L. Polk & Co.
	BRENDLEN HERB	R. L. Polk & Co.
	DAVIS APARTMENTS	R. L. Polk & Co.
	ERICKSON NANCY	R. L. Polk & Co.
	GORDON CAROL	R. L. Polk & Co.
	HART CHARLOTTE	R. L. Polk & Co.
	JEFFERSON ANN	R. L. Polk & Co.
	LAURO ALBERT	R. L. Polk & Co.
	MORRISON MARCIA	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	WOLCOTT KENT	R. L. Polk & Co.
1960	Alexander Jan	R. L. Polk Co.
	Apartments	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1960	Berna Kenneth D	R. L. Polk Co.
	Coleman Douglas	R. L. Polk Co.
	Davis Robt E	R. L. Polk Co.
	Knowlton Greg J	R. L. Polk Co.
	Lynn Darlene	R. L. Polk Co.
	Meyer Sharon M	R. L. Polk Co.
	Nelson Jim	R. L. Polk Co.
	Payne Robt	R. L. Polk Co.
	Plumbe De Vore	R. L. Polk Co.
	Rodgers Chas E	R. L. Polk Co.
	Rogers Caroline E	R. L. Polk Co.
	Slaten Don	R. L. Polk Co.
	Smith Linda M	R. L. Polk Co.
	Street continued	R. L. Polk Co.
	Stsk Wm J	R. L. Polk Co.
	Vollmer Robt J	R. L. Polk Co.
1955	Anderson Duane N	R. L. Polk Co.
1950	Hopper K R	R. L. Polk & Co.
1945	Hopper K R	R. L. Polk Co.
1940	Vacant	R. L. Polk Co.
1930	Moore C M	R. L. Polk Co. of California
1925	Mc Lin O M	R. L. Polk & Co.
1922	Mc Lin O M	R. L. Polk Co.

S 4TH ST

459 S 4TH ST

Year	Uses	Source
2006	HARDING Waler	Haines Company, Inc.
1986	Duarte Jesus	Pacific Bell
1957	Owen Carl E r:	R. L. Polk Co.

S 4th St

475 S 4th St

Year	Uses	Source
2014	ARACELI MEZA	EDR Digital Archive
	GARDEN SOLUTION	EDR Digital Archive
2010	ARACELI MEZA	EDR Digital Archive

FINDINGS

Year	Uses	Source
2010	GARDEN SOLUTION	EDR Digital Archive

S 4TH ST

475 S 4TH ST

Year	Uses	Source
2006	APARTMENTS	Haines Company, Inc.
	HERNANDEZBerta	Haines Company, Inc.
	LEON Perez Erasmo	Haines Company, Inc.
	MA Hoa	Haines Company, Inc.
	MEZAJose L	Haines Company, Inc.
	NGUYEN Chuc	Haines Company, Inc.
	NGUYEN Lua	Haines Company, Inc.
	NGUYENTh I K	Haines Company, Inc.
1991	Au Tam	PACIFIC BELL WHITE PAGES
	ENRIQUE LUIS	PACIFIC BELL WHITE PAGES
	Linh Nham	PACIFIC BELL WHITE PAGES
1986	Au Tam	Pacific Bell
	Du Tinh	Pacific Bell
	Foster Bob	Pacific Bell
	Huynh Dung	Pacific Bell
	Lieu Thai	Pacific Bell
	Metry L R	Pacific Bell
	Ou Tran	Pacific Bell
1985	AU TAM	Pacific Bell
	DU TRAN	Pacific Bell
	FOSTER BOB	Pacific Bell
	HUYNH DUNG	Pacific Bell
	LIEU THOI	Pacific Bell
	MATRY LR	Pacific Bell
1980	Bolter A	Pacific Telephone
	Foster Robt E	Pacific Telephone
	Hunyady Judy	Pacific Telephone
	Lieu Thoi	Pacific Telephone
	Metry LR	Pacific Telephone
	Nguyen Viet	Pacific Telephone
	Patel Narendra	Pacific Telephone
	United Nations Gift & Information Center	Pacific Telephone
1975	BARACCO ANDREW	Pacific Telephone

FINDINGS

Year	Uses	Source
1975	CECCARELLI S	Pacific Telephone
	CORPUZ GEO	Pacific Telephone
	DE KROKHALEFF NATHALIE	Pacific Telephone
	WILLSON RANDY	Pacific Telephone
1963	Anderson Richard H	Pacific Telephone
	Hanshue Judy	Pacific Telephone
	Holappa Marilyn	Pacific Telephone
	Hoque Stella	Pacific Telephone
	Hurlbert Russell L	Pacific Telephone
	Langdon Verne	Pacific Telephone
	Miller April A	Pacific Telephone
	Moore Kathleen M	Pacific Telephone
	Pate Fletcher	Pacific Telephone
	Raimondi D L	Pacific Telephone
	Raimondi Sally K	Pacific Telephone
	Sketlhley Dana D	Pacific Telephone
	Vollmer Cecily	Pacific Telephone
	Vollmer Robt J	Pacific Telephone
1957	FREDERICKSEN WESLEY J MRS	Pacific Telephone

FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

2ND ST S

416 2ND ST S

Year	Uses	Source
1945	Gwynn J F	R. L. Polk Co.
1940	Morris Jack	R. L. Polk Co.
1935	Mc Geoghegan Paul	R. L. Polk & Co. of California
1930	Leamey Lucile A	R. L. Polk Co. of California

418 2ND ST S

Year	Uses	Source
2000	VU Tuyen	Haines & Company
1975	Vacant	Pacific Telephone
1970	A l Refrigeration Service Inc	R. L. Polk & Co.
1966	A 1 REFRIGERATION SERVICE INC	R. L. Polk & Co.
1960	418 20 A 1 Refrigeration	R. L. Polk Co.
1955	A 1 Refrig Serv	R. L. Polk Co.
1950	A 1 Refrig Serv	R. L. Polk & Co.
1945	Jiles Etta Mrs	R. L. Polk Co.
	Iverson Iver	R. L. Polk Co.
	Hazard E J	R. L. Polk Co.
1940	Wilcox E L	R. L. Polk Co.
	Hazard E L	R. L. Polk Co.
	Gomez Gladys E	R. L. Polk Co.
	Boardman Alda Mrs	R. L. Polk Co.
1935	Hart Wm	R. L. Polk & Co. of California
1930	Proffitt V A	R. L. Polk Co. of California
	Hart Wm	R. L. Polk Co. of California
1925	Moulton A H	R. L. Polk & Co.
	Leamey Lucille	R. L. Polk & Co.
	Clark Chas	R. L. Polk & Co.
	Hazard E J	R. L. Polk & Co.
1922	Hazard E J	R. L. Polk Co.
	Leamey Lucile	R. L. Polk Co.
	Parker Mrs Mary	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1922	Moulton A H	R. L. Polk Co.

420 2ND ST S

Year	Uses	Source
2000	GOOD CALI TRADING INC	Haines & Company
	DAI THANH SUPERMRKT	Haines & Company
1996	DAt THANH SUPERMARKET	Pacific Bell
	GOOD CALI TRADING INC	Pacific Bell
1975	Vacant	Pacific Telephone
1960	418 20 A 1 Refrigeration	R. L. Polk Co.
1955	Figone Music Co mus tchr	R. L. Polk Co.
1950	Figone Music Co	R. L. Polk & Co.
1945	Bute Florence	R. L. Polk Co.
1940	Galanes Adam	R. L. Polk Co.
1935	Galanes Adam	R. L. Polk & Co. of California
1930	Hartman E F	R. L. Polk Co. of California
1925	Seibert A A	R. L. Polk & Co.
1922	Crouser L P	R. L. Polk Co.
	Thomas T E	R. L. Polk Co.

421 2ND ST S

Year	Uses	Source
1925	Ryland J R	R. L. Polk & Co.

425 2ND ST S

Year	Uses	Source
2000	HOPKINS Bnan	Haines & Company
	1/2 BECKWITH Troy D	Haines & Company
	NGUYEN Cuc	Haines & Company
1996	1/2 STEWART BECKWITH	Pacific Bell
	1/2 MUSEUM SERVICES	Pacific Bell
	1/2 Hopkins Brian	Pacific Bell
1975	RearRibbs Philip	Pacific Telephone
	Larson Leola lodgings	Pacific Telephone
1966	REAR SHORTEN ROBT	R. L. Polk & Co.
	LARSON LEOLA E MGR ROOMING HSE	R. L. Polk & Co.
1960	Larson Leola Mrs	R. L. Polk Co.
	Steltz Jene M	R. L. Polk Co.
1955	Sprague Lee O	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1955	Steltz Jene M	R. L. Polk Co.
	Larson Leola Mrs	R. L. Polk Co.
	Larsonz Leola Mrs	R. L. Polk Co.
1950	Ellis M E Mrs	R. L. Polk & Co.
	Henry Velma	R. L. Polk & Co.
1945	Ellis M E Mrs	R. L. Polk Co.
1940	Grubb T C	R. L. Polk Co.
1935	Wilson A D	R. L. Polk & Co. of California
1930	Vacant	R. L. Polk Co. of California
1922	Wood Mrs M E	R. L. Polk Co.

426 2ND ST S

Year	Uses	Source
1970	Rear Azevedo Lamont	R. L. Polk & Co.
	Larson e Loola E lodgings	R. L. Polk & Co.

430 2ND ST S

Year	Uses	Source
2000	VU Tuyen	Haines & Company
1960	Kopp F Edna Mrs	R. L. Polk Co.
1955	Kopp Alf	R. L. Polk Co.
1950	Kopp Alfd	R. L. Polk & Co.
1945	Kopp Alf	R. L. Polk Co.
1940	Kopp A H	R. L. Polk Co.
1935	Koff A H	R. L. Polk & Co. of California
1930	Kopp Alfd	R. L. Polk Co. of California
	Kopp F E Mrs gro	R. L. Polk Co. of California
1925	Kopp Alfd	R. L. Polk & Co.
1922	Kopp Alfred	R. L. Polk Co.

432 2ND ST S

Year	Uses	Source
2000	ANH CHAU IMP & EXPORT	Haines & Company
1996	ANN CHAU IMPORT & EXPORT	Pacific Bell
1975	Vacant	Pacific Telephone
1970	Vacant	R. L. Polk & Co.
1966	VACANT	R. L. Polk & Co.
1960	Ednas Cln & Mending Shop	R. L. Polk Co.
1955	Ednas Cleaning & Mending Shop	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1955	K W Distrs mail orders	R. L. Polk Co.
1950	Blockie R A heating contr	R. L. Polk & Co.
1945	Blockie G E & Son heating contrs	R. L. Polk Co.
1940	Blockie G E & Son heating contrs	R. L. Polk Co.
1935	Blockie G E & Son heating contrs	R. L. Polk & Co. of California

435 2ND ST S

Year	Uses	Source
1960	Robinson Maurice J	R. L. Polk Co.
	Jones Ernest J	R. L. Polk Co.
1955	Jones Robt A	R. L. Polk Co.
	Robinson Maurice J	R. L. Polk Co.
1950	Jones R A	R. L. Polk & Co.
1945	Jones R A	R. L. Polk Co.
1940	Schulz Cath Mrs	R. L. Polk Co.
1935	Robinson G S Mrs	R. L. Polk & Co. of California
1930	Fox R Mrs	R. L. Polk Co. of California
1925	Hayes Mrs Lillian	R. L. Polk & Co.
1922	Canfield Agnes	R. L. Polk Co.
	Caplinger Mrs Maude	R. L. Polk Co.
	Joyce Mrs E D	R. L. Polk Co.
	Mc Intyre John	R. L. Polk Co.
	Melville J M	R. L. Polk Co.
	Wilson J S	R. L. Polk Co.
	Woodworth Lyle	R. L. Polk Co.

439 2ND ST S

Year	Uses	Source
1960	Chavez Emma Mrs	R. L. Polk Co.
1945	Vacant	R. L. Polk Co.
1940	Spellman H B	R. L. Polk Co.
1935	Olson Kath Mrs	R. L. Polk & Co. of California
1930	De Wees C H	R. L. Polk Co. of California

441 2ND ST S

Year	Uses	Source
1960	Marino Sam J	R. L. Polk Co.
	1/2 Mc Conell Sally	R. L. Polk Co.
1955	Schmerber Kathryn Mrs	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1955	1/2 Elith Wm	R. L. Polk Co.
1950	Schmerber Kathryn Mrs	R. L. Polk & Co.
1945	Moore Paul	R. L. Polk Co.
	Schmerber Kath Mrs	R. L. Polk Co.
	Freeman C J Mrs	R. L. Polk Co.
1940	Schmerber Kath Mrs	R. L. Polk Co.
1935	Schmerber Kath Mrs o	R. L. Polk & Co. of California
	1/2 Robinson Edw	R. L. Polk & Co. of California
1930	Vacant	R. L. Polk Co. of California
	1/2 Hulquist C I Mrs	R. L. Polk Co. of California
1925	Burk L W	R. L. Polk & Co.
	Quinn Mrs Charlotte	R. L. Polk & Co.
	1/2 Semas L A	R. L. Polk & Co.
1922	Cook L T	R. L. Polk Co.
	Quinn Mrs Charlotte	R. L. Polk Co.
	1/2 Demian P S	R. L. Polk Co.

446 2ND ST S

Year	Uses	Source
2000	VU Tuyen	Haines & Company
	TRAN Phillip	Haines & Company
	TRAN Lieu	Haines & Company
	MA Lan Thi	Haines & Company
	APARTMENTS	Haines & Company
	LE Thi Tam	Haines & Company
1996	4 Le Thi Tam	Pacific Bell
	2 Ng Muyen Tho Thi	Pacific Bell
	1 Ma Lan Thi	Pacific Bell
	14 Zhao Wenihua	Pacific Bell
	14 Train Lieu	Pacific Bell
1975	Robinson Albert	Pacific Telephone
1970	Clark Ilazel I Mrs lodgings	R. L. Polk & Co.
1966	CLARK HAZEL I	R. L. Polk & Co.
1960	Leslies Boarding House	R. L. Polk Co.
1955	Martin Maurice L lwyr	R. L. Polk Co.
1950	Kooser L C Mrs	R. L. Polk & Co.
1945	Nicholson E G Mrs	R. L. Polk Co.
1940	Fischer W C Rev	R. L. Polk Co.
1935	Vacant	R. L. Polk & Co. of California

FINDINGS

Year	Uses	Source
1930	Kooser N B	R. L. Polk Co. of California
1925	Kooser N B	R. L. Polk & Co.
1922	Kooser N B	R. L. Polk Co.

448 2ND ST S

Year	Uses	Source
1925	Crandall Mrs J B	R. L. Polk & Co.

450 2ND ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	Cuthill James	Pacific Telephone
1966	CLARK HAZEL I FURN RMS	R. L. Polk & Co.
1955	Lord Raymond H	R. L. Polk Co.
1950	Howard E P Mrs furn rms	R. L. Polk & Co.
	Zweibormer Dennis	R. L. Polk & Co.
1945	Howard E P Mrs furn rms	R. L. Polk Co.
1940	Howard E P Mrs furn rms	R. L. Polk Co.
1935	Howard E P Mrs turn rms	R. L. Polk & Co. of California
	Childers L A	R. L. Polk & Co. of California
1930	Howard E P Mrs furn rms	R. L. Polk Co. of California
1925	Hulsman Mrs A M	R. L. Polk & Co.
1922	Minshall E M	R. L. Polk Co.

455 2ND ST S

Year	Uses	Source
2000	RAMADA LIMITED	Haines & Company
1996	BEST WESTERN INN	Pacific Bell
1975	Auditorium Travel Inn Motel 298 S Q	Pacific Telephone
1970	Mazzone Barney	R. L. Polk & Co.
	Auditorium Travel Inn motel	R. L. Polk & Co.
1966	HULLY ROY	R. L. Polk & Co.
	AUDITORIUM TRAVEL INN MOTEL	R. L. Polk & Co.

456 2ND ST S

Year	Uses	Source
2000	C M V & VASSOCIATES	Haines & Company
	TRUONG THANH	Haines & Company
	1ST AMERICAN	Haines & Company
	FINANCIAL DEVLP	Haines & Company

FINDINGS

Year	Uses	Source
1996	1ST AMERICAN FINANCIAL DEVELOPMENT	Pacific Bell
	CWIY & ASSOCIATES	Pacific Bell
	H D FREIGHT & TRAVEL	Pacific Bell
	OOAN MINH	Pacific Bell
	THAI NGUYEN	Pacific Bell
	HAPPY SIGNS	Pacific Bell
1975	Baird Wm A rw	Pacific Telephone
	Baird Wm A Real Estate	Pacific Telephone
1966	BAIRD NW A INS AGT	R. L. Polk & Co.
	BAIRD REALTY REAL EST	R. L. Polk & Co.
1960	Baird Wm A	R. L. Polk Co.
1955	Baird W A	R. L. Polk Co.
1950	Baird W A	R. L. Polk & Co.
1945	Vacant	R. L. Polk Co.
1940	Gleason C B	R. L. Polk Co.
1935	Gleason C B o	R. L. Polk & Co. of California
1930	Gleason C B	R. L. Polk Co. of California
1925	Gleason C B	R. L. Polk & Co.
1922	Gleason C B	R. L. Polk Co.

458 2ND ST S

Year	Uses	Source
2000	BULMORE Robert	Haines & Company
	ALWAYS BOUTIQUES	Haines & Company
1975	San Jose Safe And Lock	Pacific Telephone
1970	San Jose Safe And Lock	R. L. Polk & Co.
1966	SAN JOSE SAFE AND LOCK	R. L. Polk & Co.
1960	Kalash Vitamins	R. L. Polk Co.
1955	University Clnrs	R. L. Polk Co.
1950	Radbourne L F clo clnr	R. L. Polk & Co.

460 2ND ST S

Year	Uses	Source
2000	RUBY JEWELERS	Haines & Company
1996	NANG AN DUOC HANG	Pacific Bell
1975	Vacant	Pacific Telephone
1970	Vacant	R. L. Polk & Co.
1960	Baird Wm A real est	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1955	Baird Wm A Ins Agcy	R. L. Polk Co.
1950	Baird Wm A Ins Agcy	R. L. Polk & Co.
	Paull G F real est	R. L. Polk & Co.
1930	Buck Richd	R. L. Polk Co. of California

462 2ND ST S

Year	Uses	Source
1955	Morris Delmer I	R. L. Polk Co.
1950	Vacant	R. L. Polk & Co.
1945	Mc Donald Harold	R. L. Polk Co.
1940	Chamberlin F K	R. L. Polk Co.
	Cotier Wm	R. L. Polk Co.
1935	Ott A M	R. L. Polk & Co. of California
1930	Ott A M	R. L. Polk Co. of California
1925	Ott A M	R. L. Polk & Co.
1922	Ott A M	R. L. Polk Co.

463 2ND ST S

Year	Uses	Source
1960	San Jose Launderette	R. L. Polk Co.
1955	San Jose Launderette	R. L. Polk Co.
1950	Finberg Rena Mrs womens clo	R. L. Polk & Co.
1945	Carpenters Health Aids	R. L. Polk Co.
	Welch W F	R. L. Polk Co.
1940	Benkelman Frank restr	R. L. Polk Co.
1935	Goodwinl R B	R. L. Polk & Co. of California
1930	Vacant	R. L. Polk Co. of California
1925	Vacant	R. L. Polk & Co.
1922	Tuttle H D	R. L. Polk Co.

464 2ND ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	Caseys TV Repair	Pacific Telephone
1970	Arts Barber Shop	R. L. Polk & Co.
1966	CARMS BARBER SHOP	R. L. Polk & Co.
1960	Vacant	R. L. Polk Co.
1955	Finberg Stan C	R. L. Polk Co.
1945	Ershan Edna Mrs	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1940	Holm Hayden	R. L. Polk Co.
1935	Fletcher Helen	R. L. Polk & Co. of California
1930	Peters John jr	R. L. Polk Co. of California
1925	Towne M G	R. L. Polk & Co.

466 2ND ST S

Year	Uses	Source
2000	THANH BACH BAKERY	Haines & Company
1996	THANH BACH COFFEE SHOP	Pacific Bell
1975	Esquire Barber Shop	Pacific Telephone
1970	Baird Wm A Real state	R. L. Polk & Co.
	Baird Wm A	R. L. Polk & Co.
	Elvas Exclusive Hairstyling	R. L. Polk & Co.
1966	ELVAS EXCLUSIVE HAIRSTYLING	R. L. Polk & Co.
1955	Smiling Stan The TV Man	R. L. Polk Co.
1950	Finberg Stanley radio repr	R. L. Polk & Co.
1940	Speed Jas	R. L. Polk Co.
1935	Vacant	R. L. Polk & Co. of California

468 2ND ST S

Year	Uses	Source
1955	No return	R. L. Polk Co.
	Alvarez Mary L Mrs	R. L. Polk Co.
	Hernandez Mary Mrs	R. L. Polk Co.
1950	Vacant	R. L. Polk & Co.
1945	Bridson E F	R. L. Polk Co.
	Holden M A	R. L. Polk Co.
1940	Rumble Gertrude Mrs	R. L. Polk Co.
	Sperry Mathilda Mrs	R. L. Polk Co.
1935	Young Vivian G	R. L. Polk & Co. of California
	Barnhill E A Mrs	R. L. Polk & Co. of California
1930	Dorman W E	R. L. Polk Co. of California
1925	Crider J W	R. L. Polk & Co.
1922	Crider J W	R. L. Polk Co.

469 2ND ST S

Year	Uses	Source
1960	Dalton Mervin	R. L. Polk Co.
1955	Fitch Claude I	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1950	Mc Intyre D I Mrs	R. L. Polk & Co.
	Goddard R C	R. L. Polk & Co.
1945	Chilton Ethel Mrs	R. L. Polk Co.
1940	Nicholson Eva Mrs	R. L. Polk Co.
1935	Nicholson Eva Mrs	R. L. Polk & Co. of California
1930	Vacant	R. L. Polk Co. of California
1925	Kilpatrick Rev M M	R. L. Polk & Co.
1922	Larson C A	R. L. Polk Co.

470 2ND ST S

Year	Uses	Source
2000	FUGIT Chrstina L	Haines & Company
	MEEHAN Steve	Haines & Company
	POYE Richard	Haines & Company
1996	7 Meehan Steve	Pacific Bell
1975	Nowicki L C A	Pacific Telephone
	Dalkner Egon	Pacific Telephone
	Tasoboulos	Pacific Telephone
	Herrera J Alarcon	Pacific Telephone
	Mahone T	Pacific Telephone
	Priddy R	Pacific Telephone
	Robinson I	Pacific Telephone
	Davis A	Pacific Telephone
	Imazume S	Pacific Telephone
	Royal Palms Apartments	Pacific Telephone
	Everett G	Pacific Telephone
	Krohn Allen	Pacific Telephone
	David P I	Pacific Telephone
	Krohn E	Pacific Telephone
	Schwengel Jacob	Pacific Telephone
	Esponoza D	Pacific Telephone
	Meehan D	Pacific Telephone
1970	Royal Palms Apartments	R. L. Polk & Co.
	Anti Paul J	R. L. Polk & Co.
	Krohn Allen	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Fitzimmons Ray	R. L. Polk & Co.
	H Vacant	R. L. Polk & Co.
	Alveraz Mary	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	Vacant	R. L. Polk & Co.
	Goessler Alice Mrs	R. L. Polk & Co.
	Martine A	R. L. Polk & Co.
	Allen Harvey C	R. L. Polk & Co.
1966	VACANT APTS	R. L. Polk & Co.
	WOODBRIDGE AILEEN E	R. L. Polk & Co.
	VACANT APTS	R. L. Polk & Co.
	GESSLER ALICE MRS	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	GANGRILY A K	R. L. Polk & Co.
	VACANT APTS	R. L. Polk & Co.
	PREISSER MARGT E	R. L. Polk & Co.
	VACANT APTS	R. L. Polk & Co.
	ROYAL PALMS APARTMENTS	R. L. Polk & Co.
	SEPULVEDA RAYMOND	R. L. Polk & Co.
	KROHN AL	R. L. Polk & Co.
	SHUCK SHERRI	R. L. Polk & Co.
1960	Royal Palm Apartments	R. L. Polk Co.
	Pond Herbert	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Bauer Gertrude	R. L. Polk Co.
	Garofla Violet Mrs	R. L. Polk Co.
	Mekata Sachi	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Villa Joseph	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Mencarini Manuel	R. L. Polk Co.
	Jones Wilda H Mrs	R. L. Polk Co.
	Maykovich John J	R. L. Polk Co.
	No Return	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Alcomtara Michl	R. L. Polk Co.
	Fink Albert	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Street continued	R. L. Polk Co.

FINDINGS

475 2ND ST S

Year	*Uses*	*Source*
2000	PATEL Bhikhubhat	Haines & Company
	TOWNHOUSE MOTEL	Haines & Company
1996	TOWNHOUSE MOTEL	Pacific Bell
1975	San Jose Town House Motel	Pacific Telephone
	Bane P	Pacific Telephone
1970	Town I louse Motel	R. L. Polk & Co.
1966	TOWN HOUSE MOTEL	R. L. Polk & Co.
1960	Rothman John	R. L. Polk Co.
	Henderson Carole	R. L. Polk Co.
	Scotter James	R. L. Polk Co.
	Watson R G	R. L. Polk Co.
	No Return	R. L. Polk Co.
	Strombe John	R. L. Polk Co.
	Hirasuna Geo	R. L. Polk Co.
	Bishop Adrian	R. L. Polk Co.
	Casey Robt J	R. L. Polk Co.
	Skelton Geo	R. L. Polk Co.
	Eley Jo Ann	R. L. Polk Co.
	Kayoyler Judy J	R. L. Polk Co.
	Massey Frank A	R. L. Polk Co.
	Yonker s Claudra	R. L. Polk Co.
	Dietrech Yvonne	R. L. Polk Co.
	Street continued	R. L. Polk Co.
	Apartments	R. L. Polk Co.
	Ziez Kurt	R. L. Polk Co.
	Ullrich Mary L	R. L. Polk Co.
	Taylor Blake	R. L. Polk Co.
	Cushnie Barbara	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Brouillard Bernarde	R. L. Polk Co.
	Cram Veri	R. L. Polk Co.
	Barkley Wm	R. L. Polk Co.
	Holt Robt	R. L. Polk Co.
	Quellette J P	R. L. Polk Co.
	Lawrence Marie	R. L. Polk Co.
	Lagoezinski James	R. L. Polk Co.
	Hughes Lueanna	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1960	No Return	R. L. Polk Co.
	James Gloria	R. L. Polk Co.
	Miller Sam	R. L. Polk Co.
	Guateveson Erma	R. L. Polk Co.
	Freeman Robt	R. L. Polk Co.
	Rickey T W	R. L. Polk Co.
	Federoff Geo	R. L. Polk Co.
	Geovese Alma	R. L. Polk Co.
	Vallio Robt D	R. L. Polk Co.
	Mooney Norman	R. L. Polk Co.
	Lee Barbara	R. L. Polk Co.

476 2ND ST S

Year	Uses	Source
2000	DURHAM Malcolm	Haines & Company
1975	Vacant	Pacific Telephone
1970	Vacant	R. L. Polk & Co.
1966	VACANT	R. L. Polk & Co.
1960	Davis Penna J Mrs	R. L. Polk Co.
1955	Davis Penna Mrs	R. L. Polk Co.
1950	Davis Penna Mrs	R. L. Polk & Co.
1945	Vacant	R. L. Polk Co.
1940	Wyman J A Mrs	R. L. Polk Co.
1935	Vacant	R. L. Polk & Co. of California
1930	Dickson W F	R. L. Polk Co. of California
1925	Vacant	R. L. Polk & Co.
1922	Mc Millin Mrs P C	R. L. Polk Co.

478 2ND ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	Mayerhofer Linda	Pacific Telephone
1970	No Return	R. L. Polk & Co.
1966	SAMPLER FRED J	R. L. Polk & Co.
1960	Luther Bernice	R. L. Polk Co.
1955	Luther Bernice	R. L. Polk Co.
1950	Luther Bernice	R. L. Polk & Co.
1945	Luther Bernice	R. L. Polk Co.
1940	Luther J R Mrs	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1935	Luther J R Mrs o	R. L. Polk & Co. of California
1930	Bates E J	R. L. Polk Co. of California
1925	Williamson L H	R. L. Polk & Co.
1922	Anderson O B	R. L. Polk Co.

481 2ND ST S

Year	Uses	Source
1925	Petersen A	R. L. Polk & Co.

482 2ND ST S

Year	Uses	Source
2000	SANJSE ART LEAGUE	Haines & Company
1996	SAN JOSE ART LEAGUE	Pacific Bell
1975	San Jose Art Center The gallery	Pacific Telephone
1970	San Jose Art Center The gallery	R. L. Polk & Co.
1966	SAN JOSE ART CENTER THE GALLERY	R. L. Polk & Co.
1960	Brooks Ernest L	R. L. Polk Co.
1955	Ferry Sloma M Mrs	R. L. Polk Co.
	Brooks Earnest L	R. L. Polk Co.
1950	Gundiff Harold	R. L. Polk & Co.
	Ferry A L	R. L. Polk & Co.
1945	Ferry A L	R. L. Polk Co.
	Johnson J G	R. L. Polk Co.
1940	Carpenter Stella	R. L. Polk Co.
	Cothman Mary Mrs	R. L. Polk Co.
1935	Durrin L E	R. L. Polk & Co. of California
	Bates S M Mrs o	R. L. Polk & Co. of California
1930	Carroll C E	R. L. Polk Co. of California
1925	Bates F C	R. L. Polk & Co.
1922	Bates F C	R. L. Polk Co.

492 2ND ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1922	Lumbard G B	R. L. Polk Co.

495 2ND ST S

Year	Uses	Source
2000	FKIARAS Eventhia	Haines & Company
	SINGHS MARKET	Haines & Company

FINDINGS

Year	Uses	Source
1996	SINGHS MARKET	Pacific Bell
1975	Garden City Food Market	Pacific Telephone
1970	Garden City Food Market	R. L. Polk & Co.
1966	GARDEN CITY FOOD MARKET GRO	R. L. Polk & Co.
1960	Garden City Food Mkt Gro	R. L. Polk Co.
1955	Garden City Food Mkt gro	R. L. Polk Co.

496 2ND ST S

Year	Uses	Source
2000	PHAN Bang	Haines & Company
1996	ACUPUNCTURE HEALING	Pacific Bell
1975	Arellano Felippe S	Pacific Telephone
1970	Zoloezzi Lena Mrs	R. L. Polk & Co.
1966	ZOLIZZI LENA MRS	R. L. Polk & Co.
1960	Dietrich Chas	R. L. Polk Co.
	Square Deal Used Furn	R. L. Polk Co.
	Zoizzi Lena	R. L. Polk Co.
1955	Geoffroy Clorinda interiors and antiques	R. L. Polk Co.
	Zolezzi Lena Mrs	R. L. Polk Co.
1950	Schulenburg A L uphol	R. L. Polk & Co.
1945	Heacock H M Mrs	R. L. Polk Co.
	Hall P W	R. L. Polk Co.
1940	Hall P W	R. L. Polk Co.
	Tuttle Leonard	R. L. Polk Co.
	Weakly L E	R. L. Polk Co.
1935	Gauthier Wm	R. L. Polk & Co. of California
	Hall P W	R. L. Polk & Co. of California
	Lumbard G B o	R. L. Polk & Co. of California
1930	Hall P W	R. L. Polk Co. of California
	Lumbard Giles	R. L. Polk Co. of California
	Yeagy J W	R. L. Polk Co. of California
1925	Hall P W	R. L. Polk & Co.
	Hickman Laura I	R. L. Polk & Co.
	Skinner R E	R. L. Polk & Co.
1922	Hickman L I	R. L. Polk Co.
	Laws C H	R. L. Polk Co.

FINDINGS

497 2ND ST S

Year	Uses	Source
2000	SAIGON BEAUTY SALON	Haines & Company
1996	SAIGON BEAUTY SALON	Pacific Bell
1975	Blakes Jack Hair Fashions	Pacific Telephone
1970	Blakes Jack Hair Fashions	R. L. Polk & Co.
1966	BLAKE S JACK HAIR FASHIONS	R. L. Polk & Co.
1960	Blakes Jack Hair Fashions	R. L. Polk Co.
1955	Macs Ins Agcy	R. L. Polk Co.
1925	Lemmon Mrs M J	R. L. Polk & Co.
1922	Lemmon R L	R. L. Polk Co.

498 2ND ST S

Year	Uses	Source
1996	GAPDI PRINTING	Pacific Bell
1975	Green Gables Antiques	Pacific Telephone
1970	Oliver Oddities antiques	R. L. Polk & Co.
1966	BELLOFF FRED	R. L. Polk & Co.
	ATLAS HEATING & VENTILATING CO LTD	R. L. Polk & Co.

499 2ND ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	Launderette self serv	Pacific Telephone
1970	Vacant	R. L. Polk & Co.
1966	SAN JOSE LAUNDERETTE	R. L. Polk & Co.
1960	Maynard Lyon int dec	R. L. Polk Co.
1955	Maynard Lyon side ent	R. L. Polk Co.
1950	Three Crown Productions storage yd	R. L. Polk & Co.
1935	Hansen Bros used cars	R. L. Polk & Co. of California
1930	Hansen A E used cars	R. L. Polk Co. of California

501 2ND ST S

Year	Uses	Source
2000	OHAN Martin	Haines & Company
1975	Vacant	Pacific Telephone
1966	HAMMONDS W L	R. L. Polk & Co.
1960	Goodbrod Juanita M	R. L. Polk Co.
1955	Brelle Richd E	R. L. Polk Co.
1950	Brelle R E	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1945	Brelle R E	R. L. Polk Co.
1940	Hesse F G	R. L. Polk Co.
1935	Brelle Sophie Mrs o	R. L. Polk & Co. of California
1930	Brelle Sophia Mrs	R. L. Polk Co. of California
1925	Brelle Mrs Sophie	R. L. Polk & Co.

502 2ND ST S

Year	Uses	Source
2000	MERCEDES HARDING CO SDPECTIAFL	Haines & Company
	B M W HARDING CO SPECIALISTS	Haines & Company
	HARDING W E CO	Haines & Company
1996	HARDING W E CQ INC MERCEDES & BMW	Pacific Bell
1975	Auto Service Center	Pacific Telephone
1970	Vacant	R. L. Polk & Co.
1966	BEACON SERVICE STATION NO	R. L. Polk & Co.
1960	Sahara Oil Co gas sta	R. L. Polk Co.
1955	Wolverton Oil Co gas sta	R. L. Polk Co.
1950	Gish E J gas sta	R. L. Polk & Co.
1945	ONeill J R gas sta	R. L. Polk Co.
1940	Roberts Frank gas sta	R. L. Polk Co.
1935	Urzi J P gas sta	R. L. Polk & Co. of California
1930	Allen H L gas sta	R. L. Polk Co. of California

503 2ND ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1996	A Flores Sandra	Pacific Bell
1975	Falconer Irwin A	Pacific Telephone
1970	Falconer Irwin A	R. L. Polk & Co.
1966	BUNCE JAMES W	R. L. Polk & Co.
	FALCONER IRWIN A CY	R. L. Polk & Co.
1960	Falconer Trwin A	R. L. Polk Co.
	Bunce Jas W	R. L. Polk Co.
1955	Falconer Irwin A	R. L. Polk Co.
1950	Falconer I A	R. L. Polk & Co.
1945	Mueller G R	R. L. Polk Co.
	Falconer I A	R. L. Polk Co.
1940	Falconer I A	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1940	Fortier J H	R. L. Polk Co.
1935	Falconer I A	R. L. Polk & Co. of California
	Fortier J H	R. L. Polk & Co. of California
1930	Albertson R P	R. L. Polk Co. of California
	Callahan J F	R. L. Polk Co. of California
1925	Mc Millin Mrs P C	R. L. Polk & Co.
	Crawford G F	R. L. Polk & Co.
1922	Kebby M H	R. L. Polk Co.
	Brelle F G	R. L. Polk Co.

505 2ND ST S

Year	Uses	Source
2000	MURTHA Mary	Haines & Company
1996	Carrasco Jesse	Pacific Bell
1975	Niggemann Anna Mrs	Pacific Telephone
1970	Rear Me Kittrick Geo	R. L. Polk & Co.
	Wells Troy	R. L. Polk & Co.
	Niggemann Ann Mrs	R. L. Polk & Co.
1966	REAR MC KITTRICK GEO	R. L. Polk & Co.
	WELLS TROY	R. L. Polk & Co.
	HENNESSEY MARY A MRS	R. L. Polk & Co.
1960	Manning Edith	R. L. Polk Co.
	Robertson Saml	R. L. Polk Co.
1955	Horowitz Lewis W	R. L. Polk Co.
	Hennessey Mary A Mrs	R. L. Polk Co.
1950	Hennessey Frank	R. L. Polk & Co.
1945	Hennessey F J	R. L. Polk Co.
1940	Hennessey M A Mrs	R. L. Polk Co.
	Hennessey F J	R. L. Polk Co.
1935	Hennessey F J o	R. L. Polk & Co. of California
1930	Hennessey F J	R. L. Polk Co. of California
1925	Boyd Jas	R. L. Polk & Co.
1922	Boyd Jas	R. L. Polk Co.

507 2ND ST S

Year	Uses	Source
2000	TAIX Jimsy B	Haines & Company
	HUGGER M M	Haines & Company
1996	Hugger M M	Pacific Bell

FINDINGS

Year	Uses	Source
1996	Taix Jimsy B	Pacific Bell
1975	Taix Jimsy B Mrs	Pacific Telephone
1970	Vacant	R. L. Polk & Co.
1966	MC CARTY LORRETTA MRS	R. L. Polk & Co.
	WILBANKS DONALD E	R. L. Polk & Co.
1960	Crawford Meta Mrs	R. L. Polk Co.
1955	Boatman Hattie C Mrs	R. L. Polk Co.
	Rickenbacher Heinz	R. L. Polk Co.
1950	Levine S T	R. L. Polk & Co.
	Solomon Morris	R. L. Polk & Co.
1945	Levine S T	R. L. Polk Co.
	Soloman Jennie Mrs	R. L. Polk Co.
1940	Levine S T	R. L. Polk Co.
1935	Randrup Lena Mrs furn rms	R. L. Polk & Co. of California
	Randrup J B	R. L. Polk & Co. of California
1930	Barry G L	R. L. Polk Co. of California
1925	Whittington Mrs Nellie	R. L. Polk & Co.
	Barry G L	R. L. Polk & Co.
1922	Barry G L	R. L. Polk Co.

509 2ND ST S

Year	Uses	Source
1925	Naire Wm	R. L. Polk & Co.

516 2ND ST S

Year	Uses	Source
2000	CONTL AUTO PARTS	Haines & Company
	HARDING Walter	Haines & Company
1996	CONTINENTAL AUTO PARTS	Pacific Bell
1970	J B Enterprises imports	R. L. Polk & Co.
1966	GIRL FRIDAY LETTER SHOP SEC SERV	R. L. Polk & Co.
	CONSTRUCTION MAILING SERVICE	R. L. Polk & Co.
1960	Pranger Advertising Art	R. L. Polk Co.

518 2ND ST S

Year	Uses	Source
2000	COON Lorie	Haines & Company
	RADCLIFFE James	Haines & Company
1996	1 Coon Lori	Pacific Bell

FINDINGS

Year	Uses	Source
1996	2 Radcliffe James	Pacific Bell
	4 Rogge Jeffrey C	Pacific Bell
1975	Vacant	Pacific Telephone
1970	English R Dennis	R. L. Polk & Co.
	Rear Pelsic Nick	R. L. Polk & Co.
1966	DIXON DELMIRA N MRS	R. L. Polk & Co.
	REAR SCHROEDER JOHN	R. L. Polk & Co.
1960	Chargen Judy	R. L. Polk Co.
	Gonzalez Teresa B	R. L. Polk Co.
	Harding Emma E Mrs	R. L. Polk Co.
1955	Hernandez Wm	R. L. Polk Co.
	Lustre Craft Sls cookware	R. L. Polk Co.
	Mc Mahon Harold L	R. L. Polk Co.
	Messier Earl J	R. L. Polk Co.
	Withers B C Mrs	R. L. Polk Co.
1950	I Am Reading Room	R. L. Polk & Co.
	Bauer Wm	R. L. Polk & Co.
	Egan Garvin	R. L. Polk & Co.
	Heimgartner R W	R. L. Polk & Co.
1945	Olroyd Foster	R. L. Polk Co.
1940	Higbie H W archt	R. L. Polk Co.
	Higbie Jane C int dec	R. L. Polk Co.
	Higbie Studios int dec	R. L. Polk Co.
1935	Higbie Jane C interior dec	R. L. Polk & Co. of California
	Higbie Studios intdecorator	R. L. Polk & Co. of California
	Higbie H W archt	R. L. Polk & Co. of California
1930	Higbie H W archt	R. L. Polk Co. of California
	Higbie Jane C interior decorator	R. L. Polk Co. of California
1925	Higbie H W	R. L. Polk & Co.
1922	Gert Mrs A C	R. L. Polk Co.

520 2ND ST S

Year	Uses	Source
2000	EL SOL UNIQUE MEXCN ART IMPRTS	Haines & Company
1975	Vacant	Pacific Telephone
1970	Regal Map Co map publ	R. L. Polk & Co.
	Aqua Velop Industries color proofing	R. L. Polk & Co.
1966	PRANGER EON H COML ART & SILK SCREEN PRNTG CY	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	CALI GRAPHICS MAP PUBL	R. L. Polk & Co.
	REGAL MAP CO MAP PUBL	R. L. Polk & Co.
	AOUA VELOP INDUSTRIES COLOR PROOFING	R. L. Polk & Co.
1960	Pranger Edw adv art	R. L. Polk Co.

523 2ND ST S

Year	Uses	Source
1922	Coyle Mrs S C	R. L. Polk Co.

3RD S

477 3RD S

Year	Uses	Source
1957	van nedy Ha RInsurance Agcy	R. L. Polk Co.
	Van Gny i ert 61 Fuler Av CY press	R. L. Polk Co.

3RD ST S

350 3RD ST S

Year	Uses	Source
1955	Vacant	R. L. Polk Co.
1950	Blair M W	R. L. Polk & Co.
	Bodkin Effie Mrs	R. L. Polk & Co.
	Kelley Albt	R. L. Polk & Co.
	Kingdon H H	R. L. Polk & Co.
	Mayer F W	R. L. Polk & Co.
	Mayer Kenneth	R. L. Polk & Co.
	Morrell Jean Mrs	R. L. Polk & Co.
	Polson John	R. L. Polk & Co.
	Walker J R	R. L. Polk & Co.
	Warner Leah Mrs	R. L. Polk & Co.
	Zwinge M E Mrs	R. L. Polk & Co.
1945	Hailey Jessie Mrs	R. L. Polk Co.
	Coe Thos	R. L. Polk Co.
	Freer I C Mrs	R. L. Polk Co.
	Ingrain Anne Mrs	R. L. Polk Co.
	Lewis David	R. L. Polk Co.
	Martindale Mildred C	R. L. Polk Co.
	MCCauley John	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1945	Morrell Jean Mrs	R. L. Polk Co.
	Rudedell E C Mrs	R. L. Polk Co.
1940	Mc Kenney John	R. L. Polk Co.
	Ruddell Effie Mrs	R. L. Polk Co.
	Touse Fred	R. L. Polk Co.
	Towsley N H	R. L. Polk Co.
	Worswich Imogene	R. L. Polk Co.
	DAna Betty	R. L. Polk Co.
	Hawes Harriet Mrs	R. L. Polk Co.
	Henderson Claude	R. L. Polk Co.
1935	Barnes Ray	R. L. Polk & Co. of California
	Hood Maurice	R. L. Polk & Co. of California
	Peterson W H	R. L. Polk & Co. of California
	Tunison Paul	R. L. Polk & Co. of California
1930	Vacant	R. L. Polk Co. of California
1925	Maulding S M	R. L. Polk & Co.
	Sperry T A	R. L. Polk & Co.
1922	Sperry T A	R. L. Polk Co.

351 3RD ST S

Year	Uses	Source
1950	Vacant	R. L. Polk & Co.
1945	Sandern C C Mrs	R. L. Polk Co.
1940	Rocca J E	R. L. Polk Co.
1935	Hamilton W E	R. L. Polk & Co. of California
1930	Clarke Helen J	R. L. Polk Co. of California
1925	Bennetts E T	R. L. Polk & Co.
1922	Hancock Mrs Ella	R. L. Polk Co.

352 3RD ST S

Year	Uses	Source
1930	Bennett Retta Mrs	R. L. Polk Co. of California
1925	Allen Mrs Belle	R. L. Polk & Co.
1922	Hilldreth Mrs L J	R. L. Polk Co.

356 3RD ST S

Year	Uses	Source
1945	Killeen A A	R. L. Polk Co.
1940	Brown Isaac	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1940	Killeen A A	R. L. Polk Co.
1935	Falconer D L	R. L. Polk & Co. of California
	Killeen A A	R. L. Polk & Co. of California
1930	Killeen A A	R. L. Polk Co. of California
1925	Killeen A A	R. L. Polk & Co.
1922	Hegeman Mrs Mary	R. L. Polk Co.
	Killeen A A	R. L. Polk Co.

357 3RD ST S

Year	Uses	Source
1925	Shroyer Lot	R. L. Polk & Co.
	Redwood Home	R. L. Polk & Co.
	Bogner G C	R. L. Polk & Co.
1922	Lund Mrs Ida	R. L. Polk Co.
	Rice Mrs Amy	R. L. Polk Co.
	Withers Ruby	R. L. Polk Co.
	Redwood Home	R. L. Polk Co.
	Bogner G C	R. L. Polk Co.
	Cline R W	R. L. Polk Co.
	Jesperson D S	R. L. Polk Co.

358 3RD ST S

Year	Uses	Source
1955	Brommer Arth J Rev	R. L. Polk Co.

369 3RD ST S

Year	Uses	Source
1970	First Immanuel Lutheran Church Class Rm	R. L. Polk & Co.
1966	FIRST EMMANUEL LUTHERAN CHURCH CLASS RM	R. L. Polk & Co.
1960	Bigotti Richd T phys	R. L. Polk Co.
1955	Bigotti Richd T phys	R. L. Polk Co.
1950	Bigotti R T phys	R. L. Polk & Co.
1945	Payne M W phys	R. L. Polk Co.
1940	Baiocchi A J phys	R. L. Polk Co.
	Bigotti Richd phys	R. L. Polk Co.
1935	Baiocchi A J phys	R. L. Polk & Co. of California
1930	Davis A F	R. L. Polk Co. of California
1925	Dayton Fred	R. L. Polk & Co.

Year	Uses	Source
1925	Menzel Mrs Margaret	R. L. Polk & Co.
	Reed Jas	R. L. Polk & Co.
1922	Hartman Harry	R. L. Polk Co.
	Linesba W W	R. L. Polk Co.
	Parsons Chester	R. L. Polk Co.
	Shephard Ruth	R. L. Polk Co.

370 3RD ST S

Year	Uses	Source
1955	First Immanuel Lutheran Ch	R. L. Polk Co.

371 3RD ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1970	Lovely James P phys	R. L. Polk & Co.
1966	LOVELY JAMES P PHYS	R. L. Polk & Co.
1960	Lovely Jas P phsy	R. L. Polk Co.
1955	Lovely Jas P phys	R. L. Polk Co.
1950	Lovely J P phys	R. L. Polk & Co.
1945	Lovely J P phys	R. L. Polk Co.
1940	Lovely J P phys	R. L. Polk Co.
1935	Lovely Jas phys	R. L. Polk & Co. of California

372 3RD ST S

Year	Uses	Source
1960	Lutheran Student Center	R. L. Polk Co.

374 3RD ST S

Year	Uses	Source
2000	FIRST IMMANUEL LUTH	Haines & Company
	LUTHRN CHURCH FIRST IMMANUEL 40 S	Haines & Company
1996	FIRST IMMANUEL LUTHERAN CHURCH MISSOURI SYNOD	Pacific Bell
1975	Blanke Henry A Rev	Pacific Telephone
	First Immanuel Lutheran Church	Pacific Telephone
1970	Lutheran Student Center	R. L. Polk & Co.
	Brommer Arth J Rev	R. L. Polk & Co.
	First Immanuel Lutheran Church	R. L. Polk & Co.
1966	LUTHERAN STUDENT CENTER	R. L. Polk & Co.
	BROMMER ARTH J REV	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	FIRST IMMANUEL LUTHERAN CHURCH	R. L. Polk & Co.
1960	Brommer Arth J Rev	R. L. Polk Co.
	First Immanuel Lutheran Ch	R. L. Polk Co.

375 3RD ST S

Year	Uses	Source
2000	YWCA INM SANTA CLARA	Haines & Company
	WILSON SUSAN B RESIDENCE	Haines & Company
	WHITE Brant R	Haines & Company
	VU Tam Tin	Haines & Company
	TSAFNAT Guy	Haines & Company
	TRAN Shawn	Haines & Company
	TORRES Norma	Haines & Company
	ROBINSON Kia	Haines & Company
	OBGAZBHI Haile B	Haines & Company
	KOACH Kennath	Haines & Company
	HAILE Fanuel	Haines & Company
	JOLLY Nishtha	Haines & Company
	APARTMENTS	Haines & Company
	ANDEMICHAEL Andebrahn	Haines & Company
	DANG Tran N	Haines & Company
	DIAZ Oraclo	Haines & Company
	DUONG Dung	Haines & Company
	EMBAYE Yosef	Haines & Company
1996	411 Haile Ghezali	Pacific Bell
	408 Vu Tarm Tin	Pacific Bell
	407 Duong Dung	Pacific Bell
	316 Tran Shawn	Pacific Bell
	3 A WILSON SUSAN B RESIDENCE	Pacific Bell
	SECOND STREET ATHLETIC CLUB	Pacific Bell
	YWCA IN SANTA CLARA VALLEY	Pacific Bell
	509 Truong Thoan N	Pacific Bell
	512 De Anda D	Pacific Bell
	516 Lai Ngu Due	Pacific Bell
	518 Dao Duc	Pacific Bell
1970	Firababer Norbert	R. L. Polk & Co.
1960	Eachern Mack	R. L. Polk Co.
1955	Hughes Dale R	R. L. Polk Co.
	Meyers Fay Mrs	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1950	Wusthop W P	R. L. Polk & Co.
1945	Engelke A W	R. L. Polk Co.
	Ferrari L J	R. L. Polk Co.
1940	Hall Hope M	R. L. Polk Co.
	Santa Richd	R. L. Polk Co.

380 3RD ST S

Year	Uses	Source
1950	Honor Parking	R. L. Polk & Co.

383 3RD ST S

Year	Uses	Source
1966	FAWKNER CLARA M MRS	R. L. Polk & Co.
1960	Anderson Carl E furnished rooms	R. L. Polk Co.
1955	Fawkner Clara M lodgings	R. L. Polk Co.
1950	Fawkner Clara M furn rms	R. L. Polk & Co.
1945	Farrer Ruth P	R. L. Polk Co.
	Fawkner Clara M	R. L. Polk Co.
1940	Arens Leo	R. L. Polk Co.
1935	Barnell J E	R. L. Polk & Co. of California
	Fawkins Mae C o	R. L. Polk & Co. of California
1930	Fawkne Mae C	R. L. Polk Co. of California
1925	Sweeney C G	R. L. Polk & Co.
1922	Bollinger Mrs H E	R. L. Polk Co.

389 3RD ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	Vacant	Pacific Telephone
1970	Weinthal Mary L Mrs	R. L. Polk & Co.
1966	MC INTYRE HAZEL MRS	R. L. Polk & Co.
1960	Gillatte Raymond	R. L. Polk Co.
1955	Bruckner Realty Co	R. L. Polk Co.
1950	Ash H F radios	R. L. Polk & Co.

391 3RD ST S

Year	Uses	Source
2000	KUMAR Kiran C	Haines & Company
1975	Vacant	Pacific Telephone
1970	Johansen Ruth Z Mrs	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	JOHANSEN RUTH Z MRS	R. L. Polk & Co.
1960	Diehl Helene Mrs	R. L. Polk Co.
	Johanson Ruth Z Mrs	R. L. Polk Co.
1955	Diehl Helene Mrs	R. L. Polk Co.
1950	Ash H F	R. L. Polk & Co.

392 3RD ST S

Year	Uses	Source
1970	Hoisberg Maude L Mrs	R. L. Polk & Co.
1966	HOLSBERG MAUDE L MRS	R. L. Polk & Co.
1960	No Return	R. L. Polk Co.
	No Return	R. L. Polk Co.
1955	Hanson Clifford P	R. L. Polk Co.
1950	Hanson C P M	R. L. Polk & Co.
1945	Hanson C P M	R. L. Polk Co.
1940	Hanson C P M	R. L. Polk Co.
1935	Nicholson G N	R. L. Polk & Co. of California
1925	Schaffer Jos	R. L. Polk & Co.
1922	Towns J G	R. L. Polk Co.

393 3RD ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1996	Black Terry	Pacific Bell
1975	Reves Al	Pacific Telephone
1970	Baggott Geo E	R. L. Polk & Co.
1966	BAGGOTT GEO E	R. L. Polk & Co.
1960	Baggott Geo E	R. L. Polk Co.
1955	Baggott Geo B	R. L. Polk Co.
1950	Baggott G E	R. L. Polk & Co.

394 3RD ST S

Year	Uses	Source
1970	La Hue Lorraine L Mrs	R. L. Polk & Co.
1966	LA HUE LORRAINE L MRS	R. L. Polk & Co.
1955	Hardsity Virgil V	R. L. Polk Co.
1950	Symon Eva L	R. L. Polk & Co.
	Elliott M T Mrs	R. L. Polk & Co.
1945	burke W E	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1940	Casa Blanca Apartments	R. L. Polk Co.
	Monte Jos	R. L. Polk Co.
1935	Casa Blanca Apartments	R. L. Polk & Co. of California
	Holbrook C R	R. L. Polk & Co. of California
1930	CASA BLANCA APARTMENTS	R. L. Polk Co. of California
	Pierson Maude	R. L. Polk Co. of California
1925	Jensen E D	R. L. Polk & Co.
1922	Baker Mrs G W	R. L. Polk Co.

395 3RD ST S

Year	Uses	Source
2000	KEATSJames WREN James	Haines & Company
	KALVIDIANOS 6rck	Haines & Company
1996	12 Kalvidlanos Nick	Pacific Bell
1975	Ezpariza Olivia	Pacific Telephone
1970	Atentis Frank	R. L. Polk & Co.
1966	NO RETURN	R. L. Polk & Co.
1960	Crider Janet E Mrs furnished rooms	R. L. Polk Co.
1955	Gerath	R. L. Polk Co.
1950	La Tourrette S C Mrs furn rms	R. L. Polk & Co.
1945	Bennett G H Mrs	R. L. Polk Co.
1940	Wilson Margt Mrs	R. L. Polk Co.
	Young G D	R. L. Polk Co.
	Reynolds Chas	R. L. Polk Co.
	Parry Emma Mrs	R. L. Polk Co.
	Oliver Frank	R. L. Polk Co.
1935	Long C F	R. L. Polk & Co. of California
1930	Wilson A D	R. L. Polk Co. of California
1925	Field Mrs S G	R. L. Polk & Co.
1922	Field Mrs S G	R. L. Polk Co.

396 3RD ST S

Year	Uses	Source
1970	Vacant	R. L. Polk & Co.
1966	BABIN EDW	R. L. Polk & Co.
1960	Askew Dorene L	R. L. Polk Co.
1955	Hunter	R. L. Polk Co.
1950	Coil E L	R. L. Polk & Co.
1945	Wilson M A Mrs furn rms	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1945	Bennett G H Mrs	R. L. Polk Co.
1940	Eden B G	R. L. Polk Co.
1935	Young Quentin	R. L. Polk & Co. of California
1930	Cook O K	R. L. Polk Co. of California
1925	Casa Blanca Apts	R. L. Polk & Co.
	Groth O H	R. L. Polk & Co.
1922	Peo L V	R. L. Polk Co.
	Casa Blanca Apts	R. L. Polk Co.

398 3RD ST S

Year	Uses	Source
1975	Vacant	Pacific Telephone
1966	COYNE LUCILLE H	R. L. Polk & Co.
1960	Hopkins Chester	R. L. Polk Co.
1950	Webb L E Mrs	R. L. Polk & Co.
1945	Webb R M	R. L. Polk Co.
1940	Vacant	R. L. Polk Co.
1935	Nelson C A	R. L. Polk & Co. of California
1930	Mason F H	R. L. Polk Co. of California
1925	Keeble Mrs O B	R. L. Polk & Co.
1922	Keeble Mrs O B	R. L. Polk Co.

400 3RD ST S

Year	Uses	Source
2000	CHINACHEN	Haines & Company
1996	CHINA CHEN	Pacific Bell

402 3RD ST S

Year	Uses	Source
1970	Campus Launderette	R. L. Polk & Co.
1966	CAMPUS LAUNDERETTE	R. L. Polk & Co.
1960	Campus Launderette	R. L. Polk Co.

404 3RD ST S

Year	Uses	Source
1975	Campus Building	Pacific Telephone
	A Vacant	Pacific Telephone
	STREET CONTINUED	Pacific Telephone
	Vacant	Pacific Telephone
	College Student Insurance Service	Pacific Telephone

FINDINGS

Year	Uses	Source
1970	Campus Building	R. L. Polk & Co.
	Apartments	R. L. Polk & Co.
	Worthington E P Realtor real est	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Eineichner Donald Firearms	R. L. Polk & Co.
	So Low Construction	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
1966	CAMPUS BUILDING	R. L. Polk & Co.
	SANTOS DESIGN CO MACHINERY DESIGNS	R. L. Polk & Co.
	SEAMETS METEOROLOGISTS	R. L. Polk & Co.
	YOUNG AMERICANS FOR FREEDOM	R. L. Polk & Co.
1935	Burdick Hattie Mrs	R. L. Polk & Co. of California
1930	Cohill Helen	R. L. Polk Co. of California
1925	Hambly Mrs A H	R. L. Polk & Co.
1922	Taft Lillie N	R. L. Polk Co.

408 3RD ST S

Year	Uses	Source
2000	CREMAAIYo GRANDEParge E	Haines & Company
1975	bAskana Jennie	Pacific Telephone
	a Rutz Mark	Pacific Telephone
1970	Wachs Marsha	R. L. Polk & Co.
	ONeil Aileen	R. L. Polk & Co.
1966	NEUWALD KENNETH E	R. L. Polk & Co.
	GARCIA JOSE M	R. L. Polk & Co.
1960	Sanchez Tibuncio	R. L. Polk Co.
1955	Clark	R. L. Polk Co.
1950	Lee F L Mrs	R. L. Polk & Co.
	Roll R B	R. L. Polk & Co.
1945	Lee F L Mrs	R. L. Polk Co.
	Roll R B jr	R. L. Polk Co.
1940	Ryder C M Mrs	R. L. Polk Co.
1935	Hanson Elmira Mrs o	R. L. Polk & Co. of California
1930	Hanson Elmira Mrs	R. L. Polk Co. of California
1925	Hanson Mrs Elmira	R. L. Polk & Co.
1922	Hanson Mrs Elmira	R. L. Polk Co.

FINDINGS

413 3RD ST S

Year	Uses	Source
1922	Findley The	R. L. Polk Co.

415 3RD ST S

Year	Uses	Source
2000	VUTuyen i	Haines & Company

418 3RD ST S

Year	Uses	Source
2000	FRANCIS William	Haines & Company
	MEYERArdilh	Haines & Company
	OYAN Kalhryn M	Haines & Company
1996	3 Varnum Scott	Pacific Bell
	8 Hagen Gregory	Pacific Bell
1975	Apartments	Pacific Telephone
	White Eleanor	Pacific Telephone
	Hulanicki Leo	Pacific Telephone
	Vacant	Pacific Telephone
	Bond Willa	Pacific Telephone
	Hammon Rex	Pacific Telephone
	Attridge Richd	Pacific Telephone
	Reid Virginia	Pacific Telephone
	Lubrano Dominick	Pacific Telephone
	Brookings J J	Pacific Telephone
	Duran Tim	Pacific Telephone
1970	Lumpkin Judi	R. L. Polk & Co.
	Hulanicki Leo S	R. L. Polk & Co.
	Rear Ludin Charles	R. L. Polk & Co.
	Apartments	R. L. Polk & Co.
	Praisewater M Viola	R. L. Polk & Co.
	Trawick Effie L	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Tobias Manuel	R. L. Polk & Co.
	No Return	R. L. Polk & Co.
	Reid Virginia M Mrs	R. L. Polk & Co.
	Lubrano Dominic	R. L. Polk & Co.
1966	APARTMENTS	R. L. Polk & Co.
	PRAISEWATER M VIOLA	R. L. Polk & Co.
	LUDIN CHARLES	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	THOREN RUTH	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	OLSEN AMBER MRS	R. L. Polk & Co.
	REID VIRGINIA M MRS	R. L. Polk & Co.
	TRAWICK E C	R. L. Polk & Co.
	COTTON CORNISH	R. L. Polk & Co.
	HULANICKI LEO	R. L. Polk & Co.
1960	Apartments	R. L. Polk Co.
	Westlake Victoria P	R. L. Polk Co.
	Trawick Effie C Mrs	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Snyder Stella M Mrs	R. L. Polk Co.
	Olsen Niels C	R. L. Polk Co.
	Rench Alice R	R. L. Polk Co.
	a Alessi Santo	R. L. Polk Co.
	Moser Eva A Mrs	R. L. Polk Co.
	Beam Carrie Mrs	R. L. Polk Co.
	Blank Arth	R. L. Polk Co.
	Luden Chas	R. L. Polk Co.
	Street continued	R. L. Polk Co.
1955	Morrell	R. L. Polk Co.
	Trawick	R. L. Polk Co.
	Lile	R. L. Polk Co.
	Apartments	R. L. Polk Co.
	Apartments	R. L. Polk Co.
	Snyder Stella M Mrs	R. L. Polk Co.
	Olsen Niels C	R. L. Polk Co.
	Davis Hattie Mrs	R. L. Polk Co.
	a Alessi Santo	R. L. Polk Co.
	Moser Eva A	R. L. Polk Co.
	Beam Carrie Mrs	R. L. Polk Co.
	rear Grenier Louis	R. L. Polk Co.
1950	Breen Margt	R. L. Polk & Co.
	Courtnev M P Mrs	R. L. Polk & Co.
	Day H E Mrs	R. L. Polk & Co.
	Dietz H E Mrs	R. L. Polk & Co.
	Lile A R Mrs	R. L. Polk & Co.
	Olsen N C	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1950	Rose J A	R. L. Polk & Co.
	Silva Jack	R. L. Polk & Co.
	Snyder S M Mrs	R. L. Polk & Co.
	Kent H E music tchr	R. L. Polk & Co.
1945	Breen Margt	R. L. Polk Co.
	Courtney M P Mrs	R. L. Polk Co.
	Day H E Mrs	R. L. Polk Co.
	Life A R Mrs	R. L. Polk Co.
	robinson L I Mrs	R. L. Polk Co.
	Snyder S M Mrs	R. L. Polk Co.
	Vining Lillian Mrs	R. L. Polk Co.
	Young N M Mrs	R. L. Polk Co.
1940	Lile S W	R. L. Polk Co.
	Mc Corkle M M Mrs	R. L. Polk Co.
	Smith Doris	R. L. Polk Co.
	Snyder Stella M	R. L. Polk Co.
	Vining Harold pntr contr	R. L. Polk Co.
	Young N M Mrs	R. L. Polk Co.
	Bailey Marion J	R. L. Polk Co.
	Rockwell Dorothy music tchr	R. L. Polk Co.
	Douglas Truman M	R. L. Polk Co.
	Freer I C Mrs	R. L. Polk Co.
1935	Kenyon Beatrice Mrs	R. L. Polk & Co. of California
1930	Mc Williams John	R. L. Polk Co. of California
1925	Mc Williams John	R. L. Polk & Co.
1922	Findley D E	R. L. Polk Co.
	Mc Williams John	R. L. Polk Co.

419 3RD ST S

Year	Uses	Source
1950	Gardner Apartments	R. L. Polk & Co.
	Hendricks Wm	R. L. Polk & Co.
	Lathom S J	R. L. Polk & Co.
	Leahy Albt	R. L. Polk & Co.
	Narciso A A	R. L. Polk & Co.
	Nunes I K Mrs	R. L. Polk & Co.
	Pijanowski Theo	R. L. Polk & Co.
	Pipkin Jos	R. L. Polk & Co.
	Stock H M	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1950	Taylor F B	R. L. Polk & Co.
1945	Gardner Apartments	R. L. Polk Co.
	Anderson Gorland	R. L. Polk Co.
	Burke Mildred L	R. L. Polk Co.
	King H G	R. L. Polk Co.
	Mussrove Edith Mrs	R. L. Polk Co.
	tober Caroline Mrs	R. L. Polk Co.
	Dyer V M Mrs	R. L. Polk Co.
1940	Gardner Apartments	R. L. Polk Co.
	Berry B T	R. L. Polk Co.
	Gardner R R	R. L. Polk Co.
	Kelley J J	R. L. Polk Co.
	Perry L L	R. L. Polk Co.
1935	Gardner R R	R. L. Polk & Co. of California
	Vauder A M Mrs	R. L. Polk & Co. of California
1930	Bessey A W	R. L. Polk Co. of California
	Sears Bonnie	R. L. Polk Co. of California
	Tressler H H	R. L. Polk Co. of California
	Stanton Bessie Mrs	R. L. Polk Co. of California
1925	Deward Mrs Mary	R. L. Polk & Co.
	Gardner G W	R. L. Polk & Co.
1922	Deward Mrs Mary	R. L. Polk Co.
	Haney L D	R. L. Polk Co.
	Shepherd R J	R. L. Polk Co.

420 3RD ST S

Year	Uses	Source
2000	GARDEN PATIO APTS	Haines & Company
	AKAN 4 Kwame	Haines & Company
	BRADLEY Elma Isabel	Haines & Company
	COOLIDGEB	Haines & Company
	FIGUEROA Jerry	Haines & Company
	JOSEPH Maria	Haines & Company
	MORGAN Grlbed	Haines & Company
	NAM Thomas AZILDASHZulliqa	Haines & Company
	RAJAI Mansoor	Haines & Company
	TANNER Lee	Haines & Company
	WADE Ruth	Haines & Company
1996	1 Rhinehart Sean	Pacific Bell

FINDINGS

Year	Uses	Source
1996	3 Fung Yeurong	Pacific Bell
	10 Tran Minh N	Pacific Bell
	11 Coolidge B	Pacific Bell
	33 Klugman Vadim	Pacific Bell
	35 Bradfey Elma Isabel	Pacific Bell
1975	Garden Patio Apartments	Pacific Telephone
	Swenson Anna T Mrs	Pacific Telephone
	Merrill Wm	Pacific Telephone
	Gorley John C	Pacific Telephone
	Myers R	Pacific Telephone
	Egherman D	Pacific Telephone
	Brusseau D	Pacific Telephone
	Bailey P	Pacific Telephone
	Smith 0 D	Pacific Telephone
	Hines Mary H	Pacific Telephone
	Meeks L	Pacific Telephone
	Carpenter Thos H	Pacific Telephone
	Fleming M C	Pacific Telephone
	Gregory M	Pacific Telephone
	Derringer Kurt	Pacific Telephone
	Dennis Ellen	Pacific Telephone
	Smith Joseph	Pacific Telephone
	Stick Patsy	Pacific Telephone
	Pope Andrew	Pacific Telephone
	Earnhardt Fred W	Pacific Telephone
	Dias Monty	Pacific Telephone
	Ruiz Roy	Pacific Telephone
	Cordero Arlene	Pacific Telephone
	Etchepare L	Pacific Telephone
	Okazaki Eldon	Pacific Telephone
	Watson Agnes E Mrs	Pacific Telephone
	Miller J M	Pacific Telephone
	Del Monte Gary	Pacific Telephone
	Fletcher J	Pacific Telephone
	Biggam Virginia E	Pacific Telephone
	Wong Judy	Pacific Telephone
	Gillberg C	Pacific Telephone
	Lu Allen	Pacific Telephone

FINDINGS

Year	Uses	Source
1975	Hong T K	Pacific Telephone
	Conoscenti M	Pacific Telephone
	Armstrong Ralph L	Pacific Telephone
	Miller Alma	Pacific Telephone
	Smith G Y	Pacific Telephone
	Terwilliger Lou	Pacific Telephone
	Hirose Momoru	Pacific Telephone
	Schroyer R L	Pacific Telephone
1970	Hesselgrove Paul A Jr	R. L. Polk & Co.
	Schmidt Walter A Jr	R. L. Polk & Co.
	Duffield Michi	R. L. Polk & Co.
	Wong Judy	R. L. Polk & Co.
	Worden R E	R. L. Polk & Co.
	Sandretto Dennis A	R. L. Polk & Co.
	:33 Me Coll Hugh	R. L. Polk & Co.
	Frederick Jack	R. L. Polk & Co.
	West Pat L	R. L. Polk & Co.
	Miller Alma	R. L. Polk & Co.
	Wong Bing	R. L. Polk & Co.
	Tyler Charlotte A Mrs	R. L. Polk & Co.
	Grassman D J	R. L. Polk & Co.
	Shipper A Anne	R. L. Polk & Co.
	Garden Patio Apartments	R. L. Polk & Co.
	Swenson Ann Mrs	R. L. Polk & Co.
	Karousos Alex	R. L. Polk & Co.
	Gorley John C	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Veda Harold Y	R. L. Polk & Co.
	Cosentine Andrew	R. L. Polk & Co.
	Broadman Bruce	R. L. Polk & Co.
	Young Kathryn A	R. L. Polk & Co.
	Pupach Andrew J	R. L. Polk & Co.
	Martin Margt Mrs	R. L. Polk & Co.
	Carpenter Thos H	R. L. Polk & Co.
	Smith Elmer L	R. L. Polk & Co.
	Gregory Mabel	R. L. Polk & Co.
	De Velbiss Lucy	R. L. Polk & Co.
	Samuel Ernest J Jr	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	Russell Della	R. L. Polk & Co.
	Maguire Hazel A	R. L. Polk & Co.
	Gonsalves Al	R. L. Polk & Co.
	Monroe Jean E	R. L. Polk & Co.
	Donati Donald	R. L. Polk & Co.
	Swager Katherine	R. L. Polk & Co.
	Wilson Robt	R. L. Polk & Co.
	Jaworski J	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Watson Agnes E Mrs	R. L. Polk & Co.
	George C W	R. L. Polk & Co.
1966	WATSON AGNES MRS	R. L. Polk & Co.
	RITCHIE A	R. L. Polk & Co.
	HESSELGROVE PAUL A JR	R. L. Polk & Co.
	WYCKHAM RUPERT B	R. L. Polk & Co.
	PHILLIPS J	R. L. Polk & Co.
	GUYON E F	R. L. Polk & Co.
	BUCKMASTER R L	R. L. Polk & Co.
	AVILLA SHARON A	R. L. Polk & Co.
	MC COLL HUGH	R. L. Polk & Co.
	MORING ANN	R. L. Polk & Co.
	JAMES CAROLYN MRS	R. L. Polk & Co.
	FOJAS J R	R. L. Polk & Co.
	EPLEY RICHD	R. L. Polk & Co.
	BURGESS CHARLES	R. L. Polk & Co.
	FERRO MARY	R. L. Polk & Co.
	SHIPPER A ANNE	R. L. Polk & Co.
	GARDEN PATIO APARTMENTS	R. L. Polk & Co.
	CODY GENEVIEVE MRS	R. L. Polk & Co.
	DOUSKOS JAMES	R. L. Polk & Co.
	GORLEY JOHN C	R. L. Polk & Co.
	WILSON R	R. L. Polk & Co.
	PRITZ KATH	R. L. Polk & Co.
	KLAVEREN E VAN	R. L. Polk & Co.
	BOARDMAN B	R. L. Polk & Co.
	HILL THOS J	R. L. Polk & Co.
	RICHARDS JAMES D	R. L. Polk & Co.
	OBERMAN JOHN F	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	BACHLER D	R. L. Polk & Co.
	GREGORY MABEL	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	BURNE ALICE	R. L. Polk & Co.
	ELAKE PENNY F	R. L. Polk & Co.
	KNOWLES RICHIE H	R. L. Polk & Co.
	BORDENKIRCHER PAT	R. L. Polk & Co.
	PRATT JAMES	R. L. Polk & Co.
	GRIMM PITA MRS	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	MC NEILL FRANCES R MRS	R. L. Polk & Co.
	HAINLEY AARON	R. L. Polk & Co.
1960	Garden Patio Apartments	R. L. Polk Co.
	Morten Wm	R. L. Polk Co.
	Garcia P Hugo	R. L. Polk Co.
	Gorley John C	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	La Valley Lillian J	R. L. Polk Co.
	Aiken Richd	R. L. Polk Co.
	Pick Peggy E Mrs	R. L. Polk Co.
	Rich Penny	R. L. Polk Co.
	Guido Larry C	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Dempewolf Carole	R. L. Polk Co.
	Hollis Wm	R. L. Polk Co.
	Thomas Oe	R. L. Polk Co.
	Cardoza Madine	R. L. Polk Co.
	Baumgartner Anne Mrs	R. L. Polk Co.
	Fornberg Kenneth	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Kirby Keenan	R. L. Polk Co.
	Forlines Nancy Mrs	R. L. Polk Co.
	Fishman Edith	R. L. Polk Co.
	Hoffman Jerry	R. L. Polk Co.
	Dammann Shirley A	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Zilm Robt	R. L. Polk Co.
	Fisher Lillian	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1960	Mc Donald	R. L. Polk Co.
	Aiken James	R. L. Polk Co.
	Smith Donald	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Moring Ann	R. L. Polk Co.
	Carlston Sherry	R. L. Polk Co.
	Huston Edw	R. L. Polk Co.
	La Fevre David	R. L. Polk Co.
	Topp James	R. L. Polk Co.
	Peterson May	R. L. Polk Co.
	Street continued	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Haze John	R. L. Polk Co.
	Frost T J	R. L. Polk Co.
	Faria Gilbert	R. L. Polk Co.

427 3RD ST S

Year	Uses	Source
2000	TRAN Kim Lien	Haines & Company
	WALBERG Per	Haines & Company
1996	6 Truong Mi	Pacific Bell
1975	Apartments	Pacific Telephone
	Weed Richd	Pacific Telephone
	Weed Joseph B	Pacific Telephone
	Bowers Bruce	Pacific Telephone
	Vacant	Pacific Telephone
	Acosta F	Pacific Telephone
	Weed Michl	Pacific Telephone
1966	APARTMENTS	R. L. Polk & Co.
	MOLA ROSEANNE	R. L. Polk & Co.
	FAIKE L M	R. L. Polk & Co.
	GARCIA LESTER	R. L. Polk & Co.
	LEPERINK JEANETTE M	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	HINES WILL	R. L. Polk & Co.
1960	Apartments	R. L. Polk Co.
	Tornow Billy	R. L. Polk Co.
	Osborne Gerald M	R. L. Polk Co.
	Vacant	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1960	Mc Gec Stanley	R. L. Polk Co.
	Kraft Keith	R. L. Polk Co.
	Marsh Tennant	R. L. Polk Co.
	Street continued	R. L. Polk Co.
1955	Apartments	R. L. Polk Co.
	Sill Edgar E	R. L. Polk Co.
	Schmarleitz Morton	R. L. Polk Co.
	Streeter Frank E	R. L. Polk Co.
	Hughcs Jerry	R. L. Polk Co.
1950	Foley R J	R. L. Polk & Co.
	Mc Cart M E	R. L. Polk & Co.
	Stagg Kenneth	R. L. Polk & Co.
	Van Straaten Betty J	R. L. Polk & Co.
1945	Reynolds S R	R. L. Polk Co.
	Wagner Leola	R. L. Polk Co.
1940	Mc Cart M E	R. L. Polk Co.
	Menkler H R	R. L. Polk Co.
	Musson Easter Mrs	R. L. Polk Co.
1935	Erickson E G	R. L. Polk & Co. of California
1930	Bernardo C A	R. L. Polk Co. of California
	Lindblom A K	R. L. Polk Co. of California
1925	Lindblom A K	R. L. Polk & Co.
	Webster Albt	R. L. Polk & Co.
1922	Lindblom A K	R. L. Polk Co.

435 3RD ST S

Year	Uses	Source
1925	Fuller Edith M	R. L. Polk & Co.
1922	Fuller Edith M	R. L. Polk Co.

436 3RD ST S

Year	Uses	Source
1945	Elmwood Apartments	R. L. Polk Co.
	Avery C I Mrs	R. L. Polk Co.
	Bay Dorothy	R. L. Polk Co.
	bothwell Elsie Mrs	R. L. Polk Co.
	Doran B M Mrs	R. L. Polk Co.
	Griffin Nellie M	R. L. Polk Co.
	Heimbach F S	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1945	Lawson J H Mrs	R. L. Polk Co.
	Smith L O Mrs	R. L. Polk Co.
1940	Bernal S F	R. L. Polk Co.
	Clark K M Mrs drsmkr	R. L. Polk Co.
	Clark K W	R. L. Polk Co.
	Cooksey Bonnie	R. L. Polk Co.
	Craig Jos	R. L. Polk Co.
	Vorrath E D	R. L. Polk Co.
	a Vacant	R. L. Polk Co.
1935	Hanlon W J	R. L. Polk & Co. of California
	Ingham A B	R. L. Polk & Co. of California
	Jones Clara Mrs	R. L. Polk & Co. of California
	Schoher Mary Mrs	R. L. Polk & Co. of California
	Waldron Lizzie Mrs	R. L. Polk & Co. of California
1930	Lorbeer E J	R. L. Polk Co. of California
	Loeffler A Mrs	R. L. Polk Co. of California
	Sala F	R. L. Polk Co. of California
	Zierolf Raymond	R. L. Polk Co. of California
	Endingberg G H	R. L. Polk Co. of California
	Leunay Della	R. L. Polk Co. of California
	Mc Donald S E	R. L. Polk Co. of California
1925	Ingham A B	R. L. Polk & Co.
1922	Ryland J R	R. L. Polk Co.

440 3RD ST S

Year	Uses	Source
1940	1/2 Noya Anne Mrs Mrs	R. L. Polk Co.

445 3RD ST S

Year	Uses	Source
2000	ACKER Chris T	Haines & Company
	CASTELLANOS James	Haines & Company
	MARTINEZ Mark	Haines & Company
	MURPHY Michael	Haines & Company
1975	Biltmore Apartments	Pacific Telephone
	Fulmore Ethel Mrs	Pacific Telephone
	Wilson J	Pacific Telephone
	Fox Lillian K Mrs	Pacific Telephone
	Van Paul R E Mrs	Pacific Telephone

FINDINGS

Year	Uses	Source
1975	White Curtis	Pacific Telephone
	OLaughlin Danny K	Pacific Telephone
	Jones Trudy C	Pacific Telephone
	Fiato Mike J	Pacific Telephone
	Tozer Agnes	Pacific Telephone
	Goodman Frank E	Pacific Telephone
	Minini Kathie	Pacific Telephone
	Fernadez Agnes G	Pacific Telephone
	Denton Kath E Mrs	Pacific Telephone
	Moore A V	Pacific Telephone
	Badard Ann	Pacific Telephone
	Levy Bob	Pacific Telephone
1966	PAGE JANET	R. L. Polk & Co.
	MILLER JOHN M	R. L. Polk & Co.
	BILTMORE APARTMENTS	R. L. Polk & Co.
	FULMORE ETHEL MRS	R. L. Polk & Co.
	ADAMS D GERTRUOE	R. L. Polk & Co.
	FOX L	R. L. Polk & Co.
	VAN PAUL R E	R. L. Polk & Co.
	HALEY HAROLD J	R. L. Polk & Co.
	RICKARDS EVA M MRS	R. L. Polk & Co.
	DOWNING JEAN MRS	R. L. Polk & Co.
	WEAVER CHARLOTTE E MRS	R. L. Polk & Co.
	TOZER A	R. L. Polk & Co.
	GOODMAN FRANK E	R. L. Polk & Co.
	MANINI KATH A	R. L. Polk & Co.
	TUNGI D E	R. L. Polk & Co.
	DENTON KATH MRS	R. L. Polk & Co.
	YOUNG KATH	R. L. Polk & Co.
1960	No Return	R. L. Polk Co.
	Honny Dorothy	R. L. Polk Co.
	Denton Kath Mrs	R. L. Polk Co.
	Hill Eliz	R. L. Polk Co.
	Hart A R Mrs	R. L. Polk Co.
	Miller John M	R. L. Polk Co.
	Street continued	R. L. Polk Co.
	Light Mits Research Inc consultants	R. L. Polk Co.
	Fulmore Ethel Mrs	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1960	Adams D Gertrude	R. L. Polk Co.
	Goodman Frank E	R. L. Polk Co.
	Soares Mary	R. L. Polk Co.
	Manken Wm R	R. L. Polk Co.
	Rickards Eva M Mrs	R. L. Polk Co.
	Disney Ruth	R. L. Polk Co.
	Weaver Charlotte Mrs	R. L. Polk Co.
	Van Paul Geo A	R. L. Polk Co.
	Vogelback Florence B	R. L. Polk Co.
1955	Biltmore Apartments	R. L. Polk Co.
	Van Keulen Mable Mrs	R. L. Polk Co.
	Gilatta Mayme	R. L. Polk Co.
	Rumbaugh Joie C mgr	R. L. Polk Co.
	Davis Geo A jr	R. L. Polk Co.
	King Jay C	R. L. Polk Co.
	Fitzgerald Dorothy Mrs	R. L. Polk Co.
	Johansen Ruth Mrs	R. L. Polk Co.
	Long Winifred	R. L. Polk Co.
	Johnson Kenneth W	R. L. Polk Co.
	Vogelback Florence B	R. L. Polk Co.
	Pagonis Geo A	R. L. Polk Co.
	Koppang Olga	R. L. Polk Co.
	Wiltberger Wm A	R. L. Polk Co.
	Andrews Rex S	R. L. Polk Co.
	Ball Wm H	R. L. Polk Co.
	Miller John M	R. L. Polk Co.
1950	Biltmore Apartments	R. L. Polk & Co.
	Cook B R Mrs	R. L. Polk & Co.
	Cummins Nathan	R. L. Polk & Co.
	Engbrock R K	R. L. Polk & Co.
	Fisher D S	R. L. Polk & Co.
	Jackson J W	R. L. Polk & Co.
	King J C	R. L. Polk & Co.
	Landaal R F	R. L. Polk & Co.
	Long Winifred	R. L. Polk & Co.
	Myers F L	R. L. Polk & Co.
	OKeefe T J	R. L. Polk & Co.
	Pientka L G	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1950	Smith C C	R. L. Polk & Co.
	Ullom W L	R. L. Polk & Co.
	Urquides M M	R. L. Polk & Co.
	Vogelbach Florence B	R. L. Polk & Co.
	Wehner Richd	R. L. Polk & Co.
1945	Conk B R Mrs	R. L. Polk Co.
	Curmmin Nathan	R. L. Polk Co.
	Dr Arman E L	R. L. Polk Co.
	Fergusn O A	R. L. Polk Co.
	Hans R A Mrs	R. L. Polk Co.
	Laong Winlfred	R. L. Polk Co.
	Miller L M	R. L. Polk Co.
	Rogers G L	R. L. Polk Co.
	Schbittanan P	R. L. Polk Co.
	Smithingell Opal O	R. L. Polk Co.
	Urquidrs M M	R. L. Polk Co.
	Vogriback Florence B	R. L. Polk Co.
	Biltmore Apartments	R. L. Polk Co.
	Ash H F	R. L. Polk Co.
	Baggott G E	R. L. Polk Co.
	Harr W T	R. L. Polk Co.
	Coburn E	R. L. Polk Co.
1940	Biltmore Apartments	R. L. Polk Co.
	Ash H I	R. L. Polk Co.
	Baggott G E	R. L. Polk Co.
	Casaleggio S R	R. L. Polk Co.
	Coburn E G	R. L. Polk Co.
	Doyle Hugh	R. L. Polk Co.
	Giberson E F	R. L. Polk Co.
	Hand D W	R. L. Polk Co.
	Linton Alma V	R. L. Polk Co.
	Mc Ginnis J W	R. L. Polk Co.
	Mc Intire T A	R. L. Polk Co.
	Royston W C	R. L. Polk Co.
	Thayer A E	R. L. Polk Co.
	Whitehead H K	R. L. Polk Co.
	Wiltberger W A	R. L. Polk Co.
1935	Biltmore Apartments	R. L. Polk & Co. of California

FINDINGS

Year	Uses	Source
1935	Bagsott C G E o	R. L. Polk & Co. of California
	Benton W J	R. L. Polk & Co. of California
	Careaga Mercedes Mrs	R. L. Polk & Co. of California
	Ferguson O A	R. L. Polk & Co. of California
	Hadney A C	R. L. Polk & Co. of California
	Hefflin R E	R. L. Polk & Co. of California
	Henson H C	R. L. Polk & Co. of California
	Levin David	R. L. Polk & Co. of California
	Martin E M	R. L. Polk & Co. of California
	Mathewson R A o	R. L. Polk & Co. of California
	Parker C G E	R. L. Polk & Co. of California
	Reiling R W	R. L. Polk & Co. of California
	Taylor Myrtle E	R. L. Polk & Co. of California
	Tibbals Earl	R. L. Polk & Co. of California
	Wendt B R	R. L. Polk & Co. of California
	White E G	R. L. Polk & Co. of California
1930	Obreo Laura Mrs	R. L. Polk Co. of California
	Pelkan K F	R. L. Polk Co. of California
	Pfeiffer F R	R. L. Polk Co. of California
	Ramm M E Mrs	R. L. Polk Co. of California
	Smith M J	R. L. Polk Co. of California
	Veith W R	R. L. Polk Co. of California
	BILTMORE APARTMENTS	R. L. Polk Co. of California
	Baggott G E	R. L. Polk Co. of California
	Brown J C Mrs	R. L. Polk Co. of California
	Coates R D	R. L. Polk Co. of California
	Eyer L C	R. L. Polk Co. of California
	Harlan O A	R. L. Polk Co. of California
	Luis Mattie Mrs	R. L. Polk Co. of California
	Mc Millan P W	R. L. Polk Co. of California
	Milligan Lena Mrs	R. L. Polk Co. of California
	Montgomery Fanny S	R. L. Polk Co. of California
1925	Vera Mrs Antoinette	R. L. Polk & Co.
1922	Higgins Thos	R. L. Polk Co.
	Zook Mrs Ella	R. L. Polk Co.

448 3RD ST S

Year	Uses	Source
1922	Crandall Mrs J B	R. L. Polk Co.

FINDINGS

452 3RD ST S

Year	Uses	Source
2000	HAHN Jim	Haines & Company
	MCAFEE Kim	Haines & Company
	PETERSON Enc C	Haines & Company
1996	3 Rains Jason E	Pacific Bell
	4 Peterson Eric C	Pacific Bell
	9 ICE CREAM CATERING BY UNCLE TOMMYS CARNIVAL	Pacific Bell
1975	Sawyer Cameron	Pacific Telephone
	Lee Jim	Pacific Telephone
	Watkins Garrett	Pacific Telephone
	Altman Scott	Pacific Telephone
	Jelesko A J	Pacific Telephone
	Cross Dorothy	Pacific Telephone
	Marku Tjip	Pacific Telephone
	Watkins Jim	Pacific Telephone
	Gilcos A	Pacific Telephone
	Casa Joya Apartments	Pacific Telephone
1970	Casa Joya Apartments	R. L. Polk & Co.
	Kuyl Emile R	R. L. Polk & Co.
	Foletta Nancy	R. L. Polk & Co.
	:3 Field Harry G	R. L. Polk & Co.
	I Krokhaleff Nathalie	R. L. Polk & Co.
	Jelesko A J	R. L. Polk & Co.
	Cross Dorothy	R. L. Polk & Co.
	Verma Patk	R. L. Polk & Co.
	Harding Henry	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Rear Glicos Nicholas P	R. L. Polk & Co.
1966	CASA JOYA APARTMENTS	R. L. Polk & Co.
	KUYLE EMILE R	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	REEVES MARGT	R. L. Polk & Co.
	EGAN JOSEPH A	R. L. Polk & Co.
	JELESKO A J	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	PARRISH DIANNE	R. L. Polk & Co.
	COOK JOHN	R. L. Polk & Co.
	REAR GLICOS NICHOLAS P	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1960	Casa Joya Apartments	R. L. Polk Co.
	Goodnough Gray P	R. L. Polk Co.
	Passhue Anthony	R. L. Polk Co.
	Colloto Frank	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Paul Jean M	R. L. Polk Co.
	No Return	R. L. Polk Co.
	Bush Arnold	R. L. Polk Co.
	Broughton Jean	R. L. Polk Co.
	Glicon Nichols P	R. L. Polk Co.
	Street continued	R. L. Polk Co.
1955	Glicos Nicholas P	R. L. Polk Co.
	Casa Joya Apartments	R. L. Polk Co.
	Aragon Patricia A	R. L. Polk Co.
	Rench Alice R Mrs mgr	R. L. Polk Co.
	Gerber Shirley M	R. L. Polk Co.
	Paul Jean	R. L. Polk Co.
	Kock Grace B	R. L. Polk Co.
	Robles Alice	R. L. Polk Co.
	Bacon Geo	R. L. Polk Co.
1950	Casa Joya Apartments	R. L. Polk & Co.
	Corda A	R. L. Polk & Co.
	Dagastini J C	R. L. Polk & Co.
	Gilcos N	R. L. Polk & Co.
	Petrillo P	R. L. Polk & Co.
	Severance Don	R. L. Polk & Co.
	Severance Ivan	R. L. Polk & Co.
	Valenti Joe	R. L. Polk & Co.
	Volse L A	R. L. Polk & Co.
	Zeeck N	R. L. Polk & Co.
1945	Vacant	R. L. Polk Co.
	1/2 Cilorn nick	R. L. Polk Co.
1940	Lee Apartments	R. L. Polk Co.
	Castillo N R	R. L. Polk Co.
	Ellis Adella Mrs	R. L. Polk Co.
	Lind I D	R. L. Polk Co.
	1/2 Glicos Nick	R. L. Polk Co.
1935	Cobb M A Mrs	R. L. Polk & Co. of California

FINDINGS

Year	Uses	Source
1935	Hagler I L Mrs	R. L. Polk & Co. of California
	Hess H C	R. L. Polk & Co. of California
	Lannin F T	R. L. Polk & Co. of California
	Le Back John	R. L. Polk & Co. of California
	1/2 Glicos Nick	R. L. Polk & Co. of California
1930	Schulz Paul	R. L. Polk Co. of California
	Mohar Lois	R. L. Polk Co. of California
1925	Conneley Wm	R. L. Polk & Co.
	Hansen Carl rear	R. L. Polk & Co.
1922	Kleinschmidt G E	R. L. Polk Co.
	Wigdon W A	R. L. Polk Co.
	Love Mrs Agnes rear	R. L. Polk Co.

453 3RD ST S

Year	Uses	Source
2000	BAKER J P	Haines & Company
1996	Baker J P	Pacific Bell
1975	Baker Elvin H acct	Pacific Telephone
1966	BAKER ELVIN H ACCT	R. L. Polk & Co.
1960	Baker Elwin H acct	R. L. Polk Co.
1955	Baker Elwin H acct	R. L. Polk Co.
1950	Baker E H acct	R. L. Polk & Co.
	Baker J P Mrs acct	R. L. Polk & Co.
1945	Yazel C J	R. L. Polk Co.
1940	Phillips Margt Mrs	R. L. Polk Co.
1935	Ziegler B J	R. L. Polk & Co. of California
1930	Crandall Jack	R. L. Polk Co. of California

455 3RD ST S

Year	Uses	Source
2000	WEYHE Robert	Haines & Company
1996	3 Fernung Keith	Pacific Bell
1975	Rear Jordan Charles	Pacific Telephone
	Spirsotch Abraham	Pacific Telephone
1970	Rear Goff Lynda Mrs	R. L. Polk & Co.
	Schell Kay 0 Mrs	R. L. Polk & Co.
1966	REAR VACANT	R. L. Polk & Co.
	SCHELL KAY O MRS	R. L. Polk & Co.
1960	Howell Bob	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1960	Michal Grace A	R. L. Polk Co.
	Schell Olga Mrs	R. L. Polk Co.
1955	Sullivan Sharon	R. L. Polk Co.
	Stanley Norman A	R. L. Polk Co.
	Ensminger Gerald D	R. L. Polk Co.
1950	Westphal F E	R. L. Polk & Co.
	Stevenson R L	R. L. Polk & Co.
	Peterson W C	R. L. Polk & Co.
	Lanndaker W L	R. L. Polk & Co.
1945	Couch A A	R. L. Polk Co.
	Hales H E	R. L. Polk Co.
1940	Spires Mary F	R. L. Polk Co.
	Barnhart Maude Mrs nurse	R. L. Polk Co.
1935	Cireeley Janet Mrs	R. L. Polk & Co. of California
1930	Scarles Cyrus	R. L. Polk Co. of California
1925	Michael Henry	R. L. Polk & Co.
	Mathewson J A	R. L. Polk & Co.
1922	Mathewson Mrs A C	R. L. Polk Co.

467 3RD ST S

Year	Uses	Source
2000	BENAZZO Steven	Haines & Company
1975	Goff Lyda	Pacific Telephone
	RearReip Ernie	Pacific Telephone
1966	RIELLY STEVE	R. L. Polk & Co.
	PENDERGRAST ROBT W	R. L. Polk & Co.
	MECHAM ADA K MRS	R. L. Polk & Co.
1960	Davis Arnold R	R. L. Polk Co.
1955	Davis Arnold R furn rms	R. L. Polk Co.
1950	Davis A R	R. L. Polk & Co.
1945	Nankivrell W R	R. L. Polk Co.
1940	Miller H B	R. L. Polk Co.
	Davis A R	R. L. Polk Co.
1935	Merrow Cimeronia Mrs	R. L. Polk & Co. of California
	Marr Vernon	R. L. Polk & Co. of California
	Bellina Mrs nurse	R. L. Polk & Co. of California
1930	Barrett B E Mrs	R. L. Polk Co. of California
1925	Topham Mrs H E	R. L. Polk & Co.
	Barrett Mrs Blanche	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1925	Hageman Mrs Mary	R. L. Polk & Co.
1922	Reardom Jas	R. L. Polk Co.
	Smith Manue	R. L. Polk Co.

469 3RD ST S

Year	Uses	Source
2000	BROWN Mylanwy	Haines & Company
1996	DIcrinsr Vi James L	Pacific Bell
1975	Greaber John	Pacific Telephone
1966	MC CORMACK ROOT W CHIROPRACTOR	R. L. Polk & Co.
1960	Mc Cormack Robt W chiropractor	R. L. Polk Co.
	Walters Lloyd A chiropractor	R. L. Polk Co.
1955	Me Cormack Robt W chiropractor	R. L. Polk Co.
	Walters Lloyd A chiropractor	R. L. Polk Co.
1950	Nankivell H S concrete contr	R. L. Polk & Co.
1945	Nankiwirll W R	R. L. Polk Co.
1940	Bean W E	R. L. Polk Co.
1935	Bean W E o	R. L. Polk & Co. of California
1930	Bean W E	R. L. Polk Co. of California
1925	Bean W E	R. L. Polk & Co.
1922	Topham Mrs H E	R. L. Polk Co.

470 3RD ST S

Year	Uses	Source
2000	BUMATAY A Jr	Haines & Company
	GORDON Donna	Haines & Company
	BENTLEY Stephen S	Haines & Company
1996	7 Bumatay AJr	Pacific Bell
	8 Rfrath Bennett	Pacific Bell
1975	Lyn Marr Apartments	Pacific Telephone
	Lucero A J	Pacific Telephone
	Moe Donald G	Pacific Telephone
	De Hope H	Pacific Telephone
	Mantkin Gail	Pacific Telephone
	Barnes Charles F	Pacific Telephone
	Orfali M	Pacific Telephone
	Mondfrans J	Pacific Telephone
	Sebastian Jane G	Pacific Telephone

FINDINGS

Year	Uses	Source
1975	Brooks Jessie L	Pacific Telephone
	Laughlin P	Pacific Telephone
1966	LYN MARR APARTMENTS	R. L. Polk & Co.
	SEARLE DAVID J	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	BOWERS KATHY	R. L. Polk & Co.
	PRIMENTA MIA	R. L. Polk & Co.
	BARNES CHARLES F	R. L. Polk & Co.
	BRICE JAMES M	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	WHITE J M	R. L. Polk & Co.
	MORRIS MARILYN	R. L. Polk & Co.
	BARNES CHARLES F	R. L. Polk & Co.
1960	Lynn Marr Apartments	R. L. Polk Co.
	Forroster D W	R. L. Polk Co.
	Strawley John J	R. L. Polk Co.
	Patterson Irene	R. L. Polk Co.
	Hushbeck Irene	R. L. Polk Co.
	Munz Donald	R. L. Polk Co.
	Huss James	R. L. Polk Co.
	Ray Alma N Mrs	R. L. Polk Co.
	Grinder Sharon	R. L. Polk Co.
	Silva Maureen	R. L. Polk Co.
	De Witt Corbett F	R. L. Polk Co.
	Street continued	R. L. Polk Co.
1955	Duarte Richd S	R. L. Polk Co.
	Maple Allan K	R. L. Polk Co.
	Kiep Alf J jr	R. L. Polk Co.
	Koenig Hugh J	R. L. Polk Co.
	Evans Deline	R. L. Polk Co.
	Locke Calvin E	R. L. Polk Co.
	Murdock A B	R. L. Polk Co.
	Kelly James T	R. L. Polk Co.
	Willoughby Matthew J mgr	R. L. Polk Co.
	Lynn Marr Apartments	R. L. Polk Co.
	Mitchell Wilfred H	R. L. Polk Co.
1950	Four Seventy South Third Apartments	R. L. Polk & Co.
	Bales Earl	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1950	Frontier P A	R. L. Polk & Co.
	Hubbard T L	R. L. Polk & Co.
	Jansen A A	R. L. Polk & Co.
	Kelly J T	R. L. Polk & Co.
	Koenig H J	R. L. Polk & Co.
	Martin Richd	R. L. Polk & Co.
	Milton A L	R. L. Polk & Co.
	Rao V R	R. L. Polk & Co.
	Schumann H M	R. L. Polk & Co.
1945	Mojmir Apartmnets	R. L. Polk Co.
	Johnson A A	R. L. Polk Co.
	Kelly J T	R. L. Polk Co.
	Korella H J	R. L. Polk Co.
	Lemon C A Mrs	R. L. Polk Co.
	Mriltin J C Mrs	R. L. Polk Co.
	Milton A L	R. L. Polk Co.
	Snyder C L Mrs	R. L. Polk Co.
	Tronlters P A	R. L. Polk Co.
1940	Mojmir Apartments	R. L. Polk Co.
	Ackerman Frank	R. L. Polk Co.
	Condit L J	R. L. Polk Co.
	Fratini J J	R. L. Polk Co.
	Hertz Hulda G	R. L. Polk Co.
	Mc Kean J A	R. L. Polk Co.
	Zoffman Christine	R. L. Polk Co.
1935	Mojmir Apartments	R. L. Polk & Co. of California
	Condit L J	R. L. Polk & Co. of California
	Erb C M	R. L. Polk & Co. of California
	Humberg Geo jr	R. L. Polk & Co. of California
	Lazzeroni F L	R. L. Polk & Co. of California
	Logan Orville	R. L. Polk & Co. of California
	Lotz W B	R. L. Polk & Co. of California
	Muirson Julia Mrs	R. L. Polk & Co. of California
	Myerfeld Leon	R. L. Polk & Co. of California
	Rucker Etta	R. L. Polk & Co. of California
	Zoffman Christine	R. L. Polk & Co. of California
1930	MOJMIR APARTMNTS	R. L. Polk Co. of California
	Brown A S	R. L. Polk Co. of California

FINDINGS

Year	Uses	Source
1930	Broyles O M	R. L. Polk Co. of California
	Clark Alvyn	R. L. Polk Co. of California
	Clark C C	R. L. Polk Co. of California
	Flittner Jos	R. L. Polk Co. of California
	Hensen Josie Mrs	R. L. Polk Co. of California
	Howard J W	R. L. Polk Co. of California
	Souther Eliz	R. L. Polk Co. of California
1925	Mitchell J W	R. L. Polk & Co.
	Mojmir Apts	R. L. Polk & Co.

477 3RD ST S

Year	Uses	Source
2000	VU Tuyen	Haines & Company
1975	Harmony Inn club	Pacific Telephone
1970	Catterall Jerry	R. L. Polk & Co.
	Alpha House club	R. L. Polk & Co.
1966	WARREN LILLIAN	R. L. Polk & Co.
	WOMENS RECOVERY CENTER	R. L. Polk & Co.
1960	Van Gunuy Harold R	R. L. Polk Co.
	Service Ins Agcy	R. L. Polk Co.
1955	Van Gundy Harold R	R. L. Polk Co.
1950	Mc Cormack R W chiropractor	R. L. Polk & Co.
	Walters L A chiropractor	R. L. Polk & Co.
	Walters Maxine chiropractor	R. L. Polk & Co.
1945	Mr Corrmark R W chiropracher	R. L. Polk Co.
	Walters L A chirpoactor	R. L. Polk Co.
1940	Cal Chiropractic College	R. L. Polk Co.
	Smith H E chiropractor	R. L. Polk Co.
	Walters L A chiropractor	R. L. Polk Co.
1935	Allen Adeline Mrs	R. L. Polk & Co. of California
1930	Buhot A E	R. L. Polk Co. of California
	Hall L C	R. L. Polk Co. of California
	Mc Cormack R W	R. L. Polk Co. of California
1925	Topham F H	R. L. Polk & Co.
1922	Castle L F	R. L. Polk Co.

480 3RD ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company

FINDINGS

Year	Uses	Source
1975	Manning Patk	Pacific Telephone
1970	Vacant	R. L. Polk & Co.
1966	SEVERANCE THOS U	R. L. Polk & Co.
1960	Carroll Mary J M	R. L. Polk Co.
	Collins Helen C Mrs	R. L. Polk Co.
1955	Carroll Helen C	R. L. Polk Co.
1950	Carroll Mary J	R. L. Polk & Co.
1945	Carroll Mary J	R. L. Polk Co.
1940	Collins Helen C	R. L. Polk Co.
1935	Carroll T A o	R. L. Polk & Co. of California
1930	Carroll T A	R. L. Polk Co. of California
1925	Carroll T A	R. L. Polk & Co.
1922	Carroll T A	R. L. Polk Co.

502 3RD ST S

Year	Uses	Source
2000	CCOTA Carlos	Haines & Company
	BARRON Juan	Haines & Company
1975	Gonzalez Thos	Pacific Telephone
1970	Gonzales Theo	R. L. Polk & Co.
1966	FALTERSACK JESSIE E	R. L. Polk & Co.
1960	Jesse Eva M	R. L. Polk Co.
	Faltersack Jessie E	R. L. Polk Co.
1955	Jesse Eva M	R. L. Polk Co.
	Faltersack Jessie E	R. L. Polk Co.
1950	Munoz Lydia	R. L. Polk & Co.
	Faltersack Jessie A	R. L. Polk & Co.
1945	Fallernack Jessie E	R. L. Polk Co.
	Brown Maryb Ellen	R. L. Polk Co.
1940	Quiggle D F	R. L. Polk Co.
1935	Harris P S Mrs	R. L. Polk & Co. of California
1930	Bisceglia Bruno	R. L. Polk Co. of California
1925	Bisceglia Bruno	R. L. Polk & Co.
1922	Seifert E D	R. L. Polk Co.

505 3RD ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	Notre Dame Convent	Pacific Telephone

FINDINGS

Year	Uses	Source
1975	Rear Creeger Albert C	Pacific Telephone
1970	Notre Dame Convent	R. L. Polk & Co.
	Rear Creeger Albert C	R. L. Polk & Co.
1966	NOTRE DAME CONVENT	R. L. Polk & Co.

509 3RD ST S

Year	Uses	Source
1960	Law Viva B Mrs	R. L. Polk Co.
1955	Law Viva B Mrs	R. L. Polk Co.
1950	Law V B Mrs	R. L. Polk & Co.
1945	Law V B Mrs	R. L. Polk Co.
1940	Law V B Mrs	R. L. Polk Co.
1935	Law V B Mrs o	R. L. Polk & Co. of California
1930	Adams C L	R. L. Polk Co. of California
1925	Adams C L	R. L. Polk & Co.
1922	Adams C L	R. L. Polk Co.

512 3RD ST S

Year	Uses	Source
2000	VILLEGAS Rosa	Haines & Company
	AQUINO Raymond P	Haines & Company
1966	CREEGER ALBERT C	R. L. Polk & Co.
	REAR CORNELIUS VIOLA R	R. L. Polk & Co.
1960	Greeger Albert C	R. L. Polk Co.
	Benoy Geraldine	R. L. Polk Co.
1955	Creeger Albert C	R. L. Polk Co.
	OConnor Wm H	R. L. Polk Co.
1950	Creeger A C	R. L. Polk & Co.
1945	Simmons R W	R. L. Polk Co.
1940	Simmons R W	R. L. Polk Co.
1935	Arnold Fred o	R. L. Polk & Co. of California
1930	Toney A W Mrs	R. L. Polk Co. of California
1925	Toney K C	R. L. Polk & Co.
1922	Toney Mrs A W	R. L. Polk Co.

520 3RD ST S

Year	Uses	Source
2000	CONEY John	Haines & Company
1996	Ramirez Margarito	Pacific Bell

FINDINGS

Year	Uses	Source
1975	Barrett Nettie M Mrs	Pacific Telephone
1970	Barrett Chester E	R. L. Polk & Co.
1966	BARRETT CHESTER E	R. L. Polk & Co.
1960	Barnett Chas E	R. L. Polk Co.
1955	Barrett Chester E	R. L. Polk Co.
1950	Barrett C E	R. L. Polk & Co.
1945	Cullivan R A	R. L. Polk Co.
1940	Vacant	R. L. Polk Co.
1935	Adams J D o	R. L. Polk & Co. of California
1930	Adams J D	R. L. Polk Co. of California
1925	Adams Mrs H A	R. L. Polk & Co.

526 3RD ST S

Year	Uses	Source
2000	VALENCIA Martha A	Haines & Company
	JAIME Jesus	Haines & Company
1975	Von Raesfeld Martha	Pacific Telephone
1970	Von Raesfeld Martha	R. L. Polk & Co.
1966	VON RAESFELD MARTHA	R. L. Polk & Co.
1960	Von Raefeld Martha	R. L. Polk Co.
1955	Cale John T	R. L. Polk Co.
1950	Cale J T	R. L. Polk & Co.
1945	Calr J T	R. L. Polk Co.
1940	Cale J T	R. L. Polk Co.
1935	Cale J T o	R. L. Polk & Co. of California
1930	Gale J T	R. L. Polk Co. of California
1925	Cale J T	R. L. Polk & Co.
1922	Cale J T	R. L. Polk Co.

529 3RD ST S

Year	Uses	Source
1960	Cook Gerald	R. L. Polk Co.
1955	Cosgrove Clara E	R. L. Polk Co.
1950	Cosgrove Clara E	R. L. Polk & Co.
1945	Congrove Clara E	R. L. Polk Co.
1940	Cosgrove Clara E	R. L. Polk Co.
1935	Cosgrove Mary A	R. L. Polk & Co. of California
	Mc Glynn R F Mrs o	R. L. Polk & Co. of California
1930	Mc Glynn R F Mrs	R. L. Polk Co. of California

FINDINGS

Year	Uses	Source
1925	Mc Glynn Mrs R F	R. L. Polk & Co.
1922	Malott F A	R. L. Polk Co.

533 3RD ST S

Year	Uses	Source
1960	Belfrage Julis E Mrs	R. L. Polk Co.
	Grover Harry R	R. L. Polk Co.
1955	Belfrage Julia Mrs	R. L. Polk Co.
	Goodman Frank E	R. L. Polk Co.
	Meeker M Josephine Mrs	R. L. Polk Co.
1950	Goodman Frank	R. L. Polk & Co.
	Hobein H W	R. L. Polk & Co.
	Meeker M J Mrs	R. L. Polk & Co.
	Small T H	R. L. Polk & Co.
1945	Coadman P	R. L. Polk Co.
	Miller Robt Mrs	R. L. Polk Co.
1940	Auzerais Alice G	R. L. Polk Co.
	Cosgrove Mary A	R. L. Polk Co.
	OKeefe Eliz	R. L. Polk Co.
	Schaefer Florence Mrs	R. L. Polk Co.
1935	Arthur A M Mrs	R. L. Polk & Co. of California
	Auzerais Alice G	R. L. Polk & Co. of California
	Cosgrove Clara E	R. L. Polk & Co. of California
	OKeefe Eliz Mrs	R. L. Polk & Co. of California
1930	Auzerais Alice G	R. L. Polk Co. of California
1925	Gripenstraw L A F	R. L. Polk & Co.
	Wright Mrs M E	R. L. Polk & Co.
1922	Mc Glynn Mrs R F	R. L. Polk Co.

535 3RD ST S

Year	Uses	Source
2000	CAMAGHO Isidno	Haines & Company
	NGUY Linh	Haines & Company
	SOLORIO Juana	Haines & Company
1996	Flares Ron	Pacific Bell
1975	Booksin Henry K	Pacific Telephone
1970	Booksin H Kirk	R. L. Polk & Co.
1966	BOOKSIN H KIRK	R. L. Polk & Co.
1960	Gummert De Vere F	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1960	Booksin H Kirk	R. L. Polk Co.
1955	Booksin Henry K	R. L. Polk Co.
1950	Booksin H K	R. L. Polk & Co.
1945	Booksin H K	R. L. Polk Co.
1940	Booksin H K	R. L. Polk Co.
1935	Henderson E D	R. L. Polk & Co. of California
	Nahm R J	R. L. Polk & Co. of California
1930	Mc Glashan M E Mrs	R. L. Polk Co. of California
1925	Whitlock M M	R. L. Polk & Co.
1922	Whitlock M M	R. L. Polk Co.

540 3RD ST S

Year	Uses	Source
2000	DEBARTOLO Thomas	Haines & Company
1996	Hallford Jeff	Pacific Bell
1975	Kriser Keith	Pacific Telephone
1970	Dereign Kath Mrs	R. L. Polk & Co.
1966	SHOVELIN RAY A	R. L. Polk & Co.
1960	Shovelin Ray	R. L. Polk Co.
1955	Stevenson Ruth	R. L. Polk Co.
1950	Ball R A	R. L. Polk & Co.
1945	stevenson G M	R. L. Polk Co.
1940	Armstrong E R Mrs	R. L. Polk Co.
1935	Armstrong J J o	R. L. Polk & Co. of California
1930	Armstrong J J	R. L. Polk Co. of California
1925	Armstrong J J	R. L. Polk & Co.
1922	Armstrong J J	R. L. Polk Co.

545 3RD ST S

Year	Uses	Source
1945	Gallaardo Claude	R. L. Polk Co.
	Buners L C Mrs	R. L. Polk Co.

546 3RD ST S

Year	Uses	Source
2000	ANDERSON Jean	Haines & Company
1975	Anderson Jeanne C Mrs	Pacific Telephone
	Rear Vacant	Pacific Telephone
1970	Anderson Jeanne C Mrs	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	Rear Carr Lelia G Mrs	R. L. Polk & Co.
1966	ANDERSON SELVEN C	R. L. Polk & Co.
1960	Anderson Selven C	R. L. Polk Co.
1955	Carr Lelia G Mrs	R. L. Polk Co.
	Anderson Selven C	R. L. Polk Co.
1950	Anderson S C	R. L. Polk & Co.
	Walraven Omar	R. L. Polk & Co.
1935	Kennedy Wm	R. L. Polk & Co. of California
	Randazzo Jas	R. L. Polk & Co. of California
1930	Baehr H H	R. L. Polk Co. of California
1925	Somavia J Y	R. L. Polk & Co.
1922	Somavia J Y	R. L. Polk Co.

547 3RD ST S

Year	Uses	Source
1960	Vacant	R. L. Polk Co.
	Graves Kathleen M Mrs	R. L. Polk Co.
1955	Friendly Market gro	R. L. Polk Co.
	Marshall Geo C	R. L. Polk Co.
	Kratt Henry P	R. L. Polk Co.
1950	Cover E E	R. L. Polk & Co.
	Pratt A M Mrs	R. L. Polk & Co.
	Pritchard Pearl Mrs	R. L. Polk & Co.
	Warvorosky Mary Mrs gro	R. L. Polk & Co.
1945	Davis C L	R. L. Polk Co.
	Pritchard Pearl Mrs	R. L. Polk Co.
	Warvarovaky M T Mrs gro	R. L. Polk Co.
	De Reign K A Mrs	R. L. Polk Co.
1940	Warvarovsky Mary Mrs gro	R. L. Polk Co.
1935	Smith P F gro o	R. L. Polk & Co. of California
1930	Rayhill Kathleen Mrs gro	R. L. Polk Co. of California
	Dassel J C	R. L. Polk Co. of California
1925	Dassel Jos	R. L. Polk & Co.
1922	Clauss Mrs Elizabeth	R. L. Polk Co.
	Dassel Mrs Helen	R. L. Polk Co.

553 3RD ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company

FINDINGS

Year	Uses	Source
1975	Saint Marys Catholic Church	Pacific Telephone
	Geary John C Rev	Pacific Telephone
1970	Saint Marys Catholic Church	R. L. Polk & Co.
	Leahy Gerald Rev	R. L. Polk & Co.
1966	SAINT MARYS CATHOLIC CHURCH	R. L. Polk & Co.
	LEHY GERALD REV	R. L. Polk & Co.
1950	Kelleher Nora Mrs	R. L. Polk & Co.
	De Reign C C Mrs	R. L. Polk & Co.
1945	De Reign K A Mrs	R. L. Polk Co.
1940	De Reign R W	R. L. Polk Co.
1935	Simpson Jas	R. L. Polk & Co. of California
1930	Simpson J S	R. L. Polk Co. of California
1925	Simpson Jas	R. L. Polk & Co.
1922	Costa Mrs Rae	R. L. Polk Co.

554 3RD ST S

Year	Uses	Source
1960	Donohue James F Rev	R. L. Polk Co.

4TH

357 S 4TH

Year	Uses	Source
1985	VELADOR D	Pacific Bell

4TH ST S

351 4TH ST S

Year	Uses	Source
1970	Hutchison Ronald	R. L. Polk & Co.
	Buhr Jamas	R. L. Polk & Co.
	Gray Carl	R. L. Polk & Co.
	Scott Michl	R. L. Polk & Co.
	Apartments	R. L. Polk & Co.
1966	APARTMENTS	R. L. Polk & Co.
	HOOK CHARLES	R. L. Polk & Co.
	HOWARD DON	R. L. Polk & Co.
	RAMON J R	R. L. Polk & Co.
	AGOL STANLEY	R. L. Polk & Co.
1960	Vacant	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1955	Conley Rexine K Mrs	R. L. Polk Co.
	La Torretti Stella Mrs	R. L. Polk Co.
1950	Conley A E	R. L. Polk & Co.
1945	Alvarado J J	R. L. Polk Co.
1940	Brassell Helen M	R. L. Polk Co.
	Waterman C H	R. L. Polk Co.
1930	Burgess M M Mrs	R. L. Polk Co. of California
	Baker W H	R. L. Polk Co. of California
1925	Burgess Mrs M M	R. L. Polk & Co.
1922	Baker W H	R. L. Polk Co.

353 4TH ST S

Year	Uses	Source
2000	CEMBELLIN Larry	Haines & Company
1975	Apartments	Pacific Telephone
	Coombs Joseph	Pacific Telephone
	Ross Jesse A	Pacific Telephone
	Vacant	Pacific Telephone
	Duran James	Pacific Telephone
	Aquino David	Pacific Telephone
1970	Moore Kay	R. L. Polk & Co.
	Apartments	R. L. Polk & Co.
	Ross Jesse A	R. L. Polk & Co.
	De Brito Richd	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Aquino David	R. L. Polk & Co.
1966	AGUINO DAVID	R. L. Polk & Co.
	APARTMENTS	R. L. Polk & Co.
	COOMBS BUNNY	R. L. Polk & Co.
	ROSS JESSE A	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	DELGADO S A	R. L. Polk & Co.
1960	Apartments	R. L. Polk Co.
	Nye Ivan	R. L. Polk Co.
	De Baca Wayne	R. L. Polk Co.
	De Baca Nick	R. L. Polk Co.
	Scares Margt Mrs	R. L. Polk Co.
	Karnes Marvin W	R. L. Polk Co.
	Street continued	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1955	Barsch Marian L	R. L. Polk Co.
1950	Henschel E E	R. L. Polk & Co.
	Hightower J M	R. L. Polk & Co.
	Rnudtson H A Mrs	R. L. Polk & Co.
	Platt Mary	R. L. Polk & Co.
	Soares M M Mrs	R. L. Polk & Co.
	Windbigler I E	R. L. Polk & Co.
1945	Douglass Frank	R. L. Polk Co.
1940	Cabney M S Mrs	R. L. Polk Co.
1930	Richey Dorothy Mrs furn rms	R. L. Polk Co. of California
1925	Malott Mrs A W	R. L. Polk & Co.

355 4TH ST S

Year	Uses	Source
1960	Bouquet Cora N Mrs	R. L. Polk Co.
1950	Garn Bernice	R. L. Polk & Co.
	Thomas Arrie Mrs	R. L. Polk & Co.
	Cowan Laura Mrs	R. L. Polk & Co.
	Kelly Eileen Mrs	R. L. Polk & Co.
	Parker W A Mrs	R. L. Polk & Co.
	Young L H	R. L. Polk & Co.
1945	Thomas J D	R. L. Polk Co.
1930	Crites Consuelo Mrs	R. L. Polk Co. of California
1925	Vacant	R. L. Polk & Co.
1922	Wolfe N W	R. L. Polk Co.

356 4TH ST S

Year	Uses	Source
1930	Brown F H	R. L. Polk Co. of California

357 4TH ST S

Year	Uses	Source
2000	APARTMENTS	Haines & Company
	CASTELLANOS James	Haines & Company
	CHOW Kenneth	Haines & Company
	GONZALES Fabio	Haines & Company
	KIM Peter F	Haines & Company
	MILLER Paul	Haines & Company
	NORIEGA Juan M	Haines & Company

FINDINGS

Year	Uses	Source
2000	WOLOWSKI E	Haines & Company
1996	2 Soriano Stephanie	Pacific Bell
	4 Lovelace R Gaylon Jr	Pacific Bell
	12 Barrett Kathleen M	Pacific Bell
1975	Druesilla Hall apts	Pacific Telephone
	Leung Albert	Pacific Telephone
	Vacant	Pacific Telephone
	Vacant	Pacific Telephone
	Yeng N	Pacific Telephone
	Castellin B	Pacific Telephone
	Menta Harry	Pacific Telephone
	Oey E	Pacific Telephone
	Chan Ken	Pacific Telephone
	Lee Allen	Pacific Telephone
	Vacant	Pacific Telephone
	Kayaer Cetin	Pacific Telephone
	Ling B	Pacific Telephone
	Baniani M	Pacific Telephone
1970	Druesilla Hall apts	R. L. Polk & Co.
	Mc Cready Thos E	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Zimmer James	R. L. Polk & Co.
	Rone Shirley	R. L. Polk & Co.
	Brunt S	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Arminault Warner	R. L. Polk & Co.
	Toole Eileen	R. L. Polk & Co.
	James Eliz	R. L. Polk & Co.
	Kajiuye Thos	R. L. Polk & Co.
	Anderson Thos	R. L. Polk & Co.
	Fong Gene	R. L. Polk & Co.
	Lee Lurry	R. L. Polk & Co.
1966	DRUESILLA HALL APTS	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	HAND LORRAINE	R. L. Polk & Co.
	MAC FADDIN JEAN	R. L. Polk & Co.
	KLOPP JUDITH	R. L. Polk & Co.
	NAKAMOTO J H	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	FULLER NICK	R. L. Polk & Co.
	OLSON SHERYL	R. L. Polk & Co.
	JACKSON LARRY	R. L. Polk & Co.
	ROTH JIM	R. L. Polk & Co.
	WHITE RICHD	R. L. Polk & Co.
	PARANJPE D P	R. L. Polk & Co.
	MONY P G S	R. L. Polk & Co.
	GORDON N E	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
1960	Movesian Norman	R. L. Polk Co.
	Forson Gane	R. L. Polk Co.
	Cole Jerry	R. L. Polk Co.
	Crawford Roberta	R. L. Polk Co.
	Zattola Brnest D	R. L. Polk Co.
	Monson Frdd	R. L. Polk Co.
	Christensen John S	R. L. Polk Co.
	Mortazavi Morteza	R. L. Polk Co.
	Morrison Rita	R. L. Polk Co.
	John Nancy	R. L. Polk Co.
	Gettins Jim	R. L. Polk Co.
	Hays Louise	R. L. Polk Co.
	Street continued	R. L. Polk Co.
	La Donna Apartments	R. L. Polk Co.
	Mc Gowan Gerald R	R. L. Polk Co.
1945	Buchanan Arminty Mrs	R. L. Polk Co.
	Cowan Laura Mrs	R. L. Polk Co.
	Garn Bernice	R. L. Polk Co.
	Parker R T	R. L. Polk Co.
1940	Baker Sidney	R. L. Polk Co.
	Hoyll Allen	R. L. Polk Co.
	Parker Robt	R. L. Polk Co.
	Thomas J D	R. L. Polk Co.
	Young L H	R. L. Polk Co.
1930	Elmer W J	R. L. Polk Co. of California
	Hodenson Carl	R. L. Polk Co. of California
	Parker H C	R. L. Polk Co. of California
1925	Satakohann Herman	R. L. Polk & Co.
1922	Morgan Danl	R. L. Polk Co.

FINDINGS

360 4TH ST S

Year	Uses	Source
1975	Apartments	Pacific Telephone
1970	Apartments	R. L. Polk & Co.
1966	PERALA JAN	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	KLEMP DAVID W	R. L. Polk & Co.
	REAR VACANT	R. L. Polk & Co.
	APARTMENTS	R. L. Polk & Co.
	REYES ALICIA	R. L. Polk & Co.
1960	Cancellier Robt	R. L. Polk Co.
	Anderson Leon	R. L. Polk Co.
1950	Binley Mary	R. L. Polk & Co.
	Grosso J L	R. L. Polk & Co.
	Keckler A L	R. L. Polk & Co.
	OMalior Spencer	R. L. Polk & Co.
	Pike Ona Mrs	R. L. Polk & Co.
1945	Griff Thelma Mrs	R. L. Polk Co.
	Hord A J Mrs	R. L. Polk Co.
	Keckler A L	R. L. Polk Co.
	Staggs A M Mrs	R. L. Polk Co.
	Staggs Arth	R. L. Polk Co.
	Whitfield E T	R. L. Polk Co.
1940	Winniford A D	R. L. Polk Co.
1930	Walters C M	R. L. Polk Co. of California
1925	Bachman Jas	R. L. Polk & Co.
1922	Dalamus Manuel	R. L. Polk Co.
	Peterson Mrs Bertha	R. L. Polk Co.

362 4TH ST S

Year	Uses	Source
1960	Baumann Ann Mrs	R. L. Polk Co.

365 4TH ST S

Year	Uses	Source
2000	SASMITA Sylvia	Haines & Company
1975	Apartments	Pacific Telephone
	Rodriguez Leonor L	Pacific Telephone
	Cortese Jerome	Pacific Telephone
	Wai Ken	Pacific Telephone

FINDINGS

Year	Uses	Source
1975	Martel Aurelia H	Pacific Telephone
1970	Apartments	R. L. Polk & Co.
	Moord M Bernard	R. L. Polk & Co.
	Nylander B	R. L. Polk & Co.
	Jackson Velma	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
1966	APARTMENTS	R. L. Polk & Co.
	MQORD M BERNARD	R. L. Polk & Co.
	POZZO GERTRUDE MRS	R. L. Polk & Co.
	WILLIAMS ANNA E MRS	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
1960	Apartments	R. L. Polk Co.
	Moord B Bernard	R. L. Polk Co.
	Pozzo Gertrute Mrs	R. L. Polk Co.
	Williams Anna E Mrs	R. L. Polk Co.
	Bergstrom Mabel A Mrs	R. L. Polk Co.
	Street continued	R. L. Polk Co.
1955	365 67 Apartments	R. L. Polk Co.
1950	Hicks R A	R. L. Polk & Co.
	Merirck F C	R. L. Polk & Co.
	Newland H J	R. L. Polk & Co.
	Williams A E Mrs	R. L. Polk & Co.
1945	Emge C P	R. L. Polk Co.
	Hicks R A	R. L. Polk Co.
	Newland H J	R. L. Polk Co.

367 4TH ST S

Year	Uses	Source
2000	SIFUENTES Olga	Haines & Company
1996	6 Sifuentes Olga	Pacific Bell
1975	Urfer Naomi L Mrs	Pacific Telephone
	Stova Cary	Pacific Telephone
	Vacant	Pacific Telephone
	Estrada Ruby H	Pacific Telephone
	Apartments	Pacific Telephone
1970	Urfer Naomi L Mrs	R. L. Polk & Co.
	Apartments	R. L. Polk & Co.
	Estrada Ruby H	R. L. Polk & Co.
	Batista J	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	Arnett Verva	R. L. Polk & Co.
1966	ARNETT VERVA	R. L. Polk & Co.
	SNYDER HELEN C	R. L. Polk & Co.
	APARTMENTS	R. L. Polk & Co.
	SANDERS LEOMA MRS	R. L. Polk & Co.
	WALKER CHARLES L	R. L. Polk & Co.
1960	Apartments	R. L. Polk Co.
	Evans Merrill	R. L. Polk Co.
	Leibrand Purdie D Mrs	R. L. Polk Co.
	Vali John	R. L. Polk Co.
	Arnestt Verva Mrs	R. L. Polk Co.
	Darby Grace E	R. L. Polk Co.
	Street continued	R. L. Polk Co.
1955	Murray Louis R	R. L. Polk Co.
	Sacks Jessica	R. L. Polk Co.
	Lutz Albert H	R. L. Polk Co.
	Darby Grace E	R. L. Polk Co.
	Newland Viola B Mrs	R. L. Polk Co.
	Williams Anna E Mrs	R. L. Polk Co.
	Pezzo Gertrude Mrs	R. L. Polk Co.
	Moord M Bernard	R. L. Polk Co.
	365 67 Apartments	R. L. Polk Co.
1950	Oren Robt	R. L. Polk & Co.
	Jacks Lina Mrs	R. L. Polk & Co.
	Humburg D F Mrs	R. L. Polk & Co.
	Green P E	R. L. Polk & Co.
1945	Woods C W	R. L. Polk Co.
	Samson J E	R. L. Polk Co.
	La Chance Marie N	R. L. Polk Co.
	Humburg D F Mrs	R. L. Polk Co.

368 4TH ST S

Year	Uses	Source
1966	SNYDER RAY J	R. L. Polk & Co.
1960	Snyder Raymond	R. L. Polk Co.
1955	Snyder Raymond	R. L. Polk Co.
1950	Martinelli L A	R. L. Polk & Co.
1945	Martinelli L A	R. L. Polk Co.
1940	Wetterstrom A M Mrs	R. L. Polk Co.

Year	Uses	Source
1930	Butler E A Mrs	R. L. Polk Co. of California
1925	Bradley Mrs M E	R. L. Polk & Co.
1922	Alva J B	R. L. Polk Co.

370 4TH ST S

Year	Uses	Source
1966	SWENSON LESTER J	R. L. Polk & Co.
1960	Livingston James	R. L. Polk Co.
	Dibble Thos	R. L. Polk Co.
1955	Edward Clark	R. L. Polk Co.
	Edward Fashion Model Studio & Finishing Sch	R. L. Polk Co.
1950	Higgins T J	R. L. Polk & Co.
	Higgins Mary Mrs	R. L. Polk & Co.
1945	Higgins Mary Mrs	R. L. Polk Co.
1940	Higgins T J	R. L. Polk Co.
1930	Jackson H D	R. L. Polk Co. of California
1925	Burns Wm	R. L. Polk & Co.
1922	OMalley Mrs L L	R. L. Polk Co.

375 4TH ST S

Year	Uses	Source
2000	LUEVANO Abel	Haines & Company
	TEJEDA Eugenio	Haines & Company
	URRUTIA Arturo	Haines & Company
1996	4 Pulido Andres	Pacific Bell
	9 Yescas Perlita	Pacific Bell
	10 Sooalo Aliitama	Pacific Bell
1975	La Donna Apartments	Pacific Telephone
	Larson Wm F	Pacific Telephone
	Malekinford Massoud	Pacific Telephone
	Tokooka Edith	Pacific Telephone
	Yip Joseph	Pacific Telephone
	Sahari P	Pacific Telephone
	Sands D E	Pacific Telephone
	Aoyama Glen	Pacific Telephone
	Young A	Pacific Telephone
	Jinniah C	Pacific Telephone
	Noe Paula	Pacific Telephone

FINDINGS

Year	Uses	Source
1970	La Donna Apartments	R. L. Polk & Co.
	Preader Edw	R. L. Polk & Co.
	Norell Anthony	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Lewis Calvin L	R. L. Polk & Co.
	Burroughs Marvette	R. L. Polk & Co.
	Hamlin Bruce	R. L. Polk & Co.
	Hufford Danl C	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Haggstrom Jean A	R. L. Polk & Co.
	Lassila Dan	R. L. Polk & Co.
1966	LA DONNA APARTMENTS	R. L. Polk & Co.
	ANTHONISEN MARGOT	R. L. Polk & Co.
	GOAR ROBT	R. L. Polk & Co.
	MERRITT K A	R. L. Polk & Co.
	ERICKSON LAURA	R. L. Polk & Co.
	BCIYD WM	R. L. Polk & Co.
	MILLER L R	R. L. Polk & Co.
	TUCKER NARY	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	ROBERTS SALLY	R. L. Polk & Co.
	POMPILIO JOSEPH	R. L. Polk & Co.
1960	Apartments	R. L. Polk Co.
	Armstrong Sylvia	R. L. Polk Co.
	No Return	R. L. Polk Co.
	Doyde Chas W	R. L. Polk Co.
	Stahl Patricia L	R. L. Polk Co.
	Baker Carolyn S	R. L. Polk Co.
	Street continued	R. L. Polk Co.

380 4TH ST S

Year	Uses	Source
1966	LOUPE KARA A	R. L. Polk & Co.
1960	Loupe Alice V Mrs	R. L. Polk Co.
1955	Loupe Alice V Mrs	R. L. Polk Co.
1950	Loupe A V Mrs	R. L. Polk & Co.
1945	Loupe L R	R. L. Polk Co.
1940	Loupe L R	R. L. Polk Co.

FINDINGS

385 4TH ST S

Year	Uses	Source
2000	APARTMENTS	Haines & Company
	CLAUS James	Haines & Company
	HERNANDEZ Juan Carlos	Haines & Company
	KIM Ki	Haines & Company
	LOPEZ Evelia	Haines & Company
	SANTIAGO Chnstina	Haines & Company
	SANTIAGO Herberto	Haines & Company
1996	1 Ly Phung	Pacific Bell
	10 Flores Leticia	Pacific Bell
1975	Apartments	Pacific Telephone
	Chong Ellen	Pacific Telephone
	Lubow Kyli	Pacific Telephone
	Warren Floyd	Pacific Telephone
	Florentino A	Pacific Telephone
	Vacant	Pacific Telephone
	Shayegi Joseph	Pacific Telephone
	Bradley Isabel E	Pacific Telephone
	Shingu Clifford	Pacific Telephone
	Troustine Phil	Pacific Telephone
	Wong Wm	Pacific Telephone
1970	Bradley Isabell E	R. L. Polk & Co.
	Corpa Esquiel	R. L. Polk & Co.
	Bizoti James V	R. L. Polk & Co.
	Ambrosio Linda	R. L. Polk & Co.
	Apartments	R. L. Polk & Co.
	Angleson John	R. L. Polk & Co.
	Chachore Bernadette P	R. L. Polk & Co.
	Corchero Dan	R. L. Polk & Co.
	Guimone Larry	R. L. Polk & Co.
	Martinez Louis G	R. L. Polk & Co.
	Parish Frances	R. L. Polk & Co.
1966	APARTMENTS	R. L. Polk & Co.
	SALVAGE JOHN	R. L. Polk & Co.
	RANDAL L NATHAN JR	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	HASSELL FRANK A	R. L. Polk & Co.
	NEU ANDRE	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	BAIRD DEAN	R. L. Polk & Co.
	BRADLEY ELMA I	R. L. Polk & Co.
	MC KUSKER JERRY	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	GOTO LEORA	R. L. Polk & Co.
1960	Apartments	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Bandy Clyde M	R. L. Polk Co.
	Christensen John	R. L. Polk Co.
	Snyder Karen E	R. L. Polk Co.
	Rancodore Bruce M	R. L. Polk Co.
	Street continued	R. L. Polk Co.

389 4TH ST S

Year	Uses	Source
1930	Pye J T	R. L. Polk Co. of California

390 4TH ST S

Year	Uses	Source
1966	WONG AGNES W	R. L. Polk & Co.
	INDIANA ANTIQWES	R. L. Polk & Co.
	MILTON CHARLES	R. L. Polk & Co.
1960	Campbell Robt W	R. L. Polk Co.
1955	ORoake Leo J	R. L. Polk Co.
1950	ORoake L J	R. L. Polk & Co.
1945	Wetterstrom A M Mrs	R. L. Polk Co.
1940	Scholl Martha Mrs	R. L. Polk Co.
	Martin H M	R. L. Polk Co.
1930	Bachman Peggy Mrs	R. L. Polk Co. of California

395 4TH ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	Riggs Jeff	Pacific Telephone
	Vacant	Pacific Telephone
	Brady Louis	Pacific Telephone
	Samarriba Humberto	Pacific Telephone
	Griffin Jimmie L	Pacific Telephone
	Apartments	Pacific Telephone

FINDINGS

Year	Uses	Source
1975	Hannigan Cathy	Pacific Telephone
1970	Apartments	R. L. Polk & Co.
	Huboi David A	R. L. Polk & Co.
	Murrero Bertha	R. L. Polk & Co.
	Fhat Vinh	R. L. Polk & Co.
	Moss Edw	R. L. Polk & Co.
	Jimenez Leanda	R. L. Polk & Co.
	De La Torre Luis	R. L. Polk & Co.
1966	APARTMENTS	R. L. Polk & Co.
	FOUSEKIS VLASIS	R. L. Polk & Co.
	HUTAKEYAMA M H	R. L. Polk & Co.
	MECHAM NICK	R. L. Polk & Co.
	KELLEY J O	R. L. Polk & Co.
	CRONE GAYLE	R. L. Polk & Co.
	PARHAO R E	R. L. Polk & Co.
1960	Apartments	R. L. Polk Co.
	Coelho Nancy L	R. L. Polk Co.
	Mc Kinney Roland	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Chim Geo	R. L. Polk Co.
	Street continued	R. L. Polk Co.

396 4TH ST S

Year	Uses	Source
1950	Farris Herman	R. L. Polk & Co.

398 4TH ST S

Year	Uses	Source
1960	Indiana Antiques	R. L. Polk Co.
	Milton Chas	R. L. Polk Co.
1955	Indiana An	R. L. Polk Co.
1945	Olsen M S	R. L. Polk Co.
1940	Pye J T	R. L. Polk Co.
1925	Pye J T	R. L. Polk & Co.
1922	Pye J T	R. L. Polk Co.

402 4TH ST S

Year	Uses	Source
2000	GUERRA Joseph	Haines & Company

FINDINGS

Year	Uses	Source
2000	HUA Phuoc Van	Haines & Company
1996	7 Hua Phuoc Van	Pacific Bell
1975	Victorian Apartments	Pacific Telephone
	lClark Richd	Pacific Telephone
	Sadeghi Ali	Pacific Telephone
	Griffins Marie	Pacific Telephone
	Moses G	Pacific Telephone
	Vacant	Pacific Telephone
	Farvardin Charles	Pacific Telephone
	Pilcher Victor	Pacific Telephone
1970	Sweeney Michl D	R. L. Polk & Co.
	Jimenez Ralph F	R. L. Polk & Co.
	Nakeeb Zouhoir	R. L. Polk & Co.
	Barghoud Maurice	R. L. Polk & Co.
	Victorian ApartmentS	R. L. Polk & Co.
	Calloway Lucille	R. L. Polk & Co.
	Cravalho Desmond	R. L. Polk & Co.
	Mubiru Abdul M	R. L. Polk & Co.
1966	VICTORIAN APARTMENT	R. L. Polk & Co.

405 4TH ST S

Year	Uses	Source
2000	GRIFFITH APTS	Haines & Company
	ADAMS Jason	Haines & Company
	BURNS Melissa	Haines & Company
	CHOATE Cralg	Haines & Company
	GUERTIN Michael	Haines & Company
	HAWTHORNE Cal J	Haines & Company
	JAMISON Sarah	Haines & Company
	MAYOROA Gonzalo	Haines & Company
	ROMA Michele	Haines & Company
	STURGILL Christopher B	Haines & Company
	WANG Tina F	Haines & Company
1996	107 Chavez Javier	Pacific Bell
	203 Herrera Tricia	Pacific Bell
	204 Thompson Matt	Pacific Bell
	210 Mitz Frank A	Pacific Bell
	212 Earth Doug Jr	Pacific Bell
	213 Iverson Warn	Pacific Bell

FINDINGS

Year	Uses	Source
1996	215 Marquez Susano	Pacific Bell
	303 Letcher Phillip	Pacific Bell
	305 Roman Ignacio	Pacific Bell
	307 Choate Craig	Pacific Bell
	309 Myers Byron B	Pacific Bell
	311 Guertin Michael	Pacific Bell
1975	Griffiths Apartments	Pacific Telephone
	Quillan Virgil	Pacific Telephone
	Vacant	Pacific Telephone
	Wilson Karen	Pacific Telephone
	Guise Clement S	Pacific Telephone
	Alameda Laren	Pacific Telephone
	Fahuridi Hindry	Pacific Telephone
	Traini Henry	Pacific Telephone
	Tanner Jane	Pacific Telephone
	Sprague Eug C	Pacific Telephone
	Costad Arth	Pacific Telephone
	Ellis Dave	Pacific Telephone
	Tassi Alf	Pacific Telephone
	Vacant	Pacific Telephone
	Soklee Dae	Pacific Telephone
	Dunlap Wm	Pacific Telephone
	Porter Al	Pacific Telephone
	Patterson Carolyn	Pacific Telephone
	Maki James	Pacific Telephone
	Raymond Debra	Pacific Telephone
	White Ted	Pacific Telephone
	Larson Edith	Pacific Telephone
	Lam Sidney	Pacific Telephone
	Deicken Oline Mrs	Pacific Telephone
	Klienstuber Bertha	Pacific Telephone
	West Verm	Pacific Telephone
	Trussis Bill	Pacific Telephone
	Queen Bill	Pacific Telephone
	Salazar John	Pacific Telephone
	Heembrock J	Pacific Telephone
	Duggans Marion	Pacific Telephone
	Wormington Larry	Pacific Telephone

FINDINGS

Year	Uses	Source
1975	Sherer Maurice	Pacific Telephone
	Mitz Frank A	Pacific Telephone
	Limeri Sarah C	Pacific Telephone
	Altaman John	Pacific Telephone
	Christensen Warren	Pacific Telephone
	Anderson Carol	Pacific Telephone
	Ridlon Kenneth	Pacific Telephone
	Hutchison Dennis L	Pacific Telephone
	Johnston Robt	Pacific Telephone
	Collins Mary E	Pacific Telephone
	Herrman Vincent	Pacific Telephone
	Sonthworth Ruth	Pacific Telephone
	Augustine Bumell	Pacific Telephone
1970	Griffiths Apartments	R. L. Polk & Co.
	Griffiths Eva K Mrs	R. L. Polk & Co.
	Thoeny Victor A	R. L. Polk & Co.
	Gotterba Vora Mrs	R. L. Polk & Co.
	Guise Clement S	R. L. Polk & Co.
	Knoche Geo	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Haubold Cleve K	R. L. Polk & Co.
	Hewitt Mary A	R. L. Polk & Co.
	Sprague Eug C	R. L. Polk & Co.
	Franusich John F	R. L. Polk & Co.
	Peelbles Frances	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Verboknoes Cynthia	R. L. Polk & Co.
	Chan Martin	R. L. Polk & Co.
	Deicken Oline Mrs	R. L. Polk & Co.
	Zatnick Loretta Mrs	R. L. Polk & Co.
	Howson Irene P Mrs	R. L. Polk & Co.
	Ragan Edna	R. L. Polk & Co.
	Mayhirt Ann Mrs	R. L. Polk & Co.
	Norquist Joseph	R. L. Polk & Co.
	Yasaitas John V	R. L. Polk & Co.
	Pockert Wm	R. L. Polk & Co.
	Von Waaden Wolf E	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	Goll Christa Mrs	R. L. Polk & Co.
	Rand Majorie Mrs	R. L. Polk & Co.
	Wright Albert	R. L. Polk & Co.
	Zimmerman Josaph	R. L. Polk & Co.
	Bennett Joseph	R. L. Polk & Co.
	Black D Crawford	R. L. Polk & Co.
	De La Torres Luis	R. L. Polk & Co.
	Thompson Carmen A Mrs	R. L. Polk & Co.
	Kolley Joyce	R. L. Polk & Co.
	May Dan	R. L. Polk & Co.
1966	GRIFFITHS APARTMENTS	R. L. Polk & Co.
	GRIFFTHS EVA F MRS	R. L. Polk & Co.
	THOENY VICTOR A	R. L. Polk & Co.
	LITYLE HATTIE	R. L. Polk & Co.
	GUISE CLFMENT S	R. L. Polk & Co.
	PLANT C E	R. L. Polk & Co.
	BROWN RACNEL a	R. L. Polk & Co.
	YONTZ TED	R. L. Polk & Co.
	HEWITT MARY	R. L. Polk & Co.
	SPRAGUE EUG C	R. L. Polk & Co.
	FRANUSICH JOHN F	R. L. Polk & Co.
	DIEDRICKS ANTHONY	R. L. Polk & Co.
	DE WITT RALPH	R. L. Polk & Co.
	FOSTER JEAN	R. L. Polk & Co.
	JAMES EDWIN	R. L. Polk & Co.
	DEICKEN ALINE MRS	R. L. Polk & Co.
	MEUTZE PAUL	R. L. Polk & Co.
	CAMPBELL CHARLES R	R. L. Polk & Co.
	DICKINSON LUCRETIA E	R. L. Polk & Co.
	WALLACE HOWARD E	R. L. Polk & Co.
	PIERCE HARRY	R. L. Polk & Co.
	BEIRLE EMMA	R. L. Polk & Co.
	ROGAN EDNA	R. L. Polk & Co.
	CLARK VIRGINIA M	R. L. Polk & Co.
	BATTLES BRUCE	R. L. Polk & Co.
	MORSE WAYNE	R. L. Polk & Co.
	WILLEMS LARRY A	R. L. Polk & Co.
	STONE DARL M	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	CURRIE PHILIP	R. L. Polk & Co.
	KAUFFMAN HOWARD E	R. L. Polk & Co.
	BLACK D C	R. L. Polk & Co.
	HQWSON IRENE P	R. L. Polk & Co.
	MOFFETT BETTY	R. L. Polk & Co.
	BAKER ADA B MRS	R. L. Polk & Co.
	LEWIS AUDREY	R. L. Polk & Co.
	MC DONALD GARY G	R. L. Polk & Co.
	DIX ELENA G	R. L. Polk & Co.
	SCHUETTE MARY	R. L. Polk & Co.
	VERDIER DRINETTE	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	LIPPKA CARL	R. L. Polk & Co.
	GOLDMANIS VALENTINE MRS	R. L. Polk & Co.
	SOLDNER EMM	R. L. Polk & Co.
	DORNBUSH MARVIN	R. L. Polk & Co.
	EAGER CAROL H	R. L. Polk & Co.
	BOYENS JONNIE	R. L. Polk & Co.
	MC VEIGH THELMA	R. L. Polk & Co.
	MEANS HAZEL MRS	R. L. Polk & Co.
1960	Holmes Wayne G	R. L. Polk Co.
	Anderson Clarence	R. L. Polk Co.
	Pollock Ida L Mrs	R. L. Polk Co.
	Howson Irene Mrs	R. L. Polk Co.
	Harvey Kenneth P	R. L. Polk Co.
	Delman Ruth Mrs	R. L. Polk Co.
	Aune John	R. L. Polk Co.
	Dorrance Mabel B Mrs	R. L. Polk Co.
	Miller Meredith	R. L. Polk Co.
	Holt Verna	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Mc Hugh Lester	R. L. Polk Co.
	Kohrs Alma	R. L. Polk Co.
	Griffith Thos	R. L. Polk Co.
	Shafer Patricia	R. L. Polk Co.
	Eidswtsk Jack	R. L. Polk Co.
	Fisher Glenn	R. L. Polk Co.
	Iban Kanelli	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1960	Barton Everett	R. L. Polk Co.
	Kauffman Howerd E	R. L. Polk Co.
	Mc Gaffick Jas	R. L. Polk Co.
	Reynolds Grace	R. L. Polk Co.
	Mc Donald Gerald	R. L. Polk Co.
	Dillard Clara	R. L. Polk Co.
	Schuette Mary	R. L. Polk Co.
	Verdier Drinette Mrs	R. L. Polk Co.
	Alroyd Foster	R. L. Polk Co.
	Lippka Carl	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Muldown J Neil	R. L. Polk Co.
	Means Hazel Mrs	R. L. Polk Co.
	Welch Frank	R. L. Polk Co.
	Pyle Evelyn	R. L. Polk Co.
	Graham Robt	R. L. Polk Co.
	Hendry Jacquline	R. L. Polk Co.
	Street continued	R. L. Polk Co.
	Griffiths Apartments	R. L. Polk Co.
	Caramagno Nino	R. L. Polk Co.
	Griffiths Eva E Mrs	R. L. Polk Co.
	Harmon Marjory	R. L. Polk Co.
	Colosti Carl	R. L. Polk Co.
	Rietveld Henry	R. L. Polk Co.
	Baker F E Mrs	R. L. Polk Co.
	Kivlin Howard	R. L. Polk Co.
	Ashford Julie Ann	R. L. Polk Co.
	Bass Thos L	R. L. Polk Co.
	Rianda Marian	R. L. Polk Co.
	Hunter Lloyd	R. L. Polk Co.
	Humphery Julia Mrs	R. L. Polk Co.
	Hardy Louie	R. L. Polk Co.
1955	Myers Patricia	R. L. Polk Co.
	Urbanik Edw A	R. L. Polk Co.
	OConnor Wm A	R. L. Polk Co.
	Bardmess Nellie Mrs	R. L. Polk Co.
	Lindskog Earl	R. L. Polk Co.
	Vacant	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1955	Collins Ruth	R. L. Polk Co.
	Madrid Elinor	R. L. Polk Co.
	Albert John	R. L. Polk Co.
	Lightfoot	R. L. Polk Co.
	Healy Theresa M Mrs	R. L. Polk Co.
	Price Jerry G	R. L. Polk Co.
	Hale Chas	R. L. Polk Co.
	Mauer Vim	R. L. Polk Co.
	Gold Harold	R. L. Polk Co.
	Schuette Mary	R. L. Polk Co.
	Herman Geo	R. L. Polk Co.
	Rexode Melvin	R. L. Polk Co.
	Weiss Rebecca	R. L. Polk Co.
	Trenor Chas jr	R. L. Polk Co.
	Bryant Irving	R. L. Polk Co.
	Pritchard Jos	R. L. Polk Co.
	Petersen May	R. L. Polk Co.
	Smith Wm V	R. L. Polk Co.
	Flannigan Gail	R. L. Polk Co.
	Trignor Ron L	R. L. Polk Co.
	Street continued	R. L. Polk Co.
	Schmidt Marguerite	R. L. Polk Co.
	Griffith Apartments	R. L. Polk Co.
	Fleming Robt mgr	R. L. Polk Co.
	Corriera Gao	R. L. Polk Co.
	Johnson Bruce	R. L. Polk Co.
	Peterson E L	R. L. Polk Co.
	Beal Arth C	R. L. Polk Co.
	Robertson Jay	R. L. Polk Co.
	Barshinger Donald	R. L. Polk Co.
	Mc Kee Lisa	R. L. Polk Co.
	Drawbay Ann	R. L. Polk Co.
	Ross Betsy Mrs	R. L. Polk Co.
	Thompson Marilyn	R. L. Polk Co.
	Bullock Betty	R. L. Polk Co.
	Welbrook Edw	R. L. Polk Co.
	Logie Marc J	R. L. Polk Co.
	Mattson Cath	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1955	Garry Jos T	R. L. Polk Co.
	Garcia Geo	R. L. Polk Co.
	Calhouer Edw	R. L. Polk Co.
	Pandell Elaine	R. L. Polk Co.
	Dorrance Mabel B Mrs	R. L. Polk Co.
	Klion Chas M	R. L. Polk Co.
	Griffiths Apartments	R. L. Polk Co.
	Dunn Gertrude E Mrs	R. L. Polk Co.
	Northcutt A Danl	R. L. Polk Co.
	Soares Margt Mrs	R. L. Polk Co.
	Kaufman Marty	R. L. Polk Co.
	Marshall Laura S Mrs	R. L. Polk Co.
	Thomas Arrie Mrs	R. L. Polk Co.
	Betzenderfer Robt	R. L. Polk Co.
	Stewart Margt	R. L. Polk Co.
	Swann Julian	R. L. Polk Co.

414 4TH ST S

Year	Uses	Source
2000	APARTMENTS	Haines & Company
	HUYNH Heo	Haines & Company
	NGO Nhren	Haines & Company
	NGUYEN Binh Van	Haines & Company
	NGUYEN Phi V	Haines & Company
	TRAN Dinh	Haines & Company
1996	1 Nguyen Hac	Pacific Bell
	2 Tran Son	Pacific Bell
	3 Nguyen Binh Van	Pacific Bell
	4 Tran Dinh	Pacific Bell
	5 Ngo Nhien	Pacific Bell
1975	Apartments	Pacific Telephone
	Vacant	Pacific Telephone
1970	Apartments	R. L. Polk & Co.
	Khouzam Allen	R. L. Polk & Co.
	Daniels Ronald D	R. L. Polk & Co.
	Cemo E	R. L. Polk & Co.
	Gorden Keith	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Brown Cheryle	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	SERGI RON	R. L. Polk & Co.
	CONK IN DIANNE	R. L. Polk & Co.
	OTO ERNEST	R. L. Polk & Co.
	APARTMENTS	R. L. Polk & Co.
	HAYES CHARLES W	R. L. Polk & Co.
	CLARK AUDREY	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
1960	Bartels Pamela C	R. L. Polk Co.
	Tuleow Jack M	R. L. Polk Co.

418 4TH ST S

Year	Uses	Source
1955	Vacant	R. L. Polk Co.
1945	Mosher G B	R. L. Polk Co.
1940	Mosher G B	R. L. Polk Co.
1930	Mosher G B	R. L. Polk Co. of California
1925	Mosher G B	R. L. Polk & Co.
1922	De Franco Philip	R. L. Polk Co.

420 4TH ST S

Year	Uses	Source
2000	GUERRA Virginia	Haines & Company
	LE Hiep Van	Haines & Company
	NGUYEN Diep	Haines & Company
	TRAN Sal Van	Haines & Company
1996	2 TIran Thu Thi	Pacific Bell
	4 Tran Sai Van	Pacific Bell
1975	Apartments	Pacific Telephone
	Browne Wm	Pacific Telephone
	Dolence Paul	Pacific Telephone
	Gomez P L	Pacific Telephone
	Mejia Ali	Pacific Telephone
	Johnson Al	Pacific Telephone
	Mc Intyre W	Pacific Telephone
1970	Apartments	R. L. Polk & Co.
	Wyffels Richd D	R. L. Polk & Co.
	Jackson David	R. L. Polk & Co.
	Mulvihill Dennis K	R. L. Polk & Co.
	Van Mol Christiane	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	Moll Susan	R. L. Polk & Co.
	Johnson Mylo H	R. L. Polk & Co.
1966	APARTMENTS	R. L. Polk & Co.
	DELP KEITH	R. L. Polk & Co.
	JONES LINDA	R. L. Polk & Co.
	BRETON VICKI	R. L. Polk & Co.
	LEE ANNIE	R. L. Polk & Co.
	WEBER FRANK	R. L. Polk & Co.
	BECK KONRAD	R. L. Polk & Co.
1960	Justman Uzi	R. L. Polk Co.
	Johnston Robt	R. L. Polk Co.
1955	Evercraft Mfg Co	R. L. Polk Co.
	1/2 Oswald Edw	R. L. Polk Co.
1950	Bargain Spot 2d hd gds	R. L. Polk & Co.
	1/2 Bergerson E L	R. L. Polk & Co.
1945	Spearman G H mach shop	R. L. Polk Co.
	1/2 Bergerson E L	R. L. Polk Co.
1940	Mosher G B auto repr	R. L. Polk Co.
	Reliance Tire Co	R. L. Polk Co.
	1/2 Rhyne Wm	R. L. Polk Co.
1925	Freeman C I	R. L. Polk & Co.
1922	Clark Mrs C H	R. L. Polk Co.

421 4TH ST S

Year	Uses	Source
1940	Becker Gus	R. L. Polk Co.
	Cressi Frank	R. L. Polk Co.
1930	Gallagher Jessie Mrs	R. L. Polk Co. of California
1925	Gallagher Mrs Jessie	R. L. Polk & Co.
	Nieman E H	R. L. Polk & Co.
1922	Gallagher Mrs Jessie	R. L. Polk Co.

425 4TH ST S

Year	Uses	Source
1960	Camarena Richd	R. L. Polk Co.
	Clark Ida Mrs	R. L. Polk Co.
	Smith Wm W	R. L. Polk Co.
1955	Clark Ida Mrs	R. L. Polk Co.
	Jones Gary	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1955	Smith Wm W	R. L. Polk Co.
1950	Hanna Frank	R. L. Polk & Co.
	Martin Jos	R. L. Polk & Co.
	Williams T D	R. L. Polk & Co.
1945	Collins H J	R. L. Polk Co.
	Moore Clarence	R. L. Polk Co.
	Schulz Cath Mrs	R. L. Polk Co.
1940	Simmons Grace Mrs	R. L. Polk Co.
1930	Devlin F L	R. L. Polk Co. of California
	Dooley Harry	R. L. Polk Co. of California
	Simmons Annie Mrs	R. L. Polk Co. of California
	Blankert Henrietta	R. L. Polk Co. of California
1925	Simmons Mrs A J	R. L. Polk & Co.
1922	Simmons Mrs A J	R. L. Polk Co.

429 4TH ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1960	Hinds Nellie Mrs	R. L. Polk Co.
1955	Moore Jewell Mrs	R. L. Polk Co.
1950	Lavery Jack	R. L. Polk & Co.
1945	Morelli Jerome	R. L. Polk Co.
1940	Morella Jerome	R. L. Polk Co.
1930	Peterson Oscar	R. L. Polk Co. of California
1925	OConner M E	R. L. Polk & Co.
1922	OBrien Jos	R. L. Polk Co.

430 4TH ST S

Year	Uses	Source
2000	LEE Chien	Haines & Company
	T D S ARCHITECTS	Haines & Company
1996	CHIEN LEE & ASSOCIATES	Pacific Bell
1975	Veterans Of Foreign Wars Memorial	Pacific Telephone
	Johnson Hugh T Thos Post No	Pacific Telephone
	VFW	Pacific Telephone
	Johnson Hugh T Thos Post No	Pacific Telephone
	Auxiliary VFW	Pacific Telephone
	San Jose Nisei Memorial Post No 9970 VFW	Pacific Telephone

FINDINGS

Year	Uses	Source
1975	Veterans Of Foreign Wars Hall	Pacific Telephone
	Association	Pacific Telephone
	Zane R T Post No 344 VFW	Pacific Telephone
	Zane R T Post No 344 Auxiliary	Pacific Telephone
	VFW	Pacific Telephone
1970	United Commercial Travelers No 623 orge	R. L. Polk & Co.
	VFW	R. L. Polk & Co.
	San Jose Nisci Memorial Post No	R. L. Polk & Co.
	Auxiliary VFWI	R. L. Polk & Co.
	Johnson Hugh T Thos Post No	R. L. Polk & Co.
	VFW	R. L. Polk & Co.
	Johnson Hugh T Thos Post No	R. L. Polk & Co.
	Veterans Of Foreign Wars Memorial	R. L. Polk & Co.
	Veterans Of Foreign Wars Hall	R. L. Polk & Co.
	Association	R. L. Polk & Co.
	Zane R T Post No 344 VFW	R. L. Polk & Co.
	Zane R T Post No 344 Auxiliary VFW	R. L. Polk & Co.
1966	ZANE R T POST NO 344 AUXILIARY VFW	R. L. Polk & Co.
	VETERANS OF FOREIGN WARS MEMORIAL BUILDING	R. L. Polk & Co.
	A F L & C I O LOCAL 1058 ELECTRICAL WKRS OF PG & E	R. L. Polk & Co.
	AM FED OF STATE & CNTY LOCAL 1058 MUNICIPAL EMP	R. L. Polk & Co.
	CALIFORNIA DUMP TRUCK ASSN	R. L. Polk & Co.
	JOHNSON HUGH T THOS POST NO 4236 VFW	R. L. Polk & Co.
	JOHNSON HUGH T THOS POST NO 4236 AUXILIARY VFW	R. L. Polk & Co.
	NORDAHL GRIEG LODGE NO 52 SONS OF NORWAY	R. L. Polk & Co.
	SAN JOSE NISEI MEMORIAL POST NO 9970 VFW	R. L. Polk & Co.
	SAN JOSE POST NO 89 AMERICAN LEGION CY	R. L. Polk & Co.
	SAN JOSE POST NO 89 AUXILIARY AMERICAN LEGION	R. L. Polk & Co.
	UNITED COMMERCIAL TRAVELERS NO 623 ORGS	R. L. Polk & Co.
	UNITED STEEL WORKERS OF AMERICA LOCAL	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	VETERANS OF FOREIGN WARS HALL ASSOCIATION	R. L. Polk & Co.
	YOUNG MENS INSTITUE SAN JOSE COUNCIL NO	R. L. Polk & Co.
	ZANE R T POST NO 344 VFW	R. L. Polk & Co.
1960	Veterans of Foreign Wars Memorial Building	R. L. Polk Co.
	San Jose Post 89 Am Legion and Auxiliary	R. L. Polk Co.
	Daugnters of Scorta	R. L. Polk Co.
	Johnson Hugh T Thos Post No 4236 DAV and Auviliary	R. L. Polk Co.
	San Jose Nisei Memorial Post No 9970 Vof FW	R. L. Polk Co.
	Nordahl Greig Lodge No 52 Sons of Norway	R. L. Polk Co.
	Veterans of Foreign Wars Hall Assn	R. L. Polk Co.
	San Jose Post No 4236 VFW	R. L. Polk Co.
	Zane R T Post No 234 VFW and Auxliary	R. L. Polk Co.
1955	Veterans of Foreign Wars Hall	R. L. Polk Co.
	American Legion San Jose Post No 89 and Auxiliary	R. L. Polk Co.
	Veterans of Foreign Wars Hall Assn	R. L. Polk Co.

432 4TH ST S

Year	Uses	Source
1945	Sheppard C E	R. L. Polk Co.
1940	Vacant	R. L. Polk Co.
1930	Barnes W J	R. L. Polk Co. of California
1925	Brayman Willard	R. L. Polk & Co.
1922	Brayman Willard	R. L. Polk Co.

439 4TH ST S

Year	Uses	Source
2000	APARTMENTS	Haines & Company
	CADENAS Martin	Haines & Company
	CARDENAS Jose L	Haines & Company
	ESCOBAR Antonio Garcia	Haines & Company
	LEON Ana	Haines & Company
	LOPEZ Lorenza E	Haines & Company
	MOHAMED Amal	Haines & Company
	NGUYEN Lan Thu	Haines & Company
	PEREZ Jorge Garcia	Haines & Company

FINDINGS

Year	Uses	Source
2000	TRAN Thanh V	Haines & Company
1996	21 Nguyen Lan Thu	Pacific Bell
	25 Lopez Ramon	Pacific Bell
	30 Tran Thanh V V	Pacific Bell
1975	Maria Lane Apartments	Pacific Telephone
	Vacant	Pacific Telephone
	Guerrero Leon	Pacific Telephone
	Vacant	Pacific Telephone
	Hartmann Rake	Pacific Telephone
	Vacant	Pacific Telephone
	Vacant	Pacific Telephone
	Delgadio Magie	Pacific Telephone
	Vacant	Pacific Telephone
	Walker C	Pacific Telephone
	Thanh Giao Duong	Pacific Telephone
	Wisnes S	Pacific Telephone
	Tao Carol	Pacific Telephone
	Whitcosky W L	Pacific Telephone
	Rymer H	Pacific Telephone
	Chan Woe	Pacific Telephone
	Moftakhar R	Pacific Telephone
	Khazari A	Pacific Telephone
	Sanders Lynn	Pacific Telephone
	Vivit C	Pacific Telephone
	Ciraolo M	Pacific Telephone
	Yeong L	Pacific Telephone
	Lyon Eric	Pacific Telephone
	Mehling K	Pacific Telephone
	Fong C	Pacific Telephone
	Yoshida J	Pacific Telephone
	Perry A	Pacific Telephone
	Hopper M	Pacific Telephone
1970	No Return	R. L. Polk & Co.
	Cady Linda	R. L. Polk & Co.
	Schuck Karl R	R. L. Polk & Co.
	Mackie Oliver G	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Gallagher Edw	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	Compton Ingrad	R. L. Polk & Co.
	Rosekind Deborah	R. L. Polk & Co.
	Koves Terry	R. L. Polk & Co.
	Maria Lane Apartments	R. L. Polk & Co.
	Edwards Sharon	R. L. Polk & Co.
	Pow Tony	R. L. Polk & Co.
	Lewis John J	R. L. Polk & Co.
	Carr Donald	R. L. Polk & Co.
	Aliabade Moo	R. L. Polk & Co.
	Hunter Frank	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Gonda Judith	R. L. Polk & Co.
	Hakimian Firooz	R. L. Polk & Co.
	Smith Nancy	R. L. Polk & Co.
	Yada Michli	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Woodward 11alph	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Baroff Sylvia	R. L. Polk & Co.
	Haskell Stove	R. L. Polk & Co.
	Hunting Carl	R. L. Polk & Co.
	Childs Frreld	R. L. Polk & Co.
	Leach J	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
1966	MARIA LANE APARTMENTS	R. L. Polk & Co.
	BUCHIGNANI ROD	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	THOMAS MARGT	R. L. Polk & Co.
	LOMBARDO TONY	R. L. Polk & Co.
	EVERY MARY	R. L. Polk & Co.
	ARTHUR CONNIE	R. L. Polk & Co.
	MC CAHON JAMES	R. L. Polk & Co.
	AKAJI BARBARA	R. L. Polk & Co.
	KEFFER DON	R. L. Polk & Co.
	WILKE JEAN	R. L. Polk & Co.
	GANNON BILL	R. L. Polk & Co.
	TREECE KEN	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	JACKSON LINDA	R. L. Polk & Co.
	CADEN DIANA	R. L. Polk & Co.
	MEANS KAY	R. L. Polk & Co.
	BRAHM TERRY	R. L. Polk & Co.
	STRAND LIZ	R. L. Polk & Co.
	CURTS TOM	R. L. Polk & Co.
	LEWIS PAT	R. L. Polk & Co.
	KENT EVELYN	R. L. Polk & Co.
	DAWN GREG	R. L. Polk & Co.
	CHASE GLENADA	R. L. Polk & Co.
	BARRON JOYCE	R. L. Polk & Co.
	KUBITZ KAREN	R. L. Polk & Co.
	FORD BECKY	R. L. Polk & Co.
	PUDOICOMBE RICHD	R. L. Polk & Co.
	CARRADI FRAN	R. L. Polk & Co.
	MARTIN BRUCE	R. L. Polk & Co.
	EGLIN CAROL	R. L. Polk & Co.
	DODSON JIM	R. L. Polk & Co.
1960	Raymond Edwin A	R. L. Polk Co.
1955	Strobridge Oliver C	R. L. Polk Co.
	Witt Gerald E	R. L. Polk Co.
1950	Ruggles Nelson	R. L. Polk & Co.
1945	Beebe Smith	R. L. Polk Co.
1940	Beebe Smith	R. L. Polk Co.
1925	Horstman J B	R. L. Polk & Co.
1922	Horstman J B	R. L. Polk Co.

442 4TH ST S

Year	Uses	Source
2000	LEE Chien	Haines & Company
1966	RIVAS ABR F	R. L. Polk & Co.
	1/2 HOLGUIN CONCEPTION MRS	R. L. Polk & Co.
1960	Nieto Augustina Mrs	R. L. Polk Co.
	1/2 Delgado Lupe	R. L. Polk Co.
1955	1/2 Davis Walter J	R. L. Polk Co.
	Nieto A Mrs	R. L. Polk Co.
1950	Streight G L	R. L. Polk & Co.
	1/2 Ramirez Frank	R. L. Polk & Co.
1945	1/2 Williams C S Mrs	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1945	Mendenhall D L	R. L. Polk Co.
1940	a Olsen Irene Mrs	R. L. Polk Co.
	Hansen Chas	R. L. Polk Co.
1930	Wilson N J Mrs	R. L. Polk Co. of California
1925	Wilson Mrs N Jr	R. L. Polk & Co.
1922	Wycoff Mrs Bessie	R. L. Polk Co.

445 4TH ST S

Year	Uses	Source
1960	Owen Jas E	R. L. Polk Co.
1955	Nelson Ralph G	R. L. Polk Co.
1950	Nelson R G	R. L. Polk & Co.
1945	Pantel Aletta Mrs	R. L. Polk Co.
1940	Hayes M C	R. L. Polk Co.
1930	Vacant	R. L. Polk Co. of California
1925	Bryant Albt	R. L. Polk & Co.
1922	Bryant Albert	R. L. Polk Co.

448 4TH ST S

Year	Uses	Source
1966	NO RETURN	R. L. Polk & Co.
1960	Ortega Antta A	R. L. Polk Co.
1955	Orlando Nina Mrs	R. L. Polk Co.
1950	Orlando Nina Mrs	R. L. Polk & Co.
1945	Langwell R H	R. L. Polk Co.
1940	Brooks O R	R. L. Polk Co.
1930	Reynolds M J Mrs	R. L. Polk Co. of California
1925	Reynolds A C	R. L. Polk & Co.
1922	Reynolds A C	R. L. Polk Co.

451 4TH ST S

Year	Uses	Source
2000	THROUNK Ronald	Haines & Company
	DISCOUNT PHOTO SPLY	Haines & Company
1996	DISCOUNT PHOTO SUPPLY	Pacific Bell
1975	Glover Sophia A Mrs	Pacific Telephone
1970	Glover Iondeirson W	R. L. Polk & Co.
1966	GLOVER HENDERSON W	R. L. Polk & Co.
1960	Glover Henderson W	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1955	Glover Henderson W	R. L. Polk Co.
1950	Glover H W	R. L. Polk & Co.
1945	Glover H W	R. L. Polk Co.
1940	Glover H W	R. L. Polk Co.
1930	Glover H W	R. L. Polk Co. of California
1925	Glover H W	R. L. Polk & Co.
1922	Glover H W	R. L. Polk Co.

452 4TH ST S

Year	Uses	Source
2000	CHUBB Charles	Haines & Company
1996	2 Mc Kinley Aaron	Pacific Bell
1975	Apartments	Pacific Telephone
	Moody Roger	Pacific Telephone
	Jernall T	Pacific Telephone
	Reed Ed	Pacific Telephone
	Hoete Burton	Pacific Telephone
	Lynch L	Pacific Telephone
	Stadelman M L	Pacific Telephone
1970	Federoff Carolyn	R. L. Polk & Co.
	Grimaldi Jotinne	R. L. Polk & Co.
	I Sohi N S	R. L. Polk & Co.
	Martin Sally	R. L. Polk & Co.
	Olivas Rilchd	R. L. Polk & Co.
	Apartments	R. L. Polk & Co.
	Manley Wm H	R. L. Polk & Co.
1966	WOO A H	R. L. Polk & Co.
	APARTMENTS	R. L. Polk & Co.
	CHAN BILL	R. L. Polk & Co.
	LEE FRANCIS C	R. L. Polk & Co.
	WEBER BARBARA	R. L. Polk & Co.
	MORRIS JOHN T	R. L. Polk & Co.
1960	Dorisse Richd R	R. L. Polk Co.
	Rockholt Kent	R. L. Polk Co.
	Tallerico Jos A	R. L. Polk Co.
1955	Vacant	R. L. Polk Co.
1950	Mack L S Mrs	R. L. Polk & Co.
1945	Mack Louise S	R. L. Polk Co.
1940	Mack Louise Mrs	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1930	De Soto Margt Mrs	R. L. Polk Co. of California
1925	Ryan Mrs Lillian	R. L. Polk & Co.
1922	Hoque Elmer	R. L. Polk Co.
	Morton S D	R. L. Polk Co.

458 4TH ST S

Year	Uses	Source
1960	Niles Grace E Mrs	R. L. Polk Co.
1955	Quimby John	R. L. Polk Co.
	Niles Grace E Mrs	R. L. Polk Co.
	Espino Richd	R. L. Polk Co.
1950	Sturm Edna Mrs	R. L. Polk & Co.
	Brown Isaac	R. L. Polk & Co.
	Larceda M A	R. L. Polk & Co.
1945	Graham W J	R. L. Polk Co.
1940	Reding John	R. L. Polk Co.
	Jones Jas	R. L. Polk Co.
1930	Huggard Rose Mrs	R. L. Polk Co. of California
1925	Hord J C	R. L. Polk & Co.
1922	Bachrodt Mrs Jennie	R. L. Polk Co.

460 4TH ST S

Year	Uses	Source
2000	TROY IV APTS	Haines & Company
	BAUTISTA Anselmo	Haines & Company
	ESCAMILLA Genoveva	Haines & Company
	HIGHLEY William	Haines & Company
	LOERA Lazaro	Haines & Company
	LOERA Lebcia	Haines & Company
	MUNOZ Jose Urbano	Haines & Company
	POL Mark	Haines & Company
	ROMEROP	Haines & Company
	TEJADA Carlos Medina	Haines & Company
	WARGAS Rogelio	Haines & Company
1996	5 Romero P	Pacific Bell
	7 Gonzalez Jose	Pacific Bell
	14 Loera Leticia	Pacific Bell
	20 Loera Lazaro	Pacific Bell
	5 A sautista Anselmo	Pacific Bell

FINDINGS

Year	Uses	Source
1996	15 A Lee J	Pacific Bell
	20 A Avila Victor Martin	Pacific Bell
1975	Troy Apartments	Pacific Telephone
	Mogg John	Pacific Telephone
	Vacant	Pacific Telephone
	Shaw Robt	Pacific Telephone
	Fletcher Michl	Pacific Telephone
	Ng Wai Ning	Pacific Telephone
	Yee	Pacific Telephone
	Salina	Pacific Telephone
	Jackson Berry	Pacific Telephone
	Duran C	Pacific Telephone
	Hager M	Pacific Telephone
	Rosenberg Richd	Pacific Telephone
	Shin Lee	Pacific Telephone
	xLyold Larry	Pacific Telephone
	Batton C	Pacific Telephone
	Carr W	Pacific Telephone
	Vann R	Pacific Telephone
	xTower S	Pacific Telephone
	Haire	Pacific Telephone
	xStage J	Pacific Telephone
	Lazano Nora	Pacific Telephone
	Luckin Bill	Pacific Telephone
	Newlove Richd	Pacific Telephone
	Blanchard Michl	Pacific Telephone
1970	Young David	R. L. Polk & Co.
	Antuna Richd	R. L. Polk & Co.
	Lippitt Lance	R. L. Polk & Co.
	Baker Ruth	R. L. Polk & Co.
	Gentry Barbara	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Troy Apartments	R. L. Polk & Co.
	Ganes Thos E	R. L. Polk & Co.
	Gilton Michi	R. L. Polk & Co.
	Knudson Robt A	R. L. Polk & Co.
	1 Farber Kevin	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	Perrynian Danny	R. L. Polk & Co.
	x Swift James	R. L. Polk & Co.
	Ho Lydia Y	R. L. Polk & Co.
	Greiss Larry	R. L. Polk & Co.
	Pierce Kevin	R. L. Polk & Co.
	Howard Steven	R. L. Polk & Co.
	Lewis Donald	R. L. Polk & Co.
	Lux John	R. L. Polk & Co.
	Knoch Steven	R. L. Polk & Co.
	Davies Julia	R. L. Polk & Co.
1966	FOSTER LEE	R. L. Polk & Co.
	BADAWI S E	R. L. Polk & Co.
	HIGHTOWER S E	R. L. Polk & Co.
	PALMER J R	R. L. Polk & Co.
	APARTMENTS	R. L. Polk & Co.
	COCKRILL J A	R. L. Polk & Co.
	GARCIA PETE	R. L. Polk & Co.
	FORD G L	R. L. Polk & Co.
	MARTIG A J	R. L. Polk & Co.
	OLSON R C	R. L. Polk & Co.
	MAYEDA PETER	R. L. Polk & Co.
	LOTREAN STEFANA MRS	R. L. Polk & Co.
	NOSKINIEMI N B	R. L. Polk & Co.
	COOK R C	R. L. Polk & Co.
	BERTRAM T A	R. L. Polk & Co.
	ERICKSON J M	R. L. Polk & Co.
	FUJIMOTO WARREN	R. L. Polk & Co.
	EROSE D A	R. L. Polk & Co.
	TESHIMA M R	R. L. Polk & Co.
	ESSEX M A	R. L. Polk & Co.
	ROE LYNNE	R. L. Polk & Co.
1930	Duthie Rena P	R. L. Polk Co. of California

464 4TH ST S

Year	Uses	Source
1960	Carcta Dee R	R. L. Polk Co.
1955	Garcia Dee R	R. L. Polk Co.
1950	Gillard L L Mrs	R. L. Polk & Co.
1945	Gillard Lena L	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1940	Gillard Robt	R. L. Polk Co.
1930	Bachrodt Jennie Mrs	R. L. Polk Co. of California
1925	Bachrodt Mrs Jennie	R. L. Polk & Co.
1922	Paredas Mrs Refuge	R. L. Polk Co.

465 4TH ST S

Year	Uses	Source
2000	HURTADO Mingo N	Haines & Company
1975	Martinez E	Pacific Telephone
1970	Newbarr F David	R. L. Polk & Co.
1966	FUNDERBERG JOEL	R. L. Polk & Co.
1960	Cunningham Novie Jane	R. L. Polk Co.
1955	OCarroll Margueritte Mrs	R. L. Polk Co.
1950	Davis L S	R. L. Polk & Co.
1945	Davis L S	R. L. Polk Co.
1940	Davis L S	R. L. Polk Co.
1930	Davis L S	R. L. Polk Co. of California
1925	Davis L S	R. L. Polk & Co.
1922	Davis L S	R. L. Polk Co.

467 4TH ST S

Year	Uses	Source
2000	GONZALEZ Juan M	Haines & Company
1975	Wissel Steve	Pacific Telephone
1970	Minsky Joanne	R. L. Polk & Co.
1966	SHRADER WAYNE	R. L. Polk & Co.
1960	Shrodes Beverly	R. L. Polk Co.
	Matlock Richd E	R. L. Polk Co.
1955	Gehon B J	R. L. Polk Co.
1950	Heilge E	R. L. Polk & Co.
1945	Barnick H A	R. L. Polk Co.

469 4TH ST S

Year	Uses	Source
2000	BRAMBILA Ricardo	Haines & Company
1996	Carpenter k Bet	Pacific Bell
1975	Mark M	Pacific Telephone
1970	Curtis Patsy	R. L. Polk & Co.
1966	BRANDON PAUL	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1960	Fernandaz Barbara J	R. L. Polk Co.
1955	Fredericksen Wesley J	R. L. Polk Co.
1950	Denton E F jr	R. L. Polk & Co.
1945	Hamilton F E	R. L. Polk Co.

470 4TH ST S

Year	Uses	Source
2000	ALAMEDA Alan	Haines & Company
	LI Yufei	Haines & Company
	SHEN Qi YU	Haines & Company
	WANG Li	Haines & Company
1996	5 I Yufel 947	Pacific Bell
	8 QIn Jin	Pacific Bell
1975	Alkadee Apartments	Pacific Telephone
	Underwood D K	Pacific Telephone
	Adams Jim	Pacific Telephone
	Vacant	Pacific Telephone
	Tajima J	Pacific Telephone
	Chou James	Pacific Telephone
	Grill C	Pacific Telephone
	Vacant	Pacific Telephone
	Vanavichai Orsoom	Pacific Telephone
	Nelson D M	Pacific Telephone
	Pirnazar Niloufar	Pacific Telephone
	Vacant	Pacific Telephone
1970	Alkadee Apartments CY	R. L. Polk & Co.
	Jarvis Arnold	R. L. Polk & Co.
	Tingley Ronald	R. L. Polk & Co.
	Finn Marshall	R. L. Polk & Co.
	Erickson Dan	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Lee Annie	R. L. Polk & Co.
	Butera Salvadore T	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Cheng Wm	R. L. Polk & Co.
	Tarasawa Grace	R. L. Polk & Co.
	a Vacant	R. L. Polk & Co.
	Guilbert Florence A	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	ALKADEE APARTMENTS	R. L. Polk & Co.
	WILLIAMS MICHL P	R. L. Polk & Co.
	BYSON CLAUDINE	R. L. Polk & Co.
	LEHMANN FRANCES	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	MC GUNNIGLE BILL	R. L. Polk & Co.
	NICHOLSON STAN	R. L. Polk & Co.
	KING JOANNE	R. L. Polk & Co.
	WHEELER TERRY	R. L. Polk & Co.
	JOLLEY M M	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	A BUTERA SALVADORE T	R. L. Polk & Co.
1960	Kelley Alice J	R. L. Polk Co.
	Stevens Gordon Mrs	R. L. Polk Co.
	Hutchison Shirley	R. L. Polk Co.
	Driscoll Kevin L	R. L. Polk Co.
	No Return	R. L. Polk Co.
	Alkadee Apartments	R. L. Polk Co.
	Oliviera Lee D	R. L. Polk Co.
	No Return	R. L. Polk Co.
	Szalay Steph J	R. L. Polk Co.
	Lym Francis R	R. L. Polk Co.
	Frychtenicht Robt	R. L. Polk Co.
	Graff Earline	R. L. Polk Co.
	Lee Cori	R. L. Polk Co.
	Street continued	R. L. Polk Co.
1955	Apartments	R. L. Polk Co.
	Henderson Joan	R. L. Polk Co.
	Mitchell Joy	R. L. Polk Co.
	Bambauer Beverly J	R. L. Polk Co.
	Gonzales Evelyn	R. L. Polk Co.
	Harth Jacquelyn	R. L. Polk Co.
	Appel Patricia A	R. L. Polk Co.
	DAndrea Jackie	R. L. Polk Co.
	Lucente Kath	R. L. Polk Co.
	Grayden Jack A	R. L. Polk Co.
	Slater Barbara	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1955	Ello Ruth	R. L. Polk Co.

474 4TH ST S

Year	Uses	Source
2000	LINH Nham	Haines & Company
1996	A LInh Nham	Pacific Bell
1960	Butera Salvadore T	R. L. Polk Co.
1955	Butera Salvadore T	R. L. Polk Co.

479 4TH ST S

Year	Uses	Source
1955	Stratton Carl S	R. L. Polk Co.
1950	Mandell Lorena M	R. L. Polk & Co.
	Mc Hugh G M Mrs	R. L. Polk & Co.
	Pressler Genevieve	R. L. Polk & Co.
1945	Kelly T P	R. L. Polk Co.
	Pressler R N	R. L. Polk Co.
1940	Vacant	R. L. Polk Co.
1930	Hand H H	R. L. Polk Co. of California
1925	Vacant	R. L. Polk & Co.
1922	Anderson L A	R. L. Polk Co.

480 4TH ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1970	Sjogren Chris	R. L. Polk & Co.
1966	VACANT	R. L. Polk & Co.
1960	Elder Jean K	R. L. Polk Co.
1955	Barretto Honey	R. L. Polk Co.

483 4TH ST S

Year	Uses	Source
1925	Wysock W J	R. L. Polk & Co.
1922	Wysock W J	R. L. Polk Co.

484 4TH ST S

Year	Uses	Source
1930	Vacant	R. L. Polk Co. of California

FINDINGS

485 4TH ST S

Year	Uses	Source
2000	ROSALES Greg	Haines & Company
	MURDOCK Michael	Haines & Company
1996	3 Murdock Michael	Pacific Bell
1975	Jacobson Linda	Pacific Telephone
1970	Trimmer Kenneth G	R. L. Polk & Co.
	OLoughlin Denny K	R. L. Polk & Co.
	Coughlin Ronnie	R. L. Polk & Co.
1966	PANZA B J	R. L. Polk & Co.
	BURKHARTSMEIR JAMES	R. L. Polk & Co.
	AMERAL BILLY	R. L. Polk & Co.
1960	Stout Michl W	R. L. Polk Co.
	Shirachi Arlene R	R. L. Polk Co.
	Andrews David L	R. L. Polk Co.
1955	Willis John H	R. L. Polk Co.
1950	Cole Frank	R. L. Polk & Co.
1945	Hallam Gertrude Mrs	R. L. Polk Co.
1940	Edgar Agnes Mrs	R. L. Polk Co.
1930	Nolan J D	R. L. Polk Co. of California

487 4TH ST S

Year	Uses	Source
2000	SPARTAN BARBER SHOP	Haines & Company
1975	Spartan Barber Shop The	Pacific Telephone
1970	Spartan Barber Shop The	R. L. Polk & Co.
1966	SPARTAN BARBERI SHOP THE	R. L. Polk & Co.
1960	Spartan Barber Shop The	R. L. Polk Co.
1955	Vacant	R. L. Polk Co.
1950	Gilbert D F	R. L. Polk & Co.
1945	Paugh F A	R. L. Polk Co.
1940	Wells Erven	R. L. Polk Co.
1930	Vacant	R. L. Polk Co. of California

495 4TH ST S

Year	Uses	Source
1925	Brocar F U	R. L. Polk & Co.
1922	Vacant	R. L. Polk Co.

FINDINGS

497 4TH ST S

Year	Uses	Source
1925	Lugon Mrs Laura	R. L. Polk & Co.
1922	Shottenhamer Cyril	R. L. Polk Co.

498 4TH ST S

Year	Uses	Source
2000	LOPES Stephen	Haines & Company
1996	SPARTAN STATION	Pacific Bell
1975	Sparton Oil Co gas sta	Pacific Telephone
1970	Puritan Oil Co gas sta	R. L. Polk & Co.
1966	PURITAN OIL CO GAS STA	R. L. Polk & Co.
1960	Twenty Percent Serv Sta gas	R. L. Polk Co.
1955	Saavon Service Station	R. L. Polk Co.
1950	William intersect	R. L. Polk & Co.
	Saavon Service Station	R. L. Polk & Co.
1945	Adams H A	R. L. Polk Co.
1940	Taylor J F	R. L. Polk Co.
1930	Vacat	R. L. Polk Co. of California
1925	Snow E E	R. L. Polk & Co.
1922	Gray Jas	R. L. Polk Co.

502 4TH ST S

Year	Uses	Source
2000	CASTANEDA Araceli M	Haines & Company
	GARCIAJIMENEZ	Haines & Company
	Francisco Javier	Haines & Company
	MARQUEZ Phil	Haines & Company
1996	11 Ramirer Minerva	Pacific Bell
	12 Garcta Jiflmenez Fr Fancisco Javier	Pacific Bell
1975	Apollo Hall	Pacific Telephone
	Hernandez Lydia	Pacific Telephone
	Brooks Tim	Pacific Telephone
	Penney Claussia	Pacific Telephone
	Smith Terri	Pacific Telephone
	Lee Ronald	Pacific Telephone
	Brooks Tom	Pacific Telephone
	Zesita Yevette	Pacific Telephone
	Arenas Mario	Pacific Telephone
	Felix Flora	Pacific Telephone

FINDINGS

Year	Uses	Source
1975	Davis Jim	Pacific Telephone
	Secdea Doug	Pacific Telephone
	Bird Robt	Pacific Telephone
	Redfield Robt	Pacific Telephone
	Wren Phil	Pacific Telephone
	Leija Hector	Pacific Telephone
	Pancho Faustino	Pacific Telephone
1970	Apollo Hall	R. L. Polk & Co.
	Lrios Cory	R. L. Polk & Co.
	Walton Laverne	R. L. Polk & Co.
	Dotter Charles L	R. L. Polk & Co.
	Ilightower Geo	R. L. Polk & Co.
	Hopkins Herbert	R. L. Polk & Co.
	Adair Bonnie	R. L. Polk & Co.
	Newman Bruce	R. L. Polk & Co.
	Lacy Bonnie	R. L. Polk & Co.
	Davis Gary L	R. L. Polk & Co.
	Tanner Fred	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Me Swain Donald	R. L. Polk & Co.
	Madigan Win	R. L. Polk & Co.
	Putman Michi	R. L. Polk & Co.
	Machado Rodney E	R. L. Polk & Co.
	Jeantrout Paul	R. L. Polk & Co.
1966	APOLLO HALL APTS	R. L. Polk & Co.
	GILBERT S A	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	ABBEYGUAYA JEEBA	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	KAY ROBT E	R. L. Polk & Co.
	BOCOUM HAMA	R. L. Polk & Co.
	HU WINFRED	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	WONG BOSCO	R. L. Polk & Co.
	FLYNN GARY	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	NII BOB	R. L. Polk & Co.
	NO RETURN	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	VACANT	R. L. Polk & Co.
	LYNCH FRANK	R. L. Polk & Co.
	ROBERTSON SUE	R. L. Polk & Co.
	SMITH RICHD W	R. L. Polk & Co.

503 4TH ST S

Year	Uses	Source
1960	Brennan Willie N Mrs	R. L. Polk Co.
	1/2 Vacant	R. L. Polk Co.
1955	1/2 Vacant	R. L. Polk Co.
	Brennan Willie N Mrs	R. L. Polk Co.
1950	1/2 Fleming N J	R. L. Polk & Co.
	Brennan W N Mrs	R. L. Polk & Co.
1945	Fleming N J	R. L. Polk Co.
	Brennan W N Mrs	R. L. Polk Co.
1940	Brennan J A	R. L. Polk Co.
1930	Brennan J A	R. L. Polk Co. of California
1925	Brennan J A	R. L. Polk & Co.

504 4TH ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company

520 4TH ST S

Year	Uses	Source
1940	Halstead T W	R. L. Polk Co.
1930	ODonnell Cornelius	R. L. Polk Co. of California
1925	Vacant	R. L. Polk & Co.

521 4TH ST S

Year	Uses	Source
1960	Staub Jennie L Mrs	R. L. Polk Co.
1955	Waddill John L	R. L. Polk Co.
1950	Harris G A	R. L. Polk & Co.
	Rose Minnie Mrs	R. L. Polk & Co.
1945	Rose Minnie Mrs	R. L. Polk Co.
1940	Smith Marguerite Mrs	R. L. Polk Co.
1930	Eaton F C Mrs	R. L. Polk Co. of California
1925	Honeywell F E	R. L. Polk & Co.
1922	Ingalls Mrs Josephine	R. L. Polk Co.

FINDINGS

527 4TH ST S

Year	Uses	Source
1955	Frye Betty Jean	R. L. Polk Co.
	Strom Roy H	R. L. Polk Co.
	Boyd Bert	R. L. Polk Co.
	Barr Neal	R. L. Polk Co.
	Mc Cumber Sharon	R. L. Polk Co.
	Niccum Louise	R. L. Polk Co.
	Apartments	R. L. Polk Co.
	Crownover W L	R. L. Polk Co.
	Percival John M	R. L. Polk Co.
	Dieterich Del	R. L. Polk Co.
	Buhman Wm F	R. L. Polk Co.
	Gardiner E H	R. L. Polk Co.

529 4TH ST S

Year	Uses	Source
2000	MIRANDA Edid	Haines & Company
1996	5 Morquecho Ana	Pacific Bell
1975	White Junius	Pacific Telephone
	Clark Wm	Pacific Telephone
	Vacant	Pacific Telephone
	Mehrotra Sharad	Pacific Telephone
	Menchaea Jesus	Pacific Telephone
	Ritz Apartments	Pacific Telephone
1970	S 30 Marsh Clare	R. L. Polk & Co.
	Maska Ray	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Abdalla Abdalla A	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Ritz Apartments	R. L. Polk & Co.
1966	RITZ APARTMENTS	R. L. Polk & Co.
	CHEE OLIVER	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	CHAN DAVID	R. L. Polk & Co.
	MASKAL RAY	R. L. Polk & Co.
	PHILLIPS JOHN	R. L. Polk & Co.
1960	Ritz Apartments	R. L. Polk Co.
	Tyrell Larry C	R. L. Polk Co.
	Metully Frank	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1960	Massey Clyde	R. L. Polk Co.
	Roe Wm E	R. L. Polk Co.
	Street continued	R. L. Polk Co.
1955	Deboi Donald T	R. L. Polk Co.
	Grossi Albert	R. L. Polk Co.
	Talbot Gus	R. L. Polk Co.
	Woodd G B Jim	R. L. Polk Co.
1950	Roberts J H	R. L. Polk & Co.
	Swain L J	R. L. Polk & Co.
1945	Falconer Dollie Mrs	R. L. Polk Co.
	Gerstenschlager G G	R. L. Polk Co.
	Robertson F L	R. L. Polk Co.
1940	Chapman John	R. L. Polk Co.
	Falconer Dollie Mrs	R. L. Polk Co.
	Mitchell Anna Mrs	R. L. Polk Co.
1930	Mc Kenzie Helen G	R. L. Polk Co. of California
	Mc Kinnon Cleo A	R. L. Polk Co. of California
1925	Perry F J	R. L. Polk & Co.
1922	Blacow R D	R. L. Polk Co.
	Martin H E	R. L. Polk Co.

530 4TH ST S

Year	Uses	Source
2000	GONZALES Jose	Haines & Company
	GONZALES Eladio	Haines & Company
1996	Gonizales Jose	Pacific Bell
	Gonzales Eladlo	Pacific Bell
1975	Marsh Clare	Pacific Telephone
1966	MARSH CLAPE O	R. L. Polk & Co.
1960	Marsh Clare O	R. L. Polk Co.
1955	Marsh Clare O	R. L. Polk Co.
1950	Marsh C O	R. L. Polk & Co.
1945	Bruning Kath	R. L. Polk Co.
1940	Brunning Kath	R. L. Polk Co.
1930	Guskey J A	R. L. Polk Co. of California
1925	Guskey Jas	R. L. Polk & Co.
1922	Guskey Jas	R. L. Polk Co.

FINDINGS

535 4TH ST S

Year	Uses	Source
1945	Lowery B L Mrs	R. L. Polk Co.
1940	Ruttan F E	R. L. Polk Co.
1930	Manley A B	R. L. Polk Co. of California
1925	Branch Mrs L C	R. L. Polk & Co.
1922	Gelatt Mrs Amanda	R. L. Polk Co.
	Branch Mrs L C	R. L. Polk Co.

536 4TH ST S

Year	Uses	Source
1960	Thielke Alf A	R. L. Polk Co.
1955	Thielke Alf A	R. L. Polk Co.
1950	Thielke A A	R. L. Polk & Co.
1945	Thielke A A	R. L. Polk Co.
1940	Jones I A	R. L. Polk Co.
1925	Miller W H	R. L. Polk & Co.
	Krupp Jos	R. L. Polk & Co.
1922	Krupp Jos	R. L. Polk Co.

537 4TH ST S

Year	Uses	Source
2000	ZAMORA Silvino	Haines & Company
	VANTSANT Mane S	Haines & Company
	SALDIVAR Ramona S	Haines & Company
1996	3 Espinoza Fabiola	Pacific Bell
1975	Apartments	Pacific Telephone
	lSerrano Antonio	Pacific Telephone
	Kneass John	Pacific Telephone
	Hirji Amirali	Pacific Telephone
	Simons Bob	Pacific Telephone
	Crumpton Wilford	Pacific Telephone
	Larsen Dwight	Pacific Telephone
	Vacant	Pacific Telephone
	Garner H	Pacific Telephone
	Franks Clayton	Pacific Telephone
	Lucier Wm	Pacific Telephone
	Cis Enrico	Pacific Telephone
1970	Vacant	R. L. Polk & Co.
1966	WARD L T	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	ANDERTON MICHL	R. L. Polk & Co.
	GAFFNEY BILL	R. L. Polk & Co.
	APARTMENTS	R. L. Polk & Co.
	MANGANI L E	R. L. Polk & Co.
	TERUSDELL ERNEST	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	CIS ERICO	R. L. Polk & Co.
	OSULLIVAN ED	R. L. Polk & Co.
	GALLAGHER W E	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
1960	Carvellho Joe	R. L. Polk Co.
	Daton Francis	R. L. Polk Co.
	Carlson Robt	R. L. Polk Co.
	Tadaic Jos	R. L. Polk Co.
	Percival John M	R. L. Polk Co.
	No Return	R. L. Polk Co.
	Apartments	R. L. Polk Co.
	Truesdell Ernest	R. L. Polk Co.
	Swift Hulda M	R. L. Polk Co.
	Nakash Jack	R. L. Polk Co.
	Reid Robt G	R. L. Polk Co.
	Street continued	R. L. Polk Co.
1950	Bruce H B	R. L. Polk & Co.

541 4TH ST S

Year	Uses	Source
1945	Ratzak Alorine Mrs	R. L. Polk Co.
1940	Rose Minnie Mrs	R. L. Polk Co.
1930	Rose Minnie Mrs	R. L. Polk Co. of California
1925	Adams W A	R. L. Polk & Co.
1922	Kelley Thos	R. L. Polk Co.

542 4TH ST S

Year	Uses	Source
2000	APARTMENTS	Haines & Company
	DSOUZA Wilfred F	Haines & Company
	GUTIERREZ Alberto	Haines & Company
	HUYNH Trang U	Haines & Company
	LE Tuan	Haines & Company

FINDINGS

Year	Uses	Source
2000	MARTINEZ Eduardo	Haines & Company
	RANUA Celeste	Haines & Company
	ZOGARIC Michelle T	Haines & Company
1996	4 Zogaric Michelle T	Pacific Bell
	7 Marlow S	Pacific Bell
	14 DSouza Wilfred F	Pacific Bell
	15 Huynh Trang	Pacific Bell
1975	Apartments	Pacific Telephone
	Corpus J	Pacific Telephone
	Solano S	Pacific Telephone
	Blaisdell M	Pacific Telephone
	Sharify S	Pacific Telephone
	Vacant	Pacific Telephone
	Polansky T	Pacific Telephone
	Davis Jim	Pacific Telephone
	Zemke D	Pacific Telephone
	Miyano S	Pacific Telephone
	Okiyoi S	Pacific Telephone
	Stanley D	Pacific Telephone
	Watts J	Pacific Telephone
	Espineda T	Pacific Telephone
	Linzey D	Pacific Telephone
	Sigafoose J	Pacific Telephone
1970	Apartments	R. L. Polk & Co.
	I Gerhardt Richd	R. L. Polk & Co.
	Buck Carl R	R. L. Polk & Co.
	Langenstein Thos B	R. L. Polk & Co.
	Johnson Ralph W	R. L. Polk & Co.
	Bright Dee E	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Huboi Carl R	R. L. Polk & Co.
	Ledesma Frank R	R. L. Polk & Co.
	Madhi Abdulla H	R. L. Polk & Co.
	Jung David	R. L. Polk & Co.
	Vang Henry M	R. L. Polk & Co.
	Mascorro Mauricio	R. L. Polk & Co.
	Balesteri Manuel S	R. L. Polk & Co.
	Sims Michi	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	Kooper Penny	R. L. Polk & Co.
1966	APARTMENTS	R. L. Polk & Co.
	SCHOONOVER GEO P	R. L. Polk & Co.
	BUCK CARL R	R. L. Polk & Co.
	WALLIS SUE	R. L. Polk & Co.
	ROGLIC NEDJELKA	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	FERRANTI ROSMARIE	R. L. Polk & Co.
	RUSSO KAY	R. L. Polk & Co.
	KENNEY S P	R. L. Polk & Co.
	MERRITT SUE	R. L. Polk & Co.
	TURNER MELVIN L	R. L. Polk & Co.
	STEARNS MARILYN	R. L. Polk & Co.
	KOPEC KEN	R. L. Polk & Co.
	LEONARD EVELYN	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	THATCHER ANN	R. L. Polk & Co.
1960	Under Constn apt house	R. L. Polk Co.
1955	Nance Quentin	R. L. Polk Co.
1950	Stull M C	R. L. Polk & Co.
1945	Stull M C	R. L. Polk Co.
1940	Rogers I F	R. L. Polk Co.
1925	Becknell D G	R. L. Polk & Co.
1922	Hubene L J	R. L. Polk Co.

545 4TH ST S

Year	Uses	Source
2000	CARILLO Norma A	Haines & Company
	FOSTER Carol	Haines & Company
	SHAHIDI Masoud	Haines & Company
	SISON Magdalena	Haines & Company
	STURDEVANT Joseph T	Haines & Company
	APARTMENTS	Haines & Company
1996	4 Giroux Joseph	Pacific Bell
	6 Loreto Morales Ranulfo	Pacific Bell
	8 Cardona Byron	Pacific Bell
	11 Talavera Mario	Pacific Bell
	17 Sison Magdalena	Pacific Bell
1975	Fisher Charles	Pacific Telephone

FINDINGS

Year	Uses	Source
1975	Maldonado Ramon	Pacific Telephone
	llLeyues Manuel Jr	Pacific Telephone
	Hyder A	Pacific Telephone
	Ghanma Suhail	Pacific Telephone
	Vacant	Pacific Telephone
	Breisch John	Pacific Telephone
	Sparks Manford	Pacific Telephone
	Ritz Apartments	Pacific Telephone
	Dillard Leonora	Pacific Telephone
	Johnson Tom	Pacific Telephone
	Eoff David Jr	Pacific Telephone
	Inogna Dennis	Pacific Telephone
	Mc Clanhan Terry	Pacific Telephone
	Rishi A	Pacific Telephone
1970	Ritz Apartments	R. L. Polk & Co.
	Dillard Leonora	R. L. Polk & Co.
	Badriyek Khalid	R. L. Polk & Co.
	Fisher Charles R	R. L. Polk & Co.
	Badriyok Kathy Mrs	R. L. Polk & Co.
	Garfield Douglas	R. L. Polk & Co.
	Yerushalm Daryoush	R. L. Polk & Co.
1966	RITZ APARTMENTS	R. L. Polk & Co.
	DILLARD LEONORA	R. L. Polk & Co.
	VACANT APTS	R. L. Polk & Co.
	BAUVENUTI AL	R. L. Polk & Co.
	GILL JOHN	R. L. Polk & Co.
	SWIFT ROY	R. L. Polk & Co.
	YOUNG M E	R. L. Polk & Co.
	COCAIN C E	R. L. Polk & Co.
	JACKMAN FRANK M	R. L. Polk & Co.
	PLANKENHORN L C	R. L. Polk & Co.
1960	Apartments	R. L. Polk Co.
	Sevence Robt C	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Shirley Frank	R. L. Polk Co.
	Mc Cregar M C	R. L. Polk Co.
	Coffee Chas	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1960	Webb Grady T	R. L. Polk Co.
	Gunning Edw	R. L. Polk Co.
	Jackman Frank M	R. L. Polk Co.
	King Robt	R. L. Polk Co.
	Brawsom Wm H	R. L. Polk Co.
	Gordon Claudle	R. L. Polk Co.
	Collins Chas	R. L. Polk Co.
	Swaney Marian Mrs	R. L. Polk Co.
	Hallberg Allen	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Flint Joe A	R. L. Polk Co.
	Masko Roy	R. L. Polk Co.
1955	Ritza Apartments	R. L. Polk Co.
	Severance Roy C mgr	R. L. Polk Co.
	Krebster Wm	R. L. Polk Co.
	Crawford Paul	R. L. Polk Co.
	Ponti Norman	R. L. Polk Co.
	Pons E	R. L. Polk Co.
	Soares John	R. L. Polk Co.
	Springston C C	R. L. Polk Co.
	Dennis Dale	R. L. Polk Co.
	Di Maggio Frank	R. L. Polk Co.
	Knight C W	R. L. Polk Co.
	Siquieres G	R. L. Polk Co.
	Babbit Glen	R. L. Polk Co.
	Langdon Jack	R. L. Polk Co.
	Escabedo David	R. L. Polk Co.
	Hart Leslie B	R. L. Polk Co.
	Patterson R	R. L. Polk Co.
	Killiam Robt	R. L. Polk Co.
	Maxley V	R. L. Polk Co.
1950	Seigler A F	R. L. Polk & Co.
1945	Kelley F W	R. L. Polk Co.
1940	Kelley F W	R. L. Polk Co.
1930	Kelley F W	R. L. Polk Co. of California
1925	Kelley F W	R. L. Polk & Co.
1922	Forbush M H	R. L. Polk Co.

FINDINGS

547 4TH ST S

Year	Uses	Source
1945	Fleshman L A Mrs	R. L. Polk Co.
1940	Hollenbeck Mary Mrs	R. L. Polk Co.
	Rice R W	R. L. Polk Co.
1930	Vacant	R. L. Polk Co. of California
1925	Baldwin G W	R. L. Polk & Co.
1922	Gunzenhauser W C	R. L. Polk Co.

550 4TH ST S

Year	Uses	Source
2000	HINZ Richard M	Haines & Company
	MCKAY Edward	Haines & Company
	GIGUETTE John	Haines & Company
1996	E Hinz Richard M	Pacific Bell
1975	Apartments	Pacific Telephone
	A Vacant	Pacific Telephone
	BHughes Charles	Pacific Telephone
	CFoster Doug	Pacific Telephone
	DHoffman Gary	Pacific Telephone
	EHamid Sayar	Pacific Telephone
	FHolm D	Pacific Telephone
1970	Apartments	R. L. Polk & Co.
	A Bauer Richd K	R. L. Polk & Co.
	B Sparks Lydia K Mrs	R. L. Polk & Co.
	C Terres Frank E	R. L. Polk & Co.
	D Maddin Breda	R. L. Polk & Co.
	E Parraz Vera	R. L. Polk & Co.
	F Kho David	R. L. Polk & Co.
1966	APARTMENTS	R. L. Polk & Co.
	A BOTELHO RICHD	R. L. Polk & Co.
	B SPARKS LYDIA K MRS	R. L. Polk & Co.
	C TERRES FRANK E	R. L. Polk & Co.
	D VACANT	R. L. Polk & Co.
	E BERRY SUSAN G	R. L. Polk & Co.
	F WAGNER C A	R. L. Polk & Co.
1960	Apartments	R. L. Polk Co.
	A Powers Clifford L	R. L. Polk Co.
	B Sparks Lloyd M	R. L. Polk Co.
	C Terres Frank E	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1960	D Rains Wm J	R. L. Polk Co.
	E Hunter Hazel Mrs	R. L. Polk Co.
	F No Return	R. L. Polk Co.
1955	Apartments	R. L. Polk Co.
	A Bruckner Edith Mrs	R. L. Polk Co.
	B Sparks Lloyd M	R. L. Polk Co.
	C Teers Frank E	R. L. Polk Co.
	D Coe Kenneth J	R. L. Polk Co.
	E Hartman Walter	R. L. Polk Co.
	F Harrison Edna Mrs	R. L. Polk Co.
1930	Jasperson A A Mrs	R. L. Polk Co. of California

554 4TH ST S

Year	Uses	Source
1930	Coyne Michl	R. L. Polk Co. of California

555 4TH ST S

Year	Uses	Source
2000	SHAHIDI Masoud	Haines & Company
1975	Giannini Aurelio	Pacific Telephone
	Rear Abeyta Dorothy	Pacific Telephone
1970	Giannini Aurelio	R. L. Polk & Co.
	Rear Leslie Ruby K Mrs	R. L. Polk & Co.
1966	GIANNINI AURELIO	R. L. Polk & Co.
	SMALL PHILIP	R. L. Polk & Co.
	REAR COLEMAN DALE	R. L. Polk & Co.
1960	Giannini Aurelto	R. L. Polk Co.
1955	Giannini Aurelio	R. L. Polk Co.
1950	Hendricks Floyd	R. L. Polk & Co.
	Columbus L C Mrs	R. L. Polk & Co.
	Bushnell F W	R. L. Polk & Co.
1945	Columbus Pete	R. L. Polk Co.
1940	Mc Connell Dora Mrs	R. L. Polk Co.
1925	Jasperson Mrs Anna	R. L. Polk & Co.
1922	Jasperson Jas	R. L. Polk Co.

559 4TH ST S

Year	Uses	Source
1960	La Porte Albert	R. L. Polk Co.

FINDINGS

560 4TH ST S

Year	Uses	Source
2000	MARTINEZ Antonio	Haines & Company
	ARMAS Jaime	Haines & Company
1996	Rico Carmen	Pacific Bell
1975	Bausch Edw H	Pacific Telephone
1970	Bausch Edw H	R. L. Polk & Co.
1966	BAUSCH EDW H	R. L. Polk & Co.
1960	Bausch Edw H	R. L. Polk Co.
1955	Grom Wm L	R. L. Polk Co.
1950	Crowley Thos	R. L. Polk & Co.
1945	Crowley Thos	R. L. Polk Co.
1940	Crowley T M	R. L. Polk Co.
1930	Crowley Thos	R. L. Polk Co. of California
1925	Crowley Thos	R. L. Polk & Co.
1922	Crowley Thos	R. L. Polk Co.

561 4TH ST S

Year	Uses	Source
1955	Staniford Tillie M Mrs	R. L. Polk Co.
1950	Phelps H R	R. L. Polk & Co.
1945	Phelps H R	R. L. Polk Co.
1940	Mills B H	R. L. Polk Co.
1930	Bovee F O	R. L. Polk Co. of California
1925	Vacant	R. L. Polk & Co.
1922	Delaney J F	R. L. Polk Co.

562 4TH ST S

Year	Uses	Source
2000	ALDAVA Emesto Geraldo	Haines & Company
1975	Baumann Annie Mrs	Pacific Telephone
1970	Baumann Annie Mrs	R. L. Polk & Co.
1966	BAUMANN ANNIE MRS	R. L. Polk & Co.
1955	Lawler Mildred Mrs	R. L. Polk Co.

567 4TH ST S

Year	Uses	Source
1955	Baumann Anna Mrs	R. L. Polk Co.
1950	Baumann Annie Mrs	R. L. Polk & Co.
1945	Baumann Anna Mrs	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1940	Baumann Frank	R. L. Polk Co.
1930	Blacow Chispa Mrs	R. L. Polk Co. of California
1925	Blacow R D	R. L. Polk & Co.
1922	Pharr S F	R. L. Polk Co.

570 4TH ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	Mc Gee 0 C	Pacific Telephone
1970	No Return	R. L. Polk & Co.
1966	MC GHEE O C	R. L. Polk & Co.
1960	Keeler Ben C	R. L. Polk Co.
1955	Browne David	R. L. Polk Co.
1950	Semb J H	R. L. Polk & Co.
1945	Laden Harry	R. L. Polk Co.
1940	Dempsey Geo	R. L. Polk Co.
1930	Berestom Oscar	R. L. Polk Co. of California
1925	Riley C T	R. L. Polk & Co.
1922	Riley C T	R. L. Polk Co.

571 4TH ST S

Year	Uses	Source
2000	VO Lau Van	Haines & Company
1996	204 Vo Lau Van	Pacific Bell
	201 Tran Hue	Pacific Bell

5TH ST S

405 5TH ST S

Year	Uses	Source
2000	GREEN George	Haines & Company
1975	Tomlinson John	Pacific Telephone
1970	Burley Kathy	R. L. Polk & Co.
1966	VACANT	R. L. Polk & Co.
1960	Compeau Jas M	R. L. Polk Co.
1955	Wilson Robt M	R. L. Polk Co.
1950	Vacant	R. L. Polk & Co.
1945	Darling A H	R. L. Polk Co.
1940	Vacant	R. L. Polk Co.
1935	Jensen J J	R. L. Polk & Co. of California

FINDINGS

Year	Uses	Source
1930	Robeson W P	R. L. Polk Co. of California
1925	ODay C C	R. L. Polk & Co.
1922	Vacant	R. L. Polk Co.

407 5TH ST S

Year	Uses	Source
2000	LEFEVRE Delahoopliere Damlen	Haines & Company
1996	2 Lefevre De La Houpliere Damien	Pacific Bell
1975	Birge Melvin	Pacific Telephone
1970	Moore Lawrence S	R. L. Polk & Co.
1966	VACANT	R. L. Polk & Co.
1960	Dicksen Dick	R. L. Polk Co.
1955	Wilson Reba A Mrs	R. L. Polk Co.
1950	Wilson R A Mrs	R. L. Polk & Co.
1945	Wilson R A Mrs	R. L. Polk Co.
1940	Wilson R A Mrs	R. L. Polk Co.
1935	Wilson R A Mrs o	R. L. Polk & Co. of California
1930	Wilson R J	R. L. Polk Co. of California
1925	Wilson R J	R. L. Polk & Co.
1922	Wilson R J	R. L. Polk Co.

408 5TH ST S

Year	Uses	Source
2000	APARTMENTS	Haines & Company
	DAO Kinh	Haines & Company
	DIEP Minh	Haines & Company
	HONG Tuan	Haines & Company
	INTHAVONG Viengkeo	Haines & Company
	KUSNAN Nursina	Haines & Company
	LE Lien	Haines & Company
	NGUYEN Hai T	Haines & Company
	NGUYEN Nga Thi	Haines & Company
	NGUYEN Phuong	Haines & Company
	SAPPINGTON Harry	Haines & Company
	SHARIF Khalid	Haines & Company
	TRAN Linh N	Haines & Company
	TRAN Tuan Anh	Haines & Company
1996	6 Sultanova Julia	Pacific Bell
	16 Nguyen Nga Thi	Pacific Bell

FINDINGS

Year	Uses	Source
1996	17 Diep Minh	Pacific Bell
	18 Phan Huyen H	Pacific Bell
1975	Abbie Apartments	Pacific Telephone
	Ho Mike	Pacific Telephone
	Quan Lee	Pacific Telephone
	Mohanna Al	Pacific Telephone
	Solange Roca	Pacific Telephone
	Tang J	Pacific Telephone
	Vacant	Pacific Telephone
	Hall Monica A	Pacific Telephone
	Larrazball M	Pacific Telephone
	Flores Geo	Pacific Telephone
	Riensavapak S	Pacific Telephone
	1Richardson Sharon	Pacific Telephone
	Varhaegh Frances	Pacific Telephone
	Vacant	Pacific Telephone
	Stewart Richd	Pacific Telephone
	Tapia Ralph A	Pacific Telephone
	Lopez Jamie	Pacific Telephone
	Arrieta Mary B	Pacific Telephone
	Chan Lisa	Pacific Telephone
	Carter Phillis	Pacific Telephone
1970	Abbie Apartments	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Beck Robt	R. L. Polk & Co.
	Allen Jane	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Milliken Page	R. L. Polk & Co.
	Spencer Brian	R. L. Polk & Co.
	Walker Bill	R. L. Polk & Co.
	Ikeuye Naomi	R. L. Polk & Co.
	Martel Marc	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Amitai David	R. L. Polk & Co.
	Cohan Greg	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Santora Michl	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	Pindroh David	R. L. Polk & Co.
	Berk Ann E	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Prefontaine Bruce	R. L. Polk & Co.
1966	ABBIE APARTMENTS	R. L. Polk & Co.
	MOREAU GENE	R. L. Polk & Co.
	GEREB FRED	R. L. Polk & Co.
	OLEARY EILEEN	R. L. Polk & Co.
	OGRADY OANL	R. L. Polk & Co.
	RYDER DOTTIE	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	PARKS LARRY	R. L. Polk & Co.
	JONES KATHY	R. L. Polk & Co.
	ONEILL DICK	R. L. Polk & Co.
	SHELDON JACKIE	R. L. Polk & Co.
	MC CULLEY S H	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	GRENBERG JAN	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	DORR DOUG	R. L. Polk & Co.
	HASSETT JOHN	R. L. Polk & Co.
	FOLLETT CHARLES	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	MILLER MARVIN M	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
1955	Lorigan Edith Mrs	R. L. Polk Co.
1950	Lorigan Edith Mrs	R. L. Polk & Co.
1945	Lorigan B W	R. L. Polk Co.
1940	Lorigan B W	R. L. Polk Co.
1935	Lorigan Barthol o	R. L. Polk & Co. of California
1930	Lorigan B W	R. L. Polk Co. of California
1925	Lorigan B W	R. L. Polk & Co.
1922	Lorigan B W	R. L. Polk Co.

409 5TH ST S

Year	Uses	Source
2000	GREEN George	Haines & Company
	WHITE Pamela D	Haines & Company
1975	Miesel Bruce	Pacific Telephone

FINDINGS

Year	Uses	Source
1970	Mayer Glen	R. L. Polk & Co.
	Frost Pamala	R. L. Polk & Co.
1966	VACANT	R. L. Polk & Co.
1960	Vacant	R. L. Polk Co.
1955	Pickings Ora V Mrs	R. L. Polk Co.
1950	Pickings O V Mrs	R. L. Polk & Co.
1945	Pickings L W	R. L. Polk Co.
1940	Anderson A S	R. L. Polk Co.
1930	Freer I C Mrs	R. L. Polk Co. of California
1925	Barnes U G	R. L. Polk & Co.
1922	Barnes U G	R. L. Polk Co.

415 5TH ST S

Year	Uses	Source
2000	BELLE MANOR	Haines & Company
	DO Kim Anh	Haines & Company
	DO Quy	Haines & Company
	MAI Ta	Haines & Company
	NGUYEN Thuytien	Haines & Company
	TRAN Phung H	Haines & Company
	VO Vong	Haines & Company
1996	7 Le Vinh Van	Pacific Bell
	9 Ho Hoa	Pacific Bell
	10 Vo Vong	Pacific Bell
1975	Lady Lee apts	Pacific Telephone
	lJones Shirley	Pacific Telephone
	Kim Sung R	Pacific Telephone
	Grillo Tony	Pacific Telephone
	Fose P	Pacific Telephone
	Harris Beverly J	Pacific Telephone
	Wong Alice K	Pacific Telephone
	Oropeza Linda	Pacific Telephone
	Junker Corbin	Pacific Telephone
	Peppers D Ward	Pacific Telephone
	Chevo Teresa	Pacific Telephone
	Vacant	Pacific Telephone
	Han Amelia	Pacific Telephone
1970	Machado L J	R. L. Polk & Co.
	Kurasaki Joan	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	Wong Madelyne	R. L. Polk & Co.
	No Return	R. L. Polk & Co.
	Van Swearingden J	R. L. Polk & Co.
	Nay Janis	R. L. Polk & Co.
	Schulz Charleen A	R. L. Polk & Co.
	Julian Edith	R. L. Polk & Co.
	Gow Jennie	R. L. Polk & Co.
	Patterson A	R. L. Polk & Co.
	Weber Carol F	R. L. Polk & Co.
	Belle Manor apts	R. L. Polk & Co.
	Ogden R James	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
1966	BATTIS CAROL	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	BUNN M E	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	THOMPSON S A	R. L. Polk & Co.
	BURDICK CAROL	R. L. Polk & Co.
	KOVACK INGRID	R. L. Polk & Co.
	HALL BARBARA	R. L. Polk & Co.
	HONNOLD SUSAN	R. L. Polk & Co.
	BELLE MANOR APTS	R. L. Polk & Co.
	CASTLE ALAN	R. L. Polk & Co.
	VACANT APTS	R. L. Polk & Co.
1960	Belle Manor Apartments	R. L. Polk Co.
	Peck Joann	R. L. Polk Co.
	Odbert Judy	R. L. Polk Co.
	Aundergast Norma	R. L. Polk Co.
	Crist Steven M	R. L. Polk Co.
	Duggan Marylin	R. L. Polk Co.
	Pesco Marylin	R. L. Polk Co.
	Abe Lynn	R. L. Polk Co.
	Tarahara Mildred	R. L. Polk Co.
	Grahl Susan	R. L. Polk Co.
	Leonerd Nancy	R. L. Polk Co.
	Unsen Stella	R. L. Polk Co.
	Kassity Barbara	R. L. Polk Co.
	Be Heyt Chas J	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1960	Street continued	R. L. Polk Co.
1955	Johnson Albert	R. L. Polk Co.
1950	Dickey J W	R. L. Polk & Co.
1945	Riolo G J	R. L. Polk Co.
1940	Hogan F P	R. L. Polk Co.
1935	Stephenson W F	R. L. Polk & Co. of California
1930	George J E	R. L. Polk Co. of California

417 5TH ST S

Year	Uses	Source
1955	Johnson Mary E Mrs	R. L. Polk Co.
1950	Stensby Hazel I	R. L. Polk & Co.
1945	Dunn Kirk	R. L. Polk Co.
1940	Epping N I	R. L. Polk Co.
1935	Smith W S	R. L. Polk & Co. of California
1930	Hickey B N	R. L. Polk Co. of California

419 5TH ST S

Year	Uses	Source
1925	Barney F W	R. L. Polk & Co.
1922	Bigley Herman	R. L. Polk Co.
	Barney F W	R. L. Polk Co.

420 5TH ST S

Year	Uses	Source
2000	ROBBINS Michael	Haines & Company
	COOK Ford L	Haines & Company
	CABEZUT Betty	Haines & Company
1996	UNITED STATES MISSION	Pacific Bell
1975	Beheyet Charles J	Pacific Telephone
1970	Beheyet Charles J	R. L. Polk & Co.
1966	BE HEYT CHARLES J	R. L. Polk & Co.
1960	Janorviak Antony	R. L. Polk Co.
1955	Beheyt Chas J	R. L. Polk Co.
1950	Beheyt C J	R. L. Polk & Co.
	Harding J W	R. L. Polk & Co.
1945	Heheyt Chas	R. L. Polk Co.
1940	Be Heyte C J	R. L. Polk Co.
	Dabney Lillian Mrs	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1940	Foley Michl	R. L. Polk Co.
1935	Beheight Chas o	R. L. Polk & Co. of California
	Frink H A Mrs	R. L. Polk & Co. of California
1930	Foley Margt Mrs	R. L. Polk Co. of California
1925	Foley Mrs Margaret	R. L. Polk & Co.
1922	Foley Mrs Margaret	R. L. Polk Co.

427 5TH ST S

Year	Uses	Source
2000	APARTMENTS	Haines & Company
	DINH Bang C	Haines & Company
	LY Phung	Haines & Company
	LUND Lloyd	Haines & Company
	NGUYEN Chau	Haines & Company
	NGUYEN Quyt	Haines & Company
	QUAN Andy	Haines & Company
	NGO Bang Dinh	Haines & Company
1996	1 Quan Cuong Chi	Pacific Bell
	3 Ngo Bang Dinh	Pacific Bell
	4 Trinh Quoc	Pacific Bell
	6 Nguyen Hong Nhan	Pacific Bell
	9 Nguyen Nang Van	Pacific Bell
1975	Grace Hall apts	Pacific Telephone
	Wong L	Pacific Telephone
	Suh Sah	Pacific Telephone
	Brown Randy	Pacific Telephone
	Henderson Virginia	Pacific Telephone
	Jeffords D	Pacific Telephone
	Takatori J	Pacific Telephone
	Rosenfield John	Pacific Telephone
	Baba N	Pacific Telephone
	Maynard C	Pacific Telephone
	Wilson B	Pacific Telephone
1970	Grace Hall apts	R. L. Polk & Co.
	Wiens Gary	R. L. Polk & Co.
	Kincey Patricia	R. L. Polk & Co.
	Koski Alice	R. L. Polk & Co.
	Evola Linda	R. L. Polk & Co.
	Dunlap Susan C	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	Jones Sharon	R. L. Polk & Co.
	Walter Martha	R. L. Polk & Co.
	Jew Anita	R. L. Polk & Co.
	Hendricks Margt G	R. L. Polk & Co.
	Mac Leod Patricia	R. L. Polk & Co.
1966	GRACE HALL APTS	R. L. Polk & Co.
	BROWNING ROOT M	R. L. Polk & Co.
	SHINGU MARSHA	R. L. Polk & Co.
	LUCEY THERESA	R. L. Polk & Co.
	MC GREGOR DIANA	R. L. Polk & Co.
	TAYLOR P M	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	JACKSON ALMA	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	BRAGG KATHY	R. L. Polk & Co.
	SHELTON C V	R. L. Polk & Co.
1960	Graham Robt E	R. L. Polk Co.
1955	Graham Robt E	R. L. Polk Co.
	Thompson Grace F	R. L. Polk Co.
1950	Thompson M S Mrs	R. L. Polk & Co.
1945	Ruffner W D	R. L. Polk Co.
1940	Turner J W	R. L. Polk Co.
1935	Turner J W	R. L. Polk & Co. of California
1930	Graham R E	R. L. Polk Co. of California
1925	Graham R E	R. L. Polk & Co.
1922	Graham R E	R. L. Polk Co.

430 5TH ST S

Year	Uses	Source
1975	Vacant	Pacific Telephone
1970	Chi Omega Sorority Annex	R. L. Polk & Co.
1966	CHI OMEGA SORORITY ANNEX	R. L. Polk & Co.
	DANKWORTH ADELE	R. L. Polk & Co.
1960	Virginia Apartments	R. L. Polk Co.
	No Return	R. L. Polk Co.
	No Return	R. L. Polk Co.
	Shaw Clara E Mrs	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Jurscaga Jos	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1960	Mather Lady Susan	R. L. Polk Co.
	OBrien Terrace R	R. L. Polk Co.
	Street continued	R. L. Polk Co.
1955	Virginia Apartments	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Waddingham Bessie P Mrs	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Lejnieks Arth	R. L. Polk Co.
	Morris Patricia	R. L. Polk Co.
	Gervais Verne	R. L. Polk Co.
	Brennan Jacqueline	R. L. Polk Co.
1950	Virginia Apartments	R. L. Polk & Co.
	Ball E M Mrs	R. L. Polk & Co.
	Boss R C	R. L. Polk & Co.
	Dieckmann R C H	R. L. Polk & Co.
	Gervais Verne	R. L. Polk & Co.
	Gibeson D B	R. L. Polk & Co.
	Jones D W	R. L. Polk & Co.
	Klaich Michl	R. L. Polk & Co.
	Mitchell W T	R. L. Polk & Co.
1945	Virginia Apartments	R. L. Polk Co.
	Ball E Mrs	R. L. Polk Co.
	Broyles O M	R. L. Polk Co.
	Hegy Louis	R. L. Polk Co.
	Klaich Nick	R. L. Polk Co.
	Steele R L	R. L. Polk Co.
	Van Huss M H	R. L. Polk Co.
1940	Virginia Apartments	R. L. Polk Co.
	Ball E M Mrs	R. L. Polk Co.
	Broyles O M	R. L. Polk Co.
	Cornac Emilie G	R. L. Polk Co.
	Lee R N	R. L. Polk Co.
	Matlock May Mrs	R. L. Polk Co.
	Porter A C	R. L. Polk Co.
	Sweeney W G	R. L. Polk Co.
1935	Virginia Apartments	R. L. Polk & Co. of California
	Delany S W	R. L. Polk & Co. of California
	Elliott Robt	R. L. Polk & Co. of California

FINDINGS

Year	Uses	Source
1935	Feiger G W	R. L. Polk & Co. of California
	Jorgensen J F	R. L. Polk & Co. of California
	Shelby Harrison	R. L. Polk & Co. of California
	Sweeney W G	R. L. Polk & Co. of California
	Wesseling Bern M	R. L. Polk & Co. of California
1930	VIRGINIA APARTMENTS	R. L. Polk Co. of California
	Bellencourt H C	R. L. Polk Co. of California
	Hunter J L	R. L. Polk Co. of California
	Mc Manis C J	R. L. Polk Co. of California
	Neville Lawrence	R. L. Polk Co. of California
	OKeefe P M	R. L. Polk Co. of California
	Smith G H	R. L. Polk Co. of California
	Webb A H	R. L. Polk Co. of California
1925	Virginia Apts	R. L. Polk & Co.
	White J F	R. L. Polk & Co.

439 5TH ST S

Year	Uses	Source
2000	LY Cuong	Haines & Company
	PILAPIL Archell	Haines & Company
1996	3 Ly Cuong	Pacific Bell
	5 Pham Hoang	Pacific Bell
1975	Victoria Apartments	Pacific Telephone
	lBarrientos D	Pacific Telephone
	Vacant	Pacific Telephone
	Lewis B	Pacific Telephone
	Monken M	Pacific Telephone
	Darby A	Pacific Telephone
	Chung K	Pacific Telephone
1970	Victoria Apartments	R. L. Polk & Co.
	Barbi Louis	R. L. Polk & Co.
	Gordon Kenneth	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Johnson David	R. L. Polk & Co.
	Mc Neal Sandra	R. L. Polk & Co.
	Zahn Joseph R	R. L. Polk & Co.
1966	VICTORIA APARTMENTS	R. L. Polk & Co.
	HART ROBT	R. L. Polk & Co.
	AMARINO PAULETTE	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	GOYETTE BILL	R. L. Polk & Co.
	MILANI JOHN	R. L. Polk & Co.
	BURTON KENT	R. L. Polk & Co.
	REVES JOHN E	R. L. Polk & Co.
1960	Guerra Apartments	R. L. Polk Co.
	Neher Carolyn	R. L. Polk Co.
	Newman Alf E	R. L. Polk Co.
	Foley John D jr	R. L. Polk Co.
	Bly Diana	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Layne Ynonne	R. L. Polk Co.
	Street continued	R. L. Polk Co.
1955	Bryan Gladys	R. L. Polk Co.
	Duarte Emma Mrs	R. L. Polk Co.
	Eckert Carlos	R. L. Polk Co.
	Trommler Betty Jeanne	R. L. Polk Co.
1950	Bodensteiner Ida	R. L. Polk & Co.
	Bourne R E	R. L. Polk & Co.
	Hicks A E Mrs	R. L. Polk & Co.
	Merrill Jean	R. L. Polk & Co.
	Tecosh Velma Mrs	R. L. Polk & Co.
1945	Donaldson J	R. L. Polk Co.
	Harshman Rosabelle Mrs	R. L. Polk Co.
	Mahar Thos	R. L. Polk Co.
	Wigginton J	R. L. Polk Co.
1940	Goodman E A	R. L. Polk Co.
	Harshman Rosabell Mrs	R. L. Polk Co.
	Wiseman Everett	R. L. Polk Co.
	Zamzow G S	R. L. Polk Co.
1935	Verzi Louis	R. L. Polk & Co. of California
	Whitehead L S Mrs o	R. L. Polk & Co. of California
	Downer Fred	R. L. Polk & Co. of California
1930	Gallagher Edw	R. L. Polk Co. of California
	Reidel Geo	R. L. Polk Co. of California
	Whitehead W D	R. L. Polk Co. of California
1925	Fittinghoff Ludwig	R. L. Polk & Co.
	Jones W E	R. L. Polk & Co.
	Smith C H	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1925	Whitehead W D	R. L. Polk & Co.
1922	Ervin Walter	R. L. Polk Co.
	Whitehead W D	R. L. Polk Co.

441 5TH ST S

Year	Uses	Source
2000	APARTMENTS	Haines & Company
	CHEN Henry	Haines & Company
	GU Chao Juan	Haines & Company
	GUERRA Michael	Haines & Company
	NGUYEN Thang	Haines & Company
	VAN Duc Kim	Haines & Company
1996	2 Nguyen Loan	Pacific Bell
	5 Nguyen Thang	Pacific Bell
	6 Nguyen Tan Van	Pacific Bell
1975	Apartments	Pacific Telephone
	lRamirez S	Pacific Telephone
	Riegelman D	Pacific Telephone
	Genetti B K	Pacific Telephone
	Lester L	Pacific Telephone
	Allen P	Pacific Telephone
	Zatkin A	Pacific Telephone
1970	Apartments	R. L. Polk & Co.
	Owens Stephen L	R. L. Polk & Co.
	Braley Robin	R. L. Polk & Co.
	Miles R T	R. L. Polk & Co.
	Bardell M	R. L. Polk & Co.
	Lapsys S	R. L. Polk & Co.
1966	APARTMENTS	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	WONG PAMELA J	R. L. Polk & Co.
	GALVAN JIM	R. L. Polk & Co.
	PARSONS RAY	R. L. Polk & Co.
	WILSON SUSAN	R. L. Polk & Co.
	HARRINGTON SUE	R. L. Polk & Co.
1960	Apartments	R. L. Polk Co.
	Wakley Jerry P	R. L. Polk Co.
	Loveland Linda	R. L. Polk Co.
	Greibe Erie S	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1960	Shintani Miyeko	R. L. Polk Co.
	Nagel Jean	R. L. Polk Co.
	Roberts Betty	R. L. Polk Co.
	Street continued	R. L. Polk Co.
1955	Mellen Patricia	R. L. Polk Co.
1950	Finley M E Mrs	R. L. Polk & Co.
	Williams P K Mrs nurse	R. L. Polk & Co.
1945	Foskett Luman	R. L. Polk Co.
	Finley M E Mrs	R. L. Polk Co.
1940	Finley M E Mrs	R. L. Polk Co.
1935	Finley M E Mrs	R. L. Polk & Co. of California
1930	Finley M E Mrs	R. L. Polk Co. of California
1925	Finley Mrs M E	R. L. Polk & Co.
1922	Finley Mrs M E	R. L. Polk Co.

442 5TH ST S

Year	Uses	Source
2000	APARTMENTS	Haines & Company
	DANG Tram Quang	Haines & Company
	DUONG Kret	Haines & Company
	GUERRA Michael	Haines & Company
	NGUYEN Larry	Haines & Company
	PHAM Tung Van	Haines & Company
	QUACH Har	Haines & Company
1996	1 Dang Tram Quang	Pacific Bell
	2 Quach Hai	Pacific Bell
	5 Nguyen Due	Pacific Bell
1975	Susan Apartments	Pacific Telephone
	Pizappi M	Pacific Telephone
	Christopher B	Pacific Telephone
	Samadoff A	Pacific Telephone
	Mc Caughy Gina	Pacific Telephone
	Mc Etchin Donald B	Pacific Telephone
	Cunningham D	Pacific Telephone
	Gillogley M	Pacific Telephone
	Crowe J B	Pacific Telephone
1970	Susan Apartments	R. L. Polk & Co.
	Shuey Craig	R. L. Polk & Co.
	Begonias Judith	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	Weber Sue	R. L. Polk & Co.
	Harris Richd J	R. L. Polk & Co.
	Allen Lynn	R. L. Polk & Co.
	Carter Leigh	R. L. Polk & Co.
	Bockman Toni	R. L. Polk & Co.
	Huber Janis	R. L. Polk & Co.
1966	WATTLES BETTY	R. L. Polk & Co.
	DESPISH JULI	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	SAKAI PAMELLA K	R. L. Polk & Co.
	JOERGLER SALLY	R. L. Polk & Co.
	ODAY BARBARA	R. L. Polk & Co.
	SUSAN APARTMENTS	R. L. Polk & Co.
	SCOTT JUDY	R. L. Polk & Co.
	BUCHANNAN ELLEN	R. L. Polk & Co.
1960	Drake Leiws	R. L. Polk Co.
1955	Greenwood Jess	R. L. Polk Co.
	Grimsley Jack B	R. L. Polk Co.
	Grimslcy Otis	R. L. Polk Co.
1950	Camfield Adele Mrs	R. L. Polk & Co.
	Foskett Luman	R. L. Polk & Co.
	Myers Anna F	R. L. Polk & Co.
	West Jeane M	R. L. Polk & Co.
1945	Camfield Adele Mrs	R. L. Polk Co.
	Joldersma Dorothy	R. L. Polk Co.
1940	Camfield Adeline Mrs	R. L. Polk Co.
	Foskett Luman	R. L. Polk Co.
	Goertzen Helen	R. L. Polk Co.
	Golding Mabel	R. L. Polk Co.
1935	Canfield Adeline Mrs	R. L. Polk & Co. of California
	Foskett Lumari o	R. L. Polk & Co. of California
	Hernandez F F Mrs	R. L. Polk & Co. of California
	Pace H E	R. L. Polk & Co. of California
	Ross Blanche	R. L. Polk & Co. of California
1930	Foskett Luman	R. L. Polk Co. of California
1925	Hutson Lawrence	R. L. Polk & Co.
	Jennison R R	R. L. Polk & Co.
1922	Martin Geo	R. L. Polk Co.

FINDINGS

444 5TH ST S

Year	Uses	Source
2000	DO Vu Thi	Haines & Company
	HUYNH Sar Van	Haines & Company
	LANG Kim	Haines & Company
	TRINH Nguyen	Haines & Company
1996	10 Chung Tuong Cam	Pacific Bell
	11 Trinh Nguyen	Pacific Bell
	12 Lang Kimr	Pacific Bell
	15 Do Vui Thi	Pacific Bell
	16 Huynh Sai Van	Pacific Bell
1975	Susan Apartments	Pacific Telephone
	Herfel N	Pacific Telephone
	Yue G	Pacific Telephone
	Cheung C	Pacific Telephone
	Chang Stewart	Pacific Telephone
	Soon Hwi Choi	Pacific Telephone
	Cristensen K	Pacific Telephone
	Moyer D	Pacific Telephone
	Dong D	Pacific Telephone
1970	Donahue Debra	R. L. Polk & Co.
	Gordon Ruth	R. L. Polk & Co.
	Roden Beverly	R. L. Polk & Co.
	Tanner Patricia	R. L. Polk & Co.
	Hopkins Wm L	R. L. Polk & Co.
	Irvine Carol	R. L. Polk & Co.
	Mc Clain Gayle	R. L. Polk & Co.
	Galbraith Barbara	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Melton Inez R	R. L. Polk & Co.
	Combs Smith F	R. L. Polk & Co.
	Sanders Delores	R. L. Polk & Co.
	Nunn Ruth E	R. L. Polk & Co.
	Deringer Ann	R. L. Polk & Co.
	Ezzell June E	R. L. Polk & Co.
	Saunders Colleen	R. L. Polk & Co.
	No Return	R. L. Polk & Co.
	Susan Apartments	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	SUSAN APARTMENTS	R. L. Polk & Co.
	PARSONS P L	R. L. Polk & Co.
	NISHEMURA KIYOKO	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	ANTRIKIN JOHN	R. L. Polk & Co.
	DUNCAN PAM	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	BEALL DELLA	R. L. Polk & Co.
	MASIK JANET	R. L. Polk & Co.
1960	Susan Apartments	R. L. Polk Co.
1955	Hort Albert E	R. L. Polk Co.
1950	Joldersma Marie	R. L. Polk & Co.
	Soares Mary Mrs	R. L. Polk & Co.
1945	Boone Warren	R. L. Polk Co.
1940	Boone Warren	R. L. Polk Co.
1935	Church Cherie J	R. L. Polk & Co. of California
1930	Ve Verka Marie	R. L. Polk Co. of California
1925	Pontius H C	R. L. Polk & Co.
1922	English C H	R. L. Polk Co.

450 5TH ST S

Year	Uses	Source
1935	Hale H D Mrs	R. L. Polk & Co. of California

451 5TH ST S

Year	Uses	Source
2000	APARTMENTS	Haines & Company
	BANH Van	Haines & Company
	DAHYUSOS Hami	Haines & Company
	GONZALEZ Ania	Haines & Company
	JACKSON Randy M	Haines & Company
	MARQUEZ Juan Manuel	Haines & Company
	SINGLETON Alvin	Haines & Company
	WYCKOFF Virginia	Haines & Company
1996	1 Singleton Alvin	Pacific Bell
	2 Banh Van	Pacific Bell
	8 Marquez Juan Manuel	Pacific Bell
1975	Apartments	Pacific Telephone
	Silva D	Pacific Telephone

FINDINGS

Year	Uses	Source
1975	Keplinger M	Pacific Telephone
	Melton Inez R Mrs	Pacific Telephone
	Scruggs Paul	Pacific Telephone
	Sanders Delores	Pacific Telephone
	Mc Glynn Pat	Pacific Telephone
	Loyd Leland	Pacific Telephone
	Ezzell June E	Pacific Telephone
	Taylor D	Pacific Telephone
	Martin J	Pacific Telephone
1966	VACANT APTS	R. L. Polk & Co.
	STENGOOD B H	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	BACUS JUNE	R. L. Polk & Co.
	WEEKS JEANETTE	R. L. Polk & Co.
	SOWDER CLIFF	R. L. Polk & Co.
	WOOLEY F C	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	WYCKOFF APARTMENTS	R. L. Polk & Co.
	OKAZAKI RANDY	R. L. Polk & Co.
1960	Gerke Maureen	R. L. Polk Co.
1955	No return	R. L. Polk Co.
1950	Linquist O E	R. L. Polk & Co.
1945	Smith R A	R. L. Polk Co.
1940	Moorhouse J S	R. L. Polk Co.
1935	Pratt H R	R. L. Polk & Co. of California
	Ryder H E	R. L. Polk & Co. of California
1930	Carley Patk	R. L. Polk Co. of California
1925	Maxey F J	R. L. Polk & Co.
1922	Bowen Lottie	R. L. Polk Co.
	Maxey F J	R. L. Polk Co.

453 5TH ST S

Year	Uses	Source
1960	Street continued	R. L. Polk Co.
	Seagrave Apartments	R. L. Polk Co.
	Seagrave Ernest H	R. L. Polk Co.
	Goldman Kenneth	R. L. Polk Co.
	Kiltman Jack	R. L. Polk Co.
	La Macchi Terry	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1960	Flynn Chas	R. L. Polk Co.
	Smith David	R. L. Polk Co.
	Schultz Arlene J	R. L. Polk Co.
	Kilborn Barbara	R. L. Polk Co.
	Airoldi Geo	R. L. Polk Co.
	Marsh Jas S	R. L. Polk Co.
	Jones Clair E	R. L. Polk Co.
1955	Apartments	R. L. Polk Co.
	Willsey Frances	R. L. Polk Co.
	Johnson Barbara	R. L. Polk Co.
	Cowan Cozett	R. L. Polk Co.
	Lucas Gloria	R. L. Polk Co.
	Lockard Joan	R. L. Polk Co.
	Farley Frances	R. L. Polk Co.
	Alexander Gloria	R. L. Polk Co.
	Fowler Claire	R. L. Polk Co.

454 5TH ST S

Year	Uses	Source
1960	Kocher David	R. L. Polk Co.
1955	Davey Cedric V	R. L. Polk Co.
1950	Davey C V	R. L. Polk & Co.
1945	Saunders P B	R. L. Polk Co.
1940	Saunders P B	R. L. Polk Co.
1935	Saunders Bushntell	R. L. Polk & Co. of California
1930	Honeywell F E	R. L. Polk Co. of California
1925	Easterly Mrs Maude	R. L. Polk & Co.
1922	Brant L V	R. L. Polk Co.

458 5TH ST S

Year	Uses	Source
2000	APARTMENTS	Haines & Company
	BRUMBAUGH Gary M	Haines & Company
	DELAGARZA Silvia	Haines & Company
	ELLINGTON Patricia	Haines & Company
	FRUTOS Manuel 3D	Haines & Company
	HAMILTON Icyclena	Haines & Company
	PENA Zulma	Haines & Company
	RIVAS Alvaro	Haines & Company

FINDINGS

Year	Uses	Source
2000	ROSE Donna	Haines & Company
	VIRDURE Ray	Haines & Company
1996	1 Rose Donna	Pacific Bell
	2 Lam Cuong H	Pacific Bell
	4 Madamba Val	Pacific Bell
	5 Virdure Ray	Pacific Bell
	8 Flores Socorr	Pacific Bell
1975	Driftstone Apartments	Pacific Telephone
	Almario B	Pacific Telephone
	Romero R	Pacific Telephone
	Kaiser H	Pacific Telephone
	Brigance D	Pacific Telephone
	Demeritt Raynard	Pacific Telephone
	Gonzales D	Pacific Telephone
	Woo Donald	Pacific Telephone
	Wright J	Pacific Telephone
	Price D	Pacific Telephone
	Lee K	Pacific Telephone
	Ranes R	Pacific Telephone
	Cummings Craig	Pacific Telephone
	Whitley Robt	Pacific Telephone
	Mc Cracken Franklin	Pacific Telephone
	Schuartz James G	Pacific Telephone
	Bonnett Donna	Pacific Telephone
	Benson M	Pacific Telephone
1970	Driftstone Apartments	R. L. Polk & Co.
	Muneno Ronald	R. L. Polk & Co.
	Evans Goodman M C	R. L. Polk & Co.
	Pappas Michl P	R. L. Polk & Co.
	Christensen Stephen	R. L. Polk & Co.
	Broadus Charles R	R. L. Polk & Co.
	Riveros Carlos	R. L. Polk & Co.
	Vierhus R M	R. L. Polk & Co.
	Ferrito Salvadore	R. L. Polk & Co.
	Schwartz James G	R. L. Polk & Co.
	Willis James H	R. L. Polk & Co.
	Buddress L A	R. L. Polk & Co.
	Jenkins Lew	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	Gavin D E	R. L. Polk & Co.
	Hampton Robt C	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Cleere Wm P	R. L. Polk & Co.
	No Return	R. L. Polk & Co.
1966	DRIFTSTONE APARTMENTS	R. L. Polk & Co.
	REEDY R L	R. L. Polk & Co.
	DEETZ RON	R. L. Polk & Co.
	GUNDERSEN JACK	R. L. Polk & Co.
	STOGNER TERRY	R. L. Polk & Co.
	SCHOCK KEN	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	HANSET RICHD E	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	YAN MICHL K	R. L. Polk & Co.
	ADAMS SUE	R. L. Polk & Co.
	BARNES KEITH	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	WYAW K W	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	HAAS LEE C	R. L. Polk & Co.
	CLEERE WM P	R. L. Polk & Co.
	RYDER MIKE	R. L. Polk & Co.
1960	Wilkie Warren R genl cohtr	R. L. Polk Co.
1955	Oglesby W Etta	R. L. Polk Co.
1950	Greenwood J A	R. L. Polk & Co.
	Wilkie W R	R. L. Polk & Co.
1945	Jones I S	R. L. Polk Co.
1940	Hussey E M	R. L. Polk Co.
1935	Hyatt Cecil	R. L. Polk & Co. of California
1930	Bates L A	R. L. Polk Co. of California
1925	Bates L A	R. L. Polk & Co.

459 5TH ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company

FINDINGS

465 5TH ST S

Year	Uses	Source
2000	WYCKOFF Virginia	Haines & Company
	MARTINEZ Anthony	Haines & Company
1975	DFranklin H	Pacific Telephone
	C Wharton Dan	Pacific Telephone
	BWyckoff M	Pacific Telephone
	ALeydig Dave	Pacific Telephone
	Apartments	Pacific Telephone
1970	Sinn Paul	R. L. Polk & Co.
	Clark Michl G	R. L. Polk & Co.
	Berriman Bradley	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Apartments	R. L. Polk & Co.
1966	APARTMENTS	R. L. Polk & Co.
	A VRIBE ELESFORD	R. L. Polk & Co.
	B ROGERS WM	R. L. Polk & Co.
	C BLAISE DOMINIC	R. L. Polk & Co.
	D HAMRICK GREGORY	R. L. Polk & Co.
1960	Atwill Wm D	R. L. Polk Co.
	Baker Ada B Mrs	R. L. Polk Co.
	Bardin Mila H Mrs	R. L. Polk Co.
	Mooney Jessie	R. L. Polk Co.
1955	Atwill Wm D	R. L. Polk Co.
	Baker Ada B Mrs	R. L. Polk Co.
	Bardin Mila H Mrs	R. L. Polk Co.
1950	Bardin M J Mrs	R. L. Polk & Co.
	Henderson R F	R. L. Polk & Co.
	Mc Govern T J	R. L. Polk & Co.
	Mooney Jessie M	R. L. Polk & Co.
1945	Linquist O E	R. L. Polk Co.
	Mc Donald Hoe	R. L. Polk Co.
	Mooney Jessie M	R. L. Polk Co.
1940	Mooney Jessie	R. L. Polk Co.
	Tandrow J H	R. L. Polk Co.
1935	Eggink A A Mrs	R. L. Polk & Co. of California
	Montgomery H I	R. L. Polk & Co. of California
	Rhodes T L Mrs	R. L. Polk & Co. of California
	Striplin W M	R. L. Polk & Co. of California

FINDINGS

Year	Uses	Source
1930	Brent Mae Mrs	R. L. Polk Co. of California
	Potter T L	R. L. Polk Co. of California
	Stockton Suzanne	R. L. Polk Co. of California
1925	Smith Homer	R. L. Polk & Co.
	Hoff W H	R. L. Polk & Co.
	Burley A P	R. L. Polk & Co.
1922	Foote D F	R. L. Polk Co.
	Kenville W W	R. L. Polk Co.
	Robinson F J	R. L. Polk Co.
	Williamns D P	R. L. Polk Co.

466 5TH ST S

Year	Uses	Source
2000	ELLINGTON William	Haines & Company
	GEBREGIORGIS Solomon	Haines & Company
	HOM Chi	Haines & Company
	SUVA Rahbar	Haines & Company
1996	2 Cao Binh Vu	Pacific Bell
1975	Apartments	Pacific Telephone
	Ellington Wm D	Pacific Telephone
	Jenkins N	Pacific Telephone
	Jiu V	Pacific Telephone
	Wakatsuki Woodrow	Pacific Telephone
	Dominguez T	Pacific Telephone
	Henley B	Pacific Telephone
	Cozens R	Pacific Telephone
	Novbakltian A	Pacific Telephone
	Lyons D	Pacific Telephone
	Elmore T	Pacific Telephone
	Clark E Jr	Pacific Telephone
	Elston L	Pacific Telephone
	Toy S	Pacific Telephone
1970	Piazza Peter	R. L. Polk & Co.
	Barbarez Ann	R. L. Polk & Co.
	Wilkie Warren R	R. L. Polk & Co.
	Iversen Norman B	R. L. Polk & Co.
	Motomura Fred S	R. L. Polk & Co.
	Sorenson James E	R. L. Polk & Co.
	Reece Jarrold	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	Gabrielson Rodney	R. L. Polk & Co.
	Apartments	R. L. Polk & Co.
	Fleming R A	R. L. Polk & Co.
	Griffin Wm J	R. L. Polk & Co.
	Goans Dennis J	R. L. Polk & Co.
	Redmond Charles E	R. L. Polk & Co.
	Duffy John W	R. L. Polk & Co.
1966	APARTMENTS	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	WILLIAMS LOUIE	R. L. Polk & Co.
	LIKINS JACK	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	ARRILLAGA BARBARA	R. L. Polk & Co.
	CARMICHAEL STAN P	R. L. Polk & Co.
	BARBAREZ A D	R. L. Polk & Co.
	WILKIE WARREN R BLDG CONTR	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	NONSON S L	R. L. Polk & Co.
	ROE F D	R. L. Polk & Co.
	BAILEY D M	R. L. Polk & Co.
	WARNER MICHL W	R. L. Polk & Co.
1960	Corrico Allen	R. L. Polk Co.
1955	Griffin Allan T	R. L. Polk Co.
1950	Griffin A T	R. L. Polk & Co.
1945	Griffin A T	R. L. Polk Co.
1940	Griffin A T	R. L. Polk Co.
1935	Griffin A T o	R. L. Polk & Co. of California
1930	Griffin A T	R. L. Polk Co. of California
1925	Griffin A T	R. L. Polk & Co.
1922	Griffin A T	R. L. Polk Co.

471 5TH ST S

Year	Uses	Source
1935	Vining A H sign putr o	R. L. Polk & Co. of California
	Smith A P Mrs	R. L. Polk & Co. of California

475 5TH ST S

Year	Uses	Source
2000	LYN Roger	Haines & Company

FINDINGS

Year	Uses	Source
1975	Lyn Errol	Pacific Telephone
1970	Adam John	R. L. Polk & Co.
	Lyn Errol	R. L. Polk & Co.
1966	MADOCK EARLSTON L	R. L. Polk & Co.
	STAUB LANCE	R. L. Polk & Co.
1960	Maddock Earl L	R. L. Polk Co.
1955	Alison Eliz C	R. L. Polk Co.
1950	Alison Eliz C	R. L. Polk & Co.
1945	Alison Eliz C	R. L. Polk Co.
	Alison Milton	R. L. Polk Co.
1940	Alison Milton	R. L. Polk Co.
	Alison S T Mrs	R. L. Polk Co.
1935	Alison W H o	R. L. Polk & Co. of California
1930	Alison Milton	R. L. Polk Co. of California
	Alison W H	R. L. Polk Co. of California
1925	Alison W H	R. L. Polk & Co.
1922	Alison W H	R. L. Polk Co.

476 5TH ST S

Year	Uses	Source
2000	SPIELBAUER Dennis	Haines & Company
1975	Chargin Nicholas L	Pacific Telephone
	College Manor lodgings	Pacific Telephone
1970	Chargin Nicholas L	R. L. Polk & Co.
	College Manor lodgings	R. L. Polk & Co.
1966	CHARGIN NICHOLAS L	R. L. Polk & Co.
	COLLEGE MANOR LODGINGS	R. L. Polk & Co.
1960	Vining Sign Shop	R. L. Polk Co.
	Vining Arch H	R. L. Polk Co.
	Scott Leotha Mrs	R. L. Polk Co.
1955	Vining Arch H Sign Shop	R. L. Polk Co.
	Vining Arch H	R. L. Polk Co.
1950	Vining W W	R. L. Polk & Co.
	Vining A H sign pntr	R. L. Polk & Co.
1945	Spearman G H	R. L. Polk Co.
	Vining A H	R. L. Polk Co.
1940	Spearman G H	R. L. Polk Co.
	Vining A H sign pntr	R. L. Polk Co.
1930	Vining A H	R. L. Polk Co. of California

FINDINGS

Year	Uses	Source
1925	Dierks Mrs L M	R. L. Polk & Co.
	Vining A H	R. L. Polk & Co.
1922	Vining A H	R. L. Polk Co.
	Ormsbee H N	R. L. Polk Co.

481 5TH ST S

Year	Uses	Source
2000	LYN Roger	Haines & Company
	LYN Nicholas	Haines & Company
1975	Kappa Sigma fraternity	Pacific Telephone
1970	Kappa Sigma frat	R. L. Polk & Co.
1966	KAPPA SIGMA FRAT	R. L. Polk & Co.
1960	Rogers Melvin J	R. L. Polk Co.
1955	Rogers Melvin J	R. L. Polk Co.
1950	Rogers M J	R. L. Polk & Co.
1945	Miller E G	R. L. Polk Co.
1940	Belknap Forrest	R. L. Polk Co.

483 5TH ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1960	Shively Roy	R. L. Polk Co.
1955	No return	R. L. Polk Co.
1950	Ingalls Maude	R. L. Polk & Co.
1945	Wood E B Mrs	R. L. Polk Co.
1940	Tatham J F	R. L. Polk Co.
1935	Rohrer J C	R. L. Polk & Co. of California
1930	Rohrer J C	R. L. Polk Co. of California
1925	Sweet Mrs H E	R. L. Polk & Co.
1922	Welch Agnes	R. L. Polk Co.

484 5TH ST S

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	Lemmon Richd	Pacific Telephone
1960	Smythe Donald R	R. L. Polk Co.
1955	Jones R E	R. L. Polk Co.

FINDINGS

485 5TH ST S

Year	Uses	Source
2000	PERAZZO Eleanor	Haines & Company
1975	Handsfield Fred W	Pacific Telephone
1970	Salomone Robt	R. L. Polk & Co.
1966	FAETH BONITA M MRS	R. L. Polk & Co.
1960	Marx Roy H	R. L. Polk Co.
1955	Marx Roy H	R. L. Polk Co.
1950	Marx R H	R. L. Polk & Co.
1945	Heitsman C R	R. L. Polk Co.
1940	Ruegg F F	R. L. Polk Co.
1935	Vacant	R. L. Polk & Co. of California
1930	Vacant	R. L. Polk Co. of California

486 5TH ST S

Year	Uses	Source
2000	SPIELBAUER Dennis	Haines & Company
1975	Crabtree Alice B Mrs	Pacific Telephone
1970	Crabtree Alice B Mrs	R. L. Polk & Co.
1966	CRABTREE ALICE B MRS	R. L. Polk & Co.
1960	Rickert Emma L Mrs	R. L. Polk Co.
1955	Jones Edmund T	R. L. Polk Co.
1950	Reed B E	R. L. Polk & Co.
1945	Van Every M J Mrs	R. L. Polk Co.
1940	Van Every M J Mrs	R. L. Polk Co.
1935	Van Every M J Mrs o	R. L. Polk & Co. of California
1930	Van Every M J Mrs	R. L. Polk Co. of California
1925	Van Every Mrs Mary	R. L. Polk & Co.
1922	Van Every Edwin	R. L. Polk Co.

487 5TH ST S

Year	Uses	Source
2000	CAM H	Haines & Company
1996	Cam H	Pacific Bell
1975	Flowers Jeff	Pacific Telephone
1970	Vacant	R. L. Polk & Co.
1966	YEAGER WM	R. L. Polk & Co.
1960	Taylor Harold W	R. L. Polk Co.
	Taylor Pools	R. L. Polk Co.
1955	Slavich Amye E	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1950	Marx F D	R. L. Polk & Co.
1945	Adams Betty	R. L. Polk Co.
1940	Bever W T	R. L. Polk Co.
1935	harvey H B	R. L. Polk & Co. of California
1930	Arena Leo	R. L. Polk Co. of California

498 5TH ST S

Year	Uses	Source
2000	TRAN Quang H	Haines & Company
	SPIELBAUER Candida	Haines & Company
	PHAM Hoa	Haines & Company
1996	Thomas R A	Pacific Bell
1975	Thomas Richd A	Pacific Telephone
1970	Thomas Richd A	R. L. Polk & Co.
1966	THOMAS RICHD A	R. L. Polk & Co.
1960	Biggam Maurice J	R. L. Polk Co.
1955	Biggam Maurice J	R. L. Polk Co.
1950	Filingeri J P	R. L. Polk & Co.
1945	Robertson F B	R. L. Polk Co.
1940	Heaney W L	R. L. Polk Co.
1935	Mac Corinack A M Mrs	R. L. Polk & Co. of California
	l Howatson Ina Mrs	R. L. Polk & Co. of California
1930	Griffith Bert	R. L. Polk Co. of California
1925	Woodhams Elizabeth M	R. L. Polk & Co.
	Prince L D A	R. L. Polk & Co.
1922	Woodhams Elizabeth	R. L. Polk Co.
	Osburn H G	R. L. Polk Co.
	Gurney R P	R. L. Polk Co.

499 5TH ST S

Year	Uses	Source
2000	YUWONO Ignatius	Haines & Company
	WANG Zhibo	Haines & Company
	SPIELBAUER Dennis	Haines & Company
	HAYES Daniel M	Haines & Company
1996	Sapozhnikov G L	Pacific Bell
	Niemiec Martin	Pacific Bell
1975	Vacant	Pacific Telephone
1970	Miller Lillian	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	D & H TWENTY FOUR TOWING	R. L. Polk & Co.
1960	Rohrer John C	R. L. Polk Co.
1955	Rohrer Geo W	R. L. Polk Co.
1950	Rohrer J C	R. L. Polk & Co.
1945	Rohrer J C	R. L. Polk Co.
1940	Rohrer J C	R. L. Polk Co.
1935	Doerr Fred o	R. L. Polk & Co. of California
1930	Doerr Fred	R. L. Polk Co. of California
1925	Doerr Fred	R. L. Polk & Co.
1922	Doerr Fred	R. L. Polk Co.

501 5TH ST S

Year	Uses	Source
1955	Patterson Geo W	R. L. Polk Co.

502 5TH ST S

Year	Uses	Source
2000	CAMACHO Rozanne	Haines & Company
1996	ROZANNE DESIGNS	Pacific Bell
1975	Lee Rose	Pacific Telephone
1970	Patterson Geo W	R. L. Polk & Co.
1966	PATTERSON GEO W	R. L. Polk & Co.
1960	Patterson Geo W lwyr	R. L. Polk Co.
1950	Patterson G W	R. L. Polk & Co.
1945	Patterson G W	R. L. Polk Co.
1940	Patterson G W	R. L. Polk Co.
1935	Corpsteiii J T o	R. L. Polk & Co. of California
1930	Corpstein J T	R. L. Polk Co. of California
1925	Corpstein J P	R. L. Polk & Co.

503 5TH ST S

Year	Uses	Source
2000	MARZOUK Youssef M	Haines & Company
1996	Marzouk Youssef Marzouk	Pacific Bell
1975	Marzouk Marzouk Y	Pacific Telephone
1970	Marzouk Marzouk Y	R. L. Polk & Co.
1966	MARZOUK MARZOUK	R. L. Polk & Co.
1960	Fuhrman Eliz C	R. L. Polk Co.
1955	Fuhrman Josephine L Mrs	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1950	Puhrman J L Mrs	R. L. Polk & Co.
1945	Fuhrman J L Mrs	R. L. Polk Co.
1940	Fuhrman J L Mrs	R. L. Polk Co.
1935	Fuhrman J L Mrs o	R. L. Polk & Co. of California
1930	Fuhrman G O	R. L. Polk Co. of California
1925	Fuhrman G C	R. L. Polk & Co.
1922	Fuhrman G C	R. L. Polk Co.

505 5TH ST S

Year	Uses	Source
2000	CHIOU Kuen	Haines & Company
	MAYO Steve	Haines & Company
	VILLALUZ Arvin	Haines & Company
1996	Mayo Steve	Pacific Bell
1975	Scott Nanette	Pacific Telephone
1970	No Return	R. L. Polk & Co.
1966	GIBERSON RALPH	R. L. Polk & Co.
1960	Wright Irving E	R. L. Polk Co.
1955	Powell Grace Mrs	R. L. Polk Co.
1950	Fassnacht C L	R. L. Polk & Co.
1945	Fassnacht C L	R. L. Polk Co.
1940	Fassnacht C L	R. L. Polk Co.
1935	Nelson F L o	R. L. Polk & Co. of California
1930	Nelson F L	R. L. Polk Co. of California
1925	Vacant	R. L. Polk & Co.
1922	Sorensen Mrs Ida	R. L. Polk Co.

512 5TH ST S

Year	Uses	Source
2000	REYNOLDS Karen	Haines & Company
1975	Casaletto Joseph	Pacific Telephone
1970	Casaletto Joseph	R. L. Polk & Co.
1966	CASALETTO JOSEPH	R. L. Polk & Co.
1960	Casaletto Jos	R. L. Polk Co.
1955	Casaletto Jos	R. L. Polk Co.
1950	Franz C W Rev	R. L. Polk & Co.
1945	Hunter H W Rev	R. L. Polk Co.
1940	Dahlquist Lenard	R. L. Polk Co.
1935	Morrison F W o	R. L. Polk & Co. of California

FINDINGS

Year	Uses	Source
1930	Morrison F W	R. L. Polk Co. of California
1925	Morrison Rev F W	R. L. Polk & Co.

521 5TH ST S

Year	Uses	Source
2000	BISWAS Wahidur	Haines & Company
	EHLE Victor B	Haines & Company
	JEDYNAK Matt P	Haines & Company
1996	EHLE VICTOR B	Pacific Bell
	5 Biswas Wahidur	Pacific Bell
	7 Morris Kevin	Pacific Bell
	8 Weston James	Pacific Bell
1975	Apartments	Pacific Telephone
	lSmigle Wm	Pacific Telephone
	Mc Bride Dwight	Pacific Telephone
	Brown Earl	Pacific Telephone
	Todd Wm	Pacific Telephone
	Castro Nick	Pacific Telephone
	Gilmore Matt	Pacific Telephone
	Drake Edw A	Pacific Telephone
	Ehle Hazel	Pacific Telephone
1970	Apartments	R. L. Polk & Co.
	Blitz Louis	R. L. Polk & Co.
	Mellon Bruce	R. L. Polk & Co.
	Holmes Richd	R. L. Polk & Co.
	Karlich Joseph	R. L. Polk & Co.
	Castro Nick	R. L. Polk & Co.
	Pedrick Wm K	R. L. Polk & Co.
	Drake Edw A	R. L. Polk & Co.
	Soloman Geo	R. L. Polk & Co.
1966	APARTMENTS	R. L. Polk & Co.
	KINCAID JOHN C	R. L. Polk & Co.
	CHRISTOPHER WM I	R. L. Polk & Co.
	MOTT ELWOOD	R. L. Polk & Co.
	EHLE M F	R. L. Polk & Co.
	ENOS LOUIS	R. L. Polk & Co.
	VAN BOVEN LUCY	R. L. Polk & Co.
1960	Falterscak Hazel B	R. L. Polk Co.
	Johnson Wm M	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1960	Roberts Sadie E	R. L. Polk Co.
1955	Roberts Sadie E	R. L. Polk Co.
1950	Clark Edw	R. L. Polk & Co.
	Ehle V B jr	R. L. Polk & Co.
	Miller H B Mrs	R. L. Polk & Co.
1945	Mattson A L	R. L. Polk Co.
	Miller H R	R. L. Polk Co.
	Paul O H	R. L. Polk Co.
	Pero D J	R. L. Polk Co.
	Phillips Gertrude	R. L. Polk Co.
1940	Ehle V D music tchr	R. L. Polk Co.
	Roberts Sadie E	R. L. Polk Co.
	Casey J H	R. L. Polk Co.
1935	Borth olf harry	R. L. Polk & Co. of California
	Ehle V D	R. L. Polk & Co. of California
	Parson Jack	R. L. Polk & Co. of California
1930	Ehle V L	R. L. Polk Co. of California
1925	Ehle V D	R. L. Polk & Co.
1922	Ehle V D	R. L. Polk Co.

522 5TH ST S

Year	Uses	Source
2000	ELCENKO Larry	Haines & Company
1975	Apartments	Pacific Telephone
	Norell Andy	Pacific Telephone
	Norell Irene P	Pacific Telephone
	Van Sil Fhout Louis	Pacific Telephone
	Tam John	Pacific Telephone
	Wong Edwin	Pacific Telephone
1970	Apartments	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Norell Irene P Mrs	R. L. Polk & Co.
	Tang Warren	R. L. Polk & Co.
	Chun Russell E	R. L. Polk & Co.
	Siefhout Louis	R. L. Polk & Co.
1966	APARTMENTS	R. L. Polk & Co.
	CHOW WM	R. L. Polk & Co.
	NORELL IRENE P MRS	R. L. Polk & Co.
	TONG WARREN	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	TOY BENNY	R. L. Polk & Co.
	VAN SILFOUT LOUIS	R. L. Polk & Co.
1960	Moore Geo E	R. L. Polk Co.
1955	Nixon Pryce H	R. L. Polk Co.
1950	Nixon P H	R. L. Polk & Co.
1945	De Welt D F	R. L. Polk Co.
1940	Munoz Lydia Mrs	R. L. Polk Co.
1935	Mc Kay J B o	R. L. Polk & Co. of California
1930	Mc Kay J B	R. L. Polk Co. of California
1925	Mc Kay J B	R. L. Polk & Co.
1922	Mc Kay J B	R. L. Polk Co.

525 5TH ST S

Year	Uses	Source
1955	Ehle Hazel B Mrs	R. L. Polk Co.

526 5TH ST S

Year	Uses	Source
2000	FURTADO Matt	Haines & Company
	OH Chi	Haines & Company
1975	Hudec Emil	Pacific Telephone
1970	Diaz Clarence S	R. L. Polk & Co.
	Reveridge Robt G	R. L. Polk & Co.
	Wong Douglas F	R. L. Polk & Co.
	Schuyler Paul	R. L. Polk & Co.
	Hudec R Emil	R. L. Polk & Co.
1966	HUDEC R EMIL	R. L. Polk & Co.
1960	Hudec R Emil	R. L. Polk Co.
1955	Block Harry	R. L. Polk Co.
	Cassinelli Attilio	R. L. Polk Co.
1950	Block Harry	R. L. Polk & Co.
1945	Waynflete Walter	R. L. Polk Co.
1940	Donald Lillian Mrs	R. L. Polk Co.
1935	Donald Lillian Mrs o	R. L. Polk & Co. of California
1930	Donald Lillian Mrs	R. L. Polk Co. of California
1925	Donald Mrs Lillian	R. L. Polk & Co.
1922	Donald Mrs Lillian	R. L. Polk Co.

FINDINGS

528 5TH ST S

Year	Uses	Source
1925	1/2 Dolton D J	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
1922	1/2 Cardoza Mrs A V	R. L. Polk Co.

530 5TH ST S

Year	Uses	Source
2000	DIEDRICHS Donald	Haines & Company
1975	Bottom Linda	Pacific Telephone
	Dolan Margt	Pacific Telephone
	Cruz Bonnie	Pacific Telephone
	Vacant	Pacific Telephone
	Apartments	Pacific Telephone
1966	GREELEY RAYMOND R	R. L. Polk & Co.
1960	Appell Sonia	R. L. Polk Co.
	Greeley Larry E	R. L. Polk Co.
	Greeley Raymond R	R. L. Polk Co.
1955	Greeley Raymond R	R. L. Polk Co.
1950	Greeley Ray	R. L. Polk & Co.
	Fitzpatrick W F	R. L. Polk & Co.
	Coronado R G	R. L. Polk & Co.
	Belli J V	R. L. Polk & Co.
1945	Sweet Rena P	R. L. Polk Co.
	Stevenson V A	R. L. Polk Co.
	Smith Neva A	R. L. Polk Co.
	Garlick W D	R. L. Polk Co.
1940	Moscarella Vincent	R. L. Polk Co.
1935	Johnson Eliz Mrs	R. L. Polk & Co. of California
	Fancher F F	R. L. Polk & Co. of California
	Beck W F	R. L. Polk & Co. of California
1930	Jasper J E	R. L. Polk Co. of California
1925	Maynard S O	R. L. Polk & Co.
1922	Maynard S O	R. L. Polk Co.

535 5TH ST S

Year	Uses	Source
2000	YOUNG Judith	Haines & Company
1975	Rear Thomas Evelyn K Mrs	Pacific Telephone
	Cassata Margt Mrs	Pacific Telephone

FINDINGS

Year	Uses	Source
1970	Thomas Evelyn K Mrs	R. L. Polk & Co.
	Cassata Margt Mrs	R. L. Polk & Co.
1966	REAR THOMAS EVELYN MRS	R. L. Polk & Co.
	CASSATA JAMES C	R. L. Polk & Co.
1960	Cassata Jas C	R. L. Polk Co.
1955	Cassata Jas C	R. L. Polk Co.
1950	Escobar A H	R. L. Polk & Co.
	Cassata J V	R. L. Polk & Co.
1945	Cassata J V	R. L. Polk Co.
1940	Brown B C Mrs	R. L. Polk Co.
1935	Brooks F A	R. L. Polk & Co. of California
1930	Lundy R F	R. L. Polk Co. of California
1925	Hinze Mrs Johanna	R. L. Polk & Co.
1922	Parkinson G S	R. L. Polk Co.

E San Salvador St

96 E San Salvador St

Year	Uses	Source
2010	POLAR ICE	EDR Digital Archive

E SAN SALVADOR ST

96 E SAN SALVADOR ST

Year	Uses	Source
1975	CITY FOREIGN CAR SERVICE CENTER	Pacific Telephone
1957	V & V AUTO SERVICE	Pacific Telephone

97 E SAN SALVADOR ST

Year	Uses	Source
1991	Green Gables Antiques	PACIFIC BELL WHITE PAGES
	GREEN GABLES ANTIQUES	PACIFIC BELL WHITE PAGES
1980	Keats O	Pacific Telephone
1957	ASH RADIO & T V SERVICE	Pacific Telephone

E San Salvador St

98 E San Salvador St

Year	Uses	Source
2014	H & D PROP LLC	EDR Digital Archive

Year	Uses	Source
2014	DAKAO	EDR Digital Archive
	PHONG GIANG CO	EDR Digital Archive
2010	PHONG GIANG CO	EDR Digital Archive
	DAKAO	EDR Digital Archive
	CRYSTAL LIGHTS BILLIARDS	EDR Digital Archive

E SAN SALVADOR ST

98 E SAN SALVADOR ST

Year	Uses	Source
2006	SJ BILLIARDS	Haines Company, Inc.
	DAKAO SANDWICH	Haines Company, Inc.
1991	Phong Giang Billiard	PACIFIC BELL WHITE PAGES
	Phong Giang Billiards	PACIFIC BELL WHITE PAGES
	PHONG GIANG BILLIARDS	PACIFIC BELL WHITE PAGES
	PHONG GIANG BILLIARD	PACIFIC BELL WHITE PAGES
1986	Wooden Cue Billiard Parlor	Pacific Bell
1985	WOODEN CUE BILLIARD PARLOR	Pacific Bell
1975	WOODEN CUE BILLIARD PARLOR	Pacific Telephone
	MANISSUR S SHISH KABOB	Pacific Telephone
1963	D & D Auto Stores	Pacific Telephone

110 E SAN SALVADOR ST

Year	Uses	Source
1991	Vien Tien & Video Center	PACIFIC BELL WHITE PAGES
	VIEN TIEN & VIDEO CENTER	PACIFIC BELL WHITE PAGES
1986	Vien Tien & Video Center	Pacific Bell
1985	AAA BOOKKEEPING & TAX SERVICE	Pacific Bell
1975	AAA BOOKKEEPING & TAX SERVICE	Pacific Telephone

121 E SAN SALVADOR ST

Year	Uses	Source
1980	Miller Audnie	Pacific Telephone
1975	MC SEATON ELEANOR F	Pacific Telephone

122 E SAN SALVADOR ST

Year	Uses	Source
1991	Fancy Hair Design	PACIFIC BELL WHITE PAGES
	FANCY HAIR DESIGN	PACIFIC BELL WHITE PAGES
1986	Zap Copies	Pacific Bell

Year	Uses	Source
1985	GDP PRINTING	Pacific Bell
1957	MC CART REALTY	Pacific Telephone
	SHAW-MC CART	Pacific Telephone

123 E SAN SALVADOR ST

Year	Uses	Source
2006	FIRST IMMANUEL	Haines Company, Inc.
1986	Community Outreach Ministry	Pacific Bell
1985	COMMUNITY OUTREADY MINISTRY	Pacific Bell
1980	Gaddis Walter	Pacific Telephone
1957	RESTANI AL	Pacific Telephone

125 E SAN SALVADOR ST

Year	Uses	Source
1980	Mc Mullen A	Pacific Telephone
1975	MC MULLEN A	Pacific Telephone
1963	Monte Jos	Pacific Telephone
1957	MONETE JOS R	Pacific Telephone

126 E SAN SALVADOR ST

Year	Uses	Source
2006	o STIGEN Eugene R	Haines Company, Inc.
1986	Bergman Margret	Pacific Bell
1957	MC CART MARVIN E	Pacific Telephone

127 E SAN SALVADOR ST

Year	Uses	Source
1980	Reed Harry D	Pacific Telephone
1975	REED HARRY D	Pacific Telephone
1957	PAHLE WM R	Pacific Telephone

E San Salvador St

134 E San Salvador St

Year	Uses	Source
2014	CAMPUS MARKET	EDR Digital Archive
2010	CAMPUS MARKET	EDR Digital Archive
	DHALIWAL JOGINDER KAUR	EDR Digital Archive

FINDINGS

E SAN SALVADOR ST

134 E SAN SALVADOR ST

Year	Uses	Source
2006	SINGHS MARKET	Haines Company, Inc.
1991	Campus Mkt	PACIFIC BELL WHITE PAGES
	CAMPUS MKT	PACIFIC BELL WHITE PAGES
1986	Campus Mkt	Pacific Bell
1985	CAMPUS MKT	Pacific Bell
1975	CAMPUS MKT	Pacific Telephone

138 E SAN SALVADOR ST

Year	Uses	Source
1963	Allied Heating Service	Pacific Telephone

162 E SAN SALVADOR ST

Year	Uses	Source
2006	SCOTT Jessica	Haines Company, Inc.
	POTTER Dan	Haines Company, Inc.
1991	KANG LLSOK	PACIFIC BELL WHITE PAGES
	BARR MICHAEL H	PACIFIC BELL WHITE PAGES
	Barr Michael H	PACIFIC BELL WHITE PAGES
	Kang Ilsok	PACIFIC BELL WHITE PAGES
1986	Lofton Johnny	Pacific Bell
1975	LEE W H	Pacific Telephone
1957	LANE AFTA M	Pacific Telephone

164 E SAN SALVADOR ST

Year	Uses	Source
1980	Spizziro Wm	Pacific Telephone
1975	SPIZZIRO WM	Pacific Telephone

166 E SAN SALVADOR ST

Year	Uses	Source
1985	LOWDER A C	Pacific Bell
1980	Bryant S	Pacific Telephone

168 E SAN SALVADOR ST

Year	Uses	Source
2006	a GREEN George	Haines Company, Inc.

FINDINGS

170 E SAN SALVADOR ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
1986	Manh Luc	Pacific Bell
1985	MANR LUC	Pacific Bell
1957	PAULSEN IVAN	Pacific Telephone

171 E SAN SALVADOR ST

Year	Uses	Source
1957	BLASS SHERMAN	Pacific Telephone

172 E SAN SALVADOR ST

Year	Uses	Source
1986	Le Nhan	Pacific Bell
1985	NGUYEN HIEP T	Pacific Bell
1957	THOMASON JOE T	Pacific Telephone

177 E SAN SALVADOR ST

Year	Uses	Source
1957	NASO SARAH J	Pacific Telephone

178 E SAN SALVADOR ST

Year	Uses	Source
1957	J R DEORI S	Pacific Telephone

E WILLIAM

42 E WILLIAM

Year	Uses	Source
1957	Schroeder Elsie Mrs	R. L. Polk Co.

75 E WILLIAM

Year	Uses	Source
1957	Byerly Joan	R. L. Polk Co.

81 E WILLIAM

Year	Uses	Source
1957	Reynaud Marian	R. L. Polk Co.
	Muro Jean	R. L. Polk Co.

FINDINGS

93 E WILLIAM

Year	Uses	Source
1957	Barnard Robt R	R. L. Polk Co.
	Irons M	R. L. Polk Co.

135 E WILLIAM

Year	Uses	Source
1957	Thilste B	R. L. Polk Co.
	Reimer J	R. L. Polk Co.
	Carlson W	R. L. Polk Co.

139 E WILLIAM

Year	Uses	Source
1957	Kennedy Prentice	R. L. Polk Co.

141 E WILLIAM

Year	Uses	Source
1957	Asatani Herb	R. L. Polk Co.

148 E WILLIAM

Year	Uses	Source
1985	HO LEO	Pacific Bell
1957	Salmon RV	R. L. Polk Co.

152 E WILLIAM

Year	Uses	Source
1957	Bob & Teds Service Station	R. L. Polk Co.

170 E WILLIAM

Year	Uses	Source
1957	Townsend J E	R. L. Polk Co.

E WILLIAM CT

40 E WILLIAM CT

Year	Uses	Source
1957	PALM ETHEL R MRS	Pacific Telephone

42 E WILLIAM CT

Year	Uses	Source
1975	SCHROEDER ELSIE MRS	Pacific Telephone

FINDINGS

45 E WILLIAM CT

Year	Uses	Source
1957	WALTER ALLAN M & ASSOCIATESARCHTS	Pacific Telephone

70 E WILLIAM CT

Year	Uses	Source
1957	HATNMILTON GEO A	Pacific Telephone

71 E WILLIAM CT

Year	Uses	Source
1991	HUYNH TUYET	PACIFIC BELL WHITE PAGES

81 E WILLIAM CT

Year	Uses	Source
1985	BERMUDEZ GENARO	Pacific Bell
1975	RASHLD TARLQ	Pacific Telephone

93 E WILLIAM CT

Year	Uses	Source
1985	ROGERS WILLIAM ROBERT	Pacific Bell
	MASLOFF RALPH	Pacific Bell
1975	SHEEHAN AL	Pacific Telephone
1957	WHITE JAYNE	Pacific Telephone
	THOMAS EUGENE W	Pacific Telephone
	BARNARD ROBT R	Pacific Telephone

122 E WILLIAM CT

Year	Uses	Source
1957	GRIFFIS FRED E	Pacific Telephone

130 E WILLIAM CT

Year	Uses	Source
1957	HOLDERT CTARA	Pacific Telephone

131 E WILLIAM CT

Year	Uses	Source
1975	BLEITER ASSOCIATES BYCIS	Pacific Telephone

135 E WILLIAM CT

Year	Uses	Source
1957	REIMIER J	Pacific Telephone

FINDINGS

Year	Uses	Source
1957	THEISTE B	Pacific Telephone

139 E WILLIAM CT

Year	Uses	Source
1957	KENNEDY PRENTLCE	Pacific Telephone

141 E WILLIAM CT

Year	Uses	Source
1957	ASATANI HERB	Pacific Telephone

148 E WILLIAM CT

Year	Uses	Source
1991	MAEMURA DENNIS	PACIFIC BELL WHITE PAGES
	MILER KRISS	PACIFIC BELL WHITE PAGES
1985	CHRISTIAN SHARON	Pacific Bell
	GATEWAY APARTMENTS	Pacific Bell
	NO VICKY	Pacific Bell
1975	ITO L	Pacific Telephone
	LAWRENCE CLIFFORD L	Pacific Telephone
	LOUIE SJ	Pacific Telephone
	LUM ROD	Pacific Telephone
	ROSSI B	Pacific Telephone

152 E WILLIAM CT

Year	Uses	Source
1957	BOB & TED S SERVICE STATION	Pacific Telephone

167 E WILLIAM CT

Year	Uses	Source
1975	CHLLDERS WM W	Pacific Telephone

169 E WILLIAM CT

Year	Uses	Source
1975	DOYLE S PERMANENT WAVE SHOP	Pacific Telephone
1957	DOYLE S PERMANENT WAVE SHOP	Pacific Telephone

170 E WILLIAM CT

Year	Uses	Source
1991	MALCOLM JOHN	PACIFIC BELL WHITE PAGES
1975	ANDERSON RAY D	Pacific Telephone
1957	DOYLE ANNA B MRS R	Pacific Telephone

FINDINGS

184 E WILLIAM CT

Year	Uses	Source
1957	KELLL R K L	Pacific Telephone

201 E WILLIAM CT

Year	Uses	Source
1957	REZENDES DOROTHY	Pacific Telephone

E WILLIAM ST

40 E WILLIAM ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
1963	Palm Ethel R Mrs	Pacific Telephone

42 E WILLIAM ST

Year	Uses	Source
2006	o JAIMEJesus	Haines Company, Inc.
1991	OROPEZA FELIPE	PACIFIC BELL WHITE PAGES
	Oropeza Felipe	PACIFIC BELL WHITE PAGES
1963	Schroeder Elsie Mrs	Pacific Telephone
1957	SCFHROEDER ELSIE MRS	Pacific Telephone

45 E WILLIAM ST

Year	Uses	Source
1963	Homemakers Sewing Machine & Supply Co	Pacific Telephone

47 E WILLIAM ST

Year	Uses	Source
2006	STAGESTRUCK	Haines Company, Inc.
	ENTERTAINMENT	Haines Company, Inc.

55 E WILLIAM ST

Year	Uses	Source
1975	HEIDKE EJ E	Pacific Telephone

60 E WILLIAM ST

Year	Uses	Source
1975	ROBINSON CRAIG A	Pacific Telephone

FINDINGS

81 E WILLIAM ST

Year	Uses	Source
2006	ENRIQUEZSajuana	Haines Company, Inc.
	RIOS Maria	Haines Company, Inc.
1991	Melendes Juan	PACIFIC BELL WHITE PAGES
	MELENDES JUAN	PACIFIC BELL WHITE PAGES
1986	Guerrero M H	Pacific Bell
	Romo Sal	Pacific Bell
1985	LAZO REYNALDO	Pacific Bell
1963	Jones Peggy	Pacific Telephone
	Hughson Barry J	Pacific Telephone
	Carbone Sam	Pacific Telephone
	Avedikian Gary H	Pacific Telephone
	Newbury Anthony R	Pacific Telephone
	Todd Gerald	Pacific Telephone
1957	VANDER PLOEG LINDA-	Pacific Telephone
	MURO JEAN	Pacific Telephone
	REYNAUD MARIAN	Pacific Telephone

84 E WILLIAM ST

Year	Uses	Source
1986	Bermudez Genaro	Pacific Bell

E William St

93 E William St

Year	Uses	Source
2010	JS ANGELS	EDR Digital Archive

E WILLIAM ST

93 E WILLIAM ST

Year	Uses	Source
2006	ARANA MIchelle	Haines Company, Inc.
	FLORES Maricela	Haines Company, Inc.
	WURZBURGERTerry	Haines Company, Inc.
1991	Wiens Roger	PACIFIC BELL WHITE PAGES
	WIENS ROGER	PACIFIC BELL WHITE PAGES
1985	KASEL STEVEN	Pacific Bell
	SHEEHAN AL	Pacific Bell

FINDINGS

Year	Uses	Source
1980	Acevedo H	Pacific Telephone
	Barber LI	Pacific Telephone
	Graves H A	Pacific Telephone
	Sheehan Al	Pacific Telephone
1975	GRAVES H A	Pacific Telephone
1963	Padgham Robt J	Pacific Telephone
	Rogers Norman	Pacific Telephone
	Roglich Ziatka	Pacific Telephone
	Heuring Alberta	Pacific Telephone
	Hebler D A	Pacific Telephone
	Harp Myrtle	Pacific Telephone
	Garcia Eva Mrs	Pacific Telephone
	Eiselen Everett	Pacific Telephone
	Brazell K	Pacific Telephone
	Simpkins Dave	Pacific Telephone
1957	IRONS M	Pacific Telephone
	MANSFIELD VIRGINIA	Pacific Telephone
	WEBER JOS N	Pacific Telephone

100 E WILLIAM ST

Year	Uses	Source
1957	WESTERN PACIFIC R R CO GENERAL AGENT CITY TICKET OFC	Pacific Telephone

101 E WILLIAM ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
1986	Espinoza Roselia	Pacific Bell
1985	ESPINOZA ROSELIA	Pacific Bell
	OLIVE RUBEN J	Pacific Bell
1980	Negrete Esther	Pacific Telephone
	Garner Louise	Pacific Telephone
1975	LEDNLK V	Pacific Telephone

110 E WILLIAM ST

Year	Uses	Source
2006	POSADAS Luz	Haines Company, Inc.
1963	Munson Jas D	Pacific Telephone
1957	DEE E F	Pacific Telephone

FINDINGS

112 E WILLIAM ST

Year	Uses	Source
1986	Cohen David	Pacific Bell

114 E WILLIAM ST

Year	Uses	Source
1991	Ruthies Taqiula	PACIFIC BELL WHITE PAGES
	RUTHIES TAQIULA	PACIFIC BELL WHITE PAGES

120 E WILLIAM ST

Year	Uses	Source
1986	Shupe J	Pacific Bell

127 E WILLIAM ST

Year	Uses	Source
2006	o CHEUNOMy	Haines Company, Inc.
1975	FISK D	Pacific Telephone
1963	Peterson Wm C rlty	Pacific Telephone
1957	SHOTTENHAMER C DR R	Pacific Telephone
	Shottenhamer C Dr r	R. L. Polk Co.

130 E WILLIAM ST

Year	Uses	Source
1963	Wright Mary S	Pacific Telephone

E William St

131 E William St

Year	Uses	Source
2014	BICYCLE EXPRESS	EDR Digital Archive
2010	BICYCLE EXPRESS	EDR Digital Archive

E WILLIAM ST

131 E WILLIAM ST

Year	Uses	Source
2006	BICYCLE EXPRESS	Haines Company, Inc.
1986	C & C BIKE SHOP	Pacific Bell
1985	C & C BIKE SHOP	Pacific Bell
1980	Shaws Lightweight Cycles	Pacific Telephone

FINDINGS

132 E WILLIAM ST

Year	Uses	Source
1963	Osgoode Edith M	Pacific Telephone

133 E WILLIAM ST

Year	Uses	Source
1963	Ettas Beauty Salon	Pacific Telephone

135 E WILLIAM ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
1986	Yocum M L	Pacific Bell
1985	YOCUM ML	Pacific Bell
1980	Yocum M L	Pacific Telephone
1963	Stiegler Laura	Pacific Telephone
	Nothnagel Eileen	Pacific Telephone
	Nankervis Sue	Pacific Telephone
	Hess Julieta	Pacific Telephone
1957	CARLSON W	Pacific Telephone

136 E WILLIAM ST

Year	Uses	Source
1957	BRIDSON ERNEST F R	Pacific Telephone
	Bridson Ernest F r	R. L. Polk Co.

137 E WILLIAM ST

Year	Uses	Source
2006	ROSALES Greg	Haines Company, Inc.
1985	REILEY HAZEL	Pacific Bell
1963	Batinovich Virginia Lou	Pacific Telephone
1957	Egami Geo	R. L. Polk Co.

139 E WILLIAM ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
1986	Agehi Hamit	Pacific Bell
1980	Webb Rebecca	Pacific Telephone
1963	Grennan Patricia P	Pacific Telephone
	Grennan Paul D	Pacific Telephone

FINDINGS

140 E WILLIAM ST

Year	Uses	Source
1986	Ho Vicky	Pacific Bell

141 E WILLIAM ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
1986	Spadafore Steve	Pacific Bell
1963	Olival Wayne	Pacific Telephone
	Pearson Bruce	Pacific Telephone
	Vierra Robt	Pacific Telephone

148 E WILLIAM ST

Year	Uses	Source
2006	WHITE Geary	Haines Company, Inc.
	YADAV Rajan	Haines Company, Inc.
	GATEWAY APTS	Haines Company, Inc.
	BERNAL Femando	Haines Company, Inc.
	BHATAWADEKAR	Haines Company, Inc.
	Kedar ESD STONE & TILE	Haines Company, Inc.
	GOT 7 PARDHY	Haines Company, Inc.
	Karhlh LINThura	Haines Company, Inc.
	NIMJE Rahul	Haines Company, Inc.
	PARIKH Ruchl	Haines Company, Inc.
	RECHERJay	Haines Company, Inc.
	REYES Relna	Haines Company, Inc.
	SCHERICH Johnny	Haines Company, Inc.
	THOMAS Cyrus	Haines Company, Inc.
1991	DE LA PIEDRA JERRY	PACIFIC BELL WHITE PAGES
	HARLEY BRAD	PACIFIC BELL WHITE PAGES
	HU! GORMAN	PACIFIC BELL WHITE PAGES
	MOORE MAT	PACIFIC BELL WHITE PAGES
	RAYL ANDY	PACIFIC BELL WHITE PAGES
	AUERBACH JOSHUA	PACIFIC BELL WHITE PAGES
	COYNE BRENDAN	PACIFIC BELL WHITE PAGES
	De La Piedra Jerry	PACIFIC BELL WHITE PAGES
	Harley Brad	PACIFIC BELL WHITE PAGES
	Hu! Gorman	PACIFIC BELL WHITE PAGES
	Moore Mat	PACIFIC BELL WHITE PAGES
	Rayl Andy	PACIFIC BELL WHITE PAGES

FINDINGS

Year	*Uses*	*Source*
1986	Hamilton Melinda	Pacific Bell
	Lau Michael	Pacific Bell
	Loi Anh	Pacific Bell
	Tso Kevin	Pacific Bell
1985	COSTAKIS ANTHONY	Pacific Bell
	GRAUSS BRETT	Pacific Bell
	HAMILTON MELINDA	Pacific Bell
	KWAN RONALD	Pacific Bell
	LAU MICHAEL	Pacific Bell
	LOI ANH	Pacific Bell
	MARX DANIEL W	Pacific Bell
	MC ALLISTER GERALD A	Pacific Bell
	NGUYWN UYEN	Pacific Bell
	NGUYEN VIEN	Pacific Bell
	PATTERSON BOBBIE	Pacific Bell
	WU L	Pacific Bell
	BERENDES MARK L	Pacific Bell
	BERKOWITZ PHILIP	Pacific Bell
	BISHOP S TODD	Pacific Bell
	BLOOMBERG JASON M	Pacific Bell
	CAPPS THOS & PATRICE	Pacific Bell
	CHONG ERIC	Pacific Bell
1980	Do Minh Quang	Pacific Telephone
	Gbadnbo Michael A	Pacific Telephone
	Ghadiri Khosrow	Pacific Telephone
	Huynh Thiem	Pacific Telephone
	La Pho Van	Pacific Telephone
	Le Phuc	Pacific Telephone
	Nguyen Uyen	Pacific Telephone
	Tran Do	Pacific Telephone
	White Eagle Sandy	Pacific Telephone
	Bell as	Pacific Telephone
	Brenner Brad	Pacific Telephone
	DAguilar CY	Pacific Telephone
1975	UYETA KEIKO	Pacific Telephone
	WELCH LEILA P	Pacific Telephone
	WANG JUDY YUT-01	Pacific Telephone
	GIACOMINI J	Pacific Telephone

FINDINGS

Year	Uses	Source
1975	HARRIS BRIAN S	Pacific Telephone
	HERMAN KAREN	Pacific Telephone
	HUERTA MARCY	Pacific Telephone
	KOMATSUBARA S	Pacific Telephone
	KOSTRUP H	Pacific Telephone
	PALACE APARTMENTS	Pacific Telephone
	PRATT JAS W	Pacific Telephone
	RAMOS LOUIS U	Pacific Telephone
	RATHBUN J L	Pacific Telephone
	STEVENS SUSAN	Pacific Telephone
	TRADI DUC	Pacific Telephone
	ULMER BETH	Pacific Telephone
	BERKOWITZ SHELLEY	Pacific Telephone
	BRUDVIG C	Pacific Telephone
	CAMBRA N	Pacific Telephone
	CUSAMANO DIANA	Pacific Telephone
	DAVIS CECILE	Pacific Telephone
	DAVIS JULIE	Pacific Telephone
	FERIOLI LAURIE	Pacific Telephone
	FLOWERS J S	Pacific Telephone
1963	Dunlop Jas R	Pacific Telephone
1957	SALMON R V	Pacific Telephone

157 E WILLIAM ST

Year	Uses	Source
1975	REILEY HAZEL	Pacific Telephone

167 E WILLIAM ST

Year	Uses	Source
2006	NAMOWICZ	Haines Company, Inc.
	Guadalupe	Haines Company, Inc.
1991	KUUMBA AMANI S	PACIFIC BELL WHITE PAGES
	WELKER D	PACIFIC BELL WHITE PAGES
1986	Mc Hombo Sam	Pacific Bell
1980	Alston C	Pacific Telephone
	Bogen M	Pacific Telephone
1975	VERTIN TOM	Pacific Telephone
	FISHER BRYAN	Pacific Telephone
1963	Glanas	Pacific Telephone

FINDINGS

Year	Uses	Source
1957	THISSEN DELBERT D	Pacific Telephone

169 E WILLIAM ST

Year	Uses	Source
2006	DOYLE Michael	Haines Company, Inc.
1963	Doyles Permanent Wave Shop	Pacific Telephone
1957	Doyles Permanent Wave Shop .	R. L. Polk Co.

170 E WILLIAM ST

Year	Uses	Source
2006	DEL Bono	Haines Company, Inc.
	TIGHE Joseph	Haines Company, Inc.
1991	Olivarez R	PACIFIC BELL WHITE PAGES
	Rough Robert	PACIFIC BELL WHITE PAGES
	OLIVAREZ R	PACIFIC BELL WHITE PAGES
	ROUGH ROBERT	PACIFIC BELL WHITE PAGES
1986	Cabezut Stephen	Pacific Bell
1985	BAILEY PAUL	Pacific Bell
	MAC DONALD AM	Pacific Bell
	OLSON STEVE	Pacific Bell
	SUNDBERG SANDRA & SUSAN	Pacific Bell
1980	Alaniz Paul C	Pacific Telephone
	Valder Tim	Pacific Telephone
1975	MUSCIO J L	Pacific Telephone
	BRISCOE RON	Pacific Telephone
	HANKINS M	Pacific Telephone
	MURAKANMNI JUNE T	Pacific Telephone
1963	Aggarwal Kamal	Pacific Telephone
	Boyer Arthur G	Pacific Telephone
	Clement Gladys	Pacific Telephone
	Hamilton Geo A	Pacific Telephone
	Mc Mahon Helen	Pacific Telephone
1957	Doyle Anna B Mrs r	R. L. Polk Co.

177 E WILLIAM ST

Year	Uses	Source
2006	JOHNS Mark	Haines Company, Inc.
	WISE Charles	Haines Company, Inc.
1991	JOHNS MARK & MIKE	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1991	Johns Mark & Mike	PACIFIC BELL WHITE PAGES
1985	SARUDI IVAN	Pacific Bell
1980	Wright Geoffrey J	Pacific Telephone
1963	Wise Chas D	Pacific Telephone
1957	Wise C F r	R. L. Polk Co.
	WISE C F R	Pacific Telephone

180 E WILLIAM ST

Year	Uses	Source
2006	GLUTIEREZ David	Haines Company, Inc.
1985	WALLACE MARK	Pacific Bell
1980	Grant Joe	Pacific Telephone
1963	Vredenburg Grace M	Pacific Telephone

201 E WILLIAM ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
1975	HAWLEY S	Pacific Telephone
1963	Linebarger Bonnie	Pacific Telephone
	Olson Sheryl	Pacific Telephone
	Johannes Kathy	Pacific Telephone
	Linebarger Bonnie	Pacific Telephone

S 2

470 S 2

Year	Uses	Source
1980	Kim Junjoo	Pacific Telephone

495 S 2

Year	Uses	Source
1980	Garden City Food Mkt	Pacific Telephone

S 2ND

418 S 2ND

Year	Uses	Source
1963	A 1 Refrigeration Service Inc	Pacific Telephone

FINDINGS

420 S 2ND

Year	Uses	Source
1991	Dai Thanh Supermarket	PACIFIC BELL WHITE PAGES
1986	Dai Thanh Supermarket	Pacific Bell
1957	FIGONE MUSIC CO	Pacific Telephone
	FIGONE MUSIC CO	R. L. Polk Co.

425 S 2ND

Year	Uses	Source
1986	Pham Thanh	Pacific Bell
1980	Spencer Robt Lee	Pacific Telephone
	Larson Leola	Pacific Telephone
1963	Steltz Jene M	Pacific Telephone
	Peck Alma	Pacific Telephone
	On Lester	Pacific Telephone
	Kennedy Thos J	Pacific Telephone
	Larson Leola	Pacific Telephone
1957	Catanese Toni	R. L. Polk Co.

432 S 2ND

Year	Uses	Source
1991	Anh Chau Import & Export	PACIFIC BELL WHITE PAGES
1986	Anh Chau Import & Export	Pacific Bell
1957	Bill Brown Signs	R. L. Polk Co.
	Kopp Alfred Ednas CIng & Mending Shop	R. L. Polk Co.
	KOPP ALFRED DNA S CLAIG & MENDING :AHOP	Pacific Telephone

435 S 2ND

Year	Uses	Source
1957	Jones Robt A r	R. L. Polk Co.

441 S 2ND

Year	Uses	Source
1963	Mc Connell Sally	Pacific Telephone
	Caveney Thos	Pacific Telephone

446 S 2ND

Year	Uses	Source
1991	Tran Lieu	PACIFIC BELL WHITE PAGES
	Sang Tran Van	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1986	Acupuncture Healing	Pacific Bell
1980	Abasta Romelia	Pacific Telephone
1963	Hauger Jas R	Pacific Telephone
	Clark Hazel I	Pacific Telephone

450 S 2ND

Year	Uses	Source
1991	Loi Giang H	PACIFIC BELL WHITE PAGES
	Nguyen Sang	PACIFIC BELL WHITE PAGES
1986	Tang Thien	Pacific Bell
1985	ASSOCIATION OF CULTURAL & SOCIAL ADVANCEMENT FOR VIETNAMESE	Pacific Bell
1957	Hitch Estefle Mrs	R. L. Polk Co.

455 S 2ND

Year	Uses	Source
1991	Auditorium Travel Inn	PACIFIC BELL WHITE PAGES
	BEST WESTERN INN	PACIFIC BELL WHITE PAGES
1986	Auditorium Travel Inn	Pacific Bell
	BEST WESTERN INN	Pacific Bell

456 S 2ND

Year	Uses	Source
1986	Tax Consultation Of America	Pacific Bell
1980	Rogers Wayne	Pacific Telephone
1963	Baird Wm A	Pacific Telephone
1957	Baiird Wff A r	R. L. Polk Co.

458 S 2ND

Year	Uses	Source
1991	Minis Fashions	PACIFIC BELL WHITE PAGES
1980	SAN JOSE SAFE & LOCK	Pacific Telephone
1963	Kentex Construction Co	Pacific Telephone

460 S 2ND

Year	Uses	Source
1963	Baird Wm A ins & rl est	Pacific Telephone
1957	Baird WM A ins & rl est	R. L. Polk Co.

FINDINGS

463 S 2ND

Year	Uses	Source
1963	Duncan Ethel B	Pacific Telephone

464 S 2ND

Year	Uses	Source
1991	Prftwiott	PACIFIC BELL WHITE PAGES
	profsillonal Hair Design	PACIFIC BELL WHITE PAGES
1986	Professional Hair Design	Pacific Bell
1985	PROFESSIONAL HAIR DESIGN	Pacific Bell
1980	Professional Hair Design By Fi l	Pacific Telephone

466 S 2ND

Year	Uses	Source
1986	Second Coffee Shop	Pacific Bell
1963	Elvas Exclusive Hair Styling	Pacific Telephone

470 S 2ND

Year	Uses	Source
1991	Pham Son	PACIFIC BELL WHITE PAGES
	Del Castlo Cesar	PACIFIC BELL WHITE PAGES
	Dominguez Cruz	PACIFIC BELL WHITE PAGES
	Nguyen Van	PACIFIC BELL WHITE PAGES
1986	Del Castillo Cesar	Pacific Bell
	Dominguez Cruz	Pacific Bell
1985	T NERTIOWARD	Pacific Bell
1980	Del Castillo Cesar	Pacific Telephone
	Lee June	Pacific Telephone
	Woodward Leonard	Pacific Telephone
1963	Jones Wilda H	Pacific Telephone
	Kuehnis Eugene C Jr	Pacific Telephone
	Sepulveda Raymond	Pacific Telephone
	Shipper A Ann	Pacific Telephone
	Jeglum Nancy	Pacific Telephone
	Benson Anna M	Pacific Telephone

475 S 2ND

Year	Uses	Source
1991	Fowler Thomas	PACIFIC BELL WHITE PAGES
1986	Huang Denny	Pacific Bell
	Lee James M	Pacific Bell

FINDINGS

Year	Uses	Source
1986	Wiley Aaron R	Pacific Bell
	Wu Vincent	Pacific Bell
1985	HUANG DENNY	Pacific Bell
1980	Brewer Betty Jane	Pacific Telephone
1975	TOWN-HOUSE MOTEL & APARTMENTS	Pacific Telephone
1963	Botzman Lyie	Pacific Telephone
	Douskos Harriet	Pacific Telephone
	Douskos Jas	Pacific Telephone
	TOWN HOUSE MOTEL & APARTMENTS	Pacific Telephone
	Watson Agnes E	Pacific Telephone
	Watson Richard G	Pacific Telephone

478 S 2ND

Year	Uses	Source
1957	Luther Bernice	R. L. Polk Co.

482 S 2ND

Year	Uses	Source
1986	San Jose Art Center	Pacific Bell
1980	San Jose Art Center	Pacific Telephone
1963	San Jose Art Center The	Pacific Telephone
	San Jose Art League	Pacific Telephone
1957	Brooks Earnest L	R. L. Polk Co.
	Ferry A L Mrs	R. L. Polk Co.

495 S 2ND

Year	Uses	Source
1991	Singhs Market	PACIFIC BELL WHITE PAGES
1986	Grewal Market	Pacific Bell
1963	Garden City Food Market	Pacific Telephone
1957	Garden City Food Market	R. L. Polk Co.

496 S 2ND

Year	Uses	Source
1991	Tran Duc Phuong	PACIFIC BELL WHITE PAGES
1980	Hazzard Wayne	Pacific Telephone
1963	Zolizzi Lena Mrs	Pacific Telephone

FINDINGS

497 S 2ND

Year	Uses	Source
1991	Saigal S	PACIFIC BELL WHITE PAGES
	I Saigon Beauty Salon	PACIFIC BELL WHITE PAGES
1986	Saigon Beauty Salon	Pacific Bell
1980	Blake Jack Hair Fashions	Pacific Telephone
1963	Blakes Jack Hair Fashions	Pacific Telephone

498 S 2ND

Year	Uses	Source
1991	Pham Bang T	PACIFIC BELL WHITE PAGES
	Gapdi Printing	PACIFIC BELL WHITE PAGES
1986	Thanh Thuy Tropical Fish	Pacific Bell
1980	Green Gables Antiquies	Pacific Telephone
1963	Parkinson A Leroy	Pacific Telephone

499 S 2ND

Year	Uses	Source
1963	San Jose Launderette	Pacific Telephone

501 S 2ND

Year	Uses	Source
1991	Macaraeg Ginna	PACIFIC BELL WHITE PAGES
1986	Crosier Pete	Pacific Bell
1963	Hammonds W L	Pacific Telephone

502 S 2ND

Year	Uses	Source
1991	Harding WEColnc	PACIFIC BELL WHITE PAGES
1986	HARDING W E CO INC	Pacific Bell
1963	Sahara Oil Co	Pacific Telephone
1957	Sharin Oil Co	R. L. Polk Co.

503 S 2ND

Year	Uses	Source
1980	Williams Joy	Pacific Telephone
1963	Falconer Irwin	Pacific Telephone
1957	FALCONER IRWIN R	Pacific Telephone
	Falconer Irwin r	R. L. Polk Co.

FINDINGS

505 S 2ND

Year	Uses	Source
1991	Carrasco Jesse	PACIFIC BELL WHITE PAGES
1986	Lazo P	Pacific Bell
	Carrasco Soledad	Pacific Bell
1963	Carrasco Soledad	Pacific Telephone
	Gutierrez Patricia	Pacific Telephone
	Hennessey Frank Sr Mrs	Pacific Telephone
1957	Ammons David L	R. L. Polk Co.
	Hennessey Frank Sr Mrs	R. L. Polk Co.
	Chiurato Angelo	R. L. Polk Co.

507 S 2ND

Year	Uses	Source
1991	Taix Jimsy B	PACIFIC BELL WHITE PAGES
	Vich Miles	PACIFIC BELL WHITE PAGES
1986	Vich Miles	Pacific Bell
1980	Taib Jimsy B	Pacific Telephone
1963	Wilbanks Donald E	Pacific Telephone
1957	Hanson Alice	R. L. Polk Co.

516 S 2ND

Year	Uses	Source
1991	Continental Auto Parts	PACIFIC BELL WHITE PAGES
1986	Continental Auto Parts	Pacific Bell
1980	CONTINENTAL AUTO PARTS	Pacific Telephone
1963	Wilbanks Patricia M	Pacific Telephone
	Girl Friday Typing & Secretarial Service	Pacific Telephone
	Construction Mailing Service	Pacific Telephone
1957	Pranger Advertising Art	R. L. Polk Co.

518 S 2ND

Year	Uses	Source
1991	Coon Lorie	PACIFIC BELL WHITE PAGES
	Rogge Tom	PACIFIC BELL WHITE PAGES
1986	Coon Lorie	Pacific Bell
	Kitchen Craft Stainless Steel Mission Distributors hsewres	Pacific Bell
	Mission Distributors hsewres	Pacific Bell
	Radcliffe Jas	Pacific Bell

Year	Uses	Source
1985	KITCHEN CRAFT STAINLESS STEEL MISSION DISTRIBUTORS HSEWRES	Pacific Bell
	LUSTRE CRAFT STAINLESS STEEL MISSION DISTRIBUTORS HSEWRES	Pacific Bell
1980	Coon Lone	Pacific Telephone
1957	Cooper Eva R	R. L. Polk Co.
	Mc Minn Alma	R. L. Polk Co.

520 S 2ND

Year	Uses	Source
1991	Mary H	PACIFIC BELL WHITE PAGES
1986	Rowland Paul	Pacific Bell
1963	Regal Map Co	Pacific Telephone
	Pranger Ed	Pacific Telephone
	Shop	Pacific Telephone
1957	Barnes & Son Sweetland Ben Sys of Nocturnal Educatn	R. L. Polk Co.
	SWEETLAND BEN SYSTEM OF NOCTURNAL` EDUCATION	R. L. Polk Co.
	Vitalite Food Products	R. L. Polk Co.

S 2ND C T

507 S 2ND C T

Year	Uses	Source
1957	Taix Jimsy	R. L. Polk Co.

S 2ND CAMP

518 S 2ND CAMP

Year	Uses	Source
1957	MC MINN ALMA	Pacific Telephone

S 2ND CPRSS

432 S 2ND CPRSS

Year	Uses	Source
1957	EDNA S CLEANING & MENDING SHOP	Pacific Telephone

FINDINGS

S 2ND CT PJO

496 S 2ND CT PJO

Year	Uses	Source
1957	GEOFFROY CLORINDA INTERIORS & ANTIQUES	Pacific Telephone

S 2ND CY DRESS

418 S 2ND CY DRESS

Year	Uses	Source
1957	A-1 REFRIGERATION SERVICE	Pacific Telephone

S 2ND CY PRESS

418 S 2ND CY PRESS

Year	Uses	Source
1957	A 1 Refrigeration Service	R. L. Polk Co.

S 2ND CYPRSS 7

507 S 2ND CYPRSS 7

Year	Uses	Source
1957	TAIX JIMSY	Pacific Telephone

S 2nd St

418 S 2nd St

Year	Uses	Source
2014	DAI THANH SUPERMARKET INC	EDR Digital Archive
2010	DAI THANH SUPERMARKET INC	EDR Digital Archive

S 2ND ST

418 S 2ND ST

Year	Uses	Source
1980	MOTORS WEST KAWASAKI	Pacific Telephone
1975	ADAMS GRANT	Pacific Telephone

420 S 2ND ST

Year	Uses	Source
2006	SUPERMRKT	Haines Company, Inc.

Year	Uses	Source
2006	SUPERMARKET DAI THANK	Haines Company, Inc.
	SUPERMARKET DAITHANK	Haines Company, Inc.
	DAI THANK	Haines Company, Inc.
1991	DAI THANH SUPERMARKET	PACIFIC BELL WHITE PAGES
1985	ANH CHAU IMPORT & EXPORT	Pacific Bell
	VINH SINH CO INC	Pacific Bell

S 2nd St

425 S 2nd St

Year	Uses	Source
2014	MUSEUM SERVICES	EDR Digital Archive

S 2ND ST

425 S 2ND ST

Year	Uses	Source
1985	TIAN NCM BICH REV	Pacific Bell
	STEWART JOHN & NANCY	Pacific Bell
	PHAM THANH	Pacific Bell
	NGUYEN NGOAN	Pacific Bell
1975	CHAPMAN C	Pacific Telephone
1957	CATANESE PHIL	Pacific Telephone
	CATANESE TONI	Pacific Telephone

432 S 2ND ST

Year	Uses	Source
2006	DAI THANK INC	Haines Company, Inc.
1991	ANH CHAU IMPORT & EXPORT	PACIFIC BELL WHITE PAGES
1963	Kopp Alfred Ednas Clng & Mending Shop	Pacific Telephone

435 S 2ND ST

Year	Uses	Source
1957	JONES ROBT A R	Pacific Telephone

446 S 2ND ST

Year	Uses	Source
2006	LU Cau	Haines Company, Inc.
	TRAN Cuong	Haines Company, Inc.
	TRAN Philip	Haines Company, Inc.

FINDINGS

Year	Uses	Source
2006	VO Kimch I	Haines Company, Inc.
1991	SANG TRAN VAN	PACIFIC BELL WHITE PAGES
	TRAN LIEU	PACIFIC BELL WHITE PAGES
1985	LE THI TAM	Pacific Bell
	ARELLANO FELIPE	Pacific Bell

450 S 2ND ST

Year	Uses	Source
2006	LE Chinh D	Haines Company, Inc.
	TRAN Thol	Haines Company, Inc.
1991	NGUYEN SANG	PACIFIC BELL WHITE PAGES
	LOI GIANG H	PACIFIC BELL WHITE PAGES
1975	GOULDING CON	Pacific Telephone
1957	HITCH ESTELLE MRS	Pacific Telephone

S 2nd St

455 S 2nd St

Year	Uses	Source
2014	SAN JOSE CENTRAL TRAVEL INC	EDR Digital Archive
2010	SAN JOSE CENTRAL TRAVEL INC	EDR Digital Archive

S 2ND ST

455 S 2ND ST

Year	Uses	Source
2006	CONVENTION INN	Haines Company, Inc.
	SANJSE	Haines Company, Inc.
	RAMADA LIMITED	Haines Company, Inc.
1991	AUDITORIUM TRAVEL INN	PACIFIC BELL WHITE PAGES
	BE S T W E S TE RN IN N	PACIFIC BELL WHITE PAGES
1985	BEST WESTERN INN	Pacific Bell
	AUDITORIUM TRAVEL INN	Pacific Bell
1975	AUDITORIUM TRAVEL INN MOTEL	Pacific Telephone
	TRAVEL INN MOTEL AUDITORIUM	Pacific Telephone

FINDINGS

S 2nd St

456 S 2nd St

Year	Uses	Source
2010	KIMS DRIVING SCHOOL	EDR Digital Archive
	LJK INVESTMENTS	EDR Digital Archive
	ALI DRIVING SCHOOL	EDR Digital Archive
	N T N INTERNATIONAL	EDR Digital Archive
	NATIONAL DRIVING SCHOOL	EDR Digital Archive

S 2ND ST

456 S 2ND ST

Year	Uses	Source
2006	SCHOOL	Haines Company, Inc.
	CMV & ASSOCIATES	Haines Company, Inc.
	DO HUNG	Haines Company, Inc.
	NATL DRIVING	Haines Company, Inc.
1975	BAIRD WM A	Pacific Telephone
1957	BAIRD WM A R	Pacific Telephone

458 S 2ND ST

Year	Uses	Source
1991	MINI S FASHIONS	PACIFIC BELL WHITE PAGES

S 2nd St

460 S 2nd St

Year	Uses	Source
2014	RUBY JEWELERY	EDR Digital Archive
	V & R CAPITAL MANAGEMENT INC	EDR Digital Archive
2010	RUBY JEWELERY	EDR Digital Archive
	V & R CAPITAL MANAGEMENT INC	EDR Digital Archive

S 2ND ST

460 S 2ND ST

Year	Uses	Source
2006	RUBYJEWELERS	Haines Company, Inc.
1957	BAIRD WM A INS & R I EST	Pacific Telephone

FINDINGS

463 S 2ND ST

Year	Uses	Source
1957	SAN JOSE MUNICIPAL AIRPORT	Pacific Telephone

464 S 2ND ST

Year	Uses	Source
1991	PAT IENT A SCCUETS	PACIFIC BELL WHITE PAGES
1975	CASEY S T V REPAIR SERVICE	Pacific Telephone

S 2nd St

466 S 2nd St

Year	Uses	Source
2010	THANH BACH BAKERY	EDR Digital Archive

S 2ND ST

466 S 2ND ST

Year	Uses	Source
2006	THANH BACH	Haines Company, Inc.
	BAKERY	Haines Company, Inc.
1985	SECOND COFFEE SHOP	Pacific Bell

S 2nd St

470 S 2nd St

Year	Uses	Source
2014	FASTLITHO INC	EDR Digital Archive
2010	FASTLITHO INC	EDR Digital Archive

S 2ND ST

470 S 2ND ST

Year	Uses	Source
2006	HSU Nalyu	Haines Company, Inc.
	MORALES Esteban	Haines Company, Inc.
1991	DEL CASTLO CESAR	PACIFIC BELL WHITE PAGES
	DOMINGUEZ CRUZ	PACIFIC BELL WHITE PAGES
	NGUYEN VAN	PACIFIC BELL WHITE PAGES
	PHAM SON	PACIFIC BELL WHITE PAGES
1986	Chin Tsung Wei	Pacific Bell

Year	Uses	Source
1985	DEL CASTILLO CESAR	Pacific Bell
	DOMINGUEZ CRUZ	Pacific Bell
	WALLACE ROBT	Pacific Bell
1975	DALKNER EGON F	Pacific Telephone
	FORSYTHE SAM	Pacific Telephone
	KROHN ALLEN	Pacific Telephone
	NANTKES G L	Pacific Telephone

S 2nd St

475 S 2nd St

Year	Uses	Source
2014	TOWN HOUSE MOTEL	EDR Digital Archive
2010	TOWN HOUSE MOTEL	EDR Digital Archive

S 2ND ST

475 S 2ND ST

Year	Uses	Source
2006	MOTEL	Haines Company, Inc.
	TOWNHOUSE	Haines Company, Inc.
1991	FOWLER THOMAS	PACIFIC BELL WHITE PAGES
1985	TOWNHOUSE MOTEL	Pacific Bell
	WILEY AARON R	Pacific Bell

S 2nd St

476 S 2nd St

Year	Uses	Source
2010	BET-GEWARGIS INC	EDR Digital Archive
	ALL STATES RECOVERY	EDR Digital Archive

S 2ND ST

476 S 2ND ST

Year	Uses	Source
2006	LIBERTYFINANCIAL	Haines Company, Inc.
	e GEWARGIS David	Haines Company, Inc.

FINDINGS

478 S 2ND ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
1957	LUTHER BERNICE	Pacific Telephone

S 2nd St

482 S 2nd St

Year	Uses	Source
2014	SAN JOSE BEAUTY SALON	EDR Digital Archive
	LIEU BUI LAC	EDR Digital Archive
2010	LIEU BUI LAC	EDR Digital Archive
	SAN JOSE BEAUTY SALON	EDR Digital Archive

S 2ND ST

482 S 2ND ST

Year	Uses	Source
2006	DORA SALON	Haines Company, Inc.
	PALOMARO SALON	Haines Company, Inc.
1985	SARIF JOSE ART LEAGUE	Pacific Bell
	SAN JOSE ART CENTER	Pacific Bell
1975	SAN JOSE ALARM CO INC	Pacific Telephone
	SAN JOSE ALARM CO INC	Pacific Telephone
1957	FERRY A L MRS	Pacific Telephone
	BROOKS EARNEST L	Pacific Telephone

S 2nd St

495 S 2nd St

Year	Uses	Source
2010	SINGHS MARKET	EDR Digital Archive
	DHALIWAL JOGINDER KAUR	EDR Digital Archive
	ATM SPECIALISTS INC	EDR Digital Archive

S 2ND ST

495 S 2ND ST

Year	Uses	Source
2006	SINGHS MARKET	Haines Company, Inc.
1991	SINGH S MARKET	PACIFIC BELL WHITE PAGES

Year	Uses	Source
1985	GREWAL MARKET	Pacific Bell
1975	GARDEN CITY FOOD MKT	Pacific Telephone
1957	GARDEN CITY FOOD MARKET	Pacific Telephone

496 S 2ND ST

Year	Uses	Source
1991	TRAN DUC-PHUONG	PACIFIC BELL WHITE PAGES

S 2nd St

497 S 2nd St

Year	Uses	Source
2014	SAIGON BEAUTY SHOP	EDR Digital Archive
2010	SAIGON BEAUTY SHOP	EDR Digital Archive

S 2ND ST

497 S 2ND ST

Year	Uses	Source
2006	SALON	Haines Company, Inc.
	SAIGON BEAUTY	Haines Company, Inc.
1985	SAIGON BEAUTY SALON	Pacific Bell
1975	BLAKE JACK HAIR FASHIONS	Pacific Telephone

498 S 2ND ST

Year	Uses	Source
1991	PHAM BANG T	PACIFIC BELL WHITE PAGES
	GAPDI PRINTING	PACIFIC BELL WHITE PAGES
1985	GREEN GABLES ANTIQUES	Pacific Bell
1975	GREEN GABLES ANTIQUES	Pacific Telephone

501 S 2ND ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
1991	MACARAEG GINNA	PACIFIC BELL WHITE PAGES
1975	HAMMONDS W L	Pacific Telephone

FINDINGS

S 2nd St

502 S 2nd St

Year	Uses	Source
2014	HARDING WALTER E COMPANY INC	EDR Digital Archive
2010	HARDING WALTER E COMPANY INC	EDR Digital Archive
	HOCHBURG ENTERPRISES INC	EDR Digital Archive

S 2ND ST

502 S 2ND ST

Year	Uses	Source
2006	COMPANY INC	Haines Company, Inc.
	SPECIALIST W E HARDING	Haines Company, Inc.
	AUTHORIZED SMOG	Haines Company, Inc.
	HARDING CO BMW HARDING CO	Haines Company, Inc.
	SPECIALISTS BMW&MRCDSSV	Haines Company, Inc.
	HRDNGWE CO INC MERCEDES	Haines Company, Inc.
	HARDING CO	Haines Company, Inc.
1991	HARDING W E COLNC	PACIFIC BELL WHITE PAGES
1985	HARDING WE CO INC	Pacific Bell
1957	SHARIN OIL CO	Pacific Telephone

503 S 2ND ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
1985	GREWAL PRITAM	Pacific Bell
1975	FALCONER IRWIN	Pacific Telephone

505 S 2ND ST

Year	Uses	Source
2006	a MURTHA Mary	Haines Company, Inc.
1991	CARRASCO JESSE	PACIFIC BELL WHITE PAGES
1985	LAZO P	Pacific Bell
	CARRASCO SOLEDAD	Pacific Bell
1957	AMMO BS DAVID L	Pacific Telephone
	CHIURATO ANGELO	Pacific Telephone
	HENNESSEY FRANK SR MRS	Pacific Telephone

FINDINGS

507 S 2ND ST

Year	Uses	Source
2006	HUGGER MM	Haines Company, Inc.
	TAIXJIrisy B	Haines Company, Inc.
1991	TAIX JIMSY B	PACIFIC BELL WHITE PAGES
	VICH MILES	PACIFIC BELL WHITE PAGES
1985	TAIX JIMSY B	Pacific Bell
	VICH MILES	Pacific Bell
1975	TAIX JIMSY B	Pacific Telephone
	HUGGER ROBT	Pacific Telephone
1957	HANSON ALICE	Pacific Telephone

516 S 2ND ST

Year	Uses	Source
1985	CONTINENTAL AUTO PARTS	Pacific Bell
1957	PRANGER ADVERTISING ART	Pacific Telephone

518 S 2ND ST

Year	Uses	Source
2006	GARWALJAGINDAR	Haines Company, Inc.
	RADCLIFFE James	Haines Company, Inc.
1991	COON LORIE	PACIFIC BELL WHITE PAGES
	ROGGE TOM	PACIFIC BELL WHITE PAGES
1985	OCHOA TONY & LAURA	Pacific Bell
	RADCLIFFE JAS	Pacific Bell
	COON LONRIE	Pacific Bell
	MISSION DISTRIBUTORS HSEWRES	Pacific Bell
1975	PADIA MEL	Pacific Telephone
1957	COOPER EVA R	Pacific Telephone

520 S 2ND ST

Year	Uses	Source
2006	ORT 1 Z Maria	Haines Company, Inc.
1991	MARY H	PACIFIC BELL WHITE PAGES
1957	SWEETLAND BEN SYSTEM OF NOCTURNAL EDUCATION	Pacific Telephone

FINDINGS

S 2T

456 S 2T

Year	Uses	Source
1957	Lowe Pauline	R. L. Polk Co.

S 3

444 S 3

Year	Uses	Source
1980	Campus Travel Advisor Trip & Travel Planning Co	Pacific Telephone

S 3A

420 S 3A

Year	Uses	Source
1980	Ngo Hai Ng	Pacific Telephone
	igo Hoa	Pacific Telephone

S 3C!D

375 S 3C!D

Year	Uses	Source
1957	KADY BROOKS W	Pacific Telephone

S 3CD

445 S 3CD

Year	Uses	Source
1957	Yeager Hazel Mrs	R. L. Polk Co.

S 3RD

369 S 3RD

Year	Uses	Source
1980	Hodge Podge	Pacific Telephone
1957	Bigotti Richard T phy &8 sur	R. L. Polk Co.

371 S 3RD

Year	Uses	Source
1963	Lovely Jas phy & sur	Pacific Telephone

Year	Uses	Source
1957	Lovely Jas phys & surg	R. L. Polk Co.

374 S 3RD

Year	Uses	Source
1991	FIRST IMMANUEL LUTHERAN CHURCH MISSOURI SYNOD	PACIFIC BELL WHITE PAGES
	Office	PACIFIC BELL WHITE PAGES
	LUTHERAN CHURCH FIRST IMMANUEL MISSOURI SYNOD	PACIFIC BELL WHITE PAGES
1986	FIRST IMMANUEL LUTHERAN CHURCHMISSOURI SYNOD	Pacific Bell
	Ofc	Pacific Bell
	LUTHERAN CHURCH FIRST IMMANUELMISSOURI SYNOD	Pacific Bell
1985	LUTHERAN CHURCH FIRST IMMANUELMISSOURI SYNOD	Pacific Bell
1980	Ofc	Pacific Telephone
	FIRST IJMMANUEL LUTHERAN CHURCHMISSOURI SYNOD	Pacific Telephone
	Church &Parish Hall	Pacific Telephone
	FIRST IJMMANUEL LUTHERAN CHURCHMISSOURI SYNOD	Pacific Telephone
1963	Lutheran Church First Immanuel Missouri Synod	Pacific Telephone
	First Immanuel Lutheran Church Missouri Synod	Pacific Telephone
	Gamma Delta	Pacific Telephone
	First Immanuel Lutheran Church Missouri Synod	Pacific Telephone
	Fiedler Ralph W First Immanuel Lutheran Church Missouri Synod	Pacific Telephone
	Brommer A J Rev First Immanuel Lutheran Church Missouri Synod	Pacific Telephone
1957	Preisinger Arthur Vicar	R. L. Polk Co.
	First Immanuel Lutheran Church Missouri Synod	R. L. Polk Co.
	Lutheran Church First Immanuel Missouri Synod	R. L. Polk Co.

375 S 3RD

Year	Uses	Source
1991	YWCA In Santa Clara Valley Metropolitan Office	PACIFIC BELL WHITE PAGES
	PAREMT EDUCATIOM PROGRAMYWCA	PACIFIC BELL WHITE PAGES
1986	YWCA In Santa Clara Valley	Pacific Bell

FINDINGS

Year	Uses	Source
1986	Metropolitan Office	Pacific Bell
	PARENT EDUCATION PROGRAM YWCA	Pacific Bell
1963	Exley Richard S	Pacific Telephone
	Bresemann D H	Pacific Telephone
1957	Kady Brooks W	R. L. Polk Co.

389 S 3RD

Year	Uses	Source
1980	Durg Bul	Pacific Telephone
1963	Freitas John R	Pacific Telephone
1957	Matous Jos F optmtrst	R. L. Polk Co.

391 S 3RD

Year	Uses	Source
1986	Knight Malyn E Sr	Pacific Bell
1963	Johansen Ruth	Pacific Telephone
1957	Diehl Helene	R. L. Polk Co.

392 S 3RD

Year	Uses	Source
1963	Dunn Hazel E Mrs	Pacific Telephone

393 S 3RD

Year	Uses	Source
1986	Grewal Pritam	Pacific Bell
1980	Chew Chas	Pacific Telephone
1963	Baggott Geo	Pacific Telephone
1957	Baggott Geo	R. L. Polk Co.

394 S 3RD

Year	Uses	Source
1963	La Hue Lauren L Mrs	Pacific Telephone

395 S 3RD

Year	Uses	Source
1991	Kalvidianos Nick	PACIFIC BELL WHITE PAGES
1986	Hutchison Rose	Pacific Bell
	Flavin E L	Pacific Bell
1980	Barnalo Antonio	Pacific Telephone
	Brock Jack E	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	Propp Alex	Pacific Telephone
	Butera Anna	Pacific Telephone
	Miller Florence M	Pacific Telephone
1957	Miller Florence M	R. L. Polk Co.
	Baggott DM r	R. L. Polk Co.

396 S 3RD

Year	Uses	Source
1963	Fitzhugh J H	Pacific Telephone

398 S 3RD

Year	Uses	Source
1963	Coyne Lucille	Pacific Telephone

400 S 3RD

Year	Uses	Source
1991	China Chen	PACIFIC BELL WHITE PAGES
1986	Hong Phat VIPTours	Pacific Bell
	China Chen	Pacific Bell
1980	Out To Lunch Restaurant	Pacific Telephone

402 S 3RD

Year	Uses	Source
1963	Campus Launderette	Pacific Telephone
1957	CAMPUS LAUNDERETTE	Pacific Telephone
	Campus Launderette	R. L. Polk Co.

404 S 3RD

Year	Uses	Source
1991	Vongampal Wisit	PACIFIC BELL WHITE PAGES
1986	Loan Le & Nhung Dran Farmers Ins	Pacific Bell
	Nguyen Tam G	Pacific Bell
1985	WORD ZAPPERS	Pacific Bell
1980	Pacific Fruit News	Pacific Telephone

408 S 3RD

Year	Uses	Source
1986	Collins Stephen	Pacific Bell
	Vankervis Ronald A	Pacific Bell
1963	Buck Martha Ann	Pacific Telephone

FINDINGS

Year	Uses	Source
1957	Mc Entire Marian	R. L. Polk Co.

418 S 3RD

Year	Uses	Source
1991	Zavlarls William	PACIFIC BELL WHITE PAGES
	Gonsalves M Biff	PACIFIC BELL WHITE PAGES
	Cosgrove Bob	PACIFIC BELL WHITE PAGES
	Axtell TE	PACIFIC BELL WHITE PAGES
	AXON INC	PACIFIC BELL WHITE PAGES
1986	Zavlaris William	Pacific Bell
	Works Gallery	Pacific Bell
	Wolinsky Mark	Pacific Bell
	Popow Sonya	Pacific Bell
1980	Mc Donald Molly	Pacific Telephone
	Hoyt Steve	Pacific Telephone
	Engelman John V	Pacific Telephone
1963	Snyder Stella M	Pacific Telephone
	Reid Virginia M	Pacific Telephone
	Olsen N C	Pacific Telephone
	Belfrage Julia Mrs	Pacific Telephone
	Andresen Egon	Pacific Telephone
1957	Snyder Stella M r	R. L. Polk Co.
	Brotzman Construction Co	R. L. Polk Co.
	Moser Eva Mrs	R. L. Polk Co.
	Olsen N C r	R. L. Polk Co.
	Life Annie E	R. L. Polk Co.

420 S 3RD

Year	Uses	Source
1991	Bradley Elma Isabel	PACIFIC BELL WHITE PAGES
	Chan Wal Ying	PACIFIC BELL WHITE PAGES
	Crossley Paul	PACIFIC BELL WHITE PAGES
	Fogg L Allyson	PACIFIC BELL WHITE PAGES
	Garcia Jose R	PACIFIC BELL WHITE PAGES
	Gonzalez Michael A	PACIFIC BELL WHITE PAGES
	Gruss Curtis	PACIFIC BELL WHITE PAGES
	Guirguis Youhanna	PACIFIC BELL WHITE PAGES
	Mc Mahon Donald	PACIFIC BELL WHITE PAGES
	Nguyen Thang Cao	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1991	Pham Huan	PACIFIC BELL WHITE PAGES
	Rolllngo Janice	PACIFIC BELL WHITE PAGES
	Spanel Barbara	PACIFIC BELL WHITE PAGES
1986	Blevins Dennis E	Pacific Bell
	Bradley Elma Isabel	Pacific Bell
	Choy Steven	Pacific Bell
	Dedeker B	Pacific Bell
	De La Hunt Ken & Mila	Pacific Bell
	Garcia Jose R	Pacific Bell
	Gorley John C	Pacific Bell
	Gruss Curtis	Pacific Bell
	Koros Thomas	Pacific Bell
	Maclin Clifton	Pacific Bell
	Mc Mahon Donald	Pacific Bell
	Nguyen Tung	Pacific Bell
	Ong Ernest	Pacific Bell
	Parker Robt	Pacific Bell
	Samo Jebraeil	Pacific Bell
1985	NGUYEN VIET	Pacific Bell
1980	Ashby J R	Pacific Telephone
	Chester Nellie	Pacific Telephone
	Del Monte Gary	Pacific Telephone
	Gorley John C	Pacific Telephone
	Gregory Mabel A	Pacific Telephone
	Mines M M	Pacific Telephone
	Hines La Verne H	Pacific Telephone
	Hoffman Cathrine A	Pacific Telephone
	Lovallo Michael	Pacific Telephone
	Mc Kosky S	Pacific Telephone
	Merrill Wm	Pacific Telephone
	Miller Alma	Pacific Telephone
	Nguyen Vien	Pacific Telephone
	Ramos Ruben	Pacific Telephone
	Rosenberg Roger E	Pacific Telephone
	Stick Patsy	Pacific Telephone
	Suggs John	Pacific Telephone
	Watson Agnes E	Pacific Telephone
	Wu Jimmy	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	Hartl Carol	Pacific Telephone
	Hartl Craig	Pacific Telephone
	Hernandez Frances	Pacific Telephone
	Hesselgrave Paul Jr	Pacific Telephone
	Holgate Holly	Pacific Telephone
	Jackson Richard W	Pacific Telephone
	James Carolyn Mrs	Pacific Telephone
	Luton Harold	Pacific Telephone
	Mc Donald Jas R	Pacific Telephone
	Miller Alma	Pacific Telephone
	Moring A	Pacific Telephone
	Nickell Richard	Pacific Telephone
	Thompson Minor A	Pacific Telephone
	Yasuda Dennis	Pacific Telephone
	Bell Dorothy A	Pacific Telephone
	Boss Kenneth W	Pacific Telephone
	Bymark Gary	Pacific Telephone
	Clair Delbert M	Pacific Telephone
	Cram Verl	Pacific Telephone
	Dammann Shirley Ann	Pacific Telephone
	de la Motte Elsa	Pacific Telephone
	Delamore Viola R	Pacific Telephone
	de la Motte Sigrid	Pacific Telephone
	Delamore Viola R	Pacific Telephone
	Gorley John C	Pacific Telephone
	Guzzardo Joan	Pacific Telephone

427 S 3RD

Year	Uses	Source
1991	Nguyen Tam G	PACIFIC BELL WHITE PAGES
	Ly Son Cam	PACIFIC BELL WHITE PAGES
1986	Luu Hung Tin	Pacific Bell
	Ly Quay T	Pacific Bell
	Ly Son Cam	Pacific Bell
	Tran Thang Vinh	Pacific Bell
	Luong Sam A	Pacific Bell
1980	Tran Hai	Pacific Telephone
1963	Gray Vera	Pacific Telephone
	Meanor Florence S	Pacific Telephone

FINDINGS

445 S 3RD

Year	Uses	Source
1991	Ki Hingsworth Wade	PACIFIC BELL WHITE PAGES
1986	Burak Matthew J	Pacific Bell
	Howe Ralph L	Pacific Bell
	James Scott B	Pacific Bell
	I Meyer Lars	Pacific Bell
	Meyer Keith	Pacific Bell
	Moore Angie V	Pacific Bell
1980	Moore Angie V	Pacific Telephone
	Goodman FE	Pacific Telephone
	Van Paul Ruby	Pacific Telephone
	Fiato Mike J	Pacific Telephone
	Picolet Tamie	Pacific Telephone
1963	Adams David G Mrs	Pacific Telephone
	Denton Katherine	Pacific Telephone
	Downing Jean Mrs	Pacific Telephone
	Goodman F E	Pacific Telephone
	Hood Cyril C	Pacific Telephone
	Miller John M	Pacific Telephone
	Weaver Charlotte E Mrs	Pacific Telephone
1957	LIGHT METALS RESEARCH LABORATORY	Pacific Telephone
	Gliatta M F	R. L. Polk Co.
	Johliatnsen Ruth	R. L. Polk Co.
	Lopez J J	R. L. Polk Co.
	Pagonis Geo r	R. L. Polk Co.
	Rogers Diane Mrs	R. L. Polk Co.
	Van Keulen Mabel	R. L. Polk Co.
	Vogelbach Florence B r	R. L. Polk Co.

452 S 3RD

Year	Uses	Source
1991	Doyle Christopher N	PACIFIC BELL WHITE PAGES
	Guerrero David	PACIFIC BELL WHITE PAGES
1986	Nguyen Hung Van	Pacific Bell
	Vorarath Annousak	Pacific Bell
1980	Dunn Larry	Pacific Telephone
	Jelesko AJ	Pacific Telephone
	Telles Paul M	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	Egeberg Sarah	Pacific Telephone
	Glicos Nick	Pacific Telephone
	Lloyd Cilenia	Pacific Telephone
	Lloyd Cilenia	Pacific Telephone
	Miller Ardyce	Pacific Telephone
	Morgus David	Pacific Telephone
	Provencher Dee	Pacific Telephone
	Rey Burt	Pacific Telephone
	Sun Benedict C	Pacific Telephone
1957	RENCH ALICE R	Pacific Telephone
	Bennitt Jas G	R. L. Polk Co.
	Glicos Nick	R. L. Polk Co.
	Johnsoh Earli C	R. L. Polk Co.
	Kock Grace	R. L. Polk Co.
	Rench Alice R	R. L. Polk Co.

453 S 3RD

Year	Uses	Source
1991	Baker JP	PACIFIC BELL WHITE PAGES
1986	Baker J P	Pacific Bell
1963	BAKER ELWIN H ins & pub acct	Pacific Telephone
1957	Baker Elwin H ins & acct	R. L. Polk Co.

455 S 3RD

Year	Uses	Source
1963	Schell Kay Mrs	Pacific Telephone
	Robinson Robt A	Pacific Telephone
1957	Schell Olga Mrs	R. L. Polk Co.

467 S 3RD

Year	Uses	Source
1980	Captain Thomas Rooms For Ladies	Pacific Telephone
1963	Mecham Ada K	Pacific Telephone
	Beale Frank	Pacific Telephone
1957	DAVIS ARNOLD R R	Pacific Telephone
	Davis Arnold R r	R. L. Polk Co.

469 S 3RD

Year	Uses	Source
1980	Mattey John	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	Walters Lloyd A Dr D C	Pacific Telephone
	MARLEY CHAS R DR DC	Pacific Telephone
	Mc CORMACK R W chirprctr	Pacific Telephone
1957	WALTERS LLOYD A DR DC	Pacific Telephone
	Mc Cormack R W chirprctr	R. L. Polk Co.
	Anthony Rents	R. L. Polk Co.
	Walker Earl T Dr DC	R. L. Polk Co.
	WALTERS LLOYD A DR DC	R. L. Polk Co.

470 S 3RD

Year	Uses	Source
1991	Smith Stephen R	PACIFIC BELL WHITE PAGES
	Brown Thomas E	PACIFIC BELL WHITE PAGES
	Bumatay AJr	PACIFIC BELL WHITE PAGES
	Condon Michael	PACIFIC BELL WHITE PAGES
1986	Bumatay AJr	Pacific Bell
	Richards Timothy	Pacific Bell
	Wells Garlanr& Elaine	Pacific Bell
1980	Mc Carthy C	Pacific Telephone
1963	Barnes Chas Mrs	Pacific Telephone
	Brice Jas M	Pacific Telephone
	Buck Carl R	Pacific Telephone
	Hushbeck D L	Pacific Telephone
	Olson G Andrew	Pacific Telephone
	Patterson Irene	Pacific Telephone
1957	Joost Donna	R. L. Polk Co.
	Ketly Jas T r	R. L. Polk Co.
	Koenig Hugh J r	R. L. Polk Co.
	Martin Harry L	R. L. Polk Co.
	artin Harry R	R. L. Polk Co.
	Willoughby M J	R. L. Polk Co.
	Forest Walter E	R. L. Polk Co.
	Evans Delene	R. L. Polk Co.

477 S 3RD

Year	Uses	Source
1991	Phan Nam	PACIFIC BELL WHITE PAGES
	Nguyen Anh Qui	PACIFIC BELL WHITE PAGES
1980	Hallam Jas D	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	Mc Allister Eva F	Pacific Telephone

480 S 3RD

Year	Uses	Source
1986	Castillo Alfonso	Pacific Bell
1963	Carroll Mary J	Pacific Telephone

502 S 3RD

Year	Uses	Source
1986	Gonzales Thomas	Pacific Bell
	Gonzales Robt	Pacific Bell
1980	Whithrow Verna	Pacific Telephone
1963	Faltersack Jessie E	Pacific Telephone
1957	Faltersack Jessiei E r	R. L. Polk Co.

505 S 3RD

Year	Uses	Source
1985	SISTERS NOTRE DAME	Pacific Bell

509 S 3RD

Year	Uses	Source
1957	Burre J V Mr! r	R. L. Polk Co.
	La Vy hary J	R. L. Polk Co.
	LAW BURREJ V MRS R	Pacific Telephone

512 S 3RD

Year	Uses	Source
1991	Villegas Residential Care Home	PACIFIC BELL WHITE PAGES
1986	Galvan David	Pacific Bell
1980	Mitchell Earl L	Pacific Telephone
1963	Creeger A C	Pacific Telephone
	Cornelius Viola Miss	Pacific Telephone
1957	Paladino Mamie	R. L. Polk Co.
	Creeger A C r	R. L. Polk Co.

520 S 3RD

Year	Uses	Source
1991	Barrett Bruce A	PACIFIC BELL WHITE PAGES
	I Barrett CE	PACIFIC BELL WHITE PAGES
1986	Barrett C E	Pacific Bell

FINDINGS

Year	Uses	Source
1963	Barrett C E	Pacific Telephone
1957	Barrett CE r	R. L. Polk Co.

526 S 3RD

Year	Uses	Source
1986	Von Raesfeld Martha Miss	Pacific Bell
1963	Von Raesfeld Martha Miss	Pacific Telephone
1957	Von Raesfeld Martha Miss	R. L. Polk Co.

529 S 3RD

Year	Uses	Source
1957	Morrison Catherine T	R. L. Polk Co.

533 S 3RD

Year	Uses	Source
1957	Belfrage Julia Mrs	R. L. Polk Co.

535 S 3RD

Year	Uses	Source
1963	Booksin Alicia	Pacific Telephone
1957	Booksin Alicia r	R. L. Polk Co.

540 S 3RD

Year	Uses	Source
1986	Hallford Jeff	Pacific Bell
	Schuman Arrow	Pacific Bell
1980	Panrello MA	Pacific Telephone
1957	Stevenson G W	R. L. Polk Co.

546 S 3RD

Year	Uses	Source
1963	Anderson S C	Pacific Telephone
	Mc Gehee Lois O	Pacific Telephone

547 S 3RD

Year	Uses	Source
1957	Marshall Geo C	R. L. Polk Co.
	Graves latlieen M	R. L. Polk Co.

FINDINGS

553 S 3RD

Year	Uses	Source
1980	ST MARIA GORETTI CHURCH	Pacific Telephone
	St Marys Church	Pacific Telephone
1963	ST MARYS CHURCH	Pacific Telephone
	St Marys Church	Pacific Telephone
	Donahue Jas H Rev	Pacific Telephone
1957	St Marys Church	R. L. Polk Co.
	ST MARYS CHURCH	R. L. Polk Co.

S 3RD ST

350 S 3RD ST

Year	Uses	Source
2006	GEBRE Meareg	Haines Company, Inc.

369 S 3RD ST

Year	Uses	Source
1957	BIGOTTI RICHARD T PHY & SUR	Pacific Telephone

S 3rd St

374 S 3rd St

Year	Uses	Source
2014	COMMUNITY OUTREACH MINISTRIES	EDR Digital Archive
	FIRST IMMANUEL CHURCH INC	EDR Digital Archive
2010	FIRST IMMANUEL CHURCH INC	EDR Digital Archive
	COMMUNITY OUTREACH MINISTRIES	EDR Digital Archive

S 3RD ST

374 S 3RD ST

Year	Uses	Source
2006	FIRST IMMANUEL	Haines Company, Inc.
1991	FIRS T IMMAN UE L LUTHE RAN CHURCH-MIS S OURI S YN OD	PACIFIC BELL WHITE PAGES
	LUTHE RAN CHURCH FIRS T IMMAN UE L-MIS S OURI S YN OD	PACIFIC BELL WHITE PAGES
1985	FIRST IMMANUEL LUTHERAN CHURCHMISSOURI SYNOD	Pacific Bell
	FIRST IMMANUEL LUTHERAN CHURCHMISSOURI SYNOD	Pacific Bell

Year	Uses	Source
1975	FIRST IMMANUEL LUTHERAN CHURCHMISSOURI SYNOD	Pacific Telephone
	FIRST IMMANUEL LUTHERAN CHURCHMISSOURI SYNOD	Pacific Telephone
1957	BROMMER A J REV FIRST IMMANUEL LUTHERAN CHURCH-MISSOURI SYNOD	Pacific Telephone
	FIRST IMMANUEL LUTHERAN CHURCH-MISSOURI SYNOD	Pacific Telephone
	LUTHERAN CHURCH FIRST IMMANUEL-MISSOURI SYNOD	Pacific Telephone
	PREISINGER ARTHUR VICAR	Pacific Telephone

S 3rd St

375 S 3rd St

Year	Uses	Source
2014	SUPPORT NTWRK FOR BTTRED WOMEN	EDR Digital Archive
	RAPE CRISIS AND REFERRAL	EDR Digital Archive
	YOUNG WOMENS CHRISTIAN ASSOCI	EDR Digital Archive
	YWCA HAMMER CHILD CARE CENTER	EDR Digital Archive
2010	YWCA HAMMER CHILD CARE CENTER	EDR Digital Archive
	YOUNG WOMENS CHRISTIAN ASSOCI	EDR Digital Archive
	RAPE CRISIS AND REFERRAL	EDR Digital Archive
	SUPPORT NETWORK	EDR Digital Archive

S 3RD ST

375 S 3RD ST

Year	Uses	Source
2006	Abay Nesh BREWER Nicole C	Haines Company, Inc.
	BELACHEW	Haines Company, Inc.
	APARTMENTS	Haines Company, Inc.
	HAILESELASIE Dade	Haines Company, Inc.
	G KHAN Abdul	Haines Company, Inc.
	KIFLEAldansah	Haines Company, Inc.
	WELDEGEBRIAL	Haines Company, Inc.
	Frewalni A WONDIMU Daniel D	Haines Company, Inc.
	YWCAOFSCLAR	Haines Company, Inc.
	VALLEY YWCA OF SILICON	Haines Company, Inc.
	VALLEY	Haines Company, Inc.

FINDINGS

Year	Uses	Source
2006	HAILE Fanuel	Haines Company, Inc.
	HAILE Bogale	Haines Company, Inc.
1991	PARE MT E DUCATIOM PROGRAMYW CA	PACIFIC BELL WHITE PAGES
	YW CA IN SANTA CLARA VALLEY METROPOLITAN OFFICE	PACIFIC BELL WHITE PAGES
1985	YWCA IN SANTA CLARA VALLEY	Pacific Bell
1957	CARTER VERA	Pacific Telephone

389 S 3RD ST

Year	Uses	Source
2006	CHUENG Cliff	Haines Company, Inc.
1957	MATOUS JOS F OPTMTRST	Pacific Telephone

391 S 3RD ST

Year	Uses	Source
2006	SCHWARTZ Michael	Haines Company, Inc.
1985	KNIGHT MALYN E SR	Pacific Bell

392 S 3RD ST

Year	Uses	Source
1957	HARDISTY VIRGIL V	Pacific Telephone

S 3rd St

393 S 3rd St

Year	Uses	Source
2014	NIAT PRODUCTS	EDR Digital Archive
2010	TESFA	EDR Digital Archive

S 3RD ST

393 S 3RD ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
1957	BAGGOTT GEO	Pacific Telephone

395 S 3RD ST

Year	Uses	Source
2006	KEATS J	Haines Company, Inc.
	KALVIDIANOS Nick	Haines Company, Inc.

Year	Uses	Source
1991	KALVIDIANOS NICK	PACIFIC BELL WHITE PAGES
1985	BAEZR LEBPOLDO	Pacific Bell
1957	MILLER FLORENCE M	Pacific Telephone
	BAGGOTT D M R	Pacific Telephone

S 3rd St

400 S 3rd St

Year	Uses	Source
2014	CHINA CHEN RESTAURANT	EDR Digital Archive
2010	CHINA CHEN RESTAURANT	EDR Digital Archive

S 3RD ST

400 S 3RD ST

Year	Uses	Source
2006	CHINACHEN	Haines Company, Inc.
1991	CHINA CHEN	PACIFIC BELL WHITE PAGES
1985	CHINA AIRLINES PASSENGER	Pacific Bell
1975	DENN IS ELLETI	Pacific Telephone

404 S 3RD ST

Year	Uses	Source
2006	TRAN Thanh	Haines Company, Inc.
	TRAN Hoang	Haines Company, Inc.
1991	REIDL EDW LAW O(FLCE OF	PACIFIC BELL WHITE PAGES
	VONGAMPAL WISIT	PACIFIC BELL WHITE PAGES
1985	BEVERLY HEALTH CENTER	Pacific Bell
1975	JOURNAL THE	Pacific Telephone
	COLLEGE STUDENT INSURANCE SERVICE	Pacific Telephone
	CAMPUS INSURANCE SERVICE	Pacific Telephone
	CSIS-CAMPUS INSURANCE SERVICE	Pacific Telephone

408 S 3RD ST

Year	Uses	Source
2006	SKAGGS Dennis	Haines Company, Inc.
1975	PADILLA TOM	Pacific Telephone
	RUTZ MICHAEL	Pacific Telephone
	YASUKAWA JERI	Pacific Telephone

Year	Uses	Source
1957	MC ENTLRE MARIAN	Pacific Telephone

S 3rd St

418 S 3rd St

Year	Uses	Source
2014	VIC RODRIGUEZ PROPERTIES	EDR Digital Archive
2010	VIC RODRIGUEZ PROPERTIES	EDR Digital Archive

S 3RD ST

418 S 3RD ST

Year	Uses	Source
2006	Jerardo	Haines Company, Inc.
	LOPEZ FERNANDE	Haines Company, Inc.
	DONATI Drew	Haines Company, Inc.
1991	GONSALVES M BIFF	PACIFIC BELL WHITE PAGES
	COSGROVE BOB	PACIFIC BELL WHITE PAGES
	ZAVLARLS WILLIAM	PACIFIC BELL WHITE PAGES
	AXTELL TE	PACIFIC BELL WHITE PAGES
1985	SIMONSEN ERIC	Pacific Bell
	ZAVLARIS WILLIAM	Pacific Bell
1975	RUSTIGAN MICHAEL A	Pacific Telephone
	WESTER BARRY	Pacific Telephone
	REID VIRGINIA M	Pacific Telephone
	DURAN TIMOTHY C	Pacific Telephone
1957	BROTZMAN-CONSTRUCTION CO	Pacific Telephone
	MOSER EVA MRS	Pacific Telephone

S 3rd St

420 S 3rd St

Year	Uses	Source
2014	METRO GARDEN APARTMENTS	EDR Digital Archive
2010	METRO GARDEN APARTMENTS	EDR Digital Archive

FINDINGS

S 3RD ST

420 S 3RD ST

Year	Uses	Source
2006	GILL Carmen	Haines Company, Inc.
	KOLHATKAR Saita	Haines Company, Inc.
	METRO GARDEN	Haines Company, Inc.
	MIETRO GARDENS	Haines Company, Inc.
	RODRIGUEZA Jose	Haines Company, Inc.
	SIMS Valerie	Haines Company, Inc.
	TONG Pok	Haines Company, Inc.
	TRUONG Thanh	Haines Company, Inc.
	WISEJay T	Haines Company, Inc.
	FITE Linda J	Haines Company, Inc.
	GARCIA Eric	Haines Company, Inc.
	GARDEN PATIO APTS	Haines Company, Inc.
	DONOVAN Patdck	Haines Company, Inc.
	FILBRANTTerry	Haines Company, Inc.
1991	BRADLEY ELMA ISABEL	PACIFIC BELL WHITE PAGES
	CHAN WAL-YING	PACIFIC BELL WHITE PAGES
	CROSSLEY PAUL	PACIFIC BELL WHITE PAGES
	FOGG L ALLYSON	PACIFIC BELL WHITE PAGES
	GARCIA JOSE R	PACIFIC BELL WHITE PAGES
	GONZALEZ MICHAEL A	PACIFIC BELL WHITE PAGES
	GRUSS CURTIS	PACIFIC BELL WHITE PAGES
	GUIRGUIS YOUHANNA	PACIFIC BELL WHITE PAGES
	MC MAHON DONALD	PACIFIC BELL WHITE PAGES
	NGUYEN THANG CAO	PACIFIC BELL WHITE PAGES
	PHAM HUAN	PACIFIC BELL WHITE PAGES
	ROLLLNGO JANICE	PACIFIC BELL WHITE PAGES
	SPANEL BARBARA	PACIFIC BELL WHITE PAGES
1985	CHUANG SHIH-HSIEN	Pacific Bell
	FUNG TIM	Pacific Bell
	GORLEY JOHN C	Pacific Bell
	GRUSS CURTIS	Pacific Bell
	IDDINGS MICHAEL	Pacific Bell
	LOESWICK KURT	Pacific Bell
	MACLIN CLIFTON	Pacific Bell
	MC MAHON DONALD	Pacific Bell

FINDINGS

Year	Uses	Source
1985	ONG ERNEST	Pacific Bell
	PHAM HUAN	Pacific Bell
	RAMOS RUBEN	Pacific Bell
	ROSE JOSEPH	Pacific Bell
	SAMO JEBRAEIL	Pacific Bell
	STICK PATSY	Pacific Bell
	SURNEY L	Pacific Bell
	TEGLAND HOWARD L	Pacific Bell
	THONG HUYNH VAN	Pacific Bell
	WHEELER KEN J	Pacific Bell
1975	ARMSTRONG RALPH L	Pacific Telephone
	DEL MONTE GARY	Pacific Telephone
	EARNHARDT FRED W	Pacific Telephone
	ETCHEPARE L	Pacific Telephone
	FLEMING M C	Pacific Telephone
	GARDEN PATIO APARTMENTS	Pacific Telephone
	GORLEY JOHN C	Pacific Telephone
	GREGORY MABEL A	Pacific Telephone
	HINES M M	Pacific Telephone
	HIROSE MOMORU	Pacific Telephone
	MEEKS L	Pacific Telephone
	NETH BRIAN E	Pacific Telephone
	POPE ANDREW	Pacific Telephone
	SWENSON ANNA T	Pacific Telephone
	TORRES J	Pacific Telephone

427 S 3RD ST

Year	Uses	Source
2006	AGUILARVida I	Haines Company, Inc.
	HERNANDEZ Eduard	Haines Company, Inc.
	NGUYEN Kelly	Haines Company, Inc.
	D TRUONG Mi	Haines Company, Inc.
1991	LY SON CAM	PACIFIC BELL WHITE PAGES
	NGUYEN TAM G	PACIFIC BELL WHITE PAGES
1985	LY QUAY T	Pacific Bell
	TRAN THANG VINH	Pacific Bell
	HOANG LUONG	Pacific Bell
	LUONG SAM A	Pacific Bell
	LUU-HUNG TIN	Pacific Bell

FINDINGS

Year	Uses	Source
1975	WEED M	Pacific Telephone
	WEED K	Pacific Telephone

S 3rd St

445 S 3rd St

Year	Uses	Source
2014	KR8TIVE REAL ESTATE SOLUTIONS	EDR Digital Archive
2010	KR8TIVE REAL ESTATE SOLUTIONS	EDR Digital Archive

S 3RD ST

445 S 3RD ST

Year	Uses	Source
2006	BILTMORE	Haines Company, Inc.
	ENGELANDSandra	Haines Company, Inc.
	No Current Listing	Haines Company, Inc.
	No Current Listing	Haines Company, Inc.
	WEYHEERobert	Haines Company, Inc.
	JIMENEZOscar	Haines Company, Inc.
	BROWN Myfanwy	Haines Company, Inc.
	A SARWARY	Haines Company, Inc.
	Naematullah	Haines Company, Inc.
	BUMATAYAJr	Haines Company, Inc.
	VUITuyen	Haines Company, Inc.
1991	KI HINGSWORTH WADE	PACIFIC BELL WHITE PAGES
1985	MEYER LARS	Pacific Bell
	MOORE ANGIE V	Pacific Bell
	TAYLOR RANDALL E	Pacific Bell
	VAN PAUL RUBY	Pacific Bell
1975	BEDARD ANN	Pacific Telephone
	FIATO MIKE J	Pacific Telephone
	FOX LK	Pacific Telephone
	GOODMAN F E	Pacific Telephone
	MOORE ANGLE V	Pacific Telephone
	VAN PAUL RUBY	Pacific Telephone
	WHITE CURTIS	Pacific Telephone
1957	BEATTY SHIRLEY	Pacific Telephone
	GLIATTA M F	Pacific Telephone

FINDINGS

Year	Uses	Source
1957	GOODMAN F E	Pacific Telephone
	JOHANSEN RUTH	Pacific Telephone
	LOPEZ J J	Pacific Telephone
	MILLER JOHN M	Pacific Telephone
	ROGERS DIANE MRS	Pacific Telephone
	TATE CARMALETA	Pacific Telephone
	VAN KEULEN MABEL	Pacific Telephone
	VOGELBACH FLORENCE B R	Pacific Telephone
	YEAGER HAZEL MRS	Pacific Telephone

452 S 3RD ST

Year	Uses	Source
1991	DOYLE CHRISTOPHER N	PACIFIC BELL WHITE PAGES
	GUERRERO DAVID	PACIFIC BELL WHITE PAGES
1985	DENNIS JOE	Pacific Bell
	FIGUEROA ARTHUR V	Pacific Bell
	MARTINS C	Pacific Bell
	NGUYEN HUNG VAN	Pacific Bell
	VORARATH ANNOUSAK	Pacific Bell
	WELLS GARLAN & ELAINE	Pacific Bell
1975	CROSS DOROTHY	Pacific Telephone
	GLICOS NICK	Pacific Telephone
	LEE JIM	Pacific Telephone
	MARKU TJE	Pacific Telephone
	SCOTT ALTMAN	Pacific Telephone
	WATKINS GARRETT	Pacific Telephone
1957	GLICOS NICK	Pacific Telephone
	JOHNSON EARL C	Pacific Telephone
	KOCK GRACE	Pacific Telephone
	PAUL JEAN	Pacific Telephone
	THONMAS WIN J	Pacific Telephone

453 S 3RD ST

Year	Uses	Source
1991	BAKER JP	PACIFIC BELL WHITE PAGES
1985	BAKER J P ACCTS PUB	Pacific Bell
1957	BAKER ELWIN H INS & ACCT	Pacific Telephone

FINDINGS

455 S 3RD ST

Year	Uses	Source
1985	AUGUSTIN RICHARD	Pacific Bell
1975	JORDAN CHAS L	Pacific Telephone
1957	SCHELL OLGA MS	Pacific Telephone

465 S 3RD ST

Year	Uses	Source
1957	SCOTT JUDI	Pacific Telephone

467 S 3RD ST

Year	Uses	Source
1975	GOFF LYDA A	Pacific Telephone
	JOHN ED	Pacific Telephone

S 3rd St

469 S 3rd St

Year	Uses	Source
2010	HERRERA DERRICK	EDR Digital Archive

S 3RD ST

469 S 3RD ST

Year	Uses	Source
1975	OWL MAINTENANCE	Pacific Telephone
1957	MC COR MA CLC R W CHIRPRCTR	Pacific Telephone
	ANTHODNY MACHINE & ENGMNEERING INC	Pacific Telephone
	WALKER EARL T DR DC	Pacific Telephone

S 3rd St

470 S 3rd St

Year	Uses	Source
2014	MOJMIN PROPERTIES	EDR Digital Archive
2010	MOJMIN PROPERTIES	EDR Digital Archive

FINDINGS

S 3RD ST

470 S 3RD ST

Year	Uses	Source
1991	BROWN THOMAS E	PACIFIC BELL WHITE PAGES
	BUMATAY AJR	PACIFIC BELL WHITE PAGES
	CONDON MICHAEL	PACIFIC BELL WHITE PAGES
	SMITH STEPHEN R	PACIFIC BELL WHITE PAGES
1985	APEL SCOTT	Pacific Bell
	BUMATAY A JR	Pacific Bell
	HUNTOON J L	Pacific Bell
	PAGE B	Pacific Bell
1975	BARNES CHAS F	Pacific Telephone
	FUENTES ALBERT	Pacific Telephone
	MOE DON G	Pacific Telephone
	WILSON LORETTA	Pacific Telephone
1957	EVANS DELENE	Pacific Telephone
	FOREST WAITER E	Pacific Telephone
	JOOST DONNA	Pacific Telephone
	KELLY JAS T R	Pacific Telephone
	KOENIG HUGH J R	Pacific Telephone
	MARTIN HARRY R	Pacific Telephone
	MASTACHE DOMINIC	Pacific Telephone
	WILLOUGHBY M J	Pacific Telephone

477 S 3RD ST

Year	Uses	Source
1991	NGUYEN ANH QUI	PACIFIC BELL WHITE PAGES
	PHAN NAM	PACIFIC BELL WHITE PAGES
1985	WENER KENNETH A	Pacific Bell
1957	VAN GUNDY HAROLD R INSURANCE AGCY	Pacific Telephone

480 S 3RD ST

Year	Uses	Source
1985	CASTILLO ALFONSO	Pacific Bell
1975	MANNING PATRICK	Pacific Telephone
1957	CARROLL MARY J R	Pacific Telephone

FINDINGS

502 S 3RD ST

Year	Uses	Source
2006	o BARRONJuan	Haines Company, Inc.
1985	GONZALES THOMAS	Pacific Bell
	GONZALES ROBT	Pacific Bell
	WHITHROW VERNA	Pacific Bell
1975	GONZALES THOMAS	Pacific Telephone
1957	JESSE EVA M	Pacific Telephone
	FALTERSACK JESSIE E R	Pacific Telephone

512 S 3RD ST

Year	Uses	Source
2006	VILLEGASJose	Haines Company, Inc.
1991	VILLEGAS RESIDENTIAL CARE HOME	PACIFIC BELL WHITE PAGES
1985	GALVAN DAVID	Pacific Bell
1975	CREEGER A C	Pacific Telephone
1957	PALADINO MA INAMIE	Pacific Telephone
	CREEGER A C R	Pacific Telephone

520 S 3RD ST

Year	Uses	Source
2006	GALVEZ Veronica R	Haines Company, Inc.
1985	BARRETT C E	Pacific Bell
1975	BARRETT C E	Pacific Telephone
1957	BARROTT C E R	Pacific Telephone

526 S 3RD ST

Year	Uses	Source
2006	OJAIME Jesus	Haines Company, Inc.
1985	VON RAESFELD MARTHA MISS	Pacific Bell
1975	VON RAESFELD MARTHA MISS	Pacific Telephone
1957	VON RAESFELD MARTHAW MISS	Pacific Telephone

529 S 3RD ST

Year	Uses	Source
1957	MORRISON CATHERINE T	Pacific Telephone

533 S 3RD ST

Year	Uses	Source
1957	BELFRAGE JULIA MRS	Pacific Telephone

FINDINGS

535 S 3RD ST

Year	Uses	Source
1957	BOOKSIN ALICIA R	Pacific Telephone

540 S 3RD ST

Year	Uses	Source
2006	DEBARTOLO Thomas	Haines Company, Inc.
1985	HALLFORD JEFF	Pacific Bell
	SCHUMAN ARROW	Pacific Bell
1975	KRISER KEITH M	Pacific Telephone
	KRISER BETTY J	Pacific Telephone
	DE REIGN C	Pacific Telephone
1957	STEVENSON G W	Pacific Telephone

546 S 3RD ST

Year	Uses	Source
2006	ANDERSONJ	Haines Company, Inc.
1975	ANDERSON S C	Pacific Telephone
1957	ANDERSON S C R	Pacific Telephone

547 S 3RD ST

Year	Uses	Source
1957	MARSHALL GEO C	Pacific Telephone

553 S 3RD ST

Year	Uses	Source
1975	ST MARY S CHURCH	Pacific Telephone
1957	ST MARY S CHURCH	Pacific Telephone

S 3TH

441 S 3TH

Year	Uses	Source
1980	Twedt Michelle	Pacific Telephone

S 4

439 S 4

Year	Uses	Source
1986	Won Kevin	Pacific Bell

FINDINGS

461 S 4

Year	*Uses*	*Source*
1982	Masonic Temple Of Palo Alto	Pacific Telephone

S 4 LH

560 S 4 LH

Year	*Uses*	*Source*
1975	BAUSCH ED H	Pacific Telephone

S 4 RH

357 S 4 RH

Year	*Uses*	*Source*
1980	Grieco Russ J	Pacific Telephone

S 4H1

367 S 4H1

Year	*Uses*	*Source*
1975	NO ROBERT	Pacific Telephone

S 4IH

357 S 4IH

Year	*Uses*	*Source*
1980	Sullivan Skyler	Pacific Telephone

S 4LH

405 S 4LH

Year	*Uses*	*Source*
1980	Sprague Eugene C	Pacific Telephone

502 S 4LH

Year	*Uses*	*Source*
1980	Bergen D	Pacific Telephone

537 S 4LH

Year	*Uses*	*Source*
1980	Bui H	Pacific Telephone

FINDINGS

S 4T

357 S 4T

Year	Uses	Source
1980	Beall Fred	Pacific Telephone

405 S 4T

Year	Uses	Source
1986	Traina Henry J	Pacific Bell

460 S 4T

Year	Uses	Source
1980	Jackson CL	Pacific Telephone

502 S 4T

Year	Uses	Source
1980	Sanchez Manuel	Pacific Telephone

S 4TH

353 S 4TH

Year	Uses	Source
1985	JOHNSON ROBT	Pacific Bell

375 S 4TH

Year	Uses	Source
1985	TRAN DUNG TH	Pacific Bell
	TRAMFLIEU	Pacific Bell

385 S 4TH

Year	Uses	Source
1980	Bradley Elma Isabel	Pacific Telephone

402 S 4TH

Year	Uses	Source
1991	Phuong Que B	PACIFIC BELL WHITE PAGES

405 S 4TH

Year	Uses	Source
1985	LEE NIENCHI	Pacific Bell
	MARRUFO L	Pacific Bell
	STEWART AARON	Pacific Bell

FINDINGS

Year	Uses	Source
1957	GOLD HAROLD L	Pacific Telephone

414 S 4TH

Year	Uses	Source
1985	DO HUNG	Pacific Bell
	NG YEN CAO	Pacific Bell

439 S 4TH

Year	Uses	Source
1991	Lopez Ramon	PACIFIC BELL WHITE PAGES
1986	Westsik B	Pacific Bell
1985	SABOVRIT ERNIE	Pacific Bell
	WILLIS GERALDO	Pacific Bell
1980	Thornton Michael	Pacific Telephone

442 S 4TH

Year	Uses	Source
1957	DAVIS RAMONA	Pacific Telephone

451 S 4TH

Year	Uses	Source
1991	DISCOUNTPHOTO SUPPLY	PACIFIC BELL WHITE PAGES

465 S 4TH

Year	Uses	Source
1957	OCarroll Margurette	R. L. Polk Co.

470 S 4TH

Year	Uses	Source
1985	AY PING	Pacific Bell
1957	MVachado Georgia	R. L. Polk Co.
	Machado Geo Jos	R. L. Polk Co.

474 S 4TH

Year	Uses	Source
1985	NGUYEN VAN	Pacific Bell

485 S 4TH

Year	Uses	Source
1985	CRAM K	Pacific Bell

FINDINGS

498 S 4TH

Year	*Uses*	*Source*
1985	SPARTAN STATION	Pacific Bell

529 S 4TH

Year	*Uses*	*Source*
1986	Amezquita Andres	Pacific Bell

537 S 4TH

Year	*Uses*	*Source*
1985	MITTEREDER JEFF	Pacific Bell

542 S 4TH

Year	*Uses*	*Source*
1986	Marshall Chester	Pacific Bell
	Blaha David	Pacific Bell

545 S 4TH

Year	*Uses*	*Source*
1980	Penberton Charles	Pacific Telephone
1957	Severance R C r	R. L. Polk Co.

S 4TH C

360 S 4TH C

Year	*Uses*	*Source*
1957	Siegel Geraldine Mrs	R. L. Polk Co.

S 4TH CY PRESS

430 S 4TH CY PRESS

Year	*Uses*	*Source*
1957	V FWM Memorial Bldg	R. L. Polk Co.

S 4TH H

425 S 4TH H

Year	*Uses*	*Source*
1957	CANMPREA RICHARD	Pacific Telephone

FINDINGS

S 4TH ST

349 S 4TH ST

Year	Uses	Source
1957	GOLDNER JUDITH A	Pacific Telephone

353 S 4TH ST

Year	Uses	Source
2006	CEMBELLIN Zach	Haines Company, Inc.
1991	Johnson Robert B	PACIFIC BELL WHITE PAGES
	JOHNSON ROBERT B	PACIFIC BELL WHITE PAGES
1986	Johnson Robt B	Pacific Bell
1963	Ross Jesse	Pacific Telephone

355 S 4TH ST

Year	Uses	Source
1957	Bouquet Cora N	R. L. Polk Co.
	Hutchins Kendra	R. L. Polk Co.

S 4th St

357 S 4th St

Year	Uses	Source
2010	MITCHELL NETWORK ENTERPRISES	EDR Digital Archive

S 4TH ST

357 S 4TH ST

Year	Uses	Source
2006	KIRKKsis	Haines Company, Inc.
	MESIAS Anthony	Haines Company, Inc.
	TRAN Nhanh	Haines Company, Inc.
	TRAN Sang N	Haines Company, Inc.
1991	Alvarez Reyna	PACIFIC BELL WHITE PAGES
	Wang Cynthia	PACIFIC BELL WHITE PAGES
	Wong Clinton	PACIFIC BELL WHITE PAGES
	ALVAREZ REYNA	PACIFIC BELL WHITE PAGES
	WANG CYNTHIA	PACIFIC BELL WHITE PAGES
1986	ol Ky	Pacific Bell
	Fuller Mark	Pacific Bell
	Ho De Xuan	Pacific Bell

FINDINGS

Year	Uses	Source
1986	Lam Quang	Pacific Bell
	Lee Lap T	Pacific Bell
	Pham Duong T	Pacific Bell
	Vo Ktaats	Pacific Bell
1985	CASTELLINO A & S	Pacific Bell
	DIEP TOAN B	Pacific Bell
	HO DE XUAN	Pacific Bell
	LAM QUANG	Pacific Bell
	VILL ARICA TIMOTHY M	Pacific Bell
1980	Grimes HG	Pacific Telephone
	Harris G H	Pacific Telephone
	Henley Reginald	Pacific Telephone
	Keita Mike	Pacific Telephone
	Linch Stan	Pacific Telephone
	OBerg Eric	Pacific Telephone
	Pham Oat O	Pacific Telephone
	White Kevin A	Pacific Telephone
1975	BARADARAN SHAMOOELL	Pacific Telephone
	CASLTELLINO BERNIE	Pacific Telephone
	CHEUNG PAUL SHLU	Pacific Telephone
	LEE ALLAN	Pacific Telephone
	NG THERESA	Pacific Telephone
	SHIMBO KEIICHI	Pacific Telephone
	TENG WANDA SASMITA	Pacific Telephone
	BANIANI MASSOUD	Pacific Telephone
1963	Allan Harriet J	Pacific Telephone
	Blagen Dolores	Pacific Telephone
	Boyd Joanne	Pacific Telephone
	Brill Linda	Pacific Telephone
	Bromage Cathy P	Pacific Telephone
	Bryant Linda	Pacific Telephone
	Cuevas Chris	Pacific Telephone
	Dally Marchelle	Pacific Telephone
	Edwards Cathy	Pacific Telephone
	Edwards Mary	Pacific Telephone
	Erlandson Janet	Pacific Telephone
	Eymann Bette	Pacific Telephone
	Gemmell Crea	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	Hanson Dorothy	Pacific Telephone
	Kinet Carolyn	Pacific Telephone
	La Marr Jackie	Pacific Telephone
	Lansdowne Linda	Pacific Telephone
	Luksich Marie M	Pacific Telephone
	Matheny Kathie A	Pacific Telephone
	Mosher Mary	Pacific Telephone
	Ohs Merrilee	Pacific Telephone
	OLeary Caron	Pacific Telephone
	Palazzi Lydia	Pacific Telephone
	Price Ann	Pacific Telephone
	Priest Michael	Pacific Telephone
	Purcell Cathi	Pacific Telephone
	Sheehan Judi	Pacific Telephone
	Smith Annette	Pacific Telephone
	Thomas Carmella	Pacific Telephone
	Weinstein Ann	Pacific Telephone
1957	PARKER R T R	Pacific Telephone
	Heywood C Mrs	R. L. Polk Co.
	Parker R T r	R. L. Polk Co.

360 S 4TH ST

Year	Uses	Source
1963	Fisher Stuart B	Pacific Telephone
	Mc Tigue Maureen	Pacific Telephone
	Meyers Le Roy	Pacific Telephone
1957	PIKE ONA R	Pacific Telephone
	Pike Ona r	R. L. Polk Co.
	TAYLOR BARBARA	Pacific Telephone
	SLEGEL GERALDTNE MRS	Pacific Telephone

362 S 4TH ST

Year	Uses	Source
1957	EVERETT M D	Pacific Telephone

365 S 4TH ST

Year	Uses	Source
2006	MARTINEZFe Ope	Haines Company, Inc.
	MOFELD Crysba K	Haines Company, Inc.

FINDINGS

Year	Uses	Source
1986	Morrison Greg	Pacific Bell
1985	MORRISON GREG	Pacific Bell
	ZEUGHE GOITOM	Pacific Bell
1980	Hof Robt D	Pacific Telephone
	Nelsen Andy	Pacific Telephone
	Ruiz Jesus C	Pacific Telephone
1975	RODRIGUEZ LEONOR L	Pacific Telephone
	MARTEL A H	Pacific Telephone
	CORTESE JEROME JJR	Pacific Telephone
1963	Bergstrom M A	Pacific Telephone
	Moord M B	Pacific Telephone
	Pozzo Gertie Mrs	Pacific Telephone
	Williams Anna E Mrs	Pacific Telephone
1957	Williams Anna E Mrs	R. L. Polk Co.
	MOORD M B	Pacific Telephone
	BERGSTROM M A	Pacific Telephone
	Pozzo Gertie Mrs	R. L. Polk Co.
	Moordcl M B	R. L. Polk Co.
	Bergstrom Ml A	R. L. Polk Co.
	WILLIAMS ANNA E MRS	Pacific Telephone
	POZZO GERTLE MRS	Pacific Telephone

367 S 4TH ST

Year	Uses	Source
2006	SANCHEZ Syvia	Haines Company, Inc.
	RODBINS Jonatann	Haines Company, Inc.
1991	Wells Scott	PACIFIC BELL WHITE PAGES
	WELLS SCOTT	PACIFIC BELL WHITE PAGES
1986	Canvglla Rosemary	Pacific Bell
1980	Ramirez Jesse	Pacific Telephone
	Porras Larry	Pacific Telephone
	Lew Harold Kim	Pacific Telephone
	Barbosa David A	Pacific Telephone
1975	URFER N L	Pacific Telephone
	STOVER C	Pacific Telephone
1963	Walker Chas L	Pacific Telephone
	Darby Grace Miss	Pacific Telephone
	Arnett Verva	Pacific Telephone
1957	Murray Alice M	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1957	Lutz Albert H	R. L. Polk Co.
	Darby Grace Miss	R. L. Polk Co.
	DARBY GRACE MISS	Pacific Telephone
	MURRAY ALICE NM	Pacific Telephone

368 S 4TH ST

Year	Uses	Source
1963	Snyder Ray	Pacific Telephone
1957	Snyder Raya	R. L. Polk Co.
	SNYDER RAY	Pacific Telephone

370 S 4TH ST

Year	Uses	Source
1963	Swenson Lester J	Pacific Telephone

375 S 4TH ST

Year	Uses	Source
2006	NEVAREZAngela	Haines Company, Inc.
	WARREN Troy	Haines Company, Inc.
1991	AUERNHEIMER ALLEN	PACIFIC BELL WHITE PAGES
	ZELTINS O	PACIFIC BELL WHITE PAGES
	Auernheimer Allen	PACIFIC BELL WHITE PAGES
	Zeltins O	PACIFIC BELL WHITE PAGES
	ZELL ASSOCIATES INC investmt ofcs	PACIFIC BELL WHITE PAGES
1986	Bishop Revonda	Pacific Bell
	Mc Shea Frank	Pacific Bell
1985	BUI HIEN	Pacific Bell
	HUITRON E R	Pacific Bell
	NGUYEN KHANH CONG	Pacific Bell
	PHAM DANG T	Pacific Bell
	VO KY	Pacific Bell
1980	Alvarez Leopoldo	Pacific Telephone
	Bui Hien	Pacific Telephone
	Goames Conrad	Pacific Telephone
	Gmes r Crus Jr	Pacific Telephone
	Ho Thal	Pacific Telephone
	Ito Ruby M	Pacific Telephone
	Ocampo Juan J	Pacific Telephone
	Ruiz Yolanda Parra	Pacific Telephone

FINDINGS

Year	Uses	Source
1980	Truong Vuong	Pacific Telephone
	Van Tram	Pacific Telephone
1975	AOYAMA GLEN	Pacific Telephone
	JINNAH KASSIMALL	Pacific Telephone
	MALEKIANI MASSAUD	Pacific Telephone
1963	Van Loo Conrad	Pacific Telephone
	Brown Wm H	Pacific Telephone
	Daly Jack	Pacific Telephone
	Greblo Gary	Pacific Telephone
	Green Richard W	Pacific Telephone
	Lyon Eddie	Pacific Telephone
	Maisonneuve Harriet M	Pacific Telephone
	Maisonneuve Jos A	Pacific Telephone
	Mankinen Edw	Pacific Telephone
	Nunes Cecil	Pacific Telephone
	Renga Al	Pacific Telephone
	Richmond Lillian D	Pacific Telephone
	Richmond Patricia A	Pacific Telephone
	Riddell Richard	Pacific Telephone
	Ruscher Pete	Pacific Telephone
	Skinner Jack B	Pacific Telephone

380 S 4TH ST

Year	Uses	Source
1963	Loupe L R Mrs	Pacific Telephone
	Loupe Kara A	Pacific Telephone
1957	Loupe L R Mrs	R. L. Polk Co.
	LOUPE L R MRS	Pacific Telephone

385 S 4TH ST

Year	Uses	Source
2006	APARTMENTS	Haines Company, Inc.
	CARRILLOsullenno	Haines Company, Inc.
	G CASARES Soedad	Haines Company, Inc.
	CHAVEZ 2 UIROZ	Haines Company, Inc.
	Ft Bnco GONZALEZAbe Ino	Haines Company, Inc.
	RAMIREZJuana	Haines Company, Inc.
1991	Almaden Antonio	PACIFIC BELL WHITE PAGES
	Lal Madan	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1991	ALMADEN ANTONIO	PACIFIC BELL WHITE PAGES
	LAL MADAN	PACIFIC BELL WHITE PAGES
1986	Alvarez S R	Pacific Bell
	Cunningham P	Pacific Bell
	Garland Thomasd	Pacific Bell
	Lauderdale Richard	Pacific Bell
	Otwell Michael	Pacific Bell
	Allen Matthew	Pacific Bell
1985	BI TUAN	Pacific Bell
	BRADLEY ELMA ISABEL	Pacific Bell
	CASTANEDA FRANCISCO	Pacific Bell
	NAVARRETE MIGUEL	Pacific Bell
	PHAN THIEN	Pacific Bell
1980	Bailey Fred	Pacific Telephone
	Nguyen Hong Van	Pacific Telephone
	Pulido Rosemary H	Pacific Telephone
	Van Phuc	Pacific Telephone
1975	BRADLEY ELMA ISABEL	Pacific Telephone
	LADONA JOHN PASTRONE	Pacific Telephone
	REE M	Pacific Telephone
	SHAYEGI YOSSEF	Pacific Telephone
1963	Akiyama Betty	Pacific Telephone
	Alter Barbara	Pacific Telephone
	Alter Nancy	Pacific Telephone
	Daly Jack	Pacific Telephone
	Goto Leora	Pacific Telephone
	Hashimoto Fumi	Pacific Telephone
	Hicks Wm E	Pacific Telephone
	Marsh Raymond J	Pacific Telephone
	Moore Elsie Mrs	Pacific Telephone
	Moore Ira A	Pacific Telephone
	Vigna Deanna	Pacific Telephone

386 S 4TH ST

Year	Uses	Source
1957	RELLEY HAZEL	Pacific Telephone

FINDINGS

390 S 4TH ST

Year	Uses	Source
1963	Campbell Robt W	Pacific Telephone
1957	ORoake Leo J r	R. L. Polk Co.

395 S 4TH ST

Year	Uses	Source
2006	NGUYENThanh Hu	Haines Company, Inc.
	LINARES Eduardo	Haines Company, Inc.
	GLENNLJJr	Haines Company, Inc.
	GARCLk Guadakope	Haines Company, Inc.
1991	Median Jerry	PACIFIC BELL WHITE PAGES
	MEDIAN JERRY	PACIFIC BELL WHITE PAGES
	HAMILTON D	PACIFIC BELL WHITE PAGES
	Hamilton D	PACIFIC BELL WHITE PAGES
1986	Allertiip	Pacific Bell
	Hamilton D	Pacific Bell
1985	GUZMAN MADRONIO	Pacific Bell
1975	TANNER ART	Pacific Telephone
	RIGGS JEFF	Pacific Telephone
	BARRETT P	Pacific Telephone
1963	Curvin Clayton	Pacific Telephone
	Gerstle Judith	Pacific Telephone
	Snyder Jerry	Pacific Telephone

398 S 4TH ST

Year	Uses	Source
1963	INDIANA ANTIQUES	Pacific Telephone
	Milton Eleanor	Pacific Telephone
1957	MILTON CHAS	Pacific Telephone
	INDIANA ANTIQUES	Pacific Telephone
	Indiana Antiques	R. L. Polk Co.
	Milton Chas	R. L. Polk Co.

402 S 4TH ST

Year	Uses	Source
2006	APARTMENTS	Haines Company, Inc.
	DANG NHia	Haines Company, Inc.
	UUChun	Haines Company, Inc.
	NGUYEN Hac	Haines Company, Inc.

FINDINGS

Year	Uses	Source
2006	TRAN Dung	Haines Company, Inc.
	TRAN Loan	Haines Company, Inc.
1991	HUYNH HUNG HUU	PACIFIC BELL WHITE PAGES
	THAI PHUOC	PACIFIC BELL WHITE PAGES
	TO HUE	PACIFIC BELL WHITE PAGES
	ZH U SHUN	PACIFIC BELL WHITE PAGES
	Huynh Hung Huu	PACIFIC BELL WHITE PAGES
	Thai Phuoc	PACIFIC BELL WHITE PAGES
	To Hue	PACIFIC BELL WHITE PAGES
	Zh U Shun	PACIFIC BELL WHITE PAGES
1986	Butler Michael W	Pacific Bell
	i Butler Otis	Pacific Bell
	Huynh Hung Huu	Pacific Bell
	Nguyen Tho Van	Pacific Bell
	Ong P	Pacific Bell
	Phuong Que B	Pacific Bell
	Thai Phuoc	Pacific Bell
1985	BUTLER OTIS	Pacific Bell
	HUYNH HUNG HUU	Pacific Bell
	NGO TRI THANH	Pacific Bell
	NGUYEN THO VAN	Pacific Bell
	ONG P	Pacific Bell
	PHUONG QUE B	Pacific Bell
	THAI PHUOC	Pacific Bell
1980	Huynh Hoa Thanh	Pacific Telephone
	Huynh Hung Huu	Pacific Telephone
1975	MOSES H CLARK	Pacific Telephone
1963	Durham Julia E	Pacific Telephone
	Herdman Jim	Pacific Telephone
	Hunter Jim	Pacific Telephone
	Kelly Wayne	Pacific Telephone
	Lauber Betty	Pacific Telephone
	Lauber Rembert	Pacific Telephone
	Matsuoka Stan	Pacific Telephone
	Rapp Terry	Pacific Telephone
	Riggs Bob	Pacific Telephone
	Yoshida Soichi	Pacific Telephone
	Yoshikado Geo	Pacific Telephone

FINDINGS

405 S 4TH ST

Year	Uses	Source
2006	GRIFFITHIAPTS	Haines Company, Inc.
	ALLEN Craig	Haines Company, Inc.
	BASTIBA Jack	Haines Company, Inc.
	CARDOTT Chris J	Haines Company, Inc.
	CHAMAKIRanriel	Haines Company, Inc.
	CHOATE Craig	Haines Company, Inc.
	CRAWFORD C	Haines Company, Inc.
	GUERTIN Michael	Haines Company, Inc.
	HLLWeston	Haines Company, Inc.
	HSIEHYahan	Haines Company, Inc.
	NG Jacob	Haines Company, Inc.
	NOTOYAMasahko	Haines Company, Inc.
	OOLwin Aung	Haines Company, Inc.
	ORTIZ Maria	Haines Company, Inc.
	QUINTEROS	Haines Company, Inc.
	REDD Slanley	Haines Company, Inc.
	ULVEVADETGrace	Haines Company, Inc.
1991	Smith Ronald B	PACIFIC BELL WHITE PAGES
	Traina Henry J	PACIFIC BELL WHITE PAGES
	ASBESTOS SPECIALTIES MAKE	PACIFIC BELL WHITE PAGES
	Ascencio Jaime	PACIFIC BELL WHITE PAGES
	Callen Jeff	PACIFIC BELL WHITE PAGES
	Cralg Victoria	PACIFIC BELL WHITE PAGES
	Erwin Paul	PACIFIC BELL WHITE PAGES
	Guertin Michael	PACIFIC BELL WHITE PAGES
	Inamdar Aditya	PACIFIC BELL WHITE PAGES
	Kim Allan	PACIFIC BELL WHITE PAGES
	Mac Minh	PACIFIC BELL WHITE PAGES
	Manicki Ron	PACIFIC BELL WHITE PAGES
	Mc Caa Kennon	PACIFIC BELL WHITE PAGES
	Mitz Frank A	PACIFIC BELL WHITE PAGES
	Nguyen Tat	PACIFIC BELL WHITE PAGES
	Pham Cu	PACIFIC BELL WHITE PAGES
	Shields Robert	PACIFIC BELL WHITE PAGES
	Sizemore Stephen	PACIFIC BELL WHITE PAGES
	ASCENCIO JAIME	PACIFIC BELL WHITE PAGES
	CALLEN JEFF	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1991	CRALG VICTORIA	PACIFIC BELL WHITE PAGES
	ERWIN PAUL	PACIFIC BELL WHITE PAGES
	GUERTIN MICHAEL	PACIFIC BELL WHITE PAGES
	INAMDAR ADITYA	PACIFIC BELL WHITE PAGES
	KIM ALLAN	PACIFIC BELL WHITE PAGES
	MAC MINH	PACIFIC BELL WHITE PAGES
	MANICKI RON	PACIFIC BELL WHITE PAGES
	MC CAA KENNON	PACIFIC BELL WHITE PAGES
	MITZ FRANK A	PACIFIC BELL WHITE PAGES
	NGUYEN TAT	PACIFIC BELL WHITE PAGES
	PHAM CU	PACIFIC BELL WHITE PAGES
	SHIELDS ROBERT	PACIFIC BELL WHITE PAGES
	SIZEMORE STEPHEN	PACIFIC BELL WHITE PAGES
	SMITH RONALD B	PACIFIC BELL WHITE PAGES
	TRAINA HENRY J	PACIFIC BELL WHITE PAGES
1986	Khan Feroz	Pacific Bell
	Marrufo L	Pacific Bell
	Martinez Harry	Pacific Bell
	Mellage Ke Ith	Pacific Bell
	Meone JM	Pacific Bell
	Mitz Frank A	Pacific Bell
	Nguyen Hoa	Pacific Bell
	Otowa H Nobu	Pacific Bell
	Pagan Steve	Pacific Bell
	Smith Lonnie	Pacific Bell
	Stewart Aaron	Pacific Bell
	Van Leuven Dewane	Pacific Bell
	Wang Luls	Pacific Bell
	Wong LH	Pacific Bell
	Anderson Carol	Pacific Bell
	Bailey Annette	Pacific Bell
	Bigman Norman	Pacific Bell
	Crowell Charles & Mila	Pacific Bell
	Guertin Michael	Pacific Bell
	Hasson S	Pacific Bell
	Hollingsworth Lindy E II	Pacific Bell
	Hsieh James	Pacific Bell
	Hsleh Shun Jen	Pacific Bell

FINDINGS

Year	Uses	Source
1986	Kao Jung Cheng	Pacific Bell
	Hao Leon	Pacific Bell
1985	BAILEY ANNETTE	Pacific Bell
	BALLARD DAN A	Pacific Bell
	BESS BLANCH K	Pacific Bell
	BIGMAN NORMAN	Pacific Bell
	CRAIG DONALD J JR	Pacific Bell
	CROWELL CHARLES & MILA	Pacific Bell
	DESMOND RICHARD J	Pacific Bell
	GUERTIN MICHAEL	Pacific Bell
	HASSON S	Pacific Bell
	KERRIGAN SEAN	Pacific Bell
	KHAN FEROZ	Pacific Bell
	LANE MARGARET R	Pacific Bell
	MARTINEZ HARRY	Pacific Bell
	MELLAGE KEITH	Pacific Bell
	MITZ FRANK A	Pacific Bell
	NELSON MICHAEL B	Pacific Bell
	NGUYEN HOA	Pacific Bell
	ROMERO ROBERT	Pacific Bell
	SMITH RONALD B	Pacific Bell
	SPRAGUE EUGENE C	Pacific Bell
	SWANSON KIRSTEN	Pacific Bell
	TRAINS HENRY J	Pacific Bell
	VICTORIA ERNESTO	Pacific Bell
	ANDERSON CAROL	Pacific Bell
1980	Anderson Carol	Pacific Telephone
	Ayers Gary	Pacific Telephone
	Chong Pyong Hu	Pacific Telephone
	Conroy Jas P	Pacific Telephone
	Gregory Fred	Pacific Telephone
	Lira Elbia	Pacific Telephone
	Marks Gene	Pacific Telephone
	Martinez Martha	Pacific Telephone
	Mitz Franh A	Pacific Telephone
	Niksadat Mohsen	Pacific Telephone
	Riley Patrick C	Pacific Telephone
	Romeo Dadia	Pacific Telephone

FINDINGS

Year	Uses	Source
1980	Traina Henry J	Pacific Telephone
	Uhland William C	Pacific Telephone
	Wang Timmy	Pacific Telephone
	Wright Alva	Pacific Telephone
1975	BRYANT MARK	Pacific Telephone
	BUTANI DEVI	Pacific Telephone
	CHRISTENSEN WARREN	Pacific Telephone
	COLLINS M E	Pacific Telephone
	DEICKEN OLINE	Pacific Telephone
	GRIFFITHS APARTMENTS	Pacific Telephone
	GUISE CLEMENT S	Pacific Telephone
	HEEMBROCK J	Pacific Telephone
	HUTCHLNSON D L	Pacific Telephone
	JOHNSON ROBT	Pacific Telephone
	KHAZARL MAHNAZ	Pacific Telephone
	LAM ARTHUR C	Pacific Telephone
	LEE OAE SOK	Pacific Telephone
	MITZ FRANK A	Pacific Telephone
	PALTLS AL	Pacific Telephone
	PARDINI STEVE	Pacific Telephone
	PATTERSON CAROLYN	Pacific Telephone
	TRALNA HENRY J	Pacific Telephone
	WALDEN MARY P	Pacific Telephone
	WORMINGTON LARRY	Pacific Telephone
1963	Marth R J	Pacific Telephone
	Mc Veigh Thelma	Pacific Telephone
	Pollock Ida L	Pacific Telephone
	Risse Grace	Pacific Telephone
	Schuette Mary	Pacific Telephone
	Smillie Mc Kelvey V Jr	Pacific Telephone
	Smith Fletcher	Pacific Telephone
	Steiner Geraldine	Pacific Telephone
	Vaughan Patricia	Pacific Telephone
	Walter P J	Pacific Telephone
	Wegman David R	Pacific Telephone
	Wilbur Joanne	Pacific Telephone
	Zaklad Rafael	Pacific Telephone
	Baker Ada B Mrs	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	Battles Bruce L	Pacific Telephone
	Bevins Luther L	Pacific Telephone
	Buck Mary Ann	Pacific Telephone
	Buck P B	Pacific Telephone
	Clark Georganna	Pacific Telephone
	Conway Sheila	Pacific Telephone
	Crisafulli Alice	Pacific Telephone
	Delman Ruth	Pacific Telephone
	Dickinson Lucretia E	Pacific Telephone
	Fleming Pat	Pacific Telephone
	Friedman Ted	Pacific Telephone
	Griffiths Eva	Pacific Telephone
	Juilfs Leila	Pacific Telephone
	Kauffman Howard E	Pacific Telephone
	Kennedy Bruce B	Pacific Telephone
	Kivlin Howard M	Pacific Telephone
	Lipka Carl	Pacific Telephone
	Lipka Carl	Pacific Telephone
	Mac Donald G A	Pacific Telephone
	Marbury Sally	Pacific Telephone
1957	Koltz AJ	R. L. Polk Co.
	Maselli Vivian	R. L. Polk Co.
	Mattson Katherine	R. L. Polk Co.
	Meleor L ilis	R. L. Polk Co.
	Muldown J Neil	R. L. Polk Co.
	Pett M A	R. L. Polk Co.
	Pope Marjorie H	R. L. Polk Co.
	Ross Shirley	R. L. Polk Co.
	Schuette Mary	R. L. Polk Co.
	Thomias Ann L Mrs	R. L. Polk Co.
	West Robt K	R. L. Polk Co.
	Wilson Graham C	R. L. Polk Co.
	Allen Walter R	R. L. Polk Co.
	Baker F E	R. L. Polk Co.
	Bullock Betty	R. L. Polk Co.
	Chiaroni K V	R. L. Polk Co.
	Clark Georganna r	R. L. Polk Co.
	Foss Walter J	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1957	Gold Harold L	R. L. Polk Co.
	Griffiths Eva	R. L. Polk Co.
	Kastler Gordon	R. L. Polk Co.
	Kivlin Howard M	R. L. Polk Co.
	Knutson Gertrude	R. L. Polk Co.
	ALLEN WAITER R	Pacific Telephone
	BARDMESS NELLIE	Pacific Telephone
	BULLOCK BETTY	Pacific Telephone
	CHIARONI K V	Pacific Telephone
	FOSS WALTER J	Pacific Telephone
	GRIFFITHS EVA	Pacific Telephone
	HALL PATTIE	Pacific Telephone
	MASELLI VIVIAN	Pacific Telephone
	MATTSON KATHARINE	Pacific Telephone
	MELLOR LILLIS	Pacific Telephone
	MULDOWN J NEIL	Pacific Telephone
	PETT M A	Pacific Telephone
	POPE MARJORIE H	Pacific Telephone
	ROSS SHIRLEY	Pacific Telephone
	SHAFER PATRICIA	Pacific Telephone
	THOMAS ANN L MRS	Pacific Telephone
	WEST ROBT K	Pacific Telephone
	WILSON GRAHAM C	Pacific Telephone

408 S 4TH ST

Year	Uses	Source
1985	VO LINN H	Pacific Bell

413 S 4TH ST

Year	Uses	Source
1975	ROSS PAMELA	Pacific Telephone
	AJARI L	Pacific Telephone

414 S 4TH ST

Year	Uses	Source
2006	NGOUL	Haines Company, Inc.
	NGOCThi Chau	Haines Company, Inc.
	NGUYEN Darrg Hai	Haines Company, Inc.
	QUACH Van T	Haines Company, Inc.

FINDINGS

Year	Uses	Source
1991	Nguyen Be Van	PACIFIC BELL WHITE PAGES
	Pham Tue	PACIFIC BELL WHITE PAGES
	Quach Hal	PACIFIC BELL WHITE PAGES
	Truong Khen	PACIFIC BELL WHITE PAGES
	NGUYEN BE VAN	PACIFIC BELL WHITE PAGES
	PHAM TUE	PACIFIC BELL WHITE PAGES
	QUACH HAL	PACIFIC BELL WHITE PAGES
	TRUONG KHEN	PACIFIC BELL WHITE PAGES
1986	Do Hung	Pacific Bell
	Nguyen Be Van	Pacific Bell
	Nguyen Cao	Pacific Bell
	Pham Put	Pacific Bell
	Truong Si T	Pacific Bell
1985	HOANG HOP	Pacific Bell
	NGUYEN BE VAN	Pacific Bell
	TRUONG SI T	Pacific Bell
1980	Dong Phuoc	Pacific Telephone
	Nguyen Hung	Pacific Telephone
1975	APCARIAN-CONAREKI ARA	Pacific Telephone
	KARAMI MORTEZA	Pacific Telephone
	MALACARA MAYDA	Pacific Telephone
	NIELSEN SUSAN	Pacific Telephone
1963	Hand Beverly	Pacific Telephone
	Hurst Dennis	Pacific Telephone
	Katsell Jerome	Pacific Telephone
	Matthews Basil	Pacific Telephone
	Mc Millen Dennis	Pacific Telephone
	Peckler Robt	Pacific Telephone
	Sadri Nasser	Pacific Telephone
	Smith Brenda	Pacific Telephone
	Steere Gary	Pacific Telephone
	Stimmel Susan	Pacific Telephone
	Wright Nancy	Pacific Telephone

415 S 4TH ST

Year	Uses	Source
1991	MC KEE MICHAEL D	PACIFIC BELL WHITE PAGES
	KMMEL SCOTT & KAREN	PACIFIC BELL WHITE PAGES
1975	SHELDON CHAS E II	Pacific Telephone

FINDINGS

420 S 4TH ST

Year	Uses	Source
2006	Dii Van	Haines Company, Inc.
1991	TRAN NHI	PACIFIC BELL WHITE PAGES
	Bul Phong	PACIFIC BELL WHITE PAGES
	Tran Nhi	PACIFIC BELL WHITE PAGES
	BUL PHONG	PACIFIC BELL WHITE PAGES
	ELLIOTT SUZIE	PACIFIC BELL WHITE PAGES
1986	Bui Phong	Pacific Bell
	Khuu Vinh	Pacific Bell
	Ly Toan Cam	Pacific Bell
1985	BUI PHONG	Pacific Bell
	KHUU VINH	Pacific Bell
	LE CHAN	Pacific Bell
	LY TOAN CAM	Pacific Bell
	TRAN NHI	Pacific Bell
1980	Bui Phans Tinh T	Pacific Telephone
	lui Phong	Pacific Telephone
	Lazzeroni Gary F	Pacific Telephone
	Le Chan	Pacific Telephone
1975	GOMEZ PHILLIP	Pacific Telephone
1963	du Chesne Susan	Pacific Telephone
	Affonso Gary	Pacific Telephone
	Duchene Neumann	Pacific Telephone
	Hager Dan	Pacific Telephone
	Laursen Phill	Pacific Telephone
	Sacco Gary	Pacific Telephone
	Small Sally	Pacific Telephone
	Stauffer Reece	Pacific Telephone
	Tabor Jerry	Pacific Telephone

425 S 4TH ST

Year	Uses	Source
1963	Smith Wm W Bill	Pacific Telephone
	Residence	Pacific Telephone
	Smith Bill Auto Upholstering Shop	Pacific Telephone
1957	CLARK IDA	Pacific Telephone
	Clark Ida	R. L. Polk Co.
	Smith Wmi W Bill	R. L. Polk Co.

427 S 4TH ST

Year	Uses	Source
1991	NGUYEN HUONG T	PACIFIC BELL WHITE PAGES
1985	QUAN NINH	Pacific Bell
1975	BROWN RANDALL	Pacific Telephone

428 S 4TH ST

Year	Uses	Source
1991	Khuu Vinh	PACIFIC BELL WHITE PAGES
	KHUU VINH	PACIFIC BELL WHITE PAGES

429 S 4TH ST

Year	Uses	Source
1963	Hinds Nellie	Pacific Telephone

S 4th St

430 S 4th St

Year	Uses	Source
2014	PRECISION MOTION CONTROLS	EDR Digital Archive
	C L A ENGINEERS INC	EDR Digital Archive
2010	PRECISION MOTION CONTROLS	EDR Digital Archive

S 4TH ST

430 S 4TH ST

Year	Uses	Source
2006	CNTRL	Haines Company, Inc.
	PRECISION MTN	Haines Company, Inc.
1991	VETERANS OF FOREIGN WARS-POST 344	PACIFIC BELL WHITE PAGES
	Veterans Of Foreign Wars Post 344	PACIFIC BELL WHITE PAGES
1985	VETERANS OF FOREIGN WARS	Pacific Bell
	LEWELLEN DENVER	Pacific Bell
1963	V F W Memorial Bldg	Pacific Telephone
1957	V F W MEMORIAL BLDG	Pacific Telephone

439 S 4TH ST

Year	Uses	Source
2006	APARTMENTS	Haines Company, Inc.
	BENENITECAlfredo	Haines Company, Inc.

FINDINGS

Year	Uses	Source
2006	CRUZCresendo	Haines Company, Inc.
	GARCLAJuan	Haines Company, Inc.
	GARCIAUricela	Haines Company, Inc.
	HERNANDEZ Cesar	Haines Company, Inc.
	HERNANDEZRome Ba	Haines Company, Inc.
	LONGLEY Donnie	Haines Company, Inc.
	LOPEZ Daniel	Haines Company, Inc.
	LOPEZoe Nnn A	Haines Company, Inc.
	MORALES Anarta	Haines Company, Inc.
	MORALES Magdaleeo	Haines Company, Inc.
	ROBINSON David	Haines Company, Inc.
	RODRIGUEZJose	Haines Company, Inc.
	RODRIGUEZ	Haines Company, Inc.
	Na Ukidad	Haines Company, Inc.
	ROSETE Seralna	Haines Company, Inc.
	ROSETE Sera Sina	Haines Company, Inc.
	VELASCOJavier	Haines Company, Inc.
1991	Alvarado Carlos	PACIFIC BELL WHITE PAGES
	Bocanegra Beatriz	PACIFIC BELL WHITE PAGES
	Hernandez Francisco	PACIFIC BELL WHITE PAGES
	Hernandez Francisco & Elisa	PACIFIC BELL WHITE PAGES
	Huynh Hue	PACIFIC BELL WHITE PAGES
	Lopez Rarnon	PACIFIC BELL WHITE PAGES
	Thurmond Terrence	PACIFIC BELL WHITE PAGES
	ALVARADO CARLOS	PACIFIC BELL WHITE PAGES
	BOCANEGRA BEATRIZ	PACIFIC BELL WHITE PAGES
	HERNANDEZ FRANCISCO	PACIFIC BELL WHITE PAGES
	HERNANDEZ FRANCISCO & ELISA	PACIFIC BELL WHITE PAGES
	HUYNH HUE	PACIFIC BELL WHITE PAGES
	LOPEZ RARNON	PACIFIC BELL WHITE PAGES
	LOPEZ RAMON	PACIFIC BELL WHITE PAGES
	THURMOND TERRENCE	PACIFIC BELL WHITE PAGES
1986	Aziz Paul	Pacific Bell
	Garcia Julie	Pacific Bell
	Harn Steve & Scott	Pacific Bell
	Huynh My	Pacific Bell
	Miller Raymond	Pacific Bell
	Nguyen Bong	Pacific Bell

FINDINGS

Year	Uses	Source
1986	St Mary Natalie	Pacific Bell
	ST MARKS EPISCOPAL CHURCH	Pacific Bell
	Willis Gerald O	Pacific Bell
1985	AZIZ PAUL	Pacific Bell
	BARA AS ANTONIO	Pacific Bell
	BULLE HASSAN	Pacific Bell
	ESPINOSA SEAN	Pacific Bell
	GARCIA JULIE	Pacific Bell
	HIATKY KAREN	Pacific Bell
	HOQUE AKMFORHADUL	Pacific Bell
	LOPEZ RAMON	Pacific Bell
	MEGALU CHUMA	Pacific Bell
	ST MARY NATALIE	Pacific Bell
	SCHRAUWEN PAMELA	Pacific Bell
	SCOFIELD STEPHEN	Pacific Bell
	SIK IPWOTH CHERTE	Pacific Bell
	WALKER VICTOR	Pacific Bell
1980	Carrion Bomib	Pacific Telephone
	Crawford Chas	Pacific Telephone
	Cunningham Wm	Pacific Telephone
	Curtis Lee	Pacific Telephone
	Espericueta Cirilo	Pacific Telephone
	Espinosa Gregorio	Pacific Telephone
	Fleige Ed	Pacific Telephone
	Lee Antonio	Pacific Telephone
	Lomax Michael E	Pacific Telephone
	Mason Karen	Pacific Telephone
	Medina Jiose L	Pacific Telephone
	Nikzi Touraj	Pacific Telephone
	Salyers Sue	Pacific Telephone
	Simpson J	Pacific Telephone
1975	CARREJO EVA	Pacific Telephone
	CROFTON TYEREE	Pacific Telephone
	GIOVANNINI DON	Pacific Telephone
	HARTMANN DENNIS	Pacific Telephone
	HOPPER MARILYN A	Pacific Telephone
	IKE GEO G	Pacific Telephone
	LILLY S	Pacific Telephone

FINDINGS

Year	Uses	Source
1975	LYON ERIC K	Pacific Telephone
	MILHAN KRIS	Pacific Telephone
	MAITIOZ NOLVIA	Pacific Telephone
	NG MIKE	Pacific Telephone
	WALKER D	Pacific Telephone
	YEONG L	Pacific Telephone
1963	Raymond Edwin A	Pacific Telephone
1957	Witt Gerald E	R. L. Polk Co.
	WITT GERALD E	Pacific Telephone

441 S 4TH ST

Year	Uses	Source
1991	TRAN HUY	PACIFIC BELL WHITE PAGES
1985	BARAGAS GUADALUPO	Pacific Bell

442 S 4TH ST

Year	Uses	Source
1991	PHUNG BOINH	PACIFIC BELL WHITE PAGES
1963	Delgado Lupe	Pacific Telephone
	Meza Fela J	Pacific Telephone
1957	Nieto A Mrs	R. L. Polk Co.

444 S 4TH ST

Year	Uses	Source
1991	ON HAI	PACIFIC BELL WHITE PAGES
1985	VINH NAM	Pacific Bell

445 S 4TH ST

Year	Uses	Source
1963	Owen Jas E	Pacific Telephone
1957	NELSON RALPH G	Pacific Telephone
	Nelson Ralph G	R. L. Polk Co.

448 S 4TH ST

Year	Uses	Source
1957	Rascon Josephine	R. L. Polk Co.

451 S 4TH ST

Year	Uses	Source
1991	DISCOUNT PHOTO SUPPLY	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1991	DIS COUN T PHOTO S UPPLY	PACIFIC BELL WHITE PAGES
1986	DISCOUNT PHOTO SUPPLY	Pacific Bell
1985	DISCOUNT PHOTO SUPPLY	Pacific Bell
	DISCOUNT PHOTO SUPPLY	Pacific Bell
1975	SCHWARZ REGINA	Pacific Telephone
	GLOVER SOPHIA A	Pacific Telephone
1963	Glover H W	Pacific Telephone
1957	GLOVER H W	Pacific Telephone
	Glover H W	R. L. Polk Co.

452 S 4TH ST

Year	Uses	Source
2006	HOU Mien	Haines Company, Inc.
	VELASQUEZ	Haines Company, Inc.
	Fernando WILLIAMS Kenneth	Haines Company, Inc.
1991	CHAVEZ MICHAEL	PACIFIC BELL WHITE PAGES
	GOODSON RAFEAL	PACIFIC BELL WHITE PAGES
	SHINOHARA YOSHIHIRO	PACIFIC BELL WHITE PAGES
	XU MING YEN	PACIFIC BELL WHITE PAGES
	Chavez Michael	PACIFIC BELL WHITE PAGES
	Goodson Rafeal	PACIFIC BELL WHITE PAGES
	Shinohara Yoshihiro	PACIFIC BELL WHITE PAGES
	Xu Ming Yen	PACIFIC BELL WHITE PAGES
1986	Goodson Donald	Pacific Bell
	Harvey Bowman F	Pacific Bell
	Lin Jason Wei Shun	Pacific Bell
	Ryu Jong Lim	Pacific Bell
	Stevens D	Pacific Bell
1985	CHAPMAN WINSLOW	Pacific Bell
	HARVEY BOWMAN F	Pacific Bell
	LIN JASON WEI-SHUN	Pacific Bell
	RYU JONG UIM	Pacific Bell
	STEVENS D	Pacific Bell
1980	Barnhart M	Pacific Telephone
	Chew Robert	Pacific Telephone
1975	GRELLA RALPH JR	Pacific Telephone
	HALL GLEN	Pacific Telephone
	HOLTE BURTON E	Pacific Telephone
1963	Overall Jerina	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	Rivers Jerry	Pacific Telephone
	Shirachi Dale	Pacific Telephone
	Spencer Tanis	Pacific Telephone
	Sutten Nina	Pacific Telephone
	Thomas Kyla	Pacific Telephone
	Willocks Hugh	Pacific Telephone
	Wilson Barbara	Pacific Telephone
	Castanon Rosemary	Pacific Telephone
	Cristiani Jerrie	Pacific Telephone
	Dinsmore Cliff	Pacific Telephone
	Duvall Phil	Pacific Telephone
	Hattori Kathy	Pacific Telephone
1957	MANNING FREDA	Pacific Telephone
	Mianning Freda	R. L. Polk Co.
	MVlarnninlg Donald E eeou na:. 4 3	R. L. Polk Co.

455 S 4TH ST

Year	Uses	Source
1975	EVANS S	Pacific Telephone

458 S 4TH ST

Year	Uses	Source
1991	CLARK TED A	PACIFIC BELL WHITE PAGES

460 S 4TH ST

Year	Uses	Source
2006	LOERALe Bc	Haines Company, Inc.
	NIELSEN Louis J	Haines Company, Inc.
	SETH Kapl W	Haines Company, Inc.
	TROYIVAPTS	Haines Company, Inc.
	GAONAJoselna	Haines Company, Inc.
	KAMIREDDYS	Haines Company, Inc.
	KHINEU	Haines Company, Inc.
	LOERA Lazaro	Haines Company, Inc.
1991	BERRY DJ	PACIFIC BELL WHITE PAGES
	GARCIA RICARDO	PACIFIC BELL WHITE PAGES
	JACKSON C L	PACIFIC BELL WHITE PAGES
	LOERA ESTEFANA	PACIFIC BELL WHITE PAGES
	LOERA LETIEA	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1991	MEJIA FRANCISCO	PACIFIC BELL WHITE PAGES
	MEJLA JUAN OSCAR	PACIFIC BELL WHITE PAGES
	RO AS ANTONA	PACIFIC BELL WHITE PAGES
	TABRIZ SAELD	PACIFIC BELL WHITE PAGES
	Berry DJ	PACIFIC BELL WHITE PAGES
	Jackson C L	PACIFIC BELL WHITE PAGES
	Loera Estefana	PACIFIC BELL WHITE PAGES
	Loera Letiea	PACIFIC BELL WHITE PAGES
	Mejia Francisco	PACIFIC BELL WHITE PAGES
	Mejla Juan Oscar	PACIFIC BELL WHITE PAGES
	Ro as Antona	PACIFIC BELL WHITE PAGES
	Tabriz Saeld	PACIFIC BELL WHITE PAGES
1986	Misgina Tederh	Pacific Bell
	Semedar Saba	Pacific Bell
	Sharwood Mark	Pacific Bell
	Tran Thong V	Pacific Bell
	Whitehead Horace	Pacific Bell
	Berry D J	Pacific Bell
	Gebremichael Tekle	Pacific Bell
	Ho Tin Quang	Pacific Bell
	Jackson C L	Pacific Bell
	Loera Leticia	Pacific Bell
	Lu Hoa	Pacific Bell
1985	BERRY D J	Pacific Bell
	DOWNS BRYAN D	Pacific Bell
	GEBREMICHAEL TEKLE	Pacific Bell
	HANSON JON & HUISUN	Pacific Bell
	HILL JAMES E	Pacific Bell
	JACKSON C L	Pacific Bell
	LOERA LETICIA	Pacific Bell
	LU HOA	Pacific Bell
	IOUYEN-TU	Pacific Bell
	MICHAEL YOSIES	Pacific Bell
	MISGINA TEDERH	Pacific Bell
	NGUYEN PHANH HUYEN	Pacific Bell
	NGUYEN TUAN	Pacific Bell
	SEMEDAR SABA	Pacific Bell
	SHERWOOD MARK	Pacific Bell

FINDINGS

Year	Uses	Source
1985	TRAN THONG V	Pacific Bell
	WHITEHEAD HORACE	Pacific Bell
1980	Freeland Susan	Pacific Telephone
	Freitag Karl	Pacific Telephone
	Grimaldo Plo	Pacific Telephone
	Silva Hernandez Juan	Pacific Telephone
	Tran Quan	Pacific Telephone
	Wong Shirley	Pacific Telephone
1975	BERRY D J	Pacific Telephone
	BLANCHARD RICHARD	Pacific Telephone
	JACKSON C L	Pacific Telephone
	JACKSON CARL S	Pacific Telephone
	LLEWELLYN DAVID R	Pacific Telephone
	MOGG JACK	Pacific Telephone
	NAKADE DAVID	Pacific Telephone
	NOEL K	Pacific Telephone
	PENNELL RICHARD E	Pacific Telephone
	ROSENBERG JOHN C	Pacific Telephone
	SH IN HAL SUN	Pacific Telephone
	VASQUEZ JOSE	Pacific Telephone
	YEE ROBERT S	Pacific Telephone
1957	KLUDT CLA REOE	Pacific Telephone

464 S 4TH ST

Year	Uses	Source
1957	Garcia Dee R	R. L. Polk Co.
	GARCIA DEE R	Pacific Telephone

465 S 4TH ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
1986	Doan Binh Hoa T	Pacific Bell
	Dean Cuong Phu	Pacific Bell
1985	DOAN CUONG PHU	Pacific Bell
1980	Doan Cuong Phu	Pacific Telephone
1963	Fernandez L Fredrick	Pacific Telephone

FINDINGS

466 S 4TH ST

Year	Uses	Source
1985	JENSEN JOHN A	Pacific Bell

467 S 4TH ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
1985	STARK BETTY M	Pacific Bell
1963	Despinoy Joan	Pacific Telephone

469 S 4TH ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
1991	LARLORE BRENT	PACIFIC BELL WHITE PAGES
	Larlore Brent	PACIFIC BELL WHITE PAGES
1975	MARKS M	Pacific Telephone
1963	Hornbeak Grant B	Pacific Telephone
	Hornbeak Beverly T	Pacific Telephone

470 S 4TH ST

Year	Uses	Source
2006	ARREDONDO M	Haines Company, Inc.
	KHANMD	Haines Company, Inc.
	TAN Nguyen	Haines Company, Inc.
	ZHANGXhao Yu	Haines Company, Inc.
1991	Hsu L	PACIFIC BELL WHITE PAGES
	Kanpanatkosol Narong	PACIFIC BELL WHITE PAGES
	Kelly Wm	PACIFIC BELL WHITE PAGES
	Shih Lena	PACIFIC BELL WHITE PAGES
	Tang Pearl	PACIFIC BELL WHITE PAGES
	Butera S & T	PACIFIC BELL WHITE PAGES
	Fang Yu	PACIFIC BELL WHITE PAGES
	BUTERA S & T	PACIFIC BELL WHITE PAGES
	FANG YU	PACIFIC BELL WHITE PAGES
	GLASS JERRY	PACIFIC BELL WHITE PAGES
	HSU L	PACIFIC BELL WHITE PAGES
	KANPANATKOSOL NARONG	PACIFIC BELL WHITE PAGES
	KELLY WM	PACIFIC BELL WHITE PAGES
	SHIH LENA	PACIFIC BELL WHITE PAGES
	TANG PEARL	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1986	Butera S & T	Pacific Bell
	Chen Shung Ching	Pacific Bell
	Kampnakosol Narong	Pacific Bell
	Kelly Wm	Pacific Bell
	Lin Fong Lu	Pacific Bell
	Liu Jimmhy	Pacific Bell
	Ray Ping	Pacific Bell
1985	BUTERA S &T	Pacific Bell
	CHEN SHUNG-CHING	Pacific Bell
	KAMPANATKOSOL NARONG	Pacific Bell
	KELLY WM	Pacific Bell
	LIU JIMMY	Pacific Bell
1980	Chiangling	Pacific Telephone
	i Chiang Marcel M	Pacific Telephone
	Hsu Cha Chi	Pacific Telephone
	Kampanatkosol Narong	Pacific Telephone
	Lee Colman	Pacific Telephone
	Lee Lawrence	Pacific Telephone
	Sha Gen	Pacific Telephone
1975	BUTTRA A M	Pacific Telephone
	BUTERA THERESA	Pacific Telephone
	CHOU JAS	Pacific Telephone
	PAYANDEHJOO H	Pacific Telephone
	TAJIMA JOANNE	Pacific Telephone
	UMPORNPUESAKUL LADAWAN	Pacific Telephone
1963	Asai Miye	Pacific Telephone
	Bowers John T	Pacific Telephone
	Carlson Albert E	Pacific Telephone
	Carlson Nancy J	Pacific Telephone
	Jew Betty	Pacific Telephone
	Jew Willie	Pacific Telephone
	Kamigaki Mitsy	Pacific Telephone
	Magruder Clarice	Pacific Telephone
	Nakaji Judi	Pacific Telephone
	Nishimura Harome	Pacific Telephone
	Tarasawa Grace	Pacific Telephone
	Tsubol Lorraine	Pacific Telephone
	Virgin Lena	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	Wolf Anne	Pacific Telephone
	Wood Joyce A	Pacific Telephone
	Wood Larry M	Pacific Telephone
	Yokomi Janet	Pacific Telephone
	Yokomizo Joyce	Pacific Telephone
1957	BAUDRAND LOU ANN	Pacific Telephone
	CLEVLAND JO ANN	Pacific Telephone
	COX DAVID G	Pacific Telephone
	GOLIBART PAT	Pacific Telephone
	HANNIBAL SHARON	Pacific Telephone
	HEALEY BARBARA A	Pacific Telephone
	LOUSTAU JEARIRELTE	Pacific Telephone
	MAC DONALD LYNN	Pacific Telephone
	Baudrand Lou Ann	R. L. Polk Co.
	Caletti Claire	R. L. Polk Co.
	Clevland Jo Ann	R. L. Polk Co.
	Dicksoil Jane	R. L. Polk Co.
	Go ibart Pat	R. L. Polk Co.
	Healey Barbara A	R. L. Polk Co.
	Loustau Jeannette	R. L. Polk Co.
	Mac Donald Lynn	R. L. Polk Co.

474 S 4TH ST

Year	Uses	Source
2006	RODRIGUEZ Luis	Haines Company, Inc.
1986	Nguyen Van	Pacific Bell
1975	GUILBRT F A	Pacific Telephone
1963	Butera Theresa	Pacific Telephone
1957	Butera Theresa	R. L. Polk Co.
	BUTERA THERESA	Pacific Telephone

476 S 4TH ST

Year	Uses	Source
1975	WONG SJ	Pacific Telephone

479 S 4TH ST

Year	Uses	Source
1957	STRATTON C $ R	Pacific Telephone
	Stratton C S r	R. L. Polk Co.

FINDINGS

480 S 4TH ST

Year	Uses	Source
1986	Louie Joseph	Pacific Bell
1985	LOUIE JOSEPH	Pacific Bell
1980	Gong Anthony	Pacific Telephone
1975	SPECKMAN MICHAEL J	Pacific Telephone
1957	LOWES JANICE M	Pacific Telephone

485 S 4TH ST

Year	Uses	Source
2006	BATES Walter	Haines Company, Inc.
	OCAMB Shawtel	Haines Company, Inc.
1991	SEAVERTSON AG	PACIFIC BELL WHITE PAGES
	STICK P	PACIFIC BELL WHITE PAGES
	Seavertson AG	PACIFIC BELL WHITE PAGES
	Stick P	PACIFIC BELL WHITE PAGES
1985	NGUYEN BUU	Pacific Bell
1980	Brown Wm F	Pacific Telephone
	Cole Robt	Pacific Telephone
	Flora Mike J	Pacific Telephone
1975	KNIGHT K	Pacific Telephone
1963	Mendoza Mary	Pacific Telephone
	Rojas Florence	Pacific Telephone
	Siino Horace J	Pacific Telephone
	Siino Norrine A	Pacific Telephone
1957	Owen Kenneth C	R. L. Polk Co.
	Van Wyk La Vera	R. L. Polk Co.
	OWEN KENNETH C	Pacific Telephone
	VAN WYK LA VERA	Pacific Telephone

S 4th St

487 S 4th St

Year	Uses	Source
2014	SPARTAN BARBERSHOP	EDR Digital Archive
2010	SPARTAN BARBERSHOP	EDR Digital Archive

498 S 4th St

Year	Uses	Source
2014	LEE SERVICE STATION	EDR Digital Archive

FINDINGS

Year	Uses	Source
2010	SPARTAN STATION	EDR Digital Archive

S 4TH ST

498 S 4TH ST

Year	Uses	Source
2006	SPARTAN GAS	Haines Company, Inc.
	STATION	Haines Company, Inc.
1991	THOMAS RA	PACIFIC BELL WHITE PAGES
1986	Spartan Station	Pacific Bell
1963	Puritan Oil Co	Pacific Telephone
1957	TWENTY PERCENT SERVICE STN	Pacific Telephone

502 S 4TH ST

Year	Uses	Source
2006	APARTMENTS	Haines Company, Inc.
	AMIHAN Michelle	Haines Company, Inc.
	BUENAFEGerald	Haines Company, Inc.
	DAVIS Cal Oin	Haines Company, Inc.
	TANG Tony	Haines Company, Inc.
	TRUONG Helen	Haines Company, Inc.
1991	Carrillo Saufer	PACIFIC BELL WHITE PAGES
	CGarca Leopoldo	PACIFIC BELL WHITE PAGES
	Garcia Leopodo	PACIFIC BELL WHITE PAGES
	Gomez Juan Manuei	PACIFIC BELL WHITE PAGES
	Lopez Octavio B	PACIFIC BELL WHITE PAGES
	CARRILLO SAUFER	PACIFIC BELL WHITE PAGES
	GARCIA LEOPODO	PACIFIC BELL WHITE PAGES
	GOMEZ JUAN MANUEI	PACIFIC BELL WHITE PAGES
	LOPEZ OCTAVIO B	PACIFIC BELL WHITE PAGES
1986	Gomez Antonio I	Pacific Bell
	Comet Carmelo L	Pacific Bell
	Lozano Mary	Pacific Bell
	Santillan Aurelio	Pacific Bell
	Vuong Lap Nghiep	Pacific Bell
1985	GOMEZ CARMELO L	Pacific Bell
	LOZANO MARY	Pacific Bell
	PHU LIEN BAT	Pacific Bell
	VAN MINH BINH	Pacific Bell

FINDINGS

Year	Uses	Source
1985	VARELA ARTURO	Pacific Bell
	VUONG LAP NGHIEP	Pacific Bell
	WOOD BETTY	Pacific Bell
1980	Esparza Erhinda	Pacific Telephone
	Nguyen Van Sau	Pacific Telephone
	Vengas Rosa	Pacific Telephone
1975	BROOKS TIMOTHY	Pacific Telephone
	BROOKS TOM	Pacific Telephone
	CHAPMAN C	Pacific Telephone
	HASHAGEN RANDY	Pacific Telephone
	HERNANDEZ JERSON	Pacific Telephone
	KIM DAVID T	Pacific Telephone
	LEE RONALD	Pacific Telephone
	LEE ROSE	Pacific Telephone
	PANCHO MERCEDES	Pacific Telephone
	PENNEY CLARISSA	Pacific Telephone
	PENNEY IRMA	Pacific Telephone
	ROBLES FLORA F	Pacific Telephone
	SEREDA DOUG	Pacific Telephone
	WREN PHIL	Pacific Telephone
1963	Siason Dorothy Lee	Pacific Telephone
	Takaba Stanley	Pacific Telephone
	Yasui Richard Y	Pacific Telephone
	Arakaki Glenn	Pacific Telephone
	Capone Tony	Pacific Telephone
	Cazden Jerry	Pacific Telephone
	Chang Christine	Pacific Telephone
	Chang Chung Po	Pacific Telephone
	Cheung Eddie	Pacific Telephone
	Cooper James	Pacific Telephone
	Cory Michael	Pacific Telephone
	Fujii Stephen M	Pacific Telephone
	Galedo Hermina	Pacific Telephone
	Ho Eugene	Pacific Telephone
	Hubbard Mike	Pacific Telephone
	Jones Buddington	Pacific Telephone
	Liu Sander	Pacific Telephone
	Liu Sander	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	Markey Mike	Pacific Telephone
	Mc Aulay Marty	Pacific Telephone
	Miller Jeff	Pacific Telephone
	Muneno Jeanne	Pacific Telephone
	Ng Eric	Pacific Telephone
	Nomura Katsumi	Pacific Telephone
	Olsen Denny	Pacific Telephone
	Oshiro Joe	Pacific Telephone
	Perdue Ron	Pacific Telephone
	Quinn Tom	Pacific Telephone
	Reeder Gary	Pacific Telephone
	Reeder La Donna	Pacific Telephone

503 S 4TH ST

Year	Uses	Source
1963	Berhorst Stella	Pacific Telephone
	Brennan John A	Pacific Telephone
1957	BRENNAN JAS F	Pacific Telephone
	Brennan John A r	R. L. Polk Co.

512 S 4TH ST

Year	Uses	Source
1991	WALDERA WANDA	PACIFIC BELL WHITE PAGES

521 S 4TH ST

Year	Uses	Source
1963	Staub Jennie	Pacific Telephone
1957	Waddill JL	R. L. Polk Co.

527 S 4TH ST

Year	Uses	Source
1975	MATTESON H M	Pacific Telephone
	SWANSON WILMER A	Pacific Telephone

529 S 4TH ST

Year	Uses	Source
2006	PASCUAL Oscar	Haines Company, Inc.
	MATEOSCelerino	Haines Company, Inc.
1991	AMEZQUITA ANDRES	PACIFIC BELL WHITE PAGES
	Cooksey L&J	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1991	Amezquita Andres	PACIFIC BELL WHITE PAGES
	COOKSEY L&J	PACIFIC BELL WHITE PAGES
1985	AMEZQUITA ANDRES	Pacific Bell
1980	Amezquita Andres	Pacific Telephone
1975	MENCHACA JESUS	Pacific Telephone
1963	Weingartner Darrell A	Pacific Telephone
	Bianchi Keith	Pacific Telephone
1957	FOX CI I	Pacific Telephone

530 S 4TH ST

Year	Uses	Source
2006	o BARRr TANicandro	Haines Company, Inc.
1991	Gonzales Jose	PACIFIC BELL WHITE PAGES
	GONZALES JOSE	PACIFIC BELL WHITE PAGES
1975	CRISTIN B C	Pacific Telephone
	THOMPSON STEVEN E REV	Pacific Telephone
1963	Marsh Clare O	Pacific Telephone

535 S 4TH ST

Year	Uses	Source
1991	THOMAS EVELYN K	PACIFIC BELL WHITE PAGES

536 S 4TH ST

Year	Uses	Source
1963	Lordge Bill	Pacific Telephone
	Aguayo Robt	Pacific Telephone
	Wakeland Peter	Pacific Telephone
	Swan Melvin	Pacific Telephone
	Scott Hoyt	Pacific Telephone

537 S 4TH ST

Year	Uses	Source
2006	MADRIGALJose	Haines Company, Inc.
1991	Miler John R	PACIFIC BELL WHITE PAGES
	Uribe B	PACIFIC BELL WHITE PAGES
	Villarruel Juana	PACIFIC BELL WHITE PAGES
	MILER JOHN R	PACIFIC BELL WHITE PAGES
	URIBE B	PACIFIC BELL WHITE PAGES
	VILLARRUEL JUANA	PACIFIC BELL WHITE PAGES
1986	Covert Marc	Pacific Bell

FINDINGS

Year	Uses	Source
1986	Sarrawi Imad	Pacific Bell
1985	PINELA DENEEN	Pacific Bell
	PORTILLO ROBERTO E	Pacific Bell
1980	Garcia R M	Pacific Telephone
1963	Bays Tommy	Pacific Telephone
	Ritz The	Pacific Telephone
1957	Ritz The	R. L. Polk Co.
	GARDINER EARL H	Pacific Telephone
	PERCIVAL JOHN M	Pacific Telephone

S 4th St

542 S 4th St

Year	Uses	Source
2010	VAN LEE GARDENER	EDR Digital Archive

S 4TH ST

542 S 4TH ST

Year	Uses	Source
2006	ENDERBY C	Haines Company, Inc.
	MELTON Nicole	Haines Company, Inc.
	MISKO Mathsw	Haines Company, Inc.
	SALDIVARRarona S	Haines Company, Inc.
1991	PHAM THUTHUY	PACIFIC BELL WHITE PAGES
	PHAM KLET	PACIFIC BELL WHITE PAGES
	Blaha David	PACIFIC BELL WHITE PAGES
	Huynh Trach	PACIFIC BELL WHITE PAGES
	Mc Donald W E	PACIFIC BELL WHITE PAGES
	Nguyen Linh	PACIFIC BELL WHITE PAGES
	Pham Klet	PACIFIC BELL WHITE PAGES
	Pham Thuthuy	PACIFIC BELL WHITE PAGES
	BLAHA DAVID	PACIFIC BELL WHITE PAGES
	HUYNH TRACH	PACIFIC BELL WHITE PAGES
	MC DONALD W E	PACIFIC BELL WHITE PAGES
	NGUYEN LINH	PACIFIC BELL WHITE PAGES
1986	Campbell Arran	Pacific Bell
	Cole Kevin	Pacific Bell
	Cornejo J L	Pacific Bell

FINDINGS

Year	Uses	Source
1986	Farmer David A	Pacific Bell
	Kloss K	Pacific Bell
	Mc Donald WE	Pacific Bell
	Nguyen Long	Pacific Bell
	Schaefer R L Neil	Pacific Bell
	Warner Oscar & Tammy	Pacific Bell
	Weissman Amy	Pacific Bell
1985	ANDERSON JAS JR	Pacific Bell
	BLAHS DAVID	Pacific Bell
	CARRAHER MICHAEL	Pacific Bell
	KLOSS K	Pacific Bell
	MARSHALL CHESTER	Pacific Bell
	MC DONALD WE	Pacific Bell
	SINGLETARY CLIFTON R	Pacific Bell
	TOY BARRY D	Pacific Bell
1980	Chol Baldwin	Pacific Telephone
	Crittendon Gladys	Pacific Telephone
	Omoto Randy	Pacific Telephone
	Pendleton Joseph	Pacific Telephone
	Toy Barry D	Pacific Telephone
1975	BABAUMT BENNY R	Pacific Telephone
	CLAVEJO CORAZON	Pacific Telephone
	DAVIS JAS	Pacific Telephone
	KIYOI L	Pacific Telephone
	SIGAFOOSE JIM	Pacific Telephone
	STANLEY DAVID	Pacific Telephone
1963	Barrington Jas	Pacific Telephone
	Buttitta Paul	Pacific Telephone
	Carlson Richard	Pacific Telephone
	Carlson Rowan	Pacific Telephone
	DAlessio Joe	Pacific Telephone
	Sato Carol	Pacific Telephone
	Sato Robt N	Pacific Telephone
	Schoonover Geo	Pacific Telephone
	Shigeishi Michie	Pacific Telephone

545 S 4TH ST

Year	Uses	Source
2006	JAIMES Flriberto H	Haines Company, Inc.

FINDINGS

Year	Uses	Source
2006	SANDOVAL Salvador	Haines Company, Inc.
1991	BUGARLNI ROSA	PACIFIC BELL WHITE PAGES
	REYES MARIA E	PACIFIC BELL WHITE PAGES
	Bugarlni Rosa	PACIFIC BELL WHITE PAGES
1986	Phillips Jas Paul	Pacific Bell
	Alaeddin Mousa F	Pacific Bell
	Axtel IT E	Pacific Bell
	Barr J K	Pacific Bell
	Galbo EJim	Pacific Bell
	Kothlari Ali	Pacific Bell
1985	ALAEDDIN MOUSA F	Pacific Bell
	AXTELL T E	Pacific Bell
	BARR J K	Pacific Bell
	CRUZ EDWIN L	Pacific Bell
	GALBO EJIM S	Pacific Bell
	KOTHARI ALI	Pacific Bell
	MICHEL P	Pacific Bell
	PHILLIPS JAS PAUL	Pacific Bell
1980	Eoff David	Pacific Telephone
	Mergi Madalene	Pacific Telephone
	Phillips Jas Paul	Pacific Telephone
	Qwach Bao	Pacific Telephone
1975	PHLLIPS JAS PAUL	Pacific Telephone
1963	Butler Barbara	Pacific Telephone
	Conradson Diane W	Pacific Telephone
	Jackman F M	Pacific Telephone
	Severance R C	Pacific Telephone
1957	SEVERANCE R C R	Pacific Telephone

550 S 4TH ST

Year	Uses	Source
2006	ALLEN Robert J	Haines Company, Inc.
	CHUA Peter	Haines Company, Inc.
	B GIGUETTEJohn	Haines Company, Inc.
	E HINZRichard M	Haines Company, Inc.
1991	Bond James	PACIFIC BELL WHITE PAGES
	Hinz Richard M	PACIFIC BELL WHITE PAGES
	BOND JAMES	PACIFIC BELL WHITE PAGES
	HINZ RICHARD M	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1986	Hinz Richard M	Pacific Bell
1985	BOWMAN B	Pacific Bell
	HINZ RICHARD M	Pacific Bell
	LUCKIEWICZ JERZY	Pacific Bell
	MOORE TERRY L	Pacific Bell
1980	Ahmadian Tehrani Omid	Pacific Telephone
	HMilman Ron	Pacific Telephone
	Kammerer George T	Pacific Telephone
1975	FOSTER DOUGLAS L	Pacific Telephone
	HOFFMAN CATHERINE A	Pacific Telephone
	TOASPERN SUZANNE	Pacific Telephone
1963	Fackrell Ray B	Pacific Telephone
	Fleming Catherine	Pacific Telephone
	Mc Arthur Sandra	Pacific Telephone
	Singh Alice Mrs	Pacific Telephone
	Sparks L M	Pacific Telephone
	Terres Frank	Pacific Telephone
1957	ATKINS ROBT H MRS	Pacific Telephone
	SPARKS L M R	Pacific Telephone
	TERRES FRANK R	Pacific Telephone
	Atkins Robt H Mrs	R. L. Polk Co.
	Sparks L M r	R. L. Polk Co.
	Terres Frank r	R. L. Polk Co.

555 S 4TH ST

Year	Uses	Source
2006	OROZCO Hugo	Haines Company, Inc.
1980	Garcia Andres	Pacific Telephone
1975	LEWIS HILTON M	Pacific Telephone
	GLANNINI A	Pacific Telephone
	ABEYTA DOROTHY	Pacific Telephone
1963	Giannini A	Pacific Telephone
	Camacho Isavel	Pacific Telephone
1957	GLANRIINI A	Pacific Telephone

558 S 4TH ST

Year	Uses	Source
1991	Jeffries Richard	PACIFIC BELL WHITE PAGES
	JEFFRIES RICHARD	PACIFIC BELL WHITE PAGES

FINDINGS

560 S 4TH ST

Year	Uses	Source
2006	ARMASJairne	Haines Company, Inc.
	PEREZAmnuo M	Haines Company, Inc.
1986	Cornejo Jose	Pacific Bell
1980	Wilson M	Pacific Telephone
1963	Bausch Ed H	Pacific Telephone
1957	BAUSCH ED H	Pacific Telephone

561 S 4TH ST

Year	Uses	Source
1975	WARNE E J	Pacific Telephone

562 S 4TH ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.

565 S 4TH ST

Year	Uses	Source
1980	Falk Allen	Pacific Telephone

570 S 4TH ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
1963	Mc Gehee Olga	Pacific Telephone
	Mc Gehee O C	Pacific Telephone
1957	Douglas Donald L	R. L. Polk Co.
	DOUGLAS DONALD L	Pacific Telephone

571 S 4TH ST

Year	Uses	Source
2006	LAUOIlson	Haines Company, Inc.
	VO Lau Van	Haines Company, Inc.

S 4TI

439 S 4TI

Year	Uses	Source
1986	Wang Shinn	Pacific Bell

FINDINGS

S 4TL

470 S 4TL

Year	*Uses*	*Source*
1980	Butera Theresa	Pacific Telephone

S 4TO

405 S 4TO

Year	*Uses*	*Source*
1980	Nelson Jesse	Pacific Telephone

S 4TT

405 S 4TT

Year	*Uses*	*Source*
1986	Sprague Eugene C	Pacific Bell

460 S 4TT

Year	*Uses*	*Source*
1991	Garcia Ricardo	PACIFIC BELL WHITE PAGES

S 4TW T

425 S 4TW T

Year	*Uses*	*Source*
1957	Camarena Richard	R. L. Polk Co.

S 5

446 S 5

Year	*Uses*	*Source*
1986	Sigatapta Sanhya	Pacific Bell

S 5 OTH

448 S 5 OTH

Year	*Uses*	*Source*
1975	KROK RUSSELL F	Pacific Telephone

FINDINGS

S 5 WHITE RD 2727713

480 S 5 WHITE RD 2727713

Year	*Uses*	*Source*
1991	White Road Baptist Academy	PACIFIC BELL WHITE PAGES

S 5FH

427 S 5FH

Year	*Uses*	*Source*
1980	Bui Kim	Pacific Telephone

S 5H

535 S 5H

Year	*Uses*	*Source*
1986	Cassata Jas V	Pacific Bell

S 5LH

408 S 5LH

Year	*Uses*	*Source*
1980	Vu Dich Duy	Pacific Telephone
	Va Dierm	Pacific Telephone

420 S 5LH

Year	*Uses*	*Source*
1980	Dalton Robert R	Pacific Telephone

439 S 5LH

Year	*Uses*	*Source*
1980	Baraias Antonio	Pacific Telephone

458 S 5LH

Year	*Uses*	*Source*
1980	Muchanic C	Pacific Telephone

466 S 5LH

Year	*Uses*	*Source*
1980	Perry Alan	Pacific Telephone

FINDINGS

S 5SSE A

440 S 5SSE A

Year	Uses	Source
1991	NIHM JAM MSI	PACIFIC BELL WHITE PAGES

S 5T

458 S 5T

Year	Uses	Source
1986	Tademaru Carl	Pacific Bell
1980	Koontz Thelma	Pacific Telephone

466 S 5T

Year	Uses	Source
1980	Harris Rayenell E	Pacific Telephone

S 5TH

360 S 5TH

Year	Uses	Source
1957	Bass Don	R. L. Polk Co.

364 S 5TH

Year	Uses	Source
1957	Rizzo Kate r	R. L. Polk Co.
	RODRIGUES L R	Pacific Telephone

386 S 5TH

Year	Uses	Source
1957	Reiley Hazel	R. L. Polk Co.

408 S 5TH

Year	Uses	Source
1985	PHAMI MINH NGOC	Pacific Bell
1980	Ho Van Tan	Pacific Telephone

415 S 5TH

Year	Uses	Source
1985	VO LINH	Pacific Bell
	ROGGE AMARK	Pacific Bell

FINDINGS

427 S 5TH

Year	Uses	Source
1985	NGUYEN DANH	Pacific Bell

439 S 5TH

Year	Uses	Source
1980	JQloes Alfrad	Pacific Telephone

444 S 5TH

Year	Uses	Source
1985	LUU NGUYEN	Pacific Bell

453 S 5TH

Year	Uses	Source
1957	Putman Eunice	R. L. Polk Co.

458 S 5TH

Year	Uses	Source
1985	CLAYTON GARY	Pacific Bell
1980	Reyes Joe	Pacific Telephone

503 S 5TH

Year	Uses	Source
1991	Marzouk Youssef Marzouk	PACIFIC BELL WHITE PAGES

521 S 5TH

Year	Uses	Source
1957	Faltersack Hazel B	R. L. Polk Co.

S 5TH ST

320 S 5TH ST

Year	Uses	Source
1957	BADIR GLADYS	Pacific Telephone
	BRATTLUND DELPHIE	Pacific Telephone
	BURROW TONI	Pacific Telephone
	YARBOROUGH BERT C	Pacific Telephone
	N I S DOROTHY M	Pacific Telephone
	RYAN EMILY T	Pacific Telephone
	DOUGDALE MARGE R	Pacific Telephone

FINDINGS

330 S 5TH ST

Year	Uses	Source
1957	DESCH DONALD S	Pacific Telephone

336 S 5TH ST

Year	Uses	Source
1957	HARDWICK W R MRS	Pacific Telephone
	HARDWICK APARTMENTS	Pacific Telephone

342 S 5TH ST

Year	Uses	Source
1991	LEWIS JOSHUA	PACIFIC BELL WHITE PAGES

344 S 5TH ST

Year	Uses	Source
1975	WINNER CHAS E	Pacific Telephone

370 S 5TH ST

Year	Uses	Source
1957	MARTIN L(ATHY	Pacific Telephone
	PASCUAL RICHARD	Pacific Telephone
	KOESTENBAUM PETER	Pacific Telephone
	DERSCH HATTIE	Pacific Telephone
	CRAGIN JAS S	Pacific Telephone

376 S 5TH ST

Year	Uses	Source
1957	PRIEUR WM	Pacific Telephone

388 S 5TH ST

Year	Uses	Source
1957	MARTIN SUE	Pacific Telephone

405 S 5TH ST

Year	Uses	Source
2006	a SALGADO Marset Ino	Haines Company, Inc.
1991	BENYSHEK KEITH	PACIFIC BELL WHITE PAGES
	Benyshek Keith	PACIFIC BELL WHITE PAGES
1986	Benyshek John	Pacific Bell
1980	Niessner Mark	Pacific Telephone
1963	Gumpert Martin	Pacific Telephone
1957	Compeau Jas M	R. L. Polk Co.

FINDINGS

407 S 5TH ST

Year	Uses	Source
2006	SALAZARMarda	Haines Company, Inc.
1980	Mc Kay Kathleen A	Pacific Telephone

S 5th St

408 S 5th St

Year	Uses	Source
2014	MIKES ATHLETICS	EDR Digital Archive
2010	IRISH MAN HANDY MAINT SERVICE	EDR Digital Archive

S 5TH ST

408 S 5TH ST

Year	Uses	Source
2006	APARTMENTS	Haines Company, Inc.
	CHAN Usa	Haines Company, Inc.
	JIMINEZSteven	Haines Company, Inc.
	LAW T	Haines Company, Inc.
	PACHECO NIcandro	Haines Company, Inc.
	SANTIAGO Sola G	Haines Company, Inc.
	ZHU Mel	Haines Company, Inc.
1991	BOYD STEVEN	PACIFIC BELL WHITE PAGES
	LANG SHAOZHEN	PACIFIC BELL WHITE PAGES
	QUACH FRANK	PACIFIC BELL WHITE PAGES
	Boyd Steven	PACIFIC BELL WHITE PAGES
	Liang S	PACIFIC BELL WHITE PAGES
	Lang Shaozhen	PACIFIC BELL WHITE PAGES
	Quach Frank	PACIFIC BELL WHITE PAGES
1986	Tran Minh & Lien Phan	Pacific Bell
	Tu Ngoc	Pacific Bell
	Duong N	Pacific Bell
	Ha Cuong Chi	Pacific Bell
	Hu Yao Tang	Pacific Bell
	Lam My	Pacific Bell
	Nguyen John	Pacific Bell
	Nguyen Sang	Pacific Bell
	Pham Minh Ngoc	Pacific Bell
	Chau An N	Pacific Bell

FINDINGS

Year	Uses	Source
1986	Doan At	Pacific Bell
1985	TRAN MINH & LIEN PHAN	Pacific Bell
	TU NGOC	Pacific Bell
	VU DIEM	Pacific Bell
	VUONG TY V	Pacific Bell
	CAO THANH	Pacific Bell
	CHAU AN N	Pacific Bell
	DEAN AT	Pacific Bell
	DUONG N	Pacific Bell
	HA CUONG CHI	Pacific Bell
	HU YAO TANG	Pacific Bell
	LAM MY	Pacific Bell
	TAT THIEP	Pacific Bell
1980	Ahmadi Ali	Pacific Telephone
	Davis N	Pacific Telephone
	Do An Dinh	Pacific Telephone
	Gods Fred E	Pacific Telephone
	Lam Andrew	Pacific Telephone
	iam Anh	Pacific Telephone
	Morikawa S	Pacific Telephone
	Walker Jean	Pacific Telephone
1975	KELZER CHAS	Pacific Telephone
	LE QUAN	Pacific Telephone
	LEWIS KEITH	Pacific Telephone
	LING ROBT H	Pacific Telephone
	LOPEZ JAIME E	Pacific Telephone
	RIONSAVAPAK SANAN	Pacific Telephone
	TAM YAMTONG	Pacific Telephone
	TAPIA RALPH	Pacific Telephone
	WANG BILL	Pacific Telephone
	WONG TERESA	Pacific Telephone
1963	Mykles Gary	Pacific Telephone
	Parks Bill	Pacific Telephone
	Raghami Gloria	Pacific Telephone
	Schoonmaker Jas P	Pacific Telephone
	Steinbock Phil	Pacific Telephone
	Sullivan Leslie	Pacific Telephone
	Teter Anne	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	Treat P	Pacific Telephone
	Austin John M	Pacific Telephone
	Baker Chas T	Pacific Telephone
	Barnatone Pat	Pacific Telephone
	Bergstrom Kalene	Pacific Telephone
	Bertram Jane	Pacific Telephone
	Bowen Jeff	Pacific Telephone
	Buntz Susan	Pacific Telephone
	Freeland Richard	Pacific Telephone
	George Marylou	Pacific Telephone
	Graham Thos	Pacific Telephone
	Gulliford Alrene K	Pacific Telephone
	Harr Robt	Pacific Telephone
	Hazelton Donna Dee	Pacific Telephone
	Heller Robt	Pacific Telephone
	Henderson Jas Jr	Pacific Telephone
	Howard Gene	Pacific Telephone
	Hudson Barbara	Pacific Telephone
	Lerch Susan	Pacific Telephone
	Lockie Carolyn	Pacific Telephone
	Lockie Carolyn	Pacific Telephone
	Mason Kathy	Pacific Telephone
	Mc Cartney Judy	Pacific Telephone
1957	LORIGAN EDITH R	Pacific Telephone
	Lorigan Edith r	R. L. Polk Co.

409 S 5TH ST

Year	Uses	Source
2006	a GONZALEZAOfredo	Haines Company, Inc.
1986	Mc Clung C	Pacific Bell
1985	MC CLUNG C	Pacific Bell
	SASAKI N	Pacific Bell
1980	Chamberlain John	Pacific Telephone
1963	Salazar Alfonso	Pacific Telephone

414 S 5TH ST

Year	Uses	Source
2006	LIU Sun Yen	Haines Company, Inc.

FINDINGS

415 S 5TH ST

Year	Uses	Source
2006	BELLE MANOR DUONG VIctor	Haines Company, Inc.
	HO Hal	Haines Company, Inc.
	HUYNH Dal	Haines Company, Inc.
	MARROTAlejandro C	Haines Company, Inc.
	PHAM Nhung	Haines Company, Inc.
1991	Bui Hien The	PACIFIC BELL WHITE PAGES
	Gee Norman	PACIFIC BELL WHITE PAGES
	BUI HIEN THE	PACIFIC BELL WHITE PAGES
	GEE NORMAN	PACIFIC BELL WHITE PAGES
1986	Bernaldes Earl	Pacific Bell
	Christian S J	Pacific Bell
	Estrada Teresa	Pacific Bell
	Gonzalez Alfonso	Pacific Bell
	Lane Dave	Pacific Bell
	Mac Dougall Colln	Pacific Bell
	Smith Nolan	Pacific Bell
	Tao M E	Pacific Bell
1985	LAMOREAUX MARK D	Pacific Bell
	LANE DAVE	Pacific Bell
	LE HOANG	Pacific Bell
	SCHLEGEL CHERYL	Pacific Bell
	SMITH NOLAN	Pacific Bell
	WILLIAMS JEFF	Pacific Bell
1980	Stark John B	Pacific Telephone
	White Barbara M	Pacific Telephone
	Kibbe Julie	Pacific Telephone
	Le Febvre Tom	Pacific Telephone
	Wilcox John	Pacific Telephone
	Gillaspy M	Pacific Telephone
	Izadpanah MN H	Pacific Telephone
	Kahrs Keyth	Pacific Telephone
1975	BELLE MANOR	Pacific Telephone
	FORD KATHY	Pacific Telephone
	HAN PEI CHANG	Pacific Telephone
	JUNKER CORBIN J	Pacific Telephone
	LEE N	Pacific Telephone
	STEWART LELEA	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	Banducci Irene	Pacific Telephone
	Belle Manor	Pacific Telephone
	Blomquist Mary	Pacific Telephone
	Boccignone Jeanie	Pacific Telephone
	Bowman Cynthia	Pacific Telephone
	Brugnone Nanette B	Pacific Telephone
	Burkhart Judy	Pacific Telephone
	Chiarello Shirleymae	Pacific Telephone
	Cooper Sue	Pacific Telephone
	Diller Dianne	Pacific Telephone
	Dolby Wm R	Pacific Telephone
	Elsea Jan	Pacific Telephone
	Hart Meredith	Pacific Telephone
	Hatcher Marilyn	Pacific Telephone
	Heddinghaus Alice	Pacific Telephone
	Hoffman Kathie L	Pacific Telephone
	Hopewell Elaine	Pacific Telephone
	Huey Margaret	Pacific Telephone
	Humphrey Elaine	Pacific Telephone
	Ishihara Sharon	Pacific Telephone
	Klibo Kristie	Pacific Telephone
	La Fontaine Joyce	Pacific Telephone
	Larson Andrea	Pacific Telephone
	Michaelis Donna	Pacific Telephone
	Miyano Sandy	Pacific Telephone
	Orlando Linda	Pacific Telephone
	Parker Sue	Pacific Telephone
	Perala Janice	Pacific Telephone
	Petitdidier Suzanne	Pacific Telephone
	Robinson Kathy	Pacific Telephone
	Ryan Holly	Pacific Telephone
	Sheets Toni	Pacific Telephone
	Smith Florence	Pacific Telephone
	Truax Sandra	Pacific Telephone
	Vargas Priscilla	Pacific Telephone
	Yamaguchi Donna	Pacific Telephone
1957	JOHNSON ALBERT J	Pacific Telephone
	Johnson Albert J	R. L. Polk Co.

FINDINGS

418 S 5TH ST

Year	Uses	Source
2006	SIBASERRANOTony	Haines Company, Inc.
	ROSENTHAL Barbara	Haines Company, Inc.
	PHILLIPS Mary Edith	Haines Company, Inc.
	PHAM Hol Van	Haines Company, Inc.
	OUYANG Chlah	Haines Company, Inc.
	SMITH MS	Haines Company, Inc.
	THUANTu	Haines Company, Inc.
	TUNG San Mel	Haines Company, Inc.
	WANG MIrglian	Haines Company, Inc.
	YIP Chong Hang	Haines Company, Inc.
	YUAN Pench Ian	Haines Company, Inc.
	YU Ping	Haines Company, Inc.

S 5th St

420 S 5th St

Year	Uses	Source
2014	UNITED STATES MISSION	EDR Digital Archive
2010	UNITED STATES MISSION INC	EDR Digital Archive
	TAYLOR KAREN L	EDR Digital Archive

S 5TH ST

420 S 5TH ST

Year	Uses	Source
2006	MAGELKY Bemard	Haines Company, Inc.
1991	Alpha Omicron PI	PACIFIC BELL WHITE PAGES
	Hendrycks Nora	PACIFIC BELL WHITE PAGES
	HENDRYCKS NORA	PACIFIC BELL WHITE PAGES
	ALPHA OMICRON PI	PACIFIC BELL WHITE PAGES
1985	VORSATZ FRED	Pacific Bell
	WENGER DANIEL	Pacific Bell
	GIBB JOHN	Pacific Bell
	HAUSER JOHN	Pacific Bell
1975	BEHEN EDWARD L	Pacific Telephone
1963	Be Heyt Chas	Pacific Telephone
	Janowiak A L	Pacific Telephone
1957	Be Heyt Chas r	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1957	BE HOYT CHAS R	Pacific Telephone

427 S 5TH ST

Year	Uses	Source
2006	APARTMENTS	Haines Company, Inc.
	DINH Bang Cong	Haines Company, Inc.
	DINH VInh	Haines Company, Inc.
	NGO Bang Dinh	Haines Company, Inc.
	NGO Hien	Haines Company, Inc.
	NGUYEN Trinh	Haines Company, Inc.
	PHUONG Hue	Haines Company, Inc.
	ROMERO Jamle	Haines Company, Inc.
	TAN Amy	Haines Company, Inc.
1991	Dang Nhan	PACIFIC BELL WHITE PAGES
	Luong Sam A	PACIFIC BELL WHITE PAGES
	Nguyen Cam	PACIFIC BELL WHITE PAGES
	Nguyen Ha D	PACIFIC BELL WHITE PAGES
	Nguyen Lam	PACIFIC BELL WHITE PAGES
	Nguyen Tan	PACIFIC BELL WHITE PAGES
	Tran Dung	PACIFIC BELL WHITE PAGES
	DANG NHAN	PACIFIC BELL WHITE PAGES
	LUONG SAM A	PACIFIC BELL WHITE PAGES
	NGUYEN CAM	PACIFIC BELL WHITE PAGES
	NGUYEN HA D	PACIFIC BELL WHITE PAGES
	NGUYEN LAM	PACIFIC BELL WHITE PAGES
	NGUYEN TAN	PACIFIC BELL WHITE PAGES
	TRAN DUNG	PACIFIC BELL WHITE PAGES
1986	Nguyen Danh	Pacific Bell
	Nguyen Lam	Pacific Bell
	Nguyen Nang Van	Pacific Bell
	Quan NInh	Pacific Bell
	Tran Tai	Pacific Bell
	Vu Tuan	Pacific Bell
1985	DINH QUE VAN	Pacific Bell
	PHAM HIEN	Pacific Bell
	TRUONG HUONG THE	Pacific Bell
	VU TUAN	Pacific Bell
1980	Baker Mark H	Pacific Telephone
	Doennebrink Brian	Pacific Telephone

FINDINGS

Year	Uses	Source
1980	Khokhar R	Pacific Telephone
	Ohong Hinh Trong	Pacific Telephone
	Nguyen Nhat Hong	Pacific Telephone
	Tran Thinh	Pacific Telephone
	I Tran Thinh Duc	Pacific Telephone
1975	CHAIN JANET	Pacific Telephone
	HENDERSON V E	Pacific Telephone
	JEFFORDS DAVE	Pacific Telephone
	MAYNARD CRAIG P	Pacific Telephone
	NARITA S	Pacific Telephone
	ROSENFIELD JOHN	Pacific Telephone
	VOOGD MARK	Pacific Telephone
	WILSON WM S	Pacific Telephone
	WONG LAURA	Pacific Telephone
	WONG S	Pacific Telephone
1963	Anderson Sue	Pacific Telephone
	Baeta Marilyn	Pacific Telephone
	Berkman Renee	Pacific Telephone
	Blum Joyce	Pacific Telephone
	Bohanna Denese	Pacific Telephone
	Bourassa Joan	Pacific Telephone
	Brand Ann	Pacific Telephone
	Bronstein Rise	Pacific Telephone
	Butts Martha Jo	Pacific Telephone
	Danker D E	Pacific Telephone
	Elliott Diana	Pacific Telephone
	Ginsburg Susan	Pacific Telephone
	Grant Linda	Pacific Telephone
	Gratch Nancy	Pacific Telephone
	Gump Gina	Pacific Telephone
	Haaker Melanie	Pacific Telephone
	Hamil Joanne	Pacific Telephone
	Irwin Verene	Pacific Telephone
	Linden Margie	Pacific Telephone
	Linden Margie	Pacific Telephone
	Marino Linda	Pacific Telephone
	Nick Gehl	Pacific Telephone
	Popoff Marina	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	Ramey Jackie	Pacific Telephone
	Rutkin Jill	Pacific Telephone
	Stivers Patti	Pacific Telephone
1957	GRAHAM ROHT E	Pacific Telephone
	THOMPSON GRACE FEROL	Pacific Telephone
	THOMPSON MINNIE	Pacific Telephone
	Graham Robt E	R. L. Polk Co.
	Thompson Grace Ferol	R. L. Polk Co.
	Thompson Minnie	R. L. Polk Co.

430 S 5TH ST

Year	Uses	Source
1963	Chi Omega Sorority	Pacific Telephone
	Mahoney Ellen Mrs	Pacific Telephone
1957	BEGIN DOROTHY E	Pacific Telephone
	Lejnieks Atgurs	R. L. Polk Co.
	LEJNILEKS ARTURS	Pacific Telephone
	MOYER L D	Pacific Telephone
	WILCOXSON DAVID W JR	Pacific Telephone
	Begin Dorothy E	R. L. Polk Co.
	Gervais Verne r	R. L. Polk Co.
	GERVAIS VERNE R	Pacific Telephone
	Moyer L D	R. L. Polk Co.
	Wilcoxson David W Jr	R. L. Polk Co.

434 S 5TH ST

Year	Uses	Source
1975	BULL SIDNEY	Pacific Telephone

439 S 5TH ST

Year	Uses	Source
2006	CHAN Holam	Haines Company, Inc.
	CHANWai Hung	Haines Company, Inc.
	KHA Uen	Haines Company, Inc.
	LY Khanh	Haines Company, Inc.
1986	Barajas Antonio	Pacific Bell
	Duong Ky	Pacific Bell
	Nguyen Manh Em Thi	Pacific Bell
	Nguyen Tam Dinh	Pacific Bell

FINDINGS

Year	Uses	Source
1985	DUONG KY	Pacific Bell
	JAUREGUI ROSARIO	Pacific Bell
	NGUYEN MANH-EM THI	Pacific Bell
	NGUYEN TAM DINH	Pacific Bell
1975	CHUNG KYU	Pacific Telephone
1963	Barley Janice	Pacific Telephone
	Barley Will C	Pacific Telephone
	Krause Sharon	Pacific Telephone
	Maeyama Ann	Pacific Telephone
	Mc Culloch Wm	Pacific Telephone
	Rathsam Scott	Pacific Telephone
	Singer Evelyn	Pacific Telephone
	Stern Pinkie	Pacific Telephone
	Tognazzini Rodger	Pacific Telephone
	Wolf Shayla	Pacific Telephone

441 S 5TH ST

Year	Uses	Source
2006	APARTMENTS	Haines Company, Inc.
	LUONG Hoong	Haines Company, Inc.
	SANDOVALNallea	Haines Company, Inc.
	TANG Jacky	Haines Company, Inc.
	TRAN Gfang	Haines Company, Inc.
	TRAN Laphuong	Haines Company, Inc.
	TSEKrn	Haines Company, Inc.
1991	NGUYEN TUNS THANH	PACIFIC BELL WHITE PAGES
	TRAN LIEN	PACIFIC BELL WHITE PAGES
	Nguyen Tuns Thanh	PACIFIC BELL WHITE PAGES
	Tran Lien	PACIFIC BELL WHITE PAGES
1986	Barajas Leonardo	Pacific Bell
	Do Muoi	Pacific Bell
	Herrera Marcelo	Pacific Bell
	Huynh Binh	Pacific Bell
	Le Hoang	Pacific Bell
	Tham Thanh	Pacific Bell
1985	DO MUOI	Pacific Bell
	HERRERA MARCELO	Pacific Bell
	HUYNH BINH	Pacific Bell
1980	Do Muol	Pacific Telephone

FINDINGS

Year	Uses	Source
1980	Herrera Marcelo	Pacific Telephone
	Pa Iseco Ricardo	Pacific Telephone
1975	ALLEN S	Pacific Telephone
1963	Kauffman Dick	Pacific Telephone
	Kittoe Mary	Pacific Telephone
	Moore Marnetta	Pacific Telephone
	Morrow Carole	Pacific Telephone
	Moss Shirley	Pacific Telephone
	Pottberg Tom	Pacific Telephone
	Read Cheryl	Pacific Telephone
	Rodriguez Robt Jr	Pacific Telephone
	Shimizu Rose	Pacific Telephone
	Takahashi Alice	Pacific Telephone
	Harrison Judi	Pacific Telephone
	Jones Linda	Pacific Telephone

442 S 5TH ST

Year	Uses	Source
2006	BEN Teresa	Haines Company, Inc.
	MUNOZMMaoa	Haines Company, Inc.
	TJANDRAEnrico	Haines Company, Inc.
1991	DANG QUANG	PACIFIC BELL WHITE PAGES
	NGUYEN TAI	PACIFIC BELL WHITE PAGES
	Dang Quang	PACIFIC BELL WHITE PAGES
	Nguyen Tai	PACIFIC BELL WHITE PAGES
	Tran Mai	PACIFIC BELL WHITE PAGES
	THIET TAT	PACIFIC BELL WHITE PAGES
	TRAN MAI	PACIFIC BELL WHITE PAGES
1986	Tat Ha To	Pacific Bell
	Vu Tinh Duc	Pacific Bell
	Dang Quang	Pacific Bell
	Do Hung Minh	Pacific Bell
	Nguyen Lien	Pacific Bell
	Pham Due	Pacific Bell
1985	DANG QUANG	Pacific Bell
	DO HUNG MINH	Pacific Bell
	NGUYEN LIEN	Pacific Bell
	NGUYEN PHUC C	Pacific Bell
	TAT HA TO	Pacific Bell

FINDINGS

Year	Uses	Source
1985	TRAN TUAN A	Pacific Bell
	VU TINH DUC	Pacific Bell
1980	Colbert Deborah	Pacific Telephone
	Duungt Hao	Pacific Telephone
	Nguyen Hung T	Pacific Telephone
	Quang Lam Minh	Pacific Telephone
1975	CROWE J B	Pacific Telephone
	KEISSAR JAVAD	Pacific Telephone
	MC ETCHIN DONALD B	Pacific Telephone
	NAKASHIKI K	Pacific Telephone
	PIZAPPI MARILYN	Pacific Telephone
1963	Bardeen Linda L	Pacific Telephone
	Barrett Carol J	Pacific Telephone
	Bessey Karen	Pacific Telephone
	Brown Patti	Pacific Telephone
	Del Colletti Sandy	Pacific Telephone
	Enten Judy	Pacific Telephone
	Geesey I	Pacific Telephone
	Irvine Jane	Pacific Telephone
	Ito Lillian	Pacific Telephone
	Noren Lynn	Pacific Telephone
	Nugent Carole	Pacific Telephone
	Silva Elaine	Pacific Telephone
	Sundberg Margaret	Pacific Telephone
	Vedo Mary	Pacific Telephone
	Watkins Virginia	Pacific Telephone
1957	Grimsley Otis C	R. L. Polk Co.
	GRIMSLEY OTIS C	Pacific Telephone

444 S 5TH ST

Year	Uses	Source
2006	CHAPMAN Jonathan	Haines Company, Inc.
	DO Vui Thi	Haines Company, Inc.
1991	TRINH NGUYEN	PACIFIC BELL WHITE PAGES
	Chung Tuong Cam	PACIFIC BELL WHITE PAGES
	Do Vul Thi	PACIFIC BELL WHITE PAGES
	Phung Duong	PACIFIC BELL WHITE PAGES
	Trinh Nguyen	PACIFIC BELL WHITE PAGES
	CHUNG TUONG CAM	PACIFIC BELL WHITE PAGES

FINDINGS

Year	*Uses*	*Source*
1991	DO VUL THI	PACIFIC BELL WHITE PAGES
	PHUNG DUONG	PACIFIC BELL WHITE PAGES
1986	Huynh Phat	Pacific Bell
	Luu Nguyen	Pacific Bell
	Than Thanh	Pacific Bell
1985	HUYNH PHAT	Pacific Bell
	ON HAI	Pacific Bell
	THAN THANH	Pacific Bell
	VU HUNG VAN	Pacific Bell
1980	Ceballoslrma	Pacific Telephone
	Cazzato Andrew	Pacific Telephone
	Freed Frederick	Pacific Telephone
	Hoang Dan	Pacific Telephone
	La Pho Van	Pacific Telephone
	Le Thanh Nhan	Pacific Telephone
	Than Thanh	Pacific Telephone
	Vii Quang Van	Pacific Telephone
	VUi Quang	Pacific Telephone
1975	CESARI ELDEEN	Pacific Telephone
	CHRISTENSEN KAREN	Pacific Telephone
	FONG JOYCE	Pacific Telephone
	FONTANILLA MAE	Pacific Telephone
	IKEMOTO H	Pacific Telephone
	KELLER ERIC G	Pacific Telephone
	PASQUAL E	Pacific Telephone
1963	Erasmus Gayle	Pacific Telephone
	Delos Marge	Pacific Telephone
	Bartlett Carolyn	Pacific Telephone
	Frederickson Ann E	Pacific Telephone
	Greishaber Carol	Pacific Telephone
	Greishaber Judie	Pacific Telephone
	Grosskopf Gale	Pacific Telephone
	Matuska Nancy	Pacific Telephone
	Mc Guiness Regina	Pacific Telephone
	Orban Betsy	Pacific Telephone
	Roscamp Toni	Pacific Telephone
	Samules Charlene	Pacific Telephone
	Stanley Patricia S	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	Tracy Glenda	Pacific Telephone

451 S 5TH ST

Year	Uses	Source
2006	BANH Van	Haines Company, Inc.
1991	GARDA EDDIE	PACIFIC BELL WHITE PAGES
	Garda Eddie	PACIFIC BELL WHITE PAGES
1986	Varda Joseph	Pacific Bell
	I Vardanega B	Pacific Bell
	Ryon John	Pacific Bell
1985	EZZELL J	Pacific Bell
	VARDANEGA B	Pacific Bell
	SMITH CALVIN	Pacific Bell
	RYON JOHN	Pacific Bell
	NUNN R	Pacific Bell
1980	Taylor Jim	Pacific Telephone
	Smith Calvin	Pacific Telephone
	Nann R	Pacific Telephone
	Nunn Quinton V	Pacific Telephone
	Loyd Leland	Pacific Telephone
	Grimes Carl	Pacific Telephone
1975	NUNN R	Pacific Telephone
	MITOBE S	Pacific Telephone
	LOYD LELAND	Pacific Telephone
	ICEBERG MOTORS	Pacific Telephone
	GRIMES CARL	Pacific Telephone
	THOMPSON K	Pacific Telephone
	WALTER LYNDEN E	Pacific Telephone
1963	Lewis Larry	Pacific Telephone
	Benson Harold	Pacific Telephone
1957	GLAZNTZ JOYCE	Pacific Telephone
	STOVER HAZEL	Pacific Telephone
	Sto$ver Hazel	R. L. Polk Co.
	Glantz Joyce	R. L. Polk Co.

453 S 5TH ST

Year	Uses	Source
1963	Courtney Herbert J	Pacific Telephone
	Dalke Richard D	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	Fadden Wm	Pacific Telephone
	Glaze Ronald	Pacific Telephone
	Ivancovich Linda	Pacific Telephone
	Kitagawa Kaz	Pacific Telephone
	Koepfer Liz	Pacific Telephone
	Koepfer Sharon	Pacific Telephone
	Martin Suzzanne C	Pacific Telephone
	Nishihara Jack	Pacific Telephone
	Shibata Yo	Pacific Telephone
	Wattendorf Ann	Pacific Telephone
1957	ADAMS SALLY	Pacific Telephone
	BOARDEMAN KAY	Pacific Telephone
	BOSS BARBARA	Pacific Telephone
	BOYSON VIRGINIA	Pacific Telephone
	BRADY JOYCE	Pacific Telephone
	FAVILLA JULETA	Pacific Telephone
	JOHNSON BARBARA	Pacific Telephone
	LEE ROBERTA	Pacific Telephone
	LONNOEL ESTELL	Pacific Telephone
	PUTMAN EUNICE	Pacific Telephone
	RUDE THELMA	Pacific Telephone
	RYDER PAT	Pacific Telephone
	SEAGRAVE ERNEST H	Pacific Telephone
	STEVENS CAROL	Pacific Telephone
	Adams Sally	R. L. Polk Co.
	Boarntan Kay	R. L. Polk Co.
	Boss Barbara	R. L. Polk Co.
	Boyson Virginia	R. L. Polk Co.
	Brady Joyce	R. L. Polk Co.
	Favilla Juleta	R. L. Polk Co.
	Hutchison Carol	R. L. Polk Co.
	Johnson Barbara	R. L. Polk Co.
	Mellem Pat	R. L. Polk Co.
	Rude Thelma	R. L. Polk Co.
	Ryder Pat	R. L. Polk Co.
	Seagrave Ernest H	R. L. Polk Co.
	Stevens Carol	R. L. Polk Co.

FINDINGS

454 S 5TH ST

Year	Uses	Source
1957	TRUDGEN WM R	Pacific Telephone
	Trudgen Wm R	R. L. Polk Co.

458 S 5TH ST

Year	Uses	Source
2006	APARTMENTS	Haines Company, Inc.
	ALI Khan Mahboob	Haines Company, Inc.
	BARKATULLAH Blig	Haines Company, Inc.
	GOMEZTeresa	Haines Company, Inc.
	LATi MERWaychaun	Haines Company, Inc.
	NGO Khanh	Haines Company, Inc.
	PHAM Tung Van	Haines Company, Inc.
1991	LE MINH-LO C	PACIFIC BELL WHITE PAGES
	SPICA ANTHONY P	PACIFIC BELL WHITE PAGES
	Becker Katherine A	PACIFIC BELL WHITE PAGES
	Du Bridge Jeffery	PACIFIC BELL WHITE PAGES
	Le Minh Lo C	PACIFIC BELL WHITE PAGES
	Spica Anthony P	PACIFIC BELL WHITE PAGES
	BECKER KATHERINE A	PACIFIC BELL WHITE PAGES
	DU BRIDGE JEFFERY	PACIFIC BELL WHITE PAGES
1986	Gordon Matt	Pacific Bell
	Kaminsky Roy	Pacific Bell
	Kelly M	Pacific Bell
	Kohn James E	Pacific Bell
	Davis Stephen	Pacific Bell
	Devlin Patricia	Pacific Bell
	Douglas G	Pacific Bell
1985	HAMILTON WADE	Pacific Bell
	HOSHIKO ERIC	Pacific Bell
	KAMINSKY ROY	Pacific Bell
	KOONTZ THELMA	Pacific Bell
	SHIMADA RENE	Pacific Bell
	THORN ANDREA	Pacific Bell
	WOOD GARY A	Pacific Bell
1980	Alba P Guuierrez	Pacific Telephone
	Chen Tom K	Pacific Telephone
	Fowler Eric	Pacific Telephone
	Lapp LK	Pacific Telephone

FINDINGS

Year	Uses	Source
1975	ALMARIO BENJAMIN	Pacific Telephone
	ATKINS KIM	Pacific Telephone
	BONNETT DONALD L	Pacific Telephone
	BRIGANCE DARRELL	Pacific Telephone
	CUMMINGS CRAIG	Pacific Telephone
	DERNERILTT RAYNARD	Pacific Telephone
	KAISER H W	Pacific Telephone
	LIPSKY PAULINE	Pacific Telephone
	MC CRACKEN H FRANKLIN II	Pacific Telephone
	RANES RONALD R	Pacific Telephone
	WRIGHT ALLYN M	Pacific Telephone
	ZAVALA JOE	Pacific Telephone
1963	Selvig Rita	Pacific Telephone
	Simpson Christine	Pacific Telephone
	Tootle John C	Pacific Telephone
	Wilkie Warren R genl contr	Pacific Telephone
	Beukers Don I	Pacific Telephone
	Cowling John R	Pacific Telephone
	Cowling Roger	Pacific Telephone
	Dunigan John G	Pacific Telephone
	Kimoto Glen	Pacific Telephone
	Kimoto Judy	Pacific Telephone
	Maka Dennis	Pacific Telephone
	Moss Chas H	Pacific Telephone
	Norman Rosalind	Pacific Telephone
	Norman Wm L	Pacific Telephone
	Obert Ronald J	Pacific Telephone
	Ramos Donald L	Pacific Telephone
	Rugani Larry G	Pacific Telephone
	Selvig Carolyn	Pacific Telephone
1957	Want Donald	R. L. Polk Co.
	WANT DONALD	Pacific Telephone

S 5th St

465 S 5th St

Year	Uses	Source
2014	TGW PROPERTIES	EDR Digital Archive

FINDINGS

S 5TH ST

465 S 5TH ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
1980	Wharton Dan D	Pacific Telephone
	Mc Queary Pearl	Pacific Telephone
1975	LEYDIG STANLEY	Pacific Telephone
1963	La Barbera Ken	Pacific Telephone
	Baglione Joe G	Pacific Telephone
1957	BARDIN MILA HILLS MRS R	Pacific Telephone
	BAKER ADA B MRS	Pacific Telephone
	ATWILL WM D	Pacific Telephone
	Baker Ada B Mrs	R. L. Polk Co.
	Atwill Wm D	R. L. Polk Co.

S 5th St

466 S 5th St

Year	Uses	Source
2014	TK LEGACY PROPERTIES LLC	EDR Digital Archive
	WASCO ESTATES LLC	EDR Digital Archive
	DEVCO CORPORATION	EDR Digital Archive

S 5TH ST

466 S 5TH ST

Year	Uses	Source
2006	TAI Ableen	Haines Company, Inc.
	ELLINGTON William	Haines Company, Inc.
1991	Wey N	PACIFIC BELL WHITE PAGES
	Stayton Jane	PACIFIC BELL WHITE PAGES
	Rickard Rick	PACIFIC BELL WHITE PAGES
	Jensen John A	PACIFIC BELL WHITE PAGES
	WEY N	PACIFIC BELL WHITE PAGES
	JENSEN JOHN A	PACIFIC BELL WHITE PAGES
	RICKARD RICK	PACIFIC BELL WHITE PAGES
	STAYTON JANE	PACIFIC BELL WHITE PAGES
1986	Kitowsky Andy	Pacific Bell
	Jahns Czeslaw	Pacific Bell

FINDINGS

Year	Uses	Source
1986	Wey N	Pacific Bell
	Meredith William R	Pacific Bell
1985	WEY N	Pacific Bell
	LIU LI-CHIUNG	Pacific Bell
	JAHNS CZESLAW	Pacific Bell
	ELLER M	Pacific Bell
1980	Wey N	Pacific Telephone
	Visser M F	Pacific Telephone
	Ritter Ed	Pacific Telephone
	Kennedy Allen	Pacific Telephone
1975	GRAVES GREGORY W	Pacific Telephone
	HENLEY BEN	Pacific Telephone
	JIU VERNA	Pacific Telephone
	NOVBAKHTIAN ABDOLREZA	Pacific Telephone
	WAKATSUKI WOODROW	Pacific Telephone
	WEY N	Pacific Telephone
	COZENS ROGER A	Pacific Telephone

470 S 5TH ST

Year	Uses	Source
1975	CHAPPEL BERNICE	Pacific Telephone

475 S 5TH ST

Year	Uses	Source
2006	LYN Nicholas	Haines Company, Inc.
1975	LYN ERROL	Pacific Telephone
1963	Gunlickson Arlene	Pacific Telephone
	Maddocks E L	Pacific Telephone
	Mc Mahon Kathy	Pacific Telephone
	Freiss Judy	Pacific Telephone
1957	ALISON DAZY D	Pacific Telephone
	Alison Dazy D	R. L. Polk Co.

476 S 5TH ST

Year	Uses	Source
2006	YAZOLINO Nicole	Haines Company, Inc.
	SPIELBAUER Denn Is	Haines Company, Inc.
1986	Truong Lanh	Pacific Bell
	Spielbauer Dennis	Pacific Bell

FINDINGS

Year	Uses	Source
1985	CHARGIN N L	Pacific Bell
1980	Chargin NI	Pacific Telephone
	Chargin NIL	Pacific Telephone
1975	CHARGIN N L	Pacific Telephone
	COLLEGE MANOR	Pacific Telephone
1963	VININGS SIGN SHOP	Pacific Telephone
	Vining Arch H Vinings Sgn Shop	Pacific Telephone
	Mehrkens Tillie Mrs	Pacific Telephone
1957	Vining W	R. L. Polk Co.
	Vtnings Sign Shop	R. L. Polk Co.
	Scott Leotha Mrs	R. L. Polk Co.
	VINIG ARCH H VININGS SGN SHOP	Pacific Telephone
	SCOTT LEOTIHA MRS	Pacific Telephone

S 5th St

481 S 5th St

Year	Uses	Source
2010	LXY ASSOCIATES (USA) INC	EDR Digital Archive

S 5TH ST

481 S 5TH ST

Year	Uses	Source
2006	LYN Roger	Haines Company, Inc.
1985	CHUNG GARY	Pacific Bell
1980	Hirsch Derrich	Pacific Telephone
1975	DE ST RREMEY EDW	Pacific Telephone
	KAPPA SIGMA FRATERNITY	Pacific Telephone
1963	Rogers M J	Pacific Telephone
1957	Rogers M J r	R. L. Polk Co.
	ROGERS MI J R	Pacific Telephone

483 S 5TH ST

Year	Uses	Source
1985	JACKSON KORT	Pacific Bell
1957	SHIVELY ROY L MRS	Pacific Telephone
	Shively Roy L Mrs	R. L. Polk Co.

FINDINGS

484 S 5TH ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.

485 S 5TH ST

Year	Uses	Source
2006	PERAZZO James	Haines Company, Inc.
	W 1 NDHAM Harold	Haines Company, Inc.
1975	HANDSFIELD FRED W	Pacific Telephone
1963	Marx Roy	Pacific Telephone
1957	Marx Roy r	R. L. Polk Co.
	MARX ROY R	Pacific Telephone

486 S 5TH ST

Year	Uses	Source
2006	SPIELBAUER Dennis	Haines Company, Inc.
1975	CRABTREE ALICE B	Pacific Telephone
1963	Crabtree Alice B	Pacific Telephone
1957	Rikert Emma	R. L. Polk Co.
	RIKERT EMMA	Pacific Telephone

487 S 5TH ST

Year	Uses	Source
2006	VARELA Sytvester N	Haines Company, Inc.
1985	MGO SOE	Pacific Bell
1980	Foti D	Pacific Telephone
	Foti Stephen	Pacific Telephone
1963	Sanchez Dan J	Pacific Telephone

498 S 5TH ST

Year	Uses	Source
2006	PHAM Hoa	Haines Company, Inc.
	LUONG Lan	Haines Company, Inc.
1986	Thomas RA	Pacific Bell
1985	THOMAS R A	Pacific Bell
1975	THOMAS R A	Pacific Telephone
1963	Biggam M J	Pacific Telephone
1957	BLGGAM M J R	Pacific Telephone
	Biggamn M J r	R. L. Polk Co.

FINDINGS

499 S 5TH ST

Year	Uses	Source
2006	SPIELBAUER Dennis	Haines Company, Inc.
1985	BARRYMORE COLE	Pacific Bell
	GORDON MIKE	Pacific Bell
	MC CROSKEY DAVID C	Pacific Bell
	WOODSON JAMES M	Pacific Bell
1980	Pi Kappa Al Pha	Pacific Telephone
1963	Rohrer John C	Pacific Telephone
1957	ROLRER JOHN C R	Pacific Telephone
	Rohrer John C r	R. L. Polk Co.

502 S 5TH ST

Year	Uses	Source
2006	LIU Shih kuang	Haines Company, Inc.
	LIU Shek	Haines Company, Inc.
	LIU Jeff	Haines Company, Inc.
	LEE Feng	Haines Company, Inc.
	GROUP	Haines Company, Inc.
	DOMINION FUNDING	Haines Company, Inc.
	e CAMACHO Rozanne	Haines Company, Inc.
	LE Trung Nghla	Haines Company, Inc.
1986	ROZANNE DESIGNS	Pacific Bell
1980	Thomsen N	Pacific Telephone
1963	Patterson Geo W	Pacific Telephone
1957	Patterson Geo W r	R. L. Polk Co.
	PATTERSON GEO W R	Pacific Telephone

503 S 5TH ST

Year	Uses	Source
2006	MARZOUKYoussef M	Haines Company, Inc.
1991	MARZOUK YOUSSEF MARZOUK	PACIFIC BELL WHITE PAGES
1986	Marzouk Youssef Marzouk	Pacific Bell
1985	MARZOUK YOUSSEF MARZOUK	Pacific Bell
1963	Fuhrman Elizabeth C	Pacific Telephone
1957	Fuhrman Elizabeth C	R. L. Polk Co.

505 S 5TH ST

Year	Uses	Source
2006	MACARANAS	Haines Company, Inc.

FINDINGS

Year	Uses	Source
2006	Gemnimo B	Haines Company, Inc.
	CHIOU Kuen yoan	Haines Company, Inc.
1986	Tsien AC	Pacific Bell
1985	BORN JOHN	Pacific Bell
	CHIEN KENNETH	Pacific Bell
	PENA JONATHAN	Pacific Bell
	TSIEN A C	Pacific Bell
1980	Choy Hyon	Pacific Telephone
	Cutierrez Ben	Pacific Telephone
	Gutlerreg Beatrie	Pacific Telephone
1975	GIBERSON M	Pacific Telephone
1963	Pierce Richard M	Pacific Telephone
1957	WRIGHT IRVING E	Pacific Telephone
	Wright Irving E	R. L. Polk Co.

507 S 5TH ST

Year	Uses	Source
1975	HALEY M	Pacific Telephone

512 S 5TH ST

Year	Uses	Source
2006	REYNOLDS Karen	Haines Company, Inc.
1986	Sadowski Grzegorz	Pacific Bell
1975	CASALETTO JOS	Pacific Telephone
1963	Casaletto Jos	Pacific Telephone
1957	Casaletto Jos	R. L. Polk Co.
	CASALETTO JOS	Pacific Telephone

S 5th St

521 S 5th St

Year	Uses	Source
2014	PETERS JEFF	EDR Digital Archive
	HASSEL EHLE APARTMENTS	EDR Digital Archive
2010	HASSEL EHLE APARTMENTS	EDR Digital Archive
	PETERS JEFF	EDR Digital Archive

FINDINGS

S 5TH ST

521 S 5TH ST

Year	Uses	Source
2006	TANG J	Haines Company, Inc.
	KWONG Lun Shu	Haines Company, Inc.
	LAJ Kim	Haines Company, Inc.
	LEChau Thi	Haines Company, Inc.
	LE Cung Th I	Haines Company, Inc.
	LESinh	Haines Company, Inc.
	CHOUJung	Haines Company, Inc.
1991	Ehle Victor B	PACIFIC BELL WHITE PAGES
	Harb Kamal	PACIFIC BELL WHITE PAGES
	Mortimore Evan	PACIFIC BELL WHITE PAGES
	Mortimore Evan	PACIFIC BELL WHITE PAGES
	MORTIMORE EVAN	PACIFIC BELL WHITE PAGES
	MORTIMORE EVAN	PACIFIC BELL WHITE PAGES
	HARB KAMAL	PACIFIC BELL WHITE PAGES
	EHLE VICTOR B	PACIFIC BELL WHITE PAGES
1986	Ehle Victor B	Pacific Bell
	Mortimore Evan	Pacific Bell
1985	EHLE VICTOR B	Pacific Bell
1975	DRAKE ED F	Pacific Telephone
	MC BRIDE DWIGHT	Pacific Telephone
1963	Johnson H G	Pacific Telephone
	Faltersack Hazel B	Pacific Telephone
1957	Ehle V DJr	R. L. Polk Co.
	FALTERSACK HAZEL B	Pacific Telephone
	EHLE V D JR	Pacific Telephone

522 S 5TH ST

Year	Uses	Source
2006	ELCENKO Lawrence	Haines Company, Inc.
1980	Siu Lewis	Pacific Telephone
1963	Acquistapace Ernestine Mrs	Pacific Telephone
1957	Acquistapace Ernestine	R. L. Polk Co.
	ACQUISTAPACE ERNESTINE	Pacific Telephone

FINDINGS

S 5th St

526 S 5th St

Year	Uses	Source
2010	STRATUM SEMICONDUCTOR	EDR Digital Archive

S 5TH ST

526 S 5TH ST

Year	Uses	Source
2006	WOO Howard	Haines Company, Inc.
1991	OH CHI-HWAN	PACIFIC BELL WHITE PAGES
	PHON LEWIS	PACIFIC BELL WHITE PAGES
	Phon Lewis	PACIFIC BELL WHITE PAGES
	Oh Chi Hwan	PACIFIC BELL WHITE PAGES
	OGrady Peggy	PACIFIC BELL WHITE PAGES
1986	Oh Chi Hwan	Pacific Bell
	Lee R	Pacific Bell
1985	OH CHI-HWAN	Pacific Bell
	LEE R	Pacific Bell
1980	Hudec Emil	Pacific Telephone
1975	HUDEC EMIL	Pacific Telephone
1963	Hudec R E	Pacific Telephone
1957	Hudec R E	R. L. Polk Co.
	HUDEC R E	Pacific Telephone

530 S 5TH ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
1980	Arnoff David J	Pacific Telephone
1975	DOLAN M M	Pacific Telephone
	BOTTOM L J	Pacific Telephone
1963	Thornton Katharine	Pacific Telephone
	Greeley Ray	Pacific Telephone
1957	Greeley Ray r	R. L. Polk Co.
	GREELEY RAY R S	Pacific Telephone

FINDINGS

S 5th St

535 S 5th St

Year	Uses	Source
2014	ALPAR AARON	EDR Digital Archive
2010	ALPAR AARON	EDR Digital Archive

S 5TH ST

535 S 5TH ST

Year	Uses	Source
2006	e ALPARAaron	Haines Company, Inc.
	DRISCOLL Patrdia	Haines Company, Inc.
1991	Cassata Jas V	PACIFIC BELL WHITE PAGES
	CASSATA JAS V	PACIFIC BELL WHITE PAGES
1986	Thomas Evelyn K	Pacific Bell
1985	THOMAS EVELYN K	Pacific Bell
	CASSATA JAS V	Pacific Bell
1980	Thomas Evelyn K	Pacific Telephone
	Cassata d Js V	Pacific Telephone
1975	THOMAS EVELYN K	Pacific Telephone
1963	Cassata Jas V	Pacific Telephone
1957	Cassata Jas V r	R. L. Polk Co.
	CASSATA JAS V R	Pacific Telephone

537 S 5TH ST

Year	Uses	Source
2006	Rosemary	Haines Company, Inc.
	RODRIGUEZ	Haines Company, Inc.
	PHAM HIen	Haines Company, Inc.
	NGUYENVu	Haines Company, Inc.
1991	Safford Samuel	PACIFIC BELL WHITE PAGES
1986	Wiseman Mark & Joann	Pacific Bell
	Brauer BBen	Pacific Bell
1985	WISEMAN MARK & JOANN	Pacific Bell
	BRADIX D	Pacific Bell
1980	Walker Sandra	Pacific Telephone
	Chavez Felipe	Pacific Telephone
1963	Zimmermann Theo J	Pacific Telephone
	Zimmermann Blanca M	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	Parrish Robt	Pacific Telephone
	Parrish Richard N	Pacific Telephone
	Olson Jim L	Pacific Telephone
	Marcetti Buzz	Pacific Telephone
	Frediani Josephine Mrs	Pacific Telephone
	Ferentinos Nick	Pacific Telephone

S 5TT

501 S 5TT

Year	Uses	Source
1980	Marzouk Youssef Marzouk	Pacific Telephone

S 5WN L

523 S 5WN L

Year	Uses	Source
1975	VAN BERGEN MAX	Pacific Telephone

SAN SALVADOR ST

80 SAN SALVADOR ST

Year	Uses	Source
1922	OFallon T E	R. L. Polk Co.

82 SAN SALVADOR ST

Year	Uses	Source
1922	Perrott H O	R. L. Polk Co.
	Russell H J	R. L. Polk Co.
	Triplett M Lena	R. L. Polk Co.

108 SAN SALVADOR ST

Year	Uses	Source
1922	Plaskett Mrs Lena	R. L. Polk Co.

121 SAN SALVADOR ST

Year	Uses	Source
1922	Gribner Mrs Frances	R. L. Polk Co.

FINDINGS

122 SAN SALVADOR ST

Year	Uses	Source
1922	Skelton Walter	R. L. Polk Co.

123 SAN SALVADOR ST

Year	Uses	Source
1922	Ender Josephine V	R. L. Polk Co.

124 SAN SALVADOR ST

Year	Uses	Source
1922	Dickey W H	R. L. Polk Co.

125 SAN SALVADOR ST

Year	Uses	Source
1922	Britton L R	R. L. Polk Co.

127 SAN SALVADOR ST

Year	Uses	Source
1922	Le Gal C R	R. L. Polk Co.

128 SAN SALVADOR ST

Year	Uses	Source
1922	1/2 Wright W S	R. L. Polk Co.
	Skinner Ira	R. L. Polk Co.

132 SAN SALVADOR ST

Year	Uses	Source
1922	Marshall T S	R. L. Polk Co.
	Lowell Apts	R. L. Polk Co.

166 SAN SALVADOR ST

Year	Uses	Source
1922	Farrell Wm	R. L. Polk Co.
	Rogers Robt rear	R. L. Polk Co.

170 SAN SALVADOR ST

Year	Uses	Source
1922	Hodgkin P B	R. L. Polk Co.

171 SAN SALVADOR ST

Year	Uses	Source
1922	Ingham B A	R. L. Polk Co.

FINDINGS

177 SAN SALVADOR ST

Year	Uses	Source
1922	Saunders Mrs H B	R. L. Polk Co.

178 SAN SALVADOR ST

Year	Uses	Source
1922	Foskett A C	R. L. Polk Co.

SAN SALVADOR ST E

65 SAN SALVADOR ST E

Year	Uses	Source
1925	Moyer Mrs N L	R. L. Polk & Co.

80 SAN SALVADOR ST E

Year	Uses	Source
1940	Padgett Theresa Mrs	R. L. Polk Co.
1935	Scheler Marian Mrs	R. L. Polk & Co. of California
	La Dieux Jas	R. L. Polk & Co. of California
1930	Reed T R	R. L. Polk Co. of California

82 SAN SALVADOR ST E

Year	Uses	Source
1945	Picard Alf	R. L. Polk Co.
	Klein Eug	R. L. Polk Co.
	Carrers S M Mrs	R. L. Polk Co.
1940	Freese H V	R. L. Polk Co.
	Marshall Bessie Mrs drsmkr	R. L. Polk Co.
1935	Marshall Bessie Mrs	R. L. Polk & Co. of California
	Smith J T	R. L. Polk & Co. of California
1930	Barton D W	R. L. Polk Co. of California
	Gardner D B M Mrs	R. L. Polk Co. of California
	Mina Maud Mrs	R. L. Polk Co. of California
1925	Gardner Mrs Dorrette	R. L. Polk & Co.
	Curtis Jas	R. L. Polk & Co.

85 SAN SALVADOR ST E

Year	Uses	Source
1945	Bakken John pntr	R. L. Polk Co.
1940	Sowell Frank auto repr	R. L. Polk Co.

FINDINGS

88 SAN SALVADOR ST E

Year	Uses	Source
1940	Urzi J P gas sta	R. L. Polk Co.

96 SAN SALVADOR ST E

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	City Foreign Car Center auto repr	Pacific Telephone
1970	City Foreign Car Center auto repr	R. L. Polk & Co.
1966	DUN RITE AUTO SHOP BRAKES & AUTO REPR	R. L. Polk & Co.
1960	V & V Auto Serv	R. L. Polk Co.
1955	Urzis Auto Sup	R. L. Polk Co.

97 SAN SALVADOR ST E

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	Keats Olive	Pacific Telephone
	Cozy Corner Gifts & Antique	Pacific Telephone
1970	Vacant	R. L. Polk & Co.
1966	ASH RADIO & T V SERVICE	R. L. Polk & Co.
1960	Ash Radio & TV Serv	R. L. Polk Co.
1955	Ash Radio & TV Serv	R. L. Polk Co.

98 SAN SALVADOR ST E

Year	Uses	Source
2000	KNIGHT Malyn	Haines & Company
	DAKAO	Haines & Company
1996	PHONG CIANG BILLIARD	Pacific Bell
	DAKAO	Pacific Bell
1975	Wooden Cue Billiard Parlor	Pacific Telephone
1970	Campus Billiards billiard & pool	R. L. Polk & Co.
1966	D & AUTO STORES AUTO SUP	R. L. Polk & Co.
1960	Urzis Auto Sup	R. L. Polk Co.
1950	Urzi J P auto parts	R. L. Polk & Co.
1945	Urzis Automotive Serv	R. L. Polk Co.

108 SAN SALVADOR ST E

Year	Uses	Source
1940	Stallings F O Mrs	R. L. Polk Co.
1935	Vacant	R. L. Polk & Co. of California

FINDINGS

Year	Uses	Source
1930	Higgins Mary Mrs	R. L. Polk Co. of California
1925	Ball W R	R. L. Polk & Co.

110 SAN SALVADOR ST E

Year	Uses	Source
2000	KWOKJong	Haines & Company
1966	VACANT	R. L. Polk & Co.
1960	Vak Reading Improvement Center	R. L. Polk Co.

114 SAN SALVADOR ST E

Year	Uses	Source
1960	Vacant	R. L. Polk Co.

121 SAN SALVADOR ST E

Year	Uses	Source
1970	Me Seaton Eleanor Mrs	R. L. Polk & Co.
1966	MC SEATON ELEANOR MRS	R. L. Polk & Co.
1960	Wahl Mary Mrs	R. L. Polk Co.
1955	No return	R. L. Polk Co.
1950	Westwood R V	R. L. Polk & Co.
1945	King H C Mrs	R. L. Polk Co.
1940	Mecklenburg Wm	R. L. Polk Co.
1935	Brazell Louis	R. L. Polk & Co. of California
1930	Ware J W	R. L. Polk Co. of California
1925	Spearman Mrs Helen	R. L. Polk & Co.

122 SAN SALVADOR ST E

Year	Uses	Source
2000	BERGMAN	Haines & Company
1996	HUGHS HANDY HOME HELPERS	Pacific Bell
1975	Margareths Sandwiches	Pacific Telephone
1970	Margareths Health Studios massage	R. L. Polk & Co.
1966	MARGARETHS HEALTH SALON MASSAGE	R. L. Polk & Co.
1960	Margareths Health Salon massage	R. L. Polk Co.
1955	Shaw Willard L bldg contr	R. L. Polk Co.
1950	Mc Cart M E chirotrt practor	R. L. Polk & Co.
1945	Garner Albt	R. L. Polk Co.
	Ward R E Mrs	R. L. Polk Co.
1940	Bunce Lucy Mrs	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1930	Kennedy W H	R. L. Polk Co. of California
1925	Skelton W A	R. L. Polk & Co.

123 SAN SALVADOR ST E

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	Folsom Maudie M	Pacific Telephone
1970	Ellison Lucille Mrs	R. L. Polk & Co.
1966	FOGARTY ROSE M MRS	R. L. Polk & Co.
1960	Vacant	R. L. Polk Co.
1955	Voss Mary Mrs	R. L. Polk Co.
1950	Faust F G	R. L. Polk & Co.
1945	Faust F G	R. L. Polk Co.
1940	Platt A J Mrs	R. L. Polk Co.
1935	Vacant	R. L. Polk & Co. of California
1930	Nordquist Donald	R. L. Polk Co. of California
	Hollenbeck Leroy	R. L. Polk Co. of California
1925	Bennett Mrs Anna	R. L. Polk & Co.

124 SAN SALVADOR ST E

Year	Uses	Source
1945	Williams Whitey	R. L. Polk Co.
1940	Dickey W H	R. L. Polk Co.
1935	Dickey W H	R. L. Polk & Co. of California
1930	Dickey W H	R. L. Polk Co. of California
1925	Dickey W H	R. L. Polk & Co.

125 SAN SALVADOR ST E

Year	Uses	Source
1975	Mc Mullen Ann	Pacific Telephone
1970	Monte Joseph	R. L. Polk & Co.
1966	MONTE JOSEPH	R. L. Polk & Co.
1960	Monte Joseph	R. L. Polk Co.
1955	Monte Joseph	R. L. Polk Co.
1950	Monte Jos	R. L. Polk & Co.
1945	Monte Jos	R. L. Polk Co.
1940	Burk Wm	R. L. Polk Co.
1935	Waterman Harry	R. L. Polk & Co. of California
1930	Finley C H	R. L. Polk Co. of California

FINDINGS

126 SAN SALVADOR ST E

Year	Uses	Source
2000	STGEN Eugene R	Haines & Company
1996	Stigen Eugene R	Pacific Bell
1975	Mejilak Margareth Mrs	Pacific Telephone
1970	Mejlak Margareth Mrs	R. L. Polk & Co.
1966	MEJLAK LAWRENCE	R. L. Polk & Co.
1960	Vacant	R. L. Polk Co.

127 SAN SALVADOR ST E

Year	Uses	Source
2000	CAMPUSMKT	Haines & Company
1975	Reed Harold	Pacific Telephone
1970	Smith Tressie M Mrs	R. L. Polk & Co.
1966	FORSMAN FLORENCE H MRS	R. L. Polk & Co.
1960	Pahle Wm	R. L. Polk Co.
1955	Pahle Wm A	R. L. Polk Co.
1950	Copenhefer Josephine Mrs	R. L. Polk & Co.
	Morden Florence Mrs	R. L. Polk & Co.
1945	Morden Josephine A	R. L. Polk Co.
1940	Morden Josephine A	R. L. Polk Co.
1935	Morden Josephine	R. L. Polk & Co. of California
1930	Brooks Jas	R. L. Polk Co. of California
1925	Hughes Mary	R. L. Polk & Co.

128 SAN SALVADOR ST E

Year	Uses	Source
1945	Guess C R	R. L. Polk Co.
	1/2 Campbell J L	R. L. Polk Co.
1940	1/2 Thomsen Fred	R. L. Polk Co.
	Hamptonson G J	R. L. Polk Co.
1935	1/2 Bennett G L	R. L. Polk & Co. of California
	Guinard L F	R. L. Polk & Co. of California
	Rogers Louise Mrs	R. L. Polk & Co. of California
1930	1/2 Vacant	R. L. Polk Co. of California
	Britton A A	R. L. Polk Co. of California
1925	Britton A A	R. L. Polk & Co.
	1/2 Higgins T J	R. L. Polk & Co.

FINDINGS

132 SAN SALVADOR ST E

Year	Uses	Source
1945	Mac Carty S F Mrs	R. L. Polk Co.
	Brandenburg E H	R. L. Polk Co.
	Lowell Apartments	R. L. Polk Co.
	Traner A E Mrs	R. L. Polk Co.
1940	Mc Carty P M	R. L. Polk Co.
	Masino Frank	R. L. Polk Co.
	Butrum L P Mrs	R. L. Polk Co.
	Lowell Apartments	R. L. Polk Co.
1935	Pitt J S	R. L. Polk & Co. of California
	Mc Carthy P M	R. L. Polk & Co. of California
	Masino Frank	R. L. Polk & Co. of California
	German Virginia Mrs	R. L. Polk & Co. of California
	Lowell Apartments	R. L. Polk & Co. of California
	Brandenburg L A o	R. L. Polk & Co. of California
	Cantrell Wesley	R. L. Polk & Co. of California
1930	Coburn M L	R. L. Polk Co. of California
	LOWELL APARTMENTS	R. L. Polk Co. of California
	Kirkpatrick M L	R. L. Polk Co. of California
	Perry Edw	R. L. Polk Co. of California
	Phiester Lola	R. L. Polk Co. of California
	Schuester I Richd	R. L. Polk Co. of California
	Marshall L S Mrs	R. L. Polk Co. of California
1925	Lowell Apts	R. L. Polk & Co.
	Marshall T S	R. L. Polk & Co.

134 SAN SALVADOR ST E

Year	Uses	Source
2000	HABIB Sateemah	Haines & Company
	CAMPUSMKT	Haines & Company
1996	CAMPUS M 1 KT	Pacific Bell
1975	Campus Market	Pacific Telephone
1970	Campus Market	R. L. Polk & Co.
1966	CAMPUS MARKET GRO	R. L. Polk & Co.
1960	Vacant	R. L. Polk Co.
1955	Vacant	R. L. Polk Co.

FINDINGS

138 SAN SALVADOR ST E

Year	Uses	Source
1960	Vacant	R. L. Polk Co.
1955	Rich Plan of San Jose food freezers	R. L. Polk Co.

152 SAN SALVADOR ST E

Year	Uses	Source
1955	Salegui Eug	R. L. Polk Co.
1950	Richard Orris	R. L. Polk & Co.
	Skinner H J	R. L. Polk & Co.
1940	Kirkham Mary Mrs nurse	R. L. Polk Co.
1935	Conway Rebecca Mrs	R. L. Polk & Co. of California
	Northans E A Mrs o	R. L. Polk & Co. of California
1930	Northram E A Mrs o	R. L. Polk Co. of California
1925	Northam Mrs Elizabeth	R. L. Polk & Co.

162 SAN SALVADOR ST E

Year	Uses	Source
2000	ABLER Joslm	Haines & Company
	GREEN George	Haines & Company
	HUTZLERWiliam	Haines & Company
1975	Lee Apartments	Pacific Telephone
	Lee Wm H	Pacific Telephone
1970	Lee Wm H	R. L. Polk & Co.
	Lee Apartments	R. L. Polk & Co.
1966	LEE APARTMENTS	R. L. Polk & Co.
	LEE WM H	R. L. Polk & Co.
1960	162 68 Lee Apartments	R. L. Polk Co.
	Martin Wallace	R. L. Polk Co.
1955	Lane Alta M CY	R. L. Polk Co.
	Lane Alta M	R. L. Polk Co.
1950	Cento Ida Mrs	R. L. Polk & Co.
	Chargin Donald	R. L. Polk & Co.
	Utzerath D V	R. L. Polk & Co.
1945	Lee W H	R. L. Polk Co.
	a Hart Nellie Mrs	R. L. Polk Co.
	b Simmons E H	R. L. Polk Co.
	c Townsend Faye	R. L. Polk Co.
1940	Lee W H	R. L. Polk Co.

FINDINGS

164 SAN SALVADOR ST E

Year	Uses	Source
2000	GREEN George	Haines & Company
	PEARSONKalhenne A	Haines & Company
1975	Spizziro Wm	Pacific Telephone
1970	Spizziro Wm	R. L. Polk & Co.
1966	KOBAYASHI GEO K	R. L. Polk & Co.
	SPIZZIRO WM	R. L. Polk & Co.
1960	Brice James M	R. L. Polk Co.
1955	Worthington Madeline Mrs	R. L. Polk Co.
1950	Worthington Madelyn Mrs	R. L. Polk & Co.
1945	Worthington Arch	R. L. Polk Co.
1940	Norberg Les	R. L. Polk Co.

166 SAN SALVADOR ST E

Year	Uses	Source
1975	a Jimenez Rudy	Pacific Telephone
	Mebrica Anthony	Pacific Telephone
1970	Black Lillian E Mrs	R. L. Polk & Co.
	a Jimenez Rudolph	R. L. Polk & Co.
	b Kerley Herbert	R. L. Polk & Co.
1966	BLACK LILLIAN E MRS	R. L. Polk & Co.
	A JIMENEZ JOSIE G	R. L. Polk & Co.
	B TOBIAS MANUEL	R. L. Polk & Co.
1960	Black Lillian E Mrs	R. L. Polk Co.
	a Jimenez Josie G	R. L. Polk Co.
	b Schoendist Abram	R. L. Polk Co.
1955	Black Lillian E Mrs	R. L. Polk Co.
	a Upton Mildred	R. L. Polk Co.
	b Dodson Helen Mrs	R. L. Polk Co.
1950	Black Lillian Mrs	R. L. Polk & Co.
1945	Black Lilliam Mrs	R. L. Polk Co.
1940	Mc Candless A M Mrs	R. L. Polk Co.
1935	Wilson M L Mrs	R. L. Polk & Co. of California
1930	Wilson M L Mrs	R. L. Polk Co. of California
	Hodgkin M F Mrs o	R. L. Polk Co. of California
1925	Hodgkin P B	R. L. Polk & Co.

FINDINGS

168 SAN SALVADOR ST E

Year	Uses	Source
1975	De George Frank	Pacific Telephone
1970	De George Frank	R. L. Polk & Co.
1966	DE GEORGE FRANK	R. L. Polk & Co.
1960	162 68 Lee Apartments	R. L. Polk Co.
	Herbinaux James	R. L. Polk Co.
1955	Cento Ida Mrs	R. L. Polk Co.

170 SAN SALVADOR ST E

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	Vacant	Pacific Telephone
1970	Tribble Ray C	R. L. Polk & Co.
1966	VACANT	R. L. Polk & Co.
1960	Lopez Bernardo	R. L. Polk Co.
1955	Rudquist Marilyn	R. L. Polk Co.
1950	Sprague T B	R. L. Polk & Co.
1935	Dimmett G M	R. L. Polk & Co. of California
1930	Hickey Edw	R. L. Polk Co. of California
1925	Zeller A C	R. L. Polk & Co.

171 SAN SALVADOR ST E

Year	Uses	Source
1966	VACANT	R. L. Polk & Co.
1960	Stewart Ronald	R. L. Polk Co.
	Frazier Rex L	R. L. Polk Co.
	Anderson Ted L	R. L. Polk Co.
	Brown Lewis jr	R. L. Polk Co.
	Street continued	R. L. Polk Co.
	Apartments	R. L. Polk Co.
	Vacant	R. L. Polk Co.
1955	Apartments	R. L. Polk Co.
	Wallace Nancy	R. L. Polk Co.
	2 3 Vacant	R. L. Polk Co.
	2 3 Vacant	R. L. Polk Co.
	Lowery Earl	R. L. Polk Co.
	Foster John F	R. L. Polk Co.
1950	Baxter C B	R. L. Polk & Co.
	Brumberg W A	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1950	Lagattuta N I	R. L. Polk & Co.
1945	Anderson Emily	R. L. Polk Co.
	Butters Emily	R. L. Polk Co.
	Hawes S E Mrs	R. L. Polk Co.
	Huffman T V Mrs	R. L. Polk Co.
1940	Engles M O	R. L. Polk Co.
	Hawes A C	R. L. Polk Co.
	Hawes S E Mrs	R. L. Polk Co.
	Huffman T V Mrs	R. L. Polk Co.
	Laib Jos	R. L. Polk Co.
1935	Daniel Daphne	R. L. Polk & Co. of California
	Daniel W H	R. L. Polk & Co. of California
	Hawes S E Mrs o	R. L. Polk & Co. of California
1930	Hawes Sarah Mrs o	R. L. Polk Co. of California
1925	Ross F E	R. L. Polk & Co.

172 SAN SALVADOR ST E

Year	Uses	Source
2000	GREENGeorge	Haines & Company
1975	Vacant	Pacific Telephone
1970	Lighthall Sandy	R. L. Polk & Co.
1966	KNUDSEN JOE	R. L. Polk & Co.
1960	Tarasawa Grace	R. L. Polk Co.
1955	Thomason J T	R. L. Polk Co.
1950	Cowden R E	R. L. Polk & Co.

177 SAN SALVADOR ST E

Year	Uses	Source
1960	Office Serv Bur letter shop	R. L. Polk Co.
	Naso Sarah J Mrs	R. L. Polk Co.
1955	Naso Sarah J Mrs	R. L. Polk Co.
	Office Service Bureau letter shop	R. L. Polk Co.
1950	Naso Sarah J	R. L. Polk & Co.
	Office Serv Bur letter shop	R. L. Polk & Co.
1945	Naso Sarah J	R. L. Polk Co.
1940	Gioisa Nash	R. L. Polk Co.
1935	Saunders H B Mrs o	R. L. Polk & Co. of California
1930	Saunders H B Mrs o	R. L. Polk Co. of California
1925	Saunders Mrs H B	R. L. Polk & Co.

FINDINGS

178 SAN SALVADOR ST E

Year	Uses	Source
1975	Vacant	Pacific Telephone
1970	Joiner Deloris M Mrs	R. L. Polk & Co.
1966	JOINER DELORIS M MRS	R. L. Polk & Co.
1960	Joiner Deloris Mrs	R. L. Polk Co.
1955	Joiner Deloris Mrs	R. L. Polk Co.
1950	Harmon H L	R. L. Polk & Co.
1945	Pruinton Clara E	R. L. Polk Co.
1940	Purinton L A	R. L. Polk Co.
1935	Swanson H L	R. L. Polk & Co. of California
1930	Brown L C Mrs	R. L. Polk Co. of California
1925	Brown Mrs Lottie	R. L. Polk & Co.

219 SAN SALVADOR ST E

Year	Uses	Source
1940	Vacant	R. L. Polk Co.
1935	Pratt E E	R. L. Polk & Co. of California
	Flood G R	R. L. Polk & Co. of California

WILLIAM ST E

40 WILLIAM ST E

Year	Uses	Source
1975	Vierra John J	Pacific Telephone
1970	Vacant	R. L. Polk & Co.
1966	MALCIAOO MARGARETE	R. L. Polk & Co.
1960	Chapel of Truth & Lending Library	R. L. Polk Co.
	Palm Ethel R Mrs	R. L. Polk Co.
1955	Chapel of Truth lending lib	R. L. Polk Co.
	Palm Ethel R Mrs	R. L. Polk Co.
1950	Forster R A dentist	R. L. Polk & Co.
1945	Hart Wm	R. L. Polk Co.
1940	Kerr Genevieve	R. L. Polk Co.
1935	Morris A J S	R. L. Polk & Co. of California
1930	Deward Mary Mrs	R. L. Polk Co. of California
1925	Carter J M	R. L. Polk & Co.
1922	Field H K	R. L. Polk Co.

FINDINGS

42 WILLIAM ST E

Year	Uses	Source
2000	JAIME Jesus	Haines & Company
1975	Schroeder Elsie Mrs	Pacific Telephone
1970	Schroeder Elsie Mrs	R. L. Polk & Co.
1966	SCHROEDER ELSIE MRS	R. L. Polk & Co.
1960	Schroeder Elsie Mrs alterations	R. L. Polk Co.
1955	Schroeder Elsie Mrs alterations	R. L. Polk Co.
1950	Better Used Garment Shoppe	R. L. Polk & Co.
1945	Miller Franklin Mrs	R. L. Polk Co.
1940	Mc Guire Frank	R. L. Polk Co.
1935	Trapin B G	R. L. Polk & Co. of California
1930	Miaxwell R B jr	R. L. Polk Co. of California
1925	Brewer C G	R. L. Polk & Co.
1922	Kemling C W	R. L. Polk Co.

45 WILLIAM ST E

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	Goodyear Service Store tires	Pacific Telephone
1970	Rose Sign Company sign pntr	R. L. Polk & Co.

47 WILLIAM ST E

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	Vacant	Pacific Telephone
1955	Walter Alan M & Assoc archts	R. L. Polk Co.

49 WILLIAM ST E

Year	Uses	Source
1975	Vacant	Pacific Telephone
1955	Maynard Lyon int dec	R. L. Polk Co.

70 WILLIAM ST E

Year	Uses	Source
1955	Bunce Wm J	R. L. Polk Co.
1950	Bunce L C Mrs	R. L. Polk & Co.
1945	Narvaez Hazel	R. L. Polk Co.
1940	Dowd F V pntr	R. L. Polk Co.
1935	Dowd F V	R. L. Polk & Co. of California
1930	Dowd F V	R. L. Polk Co. of California

FINDINGS

Year	Uses	Source
1925	Walgren Mrs Sophie	R. L. Polk & Co.
1922	Ewing H J	R. L. Polk Co.

71 WILLIAM ST E

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1996	Nguyen Hop Quoc	Pacific Bell

81 WILLIAM ST E

Year	Uses	Source
2000	CAMPAGNA James	Haines & Company
	GALLYOT Monica R	Haines & Company
	LUEBCKE Christopher	Haines & Company
1996	6 Thompson John	Pacific Bell
1975	Apartments	Pacific Telephone
	lCameron J	Pacific Telephone
	Vacant	Pacific Telephone
	Casillas Able	Pacific Telephone
	Vargas Frank	Pacific Telephone
	Vacant	Pacific Telephone
	Qui Ues R I	Pacific Telephone
	Rashid Tario	Pacific Telephone
	Grimaldo Calixto	Pacific Telephone
1970	Apartments	R. L. Polk & Co.
	Warren F	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Luzardi J F	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Sands D E	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
1966	APARTMENTS	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	GALANIO VICTOR	R. L. Polk & Co.
	CLAP CAROLYN	R. L. Polk & Co.
	RAMOS WM	R. L. Polk & Co.
	LUZARDI J F	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	HOBBS KATH	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
1960	Spurlock James H	R. L. Polk Co.
	Boehm Beverly T	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Menatos Stella	R. L. Polk Co.
	Street continued	R. L. Polk Co.
	Apartments	R. L. Polk Co.
	Mc Collum Sandie A	R. L. Polk Co.
	Scott Chas R jr	R. L. Polk Co.
	Moore John	R. L. Polk Co.
	No return	R. L. Polk Co.
1955	Apartments	R. L. Polk Co.
	Redgwick Elaine	R. L. Polk Co.
	Fredericksen Richd K	R. L. Polk Co.
	Booker Sylvia	R. L. Polk Co.
	Kurtz Marilyn J	R. L. Polk Co.
	Dudley Marcia	R. L. Polk Co.
	Boehm Beverly	R. L. Polk Co.
	Wurts Sandra	R. L. Polk Co.
	Mangum Barbara	R. L. Polk Co.
1950	Centanni A C	R. L. Polk & Co.
	Downen F E	R. L. Polk & Co.
	Elliott W D	R. L. Polk & Co.
	Iversen J I	R. L. Polk & Co.
1945	Downen F E	R. L. Polk Co.
	Elliott W D	R. L. Polk Co.
	Gray C E	R. L. Polk Co.
	Iversen Johan	R. L. Polk Co.
1940	Downen F E	R. L. Polk Co.
	Lowy C S	R. L. Polk Co.
	Mock M B	R. L. Polk Co.
1935	Moak C R	R. L. Polk & Co. of California
	Pennington Richd	R. L. Polk & Co. of California
	Phillip M E Mrs	R. L. Polk & Co. of California
	Wammock Edna Mrs	R. L. Polk & Co. of California
1930	Vacant	R. L. Polk Co. of California
1925	Murphy Mrs Anna	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1925	Pratt H R	R. L. Polk & Co.
	Tully E R	R. L. Polk & Co.
	Van Alstine J E	R. L. Polk & Co.
1922	Greathead Mrs Estelle	R. L. Polk Co.
	Hoeller R J	R. L. Polk Co.
	Hunt S C	R. L. Polk Co.
	Murphy Mrs Anna	R. L. Polk Co.

93 WILLIAM ST E

Year	Uses	Source
2000	MCKAY Bernice	Haines & Company
	MILLARD Mark	Haines & Company
	MORENO Julio	Haines & Company
	WURZBURGER Terry	Haines & Company
1996	4 Wurzburger Terry	Pacific Bell
	5 Moreno Joaquin	Pacific Bell
	6 Martinez F	Pacific Bell
	9 Millard Mark	Pacific Bell
1975	Apartments	Pacific Telephone
	Murphy J	Pacific Telephone
	Graves H A	Pacific Telephone
	Ellis P	Pacific Telephone
	Barber Lucille I	Pacific Telephone
	Williams P	Pacific Telephone
	Robinson Lucille	Pacific Telephone
	Way Ellen B	Pacific Telephone
	Nolan Harriet M	Pacific Telephone
	Kraft Dorothy	Pacific Telephone
	Sheehan Albert J	Pacific Telephone
1970	Apartments	R. L. Polk & Co.
	Pearson John	R. L. Polk & Co.
	Warf Nellie I	R. L. Polk & Co.
	Beliew Mattie Mrs	R. L. Polk & Co.
	Bethel Dorothy Mrs	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
	Robinson Bertha	R. L. Polk & Co.
	Way Ellen B	R. L. Polk & Co.
	Nolan H	R. L. Polk & Co.
	Moddison Wayne	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	Frew Nan B	R. L. Polk & Co.
1966	APARTMENTS	R. L. Polk & Co.
	PLOWRIGHT TOM	R. L. Polk & Co.
	WARF NELLIE I	R. L. Polk & Co.
	GRAVES H A	R. L. Polk & Co.
	HARP MYRTLE I MRS	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	PETERSEN HARRY J	R. L. Polk & Co.
	WAY ELLEN B	R. L. Polk & Co.
	ROCCO ANN	R. L. Polk & Co.
	EISELEN EVERETTE T	R. L. Polk & Co.
	FREW NAN B	R. L. Polk & Co.
1960	Apartments	R. L. Polk Co.
	Thomas Eug W	R. L. Polk Co.
	Craft Jerome	R. L. Polk Co.
	Mc Ghee Terrance R	R. L. Polk Co.
	Harp Myrtle I Mrs	R. L. Polk Co.
	Hunt Vera Mrs	R. L. Polk Co.
	Knox Patricia M Mrs	R. L. Polk Co.
	Vacant	R. L. Polk Co.
	Irons Martha	R. L. Polk Co.
	Mansfield Virginia	R. L. Polk Co.
	Brazell Kathryn CY S	R. L. Polk Co.

101 WILLIAM ST E

Year	Uses	Source
2000	DOMINGUEZ Rojelia	Haines & Company
	LE Quang Tung	Haines & Company
	VONG Vui Ca	Haines & Company
	TRAN The	Haines & Company
1996	1 Vong Vui Ca	Pacific Bell
1975	Apartments	Pacific Telephone
	Gabrelcik H	Pacific Telephone
	Navarez P	Pacific Telephone
	Vacant	Pacific Telephone
	Benson Michelle	Pacific Telephone
1970	Apartments	R. L. Polk & Co.
	Davis Susan	R. L. Polk & Co.
	Stewart Vesta Mrs	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	Fowler Melvin	R. L. Polk & Co.
	Bayron Alma	R. L. Polk & Co.

110 WILLIAM ST E

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1970	Vacant	R. L. Polk & Co.
1966	HEATH ETTA M MRS	R. L. Polk & Co.
1960	Creath Colleen S	R. L. Polk Co.
1955	Dee Edith F	R. L. Polk Co.
1950	Jones E T	R. L. Polk & Co.
1945	Jones E T	R. L. Polk Co.
1940	Miller F W	R. L. Polk Co.
1935	Markwad L J Mrs	R. L. Polk & Co. of California

123 WILLIAM ST E

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	Exchangers real est	Pacific Telephone
	Trader Triad real est	Pacific Telephone
	Fisk Donald M	Pacific Telephone

127 WILLIAM ST E

Year	Uses	Source
2000	NGOY Huong	Haines & Company
1970	Mann Susan	R. L. Polk & Co.
1966	GARRISON WILLIE H	R. L. Polk & Co.
1960	Shottenhamer Cyril A	R. L. Polk Co.
1955	Shottenhamer Cyril A	R. L. Polk Co.
1950	Shottenhamer C A	R. L. Polk & Co.
1945	Shottenhamer C A	R. L. Polk Co.
1940	Shottenhamer C A	R. L. Polk Co.
1935	Shottenhamer C A	R. L. Polk & Co. of California
1930	Shottenhamer C A	R. L. Polk Co. of California
1925	Shottenhamer Cyril	R. L. Polk & Co.
1922	Higgins Mrs Mary	R. L. Polk Co.

129 WILLIAM ST E

Year	Uses	Source
1922	Chargin N A	R. L. Polk Co.

FINDINGS

130 WILLIAM ST E

Year	Uses	Source
1960	Wright Mary S Mrs	R. L. Polk Co.
1955	Ho den Clara J Mrs	R. L. Polk Co.
1950	Bridson E F	R. L. Polk & Co.
1945	Davis O L	R. L. Polk Co.
1940	Bittner J S	R. L. Polk Co.
1935	Skaggs Walter	R. L. Polk & Co. of California
1930	Vacant	R. L. Polk Co. of California
1925	Dulion M Lue	R. L. Polk & Co.
1922	Dulion Lue	R. L. Polk Co.
	Charnock Alice	R. L. Polk Co.

131 WILLIAM ST E

Year	Uses	Source
2000	BICYCLE EXPRESS	Haines & Company
1996	BICYCLE EXPRESS	Pacific Bell
1975	Family Thrift Shop	Pacific Telephone
1970	Galeria lamps & shades	R. L. Polk & Co.
1966	GALERIA LAMPS & SHADES	R. L. Polk & Co.
1960	Vacant	R. L. Polk Co.
1955	Vacant	R. L. Polk Co.
1950	Chappell Marie E	R. L. Polk & Co.

132 WILLIAM ST E

Year	Uses	Source
1960	Osgoode Edith M	R. L. Polk Co.
1955	Hoyland Eleanor M Mrs	R. L. Polk Co.
1950	Hoyland E M Mrs	R. L. Polk & Co.
1945	Hoyland E M Mrs	R. L. Polk Co.
1940	Shelbourn Etta Mrs	R. L. Polk Co.
1935	Hedge Wm	R. L. Polk & Co. of California
1930	Gilbreath M A Mrs	R. L. Polk Co. of California
1925	Gilbreath Mrs M A	R. L. Polk & Co.
1922	Heacock J E	R. L. Polk Co.

133 WILLIAM ST E

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	Thrift Shop Stge	Pacific Telephone

FINDINGS

Year	Uses	Source
1970	Lockhart Beauty Salon	R. L. Polk & Co.
1966	ETTAS BEAUTY SALON	R. L. Polk & Co.
1960	Vacant	R. L. Polk Co.
1955	State Clns	R. L. Polk Co.
1950	Tirri John	R. L. Polk & Co.

134 WILLIAM ST E

Year	Uses	Source
1960	De Reign Cath Mrs	R. L. Polk Co.
1955	De Reign Cath Mrs	R. L. Polk Co.
1950	Corcoran Mary	R. L. Polk & Co.
1945	Bell Doris M	R. L. Polk Co.
1940	Bell Clara Mrs	R. L. Polk Co.
1935	Bell Clara Mrs	R. L. Polk & Co. of California
1930	Noggle B E Mrs	R. L. Polk Co. of California
1925	Stevens E O	R. L. Polk & Co.
1922	Olmstead C R	R. L. Polk Co.

135 WILLIAM ST E

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	bWickeneyer David	Pacific Telephone
	aHatcher Connie	Pacific Telephone
1970	a Vacant	R. L. Polk & Co.
	b Mihelas Hercules B	R. L. Polk & Co.
1966	A GOMEZ GEO	R. L. Polk & Co.
	B VACANT	R. L. Polk & Co.
1960	a No return	R. L. Polk Co.
	b Zeller Don E	R. L. Polk Co.
1955	Sullivan Jack	R. L. Polk Co.

136 WILLIAM ST E

Year	Uses	Source
1960	Bridson Ernest F	R. L. Polk Co.
1955	Bridson Ernest F	R. L. Polk Co.
1950	Rondone A S	R. L. Polk & Co.
1945	Rondone F F	R. L. Polk Co.
1940	Rondone F F	R. L. Polk Co.
1935	Rondone F F	R. L. Polk & Co. of California

FINDINGS

Year	Uses	Source
1930	Beatty M L Mrs	R. L. Polk Co. of California
1925	Beatty Mrs M L	R. L. Polk & Co.
1922	Beatty Mrs M L	R. L. Polk Co.

137 WILLIAM ST E

Year	Uses	Source
2000	MONTOYA Joe	Haines & Company
1975	Reiley Hazel	Pacific Telephone
1970	Reiley Hazel Mrs	R. L. Polk & Co.
1966	REILEY HAZEL MRS	R. L. Polk & Co.
1960	No return	R. L. Polk Co.
1955	Wayne Helene N Mrs	R. L. Polk Co.
1950	Sparks Cozette	R. L. Polk & Co.
1945	Drinkwater Ellis	R. L. Polk Co.
1940	Hansen H S	R. L. Polk Co.
1935	Macbeth J E	R. L. Polk & Co. of California
1930	Randazzo Jas	R. L. Polk Co. of California

139 WILLIAM ST E

Year	Uses	Source
2000	NO CURRENT LISTING	Haines & Company
1975	Fialkouski Walter	Pacific Telephone
1970	Douglas Robt T	R. L. Polk & Co.
1966	PHILLIPS DONNA MRS	R. L. Polk & Co.
1960	Thole John A	R. L. Polk Co.
1955	Mc Coy Ida Mrs	R. L. Polk Co.
1950	Avery M M Mrs	R. L. Polk & Co.
1945	Avery M M Mrs	R. L. Polk Co.
1940	Scott Ruth	R. L. Polk Co.
1935	Vogel H M Mrs	R. L. Polk & Co. of California
1930	Harwell J E	R. L. Polk Co. of California

141 WILLIAM ST E

Year	Uses	Source
2000	QUYE Edwin	Haines & Company
1996	Esparza Chris	Pacific Bell
1975	Orono David	Pacific Telephone
1970	Wang Michl	R. L. Polk & Co.
1966	KONG LORRAINE	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1960	Perales Larry	R. L. Polk Co.
1955	Arquilla Geo E	R. L. Polk Co.
1950	Arquilla Geo	R. L. Polk & Co.
1945	Mc Cormick Margt Mrs	R. L. Polk Co.
1940	Mc Cormick M M Mrs	R. L. Polk Co.
1935	Pyle N E	R. L. Polk & Co. of California
	Mc Cormick M M Mrs o	R. L. Polk & Co. of California
1930	Mc Cormick M M Mrs	R. L. Polk Co. of California

144 WILLIAM ST E

Year	Uses	Source
1960	Allen Lillian Mrs	R. L. Polk Co.
1955	Bagwell Lillian Mrs	R. L. Polk Co.
1950	Raduechel Eva	R. L. Polk & Co.
1945	Anderson Hilda Mrs	R. L. Polk Co.
1940	Spellman Dorothy	R. L. Polk Co.
1935	Bongotti Frank	R. L. Polk & Co. of California

148 WILLIAM ST E

Year	Uses	Source
2000	GATEWAY APTS	Haines & Company
	CAMPAGNA James	Haines & Company
	CASTILLO Jaime E	Haines & Company
	CIPRIANO Miguel Angel	Haines & Company
	DU Tuan	Haines & Company
	HERNANDEZ R	Haines & Company
	JARIWALA Chelan	Haines & Company
	JUAREZ Ivan	Haines & Company
	KLOPP Kelly C	Haines & Company
	LOBATO Agustin	Haines & Company
	MENTA Bhautik	Haines & Company
	SCHERICH Johnny	Haines & Company
	SPRESTER Justin K	Haines & Company
	STEPHAN Ross	Haines & Company
	WILDER J	Haines & Company
	WILLIAMS Amanda	Haines & Company
1996	9 Hernaodez R	Pacific Bell
	24 Wilder J	Pacific Bell
	25 Bongalos Roy	Pacific Bell

FINDINGS

Year	Uses	Source
1975	Wong J	Pacific Telephone
	Astle Robt	Pacific Telephone
	Lum R	Pacific Telephone
	French Barbara	Pacific Telephone
	Vacant	Pacific Telephone
	Ching Chiang	Pacific Telephone
	Chin L	Pacific Telephone
	Kam Chiang	Pacific Telephone
	Cambra N	Pacific Telephone
	Welsch Dave	Pacific Telephone
	Palace Apartments	Pacific Telephone
	Cole Lawrence	Pacific Telephone
	Fujimoto N	Pacific Telephone
	Davis Mina	Pacific Telephone
	Roane Alvin	Pacific Telephone
	Katamoto Margt	Pacific Telephone
	Valdez T	Pacific Telephone
	Prichard G	Pacific Telephone
	Brudvig C	Pacific Telephone
	Davis C	Pacific Telephone
	Pratt J	Pacific Telephone
	Anl Ngo Quoc	Pacific Telephone
	Harris B	Pacific Telephone
	Iwasaki J	Pacific Telephone
	Fisher C	Pacific Telephone
	Ornelas Ramos	Pacific Telephone
	Gin H	Pacific Telephone
	Ulmer B	Pacific Telephone
	Mejia Huerta	Pacific Telephone
	Vacant	Pacific Telephone
	Stockam N	Pacific Telephone
1970	Palace Apartments	R. L. Polk & Co.
	Hardy Kenneth B	R. L. Polk & Co.
	Crug Carl	R. L. Polk & Co.
	Booth Wm	R. L. Polk & Co.
	Oxley Terry	R. L. Polk & Co.
	Bergman Craig	R. L. Polk & Co.
	Steffens Nancy	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	Rice Robt	R. L. Polk & Co.
	Sorem Allen	R. L. Polk & Co.
	Bolton Charlotte	R. L. Polk & Co.
	OHare Patk	R. L. Polk & Co.
	Schenck Patricia C	R. L. Polk & Co.
	Pitcher Wm W	R. L. Polk & Co.
	Doherty Joan	R. L. Polk & Co.
	Lesar Michi	R. L. Polk & Co.
	Richie Randolph	R. L. Polk & Co.
	Stewart Geo	R. L. Polk & Co.
	Navies Jerome	R. L. Polk & Co.
	Tiernau Patricia	R. L. Polk & Co.
	Coe Lois	R. L. Polk & Co.
	Commins Robt	R. L. Polk & Co.
	Me Afee Karen	R. L. Polk & Co.
	Compagna Paul M	R. L. Polk & Co.
	Parks Cathy	R. L. Polk & Co.
	Hautala Evlyn	R. L. Polk & Co.
	Jacobson Philip	R. L. Polk & Co.
	Ketman Carolyn	R. L. Polk & Co.
	Meili Russ	R. L. Polk & Co.
	Park Gerald	R. L. Polk & Co.
	Jahn Sheldon	R. L. Polk & Co.
	Lando Diane	R. L. Polk & Co.
1966	PALACE APARTMENTS	R. L. Polk & Co.
	SCHRECENGOST RUSS	R. L. Polk & Co.
	VACANT APTS	R. L. Polk & Co.
	MC CLEAN DICK	R. L. Polk & Co.
	SEKIMOTO RODNEY	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	MORTON DON	R. L. Polk & Co.
	BRADEN TROY	R. L. Polk & Co.
	THEER MARTIN	R. L. Polk & Co.
	HARRISON CINDY	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	SQUIRES ROLAND	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	NORDEY ROGER	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1966	VACANT	R. L. Polk & Co.
	ALVAREZ ERNIE	R. L. Polk & Co.
	KURZ CHERI	R. L. Polk & Co.
	GRIFFIN PAT	R. L. Polk & Co.
	MALONEY MIKE	R. L. Polk & Co.
	COKELY TONY	R. L. Polk & Co.
	POWELL JUAN	R. L. Polk & Co.
	KELLER ANN	R. L. Polk & Co.
	SHULTZ BRUCE	R. L. Polk & Co.
	MABEN LEONA	R. L. Polk & Co.
	SILVER RAY	R. L. Polk & Co.
	GRAHAM S C	R. L. Polk & Co.
	FREEMAN JERRY	R. L. Polk & Co.
	MARKWELL BETH	R. L. Polk & Co.
	NISHI JOANNE	R. L. Polk & Co.
	LOGAN SUE	R. L. Polk & Co.
1960	Neff Annie B Mrs	R. L. Polk Co.
1955	Salmon Robt V	R. L. Polk Co.
	1/2 Neff Annabelle B Mrs	R. L. Polk Co.
1950	Salmon R V	R. L. Polk & Co.
	1/2 Neff A B Mrs	R. L. Polk & Co.
1945	Salmon R V	R. L. Polk Co.
	1/2 Neff A B Mrs	R. L. Polk Co.
1940	Hampton Olive Mrs	R. L. Polk Co.
1935	Brennan R D	R. L. Polk & Co. of California
1930	Shillerston M	R. L. Polk Co. of California
1925	Mesquite F T	R. L. Polk & Co.
1922	Brennan J A	R. L. Polk Co.

152 WILLIAM ST E

Year	Uses	Source
1955	Bob & Teds Serv Sta gas & trailer rentals	R. L. Polk Co.
1950	Bob & Teds gas sta	R. L. Polk & Co.
1945	Bibb D M gas sta	R. L. Polk Co.
1940	Bob & Teds Station gas sta	R. L. Polk Co.
1935	Lee O W gas sta	R. L. Polk & Co. of California
1930	ODonnell Cornelius gas sta	R. L. Polk Co. of California

FINDINGS

153 WILLIAM ST E

Year	Uses	Source
1945	Davis B M	R. L. Polk Co.
1935	Vacant	R. L. Polk & Co. of California
1930	Vacant	R. L. Polk Co. of California
1925	Wardlow P A	R. L. Polk & Co.
1922	Mills Arthur	R. L. Polk Co.

160 WILLIAM ST E

Year	Uses	Source
1945	Allman Nora Mrs	R. L. Polk Co.
	Hoover Nettie Mrs	R. L. Polk Co.
	Kolbo S N	R. L. Polk Co.
1940	Hover Nettie Mrs	R. L. Polk Co.
	Lally R P	R. L. Polk Co.
	Pacheco Jos	R. L. Polk Co.
1935	Lee O W	R. L. Polk & Co. of California
	Pierce E L	R. L. Polk & Co. of California
	Lally R P	R. L. Polk & Co. of California
1930	Sharp E P	R. L. Polk Co. of California
1925	Hover Mrs Nettie	R. L. Polk & Co.
1922	Green Mrs M C rear	R. L. Polk Co.
	Briggs H E	R. L. Polk Co.
	Hoover Mrs Nettie	R. L. Polk Co.

167 WILLIAM ST E

Year	Uses	Source
2000	LUONG Lan	Haines & Company
	NGUYEN Minh T	Haines & Company
	SPIELBAUER Dennis	Haines & Company
1975	Fisher Bryon	Pacific Telephone
1970	Dufly Patk	R. L. Polk & Co.
	Lack Bryan	R. L. Polk & Co.
	Gardner Perry	R. L. Polk & Co.
1966	VACANT	R. L. Polk & Co.
1960	Dodd Glana Mrs	R. L. Polk Co.
	Glanas Salon & Beauty Shop	R. L. Polk Co.
	Mortenson A M	R. L. Polk Co.
1955	Five Star Dance Studio	R. L. Polk Co.
	Mortenson Marie	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1950	Mortenson A M	R. L. Polk & Co.
	Mortenson Marie	R. L. Polk & Co.
	Mrs dance tchr	R. L. Polk & Co.
1945	Prendergast E W chiropractor	R. L. Polk Co.
1940	Keys W G chiropractor	R. L. Polk Co.
	Whitehead H K chiropractor	R. L. Polk Co.
1935	a Howard W D	R. L. Polk & Co. of California
	Castleman Bernard o	R. L. Polk & Co. of California
1930	a Nelson Olof	R. L. Polk Co. of California
	Castleman A B	R. L. Polk Co. of California
1925	Wright Mrs M M	R. L. Polk & Co.
1922	Wright Mrs Mae	R. L. Polk Co.

169 WILLIAM ST E

Year	Uses	Source
2000	DOYLE Michael	Haines & Company
1975	Vacant	Pacific Telephone
	Doyle Frances Mrs	Pacific Telephone
1970	Doyles Permanent Wave Shop	R. L. Polk & Co.
	Doyle James C	R. L. Polk & Co.
1966	DOYLES PERMANENT WAVE SHOP	R. L. Polk & Co.
	DOYLE JAMES C	R. L. Polk & Co.
1960	Doyles Permanent Wave Shop	R. L. Polk Co.
	Doyle Jas C	R. L. Polk Co.
1955	Doyles Permanent Wave Shop	R. L. Polk Co.
	Doyle Jas C	R. L. Polk Co.
1950	Sharpe Beulah	R. L. Polk & Co.
1945	Willcoxon Sidney	R. L. Polk Co.
1940	Evans F W	R. L. Polk Co.
1935	Evens F W o	R. L. Polk & Co. of California
1930	Evens F W	R. L. Polk Co. of California
1925	Wilkin Mrs S E	R. L. Polk & Co.
	Evens F W	R. L. Polk & Co.
1922	Gall N J	R. L. Polk Co.
	Brown W M	R. L. Polk Co.

170 WILLIAM ST E

Year	Uses	Source
2000	CABEZUT Betty	Haines & Company

FINDINGS

Year	Uses	Source
2000	GELDARD Craig A	Haines & Company
1975	Apartments	Pacific Telephone
	Murakami Alsop	Pacific Telephone
	Dominguez David	Pacific Telephone
	Muscio J L	Pacific Telephone
	Turner S	Pacific Telephone
	Hawkins K Jessie	Pacific Telephone
1970	Chan Carla	R. L. Polk & Co.
	Apartments	R. L. Polk & Co.
	Lavezzo Loretta	R. L. Polk & Co.
	Rege Karen M	R. L. Polk & Co.
	Me Mahon Helen P Mrs	R. L. Polk & Co.
	Graham Myrtle Mrs	R. L. Polk & Co.
	Sparling Sally L	R. L. Polk & Co.
1966	APARTMENTS	R. L. Polk & Co.
	HAMILTON GRACE MRS	R. L. Polk & Co.
	ALIBERTI CARLA	R. L. Polk & Co.
	MC MAHON HELEN MRS	R. L. Polk & Co.
	CLEMENT GLADYS MRS	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	AGGARWAL KAMAL K	R. L. Polk & Co.
1960	Apartments	R. L. Polk Co.
	Hamilton Grace A Mrs	R. L. Polk Co.
	Runner Dorothy Mrs	R. L. Polk Co.
	Silveira Joe	R. L. Polk Co.
	Mc Mahon Helen	R. L. Polk Co.
	Rovetti Fred J	R. L. Polk Co.
	Street continued	R. L. Polk Co.
1955	Apartments	R. L. Polk Co.
	Hamilton Geo A	R. L. Polk Co.
	Doyle Anna B Mrs	R. L. Polk Co.
	Gilrnore Wm A	R. L. Polk Co.
	Townsend Eliz M Mrs	R. L. Polk Co.
	Vacant	R. L. Polk Co.
1950	udy C C Mrs	R. L. Polk & Co.
	Minton W B Mrs	R. L. Polk & Co.
	Simpkins J I Mrs	R. L. Polk & Co.
	Church T L Mrs	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1950	Doyle A B Mrs	R. L. Polk & Co.
	Ford H J	R. L. Polk & Co.
1945	Bowers Sadie	R. L. Polk Co.
	Bruner Zelma Mrs	R. L. Polk Co.
	Church Theresa Mrs	R. L. Polk Co.
	Johnson W D	R. L. Polk Co.
	Miller Emily Mrs	R. L. Polk Co.
	Simpkins J I Mrs	R. L. Polk Co.
1940	Paul G F	R. L. Polk Co.
	Sanders R E	R. L. Polk Co.
	Simpkins J I Mrs	R. L. Polk Co.
	Sullivan Jas	R. L. Polk Co.
1935	Allan J C	R. L. Polk & Co. of California
	Paull G F	R. L. Polk & Co. of California
	Simpkins J I Mrs	R. L. Polk & Co. of California
	Wolfe Betty Mrs	R. L. Polk & Co. of California
1930	Paull G F	R. L. Polk Co. of California
	Simpkins J I Mrs	R. L. Polk Co. of California
	Stovall R J	R. L. Polk Co. of California
	Anderson G R	R. L. Polk Co. of California
1925	Gaumer Frank	R. L. Polk & Co.
	Quinhy Mrs N F	R. L. Polk & Co.
1922	Burkett W E	R. L. Polk Co.

177 WILLIAM ST E

Year	Uses	Source
2000	WISE Charles	Haines & Company
	JOHNS Mark	Haines & Company
1966	WISE CHARLES D CYS	R. L. Polk & Co.
1960	Wise Chas F CY	R. L. Polk Co.
1955	Wise Chas F	R. L. Polk Co.
1950	Wise C F	R. L. Polk & Co.
1945	Wise C F	R. L. Polk Co.
1940	Wise C F	R. L. Polk Co.
1935	OKeefe P M	R. L. Polk & Co. of California
1930	Glasby Jas	R. L. Polk Co. of California
1925	Glasby Jas	R. L. Polk & Co.

FINDINGS

180 WILLIAM ST E

Year	*Uses*	*Source*
2000	CLAYTON Aaron	Haines & Company
	GUTIEREZ David	Haines & Company
1975	Bishop Miguel	Pacific Telephone
1970	Watkins Gary	R. L. Polk & Co.
1966	VACANT	R. L. Polk & Co.
1960	Norton Mary Mrs	R. L. Polk Co.
1955	Norton Mary Mrs	R. L. Polk Co.
1950	Monck L M Mrs	R. L. Polk & Co.
1945	Hudson T B	R. L. Polk Co.
1940	Hudson T B	R. L. Polk Co.
1935	Fowler P G	R. L. Polk & Co. of California
1930	Bisschop L Cornelia	R. L. Polk Co. of California
1925	Lee Clara G	R. L. Polk & Co.
1922	Pine Mrs E J	R. L. Polk Co.

201 WILLIAM ST E

Year	*Uses*	*Source*
2000	NGUYEN K	Haines & Company
1975	a Gillette Barbara	Pacific Telephone
	b Abraham J D	Pacific Telephone
	c Vacant	Pacific Telephone
1970	Henriques D	R. L. Polk & Co.
	Carson Christine	R. L. Polk & Co.
	Green H	R. L. Polk & Co.
1966	APARTMENTS	R. L. Polk & Co.
	CAMPBELL GWEN	R. L. Polk & Co.
	BYNON JOAN	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
1960	Smith Elna	R. L. Polk Co.
	Apartments	R. L. Polk Co.
	Scott Gay	R. L. Polk Co.
	Smith Patti	R. L. Polk Co.
	Street continued	R. L. Polk Co.
1955	Cahill Marion	R. L. Polk Co.
	Rugh Judith	R. L. Polk Co.
	Van Winkle Sally	R. L. Polk Co.
1950	Lorenz Vivian	R. L. Polk & Co.
	Reed Maxine	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1950	Hildreth Roxana	R. L. Polk & Co.
1945	Gifford Maude	R. L. Polk Co.
	Cox A E	R. L. Polk Co.
1940	Lezie Zoa Mrs	R. L. Polk Co.
1935	Mossman Lucille	R. L. Polk & Co. of California
1930	Potter E L Mrs	R. L. Polk Co. of California
1925	Potter Mrs E L	R. L. Polk & Co.

FINDINGS

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

Address Researched	Address Not Identified in Research Source
100 E WILLIAM ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
101 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1991, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
101 WILLIAM ST E	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
108 SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925
108 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1936, 1931, 1926, 1922
110 E SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
110 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
110 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
110 WILLIAM ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1930, 1926, 1925, 1922
112 E WILLIAM ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
114 E WILLIAM ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
114 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
120 E WILLIAM ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
121 E SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
121 SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925

FINDINGS

Address Researched	Address Not Identified in Research Source
121 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1922
122 E SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
122 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
122 SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925
122 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926, 1922
123 E SAN SALVADOR ST	2014, 2010, 2001, 2000, 1996, 1991, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
123 SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925
123 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1922
123 WILLIAM ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
124 SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925
124 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1942, 1936, 1931, 1926, 1922
125 E SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
125 SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925
125 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1925, 1922
126 E SAN SALVADOR ST	2014, 2010, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
126 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
127 E SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
127 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
127 SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925
127 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1922
127 WILLIAM ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
128 SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925
128 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1942, 1936, 1931, 1926, 1922
129 WILLIAM ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925
130 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
130 E WILLIAM ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
130 WILLIAM ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
131 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
131 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1991, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
131 E William St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
131 WILLIAM ST E	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
132 E WILLIAM ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
132 SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925
132 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1942, 1936, 1931, 1926, 1922
132 WILLIAM ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
133 E WILLIAM ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
133 WILLIAM ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
134 E SAN SALVADOR ST	2014, 2010, 2001, 2000, 1996, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
134 E San Salvador St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
134 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
134 WILLIAM ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
135 E WILLIAM	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
135 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
135 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1991, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
135 WILLIAM ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
136 E WILLIAM ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
136 WILLIAM ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
137 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
137 WILLIAM ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1925, 1922
138 E SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
138 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
139 E WILLIAM	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
139 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
139 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1991, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
139 WILLIAM ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1925, 1922
140 E WILLIAM ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
141 E WILLIAM	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
141 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
141 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
141 WILLIAM ST E	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1925, 1922
144 WILLIAM ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1930, 1926, 1925, 1922
148 E WILLIAM	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
148 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
148 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
148 WILLIAM ST E	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
152 E WILLIAM	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
152 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
152 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1946, 1945, 1942, 1936, 1931, 1926, 1922
152 WILLIAM ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1946, 1942, 1936, 1931, 1926, 1925, 1922
153 WILLIAM ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1942, 1940, 1936, 1931, 1926
157 E WILLIAM ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
160 WILLIAM ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1942, 1936, 1931, 1926
162 E SAN SALVADOR ST	2014, 2010, 2001, 2000, 1996, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
162 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1930, 1926, 1925, 1922
164 E SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
164 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1930, 1926, 1925, 1922
166 E SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
166 SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925
166 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1922
167 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
167 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1985, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
167 WILLIAM ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
168 E SAN SALVADOR ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
168 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
169 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
169 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
169 WILLIAM ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
170 E SAN SALVADOR ST	2014, 2010, 2001, 2000, 1996, 1991, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
170 E WILLIAM	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
170 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
170 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
170 SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925
170 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1945, 1942, 1940, 1936, 1931, 1926, 1922
170 WILLIAM ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
171 E SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
171 SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925
171 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1922
172 E SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
172 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
177 E SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
177 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
177 SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925
177 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1922
177 WILLIAM ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1922
178 E SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
178 SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925
178 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
180 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
180 WILLIAM ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
184 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
201 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
201 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
201 WILLIAM ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1922
219 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1936, 1931, 1930, 1926, 1925, 1922
320 S 5TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
330 S 5TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
336 S 5TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
342 S 5TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
344 S 5TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
349 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
350 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1946, 1942, 1936, 1931, 1926
350 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
351 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1946, 1942, 1936, 1931, 1926
351 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
352 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1926

FINDINGS

Address Researched	Address Not Identified in Research Source
353 4TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926, 1922
353 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
353 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
355 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1955, 1946, 1942, 1940, 1936, 1935, 1931, 1926
355 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
356 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1942, 1936, 1931, 1926
356 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1926, 1925, 1922
357 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926
357 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1942, 1936, 1935, 1931, 1926
357 S 4 RH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
357 S 4IH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
357 S 4T	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
357 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
357 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
357 S 4th St	2014, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
358 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
360 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1946, 1942, 1936, 1935, 1931, 1926
360 S 4TH C	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
360 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
360 S 5TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
362 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
362 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
364 S 5TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
365 4TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
365 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
367 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
367 S 4H1	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
367 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1985, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
368 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
368 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
369 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
369 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
369 S 3RD ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
370 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
370 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926

FINDINGS

Address Researched	Address Not Identified in Research Source
370 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
370 S 5TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
371 3RD ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1930, 1926, 1925, 1922
371 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
372 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
374 3RD ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
374 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
374 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
374 S 3rd St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
375 3RD ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1930, 1926, 1925, 1922
375 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
375 S 3C!D	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
375 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
375 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
375 S 3rd St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
375 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
375 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
376 S 5TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
380 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
380 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1930, 1926, 1925, 1922
380 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
383 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
385 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
385 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
385 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
386 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
386 S 5TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
388 S 5TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
389 3RD ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
389 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1926, 1925, 1922
389 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
389 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
390 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926, 1925, 1922
390 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
391 3RD ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
391 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
391 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
392 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1930, 1926
392 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
392 S 3RD ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
393 3RD ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
393 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
393 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
393 S 3rd St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
394 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1965, 1964, 1963, 1962, 1960, 1957, 1946, 1942, 1936, 1931, 1926
394 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
395 3RD ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
395 4TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
395 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
395 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
395 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
396 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926

FINDINGS

Address Researched	Address Not Identified in Research Source
396 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
396 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
398 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1946, 1942, 1936, 1931, 1926
398 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1950, 1946, 1942, 1936, 1935, 1931, 1930, 1926
398 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
398 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
40 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
40 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
40 WILLIAM ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
400 3RD ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
400 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
400 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
400 S 3rd St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
402 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
402 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
402 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
402 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
402 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
404 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1931, 1926
404 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
404 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
405 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
405 5TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
405 S 4LH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
405 S 4T	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
405 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
405 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
405 S 4TO	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
405 S 4TT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
405 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
407 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
407 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
476 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
476 S 2nd St	2014, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
476 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
476 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
477 3RD S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
477 3RD ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
477 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
477 S 3RD ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
478 2ND ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
478 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
478 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
479 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1946, 1942, 1936, 1935, 1931, 1926
479 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
480 3RD ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
480 4TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
480 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
480 S 3RD ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
480 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
480 S 5 WHITE RD 2727713	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
481 2ND ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1922
481 5TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1930, 1926, 1925, 1922
481 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
481 S 5th St	2014, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
482 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
482 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
482 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
482 S 2nd St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
483 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926
483 5TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
483 S 5TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
484 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1926, 1925, 1922
484 5TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
484 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
485 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926, 1925, 1922
485 5TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1925, 1922
485 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
485 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
485 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
486 5TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
486 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
487 4TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
487 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1925, 1922
487 S 4th St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
487 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
49 WILLIAM ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
492 2ND ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925
495 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
495 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926
495 S 2	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
495 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
495 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
495 S 2nd St	2014, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
496 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
496 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
496 S 2ND CT PJO	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
496 S 2ND ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
497 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926
497 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926
497 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
497 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
497 S 2nd St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
498 2ND ST S	2014, 2010, 2006, 2001, 2000, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
498 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
498 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
498 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
498 S 2ND ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
498 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
498 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
498 S 4th St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
498 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
499 2ND ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1945, 1942, 1940, 1936, 1931, 1926, 1925, 1922
499 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
499 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
499 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
501 2ND ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1922
501 5TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
501 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
501 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
501 S 5TT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
502 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1925, 1922
502 3RD ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
502 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
502 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1946, 1942, 1936, 1931, 1926, 1922
502 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
502 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
502 S 2nd St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
502 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
502 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
502 S 4LH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
502 S 4T	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
502 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
502 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
503 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
503 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926, 1922
503 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926

FINDINGS

Address Researched	Address Not Identified in Research Source
503 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
503 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
503 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
503 S 5TH	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
503 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
504 4TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
505 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
505 3RD ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
505 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
505 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
505 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
505 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
505 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
507 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
507 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
507 S 2ND C T	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
507 S 2ND CYPRSS 7	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
507 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
507 S 5TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
509 2ND ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1922
509 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
509 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
512 3RD ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
512 5TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1922
512 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
512 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
512 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
512 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
516 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
516 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
516 S 2ND ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
518 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
518 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
518 S 2ND CAMP	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
518 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
520 2ND ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
520 3RD ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1922
520 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1936, 1935, 1931, 1926, 1922
520 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
520 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
520 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
520 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
521 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
521 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
521 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
521 S 5TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
521 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
521 S 5th St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
522 5TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
522 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
523 2ND ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925
523 S 5WN L	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
525 5TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
526 3RD ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926

FINDINGS

Address Researched	Address Not Identified in Research Source
526 5TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
526 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
526 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
526 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
526 S 5th St	2014, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
527 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
527 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
528 5TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926
529 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
529 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
529 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
529 S 3RD ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
529 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
529 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
530 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
530 5TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
530 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
530 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
533 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
533 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
533 S 3RD ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
535 3RD ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
535 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1942, 1936, 1935, 1931, 1926
535 5TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
535 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
535 S 3RD ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
535 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
535 S 5H	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
535 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
535 S 5th St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
536 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1930, 1926
536 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
537 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
537 S 4LH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
537 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
537 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
537 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
540 3RD ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
540 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
540 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
541 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1942, 1936, 1935, 1931, 1926
542 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1930, 1926
542 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
542 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
542 S 4th St	2014, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
545 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
545 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
545 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
545 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
546 3RD ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1945, 1942, 1940, 1936, 1931, 1926
546 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
546 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
547 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
547 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1942, 1936, 1935, 1931, 1926

FINDINGS

Address Researched	Address Not Identified in Research Source
547 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
547 S 3RD ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
55 E WILLIAM ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
550 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1926, 1925, 1922
550 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
553 3RD ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1946, 1942, 1936, 1931, 1926
553 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
553 S 3RD ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
554 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
554 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1926, 1925, 1922
555 4TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1930, 1926
555 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
558 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
559 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
560 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
560 S 4 LH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
560 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
561 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1946, 1942, 1936, 1935, 1931, 1926

FINDINGS

Address Researched	Address Not Identified in Research Source
561 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
562 4TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1960, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
562 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
565 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
567 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1946, 1942, 1936, 1935, 1931, 1926
570 4TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
570 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
571 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
571 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
60 E WILLIAM ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
65 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1922
70 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
70 WILLIAM ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1946, 1942, 1936, 1931, 1926
71 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
71 WILLIAM ST E	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
75 E WILLIAM	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
80 SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925

FINDINGS

Address Researched	Address Not Identified in Research Source
80 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1936, 1931, 1926, 1925, 1922
81 E WILLIAM	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
81 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
81 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
81 WILLIAM ST E	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
82 SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925
82 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1942, 1936, 1931, 1926, 1922
84 E WILLIAM ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
85 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1942, 1936, 1935, 1931, 1930, 1926, 1925, 1922
88 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1936, 1935, 1931, 1930, 1926, 1925, 1922
93 E WILLIAM	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
93 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
93 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
93 E William St	2014, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
93 WILLIAM ST E	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
96 E SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
96 E San Salvador St	2014, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
96 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
97 E SAN SALVADOR ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
97 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
98 E SAN SALVADOR ST	2014, 2010, 2001, 2000, 1996, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
98 E San Salvador St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
98 SAN SALVADOR ST E	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1946, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
408 3RD ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
408 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1960, 1957, 1946, 1942, 1936, 1931, 1926
408 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
408 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
408 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
408 S 5LH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
408 S 5TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
408 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
408 S 5th St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
409 5TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
409 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
413 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925

FINDINGS

Address Researched	Address Not Identified in Research Source
413 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
414 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
414 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
414 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
414 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
415 3RD ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
415 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1925, 1922
415 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
415 S 5TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
415 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
416 2ND ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1942, 1936, 1931, 1926, 1925, 1922
417 5TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1946, 1942, 1936, 1931, 1926, 1925, 1922
418 2ND ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
418 3RD ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
418 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1950, 1946, 1942, 1936, 1935, 1931, 1926
418 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
418 S 2ND CY DRESS	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
418 S 2ND CY PRESS	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
418 S 2ND ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
418 S 2nd St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
418 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
418 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
418 S 3rd St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
418 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
419 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1946, 1942, 1936, 1931, 1926
419 5TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926
42 E WILLIAM	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
42 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
42 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
42 WILLIAM ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
420 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
420 3RD ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
420 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1930, 1926
420 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
420 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
420 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
420 S 3A	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
420 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
420 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
420 S 3rd St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
420 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
420 S 5LH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
420 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
420 S 5th St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
421 2ND ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1922
421 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1936, 1935, 1931, 1926
425 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1925
425 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
425 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
425 S 2ND ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
425 S 2nd St	2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
425 S 4TH H	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
425 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
425 S 4TW T	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
426 2ND ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
427 3RD ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
427 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
427 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
427 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
427 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
427 S 5FH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
427 S 5TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
427 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
428 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
429 4TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
429 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
430 2ND ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
430 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
430 5TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1922
430 S 4TH CY PRESS	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
430 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
430 S 4th St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
430 S 5TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
432 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1930, 1926, 1925, 1922
432 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1942, 1936, 1935, 1931, 1926
432 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
432 S 2ND CPRSS	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
432 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
434 S 5TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
435 2ND ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
435 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926
435 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
435 S 2ND ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
436 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1942, 1936, 1931, 1926
439 2ND ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1942, 1936, 1931, 1926, 1925, 1922
439 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1930, 1926
439 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
439 S 4	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
439 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
439 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
439 S 4TI	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
439 S 5LH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
439 S 5TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
439 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
440 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1936, 1935, 1931, 1930, 1926, 1925, 1922
440 S 5SSSE A	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
441 2ND ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
441 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
441 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
441 S 3TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
441 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
441 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
442 4TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
442 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
442 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
442 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
442 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
444 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
444 S 3	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
444 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
444 S 5TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
444 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
445 3RD ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
445 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
445 S 3CD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
445 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
445 S 3RD ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
445 S 3rd St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
445 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
446 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
446 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
446 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
446 S 5	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
448 2ND ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1922
448 3RD ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925

FINDINGS

Address Researched	Address Not Identified in Research Source
448 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
448 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
448 S 5 OTH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
45 E WILLIAM CT	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
45 E WILLIAM ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
45 WILLIAM ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
450 2ND ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1960, 1957, 1946, 1942, 1936, 1931, 1926
450 5TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1931, 1930, 1926, 1925, 1922
450 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
450 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
451 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
451 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
451 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
451 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
451 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
452 3RD ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
452 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
452 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
452 S 3RD ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
452 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
453 3RD ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1925, 1922
453 5TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
453 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
453 S 3RD ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
453 S 5TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
453 S 5TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
454 5TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
454 S 5TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
455 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
455 3RD ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
455 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
455 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
455 S 2nd St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
455 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
455 S 3RD ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
455 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
456 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
456 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
456 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
456 S 2nd St	2014, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
456 S 2T	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
458 2ND ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
458 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
458 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1922
458 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
458 S 2ND ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
458 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
458 S 5LH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
458 S 5T	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
458 S 5TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
458 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
459 5TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
460 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1926, 1925, 1922
460 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
460 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
460 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
460 S 2nd St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
460 S 4T	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
460 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
460 S 4TT	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
461 S 4	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
462 2ND ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1946, 1942, 1936, 1931, 1926
463 2ND ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
463 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
463 S 2ND ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
464 2ND ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1950, 1946, 1942, 1936, 1931, 1926, 1922
464 4TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
464 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
464 S 2ND ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
464 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
465 4TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926
465 5TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926

FINDINGS

Address Researched	Address Not Identified in Research Source
465 S 3RD ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
465 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
465 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
465 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
465 S 5th St	2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
466 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1960, 1957, 1946, 1945, 1942, 1936, 1931, 1930, 1926, 1925, 1922
466 5TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
466 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
466 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
466 S 2nd St	2014, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
466 S 4TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
466 S 5LH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
466 S 5T	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
466 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
466 S 5th St	2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
467 3RD ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
467 4TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
467 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
467 S 3RD ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
467 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
468 2ND ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1946, 1942, 1936, 1931, 1926
469 2ND ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
469 3RD ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
469 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
469 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
469 S 3RD ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
469 S 3rd St	2014, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
469 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
47 E WILLIAM ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
47 WILLIAM ST E	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
470 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
470 3RD ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926, 1922
470 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
470 S 2	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
470 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
470 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
470 S 2nd St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
470 S 3RD	2014, 2010, 2006, 2001, 2000, 1996, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
470 S 3RD ST	2014, 2010, 2006, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
470 S 3rd St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
470 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
470 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
470 S 4TL	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
470 S 5TH ST	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
471 5TH ST S	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1931, 1930, 1926, 1925, 1922
474 4TH ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
474 S 4TH	2014, 2010, 2006, 2001, 2000, 1996, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
474 S 4TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
475 2ND ST S	2014, 2010, 2006, 2001, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
475 5TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
475 S 2ND	2014, 2010, 2006, 2001, 2000, 1996, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
475 S 2ND ST	2014, 2010, 2001, 2000, 1996, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
475 S 2nd St	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
475 S 5TH ST	2014, 2010, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
476 2ND ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1926
476 5TH ST S	2014, 2010, 2006, 2001, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1968, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1926

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched	Address Not Identified in Research Source
459 & 475 South 4th Street	2001, 1982, 1978, 1974, 1968, 1965, 1964, 1962, 1946, 1942, 1936, 1935, 1931, 1926



TP, San Jose, 1889, 15-minute

0 Miles 0.25 0.5 1 1.5

N

Key: Subject Property



TP, San Jose, 1897, 15-minute

0 Miles 0.25 0.5 1 1.5

N

Key: Subject Property



TP, San Jose, 1899, 15-minute

0 Miles 0.25 0.5 1 1.5

N

Key: Subject Property



TP, San José West, 1953, 7.5-minute
E, San José East, 1953, 7.5-minute

0 Miles 0.25 0.5 1 1.5

N

Key: Subject Property

APPENDIX B: Topographic Maps

Project No. 19-253616.1

PARTNER


Subject Property
SAN JOSE
College Park
Willow Glen
SAN JOSE
Coyote Creek
Western Creek
Guadalupe River
Clay Pit
Spartan Field and Stadium
Ball Park
KELLEY PARK
PUEBLO LOT
Radio Towers (KLIV)
Civic Center
City Hall
Burnett Jr High Sch
Jefferson Sch
Columbus Park
Fire Sta
Armory
Courthouse
St James Square
Post Office
Washington Square
Hoover Sch
Roosevelt Jr HS
Five Wounds Sch
San Jose High Sch
San Jose Hospital
McKinley Sch
San Jose Bible College
Notre Dame High Sch
Lowell Sch
Gardner Sch
Washington Sch
Woodrow Wilson Jr High Sch
Sacred Heart Sch
Drive-in Theater
Broadway Sch
Biebrach Park
Cahill Park
Columbus Park
Backesto Park
Grant Sch
Olinder Sch
Sunol Sch
St Joseph Sch
St Patricks Sch
Main Sch
Edison High Sch
Gas
Water
Station
Substation
Gaging Sta
City Plaza
Park
Sta
Creek
Pacific
Monterey
Alameda
Santa Clara
San Carlos
Julian
Taylor
Keyes
Alma
Phelan
Pueblo
Willow
Delmas
Almaden
Margaret
Martha
Virginia
Reed
William
Fremont
Hobson
Empire
Jackson
Grant
Ferdinand
Market
Lincoln
Bird
Coleman
Autumn
Palm
Yerba Buena
Peach Ct
Whitton
Fair Oaks
Bird Ave
Lincoln Ave
Willow Glen
Broadway
Pacific
Monterey
Alma
Phelan
Pueblo
Keyes



TP, San Jose West, 1968, 7.5-minute
E, San Jose East, 1968, 7.5-minute

0 Miles 0.25 0.5 1 1.5

N

Key: Subject Property

APPENDIX B: Topographic Maps

Project No. 19-253616.1

PARTNER



TP, San Jose West, 1973, 7.5-minute
E, San Jose East, 1973, 7.5-minute

0 Miles 0.25 0.5 1 1.5

N

Key: Subject Property

APPENDIX B: Topographic Maps

Project No. 19-253616.1

PARTNER



TP, San Jose West, 1980, 7.5-minute
E, San Jose East, 1980, 7.5-minute

0 Miles 0.25 0.5 1 1.5

N

Key: Subject Property

APPENDIX B: Topographic Maps

Project No. 19-253616.1

PARTNER



TP, San Jose West, 2012, 7.5-minute
E, San Jose East, 2012, 7.5-minute

0 Miles 0.25 0.5 1 1.5

N

Key: Subject Property

APPENDIX B: Topographic Maps

Project No. 19-253616.1

PARTNER

OFFICE OF COUNTY ASSESSOR — SANTA CLARA COUNTY, CALIFORNIA

BOOK 467 | PAGE 47

1" = 100'

46 | 45 | 48

E. SAN SALVADOR STREET

L.L.A. 22698776

B.4 R.2 S. | B.4 R.3 S. 92/98 | B.4 R.4 S. 110 122/126 | B.4 R.5 S. 162 168/172

S. FIRST STREET | S. SECOND STREET | S. THIRD STREET | S. FOURTH STREET | J.C.MURPHY SUB. S. FIFTH STREET

BOOK 264

90 97 89 20 3 19 4 95 7 91 98 11 12 13

42 23 41 24 40 25 26 39 27 38 28 29 37 30 36 31 35 33 32 34

45 46 44 43 62 47 48 96 49 58 57 50 92 103 17,537 sf 52 53

105 4,790sf 63 64 67 68 88 69 87 70 86 71 85 84 72 83 73 82 74 75 81 80 79 78 76 102

C.L.M. 18278854

E. WILLIAM STREET

P.M. 276-M-38

104 CITY OF SAN JOSE *STREET VACATION* DOC. 18286593 0.031 AC.

BOOK 472

TRA DET. MAP 115

LAWRENCE E. STONE – ASSESSOR
Cadastral map for assessment purposes only.
Compiled under R. & T. Code, Sec. 327.
Effective Roll Year 2019–2020

65 475 S. 4th St.

RE-COVER

Tract No. _____ Lot No. _____

CITY OF SAN JOSE **BUILDING DEPARTMENT**

APPLICATION FOR BUILDING PERMIT

Date 11/20, 1980 Permit No. 25885/MKO

Application is hereby made for a permit to Reroof

a 2 story, Type _____ Building _____ Use Zone _____

at 475 So 4th Street Occupancy _____

to be occupied only as Residential Apts. Parking Space _____

in accordance with Plans, Specifications and Plot-plan filed herewith. Fire Sprinkler _____

Estimated Value of Improvements, $ 9900 Emer. Elect. _____

I certify that in the performance of the work for which this permit is issued I shall not employ any person in any manner so as to violate the workmen's compensation laws of California.

Owner WALTER HARDING Address 502 So 2D

By KEITH ROOFING CO INC Address 940 Lincoln Ave SJ

RECORD OF INSPECTION

Foundation _____ Frame _____

Stucco _____ Finish _____

STATEMENT OF ROOFING SELF-CERTIFICATION

I hereby certify the completion of a roofing application at 475 So 4Th ST

in accordance with Permit # 25885 is in full compliance with the manufacturer's specifications, with the adopted portions of the Uniform Building Code and the building requirements of the City of San Jose.

Company Name: _____

Company Address: KEITH ROOFING CO. INC.
940 Lincoln Ave.
San Jose, CA 95126

Contractor's State License No 284328

Authorized Signature: _____

This card is to be returned to the Building Department within 15 days of completion.

rev. Form 280-651N

1. LOCATION 475 So 4TH ST	2. DATE RCD.	3. TIME RCD.
4. READY AM (X) PM ( ) ANYTIME ( ) SPECIFY Tues	5. TYPE OF INSPECT. Reroof	6. AREA
7. INSPT. MADE TIME ____ DATE 11-24-80		
8. APPROVED (✓) DISAPPROVED ( )	9. REMARKS: Prog Dmp T-up Tear Off Progress	

INSPECTOR Dave Lunt

280 - 671

WHITE - FILE YELLOW - INSPECTOR PINK - OFFICE

1. LOCATION 475 So. 4TH ST	2. DATE RCD.	3. TIME RCD.
4. READY AM ( ) PM ( ) ANYTIME ( ) SPECIFY ____ wed ~~Tue~~	5. TYPE OF INSPECT. Prog	6. AREA
7. INSPT. MADE TIME ____ DATE 11-26-80		
8. APPROVED ( ) DISAPPROVED ( )	9. REMARKS: CK Bar Permit	

INSPECTOR Dave Lunt

280 - 671

WHITE - FILE YELLOW - INSPECTOR PINK - OFFICE

459 So. 4th St

Gold Elect 3A

Building Permit Confirmed ☐
Not Required ☑

CITY OF SAN JOSE 1-27-91 BUILDING DEPARTMENT

APPLICATION FOR ELECTRICAL PERMIT

Date 12/3/ 1990 Permit No. 65027

The undersigned hereby makes application to the Electrical Inspector of the City of San Jose for a permit to install electrical fixtures and/or wiring as listed on the reverse side.

Exemption from requirement for State of California for Contractor's License is hereby claimed by undersigned: as owner ☐ statement filed ☐

Undersigned attests that his State of California Contractor's License # C10 400157 ✓ is in full force and effect and properly authorizes this application.

San Jose City Business License # 077711 291 ✓

I certify that in the performance of the work for which this permit is issued I shall not employ any person in any manner so as to violate the workmen's compensation laws of California.

OWNER W. HARDING

ADDRESS 459 So 4th ST

USE OF BUILDING single resid.

FIRM GOLD ELECTRIC, INC. ~~B.A.L. Lic. 400157~~ 3701 QUINLAN LANE SAN JOSE, CA 95118 (408) 269-5157

SIGNED Klaus Gerwel

280-201n

Meter / Main / Load C. / pick up 2 exist. circuits

ITEMIZE THE FOLLOWING

	New	Old
Outlets ____ Panels, Cabinets ____ Size Service Conduit		
Switches ____ Switchboards ____ Size Service Wires		
Receptacles ____ Panelboards ____ Size Service Switch	100A	
Fixtures ____ Festoon Lamps ____ Size Sub Feed Conduit		
Mercury Lamps ____ Dryers ____ KW ____ Size Sub Feed Wires		
Ranges ____ KW ____ Heaters ____ KW ____ Number of Circuits	~~1~~	2
Signs ____ Transformers ____ Motors ____ Number of Meters	~~1~~	1

HP ____ Phase ____ Ampere Loads ____ Lighting ____ Power

Miscellaneous 100A conversion O.H. to U.G.

Rough Inspection ____ By ____

Final Inspection 1-24-91 By P

Remarks: 12-10-90 Service reconnect OK K2 1-22-91 SEEN-P

280-201n

475 So. 4th St

Gold Elect 3A

Building Permit Confirmed ☐
Not Required ☑

CITY OF SAN JOSE 1-27-91 BUILDING DEPARTMENT

APPLICATION FOR ELECTRICAL PERMIT

Date 12/3 19 90 Permit No. 65025

The undersigned hereby makes application to the Electrical Inspector of the City of San Jose for a permit to install electrical fixtures and/or wiring as listed on the reverse side.

Exemption from requirement for State of California for Contractor's License is hereby claimed by undersigned: as owner ☐ statement filed ☐

Undersigned attests that his State of California Contractor's License # C 10 400157 ✓ is in full force and effect and properly authorizes this application.

San Jose City Business License # 0777 11 291 ✓

I certify that in the performance of the work for which this permit is issued I shall not employ any person in any manner so as to violate the workmen's compensation laws of California.

OWNER W. Harding

ADDRESS 475 So 4th ST

GOLD ELECTRIC, INC.
LIC. 400157

USE OF BUILDING 12 Unit Apart.

FIRM 3701 QUINLAN LANE
~~SAN JOSE, CA 95118~~
(408) 269-5157

SIGNED Klaus Gold

280-201n

ITEMIZE THE FOLLOWING

			New	Old
Outlets	Panels, Cabinets	Size Service Conduit	3"	3"
Switches	Switchboards	Size Service Wires	500	500
Receptacles	Panelboards	Size Service Switch		400
Fixtures	Festoon Lamps	Size Sub Feed Conduit		
Mercury Lamps	Dryers ____ KW	Size Sub Feed Wires		
Ranges ____ KW	Heaters ____ KW	Number of Circuits		
Signs	Transformers	Motors	Number of Meters	413

HP _____ Phase _____ Ampere Loads _____ Lighting _____ Power

Miscellaneous conversion O.H. - U.G. 400A Termination

Rough Inspection _____ By _____

Final Inspection 1-24-91 By P

Remarks: 12-10-90 SEINKO 1-22-91 SEEN

280-201n

475 SOUTH 4th ST. #1

3A.

Tract No. _____ Lot No. _____ Permit No. 920-2030DT

CITY OF SAN JOSE

BUILDING DEPARTMENT

APPLICATION FOR BUILDING PERMIT

P.C. No. _____

Application Date 5-14, 1992 Permit Date 5-18, 1992

Application is hereby made for a permit to Repair Termite Damaged

a 2 story, Type _____ Building Use Zone R-4

at 475 SOUTH 4TH ST. #1 Occupancy R-3

to be occupied only as apartments Sq. feet _____

Bathroom Parking Space _____

in accordance with Plans, Specifications and Plot-plan filed herewith. Fire Sprinkler _____

Estimated Value of Improvements, $ 2500 00 Emer. Elect. _____

☐ I certify that in the performance of the work for which this permit is issued I shall not employ any person

Owner WALTER Harding Address 502 SOUTH 2nd St. SJ

By [signature] Address 1435 Koll Circle #108 SJ 95112

This permit shall expire and become null and void if the work authorized by it is not commenced within 120 days from the date issued or if the work is suspended or abandoned for a period of 120 days after commencement.

FINAL INSPECTION 6/3/92 L. Daemler by LD

280-601 N
REV. 1/4/84

83-40-67

Exemption from requirement for State of California for Contractor's License is hereby claimed by applicant:

as owner ☐ statement filed ☒.

Applicant attests that his State of California Contractor's License No. 816320 is in full force and effect and properly authorizes this application.

San Jose City Business License No. 082334

Section ____ Map Grid ____

Bld# 92-02030

CITY OF SAN JOSE INSPECTION NOTICE

Census Tr ____ Area 3A

~~Permit~~ # 100263 Inspection Request Rec'd 6-2 Time ____ By ____

Address 475 S. 4th Street Bldg.# 1 Suite# C Fl# ____ Tr# ____

Contr/Owner ____ Ph#( ) ____ Contact Ernie Ph#( ) 441-6330

Insp Type Final Category Termite Unit Time ____

Insp Req'd Date Wed 3rd AM ___ PM X Insp Assgn'd Date ____ AM ___ PM ___

Inspector Assigned ____ Back-up Inspector Assigned ____

☒ Approved ☐ Partial Approval ☐ Approved W/Discrepancies ☐ Disapproved ☐ Invalid Address

☐ No Access ☐ No Insp Needed ☐ Work Incomplete ☐ Plans Unavail

☐ No Insp Records ☐ Obtain Approval in Ofc ☐ Add'l Permits Required ☐ Add'd Insp Fees Due **

REMARKS Termite Repair.

#Units Insp ____ Time In ____ Time Out 9:40 Inspector [signature] Date 6-3-92

** Add'l. Insp. Fees May Be Charged if Work is Not Ready. Plans/Records Unavailable. No Access, etc. 287-01 (4/90)

Section ____ Map Grid (17) 4D-6J

CITY OF SAN JOSE INSPECTION NOTICE

Census Tr ____ Area 3A

Permit # 92-02030 Inspection Request Rec'd 5-18 Time ____ By ____

Address 475 S. 4th St. # 1 Bldg.# ____ Suite# ____ Fl# ____ Tr# ____

Contr/Owner ____ Ph#( ) ____ Contact Ernie Ph#( ) 441-6330

Insp Type rough frame Category ____ Unit Time ____

Insp Req'd Date 19th Tue AM X PM ___ Insp Assgn'd Date ____ AM ___ PM ___

Inspector Assigned ____ Back-up Inspector Assigned ____

☐ Approved ☐ Partial Approval ☑ Approved W/Discrepancies ☐ Disapproved ☐ Invalid Address

☐ No Access ☐ No Insp Needed ☐ Work Incomplete ☐ Plans Unavail

☐ No Insp Records ☐ Obtain Approval in Ofc ☐ Add'l Permits Required ☐ Add'd Insp Fees Due **

REMARKS NEEDED PLUMB. PERMIT

#Units Insp ____ Time In ____ Time Out ____ Inspector [signature] Date 5-19-92

** Add'l. Insp. Fees May Be Charged if Work is Not Ready. Plans/Records Unavailable. No Access, etc. 287-01 (4/90)

National Flood Hazard Layer FIRMette

FEMA



0 250 500 1,000 1,500 2,000 Feet

1:6,000

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS
- Without Base Flood Elevation (BFE) *Zone A, V, A99*
- With BFE or Depth *Zone AE, AO, AH, VE, AR*
- Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD
- 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile *Zone X*
- Future Conditions 1% Annual Chance Flood Hazard *Zone X*
- Area with Reduced Flood Risk due to Levee. See Notes. *Zone X*
- Area with Flood Risk due to Levee *Zone D*

OTHER AREAS
- NO SCREEN Area of Minimal Flood Hazard *Zone X*
- Effective LOMRs
- Area of Undetermined Flood Hazard *Zone D*

GENERAL STRUCTURES
- Channel, Culvert, or Storm Sewer
- Levee, Dike, or Floodwall

OTHER FEATURES
- 20.2 / 17.5 Cross Sections with 1% Annual Chance / Water Surface Elevation
- Coastal Transect
- 513 Base Flood Elevation Line (BFE)
- Limit of Study
- Jurisdiction Boundary
- Coastal Transect Baseline
- Profile Baseline
- Hydrographic Feature

MAP PANELS
- Digital Data Available
- No Digital Data Available
- Unmapped

N

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 8/2/2019 at 10:06:43 AM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Allterra Environmental, Inc.
849 Almar Avenue, Suite C
No. 281
Santa Cruz, California 95060

Client:	1790 Ten Corporation
Project Location:	498 South 4th Street, San Jose, California
Subject:	First Quarter 2015 Semi-Annual Groundwater Monitoring Report
Report Date:	April 9, 2015

To Whom It May Concern:

I have reviewed the report referenced above and approve its distribution to the necessary regulatory agencies. Should any of the regulatory agencies require it, "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached proposal or report is true and correct to the best of my knowledge."

Sincerely,

Bob Brown, Manager 1790 Ten Corporation, Inc.

First Quarter 2015 Semi-Annual Groundwater Monitoring Report
Case No. 14-049, SCVWDID No. 07S1E17B03f
498 South 4th Street, San Jose, California

Date:
April 9, 2015

Project No.:
498

Prepared For:
1790 Ten Corporation
1790 South 10th Street
San Jose, California 95112

Allterra Environmental, Inc.
849 Almar Avenue, Suite C, No. 281
Santa Cruz, California 95060

Phone: (831) 425-2608
Fax: (831) 425-2609
http://www.allterraenv.com

April 9, 2015

Mr. Bob Brown
1790 Ten Corporation
1790 South 10th Street
San Jose, California 95112

Subject: First Quarter 2015 Semi-Annual Groundwater Monitoring Report, Spartan Gas Station, 498 South 4th Street, San Jose, California, Case No. 14-049, SCVWDID No. 07S1E17B03f

Dear Mr. Brown:

Allterra Environmental, Inc. (Allterra) has prepared this First Quarter 2015 Semi-Annual Groundwater Monitoring report for the Spartan Gas Station, located at 498 South 4th Street in San Jose, California (Site). This report describes field and analytical methods, provides a summary of groundwater monitoring results, and presents conclusions and recommendations regarding groundwater conditions at the Site. Monitoring activities were completed in accordance with Santa Clara County Department of Environmental Health (SCCDEH) and Regional Water Quality Control Board (RWQCB) guidelines, and Allterra's protocols presented in Appendix A.

Site Location and Description

The Site is located at the northern corner of the South 4th Street and East William Street intersection in San Jose, California (see Figure 1). A small convenience store occupies the north portion of the Site and a former remediation treatment compound occupies the east portion of the Site. The layout of the Site with pertinent features is presented on Figure 2. An extended site plan showing properties in the vicinity of the Site and on- and off-site well locations is presented as Figure 3.

Groundwater Monitoring for First Quarter 2015

Field Activities

On January 20 through 22, 2015, Allterra conducted semi-annual groundwater monitoring at eighteen on- and off-site wells (MW-1, MW-2, MW-3, MW-4A/B, MW-5, MW-6, MW-7A/B, MW-8A/B, MW-9A/B, MW-10B, MW-11, MW-12B/C, and MW-13B). MW-10A and MW-13A were dry this quarter and therefore no samples were collected from these wells. Also, no samples were collected from extraction wells EW-1 through EW-4 during this event. Monitoring activities included the measurement of static groundwater levels, an evaluation of groundwater in the wells for the presence of petroleum hydrocarbons, field parameter testing, and groundwater quality sampling. Prior to sampling, all groundwater wells were purged using disposable bailers until temperature, color, specific conductance, and turbidity readings had stabilized or until at least three casing volumes had been removed. Groundwater sampling field logs are included in Appendix B.

Laboratory Analysis

Groundwater samples were submitted under chain-of-custody documentation to McCampbell Analytical, Inc., of Pittsburg, California, a State of California certified laboratory (ELAP #1644). The samples were analyzed for total petroleum hydrocarbons as gasoline (TPHg) by EPA method 8015B, and for benzene, toluene, ethylbenzene, xylenes (BTEX), and methyl tert-butyl ether (MTBE) by EPA Method 8021B/8015B. A copy of the chain-of-custody documentation for the samples and the certified analytical report, including quality assurance and quality control (QA/QC) data, are included in Appendix C.

Groundwater Gradient and Flow Direction

On January 20, 2015, Allterra personnel measured and recorded depths to groundwater from the top of well casings (TOC) for each well. No free phase product was observed in any monitoring wells during this event. Recorded depths to groundwater ranged from 11.32 to 36.14 feet below TOC. The surveyed elevations of each well casing (measured in feet relative to mean sea level), depths to groundwater, and calculated groundwater elevations for each water-bearing zone are presented in Table 1 and depicted on Figures 4 and 5 as groundwater elevation contours. During the first quarter 2015 event, the general groundwater flow direction was to the northeast at a gradient of approximately 0.0046 feet per foot (ft/ft) for the "A" water-bearing zone (approximately 16 to 25 feet below ground surface (bgs)) and to the northeast at a gradient of approximately 0.0029 ft/ft for the "B" water-bearing zone (approximately 26 to 35 feet bgs).

Analytical Results

Petroleum constituents were detected in ten of eighteen wells sampled this quarter. A summary of current and historical groundwater analytical results is presented in Table 2. Additionally, concentrations of dissolved TPHg, benzene, and MTBE for each water-bearing zone are presented on Figures 6 through 10. A summary of current groundwater analytical results is presented below:

- TPHg was detected in four wells at concentrations ranging from 440 micrograms per liter (µg/L) in MW-6 to 4,700 µg/L in MW-3.

- Benzene was detected in five wells at concentrations ranging from 1.4 µg/L in MW-2 to 710 µg/L in MW-3.

- Toluene was detected in four wells at concentrations ranging from 18 µg/L in MW-6 to 36 µg/L in MW-7A.

- Ethylbenzene was detected in three wells at concentrations ranging from 2.1 µg/L in MW-1 and 97 µg/L in MW-3.

- Xylenes were detected in five wells at concentrations ranging from 0.51 µg/L in well MW-7B to 42 µg/L in MW-3.

- MTBE was detected in three wells above laboratory reporting limits at concentrations ranging from 6.6 µg/L in MW-9A to 11 µg/L in MW-4A. It should be noted that the

highest historic concentrations of MTBE have been detected in MW-3 (reported this quarter as <350 µg/L).

Conclusions

Based on data collected during the First Quarter 2015, Allterra concludes the following:

- During this monitoring event, the groundwater flow direction was to the northeast at a gradient of approximately 0.0046 feet per foot (ft/ft) for the "A" water-bearing zone (approximately 16 to 25 feet bgs) and to the northeast at a gradient of approximately 0.0029 ft/ft for the "B" water-bearing zone (approximately 26 to 35 feet bgs). These groundwater conditions are consistent with previous monitoring events.

- Petroleum constituents were detected in ten of eighteen wells sampled this quarter. In general, dissolved contaminant concentrations detected in groundwater exhibited stable or decreasing trends.

- Based on a comparison between the "A" water-bearing zone and the "B" water-bearing zone data, contaminant concentrations generally decrease with depth.

Recommendations

Based on the conclusions presented above, Allterra recommends the following:

- The Site should be considered for low-threat case closure.

- Continue the semi-annual groundwater monitoring program at the Site continue until site closure is granted.

Limitations

Allterra prepared this report for the use of 1790 Ten Corporation, Inc. and SCCDEH in evaluating groundwater quality at selected on-site locations at the time of this study. Statements, conclusions, and recommendations in this report are based solely on the field observations and analytical results related to work performed by Allterra and there is no warranty, expressed or implied. Site conditions and data can change over time; therefore, data presented in this report is only applicable to the timeframe of this study. Allterra's services have been performed in accordance with environmental principles generally accepted at this time and location.

Should you have any questions, please contact Allterra at (831) 425-2608.

Sincerely,
Allterra Environmental, Inc.

Aaron Powers
Project Geologist

Joe Mangine, P.G. 8423
Senior Geologist

List of Figures
Figure 1, Vicinity Map
Figure 2, Site Plan
Figure 3, Extended Site Plan
Figure 4, Groundwater Potentiometric Map for 1-20-15, 16' to 25' Water-Bearing Zone
Figure 5, Groundwater Potentiometric Map for 1-20-15, 26' to 35' Water-Bearing Zone
Figure 6, Concentrations of Petroleum Constituents in Groundwater, 16' to 25' Water-Bearing Zone
Figure 7, Concentrations of Petroleum Constituents in Groundwater, 26' to 35' Water-Bearing Zone
Figure 8, TPHg In Groundwater Iso-Concentration Map First Quarter 2015
Figure 9, Benzene In Groundwater Iso-Concentration Map First Quarter 2015
Figure 10, MTBE In Groundwater Iso-Concentration Map First Quarter 2015

List of Tables
Table 1, Groundwater Elevation Data
Table 2, Groundwater Analytical Results

List of Appendices
Appendix A, Groundwater Monitoring Field Protocol
Appendix B, Groundwater Sampling Field Logs
Appendix C, Certified Analytical Report and Chain-of-Custody

cc: Mr. Gerald O'Regan, SCCDEH
State of California GeoTracker database

FIGURES 1 - 10



Vicinity Map 1790 Ten Corporation 498 South 4th Street San Jose, California	Figure 1 | 10/6/14

ALLTERRA
849 Almar Avenue, Suite C, No. 281
Santa Cruz, California
www.allterraenv.com



LEGEND

- MW-2 — DUAL PHASE EXTRACTION WELL
- MW-12 — MONITORING WELL
- MW-3 — VAPOR EXTRACTION/MONITORING WELL

0 10’ 20’

APPROX. SCALE

General Notes

stamp

498 SOUTH 4TH STREET
SAN JOSE, CALIFORNIA

PREPARED BY:

No.	Revision/Issue	Date
0	DRAFT/REVIEW	3/23

Firm Name and Address
ALLTERRA ENVIRONMENTAL, INC.
849 ALMAR AVE., SUITE C, No. 281
SANTA CRUZ, CALIFORNIA
831-425-2608 FAX 831-425-2609
www.allterraenv.com

Sheet Name and Address
SITE PLAN

FIRST QUARTER 2015
SEMI-ANNUAL GROUNDWATER MONITORING REPORT

Project	Sheet
498	FIGURE 2
Date: 3-23-15	
Scale: see drawing	



LEGEND:

MW-4A / MW-4B	DUAL MONITORING WELL	SB-6	SOIL AND SOIL VAPOR BORING (LOWNEY 2002)
MW-1	MONITORING WELL	AB-11	PREVIOUS SOIL BORING
MW-4	DESTROYED WELL	MW-3	VAPOR EXTRACTION/MONITORING WELL
EW-3	DUAL PHASE EXTRACTION WELL	UB-2	PREVIOUS UPGRADIENT BORING

NORTH

0 70' 140'

APPROX. SCALE

General Notes

stamp

498 SOUTH 4TH STREET
SAN JOSE, CALIFORNIA

PREPARED BY:

No.	Revision/Issue	Date
0	DRAFT/REVIEW	3/23

Firm Name and Address
ALLTERRA ENVIRONMENTAL, INC.
849 ALMAR AVE., SUITE C, No. 281
SANTA CRUZ, CALIFORNIA
831-425-2608 FAX 831-425-2609
www.allterraenv.com

EXTENDED SITE PLAN

FIRST QUARTER 2015
SEMI-ANNUAL GROUNDWATER
MONITORING REPORT

Project	Sheet
498	FIGURE 3
Date: 3-23-15	
Scale: see drawing	



LEGEND:

MW-4A / MW-4B	DUAL MONITORING WELL
MW-1	MONITORING WELL
MW-4	DESTROYED WELL
MW-2	DUAL PHASE EXTRACTION WELL
*	DATA NOT USED
EW-2	EXTRACTION WELL
77.00	INFERRED GROUNDWATER GRADIENT CONTOUR
77.68	GROUNDWATER ELEVATION IN FEET
	APPROXIMATE GROUNDWATER FLOW DIRECTION
0.0046 ft/ft N41°E	APPROXIMATE GROUNDWATER GRADIENT AND DIRECTION

0 70' 140'

APPROX. SCALE



1 =	0.0025'/FT	1/9/08
2 =	0.0020'/FT	4/1/08
3 =	0.0034'/FT	11/3/09
4 =	0.0060'/FT	3/23/10
5 =	0.0053'/FT	8/24/10
6 =	0.0038'/FT	2/11/11
7 =	0.0039'/FT	9/21/11
8 =	0.0024'/FT	3/21/12
9 =	0.0032'/FT	7/24/12
10=	0.0022'/FT	2/27/13
11=	0.0026'/FT	7/11/13
12=	0.0038'/FT	2/18/14
13=	0.0036'/FT	8/26/14
14=	0.0046'/FT	1/20/15

General Notes

stamp

498 SOUTH 4TH STREET
SAN JOSE, CALIFORNIA

PREPARED BY: ALLTERRA

No.	Revision/Issue	Date
0	DRAFT/REVIEW	3/24

ALLTERRA ENVIRONMENTAL, INC.
849 ALMAR AVE., SUITE C, No. 281
SANTA CRUZ, CALIFORNIA
831-425-2608 FAX 831-425-2609
www.allterraenv.com

GROUNDWATER POTENTIOMTRIC MAP FOR 1-20-15, 16' TO 25' WATER-BEARING ZONE

Project	498
Date	3-24-15
Scale	see drawing
Sheet	FIGURE 4



LEGEND:

MW-4A / MW-4B	DUAL MONITORING WELL
MW-1	MONITORING WELL
MW-4	DESTROYED WELL
MW-2	DUAL PHASE EXTRACTION WELL
*	DATA NOT USED
EW-2	EXTRACTION WELL
77.00	INFERRED GROUNDWATER GRADIENT CONTOUR
78.19	GROUNDWATER ELEVATION IN FEET
	APPROXIMATE GROUNDWATER FLOW DIRECTION
0.0029 ft/ft N37°E	APPROXIMATE GROUNDWATER GRADIENT AND DIRECTION

0 70' 140'

APPROX. SCALE



1 =	0.0037'/FT	1/9/08
2 =	0.0020'/FT	4/1/08
3 =	0.0033'/FT	11/3/09
4 =	0.0065'/FT	3/23/10
5 =	0.0016'/FT	8/24/10
6 =	0.0034'/FT	2/11/11
7 =	0.0033'/FT	9/21/11
8 =	0.0022'/FT	3/21/12
9 =	0.0034'/FT	7/24/12
10=	0.0022'/FT	2/27/13
11=	0.0029'/FT	7/11/13
12=	0.0034'/FT	2/18/14
13=	0.0030'/FT	8/26/14
14=	0.0029'/FT	1/20/15

General Notes

stamp

498 SOUTH 4TH STREET
SAN JOSE, CALIFORNIA

PREPARED BY: ALLTERRA

No.	Revision/Issue	Date
0	DRAFT/REVIEW	3/24

ALLTERRA ENVIRONMENTAL, INC.
849 ALMAR AVE., SUITE C, No. 281
SANTA CRUZ, CALIFORNIA
831-425-2608 FAX 831-425-2609
www.allterraenv.com

GROUNDWATER POTENTIOMTRIC MAP FOR 1-20-15, 26' TO 35' WATER-BEARING ZONE

Project	498
Date	3-24-15
Scale	see drawing
Sheet	FIGURE 5



LEGEND:

- MW-4A / MW-4B — DUAL MONITORING WELL
- MW-1 — MONITORING WELL
- MW-4 — DESTROYED WELL
- EW-3 — GROUNDWATER EXTRACTION WELL
- MW-3 (V) — VAPOR EXTRACTION/MONITORING WELL

<50	Total Petroleum Hydrocarbons as Gasoline
NA	Total Petroleum Hydrocarbons as Diesel
<0.5	Benzene
<5.0	Methyl tertiary butyl ether

NA — NOT ANALYZED

NS — NOT SAMPLED

NORTH

0 70' 140'

APPROX. SCALE

NOTES:

1. Concentrations of fuel related compounds are presented micrograms per liter (ug/L).

General Notes

stamp

498 SOUTH 4TH STREET
SAN JOSE, CALIFORNIA

PREPARED BY: ALLTERRA

No.	Revision/Issue	Date
0	DRAFT/REVIEW	3/23

ALLTERRA ENVIRONMENTAL, INC.
849 ALMAR AVE., SUITE C, No. 281
SANTA CRUZ, CALIFORNIA
831-425-2608 FAX 831-425-2609
www.allterraenv.com

CONCENTRATIONS OF PETROLEUM CONSTITUENTS IN THE 16' TO 25' WATER-BEARING ZONE

Project	498
Date	3-23-15
Scale	see drawing
Sheet	FIGURE 6



LEGEND:

- MW-4A / MW-4B — DUAL MONITORING WELL
- MW-1 — MONITORING WELL
- MW-4 — DESTROYED WELL
- EW-3 — GROUNDWATER EXTRACTION WELL
- MW-3 — VAPOR EXTRACTION/MONITORING WELL

<50	Total Petroleum Hydrocarbons as Gasoline
NA	Total Petroleum Hydrocarbons as Diesel
<0.5	Benzene
<0.5	Methyl tertiary butyl ether

NA — NOT ANALYZED

NORTH

0 70’ 140’

APPROX. SCALE

NOTES:

1. Concentrations of fuel related compounds are presented micrograms per liter (ug/L).

General Notes

stamp

498 SOUTH 4TH STREET
SAN JOSE, CALIFORNIA

PREPARED BY: ALLTERRA

No.	Revision/Issue	Date
0	DRAFT/REVIEW	3/23

ALLTERRA ENVIRONMENTAL, INC.
849 ALMAR AVE., SUITE C, No. 281
SANTA CRUZ, CALIFORNIA
831-425-2608 FAX 831-425-2609
www.allterraenv.com

CONCENTRATIONS OF PETROLEUM CONSTITUENTS IN THE 26’ TO 35’ WATER-BEARING ZONE

Project	498
Date	3-23-15
Scale	see drawing
Sheet	FIGURE 7

LEGEND:

MW-4A / MW-4B	DUAL MONITORING WELL	SB-6	SOIL AND SOIL VAPOR BORING (LOWNEY 2002)
MW-1	MONITORING WELL	AB-11	PREVIOUS SOIL BORING
MW-4	DESTROYED WELL	MW-3	VAPOR EXTRACTION/MONITORING WELL
EW-3	DUAL PHASE EXTRACTION WELL	100	INFERRED ISO-CONTOUR LINE
NS	NOT SAMPLED	1,800	CONCENTRATION OF TPHg IN MICROGRAMS PER LITER (µg/L)

UB-2 PREVIOUS UPGRADIENT BORING

>1,000 µg/L CONCENTRATION IN GROUNDWATER

>100 µg/L CONCENTRATION IN GROUNDWATER

<50 µg/L CONCENTRATION IN GROUNDWATER

TPHg TOTAL PETROLEUM HYDROCARBONS AS GASOLINE

0 70' 140'

APPROX. SCALE

General Notes

stamp

498 SOUTH 4TH STREET
SAN JOSE, CALIFORNIA

PREPARED BY: ALLTERRA

No.	Revision/Issue	Date
0	DRAFT/REVIEW	4/7

Firm Name and Address
ALLTERRA ENVIRONMENTAL, INC.
849 ALMAR AVE., SUITE C, No. 281
SANTA CRUZ, CALIFORNIA
831-425-2608 FAX 831-425-2609
www.allterraenv.com

TPHg IN GROUNDWATER
ISO-CONCENTRATION MAP
FIRST QUARTER 2015

Project	Sheet
498	FIGURE 8
Date: 4-7-15	
Scale: see drawing	



LEGEND:

MW-4A / MW-4B	DUAL MONITORING WELL	SB-6	SOIL AND SOIL VAPOR BORING (LOWNEY 2002)
MW-1	MONITORING WELL	AB-11	PREVIOUS SOIL BORING
MW-4	DESTROYED WELL	MW-3	VAPOR EXTRACTION/MONITORING WELL
EW-3	DUAL PHASE EXTRACTION WELL	1.0	INFERRED ISO-CONTOUR LINE
NS	NOT SAMPLED	22	CONCENTRATION OF BENZENE IN MICROGRAMS PER LITER (µg/L)

- UB-2 — PREVIOUS UPGRADIENT BORING
- >100 µg/L CONCENTRATION IN GROUNDWATER
- >10 µg/L CONCENTRATION IN GROUNDWATER
- >1.0 µg/L CONCENTRATION IN GROUNDWATER
- <0.5 µg/L CONCENTRATION IN GROUNDWATER

0 — 70' — 140'
APPROX. SCALE

General Notes

stamp

498 SOUTH 4TH STREET
SAN JOSE, CALIFORNIA

PREPARED BY: ALLTERRA

No.	Revision/Issue	Date
0	DRAFT/REVIEW	4/7

Firm Name and Address
ALLTERRA ENVIRONMENTAL, INC.
849 ALMAR AVE., SUITE C, No. 281
SANTA CRUZ, CALIFORNIA
831-425-2608 FAX 831-425-2609
www.allterraenv.com

BENZENE IN GROUNDWATER
ISO-CONCENTRATION MAP
FIRST QUARTER 2015

Project	Sheet
498	FIGURE 9
Date: 4-7-15	
Scale: see drawing	



LEGEND:

MW-4A / MW-4B	DUAL MONITORING WELL	SB-6	SOIL AND SOIL VAPOR BORING (LOWNEY 2002)
MW-1	MONITORING WELL	AB-11	PREVIOUS SOIL BORING
MW-4	DESTROYED WELL	MW-3	VAPOR EXTRACTION/MONITORING WELL
EW-3	DUAL PHASE EXTRACTION WELL	UB-2	PREVIOUS UPGRADIENT BORING
NS	NOT SAMPLED	6.6	CONCENTRATION OF MTBE IN MICROGRAMS PER LITER (µg/L)

- >100 µg/L CONCENTRATION IN GROUNDWATER
- >10 µg/L CONCENTRATION IN GROUNDWATER
- <5.0 µg/L CONCENTRATION IN GROUNDWATER
- 100 — INFERRED ISO-CONTOUR LINE

MTBE METHYL TERTIARY BUTYL ETHER

0 70' 140'

APPROX. SCALE

General Notes

stamp

498 SOUTH 4TH STREET
SAN JOSE, CALIFORNIA

PREPARED BY: ALLTERRA

No.	Revision/Issue	Date
0	DRAFT/REVIEW	4/7

Firm Name and Address
ALLTERRA ENVIRONMENTAL, INC.
849 ALMAR AVE., SUITE C, No. 281
SANTA CRUZ, CALIFORNIA
831-425-2608 FAX 831-425-2609
www.allterraenv.com

MTBE IN GROUNDWATER
ISO-CONCENTRATION MAP
FIRST QUARTER 2015

Project	Sheet
498	FIGURE 10
Date: 4-7-15	
Scale: see drawing	

TABLES 1 - 2

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-1	2/1/05	91.82	13.71	78.11
	4/27/05	91.82	16.64	75.18
	5/6/05	91.82	15.79	76.03
	5/12/05	91.82	16.39	75.43
	5/19/05	91.82	15.73	76.09
	5/24/05	91.82	16.95	74.87
	6/2/05	91.82	15.90	75.92
	6/10/05	91.82	17.05	74.77
	6/13/05(a)	91.82	15.32	76.50
	6/22/05(a)	91.82	15.98	75.84
	6/28/05	91.82	17.00	74.82
	7/7/05(b)	91.82	13.51	78.31
	7/14/05(b)	91.82	13.51	78.31
	7/29/05	91.82	16.55	75.27
	8/4/05	91.82	17.63	74.19
	8/11/05	91.82	18.82	73.00
	8/17/05	91.82	18.38	73.44
	8/26/05	91.82	16.97	74.85
	8/31/05	91.82	18.31	73.51
	9/6/05	91.82	18.50	73.32
	9/16/05	91.82	17.53	74.29
	9/19/05	91.82	18.37	73.45
	9/30/05	91.82	18.15	73.67
	10/18/05	91.82	18.61	73.21
	11/16/05	91.82	18.29	73.53
	12/14/05	91.82	17.60	74.22
	1/5/06	91.82	17.62	74.20
	2/15/06	91.82	16.52	75.30
	3/15/06	91.82	16.03	75.79
	4/5/06	91.82	15.38	76.44
	5/3/06	91.82	19.16	72.66
	6/5/06	91.82	well dry	NC
	7/10/06	91.82	14.82	77.00
	8/22/06	91.82	15.17	76.65
	9/6/06	91.82	14.60	77.22
	10/9/06	91.82	14.97	76.85
	11/10/06	91.82	14.88	76.94
	12/1/06	91.82	14.45	77.37
	1/18/07	91.82	15.50	76.32
	2/12/07	91.82	14.98	76.84
	3/1/07	91.82	14.80	77.02
	4/2/07	91.82	14.19	77.63
	5/2/07	91.82	14.42	77.40
	6/1/07	91.82	14.50	77.32
	7/2/07	91.82	14.50	77.32
	8/6/07	91.82	13.45	78.37

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-1	9/12/07	91.82	15.65	76.17
cont.	10/17/07	91.82	15.40	76.42
	11/9/07	91.82	15.10	76.72
	12/10/07	91.82	15.59	76.23
	1/22/08	91.82	13.71	78.11
	2/21/08	91.82	13.20	78.62
	3/18/08	91.82	13.45	78.37
	4/1/08	91.82	13.57	78.25
	5/15/08	91.82	13.70	78.12
	6/16/08	91.82	13.91	77.91
	7/30/08	91.82	14.13	77.69
	8/18/08	91.82	14.33	77.49
	9/5/08	91.82	14.38	77.44
	10/16/08	91.82	14.38	77.44
	11/5/08	91.82	14.41	77.41
	12/3/08	91.82	14.38	77.44
	11/3/09	91.82	14.30	77.52
	3/23/10	91.82	13.44	78.38
	8/24/10	91.82	16.05	75.77
	2/11/11	91.82	13.65	78.17
	9/21/11	91.82	13.65	78.17
	3/21/12	91.82	13.85	77.97
	7/24/12	91.82	14.01	77.81
	2/27/13	91.82	13.80	78.02
	7/1/13	91.82	14.20	77.62
	2/18/14	91.82	14.32	77.50
	8/26/14	91.82	15.11	76.71
	1/20/15	**91.82**	**13.91**	**77.91**
MW-2*	2/1/05	92.19	14.65	77.54
	4/27/05	92.19	22.19	70.00
	3/23/10	92.19	13.06	79.13
	8/24/10	92.19	13.67	78.52
	2/11/11	92.19	13.08	79.11
	9/21/11	92.19	13.90	78.29
	3/21/12	92.19	14.28	77.91
	7/26/12	92.19	14.08	78.11
	2/27/13	92.19	14.02	78.17
	7/1/13	92.19	well dry	NC
	2/18/14	92.19	14.76	77.43
	8/26/14	92.19	15.59	76.60
	1/20/15	**92.19**	**13.83**	**78.36**
MW-3	2/1/05	92.70	14.50	78.20
	4/27/05	92.70	16.94	75.76
	5/6/05	92.70	15.91	76.79
	5/12/05	92.70	16.52	76.18
	5/19/05	92.70	16.39	76.31
	5/24/05	92.70	17.26	75.44
	6/2/05	92.70	15.99	76.71
	6/10/05	92.70	16.47	76.23
	6/13/05(a)	92.70	15.10	77.60
	6/22/05(a)	92.70	NM	NC
	6/28/05	92.70	16.53	76.17
	7/7/05(b)	92.70	14.36	78.34
	7/14/05(b)	92.70	15.07	77.63
	7/29/05	92.70	17.12	75.58
	8/4/05	92.70	18.27	74.43

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-3 cont.	8/11/05	92.70	19.57	73.13
	8/17/05	92.70	19.23	73.47
	8/26/05	92.70	18.68	74.02
	8/31/05	92.70	19.36	73.34
	9/6/05	92.70	19.48	73.22
	9/16/05	92.70	18.51	74.19
	9/19/05	92.70	19.40	73.30
	9/30/05	92.70	19.20	73.50
	10/18/05	92.70	19.68	73.02
	11/16/05	92.70	19.40	73.30
	12/14/05	92.70	18.54	74.16
	1/5/06	92.70	18.61	74.09
	2/15/06	92.70	17.50	75.20
	3/15/06	92.70	17.18	75.52
	4/5/06	92.70	16.60	76.10
	5/3/06	92.70	20.05	72.65
	6/5/06	92.70	19.33	73.37
	7/10/06	92.70	15.95	76.75
	8/22/06	92.70	15.90	76.80
	9/6/06	92.70	14.80	77.90
	10/9/06	92.70	14.39	78.31
	11/10/06	92.70	16.31	76.39
	12/1/06	92.70	13.48	79.22
	1/18/07	92.70	18.27	74.43
	2/12/07	92.70	15.65	77.05
	3/1/07	92.70	15.24	77.46
	4/2/07	92.70	14.67	78.03
	5/2/07	92.70	14.91	77.79
	6/1/07	92.70	15.02	77.68
	7/2/07	92.70	15.05	77.65
	8/6/07	92.70	14.32	78.38
	9/12/07	92.70	16.20	76.50
	10/17/07	92.70	16.03	76.67
	11/9/07	92.70	15.70	77.00
	12/10/07	92.70	16.13	76.57
	1/22/08	92.70	14.38	78.32
	2/21/08	92.70	13.98	78.72
	3/18/08	92.70	14.05	78.65
	4/1/08	92.70	14.15	78.55
	5/15/08	92.70	14.38	78.32
	6/16/08	92.70	14.64	78.06
	7/30/08	92.70	14.98	77.72
	8/18/08	92.70	15.16	77.54
	9/5/08	92.70	15.24	77.46
	10/16/08	92.70	15.25	77.45
	11/5/08	92.70	15.30	77.40

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-3	12/3/08	92.70	15.25	77.45
cont.	11/3/09	92.70	15.17	77.53
	3/23/10	92.70	14.05	78.65
	8/24/10	92.70	14.60	78.10
	2/11/11	92.70	14.33	78.37
	9/21/11	92.70	14.72	77.98
	3/21/12	92.70	14.54	78.16
	7/26/12	92.70	14.40	78.30
	2/27/13	92.70	14.44	78.26
	7/1/13	92.70	15.10	77.60
	2/18/14	92.70	15.18	77.52
	8/26/14	92.70	16.17	76.53
	1/20/15	**92.70**	**14.76**	**77.94**
MW-4A	2/1/05	88.16	12.68	75.48
	4/27/05	88.16	11.22	76.94
	5/6/05	88.16	11.24	76.92
	5/12/05	88.16	11.20	76.96
	5/19/05	88.16	11.32	76.84
	5/24/05	88.16	11.46	76.70
	6/2/05	88.16	12.24	75.92
	6/10/05	88.16	12.78	75.38
	6/13/05(a)	88.16	11.11	77.05
	6/22/05(a)	88.16	10.85	77.31
	6/28/05	88.16	10.94	77.22
	7/7/05(b)	88.16	10.91	77.25
	7/14/05(b)	88.16	10.91	77.25
	7/29/05	88.16	11.26	76.90
	8/4/05	88.16	11.22	76.94
	8/11/05	88.16	11.19	76.97
	8/17/05	88.16	11.91	76.25
	8/26/05	88.16	11.92	76.24
	8/31/05	88.16	11.17	76.99
	9/6/05	88.16	11.95	76.21
	9/16/05	88.16	11.28	76.88
	9/19/05	88.16	11.98	76.18
	9/30/05	88.16	11.27	76.89
	11/16/05	88.16	12.16	76.00
	12/14/05	88.16	11.96	76.20
	1/5/06	88.16	10.40	77.76
	2/15/06	88.16	11.25	76.91
	3/15/06	88.16	10.90	77.26
	4/5/06	88.16	10.25	77.91
	5/3/06	88.16	10.45	77.71
	6/5/06	88.16	11.55	76.61
	7/10/06	88.16	11.15	77.01
	8/22/06	88.16	11.47	76.69
	9/6/06	88.16	NM	NC
	10/9/06	88.16	11.56	76.60
	11/10/06	88.16	11.65	76.51
	12/1/06	88.16	11.34	76.82
	1/18/07	88.16	11.01	77.15

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-4A cont.	2/12/07	88.16	11.00	77.16
	3/1/07	88.16	10.80	77.36
	4/2/07	88.16	10.73	77.43
	5/2/07	88.16	10.90	77.26
	6/1/07	88.16	10.98	77.18
	7/2/07	88.16	11.16	77.00
	8/6/07	88.16	11.30	76.86
	9/12/07	88.16	11.75	76.41
	10/17/07	88.16	11.75	76.41
	11/9/07	88.16	11.86	76.30
	12/10/07	88.16	12.02	76.14
	1/22/08	88.16	11.48	76.68
	2/21/08	88.16	11.10	77.06
	3/18/08	88.16	11.18	76.98
	4/1/08	88.16	11.25	76.91
	5/15/08	88.16	11.55	76.61
	6/16/08	88.16	11.78	76.38
	7/30/08	88.16	12.12	76.04
	8/18/08	88.16	12.28	75.88
	9/5/08	88.16	12.38	75.78
	10/16/08	88.16	12.25	75.91
	11/5/08	88.16	12.37	75.79
	12/3/08	88.16	12.25	75.91
	11/3/09	88.16	12.21	75.95
	3/23/10	88.16	13.34	74.82
	8/24/10	88.16	13.28	74.88
	2/11/11	88.16	11.75	76.41
	9/21/11	88.16	11.90	76.26
	3/21/12	88.16	11.28	76.88
	7/25/12	88.16	11.49	76.67
	2/27/13	88.16	11.15	77.01
	7/1/13	88.16	11.87	76.29
	2/18/14	88.16	12.11	76.05
	8/26/14	88.16	12.91	75.25
	1/20/15	**88.16**	**11.55**	**76.61**
MW-4B	2/1/05	88.14	11.97	76.17
	4/27/05	88.14	11.23	76.91
	5/6/05	88.14	11.26	76.88
	5/12/05	88.14	11.24	76.90
	5/19/05	88.14	11.35	76.79
	5/24/05	88.14	11.46	76.68
	6/2/05	88.14	12.19	75.95
	6/10/05	88.14	11.22	76.92
	6/13/05(a)	88.14	11.21	76.93
	6/22/05(a)	88.14	10.81	77.33
	6/28/05	88.14	10.91	77.23
	7/7/05(b)	88.14	10.81	77.33
	7/14/05(b)	88.14	10.91	77.23
	7/29/05	88.14	11.20	76.94
	8/4/05	88.14	11.16	76.98
	8/11/05	88.14	11.11	77.03

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-4B cont.	8/17/05	88.14	11.82	76.32
	8/26/05	88.14	11.86	76.28
	8/31/05	88.14	11.08	77.06
	9/6/05	88.14	11.87	76.27
	9/16/05	88.14	11.27	76.87
	9/19/05	88.14	11.93	76.21
	9/30/05	88.14	11.22	76.92
	11/16/05	88.14	12.14	76.00
	12/14/05	88.14	11.80	76.34
	1/5/06	88.14	10.59	77.55
	2/15/06	88.14	11.22	76.92
	3/15/06	88.14	10.91	77.23
	4/5/06	88.14	10.45	77.69
	5/3/06	88.14	10.35	77.79
	6/5/06	88.14	11.40	76.74
	7/10/06	88.14	11.04	77.10
	8/22/06	88.14	11.43	76.71
	9/6/06	88.14	NM	NC
	11/10/06	88.14	11.40	76.74
	12/1/06	88.14	11.42	76.72
	1/18/07	88.14	10.20	77.94
	2/12/07	88.14	10.96	77.18
	3/1/07	88.14	10.75	77.39
	4/2/07	88.14	10.76	77.38
	5/2/07	88.14	10.91	77.23
	6/1/07	88.14	10.94	77.20
	7/2/07	88.14	11.10	77.04
	8/6/07	88.14	11.36	76.78
	9/12/07	88.14	11.86	76.28
	10/17/07	88.14	11.76	76.38
	11/9/07	88.14	11.90	76.24
	12/10/07	88.14	12.03	76.11
	1/22/08	88.14	11.48	76.66
	2/21/08	88.14	11.55	76.59
	3/18/08	88.14	11.19	76.95
	4/1/08	88.14	11.29	76.85
	5/15/08	88.14	11.63	76.51
	6/16/08	88.14	11.74	76.40
	7/30/08	88.14	12.12	76.02
	8/18/08	88.14	12.28	75.86
	9/5/08	88.14	12.42	75.72
	10/16/08	88.14	12.31	75.83
	11/5/08	88.14	12.41	75.73
	12/3/08	88.14	12.31	75.83
	11/3/09	88.14	12.61	75.53
	3/23/10	88.14	13.26	74.88

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-4B cont.	8/24/10	88.14	11.04	77.10
	2/11/11	88.14	11.66	76.48
	9/21/11	88.14	11.85	76.29
	3/21/12	88.14	11.22	76.92
	7/25/12	88.14	11.73	76.41
	2/27/13	88.14	11.09	77.05
	7/1/13	88.14	11.85	76.29
	2/18/14	88.14	12.19	75.95
	8/26/14	88.14	12.63	75.51
	1/20/15	**88.14**	**11.70**	**76.44**
MW-5	2/1/05	89.87	11.93	77.94
	4/27/05	89.87	13.16	76.71
	5/6/05	89.87	12.74	77.13
	5/12/05	89.87	13.17	76.70
	5/19/05	89.87	13.33	76.54
	5/24/05	89.87	14.11	75.76
	6/2/05	89.87	12.95	76.92
	6/10/05	89.87	14.15	75.72
	6/13/05(a)	89.87	13.02	76.85
	6/22/05(a)	89.87	14.23	75.64
	6/28/05	89.87	14.34	75.53
	7/7/05(b)	89.87	NM	NC
	7/14/05(b)	89.87	11.68	78.19
	7/29/05	89.87	13.79	76.08
	8/4/05	89.87	14.51	75.36
	8/11/05	89.87	15.55	74.32
	8/17/05	89.87	17.36	72.51
	8/26/05	89.87	14.16	75.71
	8/31/05	89.87	15.09	74.78
	9/6/05	89.87	15.30	74.57
	9/16/05	89.87	14.41	75.46
	9/19/05	89.87	15.30	74.57
	9/30/05	89.87	14.69	75.18
	11/16/05	89.87	15.20	74.67
	12/14/05	89.87	NM	NC
	1/5/06	89.87	NM	NC
	2/15/06	89.87	NM	NC
	3/15/06	89.87	NM	NC
	4/5/06	89.87	NM	NC
	5/3/06	89.87	13.32	76.55
	6/5/06	89.87	NM	NC
	7/10/06	89.87	12.89	76.98
	8/22/06	89.87	13.01	76.86
	9/6/06	89.87	NM	NC
	11/10/06	89.87	13.63	76.24
	12/1/06	89.87	NM	NC
	1/18/07	89.87	12.88	76.99
	2/12/07	89.87	12.42	77.45
	3/1/07	89.87	12.50	77.37
	4/2/07	89.87	12.75	77.12
	5/2/07	89.87	12.06	77.81

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-5 cont.	6/1/07	89.87	12.15	77.72
	7/2/07	well obstructed - not accessible		NC
	8/6/07	well obstructed - not accessible		NC
	9/12/07	89.87	13.52	76.35
	10/17/07	well obstructed - not accessible		NC
	11/9/07	89.87	13.10	76.77
	12/10/07	well obstructed - not accessible		NC
	1/22/08	89.87	11.81	78.06
	2/21/08	well obstructed - not accessible		NC
	3/18/08	89.87	11.56	78.31
	4/1/08	well obstructed - not accessible		NC
	5/15/08	89.87	11.88	77.99
	6/16/08	89.87	12.12	77.75
	7/30/08	89.87	12.37	77.50
	8/18/08	89.87	12.56	77.31
	9/5/08	89.87	12.63	77.24
	10/16/08	89.87	12.66	77.21
	11/5/08	well obstructed - not accessible		NC
	12/3/08	89.87	12.66	77.21
	11/3/09	89.87	12.60	77.27
	3/23/10	well obstructed - not accessible		NC
	8/24/10	89.87	NM	NC
	2/11/11	89.87	11.95	77.92
	9/21/11	89.87	12.25	77.62
	3/21/12	89.87	NM	NC
	7/25/12	89.87	12.22	77.65
	2/27/13	89..87	NM	NC
	7/1/13	89.87	12.45	77.42
	2/18/14	well obstructed - not accessible		
	8/26/14	89.87	13.06	76.81
	1/20/15	**89.87**	**11.62**	**78.25**
MW-6*	2/1/05	92.43	13.39	79.04
	4/27/05	92.43	17.04	75.39
	5/6/05	92.43	15.64	76.79
	5/12/05	92.43	16.03	76.40
	5/19/05	92.43	15.99	76.44
	5/24/05	92.43	16.77	75.66
	6/2/05	92.43	14.97	77.46
	6/10/05	92.43	13.82	78.61
	6/13/05(a)	92.43	14.93	77.50
	6/22/05(a)	92.43	14.92	77.51
	6/28/05	92.43	16.70	75.73
	7/7/05(b)	92.43	13.59	78.84
	7/14/05(b)	92.43	13.90	78.53
	7/29/05	92.43	15.00	77.43
	8/4/05	92.43	18.31	74.12
	8/11/05	92.43	18.46	73.97
	8/17/05	92.43	14.61	77.82
	8/26/05	92.43	16.80	75.63
	8/31/05	92.43	18.68	73.75
	9/6/05	92.43	19.16	73.27

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-6* cont.	9/16/05	92.43	19.30	73.13
	9/19/05	92.43	18.90	73.53
	9/30/05	92.43	18.35	74.08
	10/18/05	92.43	19.30	73.13
	11/16/05	92.43	19.20	73.23
	12/14/05	92.43	18.15	74.28
	1/5/06	92.43	17.88	74.55
	2/15/06	92.43	14.10	78.33
	3/15/06	92.43	11.87	80.56
	4/5/06	92.43	11.78	80.65
	5/3/06	92.43	17.39	75.04
	6/5/06	92.43	16.33	76.10
	7/10/06	92.43	12.63	79.80
	8/22/06	92.43	12.87	79.56
	9/6/06	92.43	12.62	79.81
	10/9/06	92.43	12.82	79.61
	11/10/06	92.43	15.59	76.84
	12/1/06	92.43	13.05	79.38
	1/18/07	92.43	17.50	74.93
	2/12/07	92.43	15.46	76.97
	3/1/07	92.43	14.90	77.53
	4/2/07	92.43	14.27	78.16
	5/2/07	92.43	14.26	78.17
	6/1/07	92.43	12.75	79.68
	7/2/07	92.43	14.54	77.89
	8/6/07	92.43	12.70	79.73
	9/12/07	92.43	15.99	76.44
	10/17/07	92.43	13.45	78.98
	11/9/07	92.43	12.29	80.14
	12/10/07	92.43	14.00	78.43
	1/22/08	92.43	14.10	78.33
	2/21/08	92.43	13.80	78.63
	3/18/08	92.43	13.74	78.69
	4/1/08	92.43	13.64	78.79
	5/15/08	92.43	13.40	79.03
	6/16/08	92.43	13.46	78.97
	7/30/08	92.43	13.26	79.17
	8/18/08	92.43	14.64	77.79
	9/5/08	92.43	14.69	77.74
	10/16/08	92.43	16.78	75.65
	11/5/08	92.43	14.62	77.81
	12/3/08	92.43	13.28	79.15
	11/3/09	92.43	14.32	78.11
	3/23/10	92.43	13.23	79.20
	8/24/10	92.43	16.19	76.24
	2/11/11	92.43	12.99	79.44

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-6*	9/21/11	92.43	13.90	78.53
cont.	3/21/12	92.43	14.36	78.07
	7/26/12	92.43	14.39	78.04
	2/27/13	92.43	14.22	78.21
	7/1/13	92.43	14.72	77.71
	2/18/14	92.43	14.58	77.85
	8/26/14	92.43	15.75	76.68
	1/20/15	**92.43**	**13.80**	**78.63**
MW-7A	2/1/05	92.90	14.93	77.97
	4/27/05	92.90	15.36	77.54
	5/6/05	92.90	15.18	77.72
	5/12/05	92.90	15.26	77.64
	5/19/05	92.90	15.72	77.18
	5/24/05	92.90	15.92	76.98
	6/2/05	92.90	15.44	77.46
	6/10/05	92.90	15.82	77.08
	6/13/05(a)	92.90	15.39	77.51
	6/22/05(a)	92.90	14.95	77.95
	6/28/05	92.90	15.30	77.60
	7/7/05(b)	92.90	14.75	78.15
	7/14/05(b)	92.90	14.66	78.24
	7/29/05	92.90	15.77	77.13
	8/4/05	92.90	16.58	76.32
	8/11/05	92.90	16.92	75.98
	8/17/05	92.90	17.66	75.24
	8/26/05	92.90	17.70	75.20
	8/31/05	92.90	17.05	75.85
	9/6/05	92.90	17.91	74.99
	9/16/05	92.90	17.20	75.70
	9/19/05	92.90	17.92	74.98
	9/30/05	92.90	17.43	75.47
	10/18/05	92.90	18.20	74.70
	11/16/05	92.90	18.15	74.75
	12/14/05	92.90	19.60	73.30
	1/5/06	92.90	16.88	76.02
	2/15/06	92.90	16.19	76.71
	3/15/06	92.90	15.68	77.22
	4/5/06	92.90	15.54	77.36
	5/3/06	92.90	14.68	78.22
	6/5/06	92.90	15.33	77.57
	7/10/06	92.90	15.20	77.70
	8/22/06	92.90	15.50	77.40
	9/6/06	92.90	15.00	77.90
	10/9/06	92.90	14.50	78.40
	11/10/06	92.90	13.96	78.94
	12/1/06	92.90	13.74	79.16
	1/18/07	92.90	15.35	77.55
	2/12/07	92.90	15.23	77.67
	3/1/07	92.90	14.78	78.12
	4/2/07	92.90	14.43	78.47
	5/2/07	92.90	14.51	78.39

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-7A cont.	6/1/07	92.90	14.65	78.25
	7/2/07	92.90	15.02	77.88
	8/6/07	92.90	14.94	77.96
	9/12/07	92.90	15.78	77.12
	10/17/07	92.90	15.84	77.06
	11/9/07	92.90	15.80	77.10
	12/10/07	92.90	15.65	77.25
	1/22/08	92.90	14.67	78.23
	2/21/08	92.90	14.01	78.89
	3/18/08	92.90	14.00	78.90
	4/1/08	92.90	14.06	78.84
	5/15/08	92.90	14.40	78.50
	6/16/08	92.90	14.80	78.10
	7/30/08	92.90	15.28	77.62
	8/18/08	92.90	15.50	77.40
	9/5/08	92.90	15.70	77.20
	10/16/08	92.90	15.15	77.75
	11/5/08	92.90	16.70	76.20
	12/3/08	92.90	15.15	77.75
	11/3/09	92.90	well dry	NC
	3/23/10	92.90	14.05	78.85
	8/24/10	92.90	14.53	78.37
	2/11/11	92.90	well dry	NC
	9/21/11	92.90	well dry	NC
	3/21/12	92.90	14.57	78.33
	7/25/12	92.90	15.07	77.83
	2/27/13	92.90	14.47	78.43
	7/1/13	92.90	15.29	77.61
	2/18/14	92.90	15.68	77.22
	8/26/14	92.90	16.85	76.05
	1/20/15	**92.90**	**15.29**	**77.61**
MW-7B	2/1/05	92.72	14.57	78.15
	4/27/05	92.72	16.92	75.80
	5/6/05	92.72	15.95	76.77
	5/12/05	92.72	16.53	76.19
	5/19/05	92.72	16.60	76.12
	5/24/05	92.72	NM	NC
	6/2/05	92.72	16.10	76.62
	6/10/05	92.72	17.16	75.56
	6/13/05(a)	92.72	16.48	76.24
	6/22/05(a)	92.72	15.02	77.70
	6/28/05	92.72	15.77	76.95
	7/7/05(b)	92.72	14.42	78.30
	7/14/05(b)	92.72	14.38	78.34
	7/29/05	92.72	17.21	75.51
	8/4/05	92.72	18.36	74.36
	8/11/05	92.72	19.70	73.02
	8/17/05	92.72	19.65	73.07
	8/26/05	92.72	19.26	73.46
	8/31/05	92.72	19.27	73.45
	9/6/05	92.72	20.10	72.62

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-7B cont.	9/16/05	92.72	19.09	73.63
	9/19/05	92.72	20.01	72.71
	9/30/05	92.72	19.71	73.01
	11/16/05	92.72	20.03	72.69
	12/14/05	92.72	19.85	72.87
	1/5/06	92.72	19.06	73.66
	2/15/06	92.72	17.95	74.77
	3/15/06	92.72	17.67	75.05
	4/5/06	92.72	17.17	75.55
	5/3/06	92.72	17.00	75.72
	6/5/06	92.72	16.40	76.32
	7/10/06	92.72	16.46	76.26
	8/22/06	92.72	16.02	76.70
	9/6/06	92.72	NM	NC
	10/9/06	92.72	13.30	79.42
	11/10/06	92.72	12.86	79.86
	12/1/06	92.72	12.20	80.52
	1/18/07	92.72	16.22	76.50
	2/12/07	92.72	15.72	77.00
	3/1/07	92.72	14.93	77.79
	4/2/07	92.72	14.45	78.27
	5/2/07	92.72	14.69	78.03
	6/1/07	92.72	14.78	77.94
	7/2/07	92.72	14.98	77.74
	8/6/07	92.72	14.43	78.29
	9/12/07	92.72	15.98	76.74
	10/17/07	92.72	15.90	76.82
	11/9/07	92.72	15.80	76.92
	12/10/07	92.72	15.87	76.85
	1/22/08	92.72	14.40	78.32
	2/21/08	92.72	13.86	78.86
	3/18/08	92.72	13.96	78.76
	4/1/08	92.72	14.03	78.69
	5/15/08	92.72	14.30	78.42
	6/16/08	92.72	14.60	78.12
	7/30/08	92.72	14.94	77.78
	8/18/08	92.72	15.20	77.52
	9/5/08	92.72	15.30	77.42
	10/16/08	92.72	15.23	77.49
	11/5/08	92.72	15.36	77.36
	12/3/08	92.72	15.23	77.49
	11/3/09	92.72	15.29	77.43
	3/23/10	92.72	13.94	78.78
	8/24/10	92.72	14.63	78.09
	2/11/11	92.72	14.25	78.47
	9/21/11	92.72	14.60	78.12
	3/21/12	92.72	14.44	78.28
	7/25/12	92.72	14.42	78.30
	2/27/13	92.72	14.36	78.36
	7/1/13	92.72	15.03	77.69
	2/18/14	92.72	15.31	77.41
	8/26/141	92.72	16.38	76.34
	1/20/15	**92.72**	**14.88**	**77.84**

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-8A	2/1/05	90.68	12.64	78.04
	4/27/05	90.68	13.73	76.95
	5/6/05	90.68	12.81	77.87
	5/12/05	90.68	12.76	77.92
	5/19/05	90.68	13.27	77.41
	5/24/05	90.68	13.04	77.64
	6/2/05	90.68	13.09	77.59
	6/10/05	90.68	13.25	77.43
	6/13/05(a)	90.68	13.22	77.46
	6/22/05(a)	90.68	13.00	77.68
	6/28/05	90.68	14.77	75.91
	7/7/05(b)	90.68	12.60	78.08
	7/14/05(b)	90.68	12.50	78.18
	7/29/05	90.68	13.35	77.33
	8/4/05	90.68	14.19	76.49
	8/11/05	90.68	15.15	75.53
	8/17/05	90.68	15.10	75.58
	8/26/05	90.68	14.81	75.87
	8/31/05	90.68	14.74	75.94
	9/6/05	90.68	15.94	74.74
	9/16/05	90.68	14.51	76.17
	9/19/05	90.68	15.26	75.42
	9/30/05	90.68	14.76	75.92
	11/16/05	90.68	15.25	75.43
	12/14/05	90.68	15.17	75.51
	1/5/06	90.68	14.12	76.56
	2/15/06	90.68	13.67	77.01
	3/15/06	90.68	13.16	77.52
	4/5/06	90.68	12.56	78.12
	5/3/06	90.68	15.71	74.97
	6/5/06	90.68	12.43	78.25
	7/10/06	90.68	12.54	78.14
	8/22/06	90.68	12.17	78.51
	9/6/06	90.68	NM	NC
	11/10/06	90.68	11.95	78.73
	12/1/06	90.68	11.62	79.06
	1/18/07	90.68	11.42	79.26
	2/12/07	90.68	12.82	77.86
	3/1/07	90.68	11.12	79.56
	4/2/07	90.68	10.96	79.72
	5/2/07	90.68	10.93	79.75
	6/1/07	90.68	11.01	79.67
	7/2/07	90.68	11.13	79.55
	8/6/07	90.68	10.91	79.77
	9/12/07	90.68	11.43	79.25
	10/17/07	90.68	11.50	79.18
	11/9/07	90.68	12.32	78.36

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-8A cont.	12/10/07	90.68	13.27	77.41
	1/22/08	90.68	12.55	78.13
	2/21/08	90.68	12.22	78.46
	3/18/08	90.68	12.31	78.37
	4/1/08	90.68	12.58	78.10
	5/15/08	90.68	13.73	76.95
	6/16/08	90.68	12.97	77.71
	7/30/08	90.68	13.28	77.40
	8/18/08	90.68	13.43	77.25
	9/5/08	90.68	13.57	77.11
	10/16/08	90.68	13.56	77.12
	11/5/08	90.68	13.47	77.21
	12/3/08	90.68	13.56	77.12
	11/3/09	90.68	13.41	77.27
	3/23/10	90.68	12.51	78.17
	8/24/10	90.68	15.03	75.65
	2/11/11	90.68	12.71	77.97
	9/21/11	90.68	13.04	77.64
	3/21/12	90.68	12.90	77.78
	7/25/12	90.68	13.08	77.60
	2/27/13	90.68	12.71	77.97
	7/1/13	90.68	12.98	77.70
	2/18/14	90.68	13.14	77.54
	8/26/14	90.68	13.69	76.99
	1/20/15	**90.68**	**12.06**	**78.62**
MW-8B	2/1/05	90.70	12.63	78.07
	4/27/05	90.70	13.89	76.81
	5/6/05	90.70	13.30	77.40
	5/12/05	90.70	13.75	76.95
	5/19/05	90.70	14.06	76.64
	5/24/05	90.70	14.61	76.09
	6/2/05	90.70	13.46	77.24
	6/10/05	90.70	14.71	75.99
	6/13/05(a)	90.70	13.56	77.14
	6/22/05(a)	90.70	14.76	75.94
	6/28/05	90.70	14.77	75.93
	7/7/05(b)	90.70	12.43	78.27
	7/14/05(b)	90.70	12.80	77.90
	7/29/05	90.70	14.89	75.81
	8/4/05	90.70	15.20	75.50
	8/11/05	90.70	16.17	74.53
	8/17/05	90.70	15.96	74.74
	8/26/05	90.70	15.07	75.63
	8/31/05	90.70	15.78	74.92
	9/6/05	90.70	15.14	75.56
	9/16/05	90.70	15.11	75.59
	9/19/05	90.70	15.92	74.78
	9/30/05	90.70	15.45	75.25
	11/16/05	90.70	15.80	74.90
	12/14/05	90.70	15.74	74.96
	1/5/06	90.70	14.92	75.78
	2/15/06	90.70	14.22	76.48

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-8B cont.	3/15/06	90.70	13.82	76.88
	4/5/06	90.70	13.35	77.35
	5/3/06	90.70	17.07	73.63
	6/5/06	90.70	13.39	77.31
	7/10/06	90.70	13.29	77.41
	8/22/06	90.70	13.41	77.29
	9/6/06	90.70	NM	NC
	11/10/06	90.70	13.71	76.99
	12/1/06	90.70	13.23	77.47
	1/18/07	90.70	13.26	77.44
	2/12/07	90.70	11.25	79.45
	3/1/07	90.70	12.89	77.81
	4/2/07	90.70	12.30	78.40
	5/2/07	90.70	12.54	78.16
	6/1/07	90.70	12.60	78.10
	7/2/07	90.70	12.55	78.15
	8/6/07	90.70	11.89	78.81
	9/12/07	90.70	13.72	76.98
	10/17/07	90.70	13.65	77.05
	11/9/07	90.70	13.48	77.22
	12/10/07	90.70	14.10	76.60
	1/22/08	90.70	12.68	78.02
	2/21/08	90.70	12.28	78.42
	3/18/08	90.70	12.40	78.30
	4/1/08	90.70	12.66	78.04
	5/15/08	90.70	12.65	78.05
	6/16/08	90.70	12.88	77.82
	7/30/08	90.70	13.11	77.59
	8/18/08	90.70	13.27	77.43
	9/5/08	90.70	13.37	77.33
	10/16/08	90.70	13.40	77.30
	11/5/08	90.70	13.43	77.27
	12/3/08	90.70	13.40	77.30
	11/3/09	90.70	13.31	77.39
	3/23/10	90.70	12.41	78.29
	8/24/10	90.70	14.93	75.77
	2/11/11	90.70	12.65	78.05
	9/21/11	90.70	13.00	77.70
	3/21/12	90.70	12.85	77.85
	7/26/12	90.70	12.94	77.76
	2/27/13	90.70	12.75	77.95
	7/1/13	90.70	13.16	77.54
	2/18/14	90.70	13.24	77.46
	8/26/14	90.70	13.87	76.83
	1/20/15	**90.70**	**12.51**	**78.19**
MW-9A	2/1/05	89.23	11.71	77.52
	4/27/05	89.23	11.97	77.26
	5/6/05	89.23	12.22	77.01
	5/12/05	89.23	12.24	76.99
	5/19/05	89.23	12.68	76.55
	5/24/05	89.23	12.77	76.46
	6/2/05	89.23	13.30	75.93

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-9A cont.	6/10/05	89.23	13.01	76.22
	6/13/05(a)	89.23	12.55	76.68
	6/22/05(a)	89.23	13.39	75.84
	6/28/05	89.23	13.07	76.16
	7/7/05(b)	89.23	11.63	77.60
	7/14/05(b)	89.23	11.55	77.68
	7/29/05	89.23	12.91	76.32
	8/4/05	89.23	13.20	76.03
	8/11/05	89.23	14.10	75.13
	8/17/05	89.23	14.05	75.18
	8/26/05	89.23	13.47	75.76
	8/31/05	89.23	13.70	75.53
	9/6/05	89.23	13.98	75.25
	9/16/05	89.23	13.28	75.95
	9/19/05	89.23	14.05	75.18
	9/30/05	89.23	13.45	75.78
	10/18/05	89.23	14.36	74.87
	11/16/05	89.23	14.36	74.87
	12/14/05	89.23	14.22	75.01
	1/5/06	89.23	12.98	76.25
	2/15/06	89.23	12.76	76.47
	3/15/06	89.23	12.50	76.73
	4/5/06	89.23	11.91	77.32
	5/3/06	89.23	12.40	76.83
	6/5/06	89.23	15.61	73.62
	7/10/06	89.23	12.35	76.88
	8/22/06	89.23	12.82	76.41
	9/6/06	89.23	NM	NC
	10/9/06	89.23	13.25	75.98
	11/10/06	89.23	13.26	75.97
	12/1/06	89.23	13.01	76.22
	1/18/07	89.23	12.70	76.53
	2/12/07	89.23	12.33	76.90
	3/1/07	89.23	12.31	76.92
	4/2/07	89.23	11.72	77.51
	5/2/07	89.23	11.94	77.29
	6/1/07	89.23	11.98	77.25
	7/2/07	89.23	12.03	77.20
	8/6/07	89.23	11.53	77.70
	9/12/07	89.23	13.35	75.88
	10/17/07	89.23	13.41	75.82
	11/9/07	89.23	13.42	75.81
	12/10/07	89.23	13.61	75.62
	1/22/08	89.23	11.50	77.73
	2/21/08	89.23	10.91	78.32
	3/18/08	89.23	10.90	78.33
	4/1/08	89.23	11.04	78.19

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-9A cont.	5/15/08	89.23	11.44	77.79
	6/16/08	89.23	11.73	77.50
	7/30/08	89.23	12.09	77.14
	8/18/08	89.23	12.28	76.95
	9/5/08	89.23	12.40	76.83
	10/16/08	89.23	12.21	77.02
	11/5/08	89.23	12.50	76.73
	12/3/08	89.23	12.21	77.02
	11/3/09	89.23	12.31	76.92
	3/23/10	89.23	10.99	78.24
	8/24/10	89.23	13.90	75.33
	2/11/11	89.23	11.45	77.78
	9/21/11	89.23	14.05	75.18
	3/21/12	89.23	11.60	77.63
	7/25/12	89.23	11.94	77.29
	2/27/13	89.23	11.37	77.86
	7/1/13	89.23	12.38	76.85
	2/18/14	89.23	12.34	76.89
	8/26/14	89.23	13.21	76.02
	1/20/15	**89.23**	**11.55**	**77.68**
MW-9B	2/1/05	89.31	11.43	77.88
	4/27/05	89.31	14.02	75.29
	5/6/05	89.31	13.66	75.65
	5/12/05	89.31	14.24	75.07
	5/19/05	89.31	14.12	75.19
	5/24/05	89.31	15.88	73.43
	6/2/05	89.31	14.23	75.08
	6/10/05	89.31	15.38	73.93
	6/13/05(a)	89.31	13.80	75.51
	6/22/05(a)	89.31	15.45	73.86
	6/28/05	89.31	16.22	73.09
	7/7/05(b)	89.31	11.24	78.07
	7/14/05(b)	89.31	11.20	78.11
	7/29/05	89.31	14.37	74.94
	8/4/05	89.31	15.42	73.89
	8/11/05	89.31	16.47	72.84
	8/17/05	89.31	16.21	73.10
	8/26/05	89.31	13.19	76.12
	8/31/05	89.31	15.69	73.62
	9/6/05	89.31	16.04	73.27
	9/16/05	89.31	14.84	74.47
	9/19/05	89.31	15.96	73.35
	9/30/05	89.31	15.08	74.23
	10/18/05	89.31	16.40	72.91
	11/16/05	89.31	15.87	73.44
	12/14/05	89.31	15.86	73.45
	1/5/06	89.31	15.24	74.07
	2/15/06	89.31	14.68	74.63
	3/15/06	89.31	14.19	75.12
	4/5/06	89.31	13.67	75.64
	5/3/06	89.31	15.25	74.06
	6/5/06	89.31	17.15	72.16

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-9B	7/10/06	89.31	14.97	74.34
cont.	8/22/06	89.31	14.90	74.41
	9/6/06	89.31	14.41	74.90
	10/9/06	89.31	15.71	73.60
	11/10/06	89.31	15.82	73.49
	12/1/06	89.31	15.02	74.29
	1/18/07	89.31	13.86	75.45
	2/12/07	89.31	14.00	75.31
	3/1/07	89.31	14.10	75.21
	4/2/07	89.31	12.57	76.74
	5/2/07	89.31	13.25	76.06
	6/1/07	89.31	13.53	75.78
	7/2/07	89.31	12.88	76.43
	8/6/07	89.31	11.05	78.26
	9/12/07	89.31	15.92	73.39
	10/17/07	89.31	14.73	74.58
	11/9/07	89.31	14.60	74.71
	12/10/07	89.31	15.53	73.78
	1/22/08	89.31	11.61	77.70
	2/21/08	89.31	10.95	78.36
	3/18/08	89.31	10.97	78.34
	4/1/08	89.31	11.04	78.27
	5/15/08	89.31	11.30	78.01
	6/16/08	89.31	11.57	77.74
	7/30/08	89.31	11.86	77.45
	8/18/08	89.31	12.02	77.29
	9/5/08	89.31	12.98	76.33
	10/16/08	89.31	12.06	77.25
	11/5/08	89.31	12.22	77.09
	12/3/08	well obstructed - not accessible		NC
	11/3/09	89.31	12.43	76.88
	3/23/10	89.31	10.98	78.33
	8/24/10	89.31	11.67	77.64
	2/11/11	89.31	11.20	78.11
	9/21/11	89.31	11.95	77.36
	3/21/12	89.31	11.45	77.86
	7/25/12	89.31	11.66	74.86
	2/27/13	89.31	11.34	77.97
	7/1/13	89.31	12.06	77.25
	2/18/14	89.31	12.05	77.26
	8/26/14	89.31	12.79	76.52
	1/20/15	**89.31**	**11.32**	**77.99**
MW-10A	2/1/05	94.35	16.39	77.96
	4/27/05	94.35	17.45	76.90
	5/6/05	94.35	17.34	77.01
	5/12/05	94.35	17.30	77.05
	5/19/05	94.35	17.50	76.85
	5/24/05	94.35	17.37	76.98
	6/2/05	94.35	17.45	76.90
	6/10/05	94.35	18.21	76.14
	6/13/05(a)	94.35	16.60	77.75
	6/22/05(a)	94.35	16.92	77.43

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-10A	6/28/05	94.35	17.81	76.54
cont.	7/7/05(b)	94.35	16.27	78.08
	7/14/05(b)	94.35	16.17	78.18
	7/29/05	94.35	18.11	76.24
	8/4/05	94.35	18.70	75.65
	8/11/05	94.35	19.69	74.66
	8/17/05	94.35	19.76	74.59
	8/26/05	94.35	well dry	NC
	8/31/05	94.35	18.25	76.10
	9/6/05	94.35	19.40	74.95
	9/16/05	94.35	18.96	75.39
	9/19/05	94.35	19.68	74.67
	9/30/05	94.35	19.18	75.17
	10/18/05	94.35	19.82	74.53
	11/16/05	94.35	18.90	75.45
	12/14/05	94.35	18.75	75.60
	1/5/06	94.35	18.02	76.33
	2/15/06	94.35	16.90	77.45
	3/15/06	94.35	well dry	NC
	4/5/06	94.35	well dry	NC
	5/3/06	94.35	well dry	NC
	6/5/06	94.35	13.01	81.34
	7/10/06	94.35	well dry	NC
	8/22/06	94.35	well dry	NC
	9/6/06	94.35	well dry	NC
	10/9/06	94.35	well dry	NC
	11/10/06	94.35	well dry	NC
	12/1/06	94.35	well dry	NC
	1/18/07	94.35	17.92	76.43
	2/12/07	94.35	well dry	NC
	3/1/07	94.35	well dry	NC
	4/2/07	94.35	16.94	77.41
	5/2/07	94.35	well dry	NC
	6/1/07	94.35	well dry	NC
	7/2/07	94.35	17.20	77.15
	8/6/07	94.35	well dry	NC
	9/12/07	94.35	well dry	NC
	10/17/07	94.35	well dry	NC
	11/9/07	94.35	well dry	NC
	12/10/07	94.35	well dry	NC
	1/22/08	94.35	16.57	77.78
	2/21/08	94.35	well dry	NC

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-10A	3/18/08	94.35	well dry	NC
cont.	4/1/08	94.35	well dry	NC
	5/15/08	94.35	well dry	NC
	6/16/08	94.35	well dry	NC
	7/30/08	94.35	well dry	NC
	8/18/08	94.35	well dry	NC
	9/5/08	94.35	well dry	NC
	10/16/08	94.35	well dry	NC
	11/5/08	94.35	well dry	NC
	12/3/08	94.35	well dry	NC
	11/3/09	94.35	17.30	77.05
	3/23/10	94.35	well dry	NC
	8/24/10	94.35	well dry	NC
	2/11/11	94.35	well dry	NC
	9/21/11	94.35	well dry	NC
	3/21/12	94.35	well dry	NC
	7/25/12	94.35	well dry	NC
	2/27/13	94.35	well dry	NC
	7/1/13	94.35	well dry	NC
	2/18/14	94.35	well dry	NC
	8/26/14	94.35	well dry	NC
	1/20/15	**94.35**	**well dry**	**NC**
MW-10B	2/1/05	94.36	16.33	78.03
	4/27/05	94.36	19.66	74.70
	5/6/05	94.36	18.79	75.57
	5/12/05	94.36	19.41	74.95
	5/19/05	94.36	18.84	75.52
	5/24/05	94.36	17.21	77.15
	6/2/05	94.36	19.25	75.11
	6/10/05	94.36	20.10	74.26
	6/13/05(a)	94.36	16.51	77.85
	6/22/05(a)	94.36	18.25	76.11
	6/28/05	94.36	19.70	74.66
	7/7/05(b)	94.36	16.17	78.19
	7/14/05(b)	94.36	16.11	78.25
	7/29/05	94.36	19.18	75.18
	8/4/05	94.36	20.78	73.58
	8/11/05	94.36	21.37	72.99
	8/17/05	94.36	21.20	73.16
	8/26/05	94.36	20.51	73.85
	8/31/05	94.36	21.15	73.21
	9/6/05	94.36	20.49	73.87
	9/16/05	94.36	20.20	74.16
	9/19/05	94.36	21.17	73.19
	9/30/05	94.36	21.26	73.10
	10/18/05	94.36	21.43	72.93
	11/16/05	94.36	21.11	73.25
	12/14/05	94.36	21.08	73.28
	1/5/06	94.36	21.00	73.36
	2/15/06	94.36	19.90	74.46

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-10B	3/15/06	94.36	19.46	74.90
cont.	4/5/06	94.36	18.74	75.62
	5/3/06	94.36	18.57	75.79
	6/5/06	94.36	17.48	76.88
	7/10/06	94.36	18.15	76.21
	8/22/06	94.36	18.05	76.31
	9/6/06	94.36	NM	NC
	10/9/06	94.36	17.68	76.68
	11/10/06	94.36	17.54	76.82
	12/1/06	94.36	16.83	77.53
	1/18/07	94.36	18.76	75.60
	2/12/07	94.36	18.40	75.96
	3/1/07	94.36	18.02	76.34
	4/2/07	94.36	16.98	77.38
	5/2/07	94.36	17.45	76.91
	6/1/07	94.36	17.62	76.74
	7/2/07	94.36	17.50	76.86
	8/6/07	94.36	16.10	78.26
	9/12/07	94.36	19.32	75.04
	10/17/07	94.36	19.81	74.55
	11/9/07	94.36	18.50	75.86
	12/10/07	94.36	19.10	75.26
	1/22/08	94.36	16.25	78.11
	2/21/08	94.36	10.95	83.41
	3/18/08	94.36	15.88	78.48
	4/1/08	94.36	15.96	78.40
	5/15/08	94.36	NM	NC
	6/16/08	94.36	16.47	77.89
	7/30/08	94.36	16.75	77.61
	8/18/08	94.36	16.96	77.40
	9/5/08	94.36	17.37	76.99
	10/16/08	94.36	17.02	77.34
	11/5/08	94.36	17.11	77.25
	12/3/08	94.36	17.02	77.34
	11/3/09	94.36	17.00	77.36
	3/23/10	94.36	15.87	78.49
	8/24/10	94.36	16.39	77.97
	2/11/11	94.36	16.18	78.18
	9/21/11	94.36	16.50	77.86
	3/21/12	94.36	16.37	77.99
	7/25/12	94.36	15.59	78.77
	2/27/13	94.36	16.25	78.11
	7/1/13	94.36	16.87	77.49
	2/18/14	94.36	17.03	77.33
	8/26/14	94.36	17.91	76.45
	1/20/15	**94.36**	**16.45**	**77.91**
MW-11	2/1/05	90.08	13.04	77.04
	4/27/05	90.08	12.48	77.60
	5/6/05	90.08	12.61	77.47
	5/12/05	90.08	12.60	77.48
	5/19/05	90.08	12.80	77.28
	5/24/05	90.08	12.92	77.16

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-11	6/2/05	90.08	12.87	77.21
cont.	6/10/05	90.08	13.06	77.02
	6/13/05(a)	90.08	12.87	77.21
	6/22/05(a)	90.08	12.75	77.33
	6/28/05	90.08	12.95	77.13
	7/7/05(b)	90.08	12.52	77.56
	7/14/05(b)	90.08	12.50	77.58
	7/29/05	90.08	13.10	76.98
	8/4/05	90.08	13.28	76.80
	8/11/05	90.08	14.08	76.00
	8/17/05	90.08	13.18	76.90
	8/26/05	90.08	13.80	76.28
	8/31/05	90.08	13.20	76.88
	9/6/05	90.08	14.05	76.03
	9/16/05	90.08	13.32	76.76
	9/19/05	90.08	14.06	76.02
	9/30/05	90.08	13.40	76.68
	11/16/05	90.08	14.26	75.82
	12/14/05	90.08	14.03	76.05
	1/5/06	90.08	12.63	77.45
	2/15/06	90.08	12.69	77.39
	3/15/06	90.08	12.37	77.71
	4/5/06	90.08	11.84	78.24
	5/3/06	90.08	11.60	78.48
	6/5/06	90.08	12.70	77.38
	7/10/06	90.08	12.49	77.59
	8/22/06	90.08	12.87	77.21
	9/6/06	90.08	NM	NC
	10/9/06	90.08	12.99	77.09
	11/10/06	90.08	13.02	77.06
	12/1/06	90.08	15.17	74.91
	1/18/07	90.08	12.51	77.57
	2/12/07	90.08	12.27	77.81
	3/1/07	90.08	12.00	78.08
	4/2/07	90.08	11.97	78.11
	5/2/07	90.08	12.20	77.88
	6/1/07	90.08	12.24	77.84
	7/2/07	90.08	15.35	74.73
	8/6/07	well obstructed - not accessible		NC
	9/12/07	90.08	13.40	76.68
	10/17/07	90.08	13.46	76.62
	11/9/07	90.08	13.50	76.58
	12/10/07	90.08	13.56	76.52
	1/22/08	90.08	12.57	77.51
	2/21/08	90.08	12.08	78.00
	3/18/08	90.08	12.10	77.98
	4/1/08	90.08	12.24	77.84

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-11	5/15/08	90.08	12.62	77.46
cont.	6/16/08	90.08	12.90	77.18
	7/30/08	90.08	13.29	76.79
	8/18/08	90.08	13.50	76.58
	9/5/08	90.08	13.55	76.53
	10/16/08	well obstructed - not accessible		NC
	11/5/08	90.08	13.60	76.48
	12/3/08	90.08	13.55	76.53
	11/3/09	90.08	13.67	76.41
	3/23/10	90.08	14.43	75.65
	8/24/10	90.08	12.81	77.27
	2/11/11	90.08	12.66	77.42
	9/21/11	90.08	13.00	77.08
	3/21/12	90.08	12.66	77.42
	7/25/12	90.08	13.06	77.02
	2/27/13	90.08	12.38	77.70
	7/1/13	90.08	13.21	76.87
	2/18/14	90.08	13.66	76.42
	8/26/14	90.08	14.63	75.45
	1/20/15	**90.08**	**12.96**	**77.12**
MW-12B	2/1/05	92.24	14.17	78.07
	4/27/05	92.24	17.67	74.57
	5/6/05	92.24	15.25	76.99
	5/12/05	92.24	17.41	74.83
	5/19/05	92.24	16.49	75.75
	5/24/05	92.24	17.94	74.30
	6/2/05	92.24	17.62	74.62
	6/10/05	92.24	18.10	74.14
	6/13/05(a)	92.24	16.37	75.87
	6/22/05(a)	92.24	16.94	75.30
	6/28/05	92.24	18.05	74.19
	7/7/05(b)	92.24	14.01	78.23
	7/14/05(b)	92.24	13.95	78.29
	7/29/05	92.24	17.41	74.83
	8/4/05	92.24	18.58	73.66
	8/11/05	92.24	19.80	72.44
	8/17/05	92.24	19.30	72.94
	8/26/05	92.24	17.96	74.28
	8/31/05	92.24	19.26	72.98
	9/6/05	92.24	19.49	72.75
	9/16/05	92.24	18.46	73.78
	9/19/05	92.24	19.31	72.93
	9/30/05	92.24	19.10	73.14
	10/18/05	92.24	19.61	72.63
	11/16/05	92.24	17.74	74.50
	12/14/05	92.24	19.24	73.00
	1/5/06	92.24	18.65	73.59
	2/15/06	92.24	17.48	74.76
	3/15/06	92.24	17.00	75.24
	4/5/06	92.24	16.29	75.95
	5/3/06	92.24	20.13	72.11
	6/5/06	92.24	19.06	73.18

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-12B	7/10/06	92.24	15.82	76.42
cont.	8/22/06	92.24	15.93	76.31
	9/6/06	92.24	15.31	76.93
	10/9/06	92.24	15.73	76.51
	11/10/06	92.24	15.64	76.60
	12/1/06	92.24	16.80	75.44
	1/18/07	92.24	18.29	73.95
	2/12/07	92.24	15.77	76.47
	3/1/07	92.24	15.58	76.66
	4/2/07	92.24	14.83	77.41
	5/2/07	92.24	15.10	77.14
	6/1/07	92.24	15.17	77.07
	7/2/07	92.24	15.15	77.09
	8/6/07	92.24	13.92	78.32
	9/12/07	92.24	16.45	75.79
	10/17/07	92.24	16.13	76.11
	11/9/07	well obstructed - not accessible		NC
	12/10/07	92.24	16.32	75.92
	1/22/08	92.24	14.16	78.08
	2/21/08	92.24	13.83	78.41
	3/18/08	92.24	13.84	78.40
	4/1/08	92.24	13.91	78.33
	5/15/08	92.24	14.12	78.12
	6/16/08	92.24	14.35	77.89
	7/30/08	92.24	14.56	77.68
	8/18/08	92.24	14.80	77.44
	9/5/08	92.24	14.85	77.39
	10/16/08	92.24	14.84	77.40
	11/5/08	92.24	14.87	77.37
	12/3/08	92.24	14.84	77.40
	11/3/09	92.24	14.52	77.72
	3/23/10	92.24	13.84	78.40
	8/24/10	92.24	14.29	77.95
	2/11/11	92.24	14.09	78.15
	9/21/11	92.24	14.40	77.84
	3/21/12	92.24	14.27	77.97
	7/26/12	92.24	14.45	77.79
	2/27/13	92.24	14.19	78.05
	7/1/13	92.24	14.65	77.59
	2/18/14	92.24	14.78	77.46
	8/26/14	92.24	15.52	76.72
	1/20/15	**92.24**	**14.32**	**77.92**
MW-12C	2/1/05	91.81	17.04	74.77
	4/27/05	91.81	10.33	81.48
	5/6/05	91.81	10.02	81.79
	5/12/05	91.81	9.81	82.00
	5/19/05	91.81	9.97	81.84
	5/24/05	91.81	9.90	81.91
	6/2/05	91.81	10.41	81.40
	6/10/05	91.81	11.09	80.72
	6/13/05(a)	91.81	10.91	80.90

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-12C cont.	6/22/05(a)	91.81	11.88	79.93
	6/28/05	91.81	12.24	79.57
	7/7/05(b)	91.81	12.98	78.83
	7/14/05(b)	91.81	13.22	78.59
	7/29/05	91.81	14.17	77.64
	8/4/05	91.81	14.68	77.13
	8/11/05	91.81	15.91	75.90
	8/17/05	91.81	16.30	75.51
	8/26/05	91.81	16.83	74.98
	8/31/05	91.81	16.91	74.90
	9/6/05	91.81	17.35	74.46
	9/16/05	91.81	17.19	74.62
	9/19/05	91.81	17.76	74.05
	9/30/05	91.81	17.01	74.80
	11/16/05	91.81	19.27	72.54
	12/14/05	91.81	19.00	72.81
	1/5/06	91.81	13.63	78.18
	2/15/06	91.81	10.92	80.89
	3/15/06	91.81	9.40	82.41
	4/5/06	91.81	8.22	83.59
	5/3/06	91.81	21.16	70.65
	6/5/06	91.81	23.25	68.56
	7/10/06	91.81	10.93	80.88
	8/22/06	91.81	14.75	77.06
	9/6/06	91.81	NM	NC
	10/9/06	91.81	15.50	76.31
	11/10/06	91.81	17.15	74.66
	12/1/06	91.81	16.80	75.01
	1/18/07	91.81	12.92	78.89
	2/12/07	91.81	15.08	76.73
	3/1/07	91.81	14.98	76.83
	4/2/07	91.81	13.32	78.49
	5/2/07	91.81	15.17	76.64
	6/1/07	91.81	15.94	75.87
	7/2/07	91.81	18.14	73.67
	8/6/07	91.81	19.57	72.24
	9/12/07	91.81	20.83	70.98
	10/17/07	91.81	21.38	70.43
	11/9/07	91.81	21.38	70.43
	12/10/07	91.81	21.66	70.15
	1/22/08	91.81	20.88	70.93
	2/21/08	91.81	18.98	72.83
	3/18/08	91.81	17.97	73.84
	4/1/08	91.81	18.04	73.77
	5/15/08	91.81	19.03	72.78
	6/16/08	91.81	21.37	70.44
	7/30/08	91.81	23.72	68.09

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-12C cont.	8/18/08	91.81	24.52	67.29
	9/5/08	91.81	25.12	66.69
	10/16/08	91.81	26.81	65.00
	11/5/08	91.81	27.34	64.47
	12/3/08	91.81	26.81	65.00
	11/3/09	91.81	23.93	67.88
	3/23/10	91.81	15.50	76.31
	8/24/10	91.81	20.75	71.06
	2/11/11	91.81	13.84	77.97
	9/21/11	91.81	15.05	76.76
	3/21/12	91.81	8.08	83.73
	7/26/12	91.81	12.99	78.82
	2/27/13	91.81	10.28	81.53
	7/1/13	91.81	17.72	74.09
	2/18/14	91.81	22.27	69.54
	8/26/14	91.81	32.90	58.91
	1/20/15	**91.81**	**36.14**	**55.67**
MW-13A	2/1/05	92.41	14.19	78.22
	4/27/05	92.41	14.82	77.59
	5/6/05	92.41	14.35	78.06
	5/12/05	92.41	14.65	77.76
	5/19/05	92.41	14.88	77.53
	5/24/05	92.41	15.11	77.30
	6/2/05	92.41	14.69	77.72
	6/10/05	92.41	15.27	77.14
	6/13/05(a)	92.41	16.23	76.18
	6/22/05(a)	92.41	14.74	77.67
	6/28/05	92.41	15.07	77.34
	7/7/05(b)	92.41	14.32	78.09
	7/14/05(b)	92.41	14.32	78.09
	7/29/05	92.41	15.33	77.08
	8/4/05	92.41	15.90	76.51
	8/11/05	92.41	16.87	75.54
	8/17/05	92.41	16.75	75.66
	8/26/05	92.41	16.47	75.94
	8/31/05	92.41	16.70	75.71
	9/6/05	92.41	16.85	75.56
	9/16/05	92.41	16.10	76.31
	9/19/05	92.41	16.85	75.56
	9/30/05	92.41	16.44	75.97
	10/18/05	92.41	16.97	75.44
	11/16/05	92.41	16.70	75.71
	12/14/05	92.41	16.60	75.81
	1/5/06	92.41	15.42	76.99
	2/15/06	92.41	15.20	77.21
	3/15/06	92.41	14.76	77.65
	4/5/06	92.41	14.29	78.12
	5/3/06	92.41	19.07	73.34
	6/5/06	92.41	18.40	74.01
	7/10/06	92.41	14.62	77.79
	8/22/06	92.41	14.65	77.76
	9/6/06	92.41	NM	NC

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-13A	10/9/06	92.41	14.31	78.10
cont.	11/10/06	92.41	16.49	75.92
	12/1/06	92.41	14.08	78.33
	1/18/07	92.41	16.91	75.50
	2/12/07	92.41	14.47	77.94
	3/1/07	92.41	16.46	75.95
	4/2/07	92.41	14.32	78.09
	5/2/07	92.41	14.34	78.07
	6/1/07	92.41	14.38	78.03
	7/2/07	92.41	14.48	77.93
	8/6/07	92.41	14.34	78.07
	9/12/07	92.41	14.81	77.60
	10/17/07	92.41	14.87	77.54
	11/9/07	92.41	14.82	77.59
	12/10/07	92.41	14.95	77.46
	1/22/08	92.41	14.14	78.27
	2/21/08	92.41	14.00	78.41
	3/18/08	92.41	13.45	78.96
	4/1/08	92.41	14.16	78.25
	5/15/08	92.41	14.35	78.06
	6/16/08	92.41	14.48	77.93
	7/30/08	92.41	14.58	77.83
	8/18/08	92.41	14.71	77.70
	9/5/08	92.41	14.73	77.68
	10/16/08	92.41	14.80	77.61
	11/5/08	92.41	14.73	77.68
	12/3/08	92.41	14.80	77.61
	11/3/09	92.41	14.58	77.83
	3/23/10	92.41	well dry	NC
	8/24/10	92.41	14.30	78.11
	2/11/11	92.41	well dry	NC
	9/21/11	92.41	well dry	NC
	3/21/12	92.41	14.34	78.07
	7/24/12	92.41	well dry	NC
	2/27/13	92.41	14.36	78.05
	7/1/13	92.41	14.63	77.78
	2/18/14	92.41	well dry	NC
	8/26/14	92.41	well dry	NC
	1/20/15	**92.41**	**well dry**	**NC**
MW-13B	2/1/05	91.98	13.78	78.20
	4/27/05	91.98	15.98	76.00
	5/6/05	91.98	15.11	76.87
	5/12/05	91.98	14.65	77.33
	5/19/05	91.98	15.45	76.53
	5/24/05	91.98	16.29	75.69
	6/2/05	91.98	15.17	76.81
	6/10/05	91.98	16.42	75.56
	6/13/05(a)	91.98	16.37	75.61
	6/22/05(a)	91.98	15.13	76.85
	6/28/05	91.98	15.95	76.03
	7/7/05(b)	91.98	13.65	78.33
	7/14/05(b)	91.98	13.65	78.33

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-13B cont.	7/29/05	91.98	16.16	75.82
	8/4/05	91.98	17.15	74.83
	8/11/05	91.98	17.61	74.37
	8/17/05	91.98	18.05	73.93
	8/26/05	91.98	16.73	75.25
	8/31/05	91.98	18.12	73.86
	9/6/05	91.98	18.26	73.72
	9/16/05	91.98	17.32	74.66
	9/19/05	91.98	18.17	73.81
	9/30/05	91.98	17.94	74.04
	11/16/05	91.98	18.13	73.85
	12/14/05	91.98	18.05	73.93
	1/5/06	91.98	17.34	74.64
	2/15/06	91.98	16.38	75.60
	3/15/06	91.98	15.99	75.99
	4/5/06	91.98	15.43	76.55
	5/3/06	91.98	20.05	71.93
	6/5/06	91.98	18.38	73.60
	7/10/06	91.98	14.93	77.05
	8/22/06	91.98	14.98	77.00
	9/6/06	91.98	NM	NC
	10/9/06	91.98	10.46	81.52
	11/10/06	91.98	16.05	75.93
	12/1/06	91.98	13.38	78.60
	1/18/07	91.98	17.32	74.66
	2/12/07	91.98	14.75	77.23
	3/1/07	91.98	14.46	77.52
	4/2/07	91.98	13.95	78.03
	5/2/07	91.98	14.17	77.81
	6/1/07	91.98	14.25	77.73
	7/2/07	91.98	14.30	77.68
	8/6/07	91.98	13.52	78.46
	9/12/07	91.98	15.35	76.63
	10/17/07	91.98	15.18	76.80
	11/9/07	91.98	14.89	77.09
	12/10/07	91.98	15.34	76.64
	1/22/08	91.98	13.72	78.26
	2/21/08	91.98	13.36	78.62
	3/18/08	91.98	14.08	77.90
	4/1/08	91.98	13.54	78.44
	5/15/08	91.98	14.32	77.66
	6/16/08	91.98	13.98	78.00
	7/30/08	91.98	14.22	77.76
	8/18/08	91.98	14.48	77.50
	9/5/08	91.98	14.50	77.48
	10/16/08	91.98	14.52	77.46
	11/5/08	91.98	14.55	77.43

Table 1
Groundwater Elevation Data
498 South 4th Street, San Jose, California

Monitoring Well ID	Date	Top of Casing Elevation (feet, msl)	Depth to Groundwater (feet)	Groundwater Elevation
MW-13B	12/3/08	91.98	14.52	77.46
cont.	11/3/09	91.98	14.45	77.53
	3/23/10	91.98	13.65	78.33
	8/24/10	91.98	13.90	78.08
	2/11/11	91.98	13.70	78.28
	9/21/11	91.98	14.00	77.98
	3/21/12	91.98	13.88	78.10
	7/26/12	91.98	14.05	77.93
	2/27/13	91.98	13.82	78.16
	7/1/13	91.98	14.32	77.66
	2/18/14	91.98	14.45	77.53
	8/26/14	91.98	15.32	76.66
	1/20/15	**91.98**	**14.06**	**77.92**

Notes:
msl = mean sea level
NM = well not measured
NC = elevation not calculated
* = Well head modified for treatment system. Data not contoured.

Table 2
Groundwater Analytical Results
498 South 4th Street, San Jose, California

Monitoring WellID	Date Collected	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)					Oxygenated Volatile Organics (µg/L)				
		Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE
MW-1	2/4/05	14,000	53,000	120	45	670	500	--	6.5	<50	<5.0	<5.0	200
	4/21/05*	7,400	--	150	49	190	210	320	--	--	--	--	--
	5/24/05	9,300	--	260	28	870	1,000	280	--	--	--	--	--
	6/13/05	21,000	--	150	140	480	700	<500	--	--	--	--	--
	7/14/05	5,500	--	47	44	210	240	<200	<2.5	<25	<2.5	<2.5	110
	8/18/05	26,000	--	180	300	760	860	<500	--	--	--	--	--
	9/20/05	100,000	--	360	1,400	920	600	<1,000	--	--	--	--	--
	10/18/05	10,000	--	170	52	110	150	410	--	--	--	--	--
	1/5/06	4,900	19,000	85	19	39	17	97	2.0	<17	<1.7	<1.7	140
	2/16/06	9,600	--	160	37	<5.0	500	<400	--	--	--	--	--
	3/15/06	4,400	--	49	26	51	340	<50	--	--	--	--	--
	4/5/06	1,300	--	14	6.6	<0.5	120	<50	--	--	--	--	--
	5/3/06	1,100	--	10	1.0	36	64	<30	--	--	--	--	--
	6/5/06	Well Dry - No Sample											
	7/10/06	4,500	--	56	27	220	180	<100	--	--	--	--	--
	8/22/06	7,000		88	12	340	160	<100	--	--	--	--	--
	9/6/06	2,500	--	3.4	16	<1.0	8.2	<80	--	--	--	--	--
	10/9/06	6,300	--	58	30	190	180	<200	--	--	--	--	--
	11/10/06	8,900	--	87	46	360	230	<300	--	--	--	--	--
	12/1/06	6,500	--	81	38	140	170	<90	--	--	--	--	--
	1/18/07	11,000	3,500	180	38	630	410	<120	--	--	--	--	--
	2/12/07	4,500	--	79	35	120	190	<50	--	--	--	--	--
	3/1/07	6,700	--	87	29	250	190	<270	--	--	--	--	--
	4/3/07	2,900	--	34	14	<2.5	16	<85	3.0	<5.0	<0.5	<0.5	21
	5/2/07	1,100	--	0.5	15	<0.5	6.4	<12	--	--	--	--	--
	6/5/07	1,500	--	14	11	11	7.8	<60	--	--	--	--	--
	7/3/07	1,100	--	1.1	18	<0.5	0.9	<10	--	--	--	--	--
	8/6/07	1,400	--	3.5	18	0.5	4.7	<5.0	--	--	--	--	--
	9/13/07	9,900	--	160	43	660	480	<50	--	--	--	--	--
	10/22/07	3,700	--	63	24	21	31	<40	5.5	<5.0	<0.5	<0.5	22
	11/12/07	1,800	--	20	15	<1.0	7.0	<35	4.9	<5.0	<0.5	<0.5	26
	12/11/07	5,100	--	65	42	150	91	<210	--	--	--	--	--
	1/9/08	1,300	1,100	18	17	<0.5	6.0	<25	6.0	<2.0	<0.5	<0.5	22
	2/22/08	1,700	--	18	16	30	5.4	<60	--	--	--	--	--
	3/19/08	NS	NS	NS	NS	NS	NS	NS	--	--	--	--	--
	4/1/08	1,700	--	3.2	22	0.5	0.8	<35	2.9	47	<0.5	<0.5	22
	5/15/08	170	--	<0.5	11	<0.5	<0.5	11	1.5	16	<0.5	<0.5	14
	6/17/08	720	--	<0.5	14	<0.5	<0.5	<15	--	--	--	--	--
	7/30/08	830	--	5.2	14	6.0	<0.5	<35	--	--	--	--	--
	8/18/08	2,500	--	20	18	21	1.7	<60	--	--	--	--	--
	9/5/08	5,600	--	53	38	38	3.1	<150	--	--	--	--	--
	10/16/08	2,100	--	11	22	<0.5	<0.5	<100	--	--	--	--	--
	11/5/08	4,700	--	47	45	<0.5	4.8	<75	--	--	--	--	--
	12/3/08	3,000	--	47	27	<1.0	5.1	<60	--	--	--	--	--
	11/3/09	2,300	800	11	35	<0.5	3.0	<45	1.3	15	<0.5	<0.5	25
	3/23/10	1,300	--	2.1	27	<0.5	0.6	<20	--	--	--	--	--
	8/24/10	3,600	--	50	38	36	8.2	<60	--	--	--	--	--
	2/16/11	1,200	--	3.6	28	0.9	1.0	<15	--	--	--	--	--
	9/21/11	930	--	10	11	1.5	3.3	<70	--	--	--	--	--
	3/21/12	1,000	--	2.3	17	<0.5	2.2	<60	--	--	--	--	--
	7/24/12	1,700	--	15	28	1.7	4.7	<75	--	--	--	--	--
	2/28/13	1,400	--	12	23	0.73	2.6	<30	--	--	--	--	--
	7/2/13	1,400	--	25	15	<1.0	4.1	<70	--	--	--	--	--
	2/18/14	170	--	1.8	<0.5	<0.5	<0.5	<15	--	--	--	--	--
	8/26/14	490	--	1.4	16	<0.5	0.61	<10	--	--	--	--	--
	1/22/15	**1,800**	--	**22**	**30**	**2.1**	**2.7**	**<80**	--	--	--	--	--

Table 2
Groundwater Analytical Results
498 South 4th Street, San Jose, California

Monitoring WellID	Date Collected	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)					Oxygenated Volatile Organics (µg/L)				
		Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE
MW-2	3/24/10	200	--	<0.5	6.5	<0.5	<0.5	<5.0	--	--	--	--	--
	8/24/10	120	--	<0.5	2.8	<0.5	<0.5	<5.0	--	--	--	--	--
	2/16/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	9/22/11	86	--	<0.5	1.8	<0.5	<0.5	<5.0	--	--	--	--	--
	3/21/12	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/26/12	67	--	<0.5	1.1	<0.5	<0.5	<5.0	--	--	--	--	--
	2/28/13	860	--	76	22	0.99	9.7	<150	--	--	--	--	--
	7/2/13	Well Not Sampled - Dry											
	2/19/13	200	--	0.56	<0.5	<0.5	<0.5	34	--	--	--	--	--
	8/27/14	350	--	12	18	<0.5	<0.5	<60	--	--	--	--	--
	1/22/15	**<50**	--	**1.4**	**<0.50**	**<0.50**	**<0.50**	**<5.0**	**--**	**--**	**--**	**--**	**--**
MW-3	2/4/05	33,000	13,000	3,300	600	1,300	4,500	--	<25	780	<25	<25	1,400
	4/21/05*	21,000	--	1,700	440	790	3,100	740	--	--	--	--	--
	5/24/05	32,000	--	3,800	750	1,300	4,800	1,500	--	--	--	--	--
	6/13/05	30,000	--	2,900	260	1,100	4,300	1,700	--	--	--	--	--
	7/14/05	9,500	--	1,700	69	340	760	950	<17	<170	<17	<17	1,100
	8/18/05	29,000	--	2,800	350	1,200	3,800	2,100	--	--	--	--	--
	9/20/05	32,000	--	1,300	230	810	3,500	1,300	--	--	--	--	--
	10/18/05	32,000	--	2,400	200	930	3,900	1,900	--	--	--	--	--
	1/5/06	29,000	9,300	2,700	210	720	3,200	1,500	<25	<250	<25	<25	1,400
	2/16/06	12,000	--	840	38	<10	1,300	<1,400	--	--	--	--	--
	3/15/06	41,000	--	3,300	230	530	5,700	1,500	--	--	--	--	--
	4/5/06	75,000	--	4,500	630	1,500	7,800	<2,500	--	--	--	--	--
	5/3/06	14,000	--	1,500	150	400	2,200	590	--	--	--	--	--
	6/5/06	60,000	--	4,400	650	1,600	8,200	1,500	--	--	--	--	--
	7/10/06	47,000	--	3,500	360	1,200	7,100	1,200	--	--	--	--	--
	8/22/06	11,000	--	690	38	30	780	380	--	--	--	--	--
	9/6/06	33,000	--	1,300	81	<5.0	3,200	<1,200	--	--	--	--	--
	10/9/06	31,000	--	1,900	160	440	3,600	<1,500	--	--	--	--	--
	11/10/06	13,000	--	750	92	220	1,400	550	--	--	--	--	--
	12/1/06	740	--	42	8.5	18	73	250	--	--	--	--	--
	1/18/07	3,000	1,200	140	31	17	200	140	--	--	--	--	--
	2/12/07	5,200	--	420	72	120	630	170	--	--	--	--	--
	3/1/07	26,000	--	1,900	190	810	2,500	840	--	--	--	--	--
	4/3/07	27,000	--	1,600	240	440	3,100	<1,000	<5.0	<50	<5.0	<5.0	390
	5/2/07	24,000	--	1,500	160	700	2,100	<900	--	--	--	--	--
	6/5/07	44,000	--	1,800	520	380	4,700	<800	--	--	--	--	--
	7/3/07	16,000	--	55	51	<5.0	1,100	<800	--	--	--	--	--
	8/6/07	12,000	--	140	59	<1.7	410	330	--	--	--	--	--
	9/13/07	25,000	--	1,300	71	<10	2,900	480	--	--	--	--	--
	10/22/07	36,000	--	2,800	180	1,300	4,400	820	--	--	--	--	--
	11/12/07	39,000	--	2,100	240	1,000	5,600	<900	<5.0	<50	<5.0	<5.0	680
	12/11/07	24,000	--	1,500	140	780	2,400	<900	--	--	--	--	--
	1/9/08	20,000	9,400	850	52	<5.0	2,400	<600	<5.0	24	<5.0	<5.0	310
	2/22/08	4,800	--	290	34	85	240	<210	--	--	--	--	--
	3/19/08	1,100	--	4.8	19	<2.5	5.6	190	--	--	--	--	--
	4/1/08	4,500	--	11	28	<1.7	75	<400	<5.0	33	<5.0	<5.0	230
	5/15/08	90	--	<0.5	3.3	<0.5	<0.5	110	<2.5	27	<2.5	<2.5	150
	6/16/08	3,100	--	6.0	19	<1.0	<1.0	230	--	--	--	--	--
	7/30/08	3,700	--	8.7	22	<2.5	<2.5	<300	--	--	--	--	--
	8/18/08	3,100	--	260	15	120	190	120	--	--	--	--	--
	9/5/08	5,500	--	620	29	230	340	210	--	--	--	--	--
	10/17/08	99,000	--	470	700	100	1,400	<900	--	--	--	--	--
	11/5/08	1,700	--	150	10	<0.5	94	120	--	--	--	--	--
	12/3/08	15,000	--	1,100	61	660	1,100	<500	--	--	--	--	--
	11/3/09	2,100	1,800	3.5	36	<0.5	1.3	150	<2.5	63	<2.5	<2.5	110
	3/23/10	12,000	--	980	62	660	460	<700	--	--	--	--	--
	8/24/10	11,000	--	1,000	58	630	390	<350	--	--	--	--	--
	2/15/11	3,700	--	590	18	200	150	<250	--	--	--	--	--
	9/21/11	4,600	--	510	28	160	81	<250	--	--	--	--	--
	3/22/12	880	--	71	10	24	11	<35	--	--	--	--	--
	7/26/12	6,100	--	700	36	160	62	<250	--	--	--	--	--
	2/28/13	720	--	100	7.4	15	4.7	<50	--	--	--	--	--
	7/2/13	550	--	82	4.9	8.6	2.2	<35	--	--	--	--	--
	2/18/14	11,000	--	1,500	43	630	1,300	<350	--	--	--	--	--
	8/27/14	4,600	--	660	23	68	18	190	--	--	--	--	--
	1/22/15	**4,700**	--	**710**	**27**	**97**	**42**	**<350**	**--**	**--**	**--**	**--**	**--**

Table 2
Groundwater Analytical Results
498 South 4th Street, San Jose, California

Monitoring WellID	Date Collected	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)					Oxygenated Volatile Organics (µg/L)				
		Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE
MW-4A	2/2/05	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<5.0	<50	<5.0	<5.0	150
	4/20/05*	--	--	--	--	--	--	7.9	--	--	--	--	--
	7/14/05	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/6/06	<50	<50	<0.5	<0.5	<0.5	<0.5	100	<2.5	<25	<2.5	<2.5	110
	7/10/06	<50	<50	<0.5	<0.5	<0.5	<0.5	98	<0.5	<5.0	<0.5	<0.5	<0.5
	10/10/06	<50	--	<0.5	<0.5	<0.5	<0.5	230	--	--	--	--	--
	1/19/07	<50	<50	<0.5	<0.5	<0.5	<0.5	21	--	--	--	--	--
	7/3/07	<50	--	<0.5	<0.5	<0.5	<0.5	58	--	--	--	--	--
	1/10/08	<50	<50	<0.5	<0.5	<0.5	<0.5	120	<2.5	<10	<2.5	<2.5	140
	11/3/09	Well Not Sampled - Not included in monitoring schedule per 9/17/09 directive											
	3/24/10	<50	--	<0.5	<0.5	<0.5	<0.5	16	--	--	--	--	--
	8/25/10	<50	--	<0.5	<0.5	<0.5	<0.5	23	--	--	--	--	--
	2/15/11	<50	--	<0.5	<0.5	<0.5	<0.5	20	--	--	--	--	--
	9/21/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	3/22/12	<50	--	<0.5	<0.5	<0.5	<0.5	8.1	--	--	--	--	--
	7/25/12	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/28/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/1/13	<50	--	<0.5	<0.5	<0.5	<0.5	7.1	--	--	--	--	--
	2/18/14	<50	--	<0.5	<0.5	<0.5	<0.5	17	--	--	--	--	--
	8/27/14	<50	--	<0.5	<0.5	<0.5	<0.5	10	--	--	--	--	--
	1/20/15	**<50**	**--**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**11**	**--**	**--**	**--**	**--**	**--**
MW-4B	2/2/05	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<5.0	<0.5	<0.5	<0.5
	4/20/05*	--	--	--	--	--	--	--	--	--	--	--	--
	7/14/05	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/6/06	<50	86	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5
	7/10/06	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5
	1/19/07	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/3/07	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/10/08	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	<0.5
	11/3/09	Well Not Sampled - Not included in monitoring schedule per 9/17/09 directive											
	3/24/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	<0.5
	8/25/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/15/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	9/21/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	3/21/12	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/25/12	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/28/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/1/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/18/14	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	8/27/14	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/20/15	**<50**	**--**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**<5.0**	**--**	**--**	**--**	**--**	**--**
MW-5	2/2/05	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<5.0	<0.5	<0.5	1.5
	4/20/05*	--	--	--	--	--	--	--	--	--	--	--	--
	7/14/05	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	1.5
	1/5/06	Well Not Sampled - Inassessible											
	7/10/06	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5
	1/19/07	<50	2,700	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/31/08	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	11/3/09	Well Not Sampled - Not included in monitoring schedule per 9/17/09 directive											
	3/24/10	Well Not Sampled - Inassessible											
	8/24/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/15/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	9/22/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	3/21/12	Well Not Sampled - Inassessible											
	7/24/12	Well Not Sampled - Inassessible											
	2/28/13	Well Not Sampled - Inassessible											
	7/1/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/18/14	Well Not Sampled - Inassessible											
	8/26/14	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/22/15	**<50**	**--**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**<5.0**	**--**	**--**	**--**	**--**	**--**

Table 2
Groundwater Analytical Results
498 South 4th Street, San Jose, California

Monitoring WellID	Date Collected	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)					Oxygenated Volatile Organics (µg/L)				
		Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE
MW-6	2/4/05	57,000	21,000	2,200	1,700	3,100	11,000	--	<1,700	<1,700	<170	<170	8,800
	4/21/05*	80,000	--	5,400	810	3,200	12,000	21,000	<500	<5,000	<500	<500	23,000
	5/24/05	66,000	--	1,700	2,200	240	1,200	<500	--	--	--	--	--
	6/13/05	32,000	--	100	440	74	540	<250	--	--	--	--	--
	7/14/05	32,000	--	2,600	4,300	390	1,700	3,400	59	<500	<50	<50	3,800
	8/18/05	66,000	--	4,300	2,600	180	3,700	4,700	--	--	--	--	--
	9/20/05	66,000	--	6,900	4,500	1,200	5,700	7,600	--	--	--	--	--
	10/18/05	57,000	--	6,800	3,400	1,400	6,000	8,700	290	<1,700	<170	<170	10,000
	1/5/06	39,000	82,000	4,700	1,600	570	4,100	6,000	220	<1,000	<100	<100	7,900
	2/16/06	6,000	--	4.5	47	3.5	66	<10	--	--	--	--	--
	3/15/06	8,200	--	14	100	23	180	<17	--	--	--	--	--
	4/5/06	2,800	--	7.1	53	<1.0	16	<10	<0.5	<5.0	<0.5	<0.5	3.8
	5/3/06	150	--	2.3	6.6	1.2	2.9	<5.0	--	--	--	--	--
	6/5/06	57	--	7.4	1.9	0.5	1.2	<5.0	--	--	--	--	--
	7/10/06	850	--	23	14	8.9	50	<5.0	<0.5	<5.0	<0.5	<0.5	4.9
	8/22/06	1,200	--	26	25	3.9	25	<10	--	--	--	--	--
	9/6/06	2,100	--	33	32	1.9	14	<30	--	--	--	--	--
	10/9/06	3,300	--	46	55	4.2	10	<25	--	--	--	--	--
	11/10/06	1,700	--	56	55	1.4	5.9	<80	--	--	--	--	--
	12/1/06	2,500	--	56	39	<1.7	4.3	130	--	--	--	--	--
	1/18/07	2,700	10,000	54	44	11	14	<50	--	--	--	--	--
	2/12/07	6,200	--	320	160	15	130	330	--	--	--	--	--
	3/1/07	16,000	--	1,200	860	76	680	1,600	--	--	--	--	--
	4/3/07	16,000	--	1,300	1,800	180	1,800	<1,100	<5.0	<50	<5.0	<5.0	440
	5/2/07	18,000	--	890	1,600	620	3,100	<210	--	--	--	--	--
	6/5/07	2,300	--	45	78	18	190	<50	--	--	--	--	--
	7/3/07	13,000	--	<2.5	210	<2.5	7.6	330	7.3	<50	<5.0	<5.0	360
	8/6/07	4,300	--	50	65	14	280	<60	--	--	--	--	--
	9/13/07	4,800	--	49	75	<5.0	280	<130	--	--	--	--	--
	10/22/07	5,100	--	110	95	21	250	<50	<0.5	<5.0	<0.5	<0.5	14
	11/12/07	3,400	--	<2.5	67	<2.5	24	<25	<0.5	<5.0	<0.5	<0.5	6.3
	12/11/07	6,200	--	33	130	7.0	57	<50	--	--	--	--	--
	1/9/08	11,000	68,000	<2.5	180	7.3	62	<90	<0.5	3.3	<0.5	<0.5	33
	2/22/08	12,000	--	190	280	120	400	<100	--	--	--	--	--
	3/19/08	3,300	--	72	73	<5.0	300	<90	--	--	--	--	--
	4/1/08	7,900	--	260	210	160	630	<210	<2.5	25	<2.5	<2.5	140
	5/16/08	2,400	--	3.5	5.8	<0.5	3.3	<30	0.8	<5.0	<0.5	<0.5	4.7
	6/17/08	8,200	--	<10	180	<10	150	<100	--	--	--	--	--
	7/31/08	21,000	--	30	280	<10	32	<100	<1.0	<4.0	<1.0	<1.0	10
	8/18/08	23,000	--	150	380	59	390	<250	--	--	--	--	--
	9/5/08	33,000	--	370	520	100	400	<350	--	--	--	--	--
	10/17/08	18,000	--	<5.0	230	<5.0	7.1	<210	--	--	--	--	--
	11/5/08	12,000	--	57	230	6.9	410	<400	--	--	--	--	--
	12/3/08	9,800	--	490	800	82	1,300	<100	--	--	--	--	--
	11/3/09	5,300	32,000	<1.7	110	<1.7	<1.7	250	<5.0	<20	<5.0	<5.0	240
	3/24/10	6,200	--	430	200	<10	170	<250	--	--	--	--	--
	8/24/10	10,000	--	530	190	75	330	<250	--	--	--	--	--
	2/15/11	4,400	--	200	80	1.8	54	<250	--	--	--	--	--
	9/21/11	1,600	--	110	35	0.76	1.2	190	--	--	--	--	--
	3/22/12	1,800	--	520	37	1.3	3.5	560	--	--	--	--	--
	7/26/12	3,300	--	480	65	5.3	41	290	--	--	--	--	--
	2/28/13	2,400	--	560	41	2.1	6.2	260	--	--	--	--	--
	7/2/13	1,800	--	520	38	<1.7	25	170	--	--	--	--	--
	2/19/14	1,800	--	140	<1.7	<1.7	<1.7	100	--	--	--	--	--
	8/27/14	1,400	--	160	32	<1.7	9.6	<120	--	--	--	--	--
	1/22/15	**440**	**--**	**6.2**	**18**	**<0.50**	**<0.50**	**<15**	**--**	**--**	**--**	**--**	**--**

Table 2
Groundwater Analytical Results
498 South 4th Street, San Jose, California

Monitoring WellID	Date Collected	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)					Oxygenated Volatile Organics (µg/L)				
		Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE
MW-7A	2/2/05	17,000	29,000,b	330	74	1,100	1,200	--	<5.0	<50	<5.0	<5.0	<5.0
	4/20/05*	11,000	--	640	52	760	470	<50	--	--	--	--	--
	5/24/05	26,000	--	1,400	140	1,800	1,900	<500	--	--	--	--	--
	6/13/05	24,000	--	1,400	140	1,900	1,900	<90	--	--	--	--	--
	7/14/05	16,000	--	640	96	890	870	<100	<50	<50	<0.5	<50	<5.0
	8/18/05	8,700	--	400	39	910	470	<50	--	--	--	--	--
	9/20/05	28,000	--	480	330	1,200	800	<500	--	--	--	--	--
	10/18/05	22,000	--	160	290	720	420	<500	--	--	--	--	--
	1/5/06	6,500	9,500	68	82	430	89	<50	<1.7	<17	<1.7	<1.7	<1.7
	2/16/06	4,000	--	22	57	14	180	<25	--	--	--	--	--
	3/15/06	9,300	--	180	100	700	990	<50	--	--	--	--	--
	4/5/06	13,000	--	220	110	1,200	960	<50	--	--	--	--	--
	5/3/06	5,200	--	80	51	380	650	<50	--	--	--	--	--
	6/5/06	6,800	--	62	100	270	420	<50	--	--	--	--	--
	7/10/06	4,100	--	11	81	150	140	<25	--	--	--	--	--
	8/22/06	6,300	--	29	71	<2.5	390	<50	--	--	--	--	--
	9/6/06	3,100	--	<1.7	78	<1.7	<1.7	<17	--	--	--	--	--
	10/9/06	7,900	--	3.1	210	5.9	20	<25	--	--	--	--	--
	11/10/06	2,800	--	34	85	1.4	41	<80	--	--	--	--	--
	12/1/06	3,000	--	95	70	10	68	<45	--	--	--	--	--
	1/19/07	4,500	3,500	140	91	280	150	<100	--	--	--	--	--
	2/12/07	4,300	--	91	90	150	280	<10	--	--	--	--	--
	3/1/07	3,700	--	32	63	<1.7	150	<17	--	--	--	--	--
	4/3/07	3,300	--	7	110	<5.0	65	<50	<0.5	<5.0	<0.5	<0.5	<0.5
	5/2/07	4,000	--	72	62	90	280	<50	--	--	--	--	--
	6/5/07	4,800	--	56	69	45	160	<50	--	--	--	--	--
	7/3/07	2,600	--	5.5	80	<0.5	26	<5.0	--	--	--	--	--
	8/6/07	1,100	--	<0.5	45	<0.5	<0.5	<5.0	--	--	--	--	--
	9/13/07	1,800	--	4.3	68	<1.7	7.8	<17	--	--	--	--	--
	10/22/07	3,300	--	23	97	16	11	<50	<0.5	<5.0	<0.5	<0.5	0.7
	11/13/07	2,400	--	2.6	63	<0.5	4.1	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5
	12/11/07	4,800	--	97	130	170	150	<50	--	--	--	--	--
	1/11/08	3,800	4,000	100	80	17	110	<50	<0.5	<2.0	<0.5	<0.5	2.9
	2/22/08	1,400	--	7.0	20	<0.5	36	<15	--	--	--	--	--
	3/18/08	2,300	--	8.5	67	<2.5	55	<25	--	--	--	--	--
	4/1/08	3,600	--	120	57	1.0	270	<30	<0.5	3.3	<0.5	<0.5	3.6
	5/16/08	4,200	--	83	20	<1.0	180	<35	<0.5	2.5	<0.5	<0.5	<0.5
	6/17/08	2,500	--	19	9.2	1.1	64	<18	--	--	--	--	--
	7/31/08	1,300	--	21	58	<1.7	6.9	<17	--	--	--	--	--
	8/18/08	4,300	--	52	100	320	23	<50	--	--	--	--	--
	9/6/08	4,600	--	37	78	270	10	<50	--	--	--	--	--
	10/17/08	1,400	--	<0.5	59	<0.5	0.7	<25	--	--	--	--	--
	11/5/08	2,500	--	1.1	71	2.3	5.0	<30	--	--	--	--	--
	12/3/08	1,500	--	4.4	46	<0.5	0.6	<5	--	--	--	--	--
	11/3/09					Well Not Sampled - Dry							
	3/23/10	300	--	10	5.4	<0.5	5.1	<25	--	--	--	--	--
	8/24/10	350	--	1.4	4.5	11	6.6	<5.0	--	--	--	--	--
	2/15/11					Well Not Sampled - Dry							
	7/21/11					Well Not Sampled - Dry							
	3/22/12	2,000	--	110	15	52	33	<10	--	--	--	--	--
	7/25/12	1,800	--	93	12	10	33	<5.0	--	--	--	--	--
	2/28/13	560	--	8.7	15	32	2.3	<30	--	--	--	--	--
	7/2/13	1,300	--	14	52	2.4	1.3	<60	--	--	--	--	--
	2/19/14	3,200	--	230	<2.5	18	7.4	<25	--	--	--	--	--
	8/27/14	690	--	0.84	36	0.71	<0.5	<35	--	--	--	--	--
	1/21/15	**2,500**	**--**	**180**	**36**	**10**	**4.3**	**<90**	**--**	**--**	**--**	**--**	**--**

Table 2
Groundwater Analytical Results
498 South 4th Street, San Jose, California

Monitoring WellID	Date Collected	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)					Oxygenated Volatile Organics (µg/L)				
		Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE
MW-7B	2/2/05	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<5.0	<0.5	<0.5	0.6
	4/20/05*	--	--	--	--	--	--	--	--	--	--	--	--
	7/14/05	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	0.6
	1/5/06	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	0.9
	7/10/06	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5
	10/9/06	<50	--	<0.5	<0.5	<0.5	<0.5	440	--	--	--	--	--
	1/19/07	<50	<50	<0.5	<0.5	<0.5	<0.5	420	--	--	--	--	--
	7/3/07	<50	--	<0.5	<0.5	<0.5	<0.5	48	--	--	--	--	--
	1/11/08	<50	<50	<0.5	<0.5	<0.5	<0.5	20	<0.5	<2.0	<0.5	<0.5	23
	7/31/08	<50	--	<0.5	<0.5	<0.5	<0.5	15	--	--	--	--	--
	11/3/09	<50	<50	<0.5	<0.5	<0.5	<0.5	5.7	<0.5	<2.0	<0.5	<0.5	5.4
	3/23/10	<50	--	<0.5	<0.5	<0.5	<0.5	6.5	--	--	--	--	--
	8/24/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/15/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	9/21/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	3/22/12	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/25/12	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/28/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/2/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/19/14	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	8/26/14	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/21/15	**<50**	**--**	**<0.5**	**<0.5**	**<0.5**	**0.57**	**<5.0**	**--**	**--**	**--**	**--**	**--**
MW-8A	2/1/05	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<5.0	<0.5	<0.5	<0.5
	4/20/05*	--	--	--	--	--	--	--	--	--	--	--	--
	7/14/05	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/6/06	<50	<50	<0.5	1.1	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5
	7/10/06	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5
	1/19/07	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/11/08	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	<0.5
	11/3/09	Well Not Sampled - Not included in monitoring schedule per 9/17/09 directive											
	3/24/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	8/25/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/15/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	9/21/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	3/21/12	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/25/12	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/28/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/2/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/18/14	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	8/26/14	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/21/15	**<50**	**--**	**<0.5**	**<0.5**	**<0.5**	**0.57**	**<5.0**	**--**	**--**	**--**	**--**	**--**
MW-8B	2/1/05	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<5.0	<0.5	<0.5	<0.5
	4/20/05*	--	--	--	--	--	--	--	--	--	--	--	--
	7/14/05	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/6/06	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5
	7/10/06	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5
	1/19/07	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/11/08	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	<0.5
	11/3/09	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	<0.5
	3/24/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	8/25/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/15/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	9/21/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	3/21/12	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/26/12	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/28/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/2/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/18/14	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	8/26/14	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/21/15	**<50**	**--**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**<5.0**	**--**	**--**	**--**	**--**	**--**

Table 2
Groundwater Analytical Results
498 South 4th Street, San Jose, California

Monitoring WellID	Date Collected	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)					Oxygenated Volatile Organics (µg/L)				
		Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE
MW-9A	2/2/05	<250	<50	<2.5	<2.5	<2.5	<2.5	--	<100	<1,000	<100	<100	7,000
	4/20/05*	<50	--	<0.5	<0.5	<0.5	<0.5	1,700	<50	<500	<50	<50	1,900
	7/14/05	<50	--	<0.5	<0.5	<0.5	<0.5	680	<12	<120	<12	<12	940
	10/18/05	<50	--	<0.5	<0.5	<0.5	1.6	980	<17	<170	<17	<17	1,100
	1/6/06	<50	<50	<0.5	0.5	<0.5	<0.5	260	<5.0	<50	<5.0	<5.0	260
	4/5/06	<50	--	<0.5	<0.5	<0.5	<0.5	150	<5.0	<50	<5.0	<5.0	120
	7/10/06	<50	<50	<0.5	<0.5	<0.5	<0.5	47	<0.5	<5.0	<0.5	<0.5	69
	10/10/06	<50	--	<0.5	<0.5	<0.5	<0.5	38	--	--	--	--	--
	1/19/07	<50	<50	<0.5	<0.5	<0.5	<0.5	24	--	--	--	--	--
	4/4/07	<50	--	<0.5	<0.5	<0.5	<0.5	10	<0.5	<5.0	<0.5	<0.5	15
	7/3/07	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	4.6
	10/22/07	<50	--	<0.5	<0.5	<0.5	<0.5	13	<0.5	<5.0	<0.5	<0.5	14
	1/11/08	<50	<50	<0.5	<0.5	<0.5	<0.5	16	<0.5	6.1	<0.5	<0.5	20
	4/1/08	<50	<50	<0.5	<0.5	<0.5	<0.5	12	<0.5	14	<0.5	<0.5	18
	7/31/08	<50	--	<0.5	<0.5	<0.5	<0.5	180	<5.0	39	<5.0	<5.0	210
	10/16/08	<50	--	<0.5	<0.5	<0.5	<0.5	240	--	--	--	--	--
	11/3/09	<50	<50	<0.5	<0.5	<0.5	<0.5	88	<2.5	120	<0.5	<0.5	81
	3/24/10	<50	--	<0.5	<0.5	<0.5	<0.5	35	--	--	--	--	--
	8/25/10	<50	--	<0.5	<0.5	<0.5	<0.5	62	--	--	--	--	--
	2/15/11	<50	--	<0.5	<0.5	<0.5	<0.5	44	--	--	--	--	--
	9/21/11	<50	--	<0.5	<0.5	<0.5	<0.5	31	--	--	--	--	--
	3/22/12	<50	--	<0.5	<0.5	<0.5	<0.5	28	--	--	--	--	--
	7/25/12	<50	--	<0.5	<0.5	<0.5	<0.5	23	--	--	--	--	--
	2/28/13	<50	--	<0.5	<0.5	<0.5	<0.5	9.0	--	--	--	--	--
	7/2/13	<50	--	<0.5	<0.5	<0.5	<0.5	8.9	--	--	--	--	--
	2/18/14	<50	--	<0.5	<0.5	<0.5	<0.5	8.9	--	--	--	--	--
	8/26/14	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/21/15	**<50**	**--**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**6.6**	**--**	**--**	**--**	**--**	**--**
MW-9B	2/2/05	<200	<50	<1.0	<1.0	<1.0	<1.0	--	<100	<1,000	<100	<100	3,600
	4/20/05*	<200	--	<1.7	<1.7	<1.7	<1.7	3,700	<50	<500	<50	<50	3,900
	5/24/05	78	--	<0.5	<0.5	<0.5	<0.5	6,900	--	--	--	--	--
	6/13/05	<250	--	<2.5	<2.5	<2.5	<2.5	5,400	--	--	--	--	--
	7/14/05	<100	--	<1.0	<1.0	<1.0	<1.0	2,600	<50	<500	<50	<50	3,200
	8/18/05	<250	--	<2.5	<2.5	<2.5	<2.5	8,700	--	--	--	--	--
	9/20/05	<300	--	<2.5	<2.5	<2.5	<2.5	9,400	--	--	--	--	--
	10/18/05	<250	--	<2.5	<2.5	<2.5	<2.5	8,400	<170	<1,700	<170	<170	9,100
	1/6/06	<250	<50	<2.5	<2.5	<2.5	<2.5	7,500	<120	<1,200	<120	<120	7,400
	2/16/06	<250	--	<2.5	<2.5	<2.5	<2.5	4,900	--	--	--	--	--
	3/15/06	<250	--	<2.5	<2.5	<2.5	<2.5	5,900	--	--	--	--	--
	4/5/06	<250	--	<2.5	<2.5	<2.5	<2.5	5,400	<100	<1,000	<100	<100	4,900
	5/3/06	<170	--	<1.7	<1.7	<1.7	<1.7	3,300	--	--	--	--	--
	6/5/06	<170	--	<1.7	<1.7	<1.7	<1.7	2,900	--	--	--	--	--
	7/10/06	<100	--	<1.0	<1.0	<1.0	<1.0	3,600	<100	<1,000	<100	<100	5,500
	8/22/06	<120	--	<1.2	<1.2	<1.2	<1.2	2,400	--	--	--	--	--
	9/6/06	<100	--	<1.0	<1.0	<1.0	<1.0	1,800	--	--	--	--	--
	10/10/06	52	--	<0.5	<0.5	<0.5	<0.5	2,200	--	--	--	--	--
	11/10/06	<50	--	<0.5	<0.5	<0.5	<0.5	2,600	--	--	--	--	--
	12/1/06	<100	--	<1.0	<1.0	<1.0	<1.0	2,200	--	--	--	--	--
	1/19/07	<50	<50	<0.5	<0.5	<0.5	<0.5	1,700	--	--	--	--	--
	2/12/07	<50	--	<0.5	<0.5	<0.5	<0.5	1,600	--	--	--	--	--
	3/1/07	90	--	<0.5	<0.5	<0.5	<0.5	1,300	--	--	--	--	--
	4/4/07	<50	--	<0.5	<0.5	<0.5	<0.5	1,300	<50	<500	<50	<50	1,900
	5/2/07	<50	--	<0.5	<0.5	<0.5	<0.5	1,300	--	--	--	--	--
	6/5/07	65	--	<0.5	<0.5	<0.5	<0.5	1,700	--	--	--	--	--
	7/3/07	<50	--	<0.5	<0.5	<0.5	<0.5	1,100	<25	<250	<25	<25	1,800
	8/6/07	<50	--	<0.5	<0.5	<0.5	<0.5	12	--	--	--	--	--
	9/14/07	<50	--	<0.5	<0.5	<0.5	<0.5	1,200	--	--	--	--	--
	10/22/07	<50	--	<0.5	<0.5	<0.5	<0.5	610	<10	610	<10	<10	830
	11/13/07	<50	--	<0.5	<0.5	<0.5	<0.5	370	<10	710	<10	<10	390
	12/11/07	<50	--	<0.5	<0.5	<0.5	<0.5	340	--	--	--	--	--

Table 2
Groundwater Analytical Results
498 South 4th Street, San Jose, California

Monitoring WellID	Date Collected	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)					Oxygenated Volatile Organics (µg/L)				
		Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE
MW-9B cont.	1/11/08	<50	<50	<0.5	<0.5	<0.5	<0.5	160	<5.0	1,100	<5.0	<5.0	210
	2/22/08	<50	--	<0.5	<0.5	<0.5	<0.5	8.8	--	--	--	--	--
	3/18/08	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	4/1/08	<50	--	<0.5	<0.5	<0.5	<0.5	11	<5.0	510	<5.0	<5.0	12
	5/16/08	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	3.0
	6/17/08	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/31/08	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	<2.5	580	<2.5	<2.5	<2.5
	8/18/08	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	9/6/08	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	10/16/08	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	11/5/08	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	11/3/09	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	40	<0.5	<0.5	<0.5
	3/24/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	8/25/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/15/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	9/21/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	3/22/12	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/25/12	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/28/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/2/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/18/14	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	8/26/14	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/21/15	**<50**	**--**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**<5.0**	**--**	**--**	**--**	**--**	**--**
MW-10A	2/2/05	61,000	2,800	16,000	960	2,000	8,100	--	<50	<500	<50	<50	1,900
	4/20/05*	50,000	--	13,000	1,200	600	5,600	1,700	<50	<500	<50	<50	1,600
	5/24/05	36,000	--	7,900	810	1,200	5,500	<900	x	--	--	--	--
	6/13/05	40,000	--	8,700	1,100	1,100	4,700	<1,500	x	--	--	--	--
	7/14/05	75,000	--	15,000	3,300	2,300	10,000	<2,000	<50	<500	<50	<50	630
	8/18/05	25,000	--	5,900	920	690	2,900	<800	x	--	--	--	--
	9/20/05	29,000	--	5,700	510	880	3,800	<1,200	x	--	--	--	--
	10/18/05	24,000	--	4,300	430	840	3,200	<500	<17	<170	<17	<17	350
	1/6/06	6,700	580	1,700	52	270	480	<210	<5.0	<50	<5.0	<5.0	140
	2/16/06	2,900	--	700	11	<0.5	260	<120	x	--	--	--	--
	3/15/06					Well Not Sampled - Dry							
	4/5/06					Well Not Sampled - Dry							
	5/3/06					Well Not Sampled - Dry							
	6/5/06	<50	--	<0.5	<0.5	<0.5	<0.5	340	--	--	--	--	--
	7/10/06					Well Not Sampled - Dry							
	8/22/06					Well Not Sampled - Dry							
	9/6/06					Well Not Sampled - Dry							
	10/10/06					Well Not Sampled - Dry							
	11/10/06					Well Not Sampled - Dry							
	12/1/06					Well Not Sampled - Dry							
	1/19/07	6,300	1,100	1,100	25	190	180	<600	--	--	--	--	--
	4/4/07	3,800	--	480	8.7	<5.0	410	<660	<0.5	<5.0	<0.5	<0.5	370
	7/3/07	5,100	--	330	19	<5.0	950	330	<5.0	<50	<5.0	<5.0	330
	9/12/07					Well Not Sampled - Dry							
	10/22/07					Well Not Sampled - Dry							
	11/13/07					Well Not Sampled - Dry							
	1/11/08					Well Not Sampled - Dry							
	2/22/08					Well Not Sampled - Dry							
	3/18/08					Well Not Sampled - Dry							
	5/15/08					Well Not Sampled - Dry							
	6/16/08					Well Not Sampled - Dry							
	7/31/08					Well Not Sampled - Dry							
	8/18/08					Well Not Sampled - Dry							
	10/16/08					Well Not Sampled - Dry							
	11/5/08					Well Not Sampled - Dry							
	11/3/09	18,000	3,200	3,500	110	650	1,200	<1,500	<10	<40	<10	<10	450

Table 2
Groundwater Analytical Results
498 South 4th Street, San Jose, California

Monitoring WellID	Date Collected	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)					Oxygenated Volatile Organics (µg/L)				
		Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE
MW-10A cont.	3/24/10	Well Not Sampled - Dry											
	8/24/10	Well Not Sampled - Dry											
	2/15/11	Well Not Sampled - Dry											
	9/21/11	Well Not Sampled - Dry											
	3/21/12	Well Not Sampled - Dry											
	7/24/12	Well Not Sampled - Dry											
	2/28/12	Well Not Sampled - Dry											
	7/2/13	Well Not Sampled - Dry											
	2/18/14	Well Not Sampled - Dry											
	8/26/14	Well Not Sampled - Dry											
	1/20/15	**Well Not Sampled - Dry**											
MW-10B	2/1/05	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<10	<100	<10	<10	270
	4/20/05*	<50	--	<0.5	<0.5	<0.5	<0.5	170	<5.0	<50	<5.0	<5.0	180
	7/14/05	<50	--	0.7	<0.5	<0.5	<0.5	1,700	<50	<500	<50	<50	2,400
	10/18/05	180	--	17	2.8	<0.5	<0.5	1,700	<50	<500	<50	<50	2,000
	1/6/06	280	<50	1.0	4.7	<0.5	0.8	1,400	<25	<250	<25	<25	1,400
	4/5/06	110	--	<0.5	2.6	<0.5	<0.5	1,200	<50	<500	<50	<50	1,100
	7/10/06	200	<50	7.1	2.0	0.8	7.5	1,400	<0.5	<5.0	<0.5	<0.5	2,200
	10/10/06	9,800	--	2,700	34	450	190	790	--	--	--	--	--
	1/19/07	73	<50	<0.5	3.1	<0.5	<0.5	620	--	--	--	--	--
	4/4/07	59	--	<0.5	2.1	<0.5	<0.5	300	<10	290	<10	<10	290
	7/3/07	<50	--	<0.5	<0.5	<0.5	<0.5	33	<0.5	22	<0.5	<0.5	40
	10/22/07	<50	--	<0.5	<0.5	<0.5	<0.5	8.3	<0.5	12	<0.5	<0.5	11
	1/11/08	<50	<50	<0.5	1.2	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	6.4
	4/1/08	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	<0.5
	6/16/08	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/31/08	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	3.0
	10/17/08	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	11/13/09	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	2.0
	3/23/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	8/24/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/15/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	9/21/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	3/21/12	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/25/12	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/28/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/2/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/18/14	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	8/26/14	**<50**	**--**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**<5.0**	**--**	**--**	**--**	**--**	**--**
MW-11	2/2/05	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<5.0	<0.5	<0.5	2.9
	4/20/05*	--	--	x	--	--	--	<5.0	--	--	--	--	--
	7/14/05	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/6/06	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	0.7
	7/10/06	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5
	10/10/06	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/19/07	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/10/08	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	<0.5
	11/3/09	Well Not Sampled - Not included in monitoring schedule per 9/17/09 directive											
	3/23/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	8/24/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/15/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	9/21/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	3/21/12	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/25/12	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/28/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/2/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/18/14	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	8/27/14	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/20/15	**<50**	**--**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**<5.0**	**--**	**--**	**--**	**--**	**--**

Table 2
Groundwater Analytical Results
498 South 4th Street, San Jose, California

Monitoring WellID	Date Collected	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)					Oxygenated Volatile Organics (µg/L)				
		Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE
MW-12B	2/4/05	56	<50	6.8	<0.5	<0.5	<0.5	--	<50	<500	<50	<50	1,600
	4/21/05*	420	<50	90	2.8	<1.7	<1.7	3,800	<50	<500	<50	<50	3,800
	5/24/05	170	--	36	1.0	6.5	3.8	220	--	--	--	--	--
	6/13/05	210	--	34	1.9	7.8	3.0	460	--	--	--	--	--
	7/14/05	83	--	<0.5	2.3	<0.5	<0.5	1,800	<33	<330	<33	<33	2,100
	8/18/05	230	--	40	2.6	5.7	3.2	310	--	--	--	--	--
	9/20/05	100	--	9.4	0.8	<0.5	<0.5	210	--	--	--	--	--
	10/18/05	<50	--	<0.5	<0.5	<0.5	<0.5	31	1.2	<5.0	<0.5	<0.5	44
	1/5/06	<50	<50	<0.5	1.0	<0.5	<0.5	72	1.7	<12	<1.2	<1.2	86
	2/16/06	<50	--	<0.5	1.0	<0.5	<0.5	30	--	--	--	--	--
	3/15/06	95	--	11	1.7	1.7	1.6	210	--	--	--	--	--
	4/5/06	100	--	19	1.4	1.9	1.3	200	3.5	<25	<2.5	<2.5	160
	5/3/06	110	--	18	2.1	<0.5	<0.5	270	--	--	--	--	--
	6/5/06	130	--	22	1.2	<0.5	<0.5	330	--	--	--	--	--
	7/10/06	130	--	15	1.2	0.9	0.8	190	<10	<100	<10	<10	350
	8/22/06	69	--	5.5	1.0	<0.5	<0.5	100	--	--	--	--	--
	9/6/06	54	--	2.8	0.8	<0.5	<0.5	130	--	--	--	--	--
	10/10/06	70	--	<0.5	0.9	<0.5	<0.5	550	--	--	--	--	--
	11/10/06	<50	--	<0.5	2.2	<0.5	<0.5	640	--	--	--	--	--
	12/1/06	53	--	<0.5	1.6	<0.5	<0.5	580	--	--	--	--	--
	1/18/07	<50	<50	2.5	0.8	<0.5	<0.5	94	--	--	--	--	--
	2/12/07	<50	--	0.8	1.2	<0.5	<0.5	63	--	--	--	--	--
	3/1/07	<50	--	<0.5	<0.5	<0.5	<0.5	53	--	--	--	--	--
	4/3/07	<50	--	<0.5	<0.5	<0.5	<0.5	63	<2.5	<25	<2.5	<2.5	67
	5/2/07	<50	--	<0.5	<0.5	<0.5	<0.5	84	--	--	--	--	--
	6/5/07	<50	--	<0.5	<0.5	<0.5	<0.5	64	--	--	--	--	--
	7/3/07	<50	--	<0.5	<0.5	<0.5	<0.5	67	1.7	44	<1.7	<1.7	78
	8/6/07	<50	--	<0.5	<0.5	<0.5	<0.5	40	--	--	--	--	--
	9/14/07	85	--	3.6	1.6	<0.5	0.8	35	--	--	--	--	--
	10/22/07	<50	--	1.1	0.6	<0.5	<0.5	19	<0.5	62	<0.5	<0.5	26
	11/13/07	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1/9/08	<50	<50	<0.5	<0.5	<0.5	<0.5	9.3	<0.5	74	<0.5	<0.5	12
	2/22/08	<50	--	<0.5	<0.5	<0.5	<0.5	7.2	--	--	--	--	--
	3/18/08	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	4/1/08	<50	--	<0.5	<0.5	<0.5	<0.5	6.0	<0.5	450	<0.5	<0.5	<0.5
	5/15/08	<50	--	<0.5	<0.5	<0.5	<0.5	6.7	<0.5	<5.0	<0.5	<0.5	7.9
	6/17/08	<50	--	<0.5	<0.5	<0.5	<0.5	9.2	--	--	--	--	--
	7/31/08	<50	--	<0.5	<0.5	<0.5	<0.5	10	<5.0	670	<5.0	<5.0	13
	8/18/08	<50	--	<0.5	<0.5	<0.5	<0.5	12	--	--	--	--	--
	9/6/08	<50	--	<0.5	<0.5	<0.5	<0.5	19	--	--	--	--	--
	10/16/08	<50	--	<0.5	<0.5	<0.5	<0.5	13	--	--	--	--	--
	11/5/08	67	--	2.2	0.9	<0.5	<0.5	36	--	--	--	--	--
	12/3/08	56	--	2.0	0.7	<0.5	<0.5	23	--	--	--	--	--
	11/3/09	180	69	<0.5	1.0	<0.5	<0.5	29	<2.5	620	<2.5	<2.5	26
	3/23/10	<50	--	<0.5	<0.5	<0.5	<0.5	8.4	--	--	--	--	--
	8/24/10	<50	--	<0.5	0.8	<0.5	<0.5	12	--	--	--	--	--
	2/16/11	<50	--	<0.5	<0.5	<0.5	<0.5	9.8	--	--	--	--	--
	9/22/11	<50	--	<0.5	<0.5	<0.5	<0.5	9.9	--	--	--	--	--
	3/21/12	<50	--	<0.5	<0.5	<0.5	<0.5	7.5	--	--	--	--	--
	7/26/12	<50	--	<0.5	<0.5	<0.5	<0.5	9.7	--	--	--	--	--
	2/28/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/2/13	<50	--	<0.5	<0.5	<0.5	<0.5	8.4	--	--	--	--	--
	2/19/14	<50	--	<0.5	<0.5	<0.5	<0.5	8.4	--	--	--	--	--
	8/26/14	<50	--	<0.5	<0.5	<0.5	<0.5	6.3	--	--	--	--	--
	1/22/15	**<50**	**--**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**<5.0**	**--**	**--**	**--**	**--**	**--**

Table 2
Groundwater Analytical Results
498 South 4th Street, San Jose, California

Monitoring WellID	Date Collected	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)					Oxygenated Volatile Organics (µg/L)				
		Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE
MW-12C	2/4/05	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<5.0	<0.5	<0.5	<0.5
	4/21/05*	x	--	--	--	--	--	<5.0	--	--	--	--	--
	7/14/05	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5
	1/5/06	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5
	7/10/06	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5
	10/10/06	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/18/07	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/3/07	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5
	1/9/08	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	2.3
	7/30/08	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	2.9
	11/3/09	<50	<50	<0.5	<0.5	<0.5	<0.5	5.2	<0.5	<2.0	<0.5	<0.5	4.1
	3/23/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	8/24/10	<50	--	<0.5	<0.5	<0.5	<0.5	5.5	--	--	--	--	--
	2/16/11	<50	--	<0.5	<0.5	<0.5	<0.5	6.0	--	--	--	--	--
	9/22/11	<50	--	<0.5	<0.5	<0.5	<0.5	5.7	--	--	--	--	--
	3/22/12	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
	7/26/12	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
	2/28/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/2/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/19/14	<50	--	<0.5	<0.5	<0.5	<0.5	5.9	--	--	--	--	--
	8/26/14	<50	--	<0.5	<0.5	<0.5	<0.5	8.4	--	--	--	--	--
	1/22/15	**<50**	**--**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**8.2**	**--**	**--**	**--**	**--**	**--**
MW-13A	2/4/05	3,100	1,300	220	9.4	460	120	--	<2.5	<25	<2.5	<2.5	90
	4/21/05*	1,800	--	90	4.1	320	55	120	<2.5	<25	<2.5	<2.5	110
	7/14/05	4,000	--	260	26	420	100	<100	<1.2	<12	<1.2	<1.2	72
	10/18/05	2,500	--	51	31	200	64	<50	<1.0	<10	<1.0	<1.0	3.8
	1/5/06	3,000	1,200	20	11	400	150	<50	<1.7	<17	<1.7	<1.7	<1.7
	4/5/06	2,500	--	39	12	300	120	<25	<0.5	<5.0	<0.5	<0.5	0.9
	7/10/06	2,200	<50	67	11	23	52	<15	<0.5	<5.0	<0.5	<0.5	8.1
	10/9/06	1,900	--	55	8.7	86	11	<65	--	--	--	--	--
	1/18/07	1,900	1,300	46	13	120	8.0	<15	--	--	--	--	--
	4/4/07	1,800	--	25	11	2.8	6.7	<5.0	<0.5	<5.0	<0.5	<0.5	5.7
	7/3/07	1,400	--	17	12	1.8	2.8	17	<0.5	6.0	<0.5	<0.5	13
	10/22/07	1,800	--	44	10	<0.5	8.6	<30	<0.5	7.8	<0.5	<0.5	20
	1/11/08	2,300	980	37	18	<1.0	6.2	<75	<0.5	8.7	<0.5	<0.5	14
	4/1/08	72	--	<0.5	2.7	<0.5	<0.5	22	0.6	2.9	<0.5	<0.5	38
	7/30/08	250	--	0.9	5.0	<0.5	<0.5	29	0.6	5.9	<0.5	<0.5	30
	10/17/08	97	--	<0.5	2.1	<0.5	<0.5	30	--	--	--	--	--
	11/3/09	480	590	1.3	2.1	<0.5	2.5	<20	<0.5	2.8	<0.5	<0.5	11
	3/23/10	Well Dry - No Sample											
	8/25/10	230	--	3.7	6.0	0.8	<0.5	<45	--	--	--	--	--
	2/15/11	Well Dry - No Sample											
	9/21/11	Well Dry - No Sample											
	3/21/12	490	--	7.9	3.8	3.6	3.2	<15	--	--	--	--	--
	7/24/12	Well Dry - No Sample											
	2/28/13	670	--	3.9	16	1.0	1.3	<50	--	--	--	--	--
	7/2/13	110	--	4.0	2.6	<0.5	0.70	<15	--	--	--	--	--
	2/18/14	Well Dry - No Sample											
	8/26/14	Well Dry - No Sample											
	1/20/15	**Well Dry - No Sample**											

Table 2
Groundwater Analytical Results
498 South 4th Street, San Jose, California

Monitoring WellID	Date Collected	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)					Oxygenated Volatile Organics (µg/L)				
		Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE
MW-13B	2/4/05	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<5.0	<0.5	<0.5	<0.5
	4/21/05*	x	--	--	--	--	--	<5.0	--	--	--	--	--
	7/14/05	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/5/06	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	0.8
	7/10/06	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5
	10/9/06	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/18/07	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/11/08	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	<0.5
	7/30/08	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	11/3/09	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	<0.5
	3/23/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	8/25/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/15/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	9/12/11	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	3/21/12	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/24/12	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/28/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	7/2/13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/19/14	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	8/26/14	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	1/22/15	**<50**	**--**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**<5.0**	**--**	**--**	**--**	**--**	**--**
EW-1	3/24/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
EW-2	3/24/10	<50	--	<0.5	<0.5	<0.5	<0.5	12	--	--	--	--	--
EW-3	3/24/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--
	2/16/11	370	--	120	5.5	<0.5	1.0	91	--	--	--	--	--
EW-4	3/24/10	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--

Notes:

Samples analyzed for TPHg and TPHd by EPA Method 8015Cm, BTEX by EPA Method 8021B, MTBE by EPA Method 8021B and/or 8260B, and the fuel oxygenates DIPE, ETBE, TAME, and TBA by EPA Method 8260B.

µg/L = micrograms per liter

x = Laboratory analyses not scheduled for the referenced sampling event

-- = not applicable

NS = not sampled

DIPE =Di-isoprpopyl Ether

ETBE = Ethyl tert-Butyl Ether

TAME - tert-Amyl Methyl Ether

TBA = tert-Butanol

MTBE = methyl tertiary butyl ether

* = Beginning April 13, 2005 the GWTS operated with 5 extraction wells (MW-2, EW-1 to EW-4). HiPOx treatment equipment used for GWTS from April 13 to June 30, 2005. From July 26, 2005 to shutdown, the GWTS operated w/ four 2,000-lb liquid phase carbon filters.

APPENDIX A
Groundwater Monitoring Field Protocol

Appendix A

Groundwater Monitoring Protocol

Well Monitoring and Sample Collection

A Teflon bailer or submersible pump was used to purge a minimum of three well volumes of groundwater from each well. After each well volume is purged, field parameters such as pH, temperature, and conductivity are recorded. Wells are purged until field parameters have stabilized or a maximum of ten (10) well volumes of groundwater have been removed. When possible, purge rates will not exceed the recharge rate for the well. However, if the well yield is low and the well was dewatered, the well is allowed to recharge to 80% of its original volume prior to sample collection. Field parameter measurements and pertinent qualitative observations, such as groundwater color and odor, are recorded in Groundwater Sampling Field Logs. Groundwater samples are collected in appropriate bottles and stored on ice for delivery, under chain-of-custody documentation, to a state-certified laboratory for analysis.

Equipment Decontamination

All drilling, sampling, and well development equipment was cleaned in a solution of laboratory grade detergent and distilled water or steam cleaned before use at each sampling point.

Field Personnel

During groundwater sampling activities, sampling personnel will wear pertinent attire to minimize risks to health and safety. Field personnel will also use a pair of clean, powderless, surgical gloves for each successive sampling point. Used surgical gloves will be placed into waste barrels for future disposal.

Waste Disposal

Water generated during well purging and sampling activities will be placed into DOT-approved 55-gallon waste drums. Waste drums will be temporarily stored on-site pending proper disposal of wastewater to an approved transport, storage, and disposal (TSD) facility.

APPENDIX B
Groundwater Sampling Field Logs

ALTER

Groundwater Sampling Field Log

Site Address: 498 4th St. San Jose	Date: 1/22/15
Project Number: 498	Field Personnel: Erin Phillips

Monitoring Well Information

Monitoring Well ID: MW-1	Monitoring Well Diameter (in): 2"	CC
Depth to Water (ft): 13.91	Water Column (feet): 5.44	(.17) = 0.92
Total Depth (ft): 19.35	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons): 0.92 x 3 = 2.77 gal	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
	#	1	665	20.1	7.69	none	clear	none
		2	681	20.2	7.53	"	lt gry	slight
		3	681	20.4	7.51	"	dark gry	slight

Total Purge Volume:	Comments:

Groundwater Sampling Information

Sample ID:	MW-1	Sample Time: 10:45
Sample Containers (#/Type):	(4) VOA	
Comments:		

Groundwater Sampling Field Log

Site Address: 498 4th St. San Jose	Date: 1/22/15
Project Number: 498	Field Personnel: Erin Phillips

Monitoring Well Information

Monitoring Well ID: MW-2	Monitoring Well Diameter (in): 6"	CC
Depth to Water (ft): 13.83	Water Column (feet): 1.77	(1.5) = 2.66
Total Depth (ft): 15.60	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons): 2.66 x 3 = 8.0 gal	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
		3	586	20.6	7.81	low	lt gry	none
		5	597	21.0	7.73	"	"	"
		8	599	21.0	7.72	"	"	"

Total Purge Volume:	Comments:

Groundwater Sampling Information

Sample ID:	MW-2	Sample Time: 11:45
Sample Containers (#/Type):	(4) VOA	
Comments:		

ALTERRA

Groundwater Sampling Field Log

Site Address: **498 4th St. San Jose**	Date: 1/22/15
Project Number: **498**	Field Personnel: Erin Phillips

Monitoring Well Information

Monitoring Well ID: **MW-3**	Monitoring Well Diameter (in): **2"**	CC
Depth to Water (ft): 14.76	Water Column (feet): 8.09	(.17) = 1.38
Total Depth (ft): **22.85**	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons): 1.38 x 3 = 4.1 gal	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
		1.4	717	21.2	7.51	none	lt grey	slight
		2.8	795	21.2	7.52	"	"	"
		4.1	797	21.3	7.44	"	"	"

Total Purge Volume: Comments:

Groundwater Sampling Information

Sample ID:	**MW-3**	Sample Time: 12:00
Sample Containers (#/Type):	**(4) VOA**	
Comments:		

Groundwater Sampling Field Log

Site Address: **498 4th St. San Jose**	Date: 1/20/15
Project Number: **498**	Field Personnel: Erin Phillips

Monitoring Well Information

Monitoring Well ID: **MW-4A**	Monitoring Well Diameter (in): **2"**	CC
Depth to Water (ft): 11.55	Water Column (feet): 8.05	(.17) = 1.37
Total Depth (ft): **19.60**	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons): 1.37 x 3 = 4.1	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
		1.4	777	21.2	7.28	none	none	none
		2.7	801	21.3	7.33	"	"	"
		4.1	789	21.3	7.3	"	"	"

Total Purge Volume: Comments:

Groundwater Sampling Information

Sample ID:	**MW-4A**	Sample Time: 12:45 - check VOAs
Sample Containers (#/Type):	**(4) VOA**	
Comments:		

ALTERRA

Groundwater Sampling Field Log

Site Address: **498 4th St. San Jose**	Date: 1/20/15
Project Number: **498**	Field Personnel: Erin Phillips

Monitoring Well Information

Monitoring Well ID: **MW-4B**	Monitoring Well Diameter (in): **2"**	CC
Depth to Water (ft): 11.70	Water Column (feet): 20.2	(.17) = 3.43
Total Depth (ft): **31.90**	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons): 3.43 x 3 = 10.3 gal	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
		3.4	169.8	21.4	8.26	none	none	none
		7.0	178.5	21.2	7.81	"	"	"
		10.3	185.3	21.4	7.76	"	"	"

Total Purge Volume: | Comments:

Groundwater Sampling Information

Sample ID:	**MW-4B**	Sample Time: 1:00
Sample Containers (#/Type):	**(4) VOA**	
Comments:		

Groundwater Sampling Field Log

Site Address: **498 4th St. San Jose**	Date: 1/20/15
Project Number: **498**	Field Personnel: Erin Phillips

Monitoring Well Information

Monitoring Well ID: **MW-5**	Monitoring Well Diameter (in): **2"**	CC
Depth to Water (ft): 11.62	Water Column (feet): 4.18	(.17) = 0.7
Total Depth (ft): **15.80**	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons): 0.7 x 3 = 2.1	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
		0.7	786	19.0	7.59	low	tan brwn	none
		1.4	791	19.4	7.63	med	dark brwn	"
		2.1	802	19.3	7.71	med	"	"

Total Purge Volume: | Comments:

Groundwater Sampling Information

Sample ID:	**MW-5**	Sample Time: ~~1020~~ 9:30
Sample Containers (#/Type):	**(4) VOA**	
Comments:		

CAL

ALTERRA

Groundwater Sampling Field Log

Site Address: **498 4th St. San Jose**	Date: 1/22/15
Project Number: **498**	Field Personnel: Erin Phillips

Monitoring Well Information

Monitoring Well ID: **MW-6**	Monitoring Well Diameter (in): **4"**	CC
Depth to Water (ft): 13.80	Water Column (feet): 5.7	(.66) = 3.8
Total Depth (ft): **19.50**	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons): 3.8 x 3 = 11.3 gal	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
		3.8	477	20.5	7.90	low	clear	none
		7.6	525	20.9	7.65	"	"	"
		11.3	539	20.8	7.57	"	"	"

Total Purge Volume:	Comments:

Groundwater Sampling Information

Sample ID:	**MW-6**	Sample Time: 12:30
Sample Containers (#/Type):	**(4) VOA**	
Comments:		

Groundwater Sampling Field Log

Site Address: **498 4th St. San Jose**	Date: 1/21/15
Project Number: **498**	Field Personnel: Erin Phillips

Monitoring Well Information

Monitoring Well ID: **MW-7A**	Monitoring Well Diameter (in): **2"**	CC
Depth to Water (ft): 15.29	Water Column (feet): 3.16	(.17) = 0.54
Total Depth (ft): **15.10** 18.45	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons): 0.54 x 3 = 1.6	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
		0.5	1235	19.1	7.62	low	lt gry	slight
		1	1249	19.0	7.65	"	"	"
		1.6	1252	18.9	7.69	"	"	"

Total Purge Volume:	Comments:

Groundwater Sampling Information

Sample ID:	**MW-7A**	Sample Time: 12:15
Sample Containers (#/Type):	**(4) VOA**	
Comments:		

ALTER

Groundwater Sampling Field Log

Site Address: 498 4th St. San Jose	Date: 1/21/15
Project Number: 498	Field Personnel: Erin Phillips

Monitoring Well Information

Monitoring Well ID: MW-7B	Monitoring Well Diameter (in): 2"	CC
Depth to Water (ft): 14.98	Water Column (feet): 16.72	(.17) = 2.84
Total Depth (ft): 31.60	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons): 2.84 x 3 = 8.5	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
		2.8	873	19.7	7.69	none	none	none
		5.6	852	19.5	7.61	med	lt brown	"
		8.5	859	19.3	7.57	"	"	"

Total Purge Volume:	Comments:

Groundwater Sampling Information

Sample ID:	MW-7B	Sample Time: 12:30
Sample Containers (#/Type):	(4) VOA	
Comments:		

Groundwater Sampling Field Log

Site Address: 498 4th St. San Jose	Date: 1/21/15
Project Number: 498	Field Personnel: Erin Phillips

Monitoring Well Information

Monitoring Well ID: MW-8A	Monitoring Well Diameter (in): 2"	CC
Depth to Water (ft): 12.06	Water Column (feet): 4.64	(.17) = 0.78
Total Depth (ft): 16.70	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons): 0.78 x 3 = 2.4	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
		0.8	1290	18.7	7.57	none	none	none
		1.6	1311	19.3	7.58	"	clr/brown	"
		2.4	1320	19.5	7.56	"	"	"

Total Purge Volume:	Comments:

Groundwater Sampling Information

Sample ID:	MW-8A	Sample Time: 10:15
Sample Containers (#/Type):	(4) VOA	
Comments:		

ALTEA

Groundwater Sampling Field Log

Site Address: **498 4th St. San Jose**	Date: 1/21/15
Project Number: **498**	Field Personnel: Erin Phillips

Monitoring Well Information

Monitoring Well ID: **MW-8B**	Monitoring Well Diameter (in): **2"**	CC
Depth to Water (ft): 12.51	Water Column (feet): 18.39	(.17) = 3.13
Total Depth (ft): **30.90**	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons): 3.13 x 3 = 9.4 gal	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
		3.1	788	19.5	7.78	none	none	none
		6.2	804	19.4	7.70	"	"	"
		9.4	810	19.4	7.65	"	"	"

Total Purge Volume:	Comments:

Groundwater Sampling Information

Sample ID:	**MW-8B**	Sample Time: 10:30
Sample Containers (#/Type):	**(4) VOA**	
Comments:		

Groundwater Sampling Field Log

Site Address: **498 4th St. San Jose**	Date: 1/21/15
Project Number: **498**	Field Personnel: Erin Phillips

Monitoring Well Information

Monitoring Well ID: **MW-9A**	Monitoring Well Diameter (in): **2"**	CC
Depth to Water (ft): 11.55	Water Column (feet): 5.45	(.17) = 0.93
Total Depth (ft): **17.00**	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons): 0.93 x 3 = 2.8 gal	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
		0.9	943	18.3	7.64	none	clear/none	none
		1.8	963	18.5	7.58	"	"	"
		2.8	980		7.52	"	"	"

Total Purge Volume:	Comments:

Groundwater Sampling Information

Sample ID:	**MW-9A**	Sample Time: 10:50
Sample Containers (#/Type):	**(4) VOA**	
Comments:		

ALTERRA

Groundwater Sampling Field Log

Site Address: 498 4th St. San Jose	Date: 1/21/15
Project Number: 498	Field Personnel: Erin Phillips

Monitoring Well Information

Monitoring Well ID: MW-9B	Monitoring Well Diameter (in): 2"	CC
Depth to Water (ft): 11.32	Water Column (feet): 16.43	(.17) = 2.8
Total Depth (ft): 27.75	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons): 2.8 x 3 = 8.4 gal	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
		2.8	352	18.8	7.84	none	none	none
		5.6	815	18.9	7.51	"	"	"
		8.4	890	19.1	7.42	"	"	"

Total Purge Volume: Comments:

Groundwater Sampling Information

Sample ID:	MW-9B	Sample Time: 11:45
Sample Containers (#/Type):	(4) VOA	
Comments:		

Groundwater Sampling Field Log

Site Address: 498 4th St. San Jose	Date:
Project Number: 498	Field Personnel:

Monitoring Well Information

Monitoring Well ID: MW-10A	Monitoring Well Diameter (in): 2"	CC
Depth to Water (ft): Dry	Water Column (feet):	(.17) =
Total Depth (ft): 16.40	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons):	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor

Total Purge Volume: Comments:

Groundwater Sampling Information

Sample ID:	MW-10A	Sample Time:
Sample Containers (#/Type):	(4) VOA	
Comments:		

ALTERRA

Groundwater Sampling Field Log

Site Address: **498 4th St. San Jose**	Date: 1/21/15
Project Number: **498**	Field Personnel: Erin Phillips

Monitoring Well Information

Monitoring Well ID: **MW-10B**	Monitoring Well Diameter (in): **2"**	CC
Depth to Water (ft): 10.45	Water Column (feet): 9.63	(.17) = 1.64
Total Depth (ft): **26.08**	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons): 1.64 x 3 = 5.0	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
		1.6	860	18.8	7.57	none	none	none
		3.2	863	18.8	7.56	rapid	tan	"
		5.0	870	18.9	7.50	"	"	"

Total Purge Volume:	Comments:

Groundwater Sampling Information

Sample ID:	**MW-10B**	Sample Time: 11:45
Sample Containers (#/Type):	**(4) VOA**	
Comments:		

Groundwater Sampling Field Log

Site Address: **498 4th St. San Jose**	Date: 1/20/15
Project Number: **498**	Field Personnel: Erin Phillips

Monitoring Well Information

Monitoring Well ID: **MW-11**	Monitoring Well Diameter (in): **2"**	CC
Depth to Water (ft): 12.96	Water Column (feet): 7.7	(.17) = 1.3
Total Depth (ft): **20.66**	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons): 1.3 x 3 = 4.0	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
		1.3	1197	20.4	7.41	low	tan	none
		2.6	1207	20.6	7.41	low	brown	"
		4.0	1213	20.5	7.46	"	brown	"

Total Purge Volume:	Comments:

Groundwater Sampling Information

Sample ID:	**MW-11**	Sample Time: 1:30
Sample Containers (#/Type):	**(4) VOA**	
Comments:		

ALLTEQ

Groundwater Sampling Field Log

Site Address: **498 4th St. San Jose**	Date: 1/22/15
Project Number: **498**	Field Personnel: Erin Phillips

Monitoring Well Information

Monitoring Well ID: **MW-12B**	Monitoring Well Diameter (in): **2"**	CC
Depth to Water (ft): 14.32	Water Column (feet): 14.98	(.17) = 2.55
Total Depth (ft): **29.30**	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons): 2.55 x 3 = 7.6 gal	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
		2.6	718	20.2	7.85	none	clear	none
		5.1	745	20.3	7.73	"	"	"
		7.6	746	20.4	7.68	"	"	"

Total Purge Volume:	Comments:

Groundwater Sampling Information

Sample ID:	**MW-12B**	Sample Time: 11:00
Sample Containers (#/Type):	**(4) VOA**	
Comments:		

Groundwater Sampling Field Log

Site Address: **498 4th St. San Jose**	Date: 1/22/15
Project Number: **498**	Field Personnel: Erin Phillips

Monitoring Well Information

Monitoring Well ID: **MW-12C**	Monitoring Well Diameter (in): **2"**	CC
Depth to Water (ft): 36.14	Water Column (feet): 30.16	(.17) = 5.13
Total Depth (ft): **66.30**	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons): 5.13 x 3 = 15.4	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
		5.1	464	18.7	8.28	none	none	none
		10.3	490	19.0	8.04	"	"	"
		15.4	497	19.2	7.96	"	"	"

Total Purge Volume:	Comments:

Groundwater Sampling Information

Sample ID:	**MW-12C**	Sample Time: 11:30
Sample Containers (#/Type):	**(4) VOA**	
Comments:		

ALTERRA

Groundwater Sampling Field Log

Site Address: 498 4th St. San Jose	Date:
Project Number: 498	Field Personnel:

Monitoring Well Information

Monitoring Well ID: MW-13A	Monitoring Well Diameter (in): 2"	CC
Depth to Water (ft): Dry	Water Column (feet):	(.17) =
Total Depth (ft): 21.00	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons):	
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conduc-tivity	Temper-ature	pH	Turbidity	Color	Odor

Total Purge Volume:	Comments:

Groundwater Sampling Information

Sample ID:	MW-13A	Sample Time:
Sample Containers (#/Type):	(4) VOA	
Comments:		

Groundwater Sampling Field Log

Site Address: 498 4th St. San Jose	Date: 1/22/15
Project Number: 498	Field Personnel: Erin Powers

Monitoring Well Information

Monitoring Well ID: MW-13B	Monitoring Well Diameter (in): 2"	CC
Depth to Water (ft): 14.06	Water Column (feet): 18.04	(.17) = 3.07
Total Depth (ft): 32.10	80% Recharge Depth (ft):	
Depth to Product (ft):	1 Well Volume (gallons): 3.07 x 3 =	9.2 gal
Comments:		

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conduc-tivity	Temper-ature	pH	Turbidity	Color	Odor
		3.1	367	20.6	7.92	none	clear	none
		6.1	744	20.7	7.58	"	"	"
		9.2	780	20.8	7.66	"	"	"

Total Purge Volume:	Comments:

Groundwater Sampling Information

Sample ID:	MW-13B	Sample Time: 10:15
Sample Containers (#/Type):	(4) VOA	
Comments:		

APPENDIX C
Certified Analytical Report and Chain-of-Custody

McCampbell Analytical, Inc.
"When Quality Counts"

Analytical Report

WorkOrder: 1501768

Report Created for: Allterra Environmental
849 Almar Ave, Ste. C #281
Santa Cruz, CA 95060

Project Contact: Aaron Powers
Project P.O.:
Project Name: #498; 498 4th St., San Jose

Project Received: 01/27/2015

Analytical Report reviewed & approved for release on 02/02/2015 by:

Question about your data?

Click here to email McCampbell

Angela Rydelius,
Laboratory Manager

The report shall not be reproduced except in full, without the written approval of the laboratory. The analytical results relate only to the items tested. Results reported conform to the most current NELAP standards, where applicable, unless otherwise stated in the case narrative.

1534 Willow Pass Rd. Pittsburg, CA 94565 ♦ TEL: (877) 252-9262 ♦ FAX: (925) 252-9269 ♦ www.mccampbell.com
NELAP: 4033ORELAP ♦ ELAP: 1644 ♦ ISO/IEC: 17025:2005 ♦ WSDE: C972-11 ♦ ADEC: UST-098 ♦ UCMR3

McCampbell Analytical, Inc.
"When Quality Counts"
1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Glossary of Terms & Qualifier Definitions

Client: Allterra Environmental
Project: #498; 498 4th St., San Jose
WorkOrder: 1501768

Glossary Abbreviation

95% Interval	95% Confident Interval
DF	Dilution Factor
DUP	Duplicate
EDL	Estimated Detection Limit
ITEF	International Toxicity Equivalence Factor
LCS	Laboratory Control Sample
MB	Method Blank
MB % Rec	% Recovery of Surrogate in Method Blank, if applicable
MDL	Method Detection Limit
ML	Minimum Level of Quantitation
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not detected at or above the indicated MDL or RL
NR	Data Not Reported due to matrix interference or insufficient sample amount.
PF	Prep Factor
RD	Relative Difference
RL	Reporting Limit (The RL is the lowest calibration standard in a multipoint calibration.)
RPD	Relative Percent Deviation
RRT	Relative Retention Time
SPK Val	Spike Value
SPKRef Val	Spike Reference Value
TEQ	Toxicity Equivalence

Analytical Qualifiers

S	spike recovery outside accepted recovery limits
c4	surrogate recovery outside of the control limits due to coelution with another peak(s) / cluttered chromatogram.
d1	weakly modified or unmodified gasoline is significant
d9	no recognizable pattern
d17	Reporting limit for MTBE raised due to co-elution with non-target peaks.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Allterra Environmental	**WorkOrder:**	1501768
Project:	#498; 498 4th St., San Jose	**Extraction Method:**	SW5030B
Date Received:	1/27/15 12:00	**Analytical Method:**	SW8021B/8015Bm
Date Prepared:	1/28/15-1/29/15	**Unit:**	µg/L

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
MW-1	**1501768-001A**	**Water**	**01/22/2015 10:45**	**GC3**	**100532**

Analytes	Result	RL	DF	Date Analyzed
TPH(g)	**1800**	50	1	01/28/2015 22:30
MTBE	ND	80	1	01/28/2015 22:30
Benzene	**22**	0.50	1	01/28/2015 22:30
Toluene	**30**	0.50	1	01/28/2015 22:30
Ethylbenzene	**2.1**	0.50	1	01/28/2015 22:30
Xylenes	**2.7**	0.50	1	01/28/2015 22:30

Surrogates	REC (%)	Qualifiers	Limits	Analytical Comments: d1,c4,d17
aaa-TFT_2	364	S	70-130	01/28/2015 22:30

Analyst(s): IA

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
MW-2	**1501768-002A**	**Water**	**01/22/2015 11:45**	**GC3**	**100488**

Analytes	Result	RL	DF	Date Analyzed
TPH(g)	ND	50	1	01/28/2015 18:05
MTBE	ND	5.0	1	01/28/2015 18:05
Benzene	**1.4**	0.50	1	01/28/2015 18:05
Toluene	ND	0.50	1	01/28/2015 18:05
Ethylbenzene	ND	0.50	1	01/28/2015 18:05
Xylenes	ND	0.50	1	01/28/2015 18:05

Surrogates	REC (%)	Limits	
aaa-TFT_2	105	70-130	01/28/2015 18:05

Analyst(s): IA

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Allterra Environmental	**WorkOrder:**	1501768
Project:	#498; 498 4th St., San Jose	**Extraction Method:**	SW5030B
Date Received:	1/27/15 12:00	**Analytical Method:**	SW8021B/8015Bm
Date Prepared:	1/28/15-1/29/15	**Unit:**	µg/L

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
MW-3	**1501768-003A**	**Water**	**01/22/2015 12:00**	**GC3**	**100532**

Analytes	Result	RL	DF	Date Analyzed
TPH(g)	**4700**	500	10	01/28/2015 20:33
MTBE	ND	350	10	01/28/2015 20:33
Benzene	**710**	5.0	10	01/28/2015 20:33
Toluene	**27**	5.0	10	01/28/2015 20:33
Ethylbenzene	**97**	5.0	10	01/28/2015 20:33
Xylenes	**42**	5.0	10	01/28/2015 20:33

Surrogates	REC (%)	Limits	Analytical Comments: d1,d17	
aaa-TFT_2	129	70-130		01/28/2015 20:33

Analyst(s): IA

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
MW-4A	**1501768-004A**	**Water**	**01/20/2015 12:45**	**GC3**	**100488**

Analytes	Result	RL	DF	Date Analyzed
TPH(g)	ND	50	1	01/28/2015 06:28
MTBE	**11**	5.0	1	01/28/2015 06:28
Benzene	ND	0.50	1	01/28/2015 06:28
Toluene	ND	0.50	1	01/28/2015 06:28
Ethylbenzene	ND	0.50	1	01/28/2015 06:28
Xylenes	ND	0.50	1	01/28/2015 06:28

Surrogates	REC (%)	Limits	
aaa-TFT_2	101	70-130	01/28/2015 06:28

Analyst(s): IA

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Allterra Environmental	**WorkOrder:**	1501768
Project:	#498; 498 4th St., San Jose	**Extraction Method:**	SW5030B
Date Received:	1/27/15 12:00	**Analytical Method:**	SW8021B/8015Bm
Date Prepared:	1/28/15-1/29/15	**Unit:**	µg/L

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
MW-4B	**1501768-005A**	**Water**	**01/20/2015 13:00**	**GC3**	**100488**

Analytes	Result	RL	DF	Date Analyzed
TPH(g)	ND	50	1	01/28/2015 06:57
MTBE	ND	5.0	1	01/28/2015 06:57
Benzene	ND	0.50	1	01/28/2015 06:57
Toluene	ND	0.50	1	01/28/2015 06:57
Ethylbenzene	ND	0.50	1	01/28/2015 06:57
Xylenes	ND	0.50	1	01/28/2015 06:57

Surrogates	REC (%)	Limits	
aaa-TFT_2	103	70-130	01/28/2015 06:57

Analyst(s): IA

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
MW-5	**1501768-006A**	**Water**	**01/22/2015 09:30**	**GC3**	**100488**

Analytes	Result	RL	DF	Date Analyzed
TPH(g)	ND	50	1	01/28/2015 18:35
MTBE	ND	5.0	1	01/28/2015 18:35
Benzene	ND	0.50	1	01/28/2015 18:35
Toluene	ND	0.50	1	01/28/2015 18:35
Ethylbenzene	ND	0.50	1	01/28/2015 18:35
Xylenes	ND	0.50	1	01/28/2015 18:35

Surrogates	REC (%)	Limits	
aaa-TFT_2	101	70-130	01/28/2015 18:35

Analyst(s): IA

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Allterra Environmental	**WorkOrder:**	1501768
Project:	#498; 498 4th St., San Jose	**Extraction Method:**	SW5030B
Date Received:	1/27/15 12:00	**Analytical Method:**	SW8021B/8015Bm
Date Prepared:	1/28/15-1/29/15	**Unit:**	µg/L

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
MW-6	**1501768-007A**	**Water**	**01/22/2015 12:30**	**GC3**	**100532**

Analytes	Result	RL	DF	Date Analyzed
TPH(g)	**440**	50	1	01/29/2015 18:55
MTBE	ND	15	1	01/29/2015 18:55
Benzene	**6.2**	0.50	1	01/29/2015 18:55
Toluene	**18**	0.50	1	01/29/2015 18:55
Ethylbenzene	ND	0.50	1	01/29/2015 18:55
Xylenes	ND	0.50	1	01/29/2015 18:55

Surrogates	REC (%)	Qualifiers	Limits	Analytical Comments: d9,c4,d17
aaa-TFT_2	228	S	70-130	01/29/2015 18:55

Analyst(s): IA

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
MW-7A	**1501768-008A**	**Water**	**01/21/2015 12:15**	**GC3**	**100532**

Analytes	Result	RL	DF	Date Analyzed
TPH(g)	**2500**	100	2	01/29/2015 19:24
MTBE	ND	90	2	01/29/2015 19:24
Benzene	**180**	1.0	2	01/29/2015 19:24
Toluene	**36**	1.0	2	01/29/2015 19:24
Ethylbenzene	**10**	1.0	2	01/29/2015 19:24
Xylenes	**4.3**	1.0	2	01/29/2015 19:24

Surrogates	REC (%)	Qualifiers	Limits	Analytical Comments: d1,c4,d17
aaa-TFT_2	261	S	70-130	01/29/2015 19:24

Analyst(s): IA

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Allterra Environmental	**WorkOrder:**	1501768
Project:	#498; 498 4th St., San Jose	**Extraction Method:**	SW5030B
Date Received:	1/27/15 12:00	**Analytical Method:**	SW8021B/8015Bm
Date Prepared:	1/28/15-1/29/15	**Unit:**	µg/L

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
MW-7B	**1501768-009A**	**Water**	**01/21/2015 12:30**	**GC3**	**100532**

Analytes	Result	RL	DF	Date Analyzed
TPH(g)	ND	50	1	01/28/2015 23:28
MTBE	ND	5.0	1	01/28/2015 23:28
Benzene	ND	0.50	1	01/28/2015 23:28
Toluene	ND	0.50	1	01/28/2015 23:28
Ethylbenzene	ND	0.50	1	01/28/2015 23:28
Xylenes	**0.51**	0.50	1	01/28/2015 23:28

Surrogates	REC (%)	Limits	
aaa-TFT_2	110	70-130	01/28/2015 23:28

Analyst(s): IA

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
MW-8A	**1501768-010A**	**Water**	**01/21/2015 10:15**	**GC3**	**100532**

Analytes	Result	RL	DF	Date Analyzed
TPH(g)	ND	50	1	01/29/2015 00:27
MTBE	ND	5.0	1	01/29/2015 00:27
Benzene	ND	0.50	1	01/29/2015 00:27
Toluene	ND	0.50	1	01/29/2015 00:27
Ethylbenzene	ND	0.50	1	01/29/2015 00:27
Xylenes	**0.57**	0.50	1	01/29/2015 00:27

Surrogates	REC (%)	Limits	
aaa-TFT_2	106	70-130	01/29/2015 00:27

Analyst(s): IA

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Allterra Environmental	**WorkOrder:**	1501768
Project:	#498; 498 4th St., San Jose	**Extraction Method:**	SW5030B
Date Received:	1/27/15 12:00	**Analytical Method:**	SW8021B/8015Bm
Date Prepared:	1/28/15-1/29/15	**Unit:**	µg/L

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
MW-8B	**1501768-011A**	**Water**	**01/21/2015 10:30**	**GC3**	**100532**

Analytes	Result	RL	DF	Date Analyzed
TPH(g)	ND	50	1	01/29/2015 19:54
MTBE	ND	5.0	1	01/29/2015 19:54
Benzene	ND	0.50	1	01/29/2015 19:54
Toluene	ND	0.50	1	01/29/2015 19:54
Ethylbenzene	ND	0.50	1	01/29/2015 19:54
Xylenes	ND	0.50	1	01/29/2015 19:54

Surrogates	REC (%)	Limits	
aaa-TFT_2	102	70-130	01/29/2015 19:54

Analyst(s): IA

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
MW-9A	**1501768-012A**	**Water**	**01/21/2015 10:50**	**GC3**	**100532**

Analytes	Result	RL	DF	Date Analyzed
TPH(g)	ND	50	1	01/29/2015 03:50
MTBE	**6.6**	5.0	1	01/29/2015 03:50
Benzene	ND	0.50	1	01/29/2015 03:50
Toluene	ND	0.50	1	01/29/2015 03:50
Ethylbenzene	ND	0.50	1	01/29/2015 03:50
Xylenes	ND	0.50	1	01/29/2015 03:50

Surrogates	REC (%)	Limits	
aaa-TFT_2	106	70-130	01/29/2015 03:50

Analyst(s): IA

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Allterra Environmental	**WorkOrder:**	1501768
Project:	#498; 498 4th St., San Jose	**Extraction Method:**	SW5030B
Date Received:	1/27/15 12:00	**Analytical Method:**	SW8021B/8015Bm
Date Prepared:	1/28/15-1/29/15	**Unit:**	µg/L

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
MW-9B	**1501768-013A**	**Water**	**01/21/2015 11:15**	**GC3**	**100532**

Analytes	Result	RL	DF	Date Analyzed
TPH(g)	ND	50	1	01/29/2015 04:47
MTBE	ND	5.0	1	01/29/2015 04:47
Benzene	ND	0.50	1	01/29/2015 04:47
Toluene	ND	0.50	1	01/29/2015 04:47
Ethylbenzene	ND	0.50	1	01/29/2015 04:47
Xylenes	ND	0.50	1	01/29/2015 04:47

Surrogates	REC (%)	Limits	
aaa-TFT_2	106	70-130	01/29/2015 04:47

Analyst(s): IA

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
MW-10B	**1501768-014A**	**Water**	**01/21/2015 11:45**	**GC3**	**100532**

Analytes	Result	RL	DF	Date Analyzed
TPH(g)	ND	50	1	01/29/2015 05:16
MTBE	ND	5.0	1	01/29/2015 05:16
Benzene	ND	0.50	1	01/29/2015 05:16
Toluene	ND	0.50	1	01/29/2015 05:16
Ethylbenzene	ND	0.50	1	01/29/2015 05:16
Xylenes	ND	0.50	1	01/29/2015 05:16

Surrogates	REC (%)	Limits	
aaa-TFT_2	109	70-130	01/29/2015 05:16

Analyst(s): IA

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Allterra Environmental	**WorkOrder:**	1501768
Project:	#498; 498 4th St., San Jose	**Extraction Method:**	SW5030B
Date Received:	1/27/15 12:00	**Analytical Method:**	SW8021B/8015Bm
Date Prepared:	1/28/15-1/29/15	**Unit:**	µg/L

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
MW-11	**1501768-015A**	**Water**	**01/20/2015 13:30**	**GC3**	**100532**

Analytes	Result	RL	DF	Date Analyzed
TPH(g)	ND	50	1	01/29/2015 05:45
MTBE	ND	5.0	1	01/29/2015 05:45
Benzene	ND	0.50	1	01/29/2015 05:45
Toluene	ND	0.50	1	01/29/2015 05:45
Ethylbenzene	ND	0.50	1	01/29/2015 05:45
Xylenes	ND	0.50	1	01/29/2015 05:45

Surrogates	REC (%)	Limits	
aaa-TFT_2	104	70-130	01/29/2015 05:45

Analyst(s): IA

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
MW-12B	**1501768-016A**	**Water**	**01/22/2015 11:00**	**GC3**	**100532**

Analytes	Result	RL	DF	Date Analyzed
TPH(g)	ND	50	1	01/29/2015 06:44
MTBE	ND	5.0	1	01/29/2015 06:44
Benzene	ND	0.50	1	01/29/2015 06:44
Toluene	ND	0.50	1	01/29/2015 06:44
Ethylbenzene	ND	0.50	1	01/29/2015 06:44
Xylenes	ND	0.50	1	01/29/2015 06:44

Surrogates	REC (%)	Limits	
aaa-TFT_2	110	70-130	01/29/2015 06:44

Analyst(s): IA

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Allterra Environmental	**WorkOrder:**	1501768
Project:	#498; 498 4th St., San Jose	**Extraction Method:**	SW5030B
Date Received:	1/27/15 12:00	**Analytical Method:**	SW8021B/8015Bm
Date Prepared:	1/28/15-1/29/15	**Unit:**	µg/L

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
MW-12C	**1501768-017A**	**Water**	**01/22/2015 11:30**	**GC3**	**100532**

Analytes	Result	RL	DF	Date Analyzed
TPH(g)	ND	50	1	01/29/2015 08:12
MTBE	**8.2**	5.0	1	01/29/2015 08:12
Benzene	ND	0.50	1	01/29/2015 08:12
Toluene	ND	0.50	1	01/29/2015 08:12
Ethylbenzene	ND	0.50	1	01/29/2015 08:12
Xylenes	ND	0.50	1	01/29/2015 08:12

Surrogates	REC (%)	Limits	
aaa-TFT_2	111	70-130	01/29/2015 08:12

Analyst(s): IA

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
MW-13B	**1501768-018A**	**Water**	**01/22/2015 10:15**	**GC3**	**100532**

Analytes	Result	RL	DF	Date Analyzed
TPH(g)	ND	50	1	01/29/2015 08:42
MTBE	ND	5.0	1	01/29/2015 08:42
Benzene	ND	0.50	1	01/29/2015 08:42
Toluene	ND	0.50	1	01/29/2015 08:42
Ethylbenzene	ND	0.50	1	01/29/2015 08:42
Xylenes	ND	0.50	1	01/29/2015 08:42

Surrogates	REC (%)	Limits	
aaa-TFT_2	103	70-130	01/29/2015 08:42

Analyst(s): IA

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Allterra Environmental	**WorkOrder:**	1501768
Date Prepared:	1/27/15	**BatchID:**	100488
Date Analyzed:	1/27/15	**Extraction Method:**	SW5030B
Instrument:	GC3	**Analytical Method:**	SW8021B/8015Bm
Matrix:	Water	**Unit:**	µg/L
Project:	#498; 498 4th St., San Jose	**Sample ID:**	MB/LCS-100488 1501751-001BMS/MSD

QC Summary Report for SW8021B/8015Bm

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
TPH(btex)	ND	64.2	40	60	-	107	70-130
MTBE	ND	10.9	5.0	10	-	109	70-130
Benzene	ND	10.6	0.50	10	-	106	70-130
Toluene	ND	10.6	0.50	10	-	106	70-130
Ethylbenzene	ND	10.7	0.50	10	-	107	70-130
Xylenes	ND	32.1	0.50	30	-	107	70-130
Surrogate Recovery							
aaa-TFT_2	10.3	9.71		10	103	97	70-130

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
TPH(btex)	63.2	58.4	60	ND	105	97	70-130	7.81	20
MTBE	10.6	10.8	10	ND	106	108	70-130	2.44	20
Benzene	11.1	11.1	10	ND	111	111	70-130	0	20
Toluene	10.8	10.9	10	ND	108	109	70-130	0.375	20
Ethylbenzene	11.2	11.0	10	ND	112	110	70-130	2.00	20
Xylenes	34.0	32.6	30	ND	113	109	70-130	4.09	20
Surrogate Recovery									
aaa-TFT_2	10.2	10.7	10		102	107	70-130	4.19	20

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Allterra Environmental	**WorkOrder:**	1501768
Date Prepared:	1/28/15	**BatchID:**	100532
Date Analyzed:	1/28/15	**Extraction Method:**	SW5030B
Instrument:	GC3	**Analytical Method:**	SW8021B/8015Bm
Matrix:	Water	**Unit:**	µg/L
Project:	#498; 498 4th St., San Jose	**Sample ID:**	MB/LCS-100532 1501768-010AMS/MSD

QC Summary Report for SW8021B/8015Bm

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
TPH(btex)	ND	65.9	40	60	-	110	70-130
MTBE	ND	11.6	5.0	10	-	116	70-130
Benzene	ND	11.0	0.50	10	-	110	70-130
Toluene	ND	10.9	0.50	10	-	109	70-130
Ethylbenzene	ND	10.7	0.50	10	-	107	70-130
Xylenes	ND	32.4	0.50	30	-	108	70-130
Surrogate Recovery							
aaa-TFT_2	10.1	9.80		10	101	98	70-130

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
TPH(btex)	60.3	65.0	60	ND	101	108	70-130	7.56	20
MTBE	9.89	10.5	10	ND	99	105	70-130	5.81	20
Benzene	10.6	10.9	10	ND	106	109	70-130	2.07	20
Toluene	10.4	10.8	10	ND	104	108	70-130	3.41	20
Ethylbenzene	10.5	10.7	10	ND	104	106	70-130	1.80	20
Xylenes	31.9	32.2	30	0.5721	104	105	70-130	0.874	20
Surrogate Recovery									
aaa-TFT_2	10.6	10.5	10		106	105	70-130	0.704	20

McCampbell Analytical, Inc.
1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 1501768 **ClientCode: ATRS**

☐ WaterTrax ☐ WriteOn ☑ EDF ☐ Excel ☑ EQuIS ☑ Email ☐ HardCopy ☐ ThirdParty ☐ J-flag

Report to:
Aaron Powers
Allterra Environmental
849 Almar Ave, Ste. C #281
Santa Cruz, CA 95060
831-425-2608 FAX: 831-425-2609

Email: aaron@allterraenv.com; allterraenvironmen
cc/3rd Party:
PO:
ProjectNo: #498; 498 4th St., San Jose

Bill to:
Accounts Payable
Allterra Environmental
849 Almar Ave, Ste. C #281
Santa Cruz, CA 95060

Requested TAT: **5 days**

Date Received: **01/27/2015**
Date Printed: **02/02/2015**

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)											
					1	2	3	4	5	6	7	8	9	10	11	12
1501768-001	MW-1	Water	1/22/2015 10:45	☐	A	A										
1501768-002	MW-2	Water	1/22/2015 11:45	☐	A											
1501768-003	MW-3	Water	1/22/2015 12:00	☐	A											
1501768-004	MW-4A	Water	1/20/2015 12:45	☐	A											
1501768-005	MW-4B	Water	1/20/2015 13:00	☐	A											
1501768-006	MW-5	Water	1/22/2015 9:30	☐	A											
1501768-007	MW-6	Water	1/22/2015 12:30	☐	A											
1501768-008	MW-7A	Water	1/21/2015 12:15	☐	A											
1501768-009	MW-7B	Water	1/21/2015 12:30	☐	A											
1501768-010	MW-8A	Water	1/21/2015 10:15	☐	A											
1501768-011	MW-8B	Water	1/21/2015 10:30	☐	A											
1501768-012	MW-9A	Water	1/21/2015 10:50	☐	A											
1501768-013	MW-9B	Water	1/21/2015 11:15	☐	A											
1501768-014	MW-10B	Water	1/21/2015 11:45	☐	A											
1501768-015	MW-11	Water	1/20/2015 13:30	☐	A											

Test Legend:

1	G-MBTEX_W	2	PREDF REPORT	3		4		5	
6		7		8		9		10	
11		12							

Prepared by: Erika Santos

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.

McCampbell Analytical, Inc.
1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 1501768 **ClientCode: ATRS**

☐ WaterTrax ☐ WriteOn ☑ EDF ☐ Excel ☑ EQuIS ☑ Email ☐ HardCopy ☐ ThirdParty ☐ J-flag

Report to:
Aaron Powers
Allterra Environmental
849 Almar Ave, Ste. C #281
Santa Cruz, CA 95060
831-425-2608 FAX: 831-425-2609

Email: aaron@allterraenv.com; allterraenvironmen
cc/3rd Party:
PO:
ProjectNo: #498; 498 4th St., San Jose

Bill to:
Accounts Payable
Allterra Environmental
849 Almar Ave, Ste. C #281
Santa Cruz, CA 95060

Requested TAT: **5 days**

Date Received: **01/27/2015**
Date Printed: **02/02/2015**

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)											
					1	2	3	4	5	6	7	8	9	10	11	12
1501768-016	MW-12B	Water	1/22/2015 11:00	☐	A											
1501768-017	MW-12C	Water	1/22/2015 11:30	☐	A											
1501768-018	MW-13B	Water	1/22/2015 10:15	☐	A											

Test Legend:

1	G-MBTEX_W	2	PREDF REPORT	3		4		5	
6		7		8		9		10	
11		12							

Prepared by: Erika Santos

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

WORK ORDER SUMMARY

Client Name: ALLTERRA ENVIRONMENTAL
Project: #498; 498 4th St., San Jose
Comments:

QC Level: LEVEL 2
Client Contact: Aaron Powers
Contact's Email: aaron@allterraenv.com; allterraenvironmental@yahoo.com;

Work Order: 1501768
Date Received: 1/27/2015

☐ WaterTrax ☐ WriteOn ☑ EDF ☐ Excel ☐ Fax ☑ Email ☐ HardCopy ☐ ThirdParty ☐ J-flag

Lab ID	Client ID	Matrix	Test Name	Containers /Composites	Bottle & Preservative	De-chlorinated	Collection Date & Time	TAT	Sediment Content	Hold	SubOut
1501768-001A	MW-1	Water	SW8021B/8015Bm (G/MBTEX)	3	VOA w/ HCl	☐	1/22/2015 10:45	5 days	Present	☐	
1501768-002A	MW-2	Water	SW8021B/8015Bm (G/MBTEX)	3	VOA w/ HCl	☐	1/22/2015 11:45	5 days	Present	☐	
1501768-003A	MW-3	Water	SW8021B/8015Bm (G/MBTEX)	3	VOA w/ HCl	☐	1/22/2015 12:00	5 days	Present	☐	
1501768-004A	MW-4A	Water	SW8021B/8015Bm (G/MBTEX)	3	VOA w/ HCl	☐	1/20/2015 12:45	5 days	Present	☐	
1501768-005A	MW-4B	Water	SW8021B/8015Bm (G/MBTEX)	3	VOA w/ HCl	☐	1/20/2015 13:00	5 days	Present	☐	
1501768-006A	MW-5	Water	SW8021B/8015Bm (G/MBTEX)	3	VOA w/ HCl	☐	1/22/2015 9:30	5 days	Present	☐	
1501768-007A	MW-6	Water	SW8021B/8015Bm (G/MBTEX)	3	VOA w/ HCl	☐	1/22/2015 12:30	5 days	Present	☐	
1501768-008A	MW-7A	Water	SW8021B/8015Bm (G/MBTEX)	3	VOA w/ HCl	☐	1/21/2015 12:15	5 days	Present	☐	
1501768-009A	MW-7B	Water	SW8021B/8015Bm (G/MBTEX)	3	VOA w/ HCl	☐	1/21/2015 12:30	5 days	Present	☐	
1501768-010A	MW-8A	Water	SW8021B/8015Bm (G/MBTEX)	3	VOA w/ HCl	☐	1/21/2015 10:15	5 days	Present	☐	
1501768-011A	MW-8B	Water	SW8021B/8015Bm (G/MBTEX)	3	VOA w/ HCl	☐	1/21/2015 10:30	5 days	Present	☐	
1501768-012A	MW-9A	Water	SW8021B/8015Bm (G/MBTEX)	3	VOA w/ HCl	☐	1/21/2015 10:50	5 days	Present	☐	
1501768-013A	MW-9B	Water	SW8021B/8015Bm (G/MBTEX)	3	VOA w/ HCl	☐	1/21/2015 11:15	5 days	Present	☐	
1501768-014A	MW-10B	Water	SW8021B/8015Bm (G/MBTEX)	3	VOA w/ HCl	☐	1/21/2015 11:45	5 days	Present	☐	
1501768-015A	MW-11	Water	SW8021B/8015Bm (G/MBTEX)	3	VOA w/ HCl	☐	1/20/2015 13:30	5 days	Present	☐	
1501768-016A	MW-12B	Water	SW8021B/8015Bm (G/MBTEX)	3	VOA w/ HCl	☐	1/22/2015 11:00	5 days	Present	☐	

NOTES: - STLC and TCLP extractions require 2 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 3 days from sample submission).

- MAI assumes that all material present in the provided sampling container is considered part of the sample - MAI does not exclude any material from the sample prior to sample preparation unless requested in writing by the client.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

WORK ORDER SUMMARY

Client Name: ALLTERRA ENVIRONMENTAL
Project: #498; 498 4th St., San Jose
Comments:

QC Level: LEVEL 2
Client Contact: Aaron Powers
Contact's Email: aaron@allterraenv.com; allterraenvironmental@yahoo.com;

Work Order: 1501768
Date Received: 1/27/2015

☐ WaterTrax ☐ WriteOn ☑ EDF ☐ Excel ☐ Fax ☑ Email ☐ HardCopy ☐ ThirdParty ☐ J-flag

Lab ID	Client ID	Matrix	Test Name	Containers /Composites	Bottle & Preservative	De-chlorinated	Collection Date & Time	TAT	Sediment Content	Hold	SubOut
1501768-017A	MW-12C	Water	SW8021B/8015Bm (G/MBTEX)	3	VOA w/ HCl	☐	1/22/2015 11:30	5 days	Present	☐	
1501768-018A	MW-13B	Water	SW8021B/8015Bm (G/MBTEX)	3	VOA w/ HCl	☐	1/22/2015 10:15	5 days	Present	☐	

NOTES: - STLC and TCLP extractions require 2 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 3 days from sample submission).

- MAI assumes that all material present in the provided sampling container is considered part of the sample - MAI does not exclude any material from the sample prior to sample preparation unless requested in writing by the client.

1501768

ALLTERRA
849 Almar Avenue, Suite C, #281
Santa Cruz, California 95060
Website: www.allterraenv.com
Phone: (831) 425-2608 Facsimile: (831) 425-2609

Chain of Custody Record

Turn Around Time (circle one) RUSH 24HR 48HR 72HR 5 Day

Report and Bill to: **Allterra Environmental, Inc.**
Project Number: **498**
Project Location: **498 4th St. San Jose**
Project Name:
Sampler Signature:

Field Point Name / Sample ID	Sample Collection: Date	Sample Collection: Time	Sample Containers: Number of Containers	Sample Containers: Container Type	Matrix: Air	Matrix: Water	Matrix: Soil	Matrix: Sludge	Matrix: Other	Preservation: Ice	Preservation: HCl	Preservation: HNO_3	Preservation: Other	TPHg/ BTEX/ MTBE (EPA 8015/8021)	BTEX (EPA 8020)	TPHd (EPA 8015)	5-fuel oxys (EPA 8260)	Ethanol and Methanol (EPA 8260)	Lead Scavengers (8260)	EDF required
MW-1	1/22	10:45	3	VOA		x				x	x			x						x
MW-2	1/22	11:45	3	VOA		x				x	x			x						x
MW-3	1/22	12:00	3	VOA		x				x	x			x						x
MW-4A	1/20	12:45	3	VOA		x				x	x			x						x
MW-4B	1/20	1:00	3	VOA		x				x	x			x						x
MW-5	1/22	9:30	3	VOA		x				x	x			x						x
MW-6	1/22	12:30	3	VOA		x				x	x			x						x
MW-7A	1/21	12:15	3	VOA		x				x	x			x						x
MW-7B	1/21	12:30	3	VOA		x				x	x			x						x
MW-8A	1/21	10:15	3	VOA		x				x	x			x						x
MW-8B	1/21	10:30	3	VOA		x				x	x			x						x
MW-9A	1/21	10:50	3	VOA		x				x	x			x						x
MW-9B	1/21	11:15	3	VOA		x				x	x			x						x
MW-10B	1/21	11:45	3	VOA		x				x	x			x						x
MW-11	1/20	1:30	3	VOA		x				x	x			x						x
MW-12B	1/22	11:00	3	VOA		x				x	x			x						x
MW-12C	1/22	11:30	3	VOA		x				x	x			x						x
MW-13B	1/22	10:15	3	VOA		x				x	x			x						x

ICE/T Cold
GOOD CONDITION ____ APPROPRIATE
HEAD SPACE ABSENT ____ CONTAINERS ____
DECHLORINATED IN LAB ____ PRESERVED IN LAB ____

PRESERVATION	VOAS	O&G	METALS	OTHER

Sampled By: Erin Phillips	Date: ~~1/23~~ 1/26/15	Time: 10:30	Received By: Luke M Santos	
Received By:	Date:	Time: 1/27/15	Received By:	Comments: REC'D SEALED & INTACT VIA Ontrac
Received By:	Date:	Time:	Received By:	

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Sample Receipt Checklist

Client Name:	**Allterra Environmental**	Date and Time Received:	**1/27/2015 12:00:01 PM**
Project Name:	**#498; 498 4th St., San Jose**	LogIn Reviewed by:	Erika Santos
WorkOrder №:	**1501768** Matrix: Water	Carrier:	OnTrac

Chain of Custody (COC) Information

Chain of custody present?	Yes	☑	No	☐	
Chain of custody signed when relinquished and received?	Yes	☑	No	☐	
Chain of custody agrees with sample labels?	Yes	☑	No	☐	
Sample IDs noted by Client on COC?	Yes	☑	No	☐	
Date and Time of collection noted by Client on COC?	Yes	☑	No	☐	
Sampler's name noted on COC?	Yes	☑	No	☐	

Sample Receipt Information

Custody seals intact on shipping container/cooler?	Yes	☐	No	☐	NA ☑
Shipping container/cooler in good condition?	Yes	☑	No	☐	
Samples in proper containers/bottles?	Yes	☑	No	☐	
Sample containers intact?	Yes	☑	No	☐	
Sufficient sample volume for indicated test?	Yes	☑	No	☐	

Sample Preservation and Hold Time (HT) Information

All samples received within holding time?	Yes	☑	No	☐	
Sample/Temp Blank temperature	Temp: 6.4°C				NA ☐
Water - VOA vials have zero headspace / no bubbles?	Yes	☑	No	☐	NA ☐
Sample labels checked for correct preservation?	Yes	☑	No	☐	
pH acceptable upon receipt (Metal: <2; 522: <4; 218.7: >8)?	Yes	☐	No	☐	NA ☑
Samples Received on Ice?	Yes	☑	No	☐	
(Ice Type: WET ICE)					

UCMR3 Samples:

Total Chlorine tested and acceptable upon receipt for EPA 522?	Yes	☐	No	☐	NA ☑
Free Chlorine tested and acceptable upon receipt for EPA 218.7, 300.1, 537, 539?	Yes	☐	No	☐	NA ☑

** NOTE: If the "No" box is checked, see comments below.*

Comments:

APPENDIX C: REGULATORY DATABASE REPORT

PARTNER

459 & 475 South 4th
459 & 475 South 4th Street
San Jose, CA 95112

Inquiry Number: 5724332.2s
July 22, 2019

The EDR Radius Map™ Report with GeoCheck®

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	9
Orphan Summary	799
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-8
Physical Setting Source Map Findings	A-9
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

459 & 475 SOUTH 4TH STREET
SAN JOSE, CA 95112

COORDINATES

Latitude (North):	37.3305090 - 37° 19' 49.83''
Longitude (West):	121.8825100 - 121° 52' 57.03''
Universal Tranverse Mercator:	Zone 10
UTM X (Meters):	599001.9
UTM Y (Meters):	4131919.2
Elevation:	98 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	5640416 SAN JOSE WEST, CA
Version Date:	2012
East Map:	5640414 SAN JOSE EAST, CA
Version Date:	2012

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	20140606
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
459 & 475 SOUTH 4TH STREET
SAN JOSE, CA 95112

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
Reg	LORENTZ BARREL & DRU	1515 S 10TH ST	NPL, SEMS, US ENG CONTROLS, US INST CONTROL, CA...	Same	4461, 0.845, ESE
A1	SPARTAN STATION	498 S 4TH ST	EDR Hist Auto	Higher	108, 0.020, ESE
A2	SUPER GAS & MART	498 S 4TH ST	CA LUST, CA HIST LUST, CA CERS HAZ WASTE, CA...	Higher	108, 0.020, ESE
A3	SPARTAN GAS STATION	498 S 4TH ST	CA UST	Higher	108, 0.020, ESE
A4	SUPER GAS & MART	498 S 4TH ST	RCRA NonGen / NLR	Higher	108, 0.020, ESE
A5	SPARTAN GAS STATION	498 4TH	CA LUST, CA HIST CORTESE, CA CERS	Higher	117, 0.022, ESE
A6	ODONNELL CORNELIUS	152 E WILLIAM ST	EDR Hist Auto	Higher	174, 0.033, SE
B7	CAMPUS LAUNDERETTE	402 S 3RD ST	EDR Hist Cleaner	Lower	311, 0.059, WNW
B8	CAMPUS LAUNDERETTE	402 S 3D	EDR Hist Cleaner	Lower	366, 0.069, WNW
B9	V & V AUTO SERVICE	96 E SAN SALVADOR ST	EDR Hist Auto	Lower	398, 0.075, West
B10	URZI J P	98 E SAN SALVADOR ST	EDR Hist Auto	Lower	398, 0.075, West
C11	WE HARDING COMPANY I	502 S 2ND ST	RCRA NonGen / NLR	Higher	503, 0.095, SSW
C12	AUTO SERVICE CENTER	502 S 2ND ST	EDR Hist Auto	Higher	503, 0.095, SSW
C13	W.E. HARDING CO	502 S 2ND ST	CA CERS HAZ WASTE, CA SWEEPS UST, CA CUPA...	Higher	503, 0.095, SSW
D14	SAN JOSE LAUNDERETTE	463 S 2D	EDR Hist Cleaner	Higher	525, 0.099, WSW
E15	SPARTAN CLEANERS	398 S 5TH ST	EDR Hist Cleaner	Lower	527, 0.100, NNE
16	ALVA J B	368 S 4TH ST	EDR Hist Cleaner	Lower	544, 0.103, NNW
C17	GISH E J	502 S 2D	EDR Hist Auto	Higher	544, 0.103, SW
D18	EDNA S CLEANING & ME	432 S 2D	EDR Hist Cleaner	Higher	547, 0.104, WSW
B19	YWCA SILICON VALLEY	375 S 3RD ST	CA CUPA Listings, CA HAZMAT, CA CERS	Lower	581, 0.110, WNW
C20	SAN JOSE LAUNDERETTE	499 S 2ND ST	EDR Hist Cleaner	Higher	583, 0.110, SW
F21	CASTRO JACK E	411 S 2D	EDR Hist Auto	Lower	594, 0.112, West
C22	ROWE N E	531 S 2D	EDR Hist Auto	Higher	620, 0.117, SSW
F23	BILL S ELECTRIC SERV	396 S 2D	EDR Hist Auto	Lower	634, 0.120, West
G24	O/B (P BELL WIRELESS	596 S 2ND ST SUITE B	CA HAZMAT	Higher	688, 0.130, South
G25	NOTRE DAME HIGH SCHO	596 S 2ND ST	RCRA-SQG, CA CERS HAZ WASTE, CA CUPA Listings, CA...	Higher	688, 0.130, South
G26	OUT OF BUSINESS	596 S 2ND ST BASEM	CA HAZMAT	Higher	688, 0.130, South
G27	T-MOBILE SF04923	596 S 2ND ST ROOF	CA HAZMAT	Higher	688, 0.130, South
H28	YWCA OF SILICON VALL	350 S 2ND ST	CA HAZNET, CA HAZMAT	Lower	734, 0.139, WNW
E29	CORPORATION YARD #12	ONE WASHINGTON SQUAR	CA AST	Lower	734, 0.139, NNE
E30	SAN JOSE STATE UNIVE	ONE WASHINGTON SQUAR	RCRA-LQG, CA SWEEPS UST, CA HIST UST, CA HIST...	Lower	734, 0.139, NNE
E31	SPRINT SF59XC001	1 WASHINGTON SQ CELL	CA HAZMAT	Lower	734, 0.139, NNE
E32	SJSU-UCAT (COMPUTER	1 WASHINGTON SQ	CA LUST, CA AST, CA CERS HAZ WASTE, CA CERS TANKS,..	Lower	734, 0.139, NNE
E33	SAN JOSE STATE UNIVE	1 WASHINGTON SQ	CA AST, CA CERS HAZ WASTE, CA CUPA Listings, CA...	Lower	734, 0.139, NNE
E34	SAN JOSE STATE UNIVE	1 WASHINGTON SQ.	CA AST	Lower	734, 0.139, NNE
E35	SJSU-CENTRAL PLANT (	1 WASHINGTON SQ	CA UST	Lower	734, 0.139, NNE
E36	SJSU CENTRAL PLANT	1 WASHINGTON SQUARE	CA LUST, CA HIST LUST, CA HIST CORTESE	Lower	734, 0.139, NNE
E37	SJSU-BOCCARDO BUSINE	1 WASHINGTON SQ	CA CUPA Listings, CA CERS	Lower	734, 0.139, NNE
E38	VERIZON WIRELESS: SA	1 WASHINGTON SQ BLDG	CA CUPA Listings	Lower	734, 0.139, NNE

MAPPED SITES SUMMARY

Target Property Address:
459 & 475 SOUTH 4TH STREET
SAN JOSE, CA 95112

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
E39	PARKER WEST INTERNAT	1 WASHINGTON SQ	CA CERS HAZ WASTE, CA CUPA Listings, CA HAZNET, CA...	Lower	734, 0.139, NNE
40	MISSION PAINTING	330 S 3RD STREET	RCRA-SQG, FINDS, ECHO	Lower	749, 0.142, NW
I41	JONES/SCHAEZLEIN PRO	520 S. 1ST STREET	CA LUST, CA HIST LUST, CA CERS	Higher	850, 0.161, SSW
42	7-ELEVEN INC STORE #	404 S SIXTH ST	CA CUPA Listings, CA CERS	Lower	885, 0.168, NE
I43	ALL AUTO BODY AND FR	560 SOUTH FIRST STRE	RCRA-SQG	Higher	929, 0.176, SSW
H44	TECHSHOP SAN JOSE	300 S 2ND ST	CA CUPA Listings	Lower	930, 0.176, WNW
H45	GENUITY-SAN JOSE POP	300 S 2ND ST	CA CUPA Listings	Lower	930, 0.176, WNW
H46	GENUITY	300 S 2ND ST	CA AST	Lower	930, 0.176, WNW
H47	TECH SHOP SAN JOSE L	300 S 2ND ST	CA HAZMAT	Lower	930, 0.176, WNW
H48	SAN CARLOS PLAZA / R	300 SOUTH SECOND ST.	RCRA NonGen / NLR	Lower	930, 0.176, WNW
J49	EARL SCHEIB PAINT &	439 S 1ST ST	CA CUPA Listings	Higher	961, 0.182, WSW
J50	MARKET PLACE	439 1ST	CA HIST CORTESE	Higher	961, 0.182, WSW
J51	ECONOMY IMPORTS	493 S FIRST ST	CA CUPA Listings	Higher	974, 0.184, SW
J52	CORE DEVELOPMENT	470 S MARKET ST	RCRA-SQG, FINDS, ECHO, CA HAZNET	Higher	983, 0.186, WSW
J53	MARKET AUTO	428 S MARKET ST	CA CUPA Listings	Higher	1018, 0.193, WSW
J54	THE MARKET AUTO REPA	428 S MARKET ST	RCRA NonGen / NLR	Higher	1018, 0.193, WSW
J55	OUT OF BUSINESS (MAR	428 S MARKET ST 1	CA HAZMAT	Higher	1018, 0.193, WSW
K56	TEXACO	598 1ST	CA HIST CORTESE	Higher	1024, 0.194, SSW
K57	FORMER TEXACO STATIO	598 S 1ST ST	CA LUST, CA HIST LUST	Higher	1026, 0.194, SSW
K58	FORMER TEXACO STATIO	598 S. FIRST STREET	CA LUST, CA Cortese, CA WDS, CA CERS	Higher	1026, 0.194, SSW
I59	O/B (SERVICE RENT-A-	545 S MARKET ST	CA HAZMAT	Higher	1102, 0.209, SSW
I60	OUT OF BUSINESS	545 S MARKET ST	CA HAZNET, CA HAZMAT	Higher	1102, 0.209, SSW
I61	SERVICE RENT-A-CAR	545 S MARKET ST	CA CUPA Listings	Higher	1102, 0.209, SSW
J62	MARKET AUTO ELECTRIC	402 S MARKET ST	CA CUPA Listings	Higher	1107, 0.210, WSW
I63	MERRY OLDSMOBILE	525 MARKET	CA HIST CORTESE	Higher	1113, 0.211, SW
I64	MERRY OLDSMOBILE	525 S MARKET ST	CA LUST, CA HIST LUST, CA HIST UST, CA CERS	Higher	1113, 0.211, SW
L65	SJ SILICON VALLEY CH	310 S FIRST ST	CA CUPA Listings	Lower	1128, 0.214, WNW
L66	VALLEY TITLE CO.	300 S. FIRST STREET	CA LUST, CA CERS	Lower	1128, 0.214, WNW
M67	THE COLONNADE	201 S 4TH ST HIRISE	CA HAZMAT	Lower	1145, 0.217, NNW
M68	COLONNADE APARTMENTS	201 S 4TH ST	CA CUPA Listings, CA CERS	Lower	1145, 0.217, NNW
M69	AT&T MOBILITY CENTRA	201 S 4TH ST CELL	CA HAZMAT	Lower	1145, 0.217, NNW
K70	FIRESTONE BUILDING	599 1ST	CA HIST CORTESE	Higher	1165, 0.221, SSW
L71	CALIFORNIA THEATER	345 S FIRST ST	RCRA-SQG, FINDS, ECHO	Higher	1185, 0.224, West
L72	FOX CALIFORNIA THEAT	345 S 1ST ST	CA LUST, CA HIST LUST, CA CERS	Higher	1185, 0.224, West
J73	SJRA-CONVENTION CENT	S MARKET ST @ VIOLA	CA LUST, CA HIST LUST, CA CERS	Higher	1195, 0.226, WSW
J74	SJRA-CONVENTION CENT	S MARKET ST @ VIOLA	CA LUST	Higher	1195, 0.226, WSW
N75	TATE FAMILY COMPLETE	477 S MARKET ST	RCRA-SQG, FINDS, ECHO	Higher	1202, 0.228, SW
N76	ROSE-MURTY TIRE CO.	477 S MARKET ST	CA LUST, CA HIST LUST, CA CERS HAZ WASTE, CA...	Higher	1202, 0.228, SW
N77	SEPPHORI INC DBA TAT	477 S MARKET ST	RCRA NonGen / NLR	Higher	1202, 0.228, SW

MAPPED SITES SUMMARY

Target Property Address:
459 & 475 SOUTH 4TH STREET
SAN JOSE, CA 95112

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
N78	ROSE MURTY TIRE COMP	477 MARKET	CA HIST CORTESE	Higher	1202, 0.228, SW
N79	ROSE-MURTY TIRE SERV	477 S MARKET ST	CA CUPA Listings	Higher	1202, 0.228, SW
K80	PIERCE DEVELOPMENT	561-599 S. MARKET ST	CA CPS-SLIC, CA DEED, CA CERS	Higher	1205, 0.228, SSW
81	NATIONAL PSYCHIATRIC	650 S 5TH	RCRA NonGen / NLR	Higher	1217, 0.230, SE
K82	FIRESTONE #3674	599 S 1ST ST	CA LUST, CA HIST LUST, CA HIST UST, CA CERS	Higher	1230, 0.233, SSW
K83	60 PIERCE-SAN JOSE L	599 S 1ST ST	CA CUPA Listings	Higher	1230, 0.233, SSW
84	360 RESIDENCES	360 S MARKET ST	CA CUPA Listings, CA EMI, CA HAZMAT, CA CERS	Higher	1257, 0.238, West
L85	DOHRMAN BUILDING	325 S 1ST ST	CA LUST, CA HIST LUST, CA CERS	Higher	1271, 0.241, West
L86	DOHRMANN ASSOCIATES	325 1ST	CA HIST CORTESE	Higher	1271, 0.241, West
87	CET DEVELOPMENT	630 S 1ST ST	CA LUST, CA HIST LUST, CA HIST CORTESE, CA CERS	Higher	1285, 0.243, South
88	SJSU	SAN CARLOS & 7TH	CA LUST, CA HIST LUST	Lower	1484, 0.281, NNE
O89	SAN JOSE CONVENTION	SOUTH MARKET STREET	CA CPS-SLIC, CA CERS	Lower	1615, 0.306, West
O90	SJRA-HOTEL EAST	301 S MARKET ST	CA LUST, CA HIST LUST, CA CERS	Lower	1630, 0.309, West
O91	SAN JOSE MARRIOTT	301 S MARKET ST	CA LUST, CA CERS HAZ WASTE, CA CERS TANKS, CA CUPA	Lower	1630, 0.309, West
O92	SJRA HOTEL EAST	301 MARKET	CA LUST, CA HIST CORTESE	Lower	1630, 0.309, West
P93	D'AMICO PROPERTY	130 E MARGARET ST	CA LUST, CA HIST LUST, CA HIST CORTESE	Higher	1631, 0.309, South
P94	ELECTRIC BATTERY AND	718 1ST ST S	CA CPS-SLIC	Higher	1755, 0.332, South
P95	GRIFFIN PROPERTY	724 S FIRST ST	CA LUST, CA HIST LUST, CA CERS	Higher	1755, 0.332, South
P96	ELECTRIC BATTERY AND	718 AND 724 SOUTH FI	CA CPS-SLIC, CA CERS	Higher	1755, 0.332, South
Q97	CALDERON TIRES & WHE	735 S 1ST ST	CA LUST, CA HIST LUST, CA CERS	Higher	1958, 0.371, South
Q98	CALDERON TIRES & WHE	735 SOUTH 1ST ST	CA LUST	Higher	1958, 0.371, South
99	ORACLE AMERICA	488 ALMADEN BL HIRIS	CA LUST, CA HIST LUST, CA CUPA Listings, CA...	Lower	1984, 0.376, SW
100	SAN JOSE CONVENTION	150 SAN CARLOS	CA HIST CORTESE	Lower	2034, 0.385, West
R101	PASEO VILLAS	130 E SAN FERNANDO	CA LUST, CA HIST LUST, CA CERS	Lower	2041, 0.387, NNW
S102	PETE'S STOP INC	447 WILLIAM	CA LUST, CA HIST UST, CA HIST CORTESE	Lower	2082, 0.394, ENE
S103	PETE'S STOP INC.	447 E WILLIAM ST	CA LUST, CA HIST LUST	Lower	2082, 0.394, ENE
S104	PETE'S STOP INC.	447 EAST WILLIAM STR	CA LUST	Lower	2082, 0.394, ENE
S105	PETES STOP GAS STATI	447 E WILLIAM STREET	CA HAULERS, CA HIST UST, CA Cortese, CA CUPA...	Lower	2082, 0.394, ENE
106	PORTOLA CLEANERS	130 VIRGINIA ST W	CA CPS-SLIC, CA NON-CASE INFO	Higher	2084, 0.395, SSE
T107	HEART OF THE CITY -	100 SOUTH SECOND STR	CA CPS-SLIC, CA CERS	Lower	2087, 0.395, NW
R108	SAN JOSE GAS WORKS	E. SAN FERNANDO AND	EDR MGP	Lower	2090, 0.396, NNW
R109	REDEVELOPMENT BLOCK	UNKNOWN PARCELS 2 &	CA CPS-SLIC, CA CERS	Lower	2092, 0.396, NW
110	SAN ANTONIO PLAZA	UNKNOWN SAN FERNANDO	CA LUST, CA CERS	Lower	2101, 0.398, NNW
111	WELLS FARGO BANK-MOR	802 S 2ND ST	CA LUST, CA HIST LUST, CA CERS	Higher	2117, 0.401, SSE
R112	SAN ANTONIO PLAZA RE	SAN FERNANDO & 4TH S	CA LUST, CA HIST LUST	Lower	2158, 0.409, NNW
R113	SAN ANTONIO PLAZA BL	W. SAN FERNANDO ST &	CA HIST CORTESE	Lower	2159, 0.409, NNW
R114	SAN ANTONIO PLAZA BL	WEST SAN FERNANDO ST	CA ENVIROSTOR, CA VCP	Lower	2159, 0.409, NNW
R115	SAN ANTONIO PLAZA RE	SAN FERNANDO & 4TH S	CA LUST, CA CERS	Lower	2159, 0.409, NNW
U116	BLOCK 2 CITY OF SAN	8 EAST SAN FERNANADO	CA CPS-SLIC, CA BROWNFIELDS, CA CERS	Lower	2207, 0.418, NW

MAPPED SITES SUMMARY

Target Property Address:
459 & 475 SOUTH 4TH STREET
SAN JOSE, CA 95112

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
R117	FOREST CITY DEVELOPM	101 SAN FERNANDO AVE	CA LUST, CA HIST LUST, CA CERS	Lower	2229, 0.422, NNW
118	SJSU	SAN CARLOS & 7TH	CA LUST, CA CERS	Lower	2238, 0.424, North
U119	SAN JOSE STATE UNIVE	125 SOUTH 7TH ST	CA ENVIROSTOR	Lower	2265, 0.429, NW
U120	SAN JOSE STATE UNIV	125 S 7TH	SEMS-ARCHIVE	Lower	2265, 0.429, NW
T121	PF CHANGS CHINA BIST	98 S. 2ND STREET	CA LUST, CA HIST LUST, CA CERS	Lower	2304, 0.436, NW
V122	CHEVRON #9-2218	222 W SAN CARLOS ST	CA LUST, CA HIST LUST, CA HIST UST, CA CERS	Lower	2304, 0.436, West
V123	CHEVRON	222 SAN CARLOS	CA HIST CORTESE	Lower	2304, 0.436, West
124	BARRON-GREY PACKING	825 S 5TH ST	SEMS-ARCHIVE	Higher	2311, 0.438, SE
W125	SHELL	288 E VIRGINIA ST	CA LUST, CA HIST LUST, CA CERS	Higher	2335, 0.442, ESE
W126	SHELL SERVICE STATIO	288 E VIRGINIA	CA LUST, CA CERS HAZ WASTE, RCRA NonGen / NLR,...	Higher	2335, 0.442, ESE
127	MOORE INVESTMENTS	148 E VIRGINIA ST	CA LUST, CA HIST LUST, CA HIST CORTESE, CA CERS	Higher	2342, 0.444, SE
X128	EXXON REGAL	827 1ST	CA HIST CORTESE	Higher	2382, 0.451, South
X129	REGAL STATION 423	827 S FIRST	CA LUST, CA HIST UST, CA Cortese, CA WDS, CA CERS	Higher	2456, 0.465, South
X130	REGAL #423	827 S 1ST ST	CA LUST, CA HIST LUST	Higher	2456, 0.465, South
X131	VALERO STATION #3815	827 S 1ST ST	CA LUST, CA CERS HAZ WASTE, CA SWEEPS UST, CA HIST...	Higher	2456, 0.465, South
Y132	TEXACO	78 S 4TH ST	CA LUST, CA HIST LUST, CA CERS	Lower	2458, 0.466, NNW
Y133	SILVA SERVICE-TEXACO	78 S 4TH ST	CA LUST, CA HIST UST	Lower	2458, 0.466, NNW
Z134	CENTURY CENTER	53 S 3RD ST	CA LUST, CA HIST LUST, CA CERS	Lower	2472, 0.468, NW
Z135	CENTURY CENTER	62 S 2ND ST.	CA LUST	Lower	2481, 0.470, NW
Z136	PRIVATE RESIDENCE	PRIVATE RESIDENCE	CA LUST	Lower	2527, 0.479, NW
137	FIRST SAN JOSE HOUSI	724 ALMADEN AVE	CA LUST, CA HIST LUST, CA HIST CORTESE, CA CERS	Higher	2553, 0.484, SSW
V138	SAN JOSE, CITY OF	W SAN CARLOS ST & AL	CA LUST, CA HIST LUST, CA CERS	Lower	2558, 0.484, West
AA139	SAN JOSE, CITY OF	W SAN CARLOS ST & AL	CA LUST	Lower	2633, 0.499, West
AA140	SHELL	270 W SAN CARLOS ST	CA LUST, CA HIST LUST, CA CERS	Lower	2634, 0.499, West
AA141	SHELL	270 SAN CARLOS	CA HIST CORTESE	Lower	2634, 0.499, West
142	3RD STREET DEVELOPME	1010 SOUTH 3RD STREE	CA ENVIROSTOR, CA VCP, CA NPDES, CA CIWQS	Higher	3304, 0.626, SSE
143	RIVER PARK DEVEL LIN	333 SAN CARLOS ST W	CA ENVIROSTOR, CA CPS-SLIC, CA CHMIRS, CA CERS	Lower	3374, 0.639, WSW
144	HORACE MANN ELEMENTA	55 NORTH SEVENTH STR	CA ENVIROSTOR, CA SCH	Lower	3471, 0.657, North
145	7-ELEVEN INC #17496	452 E SANTA CLARA ST	CA CERS HAZ WASTE, CA SWEEPS UST, CA HIST UST, CA...	Lower	3634, 0.688, North
146	STATE RADIATOR SJ RE	331 GIFFORD AVE	CA ENVIROSTOR, CA LUST, CA HIST CORTESE, CA...	Lower	4365, 0.827, WSW
147	UNKNOWN	35 NORTH RIVER STREE	CA Notify 65	Lower	4451, 0.843, WNW
AB148	MISSION VILLAS	44 EAST JULIAN STREE	CA ENVIROSTOR	Lower	4811, 0.911, NW
AB149	FAMILY HEALTH FOUND.	55 E. JULIAN STREET	CA ENVIROSTOR	Lower	4843, 0.917, NW

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

Proposed NPL ---------- Proposed National Priority List Sites
NPL LIENS ---------- Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL ---------- National Priority List Deletions

Federal CERCLIS list

FEDERAL FACILITY ---------- Federal Facility Site Information listing

Federal RCRA CORRACTS facilities list

CORRACTS ---------- Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF ---------- RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-CESQG ---------- RCRA - Conditionally Exempt Small Quantity Generator

Federal institutional controls / engineering controls registries

LUCIS ---------- Land Use Control Information System

Federal ERNS list

ERNS ---------- Emergency Response Notification System

State- and tribal - equivalent NPL

CA RESPONSE ---------- State Response Sites

State and tribal landfill and/or solid waste disposal site lists

CA SWF/LF ---------- Solid Waste Information System

EXECUTIVE SUMMARY

State and tribal leaking storage tank lists

INDIAN LUST ---------- Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

FEMA UST ---------- Underground Storage Tank Listing
INDIAN UST ---------- Underground Storage Tanks on Indian Land

State and tribal voluntary cleanup sites

INDIAN VCP ---------- Voluntary Cleanup Priority Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS ---------- A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

CA WMUDS/SWAT ---------- Waste Management Unit Database
CA SWRCY ---------- Recycler Database
INDIAN ODI ---------- Report on the Status of Open Dumps on Indian Lands
DEBRIS REGION 9 ---------- Torres Martinez Reservation Illegal Dump Site Locations
ODI ---------- Open Dump Inventory
IHS OPEN DUMPS ---------- Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL ---------- Delisted National Clandestine Laboratory Register
CA CDL ---------- Clandestine Drug Labs
CA Toxic Pits ---------- Toxic Pits Cleanup Act Sites
US CDL ---------- National Clandestine Laboratory Register
CA PFAS ---------- PFAS Contamination Site Location Listing

Local Lists of Registered Storage Tanks

CA FID UST ---------- Facility Inventory Database

Local Land Records

CA LIENS ---------- Environmental Liens Listing

Records of Emergency Release Reports

HMIRS ---------- Hazardous Materials Information Reporting System
CA LDS ---------- Land Disposal Sites Listing
CA MCS ---------- Military Cleanup Sites Listing
CA SPILLS 90 ---------- SPILLS 90 data from FirstSearch

Other Ascertainable Records

FUDS ---------- Formerly Used Defense Sites

DOD	Department of Defense Sites
SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR	Financial Assurance Information
EPA WATCH LIST	EPA WATCH LIST
2020 COR ACTION	2020 Corrective Action Program List
TSCA	Toxic Substances Control Act
TRIS	Toxic Chemical Release Inventory System
SSTS	Section 7 Tracking Systems
RMP	Risk Management Plans
RAATS	RCRA Administrative Action Tracking System
PADS	PCB Activity Database System
FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS	Material Licensing Tracking System
COAL ASH DOE	Steam-Electric Plant Operation Data
COAL ASH EPA	Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER	PCB Transformer Registration Database
RADINFO	Radiation Information Database
HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS	Incident and Accident Data
INDIAN RESERV	Indian Reservations
FUSRAP	Formerly Utilized Sites Remedial Action Program
UMTRA	Uranium Mill Tailings Sites
LEAD SMELTERS	Lead Smelter Sites
US AIRS	Aerometric Information Retrieval System Facility Subsystem
US MINES	Mines Master Index File
ABANDONED MINES	Abandoned Mines
UXO	Unexploded Ordnance Sites
DOCKET HWC	Hazardous Waste Compliance Docket Listing
FUELS PROGRAM	EPA Fuels Program Registered Listing
CA BOND EXP. PLAN	Bond Expenditure Plan
CA DRYCLEANERS	Cleaner Facilities
CA Financial Assurance	Financial Assurance Information Listing
CA ICE	ICE
CA HWP	EnviroStor Permitted Facilities Listing
CA HWT	Registered Hazardous Waste Transporter Database
CA MINES	Mines Site Location Listing
CA MWMP	Medical Waste Management Program Listing
CA PEST LIC	Pesticide Regulation Licenses Listing
CA PROC	Certified Processors Database
CA UIC	UIC Listing
CA UIC GEO	UIC GEO (GEOTRACKER)
CA WASTEWATER PITS	Oil Wastewater Pits Listing
CA WIP	Well Investigation Program Case List
CA MILITARY PRIV SITES	MILITARY PRIV SITES (GEOTRACKER)
CA PROJECT	PROJECT (GEOTRACKER)
CA WDR	Waste Discharge Requirements Listing
CA OTHER OIL GAS	OTHER OIL & GAS (GEOTRACKER)
CA PROD WATER PONDS	PROD WATER PONDS (GEOTRACKER)
CA SAMPLING POINT	SAMPLING POINT (GEOTRACKER)
CA WELL STIM PROJ	Well Stimulation Project (GEOTRACKER)

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

CA RGA LF	Recovered Government Archive Solid Waste Facilities List

EXECUTIVE SUMMARY

CA RGA LUST---------- Recovered Government Archive Leaking Underground Storage Tank

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: Also known as Superfund, the National Priority List database is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund program. The source of this database is the U.S. EPA.

A review of the NPL list, as provided by EDR, and dated 04/11/2019 has revealed that there is 1 NPL site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LORENTZ BARREL & DRU Cerclis ID:: 901287 EPA Id: CAD029295706	***1515 S 10TH ST***	***ESE 1/2 - 1 (0.845 mi.)***	***0***	***9***

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

A review of the SEMS-ARCHIVE list, as provided by EDR, and dated 04/11/2019 has revealed that there are 2 SEMS-ARCHIVE sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BARRON-GREY PACKING	825 S 5TH ST	SE 1/4 - 1/2 (0.438 mi.)	124	615

Site ID: 0903166
EPA Id: CAD982357964

Lower Elevation	Address	Direction / Distance	Map ID	Page
SAN JOSE STATE UNIV Site ID: 0901409 EPA Id: CAD050520840	125 S 7TH	NW 1/4 - 1/2 (0.429 mi.)	U120	604

Federal RCRA generators list

RCRA-LQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

A review of the RCRA-LQG list, as provided by EDR, and dated 03/25/2019 has revealed that there is 1 RCRA-LQG site within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
SAN JOSE STATE UNIVE EPA ID:: CAT080031206	***ONE WASHINGTON SQUAR***	***NNE 1/8 - 1/4 (0.139 mi.)***	***E30***	***173***

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 03/25/2019 has revealed that there are 6 RCRA-SQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NOTRE DAME HIGH SCHO EPA ID:: CAR000117705	***596 S 2ND ST***	***S 1/8 - 1/4 (0.130 mi.)***	***G25***	***165***
ALL AUTO BODY AND FR EPA ID:: CAD081446296	560 SOUTH FIRST STRE	SSW 1/8 - 1/4 (0.176 mi.)	I43	365
CORE DEVELOPMENT EPA ID:: CAR000086975	***470 S MARKET ST***	***WSW 1/8 - 1/4 (0.186 mi.)***	***J52***	***370***
CALIFORNIA THEATER EPA ID:: CAR000267492	***345 S FIRST ST***	***W 1/8 - 1/4 (0.224 mi.)***	***L71***	***404***
TATE FAMILY COMPLETE EPA ID:: CAR000031799	***477 S MARKET ST***	***SW 1/8 - 1/4 (0.228 mi.)***	***N75***	***412***

Lower Elevation	Address	Direction / Distance	Map ID	Page
MISSION PAINTING	***330 S 3RD STREET***	***NW 1/8 - 1/4 (0.142 mi.)***	***40***	***357***

EPA ID:: CAD982481996

State- and tribal - equivalent CERCLIS

CA ENVIROSTOR: The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifes sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

A review of the CA ENVIROSTOR list, as provided by EDR, and dated 04/29/2019 has revealed that there are 9 CA ENVIROSTOR sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LORENTZ BARREL & DRU Facility Id: 43300026 Status: Active	***1515 S 10TH ST***	***ESE 1/2 - 1 (0.845 mi.)***	***0***	***9***
3RD STREET DEVELOPME Facility Id: 60001210 Status: Certified	***1010 SOUTH 3RD STREE***	***SSE 1/2 - 1 (0.626 mi.)***	***142***	***733***

Lower Elevation	Address	Direction / Distance	Map ID	Page
SAN ANTONIO PLAZA BL Facility Id: 43490065 Status: Certified	***WEST SAN FERNANDO ST***	***NNW 1/4 - 1/2 (0.409 mi.)***	***R114***	***589***
SAN JOSE STATE UNIVE Facility Id: 43820001 Status: No Further Action	125 SOUTH 7TH ST	NW 1/4 - 1/2 (0.429 mi.)	U119	602
RIVER PARK DEVEL LIN Facility Id: 43150003 Status: Refer: RWQCB	***333 SAN CARLOS ST W***	***WSW 1/2 - 1 (0.639 mi.)***	***143***	***747***
HORACE MANN ELEMENTA Facility Id: 43820007 Status: No Action Required	***55 NORTH SEVENTH STR***	***N 1/2 - 1 (0.657 mi.)***	***144***	***751***
STATE RADIATOR SJ RE Facility Id: 43750007 Status: Refer: RWQCB	***331 GIFFORD AVE***	***WSW 1/2 - 1 (0.827 mi.)***	***146***	***792***
MISSION VILLAS Facility Id: 60001042 Status: Refer: 1248 Local Agency	44 EAST JULIAN STREE	NW 1/2 - 1 (0.911 mi.)	AB148	796
FAMILY HEALTH FOUND. Facility Id: 43800004 Status: No Action Required	55 E. JULIAN STREET	NW 1/2 - 1 (0.917 mi.)	AB149	797

State and tribal leaking storage tank lists

CA LUST: Leaking Underground Storage Tank (LUST) Sites included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

A review of the CA LUST list, as provided by EDR, has revealed that there are 52 CA LUST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SUPER GAS & MART	***498 S 4TH ST***	***ESE 0 - 1/8 (0.020 mi.)***	***A2***	***63***
Database: LUST REG 2, Date of Government Version: 09/30/2004 Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014 Facility Status: Pollution Characterization SCVWD ID: 07S1E17B03F				
SPARTAN GAS STATION	***498 4TH***	***ESE 0 - 1/8 (0.022 mi.)***	***A5***	***124***
Database: LUST, Date of Government Version: 12/10/2018 Status: Completed - Case Closed Global Id: T0608501344				
JONES/SCHAEZLEIN PRO	***520 S. 1ST STREET***	***SSW 1/8 - 1/4 (0.161 mi.)***	***I41***	***359***
Database: LUST, Date of Government Version: 12/10/2018 Database: LUST REG 2, Date of Government Version: 09/30/2004 Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014 Status: Completed - Case Closed Facility Status: Remedial action (cleanup) Underway Date Closed: 08/18/2005 Global Id: T0608560815 SCVWD ID: 07S1E17B04F				
FORMER TEXACO STATIO	***598 S 1ST ST***	***SSW 1/8 - 1/4 (0.194 mi.)***	***K57***	***375***
Database: LUST REG 2, Date of Government Version: 09/30/2004 Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014 Facility Status: Remedial action (cleanup) Underway SCVWD ID: 07S1E17G02F				
FORMER TEXACO STATIO	***598 S. FIRST STREET***	***SSW 1/8 - 1/4 (0.194 mi.)***	***K58***	***376***
Database: LUST, Date of Government Version: 12/10/2018 Status: Open - Site Assessment Global Id: T0608501801				
MERRY OLDSMOBILE	***525 S MARKET ST***	***SW 1/8 - 1/4 (0.211 mi.)***	***I64***	***393***
Database: LUST, Date of Government Version: 12/10/2018 Database: LUST REG 2, Date of Government Version: 09/30/2004 Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014 Status: Completed - Case Closed Facility Status: Case Closed Date Closed: 06/02/1997 Global Id: T0608500894 SCVWD ID: 07S1E17B01F date9: 6/2/1997				
FOX CALIFORNIA THEAT	***345 S 1ST ST***	***W 1/8 - 1/4 (0.224 mi.)***	***L72***	***406***
Database: LUST, Date of Government Version: 12/10/2018 Database: LUST REG 2, Date of Government Version: 09/30/2004 Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014 Status: Completed - Case Closed				

Facility Status: Case Closed
Date Closed: 02/07/2002
Global Id: T0608504232
SCVWD ID: 07S1E08P01F
date9: 2/7/2002

SJRA-CONVENTION CENT ***S MARKET ST @ VIOLA*** ***WSW 1/8 - 1/4 (0.226 mi.)*** ***J73*** ***409***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Status: Case Closed
date9: 9/16/1997

SJRA-CONVENTION CENT S MARKET ST @ VIOLA WSW 1/8 - 1/4 (0.226 mi.) J74 410
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Date Closed: 09/16/1997
Global Id: T0608502011
SCVWD ID: 07S1E17C03F

ROSE-MURTY TIRE CO. ***477 S MARKET ST*** ***SW 1/8 - 1/4 (0.228 mi.)*** ***N76*** ***413***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Facility Status: Case Closed
Date Closed: 04/25/2002
Global Id: T0608501121
SCVWD ID: 07S1E17C02F
date9: 4/25/2002

FIRESTONE #3674 ***599 S 1ST ST*** ***SSW 1/8 - 1/4 (0.233 mi.)*** ***K82*** ***437***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Facility Status: Case Closed
Date Closed: 09/26/1996
Global Id: T0608500619
SCVWD ID: 07S1E17G01F
date9: 9/26/1996

DOHRMAN BUILDING ***325 S 1ST ST*** ***W 1/8 - 1/4 (0.241 mi.)*** ***L85*** ***445***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Facility Status: Case Closed
Date Closed: 02/02/1995
Global Id: T0608502304
SCVWD ID: 07S1E17C04F
date9: 2/2/1995

CET DEVELOPMENT ***630 S 1ST ST*** ***S 1/8 - 1/4 (0.243 mi.)*** ***87*** ***448***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Facility Status: Case Closed
Date Closed: 10/15/1999

Global Id: T0608560823
SCVWD ID: 07S1E17G04F
date9: 10/15/1999

D'AMICO PROPERTY ***130 E MARGARET ST*** ***S 1/4 - 1/2 (0.309 mi.)*** ***P93*** ***542***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Facility Status: Case Closed
Date Closed: 02/16/2001
Global Id: T0608501792
SCVWD ID: 07S1E17H03F
date9: 2/16/2001

GRIFFIN PROPERTY ***724 S FIRST ST*** ***S 1/4 - 1/2 (0.332 mi.)*** ***P95*** ***546***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Facility Status: Case Closed
Date Closed: 01/07/2002
Global Id: T0608502083
SCVWD ID: 07S1E17G03F
date9: 1/7/2002

CALDERON TIRES & WHE ***735 S 1ST ST*** ***S 1/4 - 1/2 (0.371 mi.)*** ***Q97*** ***551***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004
Status: Completed - Case Closed
Facility Status: Case Closed
Global Id: T0608562975
date9: 9/18/2001

CALDERON TIRES & WHE 735 SOUTH 1ST ST S 1/4 - 1/2 (0.371 mi.) Q98 555
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Date Closed: 09/18/2001
SCVWD ID: 07S1E17G05F

WELLS FARGO BANK-MOR ***802 S 2ND ST*** ***SSE 1/4 - 1/2 (0.401 mi.)*** ***111*** ***585***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Facility Status: Case Closed
Date Closed: 12/01/2003
Global Id: T0608509251
SCVWD ID: 07S1E17H04F
date9: 12/1/2003

SHELL ***288 E VIRGINIA ST*** ***ESE 1/4 - 1/2 (0.442 mi.)*** ***W125*** ***616***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Status: Case Closed
date9: 8/10/2004

SHELL SERVICE STATIO ***288 E VIRGINIA*** ***ESE 1/4 - 1/2 (0.442 mi.)*** ***W126*** ***617***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Date Closed: 08/10/2004

Global Id: T0608501287
SCVWD ID: 07S1E16E02F

MOORE INVESTMENTS ***148 E VIRGINIA ST*** ***SE 1/4 - 1/2 (0.444 mi.)*** ***127*** ***642***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Facility Status: Case Closed
Date Closed: 02/29/1996
Global Id: T0608500956
SCVWD ID: 07S1E17H01F
date9: 2/29/1996

REGAL STATION 423 ***827 S FIRST*** ***S 1/4 - 1/2 (0.465 mi.)*** ***X129*** ***646***
Database: LUST, Date of Government Version: 12/10/2018
Status: Open - Assessment & Interim Remedial Action
Global Id: T0608500589

REGAL #423 ***827 S 1ST ST*** ***S 1/4 - 1/2 (0.465 mi.)*** ***X130*** ***657***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Status: Pollution Characterization

VALERO STATION #3815 ***827 S 1ST ST*** ***S 1/4 - 1/2 (0.465 mi.)*** ***X131*** ***657***
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
SCVWD ID: 07S1E17K01F

FIRST SAN JOSE HOUSI ***724 ALMADEN AVE*** ***SSW 1/4 - 1/2 (0.484 mi.)*** ***137*** ***724***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Facility Status: Case Closed
Date Closed: 01/12/1996
Global Id: T0608527218
SCVWD ID: 07S1E17K02F
date9: 1/12/1996

Lower Elevation	Address	Direction / Distance	Map ID	Page

SJSU-UCAT (COMPUTER ***1 WASHINGTON SQ*** ***NNE 1/8 - 1/4 (0.139 mi.)*** ***E32*** ***184***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Date Closed: 03/30/2000
Date Closed: 04/18/1996
Global Id: T0608501816
Global Id: T0608502088
SCVWD ID: 07S1E08J02F
SCVWD ID: 07S1E08K04F

SJSU CENTRAL PLANT ***1 WASHINGTON SQUARE*** ***NNE 1/8 - 1/4 (0.139 mi.)*** ***E36*** ***348***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Status: Case Closed
date9: 3/30/2000
date9: 4/18/1996

VALLEY TITLE CO. ***300 S. FIRST STREET*** ***WNW 1/8 - 1/4 (0.214 mi.)*** ***L66*** ***396***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014

Status: Completed - Case Closed
Date Closed: 06/03/2011
Global Id: T10000002005
SCVWD ID: 07S1E08P02F

SJSU ***SAN CARLOS & 7TH*** ***NNE 1/4 - 1/2 (0.281 mi.)*** ***88*** ***451***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Status: Case Closed
date9: 8/27/1998

SJRA-HOTEL EAST ***301 S MARKET ST*** ***W 1/4 - 1/2 (0.309 mi.)*** ***O90*** ***453***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Status: Case Closed
date9: 10/18/2001

SAN JOSE MARRIOTT ***301 S MARKET ST*** ***W 1/4 - 1/2 (0.309 mi.)*** ***O91*** ***454***
Database: LUST, Date of Government Version: 12/10/2018
Status: Completed - Case Closed
Global Id: T0608501186

SJRA HOTEL EAST ***301 MARKET*** ***W 1/4 - 1/2 (0.309 mi.)*** ***O92*** ***541***
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Date Closed: 10/18/2001
SCVWD ID: 07S1E17C05F

ORACLE AMERICA ***488 ALMADEN BL HIRIS*** ***SW 1/4 - 1/2 (0.376 mi.)*** ***99*** ***555***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Facility Status: Case Closed
Date Closed: 02/13/2001
Global Id: T0608518342
SCVWD ID: 07S1E17C06F
date9: 2/13/2001

PASEO VILLAS ***130 E SAN FERNANDO*** ***NNW 1/4 - 1/2 (0.387 mi.)*** ***R101*** ***561***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Facility Status: Case Closed
Date Closed: 04/19/2002
Global Id: T0608502417
SCVWD ID: 07S1E08K05F
date9: 4/19/2002

PETE'S STOP INC ***447 WILLIAM*** ***ENE 1/4 - 1/2 (0.394 mi.)*** ***S102*** ***565***
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
SCVWD ID: 07S1E09N01F

PETE'S STOP INC. ***447 E WILLIAM ST*** ***ENE 1/4 - 1/2 (0.394 mi.)*** ***S103*** ***566***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Status: Pollution Characterization

PETE'S STOP INC. 447 EAST WILLIAM STR ENE 1/4 - 1/2 (0.394 mi.) S104 567
Database: LUST, Date of Government Version: 12/10/2018
Status: Open - Verification Monitoring
Global Id: T0608501689

SAN ANTONIO PLAZA ***UNKNOWN SAN FERNANDO*** ***NNW 1/4 - 1/2 (0.398 mi.)*** ***110*** ***583***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004

Status: Completed - Case Closed
Facility Id: 43-1706
Facility Status: Case Closed
Global Id: T0608501647
date9: 8/17/1992

SAN ANTONIO PLAZA RE ***SAN FERNANDO & 4TH S*** ***NNW 1/4 - 1/2 (0.409 mi.)*** ***R112*** ***588***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Facility Status: Case Closed
Date Closed: 08/17/1992
SCVWD ID: 07S1E08K01F
date9: 8/17/1992

SAN ANTONIO PLAZA RE ***SAN FERNANDO & 4TH S*** ***NNW 1/4 - 1/2 (0.409 mi.)*** ***R115*** ***592***
Database: LUST, Date of Government Version: 12/10/2018
Status: Completed - Case Closed
Global Id: T0608502303

FOREST CITY DEVELOPM ***101 SAN FERNANDO AVE*** ***NNW 1/4 - 1/2 (0.422 mi.)*** ***R117*** ***596***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Facility Status: Preliminary site assessment underway
Global Id: T0608502387
SCVWD ID: 07S1E08L06F

SJSU ***SAN CARLOS & 7TH*** ***N 1/4 - 1/2 (0.424 mi.)*** ***118*** ***600***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Date Closed: 08/27/1998
Global Id: T0608502106
SCVWD ID: 07S1E08J03F

PF CHANGS CHINA BIST ***98 S. 2ND STREET*** ***NW 1/4 - 1/2 (0.436 mi.)*** ***T121*** ***605***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Date Closed: 08/09/2006
Global Id: T0608503601
SCVWD ID: 07S1E08L08F

CHEVRON #9-2218 ***222 W SAN CARLOS ST*** ***W 1/4 - 1/2 (0.436 mi.)*** ***V122*** ***608***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Facility Status: Case Closed
Date Closed: 01/18/2000
Global Id: T0608500362
SCVWD ID: 07S1E17D01F
date9: 1/18/2000

TEXACO ***78 S 4TH ST*** ***NNW 1/4 - 1/2 (0.466 mi.)*** ***Y132*** ***715***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004
Status: Completed - Case Closed

Facility Status: Case Closed
Global Id: T0608501328
date9: 10/21/1999

SILVA SERVICE-TEXACO ***78 S 4TH ST*** ***NNW 1/4 - 1/2 (0.466 mi.)*** ***Y133*** ***718***
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Date Closed: 10/21/1999
SCVWD ID: 07S1E08L03F

CENTURY CENTER ***53 S 3RD ST*** ***NW 1/4 - 1/2 (0.468 mi.)*** ***Z134*** ***719***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Facility Status: Case Closed
Date Closed: 11/01/2002
Global Id: T0608561183
SCVWD ID: 07S1E08L07F
date9: 11/1/2002

CENTURY CENTER 62 S 2ND ST. NW 1/4 - 1/2 (0.470 mi.) Z135 722
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Date Closed: 07/13/2005
SCVWD ID: 07S1E08L10F

PRIVATE RESIDENCE PRIVATE RESIDENCE NW 1/4 - 1/2 (0.479 mi.) Z136 722
Database: LUST, Date of Government Version: 12/10/2018
Status: Completed - Case Closed
Global Id: T0608516469

SAN JOSE, CITY OF ***W SAN CARLOS ST & AL*** ***W 1/4 - 1/2 (0.484 mi.)*** ***V138*** ***727***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Status: Case Closed
date9: 10/21/1998

SAN JOSE, CITY OF W SAN CARLOS ST & AL W 1/4 - 1/2 (0.499 mi.) AA139 728
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Date Closed: 10/21/1998
Global Id: T0608502087
SCVWD ID: 07S1E17D03F

SHELL ***270 W SAN CARLOS ST*** ***W 1/4 - 1/2 (0.499 mi.)*** ***AA140*** ***730***
Database: LUST, Date of Government Version: 12/10/2018
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Status: Completed - Case Closed
Facility Status: Case Closed
Date Closed: 06/11/1996
Global Id: T0608501284
SCVWD ID: 07S1E17D05F
date9: 6/11/1996

EXECUTIVE SUMMARY

CA CPS-SLIC: Cleanup Program Sites (CPS; also known as Site Cleanups [SC] and formerly known as Spills, Leaks, Investigations, and Cleanups [SLIC] sites) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

A review of the CA CPS-SLIC list, as provided by EDR, has revealed that there are 8 CA CPS-SLIC sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
PIERCE DEVELOPMENT	***561-599 S. MARKET ST***	***SSW 1/8 - 1/4 (0.228 mi.)***	***K80***	***435***
Database: CPS-SLIC, Date of Government Version: 12/10/2018 Facility Status: Completed - Case Closed Global Id: T10000005812				
ELECTRIC BATTERY AND	718 1ST ST S	S 1/4 - 1/2 (0.332 mi.)	P94	545
Database: SLIC REG 2, Date of Government Version: 09/30/2004 Facility Id: 43S0322				
ELECTRIC BATTERY AND	***718 AND 724 SOUTH FI***	***S 1/4 - 1/2 (0.332 mi.)***	***P96***	***550***
Database: CPS-SLIC, Date of Government Version: 12/10/2018 Facility Status: Completed - Case Closed Global Id: T0608591632				
PORTOLA CLEANERS	***130 VIRGINIA ST W***	***SSE 1/4 - 1/2 (0.395 mi.)***	***106***	***580***
Database: SLIC REG 2, Date of Government Version: 09/30/2004 Facility Id: 43S0848				

Lower Elevation	Address	Direction / Distance	Map ID	Page
SAN JOSE CONVENTION	***SOUTH MARKET STREET***	***W 1/4 - 1/2 (0.306 mi.)***	***O89***	***452***
Database: CPS-SLIC, Date of Government Version: 12/10/2018 Facility Status: Open - Site Assessment Global Id: SL0608531982				
HEART OF THE CITY -	***100 SOUTH SECOND STR***	***NW 1/4 - 1/2 (0.395 mi.)***	***T107***	***581***
Database: CPS-SLIC, Date of Government Version: 12/10/2018 Facility Status: Open - Inactive Global Id: SL0608548367				
REDEVELOPMENT BLOCK	***UNKNOWN PARCELS 2 &***	***NW 1/4 - 1/2 (0.396 mi.)***	***R109***	***582***
Database: SLIC REG 2, Date of Government Version: 09/30/2004 Database: CPS-SLIC, Date of Government Version: 12/10/2018 Facility Status: Completed - Case Closed Facility Id: 43S0381 Global Id: T0608591637				
BLOCK 2 CITY OF SAN	***8 EAST SAN FERNANADO***	***NW 1/4 - 1/2 (0.418 mi.)***	***U116***	***594***
Database: CPS-SLIC, Date of Government Version: 12/10/2018 Facility Status: Completed - Case Closed Global Id: SL0608508545				

CA HIST LUST: A listing of open and closed leaking underground storage tanks. This listing is no longer updated by the county. Leaking underground storage tanks are now handled by the Department of Environmental Health.

A review of the CA HIST LUST list, as provided by EDR, and dated 03/29/2005 has revealed that there are 32 CA HIST LUST sites within approximately 0.5 miles of the target property.

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SUPER GAS & MART SCVWD ID: 07S1E17B03	***498 S 4TH ST***	***ESE 0 - 1/8 (0.020 mi.)***	***A2***	***63***
JONES/SCHAEZLEIN PRO SCVWD ID: 07S1E17B04	***520 S. 1ST STREET***	***SSW 1/8 - 1/4 (0.161 mi.)***	***I41***	***359***
FORMER TEXACO STATIO SCVWD ID: 07S1E17G02	***598 S 1ST ST***	***SSW 1/8 - 1/4 (0.194 mi.)***	***K57***	***375***
MERRY OLDSMOBILE SCVWD ID: 07S1E17B01	***525 S MARKET ST***	***SW 1/8 - 1/4 (0.211 mi.)***	***I64***	***393***
FOX CALIFORNIA THEAT SCVWD ID: 07S1E08P01	***345 S 1ST ST***	***W 1/8 - 1/4 (0.224 mi.)***	***L72***	***406***
SJRA-CONVENTION CENT SCVWD ID: 07S1E17C03	***S MARKET ST @ VIOLA***	***WSW 1/8 - 1/4 (0.226 mi.)***	***J73***	***409***
ROSE-MURTY TIRE CO. SCVWD ID: 07S1E17C02	***477 S MARKET ST***	***SW 1/8 - 1/4 (0.228 mi.)***	***N76***	***413***
FIRESTONE #3674 SCVWD ID: 07S1E17G01	***599 S 1ST ST***	***SSW 1/8 - 1/4 (0.233 mi.)***	***K82***	***437***
DOHRMAN BUILDING SCVWD ID: 07S1E17C04	***325 S 1ST ST***	***W 1/8 - 1/4 (0.241 mi.)***	***L85***	***445***
CET DEVELOPMENT SCVWD ID: 07S1E17G04	***630 S 1ST ST***	***S 1/8 - 1/4 (0.243 mi.)***	***87***	***448***
D'AMICO PROPERTY SCVWD ID: 07S1E17H03	***130 E MARGARET ST***	***S 1/4 - 1/2 (0.309 mi.)***	***P93***	***542***
GRIFFIN PROPERTY SCVWD ID: 07S1E17G03	***724 S FIRST ST***	***S 1/4 - 1/2 (0.332 mi.)***	***P95***	***546***
CALDERON TIRES & WHE SCVWD ID: 07S1E17G05	***735 S 1ST ST***	***S 1/4 - 1/2 (0.371 mi.)***	***Q97***	***551***
WELLS FARGO BANK-MOR SCVWD ID: 07S1E17H04	***802 S 2ND ST***	***SSE 1/4 - 1/2 (0.401 mi.)***	***111***	***585***
SHELL SCVWD ID: 07S1E16E02	***288 E VIRGINIA ST***	***ESE 1/4 - 1/2 (0.442 mi.)***	***W125***	***616***
MOORE INVESTMENTS SCVWD ID: 07S1E17H01	***148 E VIRGINIA ST***	***SE 1/4 - 1/2 (0.444 mi.)***	***127***	***642***
REGAL #423 SCVWD ID: 07S1E17K01	***827 S 1ST ST***	***S 1/4 - 1/2 (0.465 mi.)***	***X130***	***657***
FIRST SAN JOSE HOUSI SCVWD ID: 07S1E17K02	***724 ALMADEN AVE***	***SSW 1/4 - 1/2 (0.484 mi.)***	***137***	***724***

Lower Elevation	Address	Direction / Distance	Map ID	Page
SJSU CENTRAL PLANT SCVWD ID: 07S1E08J02 SCVWD ID: 07S1E08K04	***1 WASHINGTON SQUARE***	***NNE 1/8 - 1/4 (0.139 mi.)***	***E36***	***348***
SJSU SCVWD ID: 07S1E08J03	***SAN CARLOS & 7TH***	***NNE 1/4 - 1/2 (0.281 mi.)***	***88***	***451***
SJRA-HOTEL EAST SCVWD ID: 07S1E17C05	***301 S MARKET ST***	***W 1/4 - 1/2 (0.309 mi.)***	***O90***	***453***
ORACLE AMERICA	***488 ALMADEN BL HIRIS***	***SW 1/4 - 1/2 (0.376 mi.)***	***99***	***555***

SCVWD ID: 07S1E17C06				
PASEO VILLAS	***130 E SAN FERNANDO***	***NNW 1/4 - 1/2 (0.387 mi.)***	***R101***	***561***
SCVWD ID: 07S1E08K05				
PETE'S STOP INC.	***447 E WILLIAM ST***	***ENE 1/4 - 1/2 (0.394 mi.)***	***S103***	***566***
SCVWD ID: 07S1E09N01				
SAN ANTONIO PLAZA RE	***SAN FERNANDO & 4TH S***	***NNW 1/4 - 1/2 (0.409 mi.)***	***R112***	***588***
SCVWD ID: 07S1E08K01				
FOREST CITY DEVELOPM	***101 SAN FERNANDO AVE***	***NNW 1/4 - 1/2 (0.422 mi.)***	***R117***	***596***
SCVWD ID: 07S1E08L06				
PF CHANGS CHINA BIST	***98 S. 2ND STREET***	***NW 1/4 - 1/2 (0.436 mi.)***	***T121***	***605***
SCVWD ID: 07S1E08L08				
CHEVRON #9-2218	***222 W SAN CARLOS ST***	***W 1/4 - 1/2 (0.436 mi.)***	***V122***	***608***
SCVWD ID: 07S1E17D01				
TEXACO	***78 S 4TH ST***	***NNW 1/4 - 1/2 (0.466 mi.)***	***Y132***	***715***
SCVWD ID: 07S1E08L03				
CENTURY CENTER	***53 S 3RD ST***	***NW 1/4 - 1/2 (0.468 mi.)***	***Z134***	***719***
SCVWD ID: 07S1E08L07				
SAN JOSE, CITY OF	***W SAN CARLOS ST & AL***	***W 1/4 - 1/2 (0.484 mi.)***	***V138***	***727***
SCVWD ID: 07S1E17D03				
SHELL	***270 W SAN CARLOS ST***	***W 1/4 - 1/2 (0.499 mi.)***	***AA140***	***730***
SCVWD ID: 07S1E17D05				

State and tribal registered storage tank lists

CA UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the State Water Resources Control Board's Hazardous Substance Storage Container Database.

A review of the CA UST list, as provided by EDR, has revealed that there are 2 CA UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SPARTAN GAS STATION	498 S 4TH ST	ESE 0 - 1/8 (0.020 mi.)	A3	122
Database: UST, Date of Government Version: 12/10/2018				
Facility Id: FA0700200				

Lower Elevation	Address	Direction / Distance	Map ID	Page
SJSU-CENTRAL PLANT (	1 WASHINGTON SQ	NNE 1/8 - 1/4 (0.139 mi.)	E35	347
Database: UST, Date of Government Version: 12/10/2018				
Facility Id: FA0250796				
Facility Id: 43-000-250796				

CA AST: A listing of aboveground storage tank petroleum storage tank locations.

A review of the CA AST list, as provided by EDR, has revealed that there are 5 CA AST sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
CORPORATION YARD #12 Database: AST, Date of Government Version: 07/06/2016	ONE WASHINGTON SQUAR	NNE 1/8 - 1/4 (0.139 mi.)	E29	172
SJSU-UCAT (COMPUTER Database: AST, Date of Government Version: 07/06/2016	***1 WASHINGTON SQ***	***NNE 1/8 - 1/4 (0.139 mi.)***	***E32***	***184***
SAN JOSE STATE UNIVE Database: AST, Date of Government Version: 07/06/2016	***1 WASHINGTON SQ***	***NNE 1/8 - 1/4 (0.139 mi.)***	***E33***	***328***
SAN JOSE STATE UNIVE Database: AST, Date of Government Version: 07/06/2016	1 WASHINGTON SQ.	NNE 1/8 - 1/4 (0.139 mi.)	E34	346
GENUITY Database: AST, Date of Government Version: 07/06/2016	300 S 2ND ST	WNW 1/8 - 1/4 (0.176 mi.)	H46	367

State and tribal voluntary cleanup sites

CA VCP: Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

A review of the CA VCP list, as provided by EDR, and dated 04/29/2019 has revealed that there is 1 CA VCP site within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
SAN ANTONIO PLAZA BL Status: Certified Facility Id: 43490065	***WEST SAN FERNANDO ST***	***NNW 1/4 - 1/2 (0.409 mi.)***	***R114***	***589***

State and tribal Brownfields sites

CA BROWNFIELDS: A listing of sites the SWRCB considers to be Brownfields since these are sites have come to them through the MOA Process.

A review of the CA BROWNFIELDS list, as provided by EDR, and dated 03/25/2019 has revealed that there is 1 CA BROWNFIELDS site within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
BLOCK 2 CITY OF SAN	***8 EAST SAN FERNANADO***	***NW 1/4 - 1/2 (0.418 mi.)***	***U116***	***594***

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Hazardous waste / Contaminated Sites

CA HIST Cal-Sites: Formerly known as ASPIS, this database contains both known and potential hazardous substance sites. The source is the California Department of Toxic Substance Control. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

A review of the CA HIST Cal-Sites list, as provided by EDR, and dated 08/08/2005 has revealed that there is 1 CA HIST Cal-Sites site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LORENTZ BARREL & DRU	*1515 S 10TH ST*	*ESE 1/2 - 1 (0.845 mi.)*	*0*	*9*

CA CERS HAZ WASTE: List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Hazardous Chemical Management, Hazardous Waste Onsite Treatment, Household Hazardous Waste Collection, Hazardous Waste Generator, and RCRA LQ HW Generator programs.

A review of the CA CERS HAZ WASTE list, as provided by EDR, and dated 04/09/2019 has revealed that there are 7 CA CERS HAZ WASTE sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SUPER GAS & MART	*498 S 4TH ST*	*ESE 0 - 1/8 (0.020 mi.)*	*A2*	*63*
W.E. HARDING CO	*502 S 2ND ST*	*SSW 0 - 1/8 (0.095 mi.)*	*C13*	*146*
NOTRE DAME HIGH SCHO	*596 S 2ND ST*	*S 1/8 - 1/4 (0.130 mi.)*	*G25*	*165*
ROSE-MURTY TIRE CO.	*477 S MARKET ST*	*SW 1/8 - 1/4 (0.228 mi.)*	*N76*	*413*
Lower Elevation	**Address**	**Direction / Distance**	**Map ID**	**Page**
SJSU-UCAT (COMPUTER	*1 WASHINGTON SQ*	*NNE 1/8 - 1/4 (0.139 mi.)*	*E32*	*184*
SAN JOSE STATE UNIVE	*1 WASHINGTON SQ*	*NNE 1/8 - 1/4 (0.139 mi.)*	*E33*	*328*
PARKER WEST INTERNAT	*1 WASHINGTON SQ*	*NNE 1/8 - 1/4 (0.139 mi.)*	*E39*	*351*

Local Lists of Registered Storage Tanks

CA SWEEPS UST: Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

A review of the CA SWEEPS UST list, as provided by EDR, and dated 06/01/1994 has revealed that there are 4 CA SWEEPS UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SUPER GAS & MART Status: A Tank Status: A Comp Number: 400569	*498 S 4TH ST*	*ESE 0 - 1/8 (0.020 mi.)*	*A2*	*63*
W.E. HARDING CO	*502 S 2ND ST*	*SSW 0 - 1/8 (0.095 mi.)*	*C13*	*146*

Comp Number: 401845

ROSE-MURTY TIRE CO.	***477 S MARKET ST***	***SW 1/8 - 1/4 (0.228 mi.)***	***N76***	***413***

Comp Number: 400124

Lower Elevation	Address	Direction / Distance	Map ID	Page
SAN JOSE STATE UNIVE	***ONE WASHINGTON SQUAR***	***NNE 1/8 - 1/4 (0.139 mi.)***	***E30***	***173***

Status: A
Tank Status: A
Comp Number: 403591

CA HIST UST: Historical UST Registered Database.

A review of the CA HIST UST list, as provided by EDR, and dated 10/15/1990 has revealed that there are 4 CA HIST UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SUPER GAS & MART	***498 S 4TH ST***	***ESE 0 - 1/8 (0.020 mi.)***	***A2***	***63***

Facility Id: 00000005700

MERRY OLDSMOBILE	***525 S MARKET ST***	***SW 1/8 - 1/4 (0.211 mi.)***	***I64***	***393***

Facility Id: 00000008655

FIRESTONE #3674	***599 S 1ST ST***	***SSW 1/8 - 1/4 (0.233 mi.)***	***K82***	***437***

Facility Id: 00000005845

Lower Elevation	Address	Direction / Distance	Map ID	Page
SAN JOSE STATE UNIVE	***ONE WASHINGTON SQUAR***	***NNE 1/8 - 1/4 (0.139 mi.)***	***E30***	***173***

Facility Id: 00000038758

CA CERS TANKS: List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Aboveground Petroleum Storage and Underground Storage Tank regulatory programs.

A review of the CA CERS TANKS list, as provided by EDR, and dated 04/09/2019 has revealed that there are 2 CA CERS TANKS sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SUPER GAS & MART	***498 S 4TH ST***	***ESE 0 - 1/8 (0.020 mi.)***	***A2***	***63***

Lower Elevation	Address	Direction / Distance	Map ID	Page
SJSU-UCAT (COMPUTER	***1 WASHINGTON SQ***	***NNE 1/8 - 1/4 (0.139 mi.)***	***E32***	***184***

Local Land Records

CA DEED: The use of recorded land use restrictions is one of the methods the DTSC uses to protect the public from unsafe exposures to hazardous substances and wastes .

A review of the CA DEED list, as provided by EDR, and dated 03/04/2019 has revealed that there is 1

CA DEED site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
PIERCE DEVELOPMENT	***561-599 S. MARKET ST***	***SSW 1/8 - 1/4 (0.228 mi.)***	***K80***	***435***
Status: COMPLETED - CASE CLOSED Envirostor ID: T10000005812				

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 03/25/2019 has revealed that there are 6 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SUPER GAS & MART EPA ID:: CAL000437804	498 S 4TH ST	ESE 0 - 1/8 (0.020 mi.)	A4	123
WE HARDING COMPANY I EPA ID:: CAL000032401	502 S 2ND ST	SSW 0 - 1/8 (0.095 mi.)	C11	144
THE MARKET AUTO REPA EPA ID:: CAL000153710	428 S MARKET ST	WSW 1/8 - 1/4 (0.193 mi.)	J54	373
SEPPHORI INC DBA TAT EPA ID:: CAL000316032	477 S MARKET ST	SW 1/8 - 1/4 (0.228 mi.)	N77	433
NATIONAL PSYCHIATRIC EPA ID:: CAL000431565	650 S 5TH	SE 1/8 - 1/4 (0.230 mi.)	81	436

Lower Elevation	Address	Direction / Distance	Map ID	Page
SAN CARLOS PLAZA / R EPA ID:: CAC002589042	300 SOUTH SECOND ST.	WNW 1/8 - 1/4 (0.176 mi.)	H48	368

ROD: Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid the cleanup.

A review of the ROD list, as provided by EDR, and dated 04/11/2019 has revealed that there is 1 ROD site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LORENTZ BARREL & DRU	***1515 S 10TH ST***	***ESE 1/2 - 1 (0.845 mi.)***	***0***	***9***
EPA ID:: CAD029295706				

CONSENT: Major Legal settlements that establish responsibility and standards for cleanup at NPL (superfund) sites. Released periodically by U.S. District Courts after settlement by parties to litigation matters.

A review of the CONSENT list, as provided by EDR, and dated 03/31/2019 has revealed that there is 1 CONSENT site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LORENTZ BARREL & DRU	***1515 S 10TH ST***	***ESE 1/2 - 1 (0.845 mi.)***	***0***	***9***

CA Cortese: The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

A review of the CA Cortese list, as provided by EDR, and dated 03/25/2019 has revealed that there are 3 CA Cortese sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
FORMER TEXACO STATIO	***598 S. FIRST STREET***	***SSW 1/8 - 1/4 (0.194 mi.)***	***K58***	***376***
Cleanup Status: OPEN - SITE ASSESSMENT				
REGAL STATION 423	***827 S FIRST***	***S 1/4 - 1/2 (0.465 mi.)***	***X129***	***646***
Cleanup Status: OPEN - ASSESSMENT & INTERIM REMEDIAL ACTION				

Lower Elevation	Address	Direction / Distance	Map ID	Page
PETES STOP GAS STATI	***447 E WILLIAM STREET***	***ENE 1/4 - 1/2 (0.394 mi.)***	***S105***	***577***
Cleanup Status: OPEN - VERIFICATION MONITORING				

CA CUPA Listings: A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

A review of the CA CUPA Listings list, as provided by EDR, has revealed that there are 23 CA CUPA Listings sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SUPER GAS & MART	***498 S 4TH ST***	***ESE 0 - 1/8 (0.020 mi.)***	***A2***	***63***
Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019				
W.E. HARDING CO	***502 S 2ND ST***	***SSW 0 - 1/8 (0.095 mi.)***	***C13***	***146***
Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019				
NOTRE DAME HIGH SCHO	***596 S 2ND ST***	***S 1/8 - 1/4 (0.130 mi.)***	***G25***	***165***
Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019				
EARL SCHEIB PAINT &	439 S 1ST ST	WSW 1/8 - 1/4 (0.182 mi.)	J49	369
Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019				
ECONOMY IMPORTS	493 S FIRST ST	SW 1/8 - 1/4 (0.184 mi.)	J51	370
Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019				
MARKET AUTO	428 S MARKET ST	WSW 1/8 - 1/4 (0.193 mi.)	J53	373
Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019				
SERVICE RENT-A-CAR	545 S MARKET ST	SSW 1/8 - 1/4 (0.209 mi.)	I61	392
Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019				

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
MARKET AUTO ELECTRIC Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019	402 S MARKET ST	WSW 1/8 - 1/4 (0.210 mi.)	J62	392
ROSE-MURTY TIRE CO. Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019	***477 S MARKET ST***	***SW 1/8 - 1/4 (0.228 mi.)***	***N76***	***413***
ROSE-MURTY TIRE SERV Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019	477 S MARKET ST	SW 1/8 - 1/4 (0.228 mi.)	N79	434
60 PIERCE-SAN JOSE L Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019	599 S 1ST ST	SSW 1/8 - 1/4 (0.233 mi.)	K83	440
360 RESIDENCES Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019	***360 S MARKET ST***	***W 1/8 - 1/4 (0.238 mi.)***	***84***	***441***

Lower Elevation	Address	Direction / Distance	Map ID	Page
YWCA SILICON VALLEY Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019	***375 S 3RD ST***	***WNW 0 - 1/8 (0.110 mi.)***	***B19***	***160***
SJSU-UCAT (COMPUTER Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019	***1 WASHINGTON SQ***	***NNE 1/8 - 1/4 (0.139 mi.)***	***E32***	***184***
SAN JOSE STATE UNIVE Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019	***1 WASHINGTON SQ***	***NNE 1/8 - 1/4 (0.139 mi.)***	***E33***	***328***
SJSU-BOCCARDO BUSINE Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019	***1 WASHINGTON SQ***	***NNE 1/8 - 1/4 (0.139 mi.)***	***E37***	***349***
VERIZON WIRELESS: SA Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019	1 WASHINGTON SQ BLDG	NNE 1/8 - 1/4 (0.139 mi.)	E38	351
PARKER WEST INTERNAT Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019	***1 WASHINGTON SQ***	***NNE 1/8 - 1/4 (0.139 mi.)***	***E39***	***351***
7-ELEVEN INC STORE # Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019	***404 S SIXTH ST***	***NE 1/8 - 1/4 (0.168 mi.)***	***42***	***363***
TECHSHOP SAN JOSE Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019	300 S 2ND ST	WNW 1/8 - 1/4 (0.176 mi.)	H44	366
GENUITY-SAN JOSE POP Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019	300 S 2ND ST	WNW 1/8 - 1/4 (0.176 mi.)	H45	367
SJ SILICON VALLEY CH Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019	310 S FIRST ST	WNW 1/8 - 1/4 (0.214 mi.)	L65	396
COLONNADE APARTMENTS Database: CUPA SANTA CLARA, Date of Government Version: 05/16/2019	***201 S 4TH ST***	***NNW 1/8 - 1/4 (0.217 mi.)***	***M68***	***400***

CA HIST CORTESE: The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES]. This listing is no longer updated by the state agency.

A review of the CA HIST CORTESE list, as provided by EDR, and dated 04/01/2001 has revealed that there are 21 CA HIST CORTESE sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SPARTAN GAS STATION Reg Id: 43-1368	***498 4TH***	***ESE 0 - 1/8 (0.022 mi.)***	***A5***	***124***
MARKET PLACE	439 1ST	WSW 1/8 - 1/4 (0.182 mi.)	J50	370

Reg Id: 2930				
TEXACO Reg Id: 43-1881	598 1ST	SSW 1/8 - 1/4 (0.194 mi.)	K56	375
MERRY OLDSMOBILE Reg Id: 43-0885	525 MARKET	SW 1/8 - 1/4 (0.211 mi.)	I63	392
FIRESTONE BUILDING Reg Id: 43-0582	599 1ST	SSW 1/8 - 1/4 (0.221 mi.)	K70	403
ROSE MURTY TIRE COMP Reg Id: 43-1130	477 MARKET	SW 1/8 - 1/4 (0.228 mi.)	N78	434
DOHRMANN ASSOCIATES Reg Id: 43-0476	325 1ST	W 1/8 - 1/4 (0.241 mi.)	L86	448
CET DEVELOPMENT Reg Id: 43-2342	***630 S 1ST ST***	***S 1/8 - 1/4 (0.243 mi.)***	***87***	***448***
D'AMICO PROPERTY Reg Id: 43-1870	***130 E MARGARET ST***	***S 1/4 - 1/2 (0.309 mi.)***	***P93***	***542***
MOORE INVESTMENTS Reg Id: 43-0951	***148 E VIRGINIA ST***	***SE 1/4 - 1/2 (0.444 mi.)***	***127***	***642***
EXXON REGAL Reg Id: 43-0547	827 1ST	S 1/4 - 1/2 (0.451 mi.)	X128	645
FIRST SAN JOSE HOUSI Reg Id: 43-0588	***724 ALMADEN AVE***	***SSW 1/4 - 1/2 (0.484 mi.)***	***137***	***724***

Lower Elevation	Address	Direction / Distance	Map ID	Page
SAN JOSE STATE UNIVE Reg Id: 43-2111	***ONE WASHINGTON SQUAR***	***NNE 1/8 - 1/4 (0.139 mi.)***	***E30***	***173***
SJSU-UCAT (COMPUTER Reg Id: 43-1898	***1 WASHINGTON SQ***	***NNE 1/8 - 1/4 (0.139 mi.)***	***E32***	***184***
SJSU CENTRAL PLANT Reg Id: 43-2273	***1 WASHINGTON SQUARE***	***NNE 1/8 - 1/4 (0.139 mi.)***	***E36***	***348***
SJRA HOTEL EAST Reg Id: 43-1199	***301 MARKET***	***W 1/4 - 1/2 (0.309 mi.)***	***O92***	***541***
SAN JOSE CONVENTION Reg Id: 43-1177	150 SAN CARLOS	W 1/4 - 1/2 (0.385 mi.)	100	561
PETE'S STOP INC Reg Id: 43-1755	***447 WILLIAM***	***ENE 1/4 - 1/2 (0.394 mi.)***	***S102***	***565***
SAN ANTONIO PLAZA BL Reg Id: 43490065	W. SAN FERNANDO ST &	NNW 1/4 - 1/2 (0.409 mi.)	R113	589
CHEVRON Reg Id: 43-0305	222 SAN CARLOS	W 1/4 - 1/2 (0.436 mi.)	V123	615
SHELL Reg Id: 43-1306	270 SAN CARLOS	W 1/4 - 1/2 (0.499 mi.)	AA141	733

NY MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the NY MANIFEST list, as provided by EDR, and dated 01/01/2019 has revealed that there is 1 NY MANIFEST site within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
SAN JOSE STATE UNIVE	***ONE WASHINGTON SQUAR***	***NNE 1/8 - 1/4 (0.139 mi.)***	***E30***	***173***
EPA ID: CAT080031206				

CA Notify 65: Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

A review of the CA Notify 65 list, as provided by EDR, and dated 03/18/2019 has revealed that there are 2 CA Notify 65 sites within approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
7-ELEVEN INC #17496	***452 E SANTA CLARA ST***	***N 1/2 - 1 (0.688 mi.)***	***145***	***754***
UNKNOWN	35 NORTH RIVER STREE	WNW 1/2 - 1 (0.843 mi.)	147	796

CA HAZMAT: San Jose Hazmat Facilities.

A review of the CA HAZMAT list, as provided by EDR, has revealed that there are 18 CA HAZMAT sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SUPER GAS & MART	***498 S 4TH ST***	***ESE 0 - 1/8 (0.020 mi.)***	***A2***	***63***
Database: SAN JOSE HAZMAT, Date of Government Version: 01/30/2019				
File Num: 400569				
W.E. HARDING CO	***502 S 2ND ST***	***SSW 0 - 1/8 (0.095 mi.)***	***C13***	***146***
Database: SAN JOSE HAZMAT, Date of Government Version: 01/30/2019				
File Num: 401845				
O/B (P BELL WIRELESS	596 S 2ND ST SUITE B	S 1/8 - 1/4 (0.130 mi.)	G24	164
Database: SAN JOSE HAZMAT, Date of Government Version: 01/30/2019				
File Num: 408810				
NOTRE DAME HIGH SCHO	***596 S 2ND ST***	***S 1/8 - 1/4 (0.130 mi.)***	***G25***	***165***
Database: SAN JOSE HAZMAT, Date of Government Version: 01/30/2019				
File Num: 403043				
OUT OF BUSINESS	596 S 2ND ST BASEM	S 1/8 - 1/4 (0.130 mi.)	G26	171
Database: SAN JOSE HAZMAT, Date of Government Version: 01/30/2019				
File Num: 408810				
T-MOBILE SF04923	596 S 2ND ST ROOF	S 1/8 - 1/4 (0.130 mi.)	G27	171
Database: SAN JOSE HAZMAT, Date of Government Version: 01/30/2019				
File Num: 409203				
OUT OF BUSINESS (MAR	428 S MARKET ST 1	WSW 1/8 - 1/4 (0.193 mi.)	J55	374
Database: SAN JOSE HAZMAT, Date of Government Version: 01/30/2019				
File Num: 400086				
O/B (SERVICE RENT-A-	545 S MARKET ST	SSW 1/8 - 1/4 (0.209 mi.)	I59	390
Database: SAN JOSE HAZMAT, Date of Government Version: 01/30/2019				

File Num: 409361

OUT OF BUSINESS	***545 S MARKET ST***	***SSW 1/8 - 1/4 (0.209 mi.)***	***I60***	***390***
Database: SAN JOSE HAZMAT, Date of Government Version: 01/30/2019 File Num: 409361				
ROSE-MURTY TIRE CO.	***477 S MARKET ST***	***SW 1/8 - 1/4 (0.228 mi.)***	***N76***	***413***
Database: SAN JOSE HAZMAT, Date of Government Version: 01/30/2019 File Num: 400124				
360 RESIDENCES	***360 S MARKET ST***	***W 1/8 - 1/4 (0.238 mi.)***	***84***	***441***
Database: SAN JOSE HAZMAT, Date of Government Version: 01/30/2019 File Num: 600416				

Lower Elevation	Address	Direction / Distance	Map ID	Page
YWCA SILICON VALLEY	***375 S 3RD ST***	***WNW 0 - 1/8 (0.110 mi.)***	***B19***	***160***
Database: SAN JOSE HAZMAT, Date of Government Version: 01/30/2019 File Num: 602893				
YWCA OF SILICON VALL	***350 S 2ND ST***	***WNW 1/8 - 1/4 (0.139 mi.)***	***H28***	***171***
Database: SAN JOSE HAZMAT, Date of Government Version: 01/30/2019 File Num: 401152				
SPRINT SF59XC001	1 WASHINGTON SQ CELL	NNE 1/8 - 1/4 (0.139 mi.)	E31	184
Database: SAN JOSE HAZMAT, Date of Government Version: 01/30/2019 File Num: 411892				
SJSU-UCAT (COMPUTER	***1 WASHINGTON SQ***	***NNE 1/8 - 1/4 (0.139 mi.)***	***E32***	***184***
Database: SAN JOSE HAZMAT, Date of Government Version: 01/30/2019 File Num: 600212 File Num: 601213				
TECH SHOP SAN JOSE L	300 S 2ND ST	WNW 1/8 - 1/4 (0.176 mi.)	H47	368
Database: SAN JOSE HAZMAT, Date of Government Version: 01/30/2019 File Num: 601094				
THE COLONNADE	201 S 4TH ST HIRISE	NNW 1/8 - 1/4 (0.217 mi.)	M67	400
Database: SAN JOSE HAZMAT, Date of Government Version: 01/30/2019 File Num: 403611				
AT&T MOBILITY CENTRA	201 S 4TH ST CELL	NNW 1/8 - 1/4 (0.217 mi.)	M69	403
Database: SAN JOSE HAZMAT, Date of Government Version: 01/30/2019 File Num: 601889				

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

A review of the EDR MGP list, as provided by EDR, has revealed that there is 1 EDR MGP site within

approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
SAN JOSE GAS WORKS	E. SAN FERNANDO AND	NNW 1/4 - 1/2 (0.396 mi.)	R108	582

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 9 EDR Hist Auto sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SPARTAN STATION	498 S 4TH ST	ESE 0 - 1/8 (0.020 mi.)	A1	62
ODONNELL CORNELIUS	152 E WILLIAM ST	SE 0 - 1/8 (0.033 mi.)	A6	142
AUTO SERVICE CENTER	502 S 2ND ST	SSW 0 - 1/8 (0.095 mi.)	C12	145
GISH E J	502 S 2D	SW 0 - 1/8 (0.103 mi.)	C17	159
ROWE N E	531 S 2D	SSW 0 - 1/8 (0.117 mi.)	C22	164

Lower Elevation	Address	Direction / Distance	Map ID	Page
V & V AUTO SERVICE	96 E SAN SALVADOR ST	W 0 - 1/8 (0.075 mi.)	B9	143
URZI J P	98 E SAN SALVADOR ST	W 0 - 1/8 (0.075 mi.)	B10	143
CASTRO JACK E	411 S 2D	W 0 - 1/8 (0.112 mi.)	F21	164
BILL S ELECTRIC SERV	396 S 2D	W 0 - 1/8 (0.120 mi.)	F23	164

EDR Hist Cleaner: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Cleaner list, as provided by EDR, has revealed that there are 7 EDR Hist Cleaner sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SAN JOSE LAUNDERETTE	463 S 2D	WSW 0 - 1/8 (0.099 mi.)	D14	159
EDNA S CLEANING & ME	432 S 2D	WSW 0 - 1/8 (0.104 mi.)	D18	160
SAN JOSE LAUNDERETTE	499 S 2ND ST	SW 0 - 1/8 (0.110 mi.)	C20	163

Lower Elevation	Address	Direction / Distance	Map ID	Page
CAMPUS LAUNDERETTE	402 S 3RD ST	WNW 0 - 1/8 (0.059 mi.)	B7	143
CAMPUS LAUNDERETTE	402 S 3D	WNW 0 - 1/8 (0.069 mi.)	B8	143
SPARTAN CLEANERS	398 S 5TH ST	NNE 0 - 1/8 (0.100 mi.)	E15	159

EXECUTIVE SUMMARY

Lower Elevation	Address	Direction / Distance	Map ID	Page
ALVA J B	368 S 4TH ST	NNW 0 - 1/8 (0.103 mi.)	16	159

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 1 records.

Site Name	Database(s)
UNION PACIFIC RAILROAD	CA CPS-SLIC

OVERVIEW MAP - 5724332.2S



Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

National Priority List Sites

Dept. Defense Sites

0 1/4 1/2 1 Miles

Indian Reservations BIA

Power transmission lines

100-year flood zone

500-year flood zone

National Wetland Inventory

State Wetlands

Areas of Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:	459 & 475 South 4th	CLIENT:	Partner Engineering and Science, Inc.
ADDRESS:	459 & 475 South 4th Street San Jose CA 95112	CONTACT:	Max Mcbride
LAT/LONG:	37.330509 / 121.88251	INQUIRY #:	5724332.2s
		DATE:	July 22, 2019 5:31 pm

Copyright © 2019 EDR, Inc. © 2015 TomTom Rel. 2015.

DETAIL MAP - 5724332.2S



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- 100-year flood zone
- 500-year flood zone
- Areas of Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:	459 & 475 South 4th	CLIENT:	Partner Engineering and Science, Inc.
ADDRESS:	459 & 475 South 4th Street San Jose CA 95112	CONTACT:	Max Mcbride
LAT/LONG:	37.330509 / 121.88251	INQUIRY #:	5724332.2s
		DATE:	July 22, 2019 5:36 pm

Copyright © 2019 EDR, Inc. © 2015 TomTom Rel. 2015.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Federal NPL site list								
NPL	1.000		0	0	0	1	NR	1
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
Federal Delisted NPL site list								
Delisted NPL	1.000		0	0	0	0	NR	0
Federal CERCLIS list								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
Federal CERCLIS NFRAP site list								
SEMS-ARCHIVE	0.500		0	0	2	NR	NR	2
Federal RCRA CORRACTS facilities list								
CORRACTS	1.000		0	0	0	0	NR	0
Federal RCRA non-CORRACTS TSD facilities list								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Federal RCRA generators list								
RCRA-LQG	0.250		0	1	NR	NR	NR	1
RCRA-SQG	0.250		0	6	NR	NR	NR	6
RCRA-CESQG	0.250		0	0	NR	NR	NR	0
Federal institutional controls / engineering controls registries								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
Federal ERNS list								
ERNS	TP		NR	NR	NR	NR	NR	0
State- and tribal - equivalent NPL								
CA RESPONSE	1.000		0	0	0	0	NR	0
State- and tribal - equivalent CERCLIS								
CA ENVIROSTOR	1.000		0	0	2	7	NR	9
State and tribal landfill and/or solid waste disposal site lists								
CA SWF/LF	0.500		0	0	0	NR	NR	0
State and tribal leaking storage tank lists								
CA LUST	0.500		2	14	36	NR	NR	52

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
INDIAN LUST	0.500		0	0	0	NR	NR	0
CA CPS-SLIC	0.500		0	1	7	NR	NR	8
CA HIST LUST	0.500		1	10	21	NR	NR	32
State and tribal registered storage tank lists								
FEMA UST	0.250		0	0	NR	NR	NR	0
CA UST	0.250		1	1	NR	NR	NR	2
CA AST	0.250		0	5	NR	NR	NR	5
INDIAN UST	0.250		0	0	NR	NR	NR	0
State and tribal voluntary cleanup sites								
CA VCP	0.500		0	0	1	NR	NR	1
INDIAN VCP	0.500		0	0	0	NR	NR	0
State and tribal Brownfields sites								
CA BROWNFIELDS	0.500		0	0	1	NR	NR	1
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
CA WMUDS/SWAT	0.500		0	0	0	NR	NR	0
CA SWRCY	0.500		0	0	0	NR	NR	0
CA HAULERS	TP		NR	NR	NR	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
CA HIST Cal-Sites	1.000		0	0	0	1	NR	1
CA SCH	0.250		0	0	NR	NR	NR	0
CA CDL	TP		NR	NR	NR	NR	NR	0
CA Toxic Pits	1.000		0	0	0	0	NR	0
CA CERS HAZ WASTE	0.250		2	5	NR	NR	NR	7
US CDL	TP		NR	NR	NR	NR	NR	0
CA PFAS	0.500		0	0	0	NR	NR	0
Local Lists of Registered Storage Tanks								
CA SWEEPS UST	0.250		2	2	NR	NR	NR	4
CA HIST UST	0.250		1	3	NR	NR	NR	4
CA FID UST	0.250		0	0	NR	NR	NR	0
CA CERS TANKS	0.250		1	1	NR	NR	NR	2
Local Land Records								
CA LIENS	TP		NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
LIENS 2	TP		NR	NR	NR	NR	NR	0
CA DEED	0.500		0	1	0	NR	NR	1
Records of Emergency Release Reports								
HMIRS	TP		NR	NR	NR	NR	NR	0
CA CHMIRS	TP		NR	NR	NR	NR	NR	0
CA LDS	TP		NR	NR	NR	NR	NR	0
CA MCS	TP		NR	NR	NR	NR	NR	0
CA SPILLS 90	TP		NR	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		2	4	NR	NR	NR	6
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	1	NR	1
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	1	NR	1
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
ECHO	TP		NR	NR	NR	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
CA BOND EXP. PLAN	1.000		0	0	0	0	NR	0
CA Cortese	0.500		0	1	2	NR	NR	3
CA CUPA Listings	0.250		3	20	NR	NR	NR	23

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
CA DRYCLEANERS	0.250		0	0	NR	NR	NR	0
CA EMI	TP		NR	NR	NR	NR	NR	0
CA ENF	TP		NR	NR	NR	NR	NR	0
CA Financial Assurance	TP		NR	NR	NR	NR	NR	0
CA HAZNET	TP		NR	NR	NR	NR	NR	0
CA ICE	TP		NR	NR	NR	NR	NR	0
CA HIST CORTESE	0.500		1	10	10	NR	NR	21
CA HWP	1.000		0	0	0	0	NR	0
CA HWT	0.250		0	0	NR	NR	NR	0
NY MANIFEST	0.250		0	1	NR	NR	NR	1
CA MINES	0.250		0	0	NR	NR	NR	0
CA MWMP	0.250		0	0	NR	NR	NR	0
CA NPDES	TP		NR	NR	NR	NR	NR	0
CA PEST LIC	TP		NR	NR	NR	NR	NR	0
CA PROC	0.500		0	0	0	NR	NR	0
CA Notify 65	1.000		0	0	0	2	NR	2
CA HAZMAT	0.250		3	15	NR	NR	NR	18
CA UIC	TP		NR	NR	NR	NR	NR	0
CA UIC GEO	TP		NR	NR	NR	NR	NR	0
CA WASTEWATER PITS	0.500		0	0	0	NR	NR	0
CA WDS	TP		NR	NR	NR	NR	NR	0
CA WIP	0.250		0	0	NR	NR	NR	0
CA MILITARY PRIV SITES	TP		NR	NR	NR	NR	NR	0
CA PROJECT	TP		NR	NR	NR	NR	NR	0
CA WDR	TP		NR	NR	NR	NR	NR	0
CA CIWQS	TP		NR	NR	NR	NR	NR	0
CA CERS	TP		NR	NR	NR	NR	NR	0
CA NON-CASE INFO	TP		NR	NR	NR	NR	NR	0
CA OTHER OIL GAS	TP		NR	NR	NR	NR	NR	0
CA PROD WATER PONDS	TP		NR	NR	NR	NR	NR	0
CA SAMPLING POINT	TP		NR	NR	NR	NR	NR	0
CA WELL STIM PROJ	TP		NR	NR	NR	NR	NR	0
EDR HIGH RISK HISTORICAL RECORDS								
EDR Exclusive Records								
EDR MGP	1.000		0	0	1	0	NR	1
EDR Hist Auto	0.125		9	NR	NR	NR	NR	9
EDR Hist Cleaner	0.125		7	NR	NR	NR	NR	7
EDR RECOVERED GOVERNMENT ARCHIVES								
Exclusive Recovered Govt. Archives								
CA RGA LF	TP		NR	NR	NR	NR	NR	0
CA RGA LUST	TP		NR	NR	NR	NR	NR	0
- Totals --		0	35	101	83	13	0	232

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

NPL
Region
ESE
1/2-1
4461 ft.

LORENTZ BARREL & DRUM CO.
1515 S 10TH ST
SAN JOSE, CA 95112

Database(s):
NPL
SEMS
US ENG CONTROLS
US INST CONTROL
CA ENVIROSTOR
CA HIST Cal-Sites
CA HIST UST
LIENS 2
CA DEED
RCRA NonGen / NLR
ROD
PRP
ICIS
CONSENT
FINDS
ECHO
CA Cortese

EDR ID Number: **1000208886**
EPA ID Number: **CAD029295706**

NPL:

EPA ID:	CAD029295706
Cerclis ID:	901287
EPA Region:	9
Federal:	N
Final Date:	1989-10-04 00:00:00
Site Score:	33.939999999999998
Latitude:	37.318610999999997
Longitude:	-121.8644

Category Details:

NPL Status:	Currently on the Final NPL
Category Description:	Depth To Aquifer-> 25 And <= 50 Feet
Category Value:	50

NPL Status:	Currently on the Final NPL
Category Description:	Distance To Nearest Population-0 Miles (On Site)
Category Value:	0

Site Details:

Site Name:	LORENTZ BARREL & DRUM CO.
Site Status:	Final
Site Zip:	95112
Site City:	SAN JOSE
Site State:	CA
Federal Site:	No
Site County:	SANTA CLARA
EPA Region:	09
Date Proposed:	06/24/88
Date Deleted:	Not reported
Date Finalized:	10/04/89

Substance Details:

NPL Status:	Currently on the Final NPL
Substance ID:	Not reported
Substance:	Not reported
CAS #:	Not reported
Pathway:	Not reported
Scoring:	Not reported

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

NPL Status: Currently on the Final NPL
Substance ID: U078
Substance: DICHLOROETHENE, 1,1-
CAS #: 75-35-4
Pathway: GROUND WATER PATHWAY
Scoring: 4

NPL Status: Currently on the Final NPL
Substance ID: U210
Substance: TETRACHLOROETHENE
CAS #: 127-18-4
Pathway: GROUND WATER PATHWAY
Scoring: 2

NPL Status: Currently on the Final NPL
Substance ID: U226
Substance: TRICHLOROETHANE, 1,1,1-
CAS #: 71-55-6
Pathway: GROUND WATER PATHWAY
Scoring: 2

NPL Status: Currently on the Final NPL
Substance ID: U228
Substance: TRICHLOROETHYLENE (TCE)
CAS #: 79-01-6
Pathway: GROUND WATER PATHWAY
Scoring: 2

Summary Details:

Conditions at proposal October 15, 1984): Lorent Barrel Drum Co. recycles drums at a plant in San Jose, Santa Clara County, California. The 5-acre site is surrounded by residential, industrial, and business areas. On-site monitoring wells are contaminated with trichloroethane, trichloroethylene, 1,1-dichloroethylene, and tetrachloroethylene, according to analyses conducted by a consultant to Lorent . Contamination is believed to have resulted from overflowing sumps and spills. About 250,000 people obtain drinking water from wells within 3 miles of the site. Lorent is working with the California Regional Water Quality Control Board CRWQCB) to determine the extent of ground water contamination. The board issued a Cleanup and Abatement Order to the company in August 1983. The plant received Interim Status under Subtitle C of the Resource Conservation and Recovery Act RCRA) when the company filed Part A of a permit application. On March 25,1981, EPA removed the facility as a treatment, storage, or disposal facility because it was not engaged in ha ardous waste activities. This is one of 19 sites in the South Bay Area of San Francisco. Facilities at these sites have used a variety of toxic chemicals, primarily chlorinated organic solvents, which contaminate a common ground water basin. Although these sites are listed separately, EPA intends to apply an area-wide approach to the problem as well as take specific action as necessary. Status February 1986): In March 1985, EPA and the California Department of Health Services CDHS) discovered over 300 drums containing phenols, methylene chloride, and PCBs stored on the Lorent property. In responseto action by the Santa Clara District Attorney, the company removed the drums. CRWQCB is overseeing the Lorent investigation to determine the extent of ground water contamination. CDHS will oversee the investigation of soil contamination.On February 7, 1986, the Santa Clara County District Attorney filed a complaint against the company for violation of State ha ardous waste

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

laws. The facility has been shut down until procedures for compliance are developed. Status June24, 1988): EPA is proposing to place this previously proposed RCRA site on the final NPL. The company is classified as a non-filer. Hence, it satisfies a component of EPA s NPL/RCRA policy. In July 1987, the owner of the Lorent site was ordered to shut it down permanently, sentenced to 2 years in jail, and fined 2.04 million. Recent sampling by CDHS consultants has shown extensive contamination in soil and ground water, both on- and off-site. In addition to the chlorinated organics identified earlier, pesticides, metals, and PCBs are present. On December 1, 1987, EPA took over as lead agency for a remedial investigation/feasibility study RI/FS) at the site. In February 1988, CDHS completed an expedited response action consisting of excavating soil with high concentrations of PCBs. In March 1988, EPA and CDHS completed removal of 1,000 drums of ha ardous materials. All materials were transported to regulated disposal facilities. The site was then graded and the surface sealed to control drainage. In May 1988, EPA completed an engineering evaluation cost analysis for systems to pump and treat shallow contaminated ground water. Status October 4, 1989): EPA has placed this site on the NPL. EPA completed the RI/FS. Following a period of public comment, a Record of Decision was signed in September 1988 finali ing the remedy as treatment of ground water with an o one ultraviolet light oxidation system. EPA is currently designing an off-site extraction system and an on-site treatment facility. EPA is also investigating the extent of the contamination in soils and on structures and expects to complete an RI/FS for the overall site in early 1990.

Site Status Details:

NPL Status:	Final
Proposed Date:	10/15/1984
Final Date:	10/04/1989
Deleted Date:	Not reported

Narratives Details:

NPL Name:	LORENTZ BARREL & DRUM CO.
City:	SAN JOSE
State:	CA

SEMS:

Site ID:	0901287
EPA ID:	CAD029295706
Cong District:	16,19
FIPS Code:	06085
Latitude:	37.318611
Longitude:	-121.864400
FF:	N
NPL:	Currently on the Final NPL
Non NPL Status:	Not reported

SEMS Detail:

Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Action Code:	RS
Action Name:	RV ASSESS
SEQ:	1
Start Date:	1992-12-30 05:00:00
Finish Date:	12/30/1992 5:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	CM
Action Name:	PCOR
SEQ:	1
Start Date:	1998-09-28 04:00:00
Finish Date:	9/28/1998 4:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	HR
Action Name:	HAZRANK
SEQ:	1
Start Date:	1984-08-01 05:00:00
Finish Date:	8/1/1984 5:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	01
Action Code:	RO
Action Name:	ROD
SEQ:	2
Start Date:	1993-08-26 04:00:00
Finish Date:	8/26/1993 4:00:00 AM
Qual:	R
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

NPL:	F
FF:	N
OU:	01
Action Code:	RD
Action Name:	RD
SEQ:	2
Start Date:	1995-03-25 05:00:00
Finish Date:	5/12/1998 4:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	01
Action Code:	CO
Action Name:	RI/FS
SEQ:	2
Start Date:	1988-02-17 05:00:00
Finish Date:	8/26/1993 4:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	AR
Action Name:	ADMIN REC
SEQ:	1
Start Date:	1988-12-08 05:00:00
Finish Date:	Not reported
Qual:	E
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	DS
Action Name:	DISCVRY
SEQ:	1
Start Date:	1980-08-01 04:00:00
Finish Date:	8/1/1980 4:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	09

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	02
Action Code:	RD
Action Name:	RD
SEQ:	1
Start Date:	1988-12-19 05:00:00
Finish Date:	2/20/1990 5:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf

Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	02
Action Code:	CO
Action Name:	RI/FS
SEQ:	1
Start Date:	1987-12-14 05:00:00
Finish Date:	9/25/1988 4:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf

Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	CR
Action Name:	CI
SEQ:	2
Start Date:	1988-05-01 04:00:00
Finish Date:	6/1/1988 4:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf

Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	AR
Action Name:	ADMIN REC
SEQ:	2
Start Date:	1991-06-26 04:00:00
Finish Date:	6/26/1991 4:00:00 AM
Qual:	V

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	MA
Action Name:	ST COOP
SEQ:	1
Start Date:	1989-09-15 04:00:00
Finish Date:	Not reported
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	RV
Action Name:	RMVL
SEQ:	2
Start Date:	1987-08-31 04:00:00
Finish Date:	3/29/1988 5:00:00 AM
Qual:	S
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	RV
Action Name:	RMVL
SEQ:	1
Start Date:	1987-08-31 04:00:00
Finish Date:	3/31/1988 5:00:00 AM
Qual:	S
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	02
Action Code:	RO
Action Name:	ROD
SEQ:	1

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Start Date:	1988-09-25 04:00:00
Finish Date:	9/25/1988 4:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	FE
Action Name:	5 YEAR
SEQ:	4
Start Date:	2014-11-12 05:00:00
Finish Date:	9/30/2015 4:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	01
Action Code:	FS
Action Name:	FS
SEQ:	1
Start Date:	2011-09-28 04:00:00
Finish Date:	Not reported
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	AR
Action Name:	ADMIN REC
SEQ:	3
Start Date:	2000-08-10 04:00:00
Finish Date:	Not reported
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Action Code:	NP
Action Name:	PROPOSED
SEQ:	2
Start Date:	1988-06-24 04:00:00
Finish Date:	6/24/1988 4:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	FE
Action Name:	5 YEAR
SEQ:	3
Start Date:	2010-01-04 05:00:00
Finish Date:	9/29/2010 4:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	FE
Action Name:	5 YEAR
SEQ:	1
Start Date:	2000-09-27 04:00:00
Finish Date:	9/27/2000 4:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	RS
Action Name:	RV ASSESS
SEQ:	3
Start Date:	1991-12-12 05:00:00
Finish Date:	12/12/1991 5:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

NPL:	F
FF:	N
OU:	00
Action Code:	RS
Action Name:	RV ASSESS
SEQ:	2
Start Date:	1990-09-06 04:00:00
Finish Date:	9/6/1990 4:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	FE
Action Name:	5 YEAR
SEQ:	2
Start Date:	2005-09-28 04:00:00
Finish Date:	9/28/2005 4:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	PA
Action Name:	PA
SEQ:	1
Start Date:	1984-07-01 05:00:00
Finish Date:	7/1/1984 5:00:00 AM
Qual:	H
Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	CR
Action Name:	CI
SEQ:	1
Start Date:	2005-05-11 04:00:00
Finish Date:	Not reported
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	09

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	SI
Action Name:	SI
SEQ:	1
Start Date:	1984-08-01 05:00:00
Finish Date:	8/1/1984 5:00:00 AM
Qual:	H
Current Action Lead:	EPA Perf

Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	NP
Action Name:	PROPOSED
SEQ:	1
Start Date:	1984-10-15 05:00:00
Finish Date:	10/15/1984 5:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf

Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	NF
Action Name:	NPL FINL
SEQ:	1
Start Date:	1989-10-04 04:00:00
Finish Date:	10/4/1989 4:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Perf

Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	EE
Action Name:	EE/CA
SEQ:	1
Start Date:	1993-07-16 04:00:00
Finish Date:	7/16/1993 4:00:00 AM
Qual:	Not reported

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Current Action Lead:	EPA Perf
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	02
Action Code:	BF
Action Name:	PRP RA
SEQ:	1
Start Date:	1991-07-10 04:00:00
Finish Date:	11/25/1992 5:00:00 AM
Qual:	Not reported
Current Action Lead:	EPA Ovrsght
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	BB
Action Name:	PRP RV
SEQ:	2
Start Date:	1994-02-14 05:00:00
Finish Date:	9/29/1994 4:00:00 AM
Qual:	P
Current Action Lead:	EPA Ovrsght
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	02
Action Code:	NK
Action Name:	PRP FS
SEQ:	1
Start Date:	2011-09-28 04:00:00
Finish Date:	Not reported
Qual:	Not reported
Current Action Lead:	EPA Ovrsght
Region:	09
Site ID:	0901287
EPA ID:	CAD029295706
Site Name:	LORENTZ BARREL & DRUM CO.
NPL:	F
FF:	N
OU:	00
Action Code:	BB
Action Name:	PRP RV
SEQ:	1

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Start Date: 1992-12-09 05:00:00
Finish Date: 9/29/1994 4:00:00 AM
Qual: P
Current Action Lead: EPA Ovrsght

Region: 09
Site ID: 0901287
EPA ID: CAD029295706
Site Name: LORENTZ BARREL & DRUM CO.
NPL: F
FF: N
OU: 02
Action Code: ME
Action Name: PRP LR
SEQ: 1
Start Date: 1992-11-25 05:00:00
Finish Date: Not reported
Qual: Not reported
Current Action Lead: EPA Ovrsght

Region: 09
Site ID: 0901287
EPA ID: CAD029295706
Site Name: LORENTZ BARREL & DRUM CO.
NPL: F
FF: N
OU: 02
Action Code: BE
Action Name: PRP RD
SEQ: 1
Start Date: 1990-02-20 05:00:00
Finish Date: 7/10/1991 4:00:00 AM
Qual: Not reported
Current Action Lead: EPA Ovrsght

US ENG CONTROLS:
EPA ID: CAD029295706
Site ID: 0901287
Name: LORENTZ BARREL & DRUM CO.
Address: 1515 S 10TH ST
SAN JOSE, CA 95112
EPA Region: 09
County: SANTA CLARA
Event Code: Not reported
Actual Date: 06/30/1999
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 001
Action Name: Explanation Of Significant Differences
Action Completion date: 05/29/1998
Operable Unit: 01
Contaminated Media : Debris
Engineering Control: Cap
Contact Name: Not reported

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 001
Action Name: Explanation Of Significant Differences
Action Completion date: 05/29/1998
Operable Unit: 01
Contaminated Media : Debris
Engineering Control: Disposal
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 001
Action Name: Explanation Of Significant Differences
Action Completion date: 05/29/1998
Operable Unit: 01
Contaminated Media : Groundwater
Engineering Control: Carbon Adsorption
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 001
Action Name: Explanation Of Significant Differences
Action Completion date: 05/29/1998
Operable Unit: 01
Contaminated Media : Groundwater
Engineering Control: Extraction
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 001
Action Name: Explanation Of Significant Differences
Action Completion date: 05/29/1998
Operable Unit: 01
Contaminated Media : Groundwater
Engineering Control: Monitoring
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 001
Action Name: Explanation Of Significant Differences
Action Completion date: 05/29/1998
Operable Unit: 01
Contaminated Media : Groundwater
Engineering Control: Treatment, (N.O.S.)
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 001
Action Name: Explanation Of Significant Differences
Action Completion date: 05/29/1998
Operable Unit: 01

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Contaminated Media : Soil
Engineering Control: Cap
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 001
Action Name: Explanation Of Significant Differences
Action Completion date: 05/29/1998
Operable Unit: 01
Contaminated Media : Soil
Engineering Control: Disposal
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 001
Action Name: Explanation Of Significant Differences
Action Completion date: 05/29/1998
Operable Unit: 01
Contaminated Media : Soil
Engineering Control: Excavation
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 001
Action Name: Explanation Of Significant Differences
Action Completion date: 05/29/1998
Operable Unit: 01
Contaminated Media : Soil
Engineering Control: Soil Vapor Extraction (in-situ)
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 002
Action Name: Explanation Of Significant Differences
Action Completion date: 04/24/1998
Operable Unit: 02
Contaminated Media : Groundwater
Engineering Control: Non-fundamental change (ESD)
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 001
Action Name: RECORD OF DECISION
Action Completion date: 09/25/1988
Operable Unit: 02
Contaminated Media : Groundwater
Engineering Control: Discharge
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 001

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Action Name: RECORD OF DECISION
Action Completion date: 09/25/1988
Operable Unit: 02
Contaminated Media : Groundwater
Engineering Control: Extraction
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 001
Action Name: RECORD OF DECISION
Action Completion date: 09/25/1988
Operable Unit: 02
Contaminated Media : Groundwater
Engineering Control: Treatment, (N.O.S.)
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 001
Action Name: RECORD OF DECISION
Action Completion date: 09/25/1988
Operable Unit: 02
Contaminated Media : Groundwater
Engineering Control: UV Oxidation
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 08/26/1993
Operable Unit: 01
Contaminated Media : Buildings/Structures
Engineering Control: Demolition
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 08/26/1993
Operable Unit: 01
Contaminated Media : Buildings/Structures
Engineering Control: Disposal
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 08/26/1993
Operable Unit: 01
Contaminated Media : Groundwater
Engineering Control: Monitoring
Contact Name: Not reported
Contact Phone and Ext: Not reported

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Event Code Description: Not reported

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 08/26/1993
Operable Unit: 01
Contaminated Media : Other
Engineering Control: Disposal
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 08/26/1993
Operable Unit: 01
Contaminated Media : Other
Engineering Control: Excavation
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 08/26/1993
Operable Unit: 01
Contaminated Media : Residuals
Engineering Control: Residuals Disposal
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 08/26/1993
Operable Unit: 01
Contaminated Media : Soil
Engineering Control: Cap
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 08/26/1993
Operable Unit: 01
Contaminated Media : Soil
Engineering Control: Carbon Adsorption
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 08/26/1993
Operable Unit: 01
Contaminated Media : Soil

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Engineering Control: Impermeable Barrier
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 08/26/1993
Operable Unit: 01
Contaminated Media : Soil
Engineering Control: Operations & Maintenance (O&M)
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 08/26/1993
Operable Unit: 01
Contaminated Media : Soil
Engineering Control: Soil Vapor Extraction (in-situ)
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 08/26/1993
Operable Unit: 01
Contaminated Media : Soil Gas
Engineering Control: Monitoring
Contact Name: Not reported
Contact Phone and Ext: Not reported
Event Code Description: Not reported

US INST CONTROL:
EPA ID: CAD029295706
Site ID: 0901287
Name: LORENTZ BARREL & DRUM CO.
Action Name: Explanation Of Significant Differences
Address: 1515 S 10TH ST
SAN JOSE, CA 95112
EPA Region: 09
County: SANTA CLARA
Event Code: Not reported
Inst. Control: Deed Restriction
Actual Date: 06/30/1999
Complet. Date: 05/29/1998
Operable Unit: 01
Contaminated Media : Groundwater
Contact Name : Not reported
Contact Phone and Ext : Not reported
Event Code Description: Not reported

EPA ID: CAD029295706
Site ID: 0901287

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Name: LORENTZ BARREL & DRUM CO.
Action Name: Explanation Of Significant Differences
Address: 1515 S 10TH ST
SAN JOSE, CA 95112
EPA Region: 09
County: SANTA CLARA
Event Code: Not reported
Inst. Control: Institutional Controls, (N.O.S.)
Actual Date: 06/30/1999
Complet. Date: 05/29/1998
Operable Unit: 01
Contaminated Media : Groundwater
Contact Name : Not reported
Contact Phone and Ext : Not reported
Event Code Description: Not reported

EPA ID: CAD029295706
Site ID: 0901287
Name: LORENTZ BARREL & DRUM CO.
Action Name: RECORD OF DECISION
Address: 1515 S 10TH ST
SAN JOSE, CA 95112
EPA Region: 09
County: SANTA CLARA
Event Code: Not reported
Inst. Control: Groundwater use/well drilling regulation
Actual Date: 09/30/1993
Complet. Date: 08/26/1993
Operable Unit: 01
Contaminated Media : Groundwater
Contact Name : Not reported
Contact Phone and Ext : Not reported
Event Code Description: Not reported

EPA ID: CAD029295706
Site ID: 0901287
Name: LORENTZ BARREL & DRUM CO.
Action Name: RECORD OF DECISION
Address: 1515 S 10TH ST
SAN JOSE, CA 95112
EPA Region: 09
County: SANTA CLARA
Event Code: Not reported
Inst. Control: Deed Restriction
Actual Date: 09/30/1993
Complet. Date: 08/26/1993
Operable Unit: 01
Contaminated Media : Soil
Contact Name : Not reported
Contact Phone and Ext : Not reported
Event Code Description: Not reported

ENVIROSTOR:
Name: LORENTZ BARREL & DRUM COMPANY
Address: 1507 SOUTH 10TH STREET
City,State,Zip: SAN JOSE, CA 95112
Facility ID: 43300026

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Status:	Active
Status Date:	01/01/1985
Site Code:	200061
Site Type:	Federal Superfund
Site Type Detailed:	State Response or NPL
Acres:	5.26
NPL:	YES
Regulatory Agencies:	SMBRP, US EPA
Lead Agency:	US EPA
Program Manager:	Mark Piros
Supervisor:	Mark Piros
Division Branch:	Cleanup Berkeley
Assembly:	27
Senate:	15
Special Program:	Not reported
Restricted Use:	YES
Site Mgmt Req:	REM, ASP, DAY, HOS, LUC, MON, EX, NOWN, NDAM, EXT, SCH, FOOD, COV, RES, REM, ASP, DAY, HOS, LUC, MON, EX, NOWN, NDAM, EXT, SCH, FOOD, COV, RES
Funding:	Responsible Party
Latitude:	37.31864
Longitude:	-121.8655
APN:	477-09-034, 477-09-034, 477-09-036, 477-09-036, 477-09-037
Past Use:	RECYCLING - DRUM
Potential COC:	Arsenic Benzene Chlordane Total Chromium (1:6 ratio Cr VI:Cr III DDD DDE DDT Dioxin (as 2,3,7,8-TCDD TEQ Lead Polychlorinated biphenyls (PCBs Tetrachloroethylene (PCE Toxaphene Trichloroethylene (TCE Vinyl chloride Aldrin Bis(2-ethylhexyl)phthalate (DEHP) Butyl benzyl phthalate Chloroform Dibutyl phthalate 1,1-Dichloroethane 1,2-Dichloroethane (EDC 1,1-Dichloroethylene 1,2-Dichloroethylene (cis 1,2-Dichloropropane Dieldrin Endosulfan Nickel Pentachlorophenol Phenol 1,1,2,2-Tetrachloroethane Toluene 1,1,2-Trichloroethane
Confirmed COC:	1,1,2,2-Tetrachloroethane Toluene 1,1,2-Trichloroethane Polychlorinated biphenyls (PCBs Tetrachloroethylene (PCE Toxaphene Trichloroethylene (TCE Vinyl chloride Aldrin Bis(2-ethylhexyl)phthalate (DEHP) Butyl benzyl phthalate Chloroform Dibutyl phthalate 1,1-Dichloroethane 1,2-Dichloroethane (EDC 1,1-Dichloroethylene 1,2-Dichloroethylene (cis 1,2-Dichloropropane Dieldrin Endosulfan Nickel Pentachlorophenol Phenol Arsenic Benzene Chlordane Total Chromium (1:6 ratio Cr VI:Cr III DDD DDE DDT Dioxin (as 2,3,7,8-TCDD TEQ Lead
Potential Description:	OTH, SOIL
Alias Name:	10TH STREET LAND MANAGEMENT CORPORATION
Alias Type:	Alternate Name
Alias Name:	LORENTZ BARREL AND DRUM COMPANY
Alias Type:	Alternate Name
Alias Name:	477-09-034
Alias Type:	APN
Alias Name:	477-09-034
Alias Type:	APN
Alias Name:	477-09-036
Alias Type:	APN
Alias Name:	477-09-036
Alias Type:	APN
Alias Name:	477-09-037
Alias Type:	APN
Alias Name:	CAD029295706

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Alias Type: EPA Identification Number
Alias Name: 110002641954
Alias Type: EPA (FRS #)
Alias Name: 110033608077
Alias Type: EPA (FRS #)
Alias Name: SL0608546934
Alias Type: GeoTracker Global ID
Alias Name: P21039
Alias Type: PCode
Alias Name: 200061
Alias Type: Project Code (Site Code)
Alias Name: 43300026
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Unilateral Order (I/SE, RAO, CAO, EPA AO)
Completed Date: 02/23/1987
Comments: DTSC issued RAO for soil and groundwater contamination resulting from drum reconditioning business.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Consent Order
Completed Date: 01/27/2004
Comments: Consent decree signed to recover DTSC response costs from the primary large quantity generators.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Consent Decree
Completed Date: 05/23/1995
Comments: Administrative order on consent signed for de minimis settlement. The settlement pertains to 89 parties, each contributing less than 1% of the drums recycled at the facility.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Consent Decree
Completed Date: 09/23/1996
Comments: Administrative consent order signed for the 2nd round of cost recovery de minimus settlement. Settling parties contributed less than 1% of total drums recycled at the site.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Consent Decree
Completed Date: 09/16/1997
Comments: Administrative consent order signed for the 3rd round of the cost recovery de minimus settlement. Settling parties contributed less than 1% of total drums recycled at the site.

Completed Area Name: 10th Street Land Management property
Completed Sub Area Name: Not reported
Completed Document Type: Consent Order
Completed Date: 01/23/2002
Comments: DTSC signed Prospective Purchaser Agreement with 10th Street Land

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Management. Property will be used as a long-term storage yard for commercial and construction vehicles. Settling respondent to maintain site cap and enter into a land use covenant.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 01/16/2008
Comments: Not reported

Completed Area Name: Newark Group property
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 11/16/2006
Comments: Site inspection found compliance with land use covenant on Newark Group property.

Completed Area Name: 10th Street Land Management property
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 11/16/2006
Comments: Site inspection found compliance with land use covenant on 10th Street Land Management property.

Completed Area Name: 10th Street Land Management property
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction
Completed Date: 03/06/2002
Comments: Deed restriction recorded for property owned by 10th Street Land Management. Residences, hospitals, day care facilities, food cultivation, and groundwater extraction are prohibited at the site. Interference with site cap and remediation system are also prohibited. Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Consent Decree
Completed Date: 10/07/1992
Comments: Seven respondents signed agreement to conduct a limited removal action at the site.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Consent Decree
Completed Date: 09/30/1989
Comments: EPA issued a Consent Decree with 11 PRPs to implement the groundwater remediation recommended by the ROD. In May 1989, EPA conducted an investigation, identifying approximately 200 companies who had delivered drums and barrels to the former drum recycling facility.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Unilateral Order (I/SE, RAO, CAO, EPA AO)
Completed Date: 06/30/1987
Comments: Determined noncompliance with the RAO issued in February 1987.

Completed Area Name: Newark Group property

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction
Completed Date: 06/10/2005
Comments: Deed restriction recorded for property currently owned by the Newark Group. Residences, hospitals, day care facilities, food cultivation, and groundwater extraction are prohibited at the site. Cap interference is also prohibited.

Completed Area Name: Newark Group property
Completed Sub Area Name: Not reported
Completed Document Type: Consent Settlement - Administrative
Completed Date: 04/22/2005
Comments: Consent Order signed. The Newark Group argeed to pay response costs incurred by DTSC and to abide by the terms of the site deed restriction.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Record of Decision - Amendment
Completed Date: 03/10/1998
Comments: US EPA approved a ROD amendment for groundwater treatment process.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Record of Decision w/ESD
Completed Date: 05/21/1998
Comments: US-EPA approved an ESD for soil remediation.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Remedial Action Completion Report
Completed Date: 09/28/1998
Comments: Preliminary close-out report finalized. Report documents completion of construction activities for OU1 and OU2. Remaining response consists of operation and maintenance of groundwater treatment system, soil vapor extraction system, and cap.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Design/Implementation Workplan
Completed Date: 05/15/1998
Comments: Cap design completed. Design calls for 229,000 square feet of 3" asphalt concrete pavement with 6" layer of aggregate base.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Design/Implementation Workplan
Completed Date: 05/15/1998
Comments: Remedial design report approved. Report outlines plans for design, installation, and O&M of SVE system and asphalt cap.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Removal Action Completion Report
Completed Date: 09/30/1994
Comments: EPA completed 3 separate removal actions: (1) Removal of 5 buildings and the process equipment and scrap within including 17 sumps, 7

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

tanks and several debris stockpiled. At the end of this RA, 1033 tons of industrial wastes, 15 tons of liquid hazardous was and 73 tons of solid hazardous waste was shipped off-site for disposal. (2) Removal of 1200 drums, 150 drums containing solvents, 350 drums containing debris, and 23 drums containing ash and liquids. Removal of tanks, vats, sumps, and process equipment. Removal of 1.18 tons of asbestos containing building materials. (3) Paving of previously and newly exposed surface soil resulting from the above removal actions. Paving used a chip seal material. Approximately 4-1/4 acres were sealed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Removal Action Workplan
Completed Date: 10/15/1993
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Record of Decision
Completed Date: 08/26/1993
Comments: EPA issued ROD for soil operable unit. The ROD addresses soil/source remediation.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Remedial Investigation / Feasibility Study
Completed Date: 04/22/1993
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Removal Action Completion Report
Completed Date: 03/30/1992
Comments: Shallow groundwater treatment system completed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Design/Implementation Workplan
Completed Date: 06/28/1991
Comments: Remedial design for groundwater completed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Record of Decision
Completed Date: 09/30/1988
Comments: EPA issued a ROD for the shallow groundwater operable unit. The remedy includes extraction/treatment of shallow groundwater and discharge of treated water to the storm sewer.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Removal Action Workplan
Completed Date: 08/30/1988
Comments: Completed EE/CA for shallow groundwater expedited response action. Groundwater pump-and-treat system was determined to be an effective method for remediating the shallow groundwater.

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Removal Action Completion Report
Completed Date: 03/30/1988
Comments: Implemented an Expedited Response Action (ERA). The ERA consisted of the following activities: drum inventory; construction of decontamination facilities; removal of polychlorinated biphenyl (PCB) contaminated pits, which were later backfilled with clean soil and capped; removal, recycling, or treatment of thousands of gallons of processed plant liquids; removal of 15 tons of contaminated scrap; and design of a surface water control plan, which was submitted to EPA for implementation. EPA installed a chip seal over approximately two thirds of the five-acre site. Demobilization occurred at the end of March 1988. A total of 21,286 drums, 1,330 tons of scrap metal, and 2,982 cubic yards of contaminated soil were removed from the site.
Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Public Participation Plan / Community Relations Plan
Completed Date: 05/30/1987
Comments: Completed Public Participation Plan.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Public Notice
Completed Date: 02/13/2004
Comments: Public notice announced lodging of proposed consent decree.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Public Notice
Completed Date: 01/27/2004
Comments: Public notice announced lodging of proposed consent decree.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Design/Implementation Workplan
Completed Date: 05/15/1998
Comments: SVE system design completed. Design includes submersible pumps, equalization tank, air-water separator, centrifugal transfer pump, positive displacement blower, air-to-air heat exchanger, liquid phase GAC, and vapor phase GAC.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Remedial Investigation Report
Completed Date: 07/27/1990
Comments: Remedial Investigation Report approved. Nature and extent of contamination in surface soils, subsurface soils, groundwater, surface water, air, and structures evaluated. Fate and transport of PCBs, pesticides, VOCs, base/neutral and acid extractable compounds, metals, and dioxins/furans discussed. Current and future exposure pathways included in baseline risk assessment.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Completed Document Type: Preliminary Endangerment Assessment Report
Completed Date: 02/01/1987
Comments: Preliminary Site Assessment completed. Report summarizes site characteristics, site history, known soil and groundwater conditions, hydrogeology, surface hydrology, and risks to nearby receptors.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Remedial Investigation Report
Completed Date: 06/19/1992
Comments: Six addenda to the Remedial Investigation include: report of monitoring well installations in Zone B, C, and D aquifers; results of shallow soil investigation on Recycled Fibers, Inc. property; update to the risk assessment for soils; results of the investigation of four conduits near the leading edge of the plume; results of soil sampling; results of installation and sampling of a monitoring well in the Zone C aquifer.

Completed Area Name: Newark Group property
Completed Sub Area Name: Not reported
Completed Document Type: Operations and Maintenance Plan Amendment
Completed Date: 08/01/2006
Comments: Soil investigation concluded that pesticides, PCE, TCE, and metals including arsenic were present in soil, however, all contaminants were present at concentrations below human health screening levels (or established background). The proposed design for the repairs includes removal of 1,424 square feet of concrete and asphalt, replacement of the cap in these areas with slab and AC over 12" of aggregate, and sealing of 4,000 linear feet of less severe cracks with joint sealant.

Completed Area Name: Shallow Groundwater
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 12/27/2007
Comments: 2007 GW monitoring report reviewed by DTSC and found to be adequate.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: 5 Year Review Reports
Completed Date: 09/21/2010
Comments: DTSC reviewed the 5-year report and did not have any comments and concurs with the USEPA recommendations in the report and the finding that the selected remedy continues to be protective in the short-term.
Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 07/30/2010
Comments: DTSC have reviewed the shallow groundwater treatment monitoring report and has no comments. This is a USEPA and WaterBoard lead site.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Feasibility Study Workplan
Completed Date: 12/19/2011

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Comments: The USEPA has approved the feasibility study workplan for Lorentz Barrel and Drum. The draft Sampling and Analysis Plan and the draft Quality Assurance Project Plan is due January 4th, 2012.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 12/20/2011
Comments: Lorentz Barrel and Drum submitted the 2011 Annual Groundwater Monitoring Report No. 43.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 01/31/2012
Comments: Groundwater treatment report for September 2011 - December 2011.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 12/16/2011
Comments: Annual groundwater monitoring report from December 1, 2010 through November 30, 2011.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Record of Decision w/ESD
Completed Date: 11/22/2013
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: 5 Year Review Reports
Completed Date: 09/01/2015
Comments: The Fourth Five-Year Review Report identified as a remedy performance issue that the migration of 1,4-dioxane may not be controlled and there is continued diffusion of contamination from the A/B aquitard to Zone A soil vapor and Zone B groundwater. The remedies for OU-1 and OU-2 were determined to be protective of human health and the environment; however, in order for the remedies to be protective in the long-term, the Focused Feasibility Study needs to be completed in order to evaluate the current remedies for both OU-1 and OU-2 and make recommendations to modify the existing remedies or select new remedies for both OUs. .

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

Calsite:
Name: LORENTZ BARREL & DRUM COMPANY

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Address:	1515 SOUTH 10TH STREET
City:	SAN JOSE
Region:	BERKELEY
Facility ID:	43300026
Facility Type:	NPRP
Type:	NPL SITE, RP-FUNDED
Branch:	NC
Branch Name:	NORTH COAST
File Name:	Not reported
State Senate District:	01011985
Status:	ANNUAL WORKPLAN (AWP) - ACTIVE SITE
Status Name:	ANNUAL WORKPLAN - ACTIVE SITE
Lead Agency:	ENVIRONMENTAL PROTECTION AGENCY
NPL:	Listed
SIC Code:	30
SIC Name:	MANU - RUBBER & MISC PLASTICS PRODUCTS
Access:	Controlled
Cortese:	Not reported
Hazardous Ranking Score:	Not reported
Date Site Hazard Ranked:	Not reported
Groundwater Contamination:	Confirmed
Staff Member Responsible for Site:	TPARK
Supervisor Responsible for Site:	Not reported
Region Water Control Board:	SF
Region Water Control Board Name:	SAN FRANCISCO BAY
Lat/Long Direction:	Not reported
Lat/Long (dms):	0 0 0 / 0 0 0
Lat/long Method:	Not reported
Lat/Long Description:	Not reported
State Assembly District Code:	23
State Senate District Code:	13
Facility ID:	43300026
Activity:	PPP
Activity Name:	PUBLIC PARTICIPATION PLAN
AWP Code:	Not reported
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	05301987
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	ORDER

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Activity Name:	I/SE, IORSE, FFA, FFSRA, VCA, EA
AWP Code:	ISE
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	06301987
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	ERA
Activity Name:	EXPEDITED RESPONSE ACTION
AWP Code:	Not reported
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	03301988
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	FRIFS
Activity Name:	FOCUSED REMEDIAL INVESTIGATION/FEASIBILITY STUDY
AWP Code:	GW
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	08301988
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	RAP
Activity Name:	REMEDIAL ACTION PLAN / RECORD OF DECISION
AWP Code:	B
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	09301988
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	ORDER
Activity Name:	I/SE, IORSE, FFA, FFSRA, VCA, EA
AWP Code:	Not reported
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	09301989
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	DES
Activity Name:	DESIGN
AWP Code:	GW
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	06281991
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	RA
Activity Name:	REMOVAL ACTION
AWP Code:	GW- B
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	03301992
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	N
Activity Comments:	DESIGN AND CONSTRUCTION OF A SHALLOW GROUNDWATER SYSTEM, COMPOSING OFA TREATMENT BUILDING.
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	ORDER
Activity Name:	I/SE, IORSE, FFA, FFSRA, VCA, EA
AWP Code:	SOIL

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	10071992
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	RIFS
Activity Name:	REMEDIAL INVESTIGATION / FEASIBILITY STUDY
AWP Code:	SOIL
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	04221993
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	RAP
Activity Name:	REMEDIAL ACTION PLAN / RECORD OF DECISION
AWP Code:	SOIL
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	08261993
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	FRIFS
Activity Name:	FOCUSED REMEDIAL INVESTIGATION/FEASIBILITY STUDY
AWP Code:	DRUM
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	10151993
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	RA
Activity Name:	REMOVAL ACTION
AWP Code:	BLDGS
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	09301994
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	1121
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	N
Activity Comments:	REMOVAL OF FIVE (5) BUILDINGS AND THE PROCESS EQUIPMENTS AND SCRAPWITHIN INCLUDING 17 SUMPS, 7 TANKS AND SEVERAL DEBRIS STOCKPILED.
For Commercial Reuse:	0

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	RA
Activity Name:	REMOVAL ACTION
AWP Code:	CAP
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	09301994
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	X
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	N
Activity Comments:	APPROXIMATELY 184,000 SQUARE FEET OF EXPOSED SOIL AND SUMP SURFACESWERE SEALED WITH OIL AND CHIP SEAL MATERIAL.
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	RA
Activity Name:	REMOVAL ACTION
AWP Code:	DRUM
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	09301994
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	36
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	N
Activity Comments:	REMOVAL AND TREATMENT OF 1200 DRUMS. REMOVAL OF LIQUID AND SOLIDHAZARDOUS WASTES.
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	COST
Activity Name:	COST RECOVERY
AWP Code:	SETTL

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	05231995
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	RMDL
Activity Name:	REMEDIAL ACTION (RAP REQUIRED)
AWP Code:	SVE
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	09281998
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	N
Activity Comments:	USEPA INSTALLED THE SVE SYSTEM AND WILL BE NEGOTIATING WITH RPSTO TAKE OVER OPERATION OF THE SYSTEM.
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	COST
Activity Name:	COST RECOVERY
AWP Code:	SETTL
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	09231996
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	DES
Activity Name:	DESIGN
AWP Code:	SVE
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	05151998
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	DES
Activity Name:	DESIGN
AWP Code:	CAP
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	05151998
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	RMDL
Activity Name:	REMEDIAL ACTION (RAP REQUIRED)
AWP Code:	CAP
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	09281998
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	900
Liquids Treated (Gals):	0
Action Included Capping:	X
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	N
Activity Comments:	A ONE ACRE ASPHALT CAP WAS INSTALLED ON THE SITE.
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	COST
Activity Name:	COST RECOVERY
AWP Code:	SETTL
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	09161997
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	RAP
Activity Name:	REMEDIAL ACTION PLAN / RECORD OF DECISION
AWP Code:	ESD
Proposed Budget:	0
AWP Completion Date:	Not reported

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Revised Due Date:	Not reported
Comments Date:	05211998
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	RAP
Activity Name:	REMEDIAL ACTION PLAN / RECORD OF DECISION
AWP Code:	AMEND
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	03101998
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	DEED
Activity Name:	DEED RESTRICTIONS
AWP Code:	Not reported
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	03062002
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	PPA
Activity Name:	PROSPECTIVE PURCHASER AGREEMENT
AWP Code:	APPRO
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	01232002
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	43300026
Activity:	COST
Activity Name:	COST RECOVERY
AWP Code:	SOF
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	03012002
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Alternate Address:	1515 SOUTH 10TH STREET
Alternate City,St,Zip:	SAN JOSE, CA 95112
Background Info:	This facility operated as a drum reconditioning facility from 1946 to 1987. Drums containing solvents, pesticides, and other materials from numerous sources were cleaned, recoated and sold for reuse.
Comments Date:	01232002
Comments:	Approved the Prospective Purchaser Agreement.
Comments Date:	01272004
Comments:	Cost Recovery Settlement wiht the Primary Large Quantity
Comments Date:	01272004
Comments:	Generators. Court approved the settlement this date.
Comments Date:	03101998
Comments:	US EPA approved a ROD amendment for groundwater treatment
Comments Date:	03101998
Comments:	process.
Comments Date:	03301988
Comments:	Implemented an Expedited Response Action (ERA). The ERA
Comments Date:	03301988
Comments:	consisted of the following activities: drum inventory;
Comments Date:	03301988
Comments:	construction of decontamination facilities; removal of
Comments Date:	03301988
Comments:	polychlorinated biphenyl (PCB) contaminated pits, which were
Comments Date:	03301988
Comments:	later backfilled with clean soil and capped; removal, recycling,
Comments Date:	03301988
Comments:	or treatment of thousands of gallons of processed plant liquids;
Comments Date:	03301988
Comments:	removal of 15 tons of contaminated scrap; and designed a surface
Comments Date:	03301988
Comments:	water control plan, which were submitted to EPA for
Comments Date:	03301988
Comments:	implementation. EPA installed a chip seal over approximately
Comments Date:	03301988
Comments:	two thirds of a five-acre site. Demobilization occurred at the
Comments Date:	03301988
Comments:	end of March 1988. A total of 21,286 drums, 1,330 tons of scrap
Comments Date:	03301988
Comments:	metal, and 2,982 cubic yards of contaminated soil were removed
Comments Date:	03301988
Comments:	from the site.
Comments Date:	03311992
Comments:	RA: Shallow groundwater pump and treatment system.
Comments Date:	04222005
Comments:	Cost Recovery Settlement with the Newark Group signed today.
Comments Date:	05211998
Comments:	US EPA approved an ESD for soil remediation process.
Comments Date:	05231995
Comments:	Effective date of the administrative order consent for de
Comments Date:	05231995
Comments:	minimis settlement on this site. The settlement pertains to 89
Comments Date:	05231995
Comments:	parties. Per the settlement, the parties are required to submit
Comments Date:	05231995
Comments:	payment into an escrow account within 120 days.
Comments Date:	06301987

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Comments:	Determined Noncompliance with the RAO issued in February 1987.
Comments Date:	08261993
Comments:	EPA issued ROD for soil operable unit. The ROD covered the
Comments Date:	08261993
Comments:	soils/source remediation.
Comments Date:	08301988
Comments:	Completed FRIFS. Groundwater pump-and-treat system was an
Comments Date:	08301988
Comments:	effective method for remediating the shallow groundwater.
Comments Date:	09161997
Comments:	Effective date of the administrative consent order for the
Comments Date:	09161997
Comments:	3rd round of the cost recovery de minimus settlement.
Comments Date:	09161997
Comments:	Checks are to be submitted within the next 120 days.
Comments Date:	09231996
Comments:	Effective date of the administrative consent order for the
Comments Date:	09231996
Comments:	2nd round of cost recovery de minimus settlement. Checks
Comments Date:	09231996
Comments:	are to be submitted within the next 120 days.
Comments Date:	09281996
Comments:	EPA completed construction of asphalt cap and soil vapor
Comments Date:	09281996
Comments:	extraction system.
Comments Date:	09301988
Comments:	EPA issued ROD for GW operable unit.
Comments Date:	09301989
Comments:	EPA issued a Consent Decree with 11 PRP's to implement
Comments Date:	09301989
Comments:	groundwater remediation recommended by the ROD. In May 1989,
Comments Date:	09301989
Comments:	EPA conducted an investigation, identifying approximately 200
Comments Date:	09301989
Comments:	companies who had delivered drums and barrels to the former Drum
Comments Date:	09301989
Comments:	Recycling Facility.
Comments Date:	09301994
Comments:	EPA completed 3 separate removal actions. RA #1. Removal of 5
Comments Date:	09301994
Comments:	buildings and the process equipment and scrap within including
Comments Date:	09301994
Comments:	17 sumps, 7 tanks and several debris stockpiled. At the end of
Comments Date:	09301994
Comments:	this RA, 1033 tons of industrial wastes, 15 tons of liquid
Comments Date:	09301994
Comments:	hazardous was and 73 tons of solid hazardous waste was shipped
Comments Date:	09301994
Comments:	off-site for disposal. RA #2. Removal of 1200 drums, 150
Comments Date:	09301994
Comments:	drums containing solvents, 350 drums containing debris and 23
Comments Date:	09301994
Comments:	drums contain- ing ash and liquids. Removal of tanks, vats,
Comments Date:	09301994
Comments:	sumps, and process equipment. Removal of 1.18 tons of asbestos
Comments Date:	09301994
Comments:	containing building materials. RA #3. Paving of previously and

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Comments Date: 09301994
Comments: newly exposed surface soil resulting from the above removal
Comments Date: 09301994
Comments: actions. Paving used a chip seal material. Approximately 4 and
Comments Date: 09301994
Comments: 1/4 acres were sealed.
Comments Date: 11292001
Comments: Signed Prospective Purchaser Agreement (PPA) with a prospective
Comments Date: 11292001
Comments: buyer.
ID Name: CALSTARS CODE
ID Value: 200061
ID Name: EPA IDENTIFICATION NUMBER
ID Value: CAD029295706
ID Name: BEP DATABASE PCODE
ID Value: P21039
Alternate Name: LORENTZ BARREL AND DRUM COMPANY
Alternate Name: LORENTZ BARREL & DRUM COMPANY
Alternate Name: 10TH STREET LAND MANAGEMENT CORPORATION
Alternate Name: Not reported
Special Programs Code: MSCA
Special Programs Name: MULTI-SITE COOPERATIVE AGREEMENT

HIST UST:
Name: LORENTZ BARREL & DRUM CO., INC
Address: 1515 S 10TH ST
City,State,Zip: SAN JOSE, CA 95112
File Number: Not reported
URL: Not reported
Region: STATE
Facility ID: 00000049289
Facility Type: Other
Other Type: STEEL DRUM RECONDITI
Contact Name: E. LORENTZ, OWNER
Telephone: 4082927037
Owner Name: LORENTZ BARREL & DRUM CO., INC
Owner Address: 1515 SOUTH 10TH ST.
Owner City,St,Zip: SAN JOSE, CA 95112
Total Tanks: 0001

Tank Num: 001
Container Num: 1
Year Installed: Not reported
Tank Capacity: 00001000
Tank Used for: WASTE
Type of Fuel: Not reported
Container Construction Thickness: Not reported
Leak Detection: None

LIENS 2:
Facility name: LORENTZ BARREL & DRUM CO.
Facility address: 1515 S 10TH ST
SAN JOSE, CA 95112
EPA ID: CAD029295706
Effective date: Not reported
Lien: LP-1

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Party name: Not reported
Reg: 09
Release date: Not reported
Start date: 08/30/1989
Complete date: Not reported

DEED:
Name: LORENTZ BARREL & DRUM COMPANY
Address: 1507 SOUTH 10TH STREET
City,State,Zip: SAN JOSE, CA 95112
Envirostor ID: 43300026
Area: NEWARK GROUP PROPERTY
Sub Area: Not reported
Site Type: FEDERAL SUPERFUND
Status: ACTIVE
Agency: Not reported
Covenant Uploaded: Not reported
Deed Date(s): 06/10/2005
File Name: Envirostor Land Use Restrictions

Name: LORENTZ BARREL & DRUM COMPANY
Address: 1507 SOUTH 10TH STREET
City,State,Zip: SAN JOSE, CA 95112
Envirostor ID: 43300026
Area: 10TH STREET LAND MANAGEMENT PROPERTY
Sub Area: Not reported
Site Type: FEDERAL SUPERFUND
Status: ACTIVE
Agency: Not reported
Covenant Uploaded: Not reported
Deed Date(s): 03/06/2002
File Name: Envirostor Land Use Restrictions

RCRA NonGen / NLR:
Date form received by agency: 01/17/1995
Facility name: LORENTZ BARREL & DRUM CO INC
Facility address: 1515 S 10TH ST
SAN JOSE, CA 95112
EPA ID: CAD029295706
Mailing address: SANSOME ST
SAN FRANCISCO, CA 94111-3143
Contact: BRUCE KLAFTER
Contact address: 400 SANSOME ST
SAN FRANCISCO, CA 94111-3143
Contact country: US
Contact telephone: 415-773-5576
Contact email: Not reported
EPA Region: 09
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: LORENTZ ERNEST
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Owner/operator country: Not reported
Owner/operator telephone: 415-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: 415-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Facility Has Received Notices of Violations:
Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 03/01/1985
Date achieved compliance: 03/08/1988
Violation lead agency: State
Enforcement action: FINAL CIVIL JUDICIAL ACTION FOR IMMINENT AND SUBSTANTIAL ENDANGERMENT
Enforcement action date: 06/01/1987
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Area of violation: Generators - General
Date violation determined: 03/01/1985
Date achieved compliance: 03/08/1988
Violation lead agency: State
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 08/27/1985
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 07/12/1985
Evaluation: COMPLIANCE SCHEDULE EVALUATION
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 03/18/1985
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 03/11/1985
Evaluation: FOCUSED COMPLIANCE INSPECTION
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 03/01/1985
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - General
Date achieved compliance: 03/08/1988
Evaluation lead agency: State

ROD:
EPA ID: CAD029295706
RG: 9
Site ID: 901287
Name: LORENTZ BARREL & DRUM CO.
Action: GOVT Decision Document (ROD)
Operable Unit Number: SHALLOW GW
SEQ ID: 1
Action Completion: 1988-09-25 00:00:00
NPL Status: Final
Non NPL Status: Not reported

EPA ID: CAD029295706

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

RG: 9
Site ID: 901287
Name: LORENTZ BARREL & DRUM CO.
Action: GOVT Decision Document (ROD)
Operable Unit Number: OVERALL SITE/SVE
SEQ ID: 2
Action Completion: 1993-08-26 00:00:00
NPL Status: Final
Non NPL Status: Not reported

EPA ID: CAD029295706
RG: 9
Site ID: 901287
Name: LORENTZ BARREL & DRUM CO.
Action: GOVT ESD
Operable Unit Number: OVERALL SITE/SVE
SEQ ID: 1
Action Completion: 1998-05-29 00:00:00
NPL Status: Final
Non NPL Status: Not reported

EPA ID: CAD029295706
RG: 9
Site ID: 901287
Name: LORENTZ BARREL & DRUM CO.
Action: GOVT ESD
Operable Unit Number: SHALLOW GW
SEQ ID: 2
Action Completion: 1998-04-24 00:00:00
NPL Status: Final
Non NPL Status: Not reported

EPA ID: CAD029295706
RG: 9
Site ID: 901287
Name: LORENTZ BARREL & DRUM CO.
Action: GOVT ESD
Operable Unit Number: OVERALL SITE/SVE
SEQ ID: 3
Action Completion: 2013-09-26 00:00:00
NPL Status: Final
Non NPL Status: Not reported

PRP:
PRP Name: A & B PAINTING, INC.
ADHESIVE CONSULTANTS
ADHESIVE CONSULTANTS CORP.
AERVOE PACIFIC
AERVOE PACIFIC
AJ DAW PRINTING INK CO
AJ RAISCH PAVING CO
ALAMEDA DEFENSE LOGISTICS FAC.
ALBUQUERQUE ENTERPRISES
ALCAL ROOFING
ALLGOOD INDUSTRIES
ALMADEN VINEYARDS, INC.
AMCHEM PRODUCTS, INC.

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

AMERICAN CAN CO
AMERICAN CONTRACTING
AMERICAN HOME FOODS
AMOCO
AMPEX CORP
AMSCO
ANACOMP
ANDERSON, R.R.
ANGRAY MERCHANDIZING CORP.
APACHE ENTERPRISE
APEX MARBLE, INC.
ARMOUR GROCERY PRODUCTS CO.
ARTESIA DOOR CO.
ARTESIA DOOR CO.
ASHLAND CHEMICAL CO
ASHLAND CHEMICAL COMPANY
ASHLAND CHEMICAL COMPANY
ASHLAND OIL, INC.
AUTO BODY SUPPLY WAREHOUSE, INC
B & W CHEMICAL, INC.
B & W CHEMICALS, INC.
B.W. NORTON MANUFACTURING CO.
BAY AREA PETROLEUM
BAYDAY CHEMICAL
BAYSIDE OIL CO.
BEATRICE FOODS CO.
BEECH NUT
BELL INDUSTRIES
BELVEDERE LABS
BILL MITCHELL DRUM
BOEHRINGER & MANNHEIM DIAGNOSTICS, INC.
BOISE CASCADE CORP
BORDEN, INC.
BRUCE CHURCH CO.
BRYANT CO., INC./ACS HOLDING CO., INC.
BUILDERS CABINET CO.
BURKE INDUSTRIES
BURKE INDUSTRIES CO.
CAL STONE
CALDO OIL CO.
CALIFORNIA CHEESE CO.
CALIFORNIA ROOFING CO., INC.
CALNAP TANNING CO.
CALRESIN CO.
CAPITOL PACKAGING
CASTLE SALES
CENTRAL COATING

Click this hyperlink while viewing on your computer to access
309 additional PRP: record(s) in the EDR Site Report.

ICIS:
Enforcement Action ID: 09-2005-0079
FRS ID: 110002641954
Action Name: Lorentz Barrel and Drum
Facility Name: LORENTZ BARREL & DRUM CO INC
Facility Address: 1515 S 10TH ST

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

	SAN JOSE, CA 95112
Enforcement Action Type:	Civil Judicial Action
Facility County:	SANTA CLARA
Program System Acronym:	ICIS
Enforcement Action Forum Desc:	Judicial
EA Type Code:	CIV
Facility SIC Code:	Not reported
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	37.31861
Longitude in Decimal Degrees:	-121.8644
Permit Type Desc:	Not reported
Program System Acronym:	7150
Facility NAICS Code:	Not reported
Tribal Land Code:	Not reported

Enforcement Action ID:	09-2003-0005
FRS ID:	110002641954
Action Name:	California Resin and Chemical (Bankruptcy)
Facility Name:	LORENTZ BARREL & DRUM CO INC
Facility Address:	1515 S 10TH ST
	SAN JOSE, CA 95112
Enforcement Action Type:	Bankruptcy
Facility County:	SANTA CLARA
Program System Acronym:	ICIS
Enforcement Action Forum Desc:	Judicial
EA Type Code:	BNK
Facility SIC Code:	Not reported
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	37.31861
Longitude in Decimal Degrees:	-121.8644
Permit Type Desc:	Not reported
Program System Acronym:	7150
Facility NAICS Code:	Not reported
Tribal Land Code:	Not reported

Enforcement Action ID:	09-2002-0184
FRS ID:	110002641954
Action Name:	Lorentz Barrel and Drum
Facility Name:	LORENTZ BARREL & DRUM CO INC
Facility Address:	1515 S 10TH ST
	SAN JOSE, CA 95112
Enforcement Action Type:	Civil Judicial Action
Facility County:	SANTA CLARA
Program System Acronym:	ICIS
Enforcement Action Forum Desc:	Judicial
EA Type Code:	CIV
Facility SIC Code:	Not reported
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	37.31861
Longitude in Decimal Degrees:	-121.8644
Permit Type Desc:	Not reported
Program System Acronym:	7150
Facility NAICS Code:	Not reported
Tribal Land Code:	Not reported

Enforcement Action ID:	09-2002-0034
FRS ID:	110002641954

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Action Name:	LORENTZ BARREL AND DRUM - PPA
Facility Name:	LORENTZ BARREL & DRUM CO INC
Facility Address:	1515 S 10TH ST SAN JOSE, CA 95112
Enforcement Action Type:	Prospective Purchaser Agreement
Facility County:	SANTA CLARA
Program System Acronym:	ICIS
Enforcement Action Forum Desc:	Administrative - Formal
EA Type Code:	PPA
Facility SIC Code:	Not reported
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	37.31861
Longitude in Decimal Degrees:	-121.8644
Permit Type Desc:	Not reported
Program System Acronym:	7150
Facility NAICS Code:	Not reported
Tribal Land Code:	Not reported

Enforcement Action ID:	09-1996-0028
FRS ID:	110002641954
Action Name:	LORENTZ BARREL AND DRUM
Facility Name:	LORENTZ BARREL & DRUM CO INC
Facility Address:	1515 S 10TH ST SAN JOSE, CA 95112
Enforcement Action Type:	CERCLA 122G Admin. Deminimis Cost Recov Settlement (Old)
Facility County:	SANTA CLARA
Program System Acronym:	ICIS
Enforcement Action Forum Desc:	Administrative - Formal
EA Type Code:	122G
Facility SIC Code:	Not reported
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	37.31861
Longitude in Decimal Degrees:	-121.8644
Permit Type Desc:	Not reported
Program System Acronym:	7150
Facility NAICS Code:	Not reported
Tribal Land Code:	Not reported

Facility Name:	LORENTZ BARREL & DRUM CO INC
Address:	1515 S 10TH ST
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported

Facility Name:	LORENTZ BARREL & DRUM CO INC
Address:	1515 S 10TH ST
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported

Facility Name:	LORENTZ BARREL & DRUM CO INC
Address:	1515 S 10TH ST
Tribal Indicator:	N
Fed Facility:	No

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

Facility Name: LORENTZ BARREL & DRUM CO INC
Address: 1515 S 10TH ST
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: Not reported

CONSENT:
EPA ID: CAD029295706
Site ID: Not reported
Case Title: Not reported
Court Num: Not reported
District: Not reported
Entered Date: Not reported
Name: US V. E.I. DU PONT DE NEMOURS & CO.
Address: 1515 S 10TH ST
City: SAN JOSE
County: Not reported
State: CA
Zip: 95112

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

FINDS:

Registry ID: 110002641954

Environmental Interest/Information System

California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.

SUPERFUND NPL

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

STATE MASTER

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000208886
Registry ID:	110002641954
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002641954

CORTESE:

Name:	LORENTZ BARREL & DRUM COMPANY
Address:	1507 SOUTH 10TH STREET
City,State,Zip:	SAN JOSE, CA 95112
Region:	CORTESE
Envirostor Id:	43300026
Global ID:	Not reported
Site/Facility Type:	FEDERAL SUPERFUND - LISTED
Cleanup Status:	ACTIVE - LAND USE RESTRICTIONS
Status Date:	01/01/1985
Site Code:	200061

LORENTZ BARREL & DRUM CO. (Continued) **1000208886**

Latitude:	37.318644
Longitude:	-121.86554
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	envirostor
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Haz Waste & Substances Sites

A1 **SPARTAN STATION** **EDR Hist Auto** **1009000845**
ESE **498 S 4TH ST** **N/A**
< 1/8 **SAN JOSE, CA 95112**
0.020 mi.
108 ft. **Site 1 of 6 in cluster A**

Relative: EDR Hist Auto
Higher

Actual:
99 ft.

Year:	Name:	Type:
1950	SAAVON SERVICE STATION	GASOLINE STATIONS
1966	PURITAN OIL CO	GASOLINE STATIONS
1969	PURITAN OIL CO	Gasoline Service Stations
1969	PURITAN OIL CO	Gasoline Service Stations
1970	PURITAN OIL CO	GASOLINE STATIONS
1970	PURITAN OIL CO	Gasoline Service Stations
1971	HALSTEAD STAN	Gasoline Service Stations
1971	PURITAN OIL CO	Gasoline Service Stations
1972	PURITAN OIL CO	Gasoline Service Stations
1972	HALSTEAD STAN	Gasoline Service Stations
1973	HALSTEAD STAN	Gasoline Service Stations
1974	HALSTEAD STAN	Gasoline Service Stations
1975	SPARTON OIL CO	GASOLINE STATIONS
1975	HALSTEAD STAN	Gasoline Service Stations
1991	SPARTAN STATION	Gasoline Service Stations, NEC
1992	SPARTAN STATION	Gasoline Service Stations, NEC
1993	SPARTAN STATION	Gasoline Service Stations, NEC
1994	SPARTAN STATION	Gasoline Service Stations, NEC
1995	SPARTAN STATION	Gasoline Service Stations, NEC
1996	SPARTAN STATION	Gasoline Service Stations, NEC
1997	SPARTAN STATION	Gasoline Service Stations, NEC
2008	SPARTAN STATION	Gasoline Service Stations, NEC
2009	SPARTAN STATION	Gasoline Service Stations, NEC
2010	SPARTAN STATION	Gasoline Service Stations, NEC
2011	LEE SERVICE STATION	Gasoline Service Stations
2011	SPARTAN STATION	Gasoline Service Stations, NEC
2012	LEE SERVICE STATION	Gasoline Service Stations
2012	SPARTAN STATION	Gasoline Service Stations, NEC
2013	LEE SERVICE STATION	Gasoline Service Stations
2014	LEE SERVICE STATION	Gasoline Service Stations

A2
ESE
< 1/8
0.020 mi.
108 ft.

Relative:
Higher

Actual:
99 ft.

SUPER GAS & MART
498 S 4TH ST
SAN JOSE, CA 95112

Site 2 of 6 in cluster A

CA LUST **U001602644**
CA HIST LUST **N/A**
CA CERS HAZ WASTE
CA SWEEPS UST
CA HIST UST
CA CERS TANKS
CA CUPA Listings
CA HAZMAT
CA CERS

LUST REG 2:

Region:	2
Facility Id:	Not reported
Facility Status:	Pollution Characterization
Case Number:	07S1E17B03f
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	12/2/1988
Pollution Characterization Began:	12/27/1988
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

LUST SANTA CLARA:

Name:	SPARTAN GAS STATION
Address:	498 S 4TH ST
City,State,Zip:	SAN JOSE, CA
Region:	SANTA CLARA
SCVWD ID:	07S1E17B03F
Date Closed:	Not reported
EDR Link ID:	07S1E17B03F

HIST LUST SANTA CLARA:

Name:	Spartan Gas Station
Address:	498 S 4th St
City:	San Jose
Region:	SANTA CLARA
Region Code:	2
SCVWD ID:	07S1E17B03
Oversite Agency:	SCVWD
Date Listed:	1995-07-17 00:00:00
Closed Date:	Not reported

CERS HAZ WASTE:

Site ID:	155671
CERS ID:	10353391
CERS Description:	Hazardous Waste Generator

Violations:

Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-26-2015
Citation:	Un-Specified
Violation Description:	UST Program - Administration/Documentation - For use of Local

SUPER GAS & MART (Continued) **U001602644**

	Ordinance only
Violation Notes:	No responses to the outstanding Notice of Violations, dated 10/28/2013 and 10/27/2014 have been received by this office.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-26-2015
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	No Letter from the CFO for the current time period has been made available.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-28-2013
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain and maintain a valid operation permit from the CUPA.
Violation Notes:	Returned to compliance on 10/28/2013. Your facility did not apply for a UST Permit upon obtaining ownership within 30 days. Note: This violation has been corrected and the required UST paperwork has been received. A new 5 year Permit to Operate will be issued upon completion of Secondary Containment testing and payment of permit fees.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-26-2015
Citation:	HSC 6.7 25299 - California Health and Safety Code, Chapter 6.7, Section(s) 25299
Violation Description:	Failure to comply with one or more of the operating permit conditions.
Violation Notes:	Not reported
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	HSC 6.7 25290.1(c),25290.2(c),25291(a)(2),2529.1(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c),25290.2(c),25291(a)(2),2529.1(e)
Violation Description:	Failure to maintain secondary containment (e.g., failure of secondary containment testing).
Violation Notes:	Returned to compliance on 12/03/2018. Secondary containment testing conducted on 11/07/16 demonstrated that secondary product line for the

SUPER GAS & MART (Continued) **U001602644**

87 tank failed when tested at the Hex nut O ring at UDC 3/4. This violation was also issued on Notices of Inspection issued on 11/07/2016 and 10/12/2017. Mr. Ahuja was first notified of this violation on 10/12/17. There are currently no records on-site showing a repair or replacement of this equipment. Provide to our office in writing an explanation of how this issue will be resolved. Repair permits will be required by our Department to make the necessary repairs.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-15-2018
Citation: 23 CCR 16 2712(b)(1) and (2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1) and (2)
Violation Description: Failure to maintain monitoring records for release detection and/or maintain records of appropriate follow-up actions.
Violation Notes: Returned to compliance on 10/31/2018. Previous secondary containment testing results and prior monitoring certifications were not available on-site for review.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-27-2014
Citation: 22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description: Failure to obtain and/or maintain an Active EPA ID.
Violation Notes: Violation remains uncorrected from 10/28/2013.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-15-2018
Citation: 23 CCR 16 2632(d)(1)(c),2641(h),2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632(d)(1)(c),2641(h),2711(a)(8)
Violation Description: Failure to submit or maintain a current facility plot plan.
Violation Notes: Returned to compliance on 10/31/2018. Site plot plan submitted via CERS do not have piping routes and do not specify locations of all monitoring equipment.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-28-2013
Citation: 22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description: Failure to obtain and/or maintain an Active EPA ID.

SUPER GAS & MART (Continued) **U001602644**

Violation Notes:	Facility generates hazardous waste from spills and clean-up activities, but does not have an EPA ID Number. Please utilize the provided form to apply for a NEW EPA ID number for your facility.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	23 CCR 16 2715(a)(1)(B) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(1)(B)
Violation Description:	Failure to submit the ?Designated Underground Storage Tank Operator Identification Form? within 30 days of installing a UST system or within 30 days of a change in DO.
Violation Notes:	Returned to compliance on 10/31/2018. Facility uploaded a different document in place of the DUSTO notification on CERS. Form was complete and available for review on-site. Upload hard copy form into CERS and resubmit.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-28-2013
Citation:	23 CCR 16 2637 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637
Violation Description:	Failure to comply with one or more of the following: conduct secondary containment testing, within six months of installation and every 36 months thereafter, conducted in accordance with proper practices, protocols, or test methods.
Violation Notes:	Secondary Containment testing of your UST system was due in Sept. 2012. Have testing for secondary testing scheduled in the next 30 days and perform testing. Submit copies of Secondary Containment testing to this agency within 30 days of the testing date.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	11-07-2016
Citation:	HSC 6.7 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e)
Violation Description:	Failure to maintain secondary containment (e.g. failure of secondary containment testing).
Violation Notes:	Returned to compliance on 10/15/2018. . Failure of the 87 product line secondary containment was observed today. This shall be serviced, repaired, or replaced as appropriate. .
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart

SUPER GAS & MART (Continued) **U001602644**

Violation Date:	10-26-2015
Citation:	HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description:	Haz Waste Generator Program - Administration/Documentation - General
Violation Notes:	No response to the Hazardous Waste Violations as identified on the Notice of Inspections dated 10/28/2013 and 10/27/2014 have been received by this office.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-12-2017
Citation:	HSC 6.7 25284(a)(3)(A) & (B); - California Health and Safety Code, Chapter 6.7, Section(s) 25284(a)(3)(A) & (B);
Violation Description:	Failure to implement or maintain a written agreement between the UST permit holder and the operator (owner/operator agreement).
Violation Notes:	Returned to compliance on 10/31/2018. A UST owner/operator agreement has not been uploaded on CERS to reflect the change is business owner. The business owner is no longer the same as the tank owner. Provide a copy of this agreement. A sample template copy of this agreement was provided via e-mail to the business owner.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-12-2017
Citation:	HSC 6.7 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e)
Violation Description:	Failure to maintain secondary containment (e.g. failure of secondary containment testing).
Violation Notes:	The last SB989 (secondary containment testing) was conducted on 11/07/2016. On the Secondary Containment Testing Report it was noted that secondary product line for the 87 tank failed when tested at the Hex nut O ring at UDC 3/4. Technician recommended that this be repair and or replace. Additionally, a violation was also issued for this same problem on the inspection report issued on 11/07/2016 by an inspector from our Department. At this time there are no records to show that this issue has been resolved. Provide to our office in writing an explanation how this issue will be resolved. Repair permits will be required by our Department to make the necessary repairs.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-12-2017
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain a valid permit to operate from the CUPA.
Violation Notes:	A UST permit to operate has not been issued and needs to be updated on CERS to reflect the change in operations. As of May 2017 there is a

SUPER GAS & MART (Continued) **U001602644**

new owner at this location and the information is as follows; Eric Ahuja (Individual own) Business Name; Super Gas & Mart e-mail; ahuja2924@gmail.com Update the information above on CERS to reflect the current information.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-15-2018
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to have an approved UST Response Plan.
Violation Notes: Returned to compliance on 10/31/2018. Facility uploaded a contingency plan document instead of the required Response Plan in CERS. Complete the correct emergency response plan and delete the old contingency plan.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-15-2018
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to have an approved UST Monitoring Plan.
Violation Notes: Returned to compliance on 10/31/2018. Facility must make the following corrections to monitoring plan uploaded in CERS for it to be approved: Tank 1 and Tank 2 Tank information pages lists ?yes? to audible and visual overfill protection. This box must be checked ?no? for each tank. Tank 2 must check ?yes? for Fill Tube Shut-off Valve, ?yes? to Spill Buckets and Striker Plate/ Bottom Protector, and ?none? to Vent Piping Transition Sumps. Tank 1 Monitoring plan lists ?yes? to Monthly Statistical Inventory Reconciliation, Weekly Manual Tank Gauge, and Tank Integrity Testing. Pipe monitoring section lists ?yes? to Electronic line leak detector section. These items must be marked as ?No?. Tank 2 Monitoring plan incorrectly lists sump leak sensor as ?Veeder Root 794390420?. Sensor must be listed as ?794380208?. A marked-up copy of CERS printout was provided.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-27-2014
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Letter from Chief Financial Officer (CFO) has not been updated for current year. Letter must be updated within 150 days of end of previous calendar year (around the end of May). Upload an updated CFO letter via the California Environmental Reporting System (CERS) website within 30 days.

SUPER GAS & MART (Continued) **U001602644**

Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-26-2015
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:	No HMBP submittal has been made since 10/28/2013.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	40 CFR 1 265.33 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.33
Violation Description:	Failure to test and maintain as necessary all facility communications or alarm systems, fire protection equipment, spill control equipment, and decontamination equipment to assure its proper operation in time of emergency.
Violation Notes:	Returned to compliance on 10/31/2018. Fire extinguishers were last serviced on May 11, 2016. Fire extinguishers must be annually serviced. Schedule this service and provide a copy of the invoice once it is complete. No spill control material was observed at the time of inspection. Facility must maintain a stock of spill control equipment and replace materials when they are used.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-28-2013
Citation:	22 CCR 12 66262.40(c) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(c)
Violation Description:	Failure to determine if the waste generated is a hazardous waste and to maintain analysis results for three years.
Violation Notes:	The waste absorbent material from spills is being disposed of to the trash.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-28-2013
Citation:	23 CCR 16 2715(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(f)
Violation Description:	Failure to comply with one or more of the following: provide training to facility employee(s) responsible for proper operation and maintenance every 12 months and/or train new employee(s) who are responsible for proper operation and maintenance within 30-days of

SUPER GAS & MART (Continued) **U001602644**

	hire and/or to have at least one employee present during operating hours that has been trained in the proper operation and maintenance of the UST system.
Violation Notes:	Training was not properly documented for Ming Zhang, date of training for Ming Zhang was not noted. No other facility employees have been trained or documented for the facility employees. Note: Owner Ming Zhang indicated he was trained by the DUSTO on 2-15-13.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	Returned to compliance on 10/31/2018. Facility has not submitted a complete Hazardous Materials Business Plan via CERS since the change of ownership in 2017.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-28-2013
Citation:	23 CCR 16 2636(f)(5) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(5)
Violation Description:	Failure to maintain all product piping outside the dispenser to be fail-safe and shut down the pump when a leak is detected and the monitoring system shuts down the pump or flow restriction occurs when a leak is detected in the under dispenser containment.
Violation Notes:	It was noted the system set-up did not include proper relay programming for Sensor Short Alarm. Note: The programming was corrected while onsite today, no further action is required.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	Un-Specified
Violation Description:	Hazardous Waste Generator Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 10/31/2018. Facility must check ?yes? to the question, ?Does your facility generate hazardous waste?? and include the EPA ID number on the business activities page listed in CERS. Make these corrections and resubmit.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

SUPER GAS & MART (Continued) **U001602644**

Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-26-2015
Citation:	22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description:	Failure to obtain and/or maintain an Active EPA ID.
Violation Notes:	No EPA ID # has been activated. This is a repeated violation, elevated to a class II Violation
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-25-2016
Citation:	23 CCR 6.7 25284, 25286 - California Code of Regulations, Title 23, Chapter 6.7, Section(s) 25284, 25286
Violation Description:	Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes:	Returned to compliance on 10/15/2018. . See CERS for status and comments. .
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes:	Returned to compliance on 10/31/2018. Facility has not submitted a complete Hazardous Materials Business Plan via CERS since the change of ownership in 2017.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-27-2014
Citation:	HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description:	Haz Waste Generator Program - Administration/Documentation - General
Violation Notes:	No response to violations noted in 10/28/2013 Official Notice of Inspection (NOI) has been submitted. Complete the "Corrective Actions Taken" column and "Certification of Compliance" signature section and return that NOI within 30 days along with this NOI also completed that way.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	155671
Site Name:	Super Gas & Mart

SUPER GAS & MART (Continued) **U001602644**

Violation Date:	10-12-2017
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Returned to compliance on 10/31/2018. A copy of the CFO letter for this year was not available at the facility for review as it is stated on CERS. Provide a current copy of the CFO letter either by uploading it to CERS or by having it available at the facility.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)
Violation Description:	Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1,?2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October?1,?2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.
Violation Notes:	Overfill prevention inspection was not conducted by 10/13/2018.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-25-2016
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Returned to compliance on 10/15/2018. . No evidence provided by the Chief Financial Officer is available for this year, in CERS or on-site. .

SUPER GAS & MART (Continued) **U001602644**

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-28-2013
Citation: 23 CCR 16 2636(f)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(2)
Violation Description: Failure of the pressurized piping to meet one or more of the following requirements: monitored at least hourly with the capability of detecting a release of 3.0 gallons per hour, and will restrict the flow of product through the piping or trigger an alarm when a release occurs.
Violation Notes: The 87 Vaporless line leak detector failed initial testing. The leak detector was adjusted and re-tested today, then passed. No further action is required.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-15-2018
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes: Facility owner has not been issued a permit to operate. Permit application listed in CERS lists the operator as Eric Ahuja while financial responsibility documents list the operator as Super Gas & Mart. Correct this discrepancy in CERS and resubmit. Then provide documentation of corrective actions for all violations listed in this report. In order for a permit to operate to be issued, all violations must be addressed and all required information on CERS must be complete.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-15-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: CERS ID 10353391. Ownership of the tanks was changed in 2017 and previous owner submitted the last completed copy of the Hazardous Materials Business Plan on 11/15/16. Facility has the following reportable hazardous materials: 15,000 gallons of gasoline
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-15-2018
Violations Found: Yes
Eval Type: Routine done by local agency

SUPER GAS & MART (Continued) **U001602644**

Eval Notes:	On-site for a hazardous waste inspection. Facility is a gas station that generates waste fuel and water for gas tank spill buckets. EPA ID CAL000437804 is currently active but no waste has been shipped yet. Observed 1x30 gallon drum of hazardous waste that is less than half full. The following violations were corrected at the time of inspection by the Mr. Ahuja: G211 Emergency Information Posting: Facility did not have emergency information posted at the time of inspection. Mr. Ahuja was given a template posting to fill out and post at the time of inspection. G020 Marking of Hazardous Waste: Observed 1x30 gallon drum of waste sump liquid with no markings at the time of inspection. Mr. Ahuja was given a completed label to place on the drum.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	10-31-2016
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	write-up
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-26-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	I am on site, at 498 S 4th St, San Jose, for the 2015 Hazardous Waste Permit Inspection. Christine Wu, Manager/Owner, is on site to provide records review and site access. No Response. No EPA ID #.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-26-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	I am on site, at 498 S 4th St, San Jose, for the 2015 UST Permit Inspection and to witness the Monitoring System Testing. Christine Wu, Manager/Owner, is on site to provide records review and site access. On site at 10:30, DUSTO Monthly Records Review, Clent Gagnier, LG Environmental, ICC #5243792, exp. 9/9/2016 Training, 7/24/2015, Christine, OK CERS Review, Last update was on 10/28/2013. Financial Responsibility, The last UST Letter from the Chief Financial Officer was posted on 10/28/2013. The current UST Letter from the Chief Financial Officer is not available. Previous NOI Review for Compliance. 2014, record on site, All 3 items, Outstanding, Pastr Due 2013, EPA ID#, Waste Determination ?, All others OK 2012, record on site, Previous Owners, No longer valid. OK Ming Zhang Owner (408) 686-9061 (408) 710-9557 (24-hour) mizhang118@gmail.com email sent 9:30 to inform mr Ming Zhang I will be on site. David WWinkler, UST Service Tech, [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST

SUPER GAS & MART (Continued) **U001602644**

Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-27-2014
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	All UST system leak detection equipment was tested today by by UST Service Technician David Winkler of Afforda-Test and functioned properly. Mr. Winkler has a current California Tank Tester license (exp. 3/31/2017), and current ICC UST Service Technician certification (exp. 3/3/2016), Veeder-Root Level 4 certification (exp. 2/10/2016), and Vaporless Manufacturing (VMI) LDT-890 line leak detector testing certification (exp. 11/10/2015). The 1 Model 794390-420 tank annular sensor (twin-compartment tank), and 2 Model 794380-208 submersible turbine pump (STP) sump sensors were tested using water to obtain audible and visual fuel alarms on the TLS-350 console. Fail safe turbine shutdown was confirmed for the STP sump sensors. TLS-350 system setup programming is okay. The Model B-2000 mechanical leak detection units in the under dispenser containment (UDC) pans were tested using water and tripped the dispenser shear valves. The 2 Model 99 LD-2000 mechanical line leak [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-28-2013
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	The Hazardous Materials Business Plan is up to date in CERS with the most recent submittal on 10/27/13. All facility, inventory, training, emergency response and site plan are complete at this time.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	11-07-2016
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	On site, 498 S 4th Street, for the 2016 UST Secontary Containment Testing (SB-989) Inspection. Qian Wu Christine, Manager, on site to allow facility access and records review. Ming Zhang, Owner, mizhang118@gmail.com Received Christine's signature for the October 24, 2016 UST Inspection. See updated copy with electronic signature. Today on site is Benjamin Duncan, R&D Compliance Testing, to conduct UST Secondary Containment testing. ICC #5246802, exp. 4/6/2017 CA WRCB Licence # 90-1120, exp. 12/31/2016 Caldwell, exp 3 years from July 2014 The single containment on a two compartment UST is a fiberglass outer tank on a steel primary tank. The test was done with a vacuum of 15in Hg for 1 hour. no drop observed. Vacuum released for confirmation, OK Two STP sumps, water tested to the original testing depth as marked on the side wall, above all piping penetrations. Caldwell testing showed no drop in level after > 30 minutes, OK Two UDCs, Bravo Boxes, [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST

SUPER GAS & MART (Continued) **U001602644**

Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	07-09-2018
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Red Card / Assisted new owner with CERS.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-24-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On site, 498 S 4th Street, for the 2016 UST Monitoring system Certification and Operating Permit Inspection. Qian Wu Christine, Manager, on site to allow facility access and records review. Ming Zhang, Owner, mizhang118@gmail.com CERS review, Called and spoke to Ming Zhang, Owner, today regarding the submittal status of UST Permit Application information in CERS. The update required in 2015 remains outstanding. See CERS for details. Note the business name/entity change to Blossom Business Inc. Business name and tax ID were changed in2015. David Winkler, Afford-a-Test, on site to conduct UST Monitoring System functional test and certification. ICC # 5263373 Serv Tech Expires 2/28/2018 VR - Expires 2/3/2018 VMI LDT-890 Exp 11/14/2017 On site: 1 split compartment UST, 2 tanks. L-4, audio and visual alarm, print, OK 2. sum ps, L-1, L-2, STP Shutdown, audio and visual alarm, print, OK 2 dispensers. Bravo Float and Chain. All 4 tested, functioned [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-28-2013
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-12-2017
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On-ste to oversee an annual monitoring system certification. Testing was conducted by Edward Sterns with Afforda-Test. Mr. Sterns has the following certifications; ICC#8184188 exp., 11/09/18; VR#A31048 exp., 8/09/19; VMI#1829 exp., 09/20/19. Prior to and after completion of testing there were no active alarms at the VR panel. The following components were tested and passed during this inspection; - 2 STP sump sensors provided a positive shut-down at the turbine. - 1 annular space sensor provided an audible/visual at the panel. - Fail safe and sensor out were verified. - 2 spill buckets were tested hydrostatically for 60 minutes and passed. - Flapper valves was

SUPER GAS & MART (Continued) **U001602644**

verified to be installed in both tanks for overfill prevention. - 2 UDC float and chain mechanisms passed when tested with water. - 2 MLLD provided a slow-flow condition at the dispenser and passed. The following documents were reviewed during this inspection; 1) Monthly designated operator reports [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-15-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site for annual monitoring certification and spill bucket testing. Technician Felix Ramirez, with Afford-a-Test conducted all required testing and has the following certifications: CSLB valid till 5/3/2020 Veeder Root level IV acquired 7/8/18 VMI LD tester acquired 11/7/17 ICC Cert expires 11/22/2018 The following components were tested and found to be operational: 87 STP leak sensor (confirmed turbine shutdown) 91 STP leak sensor (confirmed turbine shutdown) Vaporless MLLD detected a simulated 3 GPH leak at 10 PSI and entered slow-flow for 30 seconds as required for 87 and 91 product lines. Annual tank sensor (shared annual space for compartmented tank) Bravo float-and-chain assemblies stop flow at the dispenser and trigger as required. Presence of flapper valves as overfill were visually confirmed. Confirmed that both turbines shut down as required for power outages or sensor outages. Veeder Root panel required a cold restart after power out testing. [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-26-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: I am on site, at 498 S 4th St, San Jose, for the 2015 Hazardous Materials Business Plan Permit Inspection. Christine Wu, Manager/Owner, is on site to provide records review and site access. CERS review, Last submittal and certification was done on 10/28/2013. Recertification (re-submittal) is required once per year minimum.
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 10-27-2014
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Follow-up to 10/28/2013 inspection. Copy of "Management of Wastes Generated at Motor Vehicle Fuel Dispensing Facilities" guidance document (UN-072) was provided during this inspection.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection

SUPER GAS & MART (Continued) **U001602644**

Eval Date:	10-28-2013
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Onsite today for UST Monitoring System Certification with Dave Winkler of Afforda-A-Test. Dave has a current ICC Service Technician certification #5263373, exp. 3/5/14; VMI/Vaporless #2528, exp. 11/10/13; Veeder-Root Level 4 B349975, exp. 2/13/14; LDT-890 leak detector tester is calibrated and valid. The following components were tested today: -UST annular sensor for the 15k split tank was operational with audible/visual alarm. -2 UST STP sump sensors for the 87 and 91 were operational with audible/visual alarm and positive shutdown. -The sensor out and power out simulated was demonstrated for Fail Safe feature. -The 87 and 91 spill buckets were tested hydrostatically today for 1 hour and passed. -The 87 and 91 Vaporless Leak detectors were tested for 3.0gph at 10psi leak and passed. Note: The 87 leak detector initially failed and was adjusted today, then passed. -The monthly DUSTO inspection records are in good order and up to date -The Emergency Shutoff was [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Other/Unknown
Eval Date:	11-07-2016
Violations Found:	Yes
Eval Type:	Other, not routine, done by local agency
Eval Notes:	On site, 498 S 4th Street, for the 2016 UST Secontary Containment Testing (SB-989) Inspection. Qian Wu Christine, Manager, on site to allow facility access and records review. Ming Zhang, Owner, mizhang118@gmail.com
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Enforcement Action:

Site ID:	155671
Site Name:	Super Gas & Mart
Site Address:	498 S 4TH ST
Site City:	SAN JOSE
Site Zip:	95112-5789
Enf Action Date:	10-26-2015
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HMRRP
Enf Action Source:	CERS

Site ID:	155671
Site Name:	Super Gas & Mart
Site Address:	498 S 4TH ST
Site City:	SAN JOSE
Site Zip:	95112-5789
Enf Action Date:	10-26-2015
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported

SUPER GAS & MART (Continued) **U001602644**

Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HW
Enf Action Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Site Address:	498 S 4TH ST
Site City:	SAN JOSE
Site Zip:	95112-5789
Enf Action Date:	10-27-2014
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HW
Enf Action Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Site Address:	498 S 4TH ST
Site City:	SAN JOSE
Site Zip:	95112-5789
Enf Action Date:	10-27-2014
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	UST
Enf Action Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Site Address:	498 S 4TH ST
Site City:	SAN JOSE
Site Zip:	95112-5789
Enf Action Date:	10-28-2013
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HW
Enf Action Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Site Address:	498 S 4TH ST
Site City:	SAN JOSE
Site Zip:	95112-5789
Enf Action Date:	10-28-2013
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	UST
Enf Action Source:	CERS

SUPER GAS & MART (Continued) **U001602644**

Affiliation:

Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400

Affiliation Type Desc:	Environmental Contact
Entity Name:	Eric Ahuja
Entity Title:	Not reported
Affiliation Address:	498 S 4TH ST
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112
Affiliation Phone:	Not reported

Affiliation Type Desc:	Identification Signer
Entity Name:	Eric Ahuja
Entity Title:	Business Owner
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	Eric Ahuja
Entity Title:	Not reported
Affiliation Address:	2125 Harte Cir
Affiliation City:	San Leandro
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94577
Affiliation Phone:	(408) 295-4606

Affiliation Type Desc:	Parent Corporation
Entity Name:	Super Gas & Mart
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	UST Tank Operator
Entity Name:	Eric Ahuja
Entity Title:	Not reported
Affiliation Address:	498 S 4TH ST
Affiliation City:	SAN JOSE
Affiliation State:	CA

SUPER GAS & MART (Continued) **U001602644**

Affiliation Country:	United States
Affiliation Zip:	95112
Affiliation Phone:	(408) 295-4606
Affiliation Type Desc:	Document Preparer
Entity Name:	Eric Ahuja
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	498 S 4TH ST
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Eric Ahuja
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 295-4606
Affiliation Type Desc:	Property Owner
Entity Name:	Ming Zhang/ Blossom Business Inc
Entity Title:	Not reported
Affiliation Address:	498 S 4TH ST
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95112-5789
Affiliation Phone:	(408) 710-9557
Affiliation Type Desc:	UST Tank Owner
Entity Name:	Ming Zhang / Blossom Business Inc
Entity Title:	Not reported
Affiliation Address:	498 4th Street
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95112
Affiliation Phone:	(408) 710-9557
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	Ming Zhang/ Blossom Business Inc
Entity Title:	Not reported

SUPER GAS & MART (Continued) **U001602644**

Affiliation Address: 498 S 4th Street
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95112
Affiliation Phone: (408) 710-9557

SWEEPS UST:
Name: SPARTAN STATIONS INC
Address: 498 S 4TH ST
City: SAN JOSE
Status: Active
Comp Number: 400569
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-400569-000001
Tank Status: A
Capacity: 8000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: DIESEL
Number Of Tanks: 5

Name: SPARTAN STATIONS INC
Address: 498 S 4TH ST
City: SAN JOSE
Status: Active
Comp Number: 400569
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-400569-000002
Tank Status: A
Capacity: 10000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: SPARTAN STATIONS INC
Address: 498 S 4TH ST
City: SAN JOSE
Status: Active
Comp Number: 400569
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92

SUPER GAS & MART (Continued) **U001602644**

Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-400569-000003
Tank Status: A
Capacity: 12000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: SPARTAN STATIONS INC
Address: 498 S 4TH ST
City: SAN JOSE
Status: Active
Comp Number: 400569
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-400569-000004
Tank Status: A
Capacity: 6000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: LEADED
Number Of Tanks: Not reported

Name: SPARTAN STATIONS INC
Address: 498 S 4TH ST
City: SAN JOSE
Status: Active
Comp Number: 400569
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-400569-000005
Tank Status: A
Capacity: 6000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: LEADED
Number Of Tanks: Not reported

HIST UST:
Name: SPARTAN 4
Address: 498 SO 4TH ST
City,State,Zip: SAN JOSE, CA 95112
File Number: 00020921

SUPER GAS & MART (Continued) **U001602644**

URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00020921.pdf
Region:	STATE
Facility ID:	00000005700
Facility Type:	Gas Station
Other Type:	Not reported
Contact Name:	JOE HALEY
Telephone:	4082921041
Owner Name:	SPARTAN STATIONS INC
Owner Address:	1790 SO TENTH ST
Owner City,St,Zip:	SAN JOSE, CA 95112
Total Tanks:	0005
Tank Num:	001
Container Num:	15
Year Installed:	1978
Tank Capacity:	00006000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	1/4
Leak Detection:	Stock Inventor
Tank Num:	002
Container Num:	16
Year Installed:	1978
Tank Capacity:	00006000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	1/4
Leak Detection:	Stock Inventor
Tank Num:	003
Container Num:	17
Year Installed:	1978
Tank Capacity:	00012000
Tank Used for:	PRODUCT
Type of Fuel:	PREMIUM
Container Construction Thickness:	1/4
Leak Detection:	Stock Inventor
Tank Num:	004
Container Num:	18
Year Installed:	1978
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Container Construction Thickness:	1/4
Leak Detection:	Stock Inventor
Tank Num:	005
Container Num:	19
Year Installed:	1978
Tank Capacity:	00008000
Tank Used for:	PRODUCT
Type of Fuel:	DIESEL
Container Construction Thickness:	1/4
Leak Detection:	Stock Inventor

SUPER GAS & MART (Continued) **U001602644**

Click here for Geo Tracker PDF:

CERS TANKS:

Name:	SUPER GAS & MART
Address:	498 S 4TH ST
City,State,Zip:	SAN JOSE, CA 95112-5789
Site ID:	155671
CERS ID:	10353391
CERS Description:	Underground Storage Tank

Violations:

Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-26-2015
Citation:	Un-Specified
Violation Description:	UST Program - Administration/Documentation - For use of Local Ordinance only
Violation Notes:	No responses to the outstanding Notice of Violations, dated 10/28/2013 and 10/27/2014 have been received by this office.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-26-2015
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	No Letter from the CFO for the current time period has been made available.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-28-2013
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain and maintain a valid operation permit from the CUPA.
Violation Notes:	Returned to compliance on 10/28/2013. Your facility did not apply for a UST Permit upon obtaining ownership within 30 days. Note: This violation has been corrected and the required UST paperwork has been received. A new 5 year Permit to Operate will be issued upon completion of Secondary Containment testing and payment of permit fees.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-26-2015
Citation:	HSC 6.7 25299 - California Health and Safety Code, Chapter 6.7, Section(s) 25299

SUPER GAS & MART (Continued) **U001602644**

Violation Description:	Failure to comply with one or more of the operating permit conditions.
Violation Notes:	Not reported
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	HSC 6.7 25290.1(c),25290.2(c),25291(a)(2),2529.1(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c),25290.2(c),25291(a)(2),2529.1(e)
Violation Description:	Failure to maintain secondary containment (e.g., failure of secondary containment testing).
Violation Notes:	Returned to compliance on 12/03/2018. Secondary containment testing conducted on 11/07/16 demonstrated that secondary product line for the 87 tank failed when tested at the Hex nut O ring at UDC 3/4. This violation was also issued on Notices of Inspection issued on 11/07/2016 and 10/12/2017. Mr. Ahuja was first notified of this violation on 10/12/17. There are currently no records on-site showing a repair or replacement of this equipment. Provide to our office in writing an explanation of how this issue will be resolved. Repair permits will be required by our Department to make the necessary repairs.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	23 CCR 16 2712(b)(1) and (2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1) and (2)
Violation Description:	Failure to maintain monitoring records for release detection and/or maintain records of appropriate follow-up actions.
Violation Notes:	Returned to compliance on 10/31/2018. Previous secondary containment testing results and prior monitoring certifications were not available on-site for review.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-27-2014
Citation:	22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description:	Failure to obtain and/or maintain an Active EPA ID.
Violation Notes:	Violation remains uncorrected from 10/28/2013.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	23 CCR 16 2632(d)(1)(c),2641(h),2711(a)(8) - California Code of

SUPER GAS & MART (Continued) **U001602644**

	Regulations, Title 23, Chapter 16, Section(s) 2632(d)(1)(c),2641(h),2711(a)(8)
Violation Description:	Failure to submit or maintain a current facility plot plan.
Violation Notes:	Returned to compliance on 10/31/2018. Site plot plan submitted via CERS do not have piping routes and do not specify locations of all monitoring equipment.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-28-2013
Citation:	22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description:	Failure to obtain and/or maintain an Active EPA ID.
Violation Notes:	Facility generates hazardous waste from spills and clean-up activities, but does not have an EPA ID Number. Please utilize the provided form to apply for a NEW EPA ID number for your facility.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	23 CCR 16 2715(a)(1)(B) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(1)(B)
Violation Description:	Failure to submit the ?Designated Underground Storage Tank Operator Identification Form? within 30 days of installing a UST system or within 30 days of a change in DO.
Violation Notes:	Returned to compliance on 10/31/2018. Facility uploaded a different document in place of the DUSTO notification on CERS. Form was complete and available for review on-site. Upload hard copy form into CERS and resubmit.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-28-2013
Citation:	23 CCR 16 2637 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637
Violation Description:	Failure to comply with one or more of the following: conduct secondary containment testing, within six months of installation and every 36 months thereafter, conducted in accordance with proper practices, protocols, or test methods.
Violation Notes:	Secondary Containment testing of your UST system was due in Sept. 2012. Have testing for secondary testing scheduled in the next 30 days and perform testing. Submit copies of Secondary Containment testing to this agency within 30 days of the testing date.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671

SUPER GAS & MART (Continued) **U001602644**

Site Name:	Super Gas & Mart
Violation Date:	11-07-2016
Citation:	HSC 6.7 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e)
Violation Description:	Failure to maintain secondary containment (e.g. failure of secondary containment testing).
Violation Notes:	Returned to compliance on 10/15/2018. . Failure of the 87 product line secondary containment was observed today. This shall be serviced, repaired, or replaced as appropriate. .
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-26-2015
Citation:	HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description:	Haz Waste Generator Program - Administration/Documentation - General
Violation Notes:	No response to the Hazardous Waste Violations as identified on the Notice of Inspections dated 10/28/2013 and 10/27/2014 have been received by this office.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-12-2017
Citation:	HSC 6.7 25284(a)(3)(A) & (B); - California Health and Safety Code, Chapter 6.7, Section(s) 25284(a)(3)(A) & (B);
Violation Description:	Failure to implement or maintain a written agreement between the UST permit holder and the operator (owner/operator agreement).
Violation Notes:	Returned to compliance on 10/31/2018. A UST owner/operator agreement has not been uploaded on CERS to reflect the change is business owner. The business owner is no longer the same as the tank owner. Provide a copy of this agreement. A sample template copy of this agreement was provided via e-mail to the business owner.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-12-2017
Citation:	HSC 6.7 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e)
Violation Description:	Failure to maintain secondary containment (e.g. failure of secondary containment testing).
Violation Notes:	The last SB989 (secondary containment testing) was conducted on 11/07/2016. On the Secondary Containment Testing Report it was noted that secondary product line for the 87 tank failed when tested at the Hex nut O ring at UDC 3/4. Technician recommended that this be repair and or replace. Additionally, a violation was also issued for this same problem on the inspection report issued on 11/07/2016 by an

SUPER GAS & MART (Continued) **U001602644**

inspector from our Department. At this time there are no records to show that this issue has been resolved. Provide to our office in writing an explanation how this issue will be resolved. Repair permits will be required by our Department to make the necessary repairs.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-12-2017
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain a valid permit to operate from the CUPA.
Violation Notes: A UST permit to operate has not been issued and needs to be updated on CERS to reflect the change in operations. As of May 2017 there is a new owner at this location and the information is as follows; Eric Ahuja (Individual own) Business Name; Super Gas & Mart e-mail; ahuja2924@gmail.com Update the information above on CERS to reflect the current information.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-15-2018
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to have an approved UST Response Plan.
Violation Notes: Returned to compliance on 10/31/2018. Facility uploaded a contingency plan document instead of the required Response Plan in CERS. Complete the correct emergency response plan and delete the old contingency plan.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-15-2018
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to have an approved UST Monitoring Plan.
Violation Notes: Returned to compliance on 10/31/2018. Facility must make the following corrections to monitoring plan uploaded in CERS for it to be approved: Tank 1 and Tank 2 Tank information pages lists ?yes? to audible and visual overfill protection. This box must be checked ?no? for each tank. Tank 2 must check ?yes? for Fill Tube Shut-off Valve, ?yes? to Spill Buckets and Striker Plate/ Bottom Protector, and ?none? to Vent Piping Transition Sumps. Tank 1 Monitoring plan lists ?yes? to Monthly Statistical Inventory Reconciliation, Weekly Manual Tank Gauge, and Tank Integrity Testing. Pipe monitoring section lists ?yes? to Electronic line leak detector section. These items must be marked as ?No?. Tank 2 Monitoring plan incorrectly lists sump leak sensor as ?Veeder Root 794390420?. Sensor must be listed as ?794380208?. A marked-up copy of CERS printout was provided.

SUPER GAS & MART (Continued) **U001602644**

Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-27-2014
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Letter from Chief Financial Officer (CFO) has not been updated for current year. Letter must be updated within 150 days of end of previous calendar year (around the end of May). Upload an updated CFO letter via the California Environmental Reporting System (CERS) website within 30 days.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-26-2015
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:	No HMBP submittal has been made since 10/28/2013.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	40 CFR 1 265.33 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.33
Violation Description:	Failure to test and maintain as necessary all facility communications or alarm systems, fire protection equipment, spill control equipment, and decontamination equipment to assure its proper operation in time of emergency.
Violation Notes:	Returned to compliance on 10/31/2018. Fire extinguishers were last serviced on May 11, 2016. Fire extinguishers must be annually serviced. Schedule this service and provide a copy of the invoice once it is complete. No spill control material was observed at the time of inspection. Facility must maintain a stock of spill control equipment and replace materials when they are used.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-28-2013
Citation:	22 CCR 12 66262.40(c) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(c)
Violation Description:	Failure to determine if the waste generated is a hazardous waste and

SUPER GAS & MART (Continued) **U001602644**

	to maintain analysis results for three years.
Violation Notes:	The waste absorbent material from spills is being disposed of to the trash.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-28-2013
Citation:	23 CCR 16 2715(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(f)
Violation Description:	Failure to comply with one or more of the following: provide training to facility employee(s) responsible for proper operation and maintenance every 12 months and/or train new employee(s) who are responsible for proper operation and maintenance within 30-days of hire and/or to have at least one employee present during operating hours that has been trained in the proper operation and maintenance of the UST system.
Violation Notes:	Training was not properly documented for Ming Zhang, date of training for Ming Zhang was not noted. No other facility employees have been trained or documented for the facility employees. Note: Owner Ming Zhang indicated he was trained by the DUSTO on 2-15-13.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	Returned to compliance on 10/31/2018. Facility has not submitted a complete Hazardous Materials Business Plan via CERS since the change of ownership in 2017.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-28-2013
Citation:	23 CCR 16 2636(f)(5) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(5)
Violation Description:	Failure to maintain all product piping outside the dispenser to be fail-safe and shut down the pump when a leak is detected and the monitoring system shuts down the pump or flow restriction occurs when a leak is detected in the under dispenser containment.
Violation Notes:	It was noted the system set-up did not include proper relay programming for Sensor Short Alarm. Note: The programming was corrected while onsite today, no further action is required.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST

SUPER GAS & MART (Continued) **U001602644**

Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	Un-Specified
Violation Description:	Hazardous Waste Generator Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 10/31/2018. Facility must check ?yes? to the question, ?Does your facility generate hazardous waste?? and include the EPA ID number on the business activities page listed in CERS. Make these corrections and resubmit.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-26-2015
Citation:	22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description:	Failure to obtain and/or maintain an Active EPA ID.
Violation Notes:	No EPA ID # has been activated. This is a repeated violation, elevated to a class II Violation
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-25-2016
Citation:	23 CCR 6.7 25284, 25286 - California Code of Regulations, Title 23, Chapter 6.7, Section(s) 25284, 25286
Violation Description:	Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes:	Returned to compliance on 10/15/2018. . See CERS for status and comments. .
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes:	Returned to compliance on 10/31/2018. Facility has not submitted a complete Hazardous Materials Business Plan via CERS since the change of ownership in 2017.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	155671

SUPER GAS & MART (Continued) **U001602644**

Site Name:	Super Gas & Mart
Violation Date:	10-27-2014
Citation:	HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description:	Haz Waste Generator Program - Administration/Documentation - General
Violation Notes:	No response to violations noted in 10/28/2013 Official Notice of Inspection (NOI) has been submitted. Complete the "Corrective Actions Taken" column and "Certification of Compliance" signature section and return that NOI within 30 days along with this NOI also completed that way.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-12-2017
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Returned to compliance on 10/31/2018. A copy of the CFO letter for this year was not available at the facility for review as it is stated on CERS. Provide a current copy of the CFO letter either by uploading it to CERS or by having it available at the facility.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)
Violation Description:	Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1,?2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October?1,?2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill

SUPER GAS & MART (Continued) **U001602644**

prevention equipment inspection for 36 months.
Violation Notes: Overfill prevention inspection was not conducted by 10/13/2018.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-25-2016
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 10/15/2018. . No evidence provided by the Chief Financial Officer is available for this year, in CERS or on-site. .
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-28-2013
Citation: 23 CCR 16 2636(f)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(2)
Violation Description: Failure of the pressurized piping to meet one or more of the following requirements: monitored at least hourly with the capability of detecting a release of 3.0 gallons per hour, and will restrict the flow of product through the piping or trigger an alarm when a release occurs.
Violation Notes: The 87 Vaporless line leak detector failed initial testing. The leak detector was adjusted and re-tested today, then passed. No further action is required.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-15-2018
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes: Facility owner has not been issued a permit to operate. Permit application listed in CERS lists the operator as Eric Ahuja while financial responsibility documents list the operator as Super Gas & Mart. Correct this discrepancy in CERS and resubmit. Then provide documentation of corrective actions for all violations listed in this report. In order for a permit to operate to be issued, all violations must be addressed and all required information on CERS must be complete.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

SUPER GAS & MART (Continued) **U001602644**

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-15-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	CERS ID 10353391. Ownership of the tanks was changed in 2017 and previous owner submitted the last completed copy of the Hazardous Materials Business Plan on 11/15/16. Facility has the following reportable hazardous materials: 15,000 gallons of gasoline
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-15-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On-site for a hazardous waste inspection. Facility is a gas station that generates waste fuel and water for gas tank spill buckets. EPA ID CAL000437804 is currently active but no waste has been shipped yet. Observed 1x30 gallon drum of hazardous waste that is less than half full. The following violations were corrected at the time of inspection by the Mr. Ahuja: G211 Emergency Information Posting: Facility did not have emergency information posted at the time of inspection. Mr. Ahuja was given a template posting to fill out and post at the time of inspection. G020 Marking of Hazardous Waste: Observed 1x30 gallon drum of waste sump liquid with no markings at the time of inspection. Mr. Ahuja was given a completed label to place on the drum.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS

Eval General Type:	Other/Unknown
Eval Date:	10-31-2016
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	write-up
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-26-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	I am on site, at 498 S 4th St, San Jose, for the 2015 Hazardous Waste Permit Inspection. Christine Wu, Manager/Owner, is on site to provide records review and site access. No Response. No EPA ID #.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-26-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency

SUPER GAS & MART (Continued) **U001602644**

Eval Notes:	I am on site, at 498 S 4th St, San Jose, for the 2015 UST Permit Inspection and to witness the Monitoring System Testing. Christine Wu, Manager/Owner, is on site to provide records review and site access. On site at 10:30, DUSTO Monthly Records Review, Clent Gagnier, LG Environmental, ICC #5243792, exp. 9/9/2016 Training, 7/24/2015, Christine, OK CERS Review, Last update was on 10/28/2013. Financial Responsibility, The last UST Letter from the Chief Financial Officer was posted on 10/28/2013. The current UST Letter from the Chief Financial Officer is not available. Previous NOI Review for Compliance. 2014, record on site, All 3 items, Outstanding, Pastr Due 2013, EPA ID#, Waste Determination ?, All others OK 2012, record on site, Previous Owners, No longer valid. OK Ming Zhang Owner (408) 686-9061 (408) 710-9557 (24-hour) mizhang118@gmail.com email sent 9:30 to inform mr Ming Zhang I will be on site. David WWinkler, UST Service Tech, [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-27-2014
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	All UST system leak detection equipment was tested today by by UST Service Technician David Winkler of Afforda-Test and functioned properly. Mr. Winkler has a current California Tank Tester license (exp. 3/31/2017), and current ICC UST Service Technician certification (exp. 3/3/2016), Veeder-Root Level 4 certification (exp. 2/10/2016), and Vaporless Manufacturing (VMI) LDT-890 line leak detector testing certification (exp. 11/10/2015). The 1 Model 794390-420 tank annular sensor (twin-compartment tank), and 2 Model 794380-208 submersible turbine pump (STP) sump sensors were tested using water to obtain audible and visual fuel alarms on the TLS-350 console. Fail safe turbine shutdown was confirmed for the STP sump sensors. TLS-350 system setup programming is okay. The Model B-2000 mechanical leak detection units in the under dispenser containment (UDC) pans were tested using water and tripped the dispenser shear valves. The 2 Model 99 LD-2000 mechanical line leak [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-28-2013
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	The Hazardous Materials Business Plan is up to date in CERS with the most recent submittal on 10/27/13. All facility, inventory, training, emergency response and site plan are complete at this time.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	11-07-2016
Violations Found:	No
Eval Type:	Other, not routine, done by local agency

SUPER GAS & MART (Continued) **U001602644**

Eval Notes:	On site, 498 S 4th Street, for the 2016 UST Secontary Containment Testing (SB-989) Inspection. Qian Wu Christine, Manager, on site to allow facility access and records review. Ming Zhang, Owner, mizhang118@gmail.com Received Christine's signature for the October 24, 2016 UST Inspection. See updated copy with electronic signature. Today on site is Benjamin Duncan, R&D Compliance Testing, to conduct UST Secondary Containment testing. ICC #5246802, exp. 4/6/2017 CA WRCB Licence # 90-1120, exp. 12/31/2016 Caldwell, exp 3 years from July 2014 The single containment on a two compartment UST is a fiberglass outer tank on a steel primary tank. The test was done with a vacuum of 15in Hg for 1 hour. no drop observed. Vacuum released for confirmation, OK Two STP sumps, water tested to the original testing depth as marked on the side wall, above all piping penetrations. Caldwell testing showed no drop in level after > 30 minutes, OK Two UDCs, Bravo Boxes, [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	07-09-2018
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Red Card / Assisted new owner with CERS.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-24-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On site, 498 S 4th Street, for the 2016 UST Monitoring system Certification and Operating Permit Inspection. Qian Wu Christine, Manager, on site to allow facility access and records review. Ming Zhang, Owner, mizhang118@gmail.com CERS review, Called and spoke to Ming Zhang, Owner, today regarding the submittal status of UST Permit Application information in CERS. The update required in 2015 remains outstanding. See CERS for details. Note the business name/entity change to Blossom Business Inc. Business name and tax ID were changed in2015. David Winkler, Afford-a-Test, on site to conduct UST Monitoring System functional test and certification. ICC # 5263373 Serv Tech Expires 2/28/2018 VR - Expires 2/3/2018 VMI LDT-890 Exp 11/14/2017 On site: 1 split compartment UST, 2 tanks. L-4, audio and visual alarm, print, OK 2. sum ps, L-1, L-2, STP Shutdown, audio and visual alarm, print, OK 2 dispensers. Bravo Float and Chain. All 4 tested, functioned [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-28-2013
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Santa Clara County Environmental Health

SUPER GAS & MART (Continued) **U001602644**

Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-12-2017
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On-ste to oversee an annual monitoring system certification. Testing was conducted by Edward Sterns with Afforda-Test. Mr. Sterns has the following certifications; ICC#8184188 exp., 11/09/18; VR#A31048 exp., 8/09/19; VMI#1829 exp., 09/20/19. Prior to and after completion of testing there were no active alarms at the VR panel. The following components were tested and passed during this inspection; - 2 STP sump sensors provided a positive shut-down at the turbine. - 1 annular space sensor provided an audible/visual at the panel. - Fail safe and sensor out were verified. - 2 spill buckets were tested hydrostatically for 60 minutes and passed. - Flapper valves was verified to be installed in both tanks for overfill prevention. - 2 UDC float and chain mechanisms passed when tested with water. - 2 MLLD provided a slow-flow condition at the dispenser and passed. The following documents were reviewed during this inspection; 1) Monthly designated operator reports [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-15-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On-site for annual monitoring certification and spill bucket testing. Technician Felix Ramirez, with Afford-a-Test conducted all required testing and has the following certifications: CSLB valid till 5/3/2020 Veeder Root level IV acquired 7/8/18 VMI LD tester acquired 11/7/17 ICC Cert expires 11/22/2018 The following components were tested and found to be operational: 87 STP leak sensor (confirmed turbine shutdown) 91 STP leak sensor (confirmed turbine shutdown) Vaporless MLLD detected a simulated 3 GPH leak at 10 PSI and entered slow-flow for 30 seconds as required for 87 and 91 product lines. Annual tank sensor (shared annual space for compartmented tank) Bravo float-and-chain assemblies stop flow at the dispenser and trigger as required. Presence of flapper valves as overfill were visually confirmed. Confirmed that both turbines shut down as required for power outages or sensor outages. Veeder Root panel required a cold restart after power out testing. [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-26-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	I am on site, at 498 S 4th St, San Jose, for the 2015 Hazardous Materials Business Plan Permit Inspection. Christine Wu, Manager/Owner, is on site to provide records review and site access. CERS review, Last submittal and certification was done on 10/28/2013.

SUPER GAS & MART (Continued) **U001602644**

	Recertification (re-submittal) is required once per year minimum.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	10-27-2014
Violations Found:	Yes
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Follow-up to 10/28/2013 inspection. Copy of "Management of Wastes Generated at Motor Vehicle Fuel Dispensing Facilities" guidance document (UN-072) was provided during this inspection.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-28-2013
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Onsite today for UST Monitoring System Certification with Dave Winkler of Afforda-A-Test. Dave has a current ICC Service Technician certification #5263373, exp. 3/5/14; VMI/Vaporless #2528, exp. 11/10/13; Veeder-Root Level 4 B349975, exp. 2/13/14; LDT-890 leak detector tester is calibrated and valid. The following components were tested today: -UST annular sensor for the 15k split tank was operational with audible/visual alarm. -2 UST STP sump sensors for the 87 and 91 were operational with audible/visual alarm and positive shutdown. -The sensor out and power out simulated was demonstrated for Fail Safe feature. -The 87 and 91 spill buckets were tested hydrostatically today for 1 hour and passed. -The 87 and 91 Vaporless Leak detectors were tested for 3.0gph at 10psi leak and passed. Note: The 87 leak detector initially failed and was adjusted today, then passed. -The monthly DUSTO inspection records are in good order and up to date -The Emergency Shutoff was [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	11-07-2016
Violations Found:	Yes
Eval Type:	Other, not routine, done by local agency
Eval Notes:	On site, 498 S 4th Street, for the 2016 UST Secontary Containment Testing (SB-989) Inspection. Qian Wu Christine, Manager, on site to allow facility access and records review. Ming Zhang, Owner, mizhang118@gmail.com
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Enforcement Action:

Site ID:	155671
Site Name:	Super Gas & Mart
Site Address:	498 S 4TH ST
Site City:	SAN JOSE
Site Zip:	95112-5789

SUPER GAS & MART (Continued) **U001602644**

Enf Action Date: 10-26-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Site Address: 498 S 4TH ST
Site City: SAN JOSE
Site Zip: 95112-5789
Enf Action Date: 10-26-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Site Address: 498 S 4TH ST
Site City: SAN JOSE
Site Zip: 95112-5789
Enf Action Date: 10-27-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Site Address: 498 S 4TH ST
Site City: SAN JOSE
Site Zip: 95112-5789
Enf Action Date: 10-27-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Site Address: 498 S 4TH ST
Site City: SAN JOSE
Site Zip: 95112-5789
Enf Action Date: 10-28-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health

SUPER GAS & MART (Continued) **U001602644**

Enf Action Program: HW
Enf Action Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Site Address: 498 S 4TH ST
Site City: SAN JOSE
Site Zip: 95112-5789
Enf Action Date: 10-28-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Environmental Contact
Entity Name: Eric Ahuja
Entity Title: Not reported
Affiliation Address: 498 S 4TH ST
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: Eric Ahuja
Entity Title: Business Owner
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: Eric Ahuja
Entity Title: Not reported
Affiliation Address: 2125 Harte Cir
Affiliation City: San Leandro
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94577
Affiliation Phone: (408) 295-4606

SUPER GAS & MART (Continued) **U001602644**

Affiliation Type Desc:	Parent Corporation
Entity Name:	Super Gas & Mart
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	UST Tank Operator
Entity Name:	Eric Ahuja
Entity Title:	Not reported
Affiliation Address:	498 S 4TH ST
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95112
Affiliation Phone:	(408) 295-4606

Affiliation Type Desc:	Document Preparer
Entity Name:	Eric Ahuja
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	498 S 4TH ST
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112
Affiliation Phone:	Not reported

Affiliation Type Desc:	Operator
Entity Name:	Eric Ahuja
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 295-4606

Affiliation Type Desc:	Property Owner
Entity Name:	Ming Zhang/ Blossom Business Inc
Entity Title:	Not reported
Affiliation Address:	498 S 4TH ST
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States

SUPER GAS & MART (Continued) **U001602644**

Affiliation Zip: 95112-5789
Affiliation Phone: (408) 710-9557

Affiliation Type Desc: UST Tank Owner
Entity Name: Ming Zhang / Blossom Business Inc
Entity Title: Not reported
Affiliation Address: 498 4th Street
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95112
Affiliation Phone: (408) 710-9557

Affiliation Type Desc: UST Property Owner Name
Entity Name: Ming Zhang/ Blossom Business Inc
Entity Title: Not reported
Affiliation Address: 498 S 4th Street
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95112
Affiliation Phone: (408) 710-9557

CUPA SANTA CLARA:
Name: SUPER GAS & MART
Address: 498 S 4TH ST
City,State,Zip: SAN JOSE, CA 951125789
Region: SANTA CLARA
PE#: Not reported
Program Description: HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.323809
Longitude: -121.896583
Record ID: PR0396328
Facility ID: FA0700200

Name: SUPER GAS & MART
Address: 498 S 4TH ST
City,State,Zip: SAN JOSE, CA 951125789
Region: SANTA CLARA
PE#: 2202
Program Description: GENERATES < 100 KG/YR
Latitude: 37.323809
Longitude: -121.896583
Record ID: PR0396326
Facility ID: FA0700200

Name: SUPER GAS & MART
Address: 498 S 4TH ST
City,State,Zip: SAN JOSE, CA 951125789
Region: SANTA CLARA
PE#: 2399
Program Description: UNDERGROUND STORAGE TANK PROGRAM RECORD
Latitude: 37.323809
Longitude: -121.896583
Record ID: PR0396327
Facility ID: FA0700200

SUPER GAS & MART (Continued) **U001602644**

SAN JOSE HAZMAT:
Name: SUPER GAS & MART
Address: 498 S 4TH ST
City,State,Zip: SAN JOSE, CA 95112
Region: SAN JOSE
File Num: 400569
Class: Gasoline Station

CERS:
Name: SUPER GAS & MART
Address: 498 S 4TH ST
City,State,Zip: SAN JOSE, CA 95112-5789
Site ID: 155671
CERS ID: 10353391
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-26-2015
Citation: Un-Specified
Violation Description: UST Program - Administration/Documentation - For use of Local Ordinance only
Violation Notes: No responses to the outstanding Notice of Violations, dated 10/28/2013 and 10/27/2014 have been received by this office.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-26-2015
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: No Letter from the CFO for the current time period has been made available.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-28-2013
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain and maintain a valid operation permit from the CUPA.
Violation Notes: Returned to compliance on 10/28/2013. Your facility did not apply for a UST Permit upon obtaining ownership within 30 days. Note: This violation has been corrected and the required UST paperwork has been received. A new 5 year Permit to Operate will be issued upon completion of Secondary Containment testing and payment of permit fees.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

SUPER GAS & MART (Continued) **U001602644**

Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-26-2015
Citation:	HSC 6.7 25299 - California Health and Safety Code, Chapter 6.7, Section(s) 25299
Violation Description:	Failure to comply with one or more of the operating permit conditions.
Violation Notes:	Not reported
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	HSC 6.7 25290.1(c),25290.2(c),25291(a)(2),2529.1(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c),25290.2(c),25291(a)(2),2529.1(e)
Violation Description:	Failure to maintain secondary containment (e.g., failure of secondary containment testing).
Violation Notes:	Returned to compliance on 12/03/2018. Secondary containment testing conducted on 11/07/16 demonstrated that secondary product line for the 87 tank failed when tested at the Hex nut O ring at UDC 3/4. This violation was also issued on Notices of Inspection issued on 11/07/2016 and 10/12/2017. Mr. Ahuja was first notified of this violation on 10/12/17. There are currently no records on-site showing a repair or replacement of this equipment. Provide to our office in writing an explanation of how this issue will be resolved. Repair permits will be required by our Department to make the necessary repairs.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	23 CCR 16 2712(b)(1) and (2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1) and (2)
Violation Description:	Failure to maintain monitoring records for release detection and/or maintain records of appropriate follow-up actions.
Violation Notes:	Returned to compliance on 10/31/2018. Previous secondary containment testing results and prior monitoring certifications were not available on-site for review.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-27-2014
Citation:	22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description:	Failure to obtain and/or maintain an Active EPA ID.
Violation Notes:	Violation remains uncorrected from 10/28/2013.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

SUPER GAS & MART (Continued) **U001602644**

Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	23 CCR 16 2632(d)(1)(c),2641(h),2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632(d)(1)(c),2641(h),2711(a)(8)
Violation Description:	Failure to submit or maintain a current facility plot plan.
Violation Notes:	Returned to compliance on 10/31/2018. Site plot plan submitted via CERS do not have piping routes and do not specify locations of all monitoring equipment.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-28-2013
Citation:	22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description:	Failure to obtain and/or maintain an Active EPA ID.
Violation Notes:	Facility generates hazardous waste from spills and clean-up activities, but does not have an EPA ID Number. Please utilize the provided form to apply for a NEW EPA ID number for your facility.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	23 CCR 16 2715(a)(1)(B) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(1)(B)
Violation Description:	Failure to submit the ?Designated Underground Storage Tank Operator Identification Form? within 30 days of installing a UST system or within 30 days of a change in DO.
Violation Notes:	Returned to compliance on 10/31/2018. Facility uploaded a different document in place of the DUSTO notification on CERS. Form was complete and available for review on-site. Upload hard copy form into CERS and resubmit.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-28-2013
Citation:	23 CCR 16 2637 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637
Violation Description:	Failure to comply with one or more of the following: conduct secondary containment testing, within six months of installation and every 36 months thereafter, conducted in accordance with proper practices, protocols, or test methods.
Violation Notes:	Secondary Containment testing of your UST system was due in Sept. 2012. Have testing for secondary testing scheduled in the next 30 days and perform testing. Submit copies of Secondary Containment testing to this agency within 30 days of the testing date.
Violation Division:	Santa Clara County Environmental Health

SUPER GAS & MART (Continued) **U001602644**

Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 11-07-2016
Citation: HSC 6.7 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e)
Violation Description: Failure to maintain secondary containment (e.g. failure of secondary containment testing).
Violation Notes: Returned to compliance on 10/15/2018. . Failure of the 87 product line secondary containment was observed today. This shall be serviced, repaired, or replaced as appropriate. .
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-26-2015
Citation: HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Administration/Documentation - General
Violation Notes: No response to the Hazardous Waste Violations as identified on the Notice of Inspections dated 10/28/2013 and 10/27/2014 have been received by this office.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-12-2017
Citation: HSC 6.7 25284(a)(3)(A) & (B); - California Health and Safety Code, Chapter 6.7, Section(s) 25284(a)(3)(A) & (B);
Violation Description: Failure to implement or maintain a written agreement between the UST permit holder and the operator (owner/operator agreement).
Violation Notes: Returned to compliance on 10/31/2018. A UST owner/operator agreement has not been uploaded on CERS to reflect the change is business owner. The business owner is no longer the same as the tank owner. Provide a copy of this agreement. A sample template copy of this agreement was provided via e-mail to the business owner.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-12-2017
Citation: HSC 6.7 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e)
Violation Description: Failure to maintain secondary containment (e.g. failure of secondary containment testing).
Violation Notes: The last SB989 (secondary containment testing) was conducted on 11/07/2016. On the Secondary Containment Testing Report it was noted

SUPER GAS & MART (Continued) **U001602644**

that secondary product line for the 87 tank failed when tested at the Hex nut O ring at UDC 3/4. Technician recommended that this be repair and or replace. Additionally, a violation was also issued for this same problem on the inspection report issued on 11/07/2016 by an inspector from our Department. At this time there are no records to show that this issue has been resolved. Provide to our office in writing an explanation how this issue will be resolved. Repair permits will be required by our Department to make the necessary repairs.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-12-2017
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain a valid permit to operate from the CUPA.
Violation Notes: A UST permit to operate has not been issued and needs to be updated on CERS to reflect the change in operations. As of May 2017 there is a new owner at this location and the information is as follows; Eric Ahuja (Individual own) Business Name; Super Gas & Mart e-mail; ahuja2924@gmail.com Update the information above on CERS to reflect the current information.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-15-2018
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to have an approved UST Response Plan.
Violation Notes: Returned to compliance on 10/31/2018. Facility uploaded a contingency plan document instead of the required Response Plan in CERS. Complete the correct emergency response plan and delete the old contingency plan.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-15-2018
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to have an approved UST Monitoring Plan.
Violation Notes: Returned to compliance on 10/31/2018. Facility must make the following corrections to monitoring plan uploaded in CERS for it to be approved: Tank 1 and Tank 2 Tank information pages lists ?yes? to audible and visual overfill protection. This box must be checked ?no? for each tank. Tank 2 must check ?yes? for Fill Tube Shut-off Valve, ?yes? to Spill Buckets and Striker Plate/ Bottom Protector, and ?none? to Vent Piping Transition Sumps. Tank 1 Monitoring plan lists ?yes? to Monthly Statistical Inventory Reconciliation, Weekly Manual Tank Gauge, and Tank Integrity Testing. Pipe monitoring section lists ?yes? to

SUPER GAS & MART (Continued) **U001602644**

Electronic line leak detector section. These items must be marked as ?No?. Tank 2 Monitoring plan incorrectly lists sump leak sensor as ?Veeder Root 794390420?. Sensor must be listed as ?794380208?. A marked-up copy of CERS printout was provided.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-27-2014
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Letter from Chief Financial Officer (CFO) has not been updated for current year. Letter must be updated within 150 days of end of previous calendar year (around the end of May). Upload an updated CFO letter via the California Environmental Reporting System (CERS) website within 30 days.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-26-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: No HMBP submittal has been made since 10/28/2013.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-15-2018
Citation: 40 CFR 1 265.33 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.33
Violation Description: Failure to test and maintain as necessary all facility communications or alarm systems, fire protection equipment, spill control equipment, and decontamination equipment to assure its proper operation in time of emergency.
Violation Notes: Returned to compliance on 10/31/2018. Fire extinguishers were last serviced on May 11, 2016. Fire extinguishers must be annually serviced. Schedule this service and provide a copy of the invoice once it is complete. No spill control material was observed at the time of inspection. Facility must maintain a stock of spill control equipment and replace materials when they are used.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart

SUPER GAS & MART (Continued) **U001602644**

Violation Date:	10-28-2013
Citation:	22 CCR 12 66262.40(c) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(c)
Violation Description:	Failure to determine if the waste generated is a hazardous waste and to maintain analysis results for three years.
Violation Notes:	The waste absorbent material from spills is being disposed of to the trash.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-28-2013
Citation:	23 CCR 16 2715(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(f)
Violation Description:	Failure to comply with one or more of the following: provide training to facility employee(s) responsible for proper operation and maintenance every 12 months and/or train new employee(s) who are responsible for proper operation and maintenance within 30-days of hire and/or to have at least one employee present during operating hours that has been trained in the proper operation and maintenance of the UST system.
Violation Notes:	Training was not properly documented for Ming Zhang, date of training for Ming Zhang was not noted. No other facility employees have been trained or documented for the facility employees. Note: Owner Ming Zhang indicated he was trained by the DUSTO on 2-15-13.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-15-2018
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	Returned to compliance on 10/31/2018. Facility has not submitted a complete Hazardous Materials Business Plan via CERS since the change of ownership in 2017.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	155671
Site Name:	Super Gas & Mart
Violation Date:	10-28-2013
Citation:	23 CCR 16 2636(f)(5) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(5)
Violation Description:	Failure to maintain all product piping outside the dispenser to be fail-safe and shut down the pump when a leak is detected and the monitoring system shuts down the pump or flow restriction occurs when a leak is detected in the under dispenser containment.
Violation Notes:	It was noted the system set-up did not include proper relay

SUPER GAS & MART (Continued) **U001602644**

programming for Sensor Short Alarm. Note: The programming was corrected while onsite today, no further action is required.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-15-2018
Citation: Un-Specified
Violation Description: Hazardous Waste Generator Program - Administration/Documentation - General Local Ordinance
Violation Notes: Returned to compliance on 10/31/2018. Facility must check ?yes? to the question, ?Does your facility generate hazardous waste?? and include the EPA ID number on the business activities page listed in CERS. Make these corrections and resubmit.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-26-2015
Citation: 22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description: Failure to obtain and/or maintain an Active EPA ID.
Violation Notes: No EPA ID # has been activated. This is a repeated violation, elevated to a class II Violation
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-25-2016
Citation: 23 CCR 6.7 25284, 25286 - California Code of Regulations, Title 23, Chapter 6.7, Section(s) 25284, 25286
Violation Description: Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes: Returned to compliance on 10/15/2018. . See CERS for status and comments. .
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-15-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes: Returned to compliance on 10/31/2018. Facility has not submitted a complete Hazardous Materials Business Plan via CERS since the change of ownership in 2017.
Violation Division: Santa Clara County Environmental Health

SUPER GAS & MART (Continued) **U001602644**

Violation Program: HMRRP
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-27-2014
Citation: HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Administration/Documentation - General
Violation Notes: No response to violations noted in 10/28/2013 Official Notice of Inspection (NOI) has been submitted. Complete the "Corrective Actions Taken" column and "Certification of Compliance" signature section and return that NOI within 30 days along with this NOI also completed that way.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-12-2017
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 10/31/2018. A copy of the CFO letter for this year was not available at the facility for review as it is stated on CERS. Provide a current copy of the CFO letter either by uploading it to CERS or by having it available at the facility.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-15-2018
Citation: 23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)
Violation Description: Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1,?2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October?1,?2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days

SUPER GAS & MART (Continued) **U001602644**

after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.

Violation Notes: Overfill prevention inspection was not conducted by 10/13/2018.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-25-2016
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 10/15/2018. . No evidence provided by the Chief Financial Officer is available for this year, in CERS or on-site. .
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-28-2013
Citation: 23 CCR 16 2636(f)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(2)
Violation Description: Failure of the pressurized piping to meet one or more of the following requirements: monitored at least hourly with the capability of detecting a release of 3.0 gallons per hour, and will restrict the flow of product through the piping or trigger an alarm when a release occurs.
Violation Notes: The 87 Vaporless line leak detector failed initial testing. The leak detector was adjusted and re-tested today, then passed. No further action is required.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Violation Date: 10-15-2018
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes: Facility owner has not been issued a permit to operate. Permit application listed in CERS lists the operator as Eric Ahuja while financial responsibility documents list the operator as Super Gas & Mart. Correct this discrepancy in CERS and resubmit. Then provide documentation of corrective actions for all violations listed in this report. In order for a permit to operate to be issued, all violations must be addressed and all required information on CERS must be complete.
Violation Division: Santa Clara County Environmental Health

SUPER GAS & MART (Continued) **U001602644**

Violation Program: UST
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-15-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: CERS ID 10353391. Ownership of the tanks was changed in 2017 and previous owner submitted the last completed copy of the Hazardous Materials Business Plan on 11/15/16. Facility has the following reportable hazardous materials: 15,000 gallons of gasoline
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-15-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site for a hazardous waste inspection. Facility is a gas station that generates waste fuel and water for gas tank spill buckets. EPA ID CAL000437804 is currently active but no waste has been shipped yet. Observed 1x30 gallon drum of hazardous waste that is less than half full. The following violations were corrected at the time of inspection by the Mr. Ahuja: G211 Emergency Information Posting: Facility did not have emergency information posted at the time of inspection. Mr. Ahuja was given a template posting to fill out and post at the time of inspection. G020 Marking of Hazardous Waste: Observed 1x30 gallon drum of waste sump liquid with no markings at the time of inspection. Mr. Ahuja was given a completed label to place on the drum.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 10-31-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: write-up
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-26-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: I am on site, at 498 S 4th St, San Jose, for the 2015 Hazardous Waste Permit Inspection. Christine Wu, Manager/Owner, is on site to provide records review and site access. No Response. No EPA ID #.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection

SUPER GAS & MART (Continued) **U001602644**

Eval Date:	10-26-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	I am on site, at 498 S 4th St, San Jose, for the 2015 UST Permit Inspection and to witness the Monitoring System Testing. Christine Wu, Manager/Owner, is on site to provide records review and site access. On site at 10:30, DUSTO Monthly Records Review, Clent Gagnier, LG Environmental, ICC #5243792, exp. 9/9/2016 Training, 7/24/2015, Christine, OK CERS Review, Last update was on 10/28/2013. Financial Responsibility, The last UST Letter from the Chief Financial Officer was posted on 10/28/2013. The current UST Letter from the Chief Financial Officer is not available. Previous NOI Review for Compliance. 2014, record on site, All 3 items, Outstanding, Pastr Due 2013, EPA ID#, Waste Determination ?, All others OK 2012, record on site, Previous Owners, No longer valid. OK Ming Zhang Owner (408) 686-9061 (408) 710-9557 (24-hour) mizhang118@gmail.com email sent 9:30 to inform mr Ming Zhang I will be on site. David WWinkler, UST Service Tech, [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-27-2014
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	All UST system leak detection equipment was tested today by by UST Service Technician David Winkler of Afforda-Test and functioned properly. Mr. Winkler has a current California Tank Tester license (exp. 3/31/2017), and current ICC UST Service Technician certification (exp. 3/3/2016), Veeder-Root Level 4 certification (exp. 2/10/2016), and Vaporless Manufacturing (VMI) LDT-890 line leak detector testing certification (exp. 11/10/2015). The 1 Model 794390-420 tank annular sensor (twin-compartment tank), and 2 Model 794380-208 submersible turbine pump (STP) sump sensors were tested using water to obtain audible and visual fuel alarms on the TLS-350 console. Fail safe turbine shutdown was confirmed for the STP sump sensors. TLS-350 system setup programming is okay. The Model B-2000 mechanical leak detection units in the under dispenser containment (UDC) pans were tested using water and tripped the dispenser shear valves. The 2 Model 99 LD-2000 mechanical line leak [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-28-2013
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	The Hazardous Materials Business Plan is up to date in CERS with the most recent submittal on 10/27/13. All facility, inventory, training, emergency response and site plan are complete at this time.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Other/Unknown

SUPER GAS & MART (Continued) **U001602644**

Eval Date:	11-07-2016
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	On site, 498 S 4th Street, for the 2016 UST Secontary Containment Testing (SB-989) Inspection. Qian Wu Christine, Manager, on site to allow facility access and records review. Ming Zhang, Owner, mizhang118@gmail.com Received Christine's signature for the October 24, 2016 UST Inspection. See updated copy with electronic signature. Today on site is Benjamin Duncan, R&D Compliance Testing, to conduct UST Secondary Containment testing. ICC #5246802, exp. 4/6/2017 CA WRCB Licence # 90-1120, exp. 12/31/2016 Caldwell, exp 3 years from July 2014 The single containment on a two compartment UST is a fiberglass outer tank on a steel primary tank. The test was done with a vacuum of 15in Hg for 1 hour. no drop observed. Vacuum released for confirmation, OK Two STP sumps, water tested to the original testing depth as marked on the side wall, above all piping penetrations. Caldwell testing showed no drop in level after > 30 minutes, OK Two UDCs, Bravo Boxes, [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Other/Unknown
Eval Date:	07-09-2018
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Red Card / Assisted new owner with CERS.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-24-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On site, 498 S 4th Street, for the 2016 UST Monitoring system Certification and Operating Permit Inspection. Qian Wu Christine, Manager, on site to allow facility access and records review. Ming Zhang, Owner, mizhang118@gmail.com CERS review, Called and spoke to Ming Zhang, Owner, today regarding the submittal status of UST Permit Application information in CERS. The update required in 2015 remains outstanding. See CERS for details. Note the business name/entity change to Blossom Business Inc. Business name and tax ID were changed in2015. David Winkler, Afford-a-Test, on site to conduct UST Monitoring System functional test and certification. ICC # 5263373 Serv Tech Expires 2/28/2018 VR - Expires 2/3/2018 VMI LDT-890 Exp 11/14/2017 On site: 1 split compartment UST, 2 tanks. L-4, audio and visual alarm, print, OK 2. sum ps, L-1, L-2, STP Shutdown, audio and visual alarm, print, OK 2 dispensers. Bravo Float and Chain. All 4 tested, functioned [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-28-2013
Violations Found:	Yes

SUPER GAS & MART (Continued) **U001602644**

Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-12-2017
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On-ste to oversee an annual monitoring system certification. Testing was conducted by Edward Sterns with Afforda-Test. Mr. Sterns has the following certifications; ICC#8184188 exp., 11/09/18; VR#A31048 exp., 8/09/19; VMI#1829 exp., 09/20/19. Prior to and after completion of testing there were no active alarms at the VR panel. The following components were tested and passed during this inspection; - 2 STP sump sensors provided a positive shut-down at the turbine. - 1 annular space sensor provided an audible/visual at the panel. - Fail safe and sensor out were verified. - 2 spill buckets were tested hydrostatically for 60 minutes and passed. - Flapper valves was verified to be installed in both tanks for overfill prevention. - 2 UDC float and chain mechanisms passed when tested with water. - 2 MLLD provided a slow-flow condition at the dispenser and passed. The following documents were reviewed during this inspection; 1) Monthly designated operator reports [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-15-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On-site for annual monitoring certification and spill bucket testing. Technician Felix Ramirez, with Afford-a-Test conducted all required testing and has the following certifications: CSLB valid till 5/3/2020 Veeder Root level IV acquired 7/8/18 VMI LD tester acquired 11/7/17 ICC Cert expires 11/22/2018 The following components were tested and found to be operational: 87 STP leak sensor (confirmed turbine shutdown) 91 STP leak sensor (confirmed turbine shutdown) Vaporless MLLD detected a simulated 3 GPH leak at 10 PSI and entered slow-flow for 30 seconds as required for 87 and 91 product lines. Annual tank sensor (shared annual space for compartmented tank) Bravo float-and-chain assemblies stop flow at the dispenser and trigger as required. Presence of flapper valves as overfill were visually confirmed. Confirmed that both turbines shut down as required for power outages or sensor outages. Veeder Root panel required a cold restart after power out testing. [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-26-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	I am on site, at 498 S 4th St, San Jose, for the 2015 Hazardous

SUPER GAS & MART (Continued) **U001602644**

Materials Business Plan Permit Inspection. Christine Wu, Manager/Owner, is on site to provide records review and site access. CERS review, Last submittal and certification was done on 10/28/2013. Recertification (re-submittal) is required once per year minimum.
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 10-27-2014
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Follow-up to 10/28/2013 inspection. Copy of "Management of Wastes Generated at Motor Vehicle Fuel Dispensing Facilities" guidance document (UN-072) was provided during this inspection.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-28-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Onsite today for UST Monitoring System Certification with Dave Winkler of Afforda-A-Test. Dave has a current ICC Service Technician certification #5263373, exp. 3/5/14; VMI/Vaporless #2528, exp. 11/10/13; Veeder-Root Level 4 B349975, exp. 2/13/14; LDT-890 leak detector tester is calibrated and valid. The following components were tested today: -UST annular sensor for the 15k split tank was operational with audible/visual alarm. -2 UST STP sump sensors for the 87 and 91 were operational with audible/visual alarm and positive shutdown. -The sensor out and power out simulated was demonstrated for Fail Safe feature. -The 87 and 91 spill buckets were tested hydrostatically today for 1 hour and passed. -The 87 and 91 Vaporless Leak detectors were tested for 3.0gph at 10psi leak and passed. Note: The 87 leak detector initially failed and was adjusted today, then passed. -The monthly DUSTO inspection records are in good order and up to date -The Emergency Shutoff was [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 11-07-2016
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: On site, 498 S 4th Street, for the 2016 UST Secontary Containment Testing (SB-989) Inspection. Qian Wu Christine, Manager, on site to allow facility access and records review. Ming Zhang, Owner, mizhang118@gmail.com
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Enforcement Action:
Site ID: 155671
Site Name: Super Gas & Mart

SUPER GAS & MART (Continued) **U001602644**

Site Address:	498 S 4TH ST
Site City:	SAN JOSE
Site Zip:	95112-5789
Enf Action Date:	10-26-2015
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HMRRP
Enf Action Source:	CERS

Site ID:	155671
Site Name:	Super Gas & Mart
Site Address:	498 S 4TH ST
Site City:	SAN JOSE
Site Zip:	95112-5789
Enf Action Date:	10-26-2015
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HW
Enf Action Source:	CERS

Site ID:	155671
Site Name:	Super Gas & Mart
Site Address:	498 S 4TH ST
Site City:	SAN JOSE
Site Zip:	95112-5789
Enf Action Date:	10-27-2014
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HW
Enf Action Source:	CERS

Site ID:	155671
Site Name:	Super Gas & Mart
Site Address:	498 S 4TH ST
Site City:	SAN JOSE
Site Zip:	95112-5789
Enf Action Date:	10-27-2014
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	UST
Enf Action Source:	CERS

Site ID:	155671
Site Name:	Super Gas & Mart
Site Address:	498 S 4TH ST
Site City:	SAN JOSE
Site Zip:	95112-5789
Enf Action Date:	10-28-2013
Enf Action Type:	Notice of Violation (Unified Program)

SUPER GAS & MART (Continued) **U001602644**

Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Site ID: 155671
Site Name: Super Gas & Mart
Site Address: 498 S 4TH ST
Site City: SAN JOSE
Site Zip: 95112-5789
Enf Action Date: 10-28-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Environmental Contact
Entity Name: Eric Ahuja
Entity Title: Not reported
Affiliation Address: 498 S 4TH ST
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: Eric Ahuja
Entity Title: Business Owner
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: Eric Ahuja
Entity Title: Not reported
Affiliation Address: 2125 Harte Cir
Affiliation City: San Leandro
Affiliation State: CA
Affiliation Country: United States

SUPER GAS & MART (Continued) **U001602644**

Affiliation Zip:	94577
Affiliation Phone:	(408) 295-4606
Affiliation Type Desc:	Parent Corporation
Entity Name:	Super Gas & Mart
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	UST Tank Operator
Entity Name:	Eric Ahuja
Entity Title:	Not reported
Affiliation Address:	498 S 4TH ST
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95112
Affiliation Phone:	(408) 295-4606
Affiliation Type Desc:	Document Preparer
Entity Name:	Eric Ahuja
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	498 S 4TH ST
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Eric Ahuja
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 295-4606
Affiliation Type Desc:	Property Owner
Entity Name:	Ming Zhang/ Blossom Business Inc
Entity Title:	Not reported
Affiliation Address:	498 S 4TH ST

SUPER GAS & MART (Continued) **U001602644**

Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95112-5789
Affiliation Phone:	(408) 710-9557
Affiliation Type Desc:	UST Tank Owner
Entity Name:	Ming Zhang / Blossom Business Inc
Entity Title:	Not reported
Affiliation Address:	498 4th Street
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95112
Affiliation Phone:	(408) 710-9557
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	Ming Zhang/ Blossom Business Inc
Entity Title:	Not reported
Affiliation Address:	498 S 4th Street
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95112
Affiliation Phone:	(408) 710-9557

A3 **SPARTAN GAS STATION** **CA UST** **U004264650**
ESE **498 S 4TH ST** **N/A**
< 1/8 **SAN JOSE, CA 95112**
0.020 mi.
108 ft. **Site 3 of 6 in cluster A**

Relative: UST:
Higher

Actual:
99 ft.

Name:	SUPER GAS & MART
Address:	498 S 4TH ST
City,State,Zip:	SAN JOSE, CA 95112-5789
Facility ID:	FA0700200
Permitting Agency:	Santa Clara County Environmental Health
Latitude:	37.33036
Longitude:	-121.88171
Name:	SPARTAN GAS STATION
Address:	498 S 4TH ST
City,State,Zip:	SAN JOSE, CA 95112-5789
Facility ID:	FA0700200
Permitting Agency:	Santa Clara County Environmental Health
Latitude:	37.33036
Longitude:	-121.88171

A4
ESE
< 1/8
0.020 mi.
108 ft.

SUPER GAS & MART
498 S 4TH ST
SAN JOSE, CA 95112

Site 4 of 6 in cluster A

RCRA NonGen / NLR | **1024869192** | **CAL000437804**

Relative: Higher

Actual: 99 ft.

RCRA NonGen / NLR:

Date form received by agency:	07/24/2018
Facility name:	SUPER GAS & MART
Facility address:	498 S 4TH ST SAN JOSE, CA 95112
EPA ID:	CAL000437804
Contact:	ERIC AHUJA
Contact address:	2125 HARTE CIR SAN LEANDRO, CA 95112
Contact country:	Not reported
Contact telephone:	510-828-6018
Contact email:	AHUJA2924@GMAIL.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	ERIC AHUJA
Owner/operator address:	2125 HARTE CIR SAN LEANDRO, CA 94577
Owner/operator country:	Not reported
Owner/operator telephone:	510-828-6018
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	ERIC AHUJA
Owner/operator address:	2125 HARTE CIR SAN LEANDRO, CA 95112
Owner/operator country:	Not reported
Owner/operator telephone:	510-828-6018
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	Yes
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No

SUPER GAS & MART (Continued) **1024869192**

Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

A5 **SPARTAN GAS STATION** **CA LUST** **S104162848**
ESE **498 4TH** **CA HIST CORTESE** **N/A**
< 1/8 **SAN JOSE, CA 95112** **CA CERS**
0.022 mi.
117 ft. **Site 5 of 6 in cluster A**

Relative:
Higher

Actual:
99 ft.

LUST:

Name:	SPARTAN GAS STATION
Address:	498 4TH
City,State,Zip:	SAN JOSE, CA 95112
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501344
Global Id:	T0608501344
Latitude:	37.3303788756706
Longitude:	-121.881680488586
Status:	Completed - Case Closed
Status Date:	12/23/2016
Case Worker:	GOR
RB Case Number:	14-049
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	07S1E17B03f
Potential Media Affect:	Other Groundwater (uses other than drinking water), Soil, Soil Vapor
Potential Contaminants of Concern:	Benzene, Toluene, Xylene, Diesel, MTBE / TBA / Other Fuel Oxygenates, Gasoline
Site History:	The Site is located at the north corner of the South Fourth Street and East William Street intersection within the City of San Jose . A small convenience store occupies the north portion of the Site and a remediation treatment plant occupies the east portion of the Site. Total petroleum hydrocarbons as gasoline (TPHg) and diesel fuel (TPHd) were initially detected in soil and groundwater beneath the Site during investigation activities in 1989. Since 1989, corrective action work including soil and groundwater investigations and remediation work has been performed under the direction of the local oversight agency (currently Santa Clara County Department of Environmental Health) and the Site has been assigned Fuel Leak Case No. 14-049. Investigation and remediation work completed to date include drilling of more than 40 soil borings, installation of 24 groundwater monitoring/extraction wells, and construction and operation of a remediation system. Investigative results indicate that the fuel leak originating from the Site contained a mixture of fuel-related compounds, including TPHg and methyl tertiary butyl ether (MTBE). While this mixture of dissolved TPHg and MTBE has advected down-gradient to the north-northeast, a TPHg plume without MTBE has been detected up- and cross-gradient to the southeast and east. The up- and cross-gradient TPHg contamination was attributed to Fuel Leak Case No. 14-049 and the local oversight agency required several stages of investigation work to characterize its lateral

SPARTAN GAS STATION (Continued) **S104162848**

extent. At least six borings and nested wells MW-7A and MW-7B were installed southeast and east of the Site in order to characterize up- and cross-gradient contamination, and groundwater extraction well EW-4 was installed in order to control further migration of these cross-gradient contaminants. Possible Up-Gradient Source of Petroleum Hydrocarbon Contamination In 2004, Allterra hypothesized that the up- and cross-gradient hydrocarbon contamination did not originate from the Site, but from an unidentified leaking UST located somewhere east to southeast of the Site. To evaluate the hypothesis, Allterra performed a historical survey of the area immediately southeast of the Site, as documented in Allterras March 31, 2005 Corrective Action Plan. A brief description of the rationale for this hypothesis is as follows: Up- and Cross-Gradient Groundwater Data: The fuel oxygenate MTBE is listed as a chemical of concern for Fuel Leak Case No. 14-049. As expected, MTBE has been detected in borings and wells down-gradient of the Site (north to northeast). However, while the TPHg-MTBE plume has migrated down-gradient, analytical data for up- and crossgradient samples indicate high levels of TPHg and non-detect levels of MTBE. A Gas Station Formerly Operated at 502 South Fourth Street: Interviews with residents in the surrounding neighborhood indicated that the apartment complex located at the east corner of the South Fourth Street and East William Street intersection (502 South Fourth Street) had been the former location of gasoline service station up until about 1960. The operation of a gas station at 502 South Fourth Street was verified after a review of (1) Polk Directories from 1940 and 1942 (Bob and Teds Station), (2) an 1954 aerial photograph, and (3) a 1950 Sanborn Map. Comparing the location of the former gas station at 502 South Fourth Street with the available groundwater data suggests that the TPHg contamination east and southeast of the Site originated from the former gas station. However, before proceeding with possible enforcement action, an additional stage of investigation was appropriate. Up-Gradient Source Investigation Activities The following is a discussion of investigation activities up-gradient of the Site, that included a series of five Geoprobe soil borings advanced through the sidewalk area along East William Street. The purpose of the investigation was to further characterize up- and cross-gradient hydrocarbon contamination that is suspected to be migrating from the former gas station located at 502 South Fourth Street. Rationale for Boring Locations Five Geoprobe borings, designated UB-1 through UB-5, were advanced through the sidewalk along the southeastern side of East William Street. The borings were aligned in a transect that began at the east corner of South Fourth and East William Streets and extended northeast toward South Fifth Street. Exact boring locations were determined in the field based on three considerations: 1) locations suspected to be directly down-gradient of the former gas station; 2) locations that would fill-in gaps in historical data; and 3) locations where drilling equipment was not constrained by physical barriers. An encroachment permit (Permit No. 3-16984) was obtained from the City of San Jose for installing borings in the public right-of-way. Soil and groundwater samples were submitted, under chain-of-custody protocol, for chemical analysis to McCampbell Analytical, Inc., of Pacheco, California, a state of California certified laboratory (ELAP #1644).

LUST:
Global Id: T0608501344
Contact Type: Local Agency Caseworker

SPARTAN GAS STATION (Continued) **S104162848**

Contact Name: Gerald O'Regan
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 BERGER DRIVE STE 300
City: SAN JOSE
Email: gerald.o'regan@deh.sccgov.org
Phone Number: Not reported

Global Id: T0608501344
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:

Global Id: T0608501344
Action Type: Other
Date: 12/02/1988
Action: Leak Discovery

Global Id: T0608501344
Action Type: RESPONSE
Date: 03/30/2004
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 08/09/2001
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 11/09/1998
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 03/13/2002
Action: Risk Assessment Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 01/01/1992
Action: Correspondence

Global Id: T0608501344
Action Type: RESPONSE
Date: 04/28/1989
Action: Unauthorized Release Form

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 12/15/2005
Action: Staff Letter - #51215

SPARTAN GAS STATION (Continued) **S104162848**

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 06/26/2001
Action: Staff Letter - #25894

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 09/11/2001
Action: Staff Letter - #25900

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 01/18/2002
Action: Staff Letter - #25918

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 01/29/2002
Action: Staff Letter - #25920

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 04/07/2003
Action: Staff Letter - #41072

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 05/01/2004
Action: Staff Letter - #44505

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 06/26/2015
Action: State Water Board Closure Order

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 03/24/2016
Action: Staff Letter

Global Id: T0608501344
Action Type: RESPONSE
Date: 05/27/2016
Action: Email Correspondence

Global Id: T0608501344
Action Type: RESPONSE
Date: 12/29/2004
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 01/14/2002
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE

SPARTAN GAS STATION (Continued) **S104162848**

Date: 04/26/1996
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 06/03/2005
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 06/17/1998
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 08/24/2001
Action: Staff Letter - #25904

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 12/14/2001
Action: Staff Letter - #25916

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 10/01/2002
Action: Staff Letter - #40760

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 11/15/2004
Action: Staff Letter - #45913

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 06/03/2005
Action: Other Report

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 11/16/2015
Action: Notification - Public Notice of Case Closure

Global Id: T0608501344
Action Type: RESPONSE
Date: 07/15/2000
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 02/22/2010
Action: Correspondence

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 12/23/2016
Action: Closure/No Further Action Letter - #12/23/2016

SPARTAN GAS STATION (Continued) **S104162848**

Global Id: T0608501344
Action Type: RESPONSE
Date: 03/15/1999
Action: Corrective Action Plan / Remedial Action Plan

Global Id: T0608501344
Action Type: RESPONSE
Date: 12/15/1999
Action: Remedial Progress Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 07/15/2000
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 08/15/2000
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 09/15/2000
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 11/15/2000
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 01/15/2001
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 07/31/2005
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 06/27/2003
Action: Corrective Action Plan / Remedial Action Plan

Global Id: T0608501344
Action Type: RESPONSE
Date: 01/31/2005
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 03/31/2005
Action: CAP/RAP - Other Report

Global Id: T0608501344
Action Type: RESPONSE

SPARTAN GAS STATION (Continued) **S104162848**

Date: 12/11/2002
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 06/17/1998
Action: Soil and Water Investigation Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 03/31/2010
Action: Correspondence

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/25/2014
Action: Request for Closure - Regulator Responded

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 11/16/2015
Action: State Water Board Closure Order

Global Id: T0608501344
Action Type: Other
Date: 04/28/1989
Action: Leak Reported

Global Id: T0608501344
Action Type: RESPONSE
Date: 08/10/2001
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 08/10/2001
Action: Soil and Water Investigation Workplan

Global Id: T0608501344
Action Type: RESPONSE
Date: 11/30/1999
Action: Soil and Water Investigation Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 03/26/2001
Action: Soil and Water Investigation Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 06/15/2001
Action: Soil and Water Investigation Workplan

Global Id: T0608501344
Action Type: RESPONSE
Date: 03/01/2001
Action: Soil and Water Investigation Workplan

SPARTAN GAS STATION (Continued) **S104162848**

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/14/1998
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 01/08/2010
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 08/12/2003
Action: Interim Remedial Action Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/30/2002
Action: NPDES / WDR Reports

Global Id: T0608501344
Action Type: RESPONSE
Date: 06/03/2005
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 01/29/2003
Action: Remedial Progress Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/24/2006
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 04/13/2001
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 06/30/2016
Action: Well Destruction Report - Regulator Responded

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 09/17/2009
Action: Staff Letter - #9002719

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 12/10/2014
Action: Staff Letter

Global Id: T0608501344
Action Type: ENFORCEMENT

SPARTAN GAS STATION (Continued) **S104162848**

Date: 06/29/2016
Action: Email Correspondence

Global Id: T0608501344
Action Type: RESPONSE
Date: 04/30/2003
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 07/31/2003
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 09/10/2001
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 08/10/2002
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 04/15/2000
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 09/10/2002
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 07/31/2004
Action: Remedial Progress Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 12/15/1998
Action: Soil and Water Investigation Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 04/15/1996
Action: Remedial Progress Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 07/15/1999
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 04/15/1999
Action: Monitoring Report - Quarterly

SPARTAN GAS STATION (Continued) **S104162848**

Global Id: T0608501344
Action Type: RESPONSE
Date: 07/31/2004
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 07/10/2002
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/31/2004
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 07/30/2002
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/31/2003
Action: Remedial Progress Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 01/15/1999
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 06/10/2002
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 12/10/2002
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 09/17/1998
Action: Soil and Water Investigation Workplan

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/15/1998
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 01/30/2002
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE

SPARTAN GAS STATION (Continued) **S104162848**

Date: 04/30/2003
Action: Remedial Progress Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/19/1995
Action: Soil and Water Investigation Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/30/2001
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 11/13/2001
Action: Soil and Water Investigation Workplan

Global Id: T0608501344
Action Type: RESPONSE
Date: 12/20/1995
Action: Soil and Water Investigation Workplan

Global Id: T0608501344
Action Type: RESPONSE
Date: 01/31/2004
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 04/30/2004
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 01/15/2000
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 01/30/2003
Action: Remedial Progress Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 03/31/2005
Action: Corrective Action Plan / Remedial Action Plan

Global Id: T0608501344
Action Type: RESPONSE
Date: 12/15/2000
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 04/30/2005
Action: Monitoring Report - Quarterly

SPARTAN GAS STATION (Continued) **S104162848**

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/30/2002
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 12/30/1999
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 11/10/2002
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 02/08/2001
Action: Soil and Water Investigation Workplan

Global Id: T0608501344
Action Type: RESPONSE
Date: 02/08/2001
Action: Remedial Progress Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 01/31/2001
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/30/2000
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 07/13/1995
Action: Preliminary Site Assessment Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/15/1999
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/15/2014
Action: Correspondence

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/04/2004
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE

SPARTAN GAS STATION (Continued) **S104162848**

Date: 11/30/2007
Action: Remedial Progress Report

Global Id: T0608501344
Action Type: REMEDIATION
Date: 09/08/2003
Action: Soil Vapor Extraction (SVE)

Global Id: T0608501344
Action Type: REMEDIATION
Date: 07/01/1998
Action: Free Product Removal

Global Id: T0608501344
Action Type: REMEDIATION
Date: 07/01/1998
Action: Pump & Treat (P&T) Groundwater

Global Id: T0608501344
Action Type: REMEDIATION
Date: 07/01/1998
Action: Excavation

Global Id: T0608501344
Action Type: REMEDIATION
Date: 10/01/2002
Action: Pump & Treat (P&T) Groundwater

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 11/13/2009
Action: Staff Letter

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 04/06/2011
Action: Staff Letter

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 05/25/2011
Action: Staff Letter

Global Id: T0608501344
Action Type: RESPONSE
Date: 04/30/2010
Action: Monitoring Report - Semi-Annually

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/31/2010
Action: Monitoring Report - Semi-Annually

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/10/2001
Action: Other Report / Document

SPARTAN GAS STATION (Continued) **S104162848**

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/10/2002
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 03/22/2002
Action: Soil and Water Investigation Workplan

Global Id: T0608501344
Action Type: RESPONSE
Date: 04/30/2002
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 03/15/2002
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 01/30/2003
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 01/15/2001
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 02/26/2002
Action: Soil and Water Investigation Workplan

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/31/2004
Action: Remedial Progress Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 06/15/2000
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 10/15/2000
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 01/31/2005
Action: Remedial Progress Report

Global Id: T0608501344
Action Type: RESPONSE

SPARTAN GAS STATION (Continued) **S104162848**

Date: 10/31/2003
Action: Monitoring Report - Quarterly

Global Id: T0608501344
Action Type: RESPONSE
Date: 09/15/2001
Action: Remedial Progress Report

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 06/26/2015
Action: Clean Up Fund - Case Closure Review Summary Report (RSR)

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 06/20/2014
Action: Staff Letter

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 07/06/2015
Action: Notification - Public Notice of Case Closure

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 06/26/2015
Action: State Water Board Closure Order

Global Id: T0608501344
Action Type: RESPONSE
Date: 03/20/2015
Action: Site Assessment Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 12/23/2011
Action: Request for Closure

Global Id: T0608501344
Action Type: RESPONSE
Date: 03/12/2001
Action: Well Installation Report

Global Id: T0608501344
Action Type: RESPONSE
Date: 06/03/2005
Action: Other Report / Document

Global Id: T0608501344
Action Type: RESPONSE
Date: 12/13/1995
Action: Other Workplan

Global Id: T0608501344
Action Type: RESPONSE
Date: 01/06/1989
Action: Preliminary Site Assessment Report

SPARTAN GAS STATION (Continued) **S104162848**

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 07/13/1995
Action: Staff Letter - #25811

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 07/21/1995
Action: Staff Letter - #25818

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 12/13/1995
Action: Staff Letter - #25814

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 03/01/1996
Action: Staff Letter - #25816

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 07/23/1998
Action: Staff Letter - #25822

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 08/31/1998
Action: Staff Letter - #25824

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 09/16/1998
Action: Staff Letter - #25826

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 01/19/1999
Action: Staff Letter - #25832

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 01/29/1999
Action: Staff Letter - #25830

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 09/01/1999
Action: Staff Letter - #25838

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 10/31/1999
Action: Staff Letter - #25840

Global Id: T0608501344
Action Type: ENFORCEMENT

SPARTAN GAS STATION (Continued) **S104162848**

Date: 11/15/1999
Action: Staff Letter - #25842

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 05/01/2000
Action: Staff Letter - #25858

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 05/31/2000
Action: Staff Letter - #25860

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 07/01/2000
Action: Staff Letter - #25862

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 08/01/2000
Action: Staff Letter - #25864

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 08/31/2000
Action: Staff Letter - #25866

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 10/01/2000
Action: Staff Letter - #25868

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 10/31/2000
Action: Staff Letter - #25870

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 12/01/2000
Action: Staff Letter - #25872

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 12/26/2000
Action: Staff Letter - #25876

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 01/10/2001
Action: Staff Letter - #25852

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 01/15/2001
Action: Staff Letter - #25874

SPARTAN GAS STATION (Continued) **S104162848**

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 02/06/2001
Action: Staff Letter - #25856

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 02/08/2001
Action: Staff Letter - #25854

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 05/01/2001
Action: Staff Letter - #25880

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 05/18/2001
Action: Staff Letter - #25888

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 06/08/2001
Action: * Historical Enforcement - #39824

Global Id: T0608501344
Action Type: ENFORCEMENT
Date: 06/22/2001
Action: Staff Letter - #25892

LUST:
Global Id: T0608501344
Status: Completed - Case Closed
Status Date: 12/23/2016

Global Id: T0608501344
Status: Open - Case Begin Date
Status Date: 12/02/1988

Global Id: T0608501344
Status: Open - Site Assessment
Status Date: 12/02/1988

Global Id: T0608501344
Status: Open - Site Assessment
Status Date: 12/27/1988

Global Id: T0608501344
Status: Open - Verification Monitoring
Status Date: 09/28/2016

HIST CORTESE:
edr_fname: SPARTAN GAS STATION
edr_fadd1: 498 4TH
City,State,Zip: SAN JOSE, CA 95106

SPARTAN GAS STATION (Continued) **S104162848**

Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-1368

CERS:
Name: SPARTAN GAS STATION
Address: 498 4TH
City,State,Zip: SAN JOSE, CA 95112
Site ID: 217627
CERS ID: T0608501344
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: Gerald O'Regan - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 BERGER DRIVE STE 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

A6 **ODONNELL CORNELIUS** **EDR Hist Auto** **1009001845**
SE **152 E WILLIAM ST** **N/A**
< 1/8 **SAN JOSE, CA**
0.033 mi.
174 ft. **Site 6 of 6 in cluster A**

Relative: EDR Hist Auto
Higher

Actual: **100 ft.**

Year:	Name:	Type:
1930	ODONNELL CORNELIUS	GASOLINE AND OIL SERVICE STATIONS
1935	LEE O W	GASOLINE AND OIL SERVICE STATIONS
1940	BOB & TED S STATION	GASOLINE AND OIL SERVICE STATIONS
1950	BOB & TED S	GASOLINE STATIONS
1955	BOB & TED S SERVICE STATION	GASOLINE STATIONS

B7 **CAMPUS LAUNDERETTE** **EDR Hist Cleaner** **1009133482**
WNW **402 S 3RD ST** **N/A**
< 1/8 **SAN JOSE, CA**
0.059 mi.
311 ft. **Site 1 of 5 in cluster B**

Relative: EDR Hist Cleaner
Lower

Actual: **96 ft.**

Year:	Name:	Type:
1966	CAMPUS LAUNDERETTE	LAUNDRIES SELF SERVE
1970	CAMPUS LAUNDERETTE	LAUNDRIES-SELF SERVE

B8 **CAMPUS LAUNDERETTE** **EDR Hist Cleaner** **1009134375**
WNW **402 S 3D** **N/A**
< 1/8 **SAN JOSE, CA**
0.069 mi.
366 ft. **Site 2 of 5 in cluster B**

Relative: EDR Hist Cleaner
Lower

Actual: **96 ft.**

Year:	Name:	Type:
1960	CAMPUS LAUNDERETTE	LAUNDRIES-SELF SERVE

B9 **V & V AUTO SERVICE** **EDR Hist Auto** **1009000438**
West **96 E SAN SALVADOR ST** **N/A**
< 1/8 **SAN JOSE, CA**
0.075 mi.
398 ft. **Site 3 of 5 in cluster B**

Relative: EDR Hist Auto
Lower

Actual: **97 ft.**

Year:	Name:	Type:
1955	V & V AUTO SERVICE	AUTOMOBILE REPAIRING
1966	DUN RITE AUTO SHOP	AUTOMOBILE REPAIRING
1970	CITY FOREIGN CAR CENTER	AUTOMOBILE REPAIRING
1975	CITY FOREIGN CAR CENTER	AUTOMOBILE REPAIRING

B10 **URZI J P** **EDR Hist Auto** **1009001035**
West **98 E SAN SALVADOR ST** **N/A**
< 1/8 **SAN JOSE, CA**
0.075 mi.
398 ft. **Site 4 of 5 in cluster B**

Relative: EDR Hist Auto
Lower

Actual: **97 ft.**

Year:	Name:	Type:
1940	URZI J P	GASOLINE AND OIL SERVICE STATIONS
1974	CITY FOREIGN CAR CENTER	General Automotive Repair Shops
1975	CITY FOREIGN CAR CENTER	General Automotive Repair Shops
1976	CITY FOREIGN CAR CENTER	General Automotive Repair Shops
1977	CITY FOREIGN CAR CENTER	General Automotive Repair Shops
1978	CITY FOREIGN CAR CENTER	General Automotive Repair Shops
1979	CITY FOREIGN CAR CENTER	General Automotive Repair Shops
1980	CITY FOREIGN CAR CENTER	General Automotive Repair Shops
1982	CITY FOREIGN CAR CENTER	General Automotive Repair Shops
1983	CITY FOREIGN CAR CENTER	General Automotive Repair Shops

C11 **WE HARDING COMPANY INC** **RCRA NonGen / NLR** **1024787429**
SSW **502 S 2ND ST** **CAL000032401**
< 1/8 **SAN JOSE, CA 95112**
0.095 mi.
503 ft. **Site 1 of 6 in cluster C**

Relative:
Higher

Actual:
101 ft.

RCRA NonGen / NLR:

Date form received by agency:	05/10/1990
Facility name:	WE HARDING COMPANY INC
Facility address:	502 S 2ND ST SAN JOSE, CA 95112-5707
EPA ID:	CAL000032401
Contact:	WALTER HARDING
Contact address:	502 S 2ND ST SAN JOSE, CA 95112
Contact country:	Not reported
Contact telephone:	408-286-8989
Contact email:	DTSC@PACIFICMGT.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	WALTER HARDING
Owner/operator address:	502 S 2ND ST SAN JOSE, CA 95112
Owner/operator country:	Not reported
Owner/operator telephone:	408-286-8989
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	W E HARDING CO INC
Owner/operator address:	502 S 2ND ST SAN JOSE, CA 95112
Owner/operator country:	Not reported
Owner/operator telephone:	408-286-8989
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	Yes
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No

WE HARDING COMPANY INC (Continued) **1024787429**

Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

C12 **AUTO SERVICE CENTER** **EDR Hist Auto** **1009002165**
SSW **502 S 2ND ST** **N/A**
< 1/8 **SAN JOSE, CA**
0.095 mi.
503 ft. **Site 2 of 6 in cluster C**

Relative: EDR Hist Auto
Higher

Actual:
101 ft.

Year:	Name:	Type:
1975	AUTO SERVICE CENTER	AUTOMOBILE REPAIRING
1976	HARDING WALTER E CO	General Automotive Repair Shops
1977	HARDING WALTER E CO	General Automotive Repair Shops
1978	HARDING WALTER E CO	General Automotive Repair Shops
1979	HARDING WALTER E CO	General Automotive Repair Shops
1980	W E HARDING INC	General Automotive Repair Shops
1982	W E HARDING INC	General Automotive Repair Shops
1983	W E HARDING INC	General Automotive Repair Shops
1985	HARDING W E INC	General Automotive Repair Shops
1986	HARDING W E INC	General Automotive Repair Shops
1987	HARDING W E INC	General Automotive Repair Shops
1988	HARDING W E INC	General Automotive Repair Shops
1989	HARDING W E INC	General Automotive Repair Shops
1990	HARDING W E CO INC	General Automotive Repair Shops
1991	HARDING W E CO INC	General Automotive Repair Shops
1992	HARDING W E CO INC	General Automotive Repair Shops
1993	HARDING W E CO INC	General Automotive Repair Shops
1994	HARDING W E CO INC	General Automotive Repair Shops
1995	HARDING W E CO INC	General Automotive Repair Shops
1996	HARDING WALTER E CO INC	General Automotive Repair Shops
1997	HARDING WALTER E CO INC	General Automotive Repair Shops
1998	HARDING WALTER E CO INC	General Automotive Repair Shops
1999	HARDING WALTER E CO INC	General Automotive Repair Shops
2000	HARDING WALTER E CO INC	General Automotive Repair Shops
2001	HARDING WALTER E CO INC	General Automotive Repair Shops
2001	B M W HARDING CO SPECIALISTS	General Automotive Repair Shops
2002	B M W HARDING CO SPECIALISTS	General Automotive Repair Shops
2002	HARDING WALTER E CO INC	General Automotive Repair Shops
2003	B M W HARDING CO SPECIALISTS	General Automotive Repair Shops
2003	HARDING WALTER E CO INC	General Automotive Repair Shops
2004	HARDING WALTER E COMPANY INC	General Automotive Repair Shops
2005	HARDING WALTER E COMPANY INC	General Automotive Repair Shops
2006	HARDING WALTER E COMPANY INC	General Automotive Repair Shops
2007	HARDING WALTER E COMPANY INC	General Automotive Repair Shops
2008	HARDING WALTER E COMPANY INC	General Automotive Repair Shops
2009	HARDING WALTER E COMPANY INC	General Automotive Repair Shops
2010	HARDING WALTER E COMPANY INC	General Automotive Repair Shops
2011	HARDING WALTER E COMPANY INC	General Automotive Repair Shops
2012	HARDING WALTER E COMPANY INC	General Automotive Repair Shops
2013	HARDING WALTER E COMPANY INC	General Automotive Repair Shops

AUTO SERVICE CENTER (Continued) **1009002165**

2014 HARDING WALTER E COMPANY INC General Automotive Repair Shops

---

C13 **W.E. HARDING CO** **CA CERS HAZ WASTE** **S103662571**
SSW **502 S 2ND ST** **CA SWEEPS UST** **N/A**
< 1/8 **SAN JOSE, CA 95112** **CA CUPA Listings**
0.095 mi. **CA HAZMAT**
503 ft. **Site 3 of 6 in cluster C** **CA CERS**

Relative: Higher
Actual: 101 ft.

CERS HAZ WASTE:

Site ID:	169711
CERS ID:	10092802
CERS Description:	Hazardous Waste Generator

Violations:

Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description:	Failure to obtain an Identification Number prior to treating, storing, disposing of, transporting or offering for transportation any hazardous waste.
Violation Notes:	Per the Hazardous Waste Tracking System, EPA ID# CAL000032401 is inactive. Provided facility with DTSC form 1358 to reactivate EPA ID#.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	No annual training in safety procedures has taken place. Ensure that annual training for employees covers all the content in the Hazardous Materials Business Plan and is documented.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description:	Hazardous Waste Generator Program - Administration/Documentation - General
Violation Notes:	Disposal records for used oil, waste coolant, used oil filters and spent parts washing solution were unavailable for review.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	169711

W.E. HARDING CO (Continued) **S103662571**

Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	40 CFR 1 265.174 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.174
Violation Description:	Failure to inspect hazardous waste storage areas at least weekly and look for leaking and deteriorating containers.
Violation Notes:	Per facility, container areas are inspected twice a year. Begin conducting weekly inspections at least weekly.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	40 CFR 1 262.34(d)(5)(iii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(iii)
Violation Description:	Failure to ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures, relevant to their responsibilities during normal facility operations and emergencies.
Violation Notes:	As evidenced by the nature and the number of violations, employee training has not been effective and employees are not thoroughly familiar with hazardous waste management. Provided facility with the County's free Hazardous Waste Management Class flyer.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description:	Hazardous Waste Generator Program - Operations/Maintenance - General
Violation Notes:	Observed 4 empty 5W40 containers that did not have the empty date.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	40 CFR 1 265.173 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.173
Violation Description:	Failure to meet the following container management requirements: (a) A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste. (b) A container holding hazardous waste must not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.
Violation Notes:	The following containers were open during inspection: 3 x 55 gallon drums os used oil 1 x 90 gallon container of waste coolant 1 x 55 gallon drum of waste coolant
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

W.E. HARDING CO (Continued) **S103662571**

Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	HSC 6.5 25250.22 - California Health and Safety Code, Chapter 6.5, Section(s) 25250.22
Violation Description:	Failure to properly manage used oil and/or fuel filters in accordance with the requirements.
Violation Notes:	The following containers were missing the words "Drained used oil filters" and the accumulation start date: 1 x 55 gallon drum of used oil filters 1 x 15 gallon drum of used oil filters
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	The following containers were missing hazardous waste markings: 4 x 55 gallons of used oil (labels were faded and affixed to the adjacent door) 1 x 90 gallon container of waste coolant 1 x 55 gallon container of waste coolant 3 x 15 gallon used oil rollers 1 x 15 gallon waste coolant roller 1 x 1 gallon container of waste coolant
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	HSC 6.5 25250.22 - California Health and Safety Code, Chapter 6.5, Section(s) 25250.22
Violation Description:	Failure to properly manage used oil and/or fuel filters in accordance with the requirements.
Violation Notes:	1 x55 gallon drum of used oil filters and 1 x 15 gallon drum of used oil filters were open and missing lids during inspection.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	22 CCR 12 66262.11 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.11
Violation Description:	Failure to determine if wastes generated are hazardous waste by using generator knowledge or applying testing method.
Violation Notes:	Observed 1 x55 gallon over pack drum in the back storage area with free flowing amounts of dark oil like liquid on top of the lid. Various auto parts were on top on and around the container. Per facility, they did not know what the contents of this container were.

W.E. HARDING CO (Continued) **S103662571**

Make a hazardous waste determination for this container and its contents and if determined to be hazardous, manage accordingly.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 169711
Site Name: W.E. Harding Co
Violation Date: 10-24-2016
Citation: HSC 6.5 25250.22 - California Health and Safety Code, Chapter 6.5, Section(s) 25250.22
Violation Description: Failure to properly manage used oil and/or fuel filters in accordance with the requirements.
Violation Notes: Observed used paper filters commingled with used metal filters. Paper filters cannot be recycled for their metal content and must be managed as hazardous waste. Note: used paper filters can be managed with saturated absorbent and rags as oily debris.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 169711
Site Name: W.E. Harding Co
Violation Date: 10-24-2016
Citation: 40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description: Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes: Observed saturated rags and absorbent on the floor and on top of drums in the hazardous waste storage area. Observed free flowing amounts of used oil on top of used oil drums. Ensure that these areas are kept lean of any free flowing liquids and debris to prevent an unplanned release into the environment.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-24-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On site to conduct a routine hazardous waste inspection. Inspection began on 10/18/24 and concluded today. Observed the following wastes on site: 4 x 55 gallons of used oil 1 x 90 gallon container of waste coolant 1 x 55 gallon container of waste coolant 3 x 15 gallon used oil rollers 1 x 15 gallon waste coolant roller 1 x 1 gallon container of waste coolant 1 x 55 gallon drum of used oil filters 1 x 15 gallon drum of used oil filters Fire extinguishers have had annual maintenance Spill control is available on site Battery cores are managed by Interstate Emergency information is posted on site Parts washer on site uses hot water and soap. Spent solution gets pumped out directly from the unit when service is needed.
Eval Division: Santa Clara County Environmental Health

W.E. HARDING CO (Continued) **S103662571**

Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-24-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On site to conduct a routine hazardous materials business plan inspection. CERS ID: 10092802 Facility's last HMBP submittal was 3/11/16 via CERS Facility has 6 reportable chemicals on site: 265 gallons used oil 145 gallons waste coolant 60 gallons 5W40 oil 55 gallons parts washing solution 60 gallons brake fluid 75 gallons coolant Facility is correctly permitted at BP02
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS

Coordinates:

Site ID:	169711
Facility Name:	W.E. Harding Co
Env Int Type Code:	HWG
Program ID:	10092802
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.329063
Longitude:	-121.883415

Affiliation:

Affiliation Type Desc:	Legal Owner
Entity Name:	W.E. Harding Co., Inc.
Entity Title:	Not reported
Affiliation Address:	502 S 2nd St
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95112
Affiliation Phone:	(408) 286-8989
Affiliation Type Desc:	Property Owner
Entity Name:	Walter E. Harding
Entity Title:	Not reported
Affiliation Address:	502 S 2nd St
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95112
Affiliation Phone:	(408) 286-8989
Affiliation Type Desc:	Document Preparer
Entity Name:	PACIFIC MANAGEMENT SERVICES
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported

W.E. HARDING CO (Continued) **S103662571**

Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	502 S 2nd St
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	W.E. Harding Co., Inc.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 286-8989
Affiliation Type Desc:	Environmental Contact
Entity Name:	WALTER E. HARDING
Entity Title:	Not reported
Affiliation Address:	502 S 2nd St
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	WALTER E. HARDING
Entity Title:	PRESIDENT
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	HARDING, W E CO INC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported

W.E. HARDING CO (Continued) **S103662571**

Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

SWEEPS UST:
Name: HARDING, W E CO INC
Address: 502 S 2ND ST
City: SAN JOSE
Status: Not reported
Comp Number: 401845
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401845-000001
Tank Status: Not reported
Capacity: 300
Active Date: Not reported
Tank Use: OIL
STG: WASTE
Content: Not reported
Number Of Tanks: 1

CUPA SANTA CLARA:
Name: W.E. HARDING CO
Address: 502 S 2ND ST
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: 2205
Program Description: GENERATES 100 KG YR TO <5 TONS/YR
Latitude: 37.328956
Longitude: -121.883585
Record ID: PR0315374
Facility ID: FA0209761

Name: W.E. HARDING CO
Address: 502 S 2ND ST
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: Not reported
Program Description: HMBP FACILITY, 4-6 CHEMICALS
Latitude: 37.328956
Longitude: -121.883585
Record ID: PR0396565
Facility ID: FA0209761

SAN JOSE HAZMAT:
Name: HARDING, W E CO INC
Address: 502 S 2ND ST
City,State,Zip: SAN JOSE, CA 95112
Region: SAN JOSE
File Num: 401845

W.E. HARDING CO (Continued) **S103662571**

Class: Auto Repair

CERS:

Name:	W.E. HARDING CO
Address:	502 S 2ND ST
City,State,Zip:	SAN JOSE, CA 95112
Site ID:	169711
CERS ID:	10092802
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description:	Failure to obtain an Identification Number prior to treating, storing, disposing of, transporting or offering for transportation any hazardous waste.
Violation Notes:	Per the Hazardous Waste Tracking System, EPA ID# CAL000032401 is inactive. Provided facility with DTSC form 1358 to reactivate EPA ID#.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	No annual training in safety procedures has taken place. Ensure that annual training for employees covers all the content in the Hazardous Materials Business Plan and is documented.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description:	Hazardous Waste Generator Program - Administration/Documentation - General
Violation Notes:	Disposal records for used oil, waste coolant, used oil filters and spent parts washing solution were unavailable for review.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016

W.E. HARDING CO (Continued) **S103662571**

Citation:	40 CFR 1 265.174 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.174
Violation Description:	Failure to inspect hazardous waste storage areas at least weekly and look for leaking and deteriorating containers.
Violation Notes:	Per facility, container areas are inspected twice a year. Begin conducting weekly inspections at least weekly.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	40 CFR 1 262.34(d)(5)(iii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(iii)
Violation Description:	Failure to ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures, relevant to their responsibilities during normal facility operations and emergencies.
Violation Notes:	As evidenced by the nature and the number of violations, employee training has not been effective and employees are not thoroughly familiar with hazardous waste management. Provided facility with the County's free Hazardous Waste Management Class flyer.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description:	Hazardous Waste Generator Program - Operations/Maintenance - General
Violation Notes:	Observed 4 empty 5W40 containers that did not have the empty date.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	40 CFR 1 265.173 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.173
Violation Description:	Failure to meet the following container management requirements: (a) A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste. (b) A container holding hazardous waste must not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.
Violation Notes:	The following containers were open during inspection: 3 x 55 gallon drums os used oil 1 x 90 gallon container of waste coolant 1 x 55 gallon drum of waste coolant
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	169711
Site Name:	W.E. Harding Co

W.E. HARDING CO (Continued) **S103662571**

Violation Date:	10-24-2016
Citation:	HSC 6.5 25250.22 - California Health and Safety Code, Chapter 6.5, Section(s) 25250.22
Violation Description:	Failure to properly manage used oil and/or fuel filters in accordance with the requirements.
Violation Notes:	The following containers were missing the words "Drained used oil filters" and the accumulation start date: 1 x 55 gallon drum of used oil filters 1 x 15 gallon drum of used oil filters
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	The following containers were missing hazardous waste markings: 4 x 55 gallons of used oil (labels were faded and affixed to the adjacent door) 1 x 90 gallon container of waste coolant 1 x 55 gallon container of waste coolant 3 x 15 gallon used oil rollers 1 x 15 gallon waste coolant roller 1 x 1 gallon container of waste coolant
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	HSC 6.5 25250.22 - California Health and Safety Code, Chapter 6.5, Section(s) 25250.22
Violation Description:	Failure to properly manage used oil and/or fuel filters in accordance with the requirements.
Violation Notes:	1 x55 gallon drum of used oil filters and 1 x 15 gallon drum of used oil filters were open and missing lids during inspection.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	169711
Site Name:	W.E. Harding Co
Violation Date:	10-24-2016
Citation:	22 CCR 12 66262.11 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.11
Violation Description:	Failure to determine if wastes generated are hazardous waste by using generator knowledge or applying testing method.
Violation Notes:	Observed 1 x55 gallon over pack drum in the back storage area with free flowing amounts of dark oil like liquid on top of the lid. Various auto parts were on top on and around the container. Per facility, they did not know what the contents of this container were. Make a hazardous waste determination for this container and its contents and if determined to be hazardous, manage accordingly.

W.E. HARDING CO (Continued) **S103662571**

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 169711
Site Name: W.E. Harding Co
Violation Date: 10-24-2016
Citation: HSC 6.5 25250.22 - California Health and Safety Code, Chapter 6.5, Section(s) 25250.22
Violation Description: Failure to properly manage used oil and/or fuel filters in accordance with the requirements.
Violation Notes: Observed used paper filters commingled with used metal filters. Paper filters cannot be recycled for their metal content and must be managed as hazardous waste. Note: used paper filters can be managed with saturated absorbent and rags as oily debris.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 169711
Site Name: W.E. Harding Co
Violation Date: 10-24-2016
Citation: 40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description: Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes: Observed saturated rags and absorbent on the floor and on top of drums in the hazardous waste storage area. Observed free flowing amounts of used oil on top of used oil drums. Ensure that these areas are kept lean of any free flowing liquids and debris to prevent an unplanned release into the environment.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-24-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On site to conduct a routine hazardous waste inspection. Inspection began on 10/18/24 and concluded today. Observed the following wastes on site: 4 x 55 gallons of used oil 1 x 90 gallon container of waste coolant 1 x 55 gallon container of waste coolant 3 x 15 gallon used oil rollers 1 x 15 gallon waste coolant roller 1 x 1 gallon container of waste coolant 1 x 55 gallon drum of used oil filters 1 x 15 gallon drum of used oil filters Fire extinguishers have had annual maintenance Spill control is available on site Battery cores are managed by Interstate Emergency information is posted on site Parts washer on site uses hot water and soap. Spent solution gets pumped out directly from the unit when service is needed.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

W.E. HARDING CO (Continued) **S103662571**

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-24-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On site to conduct a routine hazardous materials business plan inspection. CERS ID: 10092802 Facility's last HMBP submittal was 3/11/16 via CERS Facility has 6 reportable chemicals on site: 265 gallons used oil 145 gallons waste coolant 60 gallons 5W40 oil 55 gallons parts washing solution 60 gallons brake fluid 75 gallons coolant Facility is correctly permitted at BP02
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS

Coordinates:

Site ID:	169711
Facility Name:	W.E. Harding Co
Env Int Type Code:	HWG
Program ID:	10092802
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.329063
Longitude:	-121.883415

Affiliation:

Affiliation Type Desc:	Legal Owner
Entity Name:	W.E. Harding Co., Inc.
Entity Title:	Not reported
Affiliation Address:	502 S 2nd St
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95112
Affiliation Phone:	(408) 286-8989

Affiliation Type Desc:	Property Owner
Entity Name:	Walter E. Harding
Entity Title:	Not reported
Affiliation Address:	502 S 2nd St
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95112
Affiliation Phone:	(408) 286-8989

Affiliation Type Desc:	Document Preparer
Entity Name:	PACIFIC MANAGEMENT SERVICES
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	CUPA District

W.E. HARDING CO (Continued) **S103662571**

Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	502 S 2nd St
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	W.E. Harding Co., Inc.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 286-8989
Affiliation Type Desc:	Environmental Contact
Entity Name:	WALTER E. HARDING
Entity Title:	Not reported
Affiliation Address:	502 S 2nd St
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	WALTER E. HARDING
Entity Title:	PRESIDENT
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	HARDING, W E CO INC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported

W.E. HARDING CO (Continued) **S103662571**

Affiliation Phone: Not reported

D14 **SAN JOSE LAUNDERETTE** **EDR Hist Cleaner** **1009134383**
WSW **463 S 2D** **N/A**
< 1/8 **SAN JOSE, CA**
0.099 mi.
525 ft. **Site 1 of 2 in cluster D**

Relative: EDR Hist Cleaner
Higher

Actual: Year: Name: Type:
99 ft. 1960 SAN JOSE LAUNDERETTE LAUNDRIES-SELF SERVE

E15 **SPARTAN CLEANERS** **EDR Hist Cleaner** **1009132753**
NNE **398 S 5TH ST** **N/A**
< 1/8 **SAN JOSE, CA**
0.100 mi.
527 ft. **Site 1 of 12 in cluster E**

Relative: EDR Hist Cleaner
Lower

Actual: Year: Name: Type:
95 ft. 1960 SPARTAN CLEANERS CLEANERS AND DYERS

---

16 **ALVA J B** **EDR Hist Cleaner** **1009133861**
NNW **368 S 4TH ST** **N/A**
< 1/8 **SAN JOSE, CA**
0.103 mi.
544 ft.

Relative: EDR Hist Cleaner
Lower

Actual: Year: Name: Type:
94 ft. 1922 ALVA J B CLEANERS AND DYERS

C17 **GISH E J** **EDR Hist Auto** **1009001160**
SW **502 S 2D** **N/A**
< 1/8 **SAN JOSE, CA**
0.103 mi.
544 ft. **Site 4 of 6 in cluster C**

Relative: EDR Hist Auto
Higher

Actual: Year: Name: Type:
100 ft. 1930 ALLEN H L GASOLINE AND OIL SERVICE STATIONS
1950 GISH E J GASOLINE STATIONS

D18 **EDNA S CLEANING & MENDING SHOP** **EDR Hist Cleaner** **1009132813**
WSW **432 S 2D** **N/A**
< 1/8 **SAN JOSE, CA**
0.104 mi.
547 ft. **Site 2 of 2 in cluster D**

Relative: EDR Hist Cleaner
Higher

Actual: Year: Name: Type:
98 ft. 1960 EDNA S CLEANING & MENDING SHOP CLEANERS AND DYERS

B19 **YWCA SILICON VALLEY** **CA CUPA Listings** **S120629442**
WNW **375 S 3RD ST** **CA HAZMAT** **N/A**
< 1/8 **SAN JOSE, CA 95112** **CA CERS**
0.110 mi.
581 ft. **Site 5 of 5 in cluster B**

Relative: CUPA SANTA CLARA:
Lower Name: YWCA SILICON VALLEY
Actual: Address: 375 S 3RD ST
95 ft. City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: Not reported
Program Description: HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.331465
Longitude: -121.884427
Record ID: PR0402272
Facility ID: FA0270240

SAN JOSE HAZMAT:
Name: YWCA OF SILICON VALLEY - DAVIDSON
Address: 375 S 3RD ST
City,State,Zip: SAN JOSE, CA 95112
Region: SAN JOSE
File Num: 602893
Class: Auto Wrecking/Misc Simple Facility

CERS:
Name: YWCA SILICON VALLEY
Address: 375 S 3RD ST
City,State,Zip: SAN JOSE, CA 95112
Site ID: 87050
CERS ID: 10352332
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 87050
Site Name: YWCA SILICON VALLEY
Violation Date: 10-05-2016
Citation: HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description: Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes: Returned to compliance on 11/04/2016. No annual training in safety procedures has been documented. Ensure that annual training for employees covers all the content in the Hazardous Materials Business Plan and is documented.

YWCA SILICON VALLEY (Continued) **S120629442**

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 87050
Site Name: YWCA SILICON VALLEY
Violation Date: 10-05-2016
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 11/04/2016. Site map provided with HMBP (hardcopy) is illegible.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 87050
Site Name: YWCA SILICON VALLEY
Violation Date: 10-05-2016
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 11/04/2016. Facility's last HMBP submittal was 7/30/08 via hardcopy. You may submit a HMBP electronically at https:// frontcounter.sccgov.org/scc/frontcounter.html by completing the following sections: - Regulated Activities - Owner Operator ID - Chemical Inventory - Emergency Response and Training Plan - Facility Maps (template available by request) If you would like assistance with submitting you HMBP, you may contact either of our Hazardous Materials Technicians, Michelle Santos at (408) 918-1981, michelle.santos@cep.sccgov.org or Myra Reichardt at (408) 918-1984, myra.reichardt@cep.sccgov.org.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-05-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On site to conduct a routine hazardous materials business plan inspection. CERS ID: 10352332 Facility has 1 reportable chemical on site: 100 gallons diesel fuel Facility is correctly permitted at BP01
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Coordinates:
Site ID: 87050
Facility Name: YWCA SILICON VALLEY
Env Int Type Code: HMBP
Program ID: 10352332

YWCA SILICON VALLEY (Continued) **S120629442**

Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 37.331420
Longitude: -121.884230

Affiliation:
Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 375 S 3RD ST
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112
Affiliation Phone: Not reported

Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Environmental Contact
Entity Name: Lily Fausto
Entity Title: Not reported
Affiliation Address: 1625 The Almeda Suite 625
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95126
Affiliation Phone: Not reported

Affiliation Type Desc: Document Preparer
Entity Name: Heather Perkins
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: HEATHER PERKINS
Entity Title: HR and Facilities Coordinator
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner

YWCA SILICON VALLEY (Continued) **S120629442**

Entity Name:	SUSAN B WILSON
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	United States
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 295-4011
Affiliation Type Desc:	Legal Owner
Entity Name:	YWCA Silicon Valley
Entity Title:	Not reported
Affiliation Address:	375 S 3RD ST
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95112
Affiliation Phone:	(408) 295-4011
Affiliation Type Desc:	Operator
Entity Name:	ANN MARIE PATE
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 295-4011
Affiliation Type Desc:	Parent Corporation
Entity Name:	YWCA of Silicon Valley
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

C20 **SAN JOSE LAUNDERETTE** **EDR Hist Cleaner** **1009133503**
SW **499 S 2ND ST** **N/A**
< 1/8 **SAN JOSE, CA**
0.110 mi.
583 ft. **Site 5 of 6 in cluster C**

Relative: EDR Hist Cleaner
Higher

Actual: **99 ft.**

Year:	Name:	Type:
1966	SAN JOSE LAUNDERETTE	LAUNDRIES SELF SERVE
1975	LAUNDERETTE	LAUNDRIES-SELF SERVE

F21 **CASTRO JACK E** **EDR Hist Auto** **1009002784**
West **411 S 2D** **N/A**
< 1/8 **SAN JOSE, CA**
0.112 mi.
594 ft. **Site 1 of 2 in cluster F**

Relative: EDR Hist Auto
Lower

Actual:
97 ft.

Year:	Name:	Type:
1955	CASTRO JACK E	AUTOMOBILE REPAIRING

C22 **ROWE N E** **EDR Hist Auto** **1009000405**
SSW **531 S 2D** **N/A**
< 1/8 **SAN JOSE, CA**
0.117 mi.
620 ft. **Site 6 of 6 in cluster C**

Relative: EDR Hist Auto
Higher

Actual:
101 ft.

Year:	Name:	Type:
1930	BATES E J	GASOLINE AND OIL SERVICE STATIONS
1950	ROWE N E	GASOLINE STATIONS

F23 **BILL S ELECTRIC SERVICE** **EDR Hist Auto** **1009001331**
West **396 S 2D** **N/A**
< 1/8 **SAN JOSE, CA**
0.120 mi.
634 ft. **Site 2 of 2 in cluster F**

Relative: EDR Hist Auto
Lower

Actual:
97 ft.

Year:	Name:	Type:
1945	BILL S ELECTRIC SERVICE	AUTOMOBILE REPAIRING

G24 **O/B (P BELL WIRELESS NOTRE DAME)** **CA HAZMAT** **S115780535**
South **596 S 2ND ST SUITE BASEM** **N/A**
1/8-1/4 **SAN JOSE, CA 95112**
0.130 mi.
688 ft. **Site 1 of 4 in cluster G**

Relative: SAN JOSE HAZMAT:
Higher

Actual:
102 ft.

Name:	O/B (P BELL WIRELESS NOTRE DAME)
Address:	596 S 2ND ST SUITE BASEM
City,State,Zip:	SAN JOSE, CA 95112
Date of Data:	AS OF 02/07/2014
Region:	SAN JOSE
File Num:	408810
Class:	Misc. Complex firms and labs

G25 **NOTRE DAME HIGH SCHOOL** **RCRA-SQG** **1005441306**
South **596 S 2ND ST** **CA CERS HAZ WASTE** **CAR000117705**
1/8-1/4 **SAN JOSE, CA 95112** **CA CUPA Listings**
0.130 mi. **CA HAZNET**
688 ft. **Site 2 of 4 in cluster G** **CA HAZMAT**

Relative:
Higher

Actual:
102 ft.

RCRA-SQG:

Date form received by agency:	05/24/2002
Facility name:	NOTRE DAME HIGH SCHOOL
Facility address:	596 S 2ND ST SAN JOSE, CA 95112
EPA ID:	CAR000117705
Contact:	MICHAEL BOOTH
Contact address:	596 S 2ND ST SAN JOSE, CA 95112
Contact country:	US
Contact telephone:	408-294-1113
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	SISTERS OF NOTRE DAME
Owner/operator address:	596 S 2ND ST SAN JOSE, CA 95112
Owner/operator country:	Not reported
Owner/operator telephone:	408-294-1113
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

NOTRE DAME HIGH SCHOOL (Continued) **1005441306**

Historical Generators:
Date form received by agency: 05/24/2002
Site name: NOTRE DAME HIGH SCHOOL
Classification: Small Quantity Generator

Hazardous Waste Summary:

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

CERS HAZ WASTE:
Site ID: 138958
CERS ID: 10354351
CERS Description: Hazardous Waste Generator

Violations:
Site ID: 138958
Site Name: NOTRE DAME HIGH SCHOOL
Violation Date: 11-22-2016
Citation: 22 CCR 12 66262.11 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.11
Violation Description: Failure to determine if wastes generated are hazardous waste by using generator knowledge or applying testing method.
Violation Notes: Returned to compliance on 12/01/2016. Per the biology teacher, BioCorporation specimens are packed in preservative liquid are rinsed off used specimens and discarded in the sink. The used specimens are shipped back to Biocorporation. Safety data sheets from BioCorporation’s website show their "embalming fluid" to have 1.8% formalin and their "pail packing fluid" to contain 3% formalin. Facility is unsure which is used for their samples as safety data sheets for their specimens on site were not available for review. Make a hazardous waste determination for the waste fluids off specimens and if determined to be hazardous manage accordingly.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 138958
Site Name: NOTRE DAME HIGH SCHOOL
Violation Date: 11-22-2016
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 12/01/2016. 2 x 10 gallon containers of spent photo-processing chemicals was missing the accumulation start date and the generator information
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 138958

NOTRE DAME HIGH SCHOOL (Continued) **1005441306**

Site Name:	NOTRE DAME HIGH SCHOOL
Violation Date:	11-22-2016
Citation:	22 CCR 12 66262.34(e) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(e)
Violation Description:	Failed to meet the conditions of satellite accumulation regulations, including but not limited to the following: ? accumulate up to 55 gallons of hazardous waste or one quart of acute hazardous waste at or near the initial point of accumulation which was under the control of the operator ? the container must be clearly marked with the initial date that hazardous waste is first placed in the container and labelled with the words ?Hazardous Waste? including specified information ? container must be labelled with the date the satellite accumulation limit is reached and moved within three days after reaching the 55 gallon (or one quart) limit to a ?90 day? accumulation area ? 55 gallons (or one quart of acute hazardous waste) of waste per process may be accumulated ? Total time hazardous waste can be accumulated onsite in any generator accumulation area is one year, i.e., the combined accumulation time at a satellite accumulation point and at a 90/180/270 accumulation area (depending on size of generator and distance transported), whichever comes first.
Violation Notes:	Returned to compliance on 12/01/2016. The last disposal of photo-processing chemicals was 6/30/14. Per facility, photo-processing chemicals are disposed of every 2 years. Using point of generation rules, ensure that wastes are picked up at least once per year.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-22-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On site to conduct a routine hazardous waste inspection. Areas inspected include the chemistry labs, biology labs, photo-processing lab, and the custodial storage area. Observed the following wastes on site: 2 x 5 gallon containers of zinc chloride containing wastes (point of generation) 2 x 10 gallon containers of spent photo-processing chemicals (point of generation) Fire extinguishers have had annual maintenance Spill kit is available on site Eye wash stations are located in the storage rooms for chemistry and biology labs Disposal records were reviewed and in good order EPA ID# CAR000117705 is active The following violations were corrected on site: 2 x 5 gallon containers of zinc chloride containing wastes were missing hazardous waste markings. Markings were added during inspection.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS

Coordinates:

Site ID:	138958
Facility Name:	NOTRE DAME HIGH SCHOOL
Env Int Type Code:	HWG
Program ID:	10354351
Coord Name:	Not reported

NOTRE DAME HIGH SCHOOL (Continued) **1005441306**

Ref Point Type Desc: Center of a facility or station.
Latitude: 37.328530
Longitude: -121.882710

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 596 S 2ND ST
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112
Affiliation Phone: Not reported

Affiliation Type Desc: Parent Corporation
Entity Name: NOTRE DAME HIGH SCHOOL
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: SISTERS OF NOTRE DAME DE NAMUR
Entity Title: Not reported
Affiliation Address: 596 S 2ND ST
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95112
Affiliation Phone: (408) 506-1985

CUPA SANTA CLARA:
Name: NOTRE DAME HIGH SCHOOL
Address: 596 S 2ND ST
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: 2202
Program Description: GENERATES < 100 KG/YR
Latitude: 37.327782
Longitude: -121.88288
Record ID: PR0410759

NOTRE DAME HIGH SCHOOL (Continued) **1005441306**

Facility ID: FA0271741

HAZNET:

Name:	NOTRE DAME HIGH SCHOOL
Address:	596 S 2ND ST
City,State,Zip:	SAN JOSE, CA 95112
Year:	2017
GEPAID:	CAR000117705
Contact:	HELEN MCKENNA/FACILITIES MGR
Telephone:	4082941113
Mailing Name:	Not reported
Mailing Address:	596 SOUTH 2ND STREET
Mailing City,St,Zip:	SAN JOSE, CA 951120000
Gen County:	Santa Clara
TSD EPA ID:	CAD059494310
TSD County:	Santa Clara
Tons:	0.0225
CA Waste Code:	792-Liquids with pH <= 2 with metals
Method:	H141-Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Facility County:	Santa Clara

Name:	NOTRE DAME HIGH SCHOOL
Address:	596 S 2ND ST
City,State,Zip:	SAN JOSE, CA 95112
Year:	2017
GEPAID:	CAR000117705
Contact:	HELEN MCKENNA/FACILITIES MGR
Telephone:	4082941113
Mailing Name:	Not reported
Mailing Address:	596 SOUTH 2ND STREET
Mailing City,St,Zip:	SAN JOSE, CA 951120000
Gen County:	Santa Clara
TSD EPA ID:	CAD059494310
TSD County:	Santa Clara
Tons:	0.009
CA Waste Code:	352-Other organic solids
Method:	H141-Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Facility County:	Santa Clara

Name:	NOTRE DAME HIGH SCHOOL
Address:	596 S 2ND ST
City,State,Zip:	SAN JOSE, CA 95112
Year:	2016
GEPAID:	CAR000117705
Contact:	HELEN MCKENNA/FACILITIES MGR
Telephone:	4082941113
Mailing Name:	Not reported
Mailing Address:	596 SOUTH 2ND STREET
Mailing City,St,Zip:	SAN JOSE, CA 951120000
Gen County:	Santa Clara
TSD EPA ID:	CAD059494310
TSD County:	Santa Clara
Tons:	0.02085
CA Waste Code:	792-Liquids with pH <= 2 with metals
Method:	H141-Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery

NOTRE DAME HIGH SCHOOL (Continued) **1005441306**

(H010-H129) Or (H131-H135)
Facility County: Santa Clara

Name: NOTRE DAME HIGH SCHOOL
Address: 596 S 2ND ST
City,State,Zip: SAN JOSE, CA 95112
Year: 2015
GEPAID: CAR000117705
Contact: HELEN MCKENNA/FACILITIES MGR
Telephone: 4082941113
Mailing Name: Not reported
Mailing Address: 596 SOUTH 2ND STREET
Mailing City,St,Zip: SAN JOSE, CA 951120000
Gen County: Santa Clara
TSD EPA ID: CAD059494310
TSD County: Santa Clara
Tons: 0.01668
CA Waste Code: 133-Aqueous solution with total organic residues 10 percent or more
Method: -
Facility County: Santa Clara

Name: NOTRE DAME HIGH SCHOOL
Address: 596 S 2ND ST
City,State,Zip: SAN JOSE, CA 95112
Year: 2015
GEPAID: CAR000117705
Contact: HELEN MCKENNA/FACILITIES MGR
Telephone: 4082941113
Mailing Name: Not reported
Mailing Address: 596 SOUTH 2ND STREET
Mailing City,St,Zip: SAN JOSE, CA 951120000
Gen County: Santa Clara
TSD EPA ID: CAD059494310
TSD County: Santa Clara
Tons: 0.00834
CA Waste Code: 792-Liquids with pH <= 2 with metals
Method: -
Facility County: Santa Clara

Click this hyperlink while viewing on your computer to access
38 additional CA_HAZNET: record(s) in the EDR Site Report.

SAN JOSE HAZMAT:
Name: NOTRE DAME HIGH SCHOOL
Address: 596 S 2ND ST
City,State,Zip: SAN JOSE, CA 95112
Region: SAN JOSE
File Num: 403043
Class: Auto Wrecking/Misc Simple Facility

G26 **OUT OF BUSINESS** **CA HAZMAT** **S122499550**
South **596 S 2ND ST BASEM** **N/A**
1/8-1/4 **SAN JOSE, CA 95112**
0.130 mi.
688 ft. **Site 3 of 4 in cluster G**

Relative: **Higher**

Actual: **102 ft.**

SAN JOSE HAZMAT:

Name:	OUT OF BUSINESS
Address:	596 S 2ND ST BASEM
City,State,Zip:	SAN JOSE, CA 95112
Region:	SAN JOSE
File Num:	408810
Class:	Misc. Complex firms and labs

G27 **T-MOBILE SF04923** **CA HAZMAT** **S107592205**
South **596 S 2ND ST ROOF** **N/A**
1/8-1/4 **SAN JOSE, CA 95112**
0.130 mi.
688 ft. **Site 4 of 4 in cluster G**

Relative: **Higher**

Actual: **102 ft.**

SAN JOSE HAZMAT:

Name:	T-MOBILE SF04923
Address:	596 S 2ND ST ROOF
City,State,Zip:	SAN JOSE, CA 95112
Region:	SAN JOSE
File Num:	409203
Class:	Auto Wrecking/Misc Simple Facility

H28 **YWCA OF SILICON VALLEY** **CA HAZNET** **S105990148**
WNW **350 S 2ND ST** **CA HAZMAT** **N/A**
1/8-1/4 **SAN JOSE, CA 95112**
0.139 mi.
734 ft. **Site 1 of 6 in cluster H**

Relative: **Lower**

Actual: **96 ft.**

HAZNET:

Name:	SUSANNE B. WILSON RESIDENCE
Address:	350 S. 2ND STREET
City,State,Zip:	SAN JOSE, CA 95112
Year:	2017
GEPAID:	CAC002941282
Contact:	ANN MARIE PATE
Telephone:	4082954011
Mailing Name:	Not reported
Mailing Address:	350 S. 2ND STREET
Mailing City,St,Zip:	SAN JOSE, CA 95112
Gen County:	Santa Clara
TSD EPA ID:	CAD028409019
TSD County:	Los Angeles
Tons:	0.125
CA Waste Code:	223-Unspecified oil-containing waste
Method:	H141-Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Facility County:	Santa Clara

Name:	SUSANNE B. WILSON RESIDENCE
Address:	350 S. 2ND STREET
City,State,Zip:	SAN JOSE, CA 95112
Year:	2017

YWCA OF SILICON VALLEY (Continued) **S105990148**

GEPAID: CAC002941282
Contact: ANN MARIE PATE
Telephone: 4082954011
Mailing Name: Not reported
Mailing Address: 350 S. 2ND STREET
Mailing City,St,Zip: SAN JOSE, CA 95112
Gen County: Santa Clara
TSD EPA ID: CAD028409019
TSD County: Los Angeles
Tons: 4.75
CA Waste Code: 221-Waste oil and mixed oil
Method: H141-Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Facility County: Santa Clara

SAN JOSE HAZMAT:
Name: YWCA OF SILICON VALLEY
Address: 350 S 2ND ST
City,State,Zip: SAN JOSE, CA 95112
Region: SAN JOSE
File Num: 401152
Class: Auto Wrecking/Misc Simple Facility

E29 **CORPORATION YARD #12A, B** **CA AST** **A100419024**
NNE **ONE WASHINGTON SQUARE** **N/A**
1/8-1/4 **SAN JOSE, CA 95192**
0.139 mi.
734 ft. **Site 2 of 12 in cluster E**

Relative: **Lower**

Actual: **94 ft.**

AST:
Name: CORPORATION YARD #12A, B
Address: ONE WASHINGTON SQUARE
City/Zip: SAN JOSE,95192
Certified Unified Program Agencies: Not reported
Owner: SAN JOSE STATE UNIVERSITY
Total Gallons: Not reported
CERSID: 10158045
Facility ID: Not reported
Business Name: San Jose State University
Phone: (408)924-1978
Fax: (408)924-1983
Mailing Address: One Washington Square
Mailing Address City: SAN JOSE
Mailing Address State: CA
Mailing Address Zip Code: Not reported
Operator Name: David Krack
Operator Phone: (408)924-1978
Owner Phone: (408)924-1978
Owner Mail Address: One Washington Square
Owner State: CA
Owner Zip Code: Not reported
Owner Country: United States
Property Owner Name: California State University
Property Owner Phone: (408)924-1978
Property Owner Mailing Address: One Washington Square
Property Owner City: SAN JOSE
Property Owner Stat : CA

CORPORATION YARD #12A, B (Continued) **A100419024**

Property Owner Zip Code: Not reported
Property Owner Country: United States
EPAID: CAT080031206

E30
NNE
1/8-1/4
0.139 mi.
734 ft.
Site 3 of 12 in cluster E

SAN JOSE STATE UNIVERSITY
ONE WASHINGTON SQUARE
SAN JOSE, CA 95192

RCRA-LQG **1000121110**
CA SWEEPS UST **CAT080031206**
CA HIST UST
CA HIST CORTESE
NY MANIFEST

Relative:
Lower

Actual:
94 ft.

RCRA-LQG:
Date form received by agency: 02/21/2008
Facility name: SAN JOSE STATE UNIVERSITY
Facility address: ONE WASHINGTON SQUARE
SAN JOSE, CA 95192-0010
EPA ID: CAT080031206
Mailing address: SAN JOSE STATE UNIVERSITY
ONE WASHINGTON SQUARE
SAN JOSE, CA 95192
Contact: CHANDRA N GOWDA
Contact address: Not reported
Not reported
Contact country: US
Contact telephone: 408-924-2152
Contact email: CHANDRA.GOWDA@SJSU.EDU
EPA Region: 09
Land type: State
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:
Owner/operator name: CALIFORNIA STATE UNIVERSITY
Owner/operator address: ONE WASHINGTON SQUARE
SAN JOSE, CA 95192
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: State
Owner/Operator Type: Owner
Owner/Op start date: 01/01/1857
Owner/Op end date: Not reported

Owner/operator name: SAN JOSE STATE UNIVERSITY
Owner/operator address: Not reported

SAN JOSE STATE UNIVERSITY (Continued) **1000121110**

Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: State
Owner/Operator Type: Operator
Owner/Op start date: 01/01/1857
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/15/2006
Site name: SAN JOSE STATE UNIVERSITY
Classification: Large Quantity Generator

Date form received by agency: 03/16/2004
Site name: SAN JOSE STATE UNIVERSITY
Classification: Large Quantity Generator

Date form received by agency: 02/20/2002
Site name: SAN JOSE STATE UNIVERSITY
Classification: Large Quantity Generator

Date form received by agency: 10/12/2000
Site name: SAN JOSE STATE UNIVERSITY
Classification: Large Quantity Generator

Date form received by agency: 03/16/1999
Site name: SAN JOSE STATE UNIVERSITY
Classification: Large Quantity Generator

Date form received by agency: 09/01/1996
Site name: SAN JOSE STATE UNIVERSITY
Classification: Large Quantity Generator

Date form received by agency: 02/15/1996
Site name: SAN JOSE STATE UNIVERSITY
Classification: Large Quantity Generator

SAN JOSE STATE UNIVERSITY (Continued) **1000121110**

Date form received by agency: 03/29/1994
Site name: SAN JOSE STATE UNIVERSITY
Classification: Large Quantity Generator

Date form received by agency: 02/18/1992
Site name: SAN JOSE STATE UNIVERSITY
Classification: Large Quantity Generator

Date form received by agency: 03/09/1981
Site name: SAN JOSE STATE UNIVERSITY
Classification: Large Quantity Generator

Hazardous Waste Summary:

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D003
. Waste name: REACTIVE WASTE

. Waste code: D004
. Waste name: ARSENIC

. Waste code: D005
. Waste name: BARIUM

. Waste code: D006
. Waste name: CADMIUM

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D008
. Waste name: LEAD

. Waste code: D009
. Waste name: MERCURY

. Waste code: D011
. Waste name: SILVER

. Waste code: D022
. Waste name: CHLOROFORM

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

. Waste code: F001
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED

SAN JOSE STATE UNIVERSITY (Continued) **1000121110**

IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: P075
. Waste name: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

. Waste code: P105
. Waste name: SODIUM AZIDE

. Waste code: P106
. Waste name: SODIUM CYANIDE (OR) SODIUM CYANIDE NA(CN)

. Waste code: U029
. Waste name: METHANE, BROMO- (OR) METHYL BROMIDE

. Waste code: U046
. Waste name: CHLOROMETHYL METHYL ETHER (OR) METHANE, CHLOROMETHOXY-

. Waste code: U125
. Waste name: 2-FURANCARBOXALDEHYDE (I) (OR) FURFURAL (I)

. Waste code: U134
. Waste name: HYDROFLUORIC ACID (C,T) (OR) HYDROGEN FLUORIDE (C,T)

SAN JOSE STATE UNIVERSITY (Continued) **1000121110**

. Waste code: U188
. Waste name: PHENOL

. Waste code: U246
. Waste name: CYANOGEN BROMIDE (CN)BR

Facility Has Received Notices of Violations:
Regulation violated: FR - 262.10-12.A
Area of violation: Generators - General
Date violation determined: 04/11/1995
Date achieved compliance: 05/30/1995
Violation lead agency: State
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: FR - 262.10-12.A
Area of violation: Generators - General
Date violation determined: 11/20/1993
Date achieved compliance: 12/30/1994
Violation lead agency: State
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: FR - 262.10-12.A
Area of violation: Generators - General
Date violation determined: 11/12/1993
Date achieved compliance: 11/02/1994
Violation lead agency: State
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: FR - 262.10-12.A
Area of violation: Generators - General
Date violation determined: 04/14/1993
Date achieved compliance: 11/12/1993
Violation lead agency: State
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported

SAN JOSE STATE UNIVERSITY (Continued) **1000121110**

Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: FR - 262.10-12.A
Area of violation: Generators - General
Date violation determined: 08/27/1986
Date achieved compliance: 08/04/1987
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 02/27/1987
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 04/11/1995
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 05/30/1995
Evaluation lead agency: State Contractor/Grantee

Evaluation date: 11/20/1993
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 12/30/1994
Evaluation lead agency: State Contractor/Grantee

Evaluation date: 11/12/1993
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 11/02/1994
Evaluation lead agency: State Contractor/Grantee

Evaluation date: 04/14/1993
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 11/12/1993
Evaluation lead agency: State Contractor/Grantee

Evaluation date: 08/27/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 08/04/1987
Evaluation lead agency: State

SWEEPS UST:
Name: SJSU AVIATION CAMPUS
Address: 1120 COLEMAN AVE
City: SAN JOSE
Status: Active
Comp Number: 403591

SAN JOSE STATE UNIVERSITY (Continued) **1000121110**

Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-403591-000001
Tank Status: A
Capacity: 10000
Active Date: Not reported
Tank Use: PETROLEUM
STG: P
Content: Not reported
Number Of Tanks: 3

Name: SJSU AVIATION CAMPUS
Address: 1120 COLEMAN AVE
City: SAN JOSE
Status: Active
Comp Number: 403591
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-403591-000002
Tank Status: A
Capacity: 100
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: LEADED
Number Of Tanks: Not reported

Name: SJSU AVIATION CAMPUS
Address: 1120 COLEMAN AVE
City: SAN JOSE
Status: Active
Comp Number: 403591
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-403591-000003
Tank Status: A
Capacity: 100
Active Date: Not reported
Tank Use: OIL
STG: W
Content: Not reported
Number Of Tanks: Not reported

HIST UST:
Name: SAN JOSE STATE UNIVERSITY

SAN JOSE STATE UNIVERSITY (Continued) **1000121110**

Address:	WASHINGTON SQUARE
City,State,Zip:	SAN JOSE, CA 95192
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000038758
Facility Type:	Other
Other Type:	UNIVERSITY
Contact Name:	GEORGE CONNELL
Telephone:	4082772122
Owner Name:	SAN JOSE STATE UNIVERSITY
Owner Address:	WASHINGTON SQUARE
Owner City,St,Zip:	SAN JOSE, CA 95192
Total Tanks:	0014
Tank Num:	001
Container Num:	1
Year Installed:	1971
Tank Capacity:	00001200
Tank Used for:	PRODUCT
Type of Fuel:	DIESEL
Container Construction Thickness:	Not reported
Leak Detection:	None
Tank Num:	002
Container Num:	13
Year Installed:	1964
Tank Capacity:	00000100
Tank Used for:	PRODUCT
Type of Fuel:	06
Container Construction Thickness:	Not reported
Leak Detection:	None
Tank Num:	003
Container Num:	14
Year Installed:	1978
Tank Capacity:	00002000
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Container Construction Thickness:	Not reported
Leak Detection:	None
Tank Num:	004
Container Num:	12
Year Installed:	1963
Tank Capacity:	00001000
Tank Used for:	PRODUCT
Type of Fuel:	06
Container Construction Thickness:	Not reported
Leak Detection:	None
Tank Num:	005
Container Num:	11
Year Installed:	1964
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	06

SAN JOSE STATE UNIVERSITY (Continued) **1000121110**

Container Construction Thickness: Not reported
Leak Detection: None

Tank Num: 006
Container Num: 10
Year Installed: 1979
Tank Capacity: 00001000
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Container Construction Thickness: Not reported
Leak Detection: None

Tank Num: 007
Container Num: 9
Year Installed: 1979
Tank Capacity: 00002000
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Container Construction Thickness: Not reported
Leak Detection: None

Tank Num: 008
Container Num: 8
Year Installed: 1979
Tank Capacity: 00008000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: None

Tank Num: 009
Container Num: 7
Year Installed: 1979
Tank Capacity: 00008000
Tank Used for: PRODUCT
Type of Fuel: REGULAR
Container Construction Thickness: Not reported
Leak Detection: None

Tank Num: 010
Container Num: 6
Year Installed: 1970
Tank Capacity: 00001200
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Container Construction Thickness: Not reported
Leak Detection: None

Tank Num: 011
Container Num: 5
Year Installed: 1970
Tank Capacity: 00001200
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Container Construction Thickness: Not reported
Leak Detection: None

SAN JOSE STATE UNIVERSITY (Continued) **1000121110**

Tank Num: 012
Container Num: 4
Year Installed: 1970
Tank Capacity: 00001200
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Container Construction Thickness: Not reported
Leak Detection: None

Tank Num: 013
Container Num: 3
Year Installed: 1970
Tank Capacity: 00001200
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Container Construction Thickness: Not reported
Leak Detection: None

Tank Num: 014
Container Num: 2
Year Installed: 1970
Tank Capacity: 00001200
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Container Construction Thickness: Not reported
Leak Detection: None

HIST CORTESE:
edr_fname: SAN JOSE STATE UNIVERSITY
edr_fadd1: UNKNOWN 7TH & SAN CARLOS
City,State,Zip: SAN JOSE, CA 95192
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-2111

NY MANIFEST:
Name: SAN JOSE STATE UNIVERSITY
Address: ONE WASHINGTON SQUARE
City,State,Zip: SAN JOSE, CA 95192-0222
Country: USA
EPA ID: CAT080031206
Facility Status: Not reported
Location Address 1: 1 WASHINGTON SQ
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: SAN JOSE
Location State: CA
Location Zip: 95192
Location Zip 4: 0001

NY MANIFEST:
EPAID: CAT080031206
Mailing Name: SAN JOSE STATE UNIVERSITY
Mailing Contact: CHANDRA N GOWDA
Mailing Address 1: 1 WASHINGTON SQ

SAN JOSE STATE UNIVERSITY (Continued) **1000121110**

Mailing Address 2:	Not reported
Mailing City:	SAN JOSE
Mailing State:	CA
Mailing Zip:	95192
Mailing Zip 4:	0001
Mailing Country:	USA
Mailing Phone:	4089242150

NY MANIFEST:

Document ID:	NYB4967361
Manifest Status:	K
seq:	Not reported
Year:	1995
Trans1 State ID:	11278PNY
Trans2 State ID:	Not reported
Generator Ship Date:	01/26/1995
Trans1 Recv Date:	01/26/1995
Trans2 Recv Date:	/ /
TSD Site Recv Date:	02/13/1995
Part A Recv Date:	02/06/1995
Part B Recv Date:	02/27/1995
Generator EPA ID:	CAT080031206
Trans1 EPA ID:	NYD980769947
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000632372
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00001
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access
-1 additional NY MANIFEST: record(s) in the EDR Site Report.

E31
NNE
1/8-1/4
0.139 mi.
734 ft.

SPRINT SF59XC001
1 WASHINGTON SQ CELL
SAN JOSE, CA 95112

Site 4 of 12 in cluster E

CA HAZMAT **S109349086**
N/A

Relative:
Lower

Actual:
94 ft.

SAN JOSE HAZMAT:

Name:	SPRINT SF59XC001
Address:	1 WASHINGTON SQ CELL
City,State,Zip:	SAN JOSE, CA 95112
Region:	SAN JOSE
File Num:	411892
Class:	Misc. Complex firms and labs

E32
NNE
1/8-1/4
0.139 mi.
734 ft.

SJSU-UCAT (COMPUTER CTR) (27)
1 WASHINGTON SQ
SAN JOSE, CA 95192

Site 5 of 12 in cluster E

CA LUST **S103473126**
CA AST **N/A**
CA CERS HAZ WASTE
CA CERS TANKS
CA CUPA Listings
CA ENF
CA HIST CORTESE
CA HAZMAT
CA CIWQS
CA CERS

Relative:
Lower

Actual:
94 ft.

LUST:

Name:	SJSU ENGINEERING BUILDING
Address:	1 WASHINGTON SQUARE
City,State,Zip:	SAN JOSE, CA 95192
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501816
Global Id:	T0608501816
Latitude:	37.3361456482962
Longitude:	-121.878118515015
Status:	Completed - Case Closed
Status Date:	04/18/1996
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Not reported
Site History:	Not reported

LUST:

Global Id:	T0608501816
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608501816
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608501816
Action Type: Other
Date: 01/01/1993
Action: Leak Reported

Global Id: T0608501816
Action Type: RESPONSE
Date: 04/18/1996
Action: Other Report / Document

Global Id: T0608501816
Action Type: ENFORCEMENT
Date: 04/18/1996
Action: Closure/No Further Action Letter

LUST:
Global Id: T0608501816
Status: Completed - Case Closed
Status Date: 04/18/1996

Global Id: T0608501816
Status: Open - Case Begin Date
Status Date: 01/01/1993

Name: SJSU CENTRAL PLANT
Address: 1 WASHINGTON SQUARE
City,State,Zip: SAN JOSE, CA 95192
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608502088
Global Id: T0608502088
Latitude: 37.3346954660772
Longitude: -121.881165504456
Status: Completed - Case Closed
Status Date: 03/30/2000
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0608502088
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608502088
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608502088
Action Type: ENFORCEMENT
Date: 03/30/2000
Action: Closure/No Further Action Letter

Global Id: T0608502088
Action Type: RESPONSE
Date: 02/16/1999
Action: Other Report / Document

Global Id: T0608502088
Action Type: RESPONSE
Date: 10/30/1997
Action: Soil and Water Investigation Report

Global Id: T0608502088
Action Type: RESPONSE
Date: 05/10/1999
Action: Other Report / Document

Global Id: T0608502088
Action Type: Other
Date: 09/27/1991
Action: Leak Reported

Global Id: T0608502088
Action Type: RESPONSE
Date: 06/21/1999
Action: Other Report / Document

Global Id: T0608502088
Action Type: REMEDIATION
Date: 09/27/1991
Action: Excavation

Global Id: T0608502088
Action Type: ENFORCEMENT
Date: 03/12/1997
Action: Notice of Responsibility - #39877

Global Id: T0608502088
Action Type: ENFORCEMENT
Date: 12/24/1998

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Action: Staff Letter - #26952

Global Id: T0608502088
Action Type: ENFORCEMENT
Date: 05/10/1999
Action: Staff Letter - #26955

Global Id: T0608502088
Action Type: ENFORCEMENT
Date: 07/31/1997
Action: Staff Letter - #26949

LUST:
Global Id: T0608502088
Status: Completed - Case Closed
Status Date: 03/30/2000

Global Id: T0608502088
Status: Open - Case Begin Date
Status Date: 09/27/1991

Global Id: T0608502088
Status: Open - Site Assessment
Status Date: 02/08/1994

LUST SANTA CLARA:
Name: SJSU CENTRAL PLANT
Address: 1 WASHINGTON SQUARE
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E08J02F
Date Closed: 03/30/2000
EDR Link ID: 07S1E08J02F

Name: SJSU ENGINEERING BUILDING
Address: 1 WASHINGTON SQUARE
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E08K04F
Date Closed: 04/18/1996
EDR Link ID: 07S1E08K04F

AST:
Name: SJSU-NATURAL SCIENCE (48)
Address: 1 WASHINGTON SQ
City/Zip: SAN JOSE,95112
Certified Unified Program Agencies: Not reported
Owner: SAN JOSE STATE UNIVERSITY
Total Gallons: Not reported
CERSID: 10158041
Facility ID: Not reported
Business Name: San Jose State University
Phone: (408)924-1978
Fax: (408)924-1983
Mailing Address: 1 Washington Square

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Mailing Address City:	SAN JOSE
Mailing Address State:	CA
Mailing Address Zip Code:	Not reported
Operator Name:	David Krack
Operator Phone:	(408)924-1978
Owner Phone:	(408)924-1978
Owner Mail Address:	1 Washington Square
Owner State:	CA
Owner Zip Code:	Not reported
Owner Country:	United States
Property Owner Name:	CALIFORNIA STATE UNIVERSITY
Property Owner Phone:	(408)924-1978
Property Owner Mailing Address:	One Washington Square
Property Owner City:	SAN JOSE
Property Owner Stat :	CA
Property Owner Zip Code:	Not reported
Property Owner Country:	United States
EPAID:	CAT080031206

CERS HAZ WASTE:

Site ID:	390599
CERS ID:	10158045
CERS Description:	Hazardous Waste Generator

Violations:

Site ID:	390599
Site Name:	SJSU-Corporation Yard (12A, B)
Violation Date:	10-08-2013
Citation:	19 CCR 4 2729.5 - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.5
Violation Description:	Failure to submit inventory reports (Activities, Owner/Operator, Hazardous Materials Descriptions and Map pages, if required. Documentation must be resubmitted (for facilities which exceed EPCRA thresholds) or re-certified (for facilities which do not exceed EPCRA thresholds) by March 1.
Violation Notes:	THE LAST TIME THE HAZARDOUS MATERIALS INVENTORY WAS CERTIFIED WAS ON 06/06/2012. THIS FACILITY FAILED TO CERTIFIED THE HAZARDOUS MATERIALS INVENTORY ANNUALLY. AS ON 10/18/13 THERE WERE NO CURRENT SUBMITTALS ON CERS FOR THIS FACILITY. CERTIFY YOUR INVENTORY IMMEDIATELY VIA CERS AND INCLUDE THE FOLLOWING HAZARDOUS MATERIALS OR HAZARDOUS WASTE: HAZARDOUS MATERIAL MAX QTY. NEW OIL 314 GAL. USED OIL 200 GAL. WASTE COOLANT 55 GAL. ATF 55 GAL. GASOLINE 2545 GAL. TURF GOLD 2500 LBS. BARENBRUG 150 LBS. INSECTICIDE/HERBICIDE 30 GAL. LIQUID DETERGENT 55 GAL. MISC. FLAMMABLE OILS 60 GAL. CO2 + ARGON [Truncated]
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	390599
Site Name:	SJSU-Corporation Yard (12A, B)
Violation Date:	06-29-2015
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes:	Returned to compliance on 07/01/2015.

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

FACILITY DID NOT SUBMIT THEIR TRAINING PLAN ON CERS. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/24/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 390599
Site Name: SJSU-Corporation Yard (12A, B)
Violation Date: 10-08-2013
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: PAINTSHOP: OBSERVED 2X55 GALLON DRUMS STORING WASTE LATEX PAINT LABELED AS "NON-HAZARDOUS WASTE". ACCORDING TO FACILITY CONTACT, LATEX PAINT IS BEING SENT OFF FOR RECYCLING. PER SECTION 25217 OF THE HEALTH AND SAFETY CODE, RECYCLABLE LATEX PAINT IS STILL CONSIDERED HAZARDOUS WASTE. LABEL DRUMS AS HAZARDOUS WASTE. A COPY OF THE DTSC- PAINT GUIDANCE FACT SHEET WAS PROVIDED DURING THIS INSPECTION.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 390599
Site Name: SJSU-Corporation Yard (12A, B)
Violation Date: 06-29-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: ROOM 110: THE MEZZANINE CHEMICAL STORAGE AREA IS NOT INDICATED ON THE HMBP SITE MAP. NEAR EMERGENCY GENERATOR: SITE MAP DOES NOT IDENTIFY THE LOCATION OF THE COMPRESSED GAS CYLINDER STORAGE. BELOW VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/23/15. --NEAR ROOM 111: SITE MAP DOES NOT IDENTIFY THE LOCATION AND CAPACITY OF 2-POLY TANKS WITH A CAPACITY OF 230 GALLONS EACH CONTAINING MOTOR OIL.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 390599
Site Name: SJSU-Corporation Yard (12A, B)
Violation Date: 06-29-2015
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

OBSERVED 2-55 GALLON DRUMS OF USED OIL NEAR THE GASOLINE TANK WITHOUT LABELS. _____

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 390599
Site Name: SJSU-Corporation Yard (12A, B)
Violation Date: 06-29-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: _____ PAINT SHOP WASTE INVENTORY SHEET DOES NOT LIST THE STATE HAZARDOUS WASTE CODES FOR WASTE GENERATED IN THIS AREA. BELOW VIOLATIONS WERE CORRECTED DURING THE INSPECTION ON CERS ON 6/24/15; NO FURTHER ACTION IS REQUIRED. --ROOM 100B: NO CHEMICAL INVENTORY FOR THIS LOCATION. --NEAR ROOM 111: OBSERVED 2-POLY TANKS WITH A CAPACITY OF 230 GALLONS EACH CONTAINING MOTOR OIL THAT WERE NOT ON THE HMBP INVENTORY. --NO CHEMICAL INVENTORY FOR THE NEUTRALIZATION TREATMENT UNIT'S CHEMICALS (SULFURIC ACID & SODIUM HYDROXIDE).

_____

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 390599
Site Name: SJSU-Corporation Yard (12A, B)
Violation Date: 06-29-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Returned to compliance on 07/01/2015.

_____

FACILITY LAST SUBMITTED THEIR HMBP ON 9/16/2013. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/24/15; NO FURTHER ACTION IS REQUIRED.

_____

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Conducted an inspection of this area for Hazardous Materials Business Plan. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling &

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

hazardous waste management).
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Hazardous waste manifests for the past 3-yrs were inspected and documented under the Natural Science building: FA0205225. Emergency spill equipment and fire extinguishers were available. Area employees receive annual training in conjunction with the site's Emergency Contingency Plan for emergency procedures, chemical handling & hazardous waste management.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-08-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: THE FACILITY WALKTHROUGH TOOK PLACE ON 7/19/2013 AND THE REPORT WAS ISSUED TODAY VIA E-MAIL.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-08-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: THE FACILITY WALKTHROUGH TOOK PLACE ON 7/19/2013 AND THE REPORT WAS ISSUED TODAY VIA E-MAIL.
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Enforcement Action:
Site ID: 390599
Site Name: SJSU-Corporation Yard (12A, B)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 07-01-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Site ID: 390599
Site Name: SJSU-Corporation Yard (12A, B)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Site Zip:	95192
Enf Action Date:	10-08-2013
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HMRRP
Enf Action Source:	CERS

Site ID:	390599
Site Name:	SJSU-Corporation Yard (12A, B)
Site Address:	1 WASHINGTON SQ
Site City:	SAN JOSE
Site Zip:	95192
Enf Action Date:	10-08-2013
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HW
Enf Action Source:	CERS

Affiliation:

Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969

Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 942-1969

Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Site ID: 402302
CERS ID: 10158067
CERS Description: Hazardous Waste Generator

Violations:
Site ID: 402302
Site Name: SJSU-INDUSTRIAL STUDIES (39)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY LAST SUBMITTED THEIR HMBP ON 9/17/2013. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/24/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 402302
Site Name: SJSU-INDUSTRIAL STUDIES (39)
Violation Date: 06-24-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: IN ROOM 122, OBSERVED METAL SHAVINGS FROM MILLING OPERATIONS IN THE GENERAL TRASH CAN. IN ROOM 122, OBSERVED SATURATED SPILL PAD UNDER A LATHE.

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 402302
Site Name: SJSU-INDUSTRIAL STUDIES (39)
Violation Date: 10-03-2013
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description: Business Plan Program - Administration/Documentation - General
Violation Notes: BASED ON MY FACILITY WALKTHROUGH CARBON DIOXIDE (CO2) WAS FOUND IN TWO LOCATIONS ROOM 114-C AND ROOM 122 FOR A TOTAL OF 500 CUBIC FEET. AS OF THE MOST RECENT SUBMITAL VIA CERS ON 9/17/13 THE TOTAL NUMBER OF CARBON DIOXIDE REPORTED WAS LOWER THAN WHAT IT WAS OBSERVED. IF THE AMOUNT REPORTED ON CERS IS CORRECT THAN PROVIDE TO OUR OFFICE IN WRITING THE DISPOSITION OF THE OTHER CYLINDERS.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 402302
Site Name: SJSU-INDUSTRIAL STUDIES (39)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate training

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

program in safety procedures in the event of a release or threatened release of a hazardous material.

Violation Notes: Returned to compliance on 07/01/2015.

FACILITY DID NOT SUBMIT THEIR TRAINING PLAN ON CERS. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/24/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Conducted an inspection of this area for Hazardous Materials Business Plan. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-03-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Hazardous waste manifests for the past 3-yrs were inspected and documented under the Natural Science building: FA0205225. Area employees receive annual training in conjunction with the site's Emergency Contingency Plan for emergency procedures, chemical handling & hazardous waste management.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Enforcement Action:

Site ID: 402302
Site Name: SJSU-INDUSTRIAL STUDIES (39)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Site Zip: 95192
Enf Action Date: 07-01-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Site ID: 402302
Site Name: SJSU-INDUSTRIAL STUDIES (39)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 10-03-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Environmental Contact
Entity Name: Matt Nymeyer
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95192-0010
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95192-0010
Affiliation Phone: Not reported

Affiliation Type Desc: Parent Corporation
Entity Name: SAN JOSE STATE UNIVERSITY
Entity Title: Not reported
Affiliation Address: Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Site ID: 68189
CERS ID: 10343617
CERS Description: Hazardous Waste Generator

Violations:
Site ID: 68189
Site Name: SJSU-CENTRAL CLASSROOM BLD (71)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY DID NOT SUBMIT THEIR TRAINING PLAN ON CERS. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/22/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 68189
Site Name: SJSU-CENTRAL CLASSROOM BLD (71)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:

INVENTORY SHEET DO NOT LIST HAZARDOUS WASTE VOLUMES OR ANNUAL WASTE AMOUNTS FOR ANY AREA.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 68189
Site Name: SJSU-CENTRAL CLASSROOM BLD (71)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY LAST SUBMITTED THEIR HMBP ON 9/17/2013. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/22/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 68189
Site Name: SJSU-CENTRAL CLASSROOM BLD (71)

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Date: 06-04-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY DID NOT SUBMIT THEIR EMERGENCY RESPONSE PLAN ON CERS. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/22/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: There was no hazardous waste accumulated at this location during the inspection. Hazardous waste manifests for the past 3-yrs were inspected and documented under the Natural Science building: FA0205225. Area employees receive annual training in conjunction with the site's Emergency Contingency Plan for emergency procedures, chemical handling & hazardous waste management.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Conducted an inspection of this area for Hazardous Materials Business Plan. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Affiliation:
Affiliation Type Desc: Document Preparer
Entity Name: Matt Nymeyer
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95192-0010
Affiliation Phone: Not reported

Affiliation Type Desc: Parent Corporation
Entity Name: SAN JOSE STATE UNIVERSITY
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner
Entity Name: California State University
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95192-0010
Affiliation Phone: (408) 924-1969

Site ID: 68190
CERS ID: 10158039
CERS Description: Hazardous Waste Generator

Violations:
Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 11-06-2013
Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: THE FOLLOWING CONTAINERS WERE STORING HAZARDOUS WASTE AND WERE OPEN; ROOM 4A- -1 BEAKER STORING ORGANIC WASTE. (CORRECTED DURING INSPECTION) -1 BEAKER STORING ACID WASTE. ROOM 551- -1 BEAKER STORING ETHIDIUM BROMIDE WASTE ALL HAZARDOUS WASTE CONTAINERS MUST BE CLOSED AT ALL TIMES EXCEPT WHEN ADDING OF REMOVING WASTE. A BEAKER IS NOT A RECOMMENDED CONTAINER TO STORE HAZARDOUS WASTE BECAUSE IT CAN'T BE CLOSED. KEEP HAZARDOUS WASTE CONTAINERS CLOSED.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 11-06-2013
Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: ROOM 9C- -OBSERVED INORGANIC/ORGANIC WASTES STORED TOGETHER. HAZARDOUS WASTE MUST BE SEGREGATED AND STORED SEPARETELY FROM OTHER INCOMPATIBLE MATERIALS/OR WASTES. STORE HAZARDOUS WASTES ABOVE SEPERATELY.
Violation Division: Santa Clara County Environmental Health

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Program: HW
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 11-06-2013
Citation: 22 CCR 23 66273.34 - California Code of Regulations, Title 22, Chapter 23, Section(s) 66273.34
Violation Description: Failure to properly label the following categories of universal waste as: 1) Each batteries or the container in which the batteries are contained as "Universal Waste-Battery(ies)". 2) Each mercury-containing equipment or the container in which the mercury-containing equipment is contained as "Universal Waste -Mercury-Containing Equipment". 3) Each Florescent lamp or the container or package in which the lamps are contained as "Universal Waste-Lamp(s)". 4) Each electronic devices or the container or pallet in or on which the electronic devices are contained as "Universal Waste-Electronic Device(s)". 5) Each CRTs or the container or pallet in or on which the CRTs are contained as "Universal Waste-CRT(s)". 6) A container of CRT glass shall be labeled or marked clearly with the following phrase: "Universal Waste-CRT glass". 7) In lieu of labeling individual electronic devices, CRTs, and/or containers of CRT glass pursuant to subsections d) through f) of this section, a universal waste handler may combine, package, and accumulate those universal wastes in appropriate containers or within a designated area demarcated by boundaries that are clearly labeled with the applicable portion(s) of the following phrase: "Universal Waste-Electronic Device(s)/Universal Waste - CRT(s)/Universal Waste-CRT Glass".
Violation Notes: THE FOLLOWING CONTAINERS WERE STORING UNIVERSAL WASTES AND WERE NOT LABELED AS REQUIRED OR WERE MISSING INFORMATION ON THE LABEL; BASEMENT (ROOM 33) - 1 CONTAINER STORING WASTE COMMERCIAL TYPE BATTERIES. ROOM 353 - 1 BUCKET OF WASTE ALKALINE BATTERIES MISSING THE ACCUMULATION TIME. LABEL CONTAINERS ABOVE WITH REQUIRED INFORMATION.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 06-29-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: _____ ROOM 205: HAZARDOUS WASTE GENERATED IN THIS AREA NOT LISTED ON THE HMBP SITE MAP. ROOM 409: PHOTOGRAPHIC CHEMICALS ARE NOT LISTED ON THE HMBP SITE MAP.
_____
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 11-06-2013
Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67,

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Section(s) Multiple
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: ROOM 6A- OBSERVED A LATEX GLOVE AND GLASSWARE WITH SOME TYPE OF EPOXY SUBSTANCE STUCK INSIDE THE SINK. ROOM 353- OBSERVED SOLDER PIECES ON THE FLOOR OF THE MAINTENANCE DEPT. CLEAN UP THE ABOVE AREAS AND MANAGE THE WASTE AS HAZARDOUS WASTE. ADDITIONALLY, PROVIDE A CONTAINER TO COLLECT SOLDER WASTE IN THE AREAS WHERE SOLDERING IS TAKING PLACE.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 06-29-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY LAST SUBMITTED THEIR HMBP ON 12/11/2013. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/12/15.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 06-29-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 07/01/2015.

ROOM 12A: 1-LIQUID NITROGEN DEWAR NOT LISTED ON HMBP CHEMICAL INVENTORY. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/12/15.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 11-06-2013
Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: FIRE EXTINGUISHERS, EYE WASHES AND SHOWERS ARE NOT BEING MAINTAINED ON A MONTHLY BASIS IN THE AREAS WHERE HAZARDOUS WASTES ARE STORED. THIS ALSO APPLIES TO THE CO2 SUPPRESSION SYSTEM IT NEEDS TO BE TESTED AND MAINTAINED TO ASSURE IT'S PROPER OPERATION. BEGIN MAINTAINING THIS EQUIPMENT AS REQUIRED. PROVIDE TO OUR OFFICE IN WRITING AS TO HOW THIS ISSUE WILL BE ADDRESSED.
Violation Division: Santa Clara County Environmental Health

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Program: HW
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 11-06-2013
Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: THE FOLLOWING WASTE WERE ACCUMULATED AT THE POINT OF GENERATION (I.E., SATELLITE ACCUMULATION AREAS) AND WERE STORED FOR LONGER THAN THE ALLOWED TIME LIMIT OF 1 YEAR; ROOM 542- - 1X1 GAL CONTAINER OF ETHIDIUM BROMIDE WASTE WITH ACCUMULATION DATE OF 4/15/12. - 1 CONTAINER OF WASTE ETHIDIUM BROMIDE PIPETS AND TIPS WITH ACCUMULATION DATE OF 4/15/12. ROOM 543- - 1X1 GAL CONTAINER OF ETHANOL MIX WASTE WITH ACCUMULATION DATE OF 6/11/12. ROOM 603A- - OBSERVED A CONTAINER OF USED OIL WITH ACCUMULATION DATE OF 04/04/12. ROOM 653- - OBSERVED 2 CONTAINERS OF COMASSIE STAIN WASTE WITH ACCUMULATION DATE OF 2/16/11. DISPOSE OF ALL HAZARDOUS WASTE ABOVE IMMEDIATELY. PROVIDE TO OUR OFFICE A COPY OF THE HAZARDOUS WASTE MANIFEST. IN THE FUTURE DO NOT EXCEED THE ACCUMULATION TIME LIMIT OF 1 YEAR.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 11-06-2013
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: THE FOLLOWING CONTAINERS WERE STORING HAZARDOUS WASTE AND WERE MISSING A LABEL OR INFORMATION ON THE HAZARDOUS WASTE LABEL; ROOM 4A -1 BEAKER LABEL AS "ACID WASTE DANGER" -1 BEAKER STORING ORGANIC WASTE- (CORRECTED DURING INSPECTION) ROOM 9 -1 PLASTIC CONTAINER STORING CONTAMINATED WIPES- (CORRECTED DURING INSPECTION) -1 CONTAINER STOING HAZARDOUS WASTE MISSING HAZARDOUS PROPERTIES- (CORRECTED DURING INSPECTION) ROOM 9C - 1X1 GAL "NITRIC ACID WASTE" CONTAINER ROOM 14 -3X1 GAL CONTAINERS AND LABEL MISSING HAZARDOUS PROPERTIES- (CORRECTED DURING INSPECTION) ROOM 12A -1X1 GAL CONTAINER AND LABEL MISSING HAZARDOUS PROPERTIES- (CORRECTED DURING INSPECTION) ROOM 236 -1X1 GAL CONTAINER STORING A CLEAR LIQUID WITH A BLANK HAZARDOUS WASTE LABEL. -2X1 GAL ETHIDIUM BROMIDE GELS CONTAINER MISSING THE INFORMATION ON THE HAZARDOUS WASTE LABEL. ROOM 347 (INSIDE THE FUME HOOD WASTE STORAGE AREA) -1 CONTAINER STORING WASTE GLUTERALDEHYDE NOT LABEL -1X1 GAL CONTAINER WITH [Truncated]
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 11-06-2013
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95,

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Section(s) Multiple
Violation Description: Business Plan Program - Administration/Documentation - General
Violation Notes: BASED ON MY INSPECTION AND THE LAST SUBMITTAL ON CERS ON 9/17/2013 THE FOLLOWING MATERIALS AND LOCATIONS ARE NOT REPORTED; (GROUND LEVEL) ROOM 185- 3 NITROGEN DEWERS ROOM 9C- ARGON/NITROGEN- 200 FT3 ROOM 11- CO2-200FT3, NITROGEN- 600FT3, NITROGEN DEWAR, ACETYLENE, AC6 AND ACETYLENE AC4 ROOM 13- NITROGEN DEWAR, NITROGEN-200FT3 AND HELIUM-200FT3 ROOM 14- NITROGEN-456FT3 ROOM 12A- NITROGEN DEWAR ROOM 17- HELIUM DEWAR(2) ROOM 242- CO2- 400FT3 ROOM 342- O2- 200FT3 ROOM 343- NITROGEN-456FT3 ROOM 412C- ARGON- 248FT3 AND HELIUM- 190FT3 ROOM 444- CO2- 200FT3 ROOM 441- NITROGEN- 200FT3 ROOM 440- O2- 265FT3 ROOM 437- CO2-200FT3 ROOM 539- CO2-228FT3 AND NITROGEN-228FT3 ROOM 610- NITROGEN- 228FT3 ROOM 609B- ARGON-248FT3 ROOM 607A- ARGON- 336FT3 ROOM 603- ARGON- 248FT3 ROOM 653- NITROGEN DEWAR ROOM 652- CO2- 228FT3+ 50LBS. UPDATE YOUR HMBP VIA CERS TO SHOW ALL OF THE LOCATIONS ABOVE WITH THE CHEMICALS STORED. EVERY LOCATION THAT STORES HAZARDOUS MATERIALS/OR [Truncated]
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-06-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: FACILITY WALKTHROUGH TOOK PLACE ON 6/12/13, 6/13/13 AND 6/25/13. THE REPORT WAS ISSUED TODAY VIA E-MAIL.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Reviewed inspection documents for hazardous materials storage areas, including results from the Laboratory Safety Audit checklist from the Spring 2015 semester. The Laboratory Safety Audit program does not include a mechanism to document closure of action items. It is recommended that a tracking system be implemented immediately to demonstrate compliance with applicable State and County requirements for managing hazardous materials. The following violations were corrected during the inspection; no further action is required. 22G020: MARKING OF HAZARDOUS WASTE --Room 9: observed 2-containers missing the accumulation start date was missing; the date was added to the labels. --Room 435: 1x1 gallon container of hazardous waste not labeled; container was labeled. 22G022: CONTAINER COMPATIBILITY --Room 207: a licorice container was being used to collect solvent wipes contaminated with acetone; waste was repackaged in a glass container. 22G023: CONTAINER [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Conducted an inspection of this area for Hazardous Materials Business Plan. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-06-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: THE FACILITY WALKTHROUGH FOR THIS INSPECTION TOOK PLACE ON 6/12/13,6/13/13, AND 6/25/13. THE INSPECTION REPORT WAS ISSUED TODAY VIA E-MAIL.
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Enforcement Action:
Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 11-06-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 11-06-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Affiliation:
Affiliation Type Desc: Legal Owner
Entity Name: SAN JOSE STATE UNIVERSITY
Entity Title: Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Address:	matt.nymeyer@sjsu.edu
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported

Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(928) 701-2766

Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Site ID:	68192
CERS ID:	10158061
CERS Description:	Hazardous Waste Generator

Violations:

Site ID:	68192
Site Name:	SJSU-JOE WEST HALL (90)
Violation Date:	06-04-2015
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:	Returned to compliance on 07/01/2015.
	FACILITY LAST SUBMITTED THEIR HMBP ON 9/17/2013. VIOLATION CORRECTED ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	68192
Site Name:	SJSU-JOE WEST HALL (90)
Violation Date:	06-04-2015
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate training

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

program in safety procedures in the event of a release or threatened release of a hazardous material.

Violation Notes: Returned to compliance on 07/01/2015.

FACILITY DID NOT SUBMIT THEIR TRAINING PLAN ON CERS. VIOLATION CORRECTED ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 68192
Site Name: SJSU-JOE WEST HALL (90)
Violation Date: 09-12-2013
Citation: 19 CCR 4 2729.5 - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.5
Violation Description: Failure to submit inventory reports (Activities, Owner/Operator, Hazardous Materials Descriptions and Map pages, if required. Documentation must be resubmitted (for facilities which exceed EPCRA thresholds) or re-certified (for facilities which do not exceed EPCRA thresholds) by March 1.
Violation Notes: THE LAST TIME THE HAZARDOUS MATERIALS INVENTORY WAS CERTIFIED WAS ON 06/06/2012. CERTIFIED YOUR INVENTORY IMMEDIATELY VIA CERS. DISREGARD CORRECTIVE ACTION TEXT BELOW REGARDING SUBMITTAL OF HARD COPY FORMS. SEE www.EHinfo.org/hazmat FOR DETAILS REGARDING ELECTRONIC REPORTING REQUIREMENTS. A FACILITY RECORD FOR THIS SITE HAS ALREADY BEEN CREATED ON THE CALIFORNIA ENVIRONMENTAL REPORTING SYSTEM (CERS) WEBSITE AT http://cers.calepa.ca.gov. REQUEST ACCESS TO THAT CERS RECORD AND SUBMIT A CURRENT HMBP WITHIN 30 DAYS.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 68192
Site Name: SJSU-JOE WEST HALL (90)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY DID NOT SUBMIT THEIR EMERGENCY RESPONSE PLAN ON CERS. VIOLATION CORRECTED ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 68192
Site Name: SJSU-JOE WEST HALL (90)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Notes: Returned to compliance on 07/01/2015.
_____ SYMBOL "F" NOTED ON THE MAP IS NOT DEFINED IN THE LEGEND ON SUBMITTED AREA MAP (JWH-1). VIOLATION CORRECTED ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.
_____
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-12-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Conducted an inspection of this area for Hazardous Materials Business Plan. Only the ground floor areas were inspected due to ongoing construction on the roof. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: This building is undergoing construction on the roof. Only the outside ground floor was available for inspection. There was no hazardous waste accumulated at this location during the inspection. Hazardous waste manifests for the past 3-yrs were inspected and documented under the Natural Science building: FA0205225. Area employees receive annual training in conjunction with the site's Emergency Contingency Plan for emergency procedures, chemical handling & hazardous waste management.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Enforcement Action:
Site ID: 68192
Site Name: SJSU-JOE WEST HALL (90)
Site Address: 1 WASHINGTON SQ

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Site City:	SAN JOSE
Site Zip:	95192
Enf Action Date:	09-12-2013
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HMRRP
Enf Action Source:	CERS

Affiliation:

Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400

Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported

Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969

Site ID:	114632
CERS ID:	10158043
CERS Description:	Hazardous Waste Generator

Violations:

Site ID:	114632
Site Name:	SJSU-Engineering Building (35)
Violation Date:	10-18-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	The following areas were observed to be store hazardous materials but

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

were not indicated on the the site map: --Room 130-C Hazardous Waste Storage Area. --Room 294: min-storage soldering operations. --Room 393: min-storage soldering operations. --*Rocket Assembly Tent in the Courtyard: min-storage flammable cabinet. *Noted corrected during the delivery of this report. --*Room 129-B: min-storage asphalt grinding chemicals. *Noted corrected during the delivery of this report.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 06-24-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: _____ ROOM 106: OBSERVED SATURATED ABSORBENT UNDER THE HYDRAULIC HIGH-PRESSURE MANIFOLD, LOW-PRESSURE MANIFOLD AND ALONG THE WOODEN CABINET. IN ADDITION, THERE WERE SATURATED SHOP TOWELS TIED ONTO QUICK-CONNECT FITTINGS. ROOM 115: OBSERVED METAL SHAVINGS ON THE FLOOR NEXT TO THE METALWORKING EQUIPMENT. ROOM 127: OBSERVED A HYDRAULIC FLUID SPILL IN THE CRAWL SPACE UNDER THE EARTHQUAKE SIMULATOR. ROOM 127A: OBSERVED ABSORBENT SATURATED WITH HYDRAULIC OIL AT THE FILL AREA. ROOM 127C: OBSERVED APPROXIMATELY 1.5 GALLONS OF USED HYDRAULIC OIL IN A TRAY CONTAINING A PORTABLE HYDRAULIC PUMP.

_____

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 10-23-2013
Citation: HSC 6.11 25404.1 - California Health and Safety Code, Chapter 6.11, Section(s) 25404.1
Violation Description: Failure to obtain and/or maintain an active hazardous waste generator permit.
Violation Notes: A HAZARDOUS WASTE DETERMINATION NEEDS TO MADE TO THE FOLLOWING; ROOM 115- -OBSERVED SMALL VIALS WITH BLUE LIQUID INSIDE THE TRASH CAN IN THIS ROOM. ADDITIONALLY OBSERVED A BROWN BOX WITH UNKNOWN CHEMICALS. ROOM 209A- - OBSERVED 2 CLEAR BAGS WITH UNKNOWN HAZARDOUS WASTE/ OR BIO-WASTE. ROOM 221- (NEW LAB) -OBSERVED 1 PLASTIC CONTAINER STORING A BLUE LIQUID. CONTAINER WAS OPENED WITHOUT ANY LABELS. OUTSIDE CORRIDOR- - OBSERVED A BUCKET WITH WHAT APPEARS TO BE OILY-USED ABSORBENT. COURTYARD BLOCK HOUSE- -OBSERVED A TRASH BAG W/ A PLASTIC BOTTLE WITH A BLACK LIQUID. ADDITIONALLY, OBSERVED EPOXY WASTE AND BRUSHES CONTAMINATED WITH EPOXY OR OTHER BLACK LIQUID. NOTIFY OUR AGENCY IN WRITING ON THE DISPOSITION OF ALL OF THE POTENTIAL HAZARDOUS WASTE ABOVE.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 10-23-2013

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Citation:	HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description:	Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes:	ALL FIRE EXTINGUISHERS AND DECONTAMINATION EQUIPMENT IS NOT BEING MONITORED ON A MONTHLY BASIS WHERE HAZARDOUS WASTES ARE STORED. BEGIN CONDUCTING THESE MONTHLY INSPECTIONS ON THE EMERGENCY EQUIPMENT.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	114632
Site Name:	SJSU-Engineering Building (35)
Violation Date:	10-23-2013
Citation:	HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description:	Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes:	ROOM 201- I WAS TOLD BY PROFESSOR AT THIS LAB THAT ACID WASH WASTE FROM WASHING THE GLASSWARE IS CURRENTLY BEING NEUTRALIZED AND POUR DOWN THE DRAIN. HOWEVER TREATMENT IS NOT BEING CONDUCTED PER THE REQUIREMENTS OF BENCHTOP TREATMENT FOUND IN HSC 25200.3.1(c). CEASE THE TREATMENT ACTIVITIES IMMEDIATELY OR CONDUCT TREATMENT IN ACCORDANCE WITH THE REQUIREMENTS LISTED BELOW. NOTIFY OUR AGENCY IN WRITING ON HOW THE ACID WASTE WASH WILL BE HANDLE.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	114632
Site Name:	SJSU-Engineering Building (35)
Violation Date:	06-24-2015
Citation:	22 CCR 12 66262.34(d) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(d)
Violation Description:	Failure to dispose of hazardous waste within 180 days (or 270 if waste is transported over 200 miles) for the generator who generates less than 1000 kilogram per month, but more than 100 kilograms per month.
Violation Notes:	_____ ROOM 127: OBSERVED 1x5 GALLON CONTAINER THAT CONTAINED CONTAMINATED SHOP RAGS WITH AN ACCUMULATION DATE FROM 2013. _____
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	114632
Site Name:	SJSU-Engineering Building (35)
Violation Date:	10-23-2013
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	THE FOLLOWING CONTAINERS WERE STORING HAZARDOUS WASTE AND WERE MISSING A HAZARDOUS WASTE LABEL OR HAD AN INCOMPLETE LABEL; - ROOM 201- OBSERVED 1X5 GAL PLASTIC CONTAINER LABELED; "ACIDIC BATH WASTE CONTAINER OGB" OBSERVED A CONTAINER A CONTAINER INSIDE THE FUME HOOD WITH AN INCOMPLETE LABEL, MISSING HAZARDOUS PROPERTIES- (CORRECTED

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

ONSITE) -ROOM 223- OBSERVED A RED CAN WITH WASTE LAB DEBRIS AND NOT LABELED. -ROOM 209A- OBSERVED 1X5 GAL. WHITE METAL CAN LABEL AS; "DANGER HAZARDOUS WASTE". LABEL ALL CONTAINERS ABOVE WITH REQUIRED INFORMATION.

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 10-23-2013
Citation: HSC 6.67 Multiple Sections - California Health and Safety Code, Chapter 6.67, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Abandonment/Illegal Disposal/Unauthorized Treatment - General
Violation Notes: ROOM 201- I WAS INFORMED BY PROFESSOR AT THIS LAB THAT COMINGLING OF HAZARDOUS WASTE IS TAKING PLACE. SOLID LAB WASTE DEBRIS ARE BEING COMMINGLED WITH LIQUID HAZADOUS WASTE. SOLID HAZARDOUS WASTE NEEDS TO BE STORED AND DISPOSED SEPERATELY THAN THE LIQUID HAZARDOUS WASTE. CEASE THIS PRACTICE IMMEDIATELY. BEGIN SEGREAGATING THESE WASTES. NOTIFY OUR AGENCY IN WRITING HOW THIS ISSUE WAS ADDRESSED.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 10-18-2018
Citation: 22 CCR 12 66262.11 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.11
Violation Description: Failure to determine if wastes generated are hazardous waste by using generator knowledge or applying testing method.
Violation Notes: Observed the following containers that may contain hazardous waste: --Courtyard: 1-500 ml beaker containing a granular material that was pink in color.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 06-24-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:

FACILITY LAST SUBMITTED THEIR HMBP ON 9/17/2013

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 10-18-2018
Citation: HSC 6.95 25508.1(a)-(f) - California Health and Safety Code, Chapter

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

6.95, Section(s) 25508.1(a)-(f)
Violation Description: Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name. A substantial change in the handler's operations that requires modification to any portion of the business plan.
Violation Notes: The following hazardous materials were observed but not included in the most recent submittal to CERS: --Room 235: 1-cylinder of compressed oxygen (337 cu-ft)
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 06-24-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: _____ CONSOLIDATED CHEMICAL STORAGE LOCATIONS FOR MISC. FLAMMABLE MATERIALS & MISC. CORROSIVE MATERIALS THAT ARE < 55-GALLONS MUST BE DIVIDED INTO MULTIPLE PAGES THAT INDICATE MAXIMUM DAILY VOLUME BELOW 55-GALLONS OR SUBMIT REVISED INVENTORY PAGES WITH SPECIFIC CHEMICAL INFORMATION. WASTE CORROSIVE LIQUID INVENTORY SHEET WAS MISSING THE STATE HAZARDOUS WASTE CODE. ROOM 127: OBSERVED 4x5-GALLON CONTAINERS, 3x1-GALLON POLY BOTTLES AND 2x1-GALLON METAL CANS NOT LISTED ON THE LISTED ON THE HAZARDOUS MATERIALS BUSINESS PLAN INVENTORY. ROOM 127C: HYDRAULIC OIL RESERVOIR NOT LISTED ON THE HAZARDOUS MATERIALS BUSINESS PLAN INVENTORY. ROOM 233 (PHOTORESIST SPINNER): AN INVENTORY SHEET FOR WASTE FLAMMABLE LIQUIDS WAS NOT LISTED ON THE HAZARDOUS MATERIALS BUSINESS PLAN INVENTORY. ROOM 107: THIS AREA WAS NOT LISTED ON THE HAZARDOUS MATERIALS BUSINESS PLAN INVENTORY FOR STORING MISC. FLAMMABLE LIQUIDS. ROOM [Truncated]
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 06-24-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: _____ ROOM 127: OBSERVED 1-55 GALLON DRUM MARKED AS EMPTY BUT WITH NO DATE OF WHEN THE DRUM WAS EMPTY.
_____
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 114632

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Site Name: SJSU-Engineering Building (35)
Violation Date: 06-24-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: _____ ROOM 127C: HYDRAULIC OIL RESERVOIR NOT LISTED ON THE HAZARDOUS MATERIALS BUSINESS PLAN MAP.
_____
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 10-23-2013
Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: A CONTAINER TO COLLECT WASTE SOLDER WAS NOT AVAILABLE IN THE FOLLOWING LOCATIONS; - ROOM 125- WASTE SOLDER IS GENERATED AND FLAKES WERE FOUND ON THE TABLE. - ROOM 135- WASTE SOLDER IS GENERATED AND FLAKES WERE FOUND ON THE TABLE. - ROOM 201- - WASTE SOLDER IS GENERATED AND FLAKES WERE FOUND ON THE TABLE. PROVIDE A HAZARDOUS WASTE CONTAINERS IN THE AREAS ABOVE.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 10-23-2013
Citation: 22 CCR 23 66273.34 - California Code of Regulations, Title 22, Chapter 23, Section(s) 66273.34
Violation Description: Failure to properly label the following categories of universal waste as: 1) Each batteries or the container in which the batteries are contained as "Universal Waste-Battery(ies)". 2) Each mercury-containing equipment or the container in which the mercury-containing equipment is contained as "Universal Waste -Mercury-Containing Equipment". 3) Each Florescent lamp or the container or package in which the lamps are contained as "Universal Waste-Lamp(s)". 4) Each electronic devices or the container or pallet in or on which the electronic devices are contained as "Universal Waste-Electronic Device(s)". 5) Each CRTs or the container or pallet in or on which the CRTs are contained as "Universal Waste-CRT(s)". 6) A container of CRT glass shall be labeled or marked clearly with the following phrase: "Universal Waste-CRT glass". 7) In lieu of labeling individual electronic devices, CRTs, and/or containers of CRT glass pursuant to subsections d) through f) of this section, a universal waste handler may combine, package, and accumulate those universal wastes in appropriate containers or within a designated area demarcated by boundaries that are clearly labeled with the applicable portion(s) of the following phrase: "Universal Waste-Electronic Device(s)/Universal Waste - CRT(s)/Universal Waste-CRT Glass".
Violation Notes: THE FOLLOWING CONTAINERS WERE STORING UNIVERSAL WASTE AND WERE NOT LABELED AS REQUIRED; ROOM 186- OBSERVED 1 BOX STORING COMMERCIAL TYPE

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

BATTERIES. ROOM 176- OBSERVED 1 BOX STORING USED FLOURESCENT TUBES LABEL CONTAINERS ABOVE WITH REQUIRED MARKINGS.

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Evaluation:

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Conducted an inspection of this area for Hazardous Materials Business Plan. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-23-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: THE FACILITY WALKTHROUGH FOR THIS INSPECTION TOOK PLACE ON 7/2/13. THE REPORT WAS ISSUED TODAY VIA E-MAIL. THE MOST RECENT SUBMITTAL OF THE HMBP VIA CERS WAS ON 9/17/2013.
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Hazardous waste manifests for the past 3-yrs were inspected and documented under the Natural Science building: FA0205225. Area employees receive annual training in conjunction with the site's Emergency Contingency Plan for emergency procedures, chemical handling & hazardous waste management.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-18-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site with Matt Nymeyer, David Griffith and Neill Peters to conduct a hazardous materials business plan (HMBP) and hazardous materials storage ordinance (HMSO) inspections. This inspection began on 10/15/18 and concluded on 10/18/18 with the delivery of this report. The following rooms/areas were inspected within the Engineering Building: 101, 103, 105, 106, 107, 109, 113, 114, 115, 123, 125, 129B,

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

130, 130C, 131, Courtyard, Rocket Assembly Tent (courtyard), 186, 188, 190, 201, 203, 207, 221, 223, 225, 227, 228, 228-B, 233-I, 235, 294, 311 and 393. The university is currently implementing CSU-wide corrective actions from a recent audit by the Joint Legislative Audit Committee. The final report titled California State University: It Has Not Provided Adequate Oversight of the Safety of Employees and Students Who Work With Hazardous Materials, Report 2017-119, was published on April 24, 2018 and available at https://www.bsa.ca.gov/pdfs/reports/2017-119.pdf. SJSU [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-23-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: THE FACILITY WALKTHROUGH FOR THIS INSPECTION TOOK PLACE ON 7/2/13. THE REPORT WAS ISSUED TODAY VIA E-MAIL.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 10-18-2018
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: On-site with Matt Nymeyer, David Griffith and Neil Peters to conduct a limited hazardous waste inspection. This inspection began on 10/15/18 and concluded on 10/18/18 with the delivery of this report. The following rooms/areas were inspected within the Engineering Building: 101, 103, 105, 106, 107, 109, 113, 114, 115, 123, 125, 129B, 130, 130-C, 131, Courtyard, Rocket Assembly Tent (courtyard), 186, 188, 190, 201, 203, 207, 221, 223, 225, 227, 228, 228-B, 233-I, 235, 294, 311 and 393. All hazardous waste containers were observed to be closed, marked as required and within the allowable accumulation times. All areas inspected were free of spills and in good order. Room 130-C (accessible via the courtyard) has been designated as a hazardous waste storage location for the Engineering Building. A review of the area inspection log for Room 130-C was current. A review of the SJSU hazardous waste training record for Niel Peters was current. Spill equipment and [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Enforcement Action:
Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 07-01-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Enf Action Program: HMRRP
Enf Action Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 07-01-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 10-23-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Environmental Contact
Entity Name: Matt Nymeyer
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95192-0010
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95192-0010
Affiliation Phone: (408) 942-1969

Site ID: 153951
CERS ID: 10158059
CERS Description: Hazardous Waste Generator

Violations:

Site ID: 153951
Site Name: SJSU-Dining Commons (91)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes:
LOCATION OF SPILL KIT IS NOT ON SUBMITTED MAP (DC-1)
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 153951
Site Name: SJSU-Dining Commons (91)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:
FACILITY LAST SUBMITTED THEIR HMBP ON 9/17/2013. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 153951
Site Name: SJSU-Dining Commons (91)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes:
FACILITY DID NOT SUBMIT THEIR TRAINING PLAN ON CERS. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	07-01-2015
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	There was no hazardous waste accumulated at this location during the inspection. Hazardous waste manifests for the past 3-yrs were inspected and documented under the Natural Science building: FA0205225. Area employees receive annual training in conjunction with the site's Emergency Contingency Plan for emergency procedures, chemical handling & hazardous waste management. Notes: Per David Krack, SJSU will not classify any accumulation area as Point of Generation accumulation. All areas where hazardous waste is accumulated will be inspected at least weekly and disposed within 180 days of waste generation.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	07-01-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Conducted an inspection of this area for Hazardous Materials Business Plan. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS

Enforcement Action:

Site ID:	153951
Site Name:	SJSU-Dining Commons (91)
Site Address:	1 WASHINGTON SQ
Site City:	SAN JOSE
Site Zip:	95192
Enf Action Date:	07-01-2015
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HMRRP
Enf Action Source:	CERS

Affiliation:

Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Site ID:	402301
CERS ID:	10158047
CERS Description:	Hazardous Waste Generator

Violations:

Site ID:	402301
Site Name:	SJSU-CENTRAL PLANT (4)
Violation Date:	09-15-2014
Citation:	HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25286(a)
Violation Description:	Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes:	UST data submitted via CERS contains numerous errors/omissions. Please preface Facility Name for all San Jose State CERS facility records with "SJSU-" to facilitate HMCD records management. Do not modify Facility Names or Site Addresses in CERS without HMCD approval. Facility Information: Financial Responsibility Mechanism(s) should = "Exempt" (State and Federal facilities are exempt from UST Financial Responsibility requirements). For addresses, enter as "1 Washington...", not "One Washington..." Tank Information: Tank Use = Emergency Generator Fuel; Tank primary Containment = Steel; Tank secondary Containment = Jacketed; Piping System type = Conventional Suction; Vent Piping Transition Sumps = None. Note: Duplicate copy of Owner statement of Designated UST Operator was uploaded to CERS in error as a UST Owner/Operator Written Agreement. Delete the uploaded duplicate document and resubmit indicating "Exempt" for Owner/Operator Agreement (owner and operator are same [Truncated]
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-15-2014
Citation: 23 CCR 16 2665 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665
Violation Description: Failure of the overfill prevention system to meet one of the following requirements: 1. Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or 2. Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or 3. Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or 4. Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling.
Violation Notes: Returned to compliance on 09/15/2014. Mechanical overfill prevention valve was removed to facilitate testing of spill bucket. Valve was found to be coated with sludge sufficient to impede proper operation of the floats. Valve was cleaned to ensure free movement of the floats and all other mechanical components and reinstalled in the tank fill opening today. No permit or other corrective action is required.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 06-24-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: _____ TANK VOLUMES ARE NOT LISTED ON THE AREA MAP (CP-B) FOR TANKS (12.5% SODIUM HYPOCHLORITE, NALCO 3D TRASAR 3DT289 & SULFURIC ACID, 93%). _____
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-15-2014
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to maintain on site an approved monitoring plan.
Violation Notes: UST Monitoring Plan submitted via CERS does not address required visual inspections of the fuel piping between the point where the lines surface outside the building wall and the tank located on the upper catwalk to maintain exemption of the unburied Emergency Generator Tank System (EGTS) piping from UST regulations. Revise plan to indicate that visual pipe monitoring is performed minimum monthly and each time the system (fuel pump) is operated.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-15-2015
Citation: HSC 6.7 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25292(e)
Violation Description: Failure to maintain secondary containment, as evidenced by failure of secondary containment testing.
Violation Notes: Returned to compliance on 10/15/2015. THE PRODUCT SUPPLY AND RETURN PIPING FAILED TO HOLD PRESSURE, THE TANK ANNULAR FAILED TO HOLD VACUUM DURING THE SECONDARY CONTAINMENT TEST (SB989).
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-13-2018
Citation: HSC 6.7 25290.1(c),25290.2(c),25291(a)(2),2529.1(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c),25290.2(c),25291(a)(2),2529.1(e)
Violation Description: Failure to maintain secondary containment (e.g., failure of secondary containment testing).
Violation Notes: Both the supply and return piping were visually failed by the Service Technician due to a cracked test boots.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-13-2018
Citation: 23 CCR 16 2665 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665
Violation Description: Failure to comply with one or more of the following: Failure to install or maintain a liquid-tight spill bucket. Have a minimum capacity of five gallons. Have a functional drain valve or other method for the removal of liquid from the spill bucket/spill container. Be resistant to galvanic corrosion.
Violation Notes: The direct bury spill containment failed to retain 5-gallons of water for 60-minutes.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 06-24-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: _____"HW ACCUMULATION AREA" INVENTORY IS MISSING AVERAGE DAILY QUANTITIES FOR: DRAINED OIL FILTERS, OILY RAGS & USED OIL. "B5-(BASEMENT SOUTH SIDE)

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

DAY TANK" INVENTORY IS MISSING THE AVERAGE DAILY VOLUME. "FLAMMABLE CABINETS-BASEMENT" INVENTORY IS MISSING THE AVERAGE DAILY VOLUME. "HW ACCUMULATION AREA" INVENTORY IS MISSING STATE WASTE CODE FOR: OILY RAGS & USED OIL.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-13-2016
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to have an approved UST Response Plan.
Violation Notes: Returned to compliance on 09/13/2016. The UST Response Plan lists personnel (Adam Bayer) who are no longer at this site. The UST Response Plan was corrected during today's inspection and verified on CERS. This violation was corrected during today's inspection, no further action is required.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 06-24-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY DID NOT SUBMIT THEIR TRAINING PLAN ON CERS. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 06-24-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY LAST SUBMITTED THEIR HMBP ON 9/17/2013. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-15-2014
Citation: 23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description: Failure of the double wall pressurized piping in the turbine sump to be continuously monitored with a system that activates an audible and visual alarm or restricts or stops flow at dispenser when a leak is detected.
Violation Notes: Returned to compliance on 09/15/2014. Tank top piping sump sensor broke into pieces while being removed from sump for testing. Sensor was replaced today like-for-like. No repair permit or other corrective action is required.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-15-2014
Citation: 23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description: Failure to submit, obtain approval, or maintain a complete/accurate plot plan.
Violation Notes: Obsolete UPCF UST Monitoring Plan form was uploaded to CERS in error in place of the required Site Plan (map). Delete the current uploaded UPCF form and resubmit with the Site Plan containing information noted below.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-13-2016
Citation: 23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description: Failure of the double-walled pressurized piping to be continuously monitored with a system that activates an audible and visual alarm or stops flow at the dispenser when a leak is detected.
Violation Notes: Returned to compliance on 09/13/2016. The Ronan LS3 annular failed to activate the audible and visual alarm when tested in water. The LS3 sensor was replaced with another LS3 sensor and tested to confirm functionality as well as create an audible and visual alarm at the monitoring panel. This violation was corrected during today's inspection, no further action is required.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 06-24-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Description: Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY DID NOT SUBMIT THEIR EMERGENCY RESPONSE PLAN ON CERS. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 06-24-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: **THIS VIOLATION HAS BEEN ELEVATED TO A CLASS II VIOLATION DUE TO BEING A REPEAT VIOLATION AND THE INCREASED RISK TO HUMAN HEALTH ASSOCIATED WITH SULFURIC ACID. OBSERVED A CONDITION OF REPEATED SPILLS OF SULFURIC ACID INTO THE SECONDARY CONTAINMENT.

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: There was no hazardous waste accumulated at this location during the inspection. Hazardous waste manifests for the past 3-yrs were inspected and documented under the Natural Science building: FA0205225. Area employees receive annual training in conjunction with the site's Emergency Contingency Plan for emergency procedures, chemical handling & hazardous waste management. Below are violations that were corrected during the inspection and do not require further action: 22G114: EMERGENCY AISLE SPACE Observed blocked access to a fire extinguisher along the south wall of the building; boxes were moved and access to the fire extinguisher was regained. Notes: The 2-uniquely shaped black poly drums are used as a maintenance tools and will be marked as such by SJSU Central Plant personnel. These maintenance drums will be stored in a location other than on top of the drum containment while empty.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 09-13-2018
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: On-site to observe UST secondary containment testing. All tests were

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

completed by Service Technician John Courant from CA UST Services. Mr. Courant held current ICC, Ronan and Franklin Fueling Systems certifications at the time of inspection. The tank annular was placed under 7-in of vacuum for 60-minutes with no loss of vacuum; PASS Piping sumps was filled to at least 1-inch over the highest point with the piping with water. The liquid level was tested with an Incon Sump Tester TS-STS. All tests received a printout that indicated that all tests passed. Secondary Containment Piping: Supply & Return, see above. Provide a copy of today?s test report by 9/8/18 and ensure a copy is available on-site for future inspection. For questions regarding this report, contact Ray Maiden at ray.maiden@cep.sccgov.org or at 408-918-1980 (mon-thur).

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-13-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site to witness the annual monitoring system certification conducted by California UST Services, Technician John Courant from CA UST Services. Mr. Courant held current ICC, Ronan and Franklin Fueling Systems certifications at the time of inspection. UST system is suction system for emergency generator with aboveground piping. The UST monitoring panel Ronan x76s has no printer. Audible and visual alarms noted when LS3 sensors located in the annular space and piping sump were tested in water. Spill bucket tested using the INCON Sump Test System (STS), passed 15-minute accelerated testing. Tank is fitted with mechanical overfill (flapper valve) in the fuel drop tube. Piping sump was dry and free of debris at the time of inspection. Aboveground piping is labeled with contents and flow direction. UST permit exp: 11/30/22 Reviewed the following on-site documents: --DUSTO monthly Inspection logs. --Training log: 7/22/18 all personnel are current. --Log [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Conducted an inspection of this area for Hazardous Materials Business Plan. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).

Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-15-2015

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	ON SITE WITH JOHN COURANT A CALIFORNIA ICC CERTIFIED TECHNICIAN WITH CALIFORNIA UST SERVICES TO WITNESS THE ANNUAL MONITORING CERTIFICATION AND SB989 SECONDARY CONTAINMENT TESTING. MR. COURANT'S CERTIFICATIONS WERE VERIFIED TO BE CURRENT. THE FOLLOWING COMPONENTS WERE TESTED AND FOUND TO BE OPERABLE: -SPILL BUCKET WAS TESTED USING THE ACCELERATED INCON TEST. THE PASS PRINT OUT WILL BE INCLUDED IN THE MONITORING CERTIFICATION DOCUMENTATION -LIQUID SENSOR IN THE STP AND TANK ANNULAR TRIGGERED AN AUDIBLE AND VISUAL ALARM AT THE PANEL.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-13-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On-site to witness the annual monitoring system certification conducted by California UST Services, technician John Courant. Mr. Courant held current ICC, Ronan and Franklin Fueling Systems certifications at the time of inspection. UST system is suction system for emergency generator with aboveground piping. The UST monitoring panel Ronan x76s has no printer. Audible and visual alarms noted when LS3 sensors located in the annular space and piping sump were tested in water. Spill bucket tested using the INCON Sump Test System (STS), passed 15-minute accelerated testing. Tank is fitted with ball float as overfill prevention and mechanical overfill (flapper valve) in the fuel drop tube. Sump dry and free of debris at the time of inspection. Aboveground piping is labeled with contents and flow direction. Observed liquid on the annular sensor when it was removed for testing. The service technician pumped out approximately 200ml of clear liquid with no odor [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-13-2017
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	On-site to witness the annual monitoring system certification conducted by California UST Services, technician John Courant. Mr. Courant held current ICC, Ronan and Franklin Fueling Systems certifications at the time of inspection. UST system is suction system for emergency generator with aboveground piping. The UST monitoring panel Ronan x76s has no printer. Audible and visual alarms noted when LS3 sensors located in the annular space and piping sump were tested in water. Spill bucket tested using the INCON Sump Test System (STS), passed 15-minute accelerated testing. Tank is fitted with ball float as overfill prevention and mechanical overfill (flapper valve) in the fuel drop tube. Piping sump was dry and free of debris at the time of inspection. Aboveground piping is labeled with contents and flow direction. During the 2016 inspection the service technician pumped out approximately 200ml of clear liquid with no odor out of the annular space. During the [Truncated]
Eval Division:	Santa Clara County Environmental Health

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-15-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: All UST system leak detection equipment was tested today by by UST Service Technician John Courant of California UST Services. Mr. Courant has current ICC UST Service Technician certification (exp. 8/9/2016) and Ronan X76 certification (exp. 9/20/2014). The Model LS3 sensors in the tank annular space and the tank top piping sump were tested using water to obtain audible and visual fuel alarms on the Ronan X76 monitoring panel. The UST fill spill bucket was hydrostatically tested using the Incon TS-STS accelerated hydrostatic test system. The bucket itself is liquid-tight, as confirmed by a test with the tank fill riser plugged, but the bucket drain valve had a slow leak. Valve was cleaned today and now seals liquid tight. Submit copies of the Monitoring System Certification form and spill bucket test report within 30 days. Notes: 1. Designated UST Operator monthly inspection records and list of trained facility employees are in order. 2. Records of visual [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-20-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: ON SITE WITH JOHN COURANT AN ICC CERTIFIED TECHNICIAN WITH CALIFORNIA UST SERVICES TO WITNESS THE ANNUAL MONITORING CERTIFICATION. RONAN, ICC, AND ICON (FRANKLIN FUELING) CERTIFICATIONS WERE VERIFIED TO BE CURRENT. CORRECT THE FOLLOWING ON CERS: -THE TANK SYSTEM HAS A FLAPPER FOR OVERFILL NOT BOTH A FLAPPER AND BALL FLOAT -THE OWNER AND OPERATOR ARE THE SAME, NOT REQUIRED TO SUBMIT AN "OWNER OPERATOR AGREEMENT" THE FOLLOWING COMPONENTS WERE TESTED AND FOUND TO BE OPERABLE: LIQUID SENSOR IN ANNULAR SPACE-TRIGGERED AND AUDIBLE/VISUAL ALARM LIQUID SENSOR IN THE PIPING SUMP-TRIGGERED AND AUDIBLE/VISUAL ALARM THE SPILL BUCKET WAS TESTED USING THE 15 MINUTE INCON TEST FACILITY IS KEEPING DAILY RECORDS OF THE RONAN PANEL
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Enforcement Action:
Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 07-01-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Enf Action Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 09-15-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 09-15-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Affiliation:
Affiliation Type Desc: Document Preparer
Entity Name: Matt Nymeyer
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 1 Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95192-0010
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: SAN JOSE STATE UNIVERSITY
Entity Title: Not reported
Affiliation Address: 1 Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95192-0010

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Phone:	(408) 924-1978
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 942-1969
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	1 Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1978
Affiliation Type Desc:	UST Tank Operator
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	1 Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1978
Affiliation Type Desc:	UST Tank Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	1 Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1978
Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	UST Permit Applicant
Entity Name:	David Krack
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1978

CERS TANKS:

Name:	SJSU-CENTRAL PLANT (4)
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95192
Site ID:	402301
CERS ID:	10158047
CERS Description:	Underground Storage Tank

Violations:

Site ID:	402301
Site Name:	SJSU-CENTRAL PLANT (4)

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Date:	09-15-2014
Citation:	HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25286(a)
Violation Description:	Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes:	UST data submitted via CERS contains numerous errors/omissions. Please preface Facility Name for all San Jose State CERS facility records with "SJSU-" to facilitate HMCD records management. Do not modify Facility Names or Site Addresses in CERS without HMCD approval. Facility Information: Financial Responsibility Mechanism(s) should = "Exempt" (State and Federal facilities are exempt from UST Financial Responsibility requirements). For addresses, enter as "1 Washington...", not "One Washington..." Tank Information: Tank Use = Emergency Generator Fuel; Tank primary Containment = Steel; Tank secondary Containment = Jacketed; Piping System type = Conventional Suction; Vent Piping Transition Sumps = None. Note: Duplicate copy of Owner statement of Designated UST Operator was uploaded to CERS in error as a UST Owner/Operator Written Agreement. Delete the uploaded duplicate document and resubmit indicating "Exempt" for Owner/Operator Agreement (owner and operator are same [Truncated]
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	402301
Site Name:	SJSU-CENTRAL PLANT (4)
Violation Date:	09-15-2014
Citation:	23 CCR 16 2665 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665
Violation Description:	Failure of the overfill prevention system to meet one of the following requirements: 1. Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or 2. Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or 3. Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or 4. Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling.
Violation Notes:	Returned to compliance on 09/15/2014. Mechanical overfill prevention valve was removed to facilitate testing of spill bucket. Valve was found to be coated with sludge sufficient to impede proper operation of the floats. Valve was cleaned to ensure free movement of the floats and all other mechanical components and reinstalled in the tank fill opening today. No permit or other corrective action is required.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	402301
Site Name:	SJSU-CENTRAL PLANT (4)
Violation Date:	06-24-2015
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

	required content.
Violation Notes:	_____ TANK VOLUMES ARE NOT LISTED ON THE AREA MAP (CP-B) FOR TANKS (12.5% SODIUM HYPOCHLORITE, NALCO 3D TRASAR 3DT289 & SULFURIC ACID, 93%). _____
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	402301
Site Name:	SJSU-CENTRAL PLANT (4)
Violation Date:	09-15-2014
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to maintain on site an approved monitoring plan.
Violation Notes:	UST Monitoring Plan submitted via CERS does not address required visual inspections of the fuel piping between the point where the lines surface outside the building wall and the tank located on the upper catwalk to maintain exemption of the unburied Emergency Generator Tank System (EGTS) piping from UST regulations. Revise plan to indicate that visual pipe monitoring is performed minimum monthly and each time the system (fuel pump) is operated.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	402301
Site Name:	SJSU-CENTRAL PLANT (4)
Violation Date:	09-15-2015
Citation:	HSC 6.7 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25292(e)
Violation Description:	Failure to maintain secondary containment, as evidenced by failure of secondary containment testing.
Violation Notes:	Returned to compliance on 10/15/2015. THE PRODUCT SUPPLY AND RETURN PIPING FAILED TO HOLD PRESSURE, THE TANK ANNULAR FAILED TO HOLD VACUUM DURING THE SECONDARY CONTAINMENT TEST (SB989).
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	402301
Site Name:	SJSU-CENTRAL PLANT (4)
Violation Date:	09-13-2018
Citation:	HSC 6.7 25290.1(c),25290.2(c),25291(a)(2),2529.1(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c),25290.2(c),25291(a)(2),2529.1(e)
Violation Description:	Failure to maintain secondary containment (e.g., failure of secondary containment testing).
Violation Notes:	Both the supply and return piping were visually failed by the Service Technician due to a cracked test boots.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	402301
Site Name:	SJSU-CENTRAL PLANT (4)
Violation Date:	09-13-2018

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Citation:	23 CCR 16 2665 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665
Violation Description:	Failure to comply with one or more of the following: Failure to install or maintain a liquid-tight spill bucket. Have a minimum capacity of five gallons. Have a functional drain valve or other method for the removal of liquid from the spill bucket/spill container. Be resistant to galvanic corrosion.
Violation Notes:	The direct bury spill containment failed to retain 5-gallons of water for 60-minutes.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	402301
Site Name:	SJSU-CENTRAL PLANT (4)
Violation Date:	06-24-2015
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	"HW ACCUMULATION AREA" INVENTORY IS MISSING AVERAGE DAILY QUANTITIES FOR: DRAINED OIL FILTERS, OILY RAGS & USED OIL. "B5-(BASEMENT SOUTH SIDE) DAY TANK" INVENTORY IS MISSING THE AVERAGE DAILY VOLUME. "FLAMMABLE CABINETS-BASEMENT" INVENTORY IS MISSING THE AVERAGE DAILY VOLUME. "HW ACCUMULATION AREA" INVENTORY IS MISSING STATE WASTE CODE FOR: OILY RAGS & USED OIL.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	402301
Site Name:	SJSU-CENTRAL PLANT (4)
Violation Date:	09-13-2016
Citation:	23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description:	Failure to have an approved UST Response Plan.
Violation Notes:	Returned to compliance on 09/13/2016. The UST Response Plan lists personnel (Adam Bayer) who are no longer at this site. The UST Response Plan was corrected during today's inspection and verified on CERS. This violation was corrected during today's inspection, no further action is required.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	402301
Site Name:	SJSU-CENTRAL PLANT (4)
Violation Date:	06-24-2015
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes:	Returned to compliance on 07/01/2015.

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

FACILITY DID NOT SUBMIT THEIR TRAINING PLAN ON CERS. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 06-24-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY LAST SUBMITTED THEIR HMBP ON 9/17/2013. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-15-2014
Citation: 23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description: Failure of the double wall pressurized piping in the turbine sump to be continuously monitored with a system that activates an audible and visual alarm or restricts or stops flow at dispenser when a leak is detected.
Violation Notes: Returned to compliance on 09/15/2014. Tank top piping sump sensor broke into pieces while being removed from sump for testing. Sensor was replaced today like-for-like. No repair permit or other corrective action is required.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-15-2014
Citation: 23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description: Failure to submit, obtain approval, or maintain a complete/accurate plot plan.
Violation Notes: Obsolete UPCF UST Monitoring Plan form was uploaded to CERS in error in place of the required Site Plan (map). Delete the current uploaded UPCF form and resubmit with the Site Plan containing information noted below.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-13-2016
Citation: 23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description: Failure of the double-walled pressurized piping to be continuously monitored with a system that activates an audible and visual alarm or stops flow at the dispenser when a leak is detected.
Violation Notes: Returned to compliance on 09/13/2016. The Ronan LS3 annular failed to activate the audible and visual alarm when tested in water. The LS3 sensor was replaced with another LS3 sensor and tested to confirm functionality as well as create an audible and visual alarm at the monitoring panel. This violation was corrected during today's inspection, no further action is required.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 06-24-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY DID NOT SUBMIT THEIR EMERGENCY RESPONSE PLAN ON CERS. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 06-24-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: **THIS VIOLATION HAS BEEN ELEVATED TO A CLASS II VIOLATION DUE TO BEING A REPEAT VIOLATION AND THE INCREASED RISK TO HUMAN HEALTH ASSOCIATED WITH SULFURIC ACID. OBSERVED A CONDITION OF REPEATED SPILLS OF SULFURIC ACID INTO THE SECONDARY CONTAINMENT.

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Eval Notes: There was no hazardous waste accumulated at this location during the inspection. Hazardous waste manifests for the past 3-yrs were inspected and documented under the Natural Science building: FA0205225. Area employees receive annual training in conjunction with the site's Emergency Contingency Plan for emergency procedures, chemical handling & hazardous waste management. Below are violations that were corrected during the inspection and do not require further action: 22G114: EMERGENCY AISLE SPACE Observed blocked access to a fire extinguisher along the south wall of the building; boxes were moved and access to the fire extinguisher was regained. Notes: The 2-uniquely shaped black poly drums are used as a maintenance tools and will be marked as such by SJSU Central Plant personnel. These maintenance drums will be stored in a location other than on top of the drum containment while empty.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 09-13-2018
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: On-site to observe UST secondary containment testing. All tests were completed by Service Technician John Courant from CA UST Services. Mr. Courant held current ICC, Ronan and Franklin Fueling Systems certifications at the time of inspection. The tank annular was placed under 7-in of vacuum for 60-minutes with no loss of vacuum; PASS Piping sumps was filled to at least 1-inch over the highest point with the piping with water. The liquid level was tested with an Incon Sump Tester TS-STS. All tests received a printout that indicated that all tests passed. Secondary Containment Piping: Supply & Return, see above. Provide a copy of today?s test report by 9/8/18 and ensure a copy is available on-site for future inspection. For questions regarding this report, contact Ray Maiden at ray.maiden@cep.sccgov.org or at 408-918-1980 (mon-thur).
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-13-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site to witness the annual monitoring system certification conducted by California UST Services, Technician John Courant from CA UST Services. Mr. Courant held current ICC, Ronan and Franklin Fueling Systems certifications at the time of inspection. UST system is suction system for emergency generator with aboveground piping. The UST monitoring panel Ronan x76s has no printer. Audible and visual alarms noted when LS3 sensors located in the annular space and piping sump were tested in water. Spill bucket tested using the INCON Sump Test System (STS), passed 15-minute accelerated testing. Tank is fitted with mechanical overfill (flapper valve) in the fuel drop tube. Piping sump was dry and free of debris at the time of inspection. Aboveground piping is labeled with contents and flow direction. UST permit exp: 11/30/22 Reviewed the following on-site documents: --DUSTO monthly Inspection logs. --Training log: 7/22/18 all personnel are

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

	current. --Log [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	07-01-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Conducted an inspection of this area for Hazardous Materials Business Plan. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-15-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	ON SITE WITH JOHN COURANT A CALIFORNIA ICC CERTIFIED TECHNICIAN WITH CALIFORNIA UST SERVICES TO WITNESS THE ANNUAL MONITORING CERTIFICATION AND SB989 SECONDARY CONTAINMENT TESTING. MR. COURANT'S CERTIFICATIONS WERE VERIFIED TO BE CURRENT. THE FOLLOWING COMPONENTS WERE TESTED AND FOUND TO BE OPERABLE: -SPILL BUCKET WAS TESTED USING THE ACCELERATED INCON TEST. THE PASS PRINT OUT WILL BE INCLUDED IN THE MONITORING CERTIFICATION DOCUMENTATION -LIQUID SENSOR IN THE STP AND TANK ANNULAR TRIGGERED AN AUDIBLE AND VISUAL ALARM AT THE PANEL.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-13-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On-site to witness the annual monitoring system certification conducted by California UST Services, technician John Courant. Mr. Courant held current ICC, Ronan and Franklin Fueling Systems certifications at the time of inspection. UST system is suction system for emergency generator with aboveground piping. The UST monitoring panel Ronan x76s has no printer. Audible and visual alarms noted when LS3 sensors located in the annular space and piping sump were tested in water. Spill bucket tested using the INCON Sump Test System (STS), passed 15-minute accelerated testing. Tank is fitted with ball float as overfill prevention and mechanical overfill (flapper valve) in the fuel drop tube. Sump dry and free of debris at the time of inspection. Aboveground piping is labeled with contents and flow direction. Observed liquid on the annular sensor when it was removed for testing. The service technician pumped out approximately 200ml of clear liquid with no odor [Truncated]
Eval Division:	Santa Clara County Environmental Health

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-13-2017
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	On-site to witness the annual monitoring system certification conducted by California UST Services, technician John Courant. Mr. Courant held current ICC, Ronan and Franklin Fueling Systems certifications at the time of inspection. UST system is suction system for emergency generator with aboveground piping. The UST monitoring panel Ronan x76s has no printer. Audible and visual alarms noted when LS3 sensors located in the annular space and piping sump were tested in water. Spill bucket tested using the INCON Sump Test System (STS), passed 15-minute accelerated testing. Tank is fitted with ball float as overfill prevention and mechanical overfill (flapper valve) in the fuel drop tube. Piping sump was dry and free of debris at the time of inspection. Aboveground piping is labeled with contents and flow direction. During the 2016 inspection the service technician pumped out approximately 200ml of clear liquid with no odor out of the annular space. During the [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-15-2014
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	All UST system leak detection equipment was tested today by by UST Service Technician John Courant of California UST Services. Mr. Courant has current ICC UST Service Technician certification (exp. 8/9/2016) and Ronan X76 certification (exp. 9/20/2014). The Model LS3 sensors in the tank annular space and the tank top piping sump were tested using water to obtain audible and visual fuel alarms on the Ronan X76 monitoring panel. The UST fill spill bucket was hydrostatically tested using the Incon TS-STS accelerated hydrostatic test system. The bucket itself is liquid-tight, as confirmed by a test with the tank fill riser plugged, but the bucket drain valve had a slow leak. Valve was cleaned today and now seals liquid tight. Submit copies of the Monitoring System Certification form and spill bucket test report within 30 days. Notes: 1. Designated UST Operator monthly inspection records and list of trained facility employees are in order. 2. Records of visual [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-20-2013
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	ON SITE WITH JOHN COURANT AN ICC CERTIFIED TECHNICIAN WITH CALIFORNIA UST SERVICES TO WITNESS THE ANNUAL MONITORING CERTIFICATION. RONAN, ICC, AND ICON (FRANKLIN FUELING) CERTIFICATIONS WERE VERIFIED TO BE CURRENT. CORRECT THE FOLLOWING ON CERS: -THE TANK SYSTEM HAS A FLAPPER

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

FOR OVERFILL NOT BOTH A FLAPPER AND BALL FLOAT -THE OWNER AND OPERATOR ARE THE SAME, NOT REQUIRED TO SUBMIT AN "OWNER OPERATOR AGREEMENT" THE FOLLOWING COMPONENTS WERE TESTED AND FOUND TO BE OPERABLE: LIQUID SENSOR IN ANNULAR SPACE-TRIGGERED AND AUDIBLE/VISUAL ALARM LIQUID SENSOR IN THE PIPING SUMP-TRIGGERED AND AUDIBLE/VISUAL ALARM THE SPILL BUCKET WAS TESTED USING THE 15 MINUTE INCON TEST FACILITY IS KEEPING DAILY RECORDS OF THE RONAN PANEL

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Enforcement Action:
Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 07-01-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 09-15-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 09-15-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Affiliation:
Affiliation Type Desc: Document Preparer
Entity Name: Matt Nymeyer
Entity Title: Not reported
Affiliation Address: Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	1 Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	1 Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1978
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 942-1969
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	1 Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1978
Affiliation Type Desc:	UST Tank Operator

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	1 Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1978
Affiliation Type Desc:	UST Tank Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	1 Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1978
Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Phone:	Not reported
Affiliation Type Desc:	UST Permit Applicant
Entity Name:	David Krack
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1978

CUPA SANTA CLARA:

Name:	SJSU-NATURAL SCIENCE (48)
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95112
Region:	SANTA CLARA
PE#:	2205
Program Description:	GENERATES 100 KG YR TO <5 TONS/YR
Latitude:	37.334331
Longitude:	-121.880542
Record ID:	PR0315336
Facility ID:	FA0205225

Name:	SJSU-NATURAL SCIENCE (48)
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95112
Region:	SANTA CLARA
PE#:	2011
Program Description:	APSA FACILITY-SPCC TEMPLATE (<10,000 GAL CAP)
Latitude:	37.334331
Longitude:	-121.880542
Record ID:	PR0399648
Facility ID:	FA0205225

Name:	SJSU-NATURAL SCIENCE (48)
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95112
Region:	SANTA CLARA
PE#:	Not reported
Program Description:	HAZMAT STORAGE & HMBP FACILITY, 7-9 CHEMICALS
Latitude:	37.334331
Longitude:	-121.880542
Record ID:	PR0370541
Facility ID:	FA0205225

Name:	SJSU-NATURAL SCIENCE (48)
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95112
Region:	SANTA CLARA
PE#:	2399
Program Description:	UNDERGROUND STORAGE TANK PROGRAM RECORD
Latitude:	37.334331
Longitude:	-121.880542
Record ID:	PR0308538
Facility ID:	FA0205225

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Name: SJSU-NATURAL SCIENCE (48)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: 2207
Program Description: GENERATES 25 TO <50 TONS/YR
Latitude: 37.334331
Longitude: -121.880542
Record ID: PR0313007
Facility ID: FA0205225

Name: SJSU-UCAT (COMPUTER CTR) (27)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 951920046
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.334339
Longitude: -121.88073
Record ID: PR0373462
Facility ID: FA0250788

Name: SJSU-JOE WEST HALL (90)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 951920046
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.334339
Longitude: -121.88073
Record ID: PR0373460
Facility ID: FA0250794

Name: SJSU-JOE WEST HALL (90)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 951920046
Region: SANTA CLARA
PE#: 2299
Program Description: HW GENERATOR-ADDITIONAL CONTIGUOUS FACILITY
Latitude: 37.334339
Longitude: -121.88073
Record ID: PR0401853
Facility ID: FA0250794

Name: SJSU-CENTRAL PLANT (4)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: 2299
Program Description: HW GENERATOR-ADDITIONAL CONTIGUOUS FACILITY
Latitude: 37.334331
Longitude: -121.880542
Record ID: PR0401859
Facility ID: FA0250796

Name: SJSU-CENTRAL PLANT (4)
Address: 1 WASHINGTON SQ

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FAC, 16-21 CHEMICALS
Latitude: 37.334331
Longitude: -121.880542
Record ID: PR0370537
Facility ID: FA0250796

Name: SJSU-CENTRAL PLANT (4)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: 2399
Program Description: UNDERGROUND STORAGE TANK PROGRAM RECORD
Latitude: 37.334331
Longitude: -121.880542
Record ID: PR0364028
Facility ID: FA0250796

Name: SJSU-CORPORATION YARD (12A, B)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 951920046
Region: SANTA CLARA
PE#: 2299
Program Description: HW GENERATOR-ADDITIONAL CONTIGUOUS FACILITY
Latitude: 37.334339
Longitude: -121.88073
Record ID: PR0401858
Facility ID: FA0250798

Name: SJSU-CORPORATION YARD (12A, B)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 951920046
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 7-9 CHEMICALS
Latitude: 37.334339
Longitude: -121.88073
Record ID: PR0370540
Facility ID: FA0250798

Name: SJSU-DINING COMMONS (91)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95192
Region: SANTA CLARA
PE#: 2299
Program Description: HW GENERATOR-ADDITIONAL CONTIGUOUS FACILITY
Latitude: 37.334331
Longitude: -121.880542
Record ID: PR0401857
Facility ID: FA0250916

Name: SJSU-DINING COMMONS (91)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95192
Region: SANTA CLARA

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.334331
Longitude: -121.880542
Record ID: PR0370543
Facility ID: FA0250916

Name: SJSU-CENTRAL CLASSROOM BLD (71)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 951920046
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.334339
Longitude: -121.88073
Record ID: PR0370546
Facility ID: FA0253628

Name: SJSU-CENTRAL CLASSROOM BLD (71)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 951920046
Region: SANTA CLARA
PE#: 2299
Program Description: HW GENERATOR-ADDITIONAL CONTIGUOUS FACILITY
Latitude: 37.334339
Longitude: -121.88073
Record ID: PR0401860
Facility ID: FA0253628

Name: SJSU-INDUSTRIAL STUDIES (39)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 951920046
Region: SANTA CLARA
PE#: 2299
Program Description: HW GENERATOR-ADDITIONAL CONTIGUOUS FACILITY
Latitude: 37.334339
Longitude: -121.88073
Record ID: PR0401855
Facility ID: FA0253635

Name: SJSU-INDUSTRIAL STUDIES (39)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 951920046
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 4-6 CHEMICALS
Latitude: 37.334339
Longitude: -121.88073
Record ID: PR0373461
Facility ID: FA0253635

Name: SJSU-STUDENT UNION (3)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 1-3 CHEMICALS

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Latitude: 37.334331
Longitude: -121.880542
Record ID: PR0370549
Facility ID: FA0253631

Name: SJSU-AQUATICS CENTER (110)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.334331
Longitude: -121.880542
Record ID: PR0379427
Facility ID: FA0250789

Name: SJSU-AQUATICS CENTER (110)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: 2299
Program Description: HW GENERATOR-ADDITIONAL CONTIGUOUS FACILITY
Latitude: 37.334331
Longitude: -121.880542
Record ID: PR0401854
Facility ID: FA0250789

Name: SJSU-ENGINEERING BUILDING (35)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: 2299
Program Description: HW GENERATOR-ADDITIONAL CONTIGUOUS FACILITY
Latitude: 37.334331
Longitude: -121.880542
Record ID: PR0401856
Facility ID: FA0250799

Name: SJSU-ENGINEERING BUILDING (35)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 7-9 CHEMICALS
Latitude: 37.334331
Longitude: -121.880542
Record ID: PR0370538
Facility ID: FA0250799

Name: SJSU-DUNCAN HALL (52)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FAC, 16-21 CHEMICALS
Latitude: 37.334331
Longitude: -121.880542

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Record ID: PR0370539
Facility ID: FA0250800

Name: SJSU-DUNCAN HALL (52)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: 2299
Program Description: HW GENERATOR-ADDITIONAL CONTIGUOUS FACILITY
Latitude: 37.334331
Longitude: -121.880542
Record ID: PR0399148
Facility ID: FA0250800

Name: SJSU-MACQUARRIE HALL (78)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 951920046
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.334339
Longitude: -121.88073
Record ID: PR0378234
Facility ID: FA0258322

Name: SJSU-MLK LIBRARY (134)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 951920046
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.334339
Longitude: -121.88073
Record ID: PR0379559
Facility ID: FA0256812

Name: SJSU-MUSIC BUILDING (44)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.334331
Longitude: -121.880542
Record ID: PR0378236
Facility ID: FA0258323

Name: SJSU-EVENT CENTER (100)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 951920010
Region: SANTA CLARA
PE#: 2502
Program Description: HAZMAT STORAGE FACILITY-MINIMAL STORAGE SITE
Latitude: 37.334339
Longitude: -121.88073
Record ID: PR0379702
Facility ID: FA0259161

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Name: SJSU-SPX EAST (46)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.3347439
Longitude: -121.8849183
Record ID: PR0413184
Facility ID: FA0273259

Name: SJSU-WASHINGTON SQUARE HALL (20)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.4435719
Longitude: -122.1622157
Record ID: PR0425951
Facility ID: FA0283998

Name: SJSU-STUDENT WELLNESS CENTER (118)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.4435719
Longitude: -122.1622157
Record ID: PR0425952
Facility ID: FA0283999

Name: SJSU - CAMPUS VILLAGE PHASE 2 (156)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.3351424
Longitude: -121.8812758
Record ID: PR0426758
Facility ID: FA0284558

ENF:
Name: SAN JOSE STATE UNIVERSITY CS
Address: 1 WASHINGTON SQUARE
City,State,Zip: SAN JOSE, CA 95192
Region: 2
Facility Id: 631093
Agency Name: CSU San Jose
Place Type: Utility
Place Subtype: Collection_System
Facility Type: Municipal/Domestic
Agency Type: State Agency
Of Agencies: 1
Place Latitude: Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Place Longitude:	Not reported
SIC Code 1:	Not reported
SIC Desc 1:	Not reported
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	Not reported
Threat To Water Quality:	3
Complexity:	C
Pretreatment:	Not reported
Facility Waste Type:	Not reported
Facility Waste Type 2:	Not reported
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	SSOMUNISML
Program Category1:	SSO
Program Category2:	SSO
# Of Programs:	1
WDID:	2SSO11174
Reg Measure Id:	301092
Reg Measure Type:	Enrollee
Region:	2
Order #:	2006-0003-DWQ
Npdes# CA#:	Not reported
Major-Minor:	Minor
Npdes Type:	Not reported
Reclamation:	Not reported
Dredge Fill Fee:	Not reported
301H:	Not reported
Application Fee Amt Received:	872
Status:	Active
Status Date:	11/08/2006
Effective Date:	11/08/2006
Expiration/Review Date:	Not reported
Termination Date:	Not reported
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	Y
Individual/General:	I
Fee Code:	58 - Non15 Based on (TTWQ)/CPLX)
Direction/Voice:	Passive
Enforcement Id(EID):	416290
Region:	2
Order / Resolution Number:	Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Enforcement Action Type:	Staff Enforcement Letter
Effective Date:	09/21/2017
Adoption/Issuance Date:	09/21/2017
Achieve Date:	Not reported
Termination Date:	03/23/2018
ACL Issuance Date:	Not reported
EPL Issuance Date:	Not reported
Status:	Withdrawn
Title:	SEL 09/21/2017 for CSU San Jose
Description:	Staff enforcement letter for violation of SSO reporting requirements.
Program:	SSOMUNISML
Latest Milestone Completion Date:	Not reported
# Of Programs1:	1
Total Assessment Amount:	0
Initial Assessed Amount:	0
Liability $ Amount:	0
Project $ Amount:	0
Liability $ Paid:	0
Project $ Completed:	0
Total $ Paid/Completed Amount:	0

Name:	SAN JOSE STATE UNIVERSITY CS
Address:	1 WASHINGTON SQUARE
City,State,Zip:	SAN JOSE, CA 95192
Region:	2
Facility Id:	631093
Agency Name:	CSU San Jose
Place Type:	Utility
Place Subtype:	Collection_System
Facility Type:	Municipal/Domestic
Agency Type:	State Agency
# Of Agencies:	1
Place Latitude:	Not reported
Place Longitude:	Not reported
SIC Code 1:	Not reported
SIC Desc 1:	Not reported
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	Not reported
Threat To Water Quality:	3
Complexity:	C
Pretreatment:	Not reported
Facility Waste Type:	Not reported
Facility Waste Type 2:	Not reported
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Program:	SSOMUNISML
Program Category1:	SSO
Program Category2:	SSO
# Of Programs:	1
WDID:	2SSO11174
Reg Measure Id:	301092
Reg Measure Type:	Enrollee
Region:	2
Order #:	2006-0003-DWQ
Npdes# CA#:	Not reported
Major-Minor:	Minor
Npdes Type:	Not reported
Reclamation:	Not reported
Dredge Fill Fee:	Not reported
301H:	Not reported
Application Fee Amt Received:	872
Status:	Active
Status Date:	11/08/2006
Effective Date:	11/08/2006
Expiration/Review Date:	Not reported
Termination Date:	Not reported
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	Y
Individual/General:	I
Fee Code:	58 - Non15 Based on (TTWQ)/CPLX)
Direction/Voice:	Passive
Enforcement Id(EID):	412546
Region:	2
Order / Resolution Number:	Not reported
Enforcement Action Type:	Notice of Violation
Effective Date:	01/11/2017
Adoption/Issuance Date:	01/11/2017
Achieve Date:	Not reported
Termination Date:	03/08/2017
ACL Issuance Date:	Not reported
EPL Issuance Date:	Not reported
Status:	Historical
Title:	NOV 01/11/2017 for CSU San Jose
Description:	Not reported
Program:	SSOMUNISML
Latest Milestone Completion Date:	Not reported
# Of Programs1:	1
Total Assessment Amount:	0
Initial Assessed Amount:	0
Liability $ Amount:	0
Project $ Amount:	0
Liability $ Paid:	0
Project $ Completed:	0
Total $ Paid/Completed Amount:	0

Name:	SAN JOSE STATE UNIVERSITY CS
Address:	1 WASHINGTON SQUARE

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

City,State,Zip:	SAN JOSE, CA 95192
Region:	2
Facility Id:	631093
Agency Name:	CSU San Jose
Place Type:	Utility
Place Subtype:	Collection_System
Facility Type:	Municipal/Domestic
Agency Type:	State Agency
# Of Agencies:	1
Place Latitude:	Not reported
Place Longitude:	Not reported
SIC Code 1:	Not reported
SIC Desc 1:	Not reported
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	Not reported
Threat To Water Quality:	3
Complexity:	C
Pretreatment:	Not reported
Facility Waste Type:	Not reported
Facility Waste Type 2:	Not reported
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	SSOMUNISML
Program Category1:	SSO
Program Category2:	SSO
# Of Programs:	1
WDID:	2SSO11174
Reg Measure Id:	301092
Reg Measure Type:	Enrollee
Region:	2
Order #:	2006-0003-DWQ
Npdes# CA#:	Not reported
Major-Minor:	Minor
Npdes Type:	Not reported
Reclamation:	Not reported
Dredge Fill Fee:	Not reported
301H:	Not reported
Application Fee Amt Received:	872
Status:	Active
Status Date:	11/08/2006
Effective Date:	11/08/2006
Expiration/Review Date:	Not reported
Termination Date:	Not reported
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	Y
Individual/General:	I
Fee Code:	58 - Non15 Based on (TTWQ)/CPLX)
Direction/Voice:	Passive
Enforcement Id(EID):	388090
Region:	2
Order / Resolution Number:	Not reported
Enforcement Action Type:	Notice of Violation
Effective Date:	04/10/2012
Adoption/Issuance Date:	04/10/2012
Achieve Date:	Not reported
Termination Date:	05/16/2012
ACL Issuance Date:	Not reported
EPL Issuance Date:	Not reported
Status:	Historical
Title:	NOV 10-APR-12 for CSU SAN JOSE
Description:	Failure to complete, approve, and certify any of the required Sewer System Management Plan (SSMP) elements in CIWQS on time.
Program:	SSOMUNISML
Latest Milestone Completion Date:	2012-05-16
# Of Programs1:	1
Total Assessment Amount:	0
Initial Assessed Amount:	0
Liability $ Amount:	0
Project $ Amount:	0
Liability $ Paid:	0
Project $ Completed:	0
Total $ Paid/Completed Amount:	0

HIST CORTESE:

edr_fname:	SJSU ENGINEERING BUILDING
edr_fadd1:	1 WASHINGTON SQUARE
City,State,Zip:	SAN JOSE, CA
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-1898

SAN JOSE HAZMAT:

Name:	T-MOBILE # SF04999A
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95112
Region:	SAN JOSE
File Num:	600212
Class:	Misc. Complex firms and labs

Name:	VERIZON WIRELESS - SJSU 4TH& SAVADO
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95112
Region:	SAN JOSE
File Num:	601213
Class:	Misc. Complex firms and labs

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

CIWQS:

Name:	SAN JOSE STATE UNIVERSITY CS
Address:	1 WASHINGTON SQUARE
City,State,Zip:	SAN JOSE, CA 95192
Agency:	CSU San Jose
Agency Address:	1 Washington Square, San Jose, CA 95192
Place/Project Type:	Collection_System
SIC/NAICS:	Not reported
Region:	2
Program:	SSOMUNISML
Regulatory Measure Status:	Active
Regulatory Measure Type:	Enrollee
Order Number:	2006-0003-DWQ
WDID:	2SSO11174
NPDES Number:	Not reported
Adoption Date:	Not reported
Effective Date:	11/08/2006
Termination Date:	Not reported
Expiration/Review Date:	Not reported
Design Flow:	Not reported
Major/Minor:	Minor
Complexity:	C
TTWQ:	3
Enforcement Actions within 5 years:	1
Violations within 5 years:	2
Latitude:	Not reported
Longitude:	Not reported

CERS:

Name:	SJSU-EVENT CENTER (100)
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95192
Site ID:	68191
CERS ID:	10158053
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	68191
Site Name:	SJSU-EVENT CENTER (100)
Violation Date:	06-04-2015
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes:	Returned to compliance on 07/01/2015.
	FACILITY DID NOT SUBMIT THEIR TRAINING PLAN ON CERS. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/22/15; NO FURTHER ACTION IS REQUIRED.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	68191
Site Name:	SJSU-EVENT CENTER (100)

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Date: 06-04-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY DID NOT SUBMIT THEIR EMERGENCY RESPONSE PLAN ON CERS. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/22/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 68191
Site Name: SJSU-EVENT CENTER (100)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY LAST SUBMITTED THEIR HMBP ON 9/17/2013. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/22/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-08-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: THE FACILITY WALKTHROUGH TOOK PLACE ON 7/19/13. THE REPORT WAS ISSUED ON THIS DATE VIA E-MAIL.
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-18-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: On-site with Matt Nymeyer, David Griffith to conduct a hazardous materials business plan (HMBP) and hazardous materials storage ordinance (HMSO) inspections. This inspection began on 10/15/18 and concluded on 10/18/18 with the delivery of this report. This inspection confirmed the most recent submittal on CERS that all hazardous materials stored are below HMBP threshold levels. The permit will be downgraded from a BP11 ($398.00) to 2502 ($294.00). Area inspections are being completed as required. Spill equipment and emergency equipment such as fire extinguishers and emergency

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

eyewash/showers were current and recently inspected. For questions regarding this report, contact Ray Maiden at ray.maiden@cep.sccgov.org or at 408-918-1980 (mon-thurs).

Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Conducted an inspection of this area for Hazardous Materials Business Plan. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Affiliation:
Affiliation Type Desc: Document Preparer
Entity Name: Matt Nymeyer
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: Matt Nymeyer
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95192-0010
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: SAN JOSE STATE UNIVERSITY
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95192-0010
Affiliation Phone: (408) 924-1969

Affiliation Type Desc: Parent Corporation
Entity Name: SAN JOSE STATE UNIVERSITY
Entity Title: Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 942-1969
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Name: SJSU-SPX EAST (46)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95192
Site ID: 70788
CERS ID: 10158079
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 70788
Site Name: SJSU-SPX East (46)
Violation Date: 10-08-2013
Citation: 19 CCR 4 2729.5 - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.5
Violation Description: Failure to submit inventory reports (Activities, Owner/Operator, Hazardous Materials Descriptions and Map pages, if required. Documentation must be resubmitted (for facilities which exceed EPCRA thresholds) or re-certified (for facilities which do not exceed EPCRA thresholds) by March 1.
Violation Notes: THE LAST TIME THE HAZARDOUS MATERIALS INVENTORY WAS CERTIFIED WAS ON 06/06/2012. THE HAZARDOUS MATERIALS INVENTORY NEEDS TO BE UPDATED ANNUALLY. AS OF 10/8/2013 THERE WERE NO RECENT SUBMITTALS ON CERS. UPDATE YOUR HAZARDOUS MATERIALS INVENTORY IMMEDIATELY VIA CERS.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 70788
Site Name: SJSU-SPX East (46)
Violation Date: 10-18-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: The site map is missing the following: --Identify storage location Room 139-B --Add spill kit to legend of map SPE-1
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-18-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site with Matt Nymeyer, David Griffith to conduct a hazardous materials business plan (HMBP) and hazardous materials storage ordinance (HMSO) inspections. Confirmed that the volumes of threshold chemicals matched the most recent submittal on CERS. Area inspections are being completed as required. Emergency equipment such as fire extinguishers and emergency eyewash/showers were current and recently inspected. For questions regarding this report, contact Ray Maiden at ray.maiden@cep.sccgov.org or at 408-918-1980 (mon-thurs).
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Eval Date:	10-08-2013
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	THE FACILITY WALKTHROUGH TOOK PLACE ON 7/19/13 AND THE INSPECTION REPORT WAS SUBMITTED VIA E-MAIL ON THIS DATE.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS

Enforcement Action:

Site ID:	70788
Site Name:	SJSU-SPX East (46)
Site Address:	1 WASHINGTON SQ
Site City:	SAN JOSE
Site Zip:	95192
Enf Action Date:	10-08-2013
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HMRRP
Enf Action Source:	CERS

Affiliation:

Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969

Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Name: SJSU-MACQUARRIE HALL (78)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95192
Site ID: 68193
CERS ID: 10158071
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 68193
Site Name: SJSU-MACQUARRIE HALL (78)
Violation Date: 09-13-2013
Citation: 19 CCR 4 2729.5 - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.5
Violation Description: Failure to submit inventory reports (Activities, Owner/Operator, Hazardous Materials Descriptions and Map pages, if required. Documentation must be resubmitted (for facilities which exceed EPCRA thresholds) or re-certified (for facilities which do not exceed EPCRA thresholds) by March 1.
Violation Notes: THE LAST TIME THE HAZARDOUS MATERIALS INVENTORY WAS CERTIFIED WAS ON 06/06/2012. THE INVENTORY MUST BE CERTIFIED ANNUALLY. CERTIFIED YOUR INVENTORY IMMEDIATELY VIA CERS. DISREGARD CORRECTIVE ACTION TEXT BELOW REGARDING SUBMITTAL OF HARD COPY FORMS. SEE www.EHinfo.org/hazmat FOR DETAILS REGARDING ELECTRONIC REPORTING REQUIREMENTS. A FACILITY RECORD FOR THIS SITE HAS ALREADY BEEN CREATED ON THE CALIFORNIA ENVIRONMENTAL REPORTING SYSTEM (CERS) WEBSITE AT http://cers.calepa.ca.gov. REQUEST ACCESS TO THAT CERS RECORD AND SUBMIT A CURRENT HMBP WITHIN 30 DAYS.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-13-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Enforcement Action:
Site ID: 68193
Site Name: SJSU-MACQUARRIE HALL (78)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 09-13-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Affiliation:
Affiliation Type Desc: Legal Owner

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Environmental Contact
Entity Name: Matt Nymeyer
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95192-0010
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95192-0010
Affiliation Phone: Not reported

Affiliation Type Desc: Parent Corporation
Entity Name: SAN JOSE STATE UNIVERSITY
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Name: SJSU-MUSIC BUILDING (44)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95192
Site ID: 153953
CERS ID: 10158073
CERS Description: Chemical Storage Facilities

Affiliation:
Affiliation Type Desc: Identification Signer
Entity Name: Matt Nymeyer
Entity Title: Director, EH&S
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Operator
Entity Name: Matt Nymeyer
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Name:	SJSU-STUDENT UNION (3)
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95192
Site ID:	153955
CERS ID:	10158081
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	153955
Site Name:	SJSU-STUDENT UNION (3)
Violation Date:	09-13-2013
Citation:	19 CCR 4 2729.5 - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.5
Violation Description:	Failure to submit inventory reports (Activities, Owner/Operator, Hazardous Materials Descriptions and Map pages, if required. Documentation must be resubmitted (for facilities which exceed EPCRA thresholds) or re-certified (for facilities which do not exceed EPCRA thresholds) by March 1.
Violation Notes:	THE LAST TIME THE HAZARDOUS MATERIALS INVENTORY WAS CERTIFIED WAS ON 06/06/2012. THE INVENTORY MUST BE CERTIFIED ANNUALLY. CERTIFIED YOUR INVENTORY IMMEDIATELY VIA CERS. DISREGARD CORRECTIVE ACTION TEXT BELOW REGARDING SUBMITTAL OF HARD COPY FORMS. SEE www.EHinfo.org/hazmat FOR DETAILS REGARDING ELECTRONIC REPORTING REQUIREMENTS. A FACILITY RECORD FOR THIS SITE HAS ALREADY BEEN CREATED ON THE CALIFORNIA ENVIRONMENTAL REPORTING SYSTEM (CERS) WEBSITE AT http://cers.calepa.ca.gov. REQUEST ACCESS TO THAT CERS RECORD AND SUBMIT A CURRENT HMBP WITHIN 30 DAYS.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-13-2013
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Enforcement Action:

Site ID:	153955
Site Name:	SJSU-STUDENT UNION (3)
Site Address:	1 WASHINGTON SQ
Site City:	SAN JOSE
Site Zip:	95192
Enf Action Date:	09-13-2013
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HMRRP
Enf Action Source:	CERS

Affiliation:

Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400

Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969

Affiliation Type Desc:	Property Owner

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	One WASHINGTON SQ
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969

Name:	SJSU-JOE WEST HALL (90)
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95192
Site ID:	68192
CERS ID:	10158061
CERS Description:	Chemical Storage Facilities

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violations:

Site ID:	68192
Site Name:	SJSU-JOE WEST HALL (90)
Violation Date:	06-04-2015
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:	Returned to compliance on 07/01/2015.
	FACILITY LAST SUBMITTED THEIR HMBP ON 9/17/2013. VIOLATION CORRECTED ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	68192
Site Name:	SJSU-JOE WEST HALL (90)
Violation Date:	06-04-2015
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes:	Returned to compliance on 07/01/2015.
	FACILITY DID NOT SUBMIT THEIR TRAINING PLAN ON CERS. VIOLATION CORRECTED ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	68192
Site Name:	SJSU-JOE WEST HALL (90)
Violation Date:	09-12-2013
Citation:	19 CCR 4 2729.5 - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.5
Violation Description:	Failure to submit inventory reports (Activities, Owner/Operator, Hazardous Materials Descriptions and Map pages, if required. Documentation must be resubmitted (for facilities which exceed EPCRA thresholds) or re-certified (for facilities which do not exceed EPCRA thresholds) by March 1.
Violation Notes:	THE LAST TIME THE HAZARDOUS MATERIALS INVENTORY WAS CERTIFIED WAS ON 06/06/2012. CERTIFIED YOUR INVENTORY IMMEDIATELY VIA CERS. DISREGARD CORRECTIVE ACTION TEXT BELOW REGARDING SUBMITTAL OF HARD COPY FORMS. SEE www.EHinfo.org/hazmat FOR DETAILS REGARDING ELECTRONIC REPORTING REQUIREMENTS. A FACILITY RECORD FOR THIS SITE HAS ALREADY BEEN CREATED ON THE CALIFORNIA ENVIRONMENTAL REPORTING SYSTEM (CERS) WEBSITE AT http://cers.calepa.ca.gov. REQUEST ACCESS TO THAT CERS RECORD AND SUBMIT A CURRENT HMBP WITHIN 30 DAYS.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	68192

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Site Name: SJSU-JOE WEST HALL (90)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY DID NOT SUBMIT THEIR EMERGENCY RESPONSE PLAN ON CERS. VIOLATION CORRECTED ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 68192
Site Name: SJSU-JOE WEST HALL (90)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 07/01/2015.

SYMBOL "F" NOTED ON THE MAP IS NOT DEFINED IN THE LEGEND ON SUBMITTED AREA MAP (JWH-1). VIOLATION CORRECTED ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-12-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Conducted an inspection of this area for Hazardous Materials Business Plan. Only the ground floor areas were inspected due to ongoing construction on the roof. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).
Eval Division: Santa Clara County Environmental Health

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: This building is undergoing construction on the roof. Only the outside ground floor was available for inspection. There was no hazardous waste accumulated at this location during the inspection. Hazardous waste manifests for the past 3-yrs were inspected and documented under the Natural Science building: FA0205225. Area employees receive annual training in conjunction with the site's Emergency Contingency Plan for emergency procedures, chemical handling & hazardous waste management.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Enforcement Action:
Site ID: 68192
Site Name: SJSU-JOE WEST HALL (90)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 09-12-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Parent Corporation
Entity Name: SAN JOSE STATE UNIVERSITY
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: Matt Nymeyer
Entity Title: Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Type Desc: Legal Owner
Entity Name: SAN JOSE STATE UNIVERSITY
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95192-0010
Affiliation Phone: (408) 924-1969

Name: SJSU ENGINEERING BUILDING
Address: 1 WASHINGTON SQUARE
City,State,Zip: SAN JOSE, CA 95192
Site ID: 192929
CERS ID: T0608501816
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Name: SJSU-DINING COMMONS (91)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95192
Site ID: 153951
CERS ID: 10158059
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 153951
Site Name: SJSU-Dining Commons (91)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes:

LOCATION OF SPILL KIT IS NOT ON SUBMITTED MAP (DC-1)

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 153951
Site Name: SJSU-Dining Commons (91)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:
FACILITY LAST SUBMITTED THEIR HMBP ON 9/17/2013. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 153951
Site Name: SJSU-Dining Commons (91)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes:
FACILITY DID NOT SUBMIT THEIR TRAINING PLAN ON CERS. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: There was no hazardous waste accumulated at this location during the inspection. Hazardous waste manifests for the past 3-yrs were inspected and documented under the Natural Science building: FA0205225. Area employees receive annual training in conjunction with the site's Emergency Contingency Plan for emergency procedures, chemical handling & hazardous waste management. Notes: Per David Krack, SJSU will not classify any accumulation area as Point of Generation accumulation. All areas where hazardous waste is accumulated will be inspected at least weekly and disposed within 180 days of waste generation.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Eval Date:	07-01-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Conducted an inspection of this area for Hazardous Materials Business Plan. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS

Enforcement Action:

Site ID:	153951
Site Name:	SJSU-Dining Commons (91)
Site Address:	1 WASHINGTON SQ
Site City:	SAN JOSE
Site Zip:	95192
Enf Action Date:	07-01-2015
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HMRRP
Enf Action Source:	CERS

Affiliation:

Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969

Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95192-0010
Affiliation Phone: Not reported

Name: SJSU-INDUSTRIAL STUDIES (39)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95192
Site ID: 402302
CERS ID: 10158067
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 402302
Site Name: SJSU-INDUSTRIAL STUDIES (39)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Returned to compliance on 07/01/2015.
_____
FACILITY LAST SUBMITTED THEIR HMBP ON 9/17/2013. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/24/15; NO FURTHER ACTION IS REQUIRED.
_____
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 402302
Site Name: SJSU-INDUSTRIAL STUDIES (39)
Violation Date: 06-24-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: _____ IN ROOM 122, OBSERVED METAL SHAVINGS FROM MILLING OPERATIONS IN THE GENERAL TRASH CAN. IN ROOM 122, OBSERVED SATURATED SPILL PAD UNDER A LATHE.
_____
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 402302
Site Name: SJSU-INDUSTRIAL STUDIES (39)
Violation Date: 10-03-2013
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description: Business Plan Program - Administration/Documentation - General
Violation Notes: BASED ON MY FACILITY WALKTHROUGH CARBON DIOXIDE (CO2) WAS FOUND IN TWO LOCATIONS ROOM 114-C AND ROOM 122 FOR A TOTAL OF 500 CUBIC FEET. AS OF THE MOST RECENT SUBMITAL VIA CERS ON 9/17/13 THE TOTAL NUMBER OF CARBON DIOXIDE REPORTED WAS LOWER THAN WHAT IT WAS OBSERVED. IF THE AMOUNT REPORTED ON CERS IS CORRECT THAN PROVIDE TO OUR OFFICE IN

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

WRITING THE DISPOSITION OF THE OTHER CYLINDERS.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 402302
Site Name: SJSU-INDUSTRIAL STUDIES (39)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY DID NOT SUBMIT THEIR TRAINING PLAN ON CERS. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/24/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Conducted an inspection of this area for Hazardous Materials Business Plan. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-03-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Hazardous waste manifests for the past 3-yrs were inspected and documented under the Natural Science building: FA0205225. Area employees receive annual training in conjunction with the site's Emergency Contingency Plan for emergency procedures, chemical handling

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

& hazardous waste management.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Enforcement Action:
Site ID: 402302
Site Name: SJSU-INDUSTRIAL STUDIES (39)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 07-01-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Site ID: 402302
Site Name: SJSU-INDUSTRIAL STUDIES (39)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 10-03-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Environmental Contact
Entity Name: Matt Nymeyer
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95192-0010
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969

Name:	SJSU-CORPORATION YARD (12A, B)
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95192
Site ID:	390599
CERS ID:	10158045
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	390599
Site Name:	SJSU-Corporation Yard (12A, B)
Violation Date:	10-08-2013
Citation:	19 CCR 4 2729.5 - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.5
Violation Description:	Failure to submit inventory reports (Activities, Owner/Operator, Hazardous Materials Descriptions and Map pages, if required. Documentation must be resubmitted (for facilities which exceed EPCRA thresholds) or re-certified (for facilities which do not exceed EPCRA thresholds) by March 1.
Violation Notes:	THE LAST TIME THE HAZARDOUS MATERIALS INVENTORY WAS CERTIFIED WAS ON 06/06/2012. THIS FACILITY FAILED TO CERTIFIED THE HAZARDOUS MATERIALS INVENTORY ANNUALLY. AS ON 10/18/13 THERE WERE NO CURRENT SUBMITTALS ON CERS FOR THIS FACILITY. CERTIFY YOUR INVENTORY IMMEDIATELY VIA CERS AND INCLUDE THE FOLLOWING HAZARDOUS MATERIALS OR HAZARDOUS WASTE: HAZARDOUS MATERIAL MAX QTY. NEW OIL 314 GAL. USED OIL 200 GAL. WASTE COOLANT 55 GAL. ATF 55 GAL. GASOLINE 2545 GAL. TURF GOLD 2500 LBS. BARENBRUG 150 LBS. INSECTICIDE/HERBICIDE 30 GAL. LIQUID DETERGENT 55 GAL. MISC. FLAMMABLE OILS 60 GAL. CO2 + ARGON [Truncated]
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	390599
Site Name:	SJSU-Corporation Yard (12A, B)
Violation Date:	06-29-2015
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes:	Returned to compliance on 07/01/2015. FACILITY DID NOT SUBMIT THEIR TRAINING PLAN ON CERS. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/24/15; NO FURTHER ACTION IS REQUIRED.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Source: CERS

Site ID: 390599
Site Name: SJSU-Corporation Yard (12A, B)
Violation Date: 10-08-2013
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: PAINTSHOP: OBSERVED 2X55 GALLON DRUMS STORING WASTE LATEX PAINT LABELED AS "NON-HAZARDOUS WASTE". ACCORDING TO FACILITY CONTACT, LATEX PAINT IS BEING SENT OFF FOR RECYCLING. PER SECTION 25217 OF THE HEALTH AND SAFETY CODE, RECYCLABLE LATEX PAINT IS STILL CONSIDERED HAZARDOUS WASTE. LABEL DRUMS AS HAZARDOUS WASTE. A COPY OF THE DTSC- PAINT GUIDANCE FACT SHEET WAS PROVIDED DURING THIS INSPECTION.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 390599
Site Name: SJSU-Corporation Yard (12A, B)
Violation Date: 06-29-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: _____ ROOM 110: THE MEZZANINE CHEMICAL STORAGE AREA IS NOT INDICATED ON THE HMBP SITE MAP. NEAR EMERGENCY GENERATOR: SITE MAP DOES NOT IDENTIFY THE LOCATION OF THE COMPRESSED GAS CYLINDER STORAGE. BELOW VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/23/15. --NEAR ROOM 111: SITE MAP DOES NOT IDENTIFY THE LOCATION AND CAPACITY OF 2-POLY TANKS WITH A CAPACITY OF 230 GALLONS EACH CONTAINING MOTOR OIL. _____
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 390599
Site Name: SJSU-Corporation Yard (12A, B)
Violation Date: 06-29-2015
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: _____ OBSERVED 2-55 GALLON DRUMS OF USED OIL NEAR THE GASOLINE TANK WITHOUT LABELS. _____
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 390599

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Site Name: SJSU-Corporation Yard (12A, B)
Violation Date: 06-29-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: _____ PAINT SHOP WASTE INVENTORY SHEET DOES NOT LIST THE STATE HAZARDOUS WASTE CODES FOR WASTE GENERATED IN THIS AREA. BELOW VIOLATIONS WERE CORRECTED DURING THE INSPECTION ON CERS ON 6/24/15; NO FURTHER ACTION IS REQUIRED. --ROOM 100B: NO CHEMICAL INVENTORY FOR THIS LOCATION. --NEAR ROOM 111: OBSERVED 2-POLY TANKS WITH A CAPACITY OF 230 GALLONS EACH CONTAINING MOTOR OIL THAT WERE NOT ON THE HMBP INVENTORY. --NO CHEMICAL INVENTORY FOR THE NEUTRALIZATION TREATMENT UNIT'S CHEMICALS (SULFURIC ACID & SODIUM HYDROXIDE).
_____
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 390599
Site Name: SJSU-Corporation Yard (12A, B)
Violation Date: 06-29-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Returned to compliance on 07/01/2015.
_____
FACILITY LAST SUBMITTED THEIR HMBP ON 9/16/2013. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/24/15; NO FURTHER ACTION IS REQUIRED.
_____
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Conducted an inspection of this area for Hazardous Materials Business Plan. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Hazardous waste manifests for the past 3-yrs were inspected and documented under the Natural Science building: FA0205225. Emergency spill equipment and fire extinguishers were available. Area employees receive annual training in conjunction with the site's Emergency Contingency Plan for emergency procedures, chemical handling & hazardous waste management.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-08-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: THE FACILITY WALKTHROUGH TOOK PLACE ON 7/19/2013 AND THE REPORT WAS ISSUED TODAY VIA E-MAIL.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-08-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: THE FACILITY WALKTHROUGH TOOK PLACE ON 7/19/2013 AND THE REPORT WAS ISSUED TODAY VIA E-MAIL.
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Enforcement Action:
Site ID: 390599
Site Name: SJSU-Corporation Yard (12A, B)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 07-01-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Site ID: 390599
Site Name: SJSU-Corporation Yard (12A, B)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 10-08-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HMRRP

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Enf Action Source: CERS

Site ID: 390599
Site Name: SJSU-Corporation Yard (12A, B)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 10-08-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Affiliation:
Affiliation Type Desc: Identification Signer
Entity Name: Matt Nymeyer
Entity Title: Director, EH&S
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Operator
Entity Name: Matt Nymeyer
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (408) 924-1969

Affiliation Type Desc: Property Owner
Entity Name: California State University
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95192-0010
Affiliation Phone: (408) 942-1969

Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Facility Mailing Address

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969

Name:	SJSU-CENTRAL CLASSROOM BLD (71)
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95192
Site ID:	68189
CERS ID:	10343617
CERS Description:	Chemical Storage Facilities

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violations:

Site ID: 68189
Site Name: SJSU-CENTRAL CLASSROOM BLD (71)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY DID NOT SUBMIT THEIR TRAINING PLAN ON CERS. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/22/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 68189
Site Name: SJSU-CENTRAL CLASSROOM BLD (71)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:

INVENTORY SHEET DO NOT LIST HAZARDOUS WASTE VOLUMES OR ANNUAL WASTE AMOUNTS FOR ANY AREA.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 68189
Site Name: SJSU-CENTRAL CLASSROOM BLD (71)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY LAST SUBMITTED THEIR HMBP ON 9/17/2013. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/22/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 68189
Site Name: SJSU-CENTRAL CLASSROOM BLD (71)
Violation Date: 06-04-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Description: Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY DID NOT SUBMIT THEIR EMERGENCY RESPONSE PLAN ON CERS. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/22/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: There was no hazardous waste accumulated at this location during the inspection. Hazardous waste manifests for the past 3-yrs were inspected and documented under the Natural Science building: FA0205225. Area employees receive annual training in conjunction with the site's Emergency Contingency Plan for emergency procedures, chemical handling & hazardous waste management.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Conducted an inspection of this area for Hazardous Materials Business Plan. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Affiliation:
Affiliation Type Desc: Document Preparer
Entity Name: Matt Nymeyer
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Phone: Not reported

Affiliation Type Desc: Parent Corporation
Entity Name: SAN JOSE STATE UNIVERSITY
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner
Entity Name: California State University
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95192-0010
Affiliation Phone: (408) 924-1969

Name: SJSU-DUNCAN HALL (52)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95192
Site ID: 68190
CERS ID: 10158039
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 11-06-2013
Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: THE FOLLOWING CONTAINERS WERE STORING HAZARDOUS WASTE AND WERE OPEN; ROOM 4A- -1 BEAKER STORING ORGANIC WASTE. (CORRECTED DURING INSPECTION) -1 BEAKER STORING ACID WASTE. ROOM 551- -1 BEAKER STORING ETHIDIUM BROMIDE WASTE ALL HAZARDOUS WASTE CONTAINERS MUST BE CLOSED AT ALL TIMES EXCEPT WHEN ADDING OF REMOVING WASTE. A BEAKER IS NOT A RECOMMENDED CONTAINER TO STORE HAZARDOUS WASTE BECAUSE IT CAN'T BE CLOSED. KEEP HAZARDOUS WASTE CONTAINERS CLOSED.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 11-06-2013
Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: ROOM 9C- -OBSERVED INORGANIC/ORGANIC WASTES STORED TOGETHER. HAZARDOUS WASTE MUST BE SEGREGATED AND STORED SEPARETELY FROM OTHER INCOMPATIBLE MATERIALS/OR WASTES. STORE HAZARDOUS WASTES ABOVE SEPERATELY.
Violation Division: Santa Clara County Environmental Health

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Program: HW
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 11-06-2013
Citation: 22 CCR 23 66273.34 - California Code of Regulations, Title 22, Chapter 23, Section(s) 66273.34
Violation Description: Failure to properly label the following categories of universal waste as: 1) Each batteries or the container in which the batteries are contained as "Universal Waste-Battery(ies)". 2) Each mercury-containing equipment or the container in which the mercury-containing equipment is contained as "Universal Waste -Mercury-Containing Equipment". 3) Each Florescent lamp or the container or package in which the lamps are contained as "Universal Waste-Lamp(s)". 4) Each electronic devices or the container or pallet in or on which the electronic devices are contained as "Universal Waste-Electronic Device(s)". 5) Each CRTs or the container or pallet in or on which the CRTs are contained as "Universal Waste-CRT(s)". 6) A container of CRT glass shall be labeled or marked clearly with the following phrase: "Universal Waste-CRT glass". 7) In lieu of labeling individual electronic devices, CRTs, and/or containers of CRT glass pursuant to subsections d) through f) of this section, a universal waste handler may combine, package, and accumulate those universal wastes in appropriate containers or within a designated area demarcated by boundaries that are clearly labeled with the applicable portion(s) of the following phrase: "Universal Waste-Electronic Device(s)/Universal Waste - CRT(s)/Universal Waste-CRT Glass".
Violation Notes: THE FOLLOWING CONTAINERS WERE STORING UNIVERSAL WASTES AND WERE NOT LABELED AS REQUIRED OR WERE MISSING INFORMATION ON THE LABEL; BASEMENT (ROOM 33) - 1 CONTAINER STORING WASTE COMMERCIAL TYPE BATTERIES. ROOM 353 - 1 BUCKET OF WASTE ALKALINE BATTERIES MISSING THE ACCUMULATION TIME. LABEL CONTAINERS ABOVE WITH REQUIRED INFORMATION.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 06-29-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: _____ ROOM 205: HAZARDOUS WASTE GENERATED IN THIS AREA NOT LISTED ON THE HMBP SITE MAP. ROOM 409: PHOTOGRAPHIC CHEMICALS ARE NOT LISTED ON THE HMBP SITE MAP.
_____
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 11-06-2013
Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67,

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Section(s) Multiple
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: ROOM 6A- OBSERVED A LATEX GLOVE AND GLASSWARE WITH SOME TYPE OF EPOXY SUBSTANCE STUCK INSIDE THE SINK. ROOM 353- OBSERVED SOLDER PIECES ON THE FLOOR OF THE MAINTENANCE DEPT. CLEAN UP THE ABOVE AREAS AND MANAGE THE WASTE AS HAZARDOUS WASTE. ADDITIONALLY, PROVIDE A CONTAINER TO COLLECT SOLDER WASTE IN THE AREAS WHERE SOLDERING IS TAKING PLACE.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 06-29-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY LAST SUBMITTED THEIR HMBP ON 12/11/2013. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/12/15.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 06-29-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 07/01/2015.

ROOM 12A: 1-LIQUID NITROGEN DEWAR NOT LISTED ON HMBP CHEMICAL INVENTORY. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/12/15.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 11-06-2013
Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: FIRE EXTINGUISHERS, EYE WASHES AND SHOWERS ARE NOT BEING MAINTAINED ON A MONTHLY BASIS IN THE AREAS WHERE HAZARDOUS WASTES ARE STORED. THIS ALSO APPLIES TO THE CO2 SUPPRESSION SYSTEM IT NEEDS TO BE TESTED AND MAINTAINED TO ASSURE IT'S PROPER OPERATION. BEGIN MAINTAINING THIS EQUIPMENT AS REQUIRED. PROVIDE TO OUR OFFICE IN WRITING AS TO HOW THIS ISSUE WILL BE ADDRESSED.
Violation Division: Santa Clara County Environmental Health

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Program: HW
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 11-06-2013
Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: THE FOLLOWING WASTE WERE ACCUMULATED AT THE POINT OF GENERATION (I.E., SATELLITE ACCUMULATION AREAS) AND WERE STORED FOR LONGER THAN THE ALLOWED TIME LIMIT OF 1 YEAR; ROOM 542- - 1X1 GAL CONTAINER OF ETHIDIUM BROMIDE WASTE WITH ACCUMULATION DATE OF 4/15/12. - 1 CONTAINER OF WASTE ETHIDIUM BROMIDE PIPETS AND TIPS WITH ACCUMULATION DATE OF 4/15/12. ROOM 543- - 1X1 GAL CONTAINER OF ETHANOL MIX WASTE WITH ACCUMULATION DATE OF 6/11/12. ROOM 603A- - OBSERVED A CONTAINER OF USED OIL WITH ACCUMULATION DATE OF 04/04/12. ROOM 653- - OBSERVED 2 CONTAINERS OF COMASSIE STAIN WASTE WITH ACCUMULATION DATE OF 2/16/11. DISPOSE OF ALL HAZARDOUS WASTE ABOVE IMMEDIATELY. PROVIDE TO OUR OFFICE A COPY OF THE HAZARDOUS WASTE MANIFEST. IN THE FUTURE DO NOT EXCEED THE ACCUMULATION TIME LIMIT OF 1 YEAR.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 11-06-2013
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: THE FOLLOWING CONTAINERS WERE STORING HAZARDOUS WASTE AND WERE MISSING A LABEL OR INFORMATION ON THE HAZARDOUS WASTE LABEL; ROOM 4A -1 BEAKER LABEL AS "ACID WASTE DANGER" -1 BEAKER STORING ORGANIC WASTE- (CORRECTED DURING INSPECTION) ROOM 9 -1 PLASTIC CONTAINER STORING CONTAMINATED WIPES- (CORRECTED DURING INSPECTION) -1 CONTAINER STOING HAZARDOUS WASTE MISSING HAZARDOUS PROPERTIES- (CORRECTED DURING INSPECTION) ROOM 9C - 1X1 GAL "NITRIC ACID WASTE" CONTAINER ROOM 14 -3X1 GAL CONTAINERS AND LABEL MISSING HAZARDOUS PROPERTIES- (CORRECTED DURING INSPECTION) ROOM 12A -1X1 GAL CONTAINER AND LABEL MISSING HAZARDOUS PROPERTIES- (CORRECTED DURING INSPECTION) ROOM 236 -1X1 GAL CONTAINER STORING A CLEAR LIQUID WITH A BLANK HAZARDOUS WASTE LABEL. -2X1 GAL ETHIDIUM BROMIDE GELS CONTAINER MISSING THE INFORMATION ON THE HAZARDOUS WASTE LABEL. ROOM 347 (INSIDE THE FUME HOOD WASTE STORAGE AREA) -1 CONTAINER STORING WASTE GLUTERALDEHYDE NOT LABEL -1X1 GAL CONTAINER WITH [Truncated]
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Violation Date: 11-06-2013
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95,

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Section(s) Multiple
Violation Description: Business Plan Program - Administration/Documentation - General
Violation Notes: BASED ON MY INSPECTION AND THE LAST SUBMITTAL ON CERS ON 9/17/2013 THE FOLLOWING MATERIALS AND LOCATIONS ARE NOT REPORTED; (GROUND LEVEL) ROOM 185- 3 NITROGEN DEWERS ROOM 9C- ARGON/NITROGEN- 200 FT3 ROOM 11- CO2-200FT3, NITROGEN- 600FT3, NITROGEN DEWAR, ACETYLENE, AC6 AND ACETYLENE AC4 ROOM 13- NITROGEN DEWAR, NITROGEN-200FT3 AND HELIUM-200FT3 ROOM 14- NITROGEN-456FT3 ROOM 12A- NITROGEN DEWAR ROOM 17- HELIUM DEWAR(2) ROOM 242- CO2- 400FT3 ROOM 342- O2- 200FT3 ROOM 343- NITROGEN-456FT3 ROOM 412C- ARGON- 248FT3 AND HELIUM- 190FT3 ROOM 444- CO2- 200FT3 ROOM 441- NITROGEN- 200FT3 ROOM 440- O2- 265FT3 ROOM 437- CO2-200FT3 ROOM 539- CO2-228FT3 AND NITROGEN-228FT3 ROOM 610- NITROGEN- 228FT3 ROOM 609B- ARGON-248FT3 ROOM 607A- ARGON- 336FT3 ROOM 603- ARGON- 248FT3 ROOM 653- NITROGEN DEWAR ROOM 652- CO2- 228FT3+ 50LBS. UPDATE YOUR HMBP VIA CERS TO SHOW ALL OF THE LOCATIONS ABOVE WITH THE CHEMICALS STORED. EVERY LOCATION THAT STORES HAZARDOUS MATERIALS/OR [Truncated]
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-06-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: FACILITY WALKTHROUGH TOOK PLACE ON 6/12/13, 6/13/13 AND 6/25/13. THE REPORT WAS ISSUED TODAY VIA E-MAIL.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Reviewed inspection documents for hazardous materials storage areas, including results from the Laboratory Safety Audit checklist from the Spring 2015 semester. The Laboratory Safety Audit program does not include a mechanism to document closure of action items. It is recommended that a tracking system be implemented immediately to demonstrate compliance with applicable State and County requirements for managing hazardous materials. The following violations were corrected during the inspection; no further action is required. 22G020: MARKING OF HAZARDOUS WASTE --Room 9: observed 2-containers missing the accumulation start date was missing; the date was added to the labels. --Room 435: 1x1 gallon container of hazardous waste not labeled; container was labeled. 22G022: CONTAINER COMPATIBILITY --Room 207: a licorice container was being used to collect solvent wipes contaminated with acetone; waste was repackaged in a glass container. 22G023: CONTAINER [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Conducted an inspection of this area for Hazardous Materials Business Plan. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-06-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: THE FACILITY WALKTHROUGH FOR THIS INSPECTION TOOK PLACE ON 6/12/13,6/13/13, AND 6/25/13. THE INSPECTION REPORT WAS ISSUED TODAY VIA E-MAIL.
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Enforcement Action:
Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 11-06-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Site ID: 68190
Site Name: SJSU-DUNCAN HALL (52)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 11-06-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Affiliation:
Affiliation Type Desc: Legal Owner
Entity Name: SAN JOSE STATE UNIVERSITY
Entity Title: Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Address:	matt.nymeyer@sjsu.edu
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported

Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(928) 701-2766

Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Name:	SJSU-MLK LIBRARY (134)
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95192
Site ID:	68194
CERS ID:	10158075
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	68194
Site Name:	SJSU-MLK LIBRARY (134)
Violation Date:	09-13-2013
Citation:	19 CCR 4 2729.5 - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.5
Violation Description:	Failure to submit inventory reports (Activities, Owner/Operator, Hazardous Materials Descriptions and Map pages, if required. Documentation must be resubmitted (for facilities which exceed EPCRA thresholds) or re-certified (for facilities which do not exceed EPCRA thresholds) by March 1.
Violation Notes:	THE LAST TIME THE HAZARDOUS MATERIALS INVENTORY WAS CERTIFIED WAS ON 06/06/2012. THE INVENTORY MUST BE CERTIFIED ANNUALLY. CERTIFIED YOUR INVENTORY IMMEDIATELY VIA CERS. DISREGARD CORRECTIVE ACTION TEXT BELOW REGARDING SUBMITTAL OF HARD COPY FORMS. SEE www.EHinfo.org/hazmat FOR DETAILS REGARDING ELECTRONIC REPORTING REQUIREMENTS. A FACILITY RECORD FOR THIS SITE HAS ALREADY BEEN CREATED ON THE CALIFORNIA ENVIRONMENTAL REPORTING SYSTEM (CERS) WEBSITE AT http://cers.calepa.ca.gov. REQUEST ACCESS TO THAT CERS RECORD AND SUBMIT A CURRENT HMBP WITHIN 30 DAYS.
Violation Division:	Santa Clara County Environmental Health

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-13-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Enforcement Action:
Site ID: 68194
Site Name: SJSU-MLK LIBRARY (134)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 09-13-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Affiliation:
Affiliation Type Desc: Legal Owner
Entity Name: SAN JOSE STATE UNIVERSITY
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95192-0010
Affiliation Phone: (408) 924-1969

Affiliation Type Desc: Identification Signer
Entity Name: Matt Nymeyer
Entity Title: Director, EH&S
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner
Entity Name: California State University
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95192-0010

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (408) 924-1969

Name: SAN JOSE STATE UNIVERSITY CS
Address: 1 WASHINGTON SQUARE
City,State,Zip: SAN JOSE, CA 95192
Site ID: 268538
CERS ID: 631093
CERS Description: Sewager Spills

Violations:
Site ID: 268538
Site Name: San Jose State University CS
Violation Date: 09-12-2017
Citation: California Water Code
Violation Description: Not reported
Violation Notes: Failed to timely certify SSO
Violation Division: Water Boards
Violation Program: SSOMUNISML
Violation Source: CIWQS

Site ID: 268538
Site Name: San Jose State University CS
Violation Date: 12-30-2016
Citation: California Water Code
Violation Description: Not reported
Violation Notes: Failure to provide a publically-available SSMP. The Discharger violated section G.2 of the Statewide General Waste Discharge Requirements for Sanitary Sewer Systems, Water Quality Order No. 2006 0003 DWQ (Sanitary Sewer Order) and section C.8.iv of the 2013 MRP.
Violation Division: Water Boards
Violation Program: SSOMUNISML
Violation Source: CIWQS

Enforcement Action:
Site ID: 268538
Site Name: San Jose State University CS
Site Address: 1 WASHINGTON SQUARE
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 01-11-2017
Enf Action Type: Notice of Violation (Water)
Enf Action Description: Notice of Violation Letter (Informal)
Enf Action Notes: Not reported
Enf Action Division: Water Boards
Enf Action Program: SSOMUNISML
Enf Action Source: CIWQS

Site ID: 268538
Site Name: San Jose State University CS
Site Address: 1 WASHINGTON SQUARE
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 04-10-2012

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Enf Action Type:	Notice of Violation (Water)
Enf Action Description:	Notice of Violation Letter (Informal)
Enf Action Notes:	Not reported
Enf Action Division:	Water Boards
Enf Action Program:	SSOMUNISML
Enf Action Source:	CIWQS
Site ID:	268538
Site Name:	San Jose State University CS
Site Address:	1 WASHINGTON SQUARE
Site City:	SAN JOSE
Site Zip:	95192
Enf Action Date:	09-21-2017
Enf Action Type:	Staff Enforcement Letter (Informal)
Enf Action Description:	Staff Enforcement Letter (Informal)
Enf Action Notes:	Not reported
Enf Action Division:	Water Boards
Enf Action Program:	SSOMUNISML
Enf Action Source:	CIWQS
Site ID:	268538
Site Name:	San Jose State University CS
Site Address:	1 WASHINGTON SQUARE
Site City:	SAN JOSE
Site Zip:	95192
Enf Action Date:	12-01-2004
Enf Action Type:	Enforcement Letter (Formal)
Enf Action Description:	Enforcement Letter Citing Violations and with Required Actions (Formal)
Enf Action Notes:	Not reported
Enf Action Division:	Water Boards
Enf Action Program:	SSOMUNISML
Enf Action Source:	CIWQS

Name:	SJSU-ENGINEERING BUILDING (35)
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95192
Site ID:	114632
CERS ID:	10158043
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	114632
Site Name:	SJSU-Engineering Building (35)
Violation Date:	10-18-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	The following areas were observed to be store hazardous materials but were not indicated on the the site map: --Room 130-C Hazardous Waste Storage Area. --Room 294: min-storage soldering operations. --Room 393: min-storage soldering operations. --*Rocket Assembly Tent in the Courtyard: min-storage flammable cabinet. *Noted corrected during the delivery of this report. --*Room 129-B: min-storage asphalt grinding chemicals. *Noted corrected during the delivery of this report.
Violation Division:	Santa Clara County Environmental Health

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Program: HMRRP
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 06-24-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: _____ ROOM 106: OBSERVED SATURATED ABSORBENT UNDER THE HYDRAULIC HIGH-PRESSURE MANIFOLD, LOW-PRESSURE MANIFOLD AND ALONG THE WOODEN CABINET. IN ADDITION, THERE WERE SATURATED SHOP TOWELS TIED ONTO QUICK-CONNECT FITTINGS. ROOM 115: OBSERVED METAL SHAVINGS ON THE FLOOR NEXT TO THE METALWORKING EQUIPMENT. ROOM 127: OBSERVED A HYDRAULIC FLUID SPILL IN THE CRAWL SPACE UNDER THE EARTHQUAKE SIMULATOR. ROOM 127A: OBSERVED ABSORBENT SATURATED WITH HYDRAULIC OIL AT THE FILL AREA. ROOM 127C: OBSERVED APPROXIMATELY 1.5 GALLONS OF USED HYDRAULIC OIL IN A TRAY CONTAINING A PORTABLE HYDRAULIC PUMP. _____
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 10-23-2013
Citation: HSC 6.11 25404.1 - California Health and Safety Code, Chapter 6.11, Section(s) 25404.1
Violation Description: Failure to obtain and/or maintain an active hazardous waste generator permit.
Violation Notes: A HAZARDOUS WASTE DETERMINATION NEEDS TO MADE TO THE FOLLOWING; ROOM 115- -OBSERVED SMALL VIALS WITH BLUE LIQUID INSIDE THE TRASH CAN IN THIS ROOM. ADDITIONALLY OBSERVED A BROWN BOX WITH UNKNOWN CHEMICALS. ROOM 209A- - OBSERVED 2 CLEAR BAGS WITH UNKNOWN HAZARDOUS WASTE/ OR BIO-WASTE. ROOM 221- (NEW LAB) -OBSERVED 1 PLASTIC CONTAINER STORING A BLUE LIQUID. CONTAINER WAS OPENED WITHOUT ANY LABELS. OUTSIDE CORRIDOR- - OBSERVED A BUCKET WITH WHAT APPEARS TO BE OILY-USED ABSORBENT. COURTYARD BLOCK HOUSE- -OBSERVED A TRASH BAG W/ A PLASTIC BOTTLE WITH A BLACK LIQUID. ADDITIONALLY, OBSERVED EPOXY WASTE AND BRUSHES CONTAMINATED WITH EPOXY OR OTHER BLACK LIQUID. NOTIFY OUR AGENCY IN WRITING ON THE DISPOSITION OF ALL OF THE POTENTIAL HAZARDOUS WASTE ABOVE.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 10-23-2013
Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: ALL FIRE EXTINGUISHERS AND DECONTAMINATION EQUIPMENT IS NOT BEING MONITORED ON A MONTHLY BASIS WHERE HAZARDOUS WASTES ARE STORED. BEGIN CONDUCTING THESE MONTHLY INSPECTIONS ON THE EMERGENCY EQUIPMENT.
Violation Division: Santa Clara County Environmental Health

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Program: HW
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 10-23-2013
Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: ROOM 201- I WAS TOLD BY PROFESSOR AT THIS LAB THAT ACID WASH WASTE FROM WASHING THE GLASSWARE IS CURRENTLY BEING NEUTRALIZED AND POUR DOWN THE DRAIN. HOWEVER TREATMENT IS NOT BEING CONDUCTED PER THE REQUIREMENTS OF BENCHTOP TREATMENT FOUND IN HSC 25200.3.1(c). CEASE THE TREATMENT ACTIVITIES IMMEDIATELY OR CONDUCT TREATMENT IN ACCORDANCE WITH THE REQUIREMENTS LISTED BELOW. NOTIFY OUR AGENCY IN WRITING ON HOW THE ACID WASTE WASH WILL BE HANDLE.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 06-24-2015
Citation: 22 CCR 12 66262.34(d) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(d)
Violation Description: Failure to dispose of hazardous waste within 180 days (or 270 if waste is transported over 200 miles) for the generator who generates less than 1000 kilogram per month, but more than 100 kilograms per month.
Violation Notes: _____ ROOM 127: OBSERVED 1x5 GALLON CONTAINER THAT CONTAINED CONTAMINATED SHOP RAGS WITH AN ACCUMULATION DATE FROM 2013.
_____
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 10-23-2013
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: THE FOLLOWING CONTAINERS WERE STORING HAZARDOUS WASTE AND WERE MISSING A HAZARDOUS WASTE LABEL OR HAD AN INCOMPLETE LABEL; - ROOM 201- OBSERVED 1X5 GAL PLASTIC CONTAINER LABELED; "ACIDIC BATH WASTE CONTAINER OGB" OBSERVED A CONTAINER A CONTAINER INSIDE THE FUME HOOD WITH AN INCOMPLETE LABEL, MISSING HAZARDOUS PROPERTIES- (CORRECTED ONSITE) -ROOM 223- OBSERVED A RED CAN WITH WASTE LAB DEBRIS AND NOT LABELED. -ROOM 209A- OBSERVED 1X5 GAL. WHITE METAL CAN LABEL AS; "DANGER HAZARDOUS WASTE". LABEL ALL CONTAINERS ABOVE WITH REQUIRED INFORMATION.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 10-23-2013
Citation: HSC 6.67 Multiple Sections - California Health and Safety Code, Chapter 6.67, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Abandonment/Illegal Disposal/Unauthorized Treatment - General
Violation Notes: ROOM 201- I WAS INFORMED BY PROFESSOR AT THIS LAB THAT COMINGLING OF HAZARDOUS WASTE IS TAKING PLACE. SOLID LAB WASTE DEBRIS ARE BEING COMMINGLED WITH LIQUID HAZADOUS WASTE. SOLID HAZARDOUS WASTE NEEDS TO BE STORED AND DISPOSED SEPERATELY THAN THE LIQUID HAZARDOUS WASTE. CEASE THIS PRACTICE IMMEDIATELY. BEGIN SEGREAGATING THESE WASTES. NOTIFY OUR AGENCY IN WRITING HOW THIS ISSUE WAS ADDRESSED.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 10-18-2018
Citation: 22 CCR 12 66262.11 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.11
Violation Description: Failure to determine if wastes generated are hazardous waste by using generator knowledge or applying testing method.
Violation Notes: Observed the following containers that may contain hazardous waste: --Courtyard: 1-500 ml beaker containing a granular material that was pink in color.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 06-24-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: FACILITY LAST SUBMITTED THEIR HMBP ON 9/17/2013
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 10-18-2018
Citation: HSC 6.95 25508.1(a)-(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(a)-(f)
Violation Description: Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name. A substantial change in the handler's operations that requires modification to any portion of the business plan.

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Notes: The following hazardous materials were observed but not included in the most recent submittal to CERS: --Room 235: 1-cylinder of compressed oxygen (337 cu-ft)
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 06-24-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: _____
CONSOLIDATED CHEMICAL STORAGE LOCATIONS FOR MISC. FLAMMABLE MATERIALS & MISC. CORROSIVE MATERIALS THAT ARE < 55-GALLONS MUST BE DIVIDED INTO MULTIPLE PAGES THAT INDICATE MAXIMUM DAILY VOLUME BELOW 55-GALLONS OR SUBMIT REVISED INVENTORY PAGES WITH SPECIFIC CHEMICAL INFORMATION. WASTE CORROSIVE LIQUID INVENTORY SHEET WAS MISSING THE STATE HAZARDOUS WASTE CODE. ROOM 127: OBSERVED 4x5-GALLON CONTAINERS, 3x1-GALLON POLY BOTTLES AND 2x1-GALLON METAL CANS NOT LISTED ON THE LISTED ON THE HAZARDOUS MATERIALS BUSINESS PLAN INVENTORY. ROOM 127C: HYDRAULIC OIL RESERVOIR NOT LISTED ON THE HAZARDOUS MATERIALS BUSINESS PLAN INVENTORY. ROOM 233 (PHOTORESIST SPINNER): AN INVENTORY SHEET FOR WASTE FLAMMABLE LIQUIDS WAS NOT LISTED ON THE HAZARDOUS MATERIALS BUSINESS PLAN INVENTORY. ROOM 107: THIS AREA WAS NOT LISTED ON THE HAZARDOUS MATERIALS BUSINESS PLAN INVENTORY FOR STORING MISC. FLAMMABLE LIQUIDS. ROOM [Truncated]
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 06-24-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: _____ ROOM 127: OBSERVED 1-55 GALLON DRUM MARKED AS EMPTY BUT WITH NO DATE OF WHEN THE DRUM WAS EMPTY.
_____
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 06-24-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: _____ ROOM 127C: HYDRAULIC OIL RESERVOIR NOT LISTED ON THE HAZARDOUS MATERIALS

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

BUSINESS PLAN MAP.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 10-23-2013
Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: A CONTAINER TO COLLECT WASTE SOLDER WAS NOT AVAILABLE IN THE FOLLOWING LOCATIONS; - ROOM 125- WASTE SOLDER IS GENERATED AND FLAKES WERE FOUND ON THE TABLE. - ROOM 135- WASTE SOLDER IS GENERATED AND FLAKES WERE FOUND ON THE TABLE. - ROOM 201- - WASTE SOLDER IS GENERATED AND FLAKES WERE FOUND ON THE TABLE. PROVIDE A HAZARDOUS WASTE CONTAINERS IN THE AREAS ABOVE.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Violation Date: 10-23-2013
Citation: 22 CCR 23 66273.34 - California Code of Regulations, Title 22, Chapter 23, Section(s) 66273.34
Violation Description: Failure to properly label the following categories of universal waste as: 1) Each batteries or the container in which the batteries are contained as "Universal Waste-Battery(ies)". 2) Each mercury-containing equipment or the container in which the mercury-containing equipment is contained as "Universal Waste -Mercury-Containing Equipment". 3) Each Florescent lamp or the container or package in which the lamps are contained as "Universal Waste-Lamp(s)". 4) Each electronic devices or the container or pallet in or on which the electronic devices are contained as "Universal Waste-Electronic Device(s)". 5) Each CRTs or the container or pallet in or on which the CRTs are contained as "Universal Waste-CRT(s)". 6) A container of CRT glass shall be labeled or marked clearly with the following phrase: "Universal Waste-CRT glass". 7) In lieu of labeling individual electronic devices, CRTs, and/or containers of CRT glass pursuant to subsections d) through f) of this section, a universal waste handler may combine, package, and accumulate those universal wastes in appropriate containers or within a designated area demarcated by boundaries that are clearly labeled with the applicable portion(s) of the following phrase: "Universal Waste-Electronic Device(s)/Universal Waste - CRT(s)/Universal Waste-CRT Glass".
Violation Notes: THE FOLLOWING CONTAINERS WERE STORING UNIVERSAL WASTE AND WERE NOT LABELED AS REQUIRED; ROOM 186- OBSERVED 1 BOX STORING COMMERCIAL TYPE BATTERIES. ROOM 176- OBSERVED 1 BOX STORING USED FLOURESCENT TUBES LABEL CONTAINERS ABOVE WITH REQUIRED MARKINGS.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Eval Date:	07-01-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Conducted an inspection of this area for Hazardous Materials Business Plan. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-23-2013
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	THE FACILITY WALKTHROUGH FOR THIS INSPECTION TOOK PLACE ON 7/2/13. THE REPORT WAS ISSUED TODAY VIA E-MAIL. THE MOST RECENT SUBMITTAL OF THE HMBP VIA CERS WAS ON 9/17/2013.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	07-01-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Hazardous waste manifests for the past 3-yrs were inspected and documented under the Natural Science building: FA0205225. Area employees receive annual training in conjunction with the site's Emergency Contingency Plan for emergency procedures, chemical handling & hazardous waste management.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-18-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On-site with Matt Nymeyer, David Griffith and Neill Peters to conduct a hazardous materials business plan (HMBP) and hazardous materials storage ordinance (HMSO) inspections. This inspection began on 10/15/18 and concluded on 10/18/18 with the delivery of this report. The following rooms/areas were inspected within the Engineering Building: 101, 103, 105, 106, 107, 109, 113, 114, 115, 123, 125, 129B, 130, 130C, 131, Courtyard, Rocket Assembly Tent (courtyard), 186, 188, 190, 201, 203, 207, 221, 223, 225, 227, 228, 228-B, 233-I, 235, 294, 311 and 393. The university is currently implementing CSU-wide corrective actions from a recent audit by the Joint Legislative Audit Committee. The final report titled California State University: It Has Not Provided Adequate Oversight of the Safety of Employees and Students Who Work With Hazardous Materials, Report 2017-119, was published on April 24, 2018 and available at

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

https://www.bsa.ca.gov/pdfs/reports/2017-119.pdf. SJSU [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-23-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: THE FACILITY WALKTHROUGH FOR THIS INSPECTION TOOK PLACE ON 7/2/13. THE REPORT WAS ISSUED TODAY VIA E-MAIL.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 10-18-2018
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: On-site with Matt Nymeyer, David Griffith and Neil Peters to conduct a limited hazardous waste inspection. This inspection began on 10/15/18 and concluded on 10/18/18 with the delivery of this report. The following rooms/areas were inspected within the Engineering Building: 101, 103, 105, 106, 107, 109, 113, 114, 115, 123, 125, 129B, 130, 130-C, 131, Courtyard, Rocket Assembly Tent (courtyard), 186, 188, 190, 201, 203, 207, 221, 223, 225, 227, 228, 228-B, 233-I, 235, 294, 311 and 393. All hazardous waste containers were observed to be closed, marked as required and within the allowable accumulation times. All areas inspected were free of spills and in good order. Room 130-C (accessible via the courtyard) has been designated as a hazardous waste storage location for the Engineering Building. A review of the area inspection log for Room 130-C was current. A review of the SJSU hazardous waste training record for Niel Peters was current. Spill equipment and [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Enforcement Action:
Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 07-01-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Enf Action Date: 07-01-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Site ID: 114632
Site Name: SJSU-Engineering Building (35)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 10-23-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Environmental Contact
Entity Name: Matt Nymeyer
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95192-0010
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95192-0010
Affiliation Phone: Not reported

Affiliation Type Desc: Parent Corporation
Entity Name: SAN JOSE STATE UNIVERSITY
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 942-1969

Name: SJSU-CENTRAL PLANT (4)

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95192
Site ID:	402301
CERS ID:	10158047
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	402301
Site Name:	SJSU-CENTRAL PLANT (4)
Violation Date:	09-15-2014
Citation:	HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25286(a)
Violation Description:	Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes:	UST data submitted via CERS contains numerous errors/omissions. Please preface Facility Name for all San Jose State CERS facility records with "SJSU-" to facilitate HMCD records management. Do not modify Facility Names or Site Addresses in CERS without HMCD approval. Facility Information: Financial Responsibility Mechanism(s) should = "Exempt" (State and Federal facilities are exempt from UST Financial Responsibility requirements). For addresses, enter as "1 Washington...", not "One Washington..." Tank Information: Tank Use = Emergency Generator Fuel; Tank primary Containment = Steel; Tank secondary Containment = Jacketed; Piping System type = Conventional Suction; Vent Piping Transition Sumps = None. Note: Duplicate copy of Owner statement of Designated UST Operator was uploaded to CERS in error as a UST Owner/Operator Written Agreement. Delete the uploaded duplicate document and resubmit indicating "Exempt" for Owner/Operator Agreement (owner and operator are same [Truncated]
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	402301
Site Name:	SJSU-CENTRAL PLANT (4)
Violation Date:	09-15-2014
Citation:	23 CCR 16 2665 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665
Violation Description:	Failure of the overfill prevention system to meet one of the following requirements: 1. Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or 2. Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or 3. Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or 4. Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling.
Violation Notes:	Returned to compliance on 09/15/2014. Mechanical overfill prevention valve was removed to facilitate testing of spill bucket. Valve was found to be coated with sludge sufficient to impede proper operation of the floats. Valve was cleaned to ensure free movement of the floats and all other mechanical components and reinstalled in the tank fill opening today. No permit or other corrective action is required.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 06-24-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: _____ TANK VOLUMES ARE NOT LISTED ON THE AREA MAP (CP-B) FOR TANKS (12.5% SODIUM HYPOCHLORITE, NALCO 3D TRASAR 3DT289 & SULFURIC ACID, 93%). _____
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-15-2014
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to maintain on site an approved monitoring plan.
Violation Notes: UST Monitoring Plan submitted via CERS does not address required visual inspections of the fuel piping between the point where the lines surface outside the building wall and the tank located on the upper catwalk to maintain exemption of the unburied Emergency Generator Tank System (EGTS) piping from UST regulations. Revise plan to indicate that visual pipe monitoring is performed minimum monthly and each time the system (fuel pump) is operated.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-15-2015
Citation: HSC 6.7 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25292(e)
Violation Description: Failure to maintain secondary containment, as evidenced by failure of secondary containment testing.
Violation Notes: Returned to compliance on 10/15/2015. THE PRODUCT SUPPLY AND RETURN PIPING FAILED TO HOLD PRESSURE, THE TANK ANNULAR FAILED TO HOLD VACUUM DURING THE SECONDARY CONTAINMENT TEST (SB989).
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-13-2018
Citation: HSC 6.7 25290.1(c),25290.2(c),25291(a)(2),2529.1(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c),25290.2(c),25291(a)(2),2529.1(e)
Violation Description: Failure to maintain secondary containment (e.g., failure of secondary containment testing).
Violation Notes: Both the supply and return piping were visually failed by the Service

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Technician due to a cracked test boots.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-13-2018
Citation: 23 CCR 16 2665 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665
Violation Description: Failure to comply with one or more of the following: Failure to install or maintain a liquid-tight spill bucket. Have a minimum capacity of five gallons. Have a functional drain valve or other method for the removal of liquid from the spill bucket/spill container. Be resistant to galvanic corrosion.
Violation Notes: The direct bury spill containment failed to retain 5-gallons of water for 60-minutes.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 06-24-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: "HW ACCUMULATION AREA" INVENTORY IS MISSING AVERAGE DAILY QUANTITIES FOR: DRAINED OIL FILTERS, OILY RAGS & USED OIL. "B5-(BASEMENT SOUTH SIDE) DAY TANK" INVENTORY IS MISSING THE AVERAGE DAILY VOLUME. "FLAMMABLE CABINETS-BASEMENT" INVENTORY IS MISSING THE AVERAGE DAILY VOLUME. "HW ACCUMULATION AREA" INVENTORY IS MISSING STATE WASTE CODE FOR: OILY RAGS & USED OIL.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-13-2016
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to have an approved UST Response Plan.
Violation Notes: Returned to compliance on 09/13/2016. The UST Response Plan lists personnel (Adam Bayer) who are no longer at this site. The UST Response Plan was corrected during today's inspection and verified on CERS. This violation was corrected during today's inspection, no further action is required.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 402301

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 06-24-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY DID NOT SUBMIT THEIR TRAINING PLAN ON CERS. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 06-24-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY LAST SUBMITTED THEIR HMBP ON 9/17/2013. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-15-2014
Citation: 23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description: Failure of the double wall pressurized piping in the turbine sump to be continuously monitored with a system that activates an audible and visual alarm or restricts or stops flow at dispenser when a leak is detected.
Violation Notes: Returned to compliance on 09/15/2014. Tank top piping sump sensor broke into pieces while being removed from sump for testing. Sensor was replaced today like-for-like. No repair permit or other corrective action is required.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-15-2014
Citation: 23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description: Failure to submit, obtain approval, or maintain a complete/accurate

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

plot plan.
Violation Notes: Obsolete UPCF UST Monitoring Plan form was uploaded to CERS in error in place of the required Site Plan (map). Delete the current uploaded UPCF form and resubmit with the Site Plan containing information noted below.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 09-13-2016
Citation: 23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description: Failure of the double-walled pressurized piping to be continuously monitored with a system that activates an audible and visual alarm or stops flow at the dispenser when a leak is detected.
Violation Notes: Returned to compliance on 09/13/2016. The Ronan LS3 annular failed to activate the audible and visual alarm when tested in water. The LS3 sensor was replaced with another LS3 sensor and tested to confirm functionality as well as create an audible and visual alarm at the monitoring panel. This violation was corrected during today's inspection, no further action is required.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 06-24-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 07/01/2015.

FACILITY DID NOT SUBMIT THEIR EMERGENCY RESPONSE PLAN ON CERS. THIS VIOLATION WAS CORRECTED DURING THE INSPECTION ON CERS ON 6/23/15; NO FURTHER ACTION IS REQUIRED.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Violation Date: 06-24-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: **THIS VIOLATION HAS BEEN ELEVATED TO A CLASS II VIOLATION DUE TO BEING A REPEAT VIOLATION AND THE INCREASED RISK TO HUMAN HEALTH ASSOCIATED WITH SULFURIC ACID. OBSERVED A CONDITION OF REPEATED SPILLS OF SULFURIC ACID INTO THE SECONDARY CONTAINMENT.

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: There was no hazardous waste accumulated at this location during the inspection. Hazardous waste manifests for the past 3-yrs were inspected and documented under the Natural Science building: FA0205225. Area employees receive annual training in conjunction with the site's Emergency Contingency Plan for emergency procedures, chemical handling & hazardous waste management. Below are violations that were corrected during the inspection and do not require further action: 22G114: EMERGENCY AISLE SPACE Observed blocked access to a fire extinguisher along the south wall of the building; boxes were moved and access to the fire extinguisher was regained. Notes: The 2-uniquely shaped black poly drums are used as a maintenance tools and will be marked as such by SJSU Central Plant personnel. These maintenance drums will be stored in a location other than on top of the drum containment while empty.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 09-13-2018
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: On-site to observe UST secondary containment testing. All tests were completed by Service Technician John Courant from CA UST Services. Mr. Courant held current ICC, Ronan and Franklin Fueling Systems certifications at the time of inspection. The tank annular was placed under 7-in of vacuum for 60-minutes with no loss of vacuum; PASS Piping sumps was filled to at least 1-inch over the highest point with the piping with water. The liquid level was tested with an Incon Sump Tester TS-STS. All tests received a printout that indicated that all tests passed. Secondary Containment Piping: Supply & Return, see above. Provide a copy of today?s test report by 9/8/18 and ensure a copy is available on-site for future inspection. For questions regarding this report, contact Ray Maiden at ray.maiden@cep.sccgov.org or at 408-918-1980 (mon-thur).
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-13-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site to witness the annual monitoring system certification conducted by California UST Services, Technician John Courant from CA UST Services. Mr. Courant held current ICC, Ronan and Franklin Fueling Systems certifications at the time of inspection. UST system is suction system for emergency generator with aboveground piping. The

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

UST monitoring panel Ronan x76s has no printer. Audible and visual alarms noted when LS3 sensors located in the annular space and piping sump were tested in water. Spill bucket tested using the INCON Sump Test System (STS), passed 15-minute accelerated testing. Tank is fitted with mechanical overfill (flapper valve) in the fuel drop tube. Piping sump was dry and free of debris at the time of inspection. Aboveground piping is labeled with contents and flow direction. UST permit exp: 11/30/22 Reviewed the following on-site documents: --DUSTO monthly Inspection logs. --Training log: 7/22/18 all personnel are current. --Log [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-01-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Conducted an inspection of this area for Hazardous Materials Business Plan. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).

Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-15-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: ON SITE WITH JOHN COURANT A CALIFORNIA ICC CERTIFIED TECHNICIAN WITH CALIFORNIA UST SERVICES TO WITNESS THE ANNUAL MONITORING CERTIFICATION AND SB989 SECONDARY CONTAINMENT TESTING. MR. COURANT'S CERTIFICATIONS WERE VERIFIED TO BE CURRENT. THE FOLLOWING COMPONENTS WERE TESTED AND FOUND TO BE OPERABLE: -SPILL BUCKET WAS TESTED USING THE ACCELERATED INCON TEST. THE PASS PRINT OUT WILL BE INCLUDED IN THE MONITORING CERTIFICATION DOCUMENTATION -LIQUID SENSOR IN THE STP AND TANK ANNULAR TRIGGERED AN AUDIBLE AND VISUAL ALARM AT THE PANEL.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-13-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site to witness the annual monitoring system certification conducted by California UST Services, technician John Courant. Mr. Courant held current ICC, Ronan and Franklin Fueling Systems certifications at the time of inspection. UST system is suction system for emergency generator with aboveground piping. The UST monitoring panel Ronan x76s has no printer. Audible and visual alarms noted when LS3 sensors located in the annular space and piping sump were tested

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

in water. Spill bucket tested using the INCON Sump Test System (STS), passed 15-minute accelerated testing. Tank is fitted with ball float as overfill prevention and mechanical overfill (flapper valve) in the fuel drop tube. Sump dry and free of debris at the time of inspection. Aboveground piping is labeled with contents and flow direction. Observed liquid on the annular sensor when it was removed for testing. The service technician pumped out approximately 200ml of clear liquid with no odor [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-13-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: On-site to witness the annual monitoring system certification conducted by California UST Services, technician John Courant. Mr. Courant held current ICC, Ronan and Franklin Fueling Systems certifications at the time of inspection. UST system is suction system for emergency generator with aboveground piping. The UST monitoring panel Ronan x76s has no printer. Audible and visual alarms noted when LS3 sensors located in the annular space and piping sump were tested in water. Spill bucket tested using the INCON Sump Test System (STS), passed 15-minute accelerated testing. Tank is fitted with ball float as overfill prevention and mechanical overfill (flapper valve) in the fuel drop tube. Piping sump was dry and free of debris at the time of inspection. Aboveground piping is labeled with contents and flow direction. During the 2016 inspection the service technician pumped out approximately 200ml of clear liquid with no odor out of the annular space. During the [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-15-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: All UST system leak detection equipment was tested today by by UST Service Technician John Courant of California UST Services. Mr. Courant has current ICC UST Service Technician certification (exp. 8/9/2016) and Ronan X76 certification (exp. 9/20/2014). The Model LS3 sensors in the tank annular space and the tank top piping sump were tested using water to obtain audible and visual fuel alarms on the Ronan X76 monitoring panel. The UST fill spill bucket was hydrostatically tested using the Incon TS-STS accelerated hydrostatic test system. The bucket itself is liquid-tight, as confirmed by a test with the tank fill riser plugged, but the bucket drain valve had a slow leak. Valve was cleaned today and now seals liquid tight. Submit copies of the Monitoring System Certification form and spill bucket test report within 30 days. Notes: 1. Designated UST Operator monthly inspection records and list of trained facility employees are in order. 2. Records of visual [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-20-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: ON SITE WITH JOHN COURANT AN ICC CERTIFIED TECHNICIAN WITH CALIFORNIA UST SERVICES TO WITNESS THE ANNUAL MONITORING CERTIFICATION. RONAN, ICC, AND ICON (FRANKLIN FUELING) CERTIFICATIONS WERE VERIFIED TO BE CURRENT. CORRECT THE FOLLOWING ON CERS: -THE TANK SYSTEM HAS A FLAPPER FOR OVERFILL NOT BOTH A FLAPPER AND BALL FLOAT -THE OWNER AND OPERATOR ARE THE SAME, NOT REQUIRED TO SUBMIT AN "OWNER OPERATOR AGREEMENT" THE FOLLOWING COMPONENTS WERE TESTED AND FOUND TO BE OPERABLE: LIQUID SENSOR IN ANNULAR SPACE-TRIGGERED AND AUDIBLE/VISUAL ALARM LIQUID SENSOR IN THE PIPING SUMP-TRIGGERED AND AUDIBLE/VISUAL ALARM THE SPILL BUCKET WAS TESTED USING THE 15 MINUTE INCON TEST FACILITY IS KEEPING DAILY RECORDS OF THE RONAN PANEL
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Enforcement Action:
Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 07-01-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 09-15-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 402301
Site Name: SJSU-CENTRAL PLANT (4)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 09-15-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Enf Action Source: CERS

Affiliation:

Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	1 Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	1 Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1978

Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969

Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 942-1969

Affiliation Type Desc:	UST Property Owner Name
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	1 Washington Square

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1978
Affiliation Type Desc:	UST Tank Operator
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	1 Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1978
Affiliation Type Desc:	UST Tank Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	1 Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1978
Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation

SJSU-UCAT (COMPUTER CTR) (27) (Continued) **S103473126**

Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	UST Permit Applicant
Entity Name:	David Krack
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1978
Name:	SJSU CENTRAL PLANT
Address:	1 WASHINGTON SQUARE
City,State,Zip:	SAN JOSE, CA 95192
Site ID:	208669
CERS ID:	T0608502088
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	4089183400
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

E33 **SAN JOSE STATE UNIVERSITY** **CA AST** **S113180201**
NNE **1 WASHINGTON SQ** **CA CERS HAZ WASTE** **N/A**
1/8-1/4 **SAN JOSE, CA 95192** **CA CUPA Listings**
0.139 mi. **CA HAZNET**
734 ft. **Site 6 of 12 in cluster E** **CA CERS**

Relative:
Lower

Actual:
94 ft.

AST:

Name:	SJSU-CAMPUS VILLAGE (151,152,153)
Address:	1 WASHINGTON SQ
City/Zip:	SAN JOSE,95192
Certified Unified Program Agencies:	Not reported
Owner:	SAN JOSE STATE UNIVERSITY
Total Gallons:	Not reported
CERSID:	10158057
Facility ID:	FA0258321
Business Name:	San Jose State University
Phone:	(408)924-1978
Fax:	(408)924-1983
Mailing Address:	One Washington Square
Mailing Address City:	SAN JOSE
Mailing Address State:	CA
Mailing Address Zip Code:	Not reported
Operator Name:	David Krack
Operator Phone:	(408)924-1978
Owner Phone:	4089242152
Owner Mail Address:	One Washington Square
Owner State:	CA
Owner Zip Code:	Not reported
Owner Country:	United States
Property Owner Name:	California State University
Property Owner Phone:	(408)924-1978
Property Owner Mailing Address:	One Washington Square
Property Owner City:	SAN JOSE
Property Owner Stat :	CA
Property Owner Zip Code:	Not reported
Property Owner Country:	United States
EPAID:	Not reported

CERS HAZ WASTE:

Site ID:	153949
CERS ID:	10158049
CERS Description:	Hazardous Waste Generator

Violations:

Site ID:	153949
Site Name:	SJSU-Art (31)
Violation Date:	06-25-2015
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	_____ ROOM 102: OBSERVED 2x5-GALLON CONTAINERS OF OIL AND 1x5 GALLON CONTAINER MARKED AS WASTE RAGS, WHICH WERE NOT LISTED THE SUBMITTED AREA MAP (ART-1). _____
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

SAN JOSE STATE UNIVERSITY (Continued) **S113180201**

Site ID: 153949
Site Name: SJSU-Art (31)
Violation Date: 06-25-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: _____ AREA MAP NAME AND HAZARDOUS MATERIAL LOCATION COORDINATES NOTED ON INVENTORY FORM DO NOT MATCH SUBMITTED MAP (ART-1, ART-2 & ART-3). SUBMITTED AREA MAPS DO NOT IDENTIFY LOCATIONS OF COLLECTION AREAS FOR WASTE CONTAINING BOILED LINSEED OIL RAGS. ROOM 102: OBSERVED 2x5-GALLON CONTAINERS OF OIL AND 1x5 GALLON CONTAINER MARKED AS WASTE RAGS, WHICH WERE NOT LISTED ON THE INVENTORY.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 153949
Site Name: SJSU-Art (31)
Violation Date: 06-25-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: FACILITY LAST SUBMITTED THEIR HMBP ON 9/17/2013.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 153949
Site Name: SJSU-Art (31)
Violation Date: 07-02-2013
Citation: 22 CCR 23 66273.34 - California Code of Regulations, Title 22, Chapter 23, Section(s) 66273.34
Violation Description: Failure to properly label the following categories of universal waste as: 1) Each batteries or the container in which the batteries are contained as "Universal Waste-Battery(ies)". 2) Each mercury-containing equipment or the container in which the mercury-containing equipment is contained as "Universal Waste -Mercury-Containing Equipment". 3) Each Florescent lamp or the container or package in which the lamps are contained as "Universal Waste-Lamp(s)". 4) Each electronic devices or the container or pallet in or on which the electronic devices are contained as "Universal Waste-Electronic Device(s)". 5) Each CRTs or the container or pallet in or on which the CRTs are contained as "Universal Waste-CRT(s)". 6) A container of CRT glass shall be labeled or marked clearly with the following phrase: "Universal Waste-CRT glass". 7) In lieu of labeling individual electronic devices, CRTs, and/or containers of CRT glass pursuant to subsections d) through f) of this section, a universal waste handler may combine, package, and accumulate those universal wastes in appropriate containers or within a designated area demarcated by boundaries that are clearly labeled with the applicable

SAN JOSE STATE UNIVERSITY (Continued) **S113180201**

portion(s) of the following phrase: "Universal Waste-Electronic Device(s)/Universal Waste - CRT(s)/Universal Waste-CRT Glass".
Violation Notes: Returned to compliance on 07/02/2013. OBSERVED A BLACK BAG STORING USED AEROSOL CANS WITH AN INCOMPLETE UNIVERSAL WASTE LABEL. THIS WAS CORRECTED DURING THIS INSPECTION.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 153949
Site Name: SJSU-Art (31)
Violation Date: 06-25-2015
Citation: 22 CCR 15 66265.16 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.16
Violation Description: Failure to provide employees within the first six months after the date of their employment, or assignment to the facility, or to work unsupervised, or to a new position at a facility with hazardous waste training to ensure employees are competent in the following areas: hazardous waste management procedures (including contingency plan implementation) relevant to the positions in which they are employed, emergency response and emergency equipment, and procedures for using, inspecting, repairing, and replacing facility emergency and monitoring equipment. In addition, the owner/operator shall ensure facility personnel take part in an annual review of the initial training and training records training records on current personnel shall be kept until closure of the facility. Training records on former employees shall be kept for at least three years from the date the employee last worked at the facility. The records shall include the following: the job title for each position at the facility related to hazardous waste management, and the name of the employee filling each job; a written job description for each position, duties of facility personnel assigned to each position, and a written description of the type and amount of both introductory and continuing training that will be given to each person filling a position.
Violation Notes: _____ THE CURRENT HAZARDOUS WASTE TRAINING PROGRAM DOES NOT ADDRESS MANAGEMENT OF SPENT RAGS CONTAINING BOILED LINSEED OIL.
_____
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 153949
Site Name: SJSU-Art (31)
Violation Date: 07-02-2013
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description: Business Plan Program - Administration/Documentation - General
Violation Notes: YOUR HAZARDOUS MATERIALS INVENTORY NEEDS TO BE UPDATED TO INCLUDE THE HAZARDOUS WASTE STORED IN THIS BUILDING. DISREGARD CORRECTIVE ACTION TEXT BELOW REGARDING SUBMITTAL OF HARD COPY FORMS. SEE www.EHinfo.org/hazmat FOR DETAILS REGARDING ELECTRONIC REPORTING REQUIREMENTS. A FACILITY RECORD FOR THIS SITE HAS ALREADY BEEN CREATED ON THE CALIFORNIA ENVIRONMENTAL REPORTING SYSTEM (CERS) WEBSITE AT http://cers.calepa.ca.gov. REQUEST ACCESS TO THAT CERS RECORD AND SUBMIT A REVISED HMBP WITHIN 30 DAYS.
Violation Division: Santa Clara County Environmental Health

SAN JOSE STATE UNIVERSITY (Continued) **S113180201**

Violation Program: HMRRP
Violation Source: CERS

Site ID: 153949
Site Name: SJSU-Art (31)
Violation Date: 06-25-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes:
FACILITY DID NOT SUBMIT THEIR EMERGENCY RESPONSE PLAN ON CERS.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 153949
Site Name: SJSU-Art (31)
Violation Date: 06-25-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes:
FACILITY DID NOT SUBMIT THEIR TRAINING PLAN ON CERS.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-25-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: There was no hazardous waste accumulated at this location during the inspection. Art building activities include the use of boiled linseed oil for staining wood projects. Spent rags containing boiled linseed oil are not only a hazardous waste but also a spontaneous combustion hazard. Hazardous waste manifests for the past 3-yrs were inspected and documented under the Natural Science building: FA0205225. Area employees receive annual training in conjunction with the site's Emergency Contingency Plan for emergency procedures, chemical handling & hazardous waste management.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-25-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Conducted an inspection of this area for Hazardous Materials Business Plan. Art building activities include the use of boiled linseed oil

SAN JOSE STATE UNIVERSITY (Continued) **S113180201**

for staining wood projects. Rags containing boiled linseed oil are a spontaneous combustion hazard. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).

Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-02-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-02-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: THIS INSPECTION BEGAN ON 06/25/13 AND CONCLUDED TODAY.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Enforcement Action:
Site ID: 153949
Site Name: SJSU-Art (31)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 06-25-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Site ID: 153949
Site Name: SJSU-Art (31)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 06-25-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

SAN JOSE STATE UNIVERSITY (Continued) **S113180201**

Site ID: 153949
Site Name: SJSU-Art (31)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 07-02-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Site ID: 153949
Site Name: SJSU-Art (31)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 07-02-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Affiliation:
Affiliation Type Desc: Document Preparer
Entity Name: Matt Nymeyer
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: SAN JOSE STATE UNIVERSITY
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95192-0010
Affiliation Phone: (408) 924-1978

Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

SAN JOSE STATE UNIVERSITY (Continued) **S113180201**

Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported

Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969

Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States

SAN JOSE STATE UNIVERSITY (Continued) **S113180201**

Affiliation Zip: 95192-0010
Affiliation Phone: (408) 942-1969

CUPA SANTA CLARA:

Name: SJSU-ART (31)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95192
Region: SANTA CLARA
PE#: 2299
Program Description: HW GENERATOR-ADDITIONAL CONTIGUOUS FACILITY
Latitude: 37.334339
Longitude: -121.88073
Record ID: PR0401864
Facility ID: FA0253626

Name: SJSU-ART (31)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95192
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.334339
Longitude: -121.88073
Record ID: PR0370536
Facility ID: FA0253626

Name: SJSU- PARKING GARAGE 7TH ST. (54)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.334331
Longitude: -121.880542
Record ID: PR0370548
Facility ID: FA0250792

Name: SJSU- PARKING GARAGE 7TH ST. (54)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: 2299
Program Description: HW GENERATOR-ADDITIONAL CONTIGUOUS FACILITY
Latitude: 37.334331
Longitude: -121.880542
Record ID: PR0401863
Facility ID: FA0250792

Name: SJSU-CAMPUS VILLAGE (151,152,153)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95192
Region: SANTA CLARA
PE#: Not reported
Program Description: HAZMAT STORAGE & HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.334331
Longitude: -121.880542

SAN JOSE STATE UNIVERSITY (Continued) **S113180201**

Record ID: PR0378232
Facility ID: FA0258321

HAZNET:
Name: SAN JOSE STATE UNIVERSITY
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 951920222
Year: 2017
GEPAID: CAT080031206
Contact: CHANDRA GOWDA
Telephone: 4089242152
Mailing Name: Not reported
Mailing Address: 1 WASHINGTON SQ
Mailing City,St,Zip: SAN JOSE, CA 951920010
Gen County: Santa Clara
TSD EPA ID: CAL000190080
TSD County: San Joaquin
Tons: 2.99
CA Waste Code: 151-Asbestos containing waste
Method: H132-Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Facility County: Santa Clara

Name: SAN JOSE STATE UNIVERSITY
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 951920222
Year: 2017
GEPAID: CAT080031206
Contact: CHANDRA GOWDA
Telephone: 4089242152
Mailing Name: Not reported
Mailing Address: 1 WASHINGTON SQ
Mailing City,St,Zip: SAN JOSE, CA 951920010
Gen County: Santa Clara
TSD EPA ID: ORQ000025197
TSD County: 99
Tons: 0.125
CA Waste Code: 223-Unspecified oil-containing waste
Method: -
Facility County: Santa Clara

Name: SAN JOSE STATE UNIVERSITY
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 951920222
Year: 2017
GEPAID: CAT080031206
Contact: CHANDRA GOWDA
Telephone: 4089242152
Mailing Name: Not reported
Mailing Address: 1 WASHINGTON SQ
Mailing City,St,Zip: SAN JOSE, CA 951920010
Gen County: Santa Clara
TSD EPA ID: NVD980895338
TSD County: 99
Tons: 0.0105
CA Waste Code: 551-Laboratory waste chemicals
Method: H141-Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery

SAN JOSE STATE UNIVERSITY (Continued) **S113180201**

(H010-H129) Or (H131-H135)
Facility County: Santa Clara

Name: SAN JOSE STATE UNIVERSITY
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 951920222
Year: 2017
GEPAID: CAT080031206
Contact: CHANDRA GOWDA
Telephone: 4089242152
Mailing Name: Not reported
Mailing Address: 1 WASHINGTON SQ
Mailing City,St,Zip: SAN JOSE, CA 951920010
Gen County: Santa Clara
TSD EPA ID: NVD980895338
TSD County: 99
Tons: 0.0025
CA Waste Code: 551-Laboratory waste chemicals
Method: H070-
Facility County: Santa Clara

Name: SAN JOSE STATE UNIVERSITY
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 951920222
Year: 2017
GEPAID: CAT080031206
Contact: CHANDRA GOWDA
Telephone: 4089242152
Mailing Name: Not reported
Mailing Address: 1 WASHINGTON SQ
Mailing City,St,Zip: SAN JOSE, CA 951920010
Gen County: Santa Clara
TSD EPA ID: NVD980895338
TSD County: 99
Tons: 0.075
CA Waste Code: 512-Other empty containers 30 gallons or more
Method: H141-Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Facility County: Santa Clara

Click this hyperlink while viewing on your computer to access
632 additional CA_HAZNET: record(s) in the EDR Site Report.

CERS:
Name: SJSU-CAMPUS VILLAGE (151,152,153)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95192
Site ID: 68188
CERS ID: 10158057
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 68188
Site Name: SJSU-Campus Village (151,152,153)
Violation Date: 09-12-2013
Citation: 19 CCR 4 2729.5 - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.5

SAN JOSE STATE UNIVERSITY (Continued) **S113180201**

Violation Description: Failure to submit inventory reports (Activities, Owner/Operator, Hazardous Materials Descriptions and Map pages, if required. Documentation must be resubmitted (for facilities which exceed EPCRA thresholds) or re-certified (for facilities which do not exceed EPCRA thresholds) by March 1.
Violation Notes: THE LAST TIME THE HAZARDOUS MATERIALS INVENTORY WAS CERTIFIED WAS ON 06/06/2012. THE INVENTORY MUST BE CERTIFIED ANNUALLY. CERTIFIED YOUR INVENTORY IMMEDIATELY VIA CERS. DISREGARD CORRECTIVE ACTION TEXT BELOW REGARDING SUBMITTAL OF HARD COPY FORMS. SEE www.EHinfo.org/hazmat FOR DETAILS REGARDING ELECTRONIC REPORTING REQUIREMENTS. A FACILITY RECORD FOR THIS SITE HAS ALREADY BEEN CREATED ON THE CALIFORNIA ENVIRONMENTAL REPORTING SYSTEM (CERS) WEBSITE AT http://cers.calepa.ca.gov. REQUEST ACCESS TO THAT CERS RECORD AND SUBMIT A CURRENT HMBP WITHIN 30 DAYS.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-12-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Enforcement Action:
Site ID: 68188
Site Name: SJSU-Campus Village (151,152,153)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 09-12-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Affiliation:
Affiliation Type Desc: Legal Owner
Entity Name: SAN JOSE STATE UNIVERSITY
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95192-0010
Affiliation Phone: (408) 924-1969

Affiliation Type Desc: Parent Corporation
Entity Name: SAN JOSE STATE UNIVERSITY
Entity Title: Not reported
Affiliation Address: Not reported

SAN JOSE STATE UNIVERSITY (Continued) **S113180201**

Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Property Owner

SAN JOSE STATE UNIVERSITY (Continued) **S113180201**

Entity Name: California State University
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95192-0010
Affiliation Phone: (408) 924-1969

Affiliation Type Desc: Document Preparer
Entity Name: Matt Nymeyer
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Name: SJSU-ART (31)
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95192
Site ID: 153949
CERS ID: 10158049
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 153949
Site Name: SJSU-Art (31)
Violation Date: 06-25-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: _____ ROOM 102: OBSERVED 2x5-GALLON CONTAINERS OF OIL AND 1x5 GALLON CONTAINER MARKED AS WASTE RAGS, WHICH WERE NOT LISTED THE SUBMITTED AREA MAP (ART-1).
_____
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 153949
Site Name: SJSU-Art (31)
Violation Date: 06-25-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: _____ AREA MAP NAME AND HAZARDOUS MATERIAL LOCATION COORDINATES NOTED ON INVENTORY FORM DO NOT MATCH SUBMITTED MAP (ART-1, ART-2 & ART-3). SUBMITTED AREA MAPS DO NOT IDENTIFY LOCATIONS OF COLLECTION AREAS FOR WASTE CONTAINING BOILED LINSEED OIL RAGS. ROOM 102: OBSERVED 2x5-GALLON CONTAINERS OF OIL AND 1x5 GALLON CONTAINER MARKED AS WASTE

SAN JOSE STATE UNIVERSITY (Continued) **S113180201**

RAGS, WHICH WERE NOT LISTED ON THE INVENTORY.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 153949
Site Name: SJSU-Art (31)
Violation Date: 06-25-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:
FACILITY LAST SUBMITTED THEIR HMBP ON 9/17/2013.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 153949
Site Name: SJSU-Art (31)
Violation Date: 07-02-2013
Citation: 22 CCR 23 66273.34 - California Code of Regulations, Title 22, Chapter 23, Section(s) 66273.34
Violation Description: Failure to properly label the following categories of universal waste as: 1) Each batteries or the container in which the batteries are contained as "Universal Waste-Battery(ies)". 2) Each mercury-containing equipment or the container in which the mercury-containing equipment is contained as "Universal Waste -Mercury-Containing Equipment". 3) Each Florescent lamp or the container or package in which the lamps are contained as "Universal Waste-Lamp(s)". 4) Each electronic devices or the container or pallet in or on which the electronic devices are contained as "Universal Waste-Electronic Device(s)". 5) Each CRTs or the container or pallet in or on which the CRTs are contained as "Universal Waste-CRT(s)". 6) A container of CRT glass shall be labeled or marked clearly with the following phrase: "Universal Waste-CRT glass". 7) In lieu of labeling individual electronic devices, CRTs, and/or containers of CRT glass pursuant to subsections d) through f) of this section, a universal waste handler may combine, package, and accumulate those universal wastes in appropriate containers or within a designated area demarcated by boundaries that are clearly labeled with the applicable portion(s) of the following phrase: "Universal Waste-Electronic Device(s)/Universal Waste - CRT(s)/Universal Waste-CRT Glass".
Violation Notes: Returned to compliance on 07/02/2013. OBSERVED A BLACK BAG STORING USED AEROSOL CANS WITH AN INCOMPLETE UNIVERSAL WASTE LABEL. THIS WAS CORRECTED DURING THIS INSPECTION.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 153949
Site Name: SJSU-Art (31)
Violation Date: 06-25-2015
Citation: 22 CCR 15 66265.16 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.16

SAN JOSE STATE UNIVERSITY (Continued) **S113180201**

Violation Description: Failure to provide employees within the first six months after the date of their employment, or assignment to the facility, or to work unsupervised, or to a new position at a facility with hazardous waste training to ensure employees are competent in the following areas: hazardous waste management procedures (including contingency plan implementation) relevant to the positions in which they are employed, emergency response and emergency equipment, and procedures for using, inspecting, repairing, and replacing facility emergency and monitoring equipment. In addition, the owner/operator shall ensure facility personnel take part in an annual review of the initial training and training records training records on current personnel shall be kept until closure of the facility. Training records on former employees shall be kept for at least three years from the date the employee last worked at the facility. The records shall include the following: the job title for each position at the facility related to hazardous waste management, and the name of the employee filling each job; a written job description for each position, duties of facility personnel assigned to each position, and a written description of the type and amount of both introductory and continuing training that will be given to each person filling a position.

Violation Notes: _____ THE CURRENT HAZARDOUS WASTE TRAINING PROGRAM DOES NOT ADDRESS MANAGEMENT OF SPENT RAGS CONTAINING BOILED LINSEED OIL.
_____

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 153949
Site Name: SJSU-Art (31)
Violation Date: 07-02-2013
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description: Business Plan Program - Administration/Documentation - General
Violation Notes: YOUR HAZARDOUS MATERIALS INVENTORY NEEDS TO BE UPDATED TO INCLUDE THE HAZARDOUS WASTE STORED IN THIS BUILDING. DISREGARD CORRECTIVE ACTION TEXT BELOW REGARDING SUBMITTAL OF HARD COPY FORMS. SEE www.EHinfo.org/hazmat FOR DETAILS REGARDING ELECTRONIC REPORTING REQUIREMENTS. A FACILITY RECORD FOR THIS SITE HAS ALREADY BEEN CREATED ON THE CALIFORNIA ENVIRONMENTAL REPORTING SYSTEM (CERS) WEBSITE AT http://cers.calepa.ca.gov. REQUEST ACCESS TO THAT CERS RECORD AND SUBMIT A REVISED HMBP WITHIN 30 DAYS.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 153949
Site Name: SJSU-Art (31)
Violation Date: 06-25-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes: _____
FACILITY DID NOT SUBMIT THEIR EMERGENCY RESPONSE PLAN ON CERS.
_____

SAN JOSE STATE UNIVERSITY (Continued) **S113180201**

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 153949
Site Name: SJSU-Art (31)
Violation Date: 06-25-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes:
FACILITY DID NOT SUBMIT THEIR TRAINING PLAN ON CERS.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-25-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: There was no hazardous waste accumulated at this location during the inspection. Art building activities include the use of boiled linseed oil for staining wood projects. Spent rags containing boiled linseed oil are not only a hazardous waste but also a spontaneous combustion hazard. Hazardous waste manifests for the past 3-yrs were inspected and documented under the Natural Science building: FA0205225. Area employees receive annual training in conjunction with the site's Emergency Contingency Plan for emergency procedures, chemical handling & hazardous waste management.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-25-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Conducted an inspection of this area for Hazardous Materials Business Plan. Art building activities include the use of boiled linseed oil for staining wood projects. Rags containing boiled linseed oil are a spontaneous combustion hazard. Facility has created a uniform emergency procedures posting, which will replace current emergency procedures throughout the campus. All eyewash/safety shower inspection tags were current. Observed emergency spill kit & fire extinguisher near chemical storage areas. Areas employees receive annual training in conjunction with the site's Emergency Contingency Plan (emergency procedures, chemical handling & hazardous waste management).
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-02-2013

SAN JOSE STATE UNIVERSITY (Continued) **S113180201**

Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-02-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: THIS INSPECTION BEGAN ON 06/25/13 AND CONCLUDED TODAY.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Enforcement Action:
Site ID: 153949
Site Name: SJSU-Art (31)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 06-25-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Site ID: 153949
Site Name: SJSU-Art (31)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 06-25-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Site ID: 153949
Site Name: SJSU-Art (31)
Site Address: 1 WASHINGTON SQ
Site City: SAN JOSE
Site Zip: 95192
Enf Action Date: 07-02-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Site ID: 153949

SAN JOSE STATE UNIVERSITY (Continued) **S113180201**

Site Name:	SJSU-Art (31)
Site Address:	1 WASHINGTON SQ
Site City:	SAN JOSE
Site Zip:	95192
Enf Action Date:	07-02-2013
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HW
Enf Action Source:	CERS

Affiliation:

Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1978

Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400

Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	One Washington Square

SAN JOSE STATE UNIVERSITY (Continued) **S113180201**

Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 942-1969

E34 **SAN JOSE STATE UNIVERSITY** **CA AST** **A100337547**
NNE **1 WASHINGTON SQ.** **N/A**
1/8-1/4 **SAN JOSE, CA**
0.139 mi.
734 ft. **Site 7 of 12 in cluster E**

Relative: AST:
Lower

Name:	SAN JOSE STATE UNIVERSITY
Address:	1 WASHINGTON SQ.
City/Zip:	SAN JOSE,
Certified Unified Program Agencies:	Santa Clara County

Actual:
94 ft.

SAN JOSE STATE UNIVERSITY (Continued) **A100337547**

Owner:	CALIFORNIA STATE UNIVERSITY SYSTEM
Total Gallons:	6,910
CERSID:	Not reported
Facility ID:	Not reported
Business Name:	Not reported
Phone:	Not reported
Fax:	Not reported
Mailing Address:	Not reported
Mailing Address City:	Not reported
Mailing Address State:	Not reported
Mailing Address Zip Code:	Not reported
Operator Name:	Not reported
Operator Phone:	Not reported
Owner Phone:	Not reported
Owner Mail Address:	Not reported
Owner State:	Not reported
Owner Zip Code:	Not reported
Owner Country:	Not reported
Property Owner Name:	Not reported
Property Owner Phone:	Not reported
Property Owner Mailing Address:	Not reported
Property Owner City:	Not reported
Property Owner Stat :	Not reported
Property Owner Zip Code:	Not reported
Property Owner Country:	Not reported
EPAID:	Not reported

E35 **SJSU-CENTRAL PLANT (4)** **CA UST** **U004049718**
NNE **1 WASHINGTON SQ** **N/A**
1/8-1/4 **SAN JOSE, CA 95192**
0.139 mi.
734 ft. **Site 8 of 12 in cluster E**

Relative: UST:
Lower

Name:	SJSU CENTRAL PLANT
Address:	1 WASHINGTON SQUARE
City,State,Zip:	SAN JOSE, CA 95112
Facility ID:	43-000-250796
Permitting Agency:	SANTA CLARA COUNTY
Latitude:	37.3364079576781
Longitude:	-121.87811717391

Actual:
94 ft.

Name:	SJSU-CENTRAL PLANT (4)
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95192
Facility ID:	FA0250796
Permitting Agency:	Santa Clara County Environmental Health
Latitude:	37.31516
Longitude:	-121.91108

E36
NNE
1/8-1/4
0.139 mi.
734 ft.

SJSU CENTRAL PLANT
1 WASHINGTON SQUARE
SAN JOSE, CA 95192

Site 9 of 12 in cluster E

CA LUST **S103473127**
CA HIST LUST **N/A**
CA HIST CORTESE

Relative:
Lower

Actual:
94 ft.

LUST REG 2:

Region:	2
Facility Id:	Not reported
Facility Status:	Case Closed
Case Number:	07S1E08J02f
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	2/8/1994
Pollution Characterization Began:	2/8/1994
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

Region:	2
Facility Id:	Not reported
Facility Status:	Case Closed
Case Number:	07S1E08K04f
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

HIST LUST SANTA CLARA:

Name:	SJSU Central Plant
Address:	1 Washington Square
City:	San Jose
Region:	SANTA CLARA
Region Code:	2
SCVWD ID:	07S1E08J02
Oversite Agency:	SCVWD
Date Listed:	1994-12-02 00:00:00
Closed Date:	2000-03-30 00:00:00

Name:	SJSU Engineering Building
Address:	1 Washington Square
City:	San Jose
Region:	SANTA CLARA
Region Code:	2
SCVWD ID:	07S1E08K04
Oversite Agency:	SCVWD
Date Listed:	1994-12-02 00:00:00
Closed Date:	1996-04-18 00:00:00

SJSU CENTRAL PLANT (Continued) **S103473127**

HIST CORTESE:

edr_fname:	SJSU CENTRAL PLANT
edr_fadd1:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95192
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-2273

E37 **SJSU-BOCCARDO BUSINESS CLASSROOM** **CA CUPA Listings** **S118754938**
NNE **1 WASHINGTON SQ** **CA CERS** **N/A**
1/8-1/4 **SAN JOSE, CA 95192**
0.139 mi.
734 ft. **Site 10 of 12 in cluster E**

Relative:
Lower

Actual:
94 ft.

CUPA SANTA CLARA:

Name:	SJSU-BOCCARDO BUSINESS CLASSROOM
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95192
Region:	SANTA CLARA
PE#:	Not reported
Program Description:	HAZMAT STORAGE & HMBP FACILITY, 1-3 CHEMICALS
Latitude:	37.3351874
Longitude:	-121.8810715
Record ID:	PR0424221
Facility ID:	FA0277207

CERS:

Name:	SJSU-BOCCARDO BUSINESS CLASSROOM
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95192
Site ID:	333793
CERS ID:	10635187
CERS Description:	Chemical Storage Facilities

Affiliation:

Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	1 Washington Sq
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192
Affiliation Phone:	(408) 924-1969

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	1 Washington Sq
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported

Affiliation Type Desc:	Identification Signer

SJSU-BOCCARDO BUSINESS CLASSROOM (Continued) **S118754938**

Entity Name:	Matt Nymeyer
Entity Title:	Director, EH&S
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	1 Washington Sq
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192

SJSU-BOCCARDO BUSINESS CLASSROOM (Continued) **S118754938**

Affiliation Phone: (408) 924-1969

Affiliation Type Desc: Parent Corporation
Entity Name: SAN JOSE STATE UNIVERSITY
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

E38 **VERIZON WIRELESS: SAN JOSE STATE UNIVERSITY** **CA CUPA Listings** **S112347111**
NNE **1 WASHINGTON SQ BLDG 27** **N/A**
1/8-1/4 **SAN JOSE, CA 95112**
0.139 mi.
734 ft. **Site 11 of 12 in cluster E**

Relative: CUPA SANTA CLARA:
Lower
Actual: Name: VERIZON WIRELESS: SAN JOSE STATE UNIVERSITY
94 ft. Address: 1 WASHINGTON SQ BLDG 27
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: Not reported
Program Description: HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.334331
Longitude: -121.880542
Record ID: PR0370801
Facility ID: FA0254276

E39 **PARKER WEST INTERNATIONAL LLC** **CA CERS HAZ WASTE** **S112955211**
NNE **1 WASHINGTON SQ** **CA CUPA Listings** **N/A**
1/8-1/4 **SAN JOSE, CA 95112** **CA HAZNET**
0.139 mi. **CA CERS**
734 ft. **Site 12 of 12 in cluster E**

Relative: CERS HAZ WASTE:
Lower
Site ID: 518311
Actual: CERS ID: 10783813
94 ft. CERS Description: Hazardous Waste Generator

Affiliation:
Affiliation Type Desc: Document Preparer
Entity Name: Environmental Compliance Specialist
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: One Washington Square

PARKER WEST INTERNATIONAL LLC (Continued) **S112955211**

Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	David Griffith
Entity Title:	Environmental Compliance Specialist
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(928) 701-2766
Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Environmental Contact

PARKER WEST INTERNATIONAL LLC (Continued) **S112955211**

Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969

CUPA SANTA CLARA:

Name:	SJSU - HEALTH CTR (38)
Address:	1 WASHINGTON SQUARE
City,State,Zip:	SAN JOSE, CA 951920046
Region:	SANTA CLARA
PE#:	Not reported
Program Description:	HAZMAT STORAGE & HMBP FACILITY, 1-3 CHEMICALS
Latitude:	37.334339
Longitude:	-121.88073
Record ID:	PR0370547
Facility ID:	FA0250793
Name:	T-MOBILE USA SF04999A
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 95112
Region:	SANTA CLARA
PE#:	2502
Program Description:	HAZMAT STORAGE FACILITY-MINIMAL STORAGE SITE
Latitude:	37.334331
Longitude:	-121.880542
Record ID:	PR0374205
Facility ID:	FA0256250

HAZNET:

Name:	PARKER WEST INTERNATIONAL LLC
Address:	1 WASHINGTON SQ
City,State,Zip:	SAN JOSE, CA 951123613
Year:	2006
GEPAID:	CAC002606421
Contact:	GARY FRITZ
Telephone:	7075791257
Mailing Name:	Not reported
Mailing Address:	4520 MONTECITO AVE
Mailing City,St,Zip:	SANTA ROSA, CA 954041961
Gen County:	Santa Clara
TSD EPA ID:	CAT000646117

PARKER WEST INTERNATIONAL LLC (Continued) **S112955211**

TSD County: Kings
Tons: 8.428
CA Waste Code: 352-Other organic solids
Method: D80-Disposal, Land Fill
Facility County: Santa Clara

CERS:
Name: SAN JOSE STATE UNIVERSITY
Address: 1 WASHINGTON SQUARE
City,State,Zip: SAN JOSE, CA 95192-0001
Site ID: 492086
CERS ID: 110000786249
CERS Description: US EPA Air Emission Inventory System (EIS)

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: DAVID KRACK
Entity Title: Not reported
Affiliation Address: ONE WA SQUARE
Affiliation City: SANJOSE
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: ENVIR COMPLIANCE
Entity Title: Not reported
Affiliation Address: 255 PARKSHORE DRIVE
Affiliation City: FOLSOM
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner
Entity Name: CA STAT UNIV
Entity Title: Not reported
Affiliation Address: ONE WA SQUARE
Affiliation City: SANJOSE
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: UST PO Name
Entity Name: CA STAT UNIV
Entity Title: Not reported
Affiliation Address: 1 WA SQUARE
Affiliation City: SANJOSE
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WRKR SANTA CLARA CNTY LOP

PARKER WEST INTERNATIONAL LLC (Continued) **S112955211**

Entity Title: Not reported
Affiliation Address: 1555 BERGER DRIVENA SUITE 300
Affiliation City: SANJOSE
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Regional Board Caseworker
Entity Name: ZSC SAN FRANCISCO BAY RWQCB REGN 2ND
Entity Title: Not reported
Affiliation Address: 1515 CLAY STREETNA SUITE 1400
Affiliation City: OAKLAND
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: CHANDRA N GOWDA
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Name: SJSU-SRAC/STUDENT RECREATION & AQUATIC CENTER
Address: 1 WASHINGTON SQ
City,State,Zip: SAN JOSE, CA 95192
Site ID: 518311
CERS ID: 10783813
CERS Description: Chemical Storage Facilities

Affiliation:
Affiliation Type Desc: Document Preparer
Entity Name: Environmental Compliance Specialist
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: One Washington Square
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95192-0010
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer

PARKER WEST INTERNATIONAL LLC (Continued) **S112955211**

Entity Name:	David Griffith
Entity Title:	Environmental Compliance Specialist
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Operator
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(928) 701-2766
Affiliation Type Desc:	Parent Corporation
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	SAN JOSE STATE UNIVERSITY
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969
Affiliation Type Desc:	Environmental Contact
Entity Name:	Matt Nymeyer
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95192-0010

PARKER WEST INTERNATIONAL LLC (Continued) **S112955211**

Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	California State University
Entity Title:	Not reported
Affiliation Address:	One Washington Square
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95192-0010
Affiliation Phone:	(408) 924-1969

40
NW
1/8-1/4
0.142 mi.
749 ft.

MISSION PAINTING
330 S 3RD STREET
SAN JOSE, CA 95112

RCRA-SQG **1000382488**
FINDS **CAD982481996**
ECHO

Relative:
Lower

Actual:
93 ft.

RCRA-SQG:

Date form received by agency:	08/02/1988
Facility name:	MISSION PAINTING
Facility address:	330 S 3RD STREET SAN JOSE, CA 95112
EPA ID:	CAD982481996
Mailing address:	S THIRD STREET SAN JOSE, CA 95112
Contact:	ENVIRONMENTAL MANAGER
Contact address:	330 S THIRD STREET SAN JOSE, CA 95112
Contact country:	US
Contact telephone:	408-295-5990
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	NOT REQUIRED
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	415-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Owner/operator name:	PATRICK WEHNER
Owner/operator address:	NOT REQUIRED

MISSION PAINTING (Continued) **1000382488**

NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: 415-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110002825738

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000382488
Registry ID: 110002825738
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110002825738

I41 **JONES/SCHAEZLEIN PROPERTY** **CA LUST** **S105481889**
SSW **520 S. 1ST STREET** **CA HIST LUST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113** **CA CERS**
0.161 mi.
850 ft. **Site 1 of 7 in cluster I**

Relative:
Higher

Actual:
100 ft.

LUST:

Name:	JONES/SCHAEZLEIN PROPERTY
Address:	520 S. 1ST STREET
City,State,Zip:	SAN JOSE, CA 95113
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608560815
Global Id:	T0608560815
Latitude:	37.328304
Longitude:	-121.88468
Status:	Completed - Case Closed
Status Date:	08/18/2005
Case Worker:	Not reported
RB Case Number:	Not reported
Local Agency:	Not reported
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	07S1E17B04f
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Not reported
Site History:	Not reported

LUST:

Global Id:	T0608560815
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0608560815
Action Type:	Other
Date:	03/25/2002
Action:	Leak Reported
Global Id:	T0608560815
Action Type:	RESPONSE
Date:	05/17/2002
Action:	Correspondence
Global Id:	T0608560815
Action Type:	RESPONSE
Date:	04/01/1999
Action:	Other Report / Document
Global Id:	T0608560815
Action Type:	RESPONSE
Date:	01/07/2004
Action:	Monitoring Report - Quarterly
Global Id:	T0608560815

JONES/SCHAEZLEIN PROPERTY (Continued) **S105481889**

Action Type: REMEDIATION
Date: 12/17/2002
Action: Excavation

Global Id: T0608560815
Action Type: RESPONSE
Date: 10/15/2002
Action: Monitoring Report - Quarterly

Global Id: T0608560815
Action Type: RESPONSE
Date: 12/02/2002
Action: Other Report / Document

Global Id: T0608560815
Action Type: RESPONSE
Date: 07/30/2002
Action: Soil and Water Investigation Report

Global Id: T0608560815
Action Type: RESPONSE
Date: 03/25/2002
Action: Preliminary Site Assessment Report

Global Id: T0608560815
Action Type: ENFORCEMENT
Date: 08/18/2005
Action: Closure/No Further Action Letter

Global Id: T0608560815
Action Type: RESPONSE
Date: 11/15/2002
Action: Other Report / Document

Global Id: T0608560815
Action Type: RESPONSE
Date: 03/15/2002
Action: Preliminary Site Assessment Report

Global Id: T0608560815
Action Type: RESPONSE
Date: 08/18/2005
Action: Well Destruction Report

Global Id: T0608560815
Action Type: RESPONSE
Date: 04/19/2002
Action: Soil and Water Investigation Workplan

Global Id: T0608560815
Action Type: RESPONSE
Date: 06/19/2003
Action: CAP/RAP - Other Report

Global Id: T0608560815
Action Type: RESPONSE
Date: 09/15/2003

JONES/SCHAEZLEIN PROPERTY (Continued) **S105481889**

Action: Monitoring Report - Quarterly

Global Id: T0608560815
Action Type: RESPONSE
Date: 12/24/2003
Action: Monitoring Report - Quarterly

Global Id: T0608560815
Action Type: RESPONSE
Date: 01/11/2006
Action: Well Destruction Report

Global Id: T0608560815
Action Type: RESPONSE
Date: 12/24/2003
Action: Monitoring Report - Quarterly

Global Id: T0608560815
Action Type: RESPONSE
Date: 06/20/2003
Action: Monitoring Report - Quarterly

Global Id: T0608560815
Action Type: RESPONSE
Date: 12/24/2003
Action: Monitoring Report - Quarterly

Global Id: T0608560815
Action Type: RESPONSE
Date: 01/07/2004
Action: Monitoring Report - Quarterly

Global Id: T0608560815
Action Type: RESPONSE
Date: 04/23/2004
Action: Monitoring Report - Quarterly

Global Id: T0608560815
Action Type: RESPONSE
Date: 03/15/2002
Action: Other Report / Document

Global Id: T0608560815
Action Type: RESPONSE
Date: 09/15/2003
Action: Monitoring Report - Quarterly

Global Id: T0608560815
Action Type: RESPONSE
Date: 09/15/2003
Action: Monitoring Report - Quarterly

Global Id: T0608560815
Action Type: RESPONSE
Date: 03/05/2003
Action: Monitoring Report - Quarterly

JONES/SCHAEZLEIN PROPERTY (Continued) **S105481889**

LUST:
Global Id: T0608560815
Status: Completed - Case Closed
Status Date: 08/18/2005

Global Id: T0608560815
Status: Open - Case Begin Date
Status Date: 03/25/2002

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Remedial action (cleanup) Underway
Case Number: 07S1E17B04f
How Discovered: SA
Leak Cause: Unknown
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 3/25/2002
Pollution Characterization Began: 8/8/2002
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: 12/2/2002
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: JONES/SCHAEZLEIN PROPERTY
Address: 520 S 1ST ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E17B04F
Date Closed: 08/18/2005
EDR Link ID: 07S1E17B04F

HIST LUST SANTA CLARA:
Name: Jones/Schaezlein Property
Address: 520 S 1st St
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E17B04
Oversite Agency: SCVWD
Date Listed: 2002-04-26 00:00:00
Closed Date: Not reported

CERS:
Name: JONES/SCHAEZLEIN PROPERTY
Address: 520 S. 1ST STREET
City,State,Zip: SAN JOSE, CA 95113
Site ID: 206920
CERS ID: T0608560815
CERS Description: Leaking Underground Storage Tank Cleanup Site

JONES/SCHAEZLEIN PROPERTY (Continued) **S105481889**

Affiliation:
- Affiliation Type Desc: Regional Board Caseworker
- Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
- Entity Title: Not reported
- Affiliation Address: 1515 CLAY ST SUITE 1400
- Affiliation City: OAKLAND
- Affiliation State: CA
- Affiliation Country: Not reported
- Affiliation Zip: Not reported
- Affiliation Phone: Not reported

---

42 **7-ELEVEN INC STORE #14288** **CA CUPA Listings** **S121785193**
NE **404 S SIXTH ST** **CA CERS** **N/A**
1/8-1/4 **SAN JOSE, CA 95112**
0.168 mi.
885 ft.

Relative: **Lower**

Actual: **95 ft.**

CUPA SANTA CLARA:
- Name: 7-ELEVEN INC STORE #14288
- Address: 404 S SIXTH ST
- City,State,Zip: SAN JOSE, CA 95112
- Region: SANTA CLARA
- PE#: Not reported
- Program Description: HMBP FACILITY, 1-3 CHEMICALS
- Latitude: 37.3326264
- Longitude: -121.88012
- Record ID: PR0430941
- Facility ID: FA0287297

CERS:
- Name: 7-ELEVEN INC. STORE #14288
- Address: 404 SOUTH SIXTH ST
- City,State,Zip: SAN JOSE, CA 95112
- Site ID: 435935
- CERS ID: 10467058
- CERS Description: Chemical Storage Facilities

Affiliation:
- Affiliation Type Desc: Identification Signer
- Entity Name: BRENT SMERCZYNSKI
- Entity Title: CORPORATE ASSET PROTECTION MANAGER
- Affiliation Address: Not reported
- Affiliation City: Not reported
- Affiliation State: Not reported
- Affiliation Country: Not reported
- Affiliation Zip: Not reported
- Affiliation Phone: Not reported

- Affiliation Type Desc: Operator
- Entity Name: JOSEMITE INC
- Entity Title: Not reported
- Affiliation Address: Not reported
- Affiliation City: Not reported
- Affiliation State: Not reported
- Affiliation Country: Not reported
- Affiliation Zip: Not reported

7-ELEVEN INC STORE #14288 (Continued) **S121785193**

Affiliation Phone: (408) 998-2058

Affiliation Type Desc: Property Owner
Entity Name: 7-ELEVEN INC.
Entity Title: Not reported
Affiliation Address: LISCENSE RENEWAL DEPT.: 3200 HACKBERRY ROAD
Affiliation City: IRVING
Affiliation State: TX
Affiliation Country: United States
Affiliation Zip: 75063
Affiliation Phone: (972) 828-6586

Affiliation Type Desc: Document Preparer
Entity Name: Stantec Consulting Services Inc.
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 404 SOUTH SIXTH ST
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: BRENT SMERCZYNSKI
Entity Title: Not reported
Affiliation Address: 3200 HACKBERRY ROAD
Affiliation City: IRVING
Affiliation State: TX
Affiliation Country: Not reported
Affiliation Zip: 75063
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: JOSEMITE INC
Entity Title: Not reported
Affiliation Address: 404 SOUTH SIXTH ST
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95112
Affiliation Phone: (408) 998-2058

Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose

7-ELEVEN INC STORE #14288 (Continued) **S121785193**

Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Parent Corporation
Entity Name:	7-ELEVEN CONVENIENCE STORES
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

I43 **ALL AUTO BODY AND FRAME** **RCRA-SQG** **1000103326**
SSW **560 SOUTH FIRST STREET** **CAD081446296**
1/8-1/4 **SAN JOSE, CA 95113**
0.176 mi.
929 ft. **Site 2 of 7 in cluster I**

Relative:
Higher

Actual:
101 ft.

RCRA-SQG:

Date form received by agency:	09/01/1996
Facility name:	ALL AUTO BODY AND FRAME
Facility address:	560 SOUTH FIRST STREET SAN JOSE, CA 95113
EPA ID:	CAD081446296
Mailing address:	SOUTH FIRST STREET SAN JOSE, CA 95113
Contact:	Not reported
Contact address:	Not reported Not reported
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	TOM THOMPSON
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	415-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

ALL AUTO BODY AND FRAME (Continued) **1000103326**

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: 415-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

H44 **TECHSHOP SAN JOSE** **CA CUPA Listings** **S121474593**
WNW **300 S 2ND ST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113**
0.176 mi.
930 ft. **Site 2 of 6 in cluster H**

Relative: **Lower**
Actual: **94 ft.**

CUPA SANTA CLARA:
Name: TECHSHOP SAN JOSE
Address: 300 S 2ND ST
City,State,Zip: SAN JOSE, CA 95113
Region: SANTA CLARA
PE#: Not reported
Program Description: HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.33182
Longitude: -121.885566
Record ID: PR0402203
Facility ID: FA0270212

Name: TECHSHOP SAN JOSE
Address: 300 S 2ND ST
City,State,Zip: SAN JOSE, CA 95113
Region: SANTA CLARA
PE#: 2202
Program Description: GENERATES < 100 KG/YR
Latitude: 37.33182
Longitude: -121.885566

TECHSHOP SAN JOSE (Continued) **S121474593**

Record ID: PR0402204
Facility ID: FA0270212

H45 **GENUITY-SAN JOSE POP** **CA CUPA Listings** **S121472292**
WNW **300 S 2ND ST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113**
0.176 mi.
930 ft. **Site 3 of 6 in cluster H**

Relative: CUPA SANTA CLARA:
Lower

Name:	GENUITY-SAN JOSE POP
Address:	300 S 2ND ST
City,State,Zip:	SAN JOSE, CA 95113
Region:	SANTA CLARA
PE#:	2501
Program Description:	HAZARDOUS MATERIALS BUSINESS PLAN
Latitude:	37.331872
Longitude:	-121.885722
Record ID:	PR0399555
Facility ID:	FA0253070

Name:	GENUITY-SAN JOSE POP
Address:	300 S 2ND ST
City,State,Zip:	SAN JOSE, CA 95113
Region:	SANTA CLARA
PE#:	2012
Program Description:	APSA FACILITY-10,000 TO <50,000 GAL CAPACITY
Latitude:	37.331872
Longitude:	-121.885722
Record ID:	PR0399717
Facility ID:	FA0253070

Actual:
94 ft.

H46 **GENUITY** **CA AST** **A100338883**
WNW **300 S 2ND ST** **N/A**
1/8-1/4 **SAN JOSE, CA**
0.176 mi.
930 ft. **Site 4 of 6 in cluster H**

Relative: AST:
Lower

Name:	GENUITY
Address:	300 S 2ND ST
City/Zip:	SAN JOSE,
Certified Unified Program Agencies:	Santa Clara County
Owner:	GENUITY
Total Gallons:	10,000
CERSID:	Not reported
Facility ID:	Not reported
Business Name:	Not reported
Phone:	Not reported
Fax:	Not reported
Mailing Address:	Not reported
Mailing Address City:	Not reported
Mailing Address State:	Not reported
Mailing Address Zip Code:	Not reported
Operator Name:	Not reported
Operator Phone:	Not reported

Actual:
94 ft.

GENUITY (Continued) **A100338883**

Owner Phone:	Not reported
Owner Mail Address:	Not reported
Owner State:	Not reported
Owner Zip Code:	Not reported
Owner Country:	Not reported
Property Owner Name:	Not reported
Property Owner Phone:	Not reported
Property Owner Mailing Address:	Not reported
Property Owner City:	Not reported
Property Owner Stat :	Not reported
Property Owner Zip Code:	Not reported
Property Owner Country:	Not reported
EPAID:	Not reported

H47 **TECH SHOP SAN JOSE LLC** **CA HAZMAT** **S104581346**
WNW **300 S 2ND ST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113**
0.176 mi.
930 ft. **Site 5 of 6 in cluster H**

Relative: **Lower**

Actual: **94 ft.**

SAN JOSE HAZMAT:

Name:	TECH SHOP SAN JOSE LLC
Address:	300 S 2ND ST
City,State,Zip:	SAN JOSE, CA 95113
Region:	SAN JOSE
File Num:	601094
Class:	Auto Wrecking/Misc Simple Facility

H48 **SAN CARLOS PLAZA / REN RENZEL** **RCRA NonGen / NLR** **1010312901**
WNW **300 SOUTH SECOND ST.** **CAC002589042**
1/8-1/4 **SAN JOSE, CA 95112**
0.176 mi.
930 ft. **Site 6 of 6 in cluster H**

Relative: **Lower**

Actual: **94 ft.**

RCRA NonGen / NLR:

Date form received by agency:	02/15/2006
Facility name:	SAN CARLOS PLAZA / REN RENZEL
Facility address:	300 SOUTH SECOND ST. SAN JOSE, CA 95112
EPA ID:	CAC002589042
Mailing address:	PO BOX 366 SAN JOSE, CA 95103
Contact:	REN H RENZEL
Contact address:	Not reported Not reported
Contact country:	US
Contact telephone:	408-251-6887
Contact email:	RENZEL3@EARTHLINK.NET
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	REN RENZEL
Owner/operator address:	Not reported Not reported

SAN CARLOS PLAZA / REN RENZEL (Continued) **1010312901**

Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 06/01/2004
Owner/Op end date: Not reported

Owner/operator name: REN RENZEL - TENANT IN COMMON
Owner/operator address: PO BOX 366
SAN JOSE, CA 95103
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/2003
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

J49 **EARL SCHEIB PAINT & BODY #170** **CA CUPA Listings** **S121472022**
WSW **439 S 1ST ST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113**
0.182 mi.
961 ft. **Site 1 of 10 in cluster J**

Relative:
Higher

Actual:
99 ft.

CUPA SANTA CLARA:
Name: EARL SCHEIB PAINT & BODY #170
Address: 439 S 1ST ST
City,State,Zip: SAN JOSE, CA 95113
Region: SANTA CLARA

EARL SCHEIB PAINT & BODY #170 (Continued) **S121472022**

PE#:	2205
Program Description:	GENERATES 100 KG YR TO <5 TONS/YR
Latitude:	37.329365
Longitude:	-121.885694
Record ID:	PR0366224
Facility ID:	FA0251930

J50 **MARKET PLACE** **CA HIST CORTESE** **S105026312**
WSW **439 1ST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113**
0.182 mi.
961 ft. **Site 2 of 10 in cluster J**

Relative: **Higher**
Actual: **99 ft.**

HIST CORTESE:

edr_fname:	MARKET PLACE
edr_fadd1:	439 1ST
City,State,Zip:	SAN JOSE, CA 95113
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	2930

J51 **ECONOMY IMPORTS** **CA CUPA Listings** **S121472145**
SW **493 S FIRST ST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113**
0.184 mi.
974 ft. **Site 3 of 10 in cluster J**

Relative: **Higher**
Actual: **100 ft.**

CUPA SANTA CLARA:

Name:	ECONOMY IMPORTS
Address:	493 S FIRST ST
City,State,Zip:	SAN JOSE, CA 95113
Region:	SANTA CLARA
PE#:	2205
Program Description:	GENERATES 100 KG YR TO <5 TONS/YR
Latitude:	37.328738
Longitude:	-121.885232
Record ID:	PR0367448
Facility ID:	FA0252443

J52 **CORE DEVELOPMENT** **RCRA-SQG** **1004676571**
WSW **470 S MARKET ST** **FINDS** **CAR000086975**
1/8-1/4 **SAN JOSE, CA 95113** **ECHO**
0.186 mi. **CA HAZNET**
983 ft. **Site 4 of 10 in cluster J**

Relative: **Higher**
Actual: **99 ft.**

RCRA-SQG:

Date form received by agency:	11/20/2000
Facility name:	CORE DEVELOPMENT
Facility address:	470 S MARKET ST SAN JOSE, CA 95113
EPA ID:	CAR000086975
Mailing address:	99 N 1ST ST STE 100 SAN JOSE, CA 95113
Contact:	CHRIS NEALE

CORE DEVELOPMENT (Continued) **1004676571**

Contact address: 99 N 1ST ST STE 100
SAN JOSE, CA 95113
Contact country: US
Contact telephone: 408-292-7841
Contact email: Not reported
EPA Region: 09
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: CORE DEVELOPMENT INC
Owner/operator address: 99 N 1ST ST STE 100
SAN JOSE, CA 95113
Owner/operator country: Not reported
Owner/operator telephone: 408-292-7841
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

. Waste code: D000
. Waste name: Not Defined

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

FINDS:

CORE DEVELOPMENT (Continued) **1004676571**

Registry ID: 110012207398

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1004676571
Registry ID: 110012207398
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110012207398

HAZNET:
Name: CORE DEVELOPMENT
Address: 470 S MARKET ST
City,State,Zip: SAN JOSE, CA 951130000
Year: 2001
GEPAID: CAR000086975
Contact: --
Telephone: 4082927841
Mailing Name: Not reported
Mailing Address: 470 S MARKET ST
Mailing City,St,Zip: SAN JOSE, CA 951130000
Gen County: Santa Clara
TSD EPA ID: CAD028409019
TSD County: Los Angeles
Tons: 1.6856
CA Waste Code: 181-Other inorganic solid waste
Method: H01-Transfer Station
Facility County: Santa Clara

Name: CORE DEVELOPMENT
Address: 470 S MARKET ST
City,State,Zip: SAN JOSE, CA 951130000
Year: 2000
GEPAID: CAR000086975
Contact: Not reported
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 470 S MARKET ST
Mailing City,St,Zip: SAN JOSE, CA 951130000
Gen County: Santa Clara
TSD EPA ID: CAD028409019
TSD County: Los Angeles
Tons: 1.2642
CA Waste Code: 181-Other inorganic solid waste
Method: H01-Transfer Station
Facility County: 0

J53 **MARKET AUTO** **CA CUPA Listings** **S103976431**
WSW **428 S MARKET ST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113**
0.193 mi.
1018 ft. **Site 5 of 10 in cluster J**

Relative: **Higher**
Actual: **99 ft.**

CUPA SANTA CLARA:

Name:	MARKET AUTO
Address:	428 S MARKET ST
City,State,Zip:	SAN JOSE, CA 95113
Region:	SANTA CLARA
PE#:	2202
Program Description:	GENERATES < 100 KG/YR
Latitude:	37.329387
Longitude:	-121.886054
Record ID:	PR0365244
Facility ID:	FA0251349

Name:	MARKET AUTO
Address:	428 S MARKET ST
City,State,Zip:	SAN JOSE, CA 95113
Region:	SANTA CLARA
PE#:	Not reported
Program Description:	HMBP FACILITY, 1-3 CHEMICALS
Latitude:	37.329387
Longitude:	-121.886054
Record ID:	PR0396722
Facility ID:	FA0251349

J54 **THE MARKET AUTO REPAIR BODY INC** **RCRA NonGen / NLR** **1024794806**
WSW **428 S MARKET ST** **CAL000153710**
1/8-1/4 **SAN JOSE, CA 95113**
0.193 mi.
1018 ft. **Site 6 of 10 in cluster J**

Relative: **Higher**
Actual: **99 ft.**

RCRA NonGen / NLR:

Date form received by agency:	01/20/2000
Facility name:	THE MARKET AUTO REPAIR BODY INC
Facility address:	428 S MARKET ST SAN JOSE, CA 95113-0000
EPA ID:	CAL000153710
Contact:	DON A. HOANG
Contact address:	428 SOUTH MARKET ST SAN JOSE, CA 95113
Contact country:	Not reported
Contact telephone:	408-292-9888
Contact email:	MARKET778@SBCGLOBAL.NET
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	DON A. HOANG
Owner/operator address:	428 S MARKET ST SAN JOSE, CA 95113
Owner/operator country:	Not reported
Owner/operator telephone:	408-292-9888
Owner/operator email:	Not reported
Owner/operator fax:	Not reported

THE MARKET AUTO REPAIR BODY INC (Continued) **1024794806**

Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: DON A. HOANG
Owner/operator address: 428 SOUTH MARKET ST
SAN JOSE, CA 95113
Owner/operator country: Not reported
Owner/operator telephone: 408-292-9888
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

J55 **OUT OF BUSINESS (MARKET AUTO REPAIR & B)** **CA HAZMAT** **S113098821**
WSW **428 S MARKET ST 1** **N/A**
1/8-1/4 **SAN JOSE, CA 95113**
0.193 mi.
1018 ft. **Site 7 of 10 in cluster J**

Relative:
Higher

Actual:
99 ft.

SAN JOSE HAZMAT:
Name: OUT OF BUSINESS (MARKET AUTO REPAIR & B)
Address: 428 S MARKET ST 1
City,State,Zip: SAN JOSE, CA 95113
Region: SAN JOSE
File Num: 400086
Class: Auto Repair

K56 **TEXACO** **CA HIST CORTESE** **S102438608**
SSW **598 1ST** **N/A**
1/8-1/4 **SAN JOSE, CA**
0.194 mi.
1024 ft. **Site 1 of 7 in cluster K**

Relative:
Higher

Actual:
101 ft.

HIST CORTESE:

edr_fname:	TEXACO
edr_fadd1:	598 1ST
City,State,Zip:	SAN JOSE, CA
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-1881

K57 **FORMER TEXACO STATION** **CA LUST** **S103881051**
SSW **598 S 1ST ST** **CA HIST LUST** **N/A**
1/8-1/4 **SAN JOSE, CA 95112**
0.194 mi.
1026 ft. **Site 2 of 7 in cluster K**

Relative:
Higher

Actual:
101 ft.

LUST REG 2:

Region:	2
Facility Id:	Not reported
Facility Status:	Remedial action (cleanup) Underway
Case Number:	07S1E17G02f
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	5/11/1993
Pollution Characterization Began:	5/11/1993
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	3/27/2002
Date Post Remedial Action Monitoring Began:	Not reported

LUST SANTA CLARA:

Name:	FORMER TEXACO STATION
Address:	598 S 1ST ST
City,State,Zip:	SAN JOSE, CA
Region:	SANTA CLARA
SCVWD ID:	07S1E17G02F
Date Closed:	Not reported
EDR Link ID:	07S1E17G02F

HIST LUST SANTA CLARA:

Name:	Former Texaco Station
Address:	598 S 1st St
City:	San Jose
Region:	SANTA CLARA
Region Code:	2
SCVWD ID:	07S1E17G02
Oversite Agency:	SCCDEH
Date Listed:	1994-03-04 00:00:00
Closed Date:	Not reported

K58 **FORMER TEXACO STATION** **CA LUST** **S106203321**
SSW **598 S. FIRST STREET** **CA Cortese** **N/A**
1/8-1/4 **SAN JOSE, CA 95112** **CA WDS**
0.194 mi. **CA CERS**
1026 ft. **Site 3 of 7 in cluster K**

Relative:
Higher

Actual:
101 ft.

LUST:

Name:	FORMER TEXACO STATION
Address:	598 S. FIRST STREET
City,State,Zip:	SAN JOSE, CA 95112
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501801
Global Id:	T0608501801
Latitude:	37.3273333333333
Longitude:	-121.8837
Status:	Open - Site Assessment
Status Date:	02/21/2011
Case Worker:	GOR
RB Case Number:	14-225
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	07S1E17G02f
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	MTBE / TBA / Other Fuel Oxygenates, Gasoline
Site History:	The first soil borings were drilled onsite in may 1993. 5 soil borings (B1 through B5) were drilled near the former dispenser islands, gasoline USTs and the "unknown featur" at the reas of the building. Petroleum hydrocarbons were detected in both soil and groundwter samples from the soil borings. In August 1994, 7 additional soil borings (SB1 through SB7) were advanced onsite. 4 were completed as groundwater monitoring wells (MW1 through MW4). TPHg was reported in groundwater from well MW1 at 50,000 ppb. In July 1999, 9 geoprobe borings (GP1 through GP9) were advanced for the collection of soil and groundwater samples. In December 2000, 4 wells (MW5 through MW8) were installed on and offsite. In October 2004, a two-phase extraction system (TPET) was installed at the site. In the fourth quarter 2008, the TPET system was replaced with a new dual-phase extraction and treatment (DPET) system. Remediation and monitoring are ongoing.

LUST:

Global Id:	T0608501801
Contact Type:	Local Agency Caseworker
Contact Name:	Gerald O'Regan
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 BERGER DRIVE STE 300
City:	SAN JOSE
Email:	gerald.o'regan@deh.sccgov.org
Phone Number:	Not reported

LUST:

Global Id:	T0608501801
Action Type:	Other
Date:	05/11/1993
Action:	Leak Discovery
Global Id:	T0608501801
Action Type:	RESPONSE

FORMER TEXACO STATION (Continued) **S106203321**

Date: 04/30/2011
Action: Monitoring Report - Semi-Annually

Global Id: T0608501801
Action Type: RESPONSE
Date: 11/30/2011
Action: Monitoring Report - Semi-Annually

Global Id: T0608501801
Action Type: RESPONSE
Date: 01/30/2011
Action: Remedial Progress Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 04/30/2011
Action: Remedial Progress Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 07/30/2011
Action: Remedial Progress Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 10/30/2011
Action: Remedial Progress Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 11/30/2011
Action: Soil and Water Investigation Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 01/30/2018
Action: Monitoring Report - Quarterly

Global Id: T0608501801
Action Type: RESPONSE
Date: 11/22/2002
Action: Other Report / Document

Global Id: T0608501801
Action Type: RESPONSE
Date: 05/25/1993
Action: Preliminary Site Assessment Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 08/08/2005
Action: Remedial Progress Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 07/30/2017
Action: Monitoring Report - Quarterly

FORMER TEXACO STATION (Continued) **S106203321**

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 06/25/1996
Action: Notice of Responsibility - #39834

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 11/18/1997
Action: Staff Letter - #25624

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 05/18/2000
Action: Staff Letter - #25632

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 03/27/2002
Action: Staff Letter - #20723

Global Id: T0608501801
Action Type: RESPONSE
Date: 10/30/2016
Action: Monitoring Report - Semi-Annually

Global Id: T0608501801
Action Type: RESPONSE
Date: 07/10/2017
Action: Other Report / Document

Global Id: T0608501801
Action Type: RESPONSE
Date: 04/30/2012
Action: Monitoring Report - Semi-Annually

Global Id: T0608501801
Action Type: RESPONSE
Date: 10/30/2012
Action: Monitoring Report - Semi-Annually

Global Id: T0608501801
Action Type: RESPONSE
Date: 05/18/2012
Action: Soil and Water Investigation Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 04/30/2017
Action: Monitoring Report - Semi-Annually

Global Id: T0608501801
Action Type: RESPONSE
Date: 07/23/2015
Action: Email Correspondence

Global Id: T0608501801
Action Type: RESPONSE

FORMER TEXACO STATION (Continued) **S106203321**

Date: 07/15/2015
Action: Correspondence

Global Id: T0608501801
Action Type: RESPONSE
Date: 12/09/2016
Action: Soil and Water Investigation Workplan

Global Id: T0608501801
Action Type: RESPONSE
Date: 02/17/2017
Action: Soil Vapor Intrusion Investigation Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 01/31/2011
Action: Soil and Water Investigation Workplan - Regulator Responded

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 06/03/2005
Action: Other Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 12/07/2012
Action: Soil Vapor Intrusion Investigation Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 01/30/2013
Action: Monitoring Report - Quarterly

Global Id: T0608501801
Action Type: RESPONSE
Date: 04/30/2013
Action: Monitoring Report - Quarterly

Global Id: T0608501801
Action Type: RESPONSE
Date: 11/02/2012
Action: Other Report / Document

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 06/17/2009
Action: Staff Letter

Global Id: T0608501801
Action Type: RESPONSE
Date: 12/31/2018
Action: Other Report / Document

Global Id: T0608501801
Action Type: RESPONSE
Date: 07/09/2018
Action: Clean Up Fund - 5-Year Review Summary

FORMER TEXACO STATION (Continued) **S106203321**

Global Id: T0608501801
Action Type: RESPONSE
Date: 11/30/2017
Action: Well Destruction Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 01/25/2013
Action: Other Workplan - Regulator Responded

Global Id: T0608501801
Action Type: RESPONSE
Date: 08/05/2013
Action: Soil and Water Investigation Workplan - Regulator Responded

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 11/08/2010
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 04/14/2008
Action: Staff Letter - #804140

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 12/28/2016
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 04/07/2017
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 06/07/2016
Action: Staff Letter

Global Id: T0608501801
Action Type: RESPONSE
Date: 05/30/2013
Action: Site Assessment Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 04/30/2009
Action: Monitoring Report - Quarterly

Global Id: T0608501801
Action Type: RESPONSE
Date: 12/04/2012
Action: Soil Vapor Intrusion Investigation Report

Global Id: T0608501801
Action Type: RESPONSE

FORMER TEXACO STATION (Continued) **S106203321**

Date:	04/30/2013
Action:	Remedial Investigation Workplan - Regulator Responded
Global Id:	T0608501801
Action Type:	RESPONSE
Date:	01/30/2015
Action:	CAP/RAP - Other Report - Regulator Responded
Global Id:	T0608501801
Action Type:	ENFORCEMENT
Date:	05/07/2009
Action:	Staff Letter
Global Id:	T0608501801
Action Type:	ENFORCEMENT
Date:	10/04/2016
Action:	Staff Letter
Global Id:	T0608501801
Action Type:	ENFORCEMENT
Date:	03/29/2016
Action:	Staff Letter
Global Id:	T0608501801
Action Type:	Other
Date:	05/25/1993
Action:	Leak Reported
Global Id:	T0608501801
Action Type:	RESPONSE
Date:	04/30/2014
Action:	Monitoring Report - Semi-Annually
Global Id:	T0608501801
Action Type:	RESPONSE
Date:	06/03/2013
Action:	Other Report / Document
Global Id:	T0608501801
Action Type:	RESPONSE
Date:	07/25/2014
Action:	Site Assessment Report
Global Id:	T0608501801
Action Type:	RESPONSE
Date:	10/30/2013
Action:	Monitoring Report - Semi-Annually
Global Id:	T0608501801
Action Type:	RESPONSE
Date:	06/01/2015
Action:	Remedial Progress Report
Global Id:	T0608501801
Action Type:	RESPONSE
Date:	05/20/1994
Action:	Other Workplan

FORMER TEXACO STATION (Continued) **S106203321**

Global Id: T0608501801
Action Type: RESPONSE
Date: 11/30/2016
Action: Remedial Progress Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 10/30/2016
Action: Other Report / Document

Global Id: T0608501801
Action Type: RESPONSE
Date: 10/30/2017
Action: Monitoring Report - Quarterly

Global Id: T0608501801
Action Type: RESPONSE
Date: 06/09/2017
Action: Other Report / Document

Global Id: T0608501801
Action Type: RESPONSE
Date: 01/30/2013
Action: Monitoring Report - Quarterly

Global Id: T0608501801
Action Type: RESPONSE
Date: 06/03/2016
Action: CAP/RAP - Final Remediation / Design Plan - Regulator Responded

Global Id: T0608501801
Action Type: RESPONSE
Date: 08/31/2016
Action: Risk Assessment Report - Regulator Responded

Global Id: T0608501801
Action Type: RESPONSE
Date: 07/30/2017
Action: Other Report / Document - Regulator Responded

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 03/30/2016
Action: Staff Letter

Global Id: T0608501801
Action Type: RESPONSE
Date: 10/30/2008
Action: Monitoring Report - Quarterly

Global Id: T0608501801
Action Type: RESPONSE
Date: 07/30/2008
Action: Monitoring Report - Quarterly

Global Id: T0608501801
Action Type: RESPONSE

FORMER TEXACO STATION (Continued) **S106203321**

Date: 01/30/2009
Action: Monitoring Report - Quarterly

Global Id: T0608501801
Action Type: RESPONSE
Date: 05/22/2000
Action: Monitoring Report - Quarterly

Global Id: T0608501801
Action Type: RESPONSE
Date: 11/21/1997
Action: Monitoring Report - Quarterly

Global Id: T0608501801
Action Type: RESPONSE
Date: 03/31/2014
Action: Correspondence

Global Id: T0608501801
Action Type: RESPONSE
Date: 04/30/2015
Action: Monitoring Report - Semi-Annually

Global Id: T0608501801
Action Type: RESPONSE
Date: 03/09/2015
Action: Email Correspondence

Global Id: T0608501801
Action Type: REMEDIATION
Date: 01/14/2005
Action: In Situ Physical/Chemical Treatment (other than SVE)

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 07/07/2011
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 02/11/2011
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 12/16/2010
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 12/30/2011
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 06/19/2013
Action: Staff Letter

FORMER TEXACO STATION (Continued) **S106203321**

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 06/08/2012
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 05/31/2012
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 12/05/2012
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 10/01/2013
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 05/01/2013
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 08/03/2012
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 05/14/2012
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 08/13/2013
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 09/24/2013
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 07/07/2017
Action: Staff Letter

Global Id: T0608501801
Action Type: RESPONSE
Date: 04/30/2009
Action: Monitoring Report - Quarterly

Global Id: T0608501801
Action Type: RESPONSE

FORMER TEXACO STATION (Continued) **S106203321**

Date: 10/30/2009
Action: Remedial Progress Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 04/30/2010
Action: Remedial Progress Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 01/30/2010
Action: Remedial Progress Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 07/30/2010
Action: Remedial Progress Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 10/30/2010
Action: Monitoring Report - Semi-Annually

Global Id: T0608501801
Action Type: RESPONSE
Date: 07/30/2009
Action: Remedial Progress Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 10/30/2015
Action: Monitoring Report - Semi-Annually

Global Id: T0608501801
Action Type: RESPONSE
Date: 06/30/2015
Action: Email Correspondence

Global Id: T0608501801
Action Type: RESPONSE
Date: 10/30/2014
Action: Monitoring Report - Semi-Annually

Global Id: T0608501801
Action Type: RESPONSE
Date: 07/10/2018
Action: Other Report / Document

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 01/28/2013
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 02/03/2014
Action: Staff Letter

FORMER TEXACO STATION (Continued) **S106203321**

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 01/29/2014
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 02/19/2015
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 06/04/2015
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 03/24/2015
Action: Notice of Responsibility

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 07/28/2015
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 05/09/2014
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 07/24/2017
Action: Staff Letter

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 07/25/2017
Action: Staff Letter

Global Id: T0608501801
Action Type: RESPONSE
Date: 10/30/2009
Action: Monitoring Report - Semi-Annually

Global Id: T0608501801
Action Type: RESPONSE
Date: 04/30/2010
Action: Monitoring Report - Semi-Annually

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 11/12/2014
Action: Staff Letter

Global Id: T0608501801
Action Type: RESPONSE

FORMER TEXACO STATION (Continued) **S106203321**

Date: 07/11/2014
Action: Correspondence

Global Id: T0608501801
Action Type: RESPONSE
Date: 11/30/2015
Action: Pilot Study/ Treatability Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 07/30/2009
Action: Remedial Progress Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 09/08/2004
Action: Other Report / Document

Global Id: T0608501801
Action Type: RESPONSE
Date: 05/15/1997
Action: Soil and Water Investigation Report

Global Id: T0608501801
Action Type: REMEDIATION
Date: 03/12/2010
Action: Pump & Treat (P&T) Groundwater

Global Id: T0608501801
Action Type: RESPONSE
Date: 09/14/2000
Action: Other Report / Document

Global Id: T0608501801
Action Type: RESPONSE
Date: 05/15/2000
Action: CAP/RAP - Other Report

Global Id: T0608501801
Action Type: RESPONSE
Date: 01/01/1994
Action: Correspondence

Global Id: T0608501801
Action Type: RESPONSE
Date: 07/22/1996
Action: Monitoring Report - Quarterly

Global Id: T0608501801
Action Type: RESPONSE
Date: 06/03/2005
Action: Other Report / Document

Global Id: T0608501801
Action Type: RESPONSE
Date: 01/01/1998
Action: Other Report / Document

FORMER TEXACO STATION (Continued) **S106203321**

Global Id: T0608501801
Action Type: RESPONSE
Date: 11/13/2007
Action: Other Report / Document

Global Id: T0608501801
Action Type: RESPONSE
Date: 03/04/2005
Action: NPDES / WDR Reports

Global Id: T0608501801
Action Type: RESPONSE
Date: 06/04/2012
Action: Other Report / Document

Global Id: T0608501801
Action Type: ENFORCEMENT
Date: 03/02/2006
Action: Staff Letter - #602030

LUST:
Global Id: T0608501801
Status: Open - Case Begin Date
Status Date: 05/11/1993

Global Id: T0608501801
Status: Open - Remediation
Status Date: 01/14/2005

Global Id: T0608501801
Status: Open - Site Assessment
Status Date: 05/11/1993

Global Id: T0608501801
Status: Open - Site Assessment
Status Date: 02/21/2011

CORTESE:
Name: FORMER TEXACO STATION
Address: 598 S. FIRST STREET
City,State,Zip: SAN JOSE, CA 95112
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608501801
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: OPEN - SITE ASSESSMENT
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported

FORMER TEXACO STATION (Continued) **S106203321**

Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

WDS:

Name:	598 S. 1ST. ST. (SS#21-1286)
Address:	598 S First St.
City:	SAN JOSE
Facility ID:	San Francisco Bay 438620001
Facility Type:	Other - Does not fall into the category of Municipal/Domestic, Industrial, Agricultural or Solid Waste (Class I, II or III)
Facility Status:	Active - Any facility with a continuous or seasonal discharge that is under Waste Discharge Requirements.
NPDES Number:	CAG912002 The 1st 2 characters designate the state. The remaining 7 are assigned by the Regional Board
Subregion:	2
Facility Telephone:	9169793862
Facility Contact:	Garrett Turner (SAIC)
Agency Name:	CHEVRONTEXACO
Agency Address:	P.O. Box 6012
Agency City,St,Zip:	San Ramon 94583
Agency Contact:	Mark Lafferty Project Manager
Agency Telephone:	9258428953
Agency Type:	Private
SIC Code:	5541
SIC Code 2:	Not reported
Primary Waste Type:	Designated/Influent or Solid Wastes that pose a significant threat to water quality because of their high concentrations (E.G., BOD, Hardness, TRF, Chloride). 'Manageable' hazardous wastes (E.G., inorganic salts and heavy metals) are included in this category.
Primary Waste:	CNWTRS
Waste Type2:	Not reported
Waste2:	Contaminated Ground Water
Primary Waste Type:	Designated/Influent or Solid Wastes that pose a significant threat to water quality because of their high concentrations (E.G., BOD, Hardness, TRF, Chloride). 'Manageable' hazardous wastes (E.G., inorganic salts and heavy metals) are included in this category.
Secondary Waste:	Not reported
Secondary Waste Type:	Not reported
Design Flow:	0
Baseline Flow:	0
Reclamation:	No reclamation requirements associated with this facility.
POTW:	The facility is not a POTW.
Treat To Water:	Moderate Threat to Water Quality. A violation could have a major adverse impact on receiving biota, can cause aesthetic impairment to a significant human population, or render unusable a potential domestic or municipal water supply. Awsthetic impairment would include nuisance from a waste treatment facility.
Complexity:	Category B - Any facility having a physical, chemical, or biological waste treatment system (except for septic systems with subsurface disposal), or any Class II or III disposal site, or facilities without treatment systems that are complex, such as marinas with petroleum products, solid wastes, and sewage pump out facilities.

FORMER TEXACO STATION (Continued) **S106203321**

CERS:
Name: FORMER TEXACO STATION
Address: 598 S. FIRST STREET
City,State,Zip: SAN JOSE, CA 95112
Site ID: 239952
CERS ID: T0608501801
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: Gerald O'Regan - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 BERGER DRIVE STE 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

I59 **O/B (SERVICE RENT-A-CAR INC)** **CA HAZMAT** **S115780565**
SSW **545 S MARKET ST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113**
0.209 mi.
1102 ft. **Site 3 of 7 in cluster I**

Relative: **Higher**
Actual: **100 ft.**

SAN JOSE HAZMAT:
Name: O/B (SERVICE RENT-A-CAR INC)
Address: 545 S MARKET ST
City,State,Zip: SAN JOSE, CA 95113-2827
Date of Data: AS OF 02/07/2014
Region: SAN JOSE
File Num: 409361
Class: Auto Wrecking/Misc Simple Facility

I60 **OUT OF BUSINESS** **CA HAZNET** **S118209243**
SSW **545 S MARKET ST** **CA HAZMAT** **N/A**
1/8-1/4 **SAN JOSE, CA 95113**
0.209 mi.
1102 ft. **Site 4 of 7 in cluster I**

Relative: **Higher**
Actual: **100 ft.**

HAZNET:
Name: 60 PIERCE-SAN JOSE, LLC
Address: 545 S MARKET ST
City,State,Zip: SAN JOSE, CA 951132827
Year: 2014
GEPAID: CAC002769758
Contact: TODD REGONINI
Telephone: 6503782800
Mailing Name: Not reported
Mailing Address: 901 MARINERS ISLAND BLVD STE 700
Mailing City,St,Zip: SAN MATEO, CA 944045035
Gen County: Santa Clara
TSD EPA ID: CAD980675276
TSD County: Kern
Tons: 35.4

OUT OF BUSINESS (Continued) **S118209243**

CA Waste Code: 611-Contaminated soil from site clean-up
Method: H132-Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Facility County: Santa Clara

Name: 60 PIERCE-SAN JOSE, LLC
Address: 545 S MARKET ST
City,State,Zip: SAN JOSE, CA 951132827
Year: 2014
GEPAID: CAC002769758
Contact: TODD REGONINI
Telephone: 6503782800
Mailing Name: Not reported
Mailing Address: 901 MARINERS ISLAND BLVD STE 700
Mailing City,St,Zip: SAN MATEO, CA 944045035
Gen County: Santa Clara
TSD EPA ID: CAL000190816
TSD County: Stanislaus
Tons: 0.39615
CA Waste Code: 223-Unspecified oil-containing waste
Method: H141-Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Facility County: Santa Clara

Name: 60 PIERCE-SAN JOSE, LLC
Address: 545 S MARKET ST
City,State,Zip: SAN JOSE, CA 951132827
Year: 2014
GEPAID: CAC002769758
Contact: TODD REGONINI
Telephone: 6503782800
Mailing Name: Not reported
Mailing Address: 901 MARINERS ISLAND BLVD STE 700
Mailing City,St,Zip: SAN MATEO, CA 944045035
Gen County: Santa Clara
TSD EPA ID: CAL000190816
TSD County: Stanislaus
Tons: 0.703
CA Waste Code: 221-Waste oil and mixed oil
Method: H141-Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Facility County: Santa Clara

SAN JOSE HAZMAT:
Name: OUT OF BUSINESS
Address: 545 S MARKET ST
City,State,Zip: SAN JOSE, CA 95113
Region: SAN JOSE
File Num: 409361
Class: Auto Wrecking/Misc Simple Facility

I61 **SERVICE RENT-A-CAR** **CA CUPA Listings** **S121469997**
SSW **545 S MARKET ST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113**
0.209 mi.
1102 ft. **Site 5 of 7 in cluster I**

Relative:
Higher

Actual:
100 ft.

CUPA SANTA CLARA:

Name:	SERVICE RENT-A-CAR
Address:	545 S MARKET ST
City,State,Zip:	SAN JOSE, CA 95113
Region:	SANTA CLARA
PE#:	2201
Program Description:	GENERATES WASTE OIL ONLY
Latitude:	37.327546
Longitude:	-121.884467
Record ID:	PR0317168
Facility ID:	FA0209982

J62 **MARKET AUTO ELECTRIC** **CA CUPA Listings** **S121472144**
WSW **402 S MARKET ST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113**
0.210 mi.
1107 ft. **Site 8 of 10 in cluster J**

Relative:
Higher

Actual:
99 ft.

CUPA SANTA CLARA:

Name:	MARKET AUTO ELECTRIC
Address:	402 S MARKET ST
City,State,Zip:	SAN JOSE, CA 95113
Region:	SANTA CLARA
PE#:	2202
Program Description:	GENERATES < 100 KG/YR
Latitude:	37.329585
Longitude:	-121.886803
Record ID:	PR0367447
Facility ID:	FA0252441

I63 **MERRY OLDSMOBILE** **CA HIST CORTESE** **S103957331**
SW **525 MARKET** **N/A**
1/8-1/4 **SAN JOSE, CA**
0.211 mi.
1113 ft. **Site 6 of 7 in cluster I**

Relative:
Higher

Actual:
100 ft.

HIST CORTESE:

edr_fname:	MERRY OLDSMOBILE
edr_fadd1:	525 MARKET
City,State,Zip:	SAN JOSE, CA
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-0885

I64 **MERRY OLDSMOBILE** **CA LUST** **U001602684**
SW **525 S MARKET ST** **CA HIST LUST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113** **CA HIST UST**
0.211 mi. **CA CERS**
1113 ft. **Site 7 of 7 in cluster I**

Relative:
Higher

Actual:
100 ft.

LUST:

Name:	MERRY OLDSMOBILE
Address:	525 S MARKET ST
City,State,Zip:	SAN JOSE, CA 95113
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608500894
Global Id:	T0608500894
Latitude:	37.3276318253637
Longitude:	-121.885049343109
Status:	Completed - Case Closed
Status Date:	06/02/1997
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0608500894
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608500894
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

LUST:

Global Id:	T0608500894
Action Type:	Other
Date:	09/12/1990
Action:	Leak Reported

Global Id:	T0608500894
Action Type:	ENFORCEMENT
Date:	10/02/1996
Action:	Notice of Responsibility - #39823

Global Id:	T0608500894
Action Type:	ENFORCEMENT

MERRY OLDSMOBILE (Continued) **U001602684**

Date: 06/02/1997
Action: Closure/No Further Action Letter

Global Id: T0608500894
Action Type: RESPONSE
Date: 06/02/1997
Action: Other Report / Document

LUST:
Global Id: T0608500894
Status: Completed - Case Closed
Status Date: 06/02/1997

Global Id: T0608500894
Status: Open - Case Begin Date
Status Date: 01/03/1989

Global Id: T0608500894
Status: Open - Site Assessment
Status Date: 01/03/1989

Global Id: T0608500894
Status: Open - Site Assessment
Status Date: 10/15/1990

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E17B01f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 1/3/1989
Pollution Characterization Began: 10/15/1990
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: MERRY OLDSMOBILE
Address: 525 S MARKET ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E17B01F
Date Closed: 06/02/1997
EDR Link ID: 07S1E17B01F

HIST LUST SANTA CLARA:
Name: Merry Oldsmobile
Address: 525 S Market St

MERRY OLDSMOBILE (Continued) **U001602684**

City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E17B01
Oversite Agency: SCVWD
Date Listed: 1991-01-01 00:00:00
Closed Date: 1997-06-02 00:00:00

HIST UST:
Name: MERRY OLDSMOBILE
Address: 525 S MARKET ST
City,State,Zip: SAN JOSE, CA 95113
File Number: Not reported
URL: Not reported
Region: STATE
Facility ID: 00000008655
Facility Type: Other
Other Type: AUTO DEALER
Contact Name: DEALER
Telephone: 4082983969
Owner Name: MERRY OLDSMOBILE
Owner Address: 525 S. MARKET ST
Owner City,St,Zip: SAN JOSE, CA 95113
Total Tanks: 0000

Tank Num: 001
Container Num: 1
Year Installed: Not reported
Tank Capacity: 00001000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: 1
Year Installed: Not reported
Tank Capacity: 00001000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

CERS:
Name: MERRY OLDSMOBILE
Address: 525 S MARKET ST
City,State,Zip: SAN JOSE, CA 95113
Site ID: 240551
CERS ID: T0608500894
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE

MERRY OLDSMOBILE (Continued) **U001602684**

Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	4089183400
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

L65 **SJ SILICON VALLEY CHAMB OF COM** **CA CUPA Listings** **S121471816**
WNW **310 S FIRST ST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113**
0.214 mi.
1128 ft. **Site 1 of 6 in cluster L**

Relative: CUPA SANTA CLARA:
Lower

Name:	SJ SILICON VALLEY CHAMB OF COM
Address:	310 S FIRST ST
City,State,Zip:	SAN JOSE, CA 95113
Region:	SANTA CLARA
PE#:	2202
Program Description:	GENERATES < 100 KG/YR
Latitude:	37.331252
Longitude:	-121.886704
Record ID:	PR0364659
Facility ID:	FA0251239

Actual:
96 ft.

L66 **VALLEY TITLE CO.** **CA LUST** **S110326493**
WNW **300 S. FIRST STREET** **CA CERS** **N/A**
1/8-1/4 **SAN JOSE, CA 95113**
0.214 mi.
1128 ft. **Site 2 of 6 in cluster L**

Relative: LUST:
Lower

Name:	VALLEY TITLE CO.
Address:	300 S. FIRST STREET
City,State,Zip:	SAN JOSE, CA 95113-2828
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000002005
Global Id:	T10000002005
Latitude:	37.3315902758801
Longitude:	-121.886556744576
Status:	Completed - Case Closed
Status Date:	06/03/2011
Case Worker:	Not reported
RB Case Number:	14-806
Local Agency:	Not reported
File Location:	All Files are on GeoTracker or in the Local Agency Database

Actual:
96 ft.

VALLEY TITLE CO. (Continued) **S110326493**

Local Case Number: 07S1E08P02f
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Heating Oil / Fuel Oil
Site History: Underground heating oil tank located within the basement of the building. In 1992, a water main/line ruptured near this building and flooded the basement. The flooding caused the product to come out of the tank. The tank was taken out of service and the tank was left in place. Subsurface investigation conducted in 2010 found soil and groundwater contamination. The UST will be properly closed in place.

LUST:
Global Id: T10000002005
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:
Global Id: T10000002005
Action Type: RESPONSE
Date: 04/29/2011
Action: Electronic Reporting Submittal Due

Global Id: T10000002005
Action Type: RESPONSE
Date: 04/15/2011
Action: Correspondence

Global Id: T10000002005
Action Type: RESPONSE
Date: 04/15/2011
Action: Other Report / Document

Global Id: T10000002005
Action Type: RESPONSE
Date: 05/14/2010
Action: Soil and Water Investigation Report

Global Id: T10000002005
Action Type: RESPONSE
Date: 05/14/2010
Action: Correspondence

Global Id: T10000002005
Action Type: RESPONSE
Date: 07/28/2010
Action: Other Workplan

Global Id: T10000002005
Action Type: RESPONSE
Date: 08/18/2010
Action: Tank Removal Report / UST Sampling Report

Global Id: T10000002005

VALLEY TITLE CO. (Continued) **S110326493**

Action Type: Other
Date: 03/15/2010
Action: Leak Discovery

Global Id: T10000002005
Action Type: RESPONSE
Date: 07/02/2007
Action: Preliminary Site Assessment Report

Global Id: T10000002005
Action Type: RESPONSE
Date: 03/25/2011
Action: Correspondence

Global Id: T10000002005
Action Type: RESPONSE
Date: 04/04/2011
Action: Soil and Water Investigation Report

Global Id: T10000002005
Action Type: RESPONSE
Date: 10/18/2010
Action: Other Report / Document

Global Id: T10000002005
Action Type: RESPONSE
Date: 08/16/2010
Action: Tank Removal Report / UST Sampling Report

Global Id: T10000002005
Action Type: RESPONSE
Date: 07/02/2007
Action: Preliminary Site Assessment Report

Global Id: T10000002005
Action Type: Other
Date: 04/28/2010
Action: Leak Reported

Global Id: T10000002005
Action Type: ENFORCEMENT
Date: 05/06/2010
Action: Notice of Responsibility

Global Id: T10000002005
Action Type: ENFORCEMENT
Date: 07/29/2010
Action: Staff Letter

Global Id: T10000002005
Action Type: ENFORCEMENT
Date: 03/02/2011
Action: Staff Letter

Global Id: T10000002005
Action Type: ENFORCEMENT
Date: 06/03/2011

VALLEY TITLE CO. (Continued) **S110326493**

Action: Closure/No Further Action Letter

Global Id: T10000002005
Action Type: Other
Date: 10/01/1992
Action: Leak Began

Global Id: T10000002005
Action Type: RESPONSE
Date: 12/31/2010
Action: Preliminary Site Assessment Report

LUST:
Global Id: T10000002005
Status: Completed - Case Closed
Status Date: 05/06/2010

Global Id: T10000002005
Status: Completed - Case Closed
Status Date: 06/03/2011

Global Id: T10000002005
Status: Open - Case Begin Date
Status Date: 10/01/1992

Global Id: T10000002005
Status: Open - Site Assessment
Status Date: 05/06/2010

LUST SANTA CLARA:
Name: VALLEY TITLE CO.
Address: 300 S. FIRST ST.
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E08P02F
Date Closed: 06/03/2011
EDR Link ID: 07S1E08P02F

CERS:
Name: VALLEY TITLE CO.
Address: 300 S. FIRST STREET
City,State,Zip: SAN JOSE, CA 95113-2828
Site ID: 187230
CERS ID: T10000002005
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported

VALLEY TITLE CO. (Continued) **S110326493**

Affiliation Phone: Not reported

M67 **THE COLONNADE** **CA HAZMAT** **S105109161**
NNW **201 S 4TH ST HIRISE** **N/A**
1/8-1/4 **SAN JOSE, CA 95112**
0.217 mi.
1145 ft. **Site 1 of 3 in cluster M**

Relative:
Lower

Actual:
91 ft.

SAN JOSE HAZMAT:
Name: THE COLONNADE
Address: 201 S 4TH ST HIRISE
City,State,Zip: SAN JOSE, CA 95112
Region: SAN JOSE
File Num: 403611
Class: Auto Wrecking/Misc Simple Facility

M68 **COLONNADE APARTMENTS, THE** **CA CUPA Listings** **S111076582**
NNW **201 S 4TH ST** **CA CERS** **N/A**
1/8-1/4 **SAN JOSE, CA 95123**
0.217 mi.
1145 ft. **Site 2 of 3 in cluster M**

Relative:
Lower

Actual:
91 ft.

CUPA SANTA CLARA:
Name: COLONNADE APARTMENTS, THE
Address: 201 S 4TH ST
City,State,Zip: SAN JOSE, CA 95123
Region: SANTA CLARA
PE#: Not reported
Program Description: HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.333284
Longitude: -121.884499
Record ID: PR0402209
Facility ID: FA0270214

CERS:
Name: COLONNADE APARTMENTS, THE
Address: 201 S 4TH ST
City,State,Zip: SAN JOSE, CA 95123
Site ID: 20919
CERS ID: 10348738
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 20919
Site Name: COLONNADE APARTMENTS, THE
Violation Date: 10-05-2016
Citation: HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description: Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes: No annual training in safety procedures has been documented. Ensure that annual training for employees covers all the content in the Hazardous Materials Business Plan and is documented.

COLONNADE APARTMENTS, THE (Continued) **S111076582**

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 20919
Site Name: COLONNADE APARTMENTS, THE
Violation Date: 10-05-2016
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Facility's last HMBP submittal was via hardcopy 5/17/12. You may submit a HMBP electronically at https://frontcounter.sccgov.org/scc/frontcounter.html by completing the following sections: - Regulated Activities - Owner Operator ID - Chemical Inventory - Emergency Response and Training Plan - Facility Maps (template available by request) If you would like assistance with submitting you HMBP, you may contact either of our Hazardous Materials Technicians, Michelle Santos at (408) 918-1981, michelle.santos@cep.sccgov.org or Myra Reichardt at (408) 918-1984, myra.reichardt@cep.sccgov.org.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 20919
Site Name: COLONNADE APARTMENTS, THE
Violation Date: 10-05-2016
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Site map is missing the following elements: - hazardous materials storage areas - emergency evacuation assembly areas - storm drain locations - utility shut off locations (electric, gas, water)
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-05-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On site to conduct a routine hazardous materials business plan inspection. CERS ID: 10348738 Facility has 1 reportable chemical on site: 300 gallons diesel fuel Facility is correctly permitted at BP01
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Affiliation:
Affiliation Type Desc: Legal Owner
Entity Name: G & K MANAGEMENT CO INC
Entity Title: Not reported

COLONNADE APARTMENTS, THE (Continued) **S111076582**

Affiliation Address:	5150 OVERLAND AVE
Affiliation City:	CULVER CITY
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90231
Affiliation Phone:	(310) 204-2050
Affiliation Type Desc:	Property Owner
Entity Name:	GK Management Co., Inc.
Entity Title:	Not reported
Affiliation Address:	5150 Overland Avenue
Affiliation City:	Culver City
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90230
Affiliation Phone:	(310) 204-2050
Affiliation Type Desc:	Environmental Contact
Entity Name:	MAHAN PARVIZI
Entity Title:	Not reported
Affiliation Address:	201 S 4TH ST #100
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	COLONNADE APARTMENTS, THE
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Mahan Parvizi
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Mahan Parvizi
Entity Title:	Maintenance Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

COLONNADE APARTMENTS, THE (Continued) **S111076582**

Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	201 S 4TH ST #100
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112
Affiliation Phone:	Not reported

Affiliation Type Desc:	Operator
Entity Name:	MAHAN PARVIZI
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(650) 404-7266

M69 **AT&T MOBILITY CENTRAL SJ #116606** **CA HAZMAT** **S115780698**
NNW **201 S 4TH ST CELL** **N/A**
1/8-1/4 **SAN JOSE, CA 95112**
0.217 mi.
1145 ft. **Site 3 of 3 in cluster M**

Relative:
Lower

Actual:
91 ft.

SAN JOSE HAZMAT:

Name:	AT&T MOBILITY CENTRAL SJ #116606
Address:	201 S 4TH ST CELL
City,State,Zip:	SAN JOSE, CA 95112
Region:	SAN JOSE
File Num:	601889
Class:	Not reported

K70 **FIRESTONE BUILDING** **CA HIST CORTESE** **S101309369**
SSW **599 1ST** **N/A**
1/8-1/4 **SAN JOSE, CA**
0.221 mi.
1165 ft. **Site 4 of 7 in cluster K**

Relative:
Higher

Actual:
101 ft.

HIST CORTESE:

edr_fname:	FIRESTONE BUILDING
edr_fadd1:	599 1ST
City,State,Zip:	SAN JOSE, CA
Region:	CORTESE

FIRESTONE BUILDING (Continued) **S101309369**

Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-0582

L71 **CALIFORNIA THEATER** **RCRA-SQG** **1019899640**
West **345 S FIRST ST** **FINDS** **CAR000267492**
1/8-1/4 **SAN JOSE, CA 95113** **ECHO**
0.224 mi.
1185 ft. **Site 3 of 6 in cluster L**

Relative:
Higher

Actual:
98 ft.

RCRA-SQG:
Date form received by agency: 02/28/2018
Facility name: CALIFORNIA THEATER
Facility address: 345 S FIRST ST
SAN JOSE, CA 95113
EPA ID: CAR000267492
Mailing address: ALMADEN BLVD
SAN JOSE, CA 95110
Contact: THOMAS A GALLAGHER
Contact address: ALMADEN BLVD
SAN JOSE, CA 95110
Contact country: US
Contact telephone: 408-792-4123
Contact email: TGALLAGHER@SANJOSE.ORG
EPA Region: 09
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: TEAM SAN JOSE
Owner/operator address: ALMADEN BLVD
SAN JOSE, CA 95110
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 07/01/2004
Owner/Op end date: Not reported

Owner/operator name: SUCCESSOR AGCY TO REDEVELOPMENT AGCY SJ
Owner/operator address: EAST SANTA CLARA ST, 13TH FLR
SAN JOSE, CA 95113
Owner/operator country: US
Owner/operator telephone: 408-535-3500
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: 01/01/2000

CALIFORNIA THEATER (Continued) **1019899640**

Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 09/27/2016
Site name: CALIFORNIA THEATER
Classification: Small Quantity Generator

Hazardous Waste Summary:

. Waste code: 151
. Waste name: Asbestos-containing waste

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

FINDS:

Registry ID: 110070124618

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1019899640
Registry ID: 110070124618
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110070124618

L72 **FOX CALIFORNIA THEATER** **CA LUST** **S105193425**
West **345 S 1ST ST** **CA HIST LUST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113** **CA CERS**
0.224 mi.
1185 ft. **Site 4 of 6 in cluster L**

Relative:
Higher

Actual:
98 ft.

LUST:

Name:	FOX CALIFORNIA THEATER
Address:	345 S 1ST ST
City,State,Zip:	SAN JOSE, CA 95113
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608504232
Global Id:	T0608504232
Latitude:	37.330557
Longitude:	-121.88735
Status:	Completed - Case Closed
Status Date:	02/07/2002
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0608504232
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608504232
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

LUST:

Global Id:	T0608504232
Action Type:	RESPONSE
Date:	04/19/1994
Action:	Other Report / Document

Global Id:	T0608504232
Action Type:	RESPONSE
Date:	12/12/2002
Action:	Monitoring Report - Quarterly

Global Id:	T0608504232
Action Type:	ENFORCEMENT

FOX CALIFORNIA THEATER (Continued) **S105193425**

Date: 02/15/2002
Action: Closure/No Further Action Letter

Global Id: T0608504232
Action Type: Other
Date: 09/04/2001
Action: Leak Reported

Global Id: T0608504232
Action Type: REMEDIATION
Date: 08/23/2001
Action: Excavation

Global Id: T0608504232
Action Type: RESPONSE
Date: 11/09/2001
Action: Verbal Communication

Global Id: T0608504232
Action Type: RESPONSE
Date: 10/08/2007
Action: Well Destruction Report

Global Id: T0608504232
Action Type: RESPONSE
Date: 11/09/2001
Action: Request for Closure

Global Id: T0608504232
Action Type: RESPONSE
Date: 09/04/2001
Action: Unauthorized Release Form

Global Id: T0608504232
Action Type: RESPONSE
Date: 09/26/2001
Action: Tank Removal Report / UST Sampling Report

LUST:
Global Id: T0608504232
Status: Completed - Case Closed
Status Date: 02/07/2002

Global Id: T0608504232
Status: Open - Case Begin Date
Status Date: 08/23/2001

Global Id: T0608504232
Status: Open - Site Assessment
Status Date: 08/23/2001

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed

FOX CALIFORNIA THEATER (Continued) **S105193425**

Case Number: 07S1E08P01f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 8/23/2001
Pollution Characterization Began: 8/23/2001
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: FOX CALIFORNIA THEATER
Address: 345 S 1ST ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E08P01F
Date Closed: 02/07/2002
EDR Link ID: 07S1E08P01F

HIST LUST SANTA CLARA:
Name: Fox California Theater
Address: 345 S 1st St
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E08P01
Oversite Agency: SCVWD
Date Listed: 2001-12-19 00:00:00
Closed Date: 2002-02-07 00:00:00

CERS:
Name: FOX CALIFORNIA THEATER
Address: 345 S 1ST ST
City,State,Zip: SAN JOSE, CA 95113
Site ID: 254314
CERS ID: T0608504232
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400

FOX CALIFORNIA THEATER (Continued) **S105193425**

Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

J73 **SJRA-CONVENTION CENTER** **CA LUST** **S103881043**
WSW **S MARKET ST @ VIOLA AVE** **CA HIST LUST** **N/A**
1/8-1/4 **SAN JOSE, CA 95110** **CA CERS**
0.226 mi.
1195 ft. **Site 9 of 10 in cluster J**

Relative:
Higher

Actual:
98 ft.

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E17C03f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 3/8/1985
Pollution Characterization Began: 3/8/1985
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

HIST LUST SANTA CLARA:
Name: SJRA-Convention Center
Address: S Market St @ Viola Ave
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E17C03
Oversite Agency: SCVWD
Date Listed: 1986-01-01 00:00:00
Closed Date: 1997-09-16 00:00:00

CERS:
Name: SJRA-CONVENTION CENTER
Address: S MARKET ST @ VIOLA AVE
City,State,Zip: SAN JOSE, CA 95110
Site ID: 216125
CERS ID: T0608502011
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported

SJRA-CONVENTION CENTER (Continued) **S103881043**

Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

J74 **SJRA-CONVENTION CENTER** **CA LUST** **S110655401**
WSW **S MARKET ST @ VIOLA AVE** **N/A**
1/8-1/4 **SAN JOSE, CA 95110**
0.226 mi.
1195 ft. **Site 10 of 10 in cluster J**

Relative: **Higher**
Actual: **98 ft.**

LUST:
Name: SJRA-CONVENTION CENTER
Address: S MARKET ST @ VIOLA AVE
City,State,Zip: SAN JOSE, CA 95110
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608502011
Global Id: T0608502011
Latitude: 37.3293383857639
Longitude: -121.887752498198
Status: Completed - Case Closed
Status Date: 09/16/1997
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0608502011
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608502011
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported

SJRA-CONVENTION CENTER (Continued) **S110655401**

Phone Number: 4089183400

LUST:
Global Id: T0608502011
Action Type: RESPONSE
Date: 05/16/1997
Action: Soil and Water Investigation Workplan

Global Id: T0608502011
Action Type: ENFORCEMENT
Date: 09/16/1997
Action: Closure/No Further Action Letter

Global Id: T0608502011
Action Type: Other
Date: 03/27/1985
Action: Leak Reported

Global Id: T0608502011
Action Type: REMEDIATION
Date: 03/27/1985
Action: Excavation

Global Id: T0608502011
Action Type: ENFORCEMENT
Date: 10/01/1988
Action: Notice of Responsibility - #39826

Global Id: T0608502011
Action Type: ENFORCEMENT
Date: 04/03/1997
Action: Staff Letter - #25935

Global Id: T0608502011
Action Type: RESPONSE
Date: 09/16/1997
Action: Other Report / Document

Global Id: T0608502011
Action Type: RESPONSE
Date: 02/03/2003
Action: Other Report / Document

LUST:
Global Id: T0608502011
Status: Completed - Case Closed
Status Date: 09/16/1997

Global Id: T0608502011
Status: Open - Case Begin Date
Status Date: 03/08/1985

Global Id: T0608502011
Status: Open - Site Assessment
Status Date: 03/08/1985

SJRA-CONVENTION CENTER (Continued) **S110655401**

LUST SANTA CLARA:
Name: SJRA-CONVENTION CENTER
Address: S MARKET ST @ VIOLA AVE
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E17C03F
Date Closed: 09/16/1997
EDR Link ID: 07S1E17C03F

N75 **TATE FAMILY COMPLETE AUTO CARE** **RCRA-SQG 1001217304**
SW **477 S MARKET ST** **FINDS CAR000031799**
1/8-1/4 **SAN JOSE, CA 95113** **ECHO**
0.228 mi.
1202 ft. **Site 1 of 5 in cluster N**

Relative: Higher
Actual: 99 ft.

RCRA-SQG:
Date form received by agency: 09/25/1997
Facility name: TATE FAMILY COMPLETE AUTO CARE
Facility address: 477 S MARKET ST
SAN JOSE, CA 95113
EPA ID: CAR000031799
Contact: LARRY TATE
Contact address: 477 S MARKET ST
SAN JOSE, CA 95113
Contact country: US
Contact telephone: 408-293-8915
Contact email: Not reported
EPA Region: 09
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: LARRY TATE
Owner/operator address: 477 S MARKET ST
SAN JOSE, CA 95113
Owner/operator country: Not reported
Owner/operator telephone: 408-293-8915
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No

TATE FAMILY COMPLETE AUTO CARE (Continued) **1001217304**

On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Hazardous Waste Summary:

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D039
. Waste name: TETRACHLOROETHYLENE

Violation Status: No violations found

FINDS:

Registry ID: 110002919227

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1001217304
Registry ID:	110002919227
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002919227

N76 **ROSE-MURTY TIRE CO.** **CA LUST** **S103881042**
SW **477 S MARKET ST** **CA HIST LUST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113** **CA CERS HAZ WASTE**
0.228 mi. **CA SWEEPS UST**
1202 ft. **Site 2 of 5 in cluster N** **CA CUPA Listings**
CA HAZMAT
Relative: **CA CERS**
Higher

Actual: LUST:
99 ft.

Name:	ROSE-MURTY TIRE CO.
Address:	477 S MARKET ST
City,State,Zip:	SAN JOSE, CA 95113
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site

ROSE-MURTY TIRE CO. (Continued) **S103881042**

Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501121
Global Id:	T0608501121
Latitude:	37.3286214575452
Longitude:	-121.886100769043
Status:	Completed - Case Closed
Status Date:	04/25/2002
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0608501121
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608501121
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

LUST:

Global Id:	T0608501121
Action Type:	RESPONSE
Date:	03/20/2002
Action:	Verbal Communication

Global Id:	T0608501121
Action Type:	RESPONSE
Date:	03/20/2002
Action:	Other Report / Document

Global Id:	T0608501121
Action Type:	RESPONSE
Date:	10/02/1997
Action:	Tank Removal Report / UST Sampling Report

Global Id:	T0608501121
Action Type:	RESPONSE
Date:	01/21/1999
Action:	Correspondence

Global Id:	T0608501121
Action Type:	RESPONSE

ROSE-MURTY TIRE CO. (Continued) **S103881042**

Date: 11/30/2001
Action: Preliminary Site Assessment Report

Global Id: T0608501121
Action Type: RESPONSE
Date: 12/07/1990
Action: Other Report / Document

Global Id: T0608501121
Action Type: RESPONSE
Date: 10/10/1991
Action: Other Report / Document

Global Id: T0608501121
Action Type: RESPONSE
Date: 03/14/1997
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608501121
Action Type: RESPONSE
Date: 03/07/2002
Action: Correspondence

Global Id: T0608501121
Action Type: RESPONSE
Date: 01/26/1990
Action: Soil and Water Investigation Workplan

Global Id: T0608501121
Action Type: RESPONSE
Date: 08/19/2000
Action: Soil and Water Investigation Report

Global Id: T0608501121
Action Type: RESPONSE
Date: 08/07/1984
Action: Unauthorized Release Form

Global Id: T0608501121
Action Type: ENFORCEMENT
Date: 04/25/2002
Action: Closure/No Further Action Letter

Global Id: T0608501121
Action Type: Other
Date: 08/07/1984
Action: Leak Reported

Global Id: T0608501121
Action Type: RESPONSE
Date: 04/19/1999
Action: Soil and Water Investigation Workplan

Global Id: T0608501121
Action Type: ENFORCEMENT
Date: 02/13/1997
Action: Notice of Responsibility - #39825

ROSE-MURTY TIRE CO. (Continued) **S103881042**

Global Id: T0608501121
Action Type: ENFORCEMENT
Date: 11/27/1989
Action: Staff Letter - #25925

Global Id: T0608501121
Action Type: ENFORCEMENT
Date: 03/05/1999
Action: Staff Letter - #25929

Global Id: T0608501121
Action Type: ENFORCEMENT
Date: 05/21/2000
Action: Staff Letter - #25932

Global Id: T0608501121
Action Type: ENFORCEMENT
Date: 05/12/2000
Action: Warning Letter - #25931

LUST:
Global Id: T0608501121
Status: Completed - Case Closed
Status Date: 04/25/2002

Global Id: T0608501121
Status: Open - Case Begin Date
Status Date: 08/07/1984

Global Id: T0608501121
Status: Open - Site Assessment
Status Date: 07/26/1990

Global Id: T0608501121
Status: Open - Site Assessment
Status Date: 12/06/2001

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E17C02f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 7/26/1990
Pollution Characterization Began: 12/6/2001
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

ROSE-MURTY TIRE CO. (Continued) **S103881042**

LUST SANTA CLARA:
Name: ROSE-MURTY TIRE CO.
Address: 477 S MARKET ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E17C02F
Date Closed: 04/25/2002
EDR Link ID: 07S1E17C02F

HIST LUST SANTA CLARA:
Name: Rose-Murty Tire Co.
Address: 477 S Market St
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E17C02
Oversite Agency: SCVWD
Date Listed: 1988-06-01 00:00:00
Closed Date: 2002-04-25 00:00:00

CERS HAZ WASTE:
Site ID: 74013
CERS ID: 10353262
CERS Description: Hazardous Waste Generator

Violations:
Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Violation Date: 08-17-2015
Citation: 22 CCR 12 66262.34(d) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(d)
Violation Description: Failure to dispose of hazardous waste within 180 days (or 270 if waste is transported over 200 miles) for the generator who generates less than 1000 kilogram per month, but more than 100 kilograms per month.
Violation Notes: - Used antifreeze tank was labeled with accumulation time of 4/16/2012. Last consolidated manifest for used antifreeze was 4/23/2012. Owner confirmed that used antifreeze has not been picked up since 4/23/2012. - Consolidated manifests were reviewed for used oil picked up 4/27/2015 (290 gal), 3/29/2014 (275 gal), and 7/9/2013 (370 gal). Owner confirmed that no other used oil pick ups occurred in the past 3 years.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Violation Date: 08-17-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: - Liquid and solidified used oil was observed in secondary containment of used oil drums. - Open pans full of used oil and used antifreeze were observed on floor of facility. - 5 x 5 gallon open buckets with liquid and solidified used oil were observed in facility
Violation Division: Santa Clara County Environmental Health

ROSE-MURTY TIRE CO. (Continued) **S103881042**

Violation Program: HW
Violation Source: CERS

Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Violation Date: 08-17-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Last submittal was 2/20/2014.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Violation Date: 08-17-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: Owner confirmed that hazardous waste storage area is inspected every 3 months.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Violation Date: 08-17-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: Owner confirmed that used antifreeze tank is inspected once per month.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Violation Date: 08-17-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: - 1 x 55 gallon drum of ATF was empty and not labeled in work area - 1 x 55 gallon drum of SAE SW-20 was empty and not labeled in work area
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Violation Date: 08-17-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: The following containers were open when not adding or removing

ROSE-MURTY TIRE CO. (Continued) **S103881042**

hazardous waste: - 1 x 30 gallon drum of used oil in work area - 2 x 30 gallon drums of used antifreeze in hazardous waste storage area - 3 open pans on top of used oil drums in hazardous waste storage area - 3 open pans of used antifreeze on work floor

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Violation Date: 08-17-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: Used oil filter drum was marked with accumulation date 10/10/2012. No consolidated manifests for used oil filters were reviewed on-site. Owner confirmed that used oil filters have not been picked up since 2012.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Violation Date: 08-17-2015
Citation: HSC 6.95 25505.1 - California Health and Safety Code, Chapter 6.95, Section(s) 25505.1
Violation Description: Failure to provide a copy of the business plan to the owner or the owner’s agent within five working days after receiving a request for a copy from the owner or the owner’s agent.
Violation Notes: Not reported
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Violation Date: 08-17-2015
Citation: 22 CCR 12 66262.40(c) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(c)
Violation Description: Failure to determine if the waste generated is a hazardous waste and to maintain analysis results for three years.
Violation Notes: 1 x 100 gallon blue tank of motor oil was observed in work area. Residual oily liquid was observed in tank. Make a hazardous waste determination of oily liquid. If determined to be hazardous waste, dispose of oily liquid as hazardous waste.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Violation Date: 08-17-2015
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the

ROSE-MURTY TIRE CO. (Continued) **S103881042**

	generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	The following containers contained illegible or incomplete label information: - 8 x 55 gallon drums of used oil. 7 x 55 gallon drums of used oil had illegible labels. 1 x 55 gallon drum had a label that was missing hazardous properties, physical state, and accumulation date. - 2 x 30 gallon drums of used coolant that were open with no lid and contained no label in hazardous waste storage area The following containers were not labeled: - 1 x 30 gallon red drum of used oil open with no label in work area - 3 open pans on top of used oil drums containing used oil with no label in hazardous waste storage area - 3 open pans of used antifreeze on work floor with no label - 3 used oil rollers with no label
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	74013
Site Name:	TATE FAMILY COMPLETE AUTO CARE
Violation Date:	08-17-2015
Citation:	40 CFR 1 262.34(d)(5)(iii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(iii)
Violation Description:	Failure to ensure employees are familiar with the handling and compliance of hazardous waste regulations and emergency response.
Violation Notes:	Due to the type and quantity of violations, owner is not adequately trained on managing hazardous waste.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	74013
Site Name:	TATE FAMILY COMPLETE AUTO CARE
Violation Date:	08-17-2015
Citation:	HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description:	Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes:	-Fire extinguishers throughout the facility had an expired date of 8/13/2014. Please get fire extinguishers tested and re-charged or replace immediately.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	74013
Site Name:	TATE FAMILY COMPLETE AUTO CARE
Violation Date:	08-17-2015
Citation:	HSC 6.5 25189.5(a) - California Health and Safety Code, Chapter 6.5, Section(s) 25189.5(a)
Violation Description:	Failure to properly dispose of hazardous waste at an authorized location.
Violation Notes:	- Paper and metal used oil filters are being combined in 4 x 55 gallon drums. Continue managing metal used oil filters accordingly, but paper used oil filters need to be separated and managed as hazardous waste (ex. "Oily Debris).
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

ROSE-MURTY TIRE CO. (Continued) **S103881042**

Site ID:	74013
Site Name:	TATE FAMILY COMPLETE AUTO CARE
Violation Date:	08-17-2015
Citation:	22 CCR 16 66266.130 - California Code of Regulations, Title 22, Chapter 16, Section(s) 66266.130
Violation Description:	Failure to properly handle, manage, label, and recycle used oil and fuel filters.
Violation Notes:	- 2 x 55 gallon drums of used oil fitlers were not marked with accumulation date.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	08-17-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	EPA ID#: CAL000316032 (ACTIVE) On-site to conduct a hazardous waste inspection with consent of owner, Eddie Ma. The following observations were made: - 8 x 55 gallon drums of used oil. 7 x 55 gallon drums of used oil had illegible labels. 1 x 55 gallon drum had a label that was missing hazardous properties, physical state, and accumulation date. - 2 x 30 gallon drums of used coolant that were open with no lid and contained no label in hazardous waste storage area - 1 x 150 gallon open tank of used antifreeze with a label and an accumulation date of (4/16/2012) - 1 x 30 gallon red drum of used oil open with no label in work area - 4 x 55 gallon drum of used oil filters. 1 x used oil filter drum was marked with accumulation date (10/10/2012) and two drums had labels had no accumulation date. One drum was empty at the time of inspection, but marked for used oil filter collection. Paper and metal filters were observed in drums. - 3 open pans on top of used oil drums [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	08-17-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	CERS ID: 10353262 On-site to conduct a routine hazardous materials business plan (HMBP) inspection with the consent of owner, Eddie Ma. The following hazardous materials/wastes were observed in HMBP quantities: 1. 1 x 150 gallon tank of new antifreeze 2. 1 x 150 gallon tank of used antifreeze + 2 x30 gallon drums of used antifreeze + pans of used antifreeze on work area floor 3. 8 x 55 gallon drums of used oil + 1 x 30 gallon drum of used oil in work area + pans of used oil in hazardous waste area 4. 4 x 55 gallon drums of used oil filters The following hazardous materials/wastes were observed in non-HMBP quantities: 1. SW-20, SW-30 (< 55 gallons/type) 2. Small amounts of grease (~15 gal) NOTES: - Last HMBP submittal was 2/20/2014. - As of 1/1/2015, employee training for the past 3 years must be documented and able to be reviewed at facility at the time of inspection.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS

ROSE-MURTY TIRE CO. (Continued) **S103881042**

Enforcement Action:

Site ID:	74013
Site Name:	TATE FAMILY COMPLETE AUTO CARE
Site Address:	477 S MARKET ST
Site City:	SAN JOSE
Site Zip:	95113
Enf Action Date:	08-17-2015
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HMRRP
Enf Action Source:	CERS

Site ID:	74013
Site Name:	TATE FAMILY COMPLETE AUTO CARE
Site Address:	477 S MARKET ST
Site City:	SAN JOSE
Site Zip:	95113
Enf Action Date:	08-17-2015
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HW
Enf Action Source:	CERS

Coordinates:

Site ID:	74013
Facility Name:	TATE FAMILY COMPLETE AUTO CARE
Env Int Type Code:	HWG
Program ID:	10353262
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	37.328510
Longitude:	-121.886120

Affiliation:

Affiliation Type Desc:	Property Owner
Entity Name:	COROTTO COMPANY INC. JOHN TURCO
Entity Title:	Not reported
Affiliation Address:	eddiema@tatefamilyauto.com
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95113
Affiliation Phone:	(408) 297-2026

Affiliation Type Desc:	Document Preparer
Entity Name:	Eddie Ma
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported

ROSE-MURTY TIRE CO. (Continued) **S103881042**

Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	SEPPHORI INC
Entity Title:	Not reported
Affiliation Address:	477 S MARKET ST
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95113
Affiliation Phone:	(408) 293-8915
Affiliation Type Desc:	Parent Corporation
Entity Name:	TATE FAMILY COMPLETE AUTO CARE
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Environmental Contact
Entity Name:	EDDIE MA
Entity Title:	Not reported
Affiliation Address:	477 S MARKET ST
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95113
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	EDDIE MA
Entity Title:	OWNER
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	EDDIE MA
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 293-8915
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose

ROSE-MURTY TIRE CO. (Continued) **S103881042**

Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	477 S MARKET ST
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95113
Affiliation Phone:	Not reported

SWEEPS UST:

Name:	ROSE MURTY TIRE SERVICE
Address:	477 S MARKET ST
City:	SAN JOSE
Status:	Not reported
Comp Number:	400124
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	43-060-400124-000001
Tank Status:	Not reported
Capacity:	500
Active Date:	Not reported
Tank Use:	OIL
STG:	WASTE
Content:	Not reported
Number Of Tanks:	2
Name:	ROSE MURTY TIRE SERVICE
Address:	477 S MARKET ST
City:	SAN JOSE
Status:	Not reported
Comp Number:	400124
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	43-060-400124-000002
Tank Status:	Not reported
Capacity:	1000
Active Date:	Not reported
Tank Use:	M.V. FUEL
STG:	PRODUCT
Content:	LEADED
Number Of Tanks:	Not reported

ROSE-MURTY TIRE CO. (Continued) **S103881042**

CUPA SANTA CLARA:

Name:	TATE FAMILY COMPLETE AUTO CARE
Address:	477 S MARKET ST
City,State,Zip:	SAN JOSE, CA 95113
Region:	SANTA CLARA
PE#:	2201
Program Description:	GENERATES WASTE OIL ONLY
Latitude:	37.328791
Longitude:	-121.886039
Record ID:	PR0313305
Facility ID:	FA0209661

Name:	TATE FAMILY COMPLETE AUTO CARE
Address:	477 S MARKET ST
City,State,Zip:	SAN JOSE, CA 95113
Region:	SANTA CLARA
PE#:	2205
Program Description:	GENERATES 100 KG YR TO <5 TONS/YR
Latitude:	37.328553
Longitude:	-121.886047
Record ID:	PR0402397
Facility ID:	FA0270307

Name:	TATE FAMILY COMPLETE AUTO CARE
Address:	477 S MARKET ST
City,State,Zip:	SAN JOSE, CA 95113
Region:	SANTA CLARA
PE#:	Not reported
Program Description:	HMBP FACILITY, 4-6 CHEMICALS
Latitude:	37.328553
Longitude:	-121.886047
Record ID:	PR0402399
Facility ID:	FA0270307

SAN JOSE HAZMAT:

Name:	TATE FAMILY COMPLETE AUTO
Address:	477 S MARKET ST
City,State,Zip:	SAN JOSE, CA 95113
Region:	SAN JOSE
File Num:	400124
Class:	Auto Repair

CERS:

Name:	TATE FAMILY COMPLETE AUTO CARE
Address:	477 S MARKET ST
City,State,Zip:	SAN JOSE, CA 95113
Site ID:	74013
CERS ID:	10353262
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	74013
Site Name:	TATE FAMILY COMPLETE AUTO CARE
Violation Date:	08-17-2015
Citation:	22 CCR 12 66262.34(d) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(d)

ROSE-MURTY TIRE CO. (Continued) **S103881042**

Violation Description:	Failure to dispose of hazardous waste within 180 days (or 270 if waste is transported over 200 miles) for the generator who generates less than 1000 kilogram per month, but more than 100 kilograms per month.
Violation Notes:	- Used antifreeze tank was labeled with accumulation time of 4/16/2012. Last consolidated manifest for used antifreeze was 4/23/2012. Owner confirmed that used antifreeze has not been picked up since 4/23/2012. - Consolidated manifests were reviewed for used oil picked up 4/27/2015 (290 gal), 3/29/2014 (275 gal), and 7/9/2013 (370 gal). Owner confirmed that no other used oil pick ups occurred in the past 3 years.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	74013
Site Name:	TATE FAMILY COMPLETE AUTO CARE
Violation Date:	08-17-2015
Citation:	HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description:	Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes:	- Liquid and solidified used oil was observed in secondary containment of used oil drums. - Open pans full of used oil and used antifreeze were observed on floor of facility. - 5 x 5 gallon open buckets with liquid and solidified used oil were observed in facility
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	74013
Site Name:	TATE FAMILY COMPLETE AUTO CARE
Violation Date:	08-17-2015
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:	Last submittal was 2/20/2014.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	74013
Site Name:	TATE FAMILY COMPLETE AUTO CARE
Violation Date:	08-17-2015
Citation:	HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description:	Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes:	Owner confirmed that hazardous waste storage area is inspected every 3 months.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	74013
Site Name:	TATE FAMILY COMPLETE AUTO CARE
Violation Date:	08-17-2015
Citation:	HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections

ROSE-MURTY TIRE CO. (Continued) **S103881042**

Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: Owner confirmed that used antifreeze tank is inspected once per month.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Violation Date: 08-17-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: - 1 x 55 gallon drum of ATF was empty and not labeled in work area - 1 x 55 gallon drum of SAE SW-20 was empty and not labeled in work area
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Violation Date: 08-17-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: The following containers were open when not adding or removing hazardous waste: - 1 x 30 gallon drum of used oil in work area - 2 x 30 gallon drums of used antifreeze in hazardous waste storage area - 3 open pans on top of used oil drums in hazardous waste storage area - 3 open pans of used antifreeze on work floor
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Violation Date: 08-17-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: Used oil filter drum was marked with accumulation date 10/10/2012. No consolidated manifests for used oil filters were reviewed on-site. Owner confirmed that used oil filters have not been picked up since 2012.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Violation Date: 08-17-2015
Citation: HSC 6.95 25505.1 - California Health and Safety Code, Chapter 6.95, Section(s) 25505.1
Violation Description: Failure to provide a copy of the business plan to the owner or the owner’s agent within five working days after receiving a request for a copy from the owner or the owner’s agent.
Violation Notes: Not reported
Violation Division: Santa Clara County Environmental Health

ROSE-MURTY TIRE CO. (Continued) **S103881042**

Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	74013
Site Name:	TATE FAMILY COMPLETE AUTO CARE
Violation Date:	08-17-2015
Citation:	22 CCR 12 66262.40(c) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(c)
Violation Description:	Failure to determine if the waste generated is a hazardous waste and to maintain analysis results for three years.
Violation Notes:	1 x 100 gallon blue tank of motor oil was observed in work area. Residual oily liquid was observed in tank. Make a hazardous waste determination of oily liquid. If determined to be hazardous waste, dispose of oily liquid as hazardous waste.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	74013
Site Name:	TATE FAMILY COMPLETE AUTO CARE
Violation Date:	08-17-2015
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	The following containers contained illegible or incomplete label information: - 8 x 55 gallon drums of used oil. 7 x 55 gallon drums of used oil had illegible labels. 1 x 55 gallon drum had a label that was missing hazardous properties, physical state, and accumulation date. - 2 x 30 gallon drums of used coolant that were open with no lid and contained no label in hazardous waste storage area The following containers were not labeled: - 1 x 30 gallon red drum of used oil open with no label in work area - 3 open pans on top of used oil drums containing used oil with no label in hazardous waste storage area - 3 open pans of used antifreeze on work floor with no label - 3 used oil rollers with no label
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	74013
Site Name:	TATE FAMILY COMPLETE AUTO CARE
Violation Date:	08-17-2015
Citation:	40 CFR 1 262.34(d)(5)(iii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(iii)
Violation Description:	Failure to ensure employees are familiar with the handling and compliance of hazardous waste regulations and emergency response.
Violation Notes:	Due to the type and quantity of violations, owner is not adequately trained on managing hazardous waste.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	74013
Site Name:	TATE FAMILY COMPLETE AUTO CARE

ROSE-MURTY TIRE CO. (Continued) **S103881042**

Violation Date: 08-17-2015
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Operations/Maintenance - General
Violation Notes: -Fire extinguishers throughout the facility had an expired date of 8/13/2014. Please get fire extinguishers tested and re-charged or replace immediately.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Violation Date: 08-17-2015
Citation: HSC 6.5 25189.5(a) - California Health and Safety Code, Chapter 6.5, Section(s) 25189.5(a)
Violation Description: Failure to properly dispose of hazardous waste at an authorized location.
Violation Notes: - Paper and metal used oil filters are being combined in 4 x 55 gallon drums. Continue managing metal used oil filters accordingly, but paper used oil filters need to be separated and managed as hazardous waste (ex. "Oily Debris).
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Violation Date: 08-17-2015
Citation: 22 CCR 16 66266.130 - California Code of Regulations, Title 22, Chapter 16, Section(s) 66266.130
Violation Description: Failure to properly handle, manage, label, and recycle used oil and fuel filters.
Violation Notes: - 2 x 55 gallon drums of used oil fitlers were not marked with accumulation date.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-17-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: EPA ID#: CAL000316032 (ACTIVE) On-site to conduct a hazardous waste inspection with consent of owner, Eddie Ma. The following observations were made: - 8 x 55 gallon drums of used oil. 7 x 55 gallon drums of used oil had illegible labels. 1 x 55 gallon drum had a label that was missing hazardous properties, physical state, and accumulation date. - 2 x 30 gallon drums of used coolant that were open with no lid and contained no label in hazardous waste storage area - 1 x 150 gallon open tank of used antifreeze with a label and an accumulation date of (4/16/2012) - 1 x 30 gallon red drum of used oil open with no label in work area - 4 x 55 gallon drum of used oil filters. 1 x used oil filter drum was marked with accumulation date (10/10/2012) and two drums had labels had no accumulation date. One drum was empty at the time of inspection, but marked for used oil filter collection. Paper

ROSE-MURTY TIRE CO. (Continued) **S103881042**

and metal filters were observed in drums. - 3 open pans on top of used oil drums [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-17-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: CERS ID: 10353262 On-site to conduct a routine hazardous materials business plan (HMBP) inspection with the consent of owner, Eddie Ma. The following hazardous materials/wastes were observed in HMBP quantities: 1. 1 x 150 gallon tank of new antifreeze 2. 1 x 150 gallon tank of used antifreeze + 2 x30 gallon drums of used antifreeze + pans of used antifreeze on work area floor 3. 8 x 55 gallon drums of used oil + 1 x 30 gallon drum of used oil in work area + pans of used oil in hazardous waste area 4. 4 x 55 gallon drums of used oil filters The following hazardous materials/wastes were observed in non-HMBP quantities: 1. SW-20, SW-30 (< 55 gallons/type) 2. Small amounts of grease (~15 gal) NOTES: - Last HMBP submittal was 2/20/2014. - As of 1/1/2015, employee training for the past 3 years must be documented and able to be reviewed at facility at the time of inspection.
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Enforcement Action:
Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Site Address: 477 S MARKET ST
Site City: SAN JOSE
Site Zip: 95113
Enf Action Date: 08-17-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Site ID: 74013
Site Name: TATE FAMILY COMPLETE AUTO CARE
Site Address: 477 S MARKET ST
Site City: SAN JOSE
Site Zip: 95113
Enf Action Date: 08-17-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Coordinates:
Site ID: 74013

ROSE-MURTY TIRE CO. (Continued) **S103881042**

Facility Name: TATE FAMILY COMPLETE AUTO CARE
Env Int Type Code: HWG
Program ID: 10353262
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 37.328510
Longitude: -121.886120

Affiliation:
Affiliation Type Desc: Property Owner
Entity Name: COROTTO COMPANY INC. JOHN TURCO
Entity Title: Not reported
Affiliation Address: eddiema@tatefamilyauto.com
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95113
Affiliation Phone: (408) 297-2026

Affiliation Type Desc: Document Preparer
Entity Name: Eddie Ma
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: SEPPHORI INC
Entity Title: Not reported
Affiliation Address: 477 S MARKET ST
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95113
Affiliation Phone: (408) 293-8915

Affiliation Type Desc: Parent Corporation
Entity Name: TATE FAMILY COMPLETE AUTO CARE
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: EDDIE MA
Entity Title: Not reported
Affiliation Address: 477 S MARKET ST
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95113

ROSE-MURTY TIRE CO. (Continued) **S103881042**

Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: EDDIE MA
Entity Title: OWNER
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Operator
Entity Name: EDDIE MA
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (408) 293-8915

Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 477 S MARKET ST
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95113
Affiliation Phone: Not reported

Name: ROSE-MURTY TIRE CO.
Address: 477 S MARKET ST
City,State,Zip: SAN JOSE, CA 95113
Site ID: 256351
CERS ID: T0608501121
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported

ROSE-MURTY TIRE CO. (Continued) **S103881042**

Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

N77 **SEPPHORI INC DBA TATE FAMILY COMPLETE AUTO CARE** **RCRA NonGen / NLR** **1024816022**
SW **477 S MARKET ST** **CAL000316032**
1/8-1/4 **SAN JOSE, CA 95113**
0.228 mi.
1202 ft. **Site 3 of 5 in cluster N**

Relative:
Higher

Actual:
99 ft.

RCRA NonGen / NLR:
Date form received by agency: 02/01/2007
Facility name: SEPPHORI INC DBA TATE FAMILY COMPLETE AUTO CARE
Facility address: 477 S MARKET ST
SAN JOSE, CA 95113
EPA ID: CAL000316032
Contact: EDDIE MA
Contact address: 477 S MARKET ST
SAN JOSE, CA 95113
Contact country: Not reported
Contact telephone: 408-293-8915
Contact email: OFFICE@TATEFAMILYAUTO.COM
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: EDDIE MA
Owner/operator address: 477 S MARKET ST
SAN JOSE, CA 95113
Owner/operator country: Not reported
Owner/operator telephone: 408-293-8915
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: EDDIE MA
Owner/operator address: 477 S MARKET ST
SAN JOSE, CA 95113
Owner/operator country: Not reported
Owner/operator telephone: 408-293-8915
Owner/operator email: Not reported
Owner/operator fax: Not reported

SEPPHORI INC DBA TATE FAMILY COMPLETE AUTO CARE (Continued) **1024816022**

Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

N78 **ROSE MURTY TIRE COMPANY** **CA HIST CORTESE** **S102416054**
SW **477 MARKET** **N/A**
1/8-1/4 **SAN JOSE, CA**
0.228 mi.
1202 ft. **Site 4 of 5 in cluster N**

Relative: HIST CORTESE:
Higher
edr_fname: ROSE MURTY TIRE COMPANY
Actual: edr_fadd1: 477 MARKET
99 ft. City,State,Zip: SAN JOSE, CA
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-1130

N79 **ROSE-MURTY TIRE SERVICE** **CA CUPA Listings** **S121469956**
SW **477 S MARKET ST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113**
0.228 mi.
1202 ft. **Site 5 of 5 in cluster N**

Relative: CUPA SANTA CLARA:
Higher
Name: ROSE-MURTY TIRE SERVICE
Actual: Address: 477 S MARKET ST
99 ft. City,State,Zip: SAN JOSE, CA 95113
Region: SANTA CLARA
PE#: 2201
Program Description: GENERATES WASTE OIL ONLY
Latitude: 37.328791
Longitude: -121.886039
Record ID: PR0313304
Facility ID: FA0209660

K80 **PIERCE DEVELOPMENT** **CA CPS-SLIC** **S116381371**
SSW **561-599 S. MARKET STREET AND 60 REED STREET** **CA DEED** **N/A**
1/8-1/4 **SAN JOSE, CA 95113** **CA CERS**
0.228 mi.
1205 ft. **Site 5 of 7 in cluster K**

Relative:
Higher

Actual:
100 ft.

CPS-SLIC:

Name:	PIERCE DEVELOPMENT
Address:	561-599 S. MARKET STREET AND 60 REED STREET
City,State,Zip:	SAN JOSE, CA 95113
Region:	STATE
Facility Status:	**Completed - Case Closed**
Status Date:	07/24/2015
Global Id:	T10000005812
Lead Agency:	SANTA CLARA COUNTY LOP
Lead Agency Case Number:	07S1E17G06s
Latitude:	37.326903162851
Longitude:	-121.884518639051
Case Type:	Cleanup Program Site
Case Worker:	Not reported
Local Agency:	Not reported
RB Case Number:	Not reported
File Location:	All Files are on GeoTracker or in the Local Agency Database
Potential Media Affected:	Soil
Potential Contaminants of Concern:	Lead, Polynuclear aromatic hydrocarbons (PAHs), Total Petroleum Hydrocarbons (TPH)
Site History:	4 parcels located at 561, 577 and 599 S. Market Street and 60 Reed Street Closed LUFT case at 599 S. Market and USTs closed in place at 561 S. Market St. The Market Street parcels are developed commercially and the 60 Reed Street parcel is residential. All parcels are to be re-developed with commercial below with apartments above. Sampling reported the presence of elevated PAHs and Lead in soil.

Click here to access the California GeoTracker records for this facility:

DEED:

Name:	PIERCE DEVELOPMENT
Address:	561-599 S. MARKET STREET AND 60 REED STREET
City,State,Zip:	SAN JOSE, CA 95113
Envirostor ID:	T10000005812
Area:	Not reported
Sub Area:	Not reported
Site Type:	SLIC
Status:	COMPLETED - CASE CLOSED
Agency:	SWRCB
Covenant Uploaded:	Y
Deed Date(s):	05/27/2015
File Name:	Geotracker Land Use/Deed Restrictions

CERS:

Name:	PIERCE DEVELOPMENT
Address:	561-599 S. MARKET STREET AND 60 REED STREET
City,State,Zip:	SAN JOSE, CA 95113
Site ID:	205706
CERS ID:	T10000005812
CERS Description:	Cleanup Program Site

PIERCE DEVELOPMENT (Continued) **S116381371**

Affiliation:
- Affiliation Type Desc: Local Agency Caseworker
- Entity Name: AARON COSTA - SANTA CLARA COUNTY LOP
- Entity Title: Not reported
- Affiliation Address: 1555 Berger Drive, Suite 300
- Affiliation City: SAN JOSE
- Affiliation State: CA
- Affiliation Country: Not reported
- Affiliation Zip: Not reported
- Affiliation Phone: 4089181954

---

81 **NATIONAL PSYCHIATRIC CARE & REHABILITATION SERV** **RCRA NonGen / NLR** **1024863028**
SE **650 S 5TH** **CAL000431565**
1/8-1/4 **SAN JOSE, CA 95112**
0.230 mi.
1217 ft.

Relative:
Higher

Actual:
102 ft.

RCRA NonGen / NLR:
- Date form received by agency: 10/17/2017
- Facility name: NATIONAL PSYCHIATRIC CARE & REHABILITATION SERV
- Facility address: 650 S 5TH
  SAN JOSE, CA 95112
- EPA ID: CAL000431565
- Contact: CARRIE AQUINO
- Contact address: 650 S 5TH
  SAN JOSE, CA 95112
- Contact country: Not reported
- Contact telephone: 408-568-1174
- Contact email: CARRIE.AQUINO@NPCRS.COM
- EPA Region: 09
- Classification: Non-Generator
- Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
- Owner/operator name: NATIONAL PYSCHIATRIC CARE & REHAB
- Owner/operator address: 650 S 5TH
  SAN JOSE, CA 95112
- Owner/operator country: Not reported
- Owner/operator telephone: 408-568-1174
- Owner/operator email: Not reported
- Owner/operator fax: Not reported
- Owner/operator extension: Not reported
- Legal status: Other
- Owner/Operator Type: Owner
- Owner/Op start date: Not reported
- Owner/Op end date: Not reported

- Owner/operator name: CARRIE AQUINO
- Owner/operator address: 650 S 5TH
  SAN JOSE, CA 95112
- Owner/operator country: Not reported
- Owner/operator telephone: 408-568-1174
- Owner/operator email: Not reported
- Owner/operator fax: Not reported
- Owner/operator extension: Not reported
- Legal status: Other

NATIONAL PSYCHIATRIC CARE & REHABILITATION SERV (Continued) **1024863028**

Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

K82 **FIRESTONE #3674** **CA LUST** **U001602902**
SSW **599 S 1ST ST** **CA HIST LUST** **N/A**
1/8-1/4 **SAN JOSE, CA 95126** **CA HIST UST**
0.233 mi. **CA CERS**
1230 ft. **Site 6 of 7 in cluster K**

Relative:
Higher

Actual:
101 ft.

LUST:
Name: FIRESTONE BUILDING
Address: 599 S 1ST ST
City,State,Zip: SAN JOSE, CA 95113
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608500619
Global Id: T0608500619
Latitude: 37.3268703902053
Longitude: -121.884060266641
Status: Completed - Case Closed
Status Date: 09/26/1996
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0608500619
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

FIRESTONE #3674 (Continued) **U001602902**

Global Id: T0608500619
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608500619
Action Type: ENFORCEMENT
Date: 03/30/1993
Action: Notice of Responsibility - #39833

Global Id: T0608500619
Action Type: Other
Date: 05/08/1991
Action: Leak Reported

Global Id: T0608500619
Action Type: ENFORCEMENT
Date: 09/26/1996
Action: Closure/No Further Action Letter

Global Id: T0608500619
Action Type: RESPONSE
Date: 09/26/1996
Action: Other Report / Document

LUST:
Global Id: T0608500619
Status: Completed - Case Closed
Status Date: 09/26/1996

Global Id: T0608500619
Status: Open - Case Begin Date
Status Date: 03/30/1989

Global Id: T0608500619
Status: Open - Site Assessment
Status Date: 03/30/1989

Global Id: T0608500619
Status: Open - Site Assessment
Status Date: 05/25/1989

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E17G01f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported

FIRESTONE #3674 (Continued) **U001602902**

Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 3/30/1989
Pollution Characterization Began: 5/25/1989
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: FIRESTONE BUILDING
Address: 599 S 1ST ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E17G01F
Date Closed: 09/26/1996
EDR Link ID: 07S1E17G01F

HIST LUST SANTA CLARA:
Name: Firestone Building
Address: 599 S 1st St
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E17G01
Oversite Agency: SCVWD
Date Listed: 1992-01-01 00:00:00
Closed Date: 1996-09-26 00:00:00

HIST UST:
Name: FIRESTONE #3674
Address: 599 S 1ST ST
City,State,Zip: SAN JOSE, CA 95126
File Number: Not reported
URL: Not reported
Region: STATE
Facility ID: 00000005845
Facility Type: Other
Other Type: AUTO SVC CENTER
Contact Name: JACK SILVEY
Telephone: 4082931437
Owner Name: FIRESTONE TIRE & RUBBER CO.
Owner Address: 1200 FIRESTONE PARKWAY
Owner City,St,Zip: AKRON, OH 44317
Total Tanks: 0001

Tank Num: 001
Container Num: 1
Year Installed: Not reported
Tank Capacity: 00000000
Tank Used for: WASTE
Type of Fuel: WASTE OIL
Container Construction Thickness: Not reported
Leak Detection: Visual

FIRESTONE #3674 (Continued) **U001602902**

CERS:
- Name: FIRESTONE BUILDING
- Address: 599 S 1ST ST
- City,State,Zip: SAN JOSE, CA 95113
- Site ID: 260937
- CERS ID: T0608500619
- CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
- Affiliation Type Desc: Local Agency Caseworker
- Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
- Entity Title: Not reported
- Affiliation Address: 1555 Berger Drive, Suite 300
- Affiliation City: SAN JOSE
- Affiliation State: CA
- Affiliation Country: Not reported
- Affiliation Zip: Not reported
- Affiliation Phone: 4089183400

- Affiliation Type Desc: Regional Board Caseworker
- Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
- Entity Title: Not reported
- Affiliation Address: 1515 CLAY ST SUITE 1400
- Affiliation City: OAKLAND
- Affiliation State: CA
- Affiliation Country: Not reported
- Affiliation Zip: Not reported
- Affiliation Phone: Not reported

K83 **60 PIERCE-SAN JOSE LLC PROPERTY** **CA CUPA Listings** **S121474864**
SSW **599 S 1ST ST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113**
0.233 mi.
1230 ft. **Site 7 of 7 in cluster K**

Relative:
Higher

Actual:
101 ft.

CUPA SANTA CLARA:
- Name: 60 PIERCE-SAN JOSE LLC PROPERTY
- Address: 599 S 1ST ST
- City,State,Zip: SAN JOSE, CA 95113
- Region: SANTA CLARA
- PE#: 2399
- Program Description: UNDERGROUND STORAGE TANK PROGRAM RECORD
- Latitude: 37.3269328
- Longitude: -121.8839504
- Record ID: PR0416878
- Facility ID: FA0275800

84
West
1/8-1/4
0.238 mi.
1257 ft.

360 RESIDENCES
360 S MARKET ST
SAN JOSE, CA 95113

CA CUPA Listings **S112142795**
CA EMI **N/A**
CA HAZMAT
CA CERS

Relative:
Higher

Actual:
98 ft.

CUPA SANTA CLARA:

Name:	360 RESIDENCES
Address:	360 S MARKET ST
City,State,Zip:	SAN JOSE, CA 95113
Region:	SANTA CLARA
PE#:	Not reported
Program Description:	HMBP FACILITY, 1-3 CHEMICALS
Latitude:	37.330023
Longitude:	-121.886903
Record ID:	PR0402577
Facility ID:	FA0270429

EMI:

Name:	360 RESIDENCES C/O GATEWAY NAT
Address:	360 SO MARKET STREET
City,State,Zip:	SAN JOSE, CA 95113
Year:	2013
County Code:	43
Air Basin:	SF
Facility ID:	22400
Air District Name:	BA
SIC Code:	6512
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.02
Reactive Organic Gases Tons/Yr:	0.016734
Carbon Monoxide Emissions Tons/Yr:	0.043
NOX - Oxides of Nitrogen Tons/Yr:	0.361
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0.007
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.007

Name:	360 RESIDENCES C/O GATEWAY NATHANIEL, INC
Address:	360 SO MARKET STREET
City,State,Zip:	SAN JOSE, CA 95113
Year:	2014
County Code:	43
Air Basin:	SF
Facility ID:	22400
Air District Name:	BA
SIC Code:	6512
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.000717782
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0.001520082
NOX - Oxides of Nitrogen Tons/Yr:	0.012799322
SOX - Oxides of Sulphur Tons/Yr:	1.0875e-005
Particulate Matter Tons/Yr:	0.000250515
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.000240494

360 RESIDENCES (Continued) **S112142795**

Name:	360 RESIDENCES C/O GATEWAY NATHANIEL, INC
Address:	360 SO MARKET STREET
City,State,Zip:	SAN JOSE, CA 95113
Year:	2015
County Code:	43
Air Basin:	SF
Facility ID:	22400
Air District Name:	BA
SIC Code:	6512
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	7.18e-007
Reactive Organic Gases Tons/Yr:	6.73e-007
Carbon Monoxide Emissions Tons/Yr:	1.52e-006
NOX - Oxides of Nitrogen Tons/Yr:	1.2799e-005
SOX - Oxides of Sulphur Tons/Yr:	1.1e-008
Particulate Matter Tons/Yr:	2.51e-007
Part. Matter 10 Micrometers and Smllr Tons/Yr:	2.4e-007

Name:	360 RESIDENCES C/O GATEWAY NATHANIEL, INC
Address:	360 SO MARKET STREET
City,State,Zip:	SAN JOSE, CA 95113
Year:	2016
County Code:	43
Air Basin:	SF
Facility ID:	22400
Air District Name:	BA
SIC Code:	6512
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	7.18e-007
Reactive Organic Gases Tons/Yr:	6.30763e-007
Carbon Monoxide Emissions Tons/Yr:	1.52e-006
NOX - Oxides of Nitrogen Tons/Yr:	1.2799e-005
SOX - Oxides of Sulphur Tons/Yr:	1.1e-008
Particulate Matter Tons/Yr:	2.51e-007
Part. Matter 10 Micrometers and Smllr Tons/Yr:	2.4e-007

SAN JOSE HAZMAT:

Name:	360 RESIDENCES
Address:	360 S MARKET ST HIRISE
City,State,Zip:	SAN JOSE, CA 95110
Region:	SAN JOSE
File Num:	600416
Class:	Auto Wrecking/Misc Simple Facility

CERS:

Name:	360 RESIDENCES
Address:	360 S MARKET ST
City,State,Zip:	SAN JOSE, CA 95113
Site ID:	584
CERS ID:	10352224
CERS Description:	Chemical Storage Facilities

360 RESIDENCES (Continued) **S112142795**

Violations:
- Site ID: 584
- Site Name: 360 RESIDENCES
- Violation Date: 10-05-2016
- Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
- Violation Description: Failure to complete and electronically submit a site map with all required content.
- Violation Notes: Returned to compliance on 08/23/2018. Site map is missing the following elements: - utility shut off locations
- Violation Division: Santa Clara County Environmental Health
- Violation Program: HMRRP
- Violation Source: CERS

Evaluation:
- Eval General Type: Compliance Evaluation Inspection
- Eval Date: 10-05-2016
- Violations Found: Yes
- Eval Type: Routine done by local agency
- Eval Notes: On site to conduct a routine hazardous material business plan inspection. CERS ID: 10352224 Facility's last HMBP submittal was accepted via Frontcounter on 9/23/16. Facility has 1 reportable chemical: 300 gallons of diesel fuel Facility is correctly permitted at BP01 Documented annual employee training was reviewed on site
- Eval Division: Santa Clara County Environmental Health
- Eval Program: HMRRP
- Eval Source: CERS

Coordinates:
- Site ID: 584
- Facility Name: 360 RESIDENCES
- Env Int Type Code: HMBP
- Program ID: 10352224
- Coord Name: Not reported
- Ref Point Type Desc: Center of a facility or station.
- Latitude: 37.330130
- Longitude: -121.887070

Affiliation:
- Affiliation Type Desc: CUPA District
- Entity Name: Santa Clara County Environmental Health
- Entity Title: Not reported
- Affiliation Address: 1555 Berger Drive, Suite 300
- Affiliation City: San Jose
- Affiliation State: CA
- Affiliation Country: Not reported
- Affiliation Zip: 95112-2716
- Affiliation Phone: (408) 918-3400

- Affiliation Type Desc: Operator
- Entity Name: LEASING OFFICE
- Entity Title: Not reported
- Affiliation Address: Not reported
- Affiliation City: Not reported
- Affiliation State: Not reported

360 RESIDENCES (Continued) **S112142795**

Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (408) 295-1360

Affiliation Type Desc: Identification Signer
Entity Name: Darwin Zeledon
Entity Title: Maint Supervisor
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: Darwin Zeledon
Entity Title: Not reported
Affiliation Address: 360 S MARKET ST
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95113
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 360 S MARKET ST
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95113
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: ESSEX PROPERTY TRUST, INC
Entity Title: Not reported
Affiliation Address: 1100 PARK PL #200
Affiliation City: SAN MATEO
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94303
Affiliation Phone: (408) 247-2095

Affiliation Type Desc: Property Owner
Entity Name: Essex
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: United States
Affiliation Zip: Not reported
Affiliation Phone: (408) 295-1360

Affiliation Type Desc: Document Preparer
Entity Name: Darwin Zeledon
Entity Title: Not reported

360 RESIDENCES (Continued) **S112142795**

Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	360 RESIDENCES
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

L85 **DOHRMAN BUILDING** **CA LUST S103881044**
West **325 S 1ST ST** **CA HIST LUST N/A**
1/8-1/4 **SAN JOSE, CA 95113** **CA CERS**
0.241 mi.
1271 ft. **Site 5 of 6 in cluster L**

Relative: **Higher**

Actual: **98 ft.**

LUST:

Name:	DOHRMAN BUILDING
Address:	325 S 1ST ST
City,State,Zip:	SAN JOSE, CA 95113
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608502304
Global Id:	T0608502304
Latitude:	37.330987
Longitude:	-121.886857
Status:	Completed - Case Closed
Status Date:	02/02/1995
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Not reported
Site History:	Not reported

LUST:

Global Id:	T0608502304
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported
Global Id:	T0608502304
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER

DOHRMAN BUILDING (Continued) **S103881044**

Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608502304
Action Type: RESPONSE
Date: 01/01/1989
Action: Other Report / Document

Global Id: T0608502304
Action Type: RESPONSE
Date: 01/01/1989
Action: Other Report / Document

Global Id: T0608502304
Action Type: RESPONSE
Date: 01/01/1989
Action: Other Report / Document

Global Id: T0608502304
Action Type: Other
Date: 01/01/1989
Action: Leak Reported

Global Id: T0608502304
Action Type: ENFORCEMENT
Date: 02/02/1995
Action: Closure/No Further Action Letter

LUST:
Global Id: T0608502304
Status: Completed - Case Closed
Status Date: 02/02/1995

Global Id: T0608502304
Status: Open - Case Begin Date
Status Date: 01/01/1989

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E17C04f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported

DOHRMAN BUILDING (Continued) **S103881044**

Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: DOHRMAN BUILDING
Address: 325 S 1ST ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E17C04F
Date Closed: 02/02/1995
EDR Link ID: 07S1E17C04F

HIST LUST SANTA CLARA:
Name: Dohrman Building
Address: 325 S 1st St
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E17C04
Oversite Agency: SCVWD
Date Listed: 1990-11-26 00:00:00
Closed Date: 1995-02-02 00:00:00

CERS:
Name: DOHRMAN BUILDING
Address: 325 S 1ST ST
City,State,Zip: SAN JOSE, CA 95113
Site ID: 230258
CERS ID: T0608502304
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

L86 **DOHRMANN ASSOCIATES** **CA HIST CORTESE** **S103960913**
West **325 1ST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113**
0.241 mi.
1271 ft. **Site 6 of 6 in cluster L**

Relative: **Higher**

Actual: **98 ft.**

HIST CORTESE:

edr_fname:	DOHRMANN ASSOCIATES
edr_fadd1:	325 1ST
City,State,Zip:	SAN JOSE, CA 95113
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-0476

---

87 **CET DEVELOPMENT** **CA LUST** **S104234154**
South **630 S 1ST ST** **CA HIST LUST** **N/A**
1/8-1/4 **SAN JOSE, CA 95113** **CA HIST CORTESE**
0.243 mi. **CA CERS**
1285 ft.

Relative: **Higher**

Actual: **101 ft.**

LUST:

Name:	CET DEVELOPMENT
Address:	630 S 1ST ST
City,State,Zip:	SAN JOSE, CA 95113
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608560823
Global Id:	T0608560823
Latitude:	37.326686
Longitude:	-121.883129
Status:	Completed - Case Closed
Status Date:	10/15/1999
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Diesel
Site History:	Not reported

LUST:

Global Id:	T0608560823
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608560823
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

CET DEVELOPMENT (Continued) **S104234154**

LUST:
Global Id: T0608560823
Action Type: ENFORCEMENT
Date: 10/15/1999
Action: Closure/No Further Action Letter

Global Id: T0608560823
Action Type: RESPONSE
Date: 08/03/1999
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608560823
Action Type: RESPONSE
Date: 09/16/1999
Action: Other Report / Document

Global Id: T0608560823
Action Type: RESPONSE
Date: 03/14/2000
Action: Unauthorized Release Form

Global Id: T0608560823
Action Type: RESPONSE
Date: 10/15/1999
Action: Other Report / Document

Global Id: T0608560823
Action Type: Other
Date: 09/16/1999
Action: Leak Reported

Global Id: T0608560823
Action Type: RESPONSE
Date: 09/24/1999
Action: Tank Removal Report / UST Sampling Report

LUST:
Global Id: T0608560823
Status: Completed - Case Closed
Status Date: 10/15/1999

Global Id: T0608560823
Status: Open - Case Begin Date
Status Date: 08/19/1999

Global Id: T0608560823
Status: Open - Site Assessment
Status Date: 08/19/1999

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E17G04f
How Discovered: Not reported

CET DEVELOPMENT (Continued) **S104234154**

Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 8/19/1999
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: CET DEVELOPMENT
Address: 630 S 1ST ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E17G04F
Date Closed: 10/15/1999
EDR Link ID: 07S1E17G04F

HIST LUST SANTA CLARA:
Name: CET Development
Address: 630 S 1st St
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E17G04
Oversite Agency: SCVWD
Date Listed: 1999-10-15 00:00:00
Closed Date: 1999-10-15 00:00:00

HIST CORTESE:
edr_fname: CET DEVELOPMENT
edr_fadd1: 630 1ST
City,State,Zip: SAN JOSE, CA 95112
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-2342

CERS:
Name: CET DEVELOPMENT
Address: 630 S 1ST ST
City,State,Zip: SAN JOSE, CA 95113
Site ID: 211364
CERS ID: T0608560823
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported

CET DEVELOPMENT (Continued) **S104234154**

Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

---

88 **SJSU** **CA LUST S102437633**
NNE **SAN CARLOS & 7TH** **CA HIST LUST N/A**
1/4-1/2 **SAN JOSE, CA 95192**
0.281 mi.
1484 ft.

Relative: **Lower**

Actual: **92 ft.**

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E08J03f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 7/20/1995
Pollution Characterization Began: 7/20/1995
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

HIST LUST SANTA CLARA:
Name: SJSU
Address: San Carlos & 7th
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E08J03
Oversite Agency: SCVWD
Date Listed: 1995-12-22 00:00:00
Closed Date: 1998-08-27 00:00:00

O89
West
1/4-1/2
0.306 mi.
1615 ft.

SAN JOSE CONVENTION CENTER (SOUTH HALL)
SOUTH MARKET STREET
SAN JOSE, CA

Site 1 of 4 in cluster O

CA CPS-SLIC **S108992048**
CA CERS **N/A**

Relative:
Lower

Actual:
97 ft.

CPS-SLIC:

Name:	SAN JOSE CONVENTION CENTER (SOUTH HALL)
Address:	SOUTH MARKET STREET
City,State,Zip:	SAN JOSE, CA
Region:	STATE
Facility Status:	**Open - Site Assessment**
Status Date:	02/15/2005
Global Id:	SL0608531982
Lead Agency:	SAN FRANCISCO BAY RWQCB (REGION 2)
Lead Agency Case Number:	Not reported
Latitude:	37.331019
Longitude:	-121.888279
Case Type:	Cleanup Program Site
Case Worker:	DIB
Local Agency:	Not reported
RB Case Number:	43S1099
File Location:	Regional Board
Potential Media Affected:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	* Solvents, Lead, Gasoline
Site History:	This site is a city block which consisted of multiple parcels and that has been redeveloped into an annex of the San Jose Convention Center. The site contains a permanent tent structure. There is groundwater polluted with gasoline and diesel beneath a portion of the site.

Click here to access the California GeoTracker records for this facility:

CERS:

Name:	SAN JOSE CONVENTION CENTER (SOUTH HALL)
Address:	SOUTH MARKET STREET
City,State,Zip:	SAN JOSE, CA
Site ID:	222736
CERS ID:	SL0608531982
CERS Description:	Cleanup Program Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	David Barr - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST., STE. 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

O90 **SJRA-HOTEL EAST** **CA LUST** **S105512904**
West **301 S MARKET ST** **CA HIST LUST** **N/A**
1/4-1/2 **SAN JOSE, CA 95113** **CA CERS**
0.309 mi.
1630 ft. **Site 2 of 4 in cluster O**

Relative:
Lower

Actual:
97 ft.

LUST REG 2:

Region:	2
Facility Id:	Not reported
Facility Status:	Case Closed
Case Number:	07S1E17C05f
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	10/10/1988
Pollution Characterization Began:	8/7/1990
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	3/27/1985
Date Post Remedial Action Monitoring Began:	Not reported

HIST LUST SANTA CLARA:

Name:	SJRA-Hotel East
Address:	301 S Market St
City:	San Jose
Region:	SANTA CLARA
Region Code:	2
SCVWD ID:	07S1E17C05
Oversite Agency:	SCVWD
Date Listed:	1991-09-05 00:00:00
Closed Date:	2001-10-18 00:00:00

CERS:

Name:	SJRA-HOTEL EAST
Address:	301 S MARKET ST
City,State,Zip:	SAN JOSE, CA 95113
Site ID:	238640
CERS ID:	T0608501186
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	SAN JOSE
Affiliation State:	CA

SJRA-HOTEL EAST (Continued) **S105512904**

Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

O91 **SAN JOSE MARRIOTT** **CA LUST** **S108219554**
West **301 S MARKET ST** **CA CERS HAZ WASTE** **N/A**
1/4-1/2 **SAN JOSE, CA 95113** **CA CERS TANKS**
0.309 mi. **CA CUPA Listings**
1630 ft. **Site 3 of 4 in cluster O** **CA CERS**

Relative: **Lower**
Actual: **97 ft.**

LUST:
Name: SJRA-HOTEL EAST
Address: 301 S MARKET ST
City,State,Zip: SAN JOSE, CA 95113
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501186
Global Id: T0608501186
Latitude: 37.330481
Longitude: -121.886783
Status: Completed - Case Closed
Status Date: 10/18/2001
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0608501186
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608501186
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608501186
Action Type: RESPONSE
Date: 02/25/1999
Action: Other Report / Document

Global Id: T0608501186

SAN JOSE MARRIOTT (Continued) **S108219554**

Action Type: RESPONSE
Date: 08/17/2001
Action: Interim Remedial Action Report

Global Id: T0608501186
Action Type: RESPONSE
Date: 06/03/2005
Action: Other Report / Document

Global Id: T0608501186
Action Type: Other
Date: 10/31/1984
Action: Leak Reported

Global Id: T0608501186
Action Type: RESPONSE
Date: 11/05/1984
Action: Other Report / Document

Global Id: T0608501186
Action Type: RESPONSE
Date: 04/11/1990
Action: Other Workplan

Global Id: T0608501186
Action Type: RESPONSE
Date: 06/03/2005
Action: Other Report / Document

Global Id: T0608501186
Action Type: RESPONSE
Date: 09/09/1991
Action: Unauthorized Release Form

Global Id: T0608501186
Action Type: RESPONSE
Date: 04/11/1990
Action: Monitoring Report - Quarterly

Global Id: T0608501186
Action Type: ENFORCEMENT
Date: 06/03/2005
Action: Other Report

Global Id: T0608501186
Action Type: RESPONSE
Date: 02/15/1997
Action: Other Report / Document

Global Id: T0608501186
Action Type: REMEDIATION
Date: 03/27/1985
Action: Pump & Treat (P&T) Groundwater

Global Id: T0608501186
Action Type: ENFORCEMENT
Date: 09/06/1991

SAN JOSE MARRIOTT (Continued) **S108219554**

Action: Notice of Responsibility - #39827

Global Id: T0608501186
Action Type: ENFORCEMENT
Date: 12/18/1998
Action: Staff Letter - #25941

Global Id: T0608501186
Action Type: ENFORCEMENT
Date: 01/06/1997
Action: Staff Letter - #25939

Global Id: T0608501186
Action Type: RESPONSE
Date: 01/01/1985
Action: Correspondence

Global Id: T0608501186
Action Type: RESPONSE
Date: 03/27/1985
Action: Preliminary Site Assessment Report

Global Id: T0608501186
Action Type: RESPONSE
Date: 09/28/1989
Action: Soil and Water Investigation Report

Global Id: T0608501186
Action Type: RESPONSE
Date: 07/24/1987
Action: Other Report / Document

LUST:
Global Id: T0608501186
Status: Completed - Case Closed
Status Date: 10/18/2001

Global Id: T0608501186
Status: Open - Case Begin Date
Status Date: 10/31/1984

Global Id: T0608501186
Status: Open - Remediation
Status Date: 03/27/1985

Global Id: T0608501186
Status: Open - Site Assessment
Status Date: 10/10/1988

Global Id: T0608501186
Status: Open - Site Assessment
Status Date: 08/07/1990

CERS HAZ WASTE:
Site ID: 64623

SAN JOSE MARRIOTT (Continued) **S108219554**

CERS ID: 10097317
CERS Description: Hazardous Waste Generator

Violations:
Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: 23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description: Failure of sensor to be located in the proper position/location.
Violation Notes: The brass couplings in the piping sump and the transition sump have their schrader valves removed but they are still oriented on the top of the pipe, not downwards as noted in the 3/24/2015 report. The openings must be on the bottom half (between the 3 and 9 o'clock positions)
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-13-2018
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to have an approved UST Response Plan.
Violation Notes: UST information submitted via CERS on 3/13/2018 is missing the required UST Response Plan. The plan submitted via CERS on 4/2/2014 has not been revised and electronically submitted via CERS as required within 30 days of the change in responsible persons.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description: Business Plan Program - Administration/Documentation - General
Violation Notes: Facility failed to respond to a notice to comply with the actions taken to correct each violation cited in the inspection report. No written response with the corrective actions taken to the violations cited in the Official Notice of Inspection Reports issued on 3/24/2015 and 3/22/2016 have been submitted to HMCD. A copy of both reports were provided during today?s inspection. Submit to HMCD a written description of the actions taken to correct each violation listed in the Official Notice of Inspection. If any violation has not been corrected, describe the corrective actions that will be taken and provide a specific date by which those actions will be completed. [25404.1.2(c)]
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623

SAN JOSE MARRIOTT (Continued) **S108219554**

Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 23 CCR 16 2632(d)(1)(C), 2641(h), 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632(d)(1)(C), 2641(h), 2711(a)(8)
Violation Description: Failure to submit or update a plot plan.
Violation Notes: The UST site maps provided on CERS do not include all the required information outlined below.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: HSC 6.7 25281.5(b)(3) - California Health and Safety Code, Chapter 6.7, Section(s) 25281.5(b)(3)
Violation Description: Failure to conduct daily visual inspections each time the tank is operated, but not less than monthly, and maintain a log of inspection results for review of the CUPA.
Violation Notes: Returned to compliance on 04/10/2014. The single-wall section of piping at the generator on the 27th floor did not have documented inspections for 11/2013, 12/2013, 1/2014 or 2/2014. Ensure the once-a-month minimum inspections are performed and documented and the documentation is available for review.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.95 25508.1(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(f)
Violation Description: Failure to electronically update the business plan within 30 days of a substantial change.
Violation Notes: HMBP was not revised and resubmitted within 30 days of departure of Secondary Emergency Contact Robert Thomas last August.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes: Add Santa Clara County CUPA phone number (408-918-3400) to section C3. Correct and resubmit within 30 days.
Violation Division: Santa Clara County Environmental Health

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description: UST Program - Operations/Maintenance - General
Violation Notes: Returned to compliance on 04/10/2014.
_____ -In the piping sump, the Schrader valves were not removed from the test boots/fittings, therefore not allowing any potential leaks to be seen by the sump sensor. Have the Schrader valve assemblies removed by a UST Technician and ensure they are removed after secondary containment testing. -The VR -208 sensor in the day tank secondary containment on the 27th floor that monitors the secondary of the fuel supply and return lines is not connected to the Veeder-Root TLS-300C panel, but a remote annunciator/light in the engineering office which is not approved for use with UST systems. Provide approved monitoring of the UST piping secondary containment.
_____
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Annual certification of this facility's HMBP is due in October each year. Last submittal was made on 2/21/2014.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description: Failure of leak detection equipment to be located such that equipment is capable of detecting a leak at the earliest possible opportunity.
Violation Notes: _____ The Veeder-Root 794380-208 sensor was observed to be in a location that does not provide the earliest opportunity of leak detection. The sensor?s improper location was verified by the fact that the diesel accumulating in the sump was at a different location than the sensor (i.e. the sensor was dry while there was diesel in the sump). The sensor was re-located to a location that provides leak detection at the earliest opportunity. This violation was corrected at the time of inspection. NO FURTHER ACTION IS NEEDED. However, ensure that the sensor remains in the proper location.
_____

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description: The owner/operator has failed to designate an UST operator or to inform the CUPA or any change in the designated UST operator(s) within 30 days after a change.
Violation Notes: DUSTO inspections since 5/23/2014 have been performed by Waymond Gathright (ICC #8255635, exp. 4/23/2016) and Richard Reed (ICC # 8214306, exp. 7/24/2015). Neither DUSTO is listed on the most recent notification dated 3/25/2014 which identifies the DUSTOs for this facility.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: 19 CCR 6.95 25508(a)(1) - California Code of Regulations, Title 19, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit the Business Activities Page and/or Business Owner Operator Identification Page.
Violation Notes: HMBP does not identify the entity that operates the hotel. Revise the "Identification" (i.e., Operator) information and resubmit within 30 days.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: 23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description: Failure to comply with one or more of the designated operator monthly inspection requirements: failed to inspect the monthly alarm history report; attach a copy of the alarm history; failed to inspect for the presence of liquid or debris in the spill container/spill bucket and under dispenser containment; failed to inspect the under dispenser containment to ensure that monitoring equipment is placed in the proper position; failure to inspect for liquid or debris in the containment sump where an alarm occurred or for which there is no record of a service visit; or failure to check that all testing and maintenance has been completed and documented.
Violation Notes: Returned to compliance on 04/10/2014.

The DUSTO Monthly reports for 5/2013, 10/2013, 12/2013, 1/2014 or 2/2014. Ensure the last 12 months of DUSTO monthly inspection reports are available for review.

Violation Division: Santa Clara County Environmental Health

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-14-2018
Citation: HSC 6.7 25291(a)(1) - California Health and Safety Code, Chapter 6.7, Section(s) 25291(a)(1)
Violation Description: Failure to construct, operate, and maintain primary containment as product-tight.
Violation Notes: This is a violation originally cited on 3/20/2017, 3/22/2016 and 3/24/2015. Secondary piping pressure test ports for supply line and return line have had their valve cores removed as required to allow drainage of the secondary lines into the monitored sump, but valves for both lines appeared to be in the closed position at the time of inspection, isolating them from the fuel in the UST. Ms. Walker stated during the inspection that repairs have been made, but no records are available to document any repairs. Submit documentation showing how, when, and by whom any repairs to these lines were made. (Note: No work plan was submitted as directed in the 3/20/2017 Official Notice of Inspection.)
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to submit, obtain approval, or maintain a complete/accurate response plan.
Violation Notes: Returned to compliance on 04/10/2014.

The 2/21/2014 CERS submittal has a response plan with Isaac Harris as the primary Responsible Person. Please update the Response Plan with the current Responsible Person and submit in CERS.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:

Certification of Financial Responsibility (CFR) documentation expired on 9/30/2014 and has not been updated as instructed in the 3/24/2015 and 3/22/2016 Official Notice of Inspection Reports (NOIs). Submit an updated Certification of Financial Responsibility form on the California Environmental Reporting System (CERS). Furthermore, while Ms. Walker stated that the insurance policy is kept up to date, a copy of the facility?s Certificate of Insurance for the insurance policy

SAN JOSE MARRIOTT (Continued) **S108219554**

continues to be unavailable for review. THESE VIOLATIONS ARE REPEAT UNCORRECTED CLASS I VIOLATIONS FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016 AND REPEAT UNCORRECTED CLASS II VIOLATIONS FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/23/2015. ALL CLASS I VIOLATIONS REQUIRE IMMEDIATE CORRECTIVE ACTION.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-14-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit the Business Activities Page and/or Business Owner Operator Identification Page.
Violation Notes: This is an uncorrected violation originally cited on 3/24/2015. The information submitted via CERS on 3/13/2018 still does not correctly identify the legal entity that operates the hotel.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 23 CCR 6.7 25284, 25286 - California Code of Regulations, Title 23, Chapter 6.7, Section(s) 25284, 25286
Violation Description: Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes: The UST Facility Operating Permit Application information on CERS identifies ?San Jose Marriott? as the tank operator, but Ms. Walker and the Secretary of State?s website?s business search, ?San Jose 2 Hotel Operator, LLC? CWI2 is the tank operator. This is a repeat violation from the Official Notice of Inspection Report issued on 3/24/2015 and has therefore been escalated to a Class II violation. ALL CLASS II VIOLATIONS REQUIRE IMMEDIATE CORRECTIVE ACTION.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description: UST Program - Administration/Documentation - General
Violation Notes: Returned to compliance on 04/10/2014. A copy of the 2013 Monitoring System Certification and Spill Bucket testing reports were not received by our office. Obtain a copy and submit them to our office.

Violation Division: Santa Clara County Environmental Health

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Program:	UST
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25286(a)
Violation Description:	Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes:	Permit application information submitted via cers website on 4/2/2014 does not identify UST operator. Resubmit within 30 days identifying operator as Marriott Hotel Services, Inc.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-13-2018
Citation:	23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description:	Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the UPA or special inspector.
Violation Notes:	This is an uncorrected and repeat violation. Submit written responses to all UST violations cited in the Official Notices of Inspection dated 3/20/2017, 3/22/2016 and 3/24/2015.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-13-2018
Citation:	HSC 6.7 25284, 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25284, 25286
Violation Description:	Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes:	This is an uncorrected violation. Permit application information submitted via CERS on 3/13/2018 still identifies the UST Operator as San Jose Marriott, which appears to be an unregistered fictitious business name, not the name of a legal entity. Property records identify the owner of the real estate on which the hotel is located as CWI 2 San Jose Hotel LP / Ryan LLC since 5/10/2013 when the property was purchased from PR SJM Hotel LLC. Correct and resubmit the UST Facility Information in CERS. Along with your written response to this Notice of Violation, include an explanation of the current and historic relationships between Marriott International Inc., CWI 2 San Jose Hotel LP, CWI 2 San Jose Hotel GP LLC, Ryan LLC, SP6 San Jose Hotel Owner LLC, SP6 San Jose Hotel Lessee LLC, and SP6 TRS LLC (i.e., parent/subsidiary and/or partnership relationships, and exactly who currently owns and operates the hotel and the UST).
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

SAN JOSE MARRIOTT (Continued) **S108219554**

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-13-2018
Citation: 23 CCR 16 2712(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)
Violation Description: Failure to maintain records of repairs, lining, and upgrades on site, or off site if approved by the UPA, for the life of the UST.
Violation Notes: This is an uncorrected Minor violation that has been elevated to Class II. No Monitoring System Certification forms, spill bucket test reports, reports documenting periodic secondary containment testing, or other UST system maintenance records are available on-site. Keep all UST system maintenance records available for review during inspections as specified below.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 04/10/2014.

Certification of Financial Responsibility (CFR) submitted in CERS 2/21/2014 lists the prior owner as does the insurance policy. An updated CFR was observed at the facility. Please verify the dates of coverage and submit in CERS an updated CFR and a copy of the insurance summary including the UST endorsement language listing the facility as one of the covered locations.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain and maintain a valid operation permit from the CUPA.
Violation Notes: Facility has not submitted all the required UST information and cleared all the outstanding violations to allow for a permit to operate to be issued. Correct all open violations and submit complete and up-to-date information on CERS.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter

SAN JOSE MARRIOTT (Continued) **S108219554**

16, Section(s) 2715(a)
Violation Description: Failure to notify the CUPA of the designated operator (DO) identification and/or change of the DO within 30 days.
Violation Notes: The facility has not submitted an updated Owner Statement of Designated UST Operator Compliance as directed to do in the 3/24/2015 and 3/22/2016 Official Notice of Inspection Reports. Additionally, the past 12 months of DUSTO inspections have been conducted by Richard Reed and Michael Pietsch, neither of whom are in included on the outdated Owner Statement of Designated UST Operator Compliance. THIS VIOLATION HAS BEEN ESCALATED TO A CLASS I VIOLATION AS THIS IS A CONTINUOUS, REPEAT, AND UNCORRECTED CLASS II VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016 AND A CONTINUOUS, REPEAT, AND UNCORRECTED MINOR VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/23/2015. ALL CLASS I VIOLATIONS REQUIRE IMMEDIATE CORRECTIVE ACTION.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.7 25281.5(b)(3) - California Health and Safety Code, Chapter 6.7, Section(s) 25281.5(b)(3)
Violation Description: Failure to conduct daily visual inspections each time the tank is operated, but not less than monthly, and maintain a log of inspection results for review of the CUPA.
Violation Notes: Marriott's "Daily Check of Emergency Generator Diesel Fuel System Leak Detection Monitoring System, Aboveground Piping and Day Tanks" log has not been completed since October of 2013.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Facility did not submit a complete HMBP to CERS as noted in the 3/24/2015 Notice of Inspection (NOI). Ensure all items noted in the 3/24/2015 inspection report are addressed and submit a complete HMBP to CERS. Ensure the HMBP is properly updated within 30 days of changes to personnel, chemicals stored or operations. Ensure the HMBP is certified at least annually. Complete the response to the 3/24/2015 NOI and submit with the response to today's report. A copy of the 3/24/2015 NOI was delivered during the inspection.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

SAN JOSE MARRIOTT (Continued) **S108219554**

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain a valid permit to operate from the CUPA.
Violation Notes: The facility does not currently have a UST Permit to Operate. Correct all open violations and provide a written response documenting the actions taken to correct each violation and a signed Certification of Compliance to HMCD. A Permit to Operate will be issued upon verification that the facility has returned to full compliance and all information provided on CERS is up-to-date. THIS IS A REPEAT UNCORRECTED CLASS I VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016 AND A REPEAT UNCORRECTED CLASS II VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/23/2015.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description: Failure to submit statement of UST compliance and/or Designated Operator certification.
Violation Notes: The facility has not submitted an up-to-date listing of the Designated Operator Identification and Statement of Compliance, as directed in the 3/24/2015 inspection report. Submit the form to CERS and ensure any changes to Designated Operator personnel are submitted within 30 days.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 22 CCR 12 66262.11 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.11
Violation Description: Failure to determine if wastes generated are hazardous waste by using generator knowledge or applying testing method.
Violation Notes: One black 55 gallon drum labeled only as ?Diesel 55 gallons 9-4-12? was observed next to the day tank in the emergency generator room on the 27th floor. Ms. Walker stated that she was unsure of the drum?s contents. A hazardous waste determination must be conducted on the drum?s contents. Determine if the contents are still usable or a waste. If determined to be a waste, determine whether the contents are a hazardous waste using generator knowledge or through laboratory testing as outlined below. If determined to still be usable contents, adequately label the container within 10 days. Provide documentation of the waste and hazardous waste determinations to HMCD for review.

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 23 CCR 16 2712(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)
Violation Description: Failure to maintain records of repairs, lining, and upgrades on site, or off site if approved by the CUPA, for the life of the UST.
Violation Notes: No annual monitoring system certifications from the past 5 years and no spill bucket test reports and secondary containment test reports from the past 3 years are available for review. Ensure that annual monitoring system certification reports are maintained on-site for 5 years and that spill bucket test reports and secondary containment test reports are maintained on-site for 3 years.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: 23 CCR 16 2637 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637
Violation Description: Failure to comply with one or more of the following: conduct secondary containment testing, within six months of installation and every 36 months thereafter, conducted in accordance with proper practices, protocols, or test methods.
Violation Notes: Returned to compliance on 04/10/2014. The last secondary containment testing report on file was after a repair/install that was done on 3/11/2013. Newly installed secondary containment systems must be tested again at 6 months. Have the secondary containment tested or supply more recent testing report showing that the 6 month interval has not been exceeded.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-13-2018
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description: Failure to submit the UPA. of the designated operator (DO) identification and/or change of the DO within 30 days.
Violation Notes: This is an uncorrected and repeat violation. Designated UST Operator information submitted via CERS on 3/13/2018 is out of date. The Owner Statement of Designated UST Operator Compliance must be updated and electronically submitted via CERS within 30 days of a change in DUSTO. (Note: The past 12 monthly DUSTO inspections have been performed by Richard Reed and Jason Woods.)

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-14-2018
Citation:	HSC 6.95 25508.1(a)-(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(a)-(f)
Violation Description:	Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name. A substantial change in the handler's operations that requires modification to any portion of the business plan.
Violation Notes:	This is a repeat violation. The HMBP was not revised and submitted within 30 days of change in ownership of the hotel and changes in responsible persons Ensure that the HMBP is kept current on CERS as required.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	22 CCR 23 66273.34 - California Code of Regulations, Title 22, Chapter 23, Section(s) 66273.34
Violation Description:	Failure to properly label the following categories of universal waste as: 1) Each batteries or the container in which the batteries are contained as "Universal Waste-Battery(ies)". 2) Each mercury-containing equipment or the container in which the mercury-containing equipment is contained as "Universal Waste -Mercury-Containing Equipment". 3) Each Florescent lamp or the container or package in which the lamps are contained as "Universal Waste-Lamp(s)". 4) Each electronic devices or the container or pallet in or on which the electronic devices are contained as "Universal Waste-Electronic Device(s)". 5) Each CRTs or the container or pallet in or on which the CRTs are contained as "Universal Waste-CRT(s)". 6) A container of CRT glass shall be labeled or marked clearly with the following phrase: "Universal Waste-CRT glass". 7) In lieu of labeling individual electronic devices, CRTs, and/or containers of CRT glass pursuant to subsections d) through f) of this section, a universal waste handler may combine, package, and accumulate those universal wastes in appropriate containers or within a designated area demarcated by boundaries that are clearly labeled with the applicable portion(s) of the following phrase: "Universal Waste-Electronic Device(s)/Universal Waste - CRT(s)/Universal Waste-CRT Glass".
Violation Notes:	Mark all containers holding Universal Waste with the words, "UNIVERSAL WASTE - LAMPS" (for used fluorescent lamp tubes and bulbs) or "UNIVERSAL WASTE - BATTERIES" (for consumer-type batteries). Either implement an inventory system (e.g., log) to keep track of Universal waste container accumulation times or mark each container with the initial date of accumulation.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-13-2018
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes:	This is an uncorrected violation. This facility's UST Permit to Operate cannot be issued until the facility is in compliance with UST requirements. Permit will be issued after all UST violations noted below have been corrected.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	49 CFR 1 172.201(e) - U.S. Code of Federal Regulations, Title 49, Chapter 1, Section(s) 172.201(e)
Violation Description:	Failure of the universal waste handler to properly package, label, mark, placard, or prepare and retain shipping papers for all universal waste being shipped to another universal waste handler, destination facility, or foreign facility.
Violation Notes:	At least one broken fluorescent lamp tube was observed in an open box holding Universal Waste lamps. Broken lamps must be in a sealed container. Lamps must be packaged in a manner that prevents breakage.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-14-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	This is an uncorrected violation originally cited on 3/24/2015. The only map submitted via CERS on 3/13/2018 is the UST Monitoring Site Plan. You must include maps showing the overall facility layout and the location of the standby generator?s day tank (see instructions below).
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-20-2017
Citation:	23 CCR 16 2715(c) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)
Violation Description:	Failure to comply with one or more of the following designated operator (DO) monthly inspection requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms

SAN JOSE MARRIOTT (Continued) **S108219554**

are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been properly trained.

Violation Notes: The DUSTO Monthly Inspection Report for 11/7/2016 incorrectly listed N/A to the question of whether ?secondary containment tests have been completed within the required timeframe.? Additionally, the DUSTO Inspection Report from 4/4/2016 incorrectly listed N/A to the question of whether ?each alarm for the previous month has been responded to appropriately? (alarms occurred due to annual monitoring system certification and the correct answer should be ?yes?).

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Maps submitted via CERS website on 2/21/2014 are illegible and incomplete. Correct and resubmit within 30 days.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.7 25284(a)(3) - California Health and Safety Code, Chapter 6.7, Section(s) 25284(a)(3)
Violation Description: Failure to submit, maintain, or implement an owner/operator written agreement.
Violation Notes: Not reported
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: 23 CCR 16 2638 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638
Violation Description: Failure to test leak detection equipment as required every 12 months (VPH, sensor, LLD, ATG, etc.) and/or submit monitoring system certification to the CUPA within 30 days of completion of the test
Violation Notes: Reports documenting testing done on 3/11/2013 and 3/7/2014 have not been submitted.
Violation Division: Santa Clara County Environmental Health

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Not reported
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-14-2018
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: This is a repeat violation. Despite being repeatedly being directed to certify your HMBP annually, no Hazardous Materials Inventory or Emergency Response and Training Plans information was electronically submitted via CERS between 2/21/2014 and 3/13/2018. The information submitted on 3/13/2018 will be reviewed and the submittal status updated. Certify your HMBP every 12 months as required.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: 23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description: Failure of sensor to be located in the proper position/location.
Violation Notes: Schrader valve secondary piping pressure test ports for both supply lines and both return lines in the tank top piping sump are pointed upwards. Brass compression fittings on the secondary piping for the new flexible supply and return lines and black flexible test boots on the original supply and return lines must be reoriented so that the test valve openings point downward. [Include this work in the scope of work for the required repair of piping primary containment (see below).]
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: 23 CCR 16 2631.1 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2631.1
Violation Description: UST system is not made of or lined with materials that are compatible

SAN JOSE MARRIOTT (Continued) **S108219554**

with the substance stored in the underground storage tank system.
Violation Notes: Secondary pipe for new supply line was found to be full of fuel when Schrader valve core in the tank top piping sump was removed today. Released fuel was also observed pooled in the piping transition sump. Released fuel was pumped out of the sumps today. Disregard directive below to immediately cease storing hazardous materials in the UST, but investigate the cause of the releases and obtain a repair permit as directed below. [Note: This project can be done as an amendment to existing pipe repair Service Request # SR0842955 for which the repair permit fee was paid on Invoice # IN1037896 by CalPhase Construction, Inc.]
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-13-2018
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: This is an uncorrected and repeat Class I violation. UST information submitted via CERS on 3/13/2018 is missing the required UST Certification of Financial Responsibility (CFR). The most recent CFR for this facility expired on 9/30/2014. The CFR must be updated annually with current insurance policy information and electronically submitted via CERS. Prepare and submit a current CFR form. [Note: A copy of the current insurance policy was available on-site (Policy #CST1520943-17, valid 8/15/2017 through 8/15/2018). Please include a copy of the policy with the CFR form you submit.] Financial responsibility must be demonstrated by the UST owner and/or the UST operator. Your permit application does not identify Marriott International Inc. as either of those entities, but they are the named insured in the insurance policy. Along with your written response to this Notice of Violation, include information demonstrating that Marriott International Inc.?s insurance policy covers [Truncated]
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description: Hazardous Waste Generator Program - Administration/Documentation - General
Violation Notes: _____ No written response with the corrective actions taken to the violations cited in the Official Notice of Inspection Reports issued on 3/24/2015 and 3/22/2016 have been submitted to HMCD. A copy of both reports were provided during today?s inspection. THIS VIOLATION HAS BEEN ESCALATED TO A CLASS I VIOLATION AS THIS IS A CONTINUOUS, REPEAT, AND UNCORRECTED CLASS II VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016. ALL CLASS I VIOLATIONS REQUIRE IMMEDIATE CORRECTIVE ACTION.

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: The facility has not reviewed and submitted a complete HMBP on CERS since 2/21/2014, as noted in the 3/24/2015 and 3/22/2016 Official Notice of Inspection Reports. Ensure all items noted in the 3/24/2015 inspection report are addressed and submit a complete HMBP to CERS. Ensure that the HMBP is properly updated within 30 days of changes to personnel, chemicals stored, and operations. Ensure that the HMBP is certified at least annually and all hazardous materials/wastes at or above HMBP reportable thresholds are included. If you would like assistance with your HMBP submittal, contact Molly Pritz at molly.pritz@cep.sccgov.org or Michelle Santos at (408)918-1981. THIS VIOLATION HAS BEEN ESCALATED TO A CLASS I VIOLATION AS THIS IS A CONTINUOUS, REPEAT, AND UNCORRECTED CLASS II VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016 AND A CONTINUOUS, REPEAT, AND UNCORRECTED MINOR VIOLATION FROM [Truncated]
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Administration/Documentation - General
Violation Notes: Facility did not submit a response to the 3/24/2015 Notice of Inspection (NOI). Ensure all violations are addressed and a completed NOI is submitted within 30 days. Submit a completed NOI with the response to today's report. A copy of the 3/24/2015 NOI was delivered during the inspection.

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: 23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description: Failure to maintain secondarily contained piping to allow liquid in the event of a leak to drain into sump (i.e. failure to remove test boot, pipe swelling).

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Notes: Schrader valve secondary piping pressure test ports for both supply lines and both return lines in the tank top piping sump had valve cores left installed after last secondary containment test. Secondary piping for the new supply and return lines were similarly plugged in the piping transition sump. This prevented the secondary pipes from draining into the monitored sumps. The valve cores and plugs were removed today during this inspection. Ensure that the lines remain free to drain into monitored sumps when not undergoing triennial pressure testing.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: HSC 6.7 25291(a)(1) - California Health and Safety Code, Chapter 6.7, Section(s) 25291(a)(1)
Violation Description: Failure to construct, operate, and maintain primary containment as product-tight.
Violation Notes: Diesel was observed to be pooling the piping sump and pipe transition sump during today?s inspection. In aggregate, approximately 0.5 gallons of diesel was removed from the piping sump and pipe transition pump. Diesel has previously been observed in the pipe transition sump during the 3/23/2015 and 3/22/2016 inspections and in the piping sump during the 3/23/2015 inspection. Per maintenance records and Ms. Walker?s statements, no repairs or corrective actions have been taken to repair the piping. IMMEDIATELY begin investigating the source of the fuel leak and submit a work plan for any necessary repairs to HMCD for review. Depending on the scope of work necessary, a permit from HMCD may be required for the repairs. THIS IS A CONTINUOUS, REPEAT, AND UNCORRECTED CLASS I VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016 AND A CONTINUOUS, REPEAT, AND UNCORRECTED CLASS II VIOLATION THE [Truncated]
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Certification of Financial Responsibility (CFR) has not been updated as instructed in the 3/24/2015 Notice of Inspection (NOI). Submit an updated CFR to CERS. Ensure the CFR is updated annually with the current policy number and term of the insurance policy. Also submit or have available for review the current insurance policy showing the proper endorsement language as noted below.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

SAN JOSE MARRIOTT (Continued) **S108219554**

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain and maintain a valid operation permit from the CUPA.
Violation Notes:	Not reported
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-14-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes:	You failed to electronically submit a corrected HMBP within 30 days of notification from HMCD that the HMBP is deficient. Hazardous Materials Inventory information submitted via CERS on 2/21/2014 was ?Not Accepted? and corrective action guidance was provided via CERS on 3/24/2015, but updated information was not submitted until 3/31/2018. Review the ?Comments by regulator? associated with all reviewed submittals when emails from CERS associated with ?Accepted? and ?Not Accepted? submittals are received.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-14-2018
Citation:	23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description:	Failure of leak detection equipment to be located such that equipment is capable of detecting a leak at the earliest possible opportunity.
Violation Notes:	This is an uncorrected Class I violation originally cited on 3/22/2016 and 3/24/2015. Secondary piping pressure test ports for supply line and return line in the tank top piping sump are pointed upwards. Brass compression fittings on the secondary piping for the flexible supply and return lines must be reoriented so that the test valve openings point downward. Have a qualified contractor perform this work. (Note: Original supply and return lines have been disconnected inside the tank top piping sump.)
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-07-2014
Citation:	HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description:	UST Program - Administration/Documentation - General
Violation Notes:	Returned to compliance on 04/10/2014.

SAN JOSE MARRIOTT (Continued) **S108219554**

The 2012, 2013 Monitoring System Testing and Spill Bucket testing and the 3/2013 Secondary Containment testing results were not available for review. Ensure copies of the testing results and any mainteance/repair reports for the last three years are available for review.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: 23 CCR 16 2631.1 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2631.1
Violation Description: UST system is not made of or lined with materials that are compatible with the substance stored in the underground storage tank system.
Violation Notes: Observed diesel in the transition sump and there is no record of repairs requested in the 3/24/2015 inspection report. Submit any repair documentation and a retroactive permit application package as required.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description: Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the CUPA or special inspector.
Violation Notes: No written response with the corrective actions taken to the violations cited in the Official Notice of Inspection Reports issued on 3/24/2015 and 3/22/2016 have been submitted to HMCD. A copy of both reports were provided during today?s inspection. THIS VIOLATION HAS BEEN ESCALATED TO A CLASS I VIOLATION AS THIS IS A CONTINUOUS, REPEAT, AND UNCORRECTED CLASS II VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016. ALL CLASS I VIOLATIONS REQUIRE IMMEDIATE CORRECTIVE ACTION.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: 23 CCR 16 2715(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(b)
Violation Description: Failure to submit statement of UST compliance and/or Designated Operator current certification.
Violation Notes: Returned to compliance on 04/10/2014.

SAN JOSE MARRIOTT (Continued) **S108219554**

Facility has a DUSTO Identification form indicating a change in DUSTO on file. Sign and upload the DUSTO Identification form to CERS. Submit an new form in CERS within 30 days of change of the identification of the DUSTO.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-14-2018
Citation: HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description: Hazardous Waste Generator Program - Administration/Documentation - General
Violation Notes: This is an uncorrected and repeat violation. Submit written responses to all hazardous waste violations cited in the Official Notices of Inspection dated 3/20/2017 and 3/24/2015.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: Un-Specified
Violation Description: UST Program - Administration/Documentation - For use of Local Ordinance only
Violation Notes: No response to the 3/24/2015 Notice of Inspection has been received by our office. Submit a complete NOI. A copy of the 3/24/2015 report was delivered during the inspection.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Evaluation:
Eval General Type: Other/Unknown
Eval Date: 03-14-2018
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-20-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: NOTES: 1) The diesel waste and spill bucket liquid waste removed from the piping sump, pipe transition sump, and spill bucket was transferred into a 5 gallon plastic bucket container at the time of inspection. The container was properly labeled with a completed hazardous waste label. ENSURE THAT ALL HAZARDOUS WASTE IS COLLECTED,

SAN JOSE MARRIOTT (Continued) **S108219554**

MANAGED, AND DISPOSED OF IN ACCORDANCE WITH ALL APPLICABLE HAZARDOUS WASTE REQUIREMENTS. 2) Approximately 1.5 gallons of liquid suspected of being primarily water was observed in the fill spill bucket during today's inspection. The liquid was removed and collected as noted above. 2) Submit a copy of the Monitoring Certification and Spill Bucket Test reports to HMCD within 30 days. On-site for an annual monitoring system certification performed by UST Service Technician Steven Williams of Tanknology, Inc. Mr. Williams has current ICC California UST Service Technician certification (#8234559 exp. 6/3/2018) and Veeder-Root certification [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-20-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This inspection was limited to follow-up to the 3/24/2015 and 3/22/2016 inspections and the observations made while conducting a routine underground storage tank system inspection.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-24-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Facility does not routinely generate hazardous waste, so Hazardous Waste Generator permit will be inactivated. Only Universal Wastes are routinely generated. Copy of Universal Waste Management Requirements guidance document (HMCD-108) was provided today.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-24-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Please make all corrections to CERS data and make a single updated submittal (i.e., do not submit changes piecemeal). Note: Facility has only 1 hazardous substance at or above State HMBP reporting threshold. Diesel.
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 03-22-2016
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Inspection limited to follow up on the prior inspection 3/24/2015.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

SAN JOSE MARRIOTT (Continued) **S108219554**

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-24-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: All underground storage tank (UST) system leak detection equipment was tested today by UST Service Technician Christopher Bishop of Confidence UST Services, Inc. and functioned properly. Mr. Bishop has current ICC California UST Service Technician certification (exp. 4/30/2016) and Veeder-Root Level 4 certification (exp. 5/15/2016). The Veeder-Root model 794390-420 tank annular sensor and 3 Veeder-Root model 794380-208 liquid sensors monitoring the tank top piping sump, piping transition sump, and floor in the fuel pump room berm were tested using water to obtain audible and visual fuel alarms on the Veeder-Root TLS-300C console. The direct buried UST fill spill bucket was hydrostatically tested for 1 hour and passed. Submit a copy of the completed Monitoring System Certification form and spill bucket test report within 30 days. Notes: 1. Designated UST Operator monthly inspection and facility employee training records are in order. Annual refresher training [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-07-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site to witness the annual monitoring system certification and spill bucket test performed by Mr. Timothy Elebeck (ICC #8001435-UT, exp. 11/26/2014; VR L4 #B35252, exp. 9/9/2015) of Tanknology. Site consists of a single UST supplying an emergency backup generator located on the 27th floor penthouse. The annular space, piping sump, transition sump, and pump room floor (bermed epoxy floor used for secondary containment) are monitored by a Veeder-Root TLS-300C located in the pump room. The time on the TLS-300C was off by 2 hours on arrival and was immediately corrected. On the 27th floor, the day tank secondary and single-walled piping at the generator are monitored by the generator panel remote annunciator/light located in the engineering office. The sensors (piping sump, transition sump, pump room containment- VR 208; annular VR -420) were tested in water and provided audible and visible alarms at the VR panel. The day tank and single walled piping sensors (VR [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-14-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspection began on 3/13/2018 and finished today. On site yesterday with Greg Breshears of HMCD to witness the annual monitoring system certification performed by Brent Bowen of Tanknology Inc. Verified Mr. Bowen’s ICC (#8211862, expires 6/23/19), and Veeder Root (#B48215, expires 4/26/19). 1 tank : Diesel The UST system?s piping is a conventional suction system. Observed testing of the following components yesterday: - 1 Annular space sensor (Veeder-Root (VR)

SAN JOSE MARRIOTT (Continued) **S108219554**

794390-420) - 1 Piping Sump sensor (VR 794380-208) - 1 Piping Transition Sump sensor (VR 794380-208) - 1 Pump Room sensor (VR 794380-208) All sensors listed above provided audible and visual alarms when tested. The spill bucket was tested using Tanknology's Vacuum testing apparatus. The spill bucket held at 30" water column for 60 seconds without loss. The diesel tank uses mechanical overfill prevention valve in the drop tube. The unburied fuel piping connected to the emergency generator tank [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 03-14-2018
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 03-20-2017
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: This inspection was limited to follow-up to the 3/24/2015 and 3/22/2016 inspections and the observations made while conducting a routine underground storage tank system inspection.
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-22-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On site to witness the annual monitoring system certification and spill bucket test performed by Mr. Michael Gathright (certifications current) of Petro-Analytical. UST is a conventional suction system for an emergency generator. The annular and 3 sump sensors (piping sump, transition sump from loading dock down to pump room and pump room floor containment) were tested in water and provided audible and visible alarms. The spill bucket was hydrostatically tested for one hour with no loss. Observed the schrader valves removed from all of the test boots and brass connections. Observed the reducer fitting on the supply line removed at the transition sump. A copy of the 3/24/2015 Notice of Inspection was delivered with this report. Reviewed DUSTO Monthly Reports, DUSTO Training records, testing reports and maintenance documentation and daily Emergency Generator Tank System unburied piping inspection logs. NOTE: Secondary containment (SB989) testing is due in [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 03-22-2016

SAN JOSE MARRIOTT (Continued) **S108219554**

Violations Found:	Yes
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Inspection limited to follow up on the prior inspection 3/24/2015.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	11-03-2016
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	On site to witness secondary containment testing performed by Mr. Jarrod Cooke (certifications current) of Tanknology. The following components were tested: Tank annular space: 10 inHg vacuum for 1 hour, no loss. Hydrostatically tested with the Tanknology VPLT accelerated testing apparatus for 30 minutes: Sump: no loss Transition box: no loss Piping, 5 psi for one hour: New flexible supply: no loss New flexible return: no loss Transition box to pump room supply: no loss Transition box to pump room return: held for 30 minutes with no loss at my departure Unused black supply: held for 30 minutes with no loss at my departure Unused black return: held for 30 minutes with no loss at my departure Submit a copy of the Secondary Containment test report to our office within 30 days and keep a copy available for review for at least 3 years. Reports may be sent via email to USTinspector@deh.sccgov.org.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Enforcement Action:

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Site Address:	301 S MARKET ST
Site City:	SAN JOSE
Site Zip:	95113
Enf Action Date:	03-07-2014
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	UST
Enf Action Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Site Address:	301 S MARKET ST
Site City:	SAN JOSE
Site Zip:	95113
Enf Action Date:	03-24-2015
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HMRRP
Enf Action Source:	CERS
Site ID:	64623

SAN JOSE MARRIOTT (Continued) **S108219554**

Site Name:	SAN JOSE MARRIOTT
Site Address:	301 S MARKET ST
Site City:	SAN JOSE
Site Zip:	95113
Enf Action Date:	03-24-2015
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HW
Enf Action Source:	CERS

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Site Address:	301 S MARKET ST
Site City:	SAN JOSE
Site Zip:	95113
Enf Action Date:	03-24-2015
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	UST
Enf Action Source:	CERS

Coordinates:

Site ID:	64623
Facility Name:	SAN JOSE MARRIOTT
Env Int Type Code:	HWG
Program ID:	10097317
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.330315
Longitude:	-121.888367

Affiliation:

Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400

Affiliation Type Desc:	Document Preparer
Entity Name:	Joey Adams
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

SAN JOSE MARRIOTT (Continued) **S108219554**

Affiliation Type Desc:	Environmental Contact
Entity Name:	Clifton Sprague
Entity Title:	Not reported
Affiliation Address:	301 S MARKET STREET
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95113
Affiliation Phone:	Not reported

Affiliation Type Desc:	UST Permit Applicant
Entity Name:	Clifton Sprague
Entity Title:	Director of Egineering
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 278-4455

Affiliation Type Desc:	UST Tank Owner
Entity Name:	CWI 2 - San Jose Hotel LP
Entity Title:	Not reported
Affiliation Address:	301 South Market Street
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95113
Affiliation Phone:	(408) 280-1300

Affiliation Type Desc:	Operator
Entity Name:	CWI 2 - San Jose Hotel LP
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(847) 482-8600

Affiliation Type Desc:	UST Property Owner Name
Entity Name:	CWI 2 - San Jose Hotel LP
Entity Title:	Not reported
Affiliation Address:	301 South Market Street
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95113
Affiliation Phone:	(408) 280-1300

Affiliation Type Desc:	UST Tank Operator
Entity Name:	Marriott International
Entity Title:	Not reported
Affiliation Address:	301 South Market Street
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States

SAN JOSE MARRIOTT (Continued) **S108219554**

Affiliation Zip: 95113
Affiliation Phone: (408) 280-1300

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 301 S MARKET ST
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95113
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: Clifton Sprague
Entity Title: DIRECTOR OF ENGINEERING
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: CWI 2 - San Jose Hotel LP
Entity Title: Not reported
Affiliation Address: 50 Rockafeller Plaza, 2nd Floor
Affiliation City: New York
Affiliation State: NY
Affiliation Country: United States
Affiliation Zip: 10020
Affiliation Phone: (847) 482-8600

Affiliation Type Desc: Parent Corporation
Entity Name: SAN JOSE MARRIOTT
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner
Entity Name: CWI 2 - San Jose Hotel LP
Entity Title: Not reported
Affiliation Address: 50 Rockafeller Plaza, 2nd Floor
Affiliation City: New York
Affiliation State: NY
Affiliation Country: United States
Affiliation Zip: 10020
Affiliation Phone: (847) 482-8600

CERS TANKS:
Name: SAN JOSE MARRIOTT
Address: 301 S MARKET ST

SAN JOSE MARRIOTT (Continued) **S108219554**

City,State,Zip: SAN JOSE, CA 95113
Site ID: 64623
CERS ID: 10097317
CERS Description: Underground Storage Tank

Violations:
Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: 23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description: Failure of sensor to be located in the proper position/location.
Violation Notes: The brass couplings in the piping sump and the transition sump have their schrader valves removed but they are still oriented on the top of the pipe, not downwards as noted in the 3/24/2015 report. The openings must be on the bottom half (between the 3 and 9 o'clock positions)
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-13-2018
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to have an approved UST Response Plan.
Violation Notes: UST information submitted via CERS on 3/13/2018 is missing the required UST Response Plan. The plan submitted via CERS on 4/2/2014 has not been revised and electronically submitted via CERS as required within 30 days of the change in responsible persons.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description: Business Plan Program - Administration/Documentation - General
Violation Notes: Facility failed to respond to a notice to comply with the actions taken to correct each violation cited in the inspection report. No written response with the corrective actions taken to the violations cited in the Official Notice of Inspection Reports issued on 3/24/2015 and 3/22/2016 have been submitted to HMCD. A copy of both reports were provided during today?s inspection. Submit to HMCD a written description of the actions taken to correct each violation listed in the Official Notice of Inspection. If any violation has not been corrected, describe the corrective actions that will be taken and provide a specific date by which those actions will be completed. [25404.1.2(c)]
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

SAN JOSE MARRIOTT (Continued) **S108219554**

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 23 CCR 16 2632(d)(1)(C), 2641(h), 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632(d)(1)(C), 2641(h), 2711(a)(8)
Violation Description: Failure to submit or update a plot plan.
Violation Notes: The UST site maps provided on CERS do not include all the required information outlined below.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: HSC 6.7 25281.5(b)(3) - California Health and Safety Code, Chapter 6.7, Section(s) 25281.5(b)(3)
Violation Description: Failure to conduct daily visual inspections each time the tank is operated, but not less than monthly, and maintain a log of inspection results for review of the CUPA.
Violation Notes: Returned to compliance on 04/10/2014. The single-wall section of piping at the generator on the 27th floor did not have documented inspections for 11/2013, 12/2013, 1/2014 or 2/2014. Ensure the once-a-month minimum inspections are performed and documented and the documentation is available for review.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.95 25508.1(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(f)
Violation Description: Failure to electronically update the business plan within 30 days of a substantial change.
Violation Notes: HMBP was not revised and resubmitted within 30 days of departure of Secondary Emergency Contact Robert Thomas last August.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes: Add Santa Clara County CUPA phone number (408-918-3400) to section C3. Correct and resubmit within 30 days.

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description: UST Program - Operations/Maintenance - General
Violation Notes: Returned to compliance on 04/10/2014. -In the piping sump, the Schrader valves were not removed from the test boots/fittings, therefore not allowing any potential leaks to be seen by the sump sensor. Have the Schrader valve assemblies removed by a UST Technician and ensure they are removed after secondary containment testing. -The VR -208 sensor in the day tank secondary containment on the 27th floor that monitors the secondary of the fuel supply and return lines is not connected to the Veeder-Root TLS-300C panel, but a remote annunciator/light in the engineering office which is not approved for use with UST systems. Provide approved monitoring of the UST piping secondary containment.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Annual certification of this facility's HMBP is due in October each year. Last submittal was made on 2/21/2014.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description: Failure of leak detection equipment to be located such that equipment is capable of detecting a leak at the earliest possible opportunity.
Violation Notes: The Veeder-Root 794380-208 sensor was observed to be in a location that does not provide the earliest opportunity of leak detection. The sensor?s improper location was verified by the fact that the diesel accumulating in the sump was at a different location than the sensor (i.e. the sensor was dry while there was diesel in the sump). The sensor was re-located to a location that provides leak detection at the earliest opportunity. This violation was corrected at the time of inspection. NO FURTHER ACTION IS NEEDED. However, ensure that the sensor remains in the proper location.

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description:	The owner/operator has failed to designate an UST operator or to inform the CUPA or any change in the designated UST operator(s) within 30 days after a change.
Violation Notes:	DUSTO inspections since 5/23/2014 have been performed by Waymond Gathright (ICC #8255635, exp. 4/23/2016) and Richard Reed (ICC # 8214306, exp. 7/24/2015). Neither DUSTO is listed on the most recent notification dated 3/25/2014 which identifies the DUSTOs for this facility.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	19 CCR 6.95 25508(a)(1) - California Code of Regulations, Title 19, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit the Business Activities Page and/or Business Owner Operator Identification Page.
Violation Notes:	HMBP does not identify the entity that operates the hotel. Revise the "Identification" (i.e., Operator) information and resubmit within 30 days.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-07-2014
Citation:	23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description:	Failure to comply with one or more of the designated operator monthly inspection requirements: failed to inspect the monthly alarm history report; attach a copy of the alarm history; failed to inspect for the presence of liquid or debris in the spill container/spill bucket and under dispenser containment; failed to inspect the under dispenser containment to ensure that monitoring equipment is placed in the proper position; failure to inspect for liquid or debris in the containment sump where an alarm occurred or for which there is no record of a service visit; or failure to check that all testing and maintenance has been completed and documented.
Violation Notes:	Returned to compliance on 04/10/2014. The DUSTO Monthly reports for 5/2013, 10/2013, 12/2013, 1/2014 or 2/2014. Ensure the last 12 months of DUSTO monthly inspection reports are available for review.

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-14-2018
Citation: HSC 6.7 25291(a)(1) - California Health and Safety Code, Chapter 6.7, Section(s) 25291(a)(1)
Violation Description: Failure to construct, operate, and maintain primary containment as product-tight.
Violation Notes: This is a violation originally cited on 3/20/2017, 3/22/2016 and 3/24/2015. Secondary piping pressure test ports for supply line and return line have had their valve cores removed as required to allow drainage of the secondary lines into the monitored sump, but valves for both lines appeared to be in the closed position at the time of inspection, isolating them from the fuel in the UST. Ms. Walker stated during the inspection that repairs have been made, but no records are available to document any repairs. Submit documentation showing how, when, and by whom any repairs to these lines were made. (Note: No work plan was submitted as directed in the 3/20/2017 Official Notice of Inspection.)

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to submit, obtain approval, or maintain a complete/accurate response plan.
Violation Notes: Returned to compliance on 04/10/2014. The 2/21/2014 CERS submittal has a response plan with Isaac Harris as the primary Responsible Person. Please update the Response Plan with the current Responsible Person and submit in CERS.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Certification of Financial Responsibility (CFR) documentation expired on 9/30/2014 and has not been updated as instructed in the 3/24/2015 and 3/22/2016 Official Notice of Inspection Reports (NOIs). Submit an updated Certification of Financial Responsibility form on the California Environmental Reporting System (CERS). Furthermore, while Ms. Walker stated that the insurance policy is kept up to date, a copy

SAN JOSE MARRIOTT (Continued) **S108219554**

of the facility?s Certificate of Insurance for the insurance policy continues to be unavailable for review. THESE VIOLATIONS ARE REPEAT UNCORRECTED CLASS I VIOLATIONS FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016 AND REPEAT UNCORRECTED CLASS II VIOLATIONS FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/23/2015. ALL CLASS I VIOLATIONS REQUIRE IMMEDIATE CORRECTIVE ACTION.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-14-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit the Business Activities Page and/or Business Owner Operator Identification Page.
Violation Notes: This is an uncorrected violation originally cited on 3/24/2015. The information submitted via CERS on 3/13/2018 still does not correctly identify the legal entity that operates the hotel.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 23 CCR 6.7 25284, 25286 - California Code of Regulations, Title 23, Chapter 6.7, Section(s) 25284, 25286
Violation Description: Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes: The UST Facility Operating Permit Application information on CERS identifies ?San Jose Marriott? as the tank operator, but Ms. Walker and the Secretary of State?s website?s business search, ?San Jose 2 Hotel Operator, LLC? CWI2 is the tank operator. This is a repeat violation from the Official Notice of Inspection Report issued on 3/24/2015 and has therefore been escalated to a Class II violation. ALL CLASS II VIOLATIONS REQUIRE IMMEDIATE CORRECTIVE ACTION.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description: UST Program - Administration/Documentation - General
Violation Notes: Returned to compliance on 04/10/2014. A copy of the 2013 Monitoring System Certification and Spill Bucket testing reports were not received by our office. Obtain a copy and submit them to our office.

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25286(a)
Violation Description:	Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes:	Permit application information submitted via cers website on 4/2/2014 does not identify UST operator. Resubmit within 30 days identifying operator as Marriott Hotel Services, Inc.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-13-2018
Citation:	23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description:	Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the UPA or special inspector.
Violation Notes:	This is an uncorrected and repeat violation. Submit written responses to all UST violations cited in the Official Notices of Inspection dated 3/20/2017, 3/22/2016 and 3/24/2015.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-13-2018
Citation:	HSC 6.7 25284, 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25284, 25286
Violation Description:	Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes:	This is an uncorrected violation. Permit application information submitted via CERS on 3/13/2018 still identifies the UST Operator as San Jose Marriott, which appears to be an unregistered fictitious business name, not the name of a legal entity. Property records identify the owner of the real estate on which the hotel is located as CWI 2 San Jose Hotel LP / Ryan LLC since 5/10/2013 when the property was purchased from PR SJM Hotel LLC. Correct and resubmit the UST Facility Information in CERS. Along with your written response to this Notice of Violation, include an explanation of the current and historic relationships between Marriott International Inc., CWI 2 San Jose Hotel LP, CWI 2 San Jose Hotel GP LLC, Ryan LLC, SP6 San Jose Hotel Owner LLC, SP6 San Jose Hotel Lessee LLC, and SP6 TRS LLC (i.e., parent/subsidiary and/or partnership relationships, and exactly who currently owns and operates the hotel and the UST).
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

SAN JOSE MARRIOTT (Continued) **S108219554**

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-13-2018
Citation: 23 CCR 16 2712(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)
Violation Description: Failure to maintain records of repairs, lining, and upgrades on site, or off site if approved by the UPA, for the life of the UST.
Violation Notes: This is an uncorrected Minor violation that has been elevated to Class II. No Monitoring System Certification forms, spill bucket test reports, reports documenting periodic secondary containment testing, or other UST system maintenance records are available on-site. Keep all UST system maintenance records available for review during inspections as specified below.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 04/10/2014.

Certification of Financial Responsibility (CFR) submitted in CERS 2/21/2014 lists the prior owner as does the insurance policy. An updated CFR was observed at the facility. Please verify the dates of coverage and submit in CERS an updated CFR and a copy of the insurance summary including the UST endorsement language listing the facility as one of the covered locations.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain and maintain a valid operation permit from the CUPA.
Violation Notes: Facility has not submitted all the required UST information and cleared all the outstanding violations to allow for a permit to operate to be issued. Correct all open violations and submit complete and up-to-date information on CERS.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter

SAN JOSE MARRIOTT (Continued) **S108219554**

16, Section(s) 2715(a)
Violation Description: Failure to notify the CUPA of the designated operator (DO) identification and/or change of the DO within 30 days.
Violation Notes: The facility has not submitted an updated Owner Statement of Designated UST Operator Compliance as directed to do in the 3/24/2015 and 3/22/2016 Official Notice of Inspection Reports. Additionally, the past 12 months of DUSTO inspections have been conducted by Richard Reed and Michael Pietsch, neither of whom are in included on the outdated Owner Statement of Designated UST Operator Compliance. THIS VIOLATION HAS BEEN ESCALATED TO A CLASS I VIOLATION AS THIS IS A CONTINUOUS, REPEAT, AND UNCORRECTED CLASS II VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016 AND A CONTINUOUS, REPEAT, AND UNCORRECTED MINOR VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/23/2015. ALL CLASS I VIOLATIONS REQUIRE IMMEDIATE CORRECTIVE ACTION.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.7 25281.5(b)(3) - California Health and Safety Code, Chapter 6.7, Section(s) 25281.5(b)(3)
Violation Description: Failure to conduct daily visual inspections each time the tank is operated, but not less than monthly, and maintain a log of inspection results for review of the CUPA.
Violation Notes: Marriott's "Daily Check of Emergency Generator Diesel Fuel System Leak Detection Monitoring System, Aboveground Piping and Day Tanks" log has not been completed since October of 2013.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Facility did not submit a complete HMBP to CERS as noted in the 3/24/2015 Notice of Inspection (NOI). Ensure all items noted in the 3/24/2015 inspection report are addressed and submit a complete HMBP to CERS. Ensure the HMBP is properly updated within 30 days of changes to personnel, chemicals stored or operations. Ensure the HMBP is certified at least annually. Complete the response to the 3/24/2015 NOI and submit with the response to today's report. A copy of the 3/24/2015 NOI was delivered during the inspection.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

SAN JOSE MARRIOTT (Continued) **S108219554**

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain a valid permit to operate from the CUPA.
Violation Notes: The facility does not currently have a UST Permit to Operate. Correct all open violations and provide a written response documenting the actions taken to correct each violation and a signed Certification of Compliance to HMCD. A Permit to Operate will be issued upon verification that the facility has returned to full compliance and all information provided on CERS is up-to-date. THIS IS A REPEAT UNCORRECTED CLASS I VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016 AND A REPEAT UNCORRECTED CLASS II VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/23/2015.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description: Failure to submit statement of UST compliance and/or Designated Operator certification.
Violation Notes: The facility has not submitted an up-to-date listing of the Designated Operator Identification and Statement of Compliance, as directed in the 3/24/2015 inspection report. Submit the form to CERS and ensure any changes to Designated Operator personnel are submitted within 30 days.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 22 CCR 12 66262.11 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.11
Violation Description: Failure to determine if wastes generated are hazardous waste by using generator knowledge or applying testing method.
Violation Notes: One black 55 gallon drum labeled only as ?Diesel 55 gallons 9-4-12? was observed next to the day tank in the emergency generator room on the 27th floor. Ms. Walker stated that she was unsure of the drum?s contents. A hazardous waste determination must be conducted on the drum?s contents. Determine if the contents are still usable or a waste. If determined to be a waste, determine whether the contents are a hazardous waste using generator knowledge or through laboratory testing as outlined below. If determined to still be usable contents, adequately label the container within 10 days. Provide documentation of the waste and hazardous waste determinations to HMCD for review.

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 23 CCR 16 2712(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)
Violation Description: Failure to maintain records of repairs, lining, and upgrades on site, or off site if approved by the CUPA, for the life of the UST.
Violation Notes: No annual monitoring system certifications from the past 5 years and no spill bucket test reports and secondary containment test reports from the past 3 years are available for review. Ensure that annual monitoring system certification reports are maintained on-site for 5 years and that spill bucket test reports and secondary containment test reports are maintained on-site for 3 years.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: 23 CCR 16 2637 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637
Violation Description: Failure to comply with one or more of the following: conduct secondary containment testing, within six months of installation and every 36 months thereafter, conducted in accordance with proper practices, protocols, or test methods.
Violation Notes: Returned to compliance on 04/10/2014. The last secondary containment testing report on file was after a repair/install that was done on 3/11/2013. Newly installed secondary containment systems must be tested again at 6 months. Have the secondary containment tested or supply more recent testing report showing that the 6 month interval has not been exceeded.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-13-2018
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description: Failure to submit the UPA. of the designated operator (DO) identification and/or change of the DO within 30 days.
Violation Notes: This is an uncorrected and repeat violation. Designated UST Operator information submitted via CERS on 3/13/2018 is out of date. The Owner Statement of Designated UST Operator Compliance must be updated and electronically submitted via CERS within 30 days of a change in DUSTO. (Note: The past 12 monthly DUSTO inspections have been performed by Richard Reed and Jason Woods.)

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-14-2018
Citation:	HSC 6.95 25508.1(a)-(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(a)-(f)
Violation Description:	Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name. A substantial change in the handler's operations that requires modification to any portion of the business plan.
Violation Notes:	This is a repeat violation. The HMBP was not revised and submitted within 30 days of change in ownership of the hotel and changes in responsible persons Ensure that the HMBP is kept current on CERS as required.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	22 CCR 23 66273.34 - California Code of Regulations, Title 22, Chapter 23, Section(s) 66273.34
Violation Description:	Failure to properly label the following categories of universal waste as: 1) Each batteries or the container in which the batteries are contained as "Universal Waste-Battery(ies)". 2) Each mercury-containing equipment or the container in which the mercury-containing equipment is contained as "Universal Waste -Mercury-Containing Equipment". 3) Each Florescent lamp or the container or package in which the lamps are contained as "Universal Waste-Lamp(s)". 4) Each electronic devices or the container or pallet in or on which the electronic devices are contained as "Universal Waste-Electronic Device(s)". 5) Each CRTs or the container or pallet in or on which the CRTs are contained as "Universal Waste-CRT(s)". 6) A container of CRT glass shall be labeled or marked clearly with the following phrase: "Universal Waste-CRT glass". 7) In lieu of labeling individual electronic devices, CRTs, and/or containers of CRT glass pursuant to subsections d) through f) of this section, a universal waste handler may combine, package, and accumulate those universal wastes in appropriate containers or within a designated area demarcated by boundaries that are clearly labeled with the applicable portion(s) of the following phrase: "Universal Waste-Electronic Device(s)/Universal Waste - CRT(s)/Universal Waste-CRT Glass".
Violation Notes:	Mark all containers holding Universal Waste with the words, "UNIVERSAL WASTE - LAMPS" (for used fluorescent lamp tubes and bulbs) or "UNIVERSAL WASTE - BATTERIES" (for consumer-type batteries). Either implement an inventory system (e.g., log) to keep track of Universal waste container accumulation times or mark each container with the initial date of accumulation.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-13-2018
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes:	This is an uncorrected violation. This facility's UST Permit to Operate cannot be issued until the facility is in compliance with UST requirements. Permit will be issued after all UST violations noted below have been corrected.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	49 CFR 1 172.201(e) - U.S. Code of Federal Regulations, Title 49, Chapter 1, Section(s) 172.201(e)
Violation Description:	Failure of the universal waste handler to properly package, label, mark, placard, or prepare and retain shipping papers for all universal waste being shipped to another universal waste handler, destination facility, or foreign facility.
Violation Notes:	At least one broken fluorescent lamp tube was observed in an open box holding Universal Waste lamps. Broken lamps must be in a sealed container. Lamps must be packaged in a manner that prevents breakage.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-14-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	This is an uncorrected violation originally cited on 3/24/2015. The only map submitted via CERS on 3/13/2018 is the UST Monitoring Site Plan. You must include maps showing the overall facility layout and the location of the standby generator?s day tank (see instructions below).
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-20-2017
Citation:	23 CCR 16 2715(c) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)
Violation Description:	Failure to comply with one or more of the following designated operator (DO) monthly inspection requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms

SAN JOSE MARRIOTT (Continued) **S108219554**

are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been properly trained.

Violation Notes: The DUSTO Monthly Inspection Report for 11/7/2016 incorrectly listed N/A to the question of whether ?secondary containment tests have been completed within the required timeframe.? Additionally, the DUSTO Inspection Report from 4/4/2016 incorrectly listed N/A to the question of whether ?each alarm for the previous month has been responded to appropriately? (alarms occurred due to annual monitoring system certification and the correct answer should be ?yes?).

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Maps submitted via CERS website on 2/21/2014 are illegible and incomplete. Correct and resubmit within 30 days.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.7 25284(a)(3) - California Health and Safety Code, Chapter 6.7, Section(s) 25284(a)(3)
Violation Description: Failure to submit, maintain, or implement an owner/operator written agreement.
Violation Notes: Not reported
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: 23 CCR 16 2638 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638
Violation Description: Failure to test leak detection equipment as required every 12 months (VPH, sensor, LLD, ATG, etc.) and/or submit monitoring system certification to the CUPA within 30 days of completion of the test
Violation Notes: Reports documenting testing done on 3/11/2013 and 3/7/2014 have not been submitted.
Violation Division: Santa Clara County Environmental Health

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Not reported
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-14-2018
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: This is a repeat violation. Despite being repeatedly being directed to certify your HMBP annually, no Hazardous Materials Inventory or Emergency Response and Training Plans information was electronically submitted via CERS between 2/21/2014 and 3/13/2018. The information submitted on 3/13/2018 will be reviewed and the submittal status updated. Certify your HMBP every 12 months as required.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: 23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description: Failure of sensor to be located in the proper position/location.
Violation Notes: Schrader valve secondary piping pressure test ports for both supply lines and both return lines in the tank top piping sump are pointed upwards. Brass compression fittings on the secondary piping for the new flexible supply and return lines and black flexible test boots on the original supply and return lines must be reoriented so that the test valve openings point downward. [Include this work in the scope of work for the required repair of piping primary containment (see below).]
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: 23 CCR 16 2631.1 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2631.1
Violation Description: UST system is not made of or lined with materials that are compatible

SAN JOSE MARRIOTT (Continued) **S108219554**

with the substance stored in the underground storage tank system.
Violation Notes: Secondary pipe for new supply line was found to be full of fuel when Schrader valve core in the tank top piping sump was removed today. Released fuel was also observed pooled in the piping transition sump. Released fuel was pumped out of the sumps today. Disregard directive below to immediately cease storing hazardous materials in the UST, but investigate the cause of the releases and obtain a repair permit as directed below. [Note: This project can be done as an amendment to existing pipe repair Service Request # SR0842955 for which the repair permit fee was paid on Invoice # IN1037896 by CalPhase Construction, Inc.]
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-13-2018
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: This is an uncorrected and repeat Class I violation. UST information submitted via CERS on 3/13/2018 is missing the required UST Certification of Financial Responsibility (CFR). The most recent CFR for this facility expired on 9/30/2014. The CFR must be updated annually with current insurance policy information and electronically submitted via CERS. Prepare and submit a current CFR form. [Note: A copy of the current insurance policy was available on-site (Policy #CST1520943-17, valid 8/15/2017 through 8/15/2018). Please include a copy of the policy with the CFR form you submit.] Financial responsibility must be demonstrated by the UST owner and/or the UST operator. Your permit application does not identify Marriott International Inc. as either of those entities, but they are the named insured in the insurance policy. Along with your written response to this Notice of Violation, include information demonstrating that Marriott International Inc.?s insurance policy covers [Truncated]
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description: Hazardous Waste Generator Program - Administration/Documentation - General
Violation Notes: _____ No written response with the corrective actions taken to the violations cited in the Official Notice of Inspection Reports issued on 3/24/2015 and 3/22/2016 have been submitted to HMCD. A copy of both reports were provided during today?s inspection. THIS VIOLATION HAS BEEN ESCALATED TO A CLASS I VIOLATION AS THIS IS A CONTINUOUS, REPEAT, AND UNCORRECTED CLASS II VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016. ALL CLASS I VIOLATIONS REQUIRE IMMEDIATE CORRECTIVE ACTION.

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: The facility has not reviewed and submitted a complete HMBP on CERS since 2/21/2014, as noted in the 3/24/2015 and 3/22/2016 Official Notice of Inspection Reports. Ensure all items noted in the 3/24/2015 inspection report are addressed and submit a complete HMBP to CERS. Ensure that the HMBP is properly updated within 30 days of changes to personnel, chemicals stored, and operations. Ensure that the HMBP is certified at least annually and all hazardous materials/wastes at or above HMBP reportable thresholds are included. If you would like assistance with your HMBP submittal, contact Molly Pritz at molly.pritz@cep.sccgov.org or Michelle Santos at (408)918-1981. THIS VIOLATION HAS BEEN ESCALATED TO A CLASS I VIOLATION AS THIS IS A CONTINUOUS, REPEAT, AND UNCORRECTED CLASS II VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016 AND A CONTINUOUS, REPEAT, AND UNCORRECTED MINOR VIOLATION FROM [Truncated]
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Administration/Documentation - General
Violation Notes: Facility did not submit a response to the 3/24/2015 Notice of Inspection (NOI). Ensure all violations are addressed and a completed NOI is submitted within 30 days. Submit a completed NOI with the response to today's report. A copy of the 3/24/2015 NOI was delivered during the inspection.

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: 23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description: Failure to maintain secondarily contained piping to allow liquid in the event of a leak to drain into sump (i.e. failure to remove test boot, pipe swelling).

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Notes: Schrader valve secondary piping pressure test ports for both supply lines and both return lines in the tank top piping sump had valve cores left installed after last secondary containment test. Secondary piping for the new supply and return lines were similarly plugged in the piping transition sump. This prevented the secondary pipes from draining into the monitored sumps. The valve cores and plugs were removed today during this inspection. Ensure that the lines remain free to drain into monitored sumps when not undergoing triennial pressure testing.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: HSC 6.7 25291(a)(1) - California Health and Safety Code, Chapter 6.7, Section(s) 25291(a)(1)
Violation Description: Failure to construct, operate, and maintain primary containment as product-tight.
Violation Notes: Diesel was observed to be pooling the piping sump and pipe transition sump during today?s inspection. In aggregate, approximately 0.5 gallons of diesel was removed from the piping sump and pipe transition pump. Diesel has previously been observed in the pipe transition sump during the 3/23/2015 and 3/22/2016 inspections and in the piping sump during the 3/23/2015 inspection. Per maintenance records and Ms. Walker?s statements, no repairs or corrective actions have been taken to repair the piping. IMMEDIATELY begin investigating the source of the fuel leak and submit a work plan for any necessary repairs to HMCD for review. Depending on the scope of work necessary, a permit from HMCD may be required for the repairs. THIS IS A CONTINUOUS, REPEAT, AND UNCORRECTED CLASS I VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016 AND A CONTINUOUS, REPEAT, AND UNCORRECTED CLASS II VIOLATION THE [Truncated]
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Certification of Financial Responsibility (CFR) has not been updated as instructed in the 3/24/2015 Notice of Inspection (NOI). Submit an updated CFR to CERS. Ensure the CFR is updated annually with the current policy number and term of the insurance policy. Also submit or have available for review the current insurance policy showing the proper endorsement language as noted below.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

SAN JOSE MARRIOTT (Continued) **S108219554**

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain and maintain a valid operation permit from the CUPA.
Violation Notes:	Not reported
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-14-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes:	You failed to electronically submit a corrected HMBP within 30 days of notification from HMCD that the HMBP is deficient. Hazardous Materials Inventory information submitted via CERS on 2/21/2014 was ?Not Accepted? and corrective action guidance was provided via CERS on 3/24/2015, but updated information was not submitted until 3/31/2018. Review the ?Comments by regulator? associated with all reviewed submittals when emails from CERS associated with ?Accepted? and ?Not Accepted? submittals are received.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-14-2018
Citation:	23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description:	Failure of leak detection equipment to be located such that equipment is capable of detecting a leak at the earliest possible opportunity.
Violation Notes:	This is an uncorrected Class I violation originally cited on 3/22/2016 and 3/24/2015. Secondary piping pressure test ports for supply line and return line in the tank top piping sump are pointed upwards. Brass compression fittings on the secondary piping for the flexible supply and return lines must be reoriented so that the test valve openings point downward. Have a qualified contractor perform this work. (Note: Original supply and return lines have been disconnected inside the tank top piping sump.)
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-07-2014
Citation:	HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description:	UST Program - Administration/Documentation - General
Violation Notes:	Returned to compliance on 04/10/2014.

SAN JOSE MARRIOTT (Continued) **S108219554**

_____ The 2012, 2013 Monitoring System Testing and Spill Bucket testing and the 3/2013 Secondary Containment testing results were not available for review. Ensure copies of the testing results and any mainteance/repair reports for the last three years are available for review.

_____

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: 23 CCR 16 2631.1 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2631.1
Violation Description: UST system is not made of or lined with materials that are compatible with the substance stored in the underground storage tank system.
Violation Notes: _____ Observed diesel in the transition sump and there is no record of repairs requested in the 3/24/2015 inspection report. Submit any repair documentation and a retroactive permit application package as required. _____

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description: Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the CUPA or special inspector.
Violation Notes: _____ No written response with the corrective actions taken to the violations cited in the Official Notice of Inspection Reports issued on 3/24/2015 and 3/22/2016 have been submitted to HMCD. A copy of both reports were provided during today?s inspection. THIS VIOLATION HAS BEEN ESCALATED TO A CLASS I VIOLATION AS THIS IS A CONTINUOUS, REPEAT, AND UNCORRECTED CLASS II VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016. ALL CLASS I VIOLATIONS REQUIRE IMMEDIATE CORRECTIVE ACTION.

_____

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: 23 CCR 16 2715(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(b)
Violation Description: Failure to submit statement of UST compliance and/or Designated Operator current certification.
Violation Notes: Returned to compliance on 04/10/2014.

_____

SAN JOSE MARRIOTT (Continued) **S108219554**

Facility has a DUSTO Identification form indicating a change in DUSTO on file. Sign and upload the DUSTO Identification form to CERS. Submit an new form in CERS within 30 days of change of the identification of the DUSTO.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-14-2018
Citation: HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description: Hazardous Waste Generator Program - Administration/Documentation - General
Violation Notes: This is an uncorrected and repeat violation. Submit written responses to all hazardous waste violations cited in the Official Notices of Inspection dated 3/20/2017 and 3/24/2015.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: Un-Specified
Violation Description: UST Program - Administration/Documentation - For use of Local Ordinance only
Violation Notes: No response to the 3/24/2015 Notice of Inspection has been received by our office. Submit a complete NOI. A copy of the 3/24/2015 report was delivered during the inspection.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Evaluation:
Eval General Type: Other/Unknown
Eval Date: 03-14-2018
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-20-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: NOTES: 1) The diesel waste and spill bucket liquid waste removed from the piping sump, pipe transition sump, and spill bucket was transferred into a 5 gallon plastic bucket container at the time of inspection. The container was properly labeled with a completed hazardous waste label. ENSURE THAT ALL HAZARDOUS WASTE IS COLLECTED,

SAN JOSE MARRIOTT (Continued) **S108219554**

MANAGED, AND DISPOSED OF IN ACCORDANCE WITH ALL APPLICABLE HAZARDOUS WASTE REQUIREMENTS. 2) Approximately 1.5 gallons of liquid suspected of being primarily water was observed in the fill spill bucket during today's inspection. The liquid was removed and collected as noted above. 2) Submit a copy of the Monitoring Certification and Spill Bucket Test reports to HMCD within 30 days. On-site for an annual monitoring system certification performed by UST Service Technician Steven Williams of Tanknology, Inc. Mr. Williams has current ICC California UST Service Technician certification (#8234559 exp. 6/3/2018) and Veeder-Root certification [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-20-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This inspection was limited to follow-up to the 3/24/2015 and 3/22/2016 inspections and the observations made while conducting a routine underground storage tank system inspection.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-24-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Facility does not routinely generate hazardous waste, so Hazardous Waste Generator permit will be inactivated. Only Universal Wastes are routinely generated. Copy of Universal Waste Management Requirements guidance document (HMCD-108) was provided today.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-24-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Please make all corrections to CERS data and make a single updated submittal (i.e., do not submit changes piecemeal). Note: Facility has only 1 hazardous substance at or above State HMBP reporting threshold. Diesel.
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 03-22-2016
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Inspection limited to follow up on the prior inspection 3/24/2015.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

SAN JOSE MARRIOTT (Continued) **S108219554**

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-24-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	All underground storage tank (UST) system leak detection equipment was tested today by UST Service Technician Christopher Bishop of Confidence UST Services, Inc. and functioned properly. Mr. Bishop has current ICC California UST Service Technician certification (exp. 4/30/2016) and Veeder-Root Level 4 certification (exp. 5/15/2016). The Veeder-Root model 794390-420 tank annular sensor and 3 Veeder-Root model 794380-208 liquid sensors monitoring the tank top piping sump, piping transition sump, and floor in the fuel pump room berm were tested using water to obtain audible and visual fuel alarms on the Veeder-Root TLS-300C console. The direct buried UST fill spill bucket was hydrostatically tested for 1 hour and passed. Submit a copy of the completed Monitoring System Certification form and spill bucket test report within 30 days. Notes: 1. Designated UST Operator monthly inspection and facility employee training records are in order. Annual refresher training [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-07-2014
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On-site to witness the annual monitoring system certification and spill bucket test performed by Mr. Timothy Elebeck (ICC #8001435-UT, exp. 11/26/2014; VR L4 #B35252, exp. 9/9/2015) of Tanknology. Site consists of a single UST supplying an emergency backup generator located on the 27th floor penthouse. The annular space, piping sump, transition sump, and pump room floor (bermed epoxy floor used for secondary containment) are monitored by a Veeder-Root TLS-300C located in the pump room. The time on the TLS-300C was off by 2 hours on arrival and was immediately corrected. On the 27th floor, the day tank secondary and single-walled piping at the generator are monitored by the generator panel remote annunciator/light located in the engineering office. The sensors (piping sump, transition sump, pump room containment- VR 208; annular VR -420) were tested in water and provided audible and visible alarms at the VR panel. The day tank and single walled piping sensors (VR [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-14-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Inspection began on 3/13/2018 and finished today. On site yesterday with Greg Breshears of HMCD to witness the annual monitoring system certification performed by Brent Bowen of Tanknology Inc. Verified Mr. Bowen’s ICC (#8211862, expires 6/23/19), and Veeder Root (#B48215, expires 4/26/19). 1 tank : Diesel The UST system?s piping is a conventional suction system. Observed testing of the following components yesterday: - 1 Annular space sensor (Veeder-Root (VR)

SAN JOSE MARRIOTT (Continued) **S108219554**

794390-420) - 1 Piping Sump sensor (VR 794380-208) - 1 Piping Transition Sump sensor (VR 794380-208) - 1 Pump Room sensor (VR 794380-208) All sensors listed above provided audible and visual alarms when tested. The spill bucket was tested using Tanknology's Vacuum testing apparatus. The spill bucket held at 30" water column for 60 seconds without loss. The diesel tank uses mechanical overfill prevention valve in the drop tube. The unburied fuel piping connected to the emergency generator tank [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 03-14-2018
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 03-20-2017
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: This inspection was limited to follow-up to the 3/24/2015 and 3/22/2016 inspections and the observations made while conducting a routine underground storage tank system inspection.
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-22-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On site to witness the annual monitoring system certification and spill bucket test performed by Mr. Michael Gathright (certifications current) of Petro-Analytical. UST is a conventional suction system for an emergency generator. The annular and 3 sump sensors (piping sump, transition sump from loading dock down to pump room and pump room floor containment) were tested in water and provided audible and visible alarms. The spill bucket was hydrostatically tested for one hour with no loss. Observed the schrader valves removed from all of the test boots and brass connections. Observed the reducer fitting on the supply line removed at the transition sump. A copy of the 3/24/2015 Notice of Inspection was delivered with this report. Reviewed DUSTO Monthly Reports, DUSTO Training records, testing reports and maintenance documentation and daily Emergency Generator Tank System unburied piping inspection logs. NOTE: Secondary containment (SB989) testing is due in [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 03-22-2016

SAN JOSE MARRIOTT (Continued) **S108219554**

Violations Found:	Yes
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Inspection limited to follow up on the prior inspection 3/24/2015.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	11-03-2016
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	On site to witness secondary containment testing performed by Mr. Jarrod Cooke (certifications current) of Tanknology. The following components were tested: Tank annular space: 10 inHg vacuum for 1 hour, no loss. Hydrostatically tested with the Tanknology VPLT accelerated testing apparatus for 30 minutes: Sump: no loss Transition box: no loss Piping, 5 psi for one hour: New flexible supply: no loss New flexible return: no loss Transition box to pump room supply: no loss Transition box to pump room return: held for 30 minutes with no loss at my departure Unused black supply: held for 30 minutes with no loss at my departure Unused black return: held for 30 minutes with no loss at my departure Submit a copy of the Secondary Containment test report to our office within 30 days and keep a copy available for review for at least 3 years. Reports may be sent via email to USTinspector@deh.sccgov.org.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Enforcement Action:

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Site Address:	301 S MARKET ST
Site City:	SAN JOSE
Site Zip:	95113
Enf Action Date:	03-07-2014
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	UST
Enf Action Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Site Address:	301 S MARKET ST
Site City:	SAN JOSE
Site Zip:	95113
Enf Action Date:	03-24-2015
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HMRRP
Enf Action Source:	CERS
Site ID:	64623

SAN JOSE MARRIOTT (Continued) **S108219554**

Site Name:	SAN JOSE MARRIOTT
Site Address:	301 S MARKET ST
Site City:	SAN JOSE
Site Zip:	95113
Enf Action Date:	03-24-2015
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HW
Enf Action Source:	CERS

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Site Address:	301 S MARKET ST
Site City:	SAN JOSE
Site Zip:	95113
Enf Action Date:	03-24-2015
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	UST
Enf Action Source:	CERS

Coordinates:

Site ID:	64623
Facility Name:	SAN JOSE MARRIOTT
Env Int Type Code:	HWG
Program ID:	10097317
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.330315
Longitude:	-121.888367

Affiliation:

Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400

Affiliation Type Desc:	Document Preparer
Entity Name:	Joey Adams
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

SAN JOSE MARRIOTT (Continued) **S108219554**

Affiliation Type Desc:	Environmental Contact
Entity Name:	Clifton Sprague
Entity Title:	Not reported
Affiliation Address:	301 S MARKET STREET
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95113
Affiliation Phone:	Not reported

Affiliation Type Desc:	UST Permit Applicant
Entity Name:	Clifton Sprague
Entity Title:	Director of Egineering
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 278-4455

Affiliation Type Desc:	UST Tank Owner
Entity Name:	CWI 2 - San Jose Hotel LP
Entity Title:	Not reported
Affiliation Address:	301 South Market Street
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95113
Affiliation Phone:	(408) 280-1300

Affiliation Type Desc:	Operator
Entity Name:	CWI 2 - San Jose Hotel LP
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(847) 482-8600

Affiliation Type Desc:	UST Property Owner Name
Entity Name:	CWI 2 - San Jose Hotel LP
Entity Title:	Not reported
Affiliation Address:	301 South Market Street
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95113
Affiliation Phone:	(408) 280-1300

Affiliation Type Desc:	UST Tank Operator
Entity Name:	Marriott International
Entity Title:	Not reported
Affiliation Address:	301 South Market Street
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States

SAN JOSE MARRIOTT (Continued) **S108219554**

Affiliation Zip: 95113
Affiliation Phone: (408) 280-1300

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 301 S MARKET ST
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95113
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: Clifton Sprague
Entity Title: DIRECTOR OF ENGINEERING
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: CWI 2 - San Jose Hotel LP
Entity Title: Not reported
Affiliation Address: 50 Rockafeller Plaza, 2nd Floor
Affiliation City: New York
Affiliation State: NY
Affiliation Country: United States
Affiliation Zip: 10020
Affiliation Phone: (847) 482-8600

Affiliation Type Desc: Parent Corporation
Entity Name: SAN JOSE MARRIOTT
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner
Entity Name: CWI 2 - San Jose Hotel LP
Entity Title: Not reported
Affiliation Address: 50 Rockafeller Plaza, 2nd Floor
Affiliation City: New York
Affiliation State: NY
Affiliation Country: United States
Affiliation Zip: 10020
Affiliation Phone: (847) 482-8600

CUPA SANTA CLARA:
Name: SAN JOSE MARRIOTT
Address: 301 S MARKET ST

SAN JOSE MARRIOTT (Continued) **S108219554**

City,State,Zip: SAN JOSE, CA 95113
Region: SANTA CLARA
PE#: 2202
Program Description: GENERATES < 100 KG/YR
Latitude: 37.330376
Longitude: -121.88799
Record ID: PR0375113
Facility ID: FA0256813

Name: SAN JOSE MARRIOTT
Address: 301 S MARKET ST
City,State,Zip: SAN JOSE, CA 95113
Region: SANTA CLARA
PE#: Not reported
Program Description: HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.330376
Longitude: -121.88799
Record ID: PR0398168
Facility ID: FA0256813

Name: SAN JOSE MARRIOTT
Address: 301 S MARKET ST
City,State,Zip: SAN JOSE, CA 95113
Region: SANTA CLARA
PE#: 2399
Program Description: UNDERGROUND STORAGE TANK PROGRAM RECORD
Latitude: 37.330376
Longitude: -121.88799
Record ID: PR0398167
Facility ID: FA0256813

CERS:
Name: SAN JOSE MARRIOTT
Address: 301 S MARKET ST
City,State,Zip: SAN JOSE, CA 95113
Site ID: 64623
CERS ID: 10097317
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: 23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description: Failure of sensor to be located in the proper position/location.
Violation Notes: The brass couplings in the piping sump and the transition sump have their schrader valves removed but they are still oriented on the top of the pipe, not downwards as noted in the 3/24/2015 report. The openings must be on the bottom half (between the 3 and 9 o'clock positions)
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623

SAN JOSE MARRIOTT (Continued) **S108219554**

Site Name: SAN JOSE MARRIOTT
Violation Date: 03-13-2018
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to have an approved UST Response Plan.
Violation Notes: UST information submitted via CERS on 3/13/2018 is missing the required UST Response Plan. The plan submitted via CERS on 4/2/2014 has not been revised and electronically submitted via CERS as required within 30 days of the change in responsible persons.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description: Business Plan Program - Administration/Documentation - General
Violation Notes: Facility failed to respond to a notice to comply with the actions taken to correct each violation cited in the inspection report.

No written response with the corrective actions taken to the violations cited in the Official Notice of Inspection Reports issued on 3/24/2015 and 3/22/2016 have been submitted to HMCD. A copy of both reports were provided during today?s inspection.

Submit to HMCD a written description of the actions taken to correct each violation listed in the Official Notice of Inspection. If any violation has not been corrected, describe the corrective actions that will be taken and provide a specific date by which those actions will be completed. [25404.1.2(c)]

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 23 CCR 16 2632(d)(1)(C), 2641(h), 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632(d)(1)(C), 2641(h), 2711(a)(8)
Violation Description: Failure to submit or update a plot plan.
Violation Notes:

The UST site maps provided on CERS do not include all the required information outlined below.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: HSC 6.7 25281.5(b)(3) - California Health and Safety Code, Chapter 6.7, Section(s) 25281.5(b)(3)
Violation Description: Failure to conduct daily visual inspections each time the tank is

SAN JOSE MARRIOTT (Continued) **S108219554**

operated, but not less than monthly, and maintain a log of inspection results for review of the CUPA.

Violation Notes: Returned to compliance on 04/10/2014.

The single-wall section of piping at the generator on the 27th floor did not have documented inspections for 11/2013, 12/2013, 1/2014 or 2/2014. Ensure the once-a-month minimum inspections are performed and documented and the documentation is available for review.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.95 25508.1(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(f)
Violation Description: Failure to electronically update the business plan within 30 days of a substantial change.
Violation Notes: HMBP was not revised and resubmitted within 30 days of departure of Secondary Emergency Contact Robert Thomas last August.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes: Add Santa Clara County CUPA phone number (408-918-3400) to section C3. Correct and resubmit within 30 days.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description: UST Program - Operations/Maintenance - General
Violation Notes: Returned to compliance on 04/10/2014.

-In the piping sump, the Schrader valves were not removed from the test boots/fittings, therefore not allowing any potential leaks to be seen by the sump sensor. Have the Schrader valve assemblies removed by a UST Technician and ensure they are removed after secondary containment testing. -The VR -208 sensor in the day tank secondary containment on the 27th floor that monitors the secondary of the fuel supply and return lines is not connected to the Veeder-Root TLS-300C panel, but a remote annunciator/light in the engineering office which is not approved for use with UST systems. Provide approved monitoring of the

SAN JOSE MARRIOTT (Continued) **S108219554**

UST piping secondary containment.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Annual certification of this facility's HMBP is due in October each year. Last submittal was made on 2/21/2014.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description: Failure of leak detection equipment to be located such that equipment is capable of detecting a leak at the earliest possible opportunity.
Violation Notes: The Veeder-Root 794380-208 sensor was observed to be in a location that does not provide the earliest opportunity of leak detection. The sensor?s improper location was verified by the fact that the diesel accumulating in the sump was at a different location than the sensor (i.e. the sensor was dry while there was diesel in the sump). The sensor was re-located to a location that provides leak detection at the earliest opportunity. This violation was corrected at the time of inspection. NO FURTHER ACTION IS NEEDED. However, ensure that the sensor remains in the proper location.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description: The owner/operator has failed to designate an UST operator or to inform the CUPA or any change in the designated UST operator(s) within 30 days after a change.
Violation Notes: DUSTO inspections since 5/23/2014 have been performed by Waymond Gathright (ICC #8255635, exp. 4/23/2016) and Richard Reed (ICC # 8214306, exp. 7/24/2015). Neither DUSTO is listed on the most recent notification dated 3/25/2014 which identifies the DUSTOs for this facility.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

SAN JOSE MARRIOTT (Continued) **S108219554**

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	19 CCR 6.95 25508(a)(1) - California Code of Regulations, Title 19, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit the Business Activities Page and/or Business Owner Operator Identification Page.
Violation Notes:	HMBP does not identify the entity that operates the hotel. Revise the "Identification" (i.e., Operator) information and resubmit within 30 days.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-07-2014
Citation:	23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description:	Failure to comply with one or more of the designated operator monthly inspection requirements: failed to inspect the monthly alarm history report; attach a copy of the alarm history; failed to inspect for the presence of liquid or debris in the spill container/spill bucket and under dispenser containment; failed to inspect the under dispenser containment to ensure that monitoring equipment is placed in the proper position; failure to inspect for liquid or debris in the containment sump where an alarm occurred or for which there is no record of a service visit; or failure to check that all testing and maintenance has been completed and documented.
Violation Notes:	Returned to compliance on 04/10/2014. The DUSTO Monthly reports for 5/2013, 10/2013, 12/2013, 1/2014 or 2/2014. Ensure the last 12 months of DUSTO monthly inspection reports are available for review.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-14-2018
Citation:	HSC 6.7 25291(a)(1) - California Health and Safety Code, Chapter 6.7, Section(s) 25291(a)(1)
Violation Description:	Failure to construct, operate, and maintain primary containment as product-tight.
Violation Notes:	This is a violation originally cited on 3/20/2017, 3/22/2016 and 3/24/2015. Secondary piping pressure test ports for supply line and return line have had their valve cores removed as required to allow drainage of the secondary lines into the monitored sump, but valves for both lines appeared to be in the closed position at the time of inspection, isolating them from the fuel in the UST. Ms. Walker stated during the inspection that repairs have been made, but no records are available to document any repairs. Submit documentation showing how, when, and by whom any repairs to these lines were made. (Note: No work plan was submitted as directed in the 3/20/2017 Official Notice of Inspection.)

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to submit, obtain approval, or maintain a complete/accurate response plan.
Violation Notes: Returned to compliance on 04/10/2014.

The 2/21/2014 CERS submittal has a response plan with Isaac Harris as the primary Responsible Person. Please update the Response Plan with the current Responsible Person and submit in CERS.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:

Certification of Financial Responsibility (CFR) documentation expired on 9/30/2014 and has not been updated as instructed in the 3/24/2015 and 3/22/2016 Official Notice of Inspection Reports (NOIs). Submit an updated Certification of Financial Responsibility form on the California Environmental Reporting System (CERS). Furthermore, while Ms. Walker stated that the insurance policy is kept up to date, a copy of the facility?s Certificate of Insurance for the insurance policy continues to be unavailable for review. THESE VIOLATIONS ARE REPEAT UNCORRECTED CLASS I VIOLATIONS FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016 AND REPEAT UNCORRECTED CLASS II VIOLATIONS FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/23/2015. ALL CLASS I VIOLATIONS REQUIRE IMMEDIATE CORRECTIVE ACTION.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-14-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit the Business Activities Page and/or Business Owner Operator Identification Page.
Violation Notes: This is an uncorrected violation originally cited on 3/24/2015. The information submitted via CERS on 3/13/2018 still does not correctly identify the legal entity that operates the hotel.
Violation Division: Santa Clara County Environmental Health

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 23 CCR 6.7 25284, 25286 - California Code of Regulations, Title 23, Chapter 6.7, Section(s) 25284, 25286
Violation Description: Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes: The UST Facility Operating Permit Application information on CERS identifies ?San Jose Marriott? as the tank operator, but Ms. Walker and the Secretary of State?s website?s business search, ?San Jose 2 Hotel Operator, LLC? CWI2 is the tank operator. This is a repeat violation from the Official Notice of Inspection Report issued on 3/24/2015 and has therefore been escalated to a Class II violation. ALL CLASS II VIOLATIONS REQUIRE IMMEDIATE CORRECTIVE ACTION.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description: UST Program - Administration/Documentation - General
Violation Notes: Returned to compliance on 04/10/2014. A copy of the 2013 Monitoring System Certification and Spill Bucket testing reports were not received by our office. Obtain a copy and submit them to our office.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25286(a)
Violation Description: Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes: Permit application information submitted via cers website on 4/2/2014 does not identify UST operator. Resubmit within 30 days identifying operator as Marriott Hotel Services, Inc.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-13-2018
Citation: 23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter

SAN JOSE MARRIOTT (Continued) **S108219554**

16, Section(s) 2712(f)
Violation Description: Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the UPA or special inspector.
Violation Notes: This is an uncorrected and repeat violation. Submit written responses to all UST violations cited in the Official Notices of Inspection dated 3/20/2017, 3/22/2016 and 3/24/2015.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-13-2018
Citation: HSC 6.7 25284, 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25284, 25286
Violation Description: Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes: This is an uncorrected violation. Permit application information submitted via CERS on 3/13/2018 still identifies the UST Operator as San Jose Marriott, which appears to be an unregistered fictitious business name, not the name of a legal entity. Property records identify the owner of the real estate on which the hotel is located as CWI 2 San Jose Hotel LP / Ryan LLC since 5/10/2013 when the property was purchased from PR SJM Hotel LLC. Correct and resubmit the UST Facility Information in CERS. Along with your written response to this Notice of Violation, include an explanation of the current and historic relationships between Marriott International Inc., CWI 2 San Jose Hotel LP, CWI 2 San Jose Hotel GP LLC, Ryan LLC, SP6 San Jose Hotel Owner LLC, SP6 San Jose Hotel Lessee LLC, and SP6 TRS LLC (i.e., parent/subsidiary and/or partnership relationships, and exactly who currently owns and operates the hotel and the UST).
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-13-2018
Citation: 23 CCR 16 2712(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)
Violation Description: Failure to maintain records of repairs, lining, and upgrades on site, or off site if approved by the UPA, for the life of the UST.
Violation Notes: This is an uncorrected Minor violation that has been elevated to Class II. No Monitoring System Certification forms, spill bucket test reports, reports documenting periodic secondary containment testing, or other UST system maintenance records are available on-site. Keep all UST system maintenance records available for review during inspections as specified below.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code,

SAN JOSE MARRIOTT (Continued) **S108219554**

Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 04/10/2014.

Certification of Financial Responsibility (CFR) submitted in CERS 2/21/2014 lists the prior owner as does the insurance policy. An updated CFR was observed at the facility. Please verify the dates of coverage and submit in CERS an updated CFR and a copy of the insurance summary including the UST endorsement language listing the facility as one of the covered locations.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain and maintain a valid operation permit from the CUPA.
Violation Notes: Facility has not submitted all the required UST information and cleared all the outstanding violations to allow for a permit to operate to be issued. Correct all open violations and submit complete and up-to-date information on CERS.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description: Failure to notify the CUPA of the designated operator (DO) identification and/or change of the DO within 30 days.
Violation Notes: The facility has not submitted an updated Owner Statement of Designated UST Operator Compliance as directed to do in the 3/24/2015 and 3/22/2016 Official Notice of Inspection Reports. Additionally, the past 12 months of DUSTO inspections have been conducted by Richard Reed and Michael Pietsch, neither of whom are in included on the outdated Owner Statement of Designated UST Operator Compliance. THIS VIOLATION HAS BEEN ESCALATED TO A CLASS I VIOLATION AS THIS IS A CONTINUOUS, REPEAT, AND UNCORRECTED CLASS II VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016 AND A CONTINUOUS, REPEAT, AND UNCORRECTED MINOR VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/23/2015. ALL CLASS I VIOLATIONS REQUIRE IMMEDIATE CORRECTIVE ACTION.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

SAN JOSE MARRIOTT (Continued) **S108219554**

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.7 25281.5(b)(3) - California Health and Safety Code, Chapter 6.7, Section(s) 25281.5(b)(3)
Violation Description: Failure to conduct daily visual inspections each time the tank is operated, but not less than monthly, and maintain a log of inspection results for review of the CUPA.
Violation Notes: Marriott's "Daily Check of Emergency Generator Diesel Fuel System Leak Detection Monitoring System, Aboveground Piping and Day Tanks" log has not been completed since October of 2013.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Facility did not submit a complete HMBP to CERS as noted in the 3/24/2015 Notice of Inspection (NOI). Ensure all items noted in the 3/24/2015 inspection report are addressed and submit a complete HMBP to CERS. Ensure the HMBP is properly updated within 30 days of changes to personnel, chemicals stored or operations. Ensure the HMBP is certified at least annually. Complete the response to the 3/24/2015 NOI and submit with the response to today's report. A copy of the 3/24/2015 NOI was delivered during the inspection.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain a valid permit to operate from the CUPA.
Violation Notes: The facility does not currently have a UST Permit to Operate. Correct all open violations and provide a written response documenting the actions taken to correct each violation and a signed Certification of Compliance to HMCD. A Permit to Operate will be issued upon verification that the facility has returned to full compliance and all information provided on CERS is up-to-date. THIS IS A REPEAT UNCORRECTED CLASS I VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016 AND A REPEAT UNCORRECTED CLASS II VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/23/2015.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

SAN JOSE MARRIOTT (Continued) **S108219554**

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description: Failure to submit statement of UST compliance and/or Designated Operator certification.
Violation Notes: The facility has not submitted an up-to-date listing of the Designated Operator Identification and Statement of Compliance, as directed in the 3/24/2015 inspection report. Submit the form to CERS and ensure any changes to Designated Operator personnel are submitted within 30 days.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 22 CCR 12 66262.11 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.11
Violation Description: Failure to determine if wastes generated are hazardous waste by using generator knowledge or applying testing method.
Violation Notes: One black 55 gallon drum labeled only as ?Diesel 55 gallons 9-4-12? was observed next to the day tank in the emergency generator room on the 27th floor. Ms. Walker stated that she was unsure of the drum?s contents. A hazardous waste determination must be conducted on the drum?s contents. Determine if the contents are still usable or a waste. If determined to be a waste, determine whether the contents are a hazardous waste using generator knowledge or through laboratory testing as outlined below. If determined to still be usable contents, adequately label the container within 10 days. Provide documentation of the waste and hazardous waste determinations to HMCD for review.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 23 CCR 16 2712(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)
Violation Description: Failure to maintain records of repairs, lining, and upgrades on site, or off site if approved by the CUPA, for the life of the UST.
Violation Notes: No annual monitoring system certifications from the past 5 years and no spill bucket test reports and secondary containment test reports from the past 3 years are available for review. Ensure that annual monitoring system certification reports are maintained on-site for 5 years and that spill bucket test reports and secondary containment test reports are maintained on-site for 3 years.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: 23 CCR 16 2637 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637
Violation Description: Failure to comply with one or more of the following: conduct secondary containment testing, within six months of installation and every 36 months thereafter, conducted in accordance with proper practices, protocols, or test methods.
Violation Notes: Returned to compliance on 04/10/2014. The last secondary containment testing report on file was after a repair/install that was done on 3/11/2013. Newly installed secondary containment systems must be tested again at 6 months. Have the secondary containment tested or supply more recent testing report showing that the 6 month interval has not been exceeded.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-13-2018
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description: Failure to submit the UPA. of the designated operator (DO) identification and/or change of the DO within 30 days.
Violation Notes: This is an uncorrected and repeat violation. Designated UST Operator information submitted via CERS on 3/13/2018 is out of date. The Owner Statement of Designated UST Operator Compliance must be updated and electronically submitted via CERS within 30 days of a change in DUSTO. (Note: The past 12 monthly DUSTO inspections have been performed by Richard Reed and Jason Woods.)
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-14-2018
Citation: HSC 6.95 25508.1(a)-(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(a)-(f)
Violation Description: Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name. A substantial change in the handler's operations that requires modification to any portion of the business plan.
Violation Notes: This is a repeat violation. The HMBP was not revised and submitted within 30 days of change in ownership of the hotel and changes in responsible persons Ensure that the HMBP is kept current on CERS as required.
Violation Division: Santa Clara County Environmental Health

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	22 CCR 23 66273.34 - California Code of Regulations, Title 22, Chapter 23, Section(s) 66273.34
Violation Description:	Failure to properly label the following categories of universal waste as: 1) Each batteries or the container in which the batteries are contained as "Universal Waste-Battery(ies)". 2) Each mercury-containing equipment or the container in which the mercury-containing equipment is contained as "Universal Waste -Mercury-Containing Equipment". 3) Each Florescent lamp or the container or package in which the lamps are contained as "Universal Waste-Lamp(s)". 4) Each electronic devices or the container or pallet in or on which the electronic devices are contained as "Universal Waste-Electronic Device(s)". 5) Each CRTs or the container or pallet in or on which the CRTs are contained as "Universal Waste-CRT(s)". 6) A container of CRT glass shall be labeled or marked clearly with the following phrase: "Universal Waste-CRT glass". 7) In lieu of labeling individual electronic devices, CRTs, and/or containers of CRT glass pursuant to subsections d) through f) of this section, a universal waste handler may combine, package, and accumulate those universal wastes in appropriate containers or within a designated area demarcated by boundaries that are clearly labeled with the applicable portion(s) of the following phrase: "Universal Waste-Electronic Device(s)/Universal Waste - CRT(s)/Universal Waste-CRT Glass".
Violation Notes:	Mark all containers holding Universal Waste with the words, "UNIVERSAL WASTE - LAMPS" (for used fluorescent lamp tubes and bulbs) or "UNIVERSAL WASTE - BATTERIES" (for consumer-type batteries). Either implement an inventory system (e.g., log) to keep track of Universal waste container accumulation times or mark each container with the initial date of accumulation.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-13-2018
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes:	This is an uncorrected violation. This facility's UST Permit to Operate cannot be issued until the facility is in compliance with UST requirements. Permit will be issued after all UST violations noted below have been corrected.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	49 CFR 1 172.201(e) - U.S. Code of Federal Regulations, Title 49,

SAN JOSE MARRIOTT (Continued) **S108219554**

Chapter 1, Section(s) 172.201(e)

Violation Description: Failure of the universal waste handler to properly package, label, mark, placard, or prepare and retain shipping papers for all universal waste being shipped to another universal waste handler, destination facility, or foreign facility.

Violation Notes: At least one broken fluorescent lamp tube was observed in an open box holding Universal Waste lamps. Broken lamps must be in a sealed container. Lamps must be packaged in a manner that prevents breakage.

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-14-2018

Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)

Violation Description: Failure to complete and electronically submit a site map with all required content.

Violation Notes: This is an uncorrected violation originally cited on 3/24/2015. The only map submitted via CERS on 3/13/2018 is the UST Monitoring Site Plan. You must include maps showing the overall facility layout and the location of the standby generator?s day tank (see instructions below).

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017

Citation: 23 CCR 16 2715(c) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)

Violation Description: Failure to comply with one or more of the following designated operator (DO) monthly inspection requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been properly trained.

Violation Notes: The DUSTO Monthly Inspection Report for 11/7/2016 incorrectly listed N/A to the question of whether ?secondary containment tests have been completed within the required timeframe.? Additionally, the DUSTO Inspection Report from 4/4/2016 incorrectly listed N/A to the question of whether ?each alarm for the previous month has been responded to appropriately? (alarms occurred due to annual monitoring system certification and the correct answer should be ?yes?).

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

SAN JOSE MARRIOTT (Continued) **S108219554**

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	Maps submitted via CERS website on 2/21/2014 are illegible and incomplete. Correct and resubmit within 30 days.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	HSC 6.7 25284(a)(3) - California Health and Safety Code, Chapter 6.7, Section(s) 25284(a)(3)
Violation Description:	Failure to submit, maintain, or implement an owner/operator written agreement.
Violation Notes:	Not reported
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	23 CCR 16 2638 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638
Violation Description:	Failure to test leak detection equipment as required every 12 months (VPH, sensor, LLD, ATG, etc.) and/or submit monitoring system certification to the CUPA within 30 days of completion of the test
Violation Notes:	Reports documenting testing done on 3/11/2013 and 3/7/2014 have not been submitted.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Not reported
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-14-2018
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the

SAN JOSE MARRIOTT (Continued) **S108219554**

	business plan is complete and accurate on or before the annual due date.
Violation Notes:	This is a repeat violation. Despite being repeatedly being directed to certify your HMBP annually, no Hazardous Materials Inventory or Emergency Response and Training Plans information was electronically submitted via CERS between 2/21/2014 and 3/13/2018. The information submitted on 3/13/2018 will be reviewed and the submittal status updated. Certify your HMBP every 12 months as required.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description:	Failure of sensor to be located in the proper position/location.
Violation Notes:	Schrader valve secondary piping pressure test ports for both supply lines and both return lines in the tank top piping sump are pointed upwards. Brass compression fittings on the secondary piping for the new flexible supply and return lines and black flexible test boots on the original supply and return lines must be reoriented so that the test valve openings point downward. [Include this work in the scope of work for the required repair of piping primary containment (see below).]
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-24-2015
Citation:	23 CCR 16 2631.1 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2631.1
Violation Description:	UST system is not made of or lined with materials that are compatible with the substance stored in the underground storage tank system.
Violation Notes:	Secondary pipe for new supply line was found to be full of fuel when Schrader valve core in the tank top piping sump was removed today. Released fuel was also observed pooled in the piping transition sump. Released fuel was pumped out of the sumps today. Disregard directive below to immediately cease storing hazardous materials in the UST, but investigate the cause of the releases and obtain a repair permit as directed below. [Note: This project can be done as an amendment to existing pipe repair Service Request # SR0842955 for which the repair permit fee was paid on Invoice # IN1037896 by CalPhase Construction, Inc.]
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	64623
Site Name:	SAN JOSE MARRIOTT
Violation Date:	03-13-2018
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of

SAN JOSE MARRIOTT (Continued) **S108219554**

Financial Responsibility or other mechanism of financial assurance.
Violation Notes: This is an uncorrected and repeat Class I violation. UST information submitted via CERS on 3/13/2018 is missing the required UST Certification of Financial Responsibility (CFR). The most recent CFR for this facility expired on 9/30/2014. The CFR must be updated annually with current insurance policy information and electronically submitted via CERS. Prepare and submit a current CFR form. [Note: A copy of the current insurance policy was available on-site (Policy #CST1520943-17, valid 8/15/2017 through 8/15/2018). Please include a copy of the policy with the CFR form you submit.] Financial responsibility must be demonstrated by the UST owner and/or the UST operator. Your permit application does not identify Marriott International Inc. as either of those entities, but they are the named insured in the insurance policy. Along with your written response to this Notice of Violation, include information demonstrating that Marriott International Inc.?s insurance policy covers [Truncated]
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description: Hazardous Waste Generator Program - Administration/Documentation - General
Violation Notes: No written response with the corrective actions taken to the violations cited in the Official Notice of Inspection Reports issued on 3/24/2015 and 3/22/2016 have been submitted to HMCD. A copy of both reports were provided during today?s inspection. THIS VIOLATION HAS BEEN ESCALATED TO A CLASS I VIOLATION AS THIS IS A CONTINUOUS, REPEAT, AND UNCORRECTED CLASS II VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016. ALL CLASS I VIOLATIONS REQUIRE IMMEDIATE CORRECTIVE ACTION.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: The facility has not reviewed and submitted a complete HMBP on CERS since 2/21/2014, as noted in the 3/24/2015 and 3/22/2016 Official Notice of Inspection Reports. Ensure all items noted in the 3/24/2015 inspection report are addressed and submit a complete HMBP to CERS. Ensure that the HMBP is properly updated within 30 days of changes to personnel, chemicals stored, and operations. Ensure that the HMBP is certified at least annually and all hazardous materials/wastes at or above HMBP

SAN JOSE MARRIOTT (Continued) **S108219554**

reportable thresholds are included. If you would like assistance with your HMBP submittal, contact Molly Pritz at molly.pritz@cep.sccgov.org or Michelle Santos at (408)918-1981. THIS VIOLATION HAS BEEN ESCALATED TO A CLASS I VIOLATION AS THIS IS A CONTINUOUS, REPEAT, AND UNCORRECTED CLASS II VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016 AND A CONTINUOUS, REPEAT, AND UNCORRECTED MINOR VIOLATION FROM [Truncated]

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Administration/Documentation - General
Violation Notes: Facility did not submit a response to the 3/24/2015 Notice of Inspection (NOI). Ensure all violations are addressed and a completed NOI is submitted within 30 days. Submit a completed NOI with the response to today's report. A copy of the 3/24/2015 NOI was delivered during the inspection.

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: 23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description: Failure to maintain secondarily contained piping to allow liquid in the event of a leak to drain into sump (i.e. failure to remove test boot, pipe swelling).
Violation Notes: Schrader valve secondary piping pressure test ports for both supply lines and both return lines in the tank top piping sump had valve cores left installed after last secondary containment test. Secondary piping for the new supply and return lines were similarly plugged in the piping transition sump. This prevented the secondary pipes from draining into the monitored sumps. The valve cores and plugs were removed today during this inspection. Ensure that the lines remain free to drain into monitored sumps when not undergoing triennial pressure testing.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: HSC 6.7 25291(a)(1) - California Health and Safety Code, Chapter 6.7, Section(s) 25291(a)(1)
Violation Description: Failure to construct, operate, and maintain primary containment as product-tight.
Violation Notes: Diesel was

SAN JOSE MARRIOTT (Continued) **S108219554**

observed to be pooling the piping sump and pipe transition sump during today?s inspection. In aggregate, approximately 0.5 gallons of diesel was removed from the piping sump and pipe transition pump. Diesel has previously been observed in the pipe transition sump during the 3/23/2015 and 3/22/2016 inspections and in the piping sump during the 3/23/2015 inspection. Per maintenance records and Ms. Walker?s statements, no repairs or corrective actions have been taken to repair the piping. IMMEDIATELY begin investigating the source of the fuel leak and submit a work plan for any necessary repairs to HMCD for review. Depending on the scope of work necessary, a permit from HMCD may be required for the repairs. THIS IS A CONTINUOUS, REPEAT, AND UNCORRECTED CLASS I VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016 AND A CONTINUOUS, REPEAT, AND UNCORRECTED CLASS II VIOLATION THE [Truncated]

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:

Certification of Financial Responsibility (CFR) has not been updated as instructed in the 3/24/2015 Notice of Inspection (NOI). Submit an updated CFR to CERS. Ensure the CFR is updated annually with the current policy number and term of the insurance policy. Also submit or have available for review the current insurance policy showing the proper endorsement language as noted below.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-24-2015
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain and maintain a valid operation permit from the CUPA.
Violation Notes: Not reported
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-14-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes: You failed to electronically submit a corrected HMBP within 30 days of

SAN JOSE MARRIOTT (Continued) **S108219554**

notification from HMCD that the HMBP is deficient. Hazardous Materials Inventory information submitted via CERS on 2/21/2014 was ?Not Accepted? and corrective action guidance was provided via CERS on 3/24/2015, but updated information was not submitted until 3/31/2018. Review the ?Comments by regulator? associated with all reviewed submittals when emails from CERS associated with ?Accepted? and ?Not Accepted? submittals are received.

Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-14-2018
Citation: 23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description: Failure of leak detection equipment to be located such that equipment is capable of detecting a leak at the earliest possible opportunity.
Violation Notes: This is an uncorrected Class I violation originally cited on 3/22/2016 and 3/24/2015. Secondary piping pressure test ports for supply line and return line in the tank top piping sump are pointed upwards. Brass compression fittings on the secondary piping for the flexible supply and return lines must be reoriented so that the test valve openings point downward. Have a qualified contractor perform this work. (Note: Original supply and return lines have been disconnected inside the tank top piping sump.)

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description: UST Program - Administration/Documentation - General
Violation Notes: Returned to compliance on 04/10/2014. The 2012, 2013 Monitoring System Testing and Spill Bucket testing and the 3/2013 Secondary Containment testing results were not available for review. Ensure copies of the testing results and any mainteance/repair reports for the last three years are available for review.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: 23 CCR 16 2631.1 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2631.1
Violation Description: UST system is not made of or lined with materials that are compatible with the substance stored in the underground storage tank system.
Violation Notes: Observed diesel in the transition sump and there is no record of repairs requested in the 3/24/2015 inspection report. Submit any repair

SAN JOSE MARRIOTT (Continued) **S108219554**

documentation and a retroactive permit application package as required. _____

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-20-2017
Citation: 23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description: Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the CUPA or special inspector.
Violation Notes: _____ No written response with the corrective actions taken to the violations cited in the Official Notice of Inspection Reports issued on 3/24/2015 and 3/22/2016 have been submitted to HMCD. A copy of both reports were provided during today?s inspection. THIS VIOLATION HAS BEEN ESCALATED TO A CLASS I VIOLATION AS THIS IS A CONTINUOUS, REPEAT, AND UNCORRECTED CLASS II VIOLATION FROM THE OFFICIAL NOTICE OF INSPECTION REPORT ISSUED ON 3/22/2016. ALL CLASS I VIOLATIONS REQUIRE IMMEDIATE CORRECTIVE ACTION.

_____

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-07-2014
Citation: 23 CCR 16 2715(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(b)
Violation Description: Failure to submit statement of UST compliance and/or Designated Operator current certification.
Violation Notes: Returned to compliance on 04/10/2014.

_____

Facility has a DUSTO Identification form indicating a change in DUSTO on file. Sign and upload the DUSTO Identification form to CERS. Submit an new form in CERS within 30 days of change of the identification of the DUSTO.

_____

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-14-2018
Citation: HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description: Hazardous Waste Generator Program - Administration/Documentation - General
Violation Notes: This is an uncorrected and repeat violation. Submit written responses to all hazardous waste violations cited in the Official Notices of Inspection dated 3/20/2017 and 3/24/2015.
Violation Division: Santa Clara County Environmental Health

SAN JOSE MARRIOTT (Continued) **S108219554**

Violation Program: HW
Violation Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Violation Date: 03-22-2016
Citation: Un-Specified
Violation Description: UST Program - Administration/Documentation - For use of Local Ordinance only
Violation Notes: No response to the 3/24/2015 Notice of Inspection has been received by our office. Submit a complete NOI. A copy of the 3/24/2015 report was delivered during the inspection.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Evaluation:
Eval General Type: Other/Unknown
Eval Date: 03-14-2018
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-20-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: NOTES: 1) The diesel waste and spill bucket liquid waste removed from the piping sump, pipe transition sump, and spill bucket was transferred into a 5 gallon plastic bucket container at the time of inspection. The container was properly labeled with a completed hazardous waste label. ENSURE THAT ALL HAZARDOUS WASTE IS COLLECTED, MANAGED, AND DISPOSED OF IN ACCORDANCE WITH ALL APPLICABLE HAZARDOUS WASTE REQUIREMENTS. 2) Approximately 1.5 gallons of liquid suspected of being primarily water was observed in the fill spill bucket during today's inspection. The liquid was removed and collected as noted above. 2) Submit a copy of the Monitoring Certification and Spill Bucket Test reports to HMCD within 30 days. On-site for an annual monitoring system certification performed by UST Service Technician Steven Williams of Tanknology, Inc. Mr. Williams has current ICC California UST Service Technician certification (#8234559 exp. 6/3/2018) and Veeder-Root certification [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-20-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This inspection was limited to follow-up to the 3/24/2015 and 3/22/2016 inspections and the observations made while conducting a

SAN JOSE MARRIOTT (Continued) **S108219554**

routine underground storage tank system inspection.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-24-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Facility does not routinely generate hazardous waste, so Hazardous Waste Generator permit will be inactivated. Only Universal Wastes are routinely generated. Copy of Universal Waste Management Requirements guidance document (HMCD-108) was provided today.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-24-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Please make all corrections to CERS data and make a single updated submittal (i.e., do not submit changes piecemeal). Note: Facility has only 1 hazardous substance at or above State HMBP reporting threshold. Diesel.
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 03-22-2016
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Inspection limited to follow up on the prior inspection 3/24/2015.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-24-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: All underground storage tank (UST) system leak detection equipment was tested today by UST Service Technician Christopher Bishop of Confidence UST Services, Inc. and functioned properly. Mr. Bishop has current ICC California UST Service Technician certification (exp. 4/30/2016) and Veeder-Root Level 4 certification (exp. 5/15/2016). The Veeder-Root model 794390-420 tank annular sensor and 3 Veeder-Root model 794380-208 liquid sensors monitoring the tank top piping sump, piping transition sump, and floor in the fuel pump room berm were tested using water to obtain audible and visual fuel alarms on the Veeder-Root TLS-300C console. The direct buried UST fill spill bucket was hydrostatically tested for 1 hour and passed. Submit a copy of the completed Monitoring System Certification form and spill bucket test report within 30 days. Notes: 1. Designated UST Operator monthly inspection and facility employee training records are in order. Annual refresher training [Truncated]

SAN JOSE MARRIOTT (Continued) **S108219554**

Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-07-2014
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On-site to witness the annual monitoring system certification and spill bucket test performed by Mr. Timothy Elebeck (ICC #8001435-UT, exp. 11/26/2014; VR L4 #B35252, exp. 9/9/2015) of Tanknology. Site consists of a single UST supplying an emergency backup generator located on the 27th floor penthouse. The annular space, piping sump, transition sump, and pump room floor (bermed epoxy floor used for secondary containment) are monitored by a Veeder-Root TLS-300C located in the pump room. The time on the TLS-300C was off by 2 hours on arrival and was immediately corrected. On the 27th floor, the day tank secondary and single-walled piping at the generator are monitored by the generator panel remote annunciator/light located in the engineering office. The sensors (piping sump, transition sump, pump room containment- VR 208; annular VR -420) were tested in water and provided audible and visible alarms at the VR panel. The day tank and single walled piping sensors (VR [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-14-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Inspection began on 3/13/2018 and finished today. On site yesterday with Greg Breshears of HMCD to witness the annual monitoring system certification performed by Brent Bowen of Tanknology Inc. Verified Mr. Bowen’s ICC (#8211862, expires 6/23/19), and Veeder Root (#B48215, expires 4/26/19). 1 tank : Diesel The UST system?s piping is a conventional suction system. Observed testing of the following components yesterday: - 1 Annular space sensor (Veeder-Root (VR) 794390-420) - 1 Piping Sump sensor (VR 794380-208) - 1 Piping Transition Sump sensor (VR 794380-208) - 1 Pump Room sensor (VR 794380-208) All sensors listed above provided audible and visual alarms when tested. The spill bucket was tested using Tanknology’s Vacuum testing apparatus. The spill bucket held at 30" water column for 60 seconds without loss. The diesel tank uses mechanical overfill prevention valve in the drop tube. The unburied fuel piping connected to the emergency generator tank [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	03-14-2018
Violations Found:	Yes
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Not reported
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW

SAN JOSE MARRIOTT (Continued) **S108219554**

Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	03-20-2017
Violations Found:	Yes
Eval Type:	Other, not routine, done by local agency
Eval Notes:	This inspection was limited to follow-up to the 3/24/2015 and 3/22/2016 inspections and the observations made while conducting a routine underground storage tank system inspection.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-22-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On site to witness the annual monitoring system certification and spill bucket test performed by Mr. Michael Gathright (certifications current) of Petro-Analytical. UST is a conventional suction system for an emergency generator. The annular and 3 sump sensors (piping sump, transition sump from loading dock down to pump room and pump room floor containment) were tested in water and provided audible and visible alarms. The spill bucket was hydrostatically tested for one hour with no loss. Observed the schrader valves removed from all of the test boots and brass connections. Observed the reducer fitting on the supply line removed at the transition sump. A copy of the 3/24/2015 Notice of Inspection was delivered with this report. Reviewed DUSTO Monthly Reports, DUSTO Training records, testing reports and maintenance documentation and daily Emergency Generator Tank System unburied piping inspection logs. NOTE: Secondary containment (SB989) testing is due in [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	03-22-2016
Violations Found:	Yes
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Inspection limited to follow up on the prior inspection 3/24/2015.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	11-03-2016
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	On site to witness secondary containment testing performed by Mr. Jarrod Cooke (certifications current) of Tanknology. The following components were tested: Tank annular space: 10 inHg vacuum for 1 hour, no loss. Hydrostatically tested with the Tanknology VPLT accelerated testing apparatus for 30 minutes: Sump: no loss Transition box: no loss Piping, 5 psi for one hour: New flexible supply: no loss New flexible return: no loss Transition box to pump room supply: no loss Transition box to pump room return: held for 30 minutes with no loss

SAN JOSE MARRIOTT (Continued) **S108219554**

at my departure Unused black supply: held for 30 minutes with no loss
at my departure Unused black return: held for 30 minutes with no loss
at my departure Submit a copy of the Secondary Containment test report
to our office within 30 days and keep a copy available for review for
at least 3 years. Reports may be sent via email to
USTinspector@deh.sccgov.org.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Enforcement Action:
Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Site Address: 301 S MARKET ST
Site City: SAN JOSE
Site Zip: 95113
Enf Action Date: 03-07-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Site Address: 301 S MARKET ST
Site City: SAN JOSE
Site Zip: 95113
Enf Action Date: 03-24-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Site Address: 301 S MARKET ST
Site City: SAN JOSE
Site Zip: 95113
Enf Action Date: 03-24-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Site ID: 64623
Site Name: SAN JOSE MARRIOTT
Site Address: 301 S MARKET ST
Site City: SAN JOSE
Site Zip: 95113
Enf Action Date: 03-24-2015
Enf Action Type: Notice of Violation (Unified Program)

SAN JOSE MARRIOTT (Continued) **S108219554**

Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Coordinates:
Site ID: 64623
Facility Name: SAN JOSE MARRIOTT
Env Int Type Code: HWG
Program ID: 10097317
Coord Name: Not reported
Ref Point Type Desc: Unknown
Latitude: 37.330315
Longitude: -121.888367

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Document Preparer
Entity Name: Joey Adams
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: Clifton Sprague
Entity Title: Not reported
Affiliation Address: 301 S MARKET STREET
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95113
Affiliation Phone: Not reported

Affiliation Type Desc: UST Permit Applicant
Entity Name: Clifton Sprague
Entity Title: Director of Egineering
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (408) 278-4455

SAN JOSE MARRIOTT (Continued) **S108219554**

Affiliation Type Desc:	UST Tank Owner
Entity Name:	CWI 2 - San Jose Hotel LP
Entity Title:	Not reported
Affiliation Address:	301 South Market Street
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95113
Affiliation Phone:	(408) 280-1300

Affiliation Type Desc:	Operator
Entity Name:	CWI 2 - San Jose Hotel LP
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(847) 482-8600

Affiliation Type Desc:	UST Property Owner Name
Entity Name:	CWI 2 - San Jose Hotel LP
Entity Title:	Not reported
Affiliation Address:	301 South Market Street
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95113
Affiliation Phone:	(408) 280-1300

Affiliation Type Desc:	UST Tank Operator
Entity Name:	Marriott International
Entity Title:	Not reported
Affiliation Address:	301 South Market Street
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95113
Affiliation Phone:	(408) 280-1300

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	301 S MARKET ST
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95113
Affiliation Phone:	Not reported

Affiliation Type Desc:	Identification Signer
Entity Name:	Clifton Sprague
Entity Title:	DIRECTOR OF ENGINEERING
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported

SAN JOSE MARRIOTT (Continued) **S108219554**

Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: CWI 2 - San Jose Hotel LP
Entity Title: Not reported
Affiliation Address: 50 Rockafeller Plaza, 2nd Floor
Affiliation City: New York
Affiliation State: NY
Affiliation Country: United States
Affiliation Zip: 10020
Affiliation Phone: (847) 482-8600

Affiliation Type Desc: Parent Corporation
Entity Name: SAN JOSE MARRIOTT
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner
Entity Name: CWI 2 - San Jose Hotel LP
Entity Title: Not reported
Affiliation Address: 50 Rockafeller Plaza, 2nd Floor
Affiliation City: New York
Affiliation State: NY
Affiliation Country: United States
Affiliation Zip: 10020
Affiliation Phone: (847) 482-8600

O92 **SJRA HOTEL EAST** **CA LUST** **S102628228**
West **301 MARKET** **CA HIST CORTESE** **N/A**
1/4-1/2 **SAN JOSE, CA 95113**
0.309 mi.
1630 ft. **Site 4 of 4 in cluster O**

Relative:
Lower

Actual:
97 ft.

LUST SANTA CLARA:
Name: SJRA-HOTEL EAST
Address: 301 SOUTH MARKET ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E17C05F
Date Closed: 10/18/2001
EDR Link ID: 07S1E17C05F

HIST CORTESE:
edr_fname: SJRA HOTEL EAST
edr_fadd1: 301 MARKET
City,State,Zip: SAN JOSE, CA 95113
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-1199

P93 **D'AMICO PROPERTY** **CA LUST** **S101303970**
South **130 E MARGARET ST** **CA HIST LUST** **N/A**
1/4-1/2 **SAN JOSE, CA 95112** **CA HIST CORTESE**
0.309 mi.
1631 ft. **Site 1 of 4 in cluster P**

Relative:
Higher

Actual:
102 ft.

LUST:

Name:	D'AMICO PROPERTY
Address:	130 E MARGARET ST
City,State,Zip:	SAN JOSE, CA 95112
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501792
Global Id:	T0608501792
Latitude:	37.326898
Longitude:	-121.878966
Status:	Completed - Case Closed
Status Date:	02/16/2001
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0608501792
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608501792
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

LUST:

Global Id:	T0608501792
Action Type:	RESPONSE
Date:	01/24/2001
Action:	CAP/RAP - Other Report

Global Id:	T0608501792
Action Type:	RESPONSE
Date:	02/08/2001
Action:	Correspondence

Global Id:	T0608501792
Action Type:	RESPONSE

D'AMICO PROPERTY (Continued) **S101303970**

Date: 07/23/1998
Action: Soil and Water Investigation Report

Global Id: T0608501792
Action Type: RESPONSE
Date: 04/15/1996
Action: Monitoring Report - Quarterly

Global Id: T0608501792
Action Type: RESPONSE
Date: 07/15/1997
Action: Monitoring Report - Quarterly

Global Id: T0608501792
Action Type: RESPONSE
Date: 06/14/1995
Action: Preliminary Site Assessment Report

Global Id: T0608501792
Action Type: RESPONSE
Date: 09/18/2000
Action: Other Report / Document

Global Id: T0608501792
Action Type: RESPONSE
Date: 04/22/1988
Action: Other Report / Document

Global Id: T0608501792
Action Type: RESPONSE
Date: 03/28/2001
Action: Unauthorized Release Form

Global Id: T0608501792
Action Type: RESPONSE
Date: 01/21/1999
Action: Correspondence

Global Id: T0608501792
Action Type: RESPONSE
Date: 05/28/1998
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608501792
Action Type: RESPONSE
Date: 02/01/2001
Action: Verbal Communication

Global Id: T0608501792
Action Type: RESPONSE
Date: 02/08/2001
Action: Correspondence

Global Id: T0608501792
Action Type: ENFORCEMENT
Date: 02/16/2001
Action: Closure/No Further Action Letter

D'AMICO PROPERTY (Continued) **S101303970**

Global Id: T0608501792
Action Type: Other
Date: 01/01/1993
Action: Leak Reported

Global Id: T0608501792
Action Type: RESPONSE
Date: 10/15/1996
Action: Monitoring Report - Quarterly

Global Id: T0608501792
Action Type: ENFORCEMENT
Date: 03/01/1996
Action: Staff Letter - #25666

Global Id: T0608501792
Action Type: REMEDIATION
Date: 11/01/2000
Action: Excavation

Global Id: T0608501792
Action Type: RESPONSE
Date: 04/22/1988
Action: Other Report / Document

Global Id: T0608501792
Action Type: RESPONSE
Date: 07/23/1998
Action: Monitoring Report - Quarterly

LUST:
Global Id: T0608501792
Status: Completed - Case Closed
Status Date: 02/16/2001

Global Id: T0608501792
Status: Open - Case Begin Date
Status Date: 01/01/1993

Global Id: T0608501792
Status: Open - Site Assessment
Status Date: 10/28/1993

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E17H03f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 10/28/1993

D'AMICO PROPERTY (Continued) **S101303970**

Pollution Characterization Began: 10/28/1993
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: D'AMICO PROPERTY
Address: 130 E MARGARET ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E17H03F
Date Closed: 02/16/2001
EDR Link ID: 07S1E17H03F

HIST LUST SANTA CLARA:
Name: D'Amico Property
Address: 130 E Margaret St
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E17H03
Oversite Agency: SCVWD
Date Listed: 1994-07-27 00:00:00
Closed Date: 2001-02-16 00:00:00

HIST CORTESE:
edr_fname: D'AMICO PROPERTY
edr_fadd1: 130 MARGARET
City,State,Zip: SAN JOSE, CA 95108
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-1870

P94 **ELECTRIC BATTERY AND CARB** **CA CPS-SLIC** **S101641745**
South **718 1ST ST S** **N/A**
1/4-1/2 **SAN JOSE, CA 95113**
0.332 mi.
1755 ft. **Site 2 of 4 in cluster P**

Relative:
Higher

Actual:
103 ft.

SLIC REG 2:
Region: 2
Facility ID: 43S0322
Facility Status: Leak being confirmed
Date Closed: Not reported
Local Case #: Not reported
How Discovered: Tank Closure
Leak Cause: UNK
Leak Source: UNK
Date Confirmed: 9/16/1991
Date Prelim Site Assmnt Workplan Submitted: Not reported
Date Preliminary Site Assessment Began: Not reported
Date Pollution Characterization Began: Not reported
Date Remediation Plan Submitted: Not reported
Date Remedial Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

P95 **GRIFFIN PROPERTY** **CA LUST** **S104541903**
South **724 S FIRST ST** **CA HIST LUST** **N/A**
1/4-1/2 **SAN JOSE, CA 95113** **CA CERS**
0.332 mi.
1755 ft. **Site 3 of 4 in cluster P**

Relative:
Higher

Actual:
103 ft.

LUST:

Name:	GRIFFIN PROPERTY
Address:	724 S FIRST ST
City,State,Zip:	SAN JOSE, CA 95113
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608502083
Global Id:	T0608502083
Latitude:	37.3251635
Longitude:	-121.8823413
Status:	Completed - Case Closed
Status Date:	01/07/2002
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0608502083
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608502083
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

LUST:

Global Id:	T0608502083
Action Type:	RESPONSE
Date:	08/29/1991
Action:	Unauthorized Release Form

Global Id:	T0608502083
Action Type:	RESPONSE
Date:	10/23/1998
Action:	Soil and Water Investigation Workplan

Global Id:	T0608502083
Action Type:	RESPONSE

GRIFFIN PROPERTY (Continued) **S104541903**

Date: 12/31/1998
Action: Soil and Water Investigation Report

Global Id: T0608502083
Action Type: RESPONSE
Date: 05/12/2001
Action: Soil and Water Investigation Workplan

Global Id: T0608502083
Action Type: RESPONSE
Date: 07/10/2001
Action: Soil and Water Investigation Report

Global Id: T0608502083
Action Type: ENFORCEMENT
Date: 10/29/1998
Action: Staff Letter - #25640

Global Id: T0608502083
Action Type: ENFORCEMENT
Date: 05/14/2001
Action: Staff Letter - #25645

Global Id: T0608502083
Action Type: Other
Date: 08/29/1991
Action: Leak Reported

Global Id: T0608502083
Action Type: RESPONSE
Date: 09/01/1998
Action: Preliminary Site Assessment Report

Global Id: T0608502083
Action Type: RESPONSE
Date: 05/29/1998
Action: Other Workplan

Global Id: T0608502083
Action Type: RESPONSE
Date: 10/15/2001
Action: Monitoring Report - Quarterly

Global Id: T0608502083
Action Type: ENFORCEMENT
Date: 09/24/1998
Action: Staff Letter - #25638

Global Id: T0608502083
Action Type: ENFORCEMENT
Date: 04/11/2001
Action: Staff Letter - #25643

Global Id: T0608502083
Action Type: ENFORCEMENT
Date: 08/31/2001
Action: Staff Letter - #25648

GRIFFIN PROPERTY (Continued) **S104541903**

Global Id: T0608502083
Action Type: RESPONSE
Date: 06/03/2005
Action: Other Report / Document

Global Id: T0608502083
Action Type: RESPONSE
Date: 08/22/1991
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608502083
Action Type: RESPONSE
Date: 02/18/1992
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608502083
Action Type: RESPONSE
Date: 01/01/1992
Action: Correspondence

Global Id: T0608502083
Action Type: RESPONSE
Date: 07/12/2001
Action: Monitoring Report - Quarterly

Global Id: T0608502083
Action Type: RESPONSE
Date: 11/04/1991
Action: Other Report / Document

Global Id: T0608502083
Action Type: ENFORCEMENT
Date: 06/03/2005
Action: Other Report

Global Id: T0608502083
Action Type: RESPONSE
Date: 06/03/2005
Action: Other Report / Document

Global Id: T0608502083
Action Type: RESPONSE
Date: 03/21/2001
Action: Soil and Water Investigation Report

LUST:
Global Id: T0608502083
Status: Completed - Case Closed
Status Date: 01/07/2002

Global Id: T0608502083
Status: Open - Case Begin Date
Status Date: 07/09/1991

Global Id: T0608502083
Status: Open - Site Assessment
Status Date: 07/09/1991

GRIFFIN PROPERTY (Continued) **S104541903**

Global Id: T0608502083
Status: Open - Site Assessment
Status Date: 03/01/2001

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E17G03f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 7/9/1991
Pollution Characterization Began: 3/1/2001
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: GRIFFIN PROPERTY
Address: 724 S FIRST ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E17G03F
Date Closed: 01/07/2002
EDR Link ID: 07S1E17G03F

HIST LUST SANTA CLARA:
Name: Griffin Property
Address: 724 S First St
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E17G03
Oversite Agency: SCVWD
Date Listed: 1991-10-01 00:00:00
Closed Date: 2002-01-07 00:00:00

CERS:
Name: GRIFFIN PROPERTY
Address: 724 S FIRST ST
City,State,Zip: SAN JOSE, CA 95113
Site ID: 242316
CERS ID: T0608502083
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND

GRIFFIN PROPERTY (Continued) **S104541903**

Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	4089183400

P96 **ELECTRIC BATTERY AND CARB** **CA CPS-SLIC S120762566**
South **718 AND 724 SOUTH FIRST STREET** **CA CERS N/A**
1/4-1/2 **SAN JOSE, CA 95113**
0.332 mi.
1755 ft. **Site 4 of 4 in cluster P**

Relative: **Higher**

Actual: **103 ft.**

CPS-SLIC:

Name:	ELECTRIC BATTERY AND CARB
Address:	718 AND 724 SOUTH FIRST STREET
City,State,Zip:	SAN JOSE, CA 95113
Region:	STATE
Facility Status:	**Completed - Case Closed**
Status Date:	04/21/2017
Global Id:	T0608591632
Lead Agency:	SAN FRANCISCO BAY RWQCB (REGION 2)
Lead Agency Case Number:	Not reported
Latitude:	37.334588
Longitude:	-121.889227
Case Type:	Cleanup Program Site
Case Worker:	UUU
Local Agency:	Not reported
RB Case Number:	43S0322
File Location:	All Files are on GeoTracker or in the Local Agency Database
Potential Media Affected:	Aquifer used for drinking water supply, Other Groundwater (uses other than drinking water), Soil, Soil Vapor
Potential Contaminants of Concern:	Tetrachloroethylene (PCE), Diesel, Gasoline, Stoddard solvent / Mineral Spriits / Distillates, Total Petroleum Hydrocarbons (TPH)
Site History:	This case is associated with the following two cases: T10000008312 Expert Cleaners (Non-case) T0608502083 Griffin Property (closed) Case Closure/No Further Action: On January 20, 2016, the Regional Water Board required a site history report for Expert Cleaners located at the site address. The response received on January 26, 2016 indicated soil and groundwater investigations were conducted previously at the property under the case name Griffin property and a copy of the Regional Water Board case closure letter dated January 7, 2002 was provided. In April 2017, the Regional Water Board issued a rescission of the January 20, 2016 site history report request. See Expert Cleaners, Global ID # T10000008312, for the rescission letter. Site History: Expert Dry Cleaners operated at this site (724 South first street) for twenty years (1959-1979) . Orvill Griffin purchased the property (718 and 724 South First Street) in June 1979 and operated an auto parts and repair facility. The city of SJ Fire Dept required

ELECTRIC BATTERY AND CARB (Continued) **S120762566**

owner to remove the USTs (one gasoline and one stoddart solventand) and associated piping (URF dated 08/29/1991). The owner discovered four more USTs during excavation. The owner removed all six USTs on July 9, 1991. The USTs are listed below: UST #1 1,500 Gallons diesel UST #2 250 Gallons stoddard solvent UST #3 500 Gallons stoddard solvent UST #4 250 Gallons stoddard solvent UST #5 100 Gallons stoddard solvent UST #6 200 Gallons stoddard solvent Approximatley 600 tons of soil surrounding the USTs and beneath the former dry cleaner building was excavated and removed. The excavation was backfilled and the surface was paved for parking and storage. The main contaminats of concern detected in soil were TPHg, TPHd, and PCE. PCE or other VOCs were not detected in groundwater after USTs were removed in July 1991 and soil overexcavated in August 1991.

Click here to access the California GeoTracker records for this facility:

CERS:

Name:	ELECTRIC BATTERY AND CARB
Address:	718 AND 724 SOUTH FIRST STREET
City,State,Zip:	SAN JOSE, CA 95113
Site ID:	423093
CERS ID:	T0608591632
CERS Description:	Cleanup Program Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	CELINA HERNANDEZ - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 Clay Street, suite 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	5106222447

Q97 **CALDERON TIRES & WHEELS** **CA LUST** **S105512867**
South **735 S 1ST ST** **CA HIST LUST** **N/A**
1/4-1/2 **SAN JOSE, CA 95110** **CA CERS**
0.371 mi.
1958 ft. **Site 1 of 2 in cluster Q**

Relative:
Higher

Actual:
103 ft.

LUST:

Name:	CALDERON TIRES & WHEELS
Address:	735 S 1ST ST
City,State,Zip:	SAN JOSE, CA 95110
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site

CALDERON TIRES & WHEELS (Continued) **S105512867**

Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608562975
Global Id:	T0608562975
Latitude:	37.324736
Longitude:	-121.882694
Status:	Completed - Case Closed
Status Date:	09/18/2001
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Diesel
Site History:	Not reported

LUST:

Global Id:	T0608562975
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608562975
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

LUST:

Global Id:	T0608562975
Action Type:	RESPONSE
Date:	07/31/2001
Action:	Soil and Water Investigation Report

Global Id:	T0608562975
Action Type:	RESPONSE
Date:	07/31/2001
Action:	Soil and Water Investigation Report

Global Id:	T0608562975
Action Type:	RESPONSE
Date:	07/01/2001
Action:	Soil and Water Investigation Report

Global Id:	T0608562975
Action Type:	RESPONSE
Date:	11/22/2002
Action:	Correspondence

Global Id:	T0608562975
Action Type:	RESPONSE

CALDERON TIRES & WHEELS (Continued) **S105512867**

Date: 12/14/1992
Action: Other Report / Document

Global Id: T0608562975
Action Type: RESPONSE
Date: 09/06/2001
Action: Other Report / Document

Global Id: T0608562975
Action Type: RESPONSE
Date: 07/22/2002
Action: Other Report / Document

Global Id: T0608562975
Action Type: ENFORCEMENT
Date: 07/30/2002
Action: Closure/No Further Action Letter

Global Id: T0608562975
Action Type: RESPONSE
Date: 07/01/2002
Action: Other Report / Document

Global Id: T0608562975
Action Type: Other
Date: 08/16/2001
Action: Leak Reported

Global Id: T0608562975
Action Type: RESPONSE
Date: 07/01/2001
Action: Remedial Progress Report

Global Id: T0608562975
Action Type: RESPONSE
Date: 06/01/2002
Action: Remedial Progress Report

Global Id: T0608562975
Action Type: RESPONSE
Date: 08/17/2001
Action: Other Report / Document

Global Id: T0608562975
Action Type: RESPONSE
Date: 06/24/2002
Action: Tank Removal Report / UST Sampling Report

LUST:
Global Id: T0608562975
Status: Completed - Case Closed
Status Date: 09/18/2001

Global Id: T0608562975
Status: Open - Case Begin Date
Status Date: 08/16/2001

CALDERON TIRES & WHEELS (Continued) **S105512867**

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E17G05f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

HIST LUST SANTA CLARA:
Name: Calderon Tires & Wheels
Address: 735 S 1st St
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E17G05
Oversite Agency: SCVWD
Date Listed: 2001-08-20 00:00:00
Closed Date: 2001-09-18 00:00:00

CERS:
Name: CALDERON TIRES & WHEELS
Address: 735 S 1ST ST
City,State,Zip: SAN JOSE, CA 95110
Site ID: 204715
CERS ID: T0608562975
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Q98
South
1/4-1/2
0.371 mi.
1958 ft.

CALDERON TIRES & WHEELS
735 SOUTH 1ST ST
SAN JOSE, CA

Site 2 of 2 in cluster Q

CA LUST **S107995490**
N/A

Relative:
Higher

Actual:
103 ft.

LUST SANTA CLARA:

Name:	CALDERON TIRES & WHEELS
Address:	735 SOUTH 1ST ST
City,State,Zip:	SAN JOSE, CA
Region:	SANTA CLARA
SCVWD ID:	07S1E17G05F
Date Closed:	09/18/2001
EDR Link ID:	07S1E17G05F

99
SW
1/4-1/2
0.376 mi.
1984 ft.

ORACLE AMERICA
488 ALMADEN BL HIRISE #200
SAN JOSE, CA 95110

CA LUST **S105512913**
CA HIST LUST **N/A**
CA CUPA Listings
CA HAZNET
CA HAZMAT
CA CERS

Relative:
Lower

Actual:
94 ft.

LUST:

Name:	SOBRATO PROPERTY
Address:	488 ALMADEN AVE
City,State,Zip:	SAN JOSE, CA 95110
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608518342
Global Id:	T0608518342
Latitude:	37.327529
Longitude:	-121.888826
Status:	Completed - Case Closed
Status Date:	02/13/2001
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Diesel
Site History:	Not reported

LUST:

Global Id:	T0608518342
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608518342
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported

ORACLE AMERICA (Continued) **S105512913**

Phone Number: 4089183400

LUST:
Global Id: T0608518342
Action Type: RESPONSE
Date: 10/19/2000
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608518342
Action Type: RESPONSE
Date: 01/12/1998
Action: Other Report / Document

Global Id: T0608518342
Action Type: ENFORCEMENT
Date: 02/13/2001
Action: Closure/No Further Action Letter

Global Id: T0608518342
Action Type: Other
Date: 01/01/2000
Action: Leak Reported

Global Id: T0608518342
Action Type: RESPONSE
Date: 11/27/2000
Action: Unauthorized Release Form

LUST:
Global Id: T0608518342
Status: Completed - Case Closed
Status Date: 02/13/2001

Global Id: T0608518342
Status: Open - Case Begin Date
Status Date: 01/01/2000

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E17C06f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

ORACLE AMERICA (Continued) **S105512913**

LUST SANTA CLARA:
Name: SOBRATO PROPERTY
Address: 488 ALMADEN AVE
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E17C06F
Date Closed: 02/13/2001
EDR Link ID: 07S1E17C06F

HIST LUST SANTA CLARA:
Name: Sobrato Property
Address: 488 Almaden Ave
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E17C06
Oversite Agency: SCVWD
Date Listed: 2001-02-13 00:00:00
Closed Date: 2001-02-13 00:00:00

CUPA SANTA CLARA:
Name: 488 ALMADEN
Address: 488 ALMADEN BL
City,State,Zip: SAN JOSE, CA 95110
Region: SANTA CLARA
PE#: Not reported
Program Description: HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.327187
Longitude: -121.888842
Record ID: PR0399300
Facility ID: FA0268781

HAZNET:
Name: 488 ALMADEN BOULEVARD
Address: 488 ALMADEN BLVD
City,State,Zip: SAN JOSE, CA 951102767
Year: 2013
GEPAID: CAC002720970
Contact: RANDY SHUAYTO
Telephone: 4088994941
Mailing Name: Not reported
Mailing Address: 488 ALMADEN BLVD
Mailing City,St,Zip: SAN JOSE, CA 951102767
Gen County: Santa Clara
TSD EPA ID: CAD059494310
TSD County: Santa Clara
Tons: 0.05004
CA Waste Code: 122-Alkaline solution without metals pH >= 12.5
Method: H077-Other Chemical Precipitation With Or Without Pre-Treatment
Facility County: Santa Clara

Name: 488 ALMADEN BOULEVARD
Address: 488 ALMADEN BLVD
City,State,Zip: SAN JOSE, CA 951102767
Year: 2013

ORACLE AMERICA (Continued) **S105512913**

GEPAID: CAC002720970
Contact: RANDY SHUAYTO
Telephone: 4088994941
Mailing Name: Not reported
Mailing Address: 488 ALMADEN BLVD
Mailing City,St,Zip: SAN JOSE, CA 951102767
Gen County: Santa Clara
TSD EPA ID: CAD059494310
TSD County: Santa Clara
Tons: 0.01251
CA Waste Code: 122-Alkaline solution without metals pH >= 12.5
Method: H141-Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Facility County: Santa Clara

Name: 488 ALMADEN BOULEVARD
Address: 488 ALMADEN BLVD
City,State,Zip: SAN JOSE, CA 951102767
Year: 2013
GEPAID: CAC002720970
Contact: RANDY SHUAYTO
Telephone: 4088994941
Mailing Name: Not reported
Mailing Address: 488 ALMADEN BLVD
Mailing City,St,Zip: SAN JOSE, CA 951102767
Gen County: Santa Clara
TSD EPA ID: CAD059494310
TSD County: Santa Clara
Tons: 0.051
CA Waste Code: 343-Unspecified organic liquid mixture
Method: H141-Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Facility County: Santa Clara

SAN JOSE HAZMAT:
Name: ORACLE AMERICA
Address: 488 ALMADEN BL HIRISE #200
City,State,Zip: SAN JOSE, CA 95110
Region: SAN JOSE
File Num: 412103
Class: Misc. Complex firms and labs

Name: PWC
Address: 488 ALMADEN AV
City,State,Zip: SAN JOSE, CA 95110
Region: SAN JOSE
File Num: 601170
Class: Misc. Complex firms and labs

CERS:
Name: SOBRATO PROPERTY
Address: 488 ALMADEN AVE
City,State,Zip: SAN JOSE, CA 95110
Site ID: 188150
CERS ID: T0608518342
CERS Description: Leaking Underground Storage Tank Cleanup Site

ORACLE AMERICA (Continued) **S105512913**

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	4089183400

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Name:	488 ALMADEN
Address:	488 ALMADEN BL
City,State,Zip:	SAN JOSE, CA 95110
Site ID:	87409
CERS ID:	10353340
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	87409
Site Name:	488 ALMADEN
Violation Date:	10-17-2016
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Facility's last HMBP submittal was 9/27/11 via hardcopy.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	87409
Site Name:	488 ALMADEN
Violation Date:	10-17-2016
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	The site map is missing the following elements: -emergency evacuation assembly areas
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

ORACLE AMERICA (Continued) **S105512913**

Evaluation:
- Eval General Type: Compliance Evaluation Inspection
- Eval Date: 10-17-2016
- Violations Found: Yes
- Eval Type: Routine done by local agency
- Eval Notes: On site to conduct a routine hazardous materials business plan inspection. Facility has 2 reportable chemicals on site: 1,200 gallons diesel 350 gallons ethylene glycol Facility is correctly permitted at BP01 Documented annual employee training was reviewed on site
- Eval Division: Santa Clara County Environmental Health
- Eval Program: HMRRP
- Eval Source: CERS

Affiliation:
- Affiliation Type Desc: Environmental Contact
- Entity Name: DANNY ALEXANDER
- Entity Title: Not reported
- Affiliation Address: 488 Almaden Blvd. Suite 200
- Affiliation City: SAN JOSE
- Affiliation State: CA
- Affiliation Country: Not reported
- Affiliation Zip: 95110
- Affiliation Phone: Not reported

- Affiliation Type Desc: Operator
- Entity Name: DANNY ALEXANDER
- Entity Title: Not reported
- Affiliation Address: Not reported
- Affiliation City: Not reported
- Affiliation State: Not reported
- Affiliation Country: Not reported
- Affiliation Zip: Not reported
- Affiliation Phone: (408) 529-7298

- Affiliation Type Desc: Parent Corporation
- Entity Name: 488 ALMADEN
- Entity Title: Not reported
- Affiliation Address: Not reported
- Affiliation City: Not reported
- Affiliation State: Not reported
- Affiliation Country: Not reported
- Affiliation Zip: Not reported
- Affiliation Phone: Not reported

- Affiliation Type Desc: CUPA District
- Entity Name: Santa Clara County Environmental Health
- Entity Title: Not reported
- Affiliation Address: 1555 Berger Drive, Suite 300
- Affiliation City: San Jose
- Affiliation State: CA
- Affiliation Country: Not reported
- Affiliation Zip: 95112-2716
- Affiliation Phone: (408) 918-3400

- Affiliation Type Desc: Facility Mailing Address
- Entity Name: Mailing Address

ORACLE AMERICA (Continued) **S105512913**

Entity Title:	Not reported
Affiliation Address:	488 ALMADEN BL 200
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95110
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	EMBARCADERO REALTY SERVICES LP
Entity Title:	Not reported
Affiliation Address:	488 ALMADEN BL 200
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95110
Affiliation Phone:	(408) 899-4941

---

100 **SAN JOSE CONVENTION CENTE** **CA HIST CORTESE** **S101309273**
West **150 SAN CARLOS** **N/A**
1/4-1/2 **SAN JOSE, CA**
0.385 mi.
2034 ft.

Relative: **Lower**
Actual: **95 ft.**

HIST CORTESE:

edr_fname:	SAN JOSE CONVENTION CENTE
edr_fadd1:	150 SAN CARLOS
City,State,Zip:	SAN JOSE, CA
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-1177

R101 **PASEO VILLAS** **CA LUST** **S103981097**
NNW **130 E SAN FERNANDO** **CA HIST LUST** **N/A**
1/4-1/2 **SAN JOSE, CA 95113** **CA CERS**
0.387 mi.
2041 ft. **Site 1 of 8 in cluster R**

Relative: **Lower**
Actual: **88 ft.**

LUST:

Name:	PASEO VILLAS
Address:	130 E SAN FERNANDO
City,State,Zip:	SAN JOSE, CA 95113
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608502417
Global Id:	T0608502417
Latitude:	37.335072
Longitude:	-121.887536
Status:	Completed - Case Closed
Status Date:	04/19/2002
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database

PASEO VILLAS (Continued) **S103981097**

Local Case Number: Not reported
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0608502417
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608502417
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608502417
Action Type: RESPONSE
Date: 05/24/1999
Action: Unauthorized Release Form

Global Id: T0608502417
Action Type: RESPONSE
Date: 06/15/2000
Action: Soil and Water Investigation Workplan

Global Id: T0608502417
Action Type: RESPONSE
Date: 10/29/1999
Action: Soil and Water Investigation Workplan

Global Id: T0608502417
Action Type: RESPONSE
Date: 02/07/2000
Action: Preliminary Site Assessment Report

Global Id: T0608502417
Action Type: RESPONSE
Date: 12/01/1999
Action: Other Workplan

Global Id: T0608502417
Action Type: Other
Date: 05/24/1999
Action: Leak Reported

Global Id: T0608502417
Action Type: ENFORCEMENT

PASEO VILLAS (Continued) **S103981097**

Date: 05/05/2000
Action: Staff Letter - #26798

Global Id: T0608502417
Action Type: ENFORCEMENT
Date: 09/14/1999
Action: Staff Letter - #26976

Global Id: T0608502417
Action Type: ENFORCEMENT
Date: 12/04/1999
Action: Staff Letter - #26978

Global Id: T0608502417
Action Type: RESPONSE
Date: 06/03/2005
Action: Other Report / Document

Global Id: T0608502417
Action Type: RESPONSE
Date: 02/09/2000
Action: Preliminary Site Assessment Report

Global Id: T0608502417
Action Type: RESPONSE
Date: 06/03/2005
Action: Other Report / Document

Global Id: T0608502417
Action Type: REMEDIATION
Date: 05/24/1999
Action: Excavation

Global Id: T0608502417
Action Type: ENFORCEMENT
Date: 06/03/2005
Action: Other Report

Global Id: T0608502417
Action Type: RESPONSE
Date: 01/01/1999
Action: Correspondence

LUST:
Global Id: T0608502417
Status: Completed - Case Closed
Status Date: 04/19/2002

Global Id: T0608502417
Status: Open - Case Begin Date
Status Date: 09/15/1998

Global Id: T0608502417
Status: Open - Site Assessment
Status Date: 09/15/1998

PASEO VILLAS (Continued) **S103981097**

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E08K05f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 9/15/1998
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: PASEO VILLAS, LLC
Address: 130 E SAN FERNANDO
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E08K05F
Date Closed: 04/19/2002
EDR Link ID: 07S1E08K05F

HIST LUST SANTA CLARA:
Name: Paseo Villas
Address: 130 E San Fernando
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E08K05
Oversite Agency: SCVWD
Date Listed: 1999-09-07 00:00:00
Closed Date: 2002-04-19 00:00:00

CERS:
Name: PASEO VILLAS
Address: 130 E SAN FERNANDO
City,State,Zip: SAN JOSE, CA 95113
Site ID: 243237
CERS ID: T0608502417
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

PASEO VILLAS (Continued) **S103981097**

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

S102 **PETE'S STOP INC** **CA LUST U001602619**
ENE **447 WILLIAM** **CA HIST UST N/A**
1/4-1/2 **SAN JOSE, CA 95112** **CA HIST CORTESE**
0.394 mi.
2082 ft. **Site 1 of 4 in cluster S**

Relative:
Lower

Actual:
97 ft.

LUST SANTA CLARA:

Name:	PETE'S STOP INC.
Address:	447 E WILLIAM ST
City,State,Zip:	SAN JOSE, CA
Region:	SANTA CLARA
SCVWD ID:	07S1E09N01F
Date Closed:	Not reported
EDR Link ID:	07S1E09N01F

HIST UST:

Name:	PETE'S STOP GAS STATION
Address:	447 E WILLIAM ST
City,State,Zip:	SAN JOSE, CA 95112
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000015799
Facility Type:	Gas Station
Other Type:	Not reported
Contact Name:	CHRIS TRINH-HOANG NGUYEN
Telephone:	4082936686
Owner Name:	DIEN THI DONG, ETAL
Owner Address:	536 SO. 8TH STREET #5
Owner City,St,Zip:	SAN JOSE, CA 95112
Total Tanks:	0004
Tank Num:	001
Container Num:	1
Year Installed:	Not reported
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor
Tank Num:	002
Container Num:	2
Year Installed:	Not reported
Tank Capacity:	00005000
Tank Used for:	PRODUCT

PETE'S STOP INC (Continued) **U001602619**

Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor
Tank Num:	003
Container Num:	3
Year Installed:	Not reported
Tank Capacity:	00005000
Tank Used for:	PRODUCT
Type of Fuel:	PREMIUM
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor
Tank Num:	004
Container Num:	4
Year Installed:	Not reported
Tank Capacity:	00005000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor

HIST CORTESE:

edr_fname:	PETE'S STOP INC
edr_fadd1:	447 WILLIAM
City,State,Zip:	SAN JOSE, CA 95112
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-1755

S103 **PETE'S STOP INC.** **CA LUST** **S103881022**
ENE **447 E WILLIAM ST** **CA HIST LUST** **N/A**
1/4-1/2 **SAN JOSE, CA 95112**
0.394 mi.
2082 ft. **Site 2 of 4 in cluster S**

Relative:
Lower

Actual:
97 ft.

LUST REG 2:

Region:	2
Facility Id:	Not reported
Facility Status:	Pollution Characterization
Case Number:	07S1E09N01f
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	1/8/1992
Pollution Characterization Began:	1/8/1992
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

HIST LUST SANTA CLARA:

Name:	Pete's Stop Inc.
Address:	447 E William St

PETE'S STOP INC. (Continued) **S103881022**

City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E09N01
Oversite Agency: SCCDEH
Date Listed: 1992-10-08 00:00:00
Closed Date: Not reported

S104 **PETE'S STOP INC.** **CA LUST** **S109285938**
ENE **447 EAST WILLIAM STREET** **N/A**
1/4-1/2 **SAN JOSE, CA 95112**
0.394 mi.
2082 ft. **Site 3 of 4 in cluster S**

Relative: **Lower**
Actual: **97 ft.**

LUST:

Name:	PETE'S STOP INC.
Address:	447 EAST WILLIAM STREET
City,State,Zip:	SAN JOSE, CA 95112
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501689
Global Id:	T0608501689
Latitude:	37.3331258255365
Longitude:	-121.875650882721
Status:	Open - Verification Monitoring
Status Date:	02/13/2018
Case Worker:	TLF
RB Case Number:	14-662
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	07S1E09N01f
Potential Media Affect:	Aquifer used for drinking water supply, Soil
Potential Contaminants of Concern:	Benzene, Toluene, Xylene, MTBE / TBA / Other Fuel Oxygenates, Gasoline
Site History:	Investigation at this site began in April 1986, when gasoline-contaminated soil and groundwater were sampled by Soil Tech Engineering (STE) while installing three monitoring wells in the vicinity of the former fuel tank area. Four underground tanks were removed from the site in January 1992, and soil samples from beneath the tanks confirmed that they were the source of the gasoline contamination. A soil gas survey in June of that year provided further evidence of underground contamination. The next phase of investigation took place in March 1993. STE drilled eleven soil borings and detected gasoline in five of eleven samples collected at a depth of 15 feet. STE later excavated and disposed of 100 yards of this contaminated soil. Four additional monitoring wells were drilled in December 1996 and January 1997. STE prepared a Corrective Action Plan in August 2003. Data collected during January and February 2002 were used to examine the feasibility of using soil vapor extraction, groundwater extraction, and other potential technologies to mitigate the contamination. However, because the extent of the contamination problem was not fully defined, no corrective action has been implemented. Enviro Soil Tech Consultants (ESTC) extended the investigation beyond the property boundaries beginning in October 2002, when thirty-two (32) additional borings were drilled. The borings confirmed that very elevated concentrations of gasoline were present in groundwater north of the site along the east side of 10th Street, and wells were installed in August 2006 to monitor this contamination and better define its extent. In the third quarter of

PETE'S STOP INC. (Continued) **S109285938**

2006, ESTC recommended moving forward with site remediation, and suggested that air sparging be tested to determine its potential in cleaning up the groundwater. The regulatory agency approved that recommendation in early 2008.

LUST:
Global Id: T0608501689
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608501689
Contact Type: Local Agency Caseworker
Contact Name: TRAVIS L. FLORA
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Dr.
City: SAN JOSE
Email: travis.flora@cep.sccgov.org
Phone Number: 4089183486

LUST:
Global Id: T0608501689
Action Type: Other
Date: 01/08/1992
Action: Leak Discovery

Global Id: T0608501689
Action Type: RESPONSE
Date: 05/27/2016
Action: Monitoring Report - Semi-Annually

Global Id: T0608501689
Action Type: RESPONSE
Date: 01/08/1992
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 10/21/1992
Action: Notice of Responsibility - #39890

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 06/02/2000
Action: Staff Letter - #26781

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 03/06/2001
Action: Staff Letter - #26784

Global Id: T0608501689
Action Type: ENFORCEMENT

PETE'S STOP INC. (Continued) **S109285938**

Date: 12/06/2001
Action: Staff Letter - #26796

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 01/28/2002
Action: Staff Letter - #26609

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 03/05/2002
Action: Warning Letter - #26789

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 06/02/2004
Action: Warning Letter - #44061

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 05/07/2014
Action: Staff Letter

Global Id: T0608501689
Action Type: RESPONSE
Date: 04/16/1986
Action: Well Installation Report

Global Id: T0608501689
Action Type: RESPONSE
Date: 05/22/2009
Action: Other Report / Document

Global Id: T0608501689
Action Type: RESPONSE
Date: 01/28/1997
Action: Soil and Water Investigation Report

Global Id: T0608501689
Action Type: RESPONSE
Date: 04/30/2019
Action: Monitoring Report - Semi-Annually

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 06/05/1997
Action: Staff Letter - #26776

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 04/04/2001
Action: Staff Letter - #26786

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 12/06/2001
Action: Warning Letter - #26788

PETE'S STOP INC. (Continued) **S109285938**

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 12/30/2003
Action: Staff Letter - #44054

Global Id: T0608501689
Action Type: RESPONSE
Date: 01/30/2017
Action: Monitoring Report - Semi-Annually

Global Id: T0608501689
Action Type: RESPONSE
Date: 01/30/2018
Action: Monitoring Report - Semi-Annually

Global Id: T0608501689
Action Type: RESPONSE
Date: 07/30/2018
Action: Monitoring Report - Semi-Annually

Global Id: T0608501689
Action Type: RESPONSE
Date: 06/10/2009
Action: Preliminary Site Assessment Workplan - Addendum - Regulator Responded

Global Id: T0608501689
Action Type: RESPONSE
Date: 07/31/2000
Action: Monitoring Report - Quarterly

Global Id: T0608501689
Action Type: RESPONSE
Date: 09/28/2012
Action: Soil and Water Investigation Report

Global Id: T0608501689
Action Type: RESPONSE
Date: 07/13/2012
Action: Other Report / Document

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 10/25/2005
Action: Staff Letter - #51025

Global Id: T0608501689
Action Type: RESPONSE
Date: 06/30/2017
Action: Monitoring Report - Other

Global Id: T0608501689
Action Type: RESPONSE
Date: 03/12/2013
Action: Corrective Action Plan / Remedial Action Plan - Regulator Responded

Global Id: T0608501689
Action Type: ENFORCEMENT

PETE'S STOP INC. (Continued) **S109285938**

Date: 12/04/2008
Action: Staff Letter - #80024021

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 06/09/2016
Action: Staff Letter

Global Id: T0608501689
Action Type: RESPONSE
Date: 07/20/1997
Action: Other Report / Document

Global Id: T0608501689
Action Type: RESPONSE
Date: 01/31/2004
Action: Monitoring Report - Quarterly

Global Id: T0608501689
Action Type: RESPONSE
Date: 04/30/2004
Action: Monitoring Report - Quarterly

Global Id: T0608501689
Action Type: RESPONSE
Date: 01/14/2002
Action: Other Report / Document

Global Id: T0608501689
Action Type: RESPONSE
Date: 01/30/2004
Action: Other Report / Document

Global Id: T0608501689
Action Type: RESPONSE
Date: 01/30/2004
Action: Soil and Water Investigation Workplan

Global Id: T0608501689
Action Type: RESPONSE
Date: 02/20/2013
Action: Correspondence

Global Id: T0608501689
Action Type: RESPONSE
Date: 01/26/2009
Action: Monitoring Report - Quarterly

Global Id: T0608501689
Action Type: RESPONSE
Date: 08/27/2008
Action: Other Report / Document

Global Id: T0608501689
Action Type: RESPONSE
Date: 06/03/2005
Action: Other Report / Document

PETE'S STOP INC. (Continued) **S109285938**

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 12/10/2014
Action: Staff Letter

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 03/27/2017
Action: Staff Letter

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 11/17/2016
Action: Staff Letter

Global Id: T0608501689
Action Type: Other
Date: 01/13/1992
Action: Leak Reported

Global Id: T0608501689
Action Type: RESPONSE
Date: 07/30/2001
Action: Monitoring Report - Quarterly

Global Id: T0608501689
Action Type: RESPONSE
Date: 10/25/2013
Action: Remedial Progress Report

Global Id: T0608501689
Action Type: RESPONSE
Date: 10/04/2013
Action: Site Assessment Report

Global Id: T0608501689
Action Type: RESPONSE
Date: 08/21/2003
Action: CAP/RAP - Other Report

Global Id: T0608501689
Action Type: RESPONSE
Date: 07/17/1992
Action: Preliminary Site Assessment Report

Global Id: T0608501689
Action Type: RESPONSE
Date: 03/14/2002
Action: Other Report / Document

Global Id: T0608501689
Action Type: RESPONSE
Date: 01/01/1992
Action: Correspondence

Global Id: T0608501689
Action Type: RESPONSE

PETE'S STOP INC. (Continued) **S109285938**

Date: 04/27/1995
Action: Other Workplan

Global Id: T0608501689
Action Type: RESPONSE
Date: 09/09/2016
Action: CAP/RAP - Other Report - Regulator Responded

Global Id: T0608501689
Action Type: RESPONSE
Date: 02/17/2017
Action: Other Report / Document - Regulator Responded

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 10/27/2009
Action: Staff Letter - #90027201

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 06/03/2005
Action: Other Report

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 01/03/2017
Action: Clean Up Fund - Case Closure Review Summary Report (RSR)

Global Id: T0608501689
Action Type: RESPONSE
Date: 04/30/2003
Action: Monitoring Report - Quarterly

Global Id: T0608501689
Action Type: RESPONSE
Date: 10/30/2001
Action: Monitoring Report - Quarterly

Global Id: T0608501689
Action Type: RESPONSE
Date: 07/06/2001
Action: Soil and Water Investigation Report

Global Id: T0608501689
Action Type: RESPONSE
Date: 04/30/2002
Action: Monitoring Report - Quarterly

Global Id: T0608501689
Action Type: RESPONSE
Date: 01/30/2002
Action: Monitoring Report - Quarterly

Global Id: T0608501689
Action Type: RESPONSE
Date: 01/30/2003
Action: Monitoring Report - Quarterly

PETE'S STOP INC. (Continued) **S109285938**

Global Id: T0608501689
Action Type: RESPONSE
Date: 10/30/2002
Action: Monitoring Report - Quarterly

Global Id: T0608501689
Action Type: RESPONSE
Date: 05/09/2014
Action: Correspondence

Global Id: T0608501689
Action Type: RESPONSE
Date: 09/21/2018
Action: Monitoring Report - Semi-Annually - Regulator Responded

Global Id: T0608501689
Action Type: REMEDIATION
Date: 01/08/1992
Action: Excavation

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 06/05/2013
Action: Staff Letter

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 06/26/2012
Action: Staff Letter

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 11/01/2017
Action: Staff Letter

Global Id: T0608501689
Action Type: RESPONSE
Date: 10/31/2003
Action: Monitoring Report - Quarterly

Global Id: T0608501689
Action Type: RESPONSE
Date: 07/30/2002
Action: Monitoring Report - Quarterly

Global Id: T0608501689
Action Type: RESPONSE
Date: 03/14/2002
Action: Other Report / Document

Global Id: T0608501689
Action Type: RESPONSE
Date: 07/31/2004
Action: Monitoring Report - Quarterly

Global Id: T0608501689
Action Type: RESPONSE

PETE'S STOP INC. (Continued) **S109285938**

Date: 04/30/2001
Action: Monitoring Report - Quarterly

Global Id: T0608501689
Action Type: RESPONSE
Date: 07/31/2003
Action: Monitoring Report - Quarterly

Global Id: T0608501689
Action Type: RESPONSE
Date: 01/30/2015
Action: Monitoring Report - Semi-Annually

Global Id: T0608501689
Action Type: RESPONSE
Date: 07/18/2014
Action: Remedial Progress Report

Global Id: T0608501689
Action Type: RESPONSE
Date: 04/21/1997
Action: Monitoring Report - Quarterly

Global Id: T0608501689
Action Type: RESPONSE
Date: 05/15/2005
Action: Monitoring Report - Quarterly

Global Id: T0608501689
Action Type: RESPONSE
Date: 12/14/2006
Action: Monitoring Report - Quarterly

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 11/26/2013
Action: Staff Letter

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 07/30/2014
Action: Staff Letter

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 05/29/2015
Action: Staff Letter

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 06/03/2015
Action: Staff Letter

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 04/16/2014
Action: Notice of Violation

PETE'S STOP INC. (Continued) **S109285938**

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 09/24/2018
Action: Staff Letter

Global Id: T0608501689
Action Type: RESPONSE
Date: 01/12/2010
Action: Site Assessment Report

Global Id: T0608501689
Action Type: RESPONSE
Date: 07/30/2015
Action: Monitoring Report - Semi-Annually

Global Id: T0608501689
Action Type: RESPONSE
Date: 07/10/2015
Action: Site Assessment Report

Global Id: T0608501689
Action Type: RESPONSE
Date: 09/04/2015
Action: Other Workplan

Global Id: T0608501689
Action Type: RESPONSE
Date: 03/06/2015
Action: Other Report / Document

Global Id: T0608501689
Action Type: RESPONSE
Date: 01/27/1992
Action: Other Report / Document

Global Id: T0608501689
Action Type: RESPONSE
Date: 01/13/1992
Action: Unauthorized Release Form

Global Id: T0608501689
Action Type: RESPONSE
Date: 04/02/1993
Action: CAP/RAP - Feasibility Study Report

Global Id: T0608501689
Action Type: ENFORCEMENT
Date: 02/28/2006
Action: Staff Letter - #60228

LUST:
Global Id: T0608501689
Status: Open - Case Begin Date
Status Date: 01/08/1992

Global Id: T0608501689
Status: Open - Remediation

PETE'S STOP INC. (Continued) **S109285938**

Status Date: 07/28/2014

Global Id: T0608501689
Status: Open - Site Assessment
Status Date: 01/08/1992

Global Id: T0608501689
Status: Open - Verification Monitoring
Status Date: 02/13/2018

S105 **PETES STOP GAS STATION** **CA HAULERS** **S113038523**
ENE **447 E WILLIAM STREET** **CA HIST UST** **N/A**
1/4-1/2 **SAN JOSE, CA 95112** **CA Cortese**
0.394 mi. **CA CUPA Listings**
2082 ft. **Site 4 of 4 in cluster S** **CA HAZNET**
CA HAZMAT

Relative:
Lower

Actual:
97 ft.

HAULERS:
Name: SUPER CHEAP TIRES
Address: 447 EAST WILLIAM STREET
City: SAN JOSE
Facility ID: 1852544
Facility Phone: (408) 449-6843
Business Email Address: Not reported
Contact Person: Luis Rodriguez
Mailing Address: 88 Keyes Street
Mailing City: San Jose
Mailing State: CA
Mailing Zip: 95112
Mailing County: Santa Clara
Mailing Phone: Not reported
Waste Tire Permit Summary: No Permit record for this business.

HIST UST:
Name: PETES STOP GAS STATION
Address: 447 E WILLIAM STREET
City,State,Zip: SAN JOSE, CA 95112
File Number: 0002D28E
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002D28E.pdf
Region: Not reported
Facility ID: Not reported
Facility Type: Not reported
Other Type: Not reported
Contact Name: Not reported
Telephone: Not reported
Owner Name: Not reported
Owner Address: Not reported
Owner City,St,Zip: Not reported
Total Tanks: Not reported

Tank Num: Not reported
Container Num: Not reported
Year Installed: Not reported
Tank Capacity: Not reported
Tank Used for: Not reported
Type of Fuel: Not reported

PETES STOP GAS STATION (Continued) **S113038523**

Container Construction Thickness: Not reported
Leak Detection: Not reported

Click here for Geo Tracker PDF:

CORTESE:
Name: PETE'S STOP INC.
Address: 447 EAST WILLIAM STREET
City,State,Zip: SAN JOSE, CA 95112
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608501689
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: OPEN - VERIFICATION MONITORING
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

CUPA SANTA CLARA:
Name: PETE'S STOP GAS
Address: 447 E WILLIAM ST A
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: 2399
Program Description: UNDERGROUND STORAGE TANK PROGRAM RECORD
Latitude: 37.333013
Longitude: -121.87592
Record ID: PR0398134
Facility ID: FA0271923

Name: PETE'S STOP GAS
Address: 447 E WILLIAM ST A
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: 2202
Program Description: GENERATES < 100 KG/YR
Latitude: 37.333013
Longitude: -121.87592
Record ID: PR0411239
Facility ID: FA0271923

Name: PETE'S STOP GAS
Address: 447 E WILLIAM ST A

PETES STOP GAS STATION (Continued) **S113038523**

City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: Not reported
Program Description: HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.333013
Longitude: -121.87592
Record ID: PR0411238
Facility ID: FA0271923

HAZNET:
Name: PETES STOP AUTO SERVICE
Address: 447 E WILLIAM ST
City,State,Zip: SAN JOSE, CA 900000000
Year: 1995
GEPAID: CAL000042247
Contact: --
Telephone: --
Mailing Name: Not reported
Mailing Address: 447 E WILLIAM ST
Mailing City,St,Zip: SAN JOSE, CA 951123772
Gen County: Santa Clara
TSD EPA ID: CAD093459485
TSD County: Fresno
Tons: 0.0036
CA Waste Code: 214-Unspecified solvent mixture
Method: H01-Transfer Station
Facility County: Santa Clara

Name: PETES STOP AUTO SERVICE
Address: 447 E WILLIAM ST
City,State,Zip: SAN JOSE, CA 900000000
Year: 1992
GEPAID: CAL000042247
Contact: --
Telephone: --
Mailing Name: Not reported
Mailing Address: 447 E WILLIAM ST
Mailing City,St,Zip: SAN JOSE, CA 951123772
Gen County: Santa Clara
TSD EPA ID: CAD083166728
TSD County: Stanislaus
Tons: 2.502
CA Waste Code: 221-Waste oil and mixed oil
Method: R01-Recycler
Facility County: Santa Clara

SAN JOSE HAZMAT:
Name: OUT OF BUSINESS (PETE'S STOP GAS)
Address: 447 E WILLIAM ST A
City,State,Zip: SAN JOSE, CA 95112
Region: SAN JOSE
File Num: 604112
Class: Other Underground Fuel Tanks

Name: SUPER CHEAP TIRES
Address: 447 E WILLIAM ST 2

PETES STOP GAS STATION (Continued) **S113038523**

City,State,Zip: SAN JOSE, CA 95112
Region: SAN JOSE
File Num: 405493
Class: Gasoline Station

106
SSE
1/4-1/2
0.395 mi.
2084 ft.

PORTOLA CLEANERS
130 VIRGINIA ST W
SAN JOSE, CA 95112

CA CPS-SLIC **S105194853**
CA NON-CASE INFO **N/A**

Relative:
Higher

Actual:
104 ft.

SLIC REG 2:
Region: 2
Facility ID: 43S0848
Facility Status: Leak being confirmed
Date Closed: Not reported
Local Case #: Not reported
How Discovered: Tank Closure
Leak Cause: UNK
Leak Source: UNK
Date Confirmed: 3/4/1991
Date Prelim Site Assmnt Workplan Submitted: Not reported
Date Preliminary Site Assessment Began: Not reported
Date Pollution Characterization Began: Not reported
Date Remediation Plan Submitted: Not reported
Date Remedial Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

NON-CASE INFO:
Name: PORTOLA CLEANERS
Address: 130 VIRGINIA ST W
City,State,Zip: SAN JOSE, CA 95112
Global ID: T0608591707
Case Type: Non-Case Information
Status: Informational Item
Status Date: 01/09/2018
Lead Agency: SAN FRANCISCO BAY RWQCB (REGION 2)
Case Worker: MBR
Local Agency: Not reported
RB Case Number: 43S0848
Loc Case Number: Not reported
File Location: All Files are on GeoTracker or in the Local Agency Database
Potential Contaminants of Concern: Tetrachloroethylene (PCE)
Potential Media Affected: Aquifer used for drinking water supply, Indoor Air, Other Groundwater (uses other than drinking
Site History: Portola Cleaners appears to have two address: 130 West Virginia St., San Jose and 805 State Street, San Jose. Dry cleaning solvents released from dry cleaning operations and the related UST. The SCVWD transferred the case to the Regional Water Board on April 1, 1996. SJ Fire Dept. recommended collecting samples from the tank slurry and soil, closing the UST by filling it in place. (MS) No soil, soil gas and groundwater sampling data in the file.
Begin Date: 1991-03-04 00:00:00
How Discovered: Tank Closure
How Discovered Description: Not reported
Stop Method: Not reported
Stop Description: Not reported
Latitude: 37.322616

PORTOLA CLEANERS (Continued) **S105194853**

Longitude: -121.883577
Geotracker: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608591707

T107 **HEART OF THE CITY - BLOCK 3** **CA CPS-SLIC** **S108937594**
NW **100 SOUTH SECOND STREET** **CA CERS** **N/A**
1/4-1/2 **SAN JOSE, CA**
0.395 mi.
2087 ft. **Site 1 of 2 in cluster T**

Relative: **Lower**
Actual: **90 ft.**

CPS-SLIC:

Name:	HEART OF THE CITY - BLOCK 3
Address:	100 SOUTH SECOND STREET
City,State,Zip:	SAN JOSE, CA
Region:	STATE
Facility Status:	**Open - Inactive**
Status Date:	09/15/2015
Global Id:	SL0608548367
Lead Agency:	SAN FRANCISCO BAY RWQCB (REGION 2)
Lead Agency Case Number:	Not reported
Latitude:	37.33481
Longitude:	-121.888049
Case Type:	Cleanup Program Site
Case Worker:	DIB
Local Agency:	Not reported
RB Case Number:	43S1109
File Location:	Regional Board
Potential Media Affected:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	* Petroleum - Automotive gasolines, * Solvents, Stoddard solvent / Mineral Spriits / Distillates
Site History:	Development of site is in two phases. Phase I is complete. About one half of the site is included in Phase 1. Phase 1 was excavated to 30-40 feet and dewatered during construction. Contaminated soil and groundwater were handled in accordance with an approved RAP. An nfa letter was issued for the Phase 1 portion of the site. Phase 2 is currently a parking lot. A RAP was being developed for Phase 2 prior to the elimination of the redevelopment agency. Currently the site R.P. for the Phase 2 portion of the site is the Sucessor Agency to the San Jose Redevelopment Agency.

Click here to access the California GeoTracker records for this facility:

CERS:

Name:	HEART OF THE CITY - BLOCK 3
Address:	100 SOUTH SECOND STREET
City,State,Zip:	SAN JOSE, CA
Site ID:	196822
CERS ID:	SL0608548367
CERS Description:	Cleanup Program Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	David Barr - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST., STE. 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported

HEART OF THE CITY - BLOCK 3 (Continued) **S108937594**

Affiliation Phone: Not reported

R108 **SAN JOSE GAS WORKS** **EDR MGP** **1008407765**
NNW **E. SAN FERNANDO AND S. 4TH** **N/A**
1/4-1/2 **SAN JOSE, CA 95112**
0.396 mi.
2090 ft. **Site 2 of 8 in cluster R**

Relative: **Lower**

Actual: **87 ft.**

Manufactured Gas Plants:
Alternate Name:SAN JOSE LIGHT AND POWER CO. No additional information available

---

R109 **REDEVELOPMENT BLOCK 4** **CA CPS-SLIC** **S106162483**
NW **UNKNOWN PARCELS 2 & 3** **CA CERS** **N/A**
1/4-1/2 **SAN JOSE, CA 95113**
0.396 mi.
2092 ft. **Site 3 of 8 in cluster R**

Relative: **Lower**

Actual: **88 ft.**

CPS-SLIC:

Name:	PASEO VILLAS (FORMERLY SAN JOSE REDEVELOPMENT AGENCY BLOCK 4)
Address:	100 E SAN FERNANDO ST
City,State,Zip:	SAN JOSE, CA 95113
Region:	STATE
Facility Status:	**Completed - Case Closed**
Status Date:	12/10/2015
Global Id:	T0608591637
Lead Agency:	SAN FRANCISCO BAY RWQCB (REGION 2)
Lead Agency Case Number:	Not reported
Latitude:	37.3349252912854
Longitude:	-121.886014846558
Case Type:	Cleanup Program Site
Case Worker:	UUU
Local Agency:	Not reported
RB Case Number:	43S0381
File Location:	All Files are on GeoTracker or in the Local Agency Database
Potential Media Affected:	Not reported
Potential Contaminants of Concern:	* Solvents
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

SLIC REG 2:

Region:	2
Facility ID:	43S0381
Facility Status:	Remedial action (cleanup) Underway
Date Closed:	Not reported
Local Case #:	Not reported
How Discovered:	Tank Closure
Leak Cause:	UNK
Leak Source:	UNK
Date Confirmed:	Not reported
Date Prelim Site Assmnt Workplan Submitted:	Not reported
Date Preliminary Site Assessment Began:	Not reported
Date Pollution Characterization Began:	Not reported

REDEVELOPMENT BLOCK 4 (Continued) **S106162483**

Date Remediation Plan Submitted: Not reported
Date Remedial Action Underway: 6/19/1992
Date Post Remedial Action Monitoring Began: Not reported

CERS:
Name: PASEO VILLAS (FORMERLY SAN JOSE REDEVELOPMENT AGENCY BLOCK 4)
Address: 100 E SAN FERNANDO ST
City,State,Zip: SAN JOSE, CA 95113
Site ID: 246993
CERS ID: T0608591637
CERS Description: Cleanup Program Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

---

110 NNW 1/4-1/2 0.398 mi. 2101 ft. **SAN ANTONIO PLAZA** **CA LUST S106162332**
UNKNOWN SAN FERNANDO & 4TH ST **CA CERS N/A**
SAN JOSE, CA 95112

Relative: Lower
Actual: 87 ft.

LUST:
Name: SAN ANTONIO PLAZA
Address: UNKNOWN SAN FERNANDO & 4TH ST
City,State,Zip: SAN JOSE, CA 95112
Lead Agency: SAN FRANCISCO BAY RWQCB (REGION 2)
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501647
Global Id: T0608501647
Latitude: 37.336
Longitude: -121.8851
Status: Completed - Case Closed
Status Date: 08/17/1992
Case Worker: UUU
RB Case Number: 43-1706
Local Agency: SANTA CLARA COUNTY LOP
File Location: Not reported
Local Case Number: Not reported
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0608501647
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND

SAN ANTONIO PLAZA (Continued) **S106162332**

Email: Not reported
Phone Number: Not reported

Global Id: T0608501647
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608501647
Action Type: Other
Date: 03/20/1992
Action: Leak Discovery

Global Id: T0608501647
Action Type: Other
Date: 03/20/1992
Action: Leak Stopped

Global Id: T0608501647
Action Type: Other
Date: 03/20/1992
Action: Leak Reported

LUST:
Global Id: T0608501647
Status: Completed - Case Closed
Status Date: 08/17/1992

Global Id: T0608501647
Status: Open - Case Begin Date
Status Date: 03/20/1992

LUST REG 2:
Region: 2
Facility Id: 43-1706
Facility Status: Case Closed
Case Number: 43-1706
How Discovered: Tank Closure
Leak Cause: UNK
Leak Source: UNK
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN ANTONIO PLAZA (Continued) **S106162332**

CERS:
- Name: SAN ANTONIO PLAZA
- Address: UNKNOWN SAN FERNANDO & 4TH ST
- City,State,Zip: SAN JOSE, CA 95112
- Site ID: 215469
- CERS ID: T0608501647
- CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
- Affiliation Type Desc: Regional Board Caseworker
- Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
- Entity Title: Not reported
- Affiliation Address: 1515 CLAY ST SUITE 1400
- Affiliation City: OAKLAND
- Affiliation State: CA
- Affiliation Country: Not reported
- Affiliation Zip: Not reported
- Affiliation Phone: Not reported

- Affiliation Type Desc: Local Agency Caseworker
- Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
- Entity Title: Not reported
- Affiliation Address: 1555 Berger Drive, Suite 300
- Affiliation City: SAN JOSE
- Affiliation State: CA
- Affiliation Country: Not reported
- Affiliation Zip: Not reported
- Affiliation Phone: 4089183400

111
SSE
1/4-1/2
0.401 mi.
2117 ft.

WELLS FARGO BANK-MORGAN TRUST
802 S 2ND ST
SAN JOSE, CA 95112

CA LUST **S106112795**
CA HIST LUST **N/A**
CA CERS

Relative:
Higher

Actual:
104 ft.

LUST:
- Name: WELLS FARGO BANK-MORGAN TRUST
- Address: 802 S 2ND ST
- City,State,Zip: SAN JOSE, CA 95112
- Lead Agency: SANTA CLARA COUNTY LOP
- Case Type: LUST Cleanup Site
- Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608509251
- Global Id: T0608509251
- Latitude: 37.324564
- Longitude: -121.880124
- Status: Completed - Case Closed
- Status Date: 12/01/2003
- Case Worker: UST
- RB Case Number: Not reported
- Local Agency: SANTA CLARA COUNTY LOP
- File Location: All Files are on GeoTracker or in the Local Agency Database
- Local Case Number: Not reported
- Potential Media Affect: Soil
- Potential Contaminants of Concern: Gasoline
- Site History: Not reported

LUST:

WELLS FARGO BANK-MORGAN TRUST (Continued) **S106112795**

Global Id: T0608509251
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608509251
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:

Global Id: T0608509251
Action Type: RESPONSE
Date: 05/02/2002
Action: Other Report / Document

Global Id: T0608509251
Action Type: RESPONSE
Date: 10/29/2003
Action: Unauthorized Release Form

Global Id: T0608509251
Action Type: ENFORCEMENT
Date: 12/01/2003
Action: Closure/No Further Action Letter

Global Id: T0608509251
Action Type: RESPONSE
Date: 10/29/2003
Action: Unauthorized Release Form

Global Id: T0608509251
Action Type: RESPONSE
Date: 10/21/2003
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608509251
Action Type: RESPONSE
Date: 11/14/2003
Action: Other Report / Document

Global Id: T0608509251
Action Type: Other
Date: 10/29/2003
Action: Leak Reported

Global Id: T0608509251
Action Type: REMEDIATION
Date: 11/23/2003

WELLS FARGO BANK-MORGAN TRUST (Continued) **S106112795**

Action: Excavation

Global Id: T0608509251
Action Type: RESPONSE
Date: 11/07/2003
Action: Correspondence

LUST:
Global Id: T0608509251
Status: Completed - Case Closed
Status Date: 12/01/2003

Global Id: T0608509251
Status: Open - Case Begin Date
Status Date: 08/01/2003

Global Id: T0608509251
Status: Open - Site Assessment
Status Date: 08/01/2003

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E17H04f
How Discovered: Not reported
Leak Cause: Unknown
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 8/1/2003
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: WELLS FARGO BANK-MORGAN TRUST
Address: 802 S 2ND ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E17H04F
Date Closed: 12/01/2003
EDR Link ID: 07S1E17H04F

HIST LUST SANTA CLARA:
Name: Wells Fargo Bank-Morgan Trust
Address: 802 S 2nd St
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E17H04
Oversite Agency: SCVWD

WELLS FARGO BANK-MORGAN TRUST (Continued) **S106112795**

Date Listed: 2003-11-26 00:00:00
Closed Date: 2003-12-01 00:00:00

CERS:
Name: WELLS FARGO BANK-MORGAN TRUST
Address: 802 S 2ND ST
City,State,Zip: SAN JOSE, CA 95112
Site ID: 242175
CERS ID: T0608509251
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

R112 **SAN ANTONIO PLAZA REDEVELOPMT.** **CA LUST** **S103881015**
NNW **SAN FERNANDO & 4TH ST** **CA HIST LUST** **N/A**
1/4-1/2 **SAN JOSE, CA 95118**
0.409 mi.
2158 ft. **Site 4 of 8 in cluster R**

Relative:
Lower

Actual:
87 ft.

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E08K01f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:

SAN ANTONIO PLAZA REDEVELOPMT. (Continued) **S103881015**

Name: SAN ANTONIO PLAZA REDEVELOPMT.
Address: SAN FERNANDO & 4TH ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E08K01F
Date Closed: 08/17/1992
EDR Link ID: 07S1E08K01F

HIST LUST SANTA CLARA:
Name: San Antonio Plaza Redevelopmt.
Address: San Fernando & 4th St
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E08K01
Oversite Agency: SCVWD
Date Listed: 1993-01-01 00:00:00
Closed Date: 1992-08-17 00:00:00

R113 **SAN ANTONIO PLAZA BLOCK 4** **CA HIST CORTESE** **S105026308**
NNW **W. SAN FERNANDO ST & 4TH** **N/A**
1/4-1/2 **SAN JOSE, CA 95113**
0.409 mi.
2159 ft. **Site 5 of 8 in cluster R**

Relative: **Lower**
Actual: **87 ft.**

HIST CORTESE:
edr_fname: SAN ANTONIO PLAZA BLOCK 4
edr_fadd1: W. SAN FERNANDO ST & 4TH
City,State,Zip: SAN JOSE, CA 95113
Region: CORTESE
Facility County Code: 43
Reg By: CALSI
Reg Id: 43490065

R114 **SAN ANTONIO PLAZA BLOCK 4 NORTH** **CA ENVIROSTOR** **S106568336**
NNW **WEST SAN FERNANDO ST & 4TH STREET** **CA VCP** **N/A**
1/4-1/2 **SAN JOSE, CA 95113**
0.409 mi.
2159 ft. **Site 6 of 8 in cluster R**

Relative: **Lower**
Actual: **87 ft.**

ENVIROSTOR:
Name: SAN ANTONIO PLAZA BLOCK 4 NORTH
Address: WEST SAN FERNANDO ST & 4TH STREET
City,State,Zip: SAN JOSE, CA 95113
Facility ID: 43490065
Status: Certified
Status Date: 06/26/1995
Site Code: 200528
Site Type: Voluntary Cleanup
Site Type Detailed: Voluntary Cleanup
Acres: 1.7
NPL: NO
Regulatory Agencies: SMBRP
Lead Agency: SMBRP
Program Manager: Not reported
Supervisor: Barbara Cook

SAN ANTONIO PLAZA BLOCK 4 NORTH (Continued) **S106568336**

Division Branch: Cleanup Berkeley
Assembly: 27
Senate: 15
Special Program: Voluntary Cleanup Program
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: Responsible Party
Latitude: 37.33555
Longitude: -121.8861
APN: NONE SPECIFIED
Past Use: MANUFACTURED GAS PLANT
Potential COC: Polynuclear aromatic hydrocarbons (PAHs
Confirmed COC: Polynuclear aromatic hydrocarbons (PAHs
Potential Description: SOIL
Alias Name: BLOCK FOUR:ANTONIO PLAZA
Alias Type: Alternate Name
Alias Name: 110033609021
Alias Type: EPA (FRS #)
Alias Name: 200528
Alias Type: Project Code (Site Code)
Alias Name: 43490065
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: *Voluntary Cleanup Agreement Completion
Completed Date: 06/30/1995
Comments: Completed PEA.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Certification
Completed Date: 06/26/1995
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Voluntary Cleanup Agreement
Completed Date: 10/25/1994
Comments: Signed a VCA

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Removal Action Completion Report
Completed Date: 06/26/1995
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Remedial Investigation / Feasibility Study
Completed Date: 06/30/1994
Comments: Completed RIFS.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Screening
Completed Date: 10/20/1992

SAN ANTONIO PLAZA BLOCK 4 NORTH (Continued) **S106568336**

Comments: Completed Site Screening.

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

VCP:
Name: SAN ANTONIO PLAZA BLOCK 4 NORTH
Address: WEST SAN FERNANDO ST & 4TH STREET
City,State,Zip: SAN JOSE, CA 95113
Facility ID: 43490065
Site Type: Voluntary Cleanup
Site Type Detail: Voluntary Cleanup
Site Mgmt. Req.: NONE SPECIFIED
Acres: 1.7
National Priorities List: NO
Cleanup Oversight Agencies: SMBRP
Lead Agency: SMBRP
Lead Agency Description: DTSC - Site Cleanup Program
Project Manager: Not reported
Supervisor: Barbara Cook
Division Branch: Cleanup Berkeley
Site Code: 200528
Assembly: 27
Senate: 15
Special Programs Code: Voluntary Cleanup Program
Status: Certified
Status Date: 06/26/1995
Restricted Use: NO
Funding: Responsible Party
Lat/Long: 37.33555 / -121.8861
APN: NONE SPECIFIED
Past Use: MANUFACTURED GAS PLANT
Potential COC: 30019
Confirmed COC: 30019
Potential Description: SOIL
Alias Name: BLOCK FOUR:ANTONIO PLAZA
Alias Type: Alternate Name
Alias Name: 110033609021
Alias Type: EPA (FRS #)
Alias Name: 200528
Alias Type: Project Code (Site Code)
Alias Name: 43490065
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: *Voluntary Cleanup Agreement Completion
Completed Date: 06/30/1995
Comments: Completed PEA.

SAN ANTONIO PLAZA BLOCK 4 NORTH (Continued) **S106568336**

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Certification
Completed Date:	06/26/1995
Comments:	Not reported

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Voluntary Cleanup Agreement
Completed Date:	10/25/1994
Comments:	Signed a VCA

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Removal Action Completion Report
Completed Date:	06/26/1995
Comments:	Not reported

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Remedial Investigation / Feasibility Study
Completed Date:	06/30/1994
Comments:	Completed RIFS.

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Site Screening
Completed Date:	10/20/1992
Comments:	Completed Site Screening.

Future Area Name:	Not reported
Future Sub Area Name:	Not reported
Future Document Type:	Not reported
Future Due Date:	Not reported
Schedule Area Name:	Not reported
Schedule Sub Area Name:	Not reported
Schedule Document Type:	Not reported
Schedule Due Date:	Not reported
Schedule Revised Date:	Not reported

R115 **SAN ANTONIO PLAZA REDEVELOPMT.** **CA LUST** **S110655425**
NNW **SAN FERNANDO & 4TH ST** **CA CERS** **N/A**
1/4-1/2 **SAN JOSE, CA 95118**
0.409 mi.
2159 ft. **Site 7 of 8 in cluster R**

Relative: **Lower**
Actual: **87 ft.**

LUST:

Name:	SAN ANTONIO PLAZA REDEVELOPMT.
Address:	SAN FERNANDO & 4TH ST
City,State,Zip:	SAN JOSE, CA 95118
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608502303
Global Id:	T0608502303
Latitude:	37.3357873705874
Longitude:	-121.886765956879
Status:	Completed - Case Closed
Status Date:	08/17/1992

SAN ANTONIO PLAZA REDEVELOPMT. (Continued) **S110655425**

Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Not reported
Site History: Not reported

LUST:
Global Id: T0608502303
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608502303
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608502303
Action Type: RESPONSE
Date: 12/11/1989
Action: Other Report / Document

Global Id: T0608502303
Action Type: Other
Date: 07/18/1992
Action: Leak Reported

Global Id: T0608502303
Action Type: ENFORCEMENT
Date: 08/17/1992
Action: Closure/No Further Action Letter

LUST:
Global Id: T0608502303
Status: Completed - Case Closed
Status Date: 08/17/1992

Global Id: T0608502303
Status: Open - Case Begin Date
Status Date: 07/18/1992

CERS:
Name: SAN ANTONIO PLAZA REDEVELOPMT.

SAN ANTONIO PLAZA REDEVELOPMT. (Continued) **S110655425**

Address: SAN FERNANDO & 4TH ST
City,State,Zip: SAN JOSE, CA 95118
Site ID: 254026
CERS ID: T0608502303
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

U116 **BLOCK 2 CITY OF SAN JOSE PARKING LOT** **CA CPS-SLIC S108937591**
NW **8 EAST SAN FERNANADO STREET** **CA BROWNFIELDS N/A**
1/4-1/2 **SAN JOSE, CA 95113** **CA CERS**
0.418 mi.
2207 ft. **Site 1 of 3 in cluster U**

Relative:
Lower

Actual:
92 ft.

CPS-SLIC:
Name: BLOCK 2 CITY OF SAN JOSE PARKING LOT
Address: 8 EAST SAN FERNANADO STREET
City,State,Zip: SAN JOSE, CA 95113
Region: STATE
Facility Status: **Completed - Case Closed**
Status Date: 12/10/2007
Global Id: SL0608508545
Lead Agency: SAN FRANCISCO BAY RWQCB (REGION 2)
Lead Agency Case Number: Not reported
Latitude: 37.334262
Longitude: -121.888452
Case Type: Cleanup Program Site
Case Worker: AVC
Local Agency: SAN JOSE, CITY OF
RB Case Number: 43S1110
File Location: Regional Board
Potential Media Affected: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Waste Oil / Motor / Hydraulic / Lubricating, * Metals
Site History: The "Block 2 - City of San Jose Parking Lot Site" is located at 8 East San Fernando Street, between South First Street and South Second Street, in downtown San Jose. This 1-acre parcel has been used as a paved parking lot since at least 1980. Prior to 1980, the Site was occupied by several small stores and the OB Hale and Company

BLOCK 2 CITY OF SAN JOSE PARKING LOT (Continued) **S108937591**

Department Store. Prior to 1900, the Site operation included a paint shop. Block 3, an adjacent lot, has similar land use histories and has detected VOCs and TPHs in soil and groundwater. A former coal gasification plant was formerly located about 300 feet away. The Redevelopment Agency of the City of San Jose (the Agency) is currently planning to construct a new mixed-use building complex and underground parking structure. Specifically, the planned development includes excavation of the entire site to a depth of about 40 feet below the current surface to accommodate a three-level, underground parking structure. The space above the parking structure at ground level is planned for commercial use. The space above the commercial area is planned for hotel and residential use. To date, three rounds of site investigation have been conducted to study Site soil, groundwater, and soil gas. Investigation results were used in a Human Health Risk Evaluation and compared to screening levels such as CHHSL, ESLs and PRGs for the proposed exposure scenarios. Overall, the Site data compare favorably to these screening levels. Exceedances of those screening levels were found in only one soil sample for mercury (21 mg/kg vs. 18 mg/kg) and in soil gas samples for 1,3-butadiene (16.0 vs. 4.85 ug/cubic meter). However, the targeted exposure pathway may not even be complete when considering the proposed land use scenario (i.e., with the underground parking) and construction method.

Click here to access the California GeoTracker records for this facility:

BROWNFIELDS:

Name:	BLOCK 2 CITY OF SAN JOSE PARKING LOT
Address:	8 EAST SAN FERNANADO STREET
City,State,Zip:	SAN JOSE, CA 95113
Global ID:	SL0608508545
Latitude:	37.334262
Longitude:	-121.888452
Project Type:	Cleanup Program Site
Status:	Completed - Case Closed
Status Date:	12/10/2007
Lead Agency:	SAN FRANCISCO BAY RWQCB (REGION 2)
Last Correspondence Date:	12/14/2010
Release Type:	Unknown
Contaminant(s) of Concern:	Waste Oil / Motor / Hydraulic / Lubricating, * Metals
Media of Concern:	Other Groundwater (uses other than drinking water)
Past Use(s) that Caused Contamination:	Not reported
Human Health Exposure Controlled:	INSUFFICIENT DATA
Human Health Exposure Controlled Date:	04/30/2009
Groundwater Migration Controlled:	UNDETERMINED
Groundwater Migration Controlled Date:	04/30/2009
Primary Caseworker Name:	ADRIANA CONSTANTINESCU
Primary Caseworker Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Primary Caseworker Phone Number:	510-622-2353
Primary Caseworker Address:	1515 CLAY ST SUITE 1400
Primary Caseworker Address:	OAKLAND
Primary Caseworker Address:	CA
Primary Caseworker Email:	aconstantinescu@waterboards.ca.gov

CERS:

Name:	BLOCK 2 CITY OF SAN JOSE PARKING LOT

BLOCK 2 CITY OF SAN JOSE PARKING LOT (Continued) **S108937591**

Address:	8 EAST SAN FERNANADO STREET
City,State,Zip:	SAN JOSE, CA 95113
Site ID:	235061
CERS ID:	SL0608508545
CERS Description:	Cleanup Program Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	NAPP FUKUDA - SAN JOSE, CITY OF
Entity Title:	Not reported
Affiliation Address:	777 N. FIRST, SUITE 450
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	ADRIANA CONSTANTINESCU - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

R117 **FOREST CITY DEVELOPMENT** **CA LUST** **S103964733**
NNW **101 SAN FERNANDO AVE** **CA HIST LUST** **N/A**
1/4-1/2 **SAN JOSE, CA 95113** **CA CERS**
0.422 mi.
2229 ft. **Site 8 of 8 in cluster R**

Relative:
Lower

Actual:
88 ft.

LUST:

Name:	FOREST CITY DEVELOPMENT
Address:	101 SAN FERNANDO AVE.
City,State,Zip:	SAN JOSE, CA 95113
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608502387
Global Id:	T0608502387
Latitude:	37.335309
Longitude:	-121.887034
Status:	Completed - Case Closed
Status Date:	12/10/2014
Case Worker:	AC
RB Case Number:	14-496
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	07S1E08L06f
Potential Media Affect:	Under Investigation
Potential Contaminants of Concern:	Gasoline
Site History:	1997 - Groundwater Monitoring and Soil Sampling for Proposed Construction 1998 Groundwater Monitoring and Soil Sampling for Proposed Construction. Abandoned tank discovered. UST Closure Permit Application filed. UST removed and destroyed. 1998-1999 Soil over-excavated beneath UST and across entire site for construction

FOREST CITY DEVELOPMENT (Continued) **S103964733**

purposes 2009 Summary of available information submitted to DEH in response to additional soil and groundwater information request

LUST:
Global Id: T0608502387
Contact Type: Local Agency Caseworker
Contact Name: AARON COSTA
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: aaron.costa@cep.sccgov.org
Phone Number: 4089181954

Global Id: T0608502387
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:
Global Id: T0608502387
Action Type: Other
Date: 01/29/1999
Action: Leak Discovery

Global Id: T0608502387
Action Type: Other
Date: 01/29/1999
Action: Leak Stopped

Global Id: T0608502387
Action Type: RESPONSE
Date: 01/15/2009
Action: Other Report / Document - Regulator Responded

Global Id: T0608502387
Action Type: ENFORCEMENT
Date: 11/09/2007
Action: Staff Letter - #700911

Global Id: T0608502387
Action Type: RESPONSE
Date: 10/13/1997
Action: Preliminary Site Assessment Report

Global Id: T0608502387
Action Type: RESPONSE
Date: 01/01/2001
Action: Correspondence

Global Id: T0608502387
Action Type: RESPONSE
Date: 09/23/1998
Action: Other Report / Document

FOREST CITY DEVELOPMENT (Continued) **S103964733**

Global Id: T0608502387
Action Type: RESPONSE
Date: 06/03/2005
Action: Other Report / Document

Global Id: T0608502387
Action Type: ENFORCEMENT
Date: 12/10/2014
Action: Closure/No Further Action Letter

Global Id: T0608502387
Action Type: Other
Date: 09/28/1998
Action: Leak Reported

Global Id: T0608502387
Action Type: ENFORCEMENT
Date: 07/13/2012
Action: Staff Letter

Global Id: T0608502387
Action Type: RESPONSE
Date: 05/13/1998
Action: Monitoring Report - Quarterly

Global Id: T0608502387
Action Type: RESPONSE
Date: 12/29/2008
Action: Request for Closure

Global Id: T0608502387
Action Type: RESPONSE
Date: 10/13/1997
Action: Soil and Water Investigation Report

Global Id: T0608502387
Action Type: RESPONSE
Date: 01/29/1999
Action: Unauthorized Release Form

Global Id: T0608502387
Action Type: ENFORCEMENT
Date: 09/30/2014
Action: Notification - Public Notice of Case Closure

Global Id: T0608502387
Action Type: ENFORCEMENT
Date: 06/03/2005
Action: Other Report

Global Id: T0608502387
Action Type: RESPONSE
Date: 06/03/2005
Action: Other Report / Document

LUST:
Global Id: T0608502387

FOREST CITY DEVELOPMENT (Continued) **S103964733**

Status: Completed - Case Closed
Status Date: 12/10/2014

Global Id: T0608502387
Status: Open - Case Begin Date
Status Date: 09/28/1998

Global Id: T0608502387
Status: Open - Eligible for Closure
Status Date: 07/01/2013

Global Id: T0608502387
Status: Open - Site Assessment
Status Date: 09/29/1998

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Preliminary site assessment underway
Case Number: 07S1E08L06f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 9/29/1998
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: FOREST CITY DEVELOPMENT
Address: 101 SAN FERNANDO AVE
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E08L06F
Date Closed: Not reported
EDR Link ID: 07S1E08L06F

HIST LUST SANTA CLARA:
Name: Forest City Development
Address: 101 San Fernando Ave
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E08L06
Oversite Agency: SCCDEH
Date Listed: 1999-05-04 00:00:00
Closed Date: Not reported

CERS:
Name: FOREST CITY DEVELOPMENT

FOREST CITY DEVELOPMENT (Continued) **S103964733**

Address: 101 SAN FERNANDO AVE.
City,State,Zip: SAN JOSE, CA 95113
Site ID: 217663
CERS ID: T0608502387
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: AARON COSTA - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089181954

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

---

118 **SJSU** **CA LUST S110655410**
North **SAN CARLOS & 7TH** **CA CERS N/A**
1/4-1/2 **SAN JOSE, CA 95192**
0.424 mi.
2238 ft.

Relative: **Lower**
Actual: **89 ft.**

LUST:
Name: SJSU
Address: SAN CARLOS & 7TH
City,State,Zip: SAN JOSE, CA 95192
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608502106
Global Id: T0608502106
Latitude: 37.3368112921884
Longitude: -121.882588156412
Status: Completed - Case Closed
Status Date: 08/27/1998
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Heating Oil / Fuel Oil
Site History: Not reported

LUST:
Global Id: T0608502106
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board

SJSU (Continued) **S110655410**

Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608502106
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608502106
Action Type: Other
Date: 12/18/1995
Action: Leak Reported

Global Id: T0608502106
Action Type: ENFORCEMENT
Date: 08/27/1998
Action: Closure/No Further Action Letter

Global Id: T0608502106
Action Type: ENFORCEMENT
Date: 12/22/1995
Action: Notice of Responsibility - #39878

Global Id: T0608502106
Action Type: RESPONSE
Date: 08/27/1998
Action: Other Report / Document

LUST:
Global Id: T0608502106
Status: Completed - Case Closed
Status Date: 08/27/1998

Global Id: T0608502106
Status: Open - Case Begin Date
Status Date: 07/20/1995

Global Id: T0608502106
Status: Open - Site Assessment
Status Date: 07/20/1995

LUST SANTA CLARA:
Name: SJSU
Address: SAN CARLOS & 7TH
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E08J03F

SJSU (Continued) **S110655410**

Date Closed: 08/27/1998
EDR Link ID: 07S1E08J03F

CERS:
Name: SJSU
Address: SAN CARLOS & 7TH
City,State,Zip: SAN JOSE, CA 95192
Site ID: 191504
CERS ID: T0608502106
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

U119 **SAN JOSE STATE UNIVERSITY CHEMICAL DEPT** **CA ENVIROSTOR** **1000121113**
NW **125 SOUTH 7TH ST** **N/A**
1/4-1/2 **SAN JOSE, CA 95112**
0.429 mi.
2265 ft. **Site 2 of 3 in cluster U**

Relative:
Lower

Actual:
92 ft.

ENVIROSTOR:
Name: SAN JOSE STATE UNIVERSITY CHEMICAL DEPT
Address: 125 SOUTH 7TH ST
City,State,Zip: SAN JOSE, CA 95112
Facility ID: 43820001
Status: No Further Action
Status Date: 10/08/2001
Site Code: Not reported
Site Type: Evaluation
Site Type Detailed: Evaluation
Acres: 0.02
NPL: NO
Regulatory Agencies: SANTA CLARA COUNTY
Lead Agency: SANTA CLARA COUNTY
Program Manager: Not reported
Supervisor: Karen Toth
Division Branch: Cleanup Berkeley
Assembly: 27
Senate: 15

SAN JOSE STATE UNIVERSITY CHEMICAL DEPT (Continued) **1000121113**

Special Program: * Site Char & Assess Grant (CERCLA 104)
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: Not reported
Latitude: 37.33193
Longitude: -121.8827
APN: NONE SPECIFIED
Past Use: SCHOOL - COLLEGE
Potential COC: NONE SPECIFIED No Contaminants found
Confirmed COC: No Contaminants found
Potential Description: NMA
Alias Name: CAD050520840
Alias Type: EPA Identification Number
Alias Name: 43820001
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: * Discovery
Completed Date: 10/12/1983
Comments: DISC - FACILITY IDENTIFIED ID FROM ERRIS

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Screening
Completed Date: 04/21/1987
Comments: There are no documents that match this date or activity in the current files.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Screening
Completed Date: 10/08/2001
Comments: This site is regulated as a hazardous materials storage area by the Santa Clara County Health Services as the local Certified Unified Program Agency. There are no records of releases.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Preliminary Assessment Report
Completed Date: 08/31/1985
Comments: All documented PCB contamination has been cleaned up, the storage unit is presently permitted, and the University is following a standard operating procedure for disposal of chemical wastes.

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

U120 **SAN JOSE STATE UNIV CHEM DEPT** **SEMS-ARCHIVE** **1003878343**
NW **125 S 7TH** **CAD050520840**
1/4-1/2 **SAN JOSE, CA 95112**
0.429 mi.
2265 ft. **Site 3 of 3 in cluster U**

Relative:
Lower

Actual:
92 ft.

SEMS Archive:

Site ID:	0901409
EPA ID:	CAD050520840
Cong District:	10
FIPS Code:	06085
FF:	N
NPL:	Not on the NPL
Non NPL Status:	NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region:	09
Site ID:	0901409
EPA ID:	CAD050520840
Site Name:	SAN JOSE STATE UNIV CHEM DEPT
NPL:	N
FF:	N
OU:	00
Action Code:	VS
Action Name:	ARCH SITE
SEQ:	1
Start Date:	Not reported
Finish Date:	1988-08-01 04:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf In-Hse

Region:	09
Site ID:	0901409
EPA ID:	CAD050520840
Site Name:	SAN JOSE STATE UNIV CHEM DEPT
NPL:	N
FF:	N
OU:	00
Action Code:	DS
Action Name:	DISCVRY
SEQ:	1
Start Date:	1980-04-01 05:00:00
Finish Date:	1980-04-01 05:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf

Region:	09
Site ID:	0901409
EPA ID:	CAD050520840
Site Name:	SAN JOSE STATE UNIV CHEM DEPT
NPL:	N
FF:	N
OU:	00
Action Code:	PA
Action Name:	PA
SEQ:	1
Start Date:	Not reported
Finish Date:	1988-08-01 04:00:00
Qual:	N
Current Action Lead:	EPA Perf

SAN JOSE STATE UNIV CHEM DEPT (Continued) **1003878343**

Region:	09
Site ID:	0901409
EPA ID:	CAD050520840
Site Name:	SAN JOSE STATE UNIV CHEM DEPT
NPL:	N
FF:	N
OU:	00
Action Code:	PA
Action Name:	PA
SEQ:	2
Start Date:	1985-09-01 05:00:00
Finish Date:	1986-02-01 05:00:00
Qual:	L
Current Action Lead:	St Perf

T121 **PF CHANGS CHINA BISTRO** **CA LUST S106567269**
NW **98 S. 2ND STREET** **CA HIST LUST N/A**
1/4-1/2 **SAN JOSE, CA 95113** **CA CERS**
0.436 mi.
2304 ft. **Site 2 of 2 in cluster T**

Relative: **Lower**
Actual: **90 ft.**

LUST:

Name:	PF CHANGS CHINA BISTRO
Address:	98 S. 2ND STREET
City,State,Zip:	SAN JOSE, CA 95113
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608503601
Global Id:	T0608503601
Latitude:	37.335173
Longitude:	-121.887988
Status:	Completed - Case Closed
Status Date:	08/09/2006
Case Worker:	Not reported
RB Case Number:	Not reported
Local Agency:	Not reported
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	07S1E08L08f
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Diesel
Site History:	Not reported

LUST:

Global Id:	T0608503601
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0608503601
Action Type:	ENFORCEMENT
Date:	09/07/2004
Action:	Notice of Responsibility - #407090

PF CHANGS CHINA BISTRO (Continued) **S106567269**

Global Id: T0608503601
Action Type: ENFORCEMENT
Date: 01/04/2005
Action: Staff Letter - #46295

Global Id: T0608503601
Action Type: ENFORCEMENT
Date: 12/19/2005
Action: Staff Letter

Global Id: T0608503601
Action Type: ENFORCEMENT
Date: 08/09/2006
Action: Closure/No Further Action Letter - #600298

Global Id: T0608503601
Action Type: ENFORCEMENT
Date: 09/07/2004
Action: Staff Letter - #44931

Global Id: T0608503601
Action Type: RESPONSE
Date: 01/01/2004
Action: Correspondence

Global Id: T0608503601
Action Type: Other
Date: 01/06/2004
Action: Leak Reported

Global Id: T0608503601
Action Type: RESPONSE
Date: 04/21/2006
Action: Soil and Water Investigation Report

Global Id: T0608503601
Action Type: RESPONSE
Date: 04/04/2005
Action: Soil and Water Investigation Report

Global Id: T0608503601
Action Type: REMEDIATION
Date: 12/09/2003
Action: Excavation

Global Id: T0608503601
Action Type: RESPONSE
Date: 10/07/2004
Action: Soil and Water Investigation Workplan

Global Id: T0608503601
Action Type: RESPONSE
Date: 08/09/2006
Action: Other Report / Document

LUST:
Global Id: T0608503601

PF CHANGS CHINA BISTRO (Continued) **S106567269**

Status: Completed - Case Closed
Status Date: 08/09/2006

Global Id: T0608503601
Status: Open - Case Begin Date
Status Date: 01/06/2004

Global Id: T0608503601
Status: Open - Site Assessment
Status Date: 09/07/2004

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Not reported
Case Number: 07S1E08L08f
How Discovered: Not reported
Leak Cause: Unknown
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: PF CHANGS CHINA BISTRO
Address: 98 S 2ND ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E08L08F
Date Closed: 08/09/2006
EDR Link ID: 07S1E08L08F

HIST LUST SANTA CLARA:
Name: PF Changs China Bistro
Address: 98 S 2nd St
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E08L08
Oversite Agency: SCCDEH
Date Listed: 2004-09-02 00:00:00
Closed Date: Not reported

CERS:
Name: PF CHANGS CHINA BISTRO
Address: 98 S. 2ND STREET
City,State,Zip: SAN JOSE, CA 95113
Site ID: 202859
CERS ID: T0608503601

PF CHANGS CHINA BISTRO (Continued) **S106567269**

CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

V122 **CHEVRON #9-2218** **CA LUST** **U001602680**
West **222 W SAN CARLOS ST** **CA HIST LUST** **N/A**
1/4-1/2 **SAN JOSE, CA 95110** **CA HIST UST**
0.436 mi. **CA CERS**
2304 ft. **Site 1 of 3 in cluster V**

Relative: **Lower**
Actual: **93 ft.**

LUST:
Name: CHEVRON #9-2218
Address: 222 W SAN CARLOS ST
City,State,Zip: SAN JOSE, CA 95110
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608500362
Global Id: T0608500362
Latitude: 37.3293551419554
Longitude: -121.890606880188
Status: Completed - Case Closed
Status Date: 01/18/2000
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0608500362
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608500362
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

CHEVRON #9-2218 (Continued) **U001602680**

LUST:

Global Id:	T0608500362
Action Type:	RESPONSE
Date:	10/30/1987
Action:	Other Report / Document
Global Id:	T0608500362
Action Type:	RESPONSE
Date:	01/18/2000
Action:	Correspondence
Global Id:	T0608500362
Action Type:	RESPONSE
Date:	09/19/1985
Action:	Well Installation Report
Global Id:	T0608500362
Action Type:	RESPONSE
Date:	10/26/2000
Action:	Well Destruction Report
Global Id:	T0608500362
Action Type:	RESPONSE
Date:	09/20/1990
Action:	Other Workplan
Global Id:	T0608500362
Action Type:	RESPONSE
Date:	08/15/1991
Action:	Tank Removal Report / UST Sampling Report
Global Id:	T0608500362
Action Type:	RESPONSE
Date:	03/29/1994
Action:	Other Report / Document
Global Id:	T0608500362
Action Type:	RESPONSE
Date:	08/14/1991
Action:	Other Report / Document
Global Id:	T0608500362
Action Type:	RESPONSE
Date:	04/11/1991
Action:	Soil and Water Investigation Report
Global Id:	T0608500362
Action Type:	RESPONSE
Date:	04/23/1999
Action:	Correspondence
Global Id:	T0608500362
Action Type:	RESPONSE
Date:	09/27/1999
Action:	Other Report / Document
Global Id:	T0608500362

CHEVRON #9-2218 (Continued) **U001602680**

Action Type: RESPONSE
Date: 07/22/1991
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608500362
Action Type: RESPONSE
Date: 05/06/1996
Action: Monitoring Report - Quarterly

Global Id: T0608500362
Action Type: RESPONSE
Date: 02/07/1990
Action: Preliminary Site Assessment Report

Global Id: T0608500362
Action Type: RESPONSE
Date: 04/15/1991
Action: Other Report / Document

Global Id: T0608500362
Action Type: RESPONSE
Date: 07/28/1997
Action: Monitoring Report - Quarterly

Global Id: T0608500362
Action Type: RESPONSE
Date: 08/16/1999
Action: Monitoring Report - Quarterly

Global Id: T0608500362
Action Type: RESPONSE
Date: 08/04/1997
Action: Monitoring Report - Quarterly

Global Id: T0608500362
Action Type: RESPONSE
Date: 12/11/1990
Action: Other Workplan

Global Id: T0608500362
Action Type: RESPONSE
Date: 08/11/1999
Action: Monitoring Report - Quarterly

Global Id: T0608500362
Action Type: RESPONSE
Date: 10/23/1995
Action: Other Workplan

Global Id: T0608500362
Action Type: ENFORCEMENT
Date: 02/27/1997
Action: Staff Letter - #25958

Global Id: T0608500362
Action Type: ENFORCEMENT
Date: 01/18/2000

CHEVRON #9-2218 (Continued) **U001602680**

Action: Closure/No Further Action Letter

Global Id: T0608500362
Action Type: Other
Date: 01/04/1985
Action: Leak Reported

Global Id: T0608500362
Action Type: RESPONSE
Date: 01/07/1997
Action: Monitoring Report - Quarterly

Global Id: T0608500362
Action Type: RESPONSE
Date: 03/05/1997
Action: Monitoring Report - Quarterly

Global Id: T0608500362
Action Type: ENFORCEMENT
Date: 06/09/1986
Action: Notice of Responsibility - #39828

Global Id: T0608500362
Action Type: ENFORCEMENT
Date: 05/23/1996
Action: Staff Letter - #25954

Global Id: T0608500362
Action Type: ENFORCEMENT
Date: 01/06/1990
Action: Staff Letter - #25946

Global Id: T0608500362
Action Type: ENFORCEMENT
Date: 04/11/1991
Action: Staff Letter - #25948

Global Id: T0608500362
Action Type: ENFORCEMENT
Date: 08/16/1996
Action: Staff Letter - #25956

Global Id: T0608500362
Action Type: ENFORCEMENT
Date: 07/22/1997
Action: Staff Letter - #25960

Global Id: T0608500362
Action Type: ENFORCEMENT
Date: 08/11/1999
Action: Staff Letter - #25966

Global Id: T0608500362
Action Type: ENFORCEMENT
Date: 08/25/1997
Action: Staff Letter - #25962

CHEVRON #9-2218 (Continued) **U001602680**

Global Id: T0608500362
Action Type: REMEDIATION
Date: 01/01/1986
Action: Excavation

Global Id: T0608500362
Action Type: REMEDIATION
Date: 01/01/1986
Action: Pump & Treat (P&T) Groundwater

Global Id: T0608500362
Action Type: REMEDIATION
Date: 01/01/1986
Action: Free Product Removal

Global Id: T0608500362
Action Type: RESPONSE
Date: 11/06/1991
Action: Unauthorized Release Form

Global Id: T0608500362
Action Type: RESPONSE
Date: 06/10/1996
Action: Verbal Communication

LUST:
Global Id: T0608500362
Status: Completed - Case Closed
Status Date: 01/18/2000

Global Id: T0608500362
Status: Open - Case Begin Date
Status Date: 01/04/1985

Global Id: T0608500362
Status: Open - Site Assessment
Status Date: 01/04/1985

Global Id: T0608500362
Status: Open - Verification Monitoring
Status Date: 01/04/1985

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E17D01f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 1/4/1985
Pollution Characterization Began: 1/4/1985

CHEVRON #9-2218 (Continued) **U001602680**

Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: 1/4/1985

LUST SANTA CLARA:
Name: CHEVRON #9-2218
Address: 222 W SAN CARLOS ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E17D01F
Date Closed: 01/18/2000
EDR Link ID: 07S1E17D01F

HIST LUST SANTA CLARA:
Name: Chevron #9-2218
Address: 222 W San Carlos St
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E17D01
Oversite Agency: SCVWD
Date Listed: 1986-01-01 00:00:00
Closed Date: 2000-01-18 00:00:00

HIST UST:
Name: 92218
Address: 222 W SAN CARLOS ST
City,State,Zip: SAN JOSE, CA 95113
File Number: 0002D005
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002D005.pdf
Region: STATE
Facility ID: 00000062211
Facility Type: Gas Station
Other Type: Not reported
Contact Name: DORRELL, JOHN W
Telephone: 4082956099
Owner Name: CHEVRON U.S.A. INC.
Owner Address: 575 MARKET
Owner City,St,Zip: SAN FRANCISCO, CA 94105
Total Tanks: 0004

Tank Num: 001
Container Num: 1
Year Installed: 1972
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: Not reported
Container Construction Thickness: 0000250
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: 2
Year Installed: 1972
Tank Capacity: 00006000
Tank Used for: PRODUCT
Type of Fuel: Not reported

CHEVRON #9-2218 (Continued) **U001602680**

Container Construction Thickness: 0000250
Leak Detection: Stock Inventor

Tank Num: 003
Container Num: 3
Year Installed: 1972
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: Not reported
Container Construction Thickness: 0000250
Leak Detection: Stock Inventor

Tank Num: 004
Container Num: 4
Year Installed: 1972
Tank Capacity: 00001500
Tank Used for: PRODUCT
Type of Fuel: Not reported
Container Construction Thickness: 0000250
Leak Detection: Stock Inventor

Click here for Geo Tracker PDF:

CERS:
Name: CHEVRON #9-2218
Address: 222 W SAN CARLOS ST
City,State,Zip: SAN JOSE, CA 95110
Site ID: 234249
CERS ID: T0608500362
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

V123
West
1/4-1/2
0.436 mi.
2304 ft.

CHEVRON
222 SAN CARLOS
SAN JOSE, CA 95118

Site 2 of 3 in cluster V

CA HIST CORTESE **S110060501**
N/A

Relative:
Lower

Actual:
93 ft.

HIST CORTESE:

edr_fname:	CHEVRON
edr_fadd1:	222 SAN CARLOS
City,State,Zip:	SAN JOSE, CA 95118
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-0305

124
SE
1/4-1/2
0.438 mi.
2311 ft.

BARRON-GREY PACKING CO
825 S 5TH ST
SAN JOSE, CA 95112

SEMS-ARCHIVE **1003879303**
CAD982357964

Relative:
Higher

Actual:
103 ft.

SEMS Archive:

Site ID:	0903166
EPA ID:	CAD982357964
Cong District:	10
FIPS Code:	06085
FF:	N
NPL:	Not on the NPL
Non NPL Status:	NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region:	09
Site ID:	0903166
EPA ID:	CAD982357964
Site Name:	BARRON-GREY PACKING CO
NPL:	N
FF:	N
OU:	00
Action Code:	VS
Action Name:	ARCH SITE
SEQ:	1
Start Date:	Not reported
Finish Date:	1989-05-02 04:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf In-Hse

Region:	09
Site ID:	0903166
EPA ID:	CAD982357964
Site Name:	BARRON-GREY PACKING CO
NPL:	N
FF:	N
OU:	00
Action Code:	PA
Action Name:	PA
SEQ:	1
Start Date:	Not reported
Finish Date:	1989-05-02 04:00:00
Qual:	N
Current Action Lead:	St Perf

BARRON-GREY PACKING CO (Continued) **1003879303**

Region:	09
Site ID:	0903166
EPA ID:	CAD982357964
Site Name:	BARRON-GREY PACKING CO
NPL:	N
FF:	N
OU:	00
Action Code:	DS
Action Name:	DISCVRY
SEQ:	1
Start Date:	1987-12-01 05:00:00
Finish Date:	1987-12-01 05:00:00
Qual:	Not reported
Current Action Lead:	St Perf

W125 **SHELL** **CA LUST** **S105193277**
ESE **288 E VIRGINIA ST** **CA HIST LUST** **N/A**
1/4-1/2 **SAN JOSE, CA 95112** **CA CERS**
0.442 mi.
2335 ft. **Site 1 of 2 in cluster W**

Relative:
Higher

Actual:
102 ft.

LUST REG 2:

Region:	2
Facility Id:	Not reported
Facility Status:	Case Closed
Case Number:	07S1E16E02f
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	6/13/1984
Pollution Characterization Began:	9/1/1987
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

HIST LUST SANTA CLARA:

Name:	Shell
Address:	288 E Virginia St
City:	San Jose
Region:	SANTA CLARA
Region Code:	2
SCVWD ID:	07S1E16E02
Oversite Agency:	SCVWD
Date Listed:	1988-01-01 00:00:00
Closed Date:	2004-08-10 00:00:00

CERS:

Name:	SHELL
Address:	288 E VIRGINIA ST
City,State,Zip:	SAN JOSE, CA 95112
Site ID:	242018
CERS ID:	T0608501287
CERS Description:	Leaking Underground Storage Tank Cleanup Site

SHELL (Continued) **S105193277**

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

W126 **SHELL SERVICE STATION** **CA LUST** **1005904525**
ESE **288 E VIRGINIA** **CA CERS HAZ WASTE** **CAR000127407**
1/4-1/2 **SAN JOSE, CA 95112** **RCRA NonGen / NLR**
0.442 mi. **FINDS**
2335 ft. **Site 2 of 2 in cluster W** **ECHO**
CA CUPA Listings
Relative: Higher **CA HAZMAT**
CA CERS
Actual: 102 ft.

LUST:
Name: SHELL
Address: 288 E VIRGINIA ST
City,State,Zip: SAN JOSE, CA 95112
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501287
Global Id: T0608501287
Latitude: 37.3266080542177
Longitude: -121.875200271606
Status: Completed - Case Closed
Status Date: 08/10/2004
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0608501287
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400

SHELL SERVICE STATION (Continued) **1005904525**

City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608501287
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608501287
Action Type: RESPONSE
Date: 12/15/1998
Action: Other Report / Document

Global Id: T0608501287
Action Type: RESPONSE
Date: 04/26/1996
Action: Risk Assessment Report

Global Id: T0608501287
Action Type: RESPONSE
Date: 09/12/1989
Action: Soil and Water Investigation Workplan

Global Id: T0608501287
Action Type: RESPONSE
Date: 10/28/2002
Action: Other Report / Document

Global Id: T0608501287
Action Type: RESPONSE
Date: 12/06/2002
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608501287
Action Type: RESPONSE
Date: 11/07/2002
Action: Unauthorized Release Form

Global Id: T0608501287
Action Type: RESPONSE
Date: 11/05/1993
Action: Other Report / Document

Global Id: T0608501287
Action Type: RESPONSE
Date: 07/08/2004
Action: Verbal Communication

Global Id: T0608501287
Action Type: RESPONSE
Date: 01/15/1996

SHELL SERVICE STATION (Continued) **1005904525**

Action: Monitoring Report - Quarterly

Global Id: T0608501287
Action Type: RESPONSE
Date: 09/18/1995
Action: Interim Remedial Action Plan

Global Id: T0608501287
Action Type: RESPONSE
Date: 06/25/2004
Action: Well Destruction Report

Global Id: T0608501287
Action Type: RESPONSE
Date: 06/21/1999
Action: Soil and Water Investigation Report

Global Id: T0608501287
Action Type: RESPONSE
Date: 06/06/2003
Action: Monitoring Report - Quarterly

Global Id: T0608501287
Action Type: RESPONSE
Date: 04/15/1996
Action: Monitoring Report - Quarterly

Global Id: T0608501287
Action Type: RESPONSE
Date: 07/15/1996
Action: Monitoring Report - Quarterly

Global Id: T0608501287
Action Type: RESPONSE
Date: 10/15/1996
Action: Monitoring Report - Quarterly

Global Id: T0608501287
Action Type: RESPONSE
Date: 10/15/1995
Action: Monitoring Report - Quarterly

Global Id: T0608501287
Action Type: RESPONSE
Date: 09/05/2002
Action: Other Report / Document

Global Id: T0608501287
Action Type: RESPONSE
Date: 03/18/1999
Action: Soil and Water Investigation Workplan

Global Id: T0608501287
Action Type: RESPONSE
Date: 02/01/1999
Action: Other Report / Document

SHELL SERVICE STATION (Continued) **1005904525**

Global Id: T0608501287
Action Type: RESPONSE
Date: 04/20/2004
Action: Correspondence

Global Id: T0608501287
Action Type: RESPONSE
Date: 12/28/2001
Action: Other Report / Document

Global Id: T0608501287
Action Type: RESPONSE
Date: 06/21/1999
Action: Soil and Water Investigation Report

Global Id: T0608501287
Action Type: RESPONSE
Date: 07/16/1990
Action: Well Installation Report

Global Id: T0608501287
Action Type: ENFORCEMENT
Date: 01/11/1988
Action: Notice of Responsibility - #39916

Global Id: T0608501287
Action Type: ENFORCEMENT
Date: 08/08/1995
Action: Staff Letter - #26143

Global Id: T0608501287
Action Type: RESPONSE
Date: 10/15/1997
Action: Monitoring Report - Quarterly

Global Id: T0608501287
Action Type: RESPONSE
Date: 04/15/1998
Action: Monitoring Report - Quarterly

Global Id: T0608501287
Action Type: ENFORCEMENT
Date: 08/10/2004
Action: Closure/No Further Action Letter

Global Id: T0608501287
Action Type: Other
Date: 10/20/1987
Action: Leak Reported

Global Id: T0608501287
Action Type: ENFORCEMENT
Date: 08/31/1997
Action: Staff Letter - #25983

Global Id: T0608501287
Action Type: ENFORCEMENT

SHELL SERVICE STATION (Continued) **1005904525**

Date: 08/31/1995
Action: Staff Letter - #26146

Global Id: T0608501287
Action Type: RESPONSE
Date: 11/30/1998
Action: Other Report / Document

Global Id: T0608501287
Action Type: RESPONSE
Date: 11/23/1999
Action: Correspondence

LUST:
Global Id: T0608501287
Status: Completed - Case Closed
Status Date: 08/10/2004

Global Id: T0608501287
Status: Open - Case Begin Date
Status Date: 06/13/1984

Global Id: T0608501287
Status: Open - Site Assessment
Status Date: 06/13/1984

Global Id: T0608501287
Status: Open - Site Assessment
Status Date: 09/01/1987

LUST SANTA CLARA:
Name: SHELL
Address: 288 E VIRGINIA ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E16E02F
Date Closed: 08/10/2004
EDR Link ID: 07S1E16E02F

CERS HAZ WASTE:
Site ID: 88677
CERS ID: 10351252
CERS Description: Hazardous Waste Generator

Violations:
Site ID: 88677
Site Name: A & L AUTO CONNECTION
Violation Date: 11-05-2013
Citation: 40 CFR 1 262.34(d)(5)(iii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(iii)
Violation Description: Failure to ensure employees are familiar with the handling and compliance of hazardous waste regulations and emergency response.
Violation Notes: Returned to compliance on 01/21/2014. NO HAZARDOUS WASTE TRAINING RECORDS FOR MANAGEMENT OR EMPLOYEES.
Violation Division: Santa Clara County Environmental Health

SHELL SERVICE STATION (Continued) **1005904525**

Violation Program:	HW
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	HSC 6.5 25123.3(h)(1) - California Health and Safety Code, Chapter 6.5, Section(s) 25123.3(h)(1)
Violation Description:	Failure to send hazardous waste offsite for treatment, storage, or disposal within 180 days (or 270 days if waste is transported over 200 miles) for a generator who generates less than 1000 kilogram per month if all of the following conditions are met: (1) The quantity of hazardous waste accumulated onsite never exceeds 6,000 kilograms. (2) The generator complies with the requirements of 40 Code of Federal Regulations section 262.34(d), (e) and (f). (3) The generator does not hold acutely hazardous waste or extremely hazardous waste in an amount greater than one kilogram for more than 90 days.
Violation Notes:	Returned to compliance on 11/01/2018. Per Mr. Fahri, the used coolant drum has not been picked up since 2015. Make arrangements to have this picked up by a registered hazardous waste hauler and keep disposal receipts for 3 years.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	HSC 6.5 25250.22 - California Health and Safety Code, Chapter 6.5, Section(s) 25250.22
Violation Description:	Failure to properly manage used oil and/or fuel filters in accordance with the requirements.
Violation Notes:	Returned to compliance on 11/01/2018. Observed the following containers for drained used oil filters that were missing or incomplete: - 1 x 5 gal bucket in the shop: no label - 1 x 55 gal drum in the rear outdoor storage area: labeled with "pick-up date" but no accumulation start date Labels provided.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	Returned to compliance on 11/01/2018. HMBP Emergency Response Training is currently not being logged. Template form provided.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	88677

SHELL SERVICE STATION (Continued) **1005904525**

Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	40 CFR 1 262.34(d)(5)(iii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(iii)
Violation Description:	Failure to ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures, relevant to their responsibilities during normal facility operations and emergencies.
Violation Notes:	Returned to compliance on 11/01/2018. As evident by the nature and number of violations, Mr. Fahri is not adequately trained in hazardous waste management. Information on free County Hazardous Waste Management Training was provided to Mr. Fahri.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	40 CFR 1 265.32 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.32
Violation Description:	Failure of the facility to maintain the following emergency equipment or equivalents: 1) An internal communications or alarm system; 2) A device, such as a telephone (immediately available at the scene of Operations/ Maintenance) or a hand-held two-way radio, capable of summoning emergency assistance from local police departments, fire departments, or State or local emergency response teams; 3) Portable fire extinguishers, fire control equipment, spill control equipment, and decontamination equipment; and 4) Water at adequate volume and pressure to supply water hose streams, or foam producing equipment, or automatic sprinklers, or water spray systems.
Violation Notes:	Returned to compliance on 11/01/2018. Mr. Fahri does not have adequate spill control available on-site. Provide and maintain absorbent on-site.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	HSC 6.95 25505.1 - California Health and Safety Code, Chapter 6.95, Section(s) 25505.1
Violation Description:	Failure to provide a copy of the business plan to the owner or the owner’s agent within five working days after receiving a request for a copy from the owner or the owner’s agent.
Violation Notes:	Returned to compliance on 11/01/2018. A & L Auto Connection is a tenant, but has not provided written notification to the landlord of its applicability and compliance with HMBP requirements. Template form provided.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	HSC 6.5 25250.22 - California Health and Safety Code, Chapter 6.5,

SHELL SERVICE STATION (Continued) **1005904525**

	Section(s) 25250.22
Violation Description:	Failure to properly manage used oil and/or fuel filters in accordance with the requirements.
Violation Notes:	Returned to compliance on 11/01/2018. Observed 1 x 5 gal bucket of drained used oil filters in the shop that had no lid.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	11-05-2013
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 01/21/2014. THE USED OIL AND USED TRANSMISSION FLUIDS COLLECTION "ROLL-A-ROUND" CONTAINERS ARE WITHOUT LABELS, THE USED OIL UST IS ALSO WITHOUT A LABEL.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	HSC 6.5 25160.2 - California Health and Safety Code, Chapter 6.5, Section(s) 25160.2
Violation Description:	Failure of a generator of hazardous waste that meets the conditions to be transported on a consolidated manifest to comply with one or more of the required consolidated manifesting procedures and retain copies of receipts for three years.
Violation Notes:	Returned to compliance on 11/01/2018. Receipts for pick-ups of the used coolant and used oil were unavailable for review at the time of inspection. Obtain these receipts from your hazardous waste haulers and retain all disposal records for 3 years.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	HSC 6.5 25144.6 (b) - California Health and Safety Code, Chapter 6.5, Section(s) 25144.6 (b)
Violation Description:	Failure to properly manage reusable soiled textile materials prior to being sent for laundering.
Violation Notes:	Returned to compliance on 11/01/2018. Mr. Fahri stated that he collects his soiled shop rags in a plastic bag and gives them to a friend who works at Cordial Auto, Inc. in Santa Clara. Immediately cease this practice. Hire a commercial launderer for your shop rags or combine them with your oily absorbent wastes.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

SHELL SERVICE STATION (Continued) **1005904525**

Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description:	Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes:	Returned to compliance on 11/01/2018. Observed liquid that appeared to be used oil in the spill containment around the drop tube for the used oil tank. Make arrangements to have this cleaned immediately.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	40 CFR 1 265.33 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.33
Violation Description:	Failure to test and maintain as necessary all facility communications or alarm systems, fire protection equipment, spill control equipment, and decontamination equipment to assure its proper operation in time of emergency.
Violation Notes:	Returned to compliance on 11/01/2018. Observed fire extinguishers in the shop that have not been annually maintained, last service date: 2/14/2017. Ensure all fire extinguishers in the shop are annually charged.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	22 CCR 11 66261.7 - California Code of Regulations, Title 22, Chapter 11, Section(s) 66261.7
Violation Description:	Failure to manage empty containers greater than 5 gallons in capacity that previously held a hazardous material/waste in accordance with 22 CCR 11 66261.7 including but not limited to the following: (e)(2)By reclaiming its scrap value onsite or shipping the container or inner liner to a person who reclaims its scrap value; or (3) By reconditioning or re manufacturing the container or inner liner onsite for subsequent reuse, or shipping the container or inner liner to a person who reconditions or re-manufactures the container or inner liner; or (4) By shipping the container or inner liner to a supplier or to another intermediate collection location for accumulation prior to managing the container or inner liner pursuant to subsections (e)(2) or (e)(3) of 22 CCR 11 66261.7; or (i) By shipping the container or inner liner back to the supplier for the purpose of being refilled. (f) A container or an inner liner removed from a container larger than five gallons in capacity which is managed pursuant to subsection (e) of 22 CCR 11 66261.7 shall be marked with the date it has been emptied and shall be managed within one year of being emptied.

SHELL SERVICE STATION (Continued) **1005904525**

Violation Notes:	Returned to compliance on 11/01/2018. Observed 1 container of motor oil in the trash inside the shop that still had pourable quantities inside. Ensure all containers that previously held a hazardous materials are completely empty before disposing of or recycling.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 11/01/2018. Observed the following hazardous waste containers with missing or incomplete markings: - 2 x 30 gal used oil rollers: labels were blank - 1 evacuator of used oil: no label - 1 UST waste oil: no label - 1 x 55 gal drum of used coolant: no label - 1 x 55 gal drum of used oil paper filters: no label Labels provided.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 09/11/2018. Business reported the incorrect tank capacity on the California Environmental Reporting System (CERS). Quantity was updated from 110 gallons to 550 gallons and resubmitted at the time of inspection. No further action is required.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

Evaluation:

Eval General Type:	Other/Unknown
Eval Date:	01-21-2014
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	On site to assist with CERS and HMBP submittal. Ly "Lilly" La on site to update the CERS submittal with assistance from me. Logged on, updated information, scanned and added files, certified and submitted all 3 elements required. Approved upon review within CERS at this time. NOTE: The Notice of Inspection shall be returned as evidence of compliance with all items. This may be sent to andrew.dyer@deh.sccgov.org .
Eval Division:	Santa Clara County Environmental Health

SHELL SERVICE STATION (Continued) **1005904525**

Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-11-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On-site with Andrew Dyer of HMCD to perform a routine Hazardous Materials Business Plan (HMBP) inspection. A & L Auto Connection does auto repair. A walk-through of the facility was conducted with owner, Ayazuddin Fahri. The following hazardous materials were observed at or above HMBP State-reportable thresholds: 1) Used Oil: 2 x 30 gal rollers + 1 evacuator + 1 x 550 gal UST in the rear of the building 2) Used Coolant: 1 x 55 gal drum 3) New Motor Oil: 2 x 55 gal drums Business also shares address with Chevron Gas Station and adjacent smog check. A & L Auto Connection's last HMBP was submitted on the California Environmental Reporting System (CERS) on 9/4/2018. The Facility Information portion was Not Accepted due to the EPA ID not being reported. This was added and resubmitted at the time of inspection, along with updating the UST tank capacity from 110 gallons to 550 gallons.. Business is correctly permitted at BP01 for handling between 1-3 reportable [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-05-2013
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	ON SITE FOR HAZARDOUS MATERIALS BUSINESS PLAN / INVENTORY STATEMENT (HMBP/IS) INSPECTION. USED OIL, USED COOLANT, USED OIL AND FUEL FILTERS, USED TRANSMISSION FLUIDS ARE THE WASTES GENERATEWD AND STORED ON SITE. NEW OIL IS ON SITE, 55 GALLONS. THIS FACILITY SHALL UPDATE THE HMBP/IS ON LINE IN THE CERS (CALIFORNIA ENVIRONMENTAL REPORTING SYSTEM) AT http://cers.calepa.ca.gov/. ASSISTED LY LA WITH INITIAL ACCOUNT CREATION WHILE ON SITE. ACCESS AS LEAD USER TO BE GRANTED UPON REQUEST. NOTE: THE HMBP SHALL BE SUBMITTED FOR REVIEW WITHIN 30 DAYS FROM THE DATE OF INSPECTION. CONTACT THIS OFFICE IF ASSISTANCE IS NEEDED. EFFECTIVE JANUARY 1, 2013, CALIFORNIA STATE LAW REQUIRES THAT HAZARDOUS MATERIALS BUSINESS PLAN (HMBP), HAZARDOUS WASTE TIERED PERMIT, AND CERTAIN UNDERGROUND STORAGE TANK (UST) SUBMITTALS (i.e., OPERATING PERMIT APPLICATIONS AND UST MONITORING PLANS) BE SUBMITTED ELECTRONICALLY VIA THE CALIFORNIA ENVIRONMENTAL REPORTING SYSTEM (CERS) WEBSITE AT; [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-05-2013
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	ON SITE FOR 2013 HAZARDOUS WASTE PERMIT INSPECTION LY LA AND JON VO WERE ON SITE TO PROVIDE ACCESS TO THE SITE AND RECORDS. NO PREVIOUS INSPECTION HAS BEEN CONDUCTED AT THIS LOCATION. SHOP IS IN REASONABLY CLEAN AND ORDERLY CONDITION. NO HAZARDOUS WASTE TRAINING RECORDS FOR

SHELL SERVICE STATION (Continued) **1005904525**

MANAGEMENT OR EMPLOYEES., SEE VIOLATION NOTE: IT IS RECOMMENDED THAT JON OR LY ATTEND A DEH/HMCD HAZARDOUS WASTE TRAINING SESSION, FLYER PROVIDED. NO EMERGENCY CONTACT NUMBERS POSTED, FORM PROVIDED. SEE VIOLATION, THIS SHOP GENERATES USED OIL, USED OIL AND FUEL FILTERS, USED TRANSMISSION FLUID, USED COOLANTS. AUTO BATTERIES ARE RETURNED AS CORE EXCHANGES. 5 OBSERVED ON SITE. SHOP RAGS HAVE BEEN LAUNDERED, BUT CURRENTLY IN MIDST OF CHANGING COMPANIES. THE USED OIL AND USED TRANSMISSION FLUIDS COLLECTION "ROLL-A-ROUND" CONTAINERS ARE WITHOUT LABELS, THE USED OIL UST IS ALSO WITHOUT A LABEL. SEE VIOLATION. AN EMPTY DRUM IS TO BE USED FOR USED COOLANT COLLECTION. CONFIRM IT IS EMPTY AND [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-11-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site with Andrew Dyer of HMCD to perform a routine Hazardous Waste Generator inspection. A & L Auto Connection does auto repair. A walk-through of the facility was conducted with owner, Ayazuddin Fahri. The following hazardous waste streams were observed: - Used Oil: 2 x 30 gal rollers + 1 evacuator + 1 UST in the rear of the building - Used Coolant: 1 x 55 gal drum - Used Oil Filters (metal-cased): 1 x 55 gal drum + 1 x 5 gal bucket - Used Oil Filters (paper): 1 x 55 gal drum EPA ID: CAL000410577 is active. Mr. Fahri stated that he inspects the outdoor hazardous waste storage at least once a week. Battery core exchanges are done with the battery supplier. Dumpster was inspected and in good order. Brake work is done with a brake lathe on-site. Mr. Fahri stated that the brake dust is picked up with his scrap metal. The following violation was corrected at the time of inspection: > EMERGENCY INFORMATION POSTED: SQG [3010022]- updated information to [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 11-06-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: signature and violations review
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Enforcement Action:
Site ID: 88677
Site Name: A & L AUTO CONNECTION
Site Address: 288 E VIRGINIA ST
Site City: SAN JOSE
Site Zip: 95112
Enf Action Date: 11-05-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported

SHELL SERVICE STATION (Continued) **1005904525**

Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Coordinates:
Site ID: 88677
Facility Name: A & L AUTO CONNECTION
Env Int Type Code: HWG
Program ID: 10351252
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 37.326690
Longitude: -121.875310

Affiliation:
Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 288 E VIRGINIA ST
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: Ayazuddin Fahri
Entity Title: Not reported
Affiliation Address: 288 E VIRGINIA ST
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95112
Affiliation Phone: (408) 660-7987

Affiliation Type Desc: Operator
Entity Name: A&L auto connection
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (408) 660-7987

Affiliation Type Desc: Property Owner
Entity Name: JOHN JAHAN
Entity Title: Not reported
Affiliation Address: 288 E. VIRGINIA ST.
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95112
Affiliation Phone: (408) 286-8668

Affiliation Type Desc: Environmental Contact

SHELL SERVICE STATION (Continued) **1005904525**

Entity Name: Ayazuddin Fahri
Entity Title: Not reported
Affiliation Address: 288 E. VIRGINIA ST
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112
Affiliation Phone: Not reported

Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Parent Corporation
Entity Name: A & L AUTO CONNECTION
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

RCRA NonGen / NLR:
Date form received by agency: 12/17/2018
Facility name: SHELL SERVICE STATION
Facility address: 288 E VIRGINIA
S A P 136004
SAN JOSE, CA 95112
EPA ID: CAR000127407
Mailing address: P O BOX 2648
HOUSTON, TX 77252-2648
Contact: TESSA BEMIS
Contact address: 285 DELAWARE AVE STE 500
BUFFALO, NY 14202
Contact country: US
Contact telephone: 716-362-8847
Contact email: TESSA.BEMIS@GHD.COM
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: EQUILON ENTERPRISES LLC DBA
Owner/operator address: P O BOX 2648
HOUSTON, TX 77252
Owner/operator country: Not reported
Owner/operator telephone: 713-241-5036
Owner/operator email: Not reported

SHELL SERVICE STATION (Continued) **1005904525**

Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: EQUILON ENTERPRISES LLC DBA
Owner/operator address: P O BOX 2648
HOUSTON, TX 77252
Owner/operator country: US
Owner/operator telephone: 713-241-5036
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 09/03/2002
Site name: SHELL SERVICE STATION
Classification: Small Quantity Generator

Hazardous Waste Summary:

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D018
. Waste name: BENZENE

Violation Status: No violations found

FINDS:

Registry ID: 110057099152

SHELL SERVICE STATION (Continued) **1005904525**

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

STATE MASTER

Registry ID: 110013293202

Environmental Interest/Information System
California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1005904525
Registry ID:	110057099152
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110057099152

Envid:	1005904525
Registry ID:	110013293202
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110013293202

CUPA SANTA CLARA:

Name:	L&S ENERGY, INC
Address:	288 E VIRGINIA ST
City,State,Zip:	SAN JOSE, CA 95112
Region:	SANTA CLARA
PE#:	2202
Program Description:	GENERATES < 100 KG/YR
Latitude:	37.326821
Longitude:	-121.875436
Record ID:	PR0360740
Facility ID:	FA0250393

Name:	L&S ENERGY, INC
Address:	288 E VIRGINIA ST
City,State,Zip:	SAN JOSE, CA 95112
Region:	SANTA CLARA
PE#:	2399
Program Description:	UNDERGROUND STORAGE TANK PROGRAM RECORD

SHELL SERVICE STATION (Continued) **1005904525**

Latitude: 37.326821
Longitude: -121.875436
Record ID: PR0396245
Facility ID: FA0250393

Name: L&S ENERGY, INC
Address: 288 E VIRGINIA ST
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: Not reported
Program Description: HMBP FACILITY, 4-6 CHEMICALS
Latitude: 37.326821
Longitude: -121.875436
Record ID: PR0396246
Facility ID: FA0250393

Name: A & L AUTO CONNECTION
Address: 288 E VIRGINIA ST
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: Not reported
Program Description: HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.326929
Longitude: -121.875513
Record ID: PR0410144
Facility ID: FA0271517

Name: A & L AUTO CONNECTION
Address: 288 E VIRGINIA ST
City,State,Zip: SAN JOSE, CA 95112
Region: SANTA CLARA
PE#: 2205
Program Description: GENERATES 100 KG YR TO <5 TONS/YR
Latitude: 37.326929
Longitude: -121.875513
Record ID: PR0410146
Facility ID: FA0271517

SAN JOSE HAZMAT:
Name: L&S ENERGY INC
Address: 288 E VIRGINIA ST
City,State,Zip: SAN JOSE, CA 95112
Region: SAN JOSE
File Num: 402212
Class: Gasoline Station

Name: A&L AUTO CONNECTION
Address: 288 E VIRGINIA ST
City,State,Zip: SAN JOSE, CA 95112
Region: SAN JOSE
File Num: 601670
Class: Auto Repair

CERS:
Name: A & L AUTO CONNECTION
Address: 288 E VIRGINIA ST

SHELL SERVICE STATION (Continued) **1005904525**

City,State,Zip: SAN JOSE, CA 95112
Site ID: 88677
CERS ID: 10351252
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 88677
Site Name: A & L AUTO CONNECTION
Violation Date: 11-05-2013
Citation: 40 CFR 1 262.34(d)(5)(iii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(iii)
Violation Description: Failure to ensure employees are familiar with the handling and compliance of hazardous waste regulations and emergency response.
Violation Notes: Returned to compliance on 01/21/2014. NO HAZARDOUS WASTE TRAINING RECORDS FOR MANAGEMENT OR EMPLOYEES.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 88677
Site Name: A & L AUTO CONNECTION
Violation Date: 09-11-2018
Citation: HSC 6.5 25123.3(h)(1) - California Health and Safety Code, Chapter 6.5, Section(s) 25123.3(h)(1)
Violation Description: Failure to send hazardous waste offsite for treatment, storage, or disposal within 180 days (or 270 days if waste is transported over 200 miles) for a generator who generates less than 1000 kilogram per month if all of the following conditions are met: (1) The quantity of hazardous waste accumulated onsite never exceeds 6,000 kilograms. (2) The generator complies with the requirements of 40 Code of Federal Regulations section 262.34(d), (e) and (f). (3) The generator does not hold acutely hazardous waste or extremely hazardous waste in an amount greater than one kilogram for more than 90 days.
Violation Notes: Returned to compliance on 11/01/2018. Per Mr. Fahri, the used coolant drum has not been picked up since 2015. Make arrangements to have this picked up by a registered hazardous waste hauler and keep disposal receipts for 3 years.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 88677
Site Name: A & L AUTO CONNECTION
Violation Date: 09-11-2018
Citation: HSC 6.5 25250.22 - California Health and Safety Code, Chapter 6.5, Section(s) 25250.22
Violation Description: Failure to properly manage used oil and/or fuel filters in accordance with the requirements.
Violation Notes: Returned to compliance on 11/01/2018. Observed the following containers for drained used oil filters that were missing or incomplete: - 1 x 5 gal bucket in the shop: no label - 1 x 55 gal drum in the rear outdoor storage area: labeled with "pick-up date" but no accumulation start date Labels provided.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 88677

SHELL SERVICE STATION (Continued) **1005904525**

Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	Returned to compliance on 11/01/2018. HMBP Emergency Response Training is currently not being logged. Template form provided.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	40 CFR 1 262.34(d)(5)(iii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(iii)
Violation Description:	Failure to ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures, relevant to their responsibilities during normal facility operations and emergencies.
Violation Notes:	Returned to compliance on 11/01/2018. As evident by the nature and number of violations, Mr. Fahri is not adequately trained in hazardous waste management. Information on free County Hazardous Waste Management Training was provided to Mr. Fahri.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	40 CFR 1 265.32 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.32
Violation Description:	Failure of the facility to maintain the following emergency equipment or equivalents: 1) An internal communications or alarm system; 2) A device, such as a telephone (immediately available at the scene of Operations/ Maintenance) or a hand-held two-way radio, capable of summoning emergency assistance from local police departments, fire departments, or State or local emergency response teams; 3) Portable fire extinguishers, fire control equipment, spill control equipment, and decontamination equipment; and 4) Water at adequate volume and pressure to supply water hose streams, or foam producing equipment, or automatic sprinklers, or water spray systems.
Violation Notes:	Returned to compliance on 11/01/2018. Mr. Fahri does not have adequate spill control available on-site. Provide and maintain absorbent on-site.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	HSC 6.95 25505.1 - California Health and Safety Code, Chapter 6.95, Section(s) 25505.1

SHELL SERVICE STATION (Continued) **1005904525**

Violation Description:	Failure to provide a copy of the business plan to the owner or the owner's agent within five working days after receiving a request for a copy from the owner or the owner's agent.
Violation Notes:	Returned to compliance on 11/01/2018. A & L Auto Connection is a tenant, but has not provided written notification to the landlord of its applicability and compliance with HMBP requirements. Template form provided.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	HSC 6.5 25250.22 - California Health and Safety Code, Chapter 6.5, Section(s) 25250.22
Violation Description:	Failure to properly manage used oil and/or fuel filters in accordance with the requirements.
Violation Notes:	Returned to compliance on 11/01/2018. Observed 1 x 5 gal bucket of drained used oil filters in the shop that had no lid.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	11-05-2013
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 01/21/2014. THE USED OIL AND USED TRANSMISSION FLUIDS COLLECTION "ROLL-A-ROUND" CONTAINERS ARE WITHOUT LABELS, THE USED OIL UST IS ALSO WITHOUT A LABEL.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	HSC 6.5 25160.2 - California Health and Safety Code, Chapter 6.5, Section(s) 25160.2
Violation Description:	Failure of a generator of hazardous waste that meets the conditions to be transported on a consolidated manifest to comply with one or more of the required consolidated manifesting procedures and retain copies of receipts for three years.
Violation Notes:	Returned to compliance on 11/01/2018. Receipts for pick-ups of the used coolant and used oil were unavailable for review at the time of inspection. Obtain these receipts from your hazardous waste haulers and retain all disposal records for 3 years.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

SHELL SERVICE STATION (Continued) **1005904525**

Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	HSC 6.5 25144.6 (b) - California Health and Safety Code, Chapter 6.5, Section(s) 25144.6 (b)
Violation Description:	Failure to properly manage reusable soiled textile materials prior to being sent for laundering.
Violation Notes:	Returned to compliance on 11/01/2018. Mr. Fahri stated that he collects his soiled shop rags in a plastic bag and gives them to a friend who works at Cordial Auto, Inc. in Santa Clara. Immediately cease this practice. Hire a commercial launderer for your shop rags or combine them with your oily absorbent wastes.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description:	Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes:	Returned to compliance on 11/01/2018. Observed liquid that appeared to be used oil in the spill containment around the drop tube for the used oil tank. Make arrangements to have this cleaned immediately.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	40 CFR 1 265.33 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.33
Violation Description:	Failure to test and maintain as necessary all facility communications or alarm systems, fire protection equipment, spill control equipment, and decontamination equipment to assure its proper operation in time of emergency.
Violation Notes:	Returned to compliance on 11/01/2018. Observed fire extinguishers in the shop that have not been annually maintained, last service date: 2/14/2017. Ensure all fire extinguishers in the shop are annually charged.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	22 CCR 11 66261.7 - California Code of Regulations, Title 22, Chapter 11, Section(s) 66261.7
Violation Description:	Failure to manage empty containers greater than 5 gallons in capacity that previously held a hazardous material/waste in accordance with 22

SHELL SERVICE STATION (Continued) **1005904525**

	CCR 11 66261.7 including but not limited to the following: (e)(2)By reclaiming its scrap value onsite or shipping the container or inner liner to a person who reclaims its scrap value; or (3) By reconditioning or re manufacturing the container or inner liner onsite for subsequent reuse, or shipping the container or inner liner to a person who reconditions or re-manufactures the container or inner liner; or (4) By shipping the container or inner liner to a supplier or to another intermediate collection location for accumulation prior to managing the container or inner liner pursuant to subsections (e)(2) or (e)(3) of 22 CCR 11 66261.7; or (i) By shipping the container or inner liner back to the supplier for the purpose of being refilled. (f) A container or an inner liner removed from a container larger than five gallons in capacity which is managed pursuant to subsection (e) of 22 CCR 11 66261.7 shall be marked with the date it has been emptied and shall be managed within one year of being emptied.
Violation Notes:	Returned to compliance on 11/01/2018. Observed 1 container of motor oil in the trash inside the shop that still had pourable quantities inside. Ensure all containers that previously held a hazardous materials are completely empty before disposing of or recycling.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 11/01/2018. Observed the following hazardous waste containers with missing or incomplete markings: - 2 x 30 gal used oil rollers: labels were blank - 1 evacuator of used oil: no label - 1 UST waste oil: no label - 1 x 55 gal drum of used coolant: no label - 1 x 55 gal drum of used oil paper filters: no label Labels provided.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Violation Date:	09-11-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 09/11/2018. Business reported the incorrect tank capacity on the California Environmental Reporting System (CERS). Quantity was updated from 110 gallons to 550 gallons and resubmitted at the time of inspection. No further action is required.
Violation Division:	Santa Clara County Environmental Health

SHELL SERVICE STATION (Continued) **1005904525**

Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Other/Unknown
Eval Date: 01-21-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: On site to assist with CERS and HMBP submittal. Ly "Lilly" La on site to update the CERS submittal with assistance from me. Logged on, updated information, scanned and added files, certified and submitted all 3 elements required. Approved upon review within CERS at this time. NOTE: The Notice of Inspection shall be returned as evidence of compliance with all items. This may be sent to andrew.dyer@deh.sccgov.org .
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-11-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site with Andrew Dyer of HMCD to perform a routine Hazardous Materials Business Plan (HMBP) inspection. A & L Auto Connection does auto repair. A walk-through of the facility was conducted with owner, Ayazuddin Fahri. The following hazardous materials were observed at or above HMBP State-reportable thresholds: 1) Used Oil: 2 x 30 gal rollers + 1 evacuator + 1 x 550 gal UST in the rear of the building 2) Used Coolant: 1 x 55 gal drum 3) New Motor Oil: 2 x 55 gal drums Business also shares address with Chevron Gas Station and adjacent smog check. A & L Auto Connection’s last HMBP was submitted on the California Environmental Reporting System (CERS) on 9/4/2018. The Facility Information portion was Not Accepted due to the EPA ID not being reported. This was added and resubmitted at the time of inspection, along with updating the UST tank capacity from 110 gallons to 550 gallons.. Business is correctly permitted at BP01 for handling between 1-3 reportable [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-05-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: ON SITE FOR HAZARDOUS MATERIALS BUSINESS PLAN / INVENTORY STATEMENT (HMBP/IS) INSPECTION. USED OIL, USED COOLANT, USED OIL AND FUEL FILTERS, USED TRANSMISSION FLUIDS ARE THE WASTES GENERATEWD AND STORED ON SITE. NEW OIL IS ON SITE, 55 GALLONS. THIS FACILITY SHALL UPDATE THE HMBP/IS ON LINE IN THE CERS (CALIFORNIA ENVIRONMENTAL REPORTING SYSTEM) AT http://cers.calepa.ca.gov/. ASSISTED LY LA WITH INITIAL ACCOUNT CREATION WHILE ON SITE. ACCESS AS LEAD USER TO BE GRANTED UPON REQUEST. NOTE: THE HMBP SHALL BE SUBMITTED FOR REVIEW WITHIN 30 DAYS FROM THE DATE OF INSPECTION. CONTACT THIS OFFICE IF ASSISTANCE IS NEEDED. EFFECTIVE JANUARY 1, 2013, CALIFORNIA STATE LAW REQUIRES THAT HAZARDOUS MATERIALS BUSINESS PLAN (HMBP), HAZARDOUS WASTE TIERED

SHELL SERVICE STATION (Continued) **1005904525**

PERMIT, AND CERTAIN UNDERGROUND STORAGE TANK (UST) SUBMITTALS (i.e., OPERATING PERMIT APPLICATIONS AND UST MONITORING PLANS) BE SUBMITTED ELECTRONICALLY VIA THE CALIFORNIA ENVIRONMENTAL REPORTING SYSTEM (CERS) WEBSITE AT; [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-05-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: ON SITE FOR 2013 HAZARDOUS WASTE PERMIT INSPECTION LY LA AND JON VO WERE ON SITE TO PROVIDE ACCESS TO THE SITE AND RECORDS. NO PREVIOUS INSPECTION HAS BEEN CONDUCTED AT THIS LOCATION. SHOP IS IN REASONABLY CLEAN AND ORDERLY CONDITION. NO HAZARDOUS WASTE TRAINING RECORDS FOR MANAGEMENT OR EMPLOYEES., SEE VIOLATION NOTE: IT IS RECOMMENDED THAT JON OR LY ATTEND A DEH/HMCD HAZARDOUS WASTE TRAINING SESSION, FLYER PROVIDED. NO EMERGENCY CONTACT NUMBERS POSTED, FORM PROVIDED. SEE VIOLATION, THIS SHOP GENERATES USED OIL, USED OIL AND FUEL FILTERS, USED TRANSMISSION FLUID, USED COOLANTS. AUTO BATTERIES ARE RETURNED AS CORE EXCHANGES. 5 OBSERVED ON SITE. SHOP RAGS HAVE BEEN LAUNDERED, BUT CURRENTLY IN MIDST OF CHANGING COMPANIES. THE USED OIL AND USED TRANSMISSION FLUIDS COLLECTION "ROLL-A-ROUND" CONTAINERS ARE WITHOUT LABELS, THE USED OIL UST IS ALSO WITHOUT A LABEL. SEE VIOLATION. AN EMPTY DRUM IS TO BE USED FOR USED COOLANT COLLECTION. CONFIRM IT IS EMPTY AND [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-11-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site with Andrew Dyer of HMCD to perform a routine Hazardous Waste Generator inspection. A & L Auto Connection does auto repair. A walk-through of the facility was conducted with owner, Ayazuddin Fahri. The following hazardous waste streams were observed: - Used Oil: 2 x 30 gal rollers + 1 evacuator + 1 UST in the rear of the building - Used Coolant: 1 x 55 gal drum - Used Oil Filters (metal-cased): 1 x 55 gal drum + 1 x 5 gal bucket - Used Oil Filters (paper): 1 x 55 gal drum EPA ID: CAL000410577 is active. Mr. Fahri stated that he inspects the outdoor hazardous waste storage at least once a week. Battery core exchanges are done with the battery supplier. Dumpster was inspected and in good order. Brake work is done with a brake lathe on-site. Mr. Fahri stated that the brake dust is picked up with his scrap metal. The following violation was corrected at the time of inspection: > EMERGENCY INFORMATION POSTED: SQG [3010022]- updated information to [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 11-06-2013
Violations Found: No

SHELL SERVICE STATION (Continued) **1005904525**

Eval Type:	Other, not routine, done by local agency
Eval Notes:	signature and violations review
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS

Enforcement Action:

Site ID:	88677
Site Name:	A & L AUTO CONNECTION
Site Address:	288 E VIRGINIA ST
Site City:	SAN JOSE
Site Zip:	95112
Enf Action Date:	11-05-2013
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HW
Enf Action Source:	CERS

Coordinates:

Site ID:	88677
Facility Name:	A & L AUTO CONNECTION
Env Int Type Code:	HWG
Program ID:	10351252
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	37.326690
Longitude:	-121.875310

Affiliation:

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	288 E VIRGINIA ST
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	Ayazuddin Fahri
Entity Title:	Not reported
Affiliation Address:	288 E VIRGINIA ST
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95112
Affiliation Phone:	(408) 660-7987

Affiliation Type Desc:	Operator
Entity Name:	A&L auto connection
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported

SHELL SERVICE STATION (Continued) **1005904525**

Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 660-7987
Affiliation Type Desc:	Property Owner
Entity Name:	JOHN JAHAN
Entity Title:	Not reported
Affiliation Address:	288 E. VIRGINIA ST.
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95112
Affiliation Phone:	(408) 286-8668
Affiliation Type Desc:	Environmental Contact
Entity Name:	Ayazuddin Fahri
Entity Title:	Not reported
Affiliation Address:	288 E. VIRGINIA ST
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Parent Corporation
Entity Name:	A & L AUTO CONNECTION
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

127
SE
1/4-1/2
0.444 mi.
2342 ft.

MOORE INVESTMENTS
148 E VIRGINIA ST
SAN JOSE, CA 95112

CA LUST **S101304127**
CA HIST LUST **N/A**
CA HIST CORTESE
CA CERS

Relative:
Higher

Actual:
104 ft.

LUST:

Name:	MOORE INVESTMENTS
Address:	148 E VIRGINIA ST
City,State,Zip:	SAN JOSE, CA 95112
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site

MOORE INVESTMENTS (Continued) **S101304127**

Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608500956
Global Id:	T0608500956
Latitude:	37.324997
Longitude:	-121.878625
Status:	Completed - Case Closed
Status Date:	02/29/1996
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0608500956
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608500956
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

LUST:

Global Id:	T0608500956
Action Type:	Other
Date:	11/06/1989
Action:	Leak Reported

Global Id:	T0608500956
Action Type:	REMEDIATION
Date:	10/26/1989
Action:	Excavation

Global Id:	T0608500956
Action Type:	ENFORCEMENT
Date:	01/11/1990
Action:	Notice of Responsibility - #39835

Global Id:	T0608500956
Action Type:	ENFORCEMENT
Date:	02/29/1996
Action:	Closure/No Further Action Letter

Global Id:	T0608500956
Action Type:	RESPONSE

MOORE INVESTMENTS (Continued) **S101304127**

Date: 02/29/1996
Action: Other Report / Document

LUST:
Global Id: T0608500956
Status: Completed - Case Closed
Status Date: 02/29/1996

Global Id: T0608500956
Status: Open - Case Begin Date
Status Date: 11/06/1989

Global Id: T0608500956
Status: Open - Site Assessment
Status Date: 03/13/1990

Global Id: T0608500956
Status: Open - Site Assessment
Status Date: 10/17/1990

Global Id: T0608500956
Status: Open - Verification Monitoring
Status Date: 02/20/1991

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E17H01f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 3/13/1990
Pollution Characterization Began: 10/17/1990
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: 2/20/1991

LUST SANTA CLARA:
Name: MOORE INVESTMENTS
Address: 148 E VIRGINIA ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E17H01F
Date Closed: 02/29/1996
EDR Link ID: 07S1E17H01F

HIST LUST SANTA CLARA:
Name: Moore Investments
Address: 148 E Virginia St
City: San Jose

MOORE INVESTMENTS (Continued) **S101304127**

Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E17H01
Oversite Agency: SCVWD
Date Listed: 1990-01-01 00:00:00
Closed Date: 1996-02-29 00:00:00

HIST CORTESE:
edr_fname: MOORE INVESTMENTS
edr_fadd1: 148 VIRGINIA
City,State,Zip: SAN JOSE, CA 95112
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-0951

CERS:
Name: MOORE INVESTMENTS
Address: 148 E VIRGINIA ST
City,State,Zip: SAN JOSE, CA 95112
Site ID: 234498
CERS ID: T0608500956
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

X128 **EXXON REGAL** **CA HIST CORTESE** **S102429512**
South **827 1ST** **N/A**
1/4-1/2 **SAN JOSE, CA**
0.451 mi.
2382 ft. **Site 1 of 4 in cluster X**

Relative:
Higher

Actual:
104 ft.

HIST CORTESE:
edr_fname: EXXON REGAL
edr_fadd1: 827 1ST
City,State,Zip: SAN JOSE, CA
Region: CORTESE

EXXON REGAL (Continued) **S102429512**

Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-0547

X129 **REGAL STATION 423** **CA LUST** **S105256211**
South **827 S FIRST** **CA HIST UST** **N/A**
1/4-1/2 **SAN JOSE, CA 95113** **CA Cortese**
0.465 mi. **CA WDS**
2456 ft. **Site 2 of 4 in cluster X** **CA CERS**

Relative:
Higher

Actual:
103 ft.

LUST:

Name:	REGAL #423
Address:	827 SOUTH FIRST STREET
City,State,Zip:	SAN JOSE, CA 95110
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608500589
Global Id:	T0608500589
Latitude:	37.3233958817085
Longitude:	-121.881449818611
Status:	Open - Assessment & Interim Remedial Action
Status Date:	11/21/2017
Case Worker:	TLF
RB Case Number:	06-030
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	07S1E17K01f
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Gasoline
Site History:	Based on information provided in the May 15, 2009, Quarterly Report #45, 2nd Quarter 2009 Discharge of Treated Groundwater to Storm Drain prepared by Western Geo-Engineers for the groundwater extraction and treatment system at the site; groundwater extraction commenced at the site in 1991, approximately 4 million gallons of groundwater have been treated, and approximately 37 gallons of TPHg have been removed. However, the system was shut down on May 7, 2009, due to the relatively low petroleum hydrocarbon mass removal rate; deactivation of the system was approved by SCCDEH in an April 21, 2009 letter. Groundwater sampling procedures consist of initially measuring and documenting the water level in the well and checking the well for the presence of separate-phase hydrocarbon (SPH) using an oil/water interface probe or a clear Teflon bailer. If the well did not contain SPH, it was purged a minimum of three casing volumes or until dry. During purging, well stabilization parameters (temperature, pH, and electrical conductivity) were monitored and recorded. After 80% recovery of the water level, groundwater samples were collected with a new disposable polyethylene bailer or pre-cleaned reusable Teflon bailer and placed into the appropriate EPA-approved containers. Reusable sampling equipment was cleaned with trisodium phosphate solution and clean water between uses. The samples were labeled, logged onto chainof-custody documents, and transported on ice to the laboratory using appropriate chain-of-custody documentation. Groundwater samples were submitted to a California state-certified laboratory, and analyzed for TPHg, benzene, toluene, ethylbenzene, xylenes (collectively BTEX), methyl tertiary butyl ether, and tertiary butanol EPA Method 8260B. The results of the current monitoring event indicate that since shut down of the groundwater extraction and treatment system, dissolved concentrations of

REGAL STATION 423 (Continued) **S105256211**

petroleum hydrocarbons, MtBE and TBA remain relatively stable and/or within historic ranges, except at wells MW07 and MW08. Continued evaluation of the concentrations will be conducted during ensuing monitoring events; the next event is scheduled for the second half of 2011.

LUST:
Global Id: T0608500589
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608500589
Contact Type: Local Agency Caseworker
Contact Name: TRAVIS L. FLORA
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Dr.
City: SAN JOSE
Email: travis.flora@cep.sccgov.org
Phone Number: 4089183486

LUST:
Global Id: T0608500589
Action Type: Other
Date: 05/25/1988
Action: Leak Discovery

Global Id: T0608500589
Action Type: RESPONSE
Date: 01/09/2002
Action: Monitoring Report - Quarterly

Global Id: T0608500589
Action Type: RESPONSE
Date: 01/04/2005
Action: Monitoring Report - Quarterly

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 09/28/1999
Action: Staff Letter - #25725

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 10/16/1994
Action: Staff Letter - #25714

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 12/28/1999
Action: Staff Letter - #25727

Global Id: T0608500589

REGAL STATION 423 (Continued) **S105256211**

Action Type: RESPONSE
Date: 10/31/2010
Action: Monitoring Report - Semi-Annually

Global Id: T0608500589
Action Type: RESPONSE
Date: 04/30/2011
Action: Monitoring Report - Semi-Annually

Global Id: T0608500589
Action Type: RESPONSE
Date: 10/30/2011
Action: Monitoring Report - Semi-Annually

Global Id: T0608500589
Action Type: RESPONSE
Date: 10/30/2012
Action: Monitoring Report - Semi-Annually

Global Id: T0608500589
Action Type: RESPONSE
Date: 01/01/1997
Action: Correspondence

Global Id: T0608500589
Action Type: RESPONSE
Date: 10/17/1990
Action: Other Report / Document

Global Id: T0608500589
Action Type: RESPONSE
Date: 04/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0608500589
Action Type: RESPONSE
Date: 01/26/2005
Action: Well Installation Report

Global Id: T0608500589
Action Type: RESPONSE
Date: 01/11/2002
Action: Other Workplan

Global Id: T0608500589
Action Type: Other
Date: 05/18/1989
Action: Leak Stopped

Global Id: T0608500589
Action Type: RESPONSE
Date: 04/30/2012
Action: Monitoring Report - Semi-Annually - Regulator Responded

Global Id: T0608500589
Action Type: RESPONSE
Date: 10/19/2012

REGAL STATION 423 (Continued) **S105256211**

Action: Soil and Water Investigation Workplan - Regulator Responded

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 10/03/1990
Action: Notice of Responsibility - #39840

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 09/21/1996
Action: Staff Letter - #25717

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 04/21/2009
Action: Staff Letter

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 05/31/2017
Action: Staff Letter

Global Id: T0608500589
Action Type: RESPONSE
Date: 04/30/2018
Action: Monitoring Report - Semi-Annually

Global Id: T0608500589
Action Type: RESPONSE
Date: 10/30/2018
Action: Monitoring Report - Semi-Annually

Global Id: T0608500589
Action Type: RESPONSE
Date: 11/02/2012
Action: Interim Remedial Action Plan - Regulator Responded

Global Id: T0608500589
Action Type: RESPONSE
Date: 04/25/2013
Action: Site Assessment Report - Regulator Responded

Global Id: T0608500589
Action Type: RESPONSE
Date: 10/11/2013
Action: Interim Remedial Action Plan - Regulator Responded

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 12/19/2016
Action: Staff Letter

Global Id: T0608500589
Action Type: RESPONSE
Date: 11/05/1996
Action: Other Report / Document

REGAL STATION 423 (Continued) **S105256211**

Global Id: T0608500589
Action Type: RESPONSE
Date: 06/03/1991
Action: Other Report / Document

Global Id: T0608500589
Action Type: RESPONSE
Date: 06/03/2005
Action: Other Report / Document

Global Id: T0608500589
Action Type: RESPONSE
Date: 10/28/1993
Action: Other Report / Document

Global Id: T0608500589
Action Type: RESPONSE
Date: 10/03/2014
Action: Pilot Study / Treatability Workplan - Regulator Responded

Global Id: T0608500589
Action Type: RESPONSE
Date: 03/13/2015
Action: CAP/RAP - Feasibility Study Report - Regulator Responded

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 08/17/2016
Action: Staff Letter

Global Id: T0608500589
Action Type: Other
Date: 05/18/1989
Action: Leak Reported

Global Id: T0608500589
Action Type: RESPONSE
Date: 06/21/2013
Action: Well Installation Workplan

Global Id: T0608500589
Action Type: RESPONSE
Date: 06/30/2014
Action: Interim Remedial Action Report

Global Id: T0608500589
Action Type: RESPONSE
Date: 06/22/2018
Action: Other Workplan - Regulator Responded

Global Id: T0608500589
Action Type: RESPONSE
Date: 01/12/2018
Action: Other Workplan - Regulator Responded

Global Id: T0608500589
Action Type: RESPONSE

REGAL STATION 423 (Continued) **S105256211**

Date: 10/30/2017
Action: Monitoring Report - Semi-Annually - Regulator Responded

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 08/10/2009
Action: Staff Letter

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 10/09/2015
Action: Staff Letter

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 11/21/2017
Action: Staff Letter

Global Id: T0608500589
Action Type: RESPONSE
Date: 10/31/1999
Action: Monitoring Report - Quarterly

Global Id: T0608500589
Action Type: RESPONSE
Date: 01/31/2000
Action: Monitoring Report - Quarterly

Global Id: T0608500589
Action Type: RESPONSE
Date: 11/30/1994
Action: Monitoring Report - Quarterly

Global Id: T0608500589
Action Type: RESPONSE
Date: 12/15/2016
Action: Remedial Progress Report

Global Id: T0608500589
Action Type: RESPONSE
Date: 12/28/2018
Action: Site Assessment Report

Global Id: T0608500589
Action Type: RESPONSE
Date: 02/28/2018
Action: Corrective Action Plan / Remedial Action Plan

Global Id: T0608500589
Action Type: RESPONSE
Date: 06/03/2005
Action: Other Report / Document

Global Id: T0608500589
Action Type: RESPONSE
Date: 01/26/2006
Action: Other Report / Document

REGAL STATION 423 (Continued) **S105256211**

Global Id: T0608500589
Action Type: REMEDIATION
Date: 04/18/1991
Action: Pump & Treat (P&T) Groundwater

Global Id: T0608500589
Action Type: REMEDIATION
Date: 04/18/1991
Action: Free Product Removal

Global Id: T0608500589
Action Type: REMEDIATION
Date: 04/18/1991
Action: Soil Vapor Extraction (SVE)

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 10/17/2013
Action: Staff Letter

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 05/20/2013
Action: Staff Letter

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 11/20/2012
Action: Staff Letter

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 05/02/2013
Action: Staff Letter

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 08/06/2012
Action: Staff Letter

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 03/26/2015
Action: Notification - Public Notice of ROD/RAP/CAP

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 07/23/2018
Action: Staff Letter

Global Id: T0608500589
Action Type: RESPONSE
Date: 04/30/2010
Action: Monitoring Report - Semi-Annually

Global Id: T0608500589
Action Type: RESPONSE

REGAL STATION 423 (Continued) **S105256211**

Date: 10/04/2002
Action: Soil and Water Investigation Report

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 08/15/2014
Action: Staff Letter

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 02/14/2014
Action: Email Correspondence

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 02/14/2014
Action: Staff Letter

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 11/10/2014
Action: Staff Letter

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 11/19/2014
Action: Email Correspondence

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 05/01/2015
Action: Staff Letter

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 04/25/2018
Action: Staff Letter

Global Id: T0608500589
Action Type: RESPONSE
Date: 10/31/2009
Action: Monitoring Report - Semi-Annually

Global Id: T0608500589
Action Type: RESPONSE
Date: 04/30/2017
Action: Monitoring Report - Semi-Annually

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 01/16/2018
Action: Email Correspondence

Global Id: T0608500589
Action Type: ENFORCEMENT
Date: 08/31/2018
Action: Staff Letter

REGAL STATION 423 (Continued) **S105256211**

Global Id: T0608500589
Action Type: RESPONSE
Date: 10/11/2013
Action: Interim Remedial Action Report

Global Id: T0608500589
Action Type: RESPONSE
Date: 10/30/1989
Action: NPDES / WDR Reports

LUST:
Global Id: T0608500589
Status: Open - Assessment & Interim Remedial Action
Status Date: 11/21/2017

Global Id: T0608500589
Status: Open - Case Begin Date
Status Date: 05/25/1988

Global Id: T0608500589
Status: Open - Remediation
Status Date: 08/14/2014

Global Id: T0608500589
Status: Open - Site Assessment
Status Date: 05/25/1988

Global Id: T0608500589
Status: Open - Site Assessment
Status Date: 08/09/1988

HIST UST:
Name: REGAL STATION 423
Address: 827 S FIRST
City,State,Zip: SAN JOSE, CA 95113
File Number: 00020AAE
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00020AAE.pdf
Region: Not reported
Facility ID: Not reported
Facility Type: Not reported
Other Type: Not reported
Contact Name: Not reported
Telephone: Not reported
Owner Name: Not reported
Owner Address: Not reported
Owner City,St,Zip: Not reported
Total Tanks: Not reported

Tank Num: Not reported
Container Num: Not reported
Year Installed: Not reported
Tank Capacity: Not reported
Tank Used for: Not reported
Type of Fuel: Not reported
Container Construction Thickness: Not reported

REGAL STATION 423 (Continued) **S105256211**

Leak Detection: Not reported

Click here for Geo Tracker PDF:

CORTESE:

Name:	REGAL #423
Address:	827 SOUTH FIRST STREET
City,State,Zip:	SAN JOSE, CA 95110
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0608500589
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	OPEN - ASSESSMENT & INTERIM REMEDIAL ACTION
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

WDS:

Name:	827 S FIRST SJ EXXON #7-0110
Address:	827 S First St
City:	SAN JOSE
Facility ID:	San Francisco Bay 438390002
Facility Type:	Other - Does not fall into the category of Municipal/Domestic, Industrial, Agricultural or Solid Waste (Class I, II or III)
Facility Status:	Active - Any facility with a continuous or seasonal discharge that is under Waste Discharge Requirements.
NPDES Number:	CAG912002 The 1st 2 characters designate the state. The remaining 7 are assigned by the Regional Board
Subregion:	2
Facility Telephone:	5306685300
Facility Contact:	George Converse (Western Geo)
Agency Name:	WICKLAND PROPERTIES
Agency Address:	PO BOX 13648
Agency City,St,Zip:	SACRAMENTO 95853
Agency Contact:	Dan Hall
Agency Telephone:	9169782460
Agency Type:	Private
SIC Code:	5541
SIC Code 2:	Not reported
Primary Waste Type:	Hazardous/Influent or Solid Wastes that contain toxic, corrosive, ignitable or reactive substances and must be managed according to applicable DOHS standards.
Primary Waste:	CNWTRS

REGAL STATION 423 (Continued) **S105256211**

Waste Type2:	Not reported
Waste2:	Contaminated Ground Water
Primary Waste Type:	Hazardous/Influent or Solid Wastes that contain toxic, corrosive, ignitable or reactive substances and must be managed according to applicable DOHS standards.
Secondary Waste:	Not reported
Secondary Waste Type:	Not reported
Design Flow:	0
Baseline Flow:	0
Reclamation:	No reclamation requirements associated with this facility.
POTW:	The facility is not a POTW.
Treat To Water:	Moderate Threat to Water Quality. A violation could have a major adverse impact on receiving biota, can cause aesthetic impairment to a significant human population, or render unusable a potential domestic or municipal water supply. Awsthetic impairment would include nuisance from a waste treatment facility.
Complexity:	Category B - Any facility having a physical, chemical, or biological waste treatment system (except for septic systems with subsurface disposal), or any Class II or III disposal site, or facilities without treatment systems that are complex, such as marinas with petroleum products, solid wastes, and sewage pump out facilities.

CERS:

Name:	REGAL #423
Address:	827 SOUTH FIRST STREET
City,State,Zip:	SAN JOSE, CA 95110
Site ID:	226010
CERS ID:	T0608500589
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	TRAVIS L. FLORA - SANTA CLARA COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1555 Berger Dr.
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	4089183486

X130 **REGAL #423** **CA LUST** **S103881052**
South **827 S 1ST ST** **CA HIST LUST** **N/A**
1/4-1/2 **SAN JOSE, CA 95110**
0.465 mi.
2456 ft. **Site 3 of 4 in cluster X**

Relative: Higher

Actual: 103 ft.

LUST REG 2:

Region:	2
Facility Id:	Not reported
Facility Status:	Pollution Characterization
Case Number:	07S1E17K01f
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	5/25/1988
Pollution Characterization Began:	8/9/1988
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

HIST LUST SANTA CLARA:

Name:	Regal #423
Address:	827 S 1st St
City:	San Jose
Region:	SANTA CLARA
Region Code:	2
SCVWD ID:	07S1E17K01
Oversite Agency:	SCCDEH
Date Listed:	1990-01-01 00:00:00
Closed Date:	Not reported

X131 **VALERO STATION #3815** **CA LUST** **U001602685**
South **827 S 1ST ST** **CA CERS HAZ WASTE** **N/A**
1/4-1/2 **SAN JOSE, CA 95110** **CA SWEEPS UST**
0.465 mi. **CA HIST UST**
2456 ft. **Site 4 of 4 in cluster X** **CA CERS TANKS**
CA CUPA Listings

Relative: Higher

CA HAZMAT
CA CERS

Actual: 103 ft.

LUST SANTA CLARA:

Name:	REGAL #423
Address:	827 S 1ST ST
City,State,Zip:	SAN JOSE, CA
Region:	SANTA CLARA
SCVWD ID:	07S1E17K01F
Date Closed:	Not reported
EDR Link ID:	07S1E17K01F

CERS HAZ WASTE:

Site ID:	79774
CERS ID:	10158209
CERS Description:	Hazardous Waste Generator

Violations:

Site ID:	79774

VALERO STATION #3815 (Continued) **U001602685**

Site Name:	VALERO STATION #3815
Violation Date:	04-02-2014
Citation:	23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description:	Failure of sensor to be located in the proper position/location.
Violation Notes:	Returned to compliance on 04/02/2014. THE VR 208 SENSOR FOR T2- 89 TANK WHEN TESTED THE FIRST TIME DID NOT PROVIDE A POSITIVE SHUT-DOWN CONDITION AT THE TURBINE. TECHNICIAN SAID IT WAS A BAD SENSOR AND HE REPLACED IT WITH ANOTHER VR 208 SENSOR (LIKE FOR LIKE). THIS SENSOR WAS THEN RE-TESTED AND PASSED. NO FURTHER ACTION IS REQUIRED.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	03-29-2016
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to maintain on site an approved monitoring plan.
Violation Notes:	Returned to compliance on 05/31/2016. UPDATE THE MONITORING PLAN TO REFLECT THE FOLLOWING: -THE UDC LIQUID SENSOR SHUT'S DOWN THE PUMP, TRIGGERS AND AUDIBLE/VISUAL ALARM WHEN A LEAK IS SIMULATED BUT IT DOES NOT SHUT DOWN THE DISPENSER.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	05-10-2018
Citation:	23 CCR 16 2715(f)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(f)(2)
Violation Description:	Failure to have at least one facility employee present during operating hours that has been trained in the proper operation and maintenance of the UST system by a designated operator (DO).
Violation Notes:	Tiffany Digiore was indicated as still being an employee but is not noted on training log as having been trained in either 2017 or 2018.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	04-11-2017
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 05/25/2017. Revise inventory to include only hazardous materials for which Valero Marketing & Supply Company is the handler (i.e. fuel-contaminated test water). The facility operator, Ngoc Nguyen, is the handler of the fuel in the USTs and the Propane.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

VALERO STATION #3815 (Continued) **U001602685**

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 05-10-2018
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: The certification of Financial Responsibility posted on CERS is out of date in that it references a Corporate Guarantee with an expiration date of 4/30/18. An updated CFR and corporate guarantee/CFO letter documentation was noted as being stored onsite and available for review during the inspection.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 04-02-2015
Citation: 23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description: The owner/operator has failed to comply with one or more of the following: to maintain a copy of the designated operator monthly inspections for the last 12 months and/or maintain a list of trained employees on-site or off-site at a readily available location, if approved by the CUPA.
Violation Notes: THE FOLLOWING DESIGNATED UST OPERATOR MONTHLY INSPECTION RECORDS WERE NOT AVAILABLE ON-SITE AT THE TIME OF INSPECTION AND MR. NGUYEN WASN'T AWARE THESE WERE MISSING OR WHETHER OR NOT HE CONDUCTED THESE MONTHLY INSPECTIONS; - MAY- SEPTEMBER 2014 - NOVEMBER 2014-FEBRUARY 2015. ENSURE THAT IN THE FUTURE ALL DO MONTHLY RECORDS ARE KEPT ON- SITE AND ARE AVAILABLE DURING AN INSPECTION.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 04-02-2014
Citation: HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description: UST Program - Administration/Documentation - General
Violation Notes: THE FOLLOWING DO MONTHLY RECORDS WERE MISSING THE ALARM HISTORY; 06/15/13-10/16/14. ADDITIONALLY, ALL OF THE D0 MONTHLY RECORDS ARE MISSING PAGE 2 AND ARE INCOMPLETE AREAS #6 AND #7 ARE LEFT BLANK. ENSURE THAT FROM NOW ON ALL MONTHLY RECORDS ARE COMPLETELY FILLED OUT AND HAVE A COPY OF THE ALARM HISTORY ATTACHED.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 05-10-2018
Citation: 23 CCR 16 2715(c) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)
Violation Description: Failure to comply with one or more of the following designated

VALERO STATION #3815 (Continued) **U001602685**

operator (DO) monthly inspection requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(f)(2).

Violation Notes: DUSTO monthly reports for March and April 2018 were not available for review Monthly reports inaccurately report SB 989 date as 5/2014 with note that documentation of more recent testing is not available. Inspectors were able to locate last 989 test reports in different binder. Reports from 1/2018 back through 5/2017 all note training up to date, but according to cashier Tiffany Diigiore is still employed but her last documented training was 2015.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 05-10-2018
Citation: 23 CCR 16 2715(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(i)
Violation Description: Failure to have a properly qualified service technician test leak detection equipment as required every 12 months (vapor, pressure, hydrostatic (VPH) system, sensors, line-leak detectors (LLD), automatic tank gauge (ATG), etc.).
Violation Notes: Maintenance records and alarm history showed testing of the monitoring system in March of 2018. This event was not documented/certified by the tester. In 2019, testing must occur in April.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 04-12-2017
Citation: 40 CFR 1 265.32 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.32
Violation Description: Failure of the facility to maintain the following emergency equipment or equivalents: 1) An internal communications or alarm system; 2) A device, such as a telephone (immediately available at the scene of Operations/ Maintenance) or a hand-held two-way radio, capable of summoning emergency assistance from local police departments, fire departments, or State or local emergency response teams; 3) Portable fire extinguishers, fire control equipment, spill control equipment, and decontamination equipment; and 4) Water at adequate volume and pressure to supply water hose streams, or foam producing equipment, or automatic sprinklers, or water spray systems.
Violation Notes: Returned to compliance on 05/25/2017. Facility failed to maintain an empty container on-site for fuel-contaminated test water. UST technician had to repurpose 3 x 5 gallon buckets to serve as temporary containers for this wastewater.
Violation Division: Santa Clara County Environmental Health

VALERO STATION #3815 (Continued) **U001602685**

Violation Program: HW
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 03-29-2016
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain and maintain a valid operation permit from the CUPA.
Violation Notes: Returned to compliance on 05/31/2016. FACILITY FAILED TO MAINTAIN A 5 YEAR OPERATING PERMIT. CLARIFY THE OWNERSHIP, CERS RECORDS INDICATE CONFLICTING OWNERSHIPS. THE TANK OWNER AND OPERATOR PAGE INDICATE VALERO MARKETING AND SUPPLY COMPANY, INC BUT THE RESPONSE PLAN INDICATES NGOC NGUYEN AND THE DESIGNATED OPERATOR STATEMENT INDICATES RICHARD KOLBERG AS OWNER. THE OWNER AND OPERATOR SHOULD BE CONSISTENT WITH ALL DOCUMENTS SUBMITTED.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 04-18-2017
Citation: HSC 6.7 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e)
Violation Description: Failure to maintain secondary containment (e.g. failure of secondary containment testing).
Violation Notes: Returned to compliance on 08/10/2017. Secondary containment of 87 product piping run was tested with a 60 minute pressure test @ 5 psig but failed to hold pressure. Secondary containment of 89 product piping run was tested with a 60 minute pressure test @ 5 psig but failed to hold pressure. Continue to troubleshoot and repair or replace failed components as necessary. Notify HMCD of the scope of any repairs to be performed. Please note that a repair permit from HMCD may be necessary depending upon the repair(s) needed.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 04-02-2015
Citation: Un-Specified
Violation Description: UST Program - Administration/Documentation - For use of Local Ordinance only
Violation Notes: FACILITY FAILED TO RESPOND TO THE LAST OFFICIAL NOTICE OF INSPECTION ISSUED ON 4/2/14. ENSURE THAT YOU PROVIDE WRITTEN CORRECTIVE ACTIONS TAKEN TO THIS OFFICIAL NOTICE OF INSPECTION.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 03-29-2016
Citation: 23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23,

VALERO STATION #3815 (Continued) **U001602685**

Chapter 16, Section(s) 2636(f)(1)
Violation Description: Failure of the double wall pressurized piping in the turbine sump to be continuously monitored with a system that activates an audible and visual alarm or restricts or stops flow at dispenser when a leak is detected.
Violation Notes: Returned to compliance on 03/29/2016. THE 87 PIPING SUMP LIQUID SENSOR FAILED TO SHUT DOWN THE PUMP WHEN A LEAK WAS SIMULATED. **THE TECHNICIAN CHANGED OUT THE RELAY, RE-TESTED AND PASSED.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 04-11-2017
Citation: HSC 6.7 25284(a)(3)(A) & (B); - California Health and Safety Code, Chapter 6.7, Section(s) 25284(a)(3)(A) & (B);
Violation Description: Failure to implement or maintain a written agreement between the UST permit holder and the operator (owner/operator agreement).
Violation Notes: Returned to compliance on 05/25/2017. An inaccurate owner and operator agreement was submitted to CERS on 4/6/17. Revise the agreement based upon the findings detailed in this Official Notice of Inspection and submit a copy to CERS.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 03-29-2016
Citation: 22 CCR 12 66262.34(d) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(d)
Violation Description: Failure to dispose of hazardous waste within 180 days (or 270 if waste is transported over 200 miles) for the generator who generates less than 1000 kilogram per month, but more than 100 kilograms per month.
Violation Notes: Returned to compliance on 05/31/2016. 180 DAYS FOR WASTE DISPOSAL STARTED WHEN THE CONTAINER REACHED 27 GALLONS, OBSERVED A 55 GALLON AND 15 GALLON CONTAINER OF HOSES, NOZZLES, FILTERS AND TEST WATER MIX 3/4 FULL DATED JUNE 15, 2013 .
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 04-02-2014
Citation: HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description: UST Program - Operations/Maintenance - General
Violation Notes: A COPY OF 2012 MONITORING SYSTEM CERTIFICATION REPORT WAS NOT AVAILABLE AT THIS SITE. ENSURE THAT COPIES OF THE MONITORING SYSTEM CERTIFICATION REPORTS ARE AVAILABLE ON-SITE.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774

VALERO STATION #3815 (Continued) **U001602685**

Site Name: VALERO STATION #3815
Violation Date: 03-29-2016
Citation: 40 CFR 1 265.174 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.174
Violation Description: Failure to inspect hazardous waste storage areas at least weekly.
Violation Notes: Returned to compliance on 05/31/2016. WEEKLY HAZARDOUS WASTE INSPECTIONS ARE NOT BEING CONDUCTED.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 04-02-2015
Citation: 23 CCR 16 2715(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(f)
Violation Description: Failure to comply with one or more of the following: provide training to facility employee(s) responsible for proper operation and maintenance every 12 months and/or train new employee(s) who are responsible for proper operation and maintenance within 30-days of hire and/or to have at least one employee present during operating hours that has been trained in the proper operation and maintenance of the UST system.
Violation Notes: THE FOLLOWING EMPLOYEES NEED TO BE TRAINED IMMEDIATELY; - NGOC NGUYEN - TIFFANY DIGIORE - MARIA MENDEZ - BECKY GONZALES ENSURE THAT ALL EMPLOYEES ARE TRAINED IMMEDIATELY BY A DESIGNATED OPERATOR, WHICH IS NOW UST CONFIDENCE.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-29-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-29-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: ON SITE WITH CHRISTOPHER BISHOP A CALIFORNIA ICC CERTIFIED TECHNICIAN WITH UST CONFIDENCE TO OVERSEE THE MONITORING CERTIFICATION. MR. BISHOP'S CERTIFICATION WERE VERIFIED ON SITE TO BE CURRENT. THE FOLLOWING COMPONENTS WERE TESTED AND FOUND TO BE OPERABLE: -87,89 AND 91 SPILL MECHANICAL LINE LEAK DETECTORS WERE TESTED SIMULATING A LEAK AT 3.0 GPH AT 10 PSI -THE UDC LIQUID SENSORS TRIGGERED A PUMP SHUT DOWN AND AN AUDIBLE/VISUAL ALARM WHEN A LEAK WAS SIMULATED. -THE PIPING SUMP LIQUID SENSORS FOR 89 AND 91, TRIGGERED AN AUDIBLE/VISUAL ALARM AND SHUT DOWN THE PUMP. -LIQUID SENSORS IN THE ANNULAR SPACE TRIGGERED AN AUDIBLE AND VISUAL ALARM WHEN A LEAK WAS SIMULATED. -FAIL SAFE WAS VERIFIED -OVERFILL VIA THE ATG'S WERE VERIFIED -SENSOR OUT WAS VERIFIED -E-STOP WAS VERIFIED NOTE: -TRAINING RECORDS WERE

VALERO STATION #3815 (Continued) **U001602685**

REVIEWED -D.O MONTHLY INSPECTIONS WERE REVIEWED -THE MONITORING PANEL INDICATED ALL FUNCTIONS NORMAL

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-02-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: ON-SITE TO OVERSEE AN ANNUAL MONITORING SYSTEM CERTIFICATION. TESTING WAS CONDUCTED BY CHRISTOPHER BISHOP WITH UST CONFIDENCE. MR. BISHOP HAS THE FOLLOWING CERTIFICATIONS; ICC#8057545-UT EXP; 4/30/2016; VR#B36744 EXP.,5/15/2016; VMI#2697 EXP.,5/14/2016. PRIOR TO AND AFTER COMPLETION OF TESTING THERE WERE NO ACTIVE ALARMS AT THE VEEDER ROOT PANEL. THE FOLLOWING COMPONENTS WERE TESTED AND PASSED DURING TODAY'S INSPECTION; - 3 STP SUMP SENSORS PROVIDED A POSITIVE SHUT-DOWN CONDITION AT THE TURBINE. - 3 ANNULAR SENSORS PROVIDED AN AUDIBLE/VISUAL ALARM AT THE PANEL. THE ANNULAR SENSOR FOR THE 87 TANK PROVIDE A POSITIVE SHUT-DOWN CONDITION AT THE TURBINE AS WELL. - 3 ATG PROBES WERE TESTED AND WERE ABLE TO PROVIDE AN AUDIBLE/VISUAL ALARM WHEN THE TANK REACHED 90%. - 5 UDC SENSORS PROVIDED A POSITIVE SHUT-DOWN CONDITION AT THE TURBINE. - 3 SPILL BUCKETS WERE TESTED HYDROSTATICALLY FOR AN HOUR AND PASSED. - FAIL SAFE AND SENSOR OUT WERE VERIFIED. - 3 MLLD'S WERE AND [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-12-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site to conduct a hazardous materials business plan (HMBP) inspection. Valero Marketing & Supply Company, as the owner of the USTs, is responsible for disclosure of the following hazardous material: -Fuel-contaminated test water A HMBP (CERS ID: 10158209) submitted on 4/6/17 was reviewed. NOTE: A ?Hazardous Materials Business Plan (HMBP) is required to be submitted by the handler of the hazardous material. At this facility, the only hazardous material handled by Valero Marketing & Supply Company in a HMBP-reportable quanity is hazardous fuel-contaminated water generated from UST testing and maintenance activities. The gas station operator, Ngoc Nguyen DBA First Street Valero, is the handler of the petroleum in the USTs, the Propane, and hazardous wastes incidental to vehicle fueling such as absorbents from spill cleanup, used dispenser hoses, etc. As such, it is their responsibility to submit a HMBP. Valero may assist the opertor with preparing the operator?s [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 04-18-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: On-site to observe secondary containment testing. Testing was

VALERO STATION #3815 (Continued) **U001602685**

performed by Jonathan Ocker of Triton Construction. Mr. Ocker has the following certifications observed as current: -ICC UST Service Technician -Incon Sump Test System Operation Level 4 Product piping runs were tested with a 60 minute pressure test @ 5 psig with the following results: -87, FAIL -89, FAIL -91, PASS STP sumps were tested with a 15 minute Incon accelerated hydrostatic test with the following results: -87, PASS -89, PASS -91, PASS UST annular spaces were tested for 60 minutes with a vacuum test @ -10 inHg with the following results: -87, PASS -89, DID NOT WITNESS -91, PASS UDCs were tested with a 15 minute Incon accelerated hydrostatic test with the following results: -Dispenser 1/2: PASS -Dispenser 3/4: PASS -Dispenser 5/6: PASS -Dispenser 7/8: PASS -Dispenser 9/10: PASS FOLLOW-UP REQUIRED: -Continue to troubleshoot and repair or replace failed components as [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-10-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Onsite to witness annual monitoring system certification. Conducted by UST Confidence, technician Aaron Perrigo. Mr. Perrigo has current ICC, Veeder Root Level 3, VMI, Veeder Root Red Jacket certifications. System provided audible and visual alarms with turbine shutdown for all STP sump sensors. System provided audible and visual alarms with turbine shutdown for all UDC sensors System audible and visual alarms for all annular/interstitial sensors Mechanical Line Leak detectors were able to recognize and restrict flow for simulated 3 gph, 10 psi leak. Tested at dispenser 9/10. Overfill prevention by audible external alarm. Probe flats were raised to calculated 90% height and each provided an alarm that was visible and audible at the point of fill. Spill buckets tested with water for one hour without loss. UDC are fitted with deflector plates. Reviewed information submitted on CERS (10158209) on 12/15/17. Operating permit application, monitoring plan response [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 09-21-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Inspection of underground storage tank (UST) system dispenser conversion. Installation of S. Bravo Systems dispenser conversion frames and Deflector Plates beneath the five Veeder-Root / Gilbarco Encore dispensers was visually confirmed. Final project sign-off by Santa Clara County CUPA is granted conditioned upon completion of installation of plastic plugs to seal anchor bolt access holes in deflector plates. Note: Dispenser replacement did not end up requiring cold start of the Veeder-Root TLS-350 console, so monitoring system certification testing was removed from project scope of work.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

VALERO STATION #3815 (Continued) **U001602685**

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-12-2017
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On-site to conduct a hazardous waste inspection. Valero Marketing & Supply Company, as the owner of the USTs, is responsible for any hazardous waste generated from testing of or repair of the tank systems. Conducted a facility walk-through on 4/10/17 and observed the following: -No container was present on-site for fuel-contaminated test water, and so Mr. Bishop of COnfidence UST had to repurpose 3 x 5 gallon containers to temporarily hold the waste until a 55 gallon steel drum could be acquired. -EPA ID CAL000191509 is active -Fire extinguishers were observed as maintained -Spill control was available WITHIN 30 DAYS COMPLETE THE FOLLOWING: -According to the hazardous waste tracking system CAL000191509 is assigned to "VALERO # 7110". Contact DTSC and revise the facility name attached to this ID as "Valero Station #3815". NOTE: -Any hazardous generated as a result of daily operations of the gas station is required to be managed by the facility operator, Ngoc [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS

Eval General Type:	Other/Unknown
Eval Date:	04-18-2017
Violations Found:	Yes
Eval Type:	Other, not routine, done by local agency
Eval Notes:	For details see Notice of Inspection for Secondary Containment Test.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-02-2014
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	ON-SITE TO OVERSEE AN ANNUAL MONITORING SYSTEM CERTIFICATION. TESTING WAS CONDUCTED BY CHRISTOPHER BISHOP WITH UST CONFIDENCE. MR. BISHOP HAS THE FOLLOWING CERTIFICATIONS; ICC#8057545-UT EXP; 5/18/2014; VR#B36744 EXP.,6/7/2014; VMI#2697 EXP.,6/7/2014. SITE SYSTEM SET-UP T1-87 DW FIBERGLASS T2-89 DW FIBERGLASS T3-91 DW FIBERGLASS THE FOLLOWING COMPONENTS WERE TESTED AND PASSED DURING TODAY'S INSPECTION; - 2 STP SUMP SENSORS PROVIDED A POSITIVE SHUT-DOWN CONDITION (SEE VIOLATION FOR OTHER SENSOR) - 3 ANNULAR SENSORS PROVIDED AN AUDIBLE/VISUAL ALARM AT THE PANEL. - 3 PROBES WERE TESTED TO VERIFY OVERFILL PREVENTION AND PASSED. - 5 UDC SENSORS PROVIDED AN AUDIBLE/VISUAL ALARM AT THE PANEL. - SPILL BUCKETS WERE TESTED HYDROSTATICALLY FOR AN HOUR AND PASSED. - FAIL SAFE, SENSOR OUT AND EMERGENCY SHUT-OFF SWITCH WERE VERIFIED. - 3 MLLD'S WERE TESTED AND PASSED NOTES; AFTER COMPLETION OF TESTING THE TLS-350 VR PANEL READ; T1- HIGH WATER. TECHNICIAN TOOK PROBE [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-12-2017

VALERO STATION #3815 (Continued) **U001602685**

Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Inspection began 3/28/17 and ended today. Annual monitoring system testing was performed by UST service technician Chris Bishop from Confidence UST. Mr. Bishop has the following certifications: -CA UST Service Technician, exp. 4/30/18 -Veeder Root ATG Monitoring Systems Technician, exp. 5/1017 -Red Jacket Technician, exp. 4/28/18 During testing of monitoring equipment the following was observed: -Secondary containment test boots were observed as pulled-back prior to testing. -The 87, 89, and 91 spill buckets were hydrostatically tested with 5 gallons of water for 60 minutes. -The 87, 89, and 91 sump sensors (Veeder Root 794380-208) were tested in water and produced an audible and visual alarm at the monitoring panel as well as positive shutdown of the turbines. -The 87, 89, and 91 annular sensors (Veeder Root 794390-409) were tested with water and produced an audible and visual alarm at the monitoring panel. -Mechanical line leak detectors (Red Jacket FX1V) [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	08-10-2017
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Final inspection of underground storage tank (UST) system repairs. Repaired under dispenser containment (UDC) sumps for Dispensers 5/6, 7/8 and 9/10 were tested today using the Incon TS-STS accelerated hydrostatic test apparatus and passed. Secondary containment pipe for 87 and 89 product lines was pressure tested today using Nitrogen @ 5 p.s.i.g. and passed. Pressure gauges returned to zero when pressure was released at end of testing. Repairs are complete. Final project sign-off by HMCD is granted. Testing was performed by UST Service Technician Jonathan Ocker of Remediation Risk Management, Inc. dba Triton Construction. Mr. Ocker has current ICC California UST Service Technician certification (exp. 4/1/2018) and Franklin Fueling Systems Incon Level 4 (TS-STS Sump Test System) certification (exp. 12/7/2018). Notes: 1. Three UDC penetrations were repaired: the 87 line in UDC 5/6, and the 89 line in UDCs 7/8 and 9/10. Two site visits were required today since UDC [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	02-23-2017
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	ON SITE TO CONDUCT A FINAL INSPECTION FOR SR0851691. THIS PERMIT WAS ISSUED FOR THIS SITE AFTER A COLD-START TOOK PLACE. TESTING WAS CONDUCTED BY: MARCOS MERCADO WITH SSS, MR. MERCADO HAS THE FOLLOWING CERTIFICATIONS; ICC#8049069 EXP., 11/4/2017; VR# B36955 EXP., 05/11/2017. PRIOR TO AN AFTER COMPLETION OF TESTING THERE WERE NO ACTIVE ALARMS AT THE VEEDER ROOT PANEL. THE FOLLOWING COMPONENTS WERE TESTED DURING THIS COLD-START: - 3 STP SENSORS PROVIDED A POSITIVE SHUT-DOWN CONDITION AT THE TURBINE. - 5 UDC SENSORS PROVIDED A POSITIVE SHUT-DOWN CONDITION AT THE TURBINE. - 3 ANNULAR SENSORS

VALERO STATION #3815 (Continued) **U001602685**

PROVIDE AN AUDIBLE/VISUAL ALARM AT THE VEEDER ROOT PANEL. - FAIL SAFE/ SENSOR OUT WERE VERIFIED DURING THIS INSPECTION - OVERFILL ALARM IN ALL TANKS IS ATG PROBES AT 90% TANK CAPACITY. THIS WAS VERIFIED DURING THIS INSPECTION. - THE EMERGENCY SHUT-OFF (ESO) WAS VERIFIED FOR FUNCTIONALITY DURING THIS INSPECTION AS PART OF THE COLD-START ONLY. THIS INSPECTION CLOSES OUT [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Enforcement Action:
Site ID: 79774
Site Name: VALERO STATION #3815
Site Address: 827 S 1ST ST
Site City: SAN JOSE
Site Zip: 95110
Enf Action Date: 04-02-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Site Address: 827 S 1ST ST
Site City: SAN JOSE
Site Zip: 95110
Enf Action Date: 04-02-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Coordinates:
Site ID: 79774
Facility Name: VALERO STATION #3815
Env Int Type Code: HWG
Program ID: 10158209
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 37.323380
Longitude: -121.881390

Affiliation:
Affiliation Type Desc: UST Permit Applicant
Entity Name: RICHARD KOLBERG
Entity Title: BRANDED SALES MGR
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported

VALERO STATION #3815 (Continued) **U001602685**

Affiliation Phone: (925) 362-4570

Affiliation Type Desc: UST Tank Operator
Entity Name: Ngoc Nguyen (First Street Valero)
Entity Title: Not reported
Affiliation Address: 827 S 1st Street
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95110
Affiliation Phone: (408) 292-5202

Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Document Preparer
Entity Name: Catherine Riccomini
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Parent Corporation
Entity Name: VALERO MARKETING AND SUPPLY COMPANY
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner
Entity Name: WICKLAND OIL COMPANY
Entity Title: Not reported
Affiliation Address: PO BOX 13648
Affiliation City: SACRAMENTO
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: Not reported
Affiliation Phone: (916) 978-2400

Affiliation Type Desc: Operator
Entity Name: VALERO MARKETING & SUPPLY CO.
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported

VALERO STATION #3815 (Continued) **U001602685**

Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(925) 362-4570
Affiliation Type Desc:	Environmental Contact
Entity Name:	RICHARD KOLBERG
Entity Title:	Not reported
Affiliation Address:	PO BOX 2050
Affiliation City:	DANVILLE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94526
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	PO BOX 2050
Affiliation City:	DANVILLE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94526-2050
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	RICHARD KOLBERG
Entity Title:	BRANDED SALES MANAGER
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	VALERO MARKETING & SUPPLY CO
Entity Title:	Not reported
Affiliation Address:	PO BOX 2050
Affiliation City:	DANVILLE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94526-2050
Affiliation Phone:	(925) 362-4570
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	WICKLAND OIL COMPANY
Entity Title:	Not reported
Affiliation Address:	PO BOX 13648
Affiliation City:	SACRAMENTO
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95853
Affiliation Phone:	(916) 978-2400
Affiliation Type Desc:	UST Tank Owner
Entity Name:	VALERO MARKETING AND SUPPLY COMPANY, INC.

VALERO STATION #3815 (Continued) **U001602685**

Entity Title:	Not reported
Affiliation Address:	PO BOX 2050
Affiliation City:	DANVILLE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94526
Affiliation Phone:	(925) 362-4570
Site ID:	30438
CERS ID:	10355968
CERS Description:	Hazardous Waste Generator

Violations:

Site ID:	30438
Site Name:	FIRST STREET VALERO
Violation Date:	08-10-2017
Citation:	40 CFR 1 262.34(d)(5)(iii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(iii)
Violation Description:	Failure to ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures, relevant to their responsibilities during normal facility operations and emergencies.
Violation Notes:	Faded labels and lack of knowledge regarding container labeling and inspection requirements and emergency response actions indicate that both Mr. Nguyen and Ms. Digiore need hazardous waste management training.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	30438
Site Name:	FIRST STREET VALERO
Violation Date:	04-11-2017
Citation:	22 CCR 12 66262.11 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.11
Violation Description:	Failure to determine if wastes generated are hazardous waste by using generator knowledge or applying testing method.
Violation Notes:	Facility utilizes absorbent for clean-up of fuel spills, however no waste absorbent container was observed on-site. Make a hazardous waste determination on waste absorbent, and if found to be hazardous, manage as a fully-regulated hazardous waste.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	30438
Site Name:	FIRST STREET VALERO
Violation Date:	08-10-2017
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	The 55 gallon drum holding hazardous waste petroleum contaminated water is marked with a Hazardous Waste label, but the accumulation start date and generator information are illegible. The drum for solid

VALERO STATION #3815 (Continued) **U001602685**

hazardous waste also contains a blank Hazardous Waste label that must be filled out now that accumulation of solid waste has begun today.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 30438
Site Name: FIRST STREET VALERO
Violation Date: 03-29-2016
Citation: HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description: Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes: Returned to compliance on 08/03/2017. FACILITY FAILED TO TRAIN IT'S EMPLOYEES AS REQUIRED PER THEIR CURRENT TRAINING PLAN ON CERS.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 30438
Site Name: FIRST STREET VALERO
Violation Date: 08-10-2017
Citation: HSC 6.95 25507 - California Health and Safety Code, Chapter 6.95, Section(s) 25507
Violation Description: Failure to adequately establish and implement a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes: Implement your Hazardous Materials Business Plan by providing and documenting required emergency response training to all employees.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 30438
Site Name: FIRST STREET VALERO
Violation Date: 04-11-2017
Citation: 22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description: Failure to obtain an Identification Number prior to treating, storing, disposing of, transporting or offering for transportation any hazardous waste.
Violation Notes: Returned to compliance on 08/08/2017. The facility operator generates hazardous waste in the form of waste absorbent however has no EPA ID number. Do not ship any hazardous waste until an EPA ID number has been assigned to your business.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 30438
Site Name: FIRST STREET VALERO
Violation Date: 04-11-2017
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate emergency

VALERO STATION #3815 (Continued) **U001602685**

response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 08/03/2017. HMBP submitted to CERs on 5/6/13 did not contain an emergency response plan.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 30438
Site Name: FIRST STREET VALERO
Violation Date: 03-29-2016
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Returned to compliance on 08/06/2017. FACILITY FAILED TO ANNUALLY CERTIFY, THE LAST CERTIFICATION WAS MARCH 2, 2016.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 30438
Site Name: FIRST STREET VALERO
Violation Date: 04-11-2017
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 08/03/2017. Facility failed to disclose 30,000 gallons of gasoline on HMBP submitted to CERs on 5/6/13.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 30438
Site Name: FIRST STREET VALERO
Violation Date: 04-11-2017
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes: HMBP submitted to CERs on 5/6/13 did not contain an employee training program.
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 30438
Site Name: FIRST STREET VALERO
Violation Date: 04-12-2017
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.

VALERO STATION #3815 (Continued) **U001602685**

Violation Notes:	Returned to compliance on 08/03/2017. Facility has failed to annually certify HMBP in 2014, 2015, and 2016.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	30438
Site Name:	FIRST STREET VALERO
Violation Date:	08-10-2017
Citation:	40 CFR 1 265.174 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.174
Violation Description:	Failure to inspect hazardous waste storage areas at least weekly and look for leaking and deteriorating containers.
Violation Notes:	Mr. Nguyen stated that he only inspects Hazardous Waste containers when they are being used. Containers are "being used" at all times after hazardous waste is placed inside them. The liquid waste drum has contained Hazardous Waste at least since the initial round of UST secondary containment testing was performed earlier this year.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	30438
Site Name:	FIRST STREET VALERO
Violation Date:	04-11-2017
Citation:	Un-Specified
Violation Description:	Hazardous Waste Generator Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 09/26/2017. The facility operator generates hazardous waste in the form of waste absorbent however has no hazardous waste generator permit.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	30438
Site Name:	FIRST STREET VALERO
Violation Date:	03-29-2016
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	Returned to compliance on 08/06/2017. THE SITE MAP SHOULD HAVE AT A MINIMUM THE FOLLOWING INFORMATION: -ALL STREETS BORDERING THE FACILITY -LOCATIONS OF ALL BUILDINGS AND OTHER STRUCTURES -PARKING LOTS AND INTERNAL ROADS -OUTSIDE HAZARDOUS MATERIALS STORAGE OR USE AREAS -STORM DRAINS -PRIMARY AND ALTERNATE EVACUATION ROUTES, EMERGENCY EXITS, AND PRIMARY AND ALTERNATE STAGING AREAS. -LOCATION OF EACH HAZARDOUS MATERIAL/WASTE STORAGE, DISPENSING, USE, OR HANDLING AREA -LOCATION OF EACH MONITORING SYSTEM CONTROL PANEL (e.g ,MONITORING PANEL)
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection

VALERO STATION #3815 (Continued) **U001602685**

Eval Date:	03-29-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-12-2017
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On-site to conduct a hazardous materials business plan (HMBP) inspection. Ngoc Nguyen DBA First Street Valero, as the operator of the USTs, is responsible for disclosure of the following hazardous materials: -30,000 gallons of gasoline in 3 x 10,000 gallon USTs -Propane A HMBP (CERS ID: 10355968) submitted on 5/6/13 was reviewed.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	08-10-2017
Violations Found:	Yes
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Not reported
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	08-10-2017
Violations Found:	Yes
Eval Type:	Other, not routine, done by local agency
Eval Notes:	During today's underground storage tank repair inspection, a customer overfilled her car gas tank and spilled fuel on the pavement. Jonathan Ocker from Triton Construction cleaned up the spill using an absorbant pad. When the incident occurred, the only facility employee on-site was Tiffany Digiore, who had no idea how to respond to a spill and did not know if the facility has any hazardous waste containers. The saturated pad was given to Mr. Nguyen, who was called and arrived onsite in a short time. He placed the waste in a 55 gallon open head steel drum. Based on Mr. Nguyen's statements and multiple choice tests from Designated UST Operator (DUSTO) training, which were the only training records available at the facility, there were no personnel on-site today who have been trained within the past 12 months by the facility's DUSTO. Mr. Nguyen's last DUSTO test was dated 8/20/2015. Ms. Digiore's last DUSTO test was dated 7/30/2015. Neither the training video nor the used [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-12-2017
Violations Found:	Yes
Eval Type:	Routine done by local agency

VALERO STATION #3815 (Continued) **U001602685**

Eval Notes: Inspection began on 3/28/17 and ended today. Ngoc Nguyen is responsible for any hazardous waste generated from daily operations (i.e. waste absorbent from fuel spills or contaminated hosing stored on-site). Conducted a facility walk-through on 3/28/17 and observed only new absorbent. When Mr. Nguyen was asked how waste absorbent was managed and he answered that he did not know. -Fire extinguishers were observed as maintained -Spill control was available This inspection concludes today with issuance of this Official Notice of Inspection. NOTE: -Any hazardous generated as a result of testing or repairs of UST system is required to be managed by the UST system owner, Valero Marketing & Supply Company. This includes any fuel-contaminated test water generated from UST testing activities.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Coordinates:
Site ID: 30438
Facility Name: FIRST STREET VALERO
Env Int Type Code: HWG
Program ID: 10355968
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 37.323380
Longitude: -121.881390

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: Ngoc Nguyen
Entity Title: Not reported
Affiliation Address: 827 S 1st ST
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95110
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 827 S 1ST ST
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95110
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: NGOC NGUYEN
Entity Title: OWNER
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

VALERO STATION #3815 (Continued) **U001602685**

Affiliation Type Desc:	Parent Corporation
Entity Name:	FIRST STREET VALERO
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	NGUYEN, NGOC
Entity Title:	Not reported
Affiliation Address:	827 S 1ST ST
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95110
Affiliation Phone:	(408) 292-5202

Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400

Affiliation Type Desc:	Operator
Entity Name:	Ngoc Nguyen
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 605-2704

Affiliation Type Desc:	Property Owner
Entity Name:	Dick Kolberg
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	United States
Affiliation Zip:	Not reported
Affiliation Phone:	(925) 362-4570

Affiliation Type Desc:	Document Preparer
Entity Name:	NGOC NGUYEN
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported

VALERO STATION #3815 (Continued) **U001602685**

Affiliation Zip: Not reported
Affiliation Phone: Not reported

SWEEPS UST:
Name: EXXON STATION #70111
Address: 827 S 1ST ST
City: SAN JOSE
Status: Not reported
Comp Number: 401261
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401261-000001
Tank Status: Not reported
Capacity: 10000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: REG UNLEADED
Number Of Tanks: 3

Name: EXXON STATION #70111
Address: 827 S 1ST ST
City: SAN JOSE
Status: Not reported
Comp Number: 401261
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401261-000002
Tank Status: Not reported
Capacity: 10000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: LEADED
Number Of Tanks: Not reported

Name: EXXON STATION #70111
Address: 827 S 1ST ST
City: SAN JOSE
Status: Not reported
Comp Number: 401261
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-401261-000003

VALERO STATION #3815 (Continued) **U001602685**

Tank Status: Not reported
Capacity: 10000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: REG UNLEADED
Number Of Tanks: Not reported

HIST UST:
Name: REGAL STATION #423
Address: 827 S 1ST ST
City,State,Zip: SAN JOSE, CA 95113
File Number: Not reported
URL: Not reported
Region: STATE
Facility ID: 00000012461
Facility Type: Gas Station
Other Type: Not reported
Contact Name: WALT SNELLING
Telephone: 9169211100
Owner Name: WICKLAND OIL CO.
Owner Address: 1765 CHALLENGE WAY
Owner City,St,Zip: SACRAMENTO, CA 95815
Total Tanks: 0004

Tank Num: 001
Container Num: 423-U1
Year Installed: Not reported
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: 1/4
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: 423-R1
Year Installed: Not reported
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: REGULAR
Container Construction Thickness: 1/4
Leak Detection: Stock Inventor

Tank Num: 003
Container Num: 423-P1
Year Installed: Not reported
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: PREMIUM
Container Construction Thickness: 1/4
Leak Detection: Stock Inventor

Tank Num: 004
Container Num: 423-W1
Year Installed: Not reported
Tank Capacity: 00000000
Tank Used for: WASTE

VALERO STATION #3815 (Continued) **U001602685**

Type of Fuel: WASTE OIL
Container Construction Thickness: Not reported
Leak Detection: None

CERS TANKS:
Name: VALERO STATION #3815
Address: 827 S 1ST ST
City,State,Zip: SAN JOSE, CA 95110
Site ID: 79774
CERS ID: 10158209
CERS Description: Underground Storage Tank

Violations:
Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 04-02-2014
Citation: 23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description: Failure of sensor to be located in the proper position/location.
Violation Notes: Returned to compliance on 04/02/2014. THE VR 208 SENSOR FOR T2- 89 TANK WHEN TESTED THE FIRST TIME DID NOT PROVIDE A POSITIVE SHUT-DOWN CONDITION AT THE TURBINE. TECHNICIAN SAID IT WAS A BAD SENSOR AND HE REPLACED IT WITH ANOTHER VR 208 SENSOR (LIKE FOR LIKE). THIS SENSOR WAS THEN RE-TESTED AND PASSED. NO FURTHER ACTION IS REQUIRED.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 03-29-2016
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to maintain on site an approved monitoring plan.
Violation Notes: Returned to compliance on 05/31/2016. UPDATE THE MONITORING PLAN TO REFLECT THE FOLLOWING: -THE UDC LIQUID SENSOR SHUT'S DOWN THE PUMP, TRIGGERS AND AUDIBLE/VISUAL ALARM WHEN A LEAK IS SIMULATED BUT IT DOES NOT SHUT DOWN THE DISPENSER.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 05-10-2018
Citation: 23 CCR 16 2715(f)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(f)(2)
Violation Description: Failure to have at least one facility employee present during operating hours that has been trained in the proper operation and maintenance of the UST system by a designated operator (DO).
Violation Notes: Tiffany Digiore was indicated as still being an employee but is not noted on training log as having been trained in either 2017 or 2018.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774

VALERO STATION #3815 (Continued) **U001602685**

Site Name:	VALERO STATION #3815
Violation Date:	04-11-2017
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 05/25/2017. Revise inventory to include only hazardous materials for which Valero Marketing & Supply Company is the handler (i.e. fuel-contaminated test water). The facility operator, Ngoc Nguyen, is the handler of the fuel in the USTs and the Propane.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	05-10-2018
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	The certification of Financial Responsibility posted on CERS is out of date in that it references a Corporate Guarantee with an expiration date of 4/30/18. An updated CFR and corporate guarantee/CFO letter documentation was noted as being stored onsite and available for review during the inspection.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	04-02-2015
Citation:	23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description:	The owner/operator has failed to comply with one or more of the following: to maintain a copy of the designated operator monthly inspections for the last 12 months and/or maintain a list of trained employees on-site or off-site at a readily available location, if approved by the CUPA.
Violation Notes:	THE FOLLOWING DESIGNATED UST OPERATOR MONTHLY INSPECTION RECORDS WERE NOT AVAILABLE ON-SITE AT THE TIME OF INSPECTION AND MR. NGUYEN WASN'T AWARE THESE WERE MISSING OR WHETHER OR NOT HE CONDUCTED THESE MONTHLY INSPECTIONS; - MAY- SEPTEMBER 2014 - NOVEMBER 2014-FEBRUARY 2015. ENSURE THAT IN THE FUTURE ALL DO MONTHLY RECORDS ARE KEPT ON- SITE AND ARE AVAILABLE DURING AN INSPECTION.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	04-02-2014
Citation:	HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description:	UST Program - Administration/Documentation - General

VALERO STATION #3815 (Continued) **U001602685**

Violation Notes:	THE FOLLOWING DO MONTHLY RECORDS WERE MISSING THE ALARM HISTORY; 06/15/13-10/16/14. ADDITIONALLY, ALL OF THE D0 MONTHLY RECORDS ARE MISSING PAGE 2 AND ARE INCOMPLETE AREAS #6 AND #7 ARE LEFT BLANK. ENSURE THAT FROM NOW ON ALL MONTHLY RECORDS ARE COMPLETELY FILLED OUT AND HAVE A COPY OF THE ALARM HISTORY ATTACHED.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	05-10-2018
Citation:	23 CCR 16 2715(c) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)
Violation Description:	Failure to comply with one or more of the following designated operator (DO) monthly inspection requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(f)(2).
Violation Notes:	DUSTO monthly reports for March and April 2018 were not available for review Monthly reports inaccurately report SB 989 date as 5/2014 with note that documentation of more recent testing is not available. Inspectors were able to locate last 989 test reports in different binder. Reports from 1/2018 back through 5/2017 all note training up to date, but according to cashier Tiffany Diigiore is still employed but her last documented training was 2015.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	05-10-2018
Citation:	23 CCR 16 2715(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(i)
Violation Description:	Failure to have a properly qualified service technician test leak detection equipment as required every 12 months (vapor, pressure, hydrostatic (VPH) system, sensors, line-leak detectors (LLD), automatic tank gauge (ATG), etc.).
Violation Notes:	Maintenance records and alarm history showed testing of the monitoring system in March of 2018. This event was not documented/certified by the tester. In 2019, testing must occur in April.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	04-12-2017
Citation:	40 CFR 1 265.32 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.32

VALERO STATION #3815 (Continued) **U001602685**

Violation Description:	Failure of the facility to maintain the following emergency equipment or equivalents: 1) An internal communications or alarm system; 2) A device, such as a telephone (immediately available at the scene of Operations/ Maintenance) or a hand-held two-way radio, capable of summoning emergency assistance from local police departments, fire departments, or State or local emergency response teams; 3) Portable fire extinguishers, fire control equipment, spill control equipment, and decontamination equipment; and 4) Water at adequate volume and pressure to supply water hose streams, or foam producing equipment, or automatic sprinklers, or water spray systems.
Violation Notes:	Returned to compliance on 05/25/2017. Facility failed to maintain an empty container on-site for fuel-contaminated test water. UST technician had to repurpose 3 x 5 gallon buckets to serve as temporary containers for this wastewater.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	03-29-2016
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain and maintain a valid operation permit from the CUPA.
Violation Notes:	Returned to compliance on 05/31/2016. FACILITY FAILED TO MAINTAIN A 5 YEAR OPERATING PERMIT. CLARIFY THE OWNERSHIP, CERS RECORDS INDICATE CONFLICTING OWNERSHIPS. THE TANK OWNER AND OPERATOR PAGE INDICATE VALERO MARKETING AND SUPPLY COMPANY, INC BUT THE RESPONSE PLAN INDICATES NGOC NGUYEN AND THE DESIGNATED OPERATOR STATEMENT INDICATES RICHARD KOLBERG AS OWNER. THE OWNER AND OPERATOR SHOULD BE CONSISTENT WITH ALL DOCUMENTS SUBMITTED.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	04-18-2017
Citation:	HSC 6.7 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e)
Violation Description:	Failure to maintain secondary containment (e.g. failure of secondary containment testing).
Violation Notes:	Returned to compliance on 08/10/2017. Secondary containment of 87 product piping run was tested with a 60 minute pressure test @ 5 psig but failed to hold pressure. Secondary containment of 89 product piping run was tested with a 60 minute pressure test @ 5 psig but failed to hold pressure. Continue to troubleshoot and repair or replace failed components as necessary. Notify HMCD of the scope of any repairs to be performed. Please note that a repair permit from HMCD may be necessary depending upon the repair(s) needed.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815

VALERO STATION #3815 (Continued) **U001602685**

Violation Date:	04-02-2015
Citation:	Un-Specified
Violation Description:	UST Program - Administration/Documentation - For use of Local Ordinance only
Violation Notes:	FACILITY FAILED TO RESPOND TO THE LAST OFFICIAL NOTICE OF INSPECTION ISSUED ON 4/2/14. ENSURE THAT YOU PROVIDE WRITTEN CORRECTIVE ACTIONS TAKEN TO THIS OFFICIAL NOTICE OF INSPECTION.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	03-29-2016
Citation:	23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description:	Failure of the double wall pressurized piping in the turbine sump to be continuously monitored with a system that activates an audible and visual alarm or restricts or stops flow at dispenser when a leak is detected.
Violation Notes:	Returned to compliance on 03/29/2016. THE 87 PIPING SUMP LIQUID SENSOR FAILED TO SHUT DOWN THE PUMP WHEN A LEAK WAS SIMULATED. **THE TECHNICIAN CHANGED OUT THE RELAY, RE-TESTED AND PASSED.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	04-11-2017
Citation:	HSC 6.7 25284(a)(3)(A) & (B); - California Health and Safety Code, Chapter 6.7, Section(s) 25284(a)(3)(A) & (B);
Violation Description:	Failure to implement or maintain a written agreement between the UST permit holder and the operator (owner/operator agreement).
Violation Notes:	Returned to compliance on 05/25/2017. An inaccurate owner and operator agreement was submitted to CERS on 4/6/17. Revise the agreement based upon the findings detailed in this Official Notice of Inspection and submit a copy to CERS.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	03-29-2016
Citation:	22 CCR 12 66262.34(d) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(d)
Violation Description:	Failure to dispose of hazardous waste within 180 days (or 270 if waste is transported over 200 miles) for the generator who generates less than 1000 kilogram per month, but more than 100 kilograms per month.
Violation Notes:	Returned to compliance on 05/31/2016. 180 DAYS FOR WASTE DISPOSAL STARTED WHEN THE CONTAINER REACHED 27 GALLONS, OBSERVED A 55 GALLON AND 15 GALLON CONTAINER OF HOSES, NOZZLES, FILTERS AND TEST WATER MIX 3/4 FULL DATED JUNE 15, 2013 .
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

VALERO STATION #3815 (Continued) **U001602685**

Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	04-02-2014
Citation:	HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description:	UST Program - Operations/Maintenance - General
Violation Notes:	A COPY OF 2012 MONITORING SYSTEM CERTIFICATION REPORT WAS NOT AVAILABLE AT THIS SITE. ENSURE THAT COPIES OF THE MONITORING SYSTEM CERTIFICATION REPORTS ARE AVAILABLE ON-SITE.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	03-29-2016
Citation:	40 CFR 1 265.174 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.174
Violation Description:	Failure to inspect hazardous waste storage areas at least weekly.
Violation Notes:	Returned to compliance on 05/31/2016. WEEKLY HAZARDOUS WASTE INSPECTIONS ARE NOT BEING CONDUCTED.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	04-02-2015
Citation:	23 CCR 16 2715(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(f)
Violation Description:	Failure to comply with one or more of the following: provide training to facility employee(s) responsible for proper operation and maintenance every 12 months and/or train new employee(s) who are responsible for proper operation and maintenance within 30-days of hire and/or to have at least one employee present during operating hours that has been trained in the proper operation and maintenance of the UST system.
Violation Notes:	THE FOLLOWING EMPLOYEES NEED TO BE TRAINED IMMEDIATELY; - NGOC NGUYEN - TIFFANY DIGIORE - MARIA MENDEZ - BECKY GONZALES ENSURE THAT ALL EMPLOYEES ARE TRAINED IMMEDIATELY BY A DESIGNATED OPERATOR, WHICH IS NOW UST CONFIDENCE.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-29-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-29-2016

VALERO STATION #3815 (Continued) **U001602685**

Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	ON SITE WITH CHRISTOPHER BISHOP A CALIFORNIA ICC CERTIFIED TECHNICIAN WITH UST CONFIDENCE TO OVERSEE THE MONITORING CERTIFICATION. MR. BISHOP'S CERTIFICATION WERE VERIFIED ON SITE TO BE CURRENT. THE FOLLOWING COMPONENTS WERE TESTED AND FOUND TO BE OPERABLE: -87,89 AND 91 SPILL MECHANICAL LINE LEAK DETECTORS WERE TESTED SIMULATING A LEAK AT 3.0 GPH AT 10 PSI -THE UDC LIQUID SENSORS TRIGGERED A PUMP SHUT DOWN AND AN AUDIBLE/VISUAL ALARM WHEN A LEAK WAS SIMULATED. -THE PIPING SUMP LIQUID SENSORS FOR 89 AND 91, TRIGGERED AN AUDIBLE/VISUAL ALARM AND SHUT DOWN THE PUMP. -LIQUID SENSORS IN THE ANNULAR SPACE TRIGGERED AN AUDIBLE AND VISUAL ALARM WHEN A LEAK WAS SIMULATED. -FAIL SAFE WAS VERIFIED -OVERFILL VIA THE ATG'S WERE VERIFIED -SENSOR OUT WAS VERIFIED -E-STOP WAS VERIFIED NOTE: -TRAINING RECORDS WERE REVIEWED -D.O MONTHLY INSPECTIONS WERE REVIEWED -THE MONITORING PANEL INDICATED ALL FUNCTIONS NORMAL
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-02-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	ON-SITE TO OVERSEE AN ANNUAL MONITORING SYSTEM CERTIFICATION. TESTING WAS CONDUCTED BY CHRISTOPHER BISHOP WITH UST CONFIDENCE. MR. BISHOP HAS THE FOLLOWING CERTIFICATIONS; ICC#8057545-UT EXP; 4/30/2016; VR#B36744 EXP.,5/15/2016; VMI#2697 EXP.,5/14/2016. PRIOR TO AND AFTER COMPLETION OF TESTING THERE WERE NO ACTIVE ALARMS AT THE VEEDER ROOT PANEL. THE FOLLOWING COMPONENTS WERE TESTED AND PASSED DURING TODAY'S INSPECTION; - 3 STP SUMP SENSORS PROVIDED A POSITIVE SHUT-DOWN CONDITION AT THE TURBINE. - 3 ANNULAR SENSORS PROVIDED AN AUDIBLE/VISUAL ALARM AT THE PANEL. THE ANNULAR SENSOR FOR THE 87 TANK PROVIDE A POSITIVE SHUT-DOWN CONDITION AT THE TURBINE AS WELL. - 3 ATG PROBES WERE TESTED AND WERE ABLE TO PROVIDE AN AUDIBLE/VISUAL ALARM WHEN THE TANK REACHED 90%. - 5 UDC SENSORS PROVIDED A POSITIVE SHUT-DOWN CONDITION AT THE TURBINE. - 3 SPILL BUCKETS WERE TESTED HYDROSTATICALLY FOR AN HOUR AND PASSED. - FAIL SAFE AND SENSOR OUT WERE VERIFIED. - 3 MLLD'S WERE AND [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-12-2017
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On-site to conduct a hazardous materials business plan (HMBP) inspection. Valero Marketing & Supply Company, as the owner of the USTs, is responsible for disclosure of the following hazardous material: -Fuel-contaminated test water A HMBP (CERS ID: 10158209) submitted on 4/6/17 was reviewed. NOTE: A ?Hazardous Materials Business Plan (HMBP) is required to be submitted by the handler of the hazardous material. At this facility, the only hazardous material handled by Valero Marketing & Supply Company in a HMBP-reportable quanity is hazardous fuel-contaminated water generated from UST testing and maintenance activities. The gas station operator, Ngoc

VALERO STATION #3815 (Continued) **U001602685**

Nguyen DBA First Street Valero, is the handler of the petroleum in the USTs, the Propane, and hazardous wastes incidental to vehicle fueling such as absorbents from spill cleanup, used dispenser hoses, etc. As such, it is their responsibility to submit a HMBP. Valero may assist the opertor with preparing the operator?s [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 04-18-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: On-site to observe secondary containment testing. Testing was performed by Jonathan Ocker of Triton Construction. Mr. Ocker has the following certifications observed as current: -ICC UST Service Technician -Incon Sump Test System Operation Level 4 Product piping runs were tested with a 60 minute pressure test @ 5 psig with the following results: -87, FAIL -89, FAIL -91, PASS STP sumps were tested with a 15 minute Incon accelerated hydrostatic test with the following results: -87, PASS -89, PASS -91, PASS UST annular spaces were tested for 60 minutes with a vacuum test @ -10 inHg with the following results: -87, PASS -89, DID NOT WITNESS -91, PASS UDCs were tested with a 15 minute Incon accelerated hydrostatic test with the following results: -Dispenser 1/2: PASS -Dispenser 3/4: PASS -Dispenser 5/6: PASS -Dispenser 7/8: PASS -Dispenser 9/10: PASS FOLLOW-UP REQUIRED: -Continue to troubleshoot and repair or replace failed components as [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-10-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Onsite to witness annual monitoring system certification. Conducted by UST Confidence, technician Aaron Perrigo. Mr. Perrigo has current ICC, Veeder Root Level 3, VMI, Veeder Root Red Jacket certifications. System provided audible and visual alarms with turbine shutdown for all STP sump sensors. System provided audible and visual alarms with turbine shutdown for all UDC sensors System audible and visual alarms for all annular/interstitial sensors Mechanical Line Leak detectors were able to recognize and restrict flow for simulated 3 gph, 10 psi leak. Tested at dispenser 9/10. Overfill prevention by audible external alarm. Probe flats were raised to calculated 90% height and each provided an alarm that was visible and audible at the point of fill. Spill buckets tested with water for one hour without loss. UDC are fitted with deflector plates. Reviewed information submitted on CERS (10158209) on 12/15/17. Operating permit application, monitoring plan response [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 09-21-2017

VALERO STATION #3815 (Continued) **U001602685**

Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Inspection of underground storage tank (UST) system dispenser conversion. Installation of S. Bravo Systems dispenser conversion frames and Deflector Plates beneath the five Veeder-Root / Gilbarco Encore dispensers was visually confirmed. Final project sign-off by Santa Clara County CUPA is granted conditioned upon completion of installation of plastic plugs to seal anchor bolt access holes in deflector plates. Note: Dispenser replacement did not end up requiring cold start of the Veeder-Root TLS-350 console, so monitoring system certification testing was removed from project scope of work.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-12-2017
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On-site to conduct a hazardous waste inspection. Valero Marketing & Supply Company, as the owner of the USTs, is responsible for any hazardous waste generated from testing of or repair of the tank systems. Conducted a facility walk-through on 4/10/17 and observed the following: -No container was present on-site for fuel-contaminated test water, and so Mr. Bishop of COnfidence UST had to repurpose 3 x 5 gallon containers to temporarily hold the waste until a 55 gallon steel drum could be acquired. -EPA ID CAL000191509 is active -Fire extinguishers were observed as maintained -Spill control was available WITHIN 30 DAYS COMPLETE THE FOLLOWING: -According to the hazardous waste tracking system CAL000191509 is assigned to "VALERO # 7110". Contact DTSC and revise the facility name attached to this ID as "Valero Station #3815". NOTE: -Any hazardous generated as a result of daily operations of the gas station is required to be managed by the facility operator, Ngoc [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	04-18-2017
Violations Found:	Yes
Eval Type:	Other, not routine, done by local agency
Eval Notes:	For details see Notice of Inspection for Secondary Containment Test.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-02-2014
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	ON-SITE TO OVERSEE AN ANNUAL MONITORING SYSTEM CERTIFICATION. TESTING WAS CONDUCTED BY CHRISTOPHER BISHOP WITH UST CONFIDENCE. MR. BISHOP HAS THE FOLLOWING CERTIFICATIONS; ICC#8057545-UT EXP; 5/18/2014; VR#B36744 EXP.,6/7/2014; VMI#2697 EXP.,6/7/2014. SITE SYSTEM SET-UP T1-87 DW FIBERGLASS T2-89 DW FIBERGLASS T3-91 DW FIBERGLASS THE FOLLOWING COMPONENTS WERE TESTED AND PASSED DURING TODAY'S INSPECTION;

VALERO STATION #3815 (Continued) **U001602685**

- 2 STP SUMP SENSORS PROVIDED A POSITIVE SHUT-DOWN CONDITION (SEE VIOLATION FOR OTHER SENSOR) - 3 ANNULAR SENSORS PROVIDED AN AUDIBLE/VISUAL ALARM AT THE PANEL. - 3 PROBES WERE TESTED TO VERIFY OVERFILL PREVENTION AND PASSED. - 5 UDC SENSORS PROVIDED AN AUDIBLE/VISUAL ALARM AT THE PANEL. - SPILL BUCKETS WERE TESTED HYDROSTATICALLY FOR AN HOUR AND PASSED. - FAIL SAFE, SENSOR OUT AND EMERGENCY SHUT-OFF SWITCH WERE VERIFIED. - 3 MLLD'S WERE TESTED AND PASSED NOTES; AFTER COMPLETION OF TESTING THE TLS-350 VR PANEL READ; T1- HIGH WATER. TECHNICIAN TOOK PROBE [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-12-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspection began 3/28/17 and ended today. Annual monitoring system testing was performed by UST service technician Chris Bishop from Confidence UST. Mr. Bishop has the following certifications: -CA UST Service Technician, exp. 4/30/18 -Veeder Root ATG Monitoring Systems Technician, exp. 5/1017 -Red Jacket Technician, exp. 4/28/18 During testing of monitoring equipment the following was observed: -Secondary containment test boots were observed as pulled-back prior to testing. -The 87, 89, and 91 spill buckets were hydrostatically tested with 5 gallons of water for 60 minutes. -The 87, 89, and 91 sump sensors (Veeder Root 794380-208) were tested in water and produced an audible and visual alarm at the monitoring panel as well as positive shutdown of the turbines. -The 87, 89, and 91 annular sensors (Veeder Root 794390-409) were tested with water and produced an audible and visual alarm at the monitoring panel. -Mechanical line leak detectors (Red Jacket FX1V) [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 08-10-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Final inspection of underground storage tank (UST) system repairs. Repaired under dispenser containment (UDC) sumps for Dispensers 5/6, 7/8 and 9/10 were tested today using the Incon TS-STS accelerated hydrostatic test apparatus and passed. Secondary containment pipe for 87 and 89 product lines was pressure tested today using Nitrogen @ 5 p.s.i.g. and passed. Pressure gauges returned to zero when pressure was released at end of testing. Repairs are complete. Final project sign-off by HMCD is granted. Testing was performed by UST Service Technician Jonathan Ocker of Remediation Risk Management, Inc. dba Triton Construction. Mr. Ocker has current ICC California UST Service Technician certification (exp. 4/1/2018) and Franklin Fueling Systems Incon Level 4 (TS-STS Sump Test System) certification (exp. 12/7/2018). Notes: 1. Three UDC penetrations were repaired: the 87 line in UDC 5/6, and the 89 line in UDCs 7/8 and 9/10. Two site visits were required today since UDC [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST

VALERO STATION #3815 (Continued) **U001602685**

Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 02-23-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: ON SITE TO CONDUCT A FINAL INSPECTION FOR SR0851691. THIS PERMIT WAS ISSUED FOR THIS SITE AFTER A COLD-START TOOK PLACE. TESTING WAS CONDUCTED BY: MARCOS MERCADO WITH SSS, MR. MERCADO HAS THE FOLLOWING CERTIFICATIONS; ICC#8049069 EXP., 11/4/2017; VR# B36955 EXP., 05/11/2017. PRIOR TO AN AFTER COMPLETION OF TESTING THERE WERE NO ACTIVE ALARMS AT THE VEEDER ROOT PANEL. THE FOLLOWING COMPONENTS WERE TESTED DURING THIS COLD-START: - 3 STP SENSORS PROVIDED A POSITIVE SHUT-DOWN CONDITION AT THE TURBINE. - 5 UDC SENSORS PROVIDED A POSITIVE SHUT-DOWN CONDITION AT THE TURBINE. - 3 ANNULAR SENSORS PROVIDE AN AUDIBLE/VISUAL ALARM AT THE VEEDER ROOT PANEL. - FAIL SAFE/ SENSOR OUT WERE VERIFIED DURING THIS INSPECTION - OVERFILL ALARM IN ALL TANKS IS ATG PROBES AT 90% TANK CAPACITY. THIS WAS VERIFIED DURING THIS INSPECTION. - THE EMERGENCY SHUT-OFF (ESO) WAS VERIFIED FOR FUNCTIONALITY DURING THIS INSPECTION AS PART OF THE COLD-START ONLY. THIS INSPECTION CLOSES OUT [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Enforcement Action:
Site ID: 79774
Site Name: VALERO STATION #3815
Site Address: 827 S 1ST ST
Site City: SAN JOSE
Site Zip: 95110
Enf Action Date: 04-02-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Site Address: 827 S 1ST ST
Site City: SAN JOSE
Site Zip: 95110
Enf Action Date: 04-02-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Coordinates:
Site ID: 79774
Facility Name: VALERO STATION #3815
Env Int Type Code: HWG

VALERO STATION #3815 (Continued) **U001602685**

Program ID: 10158209
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 37.323380
Longitude: -121.881390

Affiliation:
Affiliation Type Desc: UST Permit Applicant
Entity Name: RICHARD KOLBERG
Entity Title: BRANDED SALES MGR
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (925) 362-4570

Affiliation Type Desc: UST Tank Operator
Entity Name: Ngoc Nguyen (First Street Valero)
Entity Title: Not reported
Affiliation Address: 827 S 1st Street
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95110
Affiliation Phone: (408) 292-5202

Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Document Preparer
Entity Name: Catherine Riccomini
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Parent Corporation
Entity Name: VALERO MARKETING AND SUPPLY COMPANY
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

VALERO STATION #3815 (Continued) **U001602685**

Affiliation Type Desc:	Property Owner
Entity Name:	WICKLAND OIL COMPANY
Entity Title:	Not reported
Affiliation Address:	PO BOX 13648
Affiliation City:	SACRAMENTO
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	Not reported
Affiliation Phone:	(916) 978-2400

Affiliation Type Desc:	Operator
Entity Name:	VALERO MARKETING & SUPPLY CO.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(925) 362-4570

Affiliation Type Desc:	Environmental Contact
Entity Name:	RICHARD KOLBERG
Entity Title:	Not reported
Affiliation Address:	PO BOX 2050
Affiliation City:	DANVILLE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94526
Affiliation Phone:	Not reported

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	PO BOX 2050
Affiliation City:	DANVILLE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94526-2050
Affiliation Phone:	Not reported

Affiliation Type Desc:	Identification Signer
Entity Name:	RICHARD KOLBERG
Entity Title:	BRANDED SALES MANAGER
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	VALERO MARKETING & SUPPLY CO
Entity Title:	Not reported
Affiliation Address:	PO BOX 2050
Affiliation City:	DANVILLE
Affiliation State:	CA
Affiliation Country:	United States

VALERO STATION #3815 (Continued) **U001602685**

Affiliation Zip: 94526-2050
Affiliation Phone: (925) 362-4570

Affiliation Type Desc: UST Property Owner Name
Entity Name: WICKLAND OIL COMPANY
Entity Title: Not reported
Affiliation Address: PO BOX 13648
Affiliation City: SACRAMENTO
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95853
Affiliation Phone: (916) 978-2400

Affiliation Type Desc: UST Tank Owner
Entity Name: VALERO MARKETING AND SUPPLY COMPANY, INC.
Entity Title: Not reported
Affiliation Address: PO BOX 2050
Affiliation City: DANVILLE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94526
Affiliation Phone: (925) 362-4570

CUPA SANTA CLARA:
Name: VALERO STATION #3815
Address: 827 S 1ST ST
City,State,Zip: SAN JOSE, CA 95110
Region: SANTA CLARA
PE#: 2399
Program Description: UNDERGROUND STORAGE TANK PROGRAM RECORD
Latitude: 37.323635
Longitude: -121.88143
Record ID: PR0398036
Facility ID: FA0210995

Name: VALERO STATION #3815
Address: 827 S 1ST ST
City,State,Zip: SAN JOSE, CA 95110
Region: SANTA CLARA
PE#: 2202
Program Description: GENERATES < 100 KG/YR
Latitude: 37.323635
Longitude: -121.88143
Record ID: PR0314263
Facility ID: FA0210995

Name: VALERO STATION #3815
Address: 827 S 1ST ST
City,State,Zip: SAN JOSE, CA 95110
Region: SANTA CLARA
PE#: Not reported
Program Description: HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.323635
Longitude: -121.88143
Record ID: PR0397512
Facility ID: FA0210995

VALERO STATION #3815 (Continued) **U001602685**

Name: FIRST STREET VALERO
Address: 827 S 1ST ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
PE#: 2240
Program Description: GENERATES < 10 GAL/YR
Latitude: 37.32334
Longitude: -121.88138
Record ID: PR0390667
Facility ID: FA0264810

Name: FIRST STREET VALERO
Address: 827 S 1ST ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
PE#: Not reported
Program Description: HMBP FACILITY, 1-3 CHEMICALS
Latitude: 37.32334
Longitude: -121.88138
Record ID: PR0390660
Facility ID: FA0264810

SAN JOSE HAZMAT:
Name: VALERO STATION #3815
Address: 827 S 1ST ST
City,State,Zip: SAN JOSE, CA 95123
Region: SAN JOSE
File Num: 401261
Class: Gasoline Station

CERS:
Name: VALERO STATION #3815
Address: 827 S 1ST ST
City,State,Zip: SAN JOSE, CA 95110
Site ID: 79774
CERS ID: 10158209
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 04-02-2014
Citation: 23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description: Failure of sensor to be located in the proper position/location.
Violation Notes: Returned to compliance on 04/02/2014. THE VR 208 SENSOR FOR T2- 89 TANK WHEN TESTED THE FIRST TIME DID NOT PROVIDE A POSITIVE SHUT-DOWN CONDITION AT THE TURBINE. TECHNICIAN SAID IT WAS A BAD SENSOR AND HE REPLACED IT WITH ANOTHER VR 208 SENSOR (LIKE FOR LIKE). THIS SENSOR WAS THEN RE-TESTED AND PASSED. NO FURTHER ACTION IS REQUIRED.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 03-29-2016

VALERO STATION #3815 (Continued) **U001602685**

Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to maintain on site an approved monitoring plan.
Violation Notes:	Returned to compliance on 05/31/2016. UPDATE THE MONITORING PLAN TO REFLECT THE FOLLOWING: -THE UDC LIQUID SENSOR SHUT'S DOWN THE PUMP, TRIGGERS AND AUDIBLE/VISUAL ALARM WHEN A LEAK IS SIMULATED BUT IT DOES NOT SHUT DOWN THE DISPENSER.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	05-10-2018
Citation:	23 CCR 16 2715(f)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(f)(2)
Violation Description:	Failure to have at least one facility employee present during operating hours that has been trained in the proper operation and maintenance of the UST system by a designated operator (DO).
Violation Notes:	Tiffany Digiore was indicated as still being an employee but is not noted on training log as having been trained in either 2017 or 2018.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	04-11-2017
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 05/25/2017. Revise inventory to include only hazardous materials for which Valero Marketing & Supply Company is the handler (i.e. fuel-contaminated test water). The facility operator, Ngoc Nguyen, is the handler of the fuel in the USTs and the Propane.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	05-10-2018
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	The certification of Financial Responsibility posted on CERS is out of date in that it references a Corporate Guarantee with an expiration date of 4/30/18. An updated CFR and corporate guarantee/CFO letter documentation was noted as being stored onsite and available for review during the inspection.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

VALERO STATION #3815 (Continued) **U001602685**

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 04-02-2015
Citation: 23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description: The owner/operator has failed to comply with one or more of the following: to maintain a copy of the designated operator monthly inspections for the last 12 months and/or maintain a list of trained employees on-site or off-site at a readily available location, if approved by the CUPA.
Violation Notes: THE FOLLOWING DESIGNATED UST OPERATOR MONTHLY INSPECTION RECORDS WERE NOT AVAILABLE ON-SITE AT THE TIME OF INSPECTION AND MR. NGUYEN WASN'T AWARE THESE WERE MISSING OR WHETHER OR NOT HE CONDUCTED THESE MONTHLY INSPECTIONS; - MAY- SEPTEMBER 2014 - NOVEMBER 2014-FEBRUARY 2015. ENSURE THAT IN THE FUTURE ALL DO MONTHLY RECORDS ARE KEPT ON- SITE AND ARE AVAILABLE DURING AN INSPECTION.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 04-02-2014
Citation: HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description: UST Program - Administration/Documentation - General
Violation Notes: THE FOLLOWING DO MONTHLY RECORDS WERE MISSING THE ALARM HISTORY; 06/15/13-10/16/14. ADDITIONALLY, ALL OF THE D0 MONTHLY RECORDS ARE MISSING PAGE 2 AND ARE INCOMPLETE AREAS #6 AND #7 ARE LEFT BLANK. ENSURE THAT FROM NOW ON ALL MONTHLY RECORDS ARE COMPLETELY FILLED OUT AND HAVE A COPY OF THE ALARM HISTORY ATTACHED.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 05-10-2018
Citation: 23 CCR 16 2715(c) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)
Violation Description: Failure to comply with one or more of the following designated operator (DO) monthly inspection requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(f)(2).
Violation Notes: DUSTO monthly reports for March and April 2018 were not available for review Monthly reports inaccurately report SB 989 date as 5/2014 with note that documentation of more recent testing is not available. Inspectors were able to locate last 989 test reports in different binder. Reports from 1/2018 back through 5/2017 all note training up to date, but according to cashier Tiffany Diigiore is still employed

VALERO STATION #3815 (Continued) **U001602685**

	but her last documented training was 2015.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	05-10-2018
Citation:	23 CCR 16 2715(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(i)
Violation Description:	Failure to have a properly qualified service technician test leak detection equipment as required every 12 months (vapor, pressure, hydrostatic (VPH) system, sensors, line-leak detectors (LLD), automatic tank gauge (ATG), etc.).
Violation Notes:	Maintenance records and alarm history showed testing of the monitoring system in March of 2018. This event was not documented/certified by the tester. In 2019, testing must occur in April.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	04-12-2017
Citation:	40 CFR 1 265.32 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.32
Violation Description:	Failure of the facility to maintain the following emergency equipment or equivalents: 1) An internal communications or alarm system; 2) A device, such as a telephone (immediately available at the scene of Operations/ Maintenance) or a hand-held two-way radio, capable of summoning emergency assistance from local police departments, fire departments, or State or local emergency response teams; 3) Portable fire extinguishers, fire control equipment, spill control equipment, and decontamination equipment; and 4) Water at adequate volume and pressure to supply water hose streams, or foam producing equipment, or automatic sprinklers, or water spray systems.
Violation Notes:	Returned to compliance on 05/25/2017. Facility failed to maintain an empty container on-site for fuel-contaminated test water. UST technician had to repurpose 3 x 5 gallon buckets to serve as temporary containers for this wastewater.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	03-29-2016
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain and maintain a valid operation permit from the CUPA.
Violation Notes:	Returned to compliance on 05/31/2016. FACILITY FAILED TO MAINTAIN A 5 YEAR OPERATING PERMIT. CLARIFY THE OWNERSHIP, CERS RECORDS INDICATE CONFLICTING OWNERSHIPS. THE TANK OWNER AND OPERATOR PAGE INDICATE VALERO MARKETING AND SUPPLY COMPANY, INC BUT THE RESPONSE PLAN INDICATES NGOC NGUYEN AND THE DESIGNATED OPERATOR STATEMENT INDICATES RICHARD KOLBERG AS OWNER. THE OWNER AND OPERATOR SHOULD BE CONSISTENT WITH ALL DOCUMENTS SUBMITTED.

VALERO STATION #3815 (Continued) **U001602685**

Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	04-18-2017
Citation:	HSC 6.7 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e)
Violation Description:	Failure to maintain secondary containment (e.g. failure of secondary containment testing).
Violation Notes:	Returned to compliance on 08/10/2017. Secondary containment of 87 product piping run was tested with a 60 minute pressure test @ 5 psig but failed to hold pressure. Secondary containment of 89 product piping run was tested with a 60 minute pressure test @ 5 psig but failed to hold pressure. Continue to troubleshoot and repair or replace failed components as necessary. Notify HMCD of the scope of any repairs to be performed. Please note that a repair permit from HMCD may be necessary depending upon the repair(s) needed.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	04-02-2015
Citation:	Un-Specified
Violation Description:	UST Program - Administration/Documentation - For use of Local Ordinance only
Violation Notes:	FACILITY FAILED TO RESPOND TO THE LAST OFFICIAL NOTICE OF INSPECTION ISSUED ON 4/2/14. ENSURE THAT YOU PROVIDE WRITTEN CORRECTIVE ACTIONS TAKEN TO THIS OFFICIAL NOTICE OF INSPECTION.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	03-29-2016
Citation:	23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description:	Failure of the double wall pressurized piping in the turbine sump to be continuously monitored with a system that activates an audible and visual alarm or restricts or stops flow at dispenser when a leak is detected.
Violation Notes:	Returned to compliance on 03/29/2016. THE 87 PIPING SUMP LIQUID SENSOR FAILED TO SHUT DOWN THE PUMP WHEN A LEAK WAS SIMULATED. **THE TECHNICIAN CHANGED OUT THE RELAY, RE-TESTED AND PASSED.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	79774
Site Name:	VALERO STATION #3815
Violation Date:	04-11-2017
Citation:	HSC 6.7 25284(a)(3)(A) & (B); - California Health and Safety Code,

VALERO STATION #3815 (Continued) **U001602685**

Chapter 6.7, Section(s) 25284(a)(3)(A) & (B);
Violation Description: Failure to implement or maintain a written agreement between the UST permit holder and the operator (owner/operator agreement).
Violation Notes: Returned to compliance on 05/25/2017. An inaccurate owner and operator agreement was submitted to CERS on 4/6/17. Revise the agreement based upon the findings detailed in this Official Notice of Inspection and submit a copy to CERS.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 03-29-2016
Citation: 22 CCR 12 66262.34(d) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(d)
Violation Description: Failure to dispose of hazardous waste within 180 days (or 270 if waste is transported over 200 miles) for the generator who generates less than 1000 kilogram per month, but more than 100 kilograms per month.
Violation Notes: Returned to compliance on 05/31/2016. 180 DAYS FOR WASTE DISPOSAL STARTED WHEN THE CONTAINER REACHED 27 GALLONS, OBSERVED A 55 GALLON AND 15 GALLON CONTAINER OF HOSES, NOZZLES, FILTERS AND TEST WATER MIX 3/4 FULL DATED JUNE 15, 2013 .
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 04-02-2014
Citation: HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description: UST Program - Operations/Maintenance - General
Violation Notes: A COPY OF 2012 MONITORING SYSTEM CERTIFICATION REPORT WAS NOT AVAILABLE AT THIS SITE. ENSURE THAT COPIES OF THE MONITORING SYSTEM CERTIFICATION REPORTS ARE AVAILABLE ON-SITE.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 03-29-2016
Citation: 40 CFR 1 265.174 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.174
Violation Description: Failure to inspect hazardous waste storage areas at least weekly.
Violation Notes: Returned to compliance on 05/31/2016. WEEKLY HAZARDOUS WASTE INSPECTIONS ARE NOT BEING CONDUCTED.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Violation Date: 04-02-2015
Citation: 23 CCR 16 2715(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(f)

VALERO STATION #3815 (Continued) **U001602685**

Violation Description: Failure to comply with one or more of the following: provide training to facility employee(s) responsible for proper operation and maintenance every 12 months and/or train new employee(s) who are responsible for proper operation and maintenance within 30-days of hire and/or to have at least one employee present during operating hours that has been trained in the proper operation and maintenance of the UST system.
Violation Notes: THE FOLLOWING EMPLOYEES NEED TO BE TRAINED IMMEDIATELY; - NGOC NGUYEN - TIFFANY DIGIORE - MARIA MENDEZ - BECKY GONZALES ENSURE THAT ALL EMPLOYEES ARE TRAINED IMMEDIATELY BY A DESIGNATED OPERATOR, WHICH IS NOW UST CONFIDENCE.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-29-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-29-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: ON SITE WITH CHRISTOPHER BISHOP A CALIFORNIA ICC CERTIFIED TECHNICIAN WITH UST CONFIDENCE TO OVERSEE THE MONITORING CERTIFICATION. MR. BISHOP'S CERTIFICATION WERE VERIFIED ON SITE TO BE CURRENT. THE FOLLOWING COMPONENTS WERE TESTED AND FOUND TO BE OPERABLE: -87,89 AND 91 SPILL MECHANICAL LINE LEAK DETECTORS WERE TESTED SIMULATING A LEAK AT 3.0 GPH AT 10 PSI -THE UDC LIQUID SENSORS TRIGGERED A PUMP SHUT DOWN AND AN AUDIBLE/VISUAL ALARM WHEN A LEAK WAS SIMULATED. -THE PIPING SUMP LIQUID SENSORS FOR 89 AND 91, TRIGGERED AN AUDIBLE/VISUAL ALARM AND SHUT DOWN THE PUMP. -LIQUID SENSORS IN THE ANNULAR SPACE TRIGGERED AN AUDIBLE AND VISUAL ALARM WHEN A LEAK WAS SIMULATED. -FAIL SAFE WAS VERIFIED -OVERFILL VIA THE ATG'S WERE VERIFIED -SENSOR OUT WAS VERIFIED -E-STOP WAS VERIFIED NOTE: -TRAINING RECORDS WERE REVIEWED -D.O MONTHLY INSPECTIONS WERE REVIEWED -THE MONITORING PANEL INDICATED ALL FUNCTIONS NORMAL
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-02-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: ON-SITE TO OVERSEE AN ANNUAL MONITORING SYSTEM CERTIFICATION. TESTING WAS CONDUCTED BY CHRISTOPHER BISHOP WITH UST CONFIDENCE. MR. BISHOP HAS THE FOLLOWING CERTIFICATIONS; ICC#8057545-UT EXP; 4/30/2016; VR#B36744 EXP.,5/15/2016; VMI#2697 EXP.,5/14/2016. PRIOR TO AND AFTER COMPLETION OF TESTING THERE WERE NO ACTIVE ALARMS AT THE VEEDER ROOT PANEL. THE FOLLOWING COMPONENTS WERE TESTED AND PASSED DURING TODAY'S

VALERO STATION #3815 (Continued) **U001602685**

INSPECTION; - 3 STP SUMP SENSORS PROVIDED A POSITIVE SHUT-DOWN CONDITION AT THE TURBINE. - 3 ANNULAR SENSORS PROVIDED AN AUDIBLE/VISUAL ALARM AT THE PANEL. THE ANNULAR SENSOR FOR THE 87 TANK PROVIDE A POSITIVE SHUT-DOWN CONDITION AT THE TURBINE AS WELL. - 3 ATG PROBES WERE TESTED AND WERE ABLE TO PROVIDE AN AUDIBLE/VISUAL ALARM WHEN THE TANK REACHED 90%. - 5 UDC SENSORS PROVIDED A POSITIVE SHUT-DOWN CONDITION AT THE TURBINE. - 3 SPILL BUCKETS WERE TESTED HYDROSTATICALLY FOR AN HOUR AND PASSED. - FAIL SAFE AND SENSOR OUT WERE VERIFIED. - 3 MLLD'S WERE AND [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-12-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site to conduct a hazardous materials business plan (HMBP) inspection. Valero Marketing & Supply Company, as the owner of the USTs, is responsible for disclosure of the following hazardous material: -Fuel-contaminated test water A HMBP (CERS ID: 10158209) submitted on 4/6/17 was reviewed. NOTE: A ?Hazardous Materials Business Plan (HMBP) is required to be submitted by the handler of the hazardous material. At this facility, the only hazardous material handled by Valero Marketing & Supply Company in a HMBP-reportable quanity is hazardous fuel-contaminated water generated from UST testing and maintenance activities. The gas station operator, Ngoc Nguyen DBA First Street Valero, is the handler of the petroleum in the USTs, the Propane, and hazardous wastes incidental to vehicle fueling such as absorbents from spill cleanup, used dispenser hoses, etc. As such, it is their responsibility to submit a HMBP. Valero may assist the opertor with preparing the operator?s [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 04-18-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: On-site to observe secondary containment testing. Testing was performed by Jonathan Ocker of Triton Construction. Mr. Ocker has the following certifications observed as current: -ICC UST Service Technician -Incon Sump Test System Operation Level 4 Product piping runs were tested with a 60 minute pressure test @ 5 psig with the following results: -87, FAIL -89, FAIL -91, PASS STP sumps were tested with a 15 minute Incon accelerated hydrostatic test with the following results: -87, PASS -89, PASS -91, PASS UST annular spaces were tested for 60 minutes with a vacuum test @ -10 inHg with the following results: -87, PASS -89, DID NOT WITNESS -91, PASS UDCs were tested with a 15 minute Incon accelerated hydrostatic test with the following results: -Dispenser 1/2: PASS -Dispenser 3/4: PASS -Dispenser 5/6: PASS -Dispenser 7/8: PASS -Dispenser 9/10: PASS FOLLOW-UP REQUIRED: -Continue to troubleshoot and repair or replace failed components as [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST

VALERO STATION #3815 (Continued) **U001602685**

Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	05-10-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Onsite to witness annual monitoring system certification. Conducted by UST Confidence, technician Aaron Perrigo. Mr. Perrigo has current ICC, Veeder Root Level 3, VMI, Veeder Root Red Jacket certifications. System provided audible and visual alarms with turbine shutdown for all STP sump sensors. System provided audible and visual alarms with turbine shutdown for all UDC sensors System audible and visual alarms for all annular/interstitial sensors Mechanical Line Leak detectors were able to recognize and restrict flow for simulated 3 gph, 10 psi leak. Tested at dispenser 9/10. Overfill prevention by audible external alarm. Probe flats were raised to calculated 90% height and each provided an alarm that was visible and audible at the point of fill. Spill buckets tested with water for one hour without loss. UDC are fitted with deflector plates. Reviewed information submitted on CERS (10158209) on 12/15/17. Operating permit application, monitoring plan response [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	09-21-2017
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Inspection of underground storage tank (UST) system dispenser conversion. Installation of S. Bravo Systems dispenser conversion frames and Deflector Plates beneath the five Veeder-Root / Gilbarco Encore dispensers was visually confirmed. Final project sign-off by Santa Clara County CUPA is granted conditioned upon completion of installation of plastic plugs to seal anchor bolt access holes in deflector plates. Note: Dispenser replacement did not end up requiring cold start of the Veeder-Root TLS-350 console, so monitoring system certification testing was removed from project scope of work.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-12-2017
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On-site to conduct a hazardous waste inspection. Valero Marketing & Supply Company, as the owner of the USTs, is responsible for any hazardous waste generated from testing of or repair of the tank systems. Conducted a facility walk-through on 4/10/17 and observed the following: -No container was present on-site for fuel-contaminated test water, and so Mr. Bishop of COnfidence UST had to repurpose 3 x 5 gallon containers to temporarily hold the waste until a 55 gallon steel drum could be acquired. -EPA ID CAL000191509 is active -Fire extinguishers were observed as maintained -Spill control was available WITHIN 30 DAYS COMPLETE THE FOLLOWING: -According to the hazardous waste tracking system CAL000191509 is assigned to "VALERO # 7110".

VALERO STATION #3815 (Continued) **U001602685**

Contact DTSC and revise the facility name attached to this ID as "Valero Station #3815". NOTE: -Any hazardous generated as a result of daily operations of the gas station is required to be managed by the facility operator, Ngoc [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 04-18-2017
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: For details see Notice of Inspection for Secondary Containment Test.
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-02-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: ON-SITE TO OVERSEE AN ANNUAL MONITORING SYSTEM CERTIFICATION. TESTING WAS CONDUCTED BY CHRISTOPHER BISHOP WITH UST CONFIDENCE. MR. BISHOP HAS THE FOLLOWING CERTIFICATIONS; ICC#8057545-UT EXP; 5/18/2014; VR#B36744 EXP.,6/7/2014; VMI#2697 EXP.,6/7/2014. SITE SYSTEM SET-UP T1-87 DW FIBERGLASS T2-89 DW FIBERGLASS T3-91 DW FIBERGLASS THE FOLLOWING COMPONENTS WERE TESTED AND PASSED DURING TODAY'S INSPECTION; - 2 STP SUMP SENSORS PROVIDED A POSITIVE SHUT-DOWN CONDITION (SEE VIOLATION FOR OTHER SENSOR) - 3 ANNULAR SENSORS PROVIDED AN AUDIBLE/VISUAL ALARM AT THE PANEL. - 3 PROBES WERE TESTED TO VERIFY OVERFILL PREVENTION AND PASSED. - 5 UDC SENSORS PROVIDED AN AUDIBLE/VISUAL ALARM AT THE PANEL. - SPILL BUCKETS WERE TESTED HYDROSTATICALLY FOR AN HOUR AND PASSED. - FAIL SAFE, SENSOR OUT AND EMERGENCY SHUT-OFF SWITCH WERE VERIFIED. - 3 MLLD'S WERE TESTED AND PASSED NOTES; AFTER COMPLETION OF TESTING THE TLS-350 VR PANEL READ; T1- HIGH WATER. TECHNICIAN TOOK PROBE [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-12-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspection began 3/28/17 and ended today. Annual monitoring system testing was performed by UST service technician Chris Bishop from Confidence UST. Mr. Bishop has the following certifications: -CA UST Service Technician, exp. 4/30/18 -Veeder Root ATG Monitoring Systems Technician, exp. 5/1017 -Red Jacket Technician, exp. 4/28/18 During testing of monitoring equipment the following was observed: -Secondary containment test boots were observed as pulled-back prior to testing. -The 87, 89, and 91 spill buckets were hydrostatically tested with 5 gallons of water for 60 minutes. -The 87, 89, and 91 sump sensors (Veeder Root 794380-208) were tested in water and produced an audible and visual alarm at the monitoring panel as well as positive shutdown of the turbines. -The 87, 89, and 91 annular sensors (Veeder Root 794390-409) were tested with water and produced an audible and visual

VALERO STATION #3815 (Continued) **U001602685**

alarm at the monitoring panel. -Mechanical line leak detectors (Red Jacket FX1V) [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 08-10-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Final inspection of underground storage tank (UST) system repairs. Repaired under dispenser containment (UDC) sumps for Dispensers 5/6, 7/8 and 9/10 were tested today using the Incon TS-STS accelerated hydrostatic test apparatus and passed. Secondary containment pipe for 87 and 89 product lines was pressure tested today using Nitrogen @ 5 p.s.i.g. and passed. Pressure gauges returned to zero when pressure was released at end of testing. Repairs are complete. Final project sign-off by HMCD is granted. Testing was performed by UST Service Technician Jonathan Ocker of Remediation Risk Management, Inc. dba Triton Construction. Mr. Ocker has current ICC California UST Service Technician certification (exp. 4/1/2018) and Franklin Fueling Systems Incon Level 4 (TS-STS Sump Test System) certification (exp. 12/7/2018). Notes: 1. Three UDC penetrations were repaired: the 87 line in UDC 5/6, and the 89 line in UDCs 7/8 and 9/10. Two site visits were required today since UDC [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 02-23-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: ON SITE TO CONDUCT A FINAL INSPECTION FOR SR0851691. THIS PERMIT WAS ISSUED FOR THIS SITE AFTER A COLD-START TOOK PLACE. TESTING WAS CONDUCTED BY: MARCOS MERCADO WITH SSS, MR. MERCADO HAS THE FOLLOWING CERTIFICATIONS; ICC#8049069 EXP., 11/4/2017; VR# B36955 EXP., 05/11/2017. PRIOR TO AN AFTER COMPLETION OF TESTING THERE WERE NO ACTIVE ALARMS AT THE VEEDER ROOT PANEL. THE FOLLOWING COMPONENTS WERE TESTED DURING THIS COLD-START: - 3 STP SENSORS PROVIDED A POSITIVE SHUT-DOWN CONDITION AT THE TURBINE. - 5 UDC SENSORS PROVIDED A POSITIVE SHUT-DOWN CONDITION AT THE TURBINE. - 3 ANNULAR SENSORS PROVIDE AN AUDIBLE/VISUAL ALARM AT THE VEEDER ROOT PANEL. - FAIL SAFE/ SENSOR OUT WERE VERIFIED DURING THIS INSPECTION - OVERFILL ALARM IN ALL TANKS IS ATG PROBES AT 90% TANK CAPACITY. THIS WAS VERIFIED DURING THIS INSPECTION. - THE EMERGENCY SHUT-OFF (ESO) WAS VERIFIED FOR FUNCTIONALITY DURING THIS INSPECTION AS PART OF THE COLD-START ONLY. THIS INSPECTION CLOSES OUT [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Enforcement Action:
Site ID: 79774
Site Name: VALERO STATION #3815
Site Address: 827 S 1ST ST
Site City: SAN JOSE

VALERO STATION #3815 (Continued) **U001602685**

Site Zip: 95110
Enf Action Date: 04-02-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 79774
Site Name: VALERO STATION #3815
Site Address: 827 S 1ST ST
Site City: SAN JOSE
Site Zip: 95110
Enf Action Date: 04-02-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Coordinates:
Site ID: 79774
Facility Name: VALERO STATION #3815
Env Int Type Code: HWG
Program ID: 10158209
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 37.323380
Longitude: -121.881390

Affiliation:
Affiliation Type Desc: UST Permit Applicant
Entity Name: RICHARD KOLBERG
Entity Title: BRANDED SALES MGR
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (925) 362-4570

Affiliation Type Desc: UST Tank Operator
Entity Name: Ngoc Nguyen (First Street Valero)
Entity Title: Not reported
Affiliation Address: 827 S 1st Street
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95110
Affiliation Phone: (408) 292-5202

Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported

VALERO STATION #3815 (Continued) **U001602685**

Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Document Preparer
Entity Name:	Catherine Riccomini
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	VALERO MARKETING AND SUPPLY COMPANY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	WICKLAND OIL COMPANY
Entity Title:	Not reported
Affiliation Address:	PO BOX 13648
Affiliation City:	SACRAMENTO
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	Not reported
Affiliation Phone:	(916) 978-2400
Affiliation Type Desc:	Operator
Entity Name:	VALERO MARKETING & SUPPLY CO.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(925) 362-4570
Affiliation Type Desc:	Environmental Contact
Entity Name:	RICHARD KOLBERG
Entity Title:	Not reported
Affiliation Address:	PO BOX 2050
Affiliation City:	DANVILLE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94526
Affiliation Phone:	Not reported

VALERO STATION #3815 (Continued) **U001602685**

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	PO BOX 2050
Affiliation City:	DANVILLE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94526-2050
Affiliation Phone:	Not reported

Affiliation Type Desc:	Identification Signer
Entity Name:	RICHARD KOLBERG
Entity Title:	BRANDED SALES MANAGER
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	VALERO MARKETING & SUPPLY CO
Entity Title:	Not reported
Affiliation Address:	PO BOX 2050
Affiliation City:	DANVILLE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94526-2050
Affiliation Phone:	(925) 362-4570

Affiliation Type Desc:	UST Property Owner Name
Entity Name:	WICKLAND OIL COMPANY
Entity Title:	Not reported
Affiliation Address:	PO BOX 13648
Affiliation City:	SACRAMENTO
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95853
Affiliation Phone:	(916) 978-2400

Affiliation Type Desc:	UST Tank Owner
Entity Name:	VALERO MARKETING AND SUPPLY COMPANY, INC.
Entity Title:	Not reported
Affiliation Address:	PO BOX 2050
Affiliation City:	DANVILLE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94526
Affiliation Phone:	(925) 362-4570

Name:	FIRST STREET VALERO
Address:	827 S 1ST ST
City,State,Zip:	SAN JOSE, CA 95110
Site ID:	30438
CERS ID:	10355968
CERS Description:	Chemical Storage Facilities

VALERO STATION #3815 (Continued) **U001602685**

Violations:

Site ID:	30438
Site Name:	FIRST STREET VALERO
Violation Date:	08-10-2017
Citation:	40 CFR 1 262.34(d)(5)(iii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(iii)
Violation Description:	Failure to ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures, relevant to their responsibilities during normal facility operations and emergencies.
Violation Notes:	Faded labels and lack of knowledge regarding container labeling and inspection requirements and emergency response actions indicate that both Mr. Nguyen and Ms. Digiore need hazardous waste management training.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	30438
Site Name:	FIRST STREET VALERO
Violation Date:	04-11-2017
Citation:	22 CCR 12 66262.11 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.11
Violation Description:	Failure to determine if wastes generated are hazardous waste by using generator knowledge or applying testing method.
Violation Notes:	Facility utilizes absorbent for clean-up of fuel spills, however no waste absorbent container was observed on-site. Make a hazardous waste determination on waste absorbent, and if found to be hazardous, manage as a fully-regulated hazardous waste.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	30438
Site Name:	FIRST STREET VALERO
Violation Date:	08-10-2017
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	The 55 gallon drum holding hazardous waste petroleum contaminated water is marked with a Hazardous Waste label, but the accumulation start date and generator information are illegible. The drum for solid hazardous waste also contains a blank Hazardous Waste label that must be filled out now that accumulation of solid waste has begun today.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	30438
Site Name:	FIRST STREET VALERO
Violation Date:	03-29-2016
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in

VALERO STATION #3815 (Continued) **U001602685**

	safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	Returned to compliance on 08/03/2017. FACILITY FAILED TO TRAIN IT'S EMPLOYEES AS REQUIRED PER THEIR CURRENT TRAINING PLAN ON CERS.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	30438
Site Name:	FIRST STREET VALERO
Violation Date:	08-10-2017
Citation:	HSC 6.95 25507 - California Health and Safety Code, Chapter 6.95, Section(s) 25507
Violation Description:	Failure to adequately establish and implement a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes:	Implement your Hazardous Materials Business Plan by providing and documenting required emergency response training to all employees.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	30438
Site Name:	FIRST STREET VALERO
Violation Date:	04-11-2017
Citation:	22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description:	Failure to obtain an Identification Number prior to treating, storing, disposing of, transporting or offering for transportation any hazardous waste.
Violation Notes:	Returned to compliance on 08/08/2017. The facility operator generates hazardous waste in the form of waste absorbent however has no EPA ID number. Do not ship any hazardous waste until an EPA ID number has been assigned to your business.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	30438
Site Name:	FIRST STREET VALERO
Violation Date:	04-11-2017
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes:	Returned to compliance on 08/03/2017. HMBP submitted to CERs on 5/6/13 did not contain an emergency response plan.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	30438
Site Name:	FIRST STREET VALERO
Violation Date:	03-29-2016
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95,

VALERO STATION #3815 (Continued) **U001602685**

	Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:	Returned to compliance on 08/06/2017. FACILITY FAILED TO ANNUALLY CERTIFY, THE LAST CERTIFICATION WAS MARCH 2, 2016.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	30438
Site Name:	FIRST STREET VALERO
Violation Date:	04-11-2017
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 08/03/2017. Facility failed to disclose 30,000 gallons of gasoline on HMBP submitted to CERs on 5/6/13.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	30438
Site Name:	FIRST STREET VALERO
Violation Date:	04-11-2017
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes:	HMBP submitted to CERs on 5/6/13 did not contain an employee training program.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	30438
Site Name:	FIRST STREET VALERO
Violation Date:	04-12-2017
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 08/03/2017. Facility has failed to annually certify HMBP in 2014, 2015, and 2016.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	30438
Site Name:	FIRST STREET VALERO
Violation Date:	08-10-2017
Citation:	40 CFR 1 265.174 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.174
Violation Description:	Failure to inspect hazardous waste storage areas at least weekly and

VALERO STATION #3815 (Continued) **U001602685**

look for leaking and deteriorating containers.
Violation Notes: Mr. Nguyen stated that he only inspects Hazardous Waste containers when they are being used. Containers are "being used" at all times after hazardous waste is placed inside them. The liquid waste drum has contained Hazardous Waste at least since the initial round of UST secondary containment testing was performed earlier this year.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 30438
Site Name: FIRST STREET VALERO
Violation Date: 04-11-2017
Citation: Un-Specified
Violation Description: Hazardous Waste Generator Program - Administration/Documentation - General Local Ordinance
Violation Notes: Returned to compliance on 09/26/2017. The facility operator generates hazardous waste in the form of waste absorbent however has no hazardous waste generator permit.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 30438
Site Name: FIRST STREET VALERO
Violation Date: 03-29-2016
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 08/06/2017. THE SITE MAP SHOULD HAVE AT A MINIMUM THE FOLLOWING INFORMATION: -ALL STREETS BORDERING THE FACILITY -LOCATIONS OF ALL BUILDINGS AND OTHER STRUCTURES -PARKING LOTS AND INTERNAL ROADS -OUTSIDE HAZARDOUS MATERIALS STORAGE OR USE AREAS -STORM DRAINS -PRIMARY AND ALTERNATE EVACUATION ROUTES, EMERGENCY EXITS, AND PRIMARY AND ALTERNATE STAGING AREAS. -LOCATION OF EACH HAZARDOUS MATERIAL/WASTE STORAGE, DISPENSING, USE, OR HANDLING AREA -LOCATION OF EACH MONITORING SYSTEM CONTROL PANEL (e.g ,MONITORING PANEL)
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-29-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-12-2017
Violations Found: Yes
Eval Type: Routine done by local agency

VALERO STATION #3815 (Continued) **U001602685**

Eval Notes:	On-site to conduct a hazardous materials business plan (HMBP) inspection. Ngoc Nguyen DBA First Street Valero, as the operator of the USTs, is responsible for disclosure of the following hazardous materials: -30,000 gallons of gasoline in 3 x 10,000 gallon USTs -Propane A HMBP (CERS ID: 10355968) submitted on 5/6/13 was reviewed.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	08-10-2017
Violations Found:	Yes
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Not reported
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	08-10-2017
Violations Found:	Yes
Eval Type:	Other, not routine, done by local agency
Eval Notes:	During today's underground storage tank repair inspection, a customer overfilled her car gas tank and spilled fuel on the pavement. Jonathan Ocker from Triton Construction cleaned up the spill using an absorbant pad. When the incident occurred, the only facility employee on-site was Tiffany Digiore, who had no idea how to respond to a spill and did not know if the facility has any hazardous waste containers. The saturated pad was given to Mr. Nguyen, who was called and arrived onsite in a short time. He placed the waste in a 55 gallon open head steel drum. Based on Mr. Nguyen's statements and multiple choice tests from Designated UST Operator (DUSTO) training, which were the only training records available at the facility, there were no personnel on-site today who have been trained within the past 12 months by the facility's DUSTO. Mr. Nguyen's last DUSTO test was dated 8/20/2015. Ms. Digiore's last DUSTO test was dated 7/30/2015. Neither the training video nor the used [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-12-2017
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Inspection began on 3/28/17 and ended today. Ngoc Nguyen is responsible for any hazardous waste generated from daily operations (i.e. waste absorbent from fuel spills or contaminated hosing stored on-site). Conducted a facility walk-through on 3/28/17 and observed only new absorbent. When Mr. Nguyen was asked how waste absorbent was managed and he answered that he did not know. -Fire extinguishers were observed as maintained -Spill control was available This inspection concludes today with issuance of this Official Notice of Inspection. NOTE: -Any hazardous generated as a result of testing or repairs of UST system is required to be managed by the UST system owner, Valero Marketing & Supply Company. This includes any fuel-contaminated test water generated from UST testing activities.

VALERO STATION #3815 (Continued) **U001602685**

Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Coordinates:
Site ID: 30438
Facility Name: FIRST STREET VALERO
Env Int Type Code: HWG
Program ID: 10355968
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 37.323380
Longitude: -121.881390

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: Ngoc Nguyen
Entity Title: Not reported
Affiliation Address: 827 S 1st ST
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95110
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 827 S 1ST ST
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95110
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: NGOC NGUYEN
Entity Title: OWNER
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Parent Corporation
Entity Name: FIRST STREET VALERO
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner

VALERO STATION #3815 (Continued) **U001602685**

Entity Name:	NGUYEN, NGOC
Entity Title:	Not reported
Affiliation Address:	827 S 1ST ST
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95110
Affiliation Phone:	(408) 292-5202
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Operator
Entity Name:	Ngoc Nguyen
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 605-2704
Affiliation Type Desc:	Property Owner
Entity Name:	Dick Kolberg
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	United States
Affiliation Zip:	Not reported
Affiliation Phone:	(925) 362-4570
Affiliation Type Desc:	Document Preparer
Entity Name:	NGOC NGUYEN
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Y132 **TEXACO** **CA LUST** **S105512917**
NNW **78 S 4TH ST** **CA HIST LUST** **N/A**
1/4-1/2 **SAN JOSE, CA 95113** **CA CERS**
0.466 mi.
2458 ft. **Site 1 of 2 in cluster Y**

Relative: **Lower**

Actual: **87 ft.**

LUST:

Name:	TEXACO
Address:	78 S 4TH ST
City,State,Zip:	SAN JOSE, CA 95113
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501328
Global Id:	T0608501328
Latitude:	37.336598
Longitude:	-121.885409
Status:	Completed - Case Closed
Status Date:	10/21/1999
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0608501328
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608501328
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

LUST:

Global Id:	T0608501328
Action Type:	ENFORCEMENT
Date:	10/21/1999
Action:	Closure/No Further Action Letter

Global Id:	T0608501328
Action Type:	RESPONSE
Date:	03/25/1997
Action:	Soil and Water Investigation Report

Global Id:	T0608501328
Action Type:	RESPONSE

TEXACO (Continued) **S105512917**

Date: 09/06/1996
Action: Corrective Action Plan / Remedial Action Plan

Global Id: T0608501328
Action Type: RESPONSE
Date: 01/21/1999
Action: Other Report / Document

Global Id: T0608501328
Action Type: RESPONSE
Date: 10/04/1994
Action: Other Report / Document

Global Id: T0608501328
Action Type: Other
Date: 01/31/1990
Action: Leak Reported

Global Id: T0608501328
Action Type: ENFORCEMENT
Date: 07/23/1991
Action: Notice of Violation - #39883

Global Id: T0608501328
Action Type: ENFORCEMENT
Date: 01/05/1996
Action: Staff Letter - #26688

Global Id: T0608501328
Action Type: ENFORCEMENT
Date: 03/03/1997
Action: Staff Letter - #26694

Global Id: T0608501328
Action Type: REMEDIATION
Date: 08/31/1993
Action: Excavation

Global Id: T0608501328
Action Type: REMEDIATION
Date: 08/31/1993
Action: Excavation

LUST:
Global Id: T0608501328
Status: Completed - Case Closed
Status Date: 10/21/1999

Global Id: T0608501328
Status: Open - Case Begin Date
Status Date: 01/31/1990

Global Id: T0608501328
Status: Open - Remediation
Status Date: 08/31/1993

Global Id: T0608501328

TEXACO (Continued) **S105512917**

Status: Open - Site Assessment
Status Date: 03/27/1990

Global Id: T0608501328
Status: Open - Site Assessment
Status Date: 01/24/1991

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E08L03f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 3/27/1990
Pollution Characterization Began: 1/24/1991
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: 8/31/1993
Date Post Remedial Action Monitoring Began: Not reported

HIST LUST SANTA CLARA:
Name: Texaco
Address: 78 S 4th St
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E08L03
Oversite Agency: SCVWD
Date Listed: 1991-01-01 00:00:00
Closed Date: 1999-10-21 00:00:00

CERS:
Name: TEXACO
Address: 78 S 4TH ST
City,State,Zip: SAN JOSE, CA 95113
Site ID: 215281
CERS ID: T0608501328
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker

TEXACO (Continued) **S105512917**

Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Y133 **SILVA SERVICE-TEXACO** **CA LUST U001602686**
NNW **78 S 4TH ST** **CA HIST UST N/A**
1/4-1/2 **SAN JOSE, CA 95113**
0.466 mi.
2458 ft. **Site 2 of 2 in cluster Y**

Relative:
Lower

Actual:
87 ft.

LUST SANTA CLARA:
Name: TEXACO
Address: 78 S 4TH ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E08L03F
Date Closed: 10/21/1999
EDR Link ID: 07S1E08L03F

HIST UST:
Name: SILVA SERVICE-TEXACO
Address: 78 S 4TH ST
City,State,Zip: SAN JOSE, CA 95113
File Number: Not reported
URL: Not reported
Region: STATE
Facility ID: 00000002501
Facility Type: Gas Station
Other Type: Not reported
Contact Name: JAMES H. VERA
Telephone: 4082958968
Owner Name: LEO M. SILVA
Owner Address: 217 SO. LEIGH AVE
Owner City,St,Zip: CAMPBELL, CA 95008
Total Tanks: 0003

Tank Num: 001
Container Num: 1-4
Year Installed: 1980
Tank Capacity: 00012332
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: 1/4
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: 3-6
Year Installed: 1980
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED

SILVA SERVICE-TEXACO (Continued) **U001602686**

Container Construction Thickness: 1/4
Leak Detection: Stock Inventor

Tank Num: 003
Container Num: 2-5
Year Installed: 1960
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: REGULAR
Container Construction Thickness: 1/4
Leak Detection: Stock Inventor

Z134 **CENTURY CENTER** **CA LUST S105911315**
NW **53 S 3RD ST** **CA HIST LUST N/A**
1/4-1/2 **SAN JOSE, CA 95113** **CA CERS**
0.468 mi.
2472 ft. **Site 1 of 3 in cluster Z**

Relative: **Lower**

Actual: **89 ft.**

LUST:
Name: CENTURY CENTER
Address: 53 S 3RD ST
City,State,Zip: SAN JOSE, CA 95113
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608561183
Global Id: T0608561183
Latitude: 37.335416
Longitude: -121.888174
Status: Completed - Case Closed
Status Date: 11/01/2002
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Diesel
Site History: Not reported

LUST:
Global Id: T0608561183
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608561183
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

CENTURY CENTER (Continued) **S105911315**

LUST:
Global Id: T0608561183
Action Type: RESPONSE
Date: 11/20/2001
Action: Soil and Water Investigation Report

Global Id: T0608561183
Action Type: RESPONSE
Date: 06/24/1998
Action: Monitoring Report - Quarterly

Global Id: T0608561183
Action Type: RESPONSE
Date: 01/31/1997
Action: Preliminary Site Assessment Report

Global Id: T0608561183
Action Type: RESPONSE
Date: 02/13/1998
Action: Other Report / Document

Global Id: T0608561183
Action Type: RESPONSE
Date: 05/11/2005
Action: Correspondence

Global Id: T0608561183
Action Type: ENFORCEMENT
Date: 11/01/2002
Action: Closure/No Further Action Letter

Global Id: T0608561183
Action Type: Other
Date: 12/08/2000
Action: Leak Reported

Global Id: T0608561183
Action Type: RESPONSE
Date: 11/01/2001
Action: Unauthorized Release Form

Global Id: T0608561183
Action Type: RESPONSE
Date: 12/08/2000
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608561183
Action Type: RESPONSE
Date: 11/01/2001
Action: Unauthorized Release Form

LUST:
Global Id: T0608561183
Status: Completed - Case Closed
Status Date: 11/01/2002

CENTURY CENTER (Continued) **S105911315**

Global Id: T0608561183
Status: Open - Case Begin Date
Status Date: 12/08/2000

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E08L07f
How Discovered: Not reported
Leak Cause: Unknown
Leak Source: Unknown
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: CENTURY CENTER
Address: 53 S 3RD ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E08L07F
Date Closed: 11/01/2002
EDR Link ID: 07S1E08L07F

HIST LUST SANTA CLARA:
Name: Century Center
Address: 53 S 3rd St
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E08L07
Oversite Agency: SCVWD
Date Listed: 2002-11-01 00:00:00
Closed Date: 2002-11-01 00:00:00

CERS:
Name: CENTURY CENTER
Address: 53 S 3RD ST
City,State,Zip: SAN JOSE, CA 95113
Site ID: 242772
CERS ID: T0608561183
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE

CENTURY CENTER (Continued) **S105911315**

Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	4089183400
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Z135 **CENTURY CENTER** **CA LUST** **S106085713**
NW **62 S 2ND ST.** **N/A**
1/4-1/2 **SAN JOSE, CA**
0.470 mi.
2481 ft. **Site 2 of 3 in cluster Z**

Relative: **Lower**
Actual: **89 ft.**

LUST SANTA CLARA:

Name:	CENTURY CENTER
Address:	62 S 2ND ST.
City,State,Zip:	SAN JOSE, CA
Region:	SANTA CLARA
SCVWD ID:	07S1E08L10F
Date Closed:	07/13/2005
EDR Link ID:	07S1E08L10F

Z136 **PRIVATE RESIDENCE** **CA LUST** **S110655440**
NW **PRIVATE RESIDENCE** **N/A**
1/4-1/2 **SAN JOSE, CA 95113**
0.479 mi.
2527 ft. **Site 3 of 3 in cluster Z**

Relative: **Lower**
Actual: **89 ft.**

LUST:

Name:	PRIVATE RESIDENCE
Address:	PRIVATE RESIDENCE
City,State,Zip:	SAN JOSE, CA 95113
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608516469
Global Id:	T0608516469
Latitude:	37.33559
Longitude:	-121.888632
Status:	Completed - Case Closed
Status Date:	06/29/2005
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	Not reported
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Waste Oil / Motor / Hydraulic / Lubricating

PRIVATE RESIDENCE (Continued) **S110655440**

Site History: Not reported

LUST:
Global Id: T0608516469
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608516469
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608516469
Action Type: Other
Date: 08/20/2002
Action: Leak Discovery

Global Id: T0608516469
Action Type: Other
Date: 10/08/2002
Action: Leak Reported

Global Id: T0608516469
Action Type: ENFORCEMENT
Date: 07/13/2005
Action: Closure/No Further Action Letter

Global Id: T0608516469
Action Type: RESPONSE
Date: 10/08/2002
Action: Unauthorized Release Form

Global Id: T0608516469
Action Type: REMEDIATION
Date: 08/20/2002
Action: Not reported

LUST:
Global Id: T0608516469
Status: Completed - Case Closed
Status Date: 06/29/2005

Global Id: T0608516469
Status: Open - Case Begin Date
Status Date: 08/20/2002

Global Id: T0608516469

PRIVATE RESIDENCE (Continued) **S110655440**

Status: Open - Site Assessment
Status Date: 06/28/2005

137
SSW
1/4-1/2
0.484 mi.
2553 ft.

FIRST SAN JOSE HOUSING
724 ALMADEN AVE
SAN JOSE, CA 95113

CA LUST **S101303831**
CA HIST LUST **N/A**
CA HIST CORTESE
CA CERS

Relative:
Higher

Actual:
100 ft.

LUST:
Name: FIRST SAN JOSE HOUSING
Address: 724 ALMADEN AVE
City,State,Zip: SAN JOSE, CA 95113
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608527218
Global Id: T0608527218
Latitude: 37.323438
Longitude: -121.885576
Status: Completed - Case Closed
Status Date: 01/12/1996
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Diesel
Site History: Not reported

LUST:
Global Id: T0608527218
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608527218
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608527218
Action Type: ENFORCEMENT
Date: 09/29/1988
Action: Notice of Responsibility - #39841

Global Id: T0608527218
Action Type: Other

FIRST SAN JOSE HOUSING (Continued) **S101303831**

Date: 08/23/1988
Action: Leak Reported

Global Id: T0608527218
Action Type: REMEDIATION
Date: 04/11/1989
Action: Excavation

Global Id: T0608527218
Action Type: ENFORCEMENT
Date: 01/12/1996
Action: Closure/No Further Action Letter

Global Id: T0608527218
Action Type: RESPONSE
Date: 01/12/1996
Action: Other Report / Document

LUST:
Global Id: T0608527218
Status: Completed - Case Closed
Status Date: 01/12/1996

Global Id: T0608527218
Status: Open - Case Begin Date
Status Date: 08/23/1988

Global Id: T0608527218
Status: Open - Site Assessment
Status Date: 09/29/1988

Global Id: T0608527218
Status: Open - Site Assessment
Status Date: 04/25/1990

Global Id: T0608527218
Status: Open - Verification Monitoring
Status Date: 10/03/1994

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E17K02f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 9/29/1988
Pollution Characterization Began: 4/25/1990
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: 10/3/1994

FIRST SAN JOSE HOUSING (Continued) **S101303831**

LUST SANTA CLARA:
Name: FIRST SAN JOSE HOUSING
Address: 724 ALMADEN AVE
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E17K02F
Date Closed: 01/12/1996
EDR Link ID: 07S1E17K02F

HIST LUST SANTA CLARA:
Name: First San Jose Housing
Address: 724 Almaden Ave
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E17K02
Oversite Agency: SCVWD
Date Listed: 1989-01-01 00:00:00
Closed Date: 1996-01-12 00:00:00

HIST CORTESE:
edr_fname: FIRST SAN JOSE HOUSING
edr_fadd1: 724 ALMADEN
City,State,Zip: SAN JOSE, CA 95113
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-0588

CERS:
Name: FIRST SAN JOSE HOUSING
Address: 724 ALMADEN AVE
City,State,Zip: SAN JOSE, CA 95113
Site ID: 235116
CERS ID: T0608527218
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported

FIRST SAN JOSE HOUSING (Continued) **S101303831**

Affiliation Phone: 4089183400

V138 **SAN JOSE, CITY OF** **CA LUST** **S103881047**
West **W SAN CARLOS ST & ALMADEN BLVD** **CA HIST LUST** **N/A**
1/4-1/2 **SAN JOSE, CA 95120** **CA CERS**
0.484 mi.
2558 ft. **Site 3 of 3 in cluster V**

Relative:
Lower

Actual:
90 ft.

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E17D03f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 8/27/1987
Pollution Characterization Began: 10/21/1998
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

HIST LUST SANTA CLARA:
Name: San Jose, City of
Address: W San Carlos St & Almaden Blvd
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E17D03
Oversite Agency: SCVWD
Date Listed: 1988-01-01 00:00:00
Closed Date: 1998-10-21 00:00:00

CERS:
Name: SAN JOSE, CITY OF
Address: W SAN CARLOS ST & ALMADEN BLVD
City,State,Zip: SAN JOSE, CA 95120
Site ID: 232084
CERS ID: T0608502087
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker

SAN JOSE, CITY OF (Continued) **S103881047**

Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AA139 **SAN JOSE, CITY OF** **CA LUST** **S110655404**
West **W SAN CARLOS ST & ALMADEN BLVD** **N/A**
1/4-1/2 **SAN JOSE, CA 95120**
0.499 mi.
2633 ft. **Site 1 of 3 in cluster AA**

Relative:
Lower

Actual:
89 ft.

LUST:

Name:	SAN JOSE, CITY OF
Address:	W SAN CARLOS ST & ALMADEN BLVD
City,State,Zip:	SAN JOSE, CA 95120
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608502087
Global Id:	T0608502087
Latitude:	37.32949164059
Longitude:	-121.89174413681
Status:	Completed - Case Closed
Status Date:	10/21/1998
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Diesel
Site History:	Not reported

LUST:

Global Id:	T0608502087
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608502087
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

LUST:

Global Id:	T0608502087

SAN JOSE, CITY OF (Continued) **S110655404**

Action Type: RESPONSE
Date: 08/24/1998
Action: Soil and Water Investigation Report

Global Id: T0608502087
Action Type: ENFORCEMENT
Date: 06/29/1998
Action: Staff Letter - #25968

Global Id: T0608502087
Action Type: Other
Date: 12/31/1987
Action: Leak Reported

Global Id: T0608502087
Action Type: RESPONSE
Date: 06/22/1998
Action: Other Report / Document

Global Id: T0608502087
Action Type: RESPONSE
Date: 08/31/1988
Action: Other Report / Document

Global Id: T0608502087
Action Type: RESPONSE
Date: 08/05/1998
Action: Other Report / Document

Global Id: T0608502087
Action Type: RESPONSE
Date: 12/31/1997
Action: Other Report / Document

Global Id: T0608502087
Action Type: ENFORCEMENT
Date: 07/17/1996
Action: Notice of Responsibility - #39829

Global Id: T0608502087
Action Type: ENFORCEMENT
Date: 10/21/1998
Action: Closure/No Further Action Letter

LUST:
Global Id: T0608502087
Status: Completed - Case Closed
Status Date: 10/21/1998

Global Id: T0608502087
Status: Open - Case Begin Date
Status Date: 08/27/1987

Global Id: T0608502087
Status: Open - Site Assessment
Status Date: 08/27/1987

SAN JOSE, CITY OF (Continued) **S110655404**

Global Id: T0608502087
Status: Open - Site Assessment
Status Date: 10/20/1998

LUST SANTA CLARA:
Name: SAN JOSE, CITY OF
Address: W SAN CARLOS ST & ALMADEN BLVD
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E17D03F
Date Closed: 10/21/1998
EDR Link ID: 07S1E17D03F

AA140 **SHELL** **CA LUST** **S103881049**
West **270 W SAN CARLOS ST** **CA HIST LUST** **N/A**
1/4-1/2 **SAN JOSE, CA 95110** **CA CERS**
0.499 mi.
2634 ft. **Site 2 of 3 in cluster AA**

Relative: **Lower**
Actual: **90 ft.**

LUST:
Name: SHELL
Address: 270 W SAN CARLOS ST
City,State,Zip: SAN JOSE, CA 95110
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501284
Global Id: T0608501284
Latitude: 37.3290480191206
Longitude: -121.891486644745
Status: Completed - Case Closed
Status Date: 06/11/1996
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0608501284
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608501284
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported

SHELL (Continued) **S103881049**

Phone Number: 4089183400

LUST:
Global Id: T0608501284
Action Type: RESPONSE
Date: 01/15/1996
Action: Monitoring Report - Quarterly

Global Id: T0608501284
Action Type: ENFORCEMENT
Date: 11/04/1995
Action: Staff Letter - #25971

Global Id: T0608501284
Action Type: Other
Date: 02/07/1984
Action: Leak Reported

Global Id: T0608501284
Action Type: RESPONSE
Date: 06/11/1996
Action: Other Report / Document

Global Id: T0608501284
Action Type: ENFORCEMENT
Date: 03/26/1992
Action: Notice of Violation - #39830

Global Id: T0608501284
Action Type: ENFORCEMENT
Date: 06/11/1996
Action: Closure/No Further Action Letter

Global Id: T0608501284
Action Type: REMEDIATION
Date: 02/01/1984
Action: Excavation

LUST:
Global Id: T0608501284
Status: Completed - Case Closed
Status Date: 06/11/1996

Global Id: T0608501284
Status: Open - Case Begin Date
Status Date: 02/07/1984

Global Id: T0608501284
Status: Open - Site Assessment
Status Date: 07/09/1984

Global Id: T0608501284
Status: Open - Site Assessment
Status Date: 02/07/1989

SHELL (Continued) **S103881049**

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1E17D05f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 7/9/1984
Pollution Characterization Began: 2/7/1989
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: SHELL
Address: 270 W SAN CARLOS ST
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E17D05F
Date Closed: 06/11/1996
EDR Link ID: 07S1E17D05F

HIST LUST SANTA CLARA:
Name: Shell
Address: 270 W San Carlos St
City: San Jose
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1E17D05
Oversite Agency: SCVWD
Date Listed: 1985-01-01 00:00:00
Closed Date: 1996-06-11 00:00:00

CERS:
Name: SHELL
Address: 270 W SAN CARLOS ST
City,State,Zip: SAN JOSE, CA 95110
Site ID: 235342
CERS ID: T0608501284
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

SHELL (Continued) **S103881049**

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AA141 **SHELL** **CA HIST CORTESE** **S110060331**
West **270 SAN CARLOS** **N/A**
1/4-1/2 **SAN JOSE, CA**
0.499 mi.
2634 ft. **Site 3 of 3 in cluster AA**

Relative: **Lower**
Actual: **90 ft.**

HIST CORTESE:

edr_fname:	SHELL
edr_fadd1:	270 SAN CARLOS
City,State,Zip:	SAN JOSE, CA
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-1306

---

142 **3RD STREET DEVELOPMENT** **CA ENVIROSTOR** **S110121724**
SSE **1010 SOUTH 3RD STREET** **CA VCP** **N/A**
1/2-1 **SAN JOSE, CA 95112** **CA NPDES**
0.626 mi. **CA CIWQS**
3304 ft.

Relative: **Higher**
Actual: **107 ft.**

ENVIROSTOR:

Name:	3RD STREET DEVELOPMENT
Address:	1010 SOUTH 3RD STREET
City,State,Zip:	SAN JOSE, CA 95112
Facility ID:	60001210
Status:	Certified
Status Date:	05/07/2014
Site Code:	201865
Site Type:	Voluntary Cleanup
Site Type Detailed:	Voluntary Cleanup
Acres:	0.71
NPL:	NO
Regulatory Agencies:	SMBRP
Lead Agency:	SMBRP
Program Manager:	Henry Chui
Supervisor:	Mark Piros
Division Branch:	Cleanup Berkeley
Assembly:	27
Senate:	15
Special Program:	Not reported
Restricted Use:	NO
Site Mgmt Req:	NONE SPECIFIED
Funding:	Responsible Party
Latitude:	37.32266

3RD STREET DEVELOPMENT (Continued) **S110121724**

Longitude: -121.8766
APN: 47215027
Past Use: DRY CLEANING, MANUFACTURING - OTHER, PAINT/DEPAINT FACILITY, RETAIL - SERVICE STATION, RETAIL - VEHICLES
Potential COC: Asbestos Containing Materials (ACM Lead Barium and compounds Vanadium and compounds
Confirmed COC: Barium and compounds Vanadium and compounds 40001-NO 30013-NO
Potential Description: SOIL
Alias Name: 47215027
Alias Type: APN
Alias Name: 201865
Alias Type: Project Code (Site Code)
Alias Name: 60001210
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Letter - Demand
Completed Date: 03/17/2011
Comments: Letter #1

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Voluntary Cleanup Agreement
Completed Date: 03/10/2010
Comments: Global Premier Development, Incorporated signed a voluntary cleanup agreement. It requires the submittal of sampling and analysis workplan to complete the characterization of the site, a site characterization report with a risk evaluation to determine if further characterization or any required remediation is needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Letter - Demand
Completed Date: 04/28/2011
Comments: Letter #2

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Letter - Demand
Completed Date: 05/24/2011
Comments: Letter #3

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: CEQA - Notice of Exemption
Completed Date: 03/29/2012
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Certification
Completed Date: 01/21/2014
Comments: DTSC certified that the removal actions have been completed in accordance with the approved Final Removal Action Workplan. The cleanup goals have been achieved for unrestricted use of the Site.

3RD STREET DEVELOPMENT (Continued) **S110121724**

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Letter - Demand
Completed Date: 01/25/2012
Comments: Demand letter #1

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Letter - Demand
Completed Date: 02/17/2012
Comments: Demand letter #2.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Amendment - Order/Agreement
Completed Date: 01/03/2012
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Voluntary Cleanup Agreement
Completed Date: 07/11/2013
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 09/19/2013
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 09/04/2012
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Characterization Workplan
Completed Date: 03/30/2010
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Characterization Report
Completed Date: 01/31/2012
Comments: DTSC has approved the Supplemental Subsurface Investigation Report for the 3rd Street Development site. TPH and metals were detected in soil above unrestircted use and that would require a removal action workplan.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Removal Action Workplan
Completed Date: 03/29/2012
Comments: Not reported

3RD STREET DEVELOPMENT (Continued) **S110121724**

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Community Profile
Completed Date: 03/06/2012
Comments: DTSC has prepared the Community Profile which describes the community surrounding the site. The report includes the summary of the community survey, the demographics, repository location, and a brief history of the site.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Removal Action Completion Report
Completed Date: 01/17/2014
Comments: The Final Report of Soil Excavation and Removal documents the removal activities that were performed at the Site to removed petroleum-hydrocarbon contaminated soil and groundwater for disposal and off-site treatment.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Fact Sheets
Completed Date: 02/21/2012
Comments: DTSC mailed out the fact sheet to announce the start of the public comment period for the Draft Removal Action Plan. The public comment period is scheduled from February 24 through March 26, 2012.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Public Notice
Completed Date: 02/21/2012
Comments: DTSC placed a public notice in the newspaper to announce the start of the public comment period for the Draft Removal Action Plan. The public comment period is scheduled from February 24 through March 26, 2012.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Work Notice
Completed Date: 07/31/2013
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Fieldwork
Completed Date: 10/21/2013
Comments: The removal activities has been completed and were successful in meeting the cleanup goals established pusuant to the approved RAW.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Voluntary Cleanup Agreement Termination Notification
Completed Date: 07/11/2013
Comments: Not reported

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported

3RD STREET DEVELOPMENT (Continued) **S110121724**

Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

VCP:
Name: 3RD STREET DEVELOPMENT
Address: 1010 SOUTH 3RD STREET
City,State,Zip: SAN JOSE, CA 95112
Facility ID: 60001210
Site Type: Voluntary Cleanup
Site Type Detail: Voluntary Cleanup
Site Mgmt. Req.: NONE SPECIFIED
Acres: 0.71
National Priorities List: NO
Cleanup Oversight Agencies: SMBRP
Lead Agency: SMBRP
Lead Agency Description: DTSC - Site Cleanup Program
Project Manager: Henry Chui
Supervisor: Mark Piros
Division Branch: Cleanup Berkeley
Site Code: 201865
Assembly: 27
Senate: 15
Special Programs Code: Not reported
Status: Certified
Status Date: 05/07/2014
Restricted Use: NO
Funding: Responsible Party
Lat/Long: 37.32266 / -121.8766
APN: 47215027
Past Use: DRY CLEANING, MANUFACTURING - OTHER, PAINT/DEPAINT FACILITY, RETAIL - SERVICE STATION, RETAIL - VEHICLES
Potential COC: 40001, 30013, 30067, 30587
Confirmed COC: 30067,30587,40001-NO,30013-NO
Potential Description: SOIL
Alias Name: 47215027
Alias Type: APN
Alias Name: 201865
Alias Type: Project Code (Site Code)
Alias Name: 60001210
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Letter - Demand
Completed Date: 03/17/2011
Comments: Letter #1

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Voluntary Cleanup Agreement
Completed Date: 03/10/2010
Comments: Global Premier Development, Incorporated signed a voluntary cleanup

3RD STREET DEVELOPMENT (Continued) **S110121724**

agreement. It requires the submittal of sampling and analysis workplan to complete the characterization of the site, a site characterization report with a risk evaluation to determine if further characterization or any required remediation is needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Letter - Demand
Completed Date: 04/28/2011
Comments: Letter #2

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Letter - Demand
Completed Date: 05/24/2011
Comments: Letter #3

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: CEQA - Notice of Exemption
Completed Date: 03/29/2012
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Certification
Completed Date: 01/21/2014
Comments: DTSC certified that the removal actions have been completed in accordance with the approved Final Removal Action Workplan. The cleanup goals have been achieved for unrestricted use of the Site.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Letter - Demand
Completed Date: 01/25/2012
Comments: Demand letter #1

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Letter - Demand
Completed Date: 02/17/2012
Comments: Demand letter #2.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Amendment - Order/Agreement
Completed Date: 01/03/2012
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Voluntary Cleanup Agreement
Completed Date: 07/11/2013
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported

3RD STREET DEVELOPMENT (Continued) **S110121724**

Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 09/19/2013
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 09/04/2012
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Characterization Workplan
Completed Date: 03/30/2010
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Characterization Report
Completed Date: 01/31/2012
Comments: DTSC has approved the Supplemental Subsurface Investigation Report for the 3rd Street Development site. TPH and metals were detected in soil above unrestircted use and that would require a removal action workplan.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Removal Action Workplan
Completed Date: 03/29/2012
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Community Profile
Completed Date: 03/06/2012
Comments: DTSC has prepared the Community Profile which describes the community surrounding the site. The report includes the summary of the community survey, the demographics, repository location, and a brief history of the site.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Removal Action Completion Report
Completed Date: 01/17/2014
Comments: The Final Report of Soil Excavation and Removal documents the removal activities that were performed at the Site to removed petroleum-hydrocarbon contaminated soil and groundwater for disposal and off-site treatment.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Fact Sheets
Completed Date: 02/21/2012
Comments: DTSC mailed out the fact sheet to announce the start of the public comment period for the Draft Removal Action Plan. The public comment period is scheduled from February 24 through March 26, 2012.

3RD STREET DEVELOPMENT (Continued) **S110121724**

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Public Notice
Completed Date: 02/21/2012
Comments: DTSC placed a public notice in the newspaper to announce the start of the public comment period for the Draft Removal Action Plan. The public comment period is scheduled from February 24 through March 26, 2012.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Work Notice
Completed Date: 07/31/2013
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Fieldwork
Completed Date: 10/21/2013
Comments: The removal activities has been completed and were successful in meeting the cleanup goals established pusuant to the approved RAW.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Voluntary Cleanup Agreement Termination Notification
Completed Date: 07/11/2013
Comments: Not reported

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

NPDES:
Name: 3RD STREET RESIDENTIAL DEVELOPMENT
Address: 1010 SOUTH 3RD STREET
City,State,Zip: SAN JOSE, CA 95112
Facility Status: Terminated
NPDES Number: CAS000002
Region: 2
Agency Number: 0
Regulatory Measure ID: 440857
Place ID: Not reported
Order Number: 2009-0009-DWQ
WDID: 2 43C367583
Regulatory Measure Type: Enrollee
Program Type: Construction
Adoption Date Of Regulatory Measure: Not reported
Effective Date Of Regulatory Measure: 09/03/2013
Termination Date Of Regulatory Measure: 01/13/2017
Expiration Date Of Regulatory Measure: Not reported
Discharge Address: 430 E State St Ste 100

3RD STREET DEVELOPMENT (Continued) **S110121724**

Discharge Name:	Pacific West Communities Inc
Discharge City:	Eagle
Discharge State:	Idaho
Discharge Zip:	83616
Status:	Not reported
Status Date:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported

NPDES as of 03/2018:

NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	2
Regulatory Measure ID:	440857
Order Number:	Not reported
Regulatory Measure Type:	Construction
Place ID:	Not reported
WDID:	2 43C367583
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	01/13/2017
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	08/28/2013
Processed Date:	09/03/2013
Status:	Terminated
Status Date:	01/13/2017
Place Size:	1
Place Size Unit:	Acres
Contact:	Paul Nuytten
Contact Title:	Not reported
Contact Phone:	408-549-1302
Contact Phone Ext:	Not reported
Contact Email:	paul@sbibuilders.com
Operator Name:	Pacific West Communities Inc
Operator Address:	430 E State St Ste 100
Operator City:	Eagle
Operator State:	Idaho
Operator Zip:	83616
Operator Contact:	Caleb Roope
Operator Contact Title:	Not reported
Operator Contact Phone:	208-908-4873
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	dons@tpchousing.com
Operator Type:	Private Business
Developer:	Pacific West Communities Inc
Developer Address:	430 E State St Ste 100
Developer City:	Eagle
Developer State:	Idaho

3RD STREET DEVELOPMENT (Continued) **S110121724**

Developer Zip:	83616
Developer Contact:	Caleb Roope
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	N
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	N
Constype Below Ground Ind:	N
Constype Cable Line Ind:	N
Constype Comm Line Ind:	N
Constype Commertial Ind:	N
Constype Electrical Line Ind:	N
Constype Gas Line Ind:	N
Constype Industrial Ind:	N
Constype Other Description:	Not reported
Constype Other Ind:	N
Constype Recons Ind:	N
Constype Residential Ind:	N
Constype Transport Ind:	N
Constype Utility Description:	Not reported
Constype Utility Ind:	N
Constype Water Sewer Ind:	N
Dir Discharge Uswater Ind:	N
Receiving Water Name:	creek
Certifier:	Caleb Roope
Certifier Title:	Not reported
Certification Date:	28-AUG-13
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

NPDES Number:	CAS000002
Status:	Terminated
Agency Number:	0
Region:	2
Regulatory Measure ID:	440857
Order Number:	2009-0009-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	2 43C367583
Program Type:	Construction
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	09/03/2013
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	01/13/2017
Discharge Name:	Pacific West Communities Inc
Discharge Address:	430 E State St Ste 100
Discharge City:	Eagle
Discharge State:	Idaho
Discharge Zip:	83616
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported

3RD STREET DEVELOPMENT (Continued) **S110121724**

Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

Name:	3RD STREET RESIDENTIAL DEVELOPMENT
Address:	1010 SOUTH 3RD STREET
City,State,Zip:	SAN JOSE, CA 95112
Facility Status:	Not reported
NPDES Number:	Not reported
Region:	Not reported

3RD STREET DEVELOPMENT (Continued) **S110121724**

Agency Number:	Not reported
Regulatory Measure ID:	Not reported
Place ID:	Not reported
Order Number:	Not reported
WDID:	2 43C367583
Regulatory Measure Type:	Construction
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	Not reported
Discharge Name:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Status:	Terminated
Status Date:	01/13/2017
Operator Name:	Pacific West Communities Inc
Operator Address:	430 E State St Ste 100
Operator City:	Eagle
Operator State:	Idaho
Operator Zip:	83616

NPDES as of 03/2018:

NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	2
Regulatory Measure ID:	440857
Order Number:	Not reported
Regulatory Measure Type:	Construction
Place ID:	Not reported
WDID:	2 43C367583
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	01/13/2017
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	08/28/2013
Processed Date:	09/03/2013
Status:	Terminated
Status Date:	01/13/2017
Place Size:	1
Place Size Unit:	Acres
Contact:	Paul Nuytten
Contact Title:	Not reported
Contact Phone:	408-549-1302
Contact Phone Ext:	Not reported
Contact Email:	paul@sbibuilders.com
Operator Name:	Pacific West Communities Inc
Operator Address:	430 E State St Ste 100
Operator City:	Eagle

3RD STREET DEVELOPMENT (Continued) **S110121724**

Operator State:	Idaho
Operator Zip:	83616
Operator Contact:	Caleb Roope
Operator Contact Title:	Not reported
Operator Contact Phone:	208-908-4873
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	dons@tpchousing.com
Operator Type:	Private Business
Developer:	Pacific West Communities Inc
Developer Address:	430 E State St Ste 100
Developer City:	Eagle
Developer State:	Idaho
Developer Zip:	83616
Developer Contact:	Caleb Roope
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	N
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	N
Constype Below Ground Ind:	N
Constype Cable Line Ind:	N
Constype Comm Line Ind:	N
Constype Commertial Ind:	N
Constype Electrical Line Ind:	N
Constype Gas Line Ind:	N
Constype Industrial Ind:	N
Constype Other Description:	Not reported
Constype Other Ind:	N
Constype Recons Ind:	N
Constype Residential Ind:	N
Constype Transport Ind:	N
Constype Utility Description:	Not reported
Constype Utility Ind:	N
Constype Water Sewer Ind:	N
Dir Discharge Uswater Ind:	N
Receiving Water Name:	creek
Certifier:	Caleb Roope
Certifier Title:	Not reported
Certification Date:	28-AUG-13
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	CAS000002
Status:	Terminated
Agency Number:	0
Region:	2
Regulatory Measure ID:	440857
Order Number:	2009-0009-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	2 43C367583
Program Type:	Construction
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	09/03/2013
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	01/13/2017

3RD STREET DEVELOPMENT (Continued) **S110121724**

Discharge Name:	Pacific West Communities Inc
Discharge Address:	430 E State St Ste 100
Discharge City:	Eagle
Discharge State:	Idaho
Discharge Zip:	83616
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported

3RD STREET DEVELOPMENT (Continued) **S110121724**

Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

CIWQS:

Name:	3RD STREET RESIDENTIAL DEVELOPMENT
Address:	1010 SOUTH 3RD STREET
City,State,Zip:	SAN JOSE, CA 95112
Agency:	Pacific West Communities Inc
Agency Address:	430 E State St Ste 100, Eagle, ID 83616
Place/Project Type:	Construction
SIC/NAICS:	Not reported
Region:	2
Program:	CONSTW
Regulatory Measure Status:	Terminated
Regulatory Measure Type:	Storm water construction
Order Number:	2009-0009-DWQ
WDID:	2 43C367583
NPDES Number:	CAS000002
Adoption Date:	Not reported
Effective Date:	09/03/2013
Termination Date:	01/13/2017
Expiration/Review Date:	Not reported
Design Flow:	Not reported
Major/Minor:	Not reported
Complexity:	Not reported
TTWQ:	Not reported
Enforcement Actions within 5 years:	0
Violations within 5 years:	0
Latitude:	37.2331
Longitude:	-121.877088

143
WSW
1/2-1
0.639 mi.
3374 ft.

RIVER PARK DEVEL LINCOLN PROPERTIES
333 SAN CARLOS ST W
SAN JOSE, CA 95126

CA ENVIROSTOR **S101542345**
CA CPS-SLIC **N/A**
CA CHMIRS
CA CERS

Relative:
Lower

Actual:
90 ft.

ENVIROSTOR:

Name:	RIVER PARK DEVELOPMENT, LINCOLN PROPERTY
Address:	333 WEST SAN CARLOS STREET
City,State,Zip:	SAN JOSE, CA 95110
Facility ID:	43150003
Status:	Refer: RWQCB
Status Date:	07/15/1998
Site Code:	Not reported
Site Type:	Evaluation
Site Type Detailed:	Evaluation
Acres:	0.5
NPL:	NO
Regulatory Agencies:	RWQCB 2 - San Francisco Bay
Lead Agency:	RWQCB 2 - San Francisco Bay
Program Manager:	Not reported
Supervisor:	Referred - Not Assigned
Division Branch:	Cleanup Berkeley

RIVER PARK DEVEL LINCOLN PROPERTIES (Continued) **S101542345**

Assembly: 27
Senate: 15
Special Program: Not reported
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: Responsible Party
Latitude: 37.32870
Longitude: -121.8941
APN: 259-43-072
Past Use: ENGINE TESTING/REPAIR, LAUNDRY SERVICES, RESIDENTIAL AREA
Potential COC: Tetrachloroethylene (PCE
Confirmed COC: Tetrachloroethylene (PCE
Potential Description: OTH, SOIL
Alias Name: RED STAR LAUNDRY
Alias Type: Alternate Name
Alias Name: 259-43-072
Alias Type: APN
Alias Name: CAD981676430
Alias Type: EPA Identification Number
Alias Name: 43150003
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: * Discovery
Completed Date: 08/09/1989
Comments: Facility Identified: EPA Federal Investigation Team (FIT) Screening Site Inspection (SSI). EPA completed SSI and recommend Listing Site Inspection (LSI).

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

CPS-SLIC:
Name: RIVER PARK DEVEL LINCOLN PROPERTIES
Address: 333 SAN CARLOS ST W
City,State,Zip: SAN JOSE, CA 95126
Region: STATE
Facility Status: **Completed - Case Closed**
Status Date: 05/23/2017
Global Id: T0608591617
Lead Agency: SAN FRANCISCO BAY RWQCB (REGION 2)
Lead Agency Case Number: Not reported
Latitude: 37.328803
Longitude: -121.893063
Case Type: Cleanup Program Site
Case Worker: UUU
Local Agency: Not reported
RB Case Number: 43S0161

RIVER PARK DEVEL LINCOLN PROPERTIES (Continued) **S101542345**

File Location: Not reported
Potential Media Affected: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: * Solvents
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

SLIC REG 2:
Region: 2
Facility ID: 43S0161
Facility Status: Preliminary site assessment workplan submitted
Date Closed: Not reported
Local Case #: Not reported
How Discovered: Tank Closure
Leak Cause: UNK
Leak Source: UNK
Date Confirmed: Not reported
Date Prelim Site Assmnt Workplan Submitted: 5/22/1995
Date Preliminary Site Assessment Began: Not reported
Date Pollution Characterization Began: Not reported
Date Remediation Plan Submitted: Not reported
Date Remedial Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

CHMIRS:
Name: Not reported
Address: 333 WEST SAN CARLOS
City,State,Zip: SAN JOSE, CA
OES Incident Number: 4-3798
OES notification: 07/05/2014
OES Date: Not reported
OES Time: Not reported
Date Completed: **Not reported**
Property Use: Not reported
Agency Id Number: Not reported
Agency Incident Number: Not reported
Time Notified: Not reported
Time Completed: Not reported
Surrounding Area: Not reported
Estimated Temperature: Not reported
Property Management: Not reported
More Than Two Substances Involved?: Not reported
Resp Agncy Personel # Of Decontaminated: Not reported
Responding Agency Personel # Of Injuries: Not reported
Responding Agency Personel # Of Fatalities: Not reported
Others Number Of Decontaminated: Not reported
Others Number Of Injuries: Not reported
Others Number Of Fatalities: Not reported
Vehicle Make/year: Not reported
Vehicle License Number: Not reported
Vehicle State: Not reported
Vehicle Id Number: Not reported
CA DOT PUC/ICC Number: Not reported
Company Name: Not reported
Reporting Officer Name/ID: Not reported
Report Date: Not reported

RIVER PARK DEVEL LINCOLN PROPERTIES (Continued) **S101542345**

Facility Telephone:	Not reported
Waterway Involved:	Yes
Waterway:	Guadalupe River
Spill Site:	Merchant/Business
Cleanup By:	No
Containment:	Not reported
What Happened:	Not reported
Type:	Not reported
Measure:	Not reported
Other:	Not reported
Type:	SEWAGE
Measure:	Gal(s)
Other:	Not reported
Date/Time:	1444
Year:	2014
Agency:	City of San Jose
Incident Date:	7/5/2014
Admin Agency:	Not reported
Amount:	Not reported
Contained:	Yes
Site Type:	Guadalupe River
E Date:	Not reported
Substance:	Sewage
Quantity Released:	600
Unknown:	Not reported
Substance #2:	Not reported
Substance #3:	Not reported
Evacuations:	Not reported
Number of Injuries:	Not reported
Number of Fatalities:	Not reported
#1 Pipeline:	No
#2 Pipeline:	No
#3 Pipeline:	No
#1 Vessel >= 300 Tons:	No
#2 Vessel >= 300 Tons:	No
#3 Vessel >= 300 Tons:	No
Evacs:	No
Injuries:	Blockage
Fatals:	No
Comments:	Not reported
Description:	RP states blockage in the city main caused a release out a manhole. Cleanup is in progress. RP states that approximately 5 gallons entered the Guadalupe River.

CERS:

Name:	RIVER PARK DEVEL LINCOLN PROPERTIES
Address:	333 SAN CARLOS ST W
City,State,Zip:	SAN JOSE, CA 95126
Site ID:	422609
CERS ID:	T0608591617
CERS Description:	Cleanup Program Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported

RIVER PARK DEVEL LINCOLN PROPERTIES (Continued) **S101542345**

Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

144
North
1/2-1
0.657 mi.
3471 ft.

HORACE MANN ELEMENTARY SCHOOL SITE **CA ENVIROSTOR** **S118756962**
55 NORTH SEVENTH STREET **CA SCH** **N/A**
SAN JOSE, CA 95112

Relative:
Lower

Actual:
84 ft.

ENVIROSTOR:
Name: HORACE MANN ELEMENTARY SCHOOL SITE
Address: 55 NORTH SEVENTH STREET
City,State,Zip: SAN JOSE, CA 95112
Facility ID: 43820007
Status: No Action Required
Status Date: 02/28/2002
Site Code: 204093
Site Type: School Investigation
Site Type Detailed: School
Acres: 2.8
NPL: NO
Regulatory Agencies: SMBRP
Lead Agency: SMBRP
Program Manager: Not reported
Supervisor: Mark Malinowski
Division Branch: Northern California Schools & Santa Susana
Assembly: 27
Senate: 15
Special Program: Not reported
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: School District
Latitude: 37.3393
Longitude: -121.8851
APN: NONE SPECIFIED
Past Use: * EDUCATIONAL SERVICES
Potential COC: NONE SPECIFIED No Contaminants found
Confirmed COC: NONE SPECIFIED
Potential Description: NMA
Alias Name: HORACE MANN ELEMENTARY SCHOOL SITE
Alias Type: Alternate Name
Alias Name: SAN JOSE USD
Alias Type: Alternate Name
Alias Name: SAN JOSE USD-HORACE MANN ELEM
Alias Type: Alternate Name
Alias Name: 204093
Alias Type: Project Code (Site Code)
Alias Name: 43820007
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported

HORACE MANN ELEMENTARY SCHOOL SITE (Continued) **S118756962**

Completed Document Type: Cost Recovery Closeout Memo
Completed Date: 10/28/2002
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Inspections/Visit (Non LUR)
Completed Date: 02/15/2002
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Phase 1
Completed Date: 02/28/2002
Comments: Phase 1 - Pursuant to an agreement between the Department of Toxic Substances Control (DTSC) and the California Department of Education, DTSC's Site Mitigation Program completed a review of a Phase 1 Environmental Assessment and has made a "No Action" determination for this Site.

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

SCH:

Name: HORACE MANN ELEMENTARY SCHOOL SITE
Address: 55 NORTH SEVENTH STREET
City,State,Zip: SAN JOSE, CA 95112
Facility ID: 43820007
Site Type: School Investigation
Site Type Detail: School
Site Mgmt. Req.: NONE SPECIFIED
Acres: 2.8
National Priorities List: NO
Cleanup Oversight Agencies: SMBRP
Lead Agency: SMBRP
Lead Agency Description: DTSC - Site Cleanup Program
Project Manager: Not reported
Supervisor: Mark Malinowski
Division Branch: Northern California Schools & Santa Susana
Site Code: 204093
Assembly: 27
Senate: 15
Special Program Status: Not reported
Status: No Action Required
Status Date: 02/28/2002
Restricted Use: NO
Funding: School District
Latitude: 37.3393
Longitude: -121.8851

HORACE MANN ELEMENTARY SCHOOL SITE (Continued) **S118756962**

APN: NONE SPECIFIED
Past Use: * EDUCATIONAL SERVICES
Potential COC: NONE SPECIFIED, No Contaminants found
Confirmed COC: NONE SPECIFIED
Potential Description: NMA
Alias Name: HORACE MANN ELEMENTARY SCHOOL SITE
Alias Type: Alternate Name
Alias Name: SAN JOSE USD
Alias Type: Alternate Name
Alias Name: SAN JOSE USD-HORACE MANN ELEM
Alias Type: Alternate Name
Alias Name: 204093
Alias Type: Project Code (Site Code)
Alias Name: 43820007
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Cost Recovery Closeout Memo
Completed Date: 10/28/2002
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Inspections/Visit (Non LUR)
Completed Date: 02/15/2002
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Phase 1
Completed Date: 02/28/2002
Comments: Phase 1 - Pursuant to an agreement between the Department of Toxic Substances Control (DTSC) and the California Department of Education, DTSC's Site Mitigation Program completed a review of a Phase 1 Environmental Assessment and has made a "No Action" determination for this Site.

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

145
North
1/2-1
0.688 mi.
3634 ft.

Relative:
Lower

Actual:
86 ft.

7-ELEVEN INC #17496
452 E SANTA CLARA ST
SAN JOSE, CA 95112

CA CERS HAZ WASTE
CA SWEEPS UST
CA HIST UST
CA CERS TANKS
CA CUPA Listings
CA EMI
CA HIST CORTESE
CA Notify 65
CA CERS

1000282134
N/A

CERS HAZ WASTE:
Site ID: 87864
CERS ID: 10165819
CERS Description: Hazardous Waste Generator

Violations:
Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-22-2014
Citation: 23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description: Failure of sensor to be located in the proper position/location.
Violation Notes: Returned to compliance on 03/12/2014. Test boots remain on the product piping of both tanks in the STP sumps (87 and 91). Shrader valves are open and angled between one and two'oclock .Valves must be oriented downward between 3 and 9 o'clock or the test boot must be pulled back.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-12-2018
Citation: HSC 6.7 25284, 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25284, 25286
Violation Description: Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes: Returned to compliance on 02/12/2018. The UST facility operating permit application submitted to CERS is inaccurate. 7-Eleven Inc. is listed as the UST operator while the CERS facility information page lists "RICH & PERSIDES TATOM - RTJ 4711 INC." as the UST operator. Revise the UST facility operating permit application and resubmit to CERS within 30 days.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-22-2014
Citation: 22 CCR 12 66262.40(c) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(c)
Violation Description: Failure to determine if the waste generated is a hazardous waste and to maintain analysis results for three years.
Violation Notes: Returned to compliance on 03/27/2014. Facility ships solids contaminated with gasoline off on a hazardous waste manifests as a state hazardous waste. Provide to the county within 30 days testing or other evidence demonstrating that the waste is not a federal RCRA hazardous waste.
Violation Division: Santa Clara County Environmental Health

7-ELEVEN INC #17496 (Continued) **1000282134**

Violation Program: HW
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-22-2014
Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Administration/Documentation - General
Violation Notes: Returned to compliance on 03/12/2014. Facility failed to provide a written response to an inspection performed on 1-23-2013.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-14-2016
Citation: 23 CCR 16 2638 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638
Violation Description: Failure to test leak detection equipment as required every 12 months (VPH, sensor, LLD, ATG, etc.) and/or submit monitoring system certification to the CUPA within 30 days of completion of the test
Violation Notes: Returned to compliance on 01/14/2016. The 2015 Monitoring System Certification report was not received by our office. Ensure the report is submitted directly to our office or uploaded to CERS within 30 days. A copy of the report was obtained during the inspection. No further corrective actions required.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-22-2014
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 03/12/2014. Certificate of Financial Responsibility (CFR) uses insurance as a mechanism and states it is valid through 12-18-13. Submit a current CFR to the department and maintain a current copy of the insurance on-site at all times.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-14-2016
Citation: 23 CCR 16 2636(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)
Violation Description: Failure to continuously monitor the interstitial space of the tank, piping and/or sumps sump such that the leak detection activates an audible/visual alarm when a leak is detected.

7-ELEVEN INC #17496 (Continued) **1000282134**

Violation Notes: Returned to compliance on 01/14/2016. The Supreme annular senor did not function properly during testing. The sensor was repaired and functioned as required. No further corrective actions required.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-12-2018
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 02/12/2018. The Certification of Financial Responsibility provided on the 10/16/17 CERS submittal shows that liability insurance coverage expired. Provide an updated insurance policy, Certification of Financial Responsibility and submit to CERS within 30 days.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-14-2016
Citation: 22 CCR 12 66262.40(a) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(a)
Violation Description: Failure to maintain uniform hazardous waste manifest, consolidated manifest, or bills of lading copies for three years.
Violation Notes: Returned to compliance on 01/15/2016. Copies of the past three years of manifests (005784227FLE 2013; 007613819FLE 2014; 007647623FLE, 008698709FLE 2015) were not available for review. Obtain copies of the manifests and ensure at least three years worth of manifests are able to be reviewed on-stie.

Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-21-2015
Citation: 23 CCR 16 2632, 2634, 2636, 2666 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632, 2634, 2636, 2666
Violation Description: Failure of the leak detection equipment to be properly programmed or properly operated.
Violation Notes: Returned to compliance on 01/14/2016. THE L2 AND L4 ANNULAR SPACE ALARMS COULD NOT BE CLEARED FROM THE VEEDER-ROOT MONITORING PANEL AFTER THE ANNUAL SENSOR TESTING WAS COMPLETED. TROUBLESHOOT THE CAUSE OF THE PROBLEM AND REPORT TO HMCD. NOTE THAT A PERMIT FROM HMCD IS REQUIRED IF THE MONITORING PANEL NEEDS TO BE REPLACED OR IF A COLD-START IS NEEDED.

7-ELEVEN INC #17496 (Continued) **1000282134**

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-12-2018
Citation: 23 CCR 16 2715(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(e)
Violation Description: Failure to maintain a copy of the designated operator monthly inspections for the last 12 months on-site or off-site at a readily available location, if approved by the UPA.
Violation Notes: Returned to compliance on 02/12/2018. DUSTO Monthly reports for the following dates were only showing the alarm history header, and were missing complete system alarm history on the print outs: -5/26/17 -6/29/17 -7/21/17 -8/25/7 -10/17/17 -11/15/17 Ensure that DUSTO records include a print out of the Veeder root alarm history and are attached to each DUSTO monthly report.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-14-2016
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Returned to compliance on 01/14/2016.
_____ Facility submitted the annual certification one month beyond the 12 month limit (12/16/2014- 1/11/2016). Ensure the HMBP is certified each year by the end of the month in which it was submitted. No further corrective actions required.
_____
Violation Division: Santa Clara County Environmental Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-12-2018
Citation: HSC 6.7 25284(a)(3)(A)&(B) - California Health and Safety Code, Chapter 6.7, Section(s) 25284(a)(3)(A)&(B)
Violation Description: Failure to implement or maintain a written agreement between the UST owner and operator.
Violation Notes: Returned to compliance on 02/12/2018. The UST Owner Operator Agreement submitted to CERS is inaccurate. Ensure that the name of the tank owner and tank operator listed on the agreement matches name of tank owner and tank operator submitted to the CERS facility information page and the UST facility tank operating permit application. Revise owner operator agreement and resubmit to CERS within 30 days.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

7-ELEVEN INC #17496 (Continued) **1000282134**

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-12-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On site with Ana Bui of HMCD to witness the annual monitoring system certification performed by Jarrod Cooke of Tanknology. Verified Mr. Cooke's ICC Certification, ICC-8155550 expires 4/5/19, Veeder Root Certification, B35255 expires 5/9/18, and VMI Certification, expires 2/23/19. 2 tanks: 87 and 91. Annular, STP, and under dispenser containment(UDC) sensors were tested in water and provided audible and visual alarms. STP and UDC sump sensors also provided positive shutdown. Sensor out and power out (fail safe) were tested and provided positive shutdown of all turbines. Overfill prevention is provided by flapper vales in the fill tubes. A 3 gph leak at 10 psi was simulated using the Tanknology LDT-5000 apparatus. The electronic line leak detectors were able to detect the simulated leak and shut down all turbines. Spill buckets for 87 and 91 are direct buried and were tested using Tanknology's vacuum apparatus with no loss. DUSTO monthly reports, DUSTO [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Other/Unknown
Eval Date:	01-13-2017
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	On site to witness the annual monitoring system certification and spill bucket test performed by Mr. Steve Willems (all certifications current) of Tanknology. The site's dispenser handles have been red-tagged by SCC Weights and Measures. Since the dispensers cannot be activated to verify positive shutdown, failsafe and the line leak detectors, the sensor testing will have to be done after the red tags have been properly removed by SCC Weights and Measures. Ensure sensor testing is performed by January 31, 2017 to remain in compliance with your testing schedule. Contact USTinspector@deh.sccgov.org to schedule the testing. The spill buckets are direct buried and were hydrostatically tested for one hour with no loss. Performed a limited inspection by reviewing DUSTO Monthly Reports, DUSTO Training records, testing reports and maintenance documentation. Tank and monitoring system information submitted to the California Environmental Reporting System (CERS) on [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-14-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Gas station and convenience store. Currently storing gasoline, carbon dioxide (liquid cryogenic and gas) and gas-contaminated water. CERS submittal on 1/11/2016 is accurate as observed. NOTE: Beginning January 1, 2015 all annual HBMP training must be documented and the documents retained for 3 years. Contact me for more information. A sample training log attached with this report.

7-ELEVEN INC #17496 (Continued) **1000282134**

Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-22-2014
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	01-27-2017
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Cold start after ISD module install was performed in September 2016. Hand off from install to testing company was missed. A full monitoring system certification occurred on January 19th, 2017 and no issues were observed. See report on that date for details. This report constitutes final approval for this project.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	12-17-2018
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	I am on site at 452 E Santa Clara Street, San Jose, 7-Eleven INC #17496, for the 2018 UST Secondary Containment Testing. Rahul Patel, Cashier, 7-Eleven, is on site to provide access to facility and records. sbala4@yahoo.com Jarrod A. Cooke, UST Service Tech, Tanknology, is on site to conducte the Secondary Containment Testing. ICC # 8155550, expires 4/5/2019 Veedeer Root, B-35255, expires 4/17/2020 Tanknology (accelerated tester), 4/25/2019 Veeder-Root monitoring system status upon arrival, "All Functions Normal". 2 Steel USTs. both tested at 10 in. vacuum, Tank ID #17496-001, 87 Octane, holding at 60 minutes, OK Tank ID #17496-002, 91 Octanr, dropping at 60 minutes, OK 2 Flex double wall piping, Tank ID #17496-001, 87 Octane, dropping at 60 minutes, OK Tank ID #17496-002, 91 Octanr, holding at 60 minutes, OIK 2 STP Sumps, Tank ID #17496-001, 87 Octane, accelerated test holding at 30 minutes, Tank ID #17496-002, 91 Octanr, accelerated test [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-13-2017
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Automotive fueling and convenience store facility. Currently storing gasoline and liquid carbon dioxide in HMBP quantities. Also storing carbon dioxide gas and fuel contaminated debris in less than HMBP quantities. Training provided with the annual UST Designated Operator

7-ELEVEN INC #17496 (Continued) **1000282134**

training. Logs kept in the compliance binder. CERS submittal on 1/9/2017 is accurate as observed.
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-13-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Automotive fueling and convenience store facility. EPA ID# CAD981465230 is active. Reviewed manifests through 2014. Emergency posting and spill response equipment available and properly maintained. Currently accumulating one 55-gallon drum of fuel contaminated debris. Training provided with the annual UST Designated Operator training. Logs kept in the compliance binder.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-14-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site to witness the annual monitoring system certification and spill bucket test performed by Mr. Jarrod Cooke (certifications current) of Tanknology. The annular, sump, and under dispenser containment (UDC) sensors were tested in water and provided audible and visible alarms except as noted above. The sump and UDC sensors also provided positive shutdown of the turbines. Sensor out and power out (fail safe) triggered positive shutdown of all turbines. The electronic line leak detectors (ELLD) were tested and detected a simulated 3 gph leak at 10 PSI and provided audible and visible alarms and turbine shutdown. Overfill protection is provided in all tanks by a flapper valve in the fill riser. The spill buckets are direct buried and passed a vacuum test at 30 inHg. The same issue noted in the 2015 inspection report with the L2 and L4 alarms not clearing occurred today. Maintenance records of another company troubleshooting the issue after the prior monitoring [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-21-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: TODAY?S ANNUAL UST MONITORING EQUIPMENT TESTING WAS PERFORMED BY UST SERVICE TECHNICIAN BRENT BOWEN OF TANKNOLOGY INC. MR. BOWEN HAS CURRENT ICC UST SERVICE TECHNICIAN CERTIFICATION (EXP. 07/03/2015), VEEDER-ROOT LEVEL 2/3 CERTIFICATION (EXP. 03/12/2015) AND VMI TLDT-5000 TESTER (EXP. 03/25/2015). THE FOLLOWING UST MONITORING EQUIPMENT WAS TESTED AND FUNCTIONED PROPERLY: TWO TANK ANNULAR SPACE SENSORS, TWO STP SUMP SENSORS AND TWO UDC SENSORS. THE TWO SPILL BUCKETS WERE HYDROSTATICALLY TESTED AND PASSED. SENSOR OUT AND POWER OUT PROVIDED POSITIVE TURBINE SHUTDOWN. THE TWO LINE LEAK DETECTORS WERE TESTED WITH A SIMULATED 3.0 G.P.H. LEAK AND PASSED. FLAPPER

7-ELEVEN INC #17496 (Continued) **1000282134**

VALVES WERE OBSERVED IN THE DROP TUBES OF BOTH FUEL TANKS. * AT THE END OF THE INSPECTION THE VEEDER-ROOT TLS 350 MONITORING PANEL WAS CHECKED AND IT WAS FOUND TO STILL SHOW TWO ALARMS FOR L2 AND L4 ANNULAR SPACE SENSORS THAT HAD NOT CLEARED FROM THE PANEL SCREEN. THE UST SERVICE TECHNICIAN TROUBLESHOT THE SYSTEM [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-22-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On site 1-22-14 accompanied by Greg Breshears to oversee annual UST monitoring system and spill bucket testing performed by Mr. Darren Sciume of Tanknology. Mr. Sciume holds valid ICC and Veeder-Root certifications. Site consists of two tanks (87 and 91). Monitoring panel is a Veeder-Root TLS 350 panel. Sumps, annular spaces, and UDCs are monitored by veeder-Root sensors. Sumps were dry upon arrival. TESTING: 87 and 91 sump sensors were tested with water and provided audible and visible alarms in addition to positive shutdown of the turbines. Annular space sensors (Veeder-Root 420) for the 2 tanks were tested in water and provided audible and visual alarms. UDC sensors (Veeder-Root 208) were tested in water and provided audible and visual alarms in addition to shutting off the turbines. Sensor out and power out (fail safe) provided positive shutdown of the turbines. Overfill protection is provided by flapper valves in the fill tube. Line Leak Detectors detected a 3 [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-22-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 12-02-2015
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: On-site to witness the underground storage tank system secondary containment (SB989) testing performed by Mr. Jarrod Cooke (certifications current) of Tanknology. Product piping is flexible pipe and the secondary was tested at 5 psi for one hour with no loss. The annular space of the tanks were tested at 10 inHg for one hour. The regular passed one hour with no loss. The Super test could not be completed due to time constraints. The piping sumps and under dispenser containment (UDC) were tested with a Tanknology VPLT accelerated test. The sumps passed a 30 minute test and the UDCs passed a 15 minute test. Contact our office at least two days prior to testing the Premium tank annular space. Submit a copy of the Secondary Containment Test report to our office within 30 days and keep a copy

7-ELEVEN INC #17496 (Continued) **1000282134**

available for review for at least 3 years. Reports may be sent via email to USTinspector@deh.sccgov.org.
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-14-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: EPA ID# CAD981465230 active. Emergency actions and emergency equipment available and properly maintained. Observed inspection logs for waste drum.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-19-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: On site to witness the annual monitoring system certification performed by Mr. Jesus Saldivar (all certifications current) of Tanknology. NOTE: The spill bucket testing and paperwork review were performed on 1/13/2017. See that inspection report for details. The annular, under dispenser containment (UDC) and sump sensors were tested in water and provided audible and visible alarms. The turbine sump and UDC sensors also provided positive shutdown of the turbines. Sensor out and power out (fail safe) triggered positive shutdown of all turbines. The electronic line leak detectors (ELLD) were tested and detected a simulated 3 gph leak at 10 PSI using the Tanknology LDT-5000 tester and provided turbine shutdown. Overfill protection is provided by flapper valves in the fill tubes. The emergency shut off (ESO) button was tested and shut down both turbines. email: sbala4@yahoo.com, Jamil.Hershewe@7-11.com Submit a copy of the Monitoring Certification and [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Enforcement Action:
Site ID: 87864
Site Name: 7-Eleven INC #17496
Site Address: 452 E SANTA CLARA ST
Site City: SAN JOSE
Site Zip: 95112
Enf Action Date: 01-21-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Site Address: 452 E SANTA CLARA ST

7-ELEVEN INC #17496 (Continued) **1000282134**

Site City:	SAN JOSE
Site Zip:	95112
Enf Action Date:	01-22-2014
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HW
Enf Action Source:	CERS

Site ID:	87864
Site Name:	7-Eleven INC #17496
Site Address:	452 E SANTA CLARA ST
Site City:	SAN JOSE
Site Zip:	95112
Enf Action Date:	01-22-2014
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	UST
Enf Action Source:	CERS

Coordinates:

Site ID:	87864
Facility Name:	7-Eleven INC #17496
Env Int Type Code:	HWG
Program ID:	10165819
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	37.340550
Longitude:	-121.880520

Affiliation:

Affiliation Type Desc:	Legal Owner
Entity Name:	7-ELEVEN INC
Entity Title:	Not reported
Affiliation Address:	PO BOX 711, ATTN: ENVIRONMENTAL DEPARTMENT
Affiliation City:	DALLAS
Affiliation State:	TX
Affiliation Country:	United States
Affiliation Zip:	75221
Affiliation Phone:	(800) 828-0711

Affiliation Type Desc:	UST Property Owner Name
Entity Name:	LUCY C. PON
Entity Title:	Not reported
Affiliation Address:	179 GALEWOOD CIR.
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94131
Affiliation Phone:	(800) 828-0711

Affiliation Type Desc:	Environmental Contact
Entity Name:	ETHAN VALBURG

7-ELEVEN INC #17496 (Continued) **1000282134**

Entity Title:	Not reported
Affiliation Address:	PO BOX 711, ATTN: ENVIRONMENTAL DEPARTMENT
Affiliation City:	DALLAS
Affiliation State:	TX
Affiliation Country:	Not reported
Affiliation Zip:	75221
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	PO BOX 711, ATTN: ENVIRONMENTAL DEPARTMENT
Affiliation City:	DALLAS
Affiliation State:	TX
Affiliation Country:	Not reported
Affiliation Zip:	75221
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	7-ELEVEN INC.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	LUCY C PON
Entity Title:	Not reported
Affiliation Address:	179 GALEWOOD CIR
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94131
Affiliation Phone:	(800) 828-0711
Affiliation Type Desc:	UST Permit Applicant
Entity Name:	STEPHEN BOYD
Entity Title:	REGIONAL GASOLINE ENVIRONMENTAL COMPLIANCE MANAGER
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(714) 771-5484
Affiliation Type Desc:	UST Tank Owner
Entity Name:	7-ELEVEN INC
Entity Title:	Not reported
Affiliation Address:	PO BOX 711, ATTN: ENVIRONMENTAL DEPARTMENT
Affiliation City:	DALLAS
Affiliation State:	TX
Affiliation Country:	United States
Affiliation Zip:	75221
Affiliation Phone:	(800) 828-0711

7-ELEVEN INC #17496 (Continued) **1000282134**

Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400

Affiliation Type Desc:	Identification Signer
Entity Name:	STEPHEN BOYD
Entity Title:	REGIONAL GASOLINE ENVIRONMENTAL COMPLIANCE MANAGER
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Operator
Entity Name:	SASHI BALA
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 298-0208

Affiliation Type Desc:	Document Preparer
Entity Name:	BELSHIRE ENVIRONMENTAL SERVICES INC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	UST Tank Operator
Entity Name:	SASHI BALA
Entity Title:	Not reported
Affiliation Address:	PO BOX 711, ATTN: ENVIRONMENTAL DEPARTMENT
Affiliation City:	DALLAS
Affiliation State:	TX
Affiliation Country:	United States
Affiliation Zip:	75221
Affiliation Phone:	(800) 828-0711

SWEEPS UST:

Name:	SEVEN ELEVEN #17496E
Address:	452 E SANTA CLARA ST
City:	SAN JOSE
Status:	Active
Comp Number:	403207

7-ELEVEN INC #17496 (Continued) **1000282134**

Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-403207-000001
Tank Status: A
Capacity: 10000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: 2

Name: SEVEN ELEVEN #17496E
Address: 452 E SANTA CLARA ST
City: SAN JOSE
Status: Active
Comp Number: 403207
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 09-08-92
Created Date: 02-29-88
Owner Tank Id: Not reported
SWRCB Tank Id: 43-060-403207-000002
Tank Status: A
Capacity: 10000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

HIST UST:
Name: 7-ELEVEN FOOD STORE 2222-17496
Address: 452 E SANTA CLARA ST
City,State,Zip: SAN JOSE, CA 95112
File Number: Not reported
URL: Not reported
Region: STATE
Facility ID: 00000012431
Facility Type: Gas Station
Other Type: Not reported
Contact Name: MOHAMMED TAVAKKOLY
Telephone: 4082650533
Owner Name: THE SOUTHLAND CORPORATION
Owner Address: 5820 STONERIDGE MALL ROAD, SUI
Owner City,St,Zip: PLEASANTON, CA 94566
Total Tanks: 0002

Tank Num: 001
Container Num: 17496-1
Year Installed: 1975
Tank Capacity: 00010000
Tank Used for: PRODUCT

7-ELEVEN INC #17496 (Continued) **1000282134**

Type of Fuel: REGULAR
Container Construction Thickness: Not reported
Leak Detection: Visual, Stock Inventor

Tank Num: 002
Container Num: 17496-2
Year Installed: 1975
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: Visual, Stock Inventor

CERS TANKS:
Name: 7-ELEVEN INC #17496
Address: 452 E SANTA CLARA ST
City,State,Zip: SAN JOSE, CA 95112
Site ID: 87864
CERS ID: 10165819
CERS Description: Underground Storage Tank

Violations:
Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-22-2014
Citation: 23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description: Failure of sensor to be located in the proper position/location.
Violation Notes: Returned to compliance on 03/12/2014. Test boots remain on the product piping of both tanks in the STP sumps (87 and 91). Shrader valves are open and angled between one and two'oclock .Valves must be oriented downward between 3 and 9 o'clock or the test boot must be pulled back.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-12-2018
Citation: HSC 6.7 25284, 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25284, 25286
Violation Description: Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes: Returned to compliance on 02/12/2018. The UST facility operating permit application submitted to CERS is inaccurate. 7-Eleven Inc. is listed as the UST operator while the CERS facility information page lists "RICH & PERSIDES TATOM - RTJ 4711 INC." as the UST operator. Revise the UST facility operating permit application and resubmit to CERS within 30 days.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-22-2014
Citation: 22 CCR 12 66262.40(c) - California Code of Regulations, Title 22,

7-ELEVEN INC #17496 (Continued) **1000282134**

Chapter 12, Section(s) 66262.40(c)
Violation Description: Failure to determine if the waste generated is a hazardous waste and to maintain analysis results for three years.
Violation Notes: Returned to compliance on 03/27/2014. Facility ships solids contaminated with gasoline off on a hazardous waste manifests as a state hazardous waste. Provide to the county within 30 days testing or other evidence demonstrating that the waste is not a federal RCRA hazardous waste.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-22-2014
Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Administration/Documentation - General
Violation Notes: Returned to compliance on 03/12/2014. Facility failed to provide a written response to an inspection performed on 1-23-2013.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-14-2016
Citation: 23 CCR 16 2638 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638
Violation Description: Failure to test leak detection equipment as required every 12 months (VPH, sensor, LLD, ATG, etc.) and/or submit monitoring system certification to the CUPA within 30 days of completion of the test
Violation Notes: Returned to compliance on 01/14/2016. The 2015 Monitoring System Certification report was not received by our office. Ensure the report is submitted directly to our office or uploaded to CERS within 30 days. A copy of the report was obtained during the inspection. No further corrective actions required.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-22-2014
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 03/12/2014. Certificate of Financial Responsibility (CFR) uses insurance as a mechanism and states it is valid through 12-18-13. Submit a current CFR to the department and maintain a current copy of the insurance on-site at all times.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

7-ELEVEN INC #17496 (Continued) **1000282134**

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-14-2016
Citation: 23 CCR 16 2636(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)
Violation Description: Failure to continuously monitor the interstitial space of the tank, piping and/or sumps sump such that the leak detection activates an audible/visual alarm when a leak is detected.
Violation Notes: Returned to compliance on 01/14/2016. The Supreme annular senor did not function properly during testing. The sensor was repaired and functioned as required. No further corrective actions required.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-12-2018
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 02/12/2018. The Certification of Financial Responsibility provided on the 10/16/17 CERS submittal shows that liability insurance coverage expired. Provide an updated insurance policy, Certification of Financial Responsibility and submit to CERS within 30 days.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-14-2016
Citation: 22 CCR 12 66262.40(a) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(a)
Violation Description: Failure to maintain uniform hazardous waste manifest, consolidated manifest, or bills of lading copies for three years.
Violation Notes: Returned to compliance on 01/15/2016. Copies of the past three years of manifests (005784227FLE 2013; 007613819FLE 2014; 007647623FLE, 008698709FLE 2015) were not available for review. Obtain copies of the manifests and ensure at least three years worth of manifests are able to be reviewed on-stie.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-21-2015
Citation: 23 CCR 16 2632, 2634, 2636, 2666 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632, 2634, 2636, 2666

7-ELEVEN INC #17496 (Continued) **1000282134**

Violation Description:	Failure of the leak detection equipment to be properly programmed or properly operated.
Violation Notes:	Returned to compliance on 01/14/2016. THE L2 AND L4 ANNULAR SPACE ALARMS COULD NOT BE CLEARED FROM THE VEEDER-ROOT MONITORING PANEL AFTER THE ANNUAL SENSOR TESTING WAS COMPLETED. TROUBLESHOOT THE CAUSE OF THE PROBLEM AND REPORT TO HMCD. NOTE THAT A PERMIT FROM HMCD IS REQUIRED IF THE MONITORING PANEL NEEDS TO BE REPLACED OR IF A COLD-START IS NEEDED.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	87864
Site Name:	7-Eleven INC #17496
Violation Date:	01-12-2018
Citation:	23 CCR 16 2715(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(e)
Violation Description:	Failure to maintain a copy of the designated operator monthly inspections for the last 12 months on-site or off-site at a readily available location, if approved by the UPA.
Violation Notes:	Returned to compliance on 02/12/2018. DUSTO Monthly reports for the following dates were only showing the alarm history header, and were missing complete system alarm history on the print outs: -5/26/17 -6/29/17 -7/21/17 -8/25/7 -10/17/17 -11/15/17 Ensure that DUSTO records include a print out of the Veeder root alarm history and are attached to each DUSTO monthly report.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	87864
Site Name:	7-Eleven INC #17496
Violation Date:	01-14-2016
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:	Returned to compliance on 01/14/2016. Facility submitted the annual certification one month beyond the 12 month limit (12/16/2014- 1/11/2016). Ensure the HMBP is certified each year by the end of the month in which it was submitted. No further corrective actions required.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	87864
Site Name:	7-Eleven INC #17496
Violation Date:	01-12-2018
Citation:	HSC 6.7 25284(a)(3)(A)&(B) - California Health and Safety Code, Chapter 6.7, Section(s) 25284(a)(3)(A)&(B)
Violation Description:	Failure to implement or maintain a written agreement between the UST owner and operator.
Violation Notes:	Returned to compliance on 02/12/2018. The UST Owner Operator Agreement submitted to CERS is inaccurate. Ensure that the name of the tank

7-ELEVEN INC #17496 (Continued) **1000282134**

owner and tank operator listed on the agreement matches name of tank owner and tank operator submitted to the CERS facility information page and the UST facility tank operating permit application. Revise owner operator agreement and resubmit to CERS within 30 days.

Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-12-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On site with Ana Bui of HMCD to witness the annual monitoring system certification performed by Jarrod Cooke of Tanknology. Verified Mr. Cooke's ICC Certification, ICC-8155550 expires 4/5/19, Veeder Root Certification, B35255 expires 5/9/18, and VMI Certification, expires 2/23/19. 2 tanks: 87 and 91. Annular, STP, and under dispenser containment(UDC) sensors were tested in water and provided audible and visual alarms. STP and UDC sump sensors also provided positive shutdown. Sensor out and power out (fail safe) were tested and provided positive shutdown of all turbines. Overfill prevention is provided by flapper vales in the fill tubes. A 3 gph leak at 10 psi was simulated using the Tanknology LDT-5000 apparatus. The electronic line leak detectors were able to detect the simulated leak and shut down all turbines. Spill buckets for 87 and 91 are direct buried and were tested using Tanknology's vacuum apparatus with no loss. DUSTO monthly reports, DUSTO [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 01-13-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: On site to witness the annual monitoring system certification and spill bucket test performed by Mr. Steve Willems (all certifications current) of Tanknology. The site's dispenser handles have been red-tagged by SCC Weights and Measures. Since the dispensers cannot be activated to verify positive shutdown, failsafe and the line leak detectors, the sensor testing will have to be done after the red tags have been properly removed by SCC Weights and Measures. Ensure sensor testing is performed by January 31, 2017 to remain in compliance with your testing schedule. Contact USTinspector@deh.sccgov.org to schedule the testing. The spill buckets are direct buried and were hydrostatically tested for one hour with no loss. Performed a limited inspection by reviewing DUSTO Monthly Reports, DUSTO Training records, testing reports and maintenance documentation. Tank and monitoring system information submitted to the California Environmental Reporting System (CERS) on [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-14-2016

7-ELEVEN INC #17496 (Continued) **1000282134**

Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Gas station and convenience store. Currently storing gasoline, carbon dioxide (liquid cryogenic and gas) and gas-contaminated water. CERS submittal on 1/11/2016 is accurate as observed. NOTE: Beginning January 1, 2015 all annual HBMP training must be documented and the documents retained for 3 years. Contact me for more information. A sample training log attached with this report.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-22-2014
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	01-27-2017
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Cold start after ISD module install was performed in September 2016. Hand off from install to testing company was missed. A full monitoring system certification occurred on January 19th, 2017 and no issues were observed. See report on that date for details. This report constitutes final approval for this project.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	12-17-2018
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	I am on site at 452 E Santa Clara Street, San Jose, 7-Eleven INC #17496, for the 2018 UST Secondary Containment Testing. Rahul Patel, Cashier, 7-Eleven, is on site to provide access to facility and records. sbala4@yahoo.com Jarrod A. Cooke, UST Service Tech, Tanknology, is on site to conducte the Secondary Containment Testing. ICC # 8155550, expires 4/5/2019 Veedeer Root, B-35255, expires 4/17/2020 Tanknology (accelerated tester), 4/25/2019 Veeder-Root monitoring system status upon arrival, "All Functions Normal". 2 Steel USTs. both tested at 10 in. vacuum, Tank ID #17496-001, 87 Octane, holding at 60 minutes, OK Tank ID #17496-002, 91 Octanr, dropping at 60 minutes, OK 2 Flex double wall piping, Tank ID #17496-001, 87 Octane, dropping at 60 minutes, OK Tank ID #17496-002, 91 Octanr, holding at 60 minutes, OIK 2 STP Sumps, Tank ID #17496-001, 87 Octane, accelerated test holding at 30 minutes, Tank ID #17496-002, 91 Octanr, accelerated test [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

7-ELEVEN INC #17496 (Continued) **1000282134**

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-13-2017
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Automotive fueling and convenience store facility. Currently storing gasoline and liquid carbon dioxide in HMBP quantities. Also storing carbon dioxide gas and fuel contaminated debris in less than HMBP quantities. Training provided with the annual UST Designated Operator training. Logs kept in the compliance binder. CERS submittal on 1/9/2017 is accurate as observed.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-13-2017
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Automotive fueling and convenience store facility. EPA ID# CAD981465230 is active. Reviewed manifests through 2014. Emergency posting and spill response equipment available and properly maintained. Currently accumulating one 55-gallon drum of fuel contaminated debris. Training provided with the annual UST Designated Operator training. Logs kept in the compliance binder.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-14-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On-site to witness the annual monitoring system certification and spill bucket test performed by Mr. Jarrod Cooke (certifications current) of Tanknology. The annular, sump, and under dispenser containment (UDC) sensors were tested in water and provided audible and visible alarms except as noted above. The sump and UDC sensors also provided positive shutdown of the turbines. Sensor out and power out (fail safe) triggered positive shutdown of all turbines. The electronic line leak detectors (ELLD) were tested and detected a simulated 3 gph leak at 10 PSI and provided audible and visible alarms and turbine shutdown. Overfill protection is provided in all tanks by a flapper valve in the fill riser. The spill buckets are direct buried and passed a vacuum test at 30 inHg. The same issue noted in the 2015 inspection report with the L2 and L4 alarms not clearing occurred today. Maintenance records of another company troubleshooting the issue after the prior monitoring [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-21-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	TODAY?S ANNUAL UST MONITORING EQUIPMENT TESTING WAS PERFORMED BY UST SERVICE TECHNICIAN BRENT BOWEN OF TANKNOLOGY INC. MR. BOWEN HAS

7-ELEVEN INC #17496 (Continued) **1000282134**

CURRENT ICC UST SERVICE TECHNICIAN CERTIFICATION (EXP. 07/03/2015), VEEDER-ROOT LEVEL 2/3 CERTIFICATION (EXP. 03/12/2015) AND VMI TLDT-5000 TESTER (EXP. 03/25/2015). THE FOLLOWING UST MONITORING EQUIPMENT WAS TESTED AND FUNCTIONED PROPERLY: TWO TANK ANNULAR SPACE SENSORS, TWO STP SUMP SENSORS AND TWO UDC SENSORS. THE TWO SPILL BUCKETS WERE HYDROSTATICALLY TESTED AND PASSED. SENSOR OUT AND POWER OUT PROVIDED POSITIVE TURBINE SHUTDOWN. THE TWO LINE LEAK DETECTORS WERE TESTED WITH A SIMULATED 3.0 G.P.H. LEAK AND PASSED. FLAPPER VALVES WERE OBSERVED IN THE DROP TUBES OF BOTH FUEL TANKS. * AT THE END OF THE INSPECTION THE VEEDER-ROOT TLS 350 MONITORING PANEL WAS CHECKED AND IT WAS FOUND TO STILL SHOW TWO ALARMS FOR L2 AND L4 ANNULAR SPACE SENSORS THAT HAD NOT CLEARED FROM THE PANEL SCREEN. THE UST SERVICE TECHNICIAN TROUBLESHOT THE SYSTEM [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-22-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On site 1-22-14 accompanied by Greg Breshears to oversee annual UST monitoring system and spill bucket testing performed by Mr. Darren Sciume of Tanknology. Mr. Sciume holds valid ICC and Veeder-Root certifications. Site consists of two tanks (87 and 91). Monitoring panel is a Veeder-Root TLS 350 panel. Sumps, annular spaces, and UDCs are monitored by veeder-Root sensors. Sumps were dry upon arrival. TESTING: 87 and 91 sump sensors were tested with water and provided audible and visible alarms in addition to positive shutdown of the turbines. Annular space sensors (Veeder-Root 420) for the 2 tanks were tested in water and provided audible and visual alarms. UDC sensors (Veeder-Root 208) were tested in water and provided audible and visual alarms in addition to shutting off the turbines. Sensor out and power out (fail safe) provided positive shutdown of the turbines. Overfill protection is provided by flapper valves in the fill tube. Line Leak Detectors detected a 3 [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-22-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 12-02-2015
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: On-site to witness the underground storage tank system secondary containment (SB989) testing performed by Mr. Jarrod Cooke (certifications current) of Tanknology. Product piping is flexible pipe and the secondary was tested at 5 psi for one hour with no loss.

7-ELEVEN INC #17496 (Continued) **1000282134**

The annular space of the tanks were tested at 10 inHg for one hour. The regular passed one hour with no loss. The Super test could not be completed due to time constraints. The piping sumps and under dispenser containment (UDC) were tested with a Tanknology VPLT accelerated test. The sumps passed a 30 minute test and the UDCs passed a 15 minute test. Contact our office at least two days prior to testing the Premium tank annular space. Submit a copy of the Secondary Containment Test report to our office within 30 days and keep a copy available for review for at least 3 years. Reports may be sent via email to USTinspector@deh.sccgov.org.

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-14-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: EPA ID# CAD981465230 active. Emergency actions and emergency equipment available and properly maintained. Observed inspection logs for waste drum.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-19-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: On site to witness the annual monitoring system certification performed by Mr. Jesus Saldivar (all certifications current) of Tanknology. NOTE: The spill bucket testing and paperwork review were performed on 1/13/2017. See that inspection report for details. The annular, under dispenser containment (UDC) and sump sensors were tested in water and provided audible and visible alarms. The turbine sump and UDC sensors also provided positive shutdown of the turbines. Sensor out and power out (fail safe) triggered positive shutdown of all turbines. The electronic line leak detectors (ELLD) were tested and detected a simulated 3 gph leak at 10 PSI using the Tanknology LDT-5000 tester and provided turbine shutdown. Overfill protection is provided by flapper valves in the fill tubes. The emergency shut off (ESO) button was tested and shut down both turbines. email: sbala4@yahoo.com, Jamil.Hershewe@7-11.com Submit a copy of the Monitoring Certification and [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Enforcement Action:
Site ID: 87864
Site Name: 7-Eleven INC #17496
Site Address: 452 E SANTA CLARA ST
Site City: SAN JOSE
Site Zip: 95112
Enf Action Date: 01-21-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection

7-ELEVEN INC #17496 (Continued) **1000282134**

Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Site Address: 452 E SANTA CLARA ST
Site City: SAN JOSE
Site Zip: 95112
Enf Action Date: 01-22-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: HW
Enf Action Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Site Address: 452 E SANTA CLARA ST
Site City: SAN JOSE
Site Zip: 95112
Enf Action Date: 01-22-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Santa Clara County Environmental Health
Enf Action Program: UST
Enf Action Source: CERS

Coordinates:
Site ID: 87864
Facility Name: 7-Eleven INC #17496
Env Int Type Code: HWG
Program ID: 10165819
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 37.340550
Longitude: -121.880520

Affiliation:
Affiliation Type Desc: Legal Owner
Entity Name: 7-ELEVEN INC
Entity Title: Not reported
Affiliation Address: PO BOX 711, ATTN: ENVIRONMENTAL DEPARTMENT
Affiliation City: DALLAS
Affiliation State: TX
Affiliation Country: United States
Affiliation Zip: 75221
Affiliation Phone: (800) 828-0711

Affiliation Type Desc: UST Property Owner Name
Entity Name: LUCY C. PON
Entity Title: Not reported
Affiliation Address: 179 GALEWOOD CIR.

7-ELEVEN INC #17496 (Continued) **1000282134**

Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94131
Affiliation Phone:	(800) 828-0711
Affiliation Type Desc:	Environmental Contact
Entity Name:	ETHAN VALBURG
Entity Title:	Not reported
Affiliation Address:	PO BOX 711, ATTN: ENVIRONMENTAL DEPARTMENT
Affiliation City:	DALLAS
Affiliation State:	TX
Affiliation Country:	Not reported
Affiliation Zip:	75221
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	PO BOX 711, ATTN: ENVIRONMENTAL DEPARTMENT
Affiliation City:	DALLAS
Affiliation State:	TX
Affiliation Country:	Not reported
Affiliation Zip:	75221
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	7-ELEVEN INC.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	LUCY C PON
Entity Title:	Not reported
Affiliation Address:	179 GALEWOOD CIR
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94131
Affiliation Phone:	(800) 828-0711
Affiliation Type Desc:	UST Permit Applicant
Entity Name:	STEPHEN BOYD
Entity Title:	REGIONAL GASOLINE ENVIRONMENTAL COMPLIANCE MANAGER
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(714) 771-5484
Affiliation Type Desc:	UST Tank Owner

7-ELEVEN INC #17496 (Continued) **1000282134**

Entity Name:	7-ELEVEN INC
Entity Title:	Not reported
Affiliation Address:	PO BOX 711, ATTN: ENVIRONMENTAL DEPARTMENT
Affiliation City:	DALLAS
Affiliation State:	TX
Affiliation Country:	United States
Affiliation Zip:	75221
Affiliation Phone:	(800) 828-0711
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Identification Signer
Entity Name:	STEPHEN BOYD
Entity Title:	REGIONAL GASOLINE ENVIRONMENTAL COMPLIANCE MANAGER
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	SASHI BALA
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 298-0208
Affiliation Type Desc:	Document Preparer
Entity Name:	BELSHIRE ENVIRONMENTAL SERVICES INC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	UST Tank Operator
Entity Name:	SASHI BALA
Entity Title:	Not reported
Affiliation Address:	PO BOX 711, ATTN: ENVIRONMENTAL DEPARTMENT
Affiliation City:	DALLAS
Affiliation State:	TX
Affiliation Country:	United States
Affiliation Zip:	75221

7-ELEVEN INC #17496 (Continued) **1000282134**

Affiliation Phone: (800) 828-0711

CUPA SANTA CLARA:

Name:	7-ELEVEN INC #17496
Address:	452 E SANTA CLARA ST
City,State,Zip:	SAN JOSE, CA 95112
Region:	SANTA CLARA
PE#:	2205
Program Description:	GENERATES 100 KG YR TO <5 TONS/YR
Latitude:	37.340687
Longitude:	-121.880812
Record ID:	PR0374866
Facility ID:	FA0209539

Name:	7-ELEVEN INC #17496
Address:	452 E SANTA CLARA ST
City,State,Zip:	SAN JOSE, CA 95112
Region:	SANTA CLARA
PE#:	2399
Program Description:	UNDERGROUND STORAGE TANK PROGRAM RECORD
Latitude:	37.340687
Longitude:	-121.880812
Record ID:	PR0397867
Facility ID:	FA0209539

Name:	7-ELEVEN INC #17496
Address:	452 E SANTA CLARA ST
City,State,Zip:	SAN JOSE, CA 95112
Region:	SANTA CLARA
PE#:	Not reported
Program Description:	HMBP FACILITY, 1-3 CHEMICALS
Latitude:	37.340687
Longitude:	-121.880812
Record ID:	PR0397748
Facility ID:	FA0209539

EMI:

Name:	SOUTHLAND CORPORATION
Address:	452 E SANTA CLARA ST
City,State,Zip:	SAN JOSE, CA 95112
Year:	1995
County Code:	43
Air Basin:	SF
Facility ID:	8349
Air District Name:	BA
SIC Code:	4953
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	2
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0

7-ELEVEN INC #17496 (Continued) **1000282134**

Part. Matter 10 Micrometers and Smllr Tons/Yr:0

HIST CORTESE:

edr_fname:	7 ELEVEN
edr_fadd1:	452 SANTA CLARA
City,State,Zip:	SAN JOSE, CA 95112
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-0005

NOTIFY 65:

Date Reported:	Not reported
Staff Initials:	Not reported
Board File Number:	Not reported
Facility Type:	Not reported
Discharge Date:	Not reported
Issue Date:	Not reported
Incident Description:	Not reported

CERS:

Name:	7-ELEVEN INC #17496
Address:	452 E SANTA CLARA ST
City,State,Zip:	SAN JOSE, CA 95112
Site ID:	87864
CERS ID:	10165819
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	87864
Site Name:	7-Eleven INC #17496
Violation Date:	01-22-2014
Citation:	23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description:	Failure of sensor to be located in the proper position/location.
Violation Notes:	Returned to compliance on 03/12/2014. Test boots remain on the product piping of both tanks in the STP sumps (87 and 91). Shrader valves are open and angled between one and two'oclock .Valves must be oriented downward between 3 and 9 o'clock or the test boot must be pulled back.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	87864
Site Name:	7-Eleven INC #17496
Violation Date:	01-12-2018
Citation:	HSC 6.7 25284, 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25284, 25286
Violation Description:	Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes:	Returned to compliance on 02/12/2018. The UST facility operating permit application submitted to CERS is inaccurate. 7-Eleven Inc. is listed as the UST operator while the CERS facility information page lists "RICH & PERSIDES TATOM - RTJ 4711 INC." as the UST operator. Revise the UST facility operating permit application and resubmit to CERS within 30 days.

7-ELEVEN INC #17496 (Continued) **1000282134**

Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	87864
Site Name:	7-Eleven INC #17496
Violation Date:	01-22-2014
Citation:	22 CCR 12 66262.40(c) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(c)
Violation Description:	Failure to determine if the waste generated is a hazardous waste and to maintain analysis results for three years.
Violation Notes:	Returned to compliance on 03/27/2014. Facility ships solids contaminated with gasoline off on a hazardous waste manifests as a state hazardous waste. Provide to the county within 30 days testing or other evidence demonstrating that the waste is not a federal RCRA hazardous waste.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	87864
Site Name:	7-Eleven INC #17496
Violation Date:	01-22-2014
Citation:	HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description:	Haz Waste Generator Program - Administration/Documentation - General
Violation Notes:	Returned to compliance on 03/12/2014. Facility failed to provide a written response to an inspection performed on 1-23-2013.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	87864
Site Name:	7-Eleven INC #17496
Violation Date:	01-14-2016
Citation:	23 CCR 16 2638 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638
Violation Description:	Failure to test leak detection equipment as required every 12 months (VPH, sensor, LLD, ATG, etc.) and/or submit monitoring system certification to the CUPA within 30 days of completion of the test
Violation Notes:	Returned to compliance on 01/14/2016. The 2015 Monitoring System Certification report was not received by our office. Ensure the report is submitted directly to our office or uploaded to CERS within 30 days. A copy of the report was obtained during the inspection. No further corrective actions required.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	87864
Site Name:	7-Eleven INC #17496
Violation Date:	01-22-2014
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of

7-ELEVEN INC #17496 (Continued) **1000282134**

Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 03/12/2014. Certificate of Financial Responsibility (CFR) uses insurance as a mechanism and states it is valid through 12-18-13. Submit a current CFR to the department and maintain a current copy of the insurance on-site at all times.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-14-2016
Citation: 23 CCR 16 2636(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)
Violation Description: Failure to continuously monitor the interstitial space of the tank, piping and/or sumps sump such that the leak detection activates an audible/visual alarm when a leak is detected.
Violation Notes: Returned to compliance on 01/14/2016. The Supreme annular senor did not function properly during testing. The sensor was repaired and functioned as required. No further corrective actions required.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-12-2018
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 02/12/2018. The Certification of Financial Responsibility provided on the 10/16/17 CERS submittal shows that liability insurance coverage expired. Provide an updated insurance policy, Certification of Financial Responsibility and submit to CERS within 30 days.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-14-2016
Citation: 22 CCR 12 66262.40(a) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(a)
Violation Description: Failure to maintain uniform hazardous waste manifest, consolidated manifest, or bills of lading copies for three years.
Violation Notes: Returned to compliance on 01/15/2016. Copies of the past three years of manifests (005784227FLE 2013; 007613819FLE 2014; 007647623FLE, 008698709FLE 2015) were not available for review. Obtain copies of the manifests and ensure at least three years worth of manifests are able to be reviewed on-stie.

7-ELEVEN INC #17496 (Continued) **1000282134**

Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	87864
Site Name:	7-Eleven INC #17496
Violation Date:	01-21-2015
Citation:	23 CCR 16 2632, 2634, 2636, 2666 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632, 2634, 2636, 2666
Violation Description:	Failure of the leak detection equipment to be properly programmed or properly operated.
Violation Notes:	Returned to compliance on 01/14/2016. THE L2 AND L4 ANNULAR SPACE ALARMS COULD NOT BE CLEARED FROM THE VEEDER-ROOT MONITORING PANEL AFTER THE ANNUAL SENSOR TESTING WAS COMPLETED. TROUBLESHOOT THE CAUSE OF THE PROBLEM AND REPORT TO HMCD. NOTE THAT A PERMIT FROM HMCD IS REQUIRED IF THE MONITORING PANEL NEEDS TO BE REPLACED OR IF A COLD-START IS NEEDED.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	87864
Site Name:	7-Eleven INC #17496
Violation Date:	01-12-2018
Citation:	23 CCR 16 2715(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(e)
Violation Description:	Failure to maintain a copy of the designated operator monthly inspections for the last 12 months on-site or off-site at a readily available location, if approved by the UPA.
Violation Notes:	Returned to compliance on 02/12/2018. DUSTO Monthly reports for the following dates were only showing the alarm history header, and were missing complete system alarm history on the print outs: -5/26/17 -6/29/17 -7/21/17 -8/25/7 -10/17/17 -11/15/17 Ensure that DUSTO records include a print out of the Veeder root alarm history and are attached to each DUSTO monthly report.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	87864
Site Name:	7-Eleven INC #17496
Violation Date:	01-14-2016
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:	Returned to compliance on 01/14/2016. Facility submitted the annual certification one month beyond the 12 month limit (12/16/2014- 1/11/2016). Ensure the HMBP is certified each year by the end of the month in which it was submitted. No further corrective actions required.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HMRRP
Violation Source:	CERS

7-ELEVEN INC #17496 (Continued) **1000282134**

Site ID: 87864
Site Name: 7-Eleven INC #17496
Violation Date: 01-12-2018
Citation: HSC 6.7 25284(a)(3)(A)&(B) - California Health and Safety Code, Chapter 6.7, Section(s) 25284(a)(3)(A)&(B)
Violation Description: Failure to implement or maintain a written agreement between the UST owner and operator.
Violation Notes: Returned to compliance on 02/12/2018. The UST Owner Operator Agreement submitted to CERS is inaccurate. Ensure that the name of the tank owner and tank operator listed on the agreement matches name of tank owner and tank operator submitted to the CERS facility information page and the UST facility tank operating permit application. Revise owner operator agreement and resubmit to CERS within 30 days.
Violation Division: Santa Clara County Environmental Health
Violation Program: UST
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-12-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On site with Ana Bui of HMCD to witness the annual monitoring system certification performed by Jarrod Cooke of Tanknology. Verified Mr. Cooke's ICC Certification, ICC-8155550 expires 4/5/19, Veeder Root Certification, B35255 expires 5/9/18, and VMI Certification, expires 2/23/19. 2 tanks: 87 and 91. Annular, STP, and under dispenser containment(UDC) sensors were tested in water and provided audible and visual alarms. STP and UDC sump sensors also provided positive shutdown. Sensor out and power out (fail safe) were tested and provided positive shutdown of all turbines. Overfill prevention is provided by flapper vales in the fill tubes. A 3 gph leak at 10 psi was simulated using the Tanknology LDT-5000 apparatus. The electronic line leak detectors were able to detect the simulated leak and shut down all turbines. Spill buckets for 87 and 91 are direct buried and were tested using Tanknology's vacuum apparatus with no loss. DUSTO monthly reports, DUSTO [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 01-13-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: On site to witness the annual monitoring system certification and spill bucket test performed by Mr. Steve Willems (all certifications current) of Tanknology. The site's dispenser handles have been red-tagged by SCC Weights and Measures. Since the dispensers cannot be activated to verify positive shutdown, failsafe and the line leak detectors, the sensor testing will have to be done after the red tags have been properly removed by SCC Weights and Measures. Ensure sensor testing is performed by January 31, 2017 to remain in compliance with your testing schedule. Contact USTinspector@deh.sccgov.org to schedule the testing. The spill buckets are direct buried and were hydrostatically tested for one hour with no loss. Performed a limited inspection by reviewing DUSTO Monthly Reports, DUSTO Training records,

7-ELEVEN INC #17496 (Continued) **1000282134**

testing reports and maintenance documentation. Tank and monitoring system information submitted to the California Environmental Reporting System (CERS) on [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-14-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Gas station and convenience store. Currently storing gasoline, carbon dioxide (liquid cryogenic and gas) and gas-contaminated water. CERS submittal on 1/11/2016 is accurate as observed. NOTE: Beginning January 1, 2015 all annual HBMP training must be documented and the documents retained for 3 years. Contact me for more information. A sample training log attached with this report.
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-22-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 01-27-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Cold start after ISD module install was performed in September 2016. Hand off from install to testing company was missed. A full monitoring system certification occurred on January 19th, 2017 and no issues were observed. See report on that date for details. This report constitutes final approval for this project.
Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 12-17-2018
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: I am on site at 452 E Santa Clara Street, San Jose, 7-Eleven INC #17496, for the 2018 UST Secondary Containment Testing. Rahul Patel, Cashier, 7-Eleven, is on site to provide access to facility and records. sbala4@yahoo.com Jarrod A. Cooke, UST Service Tech, Tanknology, is on site to conducte the Secondary Containment Testing. ICC # 8155550, expires 4/5/2019 Veedeer Root, B-35255, expires 4/17/2020 Tanknology (accelerated tester), 4/25/2019 Veeder-Root monitoring system status upon arrival, "All Functions Normal". 2 Steel USTs. both tested at 10 in. vacuum, Tank ID #17496-001, 87 Octane, holding at 60 minutes, OK Tank ID #17496-002, 91 Octanr, dropping at

7-ELEVEN INC #17496 (Continued) **1000282134**

60 minutes, OK 2 Flex double wall piping, Tank ID #17496-001, 87 Octane, dropping at 60 minutes, OK Tank ID #17496-002, 91 Octanr, holding at 60 minutes, OIK 2 STP Sumps, Tank ID #17496-001, 87 Octane, accelerated test holding at 30 minutes, Tank ID #17496-002, 91 Octanr, accelerated test [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-13-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Automotive fueling and convenience store facility. Currently storing gasoline and liquid carbon dioxide in HMBP quantities. Also storing carbon dioxide gas and fuel contaminated debris in less than HMBP quantities. Training provided with the annual UST Designated Operator training. Logs kept in the compliance binder. CERS submittal on 1/9/2017 is accurate as observed.
Eval Division: Santa Clara County Environmental Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-13-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Automotive fueling and convenience store facility. EPA ID# CAD981465230 is active. Reviewed manifests through 2014. Emergency posting and spill response equipment available and properly maintained. Currently accumulating one 55-gallon drum of fuel contaminated debris. Training provided with the annual UST Designated Operator training. Logs kept in the compliance binder.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-14-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On-site to witness the annual monitoring system certification and spill bucket test performed by Mr. Jarrod Cooke (certifications current) of Tanknology. The annular, sump, and under dispenser containment (UDC) sensors were tested in water and provided audible and visible alarms except as noted above. The sump and UDC sensors also provided positive shutdown of the turbines. Sensor out and power out (fail safe) triggered positive shutdown of all turbines. The electronic line leak detectors (ELLD) were tested and detected a simulated 3 gph leak at 10 PSI and provided audible and visible alarms and turbine shutdown. Overfill protection is provided in all tanks by a flapper valve in the fill riser. The spill buckets are direct buried and passed a vacuum test at 30 inHg. The same issue noted in the 2015 inspection report with the L2 and L4 alarms not clearing occurred today. Maintenance records of another company troubleshooting the issue after the prior monitoring [Truncated]
Eval Division: Santa Clara County Environmental Health

7-ELEVEN INC #17496 (Continued) **1000282134**

Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-21-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	TODAY?S ANNUAL UST MONITORING EQUIPMENT TESTING WAS PERFORMED BY UST SERVICE TECHNICIAN BRENT BOWEN OF TANKNOLOGY INC. MR. BOWEN HAS CURRENT ICC UST SERVICE TECHNICIAN CERTIFICATION (EXP. 07/03/2015), VEEDER-ROOT LEVEL 2/3 CERTIFICATION (EXP. 03/12/2015) AND VMI TLDT-5000 TESTER (EXP. 03/25/2015). THE FOLLOWING UST MONITORING EQUIPMENT WAS TESTED AND FUNCTIONED PROPERLY: TWO TANK ANNULAR SPACE SENSORS, TWO STP SUMP SENSORS AND TWO UDC SENSORS. THE TWO SPILL BUCKETS WERE HYDROSTATICALLY TESTED AND PASSED. SENSOR OUT AND POWER OUT PROVIDED POSITIVE TURBINE SHUTDOWN. THE TWO LINE LEAK DETECTORS WERE TESTED WITH A SIMULATED 3.0 G.P.H. LEAK AND PASSED. FLAPPER VALVES WERE OBSERVED IN THE DROP TUBES OF BOTH FUEL TANKS. * AT THE END OF THE INSPECTION THE VEEDER-ROOT TLS 350 MONITORING PANEL WAS CHECKED AND IT WAS FOUND TO STILL SHOW TWO ALARMS FOR L2 AND L4 ANNULAR SPACE SENSORS THAT HAD NOT CLEARED FROM THE PANEL SCREEN. THE UST SERVICE TECHNICIAN TROUBLESHOT THE SYSTEM [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-22-2014
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On site 1-22-14 accompanied by Greg Breshears to oversee annual UST monitoring system and spill bucket testing performed by Mr. Darren Sciume of Tanknology. Mr. Sciume holds valid ICC and Veeder-Root certifications. Site consists of two tanks (87 and 91). Monitoring panel is a Veeder-Root TLS 350 panel. Sumps, annular spaces, and UDCs are monitored by veeder-Root sensors. Sumps were dry upon arrival. TESTING: 87 and 91 sump sensors were tested with water and provided audible and visible alarms in addition to positive shutdown of the turbines. Annular space sensors (Veeder-Root 420) for the 2 tanks were tested in water and provided audible and visual alarms. UDC sensors (Veeder-Root 208) were tested in water and provided audible and visual alarms in addition to shutting off the turbines. Sensor out and power out (fail safe) provided positive shutdown of the turbines. Overfill protection is provided by flapper valves in the fill tube. Line Leak Detectors detected a 3 [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-22-2014
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS

7-ELEVEN INC #17496 (Continued) **1000282134**

Eval General Type:	Other/Unknown
Eval Date:	12-02-2015
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	On-site to witness the underground storage tank system secondary containment (SB989) testing performed by Mr. Jarrod Cooke (certifications current) of Tanknology. Product piping is flexible pipe and the secondary was tested at 5 psi for one hour with no loss. The annular space of the tanks were tested at 10 inHg for one hour. The regular passed one hour with no loss. The Super test could not be completed due to time constraints. The piping sumps and under dispenser containment (UDC) were tested with a Tanknology VPLT accelerated test. The sumps passed a 30 minute test and the UDCs passed a 15 minute test. Contact our office at least two days prior to testing the Premium tank annular space. Submit a copy of the Secondary Containment Test report to our office within 30 days and keep a copy available for review for at least 3 years. Reports may be sent via email to USTinspector@deh.sccgov.org.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-14-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	EPA ID# CAD981465230 active. Emergency actions and emergency equipment available and properly maintained. Observed inspection logs for waste drum.
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-19-2017
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	On site to witness the annual monitoring system certification performed by Mr. Jesus Saldivar (all certifications current) of Tanknology. NOTE: The spill bucket testing and paperwork review were performed on 1/13/2017. See that inspection report for details. The annular, under dispenser containment (UDC) and sump sensors were tested in water and provided audible and visible alarms. The turbine sump and UDC sensors also provided positive shutdown of the turbines. Sensor out and power out (fail safe) triggered positive shutdown of all turbines. The electronic line leak detectors (ELLD) were tested and detected a simulated 3 gph leak at 10 PSI using the Tanknology LDT-5000 tester and provided turbine shutdown. Overfill protection is provided by flapper valves in the fill tubes. The emergency shut off (ESO) button was tested and shut down both turbines. email: sbala4@yahoo.com, Jamil.Hershewe@7-11.com Submit a copy of the Monitoring Certification and [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	UST
Eval Source:	CERS

7-ELEVEN INC #17496 (Continued) **1000282134**

Enforcement Action:

Site ID:	87864
Site Name:	7-Eleven INC #17496
Site Address:	452 E SANTA CLARA ST
Site City:	SAN JOSE
Site Zip:	95112
Enf Action Date:	01-21-2015
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	UST
Enf Action Source:	CERS

Site ID:	87864
Site Name:	7-Eleven INC #17496
Site Address:	452 E SANTA CLARA ST
Site City:	SAN JOSE
Site Zip:	95112
Enf Action Date:	01-22-2014
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	HW
Enf Action Source:	CERS

Site ID:	87864
Site Name:	7-Eleven INC #17496
Site Address:	452 E SANTA CLARA ST
Site City:	SAN JOSE
Site Zip:	95112
Enf Action Date:	01-22-2014
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Santa Clara County Environmental Health
Enf Action Program:	UST
Enf Action Source:	CERS

Coordinates:

Site ID:	87864
Facility Name:	7-Eleven INC #17496
Env Int Type Code:	HWG
Program ID:	10165819
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	37.340550
Longitude:	-121.880520

Affiliation:

Affiliation Type Desc:	Legal Owner
Entity Name:	7-ELEVEN INC
Entity Title:	Not reported
Affiliation Address:	PO BOX 711, ATTN: ENVIRONMENTAL DEPARTMENT
Affiliation City:	DALLAS

7-ELEVEN INC #17496 (Continued) **1000282134**

Affiliation State:	TX
Affiliation Country:	United States
Affiliation Zip:	75221
Affiliation Phone:	(800) 828-0711
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	LUCY C. PON
Entity Title:	Not reported
Affiliation Address:	179 GALEWOOD CIR.
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94131
Affiliation Phone:	(800) 828-0711
Affiliation Type Desc:	Environmental Contact
Entity Name:	ETHAN VALBURG
Entity Title:	Not reported
Affiliation Address:	PO BOX 711, ATTN: ENVIRONMENTAL DEPARTMENT
Affiliation City:	DALLAS
Affiliation State:	TX
Affiliation Country:	Not reported
Affiliation Zip:	75221
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	PO BOX 711, ATTN: ENVIRONMENTAL DEPARTMENT
Affiliation City:	DALLAS
Affiliation State:	TX
Affiliation Country:	Not reported
Affiliation Zip:	75221
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	7-ELEVEN INC.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	LUCY C PON
Entity Title:	Not reported
Affiliation Address:	179 GALEWOOD CIR
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94131
Affiliation Phone:	(800) 828-0711
Affiliation Type Desc:	UST Permit Applicant
Entity Name:	STEPHEN BOYD

7-ELEVEN INC #17496 (Continued) **1000282134**

Entity Title:	REGIONAL GASOLINE ENVIRONMENTAL COMPLIANCE MANAGER
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(714) 771-5484
Affiliation Type Desc:	UST Tank Owner
Entity Name:	7-ELEVEN INC
Entity Title:	Not reported
Affiliation Address:	PO BOX 711, ATTN: ENVIRONMENTAL DEPARTMENT
Affiliation City:	DALLAS
Affiliation State:	TX
Affiliation Country:	United States
Affiliation Zip:	75221
Affiliation Phone:	(800) 828-0711
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Identification Signer
Entity Name:	STEPHEN BOYD
Entity Title:	REGIONAL GASOLINE ENVIRONMENTAL COMPLIANCE MANAGER
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	SASHI BALA
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 298-0208
Affiliation Type Desc:	Document Preparer
Entity Name:	BELSHIRE ENVIRONMENTAL SERVICES INC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

7-ELEVEN INC #17496 (Continued) **1000282134**

Affiliation Type Desc:	UST Tank Operator
Entity Name:	SASHI BALA
Entity Title:	Not reported
Affiliation Address:	PO BOX 711, ATTN: ENVIRONMENTAL DEPARTMENT
Affiliation City:	DALLAS
Affiliation State:	TX
Affiliation Country:	United States
Affiliation Zip:	75221
Affiliation Phone:	(800) 828-0711

---

146 **STATE RADIATOR SJ REDEVEL** **CA ENVIROSTOR** **S103653353**
WSW **331 GIFFORD AVE** **CA LUST** **N/A**
1/2-1 **SAN JOSE, CA 95126** **CA HIST CORTESE**
0.827 mi. **CA HAZMAT**
4365 ft. **CA CERS**

Relative: **Lower**
Actual: **97 ft.**

ENVIROSTOR:

Name:	STATE RADIATOR
Address:	331 GIFFORD AVE.
City,State,Zip:	SAN JOSE, CA 95126
Facility ID:	43750007
Status:	Refer: RWQCB
Status Date:	06/27/1995
Site Code:	Not reported
Site Type:	Evaluation
Site Type Detailed:	Evaluation
Acres:	1
NPL:	NO
Regulatory Agencies:	SMBRP, RWQCB 2 - San Francisco Bay
Lead Agency:	RWQCB 2 - San Francisco Bay
Program Manager:	Claude Jemison
Supervisor:	Karen Toth
Division Branch:	Cleanup Berkeley
Assembly:	27
Senate:	15
Special Program:	Not reported
Restricted Use:	NO
Site Mgmt Req:	NONE SPECIFIED
Funding:	Responsible Party
Latitude:	37.32574
Longitude:	-121.8967
APN:	264-20-089
Past Use:	NONE SPECIFIED
Potential COC:	* CONTAMINATED SOIL * UNSPECIFIED OIL CONTAINING WASTE * WASTE OIL & MIXED OIL Lead
Confirmed COC:	NONE SPECIFIED
Potential Description:	NONE SPECIFIED
Alias Name:	331 GIFFORD AVE.
Alias Type:	Alternate Name
Alias Name:	SANTA CLARA AUTO BODY
Alias Type:	Alternate Name
Alias Name:	YAK GRAPHIC
Alias Type:	Alternate Name
Alias Name:	264-20-089
Alias Type:	APN
Alias Name:	43750007
Alias Type:	Envirostor ID Number

STATE RADIATOR SJ REDEVEL (Continued) **S103653353**

Completed Info:

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Site Screening
Completed Date:	12/27/1991
Comments:	Completed Site Screening. In January 1989, additional sampling was conducted at the site. Soil boring results detected total oil and grease (TOG) and total petroleum hydrocarbons as diesel (TPHd) in excess of 1000 ppm. Lead was detected at 938 ppm. In May 1989, two groundwater monitoring wells (MW-1 and MW-2) were installed at the property. Lead was detected in groundwater at a concentration of 0.181 ppm. In May 1989, contaminated soil was removed from the previous sampled area. Final soil sample results indicated only one sample contained TOG at 780 ppm and lead at 191 ppm. The sample that contained the TOG and lead was collected beneath the foundation of the building. The excavations were backfilled with clean, imported fill.

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Site Screening
Completed Date:	12/18/2001
Comments:	Site cleaned up under RWQCB Oversight

Future Area Name:	Not reported
Future Sub Area Name:	Not reported
Future Document Type:	Not reported
Future Due Date:	Not reported
Schedule Area Name:	Not reported
Schedule Sub Area Name:	Not reported
Schedule Document Type:	Not reported
Schedule Due Date:	Not reported
Schedule Revised Date:	Not reported

LUST:

Name:	STATE RADIATOR SJ REDEVEL
Address:	331 GIFFORD AVE
City,State,Zip:	SAN JOSE, CA 95126
Lead Agency:	SAN FRANCISCO BAY RWQCB (REGION 2)
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501373
Global Id:	T0608501373
Latitude:	37.326128
Longitude:	-121.895805
Status:	Completed - Case Closed
Status Date:	06/27/1995
Case Worker:	UUU
RB Case Number:	43-1398
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	Not reported
Local Case Number:	Not reported
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Waste Oil / Motor / Hydraulic / Lubricating
Site History:	Not reported

LUST:

Global Id:	T0608501373

STATE RADIATOR SJ REDEVEL (Continued) **S103653353**

Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608501373
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608501373
Action Type: Other
Date: 04/18/1990
Action: Leak Discovery

Global Id: T0608501373
Action Type: Other
Date: 04/18/1990
Action: Leak Stopped

Global Id: T0608501373
Action Type: RESPONSE
Date: 07/19/1990
Action: Other Report / Document

Global Id: T0608501373
Action Type: Other
Date: 04/18/1990
Action: Leak Reported

Global Id: T0608501373
Action Type: ENFORCEMENT
Date: 06/27/1995
Action: Closure/No Further Action Letter

LUST:
Global Id: T0608501373
Status: Completed - Case Closed
Status Date: 06/27/1995

Global Id: T0608501373
Status: Open - Case Begin Date
Status Date: 08/24/1989

Global Id: T0608501373
Status: Open - Site Assessment
Status Date: 08/24/1989

STATE RADIATOR SJ REDEVEL (Continued) **S103653353**

LUST REG 2:
Region: 2
Facility Id: 43-1398
Facility Status: Case Closed
Case Number: 07S1E18H01
How Discovered: Tank Closure
Leak Cause: Structure Failure
Leak Source: Tank
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 8/24/1989
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: STATE RADIATOR (SJ REDEVLPMNT)
Address: 331 GIFFORD AVE
City,State,Zip: SAN JOSE, CA
Region: SANTA CLARA
SCVWD ID: 07S1E18H01F
Date Closed: 06/27/1995
EDR Link ID: 07S1E18H01F

HIST CORTESE:
edr_fname: STATE RADIATOR SJ REDEVEL
edr_fadd1: 331 GIFFORD
City,State,Zip: SAN JOSE, CA
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-1398

edr_fname: 331 GIFFORD AVE
edr_fadd1: 331 GIFFORD
City,State,Zip: SAN JOSE, CA
Region: CORTESE
Facility County Code: 43
Reg By: CALSI
Reg Id: 43750007

SAN JOSE HAZMAT:
Name: OUT OF BUSINESS
Address: 331 GIFFORD AV
City,State,Zip: SAN JOSE, CA 95126-3632
Date of Data: AS OF 02/07/2014
Region: SAN JOSE
File Num: 405558
Class: Auto Wrecking/Misc Simple Facility

CERS:
Name: STATE RADIATOR SJ REDEVEL
Address: 331 GIFFORD AVE

STATE RADIATOR SJ REDEVEL (Continued) **S103653353**

City,State,Zip: SAN JOSE, CA 95126
Site ID: 244550
CERS ID: T0608501373
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

---

147 **UNKNOWN** **CA Notify 65** **S100178940**
WNW **35 NORTH RIVER STREET** **N/A**
1/2-1 **SAN JOSE, CA 93212**
0.843 mi.
4451 ft.

Relative: **Lower**
Actual: **80 ft.**

NOTIFY 65:
Date Reported: Not reported
Staff Initials: Not reported
Board File Number: Not reported
Facility Type: Not reported
Discharge Date: Not reported
Issue Date: Not reported
Incident Description: Not reported

AB148 **MISSION VILLAS** **CA ENVIROSTOR** **S109422407**
NW **44 EAST JULIAN STREET** **N/A**
1/2-1 **SAN JOSE, CA 95113**
0.911 mi.
4811 ft. **Site 1 of 2 in cluster AB**

Relative: **Lower**
Actual: **83 ft.**

ENVIROSTOR:
Name: MISSION VILLAS
Address: 44 EAST JULIAN STREET
City,State,Zip: SAN JOSE, CA 95113
Facility ID: 60001042
Status: Refer: 1248 Local Agency
Status Date: 01/22/2001
Site Code: Not reported
Site Type: Evaluation

MISSION VILLAS (Continued) **S109422407**

Site Type Detailed:	Evaluation
Acres:	1
NPL:	NO
Regulatory Agencies:	SMBRP
Lead Agency:	SMBRP
Program Manager:	Not reported
Supervisor:	Referred - Not Assigned
Division Branch:	Cleanup Berkeley
Assembly:	27
Senate:	15
Special Program:	Not reported
Restricted Use:	NO
Site Mgmt Req:	NONE SPECIFIED
Funding:	Not Applicable
Latitude:	37.34099
Longitude:	-121.8928
APN:	NONE SPECIFIED
Past Use:	NONE SPECIFIED
Potential COC:	NONE SPECIFIED
Confirmed COC:	NONE SPECIFIED
Potential Description:	NONE SPECIFIED
Alias Name:	60001042
Alias Type:	Envirostor ID Number

Completed Info:

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Other Report
Completed Date:	01/22/2001
Comments:	Not reported

Future Area Name:	Not reported
Future Sub Area Name:	Not reported
Future Document Type:	Not reported
Future Due Date:	Not reported
Schedule Area Name:	Not reported
Schedule Sub Area Name:	Not reported
Schedule Document Type:	Not reported
Schedule Due Date:	Not reported
Schedule Revised Date:	Not reported

AB149 **FAMILY HEALTH FOUND. OF ALVISO ST. JAMES** **CA ENVIROSTOR** **S118756959**
NW **55 E. JULIAN STREET** **N/A**
1/2-1 **SAN JOSE, CA 95112**
0.917 mi.
4843 ft. **Site 2 of 2 in cluster AB**

Relative:
Lower

Actual:
83 ft.

ENVIROSTOR:

Name:	FAMILY HEALTH FOUND. OF ALVISO ST. JAMES
Address:	55 E. JULIAN STREET
City,State,Zip:	SAN JOSE, CA 95112
Facility ID:	43800004
Status:	No Action Required
Status Date:	06/14/1994
Site Code:	Not reported
Site Type:	Calmortgage
Site Type Detailed:	Calmortgage
Acres:	0

FAMILY HEALTH FOUND. OF ALVISO ST. JAMES (Continued) **S118756959**

NPL: NO
Regulatory Agencies: SMBRP
Lead Agency: SMBRP
Program Manager: Sandra Karinen
Supervisor: William Beckman
Division Branch: Cleanup Sacramento
Assembly: 27
Senate: 15
Special Program: Not reported
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: CalMortgage
Latitude: 37.34111
Longitude: -121.8927
APN: NONE SPECIFIED
Past Use: NONE
Potential COC: NONE SPECIFIED No Contaminants found
Confirmed COC: No Contaminants found
Potential Description: NMA
Alias Name: 43800004
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Phase 1
Completed Date: 06/14/1994
Comments: Pursuant to the MOU, DTSC has reviewed a Phase I Environmental Site Assessment and other documents for the Family Health Foundation of Alviso, Inc., St. James Health Center (FHFA). The subject property is an existing health clinic which is owned and operated by FHFA. No change in use is being proposed. A Supplemental Phase I Environmental Assessment Report was prepared by DTSC and concluded that no action was needed for this property there is no contamination on the property.

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

Count: 1 records. ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
SAN JOSE	S105194854	UNION PACIFIC RAILROAD	COLLEGE PARK YARD	95113	CA CPS-SLIC

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 04/11/2019
Date Data Arrived at EDR: 04/18/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 26

Source: EPA
Telephone: N/A
Last EDR Contact: 07/02/2019
Next Scheduled EDR Contact: 10/14/2019
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 04/11/2019
Date Data Arrived at EDR: 04/18/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 26

Source: EPA
Telephone: N/A
Last EDR Contact: 07/02/2019
Next Scheduled EDR Contact: 10/14/2019
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

Federal Delisted NPL site list

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 04/11/2019
Date Data Arrived at EDR: 04/18/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 26

Source: EPA
Telephone: N/A
Last EDR Contact: 07/02/2019
Next Scheduled EDR Contact: 10/14/2019
Data Release Frequency: Quarterly

Federal CERCLIS list

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 04/03/2019
Date Data Arrived at EDR: 04/05/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 07/03/2019
Next Scheduled EDR Contact: 10/14/2019
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 04/11/2019
Date Data Arrived at EDR: 04/18/2019
Date Made Active in Reports: 05/23/2019
Number of Days to Update: 35

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 07/02/2019
Next Scheduled EDR Contact: 10/28/2019
Data Release Frequency: Quarterly

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 04/11/2019
Date Data Arrived at EDR: 04/18/2019
Date Made Active in Reports: 05/23/2019
Number of Days to Update: 35

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 07/02/2019
Next Scheduled EDR Contact: 10/28/2019
Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/27/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 21

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 06/26/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/27/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 21

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 06/26/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/27/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 21

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 06/26/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/27/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 21

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 06/26/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/27/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 21

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 06/26/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 02/22/2019
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 41

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 05/10/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 01/31/2019
Date Data Arrived at EDR: 02/04/2019
Date Made Active in Reports: 03/08/2019
Number of Days to Update: 32

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 05/29/2019
Next Scheduled EDR Contact: 09/09/2019
Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 01/31/2019
Date Data Arrived at EDR: 02/04/2019
Date Made Active in Reports: 03/08/2019
Number of Days to Update: 32

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 05/29/2019
Next Scheduled EDR Contact: 09/09/2019
Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/26/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 36

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 06/26/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Quarterly

State- and tribal - equivalent NPL

RESPONSE: State Response Sites

Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

Date of Government Version: 04/29/2019
Date Data Arrived at EDR: 04/30/2019
Date Made Active in Reports: 06/27/2019
Number of Days to Update: 58

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 04/30/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Quarterly

State- and tribal - equivalent CERCLIS

ENVIROSTOR: EnviroStor Database

The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifes sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

Date of Government Version: 04/29/2019
Date Data Arrived at EDR: 04/30/2019
Date Made Active in Reports: 06/27/2019
Number of Days to Update: 58

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 04/30/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Quarterly

State and tribal landfill and/or solid waste disposal site lists

SWF/LF (SWIS): Solid Waste Information System

Active, Closed and Inactive Landfills. SWF/LF records typically contain an inve ntory of solid waste disposal facilities or landfills. These may be active or i nactive facilities or open dumps that failed to meet RCRA Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 05/13/2019
Date Data Arrived at EDR: 05/14/2019
Date Made Active in Reports: 07/17/2019
Number of Days to Update: 64

Source: Department of Resources Recycling and Recovery
Telephone: 916-341-6320
Last EDR Contact: 05/14/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: Quarterly

State and tribal leaking storage tank lists

LUST REG 6V: Leaking Underground Storage Tank Case Listing
Leaking Underground Storage Tank locations. Inyo, Kern, Los Angeles, Mono, San Bernardino counties.

Date of Government Version: 06/07/2005
Date Data Arrived at EDR: 06/07/2005
Date Made Active in Reports: 06/29/2005
Number of Days to Update: 22

Source: California Regional Water Quality Control Board Victorville Branch Office (6)
Telephone: 760-241-7365
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

LUST REG 7: Leaking Underground Storage Tank Case Listing
Leaking Underground Storage Tank locations. Imperial, Riverside, San Diego, Santa Barbara counties.

Date of Government Version: 02/26/2004
Date Data Arrived at EDR: 02/26/2004
Date Made Active in Reports: 03/24/2004
Number of Days to Update: 27

Source: California Regional Water Quality Control Board Colorado River Basin Region (7)
Telephone: 760-776-8943
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

LUST REG 8: Leaking Underground Storage Tanks
California Regional Water Quality Control Board Santa Ana Region (8). For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/14/2005
Date Data Arrived at EDR: 02/15/2005
Date Made Active in Reports: 03/28/2005
Number of Days to Update: 41

Source: California Regional Water Quality Control Board Santa Ana Region (8)
Telephone: 909-782-4496
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

LUST REG 5: Leaking Underground Storage Tank Database
Leaking Underground Storage Tank locations. Alameda, Alpine, Amador, Butte, Colusa, Contra Costa, Calveras, El Dorado, Fresno, Glenn, Kern, Kings, Lake, Lassen, Madera, Mariposa, Merced, Modoc, Napa, Nevada, Placer, Plumas, Sacramento, San Joaquin, Shasta, Solano, Stanislaus, Sutter, Tehama, Tulare, Tuolumne, Yolo, Yuba counties.

Date of Government Version: 07/01/2008
Date Data Arrived at EDR: 07/22/2008
Date Made Active in Reports: 07/31/2008
Number of Days to Update: 9

Source: California Regional Water Quality Control Board Central Valley Region (5)
Telephone: 916-464-4834
Last EDR Contact: 07/01/2011
Next Scheduled EDR Contact: 10/17/2011
Data Release Frequency: No Update Planned

LUST REG 4: Underground Storage Tank Leak List
Los Angeles, Ventura counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/07/2004
Date Data Arrived at EDR: 09/07/2004
Date Made Active in Reports: 10/12/2004
Number of Days to Update: 35

Source: California Regional Water Quality Control Board Los Angeles Region (4)
Telephone: 213-576-6710
Last EDR Contact: 09/06/2011
Next Scheduled EDR Contact: 12/19/2011
Data Release Frequency: No Update Planned

LUST REG 3: Leaking Underground Storage Tank Database
Leaking Underground Storage Tank locations. Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Cruz counties.

Date of Government Version: 05/19/2003
Date Data Arrived at EDR: 05/19/2003
Date Made Active in Reports: 06/02/2003
Number of Days to Update: 14

Source: California Regional Water Quality Control Board Central Coast Region (3)
Telephone: 805-542-4786
Last EDR Contact: 07/18/2011
Next Scheduled EDR Contact: 10/31/2011
Data Release Frequency: No Update Planned

LUST REG 6L: Leaking Underground Storage Tank Case Listing
For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/09/2003
Date Data Arrived at EDR: 09/10/2003
Date Made Active in Reports: 10/07/2003
Number of Days to Update: 27

Source: California Regional Water Quality Control Board Lahontan Region (6)
Telephone: 530-542-5572
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

LUST REG 1: Active Toxic Site Investigation

Del Norte, Humboldt, Lake, Mendocino, Modoc, Siskiyou, Sonoma, Trinity counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/01/2001
Date Data Arrived at EDR: 02/28/2001
Date Made Active in Reports: 03/29/2001
Number of Days to Update: 29

Source: California Regional Water Quality Control Board North Coast (1)
Telephone: 707-570-3769
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

LUST: Leaking Underground Fuel Tank Report (GEOTRACKER)

Leaking Underground Storage Tank (LUST) Sites included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: see region list
Last EDR Contact: 06/11/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Quarterly

LUST REG 2: Fuel Leak List

Leaking Underground Storage Tank locations. Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, Sonoma counties.

Date of Government Version: 09/30/2004
Date Data Arrived at EDR: 10/20/2004
Date Made Active in Reports: 11/19/2004
Number of Days to Update: 30

Source: California Regional Water Quality Control Board San Francisco Bay Region (2)
Telephone: 510-622-2433
Last EDR Contact: 09/19/2011
Next Scheduled EDR Contact: 01/02/2012
Data Release Frequency: No Update Planned

LUST REG 9: Leaking Underground Storage Tank Report

Orange, Riverside, San Diego counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 03/01/2001
Date Data Arrived at EDR: 04/23/2001
Date Made Active in Reports: 05/21/2001
Number of Days to Update: 28

Source: California Regional Water Quality Control Board San Diego Region (9)
Telephone: 858-637-5595
Last EDR Contact: 09/26/2011
Next Scheduled EDR Contact: 01/09/2012
Data Release Frequency: No Update Planned

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 10/17/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 10/10/2018
Date Data Arrived at EDR: 03/08/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 54

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 10/16/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55
Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 02/19/2019
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55
Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 11/01/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55
Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 09/24/2018
Date Data Arrived at EDR: 03/12/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 50
Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 10/13/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55
Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land
Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 10/12/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55
Source: EPA, Region 5
Telephone: 312-886-7439
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

CPS-SLIC: Statewide SLIC Cases (GEOTRACKER)
Cleanup Program Sites (CPS; also known as Site Cleanups [SC] and formerly known as Spills, Leaks, Investigations, and Cleanups [SLIC] sites) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35
Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 06/11/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Varies

SLIC REG 1: Active Toxic Site Investigations
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2003
Date Data Arrived at EDR: 04/07/2003
Date Made Active in Reports: 04/25/2003
Number of Days to Update: 18

Source: California Regional Water Quality Control Board, North Coast Region (1)
Telephone: 707-576-2220
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

SLIC REG 2: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/30/2004
Date Data Arrived at EDR: 10/20/2004
Date Made Active in Reports: 11/19/2004
Number of Days to Update: 30

Source: Regional Water Quality Control Board San Francisco Bay Region (2)
Telephone: 510-286-0457
Last EDR Contact: 09/19/2011
Next Scheduled EDR Contact: 01/02/2012
Data Release Frequency: No Update Planned

SLIC REG 3: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/18/2006
Date Data Arrived at EDR: 05/18/2006
Date Made Active in Reports: 06/15/2006
Number of Days to Update: 28

Source: California Regional Water Quality Control Board Central Coast Region (3)
Telephone: 805-549-3147
Last EDR Contact: 07/18/2011
Next Scheduled EDR Contact: 10/31/2011
Data Release Frequency: No Update Planned

SLIC REG 4: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/17/2004
Date Data Arrived at EDR: 11/18/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 47

Source: Region Water Quality Control Board Los Angeles Region (4)
Telephone: 213-576-6600
Last EDR Contact: 07/01/2011
Next Scheduled EDR Contact: 10/17/2011
Data Release Frequency: No Update Planned

SLIC REG 5: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/01/2005
Date Data Arrived at EDR: 04/05/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 16

Source: Regional Water Quality Control Board Central Valley Region (5)
Telephone: 916-464-3291
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

SLIC REG 6V: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/24/2005
Date Data Arrived at EDR: 05/25/2005
Date Made Active in Reports: 06/16/2005
Number of Days to Update: 22

Source: Regional Water Quality Control Board, Victorville Branch
Telephone: 619-241-6583
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

SLIC REG 6L: SLIC Sites
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/07/2004
Date Data Arrived at EDR: 09/07/2004
Date Made Active in Reports: 10/12/2004
Number of Days to Update: 35
Source: California Regional Water Quality Control Board, Lahontan Region
Telephone: 530-542-5574
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

SLIC REG 7: SLIC List
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/24/2004
Date Data Arrived at EDR: 11/29/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 36
Source: California Regional Quality Control Board, Colorado River Basin Region
Telephone: 760-346-7491
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

SLIC REG 8: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2008
Date Data Arrived at EDR: 04/03/2008
Date Made Active in Reports: 04/14/2008
Number of Days to Update: 11
Source: California Region Water Quality Control Board Santa Ana Region (8)
Telephone: 951-782-3298
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

SLIC REG 9: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/10/2007
Date Data Arrived at EDR: 09/11/2007
Date Made Active in Reports: 09/28/2007
Number of Days to Update: 17
Source: California Regional Water Quality Control Board San Diego Region (9)
Telephone: 858-467-2980
Last EDR Contact: 08/08/2011
Next Scheduled EDR Contact: 11/21/2011
Data Release Frequency: No Update Planned

State and tribal registered storage tank lists

FEMA UST: Underground Storage Tank Listing
A listing of all FEMA owned underground storage tanks.

Date of Government Version: 05/15/2017
Date Data Arrived at EDR: 05/30/2017
Date Made Active in Reports: 10/13/2017
Number of Days to Update: 136
Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 07/10/2019
Next Scheduled EDR Contact: 10/21/2019
Data Release Frequency: Varies

UST: Active UST Facilities
Active UST facilities gathered from the local regulatory agencies

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35
Source: SWRCB
Telephone: 916-341-5851
Last EDR Contact: 06/11/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Semi-Annually

UST CLOSURE: Proposed Closure of Underground Storage Tank (UST) Cases

UST cases that are being considered for closure by either the State Water Resources Control Board or the Executive Director have been posted for a 60-day public comment period. UST Case Closures being proposed for consideration by the State Water Resources Control Board. These are primarily UST cases that meet closure criteria under the decisional framework in State Water Board Resolution No. 92-49 and other Board orders. UST Case Closures proposed for consideration by the Executive Director pursuant to State Water Board Resolution No. 2012-0061. These are cases that meet the criteria of the Low-Threat UST Case Closure Policy. UST Case Closure Review Denials and Approved Orders.

Date of Government Version: 03/11/2019
Date Data Arrived at EDR: 03/13/2019
Date Made Active in Reports: 04/03/2019
Number of Days to Update: 21

Source: State Water Resources Control Board
Telephone: 916-327-7844
Last EDR Contact: 06/12/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Varies

MILITARY UST SITES: Military UST Sites (GEOTRACKER)

Military ust sites

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 06/11/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Varies

AST: Aboveground Petroleum Storage Tank Facilities

A listing of aboveground storage tank petroleum storage tank locations.

Date of Government Version: 07/06/2016
Date Data Arrived at EDR: 07/12/2016
Date Made Active in Reports: 09/19/2016
Number of Days to Update: 69

Source: California Environmental Protection Agency
Telephone: 916-327-5092
Last EDR Contact: 06/17/2019
Next Scheduled EDR Contact: 09/30/2019
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 11/01/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 10/17/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 10/10/2018
Date Data Arrived at EDR: 03/08/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 54

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 10/16/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 10/03/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 09/24/2018
Date Data Arrived at EDR: 03/12/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 50

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 10/12/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 11/07/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

State and tribal voluntary cleanup sites

VCP: Voluntary Cleanup Program Properties

Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

Date of Government Version: 04/29/2019
Date Data Arrived at EDR: 04/30/2019
Date Made Active in Reports: 06/27/2019
Number of Days to Update: 58

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 04/30/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Quarterly

INDIAN VCP R1: Voluntary Cleanup Priority Listing
A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015
Date Data Arrived at EDR: 09/29/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 142

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 06/20/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng
A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 04/20/2009
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

State and tribal Brownfields sites

BROWNFIELDS: Considered Brownfieds Sites Listing
A listing of sites the SWRCB considers to be Brownfields since these are sites have come to them through the MOA Process.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/26/2019
Date Made Active in Reports: 04/29/2019
Number of Days to Update: 34

Source: State Water Resources Control Board
Telephone: 916-323-7905
Last EDR Contact: 06/25/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites
Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 12/17/2018
Date Data Arrived at EDR: 12/18/2018
Date Made Active in Reports: 01/11/2019
Number of Days to Update: 24

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 06/04/2019
Next Scheduled EDR Contact: 09/30/2019
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

WMUDS/SWAT: Waste Management Unit Database
Waste Management Unit Database System. WMUDS is used by the State Water Resources Control Board staff and the Regional Water Quality Control Boards for program tracking and inventory of waste management units. WMUDS is composed of the following databases: Facility Information, Scheduled Inspections Information, Waste Management Unit Information, SWAT Program Information, SWAT Report Summary Information, SWAT Report Summary Data, Chapter 15 (formerly Subchapter 15) Information, Chapter 15 Monitoring Parameters, TPCA Program Information, RCRA Program Information, Closure Information, and Interested Parties Information.

Date of Government Version: 04/01/2000
Date Data Arrived at EDR: 04/10/2000
Date Made Active in Reports: 05/10/2000
Number of Days to Update: 30

Source: State Water Resources Control Board
Telephone: 916-227-4448
Last EDR Contact: 04/25/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: No Update Planned

SWRCY: Recycler Database
A listing of recycling facilities in California.

Date of Government Version: 03/11/2019
Date Data Arrived at EDR: 03/13/2019
Date Made Active in Reports: 04/30/2019
Number of Days to Update: 48

Source: Department of Conservation
Telephone: 916-323-3836
Last EDR Contact: 06/12/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Quarterly

HAULERS: Registered Waste Tire Haulers Listing
A listing of registered waste tire haulers.

Date of Government Version: 03/26/2019
Date Data Arrived at EDR: 03/27/2019
Date Made Active in Reports: 04/30/2019
Number of Days to Update: 34

Source: Integrated Waste Management Board
Telephone: 916-341-6422
Last EDR Contact: 05/09/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands
Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Varies

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations
A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 07/19/2019
Next Scheduled EDR Contact: 11/04/2019
Data Release Frequency: No Update Planned

ODI: Open Dump Inventory
An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land
A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014
Date Data Arrived at EDR: 08/06/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 176

Source: Department of Health & Human Serivces, Indian Health Service
Telephone: 301-443-1452
Last EDR Contact: 04/23/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 02/24/2019
Date Data Arrived at EDR: 02/26/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 50

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 05/24/2019
Next Scheduled EDR Contact: 09/09/2019
Data Release Frequency: No Update Planned

HIST CAL-SITES: Calsites Database

The Calsites database contains potential or confirmed hazardous substance release properties. In 1996, California EPA reevaluated and significantly reduced the number of sites in the Calsites database. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

Date of Government Version: 08/08/2005
Date Data Arrived at EDR: 08/03/2006
Date Made Active in Reports: 08/24/2006
Number of Days to Update: 21

Source: Department of Toxic Substance Control
Telephone: 916-323-3400
Last EDR Contact: 02/23/2009
Next Scheduled EDR Contact: 05/25/2009
Data Release Frequency: No Update Planned

SCH: School Property Evaluation Program

This category contains proposed and existing school sites that are being evaluated by DTSC for possible hazardous materials contamination. In some cases, these properties may be listed in the CalSites category depending on the level of threat to public health and safety or the environment they pose.

Date of Government Version: 04/29/2019
Date Data Arrived at EDR: 04/30/2019
Date Made Active in Reports: 06/27/2019
Number of Days to Update: 58

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 04/30/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Quarterly

CDL: Clandestine Drug Labs

A listing of drug lab locations. Listing of a location in this database does not indicate that any illegal drug lab materials were or were not present there, and does not constitute a determination that the location either requires or does not require additional cleanup work.

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 06/12/2018
Date Made Active in Reports: 08/06/2018
Number of Days to Update: 55

Source: Department of Toxic Substances Control
Telephone: 916-255-6504
Last EDR Contact: 07/08/2019
Next Scheduled EDR Contact: 10/21/2019
Data Release Frequency: Varies

CERS HAZ WASTE: CERS HAZ WASTE

List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Hazardous Chemical Management, Hazardous Waste Onsite Treatment, Household Hazardous Waste Collection, Hazardous Waste Generator, and RCRA LQ HW Generator programs.

Date of Government Version: 04/09/2019
Date Data Arrived at EDR: 04/11/2019
Date Made Active in Reports: 05/08/2019
Number of Days to Update: 27

Source: CalEPA
Telephone: 916-323-2514
Last EDR Contact: 04/11/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Quarterly

TOXIC PITS: Toxic Pits Cleanup Act Sites

Toxic PITS Cleanup Act Sites. TOXIC PITS identifies sites suspected of containing hazardous substances where cleanup has not yet been completed.

Date of Government Version: 07/01/1995
Date Data Arrived at EDR: 08/30/1995
Date Made Active in Reports: 09/26/1995
Number of Days to Update: 27

Source: State Water Resources Control Board
Telephone: 916-227-4364
Last EDR Contact: 01/26/2009
Next Scheduled EDR Contact: 04/27/2009
Data Release Frequency: No Update Planned

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 02/24/2019
Date Data Arrived at EDR: 02/26/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 50

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 05/24/2019
Next Scheduled EDR Contact: 09/09/2019
Data Release Frequency: Quarterly

PFAS: PFAS Contamination Site Location Listing

A listing of PFAS contaminated sites included in the GeoTracker database.

Date of Government Version: 02/21/2019
Date Data Arrived at EDR: 02/22/2019
Date Made Active in Reports: 04/15/2019
Number of Days to Update: 52

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 06/28/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Varies

Local Lists of Registered Storage Tanks

SWEEPS UST: SWEEPS UST Listing

Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

Date of Government Version: 06/01/1994
Date Data Arrived at EDR: 07/07/2005
Date Made Active in Reports: 08/11/2005
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: N/A
Last EDR Contact: 06/03/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

UST MENDOCINO: Mendocino County UST Database

A listing of underground storage tank locations in Mendocino County.

Date of Government Version: 12/04/2018
Date Data Arrived at EDR: 12/06/2018
Date Made Active in Reports: 12/14/2018
Number of Days to Update: 8

Source: Department of Public Health
Telephone: 707-463-4466
Last EDR Contact: 05/24/2019
Next Scheduled EDR Contact: 09/09/2019
Data Release Frequency: Annually

HIST UST: Hazardous Substance Storage Container Database

The Hazardous Substance Storage Container Database is a historical listing of UST sites. Refer to local/county source for current data.

Date of Government Version: 10/15/1990
Date Data Arrived at EDR: 01/25/1991
Date Made Active in Reports: 02/12/1991
Number of Days to Update: 18

Source: State Water Resources Control Board
Telephone: 916-341-5851
Last EDR Contact: 07/26/2001
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SAN FRANCISCO AST: Aboveground Storage Tank Site Listing
Aboveground storage tank sites

Date of Government Version: 09/11/2018
Date Data Arrived at EDR: 09/12/2018
Date Made Active in Reports: 10/11/2018
Number of Days to Update: 29

Source: San Francisco County Department of Public Health
Telephone: 415-252-3896
Last EDR Contact: 05/02/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Varies

CA FID UST: Facility Inventory Database
The Facility Inventory Database (FID) contains a historical listing of active and inactive underground storage tank locations from the State Water Resource Control Board. Refer to local/county source for current data.

Date of Government Version: 10/31/1994
Date Data Arrived at EDR: 09/05/1995
Date Made Active in Reports: 09/29/1995
Number of Days to Update: 24

Source: California Environmental Protection Agency
Telephone: 916-341-5851
Last EDR Contact: 12/28/1998
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

CERS TANKS: California Environmental Reporting System (CERS) Tanks
List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Aboveground Petroleum Storage and Underground Storage Tank regulatory programs.

Date of Government Version: 04/09/2019
Date Data Arrived at EDR: 04/11/2019
Date Made Active in Reports: 05/08/2019
Number of Days to Update: 27

Source: California Environmental Protection Agency
Telephone: 916-323-2514
Last EDR Contact: 04/11/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Quarterly

Local Land Records

LIENS: Environmental Liens Listing
A listing of property locations with environmental liens for California where DTSC is a lien holder.

Date of Government Version: 02/28/2019
Date Data Arrived at EDR: 03/01/2019
Date Made Active in Reports: 04/02/2019
Number of Days to Update: 32

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 06/03/2019
Next Scheduled EDR Contact: 09/16/2019
Data Release Frequency: Varies

LIENS 2: CERCLA Lien Information
A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 04/11/2019
Date Data Arrived at EDR: 04/18/2019
Date Made Active in Reports: 05/23/2019
Number of Days to Update: 35

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 07/02/2019
Next Scheduled EDR Contact: 10/14/2019
Data Release Frequency: Semi-Annually

DEED: Deed Restriction Listing

Site Mitigation and Brownfields Reuse Program Facility Sites with Deed Restrictions & Hazardous Waste Management Program Facility Sites with Deed / Land Use Restriction. The DTSC Site Mitigation and Brownfields Reuse Program (SMBRP) list includes sites cleaned up under the program's oversight and generally does not include current or former hazardous waste facilities that required a hazardous waste facility permit. The list represents deed restrictions that are active. Some sites have multiple deed restrictions. The DTSC Hazardous Waste Management Program (HWMP) has developed a list of current or former hazardous waste facilities that have a recorded land use restriction at the local county recorder's office. The land use restrictions on this list were required by the DTSC HWMP as a result of the presence of hazardous substances that remain on site after the facility (or part of the facility) has been closed or cleaned up. The types of land use restriction include deed notice, deed restriction, or a land use restriction that binds current and future owners.

Date of Government Version: 03/04/2019
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 27

Source: DTSC and SWRCB
Telephone: 916-323-3400
Last EDR Contact: 06/04/2019
Next Scheduled EDR Contact: 09/16/2019
Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/26/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 49

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 06/26/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Quarterly

CHMIRS: California Hazardous Material Incident Report System

California Hazardous Material Incident Reporting System. CHMIRS contains information on reported hazardous material incidents (accidental releases or spills).

Date of Government Version: 10/24/2018
Date Data Arrived at EDR: 01/24/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 40

Source: Office of Emergency Services
Telephone: 916-845-8400
Last EDR Contact: 06/24/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Semi-Annually

LDS: Land Disposal Sites Listing (GEOTRACKER)

Land Disposal sites (Landfills) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Qualilty Control Board
Telephone: 866-480-1028
Last EDR Contact: 06/11/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Quarterly

MCS: Military Cleanup Sites Listing (GEOTRACKER)

Military sites (consisting of: Military UST sites; Military Privatized sites; and Military Cleanup sites [formerly known as DoD non UST]) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 06/11/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Quarterly

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 06/06/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/22/2013
Number of Days to Update: 50

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/27/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 21

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 06/26/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 03/07/2019
Date Data Arrived at EDR: 04/03/2019
Date Made Active in Reports: 05/23/2019
Number of Days to Update: 50

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 05/21/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 07/09/2019
Next Scheduled EDR Contact: 10/21/2019
Data Release Frequency: Semi-Annually

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 02/06/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 339

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 07/10/2019
Next Scheduled EDR Contact: 10/21/2019
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 01/01/2017
Date Data Arrived at EDR: 02/03/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 63
Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 05/13/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/26/2019
Date Made Active in Reports: 05/07/2019
Number of Days to Update: 42
Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 06/26/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88
Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 05/06/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017
Date Data Arrived at EDR: 05/08/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 73
Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 05/10/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 06/21/2017
Date Made Active in Reports: 01/05/2018
Number of Days to Update: 198
Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 06/18/2019
Next Scheduled EDR Contact: 09/30/2019
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 01/10/2018
Date Made Active in Reports: 01/12/2018
Number of Days to Update: 2

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 05/24/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 12/10/2010
Date Made Active in Reports: 02/25/2011
Number of Days to Update: 77

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 04/24/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 04/11/2019
Date Data Arrived at EDR: 04/18/2019
Date Made Active in Reports: 05/23/2019
Number of Days to Update: 35

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 07/01/2019
Next Scheduled EDR Contact: 09/16/2019
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 04/25/2019
Date Data Arrived at EDR: 05/02/2019
Date Made Active in Reports: 05/23/2019
Number of Days to Update: 21

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 04/22/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties
A listing of verified Potentially Responsible Parties

Date of Government Version: 04/11/2019
Date Data Arrived at EDR: 04/18/2019
Date Made Active in Reports: 05/23/2019
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 07/01/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Quarterly

PADS: PCB Activity Database System
PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 03/20/2019
Date Data Arrived at EDR: 04/10/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 34

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 07/12/2019
Next Scheduled EDR Contact: 10/21/2019
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System
The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016
Date Data Arrived at EDR: 11/23/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 79

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 07/03/2019
Next Scheduled EDR Contact: 10/21/2019
Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System
MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 08/30/2016
Date Data Arrived at EDR: 09/08/2016
Date Made Active in Reports: 10/21/2016
Number of Days to Update: 43

Source: Nuclear Regulatory Commission
Telephone: 301-415-7169
Last EDR Contact: 04/22/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COAL ASH DOE: Steam-Electric Plant Operation Data
A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 08/07/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 76

Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 06/07/2019
Next Scheduled EDR Contact: 09/16/2019
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List
A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014
Date Data Arrived at EDR: 09/10/2014
Date Made Active in Reports: 10/20/2014
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 06/07/2019
Next Scheduled EDR Contact: 09/16/2019
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database
The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 05/24/2017
Date Data Arrived at EDR: 11/30/2017
Date Made Active in Reports: 12/15/2017
Number of Days to Update: 15

Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

RADINFO: Radiation Information Database
The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 04/02/2019
Date Data Arrived at EDR: 04/02/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 42

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 07/01/2019
Next Scheduled EDR Contact: 10/14/2019
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing
A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing
A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 12/03/2018
Date Data Arrived at EDR: 01/29/2019
Date Made Active in Reports: 03/21/2019
Number of Days to Update: 51

Source: Department of Transporation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 04/30/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 03/31/2019
Date Data Arrived at EDR: 04/23/2019
Date Made Active in Reports: 05/23/2019
Number of Days to Update: 30

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 07/08/2019
Next Scheduled EDR Contact: 10/21/2019
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2015
Date Data Arrived at EDR: 02/22/2017
Date Made Active in Reports: 09/28/2017
Number of Days to Update: 218

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 06/26/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017
Number of Days to Update: 546

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 07/10/2019
Next Scheduled EDR Contact: 10/21/2019
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 08/08/2017
Date Data Arrived at EDR: 09/11/2018
Date Made Active in Reports: 09/14/2018
Number of Days to Update: 3

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 05/02/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 06/23/2017
Date Data Arrived at EDR: 10/11/2017
Date Made Active in Reports: 11/03/2017
Number of Days to Update: 23

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 05/24/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 04/11/2019
Date Data Arrived at EDR: 04/18/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 26

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 07/01/2019
Next Scheduled EDR Contact: 10/14/2019
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 11/27/2018
Date Data Arrived at EDR: 02/27/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 33

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 05/29/2019
Next Scheduled EDR Contact: 09/09/2019
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 12/05/2005
Date Data Arrived at EDR: 02/29/2008
Date Made Active in Reports: 04/18/2008
Number of Days to Update: 49

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 05/31/2019
Next Scheduled EDR Contact: 09/09/2019
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 05/31/2019
Next Scheduled EDR Contact: 09/09/2019
Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 03/27/2019
Date Data Arrived at EDR: 03/28/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 34

Source: Department of Interior
Telephone: 202-208-2609
Last EDR Contact: 06/19/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 02/15/2019
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 03/15/2019
Number of Days to Update: 10

Source: EPA
Telephone: (415) 947-8000
Last EDR Contact: 06/05/2019
Next Scheduled EDR Contact: 09/16/2019
Data Release Frequency: Quarterly

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 01/17/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 74

Source: Department of Defense
Telephone: 703-704-1564
Last EDR Contact: 07/15/2019
Next Scheduled EDR Contact: 10/28/2019
Data Release Frequency: Varies

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 04/07/2019
Date Data Arrived at EDR: 04/09/2019
Date Made Active in Reports: 05/23/2019
Number of Days to Update: 44

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 07/09/2019
Next Scheduled EDR Contact: 10/21/2019
Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing
A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/31/2018
Date Data Arrived at EDR: 07/26/2018
Date Made Active in Reports: 10/05/2018
Number of Days to Update: 71
Source: Environmental Protection Agency
Telephone: 202-564-0527
Last EDR Contact: 05/24/2019
Next Scheduled EDR Contact: 09/09/2019
Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing
This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 02/19/2019
Date Data Arrived at EDR: 02/21/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 39
Source: EPA
Telephone: 800-385-6164
Last EDR Contact: 05/21/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Quarterly

CA BOND EXP. PLAN: Bond Expenditure Plan
Department of Health Services developed a site-specific expenditure plan as the basis for an appropriation of Hazardous Substance Cleanup Bond Act funds. It is not updated.

Date of Government Version: 01/01/1989
Date Data Arrived at EDR: 07/27/1994
Date Made Active in Reports: 08/02/1994
Number of Days to Update: 6
Source: Department of Health Services
Telephone: 916-255-2118
Last EDR Contact: 05/31/1994
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

CORTESE: "Cortese" Hazardous Waste & Substances Sites List
The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/26/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 36
Source: CAL EPA/Office of Emergency Information
Telephone: 916-323-3400
Last EDR Contact: 06/25/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Quarterly

CUPA SAN FRANCISCO CO: CUPA Facility Listing
Cupa facilities

Date of Government Version: 04/18/2019
Date Data Arrived at EDR: 04/19/2019
Date Made Active in Reports: 04/30/2019
Number of Days to Update: 11
Source: San Francisco County Department of Environmental Health
Telephone: 415-252-3896
Last EDR Contact: 04/18/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Varies

CUPA LIVERMORE-PLEASANTON: CUPA Facility Listing
list of facilities associated with the various CUPA programs in Livermore-Pleasanton

Date of Government Version: 05/01/2019
Date Data Arrived at EDR: 05/14/2019
Date Made Active in Reports: 07/17/2019
Number of Days to Update: 64
Source: Livermore-Pleasanton Fire Department
Telephone: 925-454-2361
Last EDR Contact: 05/14/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: Varies

DRYCLEAN AVAQMD: Antelope Valley Air Quality Management District Drycleaner Listing
A listing of dry cleaners in the Antelope Valley Air Quality Management District.

Date of Government Version: 02/27/2019
Date Data Arrived at EDR: 02/28/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 32

Source: Antelope Valley Air Quality Management District
Telephone: 661-723-8070
Last EDR Contact: 06/03/2019
Next Scheduled EDR Contact: 09/16/2019
Data Release Frequency: Varies

DRYCLEAN SOUTH COAST: South Coast Air Quality Management District Drycleaner Listing
A listing of dry cleaners in the South Coast Air Quality Management District

Date of Government Version: 03/19/2019
Date Data Arrived at EDR: 03/22/2019
Date Made Active in Reports: 04/09/2019
Number of Days to Update: 18

Source: South Coast Air Quality Management District
Telephone: 909-396-3211
Last EDR Contact: 05/23/2019
Next Scheduled EDR Contact: 09/09/2019
Data Release Frequency: Varies

DRYCLEANERS: Cleaner Facilities
A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes: power laundries, family and commercial; garment pressing and cleaner's agents; linen supply; coin-operated laundries and cleaning; drycleaning plants, except rugs; carpet and upholster cleaning; industrial launderers; laundry and garment services.

Date of Government Version: 03/01/2019
Date Data Arrived at EDR: 04/25/2019
Date Made Active in Reports: 05/30/2019
Number of Days to Update: 35

Source: Department of Toxic Substance Control
Telephone: 916-327-4498
Last EDR Contact: 06/03/2019
Next Scheduled EDR Contact: 09/16/2019
Data Release Frequency: Annually

EMI: Emissions Inventory Data
Toxics and criteria pollutant emissions data collected by the ARB and local air pollution agencies.

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 06/20/2018
Date Made Active in Reports: 08/06/2018
Number of Days to Update: 47

Source: California Air Resources Board
Telephone: 916-322-2990
Last EDR Contact: 06/24/2019
Next Scheduled EDR Contact: 09/30/2019
Data Release Frequency: Varies

ENF: Enforcement Action Listing
A listing of Water Board Enforcement Actions. Formal is everything except Oral/Verbal Communication, Notice of Violation, Expedited Payment Letter, and Staff Enforcement Letter.

Date of Government Version: 11/01/2018
Date Data Arrived at EDR: 11/02/2018
Date Made Active in Reports: 12/13/2018
Number of Days to Update: 41

Source: State Water Resoruces Control Board
Telephone: 916-445-9379
Last EDR Contact: 05/14/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: Varies

Financial Assurance 1: Financial Assurance Information Listing
Financial Assurance information

Date of Government Version: 04/22/2019
Date Data Arrived at EDR: 04/23/2019
Date Made Active in Reports: 06/26/2019
Number of Days to Update: 64

Source: Department of Toxic Substances Control
Telephone: 916-255-3628
Last EDR Contact: 07/19/2019
Next Scheduled EDR Contact: 11/04/2019
Data Release Frequency: Varies

Financial Assurance 2: Financial Assurance Information Listing
A listing of financial assurance information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 05/15/2019
Date Data Arrived at EDR: 05/16/2019
Date Made Active in Reports: 07/18/2019
Number of Days to Update: 63

Source: California Integrated Waste Management Board
Telephone: 916-341-6066
Last EDR Contact: 05/09/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: Varies

HAZNET: Facility and Manifest Data

Facility and Manifest Data. The data is extracted from the copies of hazardous waste manifests received each year by the DTSC. The annual volume of manifests is typically 700,000 - 1,000,000 annually, representing approximately 350,000 - 500,000 shipments. Data are from the manifests submitted without correction, and therefore many contain some invalid values for data elements such as generator ID, TSD ID, waste category, and disposal method. This database begins with calendar year 1993.

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 04/09/2019
Date Made Active in Reports: 05/29/2019
Number of Days to Update: 50

Source: California Environmental Protection Agency
Telephone: 916-255-1136
Last EDR Contact: 07/12/2019
Next Scheduled EDR Contact: 10/21/2019
Data Release Frequency: Annually

ICE: ICE

Contains data pertaining to the Permitted Facilities with Inspections / Enforcements sites tracked in Envirostor.

Date of Government Version: 05/20/2019
Date Data Arrived at EDR: 05/21/2019
Date Made Active in Reports: 07/18/2019
Number of Days to Update: 58

Source: Department of Toxic Subsances Control
Telephone: 877-786-9427
Last EDR Contact: 05/21/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Quarterly

HIST CORTESE: Hazardous Waste & Substance Site List

The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES]. This listing is no longer updated by the state agency.

Date of Government Version: 04/01/2001
Date Data Arrived at EDR: 01/22/2009
Date Made Active in Reports: 04/08/2009
Number of Days to Update: 76

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 01/22/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

HWP: EnviroStor Permitted Facilities Listing

Detailed information on permitted hazardous waste facilities and corrective action ("cleanups") tracked in EnviroStor.

Date of Government Version: 05/20/2019
Date Data Arrived at EDR: 05/21/2019
Date Made Active in Reports: 07/18/2019
Number of Days to Update: 58

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 05/21/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Quarterly

HWT: Registered Hazardous Waste Transporter Database

A listing of hazardous waste transporters. In California, unless specifically exempted, it is unlawful for any person to transport hazardous wastes unless the person holds a valid registration issued by DTSC. A hazardous waste transporter registration is valid for one year and is assigned a unique registration number.

Date of Government Version: 04/08/2019
Date Data Arrived at EDR: 04/09/2019
Date Made Active in Reports: 05/30/2019
Number of Days to Update: 51

Source: Department of Toxic Substances Control
Telephone: 916-440-7145
Last EDR Contact: 07/09/2019
Next Scheduled EDR Contact: 10/21/2019
Data Release Frequency: Quarterly

MINES: Mines Site Location Listing
A listing of mine site locations from the Office of Mine Reclamation.

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/12/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 34
Source: Department of Conservation
Telephone: 916-322-1080
Last EDR Contact: 06/11/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Quarterly

MWMP: Medical Waste Management Program Listing
The Medical Waste Management Program (MWMP) ensures the proper handling and disposal of medical waste by permitting and inspecting medical waste Offsite Treatment Facilities (PDF) and Transfer Stations (PDF) throughout the state. MWMP also oversees all Medical Waste Transporters.

Date of Government Version: 02/20/2019
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 04/02/2019
Number of Days to Update: 28
Source: Department of Public Health
Telephone: 916-558-1784
Last EDR Contact: 06/04/2019
Next Scheduled EDR Contact: 09/16/2019
Data Release Frequency: Varies

NPDES: NPDES Permits Listing
A listing of NPDES permits, including stormwater.

Date of Government Version: 05/13/2019
Date Data Arrived at EDR: 05/14/2019
Date Made Active in Reports: 07/17/2019
Number of Days to Update: 64
Source: State Water Resources Control Board
Telephone: 916-445-9379
Last EDR Contact: 05/14/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: Quarterly

PEST LIC: Pesticide Regulation Licenses Listing
A listing of licenses and certificates issued by the Department of Pesticide Regulation. The DPR issues licenses and/or certificates to: Persons and businesses that apply or sell pesticides; Pest control dealers and brokers; Persons who advise on agricultural pesticide applications.

Date of Government Version: 03/04/2019
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 04/05/2019
Number of Days to Update: 31
Source: Department of Pesticide Regulation
Telephone: 916-445-4038
Last EDR Contact: 06/04/2019
Next Scheduled EDR Contact: 09/16/2019
Data Release Frequency: Quarterly

PROC: Certified Processors Database
A listing of certified processors.

Date of Government Version: 03/11/2019
Date Data Arrived at EDR: 03/13/2019
Date Made Active in Reports: 04/29/2019
Number of Days to Update: 47
Source: Department of Conservation
Telephone: 916-323-3836
Last EDR Contact: 06/12/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Quarterly

NOTIFY 65: Proposition 65 Records
Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

Date of Government Version: 03/18/2019
Date Data Arrived at EDR: 03/19/2019
Date Made Active in Reports: 04/29/2019
Number of Days to Update: 41
Source: State Water Resources Control Board
Telephone: 916-445-3846
Last EDR Contact: 06/17/2019
Next Scheduled EDR Contact: 09/30/2019
Data Release Frequency: No Update Planned

UIC: UIC Listing
A listing of wells identified as underground injection wells, in the California Oil and Gas Wells database.

Date of Government Version: 04/27/2018
Date Data Arrived at EDR: 06/13/2018
Date Made Active in Reports: 07/17/2018
Number of Days to Update: 34
Source: Deaprtment of Conservation
Telephone: 916-445-2408
Last EDR Contact: 06/11/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Varies

UIC GEO: Underground Injection Control Sites (GEOTRACKER)
Underground control injection sites

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35
Source: State Water Resource Control Board
Telephone: 866-480-1028
Last EDR Contact: 06/11/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Varies

WASTEWATER PITS: Oil Wastewater Pits Listing
Water officials discovered that oil producers have been dumping chemical-laden wastewater into hundreds of unlined pits that are operating without proper permits. Inspections completed by the Central Valley Regional Water Quality Control Board revealed the existence of previously unidentified waste sites. The water boards review found that more than one-third of the region's active disposal pits are operating without permission.

Date of Government Version: 05/08/2018
Date Data Arrived at EDR: 07/11/2018
Date Made Active in Reports: 09/13/2018
Number of Days to Update: 64
Source: RWQCB, Central Valley Region
Telephone: 559-445-5577
Last EDR Contact: 07/12/2019
Next Scheduled EDR Contact: 10/21/2019
Data Release Frequency: Varies

WDS: Waste Discharge System
Sites which have been issued waste discharge requirements.

Date of Government Version: 06/19/2007
Date Data Arrived at EDR: 06/20/2007
Date Made Active in Reports: 06/29/2007
Number of Days to Update: 9
Source: State Water Resources Control Board
Telephone: 916-341-5227
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: No Update Planned

WIP: Well Investigation Program Case List
Well Investigation Program case in the San Gabriel and San Fernando Valley area.

Date of Government Version: 07/03/2009
Date Data Arrived at EDR: 07/21/2009
Date Made Active in Reports: 08/03/2009
Number of Days to Update: 13
Source: Los Angeles Water Quality Control Board
Telephone: 213-576-6726
Last EDR Contact: 06/19/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: No Update Planned

MILITARY PRIV SITES: Military Privatized Sites (GEOTRACKER)
Military privatized sites

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35
Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 06/11/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Varies

PROJECT: Project Sites (GEOTRACKER)
Projects sites

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 06/11/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Varies

WDR: Waste Discharge Requirements Listing

In general, the Waste Discharge Requirements (WDRs) Program (sometimes also referred to as the "Non Chapter 15 (Non 15) Program") regulates point discharges that are exempt pursuant to Subsection 20090 of Title 27 and not subject to the Federal Water Pollution Control Act. Exemptions from Title 27 may be granted for nine categories of discharges (e.g., sewage, wastewater, etc.) that meet, and continue to meet, the preconditions listed for each specific exemption. The scope of the WDRs Program also includes the discharge of wastes classified as inert, pursuant to section 20230 of Title 27.

Date of Government Version: 03/11/2019
Date Data Arrived at EDR: 03/13/2019
Date Made Active in Reports: 04/29/2019
Number of Days to Update: 47

Source: State Water Resources Control Board
Telephone: 916-341-5810
Last EDR Contact: 06/12/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Quarterly

CIWQS: California Integrated Water Quality System

The California Integrated Water Quality System (CIWQS) is a computer system used by the State and Regional Water Quality Control Boards to track information about places of environmental interest, manage permits and other orders, track inspections, and manage violations and enforcement activities.

Date of Government Version: 03/05/2019
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 04/02/2019
Number of Days to Update: 28

Source: State Water Resources Control Board
Telephone: 866-794-4977
Last EDR Contact: 06/04/2019
Next Scheduled EDR Contact: 09/16/2019
Data Release Frequency: Varies

CERS: CalEPA Regulated Site Portal Data

The CalEPA Regulated Site Portal database combines data about environmentally regulated sites and facilities in California into a single database. It combines data from a variety of state and federal databases, and provides an overview of regulated activities across the spectrum of environmental programs for any given location in California. These activities include hazardous materials and waste, state and federal cleanups, impacted ground and surface waters, and toxic materials

Date of Government Version: 04/09/2019
Date Data Arrived at EDR: 04/11/2019
Date Made Active in Reports: 05/08/2019
Number of Days to Update: 27

Source: California Environmental Protection Agency
Telephone: 916-323-2514
Last EDR Contact: 04/11/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

NON-CASE INFO: Non-Case Information Sites (GEOTRACKER)

Non-Case Information sites

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 06/11/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Varies

OTHER OIL GAS: Other Oil & Gas Projects Sites (GEOTRACKER)

Other Oil & Gas Projects sites

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 06/11/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Varies

PROD WATER PONDS: Produced Water Ponds Sites (GEOTRACKER)
Produced water ponds sites

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 06/11/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Varies

SAMPLING POINT: Sampling Point ? Public Sites (GEOTRACKER)
Sampling point - public sites

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 06/11/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Varies

WELL STIM PROJ: Well Stimulation Project (GEOTRACKER)
Includes areas of groundwater monitoring plans, a depiction of the monitoring network, and the facilities, boundaries, and subsurface characteristics of the oilfield and the features (oil and gas wells, produced water ponds, UIC wells, water supply wells, etc?) being monitored

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 06/11/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Varies

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants
The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations
EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Resources Recycling and Recovery in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/13/2014
Number of Days to Update: 196

Source: Department of Resources Recycling and Recovery
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the State Water Resources Control Board in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/30/2013
Number of Days to Update: 182

Source: State Water Resources Control Board
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

COUNTY RECORDS

ALAMEDA COUNTY:

CS ALAMEDA: Contaminated Sites

A listing of contaminated sites overseen by the Toxic Release Program (oil and groundwater contamination from chemical releases and spills) and the Leaking Underground Storage Tank Program (soil and ground water contamination from leaking petroleum USTs).

Date of Government Version: 01/09/2019
Date Data Arrived at EDR: 01/11/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 53

Source: Alameda County Environmental Health Services
Telephone: 510-567-6700
Last EDR Contact: 07/08/2019
Next Scheduled EDR Contact: 10/21/2019
Data Release Frequency: Semi-Annually

UST ALAMEDA: Underground Tanks

Underground storage tank sites located in Alameda county.

Date of Government Version: 04/10/2019
Date Data Arrived at EDR: 04/11/2019
Date Made Active in Reports: 06/20/2019
Number of Days to Update: 70

Source: Alameda County Environmental Health Services
Telephone: 510-567-6700
Last EDR Contact: 07/19/2019
Next Scheduled EDR Contact: 04/24/2047
Data Release Frequency: Semi-Annually

AMADOR COUNTY:

CUPA AMADOR: CUPA Facility List
Cupa Facility List

Date of Government Version: 01/07/2019
Date Data Arrived at EDR: 01/08/2019
Date Made Active in Reports: 03/07/2019
Number of Days to Update: 58

Source: Amador County Environmental Health
Telephone: 209-223-6439
Last EDR Contact: 06/17/2019
Next Scheduled EDR Contact: 09/16/2019
Data Release Frequency: Varies

BUTTE COUNTY:

CUPA BUTTE: CUPA Facility Listing
Cupa facility list.

Date of Government Version: 04/21/2017
Date Data Arrived at EDR: 04/25/2017
Date Made Active in Reports: 08/09/2017
Number of Days to Update: 106

Source: Public Health Department
Telephone: 530-538-7149
Last EDR Contact: 07/08/2019
Next Scheduled EDR Contact: 10/21/2019
Data Release Frequency: No Update Planned

CALVERAS COUNTY:

CUPA CALVERAS: CUPA Facility Listing
Cupa Facility Listing

Date of Government Version: 05/01/2019
Date Data Arrived at EDR: 05/02/2019
Date Made Active in Reports: 05/29/2019
Number of Days to Update: 27

Source: Calveras County Environmental Health
Telephone: 209-754-6399
Last EDR Contact: 06/24/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Quarterly

COLUSA COUNTY:

CUPA COLUSA: CUPA Facility List
Cupa facility list.

Date of Government Version: 05/17/2019
Date Data Arrived at EDR: 05/21/2019
Date Made Active in Reports: 07/18/2019
Number of Days to Update: 58

Source: Health & Human Services
Telephone: 530-458-0396
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Semi-Annually

CONTRA COSTA COUNTY:

SL CONTRA COSTA: Site List
List includes sites from the underground tank, hazardous waste generator and business plan/2185 programs.

Date of Government Version: 05/22/2019
Date Data Arrived at EDR: 05/23/2019
Date Made Active in Reports: 07/18/2019
Number of Days to Update: 56

Source: Contra Costa Health Services Department
Telephone: 925-646-2286
Last EDR Contact: 04/29/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Semi-Annually

DEL NORTE COUNTY:

CUPA DEL NORTE: CUPA Facility List
Cupa Facility list

Date of Government Version: 02/20/2019
Date Data Arrived at EDR: 05/01/2019
Date Made Active in Reports: 05/30/2019
Number of Days to Update: 29

Source: Del Norte County Environmental Health Division
Telephone: 707-465-0426
Last EDR Contact: 04/25/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Varies

EL DORADO COUNTY:

CUPA EL DORADO: CUPA Facility List
CUPA facility list.

Date of Government Version: 02/27/2019
Date Data Arrived at EDR: 02/28/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 32

Source: El Dorado County Environmental Management Department
Telephone: 530-621-6623
Last EDR Contact: 04/29/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Varies

FRESNO COUNTY:

CUPA FRESNO: CUPA Resources List
Certified Unified Program Agency. CUPA's are responsible for implementing a unified hazardous materials and hazardous waste management regulatory program. The agency provides oversight of businesses that deal with hazardous materials, operate underground storage tanks or aboveground storage tanks.

Date of Government Version: 04/10/2019
Date Data Arrived at EDR: 04/11/2019
Date Made Active in Reports: 04/30/2019
Number of Days to Update: 19

Source: Dept. of Community Health
Telephone: 559-445-3271
Last EDR Contact: 06/26/2019
Next Scheduled EDR Contact: 10/14/2019
Data Release Frequency: Semi-Annually

GLENN COUNTY:

CUPA GLENN: CUPA Facility List
Cupa facility list

Date of Government Version: 01/22/2018
Date Data Arrived at EDR: 01/24/2018
Date Made Active in Reports: 03/14/2018
Number of Days to Update: 49

Source: Glenn County Air Pollution Control District
Telephone: 830-934-6500
Last EDR Contact: 07/19/2019
Next Scheduled EDR Contact: 11/04/2019
Data Release Frequency: No Update Planned

HUMBOLDT COUNTY:

CUPA HUMBOLDT: CUPA Facility List
CUPA facility list.

Date of Government Version: 12/11/2018
Date Data Arrived at EDR: 12/13/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 33

Source: Humboldt County Environmental Health
Telephone: N/A
Last EDR Contact: 05/20/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Semi-Annually

IMPERIAL COUNTY:

CUPA IMPERIAL: CUPA Facility List
Cupa facility list.

Date of Government Version: 04/24/2019
Date Data Arrived at EDR: 04/25/2019
Date Made Active in Reports: 06/27/2019
Number of Days to Update: 63

Source: San Diego Border Field Office
Telephone: 760-339-2777
Last EDR Contact: 07/19/2019
Next Scheduled EDR Contact: 11/04/2019
Data Release Frequency: Varies

INYO COUNTY:

CUPA INYO: CUPA Facility List
Cupa facility list.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/03/2018
Date Made Active in Reports: 06/14/2018
Number of Days to Update: 72

Source: Inyo County Environmental Health Services
Telephone: 760-878-0238
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

KERN COUNTY:

UST KERN: Underground Storage Tank Sites & Tank Listing
Kern County Sites and Tanks Listing.

Date of Government Version: 05/06/2019
Date Data Arrived at EDR: 05/07/2019
Date Made Active in Reports: 07/16/2019
Number of Days to Update: 70

Source: Kern County Environment Health Services Department
Telephone: 661-862-8700
Last EDR Contact: 05/02/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Quarterly

KINGS COUNTY:

CUPA KINGS: CUPA Facility List
A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 05/16/2019
Date Data Arrived at EDR: 05/17/2019
Date Made Active in Reports: 05/30/2019
Number of Days to Update: 13

Source: Kings County Department of Public Health
Telephone: 559-584-1411
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

LAKE COUNTY:

CUPA LAKE: CUPA Facility List
Cupa facility list

Date of Government Version: 02/08/2019
Date Data Arrived at EDR: 02/12/2019
Date Made Active in Reports: 03/12/2019
Number of Days to Update: 28

Source: Lake County Environmental Health
Telephone: 707-263-1164
Last EDR Contact: 07/15/2019
Next Scheduled EDR Contact: 10/28/2019
Data Release Frequency: Varies

LASSEN COUNTY:

CUPA LASSEN: CUPA Facility List
Cupa facility list

Date of Government Version: 01/17/2019
Date Data Arrived at EDR: 01/18/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 46

Source: Lassen County Environmental Health
Telephone: 530-251-8528
Last EDR Contact: 07/19/2019
Next Scheduled EDR Contact: 11/04/2019
Data Release Frequency: Varies

LOS ANGELES COUNTY:

AOCONCERN: Key Areas of Concerns in Los Angeles County
San Gabriel Valley areas where VOC contamination is at or above the MCL as designated by region 9 EPA office. Date of Government Version: 3/30/2009 Exide Site area is a cleanup plan of lead-impacted soil surrounding the former Exide Facility as designated by the DTSC. Date of Government Version: 7/17/2017

Date of Government Version: 03/30/2009
Date Data Arrived at EDR: 03/31/2009
Date Made Active in Reports: 10/23/2009
Number of Days to Update: 206

Source: N/A
Telephone: N/A
Last EDR Contact: 06/17/2019
Next Scheduled EDR Contact: 09/30/2019
Data Release Frequency: No Update Planned

HMS LOS ANGELES: HMS: Street Number List
Industrial Waste and Underground Storage Tank Sites.

Date of Government Version: 05/13/2019
Date Data Arrived at EDR: 05/16/2019
Date Made Active in Reports: 07/18/2019
Number of Days to Update: 63

Source: Department of Public Works
Telephone: 626-458-3517
Last EDR Contact: 07/08/2019
Next Scheduled EDR Contact: 10/21/2019
Data Release Frequency: Semi-Annually

LF LOS ANGELES: List of Solid Waste Facilities
Solid Waste Facilities in Los Angeles County.

Date of Government Version: 04/15/2019
Date Data Arrived at EDR: 04/16/2019
Date Made Active in Reports: 06/21/2019
Number of Days to Update: 66

Source: La County Department of Public Works
Telephone: 818-458-5185
Last EDR Contact: 07/17/2019
Next Scheduled EDR Contact: 10/28/2019
Data Release Frequency: Varies

LF LOS ANGELES CITY: City of Los Angeles Landfills
Landfills owned and maintained by the City of Los Angeles.

Date of Government Version: 01/01/2019
Date Data Arrived at EDR: 01/15/2019
Date Made Active in Reports: 03/07/2019
Number of Days to Update: 51

Source: Engineering & Construction Division
Telephone: 213-473-7869
Last EDR Contact: 07/12/2019
Next Scheduled EDR Contact: 10/28/2019
Data Release Frequency: Varies

LOS ANGELES AST: Active & Inactive AST Inventory
A listing of active & inactive above ground petroleum storage tank site locations, located in the City of Los Angeles.

Date of Government Version: 01/01/2019
Date Data Arrived at EDR: 04/05/2019
Date Made Active in Reports: 05/29/2019
Number of Days to Update: 54

Source: Los Angeles Fire Department
Telephone: 213-978-3800
Last EDR Contact: 06/25/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Varies

LOS ANGELES CO LF METHANE: Methane Producing Landfills

This data was created on April 30, 2012 to represent known disposal sites in Los Angeles County that may produce and emanate methane gas. The shapefile contains disposal sites within Los Angeles County that once accepted degradable refuse material. Information used to create this data was extracted from a landfill survey performed by County Engineers (Major Waste System Map, 1973) as well as historical records from CalRecycle, Regional Water Quality Control Board, and Los Angeles County Department of Public Health

Date of Government Version: 04/30/2012
Date Data Arrived at EDR: 04/17/2019
Date Made Active in Reports: 05/29/2019
Number of Days to Update: 42

Source: Los Angeles County Department of Public Works
Telephone: 626-458-6973
Last EDR Contact: 07/19/2019
Next Scheduled EDR Contact: 10/28/2019
Data Release Frequency: No Update Planned

LOS ANGELES HM: Active & Inactive Hazardous Materials Inventory

A listing of active & inactive hazardous materials facility locations, located in the City of Los Angeles.

Date of Government Version: 01/01/2019
Date Data Arrived at EDR: 04/05/2019
Date Made Active in Reports: 05/29/2019
Number of Days to Update: 54

Source: Los Angeles Fire Department
Telephone: 213-978-3800
Last EDR Contact: 06/25/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Varies

LOS ANGELES UST: Active & Inactive UST Inventory

A listing of active & inactive underground storage tank site locations and underground storage tank historical sites, located in the City of Los Angeles.

Date of Government Version: 01/01/2019
Date Data Arrived at EDR: 04/05/2019
Date Made Active in Reports: 05/29/2019
Number of Days to Update: 54

Source: Los Angeles Fire Department
Telephone: 213-978-3800
Last EDR Contact: 06/25/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Varies

SITE MIT LOS ANGELES: Site Mitigation List

Industrial sites that have had some sort of spill or complaint.

Date of Government Version: 04/08/2019
Date Data Arrived at EDR: 04/16/2019
Date Made Active in Reports: 06/21/2019
Number of Days to Update: 66

Source: Community Health Services
Telephone: 323-890-7806
Last EDR Contact: 07/17/2019
Next Scheduled EDR Contact: 10/28/2019
Data Release Frequency: Annually

UST EL SEGUNDO: City of El Segundo Underground Storage Tank

Underground storage tank sites located in El Segundo city.

Date of Government Version: 01/21/2017
Date Data Arrived at EDR: 04/19/2017
Date Made Active in Reports: 05/10/2017
Number of Days to Update: 21

Source: City of El Segundo Fire Department
Telephone: 310-524-2236
Last EDR Contact: 07/12/2019
Next Scheduled EDR Contact: 10/28/2019
Data Release Frequency: No Update Planned

UST LONG BEACH: City of Long Beach Underground Storage Tank

Underground storage tank sites located in the city of Long Beach.

Date of Government Version: 04/22/2019
Date Data Arrived at EDR: 04/23/2019
Date Made Active in Reports: 06/27/2019
Number of Days to Update: 65

Source: City of Long Beach Fire Department
Telephone: 562-570-2563
Last EDR Contact: 07/19/2019
Next Scheduled EDR Contact: 11/04/2019
Data Release Frequency: Varies

UST TORRANCE: City of Torrance Underground Storage Tank
Underground storage tank sites located in the city of Torrance.

Date of Government Version: 04/04/2019
Date Data Arrived at EDR: 04/23/2019
Date Made Active in Reports: 06/27/2019
Number of Days to Update: 65

Source: City of Torrance Fire Department
Telephone: 310-618-2973
Last EDR Contact: 07/19/2019
Next Scheduled EDR Contact: 11/04/2019
Data Release Frequency: Semi-Annually

MADERA COUNTY:

CUPA MADERA: CUPA Facility List
A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 02/20/2019
Date Data Arrived at EDR: 02/22/2019
Date Made Active in Reports: 03/07/2019
Number of Days to Update: 13

Source: Madera County Environmental Health
Telephone: 559-675-7823
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

MARIN COUNTY:

UST MARIN: Underground Storage Tank Sites
Currently permitted USTs in Marin County.

Date of Government Version: 09/26/2018
Date Data Arrived at EDR: 10/04/2018
Date Made Active in Reports: 11/02/2018
Number of Days to Update: 29

Source: Public Works Department Waste Management
Telephone: 415-473-6647
Last EDR Contact: 06/26/2019
Next Scheduled EDR Contact: 10/14/2019
Data Release Frequency: Semi-Annually

MERCED COUNTY:

CUPA MERCED: CUPA Facility List
CUPA facility list.

Date of Government Version: 03/11/2019
Date Data Arrived at EDR: 03/19/2019
Date Made Active in Reports: 05/08/2019
Number of Days to Update: 50

Source: Merced County Environmental Health
Telephone: 209-381-1094
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

MONO COUNTY:

CUPA MONO: CUPA Facility List
CUPA Facility List

Date of Government Version: 02/21/2019
Date Data Arrived at EDR: 02/26/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 34

Source: Mono County Health Department
Telephone: 760-932-5580
Last EDR Contact: 05/23/2019
Next Scheduled EDR Contact: 09/09/2019
Data Release Frequency: Varies

MONTEREY COUNTY:

CUPA MONTEREY: CUPA Facility Listing
CUPA Program listing from the Environmental Health Division.

Date of Government Version: 02/05/2019
Date Data Arrived at EDR: 02/07/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 26

Source: Monterey County Health Department
Telephone: 831-796-1297
Last EDR Contact: 06/28/2019
Next Scheduled EDR Contact: 10/14/2019
Data Release Frequency: Varies

NAPA COUNTY:

LUST NAPA: Sites With Reported Contamination
A listing of leaking underground storage tank sites located in Napa county.

Date of Government Version: 01/09/2017
Date Data Arrived at EDR: 01/11/2017
Date Made Active in Reports: 03/02/2017
Number of Days to Update: 50

Source: Napa County Department of Environmental Management
Telephone: 707-253-4269
Last EDR Contact: 05/24/2019
Next Scheduled EDR Contact: 09/09/2019
Data Release Frequency: No Update Planned

UST NAPA: Closed and Operating Underground Storage Tank Sites
Underground storage tank sites located in Napa county.

Date of Government Version: 02/21/2019
Date Data Arrived at EDR: 02/22/2019
Date Made Active in Reports: 03/08/2019
Number of Days to Update: 14

Source: Napa County Department of Environmental Management
Telephone: 707-253-4269
Last EDR Contact: 05/24/2019
Next Scheduled EDR Contact: 09/09/2019
Data Release Frequency: No Update Planned

NEVADA COUNTY:

CUPA NEVADA: CUPA Facility List
CUPA facility list.

Date of Government Version: 05/20/2019
Date Data Arrived at EDR: 05/21/2019
Date Made Active in Reports: 05/30/2019
Number of Days to Update: 9

Source: Community Development Agency
Telephone: 530-265-1467
Last EDR Contact: 05/13/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Varies

ORANGE COUNTY:

IND_SITE ORANGE: List of Industrial Site Cleanups
Petroleum and non-petroleum spills.

Date of Government Version: 05/01/2019
Date Data Arrived at EDR: 05/09/2019
Date Made Active in Reports: 05/30/2019
Number of Days to Update: 21

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 05/06/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Annually

LUST ORANGE: List of Underground Storage Tank Cleanups
Orange County Underground Storage Tank Cleanups (LUST).

Date of Government Version: 05/01/2019
Date Data Arrived at EDR: 05/09/2019
Date Made Active in Reports: 05/30/2019
Number of Days to Update: 21

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 05/06/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Quarterly

UST ORANGE: List of Underground Storage Tank Facilities
Orange County Underground Storage Tank Facilities (UST).

Date of Government Version: 04/02/2019
Date Data Arrived at EDR: 05/07/2019
Date Made Active in Reports: 07/16/2019
Number of Days to Update: 70

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 05/07/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Quarterly

PLACER COUNTY:

MS PLACER: Master List of Facilities
List includes aboveground tanks, underground tanks and cleanup sites.

Date of Government Version: 02/28/2019
Date Data Arrived at EDR: 03/01/2019
Date Made Active in Reports: 04/12/2019
Number of Days to Update: 42

Source: Placer County Health and Human Services
Telephone: 530-745-2363
Last EDR Contact: 06/03/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Semi-Annually

PLUMAS COUNTY:

CUPA PLUMAS: CUPA Facility List
Plumas County CUPA Program facilities.

Date of Government Version: 03/31/2019
Date Data Arrived at EDR: 04/23/2019
Date Made Active in Reports: 06/26/2019
Number of Days to Update: 64

Source: Plumas County Environmental Health
Telephone: 530-283-6355
Last EDR Contact: 07/19/2019
Next Scheduled EDR Contact: 11/04/2019
Data Release Frequency: Varies

RIVERSIDE COUNTY:

LUST RIVERSIDE: Listing of Underground Tank Cleanup Sites
Riverside County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 04/11/2019
Date Data Arrived at EDR: 04/12/2019
Date Made Active in Reports: 04/30/2019
Number of Days to Update: 18

Source: Department of Environmental Health
Telephone: 951-358-5055
Last EDR Contact: 06/17/2019
Next Scheduled EDR Contact: 09/30/2019
Data Release Frequency: Quarterly

UST RIVERSIDE: Underground Storage Tank Tank List
Underground storage tank sites located in Riverside county.

Date of Government Version: 04/11/2019
Date Data Arrived at EDR: 04/12/2019
Date Made Active in Reports: 06/20/2019
Number of Days to Update: 69

Source: Department of Environmental Health
Telephone: 951-358-5055
Last EDR Contact: 06/17/2019
Next Scheduled EDR Contact: 09/30/2019
Data Release Frequency: Quarterly

SACRAMENTO COUNTY:

CS SACRAMENTO: Toxic Site Clean-Up List
List of sites where unauthorized releases of potentially hazardous materials have occurred.

Date of Government Version: 02/05/2019
Date Data Arrived at EDR: 04/02/2019
Date Made Active in Reports: 06/18/2019
Number of Days to Update: 77

Source: Sacramento County Environmental Management
Telephone: 916-875-8406
Last EDR Contact: 06/28/2019
Next Scheduled EDR Contact: 10/14/2019
Data Release Frequency: Quarterly

ML SACRAMENTO: Master Hazardous Materials Facility List

Any business that has hazardous materials on site - hazardous material storage sites, underground storage tanks, waste generators.

Date of Government Version: 02/06/2019
Date Data Arrived at EDR: 04/02/2019
Date Made Active in Reports: 06/20/2019
Number of Days to Update: 79

Source: Sacramento County Environmental Management
Telephone: 916-875-8406
Last EDR Contact: 06/28/2019
Next Scheduled EDR Contact: 10/14/2019
Data Release Frequency: Quarterly

SAN BENITO COUNTY:

CUPA SAN BENITO: CUPA Facility List

Cupa facility list

Date of Government Version: 03/11/2019
Date Data Arrived at EDR: 03/13/2019
Date Made Active in Reports: 04/30/2019
Number of Days to Update: 48

Source: San Benito County Environmental Health
Telephone: N/A
Last EDR Contact: 07/16/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Varies

SAN BERNARDINO COUNTY:

PERMITS SAN BERNARDINO: Hazardous Material Permits

This listing includes underground storage tanks, medical waste handlers/generators, hazardous materials handlers, hazardous waste generators, and waste oil generators/handlers.

Date of Government Version: 02/27/2019
Date Data Arrived at EDR: 02/28/2019
Date Made Active in Reports: 04/02/2019
Number of Days to Update: 33

Source: San Bernardino County Fire Department Hazardous Materials Division
Telephone: 909-387-3041
Last EDR Contact: 05/06/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Quarterly

SAN DIEGO COUNTY:

HMMD SAN DIEGO: Hazardous Materials Management Division Database

The database includes: HE58 - This report contains the business name, site address, business phone number, establishment 'H' permit number, type of permit, and the business status. HE17 - In addition to providing the same information provided in the HE58 listing, HE17 provides inspection dates, violations received by the establishment, hazardous waste generated, the quantity, method of storage, treatment/disposal of waste and the hauler, and information on underground storage tanks. Unauthorized Release List - Includes a summary of environmental contamination cases in San Diego County (underground tank cases, non-tank cases, groundwater contamination, and soil contamination are included.)

Date of Government Version: 03/04/2019
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 04/02/2019
Number of Days to Update: 28

Source: Hazardous Materials Management Division
Telephone: 619-338-2268
Last EDR Contact: 06/04/2019
Next Scheduled EDR Contact: 09/16/2019
Data Release Frequency: Quarterly

LF SAN DIEGO: Solid Waste Facilities
San Diego County Solid Waste Facilities.

Date of Government Version: 04/18/2018
Date Data Arrived at EDR: 04/24/2018
Date Made Active in Reports: 06/19/2018
Number of Days to Update: 56
Source: Department of Health Services
Telephone: 619-338-2209
Last EDR Contact: 07/19/2019
Next Scheduled EDR Contact: 11/04/2019
Data Release Frequency: Varies

SAN DIEGO CO LOP: Local Oversight Program Listing
A listing of all LOP release sites that are or were under the County of San Diego's jurisdiction. Included are closed or transferred cases, open cases, and cases that did not have a case type indicated. The cases without a case type are mostly complaints; however, some of them could be LOP cases.

Date of Government Version: 04/24/2019
Date Data Arrived at EDR: 04/25/2019
Date Made Active in Reports: 06/27/2019
Number of Days to Update: 63
Source: Department of Environmental Health
Telephone: 858-505-6874
Last EDR Contact: 07/19/2019
Next Scheduled EDR Contact: 11/04/2019
Data Release Frequency: Varies

SAN DIEGO CO SAM: Environmental Case Listing
The listing contains all underground tank release cases and projects pertaining to properties contaminated with hazardous substances that are actively under review by the Site Assessment and Mitigation Program.

Date of Government Version: 03/23/2010
Date Data Arrived at EDR: 06/15/2010
Date Made Active in Reports: 07/09/2010
Number of Days to Update: 24
Source: San Diego County Department of Environmental Health
Telephone: 619-338-2371
Last EDR Contact: 06/03/2019
Next Scheduled EDR Contact: 09/16/2019
Data Release Frequency: No Update Planned

SAN FRANCISCO COUNTY:

LUST SAN FRANCISCO: Local Oversite Facilities
A listing of leaking underground storage tank sites located in San Francisco county.

Date of Government Version: 09/19/2008
Date Data Arrived at EDR: 09/19/2008
Date Made Active in Reports: 09/29/2008
Number of Days to Update: 10
Source: Department Of Public Health San Francisco County
Telephone: 415-252-3920
Last EDR Contact: 05/02/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: No Update Planned

UST SAN FRANCISCO: Underground Storage Tank Information
Underground storage tank sites located in San Francisco county.

Date of Government Version: 11/05/2018
Date Data Arrived at EDR: 11/06/2018
Date Made Active in Reports: 12/14/2018
Number of Days to Update: 38
Source: Department of Public Health
Telephone: 415-252-3920
Last EDR Contact: 05/02/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Quarterly

SAN JOAQUIN COUNTY:

UST SAN JOAQUIN: San Joaquin Co. UST
A listing of underground storage tank locations in San Joaquin county.

Date of Government Version: 06/22/2018
Date Data Arrived at EDR: 06/26/2018
Date Made Active in Reports: 07/11/2018
Number of Days to Update: 15
Source: Environmental Health Department
Telephone: N/A
Last EDR Contact: 06/17/2019
Next Scheduled EDR Contact: 09/30/2019
Data Release Frequency: Semi-Annually

SAN LUIS OBISPO COUNTY:

CUPA SAN LUIS OBISPO: CUPA Facility List
Cupa Facility List.

Date of Government Version: 05/20/2019
Date Data Arrived at EDR: 05/21/2019
Date Made Active in Reports: 07/18/2019
Number of Days to Update: 58

Source: San Luis Obispo County Public Health Department
Telephone: 805-781-5596
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

SAN MATEO COUNTY:

BI SAN MATEO: Business Inventory
List includes Hazardous Materials Business Plan, hazardous waste generators, and underground storage tanks.

Date of Government Version: 03/04/2019
Date Data Arrived at EDR: 03/13/2019
Date Made Active in Reports: 04/29/2019
Number of Days to Update: 47

Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 06/12/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Annually

LUST SAN MATEO: Fuel Leak List
A listing of leaking underground storage tank sites located in San Mateo county.

Date of Government Version: 03/29/2019
Date Data Arrived at EDR: 03/29/2019
Date Made Active in Reports: 05/29/2019
Number of Days to Update: 61

Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 06/10/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Semi-Annually

SANTA BARBARA COUNTY:

CUPA SANTA BARBARA: CUPA Facility Listing
CUPA Program Listing from the Environmental Health Services division.

Date of Government Version: 09/08/2011
Date Data Arrived at EDR: 09/09/2011
Date Made Active in Reports: 10/07/2011
Number of Days to Update: 28

Source: Santa Barbara County Public Health Department
Telephone: 805-686-8167
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: No Update Planned

SANTA CLARA COUNTY:

CUPA SANTA CLARA: Cupa Facility List
Cupa facility list

Date of Government Version: 05/16/2019
Date Data Arrived at EDR: 05/23/2019
Date Made Active in Reports: 07/18/2019
Number of Days to Update: 56

Source: Department of Environmental Health
Telephone: 408-918-1973
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

HIST LUST SANTA CLARA: HIST LUST - Fuel Leak Site Activity Report
A listing of open and closed leaking underground storage tanks. This listing is no longer updated by the county. Leaking underground storage tanks are now handled by the Department of Environmental Health.

Date of Government Version: 03/29/2005
Date Data Arrived at EDR: 03/30/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 22

Source: Santa Clara Valley Water District
Telephone: 408-265-2600
Last EDR Contact: 03/23/2009
Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: No Update Planned

LUST SANTA CLARA: LOP Listing
A listing of leaking underground storage tanks located in Santa Clara county.

Date of Government Version: 03/03/2014
Date Data Arrived at EDR: 03/05/2014
Date Made Active in Reports: 03/18/2014
Number of Days to Update: 13
Source: Department of Environmental Health
Telephone: 408-918-3417
Last EDR Contact: 05/24/2019
Next Scheduled EDR Contact: 09/09/2019
Data Release Frequency: No Update Planned

SAN JOSE HAZMAT: Hazardous Material Facilities
Hazardous material facilities, including underground storage tank sites.

Date of Government Version: 01/30/2019
Date Data Arrived at EDR: 02/01/2019
Date Made Active in Reports: 03/07/2019
Number of Days to Update: 34
Source: City of San Jose Fire Department
Telephone: 408-535-7694
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Annually

SANTA CRUZ COUNTY:

CUPA SANTA CRUZ: CUPA Facility List
CUPA facility listing.

Date of Government Version: 01/21/2017
Date Data Arrived at EDR: 02/22/2017
Date Made Active in Reports: 05/23/2017
Number of Days to Update: 90
Source: Santa Cruz County Environmental Health
Telephone: 831-464-2761
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

SHASTA COUNTY:

CUPA SHASTA: CUPA Facility List
Cupa Facility List.

Date of Government Version: 06/15/2017
Date Data Arrived at EDR: 06/19/2017
Date Made Active in Reports: 08/09/2017
Number of Days to Update: 51
Source: Shasta County Department of Resource Management
Telephone: 530-225-5789
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

SOLANO COUNTY:

LUST SOLANO: Leaking Underground Storage Tanks
A listing of leaking underground storage tank sites located in Solano county.

Date of Government Version: 03/05/2019
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 04/29/2019
Number of Days to Update: 53
Source: Solano County Department of Environmental Management
Telephone: 707-784-6770
Last EDR Contact: 06/03/2019
Next Scheduled EDR Contact: 09/16/2019
Data Release Frequency: Quarterly

UST SOLANO: Underground Storage Tanks
Underground storage tank sites located in Solano county.

Date of Government Version: 03/05/2019
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 04/03/2019
Number of Days to Update: 27
Source: Solano County Department of Environmental Management
Telephone: 707-784-6770
Last EDR Contact: 06/03/2019
Next Scheduled EDR Contact: 09/16/2019
Data Release Frequency: Quarterly

SONOMA COUNTY:

CUPA SONOMA: Cupa Facility List
Cupa Facility list

Date of Government Version: 03/18/2019
Date Data Arrived at EDR: 03/26/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 36

Source: County of Sonoma Fire & Emergency Services Department
Telephone: 707-565-1174
Last EDR Contact: 06/19/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Varies

LUST SONOMA: Leaking Underground Storage Tank Sites
A listing of leaking underground storage tank sites located in Sonoma county.

Date of Government Version: 04/03/2019
Date Data Arrived at EDR: 04/11/2019
Date Made Active in Reports: 04/30/2019
Number of Days to Update: 19

Source: Department of Health Services
Telephone: 707-565-6565
Last EDR Contact: 06/19/2019
Next Scheduled EDR Contact: 10/07/2019
Data Release Frequency: Quarterly

STANISLAUS COUNTY:

CUPA STANISLAUS: CUPA Facility List
Cupa facility list

Date of Government Version: 12/11/2018
Date Data Arrived at EDR: 12/13/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 33

Source: Stanislaus County Department of Ennvironmental Protection
Telephone: 209-525-6751
Last EDR Contact: 07/15/2019
Next Scheduled EDR Contact: 10/28/2019
Data Release Frequency: Varies

SUTTER COUNTY:

UST SUTTER: Underground Storage Tanks
Underground storage tank sites located in Sutter county.

Date of Government Version: 02/28/2019
Date Data Arrived at EDR: 03/01/2019
Date Made Active in Reports: 04/03/2019
Number of Days to Update: 33

Source: Sutter County Environmental Health Services
Telephone: 530-822-7500
Last EDR Contact: 06/03/2019
Next Scheduled EDR Contact: 09/16/2019
Data Release Frequency: Semi-Annually

TEHAMA COUNTY:

CUPA TEHAMA: CUPA Facility List
Cupa facilities

Date of Government Version: 05/20/2019
Date Data Arrived at EDR: 05/21/2019
Date Made Active in Reports: 07/18/2019
Number of Days to Update: 58

Source: Tehama County Department of Environmental Health
Telephone: 530-527-8020
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Varies

TRINITY COUNTY:

CUPA TRINITY: CUPA Facility List
Cupa facility list

Date of Government Version: 04/24/2019
Date Data Arrived at EDR: 04/25/2019
Date Made Active in Reports: 06/28/2019
Number of Days to Update: 64

Source: Department of Toxic Substances Control
Telephone: 760-352-0381
Last EDR Contact: 07/19/2019
Next Scheduled EDR Contact: 11/04/2019
Data Release Frequency: Varies

TULARE COUNTY:

CUPA TULARE: CUPA Facility List
Cupa program facilities

Date of Government Version: 05/09/2019
Date Data Arrived at EDR: 05/10/2019
Date Made Active in Reports: 07/17/2019
Number of Days to Update: 68

Source: Tulare County Environmental Health Services Division
Telephone: 559-624-7400
Last EDR Contact: 05/06/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Varies

TUOLUMNE COUNTY:

CUPA TUOLUMNE: CUPA Facility List
Cupa facility list

Date of Government Version: 04/23/2018
Date Data Arrived at EDR: 04/25/2018
Date Made Active in Reports: 06/25/2018
Number of Days to Update: 61

Source: Divison of Environmental Health
Telephone: 209-533-5633
Last EDR Contact: 07/19/2019
Next Scheduled EDR Contact: 11/04/2019
Data Release Frequency: Varies

VENTURA COUNTY:

BWT VENTURA: Business Plan, Hazardous Waste Producers, and Operating Underground Tanks
The BWT list indicates by site address whether the Environmental Health Division has Business Plan (B), Waste Producer (W), and/or Underground Tank (T) information.

Date of Government Version: 03/26/2019
Date Data Arrived at EDR: 04/25/2019
Date Made Active in Reports: 06/27/2019
Number of Days to Update: 63

Source: Ventura County Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 04/23/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Quarterly

LF VENTURA: Inventory of Illegal Abandoned and Inactive Sites
Ventura County Inventory of Closed, Illegal Abandoned, and Inactive Sites.

Date of Government Version: 12/01/2011
Date Data Arrived at EDR: 12/01/2011
Date Made Active in Reports: 01/19/2012
Number of Days to Update: 49

Source: Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 06/26/2019
Next Scheduled EDR Contact: 10/14/2019
Data Release Frequency: No Update Planned

LUST VENTURA: Listing of Underground Tank Cleanup Sites
Ventura County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 05/29/2008
Date Data Arrived at EDR: 06/24/2008
Date Made Active in Reports: 07/31/2008
Number of Days to Update: 37

Source: Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 05/09/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: No Update Planned

MED WASTE VENTURA: Medical Waste Program List
To protect public health and safety and the environment from potential exposure to disease causing agents, the Environmental Health Division Medical Waste Program regulates the generation, handling, storage, treatment and disposal of medical waste throughout the County.

Date of Government Version: 03/26/2019
Date Data Arrived at EDR: 04/25/2019
Date Made Active in Reports: 05/30/2019
Number of Days to Update: 35
Source: Ventura County Resource Management Agency
Telephone: 805-654-2813
Last EDR Contact: 04/23/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Quarterly

UST VENTURA: Underground Tank Closed Sites List
Ventura County Operating Underground Storage Tank Sites (UST)/Underground Tank Closed Sites List.

Date of Government Version: 02/26/2019
Date Data Arrived at EDR: 03/13/2019
Date Made Active in Reports: 04/03/2019
Number of Days to Update: 21
Source: Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 06/12/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Quarterly

YOLO COUNTY:

UST YOLO: Underground Storage Tank Comprehensive Facility Report
Underground storage tank sites located in Yolo county.

Date of Government Version: 03/29/2019
Date Data Arrived at EDR: 04/05/2019
Date Made Active in Reports: 06/20/2019
Number of Days to Update: 76
Source: Yolo County Department of Health
Telephone: 530-666-8646
Last EDR Contact: 06/26/2019
Next Scheduled EDR Contact: 10/14/2019
Data Release Frequency: Annually

YUBA COUNTY:

CUPA YUBA: CUPA Facility List
CUPA facility listing for Yuba County.

Date of Government Version: 05/03/2019
Date Data Arrived at EDR: 05/07/2019
Date Made Active in Reports: 07/16/2019
Number of Days to Update: 70
Source: Yuba County Environmental Health Department
Telephone: 530-749-7523
Last EDR Contact: 04/25/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data
Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 02/11/2019
Date Data Arrived at EDR: 02/12/2019
Date Made Active in Reports: 03/04/2019
Number of Days to Update: 20
Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 05/14/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 04/10/2019
Date Made Active in Reports: 05/16/2019
Number of Days to Update: 36

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 07/09/2019
Next Scheduled EDR Contact: 10/21/2019
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data
Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/01/2019
Date Data Arrived at EDR: 05/01/2019
Date Made Active in Reports: 06/21/2019
Number of Days to Update: 51

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 05/01/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Quarterly

PA MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 10/23/2018
Date Made Active in Reports: 11/27/2018
Number of Days to Update: 35

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 07/15/2019
Next Scheduled EDR Contact: 10/28/2019
Data Release Frequency: Annually

RI MANIFEST: Manifest information
Hazardous waste manifest information

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 02/23/2018
Date Made Active in Reports: 04/09/2018
Number of Days to Update: 45

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 05/17/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Annually

WI MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 06/15/2018
Date Made Active in Reports: 07/09/2018
Number of Days to Update: 24

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 06/10/2019
Next Scheduled EDR Contact: 09/23/2019
Data Release Frequency: Annually

Oil/Gas Pipelines
Source: PennWell Corporation
Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Electric Power Transmission Line Data
Source: PennWell Corporation
This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

AHA Hospitals:
Source: American Hospital Association, Inc.
Telephone: 312-280-5991
The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing
Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000
A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes
Source: National Institutes of Health
Telephone: 301-594-6248
Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Licensed Facilities
Source: Department of Social Services
Telephone: 916-657-4041

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory
Source: Department of Fish and Wildlife
Telephone: 916-445-0411

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

459 & 475 SOUTH 4TH
459 & 475 SOUTH 4TH STREET
SAN JOSE, CA 95112

TARGET PROPERTY COORDINATES

Latitude (North):	37.330509 - 37˚ 19' 49.83''
Longitude (West):	121.88251 - 121˚ 52' 57.04''
Universal Tranverse Mercator:	Zone 10
UTM X (Meters):	599001.9
UTM Y (Meters):	4131919.2
Elevation:	98 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	5640416 SAN JOSE WEST, CA
Version Date:	2012
East Map:	5640414 SAN JOSE EAST, CA
Version Date:	2012

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).

TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General North

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Target Property Elevation: 98 ft.

Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Flood Plain Panel at Target Property	FEMA Source Type
06085C0234H	FEMA FIRM Flood data

Additional Panels in search area:	FEMA Source Type
06085C0232H	FEMA FIRM Flood data
06085C0253H	FEMA FIRM Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property	NWI Electronic Data Coverage
SAN JOSE WEST	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Location Relative to TP:	1/2 - 1 Mile West
Site Name:	River Park Development-Lincoln Props
Site EPA ID Number:	CAD981676430
Surficial Aquifer Flow Dir.:	SW. THIS FLOW APPLIES TO THE "A" AQUIFER.
Measured Depth to Water:	approximately 22 feet in the surficial "A" aquifer and approximately 95 feet in the underlying "B" aquifer.
Hydraulic Connection:	A silty clay layer separates the "A" and "B" aquifers.
Sole Source Aquifer:	No information about a sole source aquifer is available
Data Quality:	Information based on site-specific subsurface investigations is documented in the CERCLIS investigation report(s)

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
Not Reported		

* ©1996 Site--specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era:	Cenozoic
System:	Quaternary
Series:	Quaternary
Code:	Q *(decoded above as Era, System & Series)*

GEOLOGIC AGE IDENTIFICATION

Category: Stratifed Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name:	BOTELLA
Soil Surface Texture:	clay loam
Hydrologic Group:	Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.
Soil Drainage Class:	Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel:	MODERATE
Depth to Bedrock Min:	> 60 inches
Depth to Bedrock Max:	> 60 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification			
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	Permeability Rate (in/hr)	Soil Reaction (pH)
1	0 inches	9 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 0.60 Min: 0.20	Max: 7.30 Min: 5.60
2	9 inches	41 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 0.60 Min: 0.20	Max: 7.80 Min: 5.60
3	41 inches	76 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 0.60 Min: 0.20	Max: 7.80 Min: 5.60

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: No Other Soil Types

Surficial Soil Types: No Other Soil Types

Shallow Soil Types: No Other Soil Types

Deeper Soil Types: No Other Soil Types

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A2	USGS40000182222	1/8 - 1/4 Mile SSW
A3	USGS40000182214	1/4 - 1/2 Mile SSW
B7	USGS40000182200	1/2 - 1 Mile SW
8	USGS40000182194	1/2 - 1 Mile SW
C10	USGS40000182236	1/2 - 1 Mile East
C11	USGS40000182230	1/2 - 1 Mile East
D12	USGS40000182224	1/2 - 1 Mile ESE
C13	USGS40000182235	1/2 - 1 Mile East
C15	USGS40000182238	1/2 - 1 Mile East
D16	USGS40000182229	1/2 - 1 Mile East
C17	USGS40000182232	1/2 - 1 Mile East
D18	USGS40000182221	1/2 - 1 Mile ESE
24	USGS40000182226	1/2 - 1 Mile ESE
E25	USGS40000182293	1/2 - 1 Mile ENE
E26	USGS40000182292	1/2 - 1 Mile ENE
E38	USGS40000182290	1/2 - 1 Mile ENE
E39	USGS40000182291	1/2 - 1 Mile ENE
E40	USGS40000182289	1/2 - 1 Mile ENE
41	USGS40000182252	1/2 - 1 Mile West

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	CA5500145	1/8 - 1/4 Mile ENE

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
4	7666	1/4 - 1/2 Mile NNW
5	7654	1/4 - 1/2 Mile NNE
B6	7677	1/4 - 1/2 Mile SW
9	7661	1/2 - 1 Mile ENE
D14	CADWR8000033956	1/2 - 1 Mile East
E19	CADWR8000034026	1/2 - 1 Mile ENE
E20	CADWR8000034025	1/2 - 1 Mile ENE
E21	CADWR8000034027	1/2 - 1 Mile ENE
E22	CADWR8000034029	1/2 - 1 Mile ENE
E23	CADWR8000034028	1/2 - 1 Mile ENE
F27	7674	1/2 - 1 Mile ENE
F28	7673	1/2 - 1 Mile ENE
F29	7672	1/2 - 1 Mile ENE
F30	7682	1/2 - 1 Mile ENE
F31	7681	1/2 - 1 Mile ENE
F32	7680	1/2 - 1 Mile ENE
F33	7668	1/2 - 1 Mile ENE
F34	7667	1/2 - 1 Mile ENE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
F35	7669	1/2 - 1 Mile ENE
F36	7671	1/2 - 1 Mile ENE
F37	7670	1/2 - 1 Mile ENE
42	7698	1/2 - 1 Mile South
43	7653	1/2 - 1 Mile NNE

PHYSICAL SETTING SOURCE MAP - 5724332.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake Fault Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons
- Groundwater Flow Direction
- GI Indeterminate Groundwater Flow at Location
- GV Groundwater Flow Varies at Location
- HD Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME:	459 & 475 South 4th	CLIENT:	Partner Engineering and Science, Inc.
ADDRESS:	459 & 475 South 4th Street San Jose CA 95112	CONTACT:	Max Mcbride
LAT/LONG:	37.330509 / 121.88251	INQUIRY #:	5724332.2s
		DATE:	July 22, 2019 5:38 pm

Copyright © 2019 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

1
ENE
1/8 - 1/4 Mile
Lower

FRDS PWS **CA5500145**

Epa region:	09	State:	CA
Pwsid:	CA5500145	Pwsname:	SAN JOSE FAMILY CAMP
Cityserved:	Not Reported	Stateserved:	CA
Zipserved:	Not Reported	Fipscounty:	06109
Status:	Active	Retpopsrvd:	200
Pwssvcconn:	14	Psource longname:	Groundwater
Pwstype:	TNCWS	Owner:	Private
Contact:	GARVIN, JOE	Contactorgname:	GARVIN, JOE
Contactphone:	408-794-6524	Contactaddress1:	1300 SENTER ROAD
Contactaddress2:	Not Reported	Contactcity:	SAN JOSE
Contactstate:	CA	Contactzip:	95112
Pwsactivitycode:	A		

PWS ID:	CA5500145	PWS type:	System Owner/Responsible Party
PWS name:	SAN JOSE FAMILY CAMP	PWS address:	Not Reported
PWS city:	SAN JOSE	PWS state:	CA
PWS zip:	95113	PWS name:	SAN JOSE FAMILY CAMP
PWS type code:	NC	Retail population served:	200
Contact:	CITY OF SAN JOSE	Contact address:	CHERRY OIL & HWY 120
Contact address:	GROVELAND	Contact city:	CA
Contact state:	95	Contact zip:	Not Reported
Contact telephone:	Not Reported		

PWS ID:	CA5500145	Activity status:	Active
Date system activated:	7706	Date system deactivated:	Not Reported
Retail population:	00000200	System name:	SAN JOSE FAMILY CAMP
System address:	SAN JOSE FAMILY CAMP	System address:	CHERRY OIL & HWY 12
System city:	GROVELAND	System state:	CA
System zip:	95321		

Population served:	101 - 500 Persons	Treatment:	Untreated

Latitude:	371954	Longitude:	1215242

Violation id:	600013	Orig code:	S
State:	CA	Violation Year:	2005
Contamination code:	3100	Contamination Name:	Coliform (TCR)
Violation code:	25	Violation name:	Monitoring, Repeat Major (TCR)
Rule code:	110	Rule name:	TCR
Violation measur:	Not Reported	Unit of measure:	Not Reported
State mcl:	Not Reported	Cmp bdt:	11/01/2005
Cmp edt:	11/30/2005		

System Name:	SAN JOSE FAMILY CAMP	Violation Type:	25
Contaminant:	3100	Compliance Begin:	11/1/2005 0:00:00
Compliance End:	11/30/2005 0:00:00	Violation ID:	0600013
Enforcement Date:	No Enf Action as of	Enforcement Action:	10/17/2006 0:00:00

System Name:	SAN JOSE FAMILY CAMP	Violation Type:	25
Contaminant:	3100	Compliance Begin:	11/1/2005 0:00:00
Compliance End:	11/30/2005 0:00:00	Violation ID:	0600013
Enforcement Date:	4/12/2007 0:00:00	Enforcement Action:	Not Reported

Violation ID:	600013	Orig Code:	S
Enforcemnt FY:	2006	Enforcement Action:	11/08/2005

Enforcement Detail:	St Violation/Reminder Notice		
Enforcement Category:	Informal		
Violation ID:	600013	Orig Code:	S
Enforcemnt FY:	2006	Enforcement Action:	12/28/2005
Enforcement Detail:	St Formal NOV issued	Enforcement Category:	Informal
Violation ID:	600013	Orig Code:	S
Enforcemnt FY:	2006	Enforcement Action:	11/22/2005
Enforcement Detail:	St Other	Enforcement Category:	Informal
Violation ID:	9800019	Orig Code:	S
Enforcemnt FY:	2000	Enforcement Action:	03/27/2000
Enforcement Detail:	St Compliance achieved	Enforcement Category:	Resolving
PWS name:	SAN JOSE FAMILY CAMP	Population served:	200
PWS type code:	NC	Violation ID:	0600013
Contaminant:	COLIFORM (TCR)	Violation type:	Monitoring, Repeat Major (TCR)
Compliance start date:	11/1/2005 0:00:00	Compliance end date:	11/30/2005 0:00:00
Enforcement date:	No Enf Action as of	Enforcement action:	7/8/2009 0:00:00
Violation measurement:	Not Reported		

A2
SSW **FED USGS** **USGS40000182222**
1/8 - 1/4 Mile
Higher

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E16C008M	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	19590608	Well Depth:	780
Well Depth Units:	ft	Well Hole Depth:	790
Well Hole Depth Units:	ft		

A3
SSW **FED USGS** **USGS40000182214**
1/4 - 1/2 Mile
Higher

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E16C010M	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	791
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

4
NNW
1/4 - 1/2 Mile
Lower

CA WELLS **7666**

Seq:	7666	Prim sta c:	07S/01E-16C02 M
Frds no:	4310011111	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	TWELFTH ST. WELL 04	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	372005.0	Longitude:	1215300.0
Precision:	5	Status:	AR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

Sample date:	01-FEB-18	Finding:	5.
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		

Sample date:	01-FEB-18	Finding:	12.22
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		

Sample date:	01-FEB-18	Finding:	7.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		

Sample date:	01-FEB-18	Finding:	0.2
Chemical:	LANGELIER INDEX AT SOURCE TEMP.	Report units:	Not Reported
Dlr:	0.		

Sample date:	01-FEB-18	Finding:	430.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		

Sample date:	01-FEB-18	Finding:	170.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		

Sample date:	01-FEB-18	Finding:	47.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		

Sample date:	01-FEB-18	Finding:	61.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		

Sample date:	01-FEB-18	Finding:	1.2
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		

Sample date:	01-FEB-18	Finding:	700.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	01-FEB-18	Finding:	7.76
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	01-FEB-18	Finding:	210.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	01-FEB-18	Finding:	260.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	01-FEB-18	Finding:	5.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	01-FEB-18	Finding:	232.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	01-FEB-18	Finding:	55.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	01-FEB-18	Finding:	23.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	01-FEB-18	Finding:	54.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	30-NOV-17	Finding:	1.01
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	30-NOV-17	Finding:	1.29
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	30-NOV-17	Finding:	5.8
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	27-JUL-17	Finding:	5.
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	10-FEB-16	Finding:	6.2
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	02-SEP-15	Finding:	700.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	02-SEP-15	Finding:	7.11
Chemical:	PH, LABORATORY	Report units:	Not Reported

Dlr:	0.		
Sample date:	02-SEP-15	Finding:	220.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	02-SEP-15	Finding:	270.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	02-SEP-15	Finding:	255.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	02-SEP-15	Finding:	63.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	02-SEP-15	Finding:	23.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	02-SEP-15	Finding:	48.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	02-SEP-15	Finding:	1.3
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	02-SEP-15	Finding:	56.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	02-SEP-15	Finding:	61.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	02-SEP-15	Finding:	190.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	02-SEP-15	Finding:	2.4
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	02-SEP-15	Finding:	450.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	02-SEP-15	Finding:	24.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	02-SEP-15	Finding:	30000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	02-SEP-15	Finding:	0.15
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		

Sample date:	02-SEP-15	Finding:	11.65
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	02-SEP-15	Finding:	5500.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	02-JUN-15	Finding:	25.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	02-DEC-14	Finding:	26.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	11-SEP-14	Finding:	20.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	02-JUN-14	Finding:	25.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	17-SEP-13	Finding:	1.8
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	17-SEP-13	Finding:	0.6
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	06-JUN-13	Finding:	27.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	14-JAN-13	Finding:	2.5
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	19-SEP-12	Finding:	53.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	19-SEP-12	Finding:	58.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	19-SEP-12	Finding:	170.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	19-SEP-12	Finding:	290.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	19-SEP-12	Finding:	550.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	19-SEP-12	Finding:	26.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L

Dlr:	2.		
Sample date:	19-SEP-12	Finding:	26000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	19-SEP-12	Finding:	0.71
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	19-SEP-12	Finding:	11.89
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	19-SEP-12	Finding:	5900.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	19-SEP-12	Finding:	1.4
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	19-SEP-12	Finding:	37.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	19-SEP-12	Finding:	35.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	19-SEP-12	Finding:	74.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	19-SEP-12	Finding:	330.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	19-SEP-12	Finding:	300.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	19-SEP-12	Finding:	250.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	19-SEP-12	Finding:	7.23
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	19-SEP-12	Finding:	700.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	19-SEP-12	Finding:	59.
Chemical:	ALUMINUM	Report units:	UG/L
Dlr:	50.		
Sample date:	13-JUN-12	Finding:	24.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

5
NNE
1/4 - 1/2 Mile
Lower

CA WELLS **7654**

Seq:	7654	Prim sta c:	07S/01E-08J01 M
Frds no:	4310028003	County:	43
District:	05	User id:	HEN
System no:	4310028	Water type:	G
Source nam:	MAIN CAMPUS WELL 02	Station ty:	WELL/AMBNT
Latitude:	372009.8	Longitude:	1215243.3
Precision:	3	Status:	AU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	4310028	System nam:	San Jose State University
Hqname:	Not Reported	Address:	One Washington Square
City:	San Jose	State:	CA
Zip:	95192	Zip ext:	Not Reported
Pop serv:	30000	Connection:	1000
Area serve:	Not Reported		

Sample date:	21-APR-14	Finding:	27.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		

Sample date:	03-FEB-14	Finding:	27.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		

Sample date:	16-DEC-13	Finding:	28.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		

Sample date:	10-JUN-13	Finding:	850.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		

Sample date:	10-JUN-13	Finding:	26.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		

Sample date:	04-MAR-13	Finding:	24.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		

Sample date:	13-NOV-12	Finding:	23.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		

Sample date:	02-JUL-12	Finding:	810.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		

Sample date:	30-JAN-12	Finding:	31.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		

Sample date:	30-JAN-12	Finding:	1.4
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	30-JAN-12	Finding:	50.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	30-JAN-12	Finding:	55.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	30-JAN-12	Finding:	202.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	30-JAN-12	Finding:	14.
Chemical:	CHROMIUM (TOTAL)	Report units:	UG/L
Dlr:	10.		
Sample date:	30-JAN-12	Finding:	6.
Chemical:	SELENIUM	Report units:	UG/L
Dlr:	5.		
Sample date:	30-JAN-12	Finding:	528.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	30-JAN-12	Finding:	1.15
Chemical:	LANGELIER INDEX @ 60 C	Report units:	Not Reported
Dlr:	0.		
Sample date:	30-JAN-12	Finding:	0.55
Chemical:	LANGELIER INDEX AT SOURCE TEMP.	Report units:	Not Reported
Dlr:	0.		
Sample date:	30-JAN-12	Finding:	24.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	30-JAN-12	Finding:	7.e-002
Chemical:	BROMIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	30-JAN-12	Finding:	41.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	30-JAN-12	Finding:	3.6
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	30-JAN-12	Finding:	379.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	30-JAN-12	Finding:	359.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	30-JAN-12	Finding:	294.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L

Dlr:	0.		
Sample date:	30-JAN-12	Finding:	7.7
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	30-JAN-12	Finding:	820.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	30-JAN-12	Finding:	84.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		

B6
SW
1/4 - 1/2 Mile
Higher

CA WELLS 7677

Seq:	7677	Prim sta c:	07S/01E-17L02 M
Frds no:	4310011156	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	GRANT WELL 02	Station ty:	WELL/AMBNT/MUN/SUPPLY
Latitude:	371929.0	Longitude:	1215311.0
Precision:	3	Status:	AU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		
Sample date:	11-JAN-18	Finding:	6.87
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	11-JAN-18	Finding:	11.68
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	11-JAN-18	Finding:	0.15
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	11-JAN-18	Finding:	4.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	11-JAN-18	Finding:	550.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	11-JAN-18	Finding:	180.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		

Sample date:	11-JAN-18	Finding:	64.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	11-JAN-18	Finding:	70.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	11-JAN-18	Finding:	1.7
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	11-JAN-18	Finding:	27.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	11-JAN-18	Finding:	33.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	11-JAN-18	Finding:	94.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	11-JAN-18	Finding:	370.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	11-JAN-18	Finding:	6.5
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	11-JAN-18	Finding:	860.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	11-JAN-18	Finding:	6.5
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	11-JAN-18	Finding:	280.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	11-JAN-18	Finding:	340.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	15-NOV-17	Finding:	6.4
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	29-SEP-17	Finding:	200.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	09-AUG-17	Finding:	6.5
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	11-MAY-17	Finding:	110.
Chemical:	IRON	Report units:	UG/L

Dlr:	100.		
Sample date:	09-MAY-17	Finding:	7.1
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	22-DEC-16	Finding:	66.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	22-DEC-16	Finding:	6.7
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	13-APR-16	Finding:	8.2
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	22-MAR-16	Finding:	7.
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	22-MAR-16	Finding:	4.9
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	23-NOV-15	Finding:	32.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	23-NOV-15	Finding:	130.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	13-OCT-15	Finding:	33.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	26-AUG-15	Finding:	29000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	26-AUG-15	Finding:	1.4
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	26-AUG-15	Finding:	12.22
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	26-AUG-15	Finding:	7700.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	26-AUG-15	Finding:	790.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	26-AUG-15	Finding:	7.32
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		

Sample date:	26-AUG-15	Finding:	310.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	26-AUG-15	Finding:	380.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	26-AUG-15	Finding:	402.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	26-AUG-15	Finding:	100.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	26-AUG-15	Finding:	35.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	26-AUG-15	Finding:	25.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	26-AUG-15	Finding:	1.6
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	26-AUG-15	Finding:	66.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	26-AUG-15	Finding:	73.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	26-AUG-15	Finding:	200.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	26-AUG-15	Finding:	2.2
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	26-AUG-15	Finding:	180.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	26-AUG-15	Finding:	620.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	26-AUG-15	Finding:	0.16
Chemical:	LANGELIER INDEX AT SOURCE TEMP.	Report units:	Not Reported
Dlr:	0.		
Sample date:	26-AUG-15	Finding:	34.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	08-APR-15	Finding:	34.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L

Dlr:	2.		
Sample date:	10-MAR-15	Finding:	34.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	05-MAR-15	Finding:	0.18
Chemical:	LANGELIER INDEX AT SOURCE TEMP.	Report units:	Not Reported
Dlr:	0.		
Sample date:	05-MAR-15	Finding:	590.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	05-MAR-15	Finding:	89.
Chemical:	ALUMINUM	Report units:	UG/L
Dlr:	50.		
Sample date:	05-MAR-15	Finding:	350.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	05-MAR-15	Finding:	2.
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	05-MAR-15	Finding:	210.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	05-MAR-15	Finding:	0.14
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	05-MAR-15	Finding:	80.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	05-MAR-15	Finding:	73.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	05-MAR-15	Finding:	1.7
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	05-MAR-15	Finding:	25.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	05-MAR-15	Finding:	37.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	05-MAR-15	Finding:	110.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	05-MAR-15	Finding:	419.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		

Sample date:	05-MAR-15	Finding:	360.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	05-MAR-15	Finding:	890.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	05-MAR-15	Finding:	300.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	05-MAR-15	Finding:	7.4
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	05-MAR-15	Finding:	12.3
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	05-MAR-15	Finding:	2.1
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	05-MAR-15	Finding:	20000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	05-FEB-13	Finding:	25.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	09-JAN-13	Finding:	1.2
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	09-JAN-13	Finding:	0.8
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	09-JAN-13	Finding:	25.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	09-JAN-13	Finding:	2.4
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	05-DEC-12	Finding:	26.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	14-NOV-12	Finding:	25.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	02-OCT-12	Finding:	24.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	06-SEP-12	Finding:	25.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L

Dlr:	2.		
Sample date:	07-AUG-12	Finding:	26.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	12-JUL-12	Finding:	25.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	12-JUN-12	Finding:	26.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	14-MAY-12	Finding:	26.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	17-APR-12	Finding:	26.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	06-MAR-12	Finding:	25.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	28-FEB-12	Finding:	26.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	22-FEB-12	Finding:	26.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	14-FEB-12	Finding:	26.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	07-FEB-12	Finding:	26.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	31-JAN-12	Finding:	26.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	24-JAN-12	Finding:	26.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	18-JAN-12	Finding:	26.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	10-JAN-12	Finding:	25.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	04-JAN-12	Finding:	26.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

B7
SW
1/2 - 1 Mile
Higher

FED USGS **USGS40000182200**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E17F001M	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	715
Well Depth Units:	ft	Well Hole Depth:	715
Well Hole Depth Units:	ft		

8
SW
1/2 - 1 Mile
Higher

FED USGS **USGS40000182194**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E17F002M	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	680
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

9
ENE
1/2 - 1 Mile
Higher

CA WELLS **7661**

Seq:	7661	Prim sta c:	07S/01E-09D06 M
Frds no:	4310011091	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	SEVENTEENTH ST. WELL 09 - INACTIVE	Station ty:	WELL/AMBNT/MUN/INTAKE
Latitude:	372004.0	Longitude:	1215215.0
Precision:	4	Status:	IU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890

Area serve: SAN JOSE VICINITY

C10
East
1/2 - 1 Mile
Lower

FED USGS **USGS40000182236**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E16C006M	Type:	Well
Description:	Not Reported	HUC:	18050003
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	19600101	Well Depth:	1002
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

C11
East
1/2 - 1 Mile
Lower

FED USGS **USGS40000182230**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E16C05M	Type:	Well
Description:	Not Reported	HUC:	18050003
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	19290101	Well Depth:	908
Well Depth Units:	ft	Well Hole Depth:	917
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	418	Level reading date:	1983-01-10
Feet below surface:	106.2	Feet to sea level:	Not Reported
Note:	Not Reported		
Level reading date:	1983-01-09	Feet below surface:	107.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1983-01-08	Feet below surface:	104.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1983-01-07	Feet below surface:	105.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1983-01-06	Feet below surface:	105.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1983-01-05	Feet below surface:	105.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1983-01-04	Feet below surface:	104.2
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1983-01-03	Feet below surface:	105.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1983-01-02	Feet below surface:	108.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1983-01-01	Feet below surface:	110.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-31	Feet below surface:	105.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-30	Feet below surface:	106.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-29	Feet below surface:	106.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-28	Feet below surface:	108.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-27	Feet below surface:	111.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-26	Feet below surface:	117.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-25	Feet below surface:	115.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-24	Feet below surface:	109.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-23	Feet below surface:	108.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-22	Feet below surface:	108.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-21	Feet below surface:	108.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-20	Feet below surface:	109.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-19	Feet below surface:	113.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-18	Feet below surface:	109.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-17	Feet below surface:	109.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-16	Feet below surface:	109.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-15	Feet below surface:	109.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-14	Feet below surface:	109.4
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-12-13	Feet below surface:	110.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-12	Feet below surface:	114.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-11	Feet below surface:	107.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-10	Feet below surface:	106.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-09	Feet below surface:	105.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-08	Feet below surface:	102.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-07	Feet below surface:	103.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-06	Feet below surface:	107.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-05	Feet below surface:	111.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-04	Feet below surface:	103.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-03	Feet below surface:	103.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-02	Feet below surface:	105.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-01	Feet below surface:	103.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-30	Feet below surface:	102.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-29	Feet below surface:	103.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-28	Feet below surface:	107.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-27	Feet below surface:	106.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-26	Feet below surface:	108.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-25	Feet below surface:	110.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-24	Feet below surface:	107.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-23	Feet below surface:	108.2
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-11-22	Feet below surface:	110.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-21	Feet below surface:	115.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-20	Feet below surface:	108.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-19	Feet below surface:	108.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-18	Feet below surface:	108.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-17	Feet below surface:	109.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-16	Feet below surface:	113.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-15	Feet below surface:	115.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-14	Feet below surface:	116.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-13	Feet below surface:	113.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-12	Feet below surface:	116.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-11	Feet below surface:	121.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-10	Feet below surface:	115.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-09	Feet below surface:	117.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-08	Feet below surface:	119.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-07	Feet below surface:	124.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-06	Feet below surface:	117.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-05	Feet below surface:	118.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-04	Feet below surface:	118.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-03	Feet below surface:	118.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-02	Feet below surface:	118.6
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-11-01	Feet below surface:	114.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-31	Feet below surface:	122.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-30	Feet below surface:	122.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-29	Feet below surface:	123.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-28	Feet below surface:	119.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-27	Feet below surface:	124.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-26	Feet below surface:	125.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-25	Feet below surface:	127.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-24	Feet below surface:	139.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-23	Feet below surface:	124.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-22	Feet below surface:	130.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-21	Feet below surface:	132.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-20	Feet below surface:	134.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-19	Feet below surface:	136.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-18	Feet below surface:	138.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-17	Feet below surface:	145.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-16	Feet below surface:	130.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-15	Feet below surface:	140.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-14	Feet below surface:	139.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-13	Feet below surface:	139.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-12	Feet below surface:	139.4
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-10-11	Feet below surface:	139.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-10	Feet below surface:	146.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-09	Feet below surface:	128.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-08	Feet below surface:	134.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-07	Feet below surface:	134.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-06	Feet below surface:	136.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-05	Feet below surface:	135.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-04	Feet below surface:	134.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-03	Feet below surface:	135.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-02	Feet below surface:	131.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-01	Feet below surface:	129.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-30	Feet below surface:	129.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-29	Feet below surface:	129.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-28	Feet below surface:	128.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-27	Feet below surface:	128.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-26	Feet below surface:	128.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-25	Feet below surface:	134.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-24	Feet below surface:	140.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-23	Feet below surface:	143.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-22	Feet below surface:	146.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-21	Feet below surface:	146.8
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-09-20	Feet below surface:	145.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-19	Feet below surface:	147.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-18	Feet below surface:	145.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-17	Feet below surface:	148.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-16	Feet below surface:	149.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-15	Feet below surface:	155.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-14	Feet below surface:	160.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-13	Feet below surface:	159.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-12	Feet below surface:	163.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-11	Feet below surface:	155.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-10	Feet below surface:	156.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-09	Feet below surface:	156.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-08	Feet below surface:	156.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-07	Feet below surface:	154.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-06	Feet below surface:	156.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-05	Feet below surface:	161.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-04	Feet below surface:	155.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-03	Feet below surface:	155.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-02	Feet below surface:	156.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-01	Feet below surface:	156.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-31	Feet below surface:	154.1
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-08-30	Feet below surface:	151.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-29	Feet below surface:	153.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-28	Feet below surface:	155.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-27	Feet below surface:	150.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-25	Feet below surface:	154.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-24	Feet below surface:	154.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-23	Feet below surface:	157.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-22	Feet below surface:	157.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-21	Feet below surface:	150.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-20	Feet below surface:	158.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-19	Feet below surface:	158.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-17	Feet below surface:	158.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-16	Feet below surface:	154.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-15	Feet below surface:	158.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-14	Feet below surface:	156.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-13	Feet below surface:	161.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-12	Feet below surface:	160.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-11	Feet below surface:	158.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-10	Feet below surface:	159.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-09	Feet below surface:	160.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-08	Feet below surface:	170.0
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-08-07	Feet below surface:	171.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-06	Feet below surface:	156.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-05	Feet below surface:	155.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-04	Feet below surface:	155.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-03	Feet below surface:	155.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-02	Feet below surface:	154.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-01	Feet below surface:	155.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-31	Feet below surface:	152.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-30	Feet below surface:	152.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-29	Feet below surface:	152.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-28	Feet below surface:	150.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-27	Feet below surface:	149.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-26	Feet below surface:	147.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-25	Feet below surface:	149.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-24	Feet below surface:	148.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-23	Feet below surface:	148.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-22	Feet below surface:	147.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-21	Feet below surface:	145.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-20	Feet below surface:	144.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-19	Feet below surface:	141.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-18	Feet below surface:	142.5
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-07-17	Feet below surface:	142.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-16	Feet below surface:	143.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-15	Feet below surface:	143.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-14	Feet below surface:	142.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-13	Feet below surface:	141.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-12	Feet below surface:	138.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-11	Feet below surface:	141.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-10	Feet below surface:	139.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-09	Feet below surface:	138.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-08	Feet below surface:	136.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-07	Feet below surface:	135.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-06	Feet below surface:	130.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-05	Feet below surface:	129.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-04	Feet below surface:	131.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-03	Feet below surface:	131.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-02	Feet below surface:	127.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-01	Feet below surface:	127.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-30	Feet below surface:	126.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-29	Feet below surface:	135.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-28	Feet below surface:	138.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-27	Feet below surface:	142.4
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-06-26	Feet below surface:	136.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-25	Feet below surface:	136.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-24	Feet below surface:	135.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-23	Feet below surface:	135.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-22	Feet below surface:	135.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-21	Feet below surface:	134.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-20	Feet below surface:	138.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-18	Feet below surface:	136.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-17	Feet below surface:	136.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-16	Feet below surface:	135.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-15	Feet below surface:	134.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-14	Feet below surface:	132.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-12	Feet below surface:	131.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-11	Feet below surface:	133.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-10	Feet below surface:	133.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-09	Feet below surface:	130.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-08	Feet below surface:	130.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-07	Feet below surface:	133.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-06	Feet below surface:	133.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-05	Feet below surface:	130.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-04	Feet below surface:	126.5
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-04-21	Feet below surface:	100.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-20	Feet below surface:	95.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-19	Feet below surface:	97.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-18	Feet below surface:	98.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-17	Feet below surface:	95.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-16	Feet below surface:	93.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-15	Feet below surface:	94.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-14	Feet below surface:	94.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-13	Feet below surface:	94.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-12	Feet below surface:	94.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-11	Feet below surface:	96.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-10	Feet below surface:	93.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-09	Feet below surface:	93.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-08	Feet below surface:	94.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-07	Feet below surface:	96.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-06	Feet below surface:	99.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-05	Feet below surface:	97.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-04	Feet below surface:	102.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-03	Feet below surface:	98.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-02	Feet below surface:	97.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-01	Feet below surface:	97.2
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-03-31	Feet below surface:	97.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-30	Feet below surface:	98.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-29	Feet below surface:	99.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-28	Feet below surface:	100.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-27	Feet below surface:	97.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-26	Feet below surface:	96.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-25	Feet below surface:	95.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-24	Feet below surface:	96.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-23	Feet below surface:	96.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-22	Feet below surface:	97.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-21	Feet below surface:	100.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-20	Feet below surface:	97.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-19	Feet below surface:	97.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-18	Feet below surface:	98.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-17	Feet below surface:	97.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-16	Feet below surface:	98.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-15	Feet below surface:	99.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-14	Feet below surface:	102.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-13	Feet below surface:	99.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-12	Feet below surface:	99.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-11	Feet below surface:	100.4
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-03-10	Feet below surface:	103.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-09	Feet below surface:	104.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-08	Feet below surface:	105.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-07	Feet below surface:	110.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-06	Feet below surface:	103.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-05	Feet below surface:	104.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-04	Feet below surface:	104.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-03	Feet below surface:	104.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-02	Feet below surface:	103.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-01	Feet below surface:	106.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-28	Feet below surface:	111.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-27	Feet below surface:	105.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-26	Feet below surface:	105.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-25	Feet below surface:	106.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-24	Feet below surface:	106.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-23	Feet below surface:	107.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-22	Feet below surface:	109.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-21	Feet below surface:	114.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-20	Feet below surface:	107.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-19	Feet below surface:	107.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-18	Feet below surface:	108.4
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-02-17	Feet below surface:	108.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-16	Feet below surface:	104.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-15	Feet below surface:	113.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-14	Feet below surface:	115.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-13	Feet below surface:	107.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-12	Feet below surface:	108.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-11	Feet below surface:	108.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-10	Feet below surface:	109.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-09	Feet below surface:	109.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-08	Feet below surface:	111.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-07	Feet below surface:	113.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-06	Feet below surface:	107.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-05	Feet below surface:	105.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-04	Feet below surface:	109.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-03	Feet below surface:	109.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-02	Feet below surface:	109.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-01	Feet below surface:	111.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-31	Feet below surface:	116.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-30	Feet below surface:	109.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-29	Feet below surface:	110.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-28	Feet below surface:	111.3
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-01-27	Feet below surface:	110.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-26	Feet below surface:	113.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-25	Feet below surface:	114.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-24	Feet below surface:	119.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-23	Feet below surface:	113.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-22	Feet below surface:	110.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-21	Feet below surface:	111.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-20	Feet below surface:	113.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-19	Feet below surface:	110.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-18	Feet below surface:	111.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-17	Feet below surface:	117.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-16	Feet below surface:	113.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-15	Feet below surface:	112.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-14	Feet below surface:	114.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-13	Feet below surface:	115.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-12	Feet below surface:	115.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-11	Feet below surface:	116.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-10	Feet below surface:	120.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-09	Feet below surface:	115.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-08	Feet below surface:	118.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-07	Feet below surface:	118.8
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-01-06	Feet below surface:	119.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-05	Feet below surface:	118.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-04	Feet below surface:	118.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-03	Feet below surface:	122.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-02	Feet below surface:	118.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-01	Feet below surface:	120.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-31	Feet below surface:	120.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-30	Feet below surface:	120.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-29	Feet below surface:	120.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-28	Feet below surface:	121.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-27	Feet below surface:	122.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-26	Feet below surface:	120.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-25	Feet below surface:	124.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-24	Feet below surface:	121.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-23	Feet below surface:	122.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-22	Feet below surface:	124.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-21	Feet below surface:	124.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-20	Feet below surface:	126.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-19	Feet below surface:	124.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-18	Feet below surface:	125.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-17	Feet below surface:	125.8
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1981-12-16	Feet below surface:	126.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-15	Feet below surface:	126.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-14	Feet below surface:	127.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-13	Feet below surface:	130.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-12	Feet below surface:	126.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-11	Feet below surface:	127.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-10	Feet below surface:	126.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-09	Feet below surface:	127.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-08	Feet below surface:	127.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-07	Feet below surface:	126.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-06	Feet below surface:	128.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-05	Feet below surface:	127.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-04	Feet below surface:	128.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-03	Feet below surface:	127.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-02	Feet below surface:	127.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-01	Feet below surface:	128.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-30	Feet below surface:	129.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-29	Feet below surface:	133.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-28	Feet below surface:	128.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-27	Feet below surface:	130.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-26	Feet below surface:	133.7
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1981-11-25	Feet below surface:	131.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-24	Feet below surface:	134.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-23	Feet below surface:	134.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-22	Feet below surface:	141.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-21	Feet below surface:	126.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-20	Feet below surface:	130.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-19	Feet below surface:	131.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-18	Feet below surface:	131.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-17	Feet below surface:	132.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-16	Feet below surface:	135.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-15	Feet below surface:	139.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-14	Feet below surface:	135.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-13	Feet below surface:	136.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-12	Feet below surface:	139.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-11	Feet below surface:	142.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-10	Feet below surface:	140.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-09	Feet below surface:	143.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-08	Feet below surface:	147.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-07	Feet below surface:	141.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-06	Feet below surface:	141.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-05	Feet below surface:	143.3
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1981-11-04	Feet below surface:	143.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-03	Feet below surface:	144.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-02	Feet below surface:	146.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-01	Feet below surface:	149.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-31	Feet below surface:	144.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-30	Feet below surface:	144.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-29	Feet below surface:	144.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-28	Feet below surface:	147.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-27	Feet below surface:	151.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-26	Feet below surface:	155.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-25	Feet below surface:	160.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-24	Feet below surface:	155.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-23	Feet below surface:	156.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-22	Feet below surface:	156.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-21	Feet below surface:	156.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-20	Feet below surface:	156.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-19	Feet below surface:	157.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-18	Feet below surface:	161.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-17	Feet below surface:	155.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-16	Feet below surface:	155.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-15	Feet below surface:	154.0
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1981-10-14	Feet below surface:	153.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-13	Feet below surface:	155.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-12	Feet below surface:	157.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-11	Feet below surface:	155.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-10	Feet below surface:	156.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-09	Feet below surface:	157.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-08	Feet below surface:	158.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-07	Feet below surface:	157.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-08-26	Feet below surface:	161.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-08-18	Feet below surface:	158.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-06-19	Feet below surface:	134.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-06-13	Feet below surface:	333.5
Feet to sea level:	Not Reported	Note:	Not Reported

D12
ESE
1/2 - 1 Mile
Lower

FED USGS **USGS40000182224**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E16C011M	Type:	Well
Description:	Not Reported	HUC:	18050003
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	19681101	Well Depth:	Not Reported
Well Depth Units:	Not Reported	Well Hole Depth:	1004
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	464	Level reading date:	1983-01-10
Feet below surface:	77.7	Feet to sea level:	Not Reported
Note:	Not Reported		
Level reading date:	1983-01-09	Feet below surface:	81.6
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1983-01-08	Feet below surface:	80.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1983-01-07	Feet below surface:	80.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1983-01-06	Feet below surface:	80.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1983-01-05	Feet below surface:	80.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1983-01-04	Feet below surface:	80.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1983-01-03	Feet below surface:	80.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1983-01-02	Feet below surface:	82.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1983-01-01	Feet below surface:	83.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-31	Feet below surface:	81.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-30	Feet below surface:	82.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-29	Feet below surface:	22.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-28	Feet below surface:	82.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-27	Feet below surface:	83.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-26	Feet below surface:	87.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-25	Feet below surface:	86.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-24	Feet below surface:	83.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-23	Feet below surface:	83.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-22	Feet below surface:	82.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-21	Feet below surface:	82.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-20	Feet below surface:	83.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-19	Feet below surface:	84.2
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-12-18	Feet below surface:	83.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-17	Feet below surface:	83.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-16	Feet below surface:	84.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-15	Feet below surface:	83.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-14	Feet below surface:	83.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-13	Feet below surface:	83.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-12	Feet below surface:	85.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-11	Feet below surface:	82.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-10	Feet below surface:	82.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-09	Feet below surface:	81.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-08	Feet below surface:	81.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-07	Feet below surface:	81.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-06	Feet below surface:	82.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-05	Feet below surface:	85.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-04	Feet below surface:	82.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-03	Feet below surface:	82.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-02	Feet below surface:	82.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-12-01	Feet below surface:	81.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-30	Feet below surface:	81.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-29	Feet below surface:	81.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-28	Feet below surface:	83.4
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-11-27	Feet below surface:	82.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-26	Feet below surface:	84.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-25	Feet below surface:	85.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-24	Feet below surface:	84.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-23	Feet below surface:	84.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-22	Feet below surface:	85.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-21	Feet below surface:	27.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-20	Feet below surface:	84.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-19	Feet below surface:	84.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-18	Feet below surface:	84.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-17	Feet below surface:	25.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-16	Feet below surface:	86.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-15	Feet below surface:	87.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-14	Feet below surface:	88.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-13	Feet below surface:	87.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-12	Feet below surface:	87.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-11	Feet below surface:	91.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-10	Feet below surface:	88.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-09	Feet below surface:	89.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-08	Feet below surface:	90.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-07	Feet below surface:	92.6
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-11-06	Feet below surface:	90.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-05	Feet below surface:	91.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-04	Feet below surface:	90.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-03	Feet below surface:	90.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-02	Feet below surface:	91.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-11-01	Feet below surface:	90.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-31	Feet below surface:	92.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-30	Feet below surface:	93.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-29	Feet below surface:	93.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-28	Feet below surface:	91.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-27	Feet below surface:	94.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-26	Feet below surface:	95.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-25	Feet below surface:	97.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-24	Feet below surface:	102.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-23	Feet below surface:	97.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-22	Feet below surface:	99.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-21	Feet below surface:	100.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-20	Feet below surface:	100.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-19	Feet below surface:	102.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-18	Feet below surface:	102.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-17	Feet below surface:	103.1
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-10-16	Feet below surface:	101.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-15	Feet below surface:	102.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-14	Feet below surface:	103.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-13	Feet below surface:	103.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-12	Feet below surface:	103.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-11	Feet below surface:	103.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-10	Feet below surface:	104.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-09	Feet below surface:	100.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-08	Feet below surface:	100.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-07	Feet below surface:	101.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-06	Feet below surface:	101.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-05	Feet below surface:	100.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-04	Feet below surface:	99.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-03	Feet below surface:	94.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-02	Feet below surface:	96.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-10-01	Feet below surface:	96.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-30	Feet below surface:	92.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-29	Feet below surface:	97.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-28	Feet below surface:	97.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-27	Feet below surface:	95.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-26	Feet below surface:	98.7
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-09-25	Feet below surface:	103.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-24	Feet below surface:	106.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-23	Feet below surface:	109.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-22	Feet below surface:	109.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-21	Feet below surface:	109.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-20	Feet below surface:	108.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-19	Feet below surface:	108.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-18	Feet below surface:	109.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-17	Feet below surface:	110.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-16	Feet below surface:	113.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-15	Feet below surface:	114.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-14	Feet below surface:	114.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-13	Feet below surface:	114.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-12	Feet below surface:	115.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-11	Feet below surface:	113.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-10	Feet below surface:	114.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-09	Feet below surface:	114.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-08	Feet below surface:	113.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-07	Feet below surface:	112.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-06	Feet below surface:	112.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-05	Feet below surface:	114.1
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-09-04	Feet below surface:	113.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-03	Feet below surface:	113.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-02	Feet below surface:	113.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-09-01	Feet below surface:	113.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-31	Feet below surface:	112.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-30	Feet below surface:	110.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-29	Feet below surface:	111.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-28	Feet below surface:	113.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-27	Feet below surface:	110.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-26	Feet below surface:	114.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-25	Feet below surface:	114.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-24	Feet below surface:	116.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-23	Feet below surface:	115.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-22	Feet below surface:	117.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-21	Feet below surface:	116.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-20	Feet below surface:	116.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-19	Feet below surface:	116.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-18	Feet below surface:	116.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-17	Feet below surface:	114.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-16	Feet below surface:	114.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-15	Feet below surface:	115.2
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-08-14	Feet below surface:	115.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-13	Feet below surface:	117.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-12	Feet below surface:	117.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-11	Feet below surface:	116.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-10	Feet below surface:	117.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-09	Feet below surface:	118.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-08	Feet below surface:	121.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-07	Feet below surface:	123.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-06	Feet below surface:	116.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-05	Feet below surface:	115.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-04	Feet below surface:	115.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-03	Feet below surface:	115.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-02	Feet below surface:	113.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-08-01	Feet below surface:	115.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-31	Feet below surface:	114.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-30	Feet below surface:	114.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-29	Feet below surface:	114.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-28	Feet below surface:	113.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-27	Feet below surface:	112.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-26	Feet below surface:	111.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-25	Feet below surface:	113.8
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-07-24	Feet below surface:	113.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-23	Feet below surface:	112.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-22	Feet below surface:	111.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-21	Feet below surface:	110.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-20	Feet below surface:	109.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-19	Feet below surface:	107.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-18	Feet below surface:	108.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-17	Feet below surface:	107.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-16	Feet below surface:	108.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-15	Feet below surface:	108.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-14	Feet below surface:	108.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-12	Feet below surface:	105.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-10	Feet below surface:	105.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-09	Feet below surface:	104.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-08	Feet below surface:	103.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-07	Feet below surface:	103.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-06	Feet below surface:	100.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-05	Feet below surface:	100.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-04	Feet below surface:	100.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-03	Feet below surface:	100.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-07-02	Feet below surface:	98.2
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-07-01	Feet below surface:	99.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-30	Feet below surface:	98.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-29	Feet below surface:	103.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-28	Feet below surface:	104.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-27	Feet below surface:	105.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-26	Feet below surface:	104.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-25	Feet below surface:	104.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-24	Feet below surface:	103.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-23	Feet below surface:	103.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-22	Feet below surface:	103.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-21	Feet below surface:	103.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-20	Feet below surface:	104.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-19	Feet below surface:	103.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-18	Feet below surface:	104.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-17	Feet below surface:	104.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-16	Feet below surface:	103.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-15	Feet below surface:	102.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-14	Feet below surface:	101.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-13	Feet below surface:	101.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-12	Feet below surface:	100.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-11	Feet below surface:	101.8
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-06-10	Feet below surface:	102.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-09	Feet below surface:	101.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-08	Feet below surface:	101.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-07	Feet below surface:	102.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-06	Feet below surface:	102.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-05	Feet below surface:	100.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-04	Feet below surface:	98.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-03	Feet below surface:	98.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-02	Feet below surface:	99.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-06-01	Feet below surface:	99.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-31	Feet below surface:	101.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-30	Feet below surface:	100.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-29	Feet below surface:	99.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-28	Feet below surface:	99.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-27	Feet below surface:	99.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-26	Feet below surface:	100.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-25	Feet below surface:	10.26
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-24	Feet below surface:	99.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-23	Feet below surface:	97.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-22	Feet below surface:	96.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-21	Feet below surface:	98.2
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-05-20	Feet below surface:	100.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-19	Feet below surface:	94.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-18	Feet below surface:	96.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-17	Feet below surface:	96.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-16	Feet below surface:	96.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-15	Feet below surface:	94.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-14	Feet below surface:	94.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-13	Feet below surface:	94.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-12	Feet below surface:	93.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-11	Feet below surface:	91.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-10	Feet below surface:	91.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-09	Feet below surface:	94.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-08	Feet below surface:	91.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-07	Feet below surface:	91.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-06	Feet below surface:	91.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-05	Feet below surface:	91.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-04	Feet below surface:	90.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-03	Feet below surface:	90.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-02	Feet below surface:	89.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-05-01	Feet below surface:	88.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-30	Feet below surface:	87.6
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-04-29	Feet below surface:	86.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-28	Feet below surface:	86.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-27	Feet below surface:	85.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-26	Feet below surface:	84.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-25	Feet below surface:	84.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-24	Feet below surface:	82.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-23	Feet below surface:	81.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-22	Feet below surface:	80.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-21	Feet below surface:	79.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-20	Feet below surface:	77.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-19	Feet below surface:	78.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-18	Feet below surface:	78.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-17	Feet below surface:	77.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-16	Feet below surface:	77.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-15	Feet below surface:	77.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-14	Feet below surface:	78.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-13	Feet below surface:	77.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-12	Feet below surface:	77.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-11	Feet below surface:	76.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-10	Feet below surface:	76.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-09	Feet below surface:	77.0
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-04-08	Feet below surface:	78.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-07	Feet below surface:	79.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-06	Feet below surface:	81.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-05	Feet below surface:	80.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-04	Feet below surface:	82.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-03	Feet below surface:	80.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-02	Feet below surface:	79.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-04-01	Feet below surface:	80.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-31	Feet below surface:	80.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-30	Feet below surface:	80.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-29	Feet below surface:	80.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-28	Feet below surface:	80.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-27	Feet below surface:	79.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-26	Feet below surface:	77.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-25	Feet below surface:	78.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-24	Feet below surface:	78.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-23	Feet below surface:	79.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-22	Feet below surface:	79.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-21	Feet below surface:	80.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-20	Feet below surface:	79.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-19	Feet below surface:	80.4
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-03-18	Feet below surface:	80.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-17	Feet below surface:	80.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-16	Feet below surface:	80.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-15	Feet below surface:	81.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-14	Feet below surface:	82.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-13	Feet below surface:	81.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-12	Feet below surface:	81.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-11	Feet below surface:	81.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-10	Feet below surface:	83.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-09	Feet below surface:	84.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-08	Feet below surface:	84.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-07	Feet below surface:	86.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-06	Feet below surface:	84.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-05	Feet below surface:	84.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-04	Feet below surface:	85.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-03	Feet below surface:	85.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-02	Feet below surface:	84.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-03-01	Feet below surface:	86.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-28	Feet below surface:	87.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-27	Feet below surface:	85.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-26	Feet below surface:	85.8
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-02-25	Feet below surface:	86.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-24	Feet below surface:	86.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-23	Feet below surface:	87.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-22	Feet below surface:	87.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-21	Feet below surface:	88.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-20	Feet below surface:	86.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-19	Feet below surface:	87.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-18	Feet below surface:	88.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-17	Feet below surface:	87.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-16	Feet below surface:	88.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-15	Feet below surface:	88.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-14	Feet below surface:	89.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-13	Feet below surface:	87.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-12	Feet below surface:	88.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-11	Feet below surface:	88.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-10	Feet below surface:	88.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-09	Feet below surface:	89.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-08	Feet below surface:	89.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-07	Feet below surface:	91.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-06	Feet below surface:	88.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-05	Feet below surface:	87.0
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-02-04	Feet below surface:	88.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-03	Feet below surface:	88.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-02	Feet below surface:	89.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-02-01	Feet below surface:	89.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-31	Feet below surface:	91.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-30	Feet below surface:	89.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-29	Feet below surface:	90.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-28	Feet below surface:	90.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-27	Feet below surface:	91.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-26	Feet below surface:	90.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-25	Feet below surface:	91.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-24	Feet below surface:	93.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-23	Feet below surface:	91.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-22	Feet below surface:	90.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-20	Feet below surface:	89.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-19	Feet below surface:	90.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-18	Feet below surface:	92.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-17	Feet below surface:	93.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-16	Feet below surface:	92.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-15	Feet below surface:	92.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-14	Feet below surface:	92.8
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1982-01-13	Feet below surface:	93.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-12	Feet below surface:	96.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-11	Feet below surface:	94.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-10	Feet below surface:	94.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-09	Feet below surface:	94.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-08	Feet below surface:	94.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-07	Feet below surface:	95.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-06	Feet below surface:	94.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-05	Feet below surface:	94.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-04	Feet below surface:	94.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-03	Feet below surface:	95.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-02	Feet below surface:	94.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1982-01-01	Feet below surface:	96.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-31	Feet below surface:	95.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-30	Feet below surface:	96.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-29	Feet below surface:	96.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-28	Feet below surface:	98.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-27	Feet below surface:	97.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-26	Feet below surface:	96.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-25	Feet below surface:	98.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-24	Feet below surface:	97.3
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1981-12-23	Feet below surface:	98.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-22	Feet below surface:	98.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-21	Feet below surface:	98.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-20	Feet below surface:	99.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-19	Feet below surface:	98.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-18	Feet below surface:	99.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-17	Feet below surface:	99.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-16	Feet below surface:	99.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-15	Feet below surface:	99.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-14	Feet below surface:	100.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-13	Feet below surface:	100.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-12	Feet below surface:	100.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-11	Feet below surface:	100.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-10	Feet below surface:	100.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-09	Feet below surface:	100.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-08	Feet below surface:	100.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-07	Feet below surface:	99.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-06	Feet below surface:	101.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-05	Feet below surface:	101.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-04	Feet below surface:	101.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-03	Feet below surface:	101.0
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1981-12-02	Feet below surface:	102.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-12-01	Feet below surface:	102.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-30	Feet below surface:	102.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-29	Feet below surface:	103.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-28	Feet below surface:	102.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-27	Feet below surface:	103.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-26	Feet below surface:	104.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-25	Feet below surface:	104.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-24	Feet below surface:	105.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-23	Feet below surface:	105.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-22	Feet below surface:	106.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-21	Feet below surface:	103.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-20	Feet below surface:	104.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-19	Feet below surface:	104.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-18	Feet below surface:	104.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-17	Feet below surface:	105.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-13	Feet below surface:	104.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-12	Feet below surface:	108.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-11	Feet below surface:	109.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-10	Feet below surface:	108.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-09	Feet below surface:	109.2
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1981-11-08	Feet below surface:	110.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-07	Feet below surface:	108.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-06	Feet below surface:	108.7
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-05	Feet below surface:	109.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-04	Feet below surface:	109.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-03	Feet below surface:	110.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-02	Feet below surface:	111.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-11-01	Feet below surface:	112.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-31	Feet below surface:	110.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-30	Feet below surface:	111.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-29	Feet below surface:	111.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-28	Feet below surface:	113.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-27	Feet below surface:	115.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-26	Feet below surface:	117.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-25	Feet below surface:	118.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-24	Feet below surface:	118.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-23	Feet below surface:	118.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-22	Feet below surface:	118.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-21	Feet below surface:	118.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-20	Feet below surface:	118.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-19	Feet below surface:	118.4
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	1981-10-18	Feet below surface:	118.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-17	Feet below surface:	117.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-16	Feet below surface:	117.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-15	Feet below surface:	116.5
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-14	Feet below surface:	116.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-13	Feet below surface:	117.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-12	Feet below surface:	117.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-11	Feet below surface:	118.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-10	Feet below surface:	119.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-09	Feet below surface:	119.9
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-08	Feet below surface:	120.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-07	Feet below surface:	122.8
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-06	Feet below surface:	124.6
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-05	Feet below surface:	125.4
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-04	Feet below surface:	126.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-03	Feet below surface:	126.2
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-02	Feet below surface:	127.1
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-10-01	Feet below surface:	123.3
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-07-13	Feet below surface:	7.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-07-11	Feet below surface:	106.0
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	1981-01-21	Feet below surface:	91.9
Feet to sea level:	Not Reported	Note:	Not Reported

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

C13
East
1/2 - 1 Mile
Lower

FED USGS **USGS40000182235**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E16C002M	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	800
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

D14
East
1/2 - 1 Mile
Lower

CA WELLS **CADWR8000033956**

State Well #:	07S01E16C011M	Station ID:	52342
Well Name:	07S01E16C011	Well Use:	Observation
Well Type:	Single Well	Well Depth:	1004
Basin Name:	Santa Clara	Well Completion Rpt #:	29740

C15
East
1/2 - 1 Mile
Lower

FED USGS **USGS40000182238**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E16C009M	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	866
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

D16
East
1/2 - 1 Mile
Lower

FED USGS **USGS40000182229**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E16C004M	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported

Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	794
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

C17
East
1/2 - 1 Mile
Lower

FED USGS **USGS40000182232**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E16C005M	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	725
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

D18
ESE
1/2 - 1 Mile
Higher

FED USGS **USGS40000182221**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E16F010M	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	765
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

E19
ENE
1/2 - 1 Mile
Lower

CA WELLS **CADWR8000034026**

State Well #:	07S01E09L005M	Station ID:	47622
Well Name:	07S01E09L005	Well Use:	Observation
Well Type:	Part of a nested/multi-completion well		
Well Depth:	640	Basin Name:	Santa Clara
Well Completion Rpt #:	730557		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

E20
ENE
1/2 - 1 Mile
Lower

CA WELLS **CADWR8000034025**

State Well #:	07S01E09L004M	Station ID:	47621
Well Name:	07S01E09L004	Well Use:	Observation
Well Type:	Part of a nested/multi-completion well		
Well Depth:	1000	Basin Name:	Santa Clara
Well Completion Rpt #:	730556		

E21
ENE
1/2 - 1 Mile
Lower

CA WELLS **CADWR8000034027**

State Well #:	07S01E09L006M	Station ID:	47623
Well Name:	07S01E09L006	Well Use:	Observation
Well Type:	Part of a nested/multi-completion well		
Well Depth:	540	Basin Name:	Santa Clara
Well Completion Rpt #:	730558		

E22
ENE
1/2 - 1 Mile
Lower

CA WELLS **CADWR8000034029**

State Well #:	07S01E09L008M	Station ID:	47625
Well Name:	07S01E09L008	Well Use:	Observation
Well Type:	Single Well	Well Depth:	72
Basin Name:	Santa Clara	Well Completion Rpt #:	730560

E23
ENE
1/2 - 1 Mile
Lower

CA WELLS **CADWR8000034028**

State Well #:	07S01E09L007M	Station ID:	47624
Well Name:	07S01E09L007	Well Use:	Observation
Well Type:	Part of a nested/multi-completion well		
Well Depth:	425	Basin Name:	Santa Clara
Well Completion Rpt #:	730559		

24
ESE
1/2 - 1 Mile
Lower

FED USGS **USGS40000182226**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E16C007M	Type:	Well
Description:	Not Reported	HUC:	Not Reported

Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	800
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

E25
ENE **FED USGS** **USGS40000182293**
1/2 - 1 Mile
Lower

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E09L008M	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	20001016	Well Depth:	72
Well Depth Units:	ft	Well Hole Depth:	80
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	1	Level reading date:	2000-10-23
Feet below surface:	11.77	Feet to sea level:	Not Reported
Note:	Not Reported		

E26
ENE **FED USGS** **USGS40000182292**
1/2 - 1 Mile
Lower

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E09L007M	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	20000918	Well Depth:	425
Well Depth Units:	ft	Well Hole Depth:	1013
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	1	Level reading date:	2000-10-23
Feet below surface:	69.02	Feet to sea level:	Not Reported
Note:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database: CA WELLS
EDR ID Number: 7674

F27
ENE
1/2 - 1 Mile
Lower

Seq:	7674	Prim sta c:	07S/01E-16G10 M
Frds no:	4310011117	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	TWELFTH ST. WELL 12	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	372000.0	Longitude:	1215200.0
Precision:	4	Status:	AR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

Sample date:	13-FEB-18	Finding:	3.4
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		

Sample date:	03-AUG-17	Finding:	1.83
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		

Sample date:	03-AUG-17	Finding:	1.57
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		

Sample date:	03-AUG-17	Finding:	3.5
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		

Sample date:	18-FEB-16	Finding:	12.32
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		

Sample date:	18-FEB-16	Finding:	0.8
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		

Sample date:	18-FEB-16	Finding:	830.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		

Sample date:	18-FEB-16	Finding:	17.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		

Sample date:	18-FEB-16	Finding:	0.24
Chemical:	LANGELIER INDEX AT SOURCE TEMP.	Report units:	Not Reported
Dlr:	0.		

Sample date:	18-FEB-16	Finding:	560.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	18-FEB-16	Finding:	78.
Chemical:	ALUMINUM	Report units:	UG/L
Dlr:	50.		
Sample date:	18-FEB-16	Finding:	170.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	18-FEB-16	Finding:	4.7
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	18-FEB-16	Finding:	240.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	18-FEB-16	Finding:	0.12
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	18-FEB-16	Finding:	60.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	18-FEB-16	Finding:	61.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	18-FEB-16	Finding:	1.4
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	18-FEB-16	Finding:	29.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	18-FEB-16	Finding:	45.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	18-FEB-16	Finding:	74.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	18-FEB-16	Finding:	371.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	18-FEB-16	Finding:	3.6
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	18-FEB-16	Finding:	390.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	18-FEB-16	Finding:	320.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L

Dlr:	0.		
Sample date:	18-FEB-16	Finding:	7.55
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	18-FEB-16	Finding:	3.6
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	05-DEC-13	Finding:	0.3
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	05-DEC-13	Finding:	0.92
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	10-JUL-13	Finding:	2.7
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	10-JUL-13	Finding:	0.8
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	04-APR-13	Finding:	1.48
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	04-APR-13	Finding:	2.6
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	05-MAR-13	Finding:	220.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	05-MAR-13	Finding:	0.14
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	05-MAR-13	Finding:	61.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	05-MAR-13	Finding:	55.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	05-MAR-13	Finding:	33.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	05-MAR-13	Finding:	49.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	05-MAR-13	Finding:	80.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		

Sample date:	05-MAR-13	Finding:	402.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	05-MAR-13	Finding:	400.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	05-MAR-13	Finding:	330.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	05-MAR-13	Finding:	7.2
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	05-MAR-13	Finding:	780.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	05-MAR-13	Finding:	560.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	05-MAR-13	Finding:	40000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	05-MAR-13	Finding:	12.02
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	05-MAR-13	Finding:	3600.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	05-MAR-13	Finding:	1.4
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	14-JAN-13	Finding:	0.88
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	14-JAN-13	Finding:	0.51
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	14-JAN-13	Finding:	3.7
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		

F28
ENE
1/2 - 1 Mile
Lower

CA WELLS **7673**

Seq:	7673	Prim sta c:	07S/01E-16F10 M
Frds no:	4310011118	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Source nam:	TWELFTH ST. WELL 13	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	372000.0	Longitude:	1215200.0
Precision:	4	Status:	AR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		
Sample date:	07-FEB-18	Finding:	3.7
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	09-FEB-17	Finding:	1.4
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	09-FEB-17	Finding:	3.5
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	09-FEB-17	Finding:	1.41
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	02-MAR-16	Finding:	77.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	02-MAR-16	Finding:	48.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	02-MAR-16	Finding:	32.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	02-MAR-16	Finding:	1.5
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	02-MAR-16	Finding:	57.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	02-MAR-16	Finding:	66.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	02-MAR-16	Finding:	210.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	02-MAR-16	Finding:	3.3
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		

Sample date:	02-MAR-16	Finding:	140.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	02-MAR-16	Finding:	550.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	02-MAR-16	Finding:	0.12
Chemical:	LANGELIER INDEX AT SOURCE TEMP.	Report units:	Not Reported
Dlr:	0.		
Sample date:	02-MAR-16	Finding:	22.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	02-MAR-16	Finding:	0.38
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	02-MAR-16	Finding:	12.16
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	02-MAR-16	Finding:	4.2
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	02-MAR-16	Finding:	392.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	02-MAR-16	Finding:	4.2
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	02-MAR-16	Finding:	360.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	02-MAR-16	Finding:	300.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	02-MAR-16	Finding:	7.4
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	02-MAR-16	Finding:	810.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	02-MAR-16	Finding:	0.11
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	02-OCT-13	Finding:	0.84
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	02-OCT-13	Finding:	2.8
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L

Dlr:	0.		
Sample date:	10-JUL-13	Finding:	390.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	10-JUL-13	Finding:	2.7
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	10-JUL-13	Finding:	0.9
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	10-JUL-13	Finding:	11.9
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	10-JUL-13	Finding:	0.13
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	10-JUL-13	Finding:	40000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	10-JUL-13	Finding:	550.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	10-JUL-13	Finding:	200.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	10-JUL-13	Finding:	64.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	10-JUL-13	Finding:	53.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	10-JUL-13	Finding:	910.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	10-JUL-13	Finding:	7.15
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	10-JUL-13	Finding:	300.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	10-JUL-13	Finding:	370.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	10-JUL-13	Finding:	74.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		

Sample date:	10-JUL-13	Finding:	50.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	10-JUL-13	Finding:	29.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	10-JUL-13	Finding:	1.4
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	08-MAY-13	Finding:	2.1
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	08-MAY-13	Finding:	0.7
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	07-FEB-13	Finding:	1.1
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	07-FEB-13	Finding:	0.7
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	14-JAN-13	Finding:	4.3
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		

F29
ENE
1/2 - 1 Mile
Lower

CA WELLS 7672

Seq:	7672	Prim sta c:	07S/01E-16C09 M
Frds no:	4310011116	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	TWELFTH ST. WELL 11	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	372000.0	Longitude:	1215200.0
Precision:	8	Status:	AR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		
Sample date:	10-FEB-16	Finding:	4.1
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	16-JUL-15	Finding:	4500.

Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	16-JUL-15	Finding:	600.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	16-JUL-15	Finding:	3300.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	16-JUL-15	Finding:	230.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	16-JUL-15	Finding:	164.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	16-JUL-15	Finding:	40.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	16-JUL-15	Finding:	16.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	16-JUL-15	Finding:	69.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	16-JUL-15	Finding:	61.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	16-JUL-15	Finding:	41.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	16-JUL-15	Finding:	0.11
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	16-JUL-15	Finding:	180.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	16-JUL-15	Finding:	380.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	16-JUL-15	Finding:	0.13
Chemical:	LANGELIER INDEX AT SOURCE TEMP.	Report units:	Not Reported
Dlr:	0.		
Sample date:	16-JUL-15	Finding:	12.12
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	16-JUL-15	Finding:	0.18
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		

Sample date:	16-JUL-15	Finding:	180.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	16-JUL-15	Finding:	7.86
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	03-DEC-14	Finding:	3200.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	03-DEC-14	Finding:	11.45
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	03-DEC-14	Finding:	27000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	03-DEC-14	Finding:	410.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	03-DEC-14	Finding:	190.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	03-DEC-14	Finding:	0.13
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	03-DEC-14	Finding:	61.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	03-DEC-14	Finding:	1.1
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-DEC-14	Finding:	73.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-DEC-14	Finding:	16.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-DEC-14	Finding:	42.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-DEC-14	Finding:	173.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	03-DEC-14	Finding:	240.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	03-DEC-14	Finding:	200.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L

Dlr:	0.		
Sample date:	03-DEC-14	Finding:	7.13
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	03-DEC-14	Finding:	670.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	03-DEC-14	Finding:	40.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	07-AUG-14	Finding:	680.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	02-OCT-13	Finding:	2.2
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	02-OCT-13	Finding:	0.7
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	01-AUG-13	Finding:	710.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	10-JUL-13	Finding:	0.7
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	10-JUL-13	Finding:	2.4
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	04-APR-13	Finding:	1.53
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	04-APR-13	Finding:	2.7
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	14-JAN-13	Finding:	1.6
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	14-JAN-13	Finding:	2.5
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	14-JAN-13	Finding:	1.4
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		

Map ID
Direction
Distance
Elevation

Database EDR ID Number

F30
ENE
1/2 - 1 Mile
Lower

CA WELLS 7682

Seq:	7682	Prim sta c:	07S/01E-18P01 M
Frds no:	4310011056	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	HOME WELL 03 - STANDBY	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	372000.0	Longitude:	1215200.0
Precision:	5	Status:	SU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

Sample date:	01-AUG-13	Finding:	0.6
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		

Sample date:	01-AUG-13	Finding:	1.9
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		

Sample date:	07-MAY-13	Finding:	1.8
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		

Sample date:	07-MAY-13	Finding:	0.62
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		

Sample date:	02-APR-13	Finding:	27.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		

Sample date:	05-FEB-13	Finding:	0.9
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		

Sample date:	05-FEB-13	Finding:	1.2
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		

Sample date:	17-JAN-13	Finding:	2.1
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		

Sample date:	08-MAR-12	Finding:	28.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		

Map ID
Direction
Distance
Elevation

Database: CA WELLS
EDR ID Number: 7681

F31
ENE
1/2 - 1 Mile
Lower

Seq:	7681	Prim sta c:	07S/01E-18K03 M
Frds no:	4310011054	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	HOME WELL 01 - STANDBY	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	372000.0	Longitude:	1215200.0
Precision:	5	Status:	SU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

Sample date:	17-JUL-13	Finding:	130.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		

Sample date:	07-MAY-13	Finding:	23.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		

Sample date:	07-MAY-13	Finding:	5000.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		

Sample date:	07-MAY-13	Finding:	12.12
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		

Sample date:	07-MAY-13	Finding:	0.44
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		

Sample date:	07-MAY-13	Finding:	15000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		

Sample date:	07-MAY-13	Finding:	22.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		

Sample date:	07-MAY-13	Finding:	6.e-002
Chemical:	LANGELIER INDEX AT SOURCE TEMP.	Report units:	Not Reported
Dlr:	0.		

Sample date:	07-MAY-13	Finding:	460.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		

Sample date:	07-MAY-13	Finding:	58.
Chemical:	ALUMINUM	Report units:	UG/L
Dlr:	50.		
Sample date:	07-MAY-13	Finding:	150.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	07-MAY-13	Finding:	610.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	7.54
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	220.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	260.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	271.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	71.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	28.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	1.6
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	52.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	44.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	07-MAY-13	Finding:	0.16
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	07-MAY-13	Finding:	120.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	17-JAN-13	Finding:	3.5
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	17-JAN-13	Finding:	120.
Chemical:	IRON	Report units:	UG/L

Dlr:	100.		
Sample date:	17-JAN-13	Finding:	680.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	15-OCT-12	Finding:	190.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	12-JUL-12	Finding:	190.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	10-MAY-12	Finding:	2.7
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	10-MAY-12	Finding:	2.2
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	10-MAY-12	Finding:	5.5
Chemical:	GROSS ALPHA	Report units:	PCI/L
Dlr:	3.		
Sample date:	08-MAR-12	Finding:	22.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	08-FEB-12	Finding:	560.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		

F32
ENE
1/2 - 1 Mile
Lower

CA WELLS 7680

Seq:	7680	Prim sta c:	07S/01E-18A03 M
Frds no:	4310011040	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	DELMAS WELL 01 - INACTIVE	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	372000.0	Longitude:	1215200.0
Precision:	5	Status:	IR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

F33
ENE
1/2 - 1 Mile
Lower

CA WELLS **7668**

Seq:	7668	Prim sta c:	07S/01E-16C05 M
Frds no:	4310011145	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	TWELFTH ST. WELL 07 - INACTIVE	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	372000.0	Longitude:	1215200.0
Precision:	3	Status:	IR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

F34
ENE
1/2 - 1 Mile
Lower

CA WELLS **7667**

Seq:	7667	Prim sta c:	07S/01E-16C04 M
Frds no:	4310011112	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	TWELFTH ST. WELL 06	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	372000.0	Longitude:	1215200.0
Precision:	8	Status:	AR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		
Sample date:	07-FEB-18	Finding:	63.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	07-FEB-18	Finding:	12.01
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	07-FEB-18	Finding:	0.22
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		

Sample date:	07-FEB-18	Finding:	25.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	07-FEB-18	Finding:	890.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	07-FEB-18	Finding:	7.33
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	07-FEB-18	Finding:	300.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	07-FEB-18	Finding:	370.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	07-FEB-18	Finding:	5.1
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	07-FEB-18	Finding:	314.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	07-FEB-18	Finding:	5.1
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	07-FEB-18	Finding:	38.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	07-FEB-18	Finding:	34.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	07-FEB-18	Finding:	1.5
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	07-FEB-18	Finding:	73.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	07-FEB-18	Finding:	58.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	07-FEB-18	Finding:	200.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	07-FEB-18	Finding:	500.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	27-DEC-17	Finding:	4.7
Chemical:	NITRATE (AS N)	Report units:	MG/L

Dlr:	0.4		
Sample date:	25-JAN-16	Finding:	5.3
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	02-SEP-15	Finding:	22.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	02-JUN-15	Finding:	21.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	03-MAR-15	Finding:	820.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	7.38
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	340.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	410.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	460.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	94.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	55.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	39.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	1.6
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	69.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	61.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	03-MAR-15	Finding:	0.12
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		

Sample date:	03-MAR-15	Finding:	250.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	03-MAR-15	Finding:	6.6
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	03-MAR-15	Finding:	610.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	0.19
Chemical:	LANGELIER INDEX AT SOURCE TEMP.	Report units:	Not Reported
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	21.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	03-MAR-15	Finding:	25000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	12.28
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	4800.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	02-DEC-14	Finding:	22.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	11-SEP-14	Finding:	22.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	10-JUL-14	Finding:	1.9
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	10-JUL-14	Finding:	0.7
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	02-JUN-14	Finding:	23.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	04-MAR-14	Finding:	24.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	07-NOV-13	Finding:	0.6
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	07-NOV-13	Finding:	1.7
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L

Dlr:	0.		
Sample date:	02-OCT-13	Finding:	23.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	10-JUL-13	Finding:	0.8
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	10-JUL-13	Finding:	2.2
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	08-APR-13	Finding:	0.8
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	08-APR-13	Finding:	1.6
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	05-MAR-13	Finding:	2.1
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	05-MAR-13	Finding:	0.7
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	14-JAN-13	Finding:	6.
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	04-OCT-12	Finding:	21.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	06-MAR-12	Finding:	3700.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	06-MAR-12	Finding:	12.41
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	0.63
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	06-MAR-12	Finding:	6000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	0.33
Chemical:	LANGELIER INDEX AT SOURCE TEMP.	Report units:	Not Reported
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	520.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		

Sample date:	06-MAR-12	Finding:	240.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	06-MAR-12	Finding:	150.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	06-MAR-12	Finding:	0.56
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	06-MAR-12	Finding:	53.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	06-MAR-12	Finding:	68.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	1.3
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	60.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	29.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	51.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	247.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	310.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	260.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	850.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	7.9
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
F35 **ENE** **1/2 - 1 Mile** **Lower**	**CA WELLS**	**7669**

Seq:	7669	Prim sta c:	07S/01E-16C06 M
Frds no:	4310011113	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	TWELFTH ST. WELL 08	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	372000.0	Longitude:	1215200.0
Precision:	4	Status:	AR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		
Sample date:	10-JUN-16	Finding:	5.8
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	18-FEB-16	Finding:	5.2
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	19-MAY-15	Finding:	23.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	29-OCT-14	Finding:	22.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	11-SEP-14	Finding:	22.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	12-MAY-14	Finding:	22.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	04-MAR-14	Finding:	67.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	04-MAR-14	Finding:	49.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	04-MAR-14	Finding:	1.6
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		

Sample date:	04-MAR-14	Finding:	81.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	04-MAR-14	Finding:	63.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	04-MAR-14	Finding:	11.
Chemical:	CHROMIUM (TOTAL)	Report units:	UG/L
Dlr:	10.		
Sample date:	04-MAR-14	Finding:	230.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	04-MAR-14	Finding:	6.3
Chemical:	SELENIUM	Report units:	UG/L
Dlr:	5.		
Sample date:	04-MAR-14	Finding:	780.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	04-MAR-14	Finding:	23.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	04-MAR-14	Finding:	80000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	04-MAR-14	Finding:	0.81
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	04-MAR-14	Finding:	11.97
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	04-MAR-14	Finding:	5200.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	04-MAR-14	Finding:	93.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	04-MAR-14	Finding:	506.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	04-MAR-14	Finding:	480.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	04-MAR-14	Finding:	400.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	04-MAR-14	Finding:	7.01
Chemical:	PH, LABORATORY	Report units:	Not Reported

Dlr:	0.		
Sample date:	04-MAR-14	Finding:	1000.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	04-MAR-14	Finding:	290.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	17-SEP-13	Finding:	22.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	14-JAN-13	Finding:	7.8
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	19-SEP-12	Finding:	22.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		

F36
ENE **CA WELLS 7671**
1/2 - 1 Mile
Lower

Seq:	7671	Prim sta c:	07S/01E-16C08 M
Frds no:	4310011115	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	TWELFTH ST. WELL 10 - STANDBY	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	372000.0	Longitude:	1215200.0
Precision:	4	Status:	SU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		
Sample date:	11-MAR-16	Finding:	180.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	10-MAR-16	Finding:	3.4
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	10-MAR-16	Finding:	3.4
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	09-NOV-15	Finding:	110.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		

Sample date:	07-AUG-15	Finding:	210.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	19-MAY-15	Finding:	420.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	03-MAR-15	Finding:	300.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	7.42
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	760.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	370.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	379.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	77.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	45.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	1.9
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	1.1
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	32.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	3.8
Chemical:	GROSS ALPHA	Report units:	PCI/L
Dlr:	3.		
Sample date:	03-MAR-15	Finding:	3500.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	03-MAR-15	Finding:	12.19
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	1.7
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L

Dlr:	0.		
Sample date:	03-MAR-15	Finding:	53.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	58.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	03-MAR-15	Finding:	0.89
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	03-MAR-15	Finding:	230.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	03-MAR-15	Finding:	3.7
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	03-MAR-15	Finding:	1100.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	03-MAR-15	Finding:	22.
Chemical:	MANGANESE	Report units:	UG/L
Dlr:	20.		
Sample date:	03-MAR-15	Finding:	78.
Chemical:	ALUMINUM	Report units:	UG/L
Dlr:	50.		
Sample date:	03-MAR-15	Finding:	540.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	9.e-002
Chemical:	LANGELIER INDEX AT SOURCE TEMP.	Report units:	Not Reported
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	22000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	03-MAR-15	Finding:	3.9
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	14-JAN-13	Finding:	1.8
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	06-MAR-12	Finding:	200.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	06-MAR-12	Finding:	0.17
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		

Sample date:	06-MAR-12	Finding:	54.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	06-MAR-12	Finding:	52.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	1.3
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	57.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	34.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	58.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	284.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	360.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	300.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	7.82
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	730.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	2500.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	06-MAR-12	Finding:	12.45
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	0.48
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	06-MAR-12	Finding:	8000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	06-MAR-12	Finding:	420.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L

Dlr:	0.		
Sample date:	06-MAR-12	Finding:	0.38
Chemical:	LANGELIER INDEX AT SOURCE TEMP.	Report units:	Not Reported
Dlr:	0.		

F37
ENE
1/2 - 1 Mile
Lower

CA WELLS 7670

Seq:	7670	Prim sta c:	07S/01E-16C07 M
Frds no:	4310011114	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	TWELFTH ST. WELL 09	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	372000.0	Longitude:	1215200.0
Precision:	4	Status:	AR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		
Sample date:	22-FEB-16	Finding:	4.9
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	10-AUG-15	Finding:	3.8
Chemical:	GROSS ALPHA	Report units:	PCI/L
Dlr:	3.		
Sample date:	10-AUG-15	Finding:	1.9
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	10-AUG-15	Finding:	2.2
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	14-AUG-14	Finding:	72.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	14-AUG-14	Finding:	40.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	14-AUG-14	Finding:	45.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	14-AUG-14	Finding:	1.4
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	14-AUG-14	Finding:	55.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	14-AUG-14	Finding:	230.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	14-AUG-14	Finding:	540.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	14-AUG-14	Finding:	28000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	14-AUG-14	Finding:	0.52
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	14-AUG-14	Finding:	12.
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	14-AUG-14	Finding:	3900.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	14-AUG-14	Finding:	345.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	14-AUG-14	Finding:	400.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	14-AUG-14	Finding:	280.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	14-AUG-14	Finding:	7.29
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	14-AUG-14	Finding:	800.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	14-AUG-14	Finding:	62.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	05-DEC-13	Finding:	20.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

E38
ENE
1/2 - 1 Mile
Lower

FED USGS **USGS40000182290**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E09L005M	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	20000918	Well Depth:	640
Well Depth Units:	ft	Well Hole Depth:	1011
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	1	Level reading date:	2000-10-23
Feet below surface:	93.35	Feet to sea level:	Not Reported
Note:	Not Reported		

E39
ENE
1/2 - 1 Mile
Lower

FED USGS **USGS40000182291**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E09L006M	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	20000918	Well Depth:	540
Well Depth Units:	ft	Well Hole Depth:	1011
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	1	Level reading date:	2000-10-23
Feet below surface:	88.47	Feet to sea level:	Not Reported
Note:	Not Reported		

E40
ENE
1/2 - 1 Mile
Lower

FED USGS **USGS40000182289**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E09L004M	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	20000918	Well Depth:	1000

Well Depth Units:	ft	Well Hole Depth:	1011
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	1	Level reading date:	2000-10-23
Feet below surface:	88.33	Feet to sea level:	Not Reported
Note:	Not Reported		

41
West
1/2 - 1 Mile
Lower

FED USGS **USGS40000182252**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001E07R004M	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	800
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

42
South
1/2 - 1 Mile
Higher

CA WELLS **7698**

Seq:	7698	Prim sta c:	07S/01E-22H07 M
Frds no:	4310011110	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	TULLY WELL 04	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371900.0	Longitude:	1215300.0
Precision:	5	Status:	AU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

Sample date:	25-JAN-18	Finding:	3.
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		

Sample date:	28-MAR-17	Finding:	120.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		

Sample date:	28-MAR-17	Finding:	610.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L

Dlr:	0.		
Sample date:	28-MAR-17	Finding:	3.6
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	28-MAR-17	Finding:	260.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	28-MAR-17	Finding:	0.14
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	28-MAR-17	Finding:	76.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	28-MAR-17	Finding:	56.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	28-MAR-17	Finding:	1.4
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	28-MAR-17	Finding:	47.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	28-MAR-17	Finding:	62.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	28-MAR-17	Finding:	81.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	28-MAR-17	Finding:	459.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	28-MAR-17	Finding:	2.7
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	28-MAR-17	Finding:	450.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	28-MAR-17	Finding:	370.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	28-MAR-17	Finding:	6.8
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	28-MAR-17	Finding:	1000.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		

Sample date:	28-MAR-17	Finding:	0.21
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	28-MAR-17	Finding:	11.68
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	28-MAR-17	Finding:	2.7
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	10-DEC-13	Finding:	12.07
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	10-DEC-13	Finding:	3500.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	10-DEC-13	Finding:	590.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	10-DEC-13	Finding:	270.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	10-DEC-13	Finding:	77.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	10-DEC-13	Finding:	53.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	10-DEC-13	Finding:	1.4
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	10-DEC-13	Finding:	42.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	10-DEC-13	Finding:	64.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	10-DEC-13	Finding:	71.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	10-DEC-13	Finding:	440.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	10-DEC-13	Finding:	450.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	10-DEC-13	Finding:	370.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L

Dlr:	0.		
Sample date:	10-DEC-13	Finding:	7.25
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	10-DEC-13	Finding:	980.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	10-DEC-13	Finding:	7000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	01-AUG-13	Finding:	0.56
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	14-JAN-13	Finding:	3.2
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	06-DEC-12	Finding:	1.4
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	06-DEC-12	Finding:	0.81
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		

43
NNE
1/2 - 1 Mile
Lower

CA WELLS **7653**

Seq:	7653	Prim sta c:	07S/01E-08A01 M
Frds no:	4300818001	County:	43
District:	05	User id:	HEN
System no:	4300818	Water type:	G
Source nam:	WELL 01	Station ty:	WELL/AMBNT/MUN/INTAKE
Latitude:	372038.0	Longitude:	1215234.0
Precision:	3	Status:	AR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4300818	System nam:	Good Samaritan Health System-San Jose
Hqname:	Not Reported	Address:	657 E SANTA CLARA ST
City:	SAN JOSE	State:	CA
Zip:	95112	Zip ext:	Not Reported
Pop serv:	1400	Connection:	4
Area serve:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
RADON

AREA RADON INFORMATION

State Database: CA Radon

Radon Test Results

Zipcode	Num Tests	> 4 pCi/L
95112	19	1

Federal EPA Radon Zone for SANTA CLARA County: 2

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 95112

Number of sites tested: 1

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	-1.100 pCi/L	100%	0%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	Not Reported	Not Reported	Not Reported	Not Reported

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory
Source: Department of Fish and Wildlife
Telephone: 916-445-0411

HYDROGEOLOGIC INFORMATION

AQUIFLOW^{R} Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Water Well Database
Source: Department of Water Resources
Telephone: 916-651-9648

California Drinking Water Quality Database
Source: Department of Public Health
Telephone: 916-324-2319
The database includes all drinking water compliance and special studies monitoring for the state of California since 1984. It consists of over 3,200,000 individual analyses along with well and water system information.

OTHER STATE DATABASE INFORMATION

California Oil and Gas Well Locations
Source: Department of Conservation
Telephone: 916-323-1779
Oil and Gas well locations in the state.

California Earthquake Fault Lines
Source: California Division of Mines and Geology
The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

RADON

State Database: CA Radon
Source: Department of Public Health
Telephone: 916-210-8558
Radon Database for California

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

California Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines, prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX D: QUALIFICATIONS

PARTNER

Education

BA, Environmental Studies, University of California at Santa Barbara
MBA, Finance and Marketing, Santa Clara University, Leavey School of Business, Santa Clara, CA

Registrations

AHERA Asbestos Building Inspection Certification, State of California

Highlights

24 years of experience in the environmental consulting/real estate due diligence industries
19 years performing Phase Environmental Site Assessments; Transaction Screen Assessments; Environmental Desktop Reports; Asbestos Surveys; HUD Phase I Environmental Site Assessments; Freddie Mac and Fannie Mae Phase I Environmental Site Assessments; and Radon Testing

Experience Summary

Beginning in the early 1990s, Mr. Olsen worked for various San Jose based environmental firms as a research analyst, gathering government agency, historical research and geologic information utilized in ESAs. In the late 1990s through early 2000s he managed the day-to-day operations of a team of research analyst and GIS related research and projects. From the early 2000s through the present, Mr. Olsen has been conducting and performing Phase I ESAs and subsurface investigations for various national environmental consulting firms.

Project Experience

Westfield Oakridge Shopping Mall. Mr. Olsen conducted a Phase I Environmental Site Assessments on a 1.2 million square foot Westfield Shoppingtown mall (Oakridge Mall, San Jose, California)

Humboldt Redwood Company. Mr. Olsen conducted a Phase I Environmental Site Assessments on a 660-acre Humboldt Redwood Company lumber mill, co-generation plant and maintenance facility, along with 207,000 acres of timberland (Scotia, California)

Talavera. Mr. Olsen conducted a Freddie Mac Phase I Environmental Site Assessments on a 350-unit multi-family residential apartment facility (Las Vegas, Nevada)

Automobile Dealership Portfolio. Mr. Olsen recently conducted seven (7) Phase I Environmental Site Assessments on automobile dealerships/service facilities (San Jose, Newark, Pleasanton, Colma and Hayward, California)

Greka Energy. Mr. Olsen conducted a Phase I Environmental Site Assessment on an asphalt and crude oil refinery (Santa Maria, California)

PARTNER

David Gerhardstein
Environmental Project Manager

Education

B.S. Environmental Science, Wright State University, Dayton, Ohio

Registrations

40-hour HAZWOPER

Highlights

8 years of experience in the environmental consulting industry
Phase I Environmental Site Assessments
Subsurface investigation
Hazard mitigation
Health and Safety Services

Experience Summary

Mr. Gerhardstein has significant experience in due diligence assessments for a variety of property types and the needs and requirements of varied number of reporting standards including ASTM standards, EPA's All Appropriate Inquiry (AAI), and customized client formats. Specifically, Mr. Gerhardstein has conducted and managed hundreds of Phase I environmental site assessments across industrial, commercial, multi-family residential, institutional and hospitality properties.

Mr. Gerhardstein further has performed dozens of Phase II subsurface investigations and has extensive experience related to remediation design and oversight, regulatory compliance assessments, soil, water and air sampling and analysis, vapor intrusion assessments and mitigation, and design, operation and maintenance of remediation systems.

Mr. Gerhardstein has worked for a wide range of clients that include financial institutions, real estate developers, brokers, investment groups, and Fortune 100 companies in the automotive, energy and heavy manufacturing industries.

Project Experience

Transfer of Industrial Facilities, Multiple Sites. Mr. Gerhardstein provided services for transfer of a portfolio of 14 industrial facilities located across the states of Kansas, Missouri, Nebraska, South Dakota, and Tennessee. He conducted site visits, interviewed key-personnel and prepared final reports. Additionally, he performed Phase II investigations at nine of the properties. He coordinated subcontractors and laboratory services, conducted subsurface analysis and sampling, and managed disposal of investigation derived waste.

Chlorinated Solvent Vapor Intrusion Mitigation, Former Automotive and Semiconductor Manufacturing Facilities, Dayton, Ohio and Mountain View, California. Mr. Gerhardstein managed tasks for two Superfund vapor intrusion sites in the states of Ohio and California. Duties included coordinating between regulators, clients and interested parties. He was responsible for inspecting numerous residential and commercial properties to assess potential vapor intrusion pathways. He managed the associated air sampling programs, worked on design of mitigation measures, oversaw installation of mitigation systems and implemented monitoring plans to ensure efficacy.

Chlorinated Solvent Groundwater Plume Management, Active Automotive Manufacturing Facility, Vandalia, Ohio. TCE plume at an active automotive parts manufacturing facility. Responsibilities included evaluating performance of a pump-and-treat system installed to prevent further offsite contaminant migration and assistance in design and implementation of multiple system upgrades. He was responsible for monitoring system performance to ensure compliance with an NPDES permit for effluent discharge to surface water. He further performed groundwater, surface water and drinking water sampling activities, completed associated reports and managed hazardous investigation derived waste.

Methane Intrusion Mitigation, Former Landfill, San Rafael, California. Mr. Gerhardstein oversaw installation of a methane monitoring and mitigation system at a new retail development constructed atop a former landfill. Duties included ensuring that system construction details matched design criteria, troubleshooting and optimizing system performance, and conducting regular monitoring to ensure proper functionality. He prepared reports related to system construction and operation and worked with local regulators to design an ongoing methane monitoring program at the property.

Additionally, Mr. Gerhardstein has experience in the following areas:

- Pilot testing, design, optimization, operation and maintenance of groundwater and soil gas remediation systems
- Use of a wide range of environmental field equipment including multiple soil and groundwater sampling methods, PIDs, nuclear density gauges, soil gas and landfill monitoring equipment, and air sampling and monitoring equipment
- Subsurface investigation techniques including direct push, hollow-stem auger and sonic drilling
- Vapor intrusion assessment, sampling and mitigation solutions
- Manufactured gas plant site characterization and remediation

Contact

dgerhardstein@partneresi.com

PARTNER

Jay Grenfell, REPA, LEED AP
National Client Manager, Principal

Education

B.A, Environmental Science, University of California at Berkeley

Registrations

Registered Environmental Property Assessor, National Registry of Environmental Professionals
LEED Accredited Professional, United States Green Building Council

Highlights

16 years in the environmental consulting industry
Experience in various disciplines, including regulatory compliance, asbestos abatement, point source air monitoring, Tier II reporting, and Environmental Health & Safety consulting services.

Experience Summary

Mr. Grenfell currently serves as a National Client Manager providing risk management solutions to clients' due diligence and engineering needs. Mr. Grenfell's breadth of experience and understanding of commercial real estate transactions from both an equity investment and lending view allow him to provide risk management consulting that align with client objectives.

Mr. Grenfell conducted and managed thousands of Phase I ESAs on industrial, office, multi-family, government, retail, and hospitality properties prior to assuming his role as a client manager and business development professional. His experience also includes management of large multi-site portfolios for varied and demanding stakeholders, where he mentored field assessors, identifying environmental risks, and provided detailed reports within demanding deadlines. Mr. Grenfell experience includes understanding and coordinating a full suite of due diligence services, including Phase II subsurface investigations, Property Condition Assessments, Seismic Risk Assessments, ALTA Surveys, Asbestos and Lead Surveys, and Energy Audits.

Mr. Grenfell has worked for nationwide and local clients that include commercial developers, mortgage bankers, real estate brokers, individual investors, equity/institutional investment groups, and financial lending institutions, including CMBS lenders, SBA lenders, and GSA (Fannie and Freddie) lenders.

Project Experience

Multi-Site Portfolio, Nationwide. Managed performance and delivery of summary matrix and complete reports for a 300-site portfolio of Class A high-rise office buildings, at the time valued as the largest real estate transaction in history. Lead scheduled conference calls summarizing and evaluating environmental liabilities for a large stakeholder group.

Phase II Subsurface Investigations, Kansas City, Missouri. Conducted eight Phase II Site Assessments at gasoline stations over a four-day period, coordinating and supervising the advancement of soil borings and collected soil and groundwater samples. Documented results in concise, well-written reports.

Industrial Compliance Evaluation, San Francisco, CA. Managed a compliance evaluation team at an 8,000 employee, 24-hour aircraft maintenance center, evaluating environmental regulatory compliance. Provided solutions and established protocols for ensuring compliance.

Third-Party Report Reviews, Chicago, IL. Conducted 3rd-party reviews of over 150 gasoline stations, documenting previous report findings and providing a matrix listing issues and updated risk-based recommendations.

High Rise Office Buildings, San Francisco. Worked with technical team to manage pre-acquisition due diligence for equity investor of high rise office buildings in downtown San Francisco. Included equity PCA with specialty evaluations of façade, MEP, Fire and Life Safety, Roof, and ADA. Provided red flag analysis and summary costs tables within 48 hours of initial site visits with final reports provided within 10 business days.

Multi-Site Portfolio, California. Managed performance and delivery of summary matrix and complete reports for a 150-site portfolio of fast food restaurants providing environmental and property condition assessments with specialty evaluations of roofs and MEP systems.

Affiliations

Bay Area Mortgage Association (BAMA)
International Council of Shopping Centers (ICSC)
The Risk Management Association (RMA)
The Commercial Real Estate Development Corporation (NAIOP)

Speaking

Due Diligence Panelist, Income Property Lending Group, San Francisco, Reoccurring. Provide industry insight into topical due diligence issues to an audience of investors and lenders.

Bisnow Moderator, Equity Investment and Construction Panels, San Francisco, Reoccurring. Moderator for specific topics regarding commercial real estate lending and development to a mixed audience of investors, attorneys, developers, and lenders.

Publications

Improving the Seismic Resilience of California Buildings, California Mortgage Finance, 2014, Co-Authored
Industrial Properties and Environmental Risk, GlobeSt.com, 2013
Change is in the Air, Scotsman Guide, 2012

Contact

jgrenfell@partneresi.com