Print From

Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: _____

Project Title: City of Camarillo Reclaimed Water Storage Reservoir (WT-14-03)

Lead Agency: City of Camarillo

Contact Name: Ken Matysuoka, P.E.

Email: kmatsuoka@cityofcamarillo.org Phone Number: 805-388-5340

Project Location: Camarillo (*City*) Ventura (*County*)

Project Description (Proposed actions, location, and/or consequences).

The proposed project site is located within the grounds of the existing Camarillo Sanitary District ' s Water Reclamation Plant (WRP). The WRP is located at 150 Howard Road, Camarillo. The City of Camarillo is proposing the construction and operation of a partially buried, one million-gallon rectangular reinforced concrete reservoir and relocation of the existing tertiary effluent pump station with controls in the southwestern area of the WRP property. No discretionary approvals are required for the project.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

The Mitigated Negative Declaration (MND) concludes that the proposed project could have potentially significant effects associated with construction-related air quality (fugitive dust), archaeological resources, and paleontological resources. The air quality mitigation measure requires all developers of the project to implement fugitive dust control measures consistent with Ventura County Air Pollution Control District Rule 55 throughout all phases of construction. Mitigation is identified to stop construction, secure the services of a professional archaeologist, and evaluate resources if archaeological materials are discovered during the course of project development. Mitigation is identified to require the City to retain the services of a professional paleontologist to conduct a paleontological monitoring program during excavations.

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

There are no known areas of controversy.

Provide a list of the responsible or trustee agencies for the project.

California Department of Water Resources