Use Permit Application No. U-20-04 (Turpin)

Initial Study and

Mitigated Negative Declaration



August 2021

CEQA Lead Agency:

County of Solano

Prepared by:

Department of Resource Management

TABLE OF CONTENTS

CHAPTER 1 – PART II INITIAL STUDY OF ENVIRONMENTAL IMPACTS

1.1	INTRODUCTION	4
1.2	ENVIRONMENTAL DETERMINATION	5
1.3	ENVIRONMENTAL SETTING	6
1.4	PROJECT DESCRIPTION	8
1.5	ADDITIONAL DATA	11
1.6	LAND USE CONSISTENCY ANALYSIS	11
1.7	RESPONSIBLE, TRUSTEE, & AGENCIES THAT MAY HAVE JURISDICTION .	12
СНА	PTER 2 – ENVIRONMENTAL CHECKLIST	
2.1	AESTHETICS	14
2.2	AGRICULTURAL AND FORESTRY RESOURCES	17
2.3	AIR QUALITY	18
2.4	BIOLOGICAL RESOURCES	19
2.5	CULTURAL RESOURCES	24
2.6	ENERGY	25
2.7	GEOLOGY AND SOILS	
2.8	GREENHOUSE GAS EMISSIONS	28
2.9	HAZARDS AND HAZARDOUS MATERIALS	29
2.10	HYDROLOGY AND WATER QUALITY	31
2.11	LAND USE AND PLANNING	32
2.12	MINERAL RESOURCES	34
2.13	NOISE	34
2.14	POPULATION AND HOUSING	35
2.15	PUBLIC SERVICES	36
2.16	RECREATION	37
2.17	TRANSPORTATION	

2.18	TRIBAL CULTURAL RESOURCES	39		
2.19	UTILITIES AND SERVICE SYSTEMS	40		
2.20	WILDFIRE	41		
2.21	MANDATORY FINDINGS OF SIGNIFICANCE	43		
CHAP	TER 3 – AGENCY COORDINATION AND PUBLIC INVOLVEMENT			
3.1	AGENCY COORDINATION AND PUBLIC INVOLVEMENT	44		
3.2	LIST OF PREPARERS	44		
3.3	DISTRIBUTION LIST	44		
APPE	NDICES	45		
B - Eve C - Sec D - Gu	A - Use Permit Application No. U-20-04 (Turpin) B - Event Barn Development Plans C - Secondary Dwelling Development Plans D - Guest Studio Development Plans E - CA Department of Fish and Wildlife letter May 18, 2021			

CHAPTER 1 - PART II OF INITIAL STUDY OF ENVIRONMENTAL IMPACTS

1.1 INTRODUCTION

The following analysis is provided by the Solano County Department of Resource Management as a review of and supplement to the applicant's completed "Part I of Initial Study". These two documents, Part I and II, comprise the Initial Study prepared in accordance with the California Environmental Quality Act (CEQA) Guidelines, Section 15063.

Project Title:	Turpin	
Application Number:	Use Permit U-20-04	
Project Leastion	2208 Morrison Lane	
Project Location:	Fairfield, CA 94534	
Assessor Parcel No.(s):	0153-140-240	
Project Sponsor's Name and	Susan Turpin	
Address:	1913 Dawnview Place	
	Fairfield, CA 94534	

General Information

This mitigated negative declaration (MND) has been prepared by the County of Solano, as lead agency, pursuant to the California Environmental Quality Act (CEQA) (Pub. Resources Code, § 21000 et seq.), to analyze and disclose the environmental effects associated with project. This document discusses the proposed project, the environmental setting for the proposed project, and the potential for impacts on the environment from the proposed project and any measures incorporated which will minimize, avoid and/or provide mitigation measures for the impacts of the proposed project on the environment.

- Please review this Initial Study. You may order additional copies of this document from the Solano County Department of Resource Management Planning Services Division at 675 Texas Street, Fairfield, CA, 94533.
- □ We welcome your comments. If you have any comments regarding the proposed project please send your written comments to this Department by the deadline listed below.

Submit comments via postal mail to:

Department of Resource Management Planning Services Division Attn: Eric Wilberg, Planner Associate 675 Texas Street Fairfield, CA 94533

Submit comments via fax to: (707) 784-4805

Submit comments via email to: <u>ejwilberg@solanocounty.com</u>

Submit comments by the deadline of. September 7, 2021

Next Steps

After comments are received from the public and any reviewing agencies, the Department may recommend that the environmental review is adequate and that a Negative Declaration be adopted or that the environmental review is not adequate and that further environmental review is required.

1.2 ENVIRONMENTAL DETERMINATION

On the basis of this Initial Study the Solano County Department of Resource Management finds:

The proposed project could not have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.

That although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because the project proponent has agreed to revise the project to avoid any significant effect. A MITIGATED NEGATIVE DECLARATION will be prepared.

The proposed project could have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT (EIR) is required.

The proposed project could have a significant effect on the environment, but at least one effect has been (1) adequately analyzed in a previous document pursuant to applicable legal standards, and (2) addressed by mitigation measures based on the previous analysis as described in the attached initial study. An EIR is required that analyzes only the effects that were not adequately addressed in a previous document.

That although the proposed project could have a significant effect on the environment, no further environmental analysis is required because all potentially significant effects have been (1) adequately analyzed in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (2) avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are included in the project, and further analysis is not required.

7/29/21

Date

Eric Wilberg, Planner Associate County of Solano Department of Resource Management

INCORPORATION OF MITIGATION MEASURES INTO THE PROPOSED PROJECT

By signature of this document, the project proponent amends the project description to include the mitigation measures as set forth in Section 2.

7/29/21

Date

Firson Tig

Susan Turpin, Project Proponent

1.3 ENVIRONMENTAL SETTING

The subject site is located at 2208 Morrison Lane, 2.5 miles west of the City of Fairfield. The property is situated within an agricultural setting identified as the Suisun Valley Agricultural Region by the Solano County General Plan. Land surrounding the project is utilized for agricultural production, predominantly vineyard cultivation.

The 25.02-acre property is relatively flat, exhibiting slopes of less than six percent. The parcel is undeveloped; however, building permits have been issued for a 4,596 square foot Primary Residence and 1,600 square foot detached garage near the southeast corner of the lot. The Putah South Canal runs along the eastern and southern borders of the parcel. Two residences are located within $\frac{1}{4}$ mile of the proposed facility.

Figure 1: Vicinity Map




Figure 2: Assessor's Parcel Map




Figure 3: Aerial Photo Project Site - March 2019



1.4 PROJECT DESCRIPTION

The project involves the construction of a 4,738 square foot barn-styled structure to serve as a special event facility. It is anticipated that the event barn will host weddings, community events, fund raisers, holiday events, educational, and private gatherings. The event barn includes a main event hall space, commercial kitchen, dressing rooms, rest rooms, storage, and covered porch seating areas. The project includes eight events per year with up to 150 persons per event. Events may also occur outdoors within the proposed lawn areas north and east of the event barn.

Temporary staff providing catering and entertainment services would also be employed for each event. Staffing levels will be contingent on the size of the event and can be expected at a ratio of one staff person per fifteen guests. The facility would initially rely on outside catering for food service; however, it is anticipated that a commercial kitchen will be constructed within the event barn at a later phase of the project. Musical entertainment would likely occur at each event. All events will start no sooner than 10:00 a.m. and end by 10:00 p.m. Facility setup and cleanup shall be between the hours of 8:00 a.m. to 11:00 p.m.

A 531 square foot Guest Studio is planned to accompany the event facility to accommodate overnight lodging.

A 1,800 square foot Secondary Dwelling is also proposed to operate as a Vacation Rental Home near the proposed event barn. This use will operate independently of the event facility; however, also requires use permit issuance.

Building permits have been issued for a 4,596 square foot Primary Residence and 1,600 square foot detached garage near the southeast corner of the lot. These improvements are ministerial and not considered part of the Project.

Access/Circulation

Access to the site will be provided via private driveway off Morrison Lane through an existing 50-foot wide access and utility easement. The easement extends from Morrison Lane, through the adjacent parcel to the north (APN 0153-140-250) for a length of approximately 800 feet.

Parking

The project involves developing a gravel parking lot southwest of the event barn. A total of 75 parking spaces would be provided.

Signage

A 32 square foot sign is proposed for the facility. Location of the signage on-site has not been determined.

Domestic Water Supply

The project includes a domestic water well to supply potable water to the event barn, secondary dwelling, and guest studio.

Wastewater

The project includes a new septic system to serve the event barn, secondary dwelling, and guest studio. This system would be separate from system serving the non-commercial residential development including the proposed primary dwelling and detached garage.

Irrigation Water

The subject property is located within the Solano Irrigation District Boundary and is currently provided with agriculture irrigation water between April and October through an existing agricultural service.





Figure 5: Detail Site Plan



1.5 ADDITIONAL DATA

NRCS Soil Classification:	Clear Lake clay (0 to 2 percent slopes), Conejo loam, Sycamore silty clay loam (0 to 1 percent slopes). Classes I, II, and III
Agricultural Preserve Status/Contract No.:	N/A
Non-renewal Filed (date):	N/A
Airport Land Use Referral Area:	N/A
Alquist Priolo Special Study Zone:	N/A
Primary or Secondary Management Area of the Suisun Marsh	N/A
Primary or Secondary Zone identified in the Delta Protection Act of 1992:	N/A

Surrounding General Plan, Zoning and Land Uses

	General Plan	Zoning	Land Use
Property	Agriculture	Suisun Valley Agriculture "ASV-20"	Agriculture and Bed & Breakfast
North	Agriculture	Suisun Valley Agriculture "ASV-20"	Residence
South	Agriculture	Exclusive Agriculture "A-20"	Residential, stable
East	Agriculture	Suisun Valley Agriculture "ASV-20"	Agriculture (vineyard)
West	Agriculture	Exclusive Agriculture "A-20"	Agriculture (vineyard), Residence

1.6 LAND USE CONSISTENCY ANALYSIS

General Plan & Zoning

The subject site is designated Agriculture by the Solano County General Plan. Table LU-5 of the General Plan provides a description and intent of the Agricultural designation:

The (Agricultural Designation) provides areas for the practice of agriculture as the primary use, including areas that contribute significantly to the local agricultural economy, and allows for secondary uses that support the economic viability of agriculture. Agricultural land use designations protect these areas from intrusion by nonagricultural uses and other uses that do not directly support the economic viability of agricultural uses and other uses that do not directly support the economic viability of agriculture.

Further the General Plan identifies ten Agricultural Regions throughout the County, the subject site being located within the Suisun Valley Agricultural Region. Table AG-3 of the General Plan highlights the unique characteristics of each region and summarizes desired land uses.

The (Suisun Valley) provides for agricultural production, agricultural processing facilities, facilities to support the sale of produce, and tourist services that are ancillary to agricultural production.

The subject site is zoned Suisun Valley Agriculture "A-SV-20" consistent with the General Plan designation. Section 28.23 of the County Zoning Ordinance provides a table of allowed uses and permit requirements applicable to this zoning district. As seen on Table 28.23A, crop production, residential development, Vacation Rental, and Special Events facility are allowed or conditionally allowed land uses within the A-SV-20 Zoning District.

1.7 RESPONSIBLE, TRUSTEE, & AGENCIES THAT MAY HAVE JURISDICTION

Agencies that May Have Jurisdiction over the Project

- Solano County Department of Resource Management
- Solano Irrigation District
- Cordelia Fire Protection District
- California Department of Fish and Wildlife

CHAPTER 2 - ENVIRONMENTAL CHECKLIST

This chapter discusses the potential for adverse impacts on the environment. Where the potential for adverse impacts exist, the report discusses the affected environment, the level of potential impact on the affected environment and methods to avoid, minimize or mitigate for potential impacts to the affected environment.

Findings of SIGNIFICANT IMPACT

Based on the Initial Study, Part I as well as additional application materials reviewed by the Department of Resource Management, the project does not have the potential for significant impacts to any environmental resources.

Findings of LESS THAN SIGNIFICANT IMPACT WITH MITIGATION MEASURES

Based on the Initial Study, Part I as well as the review of the proposed project by the Department of Resource Management, the project does not require mitigation measures to reduce potential impacts to less than significant levels.

Biological Resources

Findings of LESS THAN SIGNIFICANT IMPACT

Based on the Initial Study, Part I as well as the review of the proposed project by the Department of Resource Management, the following environmental resources were considered and the potential for impact is considered to be less than significant. A detailed discussion of the potential adverse effects on environmental resources is provided below:

Aesthetics	Greenhouse Gas Emissions
Air Quality	Noise
Geology and Soils	Transportation and Traffic
	Mandatory Findings of Significance

Findings of NO IMPACT

Based on the Initial Study, Part I as well as the review of the proposed project by the Department of Resource Management, the following environmental resources were considered but no potential for adverse impacts to these resources were identified. A discussion of the no impact finding on environmental resources is provided below:

Agricultural & Forestry Resources	Mineral Resources
Cultural Resources	Population and Housing
Energy	Public Services
Hazards and Hazardous Materials	Recreation

Hydrology and Water	Tribal Cultural Resources
Land Use and Planning	Utilities and Service Systems
	Wildfire

2.1 AESTHETICS

Would the project:

- a. Have a substantial adverse effect on a scenic vista?
- b. Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?
- c. In nonurbanized areas, substantially degrade the existing visual character or quality of the site and its surroundings? If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?
- d. Create a new source of substantial light or glare that would adversely affect day or nighttime views in the area?

Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
			•

Environmental Setting

Surrounding foreground views to the north, east, and south are that of a relatively flat agricultural landscape typical of the Suisun Valley Agricultural Region. Lands are predominantly planted in vineyards surrounding the subject site. Oak covered hillsides reaching elevations of approximately 600 feet above mean sea level are located west of the subject site. A riparian corridor along Suisun Creek consisting primarily of large trees and brush can be seen approximately 3,000 feet east of the subject site. The following photographs from Morrison Lane depict the landscape within the vicinity of the project.





Figure 7 – View West from Morrison Lane at Subject Site





Figure 8 – View Southwest from Morrison Lane toward Subject Site

Impacts Discussion

a. Have a substantial adverse effect on a scenic vista?

The General Plan (Resources Chapter pg. RS-36) identifies the county's agricultural landscapes and oak and grass covered hills as scenic resources. In addition, Suisun Valley Road is identified as the nearest Scenic Roadway on Figure RS-5 of the General Plan.

Surrounding agricultural crop production and oak covered hills are considered scenic resources within the vicinity. As shown on the proposed site plan, development will be clustered near the western lot line, preserving a large portion of lot acreage for future agricultural production. Development will be set back approximately ³/₄ mile Suisun Valley Road, the nearest Scenic Roadway. Suisun Creek roughly parallels Suisun Valley Road at its intersection with Morrison Lane. A riparian corridor along the creek is comprised of large trees and brush and screens views of the subject site from the scenic roadway. **No Impact.**

b. Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?

There are no trees, rock outcroppings, or historic buildings within a state scenic highway that would be affected by the project. **No Impact.**

c. Substantially degrade the existing visual character or quality of the site and its surroundings?

The project will be sited near proposed residential development on-site and preserves the agricultural landscape and scenic resource qualities of the property as well as surrounding lands. The barn-style design along with the size, mass, and height of the structure are typical of agricultural structures found throughout the Suisun Valley agricultural region. **No Impact.**

d. Create a new source of substantial light or glare that would adversely affect day or nighttime views in the area?

Exterior light fixtures on buildings, and along walkways, parking, and patio areas will be aimed downward and shielded to prevent glare or reflection and to minimize light pollution beyond the project boundaries. **Less than Significant Impact.**

Less Than

2.2 AGRICULTURAL AND FORESTRY

V	ould the project:	Potentially Significant Impact	Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact	
a.	Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?				•	
b.	Conflict with existing zoning for agricultural use, or a Williamson Act contract?					
C.	Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use?					
d.	Result in the loss of forest land or conversion of forest land to non-forest use?					

Environmental Setting

As referenced on the 2018 California Department of Conservation Important Farmland map, the 25.02-acre property is classified as Grazing Land. The proposed land uses are allowed and conditionally allowed within the Suisun Valley Agriculture "A-SV-20" Zoning District.

Impacts Discussion

a. Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?

The project is located on Grazing Land and would not convert any Prime Farmland. No Impact.

b. Conflict with existing zoning for agricultural use, or a Williamson Act contract?

The proposed land uses are allowed and conditionally allowed within the Suisun Valley Agriculture "A-SV-20" Zoning District (Reference Solano County Zoning Regulations Section 28.23 Table A). The subject site is not entered into a Williamson Act contract. **No Impact.**

c. Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use?

The project would not result in the conversion of Farmland to a non-agricultural use, neither on or off site. **No Impact.**

d. Result in the loss of forest land or conversion of forest land to non-forest use? **No Impact.**

2.3 AIR QUALITY

Z.3 Wou	Id the project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
a.	Conflict with or obstruct implementation of the applicable air quality plan?				
b.	Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?			•	
C.	Expose sensitive receptors to substantial pollutant concentrations?				
d.	Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?				

Environmental Setting

The Suisun Valley is located within the San Francisco Bay Area Air Basin (SFBAAB), which is comprised of Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, and the southern portion of Sonoma County. Western Solano County is currently designated as a nonattainment area for the federal and state ozone (8-hour) and PM2.5 (24-hour) standards. In addition, western Solano County is currently designated as a nonattainment area for the state PM10 (24-hour) standards. Solano County is unclassified for the federal PM10 standard.

Impacts Discussion

a. Conflict with or obstruct implementation of the applicable air quality plan?

The project does not conflict with or obstruct implementation of an air quality plan. No Impact.

b. Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?

The project would operate below the thresholds and screening criteria established by the BAAQMD CEQA Guidelines for operational-related criteria air pollutant and precursor screening level sizes. Less than Significant Impact.

c. Expose sensitive receptors to substantial pollutant concentrations?

See discussion under (b) above. Less than Significant Impact.

d. Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?

The project does not propose the siting of any major odor source or siting of sensitive receptors within screening level distances from an existing major odor source (e.g., landfill, wastewater treatment plant, dairy). **No Impact.**

Less Than

2.4 BIOLOGICAL RESOURCES

Would	the project:	Potentially Significant Impact	Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
a.	Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?		•		
b.	Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?				
C.	Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act including, but not limited to, marsh, vernal pool, coastal, etc., through direct removal, filling, hydrological interruption, or other means?				
d.	Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery			•	

sites?

- e. Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?
- f. Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?

Environmental Setting

As seen on the General Plan's Priority Habitat Areas map (Figure RS-1 of the General Plan), the subject site is not located within any identified wetland or vernal pool area, conservation area, critical habitat, or recovery area. The County does not have a tree preservation ordinance and no trees are proposed for removal. This project will not conflict with any conservation plans.

A letter submitted to the County by the California Department of Fish and Wildlife dated May 18, 2021 states that Special-status species with the potential to occur on or near the Project site include, but are not limited to, Swainson's hawk (Buteo swainsoni), listed as threatened pursuant to CESA; burrowing owl (Athene cunicularia), a California Species of Special Concern (SSC); various special-status plants, and the American badger a California Species of Special Concern.

Swainson's Hawk

Potentially suitable nesting trees exist in the oak woodland to the south of the Project site, other trees in the vicinity, and in riparian habitat of Suisun Creek ½ mile to the east. In addition, the agricultural land and open space near the Project provide potentially suitable foraging habitat. There are California Natural Diversity Database (CNDDB) occurrences of nesting Swainson's hawk approximately 2 miles east of the Project site and approximately 4 miles to the south. Swainson's hawks are present within the vicinity of the Project site and there is potentially suitable habitat for the species in the vicinity of the Project where the species could be impacted. To reduce impacts to less-than-significant CDFW recommends the following Mitigation Measures BIO-1A and BIO-1B:

Burrowing Owl

As identified by CDFW, there are two documented occurrences of burrowing owl within 4 and 4.5 miles southeast of the Project site according to the CNDDB. In accordance with CDFW, owls may be disturbed up to 1,640 feet from a project. Burrowing owls are present within the vicinity of the Project site and there is potentially suitable habitat for the species in on and adjacent to the site.

The Project could result in burrowing owl nest abandonment, loss of young, reduced health and vigor of owlets, or injury or mortality of adults. Additionally, the Project may result in a permanent reduction of burrowing owl habitat in Solano County. Burrowing owls are a California Species of Special Concern due to population decline and breeding range retraction. Based on the above, the Project may potentially significantly impact burrowing owls. To reduce impacts to less-than-significant CDFW recommends the following Mitigation Measures BIO-2A and BIO-2B:

Nesting Birds

Grassland and shrubs on-site as well as mature trees adjacent to the Project's southern border may provide nesting habitat for a variety of native nesting birds. Nesting birds may be disturbed by Project noise or human presence, which could lead to nest abandonment or reduced health and vigor of young, a potentially significant impact. To reduce impacts to less than significant, CDFW recommends the following Mitigation Measure BIO-3:

Special-Status Plants

California Natural Diversity Database identifies numerous special-status plants occurring within five miles of the Project site, including: pappose tarplant, California Rare Plant Rank, holly-leaved ceanothus, and Napa bluecurls among others. The Project has the potential to crush and kill special-status plants and could significantly impact special-status plants on-site. Special-status plants could also be indirectly impacted by the Project through, for example, changes to hydrology or introduction of invasive species. To reduce impacts to less than significant, CDFW recommends the following Mitigation Measure BIO-4:

American Badger

The project is located within grassland habitat that may be suitable for American badger, a California Species of Special Concern. Badgers range throughout most of California and can dig burrows in a single day; therefore, the species may occupy the Project site and adjacent habitat prior to Project construction. The citizen scientist tool iNaturalist documents a badger record approximately 5 miles southwest of the Project site.

The Project may result in injury or mortality to adult or young badgers, or burrow abandonment therefore resulting in potentially significant impact. To reduce impacts to less than significant, CDFW recommends the following Mitigation Measure BIO-5:

Impacts Discussion

a. Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?

Species identified as a candidate, sensitive, or special status in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service have not been identified on-site; however have occurred within the vicinity and have the potential to be impacted by the Project. The following Mitigation Measures would reduce the potential for impacts to **less-than-significant**.

Mitigation Measure BIO-1A: Swainson's Hawk Surveys

If Project activities are scheduled during the nesting season for Swainson's hawks (March 1 to September 15), prior to beginning work on the Project, a qualified biologist shall conduct surveys according to the *Recommended timing and methodology for Swainson's Hawk Nesting Surveys in California's Central Valley*. Survey methods should be closely followed by starting early in the nesting season (late March to early April) to maximize the likelihood of detecting an active nest (nests, adults, and chicks are more difficult to detect later in the growing season because trees become less transparent as vegetation increases). Surveys shall be conducted: 1) within a

minimum 0.5-mile radius of the Project site or a larger area if needed to identify potentially impacted active nests, and 2) for at least the two survey periods immediately prior to initiating Project-related construction activities. Surveys shall occur annually for the duration of the Project. The qualified biologist shall have a minimum of two years of experience implementing the survey methodology resulting in detections. If active Swainson's hawk nests are detected, the Project shall implement a 0.5-mile construction avoidance buffer around the nest until the nest is no longer active as determined by a qualified biologist. If take of Swainson's hawk cannot be avoided, the Project shall consult with CDFW pursuant to CESA and obtain an ITP. CDFW Bay Delta Region staff is available to provide guidance on the ITP application process.

Mitigation Measure BIO-1B: Swainson's Hawk Habitat Mitigation

Loss of foraging habitat shall be mitigated at the appropriate ratio following CDFW's *Staff Report Regarding Mitigation for Impacts to Swainson's Hawks (Buteo swainsoni) in the Central Valley of California* prior to Project construction, and accepted by CDFW in writing. The Project shall be assumed to be within one mile of an active nest tree and mitigate at a 1:1 mitigation to impact ratio, unless protocol-level Swainson's hawk surveys are conducted demonstrating that Swainson's hawks are not nesting within one mile of the Project. Habitat mitigation shall include permanent preservation of foraging habitat through a conservation easement and implementing and funding a long-term management plan in perpetuity.

Mitigation Measure BIO-2A: Burrowing Owl Habitat Assessment, Surveys, and Avoidance

Prior to Project activities, a habitat assessment shall be performed consistent with CDFW protocol. The habitat assessment shall extend at least 150 meters from the Project area boundary and include burrows and burrow surrogates. If the habitat assessment identifies potentially suitable burrowing owl habitat, then a qualified biologist shall conduct surveys following the CDFW survey methodology. Surveys shall encompass the Project site and a sufficient buffer zone to detect owls nearby that may be impacted commensurate with the type of disturbance anticipated, and include burrow surrogates such as culverts, piles of concrete or rubble, and other non-natural features, in addition to burrows and mounds. Time lapses between surveys or Project activities shall trigger subsequent surveys, as determined by a qualified biologist, including but not limited to a final survey within 24 hours prior to ground disturbance. The qualified biology resulting in detections. Detected nesting burrowing owls shall be avoided pursuant to the buffer zone prescribed and in any passive relocation plan for non-nesting owls shall be subject to CDFW review.

Mitigation Measure BIO-2B: Burrowing Owl Habitat Mitigation

If the Project would impact an unoccupied nesting burrowing owl burrow or burrow surrogate (i.e., a burrow known to have been used in the past three years for nesting), or an occupied burrow (where a non-nesting owl would be evicted as described above), the following habitat mitigation shall be implemented prior to Project construction.

Impacts to each nesting site shall be mitigated by permanent preservation of two occupied nesting sites with appropriate foraging habitat within Solano County, unless otherwise approved by CDFW, through a conservation easement and implementing and funding a long-term management plan in perpetuity. The same requirements shall apply for impacts to non-nesting evicted owl sites.

Impacts to burrowing owl foraging habitat shall be mitigated by permanent preservation of foraging habitat at a 1:1 mitigation to impact ratio, in the same manner described above, and accepted by CDFW in writing.

The Project may implement alternative methods for preserving habitat with written acceptance from CDFW.

Mitigation Measure BIO-3: Nesting Bird Surveys

If construction, grading, or other Project related activities are scheduled during the nesting season, February 1 to September 1, a focused survey for active nests shall be conducted by a qualified biologist within 7 days prior to the beginning of Project related activities. If an active nest is found, the qualified biologist shall delineate a no-work-zone buffer distance around the nest that is site and species specific using high visibility fencing or flagging. The buffer distance shall be specified to protect the bird's normal behavior and prevent nesting failure or abandonment. No work shall occur within the no-work-zone until the nest is no longer active as determined by a qualified biologist. Fencing or flagging material shall be removed and properly disposed after Project activities are complete or the nest is no longer active, as determined by a qualified biologist. If a lapse in Project related work of 7 days or longer occurs, another focused survey shall occur before Project work is reinitiated.

Mitigation Measure BIO-4: Special-Status Plant Habitat Assessment and Surveys

A qualified biologist shall conduct a habitat assessment of the Project site and identify potential for special-status plants to occur on-site and adjacent to the site where plants could be indirectly impacted. If the habitat assessment indicates potential for special-status species to occur, then a qualified biologist shall conduct surveys during the appropriate blooming period for all special-status plants that have the potential to occur on and adjacent to the Project site prior to the start of ground-disturbing activities. Surveys shall be conducted following *Protocols for Surveying and Evaluating Impacts to Special-Status Native Plant Populations and Sensitive Natural Communities.* If special-status plants are found during surveys, the Project shall be re-designed to avoid impacts to special-status plants. If impacts to any special-status plants cannot be avoided completely during construction, the Project shall provide mitigation including off-site habitat preservation or another method accepted in writing by CDFW. The qualified biologist shall be knowledgeable about plant taxonomy, familiar with plants of the region, and have experience conducting botanical field surveys according to vetted protocols.

Mitigation Measure BIO-5: American Badger Assessment and Survey

A qualified biologist shall survey for the species including adjacent habitat prior to construction, avoiding occupied burrows, including a sufficient buffer approved by CDFW, and preparing and implementing a CDFW-approved relocation plan if badgers are found on or adjacent to the Project site.

b. Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?

No aquatic, wetland or riparian habitat or other sensitive natural community is impacted by the proposed expansion.

The proposed project would occur and is located approximately 2,640 feet from the existing riparian corridor to the east. No other sensitive natural communities were found on or adjacent to the project site. **No Impact.**

c. Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act including, but not limited to, marsh, vernal pool, coastal, etc., through direct removal, filling, hydrological interruption, or other means?

There are no federally impacted wetlands located on the proposed site for the expansion. **No Impact.**

d. Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?

The site is located within the general vicinity of a habitat corridor/linage on Figure RS-1 (Priority Habitat Area) of the General Plan. Approximately two acres of the site would be developed with the Special Event facility, associated parking, and Secondary Dwelling. A majority of the site is reserved for future agricultural production. **Less Than Significant Impact.**

e. Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?

The project would not conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance, or conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan. These types of ordinances have not been adopted within this region of the County. **No Impact.**

f. Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?

Less Than

Reference discussion (e) above. No Impact.

2.5 CULTURAL RESOURCES

Would	the project:	Potentially Significant Impact	Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
a.	Cause a substantial adverse change in the significance of an historical resource as defined in CEQA Guidelines §15064.5?				
b.	Cause a substantial adverse change in the significance of an archaeological resource pursuant to CEQA Guidelines §15064.5?				
C.	Disturb any human remains, including those interred outside of dedicated cemeteries?				

Environmental Setting

The subject site consists of developing approximately two acres of an agricultural parcel. There are no structures proposed for removal, historical or otherwise.

Impacts Discussion

a. Cause a substantial adverse change in the significance of an historical resource as defined in CEQA Guidelines §15064.5?

There are no structures on the project site. No Impact.

b. Cause a substantial adverse change in the significance of an archaeological resource pursuant to CEQA Guidelines §15064.5?

Due to the historical agricultural use and ground disturbance of the property, it is not likely that archeological resources exist on the site. State law (Section 7050.5 of the California Health and Safety Code) dictates that any human remains found during construction activities shall be reported to the proper official(s). **No Impact.**

c. Disturb any human remains, including those interred outside of dedicated cemeteries?

Due to the agricultural nature of the site, it is not likely that any human remains exist on the site. State law (Section 7050.5 of the California Health and Safety Code) dictates that any human remains found during construction activities shall be reported to the proper official(s). **No Impact.**

2.6 ENERGY

Would	d the project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact	
a.	Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?					
b.	Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?					

Impacts Discussion

a. Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?

No Impact.

b. Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?

No Impact.

2.7 GEOLOGY AND SOILS

2.7	GEOI	LOGY AND SOILS	Potentially Significant Impact	Less Than Significant With Mitigation	Less Than Significant Impact	No Impact
Would the project:		mpaor	Incorporated	mpdot		
a.	sub	ectly or indirectly cause potential stantial adverse effects, including the of loss, injury or death involving:			•	
	i)	Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map, issued by the State Geologist for the area or based on other substantial evidence of a known fault?			•	
	ii)	Strong seismic ground shaking?				
	iii)	Seismic-related ground failure, including liquefaction?				
	iv)	Landslides?				
b.		ult in substantial soil erosion or the loss opsoil?				
C.	unst a re in oi	located on a geologic unit or soil that is table, or that would become unstable as sult of the project, and potentially result n- or off-site landslide, lateral spreading, sidence, liquefaction, or collapse?				
d.	Tab (199	located on expansive soil, as defined in le 18-1-B of the Uniform Building Code 94), creating substantial direct or indirect s to life or property?				
e.	alter whe	e soils incapable of adequately porting the use of septic tanks or rnative waste water disposal systems are sewers are not available for the posal of waste water?				
f.	pale	ectly or indirectly destroy a unique contological resource or site or unique logic feature?				

Environmental Setting

The Seismic Shaking Potential map, Figure HS-3 of the General Plan depicts the project within the Highest Potential Earthquake Damage Area and within one mile of the Cordelia Fault. The project is not located within an Alquist-Priolo fault zone. Per General Plan Figure HS-6, the project site has Very Low liquefaction potential. The Landslide Stability map (Figure HS-5) depicts the project within an area of least landslide susceptibility (Area 1).

The project involves grading to develop access, building pad, and parking area. Proposed parking, buildings, and structures would require issuance of grading and building permits to ensure each is constructed according to the current Uniform Building Code requirements.

Impacts Discussion

- a. Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury or death involving:
 - *i.* Rupture of a known earthquake fault, as described on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault?

The site is not located within an Alquist-Priolo Fault Zone; however, is located within one mile of the Cordelia Fault identified in the General Plan. New construction would require issuance of building permit(s) requiring structures to be built to the latest Uniform Building Code. **Less Than Significant Impact.**

ii. Strong seismic ground shaking?

See discussion (a) above. Less Than Significant Impact.

iii. Seismic-related ground failure, including liquefaction?

The subject site is located within an area of Very Low Liquefaction Potential. The project will require a soils and geologic report and a foundation and structural engineering designed to minimize any impacts from liquefaction. **Less Than Significant Impact.**

iv. Landslides?

The subject site is located within an area Least Susceptible to Landslide. No Impact.

b. Result in substantial soil erosion or the loss of topsoil?

The project will disturb approximately two acres of vacant land. Issuance of a grading and drainage permit is necessary prior to any construction, which will impose conditions which prevent soil erosion. Less Than Significant Impact.

c. Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, differential settlement, liquefaction or collapse?

The project will be designed in conformance with the county's current building code, which will require a soils and geologic report and foundation and structural engineering designed to prevent any impacts from on- or off-site landslide, lateral spreading, subsidence, differential settlement, liquefaction or collapse. **No Impact.**

d. Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial risks to life or property?

The building will be designed in conformance with the county's current building code, which will require a soils and geologic report and foundation and structural engineering designed to prevent any impacts from on- or off-site landslide, lateral spreading, subsidence, differential settlement, liquefaction or collapse. No Impact.

e. Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?

The project will be designed in conformance with the county's current on-site sanitation requirements, which will require a soils percolation test in order to design a properly functioning system which can adequately process discharges from the project. No Impact.

f. Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?

No unique paleontological resource or unique geologic feature have been identified on-site. No Impact.

2.8 GREENHOUSE GAS EMISSIONS

	Id the project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
a.	Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?			•	
b.	Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?				•

Environmental Setting

Reference discussion under 2.3 Air Quality.

Impacts Discussion

Generate greenhouse gas emissions, either directly or indirectly, that may have a significant а. impact on the environment?

Construction activities and operational vehicular traffic associated with up to eight special events per year with up to 150 persons per event will not have significant impact on greenhouse gas emissions (GhG) as the impact of GhG emissions is considered to be global in nature. As proposed, the project should not conflict with any goals or policies of the Solano

County General Plan, which are intended to reduce or indirectly reduce GhG emissions. Less Than Significant Impact.

Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the b. emissions of greenhouse gases?

The project does not conflict with or obstruct implementation of an air quality plan. No Impact.

2.9 HAZARDS AND HAZARDOUS MATERIALS

	Id the project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
a.	Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?				
b.	Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?				
C.	Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?				
d.	Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?				•
e.	For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area?				
f.	Impair implementation of, or physically interfere with, an adopted emergency response plan or emergency evacuation plan?				
g.	Expose people or structures to a significant				

> risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?

Environmental Setting

The project does not involve the transportation, generation, or storage of hazardous materials.

As seen on Figure 2A of the Travis Air Force Base Land Use Compatibility Plan, the subject property is located outside of the LUCP Area Influence Zone. The site is located greater than two miles from a public use airport and not within the vicinity of a private airstrip.

The project is over one mile from any urbanized area and is identified as a moderate or low Wildland Fire Area per General Plan Figure HS-9.

Impacts Discussion

a. Does the project create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?

The project would not transport, use, or dispose of hazardous materials. No Impact.

b. Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?

See discussion under (a.) above. No Impact.

c. Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?

The project is not located within one-quarter mile of a school. No Impact.

d. Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?

The project is not located on a hazardous materials site as defined in Government Code Section 65962.5. **No Impact.**

e. For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area?

The project is located outside of the Travis LUCP area of influence and not within two miles of a public airport. The project is consistent with the Land Use compatibility Plan for Travis Air force Base. **No Impact.**

f. Impair implementation of, or physically interfere with, an adopted emergency response plan or emergency evacuation plan?

The project will not affect any adopted emergency response plans. No Impact.

g. Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?

The project is not located in the vicinity of any wildland/urban interface areas. No Impact.

2.10 HYDROLOGY AND WATER QUALITY

2.10 Would	HYDROLOGY AND WATER QUALITY	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
a.	Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?				•
b.	Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?				•
C.	Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or through the addition of impervious surfaces, in a manner which would:				•
	 Result in substantial erosion or siltation on- or off-site; 				
	 Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site; 				
	iii) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; or				•
	iv) Impede or redirect flood flows?				
d.	In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?				

e. Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?

Environmental Setting

The project would utilize an on-site septic system to handle wastewater discharge. A domestic drinking water well will serve the project. Per the Health and Safety Chapter of the Solano County General Plan, the proposed project is not located within an area subject to inundation by seiche, tsunami, or mudflow.

Impacts Discussion

a. Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?

The project requires private septic system permitting through Solano County Environmental Health, whereas adherence to those permit requirements protects against violation of any water quality standards or waste discharge. **No Impact.**

b. Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?

The project will be served by on-site well for domestic drinking water and will not require a substantial increase in ground water utilization. The intermittent nature of the events allows for groundwater recharge. **No Impact.**

c. (i - iv) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or through the addition of impervious surfaces?

The development will not alter any creeks, streams or rivers. Storm water will be retained onsite and released at pre-development rates. **No Impact.**

d. In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?

The project is not in an area which would experience any inundation by seiche, tsunami, or mudflow. **No Impact.**

e. Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?

Reference (a) above. No Impact.

2.11 LAND USE AND PLANNING

	Id the project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
a.	Physically divide an established community?				
b.	Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?				

Environmental Setting

The subject site is designated Agriculture by the Solano County General Plan. Further, the General Plan identifies ten Agricultural Regions throughout the County, the subject site being located within the Suisun Valley Agricultural Region.

The subject site is zoned Suisun Valley Agriculture "A-SV-20" consistent with the General Plan designation. Section 28.23 of the County Zoning Ordinance provides a table of allowed uses and permit requirements applicable to this zoning district. As seen on Table 28.23A, crop production, residential development, and Special Events Facilities are allowed or conditionally allowed land uses within the A-SV-20 Zoning District.

Impacts Discussion

a. Physically divide an established community?

The project is not located within an established community. No Impact.

b. Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?

Table LU-5 of the General Plan provides a description and intent of the Agricultural designation:

The (Agricultural Designation) provides areas for the practice of agriculture as the primary use, including areas that contribute significantly to the local agricultural economy, and allows for secondary uses that support the economic viability of agriculture. Agricultural land use designations protect these areas from intrusion by nonagricultural uses and other uses that do not directly support the economic viability of agriculture.

Table AG-3 of the General Plan highlights the unique characteristics of each region and summarizes desired land uses: The (Suisun Valley) provides for agricultural production, agricultural processing facilities, facilities to support the sale of produce, and tourist services that are ancillary to agricultural production.

The project does not conflict with the intent of the Solano County General Plan, Suisun Valley Strategic Plan, or the Suisun Valley Agriculture Zoning District. **No Impact.**

2.12 MINERIAL RESOURCES

Wou	Ild the project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
a.	Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?				
b.	Result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?				

Environmental Setting

As seen on the Mineral Resources map, Figure RS-4 of the Solano County General Plan, there are no active mines or mineral resource zones within the vicinity of the project site.

Impacts Discussion

a. Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?

No known mineral resources exist at the site. No Impact.

b. Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?

Reference (a) above. No Impact.

2.13 NOISE

Would the project:

- a. Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?
- b. Generation of excessive ground borne vibration or ground borne noise levels?
- c. For a project located within the vicinity of a private airstrip or an airport land use plan or,

Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
		•	
		•	

Looo Thon

> where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?

Environmental Setting

The site is surrounded by agriculturally zoned properties. Table HS-2 of the Solano County General Plan indicates a community noise exposure of less than 75 dBA to be normally acceptable for agricultural uses. The nearest sensitive receptor(s) (residences) within ¼ mile north and south of the project site.

Impacts Discussion

a. Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?

Construction and grading of the project is temporary in nature; however, would generate noise on-site. Noise levels from on-going agricultural practices along with temporary construction are anticipated to be less than significant because of the temporary nature along with the distance to nearest sensitive receptors existing in the agricultural setting. Social gatherings would be held indoors within the event barn and suppress noise levels from extending beyond parcel boundaries. **Less Than Significant Impact.**

b. Generation of excessive ground borne vibration or ground borne noise levels?

Reference (a) above. Less Than Significant Impact.


c. For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?

The project is located outside the area of influence of the Travis Air Force Base Land Use Compatibility Plan (LUCP) and as seen on Figure 2B of the LUCP, the subject site located outside any of the identified noise contours. The project is not located within the vicinity of a private airstrip. **No Impact.**

2.14 POPULATION AND HOUSING

Would the project:

a. Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of



roads or other infrastructure)?

b. Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?

	 	_
1 1	 	

Less Than

Environmental Setting

The project includes a Secondary Dwelling, a land use allowed by right within the zoning district, which will not substantially affect population and housing.

Impacts Discussion

a. Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?

The project does not substantially induce population growth or construct infrastructure that could induce population growth. **No Impact.**

b. Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?

The project does not involve the displacement of homes or people or necessitate construction of more housing elsewhere. **No Impact.**

2.15 PUBLIC SERVICES

Would	the project:	Potentially Significant Impact	Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
a.	Result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, the need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for any of the public services:				
	Fire Protection?				
	Police Protection?				
	Schools?				

Parks?		
Other Public Facilities?		

Environmental Setting & Impacts Discussion

a. Result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, the need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:

The subject site is located within and currently served by the Cordelia Fire protection district and is within the jurisdiction of the Solano County Sheriff's Department for the unincorporated County. No schools or parks will be affected. The project will utilize an on-site domestic water well. An on-site septic system would serve the project with no impacts to municipal sanitation services. **No Impact.**

2.16 RECREATION

Would the project:

- a. Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?
- b. Does the project include recreational facilities or require the construction or expansion of recreational facilities that might have an adverse physical effect on the environment?

Environmental Setting & Impacts Discussion

The project does not involve or affect recreational facilities or resources.

a. Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?

The project does not involve or affect recreational facilities or resources. No Impact.

b. Does the project include recreational facilities or require the construction or expansion of recreational facilities that might have an adverse physical effect on the environment?

The project does not involve or affect recreational facilities or resources. No Impact.

Potentially Significant Impact	Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact

1 000

Less Than

2.17 TRANSPORTATION

Woul	ld the project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
a.	Conflict with a program, plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle, and pedestrian facilities?				•
b.	Conflict or be inconsistent with CEQA Guidelines Section 15064.3, subdivision (b) "vehicle miles traveled"?				
C.	Substantially increase hazards due to a geometric design feature (e.g. sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?				
d.	Result in inadequate emergency access?				

a Thar

Environmental Setting

The subject site is accessed via private driveway off Morrison Lane. The project involves up to eight events annually with up to 150 person per event. In addition, events are temporary in nature and anticipated to occur in favorable weather during Spring through Fall. Pursuant to Section 28.94(A)(8) of the Zoning Regulations, the parking requirements for the special events land use requires one space per four persons at capacity. Using this formula, the project is expected to increase traffic along Morrison Lane by 38 vehicles for events operating at maximum capacity. Under the maximum capacity scenario, an increase of an additional 72 round trips can be anticipated per event. Events are of sufficient duration that the inbound and outbound trips occur in separate hours, thus the number of trips on the road network at one time is half of the total volume.

Impacts Discussion

a. Conflict with a program, plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle, and pedestrian facilities?

The project does not conflict with any alternative transportation plans or policies. No Impact.

b. Conflict or be inconsistent with CEQA Guidelines Section 15064.3, subdivision (b) which establishes criteria for analyzing transportation impacts, in particular vehicle miles traveled?

In December 2018, the California Office of Planning and Research (OPR) issued a Technical Advisory on Evaluating Transportation Impact in CEQA. The advisory document outlines screening thresholds for land use projects to identify when a project can be expected to cause a less-than-significant impact, particularly with regard to vehicle miles traveled (VMTs). The OPR advisory identifies Small Projects as those which generate or attract fewer than 110 trips per day, which generally may be assumed to cause a less than significant impact.

The project has the potential to increase traffic along Morrison Lane by 72 vehicle trips, eight times per year, which averages to 1.5 daily trips per year. The project meets the Small Project definition. Less Than Significant Impact.

- c. Substantially increase hazards due to a geometric design feature (e.g. sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)? The proposed facility does not include any features which create dangerous conditions. No Impact.
- d. Result in inadequate emergency access?

The project does not alter the access to the site and will have sufficient ingress and egress. No Impact.

Less Than

2.18 TRIBAL CULTURAL RESOURCES

Wou	ld the project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact	
a.	Would the project cause a substantial adverse change in the significance of a tribal resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:				•	
	 i) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k), or 				•	
	 ii) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resources Code section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe. 					

Environmental Setting

The subject site consists of developing approximately two acres of an agricultural parcel. There are no structures proposed for removal, historical or otherwise.

Impacts Discussion

a. Would the project cause a substantial adverse change in the significance of a tribal resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k), or a resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code section 5024.1.

No tribal or historical resources have been identified on the subject site. No Impact.

2.19 UTILITIES AND SERVICE SYSTEMS

Would the project:

- a. Require or result in the construction of new or expanded water, wastewater treatment, or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?
- b. Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry, and multiple dry years?
- c. Result in a determination by the wastewater treatment provider, which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?
- d. Generate solid waste in excess of state or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?
- e. Comply with federal, state, and local statutes and regulations related to solid waste?

Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact

Environmental Setting

The subject site is located within the district boundaries of the San Francisco Regional Quality Control Board. The project includes a new on-site private septic system and domestic water well. A later phase of the project includes construction of a commercial kitchen within the event barn which will necessitate the installation of a grease interceptor on the septic system. Construction of the project requires issuance of a grading permit from Solano County Public Works, in part, to ensure on-site retention of potential stormwater runoff due to increased impervious surface area.

Impacts Discussion

a. Require or result in the construction of new or expanded water, wastewater treatment, or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?

The subject site is located within the San Francisco Bay Regional Water Quality Control Board District. The project will utilize on-site wastewater treatment methods therefore would not exceed RWQCB requirements. **No Impact.**

b. Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry, and multiple dry years?

The project will utilize an onsite domestic water well and new private septic system. No Impact.

c. Result in a determination by the wastewater treatment provider, which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?

Reference (a) above. **No Impact.**

d. Generate solid waste in excess of state or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?

Solano County is served by two landfills which maintain more than a fifteen-year capacity for the county's solid waste disposal needs. The project will not substantially increase solid waste generated on-site. **No Impact.**

e. Comply with federal, state, and local statutes and regulations related to solid waste?

As permitted, on-site solid waste disposal complies with federal, state, and local statutes and regulations related to solid waste. **No Impact.**

2.20 WILDFIRE

Would	the project:	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
a.	Substantially impair an adopted emergency response plan or emergency evacuation plan?				

Initial Study and Mitigated Negative Declaration Use Permit U-20-04 (Turpin)

- b. Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?
- c. Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines, or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?
- d. Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?

Environmental Setting

The project is sited on relatively flat terrain within the Suisun Valley. As seen on Figure HS-9 of the Solano County General Plan Wildland Fire Hazard Area map, the property is located within an area designated "low or none" for wildland fire hazard. In addition, the project is located outside the California Board of Forestry and Fire Protection's State Responsibility Area.

Impacts Discussion

a. Substantially impair an adopted emergency response plan or emergency evacuation plan?

There are no identified adopted emergency response plans applicable to the project. No Impact.

b. Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?

There are no identified wildfire risks associated with the project. No Impact.

c. Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines, or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?

Reference (b) above. No Impact.

d. Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?

Reference (b) above. No Impact.

	•

2.21 MANDATORY FINDINGS OF SIGNIFICANCE

Would the project:

- a. Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below selfsustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal, or eliminate important examples of the major periods of California history or prehistory?
- b. Does the project have impacts that are individually limited, but cumulatively considerable? "Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects.
- c. Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?

Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact

Impacts Discussion

a-c. No environmental impacts attributable to this proposal have been identified that would have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of an endangered, rare or threatened species, eliminate important examples of the major periods of California history or prehistory, have impacts that are individually limited, but cumulatively considerable, or cause substantial adverse effects on human beings. Less Than Significant Impact.

CHAPTER 3 – AGENCY COORDINATION AND PUBLIC INVOLVEMENT

3.1 Consultation and Coordination with Public Agencies

The Initial Study is being circulated for public comment and referred to the State Clearinghouse for coordinated review by state agencies. (See Section 5.0 Distribution List)

3.2 Public Participation Methods

The Initial Study is also available at the Solano County Department of Resource Management and online at the Department's Planning Services Division website at:

http://www.solanocounty.com/depts/rm/documents/eir/default.asp

Interested parties may contact the planner assigned to this project at the contact points provided below:

Eric Wilberg Planner Associate

Solano County Department of Resource Management Planning Services Division 675 Texas Street Fairfield, CA 94533

PHONE: (707) 784-6765 FAX: (707) 784-4805 EMAIL: ejwilberg@solanocounty.com

3.3 List of Preparers

Solano County Department of Resource Management

This Initial Study was prepared by the Solano County Department of Resource Management.

3.4 Distribution List

Federal Agencies

State Agencies

CA Department of Fish & Wildlife

Regional Agencies

Local Agencies

Cordelia Fire District Solano County Building & Safety Division Solano County Environmental Health Division Solano County Public Works Engineering Division Solano Irrigation District

DEPARTMENT OF RESOURCE MANAGEMENT(707) 784-6765 PhoPLANNING SERVICES APPLICATION FORM0 CT 0 1 2020(707) 784-4805 Fax	ne
675 Texas Street Suite 5500, Fairfield, CA 94533 COUNTY OF SOLANO Www.solanocounty RESOURCE MANAGEMENT	.com
Application Type: X New Extension (maps) Minor Revision Map Modification	
Administrative Permit (AD) Minor Use Permit (MU) Sign Permit (SGN) Architectural Review (AR) Mobilehome Storage Permit (MH) Use Permit (U) General Plan Amendment (G) Mutual Agreement (MA) Variance (V) Major Subdivision (S) Performance Standards (PS) Waiver (WA) Marsh Development Permit (MD) Policy Plan Overlay (PP) Zone Text Amendment Minor Subdivision (MS) Rezone (Z) Sign Permit (SGN)	ent (ZT)
U-20-04 FOR OFFICE USE ONLY 10/1/20	
Application No: MR# Hrg: AD ZA PC BOS Date Filed: PI	nr:
Project Name:Morrison Lane - Wags Way	
Subject Site Information	
Site Address: Morrison Lane, APN 0153-140-240-01 City: FairfieldState: Zip:	94534
Assessor's Parcel Number (s):APN 0153-140-240-01Size (sq. ft/acre):Size (sq. f	
Preferred Property Access by Staff: 🛛 OK to access 🖾 Call applicant before access 🗌 Call owner before access	
Contact Information	
Property Owner Name: Susan Turpin	
	4534
Architect/Engineer/Land Surveyor Company Name:James George Designs Inc	
Contact Name: James George Phone: 707-5806704 Email: james@georgeconstructionandd	lesign.com
Mailing Address: 30 Lemon Hill Trail City:Napa State:CAZip:	94558
Applicant/Company Name: Susan Turpin	
Contact Name: Susan Turpin Phone: 650-296-7127 Email: kiddieheart7@aol.com	
Mailing Address: 1913 Dawnview Place City: Fairfield State: CA Zip:	94534
Other Contacts:	
Name: Greg Plough - Contractor Phone: 209-969-3416 Email:grplough@aol.com	
	94534

1 Project Narrative

Describe the type of development, proposed uses/business, phases, changes or alterations to the property or building and intent or purpose of your proposal clearly. Attach additional sheets as necessary.

Currently the 25.02 acres are undeveloped. Surround areas have agriculture, vineyards, orchards, tasting rooms. food and outdoor venues.

Planned development in Phases:

Phase 1:

Private, primary home and detached garage on the South East part of the property. •

Home is approximately 3500 to 4000 sq ft.

Detached garage 1600 square foot, with a study, home wine processing / shop, garage, bathroom •

Second home, less than or equal to 1800 sq foot, to be used as living space for family, rental or vacation • _rental. I want to reserve the right to use it as a vacation rental Inn when the Event Barn is built.

Guest studio, 550 sq ft, for my daughter's use at times. I want to reserve the right to use it as a honeymoon _ suite or vacation rental studio when the Event Barn is built.

Vineyards and fruit trees •

Phase 2:

Construct an Event Barn center on the North West part of the property, between 3000 to 4000 sq ft. for ٠ _occupancy of 125 people.

On site food preparation, food storage, table storage •

Events to include weddings, community events, fund raisers, holiday events, educational and private •

_gatherings

To start at 8 events per year, and expand

م • Parking for 75 cars. Gravel with paved accessibility for ADA.

Vineyards, fruit trees, landscaping

• Seasonal fruit from on site and local farmers

Picnic and outdoor seating areas _•

Reserve the right for local wine tasting, alcohol to be served at events. Reserve the right to obtain an ABC _•

_license.

2 General Plan, Zoning and Utilities:

- General Plan, Zoning or Williamson Act Contract information is available at our offices or can be obtained by visiting -www.solanocounty.com. Click on the "Interactive Map" icon, then search by address or assessor parcel number.

 Current General Plan Designation:Suisun Valley 	Current Zoning:A-SV
 Proposed General Plan Designation:	Proposed Zoning:A-SV
 Current Water Provider: New well installed 9/2019; SID 	Current Sewage Disposal:
 Proposed Water Provider: Well and SID 	Proposed Sewage Disposal:Septic
_	

Attachment A

	<u>Williamson A</u>	ct Contract				
ļ	A. Is any portion	of the propert	ty under Willia	mson Act Contract?	Yes	XX N o
	If yes, Cont	ract No		please provide a copy.	Would lik	e to inquire about application
	If yes, has a	Notice of Non	-Renewal beer	filed?	Yes	No
	lf yes, plea	se provide a co	ру.			
E		÷		oen space or similar easemer on Act contracts)	nts affecting	the use of the project site?
	Yes	X No	if yes, ple	ase list and provide a copy.		
Ļ	Additional Ba	ckground Info	ormation			
F	. Does the pror	oosal propose t	he demolition	or alteration of any existing	structures o	n the subject site?
	Yes	X No		ase describe in the project n		
	permit, Depa Building pe Building pe List any know	ermits, septic p ermits submitte	and Game per ermits (plan 2 ed 12/29/2019 oproved projec	septic systems) Business lice for 5 structures. ts located on the property (i	nses; SID; a	
	Newly divid	ed 45 acre par	cel to Parcel 2	-A (20 acres)and Parcel 2-B (25 acres). No	ew APN for Parcel 2-B listed
	••••••	n professionali	v prepared re	aarte far tha project (i.a. bial		
C		iterials, etc.)	Foundation so 2/2019; RW-Co	ils report by KC Engineering onsulting Engineers - Structu ; soil analysis for septic (prio	9/2019; GHE ral 12/2019;	Land surveying / topagraphy
	hazardous ma	iterials, etc.)	Foundation so 2/2019; RW Co by Ty Hawkins Civil Engineer using and Urba	ils report by KC Engineering onsulting Engineers - Structu ; soil analysis for septic (prio	9/2019; GHE ral 12/2019; r to lot divisi) - Soil sampling / analysis Land surveying / topagraphy on) by Ruban Oropeza;

۲

H. Is this part of a larger project? If yes, please explain.	Yes	X No
--	-----	------

5 Existing Conditions

Describe in general the project site and surrounding properties as they presently exist; including but not limited to, information on existing land uses, unique physical and topographic features, soil stability, plants and animals, cultural, historical, or scenic aspects, and any other information which would assist the Department in understanding the project's environmental setting. Clear, representative color photographs may be submitted to show the project area. Draw in property boundaries on the photographs.

A. Project site:

See attached newly recorded Parcel map 12/27/2018. The 25.02 acres are undeveloped; lat; Putah South Canal borders 2 sides of property; 50 ft.easement on front property to back parcel (2-A) to access Parcel 2-B. Plans for full site development submitted by James George.

B. Surrounding properties:

Front parcel 2-A with 20 acres, and drainage channels, has small home, plantings of trees; adjacent property (formerly Babcock) with vineyard; 2 sides bordered with Putah South Canal on West and South borders; surrounding areas vineyards, homes, wineries, orchards, and undeveloped.

- C. Existing use of land: Seasonal crops_____
- D. Describe number and type of existing structures:

	Type/Number	Square Feet
Residential	0	0
Agricultural	0	0
Commercial	0	0
Industrial	0	0
Other	0	0

- E. Describe existing vegetation on site, including number and type of existing trees. Brush overgrowth, no trees Seasonal row crops and mowed seasonal native grasses
- F. If in agricultural use, describe type of use or crop (cattle, sheep, hay, vegetables, fruit, etc).

Former seasonal row crops: wineyards and hay. The property is currently not planted.

Attachment A

G.	Slope of property:	See report from Ty Hawkin's maps		
	Flat or sloping	(0 - 6% slope)X		acres
	Rolling	(7 - 15% slope)		acres
	Hilly	(16 - 24% slope)		acres
	Steep	(> 24% slope)		acres

H. Describe existing drainage conditions on site. Indicate direction of surface flows, adjacent parcels affected. See submitted maps

I. Describe land uses on adjacent parcels (specify types of crops if agricultural).

North	Parcel 2-A / trees /home/unused	South	vineyard / Putah South Canal
East	vineyard / open land	West	Putah South Canal

J. Distance to nearest residence(s) or other adjacent use(s): <u>1210 feet</u> (ft/mi) Current closest home on lot 2-A at street level is 1210 feet to proposed Event Barn

K. Describe and indicate location of any power lines, water mains, pipelines or other transmission lines which are located on or adjacent to the property.

Entrance to Easement from Morrison - PG&E poles/lines; SID / Agriculture service line access.

L. Describe number and location of natural creeks or water courses through or adjacent to the property. Specify names (if any). Indicate whether ephemeral (brief flows following rains), intermittent (seasonal flows during wet season), or perennial (year-round flows).
Dutch South Canel West and South approximator.

Putah South Canal West and South perimeter

M. Describe number and location of man-made drainage channels through or adjacent to the property. Specify names, if any.

Drainage channels on front 20 acres Parcel 2-A

O. Are there any unique, sensitive, rare, threatened, or endangered animals, plants, or habitats on the project site or located in close proximity which may be affected by the project?

Yes _____ No ____ X ___ Don't Know _____ If yes, please list:

 P. Describe existing vehicle access(s) to property: 50 foot easement from Morrison Lane front Parcel to rear Parcel 2-B, runs along Putah Canal Q. List and describe the nature and location of all existing easements serving or affecting the property, including access, utility, and other public or private easements (see deed or recent preliminary title report).

See county map; 1) 50 foot easement on Parcel 2-A to 2-B; 2)Canal driveway on Parcel 2-B 3) PG&E on 2-A - PG&E drop line on 2-B and PG&E lines, 4) SID service line for 2-B in easement near Morrison Lane.

R. List and describe any freestanding and attached signage on the property. Describe the dimensions, area and height. Include the location on the site plan.

None now. Plan signage for address / mailbox and as required for the fire department. Future non-lighted 8 ft wide x 4 foot tall commercial sign

6 Proposed Changes to the Site

- A. Topography and grading (attach copy of grading plan showing existing and proposed topography and drainage patterns.)
 - i. Percent of site previously graded: ____%.
 - ii. Project area (area to be graded or otherwise disturbed): ______sq. ft./acres.
 - iii. Estimate amount of soil to be moved (cut and/or fill):
 - Less than 50 cubic yds³ _____More than 50 cubic yds³ ____More than 1000 cubic yds³
 - iv. Estimate amount of soil to be:

Imported _____yd³ Exported _____yd³ Used on site ____000 __yd³.

- B. Number, size and type of trees, and type and quantity of vegetation to be removed. (size of trees = diameter at 4ft. above grade) Brush
- C. Number, type and use of existing structures to be removed, and removal schedule: Fencing along the East border of property. Old wood fencing - small amount. Within 2 years
- D. Describe proposed fencing and/or visual screening (landscaping): <u>Wood and wire fencing around portions of primary residence, about 2 -4 acres; trees from visual screening along</u> driveway and road to primary home and event barn. Fruit tress and vineyard along parcel division
- E. Proposed access to project site (road name, driveway location, etc.): Easement and new gravel road starting at back parcel; gravel / dirt road present at front parcel
- F. Proposed source and method of water supply: <u>New well installed 9/2019. Will have pump. SID /agriculture water to be used for vineyard, orchard, vegetation,</u> trees, plants

G. Proposed method of sewage disposal (specify agency if public sewer): <u>New septic systems - 2 planned; one for primary resident and detached garage; one for event barn, 2nd</u> residence and Cottage Studio.

- H. Provisions for solid/hazardous waste disposal (specify company or agency if applicable): Plough construction
- J. Duration of construction and/or anticipated phasing: 2-4 years
- K. Will the proposed use be affected by or sensitive to existing noise in the vicinity? If so, describe source (e.g. freeway, industrial) and distance to noise source. None identified yet

7 Proposed Site Utilization

A. RESIDENTIAL PROJECTS

- 1. Number of structures: Single Family:
 2
 Multi-family:
 0
 Accessory:
 3

 If multi-family, number of units:
 0
 Maximum height:
 30 ft
 30 ft
- 2. Signage:
 Freestanding:
 x
 Dimension(s):
 4 ft x 8 ft
 Area:
 32
 (sq.ft)

 Attached/Wall:
 TBD
 Dimensions(s):
 TBD
 Area:
 (sq.ft)

B. NON-RESIDENTIAL PROJECTS (Commercial, Industrial, Agricultural, Other)

1.	Lot coverage: 1 event barn, 2nd home to be used as inn and studio				
	Building coverage:4800(sq.ft) Surfaced area:6000(sq.ft)				
	Landscaped or open space: 20,000 (sq.ft)				
2.	Total floor area:3000 (sq.ft)				
3.	Number of stories:1 Maximum height:35 (ft.)				
	Proposed hours of operation: Event barn				
	Days: TBD / 7 days a week				
	From: <u>8am</u> a.m./p.m to <u>12pm</u> a.m./p.m				
	Year round: Yes No Months of operation: from through				

Attachment A

5.	Proposed construction schedule:			
	Daily construction schedule: froma.m./p.m. toa.m./p.m.			
	Days of construction:			
6.	Will this project be constructed in phases? Describe: See attached			
7.	Maximum number of people using facilities:			
	At any one time:125Throughout day:			
8.	Total number of employees:1-4			
	Expected maximum number of employees on site:4			
	During a shift:4During day:4			
9.	Number of parking spaces proposed: 75			
10.	Maximum number of vehicles expected to arrive at site:			
	At any one time:75day:			
11.	Radius of service area:50 miles			
12.	Type of loading/unloading facilities: NANANANA			
13.	Type of exterior lighting proposed: LED accent lights			
14.	Describe all anticipated noise-generating operations, vehicles or equipment on-site. Bands playing at weddings and events			
15.	Describe all proposed uses which may emit odors detectable on or off-site. NA			

Describe all proposed freestanding and wall signage. Include the dimensions, area and height.
 4 ft x 8 ft commerial sign

8 Environmental Checklist

Indicate the following items applicable to the project or its effects. Discuss in Section 9 all items checked "Yes" or "Maybe". *Attach additional sheets as necessary.*

		YES	MAYBE	NO
Α.	Change in existing natural features including any bays, tidelands, lakes, streams, beaches, natural landforms or vegetation.			
В.	Change in scenic views or vistas from existing residential areas, public lands or roads.			x
C.	Change in scale, pattern or character of general area of project.		X	
D.	Increased amounts of solid waste or litter.	X		
E.	Dust, ash, smoke, fumes or odors on site or in vicinity.		X	
F.	Change in ground water quality or quantity.			x
G.	Alteration of existing drainage patterns, or change in surface water quantity or quality.			x
•́Н.	Change in existing noise or vibration levels.	-	×.*	
I.	Construction on filled land or construction or grading on slopes of 25% or more.			X
J.	Storage, use or disposal of materials potentially hazardous to man or wildlife, including gasoline and diesel fuel. (See Environmental Health Division for assistance or information).			x
К.	Increase in demand for public services (police, fire, water, sewer, etc.)	x		
L.	Increase in fossil fuel consumption (electricity, natural gas, oil, etc.).	x		
M.	Change in use of or access to an existing recreational area or navigable stream.			X
N.	Change in traffic or vehicular noise on road system in immediate vicinity.		X	
0.	Increased hazards for vehicles, bicycles or pedestrians.			x
Ρ.	Removal of agricultural or grazing lands from production.			X
Q.	Relocation of people.			x

9 Additional Information by Applicant

In order to make this application COMPLETE, please submit any additional data, information or special study reports that may be necessary to determine whether the project may have significant effect on the environment or to evaluate any adverse impacts, and to determine how they may be mitigated. Add additional pages as necessary.

10 Information Verification - Signed by Owner and Applicant

Owner and Applicant must sign below certifying that all information is to the best of his/her knowledge true and correct.

If the applicant is not the owner of record of all property included in this application, the signature given below is certification that the owners of record have knowledge of and consent to the filing of this application and supporting information. Additionally, the undersigned does hereby authorize representatives of the County to enter upon the above mentioned property for inspection purposes. This certification acknowledges that if the project exceeds the number of hours implicit in the application fee, applicants are subject to the hourly billing rate of staff time. You will be notified if the project is approaching this threshold.

I hereby certify that the statements furnished above and in the attached exhibits present the data and information required for this initial evaluation to the best of my ability, and that the facts, statements, and information presented are true and correct to the best of my knowledge and belief.

Owner signature: _	Susan	Tig	Date:	10/1/2020
PRINTED NAME:	Susan Turpin	• 		
Applicant signature	e:		Date:	
PRINTED NAME: _				

For Office Use Only

Planning Permit Fee(s)	Environmental Review Fees
\$ \$ \$ \$	Initial Study\$Archaeological Study (Sonoma State NWIC)\$Negative Declaration\$CA Fish and Games (ND or EIR)\$Initiate EIR\$Mitigation Monitoring Plan\$
Total Fees Paid \$ 7,726. Cash Check Charge/Debit	Receipt No.: 13230 DATE: 10/01/2020
Staff verify: Zoning: GP Land Use & Co	onsistency:

Staff/Date:

T/PLANNING/Planning Templates/Front Counter Application and Instruction Forms/COUNTER FORMS - (O-R-I-G-I-N-A-L-S)/Land Use Permit/Permit Application & Instructions/Land Use Permit Application 042418.doc(May 2, 2018)

SOLANO COUNTY FIRE REOUIREMENTS:

- 1. All construction shall be sprinklered in accordance with the National Fire Protection
- a. In all existing buildings/structures when a change in occupancy classification or use occurs, or when any existing occupancy, regardless of total floor area, is converted to a
- b. In all remodels/room additions where the total area exceeds 25% of the original square footage. (Allowance above 25% will require approval by the Fire Chief of the Vacaville Fire Protection District.)
 c. In all remodels/room additions with an existing sprinkler system, the system must be
- in all remotes room additions with an existing sprinker system, the system nuits be recalculated and designed to accommodate the additional flow demand.
 An approved flashing light shall be installed on all new dwellings in such a position as to be plainly visible from the road fronting the property. The signal light shall be installed in such a manner that i will automatically activate in conjunction with the required sprinkler system. The light may also be installed in so that it may be manually activated to assist in locating with the state of the system of the signal back solution. buildings during other emergencies. The signal light shall be a flashing blue or white light canable of a minimum of 80 flashes per minute and a minimum of 25000-candle power
- capacito or a minimum of 80 transc per minute and a minimum of z000-candie power. 3. Smoke Detectors Shall be provided and installed in accordance with section 1210 of the Building Code. 1001.5.1.3 UFC A smoke detector shall be installed in each sleeping room and at a point centrally located in the corridor or area giving access to each separate sleeping area. 4. Premises Identification a. To readily respond to emergencies, all homes, business and commercial properties
- must be easily identified with the address number 90144 CFC 30-201 Solano County Ordinance
- Upon receipt of the address number from the Director of Public Works, the occupant or owner of the property or building shall display the number upon the building or land in such a manner as to be visible from the road upon which the land or building fronts.
- Address numbers shall be conspicuous to ensure positive identification and placed on
- front doors, near garage doors, or at a single driveway entrance. d Where residen
- Where residences and/or property are not clearly visible from the road, access identification other than mailboxes shall be on 4" X 4" wood posts, metal stakes, or valent markers elevated at least 3 feet for clear visibility and rapid directional identification.
 All numbers shall be a minimum height of 3 inches with a 3/8 inch stroke, reflective
- and/or color contrasting with the surface where placed f. Driveways - Roads

5. Fire apparatus access shall be provided and maintained in accordance with the provisions of the Uniform Fire Code as adopted by the Vaawille Fire Protection District. To provide year-round, all-watch access for heavy fire engines and other emergency equipment to residential building sites that are not covered in the Solamo County Read and Street Standards, these interfaces are set of the solamo County Read and Street Standards, these iveways - reads atus access shall be provided and maintained in accordance with the provisions of minimum access road specifications shall apply, 902.2.2.2 UFC:

- a. Plans for access shall be submitted to the District for review and approval prior to construction. b Drivewavs shall extend from each building site to a public or private roadway and
- shall have an unobstructed width of not less than 20 feet (60% mm) with suitable base material. Driveways may be a minimum 12 feet wide with authorization. 902.2.2.1 UFC The maximum grade allowed is 12 percent Appendix III-D Section 6.1 UFC
- c. The maximum grade allowed is 12 percent. Appendix III-D, Section 6.1 UFC
 d. Surface designed and maintained to support a 50,000 lb. load.
 e. Driveways exceeding 150 feet in length, but less than 800 feet in length, shall provide a turnout near the midpoint of the driveway. Where the driveway exceeds 800 feet, turnout shall be provided no more than 400 feet apart.
 f. Turnout shall be raminimum of 10 feet wide and 30 feet long with a minimum 25 foot
- taner on each end Minimum centerline curve radius of 40 feet
- Minimum centerline curve radius of 40 rec. Necessary drainage improvements. Turnaround facilities shall be provided at all building sites on driveways over 300 feet in length, and shall be within 50 feet of the building. The minimum turning radius for a turnaround shall be 40 ref ref from the centerline of the road. If a hammerhead/T is used, the top of the 'T' shall be a minimum of 60 feet in length. J. Any required culverts or bridges shall be designed for a live load of 50 tons and be certified by a professional engineer. Vehicle load limits shall be posted at both transports to bridges.
- entrances to bridges. k. Overhead clearance of limbs, trees, etc. shall be a minimum of 15 feet
- All residences shall be no more than 1000 road feet from a fire hydrant.
- All residences shall be on proved type and contain a minimum of one 2 112⁻¹ and one 4 12². NHS external thread outlets, (Equal to Model 614 Long Beach Iron Works)
 Hydrant fire flows shall conform to Fire District standards.
 Fire hydrants shall be clearly identified in an approved manner to prevent obstruction by parking and other obstructions. 9014.3 CFC.
 Fire hydrants shall be identified by the installation of blue reflective markers located in Fire hydrants shall be identified by the installation of blue reflective markers located in
- the center of the roadway 90143 CEC
- f. Fire hydrams subject to possible vehicular damage shall be adequately protected with guard posts in accordance with Section 8001.11.3 CFC g. A 3/foot (914.4 mm) clear space shall be maintained around the circumference of fire 1.57001.2007.0701. hydrants. 1001.7.2 CFG
- h. The center of a hose outlet shall not be less than 18 inches (457 mm) to 36 inches above final grade. NFPA 24
- 7 Gates
 - . Gates shall be at least two feet wider that the width of the traffic lane serving that gate. b. All gates providing access from a road to a driveway shall be located at least 30 feet from the roadway and shall open to allow a vehicle to stop without obstructing traffic on that road.
 - or mar room.
 Construction of the second secon

 In the design and instantion of an eccentrary operated gates share or an accordance with the following criteria:
 The gate control shall be operable by an approved emergency override Knox key switch that is an integral part of the mechanism. In the event of a power failure, the gate shall automatically be transferred to a fail-safe mode allowing the gate to be pushed open without the use of special knowledge or

- equipment. ii. The key switch shall be labeled with a permanent red sign with not less iii. (CEDE DELTE) are of now decal than ?" contrasting letters reading "FIRE DEPT" or a "Knox" decal.
- A transmitter-operated gate shall have a Knox key switch on the right
- Ar anismine operated gate stain have a know sympton of the uptin side of the gates opening approximately 4% above the roadway surface. It shall be visible and easily accessible with a label as specified above. v. Upon activitation of the Know key switch, the gate shall remain open until returned to normal operation by means of the key switch.
- Manually Operated Gates and Barriers A Knox padlock shall be used in order for the Fire District to enter the
- property during an emergency in a timely manner without the destruction of
- private property. iii. After investigation of the available products, it has been determined that the the standard of the products of the private the standard of the standa only the product line offered by the Knox Company of Phoenix satisfies the
- security needs of the Fire District and the community. The Fire District will provide the only acceptable order form.
- 8 Roof Covering
- All roof coverings shall be fire retardant as specified in the Uniform Building Code Wood shakes or other wood materials applied as roof covering shall be fire rated as class B or better. 1504, Table 15-A UBC Spark Arresters
- Chimneys used with fireplaces or heating appliance in which solid or liquid fuel is used shall be maintained with a spark arrester. 1109.7 UFC, 4291 (F) PRC

SITE PLAN GENERAL NOTES

- Slope & Foundation Protection Requirements: 1. Building shall not be located on any fill unless the fill is certified by a soils
- Building shall not be located on any fill unless the fill is certified by a soils engineer as compacted engineered fill capable of supporting loads imposed by the building without risk of foundation movement. The ground immediately adjacent to the foundation shall be sloped away from the building at a slope not less than one unit vertical in 20 units horizontal (5% slope) for a minimum distance of 10' measured perpendicular to the face of the foundation wall. If physical obstructions or lot lines prohibit 10' of horizon distance at 5% slope, 5% slope shall be provided to an approved alternative method of diverting water away from the foundation. Swales used for this purpose shall be sloped a minimum of 2% where located within 10' of the sloudation. Impervious surfaces within 10' of the sloudation shall be sloped a minimum of 2% away from the building. Yes this note is from the code.
- 3. The excavation outside the foundation shall be backfilled with soil that is free of organic material, construction debris, cobbles and boulders or a controlled low strength material. The backfill shall be placed in lifts and compacted in a

- by signify material, contaction to controls and connects of a control to the signify material in the backfull shall be placed in hifts and compacted in a manner that does not damage the foundation or the waterproofing or damp proving material including the subdrain.
 All swales more than 10 from the building shall slope at a minimum of 1% from suit rear yard high point to the back of the public sidewalk in the front yard, or other approved location.
 No water should be allowed to discharge in a concentrated manner without control over any slope. The building pad shall be protected be protected against storm water runoff from uphill slopes.
 The lot shall be positively graded at all times to provide for rapid removal of service water runoff raway from foundation systems at any undestrable weakening of the subgrade materials, loss of compaction, slab movements and given enough time even foundation movements. No ponding of storm water is to be permitted on the building pads during prolonged periods of inclement weater is to be permitted on the building ads during prolonged periods of inclement weater in the building pads during promation water is to be permitted on the building pads during prolonged periods of inclement weater is the building pads during prolonged periods of inclement weater.
- weather.
 7. Care shall be exercised to ensure that planters, landscape mounds, etc. will not interfere with the above requirements. Drainage swale shall flow to the curb or an approved location where flow will not cause erosion or cause impact on ent properties
- adjacent properties.
 Storm water from roof drain downspouts shall be carried away from the building in closed conduits to the curb or an approved outlet location where outlet flow will not cause erosion or cause impact to adjacent properties.
- Our row win not cause crossing to class inpact to adjacent properties. On graded sites the top of any exterior foundation shall extend above the elevation of the street gutter at a point of discharge of the inlet of an approved drainage device. A minimum of 12," plus 2% unless an alternative is specifically approved by the building official
- Addition or When Located Near Existing Construction Requirements:
 I. The builder shall verify location of existing underground utilities, pipes, irrigation lines, subdrains, sewer lines, wring, etc. prior to excavation and shall ensure that any of the said items which are damaged during construction are repaired and returned to a working manner with the approval of the owner and pipe fittings of fixed in a timely manner. I suggest you have extra PVC and pipe fittings on site and ready to go just in case.
 2. Verify locations of existing possible septic tanks, leach fields or buried tanks to ensure proper setbacks are maintained to the property lines and easements prior to excavation. Should it be discovered that the new construction may or does not fit within the said requirements can be made to the new construction as required to comply prior to continuing with construction.


 - construction.
 4. Builder shall protect the owner's property, landscaping, driveways, etc. to the best of the builder's ability. If said items cannot be protected the builder shall notify the owner of risks and possible added costs from heavy equipment needed for the project prior to construction so contingencies can be agreed apron prior to construction.
- Erosion Control Notes: Irosion Control Notes:

 All crossion control standard measures shall be in-place prior to October 15 thru April 15 of each calendar year and or 24 hours before the weather report calls for more than a 20% chance of rain using weather.gov.
 Utility trenches shall be compacted with the surface finish slightly mounded to prevent the channeling of watering in the trench area.
 The top of the fill or cut slopes should be graded in such a way as to prevent water from flowing freely down the slope.
 All permanent slopes fill or cut, should be protected against erosion by means of erosion control planting, mulching, and in some cases by installation on jutte matting or equivalent.

- matting or equivalent.
- The statistical of equivalent. S Graded Slopes may experience severe erosion when grading is halted by heavy rain, therefore before work is stopped a positive gradient away from the slopes should be provided to carry the surface runoff water away from the slopes and to areas where erosion can be controlled. It is vital that no completed slope be left standing through a winter season without erosion control measures having been
- provided.6. Storm Water Drainage: Where storm water is conveyed to a public drainage system, collection point, and gutter, or similar disposal method, water shall be filtered by use of a barrier system, wattle, or other method approved by the enforcing agency.7. Dust Control: Shall be maintained at all times during construction until the
- project is complete. The builder shall prevent any airborne nuisance dust by watering and or treating the site to prevent dust. Additional watering shall be watering and on recamp the state to prevent dust. Addiminational watering stata to provided during dry weather and wind conditions. The builder shall be responsible for any damages, fines, and or charges from dust related damages. Dust control shall be maintained on a daily basis.
 8. Vegetate new slopes with Tactifier, Fertilizer, and seed shall applied initially. A sible
- fiber mulch of straw or approved equal shall be applied after the seed. Seeded slopes shall be irrigated to encourage growth between the date of application and the first rainy period. Hydroseed all cut and fill slopes. Cut slopes shall be compacted and cat walked prior to seeding.


- SITE PLAN KEYNOTES:
- 1. Driveway Encroachment Provide a commercial driveway encroachment at the County road per other encroachment permit and plans by others. The encroachment shall be paved back to
- and plans by others. The encroachment shall be paved back to the roadway easement line typical.
 Septic Tank: Indicates the approx location of the septic tank with the plans by others: Confirm the new septic tank is min 5 away from the building foundation typical.
 Primary Leach Field: Indicates the approx location of the new leach field with leach field plans by others. Confirm the new
- leach lines are located min 10' away from the existing & new Reserve Leach Field: Indicated the approx. location of the reserve leach field per plans by others. Allow an adequate space
- for a reserve leach field that is equal to or larger than the existing leach field. The reserve leach field shall be located min
- existing leach field. The reserve leach field shall be located min 10 'away from a well ignond, not creek.
 S. New Propane Tank: Indicates the approx location of the new max 500 gal propane tank. The propane tank shall be located min 10' away from any buildings. Some unsurance companies may require a further distance. The propane tank shall be installed per code and the supplier's requirements typical.
 G. Weit Draff's Off Suction Fire Hydrant: Provide a fire delicated hydrant as required per the Fire Protection District. This Hydrant shall be provided with min 4,000 gallous of ware for fire protection. The hydrant shall be protection.
- from the building(s) it serves typical. Hammer Head Turnaround: Provide an approved hammerhead
- Transfer Treat Turneronna. Fronce an approved another read-fire engine turn-around located on an approved gravel all weather surface with in 150' of all portions of the new building.
 New 12' Wide Gravel Driveway: New 12' wide gravel driveway per the grading plans by others. Field verify the driveway meets
- Address Signage: Provide approved address signage on a corresponding background per the Fire Protection Dist & Solano Co. requirements on sheet C1. 10. Optional Future Gated Entry: If a gate entrance is installed it
- Optional runner oureal permit. The gated entrance is visitated an shall be on a separate permit. The gated entrance would need to be min 14' wide 2' wider then the driveway and located min 30' away from the country road easement. The gates if electronic would be required to have a Vacaville Fire Protection District approved Knox key and or a knox key box.
 Storm Water Retention Pond: Indicates a storm water retention pond ner the garante planes thoughes trained.
- pond per the grading plans by others typical. 12. [N] Approx. 5,000 Gal. Water Storage Tank: Provide an approx.
- [1] Applick, Sporta, Fuller Storige tank, with min 4,000 gallons dedicated for each of the fire hydrants plus an additional supply of water storage as required to run the fire sprinklers as required per the fire sprinkler plans by others. Not Usea
- 14. Electrical Meters: Install two new 400 amp and one 200 amp Area with the second living unit. The builder shall obtain a
- permit with PG&E. 15. (RD) Roof Drain: Roof drain down spouts shall be tied into a (KD) Koof Drain: Koof arain aown spouls snail oe itea into a 4"O solid drain line and ran at min 12% slope to the drainage system per the grading plan by others and per the soils report and the soils engineer in the field.
 New 20' Wide Gravel Driveway: New 20' wide gravel driveway per the grading plans by others. Field verify the driveway meets the Solano Co requirements and the slope does not exceed 12%.
- 17. Well: Indicates the approx location of the existing well to be used
- for the new residenc
- por the new restance.
 18. Clean-outs: Provide a clean-out at grade @ max 100' o.c. and at each roof drain down spout. Locate cleanouts where they will not be susceptible to damage from being run over by a lawn mower or other hazards. Locate the clean-outs in the field. Not all clean-outs are shown on this plan
- ctean-outs are shown on this plan.
 19. Solid Drain Line: Indicated a min 4"O solid drain line or sized per the grading plan. Drain lines shall be sloped at min 2% slope to the drainage lines per the grading plans by others. All roof drains shall flow into the retention pond.
 20. Trush Reevel Strong and Strain One.
- roof drains shall flow into the retention pond.
 20. Trash / Recycle Storage And Sorting On Site Note: Haul material such as trash and recycled items shall be placed in a dump trailer and not stored on the ground when possible. If trash and recyclable items are stored on the ground a straw waitle shall be placed around the said items per note number 24 below typical. Said items shall have the straw waitle and tarp secured over them 24hours before and after the weather report calls for
- re then a 20% chance of rain using weather.go 21. Tie Into Solid Drain Line Per Grading Plan: The the new storn drain lines into a solid storm drain line per the grading plan by others. All roof drains shall flow into the storm water retention
- 22. DI Drain Intake: Indicate a drain intake per the grading plan by
- 23. Not Used 24. Fiber Roll / Straw waddle: Provide a Fiber Roll / Straw waddle
- around the disturbed areas as required for erosion control and sediment filtering typical. Erosion control measures on the grading plan by others shall govern. Where finish grading occurs
- vide a straw wattle per detail 2/C1. provide a straw wattle per detail 2/CL. 25. Solid arrows indicate the required finish slope around the building foundation. Slope the finish grade away from the building construction (@ min (5% slope) for the first 10 'to an approved swale or location. Slope paved surfaces away from the building at min 2% slope for the first 10 'to an approved swale or location. See detail 1/Cl and the site plan notes on sheet Cl for

additional reauirements





Attachment B





SITE PLAN KEYNOTES:


- 1. Driveway Encroachment Provide a commercial driveway encroachment at the County road per other encroachment permit and plans by others. The encroachment shall be paved back to the roadway easement line typical.
- Septic Tank: Indicates the approx location of the septic tank with the plans by others. Confirm the new septic tank is min 5' away from the building oundation typical
- **Primary Leach Field:** Indicates the approx location of the new leach field with leach field plans by others. Confirm the new leach lines are located min 10' away from the existing & new building foundations typical
- Reserve Leach Field: Indicated the approx. location of the reserve leach field per plans by others. Allow an adequate space for a reserve leach field that is equal to or larger than the existing leach field. The reserve leach field shall be located min 10' away from a building foundation, 10' away from property lines, and 100' away from a well pond, or creek.
- Lines, and 100' away from a well pond, or creek.
 New Propane Tank: Indicates the approx location of the new max 500 gal propane tank. The propane tank shall be located min 10' away from any buildings. Some insurance companies may require a further distance. The propane tank shall be installed per code and the supplier's requirements
- Wet Draft/ Soft Suction Fire Hydrant: Provide a fire dedicated hydrant as required per the Fire Protection District. This Hydrant shall be provided with min 4,000 gallons of water for fire protection. The hydrant shall be located min 50' to max 150 from the building(s) it serves typical.
- Hammer Head Turnaround: Provide an approved hammerhead fire engine turn-around located on an approved gravel all weather surface with in 150' of all portions of the new building. New 12' Wide Gravel Driveway: New 12' wide gravel driveway per the
- grading plans by others. Field verify the driveway meets the Solano Co requirements and the slope does not exceed 12%.
- Address Signage: Provide approved address signage on a corresponding background per the Fire Protection Dist & Solano Co. requirements on sheet CI
- 10. Optional Future Gated Entry: If a gate entrance is installed it shall be on a separate permit. The gated entrance would need to be min 14' wide 2' wider then the driveway and located min 30' away from the county road easement. The gates if electronic would be required to have a Vacaville Fire Protection
- District approved Knox key and or a knox key box. 11. Storm Water Retention Pond: Indicates a storm water reten. ion pond per the grading plans by others typical. 12. [N] Approx. 5,000 Gal. Water Storage Tank: Provide an approx. 5,000
- Gallon water storage tank with min 4,000 gallons dedicated for each of the fire hydrants plus an additional supply of water storage as required to run the fire sprinklers as required per the fire sprinkler plans by others 13. Not Used
- 14. Electrical Meters: Install two new 400 amp and one 200 amp drop services w/ one 400 amp meter dedicated to the guest studio, and barn / shop, one 400 amp meter dedicated to the primary residence and garage / shop, and the 200 amp meter dedicated to the second living unit. The builder shall obtain a permit with PG&E.
- permit with PCGE. 15. (RD) Roof Drain: Roof drain down spouts shall be tied into a 4"Ø solid drain line and ran at min 2% slope to the drainage system per the grading plan by
- others and per the soils report and the soils engineer in the field. 16. New 20' Wide Gravel Driveway: New 20' wide gravel driveway per the grading plans by others. Field verify the driveway meets the Solano Co requirements and the slope does not exceed 12%.
- 17. Well: Indicates the approx location of the existing well to be used for the new residence.
- 18. Clean-outs: Provide a clean-out at grade @ max 100 o.c. and at each roof drain down spout. Locate cleanouts where they will not be susceptible to damage from being run over by a lawn mower or other hazards. Locate the clean-outs in the field. Not all clean-outs are shown on this plan. 19. Solid Drain Line: Indicated a min 4"Ø solid drain line or sized per the
- grading plan. Drain lines shall be sloped at min 2% slope to the drainage lines per the grading plans by others. All roof drains shall flow into the
- 20. Trash / Recycle Storage And Sorting On Site Note: Haul material such as trash and recycled items shall be placed in a dump trailer and not stored on the ground when possible. If trash and recyclable items are stored on the und a straw wattle shall be placed around the said items per note number 24 below typical. Said items shall have the straw wattle and tarp secured over them 24hours before and after the weather report calls for more then a 20% chance of rain using weather.gov 21. Tie Into Solid Drain Line Per Grading Plan: Tie the new storm drain lines
- into a solid storm drain line per the grading plan by others. All roof drains shall flow into the storm water retention pond(s)
- 22. DI Drain Intake: Indicate a drain intake per the grading plan by others. 23. Not Used
- 24. Fiber Roll / Straw waddle: Provide a Fiber Roll / Straw waddle around the disturbed areas as required for erosion control and sediment filtering typical Erosion control measures on the grading plan by others shall govern. Where finish grading occurs provide a straw wattle per detail 2/C1.
- 25. Solid arrows indicate the required finish slope around the building foundation. Slope the finish grade away from the building construction @ min (5% slope) for the first 10' to an approved swale or location. Slope paved (3) solves for the first for the an approved swate of tocation. Stope pareat surfaces away from the building at min 2% slope for the first 10' to an approved swale or location. See detail 1/C1 and the site plan notes on sheet C1 for additional requirements.


Attachment B














CORDELIA FIRE PROTECTION DIST. REOUIREMENTS:

1. All construction shall be sprinklered in accordance with the National Fire Protection

- a. In all existing buildings/structures when a change in occupancy classification or use occurs, or when any existing occupancy, regardless of total floor area, is converted to a
- b. In all remodels/room additions where the total area exceeds 25% of the original square footage. (Allowance above 25% will require approval by the Fire Chief of the Vaacville Fire Protection District.)
 c. In all remodels/room additions with an existing sprinkler system, the system must be

c. In all remotes from auditions with an existing sprinker system, he system must be recacutated and designed to accommodate the additional flow demands and a paper of the system must be plainly visible from the read fronting the property. The signal light shall be installed in such a manner that it will automatically activate in conjunction with the required sprinkler system. The light may also be installed in so that it may be manually activated to assist in locating buildings during other emergencies. The signal light shall be in the light shall be in the light may be manually activated to assist in locating buildings during other emergencies. The signal light shall be an explored with light shall be and the light shall be a flashing blue or white light shall be a flashing blue or white light shall be activated to assist in locating the signal light shall be a flashing blue or white light shall be activated to assist in locating the signal light shall be activated to assist in locating buildings during other emergencies. The signal light shall be activated to assist in locating the signal light shall be activated to assist in locating buildings during other emergencies. capable of a minimum of 80 flashes per minute and a minimum of 25000-candle powe

- capate of a minimum of 80 trastes per minute and a minimum of 25000-candie power. Smoke Detectors Shall be provided and installed in accordance with section 1210 of the Building Code. 1001.5.1.3 UFC A smoke detector shall be installed in each sleeping room and at a point centrally located in the corridor or area giving access to each separate sleeping area. Premises Identification a. To readily respond to emergencies, all homes, business and commercial properties
- must be easily identified with the address number. 901.4.4 CFC, 30-201 Solano County Ordinance
- b. Upon receipt of the address number from the Director of Public Works, the occupant or Upon receipt or the address number from the Director of Public Works, the occupant of owner of the property or building shall display the number upon the building or land in such a manner as to be visible from the road upon which the land or building fronts.
- Address numbers shall be conspicuous to ensure positive identification and placed on front doors, near garage doors, or at a single driveway entrance.
- d. Where residences and/or property are not clearly visible from the road, access identification other than mailboxes shall be on 4" X 4" wood posts. metal stakes, or equivalent markers elevated at least 3 feet for clear visibility and rapid directional identification. e. All numbers shall be a minimum height of 3 inches with a 3/8 inch stroke, reflective
- and/or color contrasting with the surface where placed. f Driveways - Roads

ratus access shall be provided and maintained in accordance with the provisions of Fire apparatus access shall be provided and mantamed in accordance with me provisions ou the Uniform Fire Code as adopted by the Vacaville Fire Protection District. To provide year-round, all-weather access for heavy fire engines and other emergency equipment to residential building sites that are not covered in the Solano County Road and Street Standards, these minimum access road specifications shall apply, 902.2.2.2 UFC:

- a. Plans for access shall be submitted to the District for review and approval prior to b Driveways shall extend from each building site to a public or private roadway and
- convoveys sume exercise item is achieved with a public or private roadway and shall have an unobstructed width of not less than 20 feet (6096 mm) with suitable base material. Driveways may be a minimum 12 feet wide with authorization. 902.2.2.1 UFC
- The maximum grade allowed is 12 percent Appendix III-D Section 61 UFC
- c. The maximum grade allowed is 12 percent. Appendix III-D, Section 6.1 UFC
 d. Surface designed and maintained to support a 50,000 Ib. load.
 e. Driveways exceeding 150 feet in length, but less than 800 feet in length, shall provide a turnout near the midpoint of the driveway. Where the driveway exceeds 800 feet, turnout shall be providen on more than 400 feet apart.
 f. Turnout shall be a minimum of 10 feet wide and 30 feet long with a minimum 25 foot
- taper on each end.
- num centerline curve radius of 40 feet
- Minimum centerline curve radius of 40 feet. Necessary drainage improvements. Turnaround facilities shall be provided at all building sites on driveways over 300 feet in length, and shall be within 50 feet of the building. The minimum turning radius for a turnaround shall be 40 feet from the centerline of the road. If a hammerhead/T is used, the top of the "T" shall be a minimum of 60 feet in length. Any required culverts or bridges shall be designed for a live load of 50 tons and be certified by a professional engineer. Vehicle load limits shall be posted at both
- entrances to bridges. k. Overhead clearance of limbs, trees, etc. shall be a minimum of 15 feet.
- 6. Hydrants All residences shall be no more than 1000 road feet from a fire hydrant.
- a. All residences shall be on proved type and ordinatin a minimum of once 21/2" and one 4 1/2" NHS external thread outlets. (Equal to Model 614 Long Beach Iron Works) c. Hydrant fire flow shall conform to Fire District standards. d Fire hydrant shall be clarify identified in an approved manner to prevent obstruction by parking and other obstructions. 9014.3 CFC.
- e Fire hydrants shall be identified by the installation of blue reflective markers located in the center of the roadway 90143 CEC
- f. Fire hydrants subject to possible vehicular damage shall be adequately protected with guard posts in accordance with Section 8001.11.3 CFC g. A 3/root (914.4 mm) clear space shall be maintained around the circumference of fire build a contract of the section 2007 of the section 2
- hydrants. 1001.7.2 CFC h. The center of a hose outlet shall not be less than 18 inches (457 mm) to 36 inches above final grade. NFPA 24
- 7 Gates
- Gates shall be at least two feet wider that the width of the traffic lane serving that gate All gates providing access from a road to a driveway shall be located at least 30 feet from the roadway and shall open to allow a vehicle to stop without obstructing traffic on that road.
- or that rotu.
 Where a one-way road with a single traffic lane provides access to a gated entrance, a 40-foot turning radius shall be used.
 Electrically Operated Gates

 Electrically Operated Gates
 The design and installation of all electrically operated gates shall be in
- In the design and instantation of an occurrency operated gaves share or in-accordance with the following criteria:
 The gate control shall be operable by an approved emergency override
- Knox key switch that is an integral part of the mechanism. In the event of a power failure, the gate shall automatically be transferred to a fail-safe mode allowing the gate to be pushed open without the use of special knowledge or
- equipment. iii. The key switch shall be labeled with a permanent red sign with not less than ?" contrasting letters reading "FIRE DEPT" or a "Knox" decal. A transmitter-operated gate shall have a Knox key switch on the right
- A transmitter-operated gate start have a Know Key Switch une right side of the gates opening approximately 4% above the roadway surface. It shall be visible and easily accessible with a label as specified above. v.Upon activation of the Knox key switch, the gate shall remain open until be unsured another become of the lase and the lase in the start.
- returned to normal operation by means of the key switch. i. Manually Operated Gates and Barriers
- A Knox padlock shall be used in order for the Fire District to enter the
- property during an emergency in a timely manner without the destruction of private property. ii. After investigation of the available products, it has been determined that
- only the product line offered by the Knox Company of Phoenix satisfies the security needs of the Fire District and the community. The Fire District will
- provide the only acceptable order form. 8 Roof Cover
- All roof coverings shall be fire retardant as specified in the Uniform Building Code. Wood shakes or other wood materials applied as roof covering shall be fire rated as class B or better. 1504, Table 15-A UBC 9. Spark Arresters
- Chimneys used with fireplaces or heating appliance in which solid or liquid fuel is used shall be maintained with a spark arrester. 1109.7 UFC, 4291 (F) PF

SITE PLAN GENERAL NOTES

Slope & Foundation Protection Requirements: 1. Building shall not be located on any fill unless the fill is certified by a soils

- Durating start no to restart on any rin units of rin 5 centred by a single engineer as compared engineered efficiency supporting loads imposed by the building without risk of foundation movement. The ground immediately adjacent to the foundation shall be sloped away from the building at a slope not less than one unit vertical in 20 units horizontal (5% slope) The glouth almost on the back of the provided in the solution of % form said the solution of % form the form the solution of % form solutions % form the form the solution waterprofing or damp proofing material. The backfield with solid that is free of organic material. The solution water in the solution in the solution in the form the solution of % form solutions for % form solution water form the form the form the solution in the form of % form solution of % form solution water and the solution water form the solution in the form the solution of % form solution water and high point to the back of the protected be protected location.
 No water should be allowed to discharge in a concentrated manner without control over any slope. The building solution is the provide be for the protected be protected be protected be protected be form water form the provide for a solution. The solution form the solution for solution form the solution for solution form the solution solution solution solution water form the solution solution solution solution form the so

- storm water minoff from uphill slopes.
 6. The lot shall be positively graded at all times to provide for rapid removal of service water montf away from foundation system and to prevent ponding of water under floors or serguege towards foundation systems and to prevent ponding of a water may result in undesirable weakening of the subgrade materials, loss of comparison, sab movements and given enough time even foundation movements. No ponding of storm water is to be permitted on the building made shall be exercised to ensure that planters, landscape mounds, etc. will not interfere with the above requirements. The manage swade shall flow to the curb or an approved location where flow will not cause erosion or cause impact on adjacent provention.

- properties. Som water from roof drain downspouts shall be carried away from the building in closed conduits to the curb or an approved outlet location where outlet flow will not cause erosion or cause impact to adjocent properties. 9. On graded sites the top of any exterior foundation shall extend above the elevation of the street gutter at a point of discharge of the intel of an approved drainage device. A minimum of D² plus 2% unless an alternative is specifically approved by the building of frigint.
- drainage device. A minimum of \mathbb{D}^n plus 2% unless an alternative is specifically approved by the building official. O. A perforated subdrain shall be placed around the perimeter of the foundation wall. The perfipse shall have the optimings lial horizontally on the bottom one-build of the single and the bottom of the pipe shall not be higher than the base under the floor and the top of the drain shall not less than 6° above the top of the footing. The subdrain teresch and pipe shall be sloped at a minimum 2% gradient to an approved discharge location. The pipe than shall be wrapped with an approved geo filter membrane material. The drain shall be set on a minimum of 2° of crushed drain rock or gravel containing and shall cover the perf subdrain by a minimum of 1°. The drain rock shall be the other perf subdrain by a minimum of 1°. The drain rock shall be the ported in a minimum of 1° of approved ongested solutions that the be covered with a minimum of 1° of approved ongested solution rock shall be the be overed with a minimum of 1° of approved compated solit material filter membrane fahrie. The wrapped drain rock shall the be covered with a minimum of 6° of approved compacted solit material filter membrane fahries.

- Addition or When Located Near Existing Construction Requirements: 1. The builder shall verify location of existing underground utilities, pipes, irrigation The values shall very by column in existing underground utilities, pipels, integrating times, subcharas, sever lines, writing, etc. prot to exevation and shall ensure that any of the said items which are damaged during construction are reparted and returned to avorking manner viti the approximation of the owner and the building official in a timely manner. I suggest you have extra PVC and pipe fittings on cita and raph to get writing a constraint of the owner.
- building of fical in a timely manner, I suggest you have extra PVC and pipe fittings on site and ready to go just in case. 2. Verify locations of existing possible septic tanks, leach fields or buried tanks to ensure proper setbacks are maintained per the local requirements. 3. Always verify minimum setbacks are maintained to the property lines and easements prior to excavation. Should it be discovered that the new construction may or does not fit within the said requirements notify the project designer, owner and building official so adjustments can be made to the new construction as required to comply prior to continuiny with construction. as required to comply prior to continuing with construction.
- A bilder shall protect the owner's property, landscaping, driveways, etc. to the best of the builder's ability. If said items cannot be protected the builder shall notify the owner of risks and possible added costs from heavy equipment needed for the project prior to construction so contingencies can be agreed arron nrior to construction. apron prior to construct

- Erosion Control Notes:
 All erosion control standard measures shall be in-place prior to October 15 thru April 15 of each calendar year and or 24 hours before the weather report calls for more than a 20% chance of rain using weather gov.
 Utility trenches shall be compated with the sarlace finish slightly mounded to prevent the channeling of watering in the trench area.
 The top of the fill or cut slopes should be graded in such a way as to prevent water from flowing freedy down the slope.
 All permanent slopes fill or cut, should be protected against erosion by means of erosion control planning mulching, and in some cases by installation on jutter mating or equivalent.
 Graded slopes may experience severe erosion when grading is halted by heavy
- matting or equivalent. 5. Graded slopes may experience severe erosion when grading is halted by heavy rain, therefore before work is stopped a positive gradient away from the slopes should be provided to carry the surface runoff water away from the slopes and to areas where erosion can be controlled. It is vital that no completed slope be left standing through a winter season without erosion control measures having been
- provided.
 6. Storm Water Drainage: Where storm water is conveyed to a public drainage system, collection point, and gutter, or similar disposal method, water shall be filtered by use of a barrier system, wattle, or other method approved by the
- enforcing agency. 7. Dust Control: Shall be maintained at all times during construction until the Dust Control: Shall be maintained at all times during construction until the project is complete. The builder shall prevent may aircorne muismee dust by watering and or treating the site to prevent dust. Additional watering shall be provided during dry weather and wind conditions. The builder shall be maintained at all times during during dry weather and wind conditions. The builder shall be maintained on a daily basis.

 a. All soil piles generated in conjunction with the project shall be enclosed, covered or watered twice daily.
 b. All exposed soil shall be watered with adequate frequency to keep the soil moist all times.
 c. The loads of all haul / dump trucks shall be covered securely to keep dirt under control

- under control. d. The contractor shall apply nontoxic soil stabilizers or dust depressants to
- The contractor shall apply nontoxic soil stabilizers or dust depressants to all internal inpraved haur loads, paving areas and staging areas, and enforce a ISMPH speed limit for all vehicles operating with-in the unpaved areas of the site. Exposed soil shall be replanted as soon as possible. Cean j sweep street at the end of the day if visible soil material is carried
- the adjacent public paved roads.
 Vegetate new slopes with Tactifier. Fertilizer. and seed shall applied initially. A Fiber mulch of straw or approved equal shall be applied after the seed. Seeded shall be irrigated to encourage growth between the date of application and the first rainy period. Hydroseed all cut and fill slopes. Cut slopes shall be

		schainy period. Trydroseed an cut and thi siope	es. Cui siopes si
	compa	cted and cat walked prior to seeding.	
9.	Erosic	n Control Hydroseed Mix.	
	a.	Bromus Carinatus / California Brome	15lbs / a
	b.	Elvmus Glaucus / Blue Wild Rve	15lbs / a
	с.	Lupinus Bicolor / Miniature Lupine	101bs / ac
	d.	Lupinus Succulentus / Arrovo Lupine	101bs / ac
	e.	Trifolum Albopurpureum / Rancheria Clover	10lbs / acre

 Trifolium Aldopurpureum / Ranchena Clover lolos
 Trifolium Microcephalum / Small-Head Clover
 Clarkia Purpurea / Clarkia 10lbs / acre

- SITE PLAN KEYNOTES:
- Driveway Encroachment Provide a commercial driveway encroachment at the County road per other encroachment permit and plans by others. The service could your performer encourancemperature permit and plants by oness, the encroachement shall be payed back to the roadway easement line typical. Septic Tank: Indicates the approx location of the septic tank with the plants by others. Confirm the new septic tank is min 5' away from the building
- foundation typical. **Primary Leach Field**: Indicates the approx location of the new leach field with leach field plans by others. Confirm the new leach lines are located min 10 away from the existing & new building foundations typical **Reserve Leach Field**: Indicated the approx. location of the reserve leach field per plans by others. Allow an adequate space for a reserve leach field per plans by others. Allow an adequate space for a reserve leach field shall be located min 10' away from a building foundation, 10' away from momenty liner, and 100' away from a building foundation, 10' away
- rom property lines, and 100' away from a well pond, or creek. New Propage Tank: Indicates the approx location of the new max 500 gal propane tank. The propane tank shall be located min 10 'away from any buildings. Some insurance companies may require a further distance. The propane tank shall be installed per code and the supplier's requirements priority.
- 6. Wet Draft/ Soft Suction Fire Hydrant: Provide a fire dedicated hydrant as Wet Draft Soft Suction Fire Hydrant: Provide a fire dedicated hydrant as required per the Fire Protection District. This Hydrant shall be provided with min 4,000 gallons of water for fire protection. The hydrant shall be located min 50' to max 150 from the building(s) it serves typical.
 Hammer Head Turnaround: Provide an approved hammerhead fire engine turn-around located on an approved gravel all weather surface with in 150' of all portions of the new building.
 New 12' Wide Gravel Driveway: New 12' wide gravel driveway per the words are block for the first provide the drive waves to the Solven Co-ment.
- grading plans by others. Field verify the driveway meets the Solano Co requirements and the slope does not exceed 12%. Address Signage: Provide approved address signage on a corresponding background per the Fire Protection Dist & Solano Co. requirements on
- heet C1
- 10. Optional Future Gated Entry: If a gate entrance is installed it shall be on Optional Future Cated Entry: If a gate entrance is installed it shall be on a separate permit. The gate entrance would need to be min 2' wider then the driveway and located min 30' away from the county road easement. The gates if electronic would be required to have a Cordelia Fire Protection District approved Knos key and or a knox key box.
 Storm Water Retention Pond: Indicates a storm water retention pond per nent The
- the grading plans by others typical
- The graung plans by others sypheat.
 12. [N] Approx. 5,000 Gal. Water Storage Tank: Provide an approx. 5,000 Gallon water storage tank with min 4,000 gallons dedicated for each of the fire hydrants plus an additional supply of water storage as required to run the fire sprinklers as required per the fire sprinkler plans by others. Not Used
- 14. Electrical Meters: Install two new 400 amp and one 200 amp drop services Electrical Meters: install two new 400 amp and one 200 amp drop services w/ one 400 amp meter dedicated to the guest studio, and barn / shop, one 400 amp meter dedicated to the primary residence and garage / shop, and the 200 amp meter dedicated to the second living unit. The builder shall obtain a permit with PG&E.
 (RD) Roof Drain: Roof drain down spouts shall be tied into a 4"O solid and a the approximation of the transfer of the second living the
- (KD) Kooj Drain: Kooj arčin down spous snait be itea into a 4 D solid drain line and ran at imi 2% slope to the drainage system per the grading plan by others and per the soils report and the soils engineer in the field.
 New 20 Wide Gravel Driveway: New 20 wide gravel driveway per the grading plans by others. Field verify the driveway meets the Solano Co requirements and the slope does not exceed 12%.
 Well: Indicates the approx location of the existing well to be used for the
- new residence. 18. Clean-outs: Provide a clean-out at grade (a) max 100' o.c. and at each roof
- A chain down spout. Locate cleanouts where they will not be susceptible to damage from being run over by a lawn mower or other hazards. Locate the clean-outs in the field. Not all clean-outs are shown on this plan. 9. Solid Drain Line: Indicated a min 4"O solid drain line or sized per the
 - grading plan. Drain lines shall be sloped at min 2% slope to the drainage lines per the grading plans by others. All roof drains shall flow into the
- 20. <u>Trash / Recycle Storage And Sorting On Site Note:</u> Haul material such as trash and recycled items shall be placed in a dump trailer and not stored on the ground when possible. If trash and recyclable items are stored on the the ground when possible. If trash and recyclable items are stored on the ground a straw wattle shall be placed around the said items per note number 24 below typical. Said items shall have the straw wattle and tarp secured over them 24hours before and after the weather report calls for more then a 20% chance of rain using weathergow
 21. The Into Solid Drain Line Per Grading Plan: The the new storm drain lines into a solid change the in line parts the negating number should be refer the section.
- into a solid storm drain line per the grading plan by others. All roof drains shall flow into the storm water retention pond(s)
- 22. DI Drain Intake: Indicate a drain intake per the grading plan by others. 23 Not Usad
- Not Osea
 Fiber Roll / Straw waddle: Provide a Fiber Roll / Straw waddle around the disturbed areas as required for erosion control and sediment filtering typical. Erosion control measures on the grading plan by others shall
- upreat. Erosion control measures on the grading plan by others shall govern. Where finish grading occurs provide a straw wattle per detail 2/Cl. 25. Solid arrows indicate the required finish slope around the building foundation. Slope the finish grade away from the building construction (@ min (3% slope) for the first 10' to an approved swale or location. Slope paved surfaces away from the building at min 2% slope for the first 10' to an approved swale or location. See detail 1/Cl and the site plan notes on sheet Cl for additional requirements.

NOTE: SEE THE ENLARGED SITE PLAN **ON SHEET C2 FOR ADDITIONAL**



2

9. ADDRESS SIGNAGE

A C

barcel 2 36 PM T3

14. ELECTRICAL METER

Road, Ramp& Bridge Approach Easement fract Three 917, O.R. 4

Found 1* Iron & Tag R.C.E.

GRADING NOTE: SEE GRADING PLAN BY OTHERS, THIS PLAN ONLY SHOWS FINISH GRADING AND EROSION

16. [N] MIN 20' WIDE GRAVEL DRIVEWAY

WATTLE / FILTER ROLL PER PLANS

PROVIDE WOOD STAKES DRIVEN MIN 12" INTO SOIL PERP. TO THE

MIN 12" INTO SOIL PERF. TO THE ---- SLOPE ANGLE AND SPACED A REQD TO ENSURE THE WAITIL REMAINS SECURE TYPICA

1

STRAW WATTLE DETAIL

NOTES: 1. INSTALL WATTLE PARALLEL W/ CONTOURLINES W/ THE ENDS TURNED SUGHTLY UP SLOPE

-PLACE ROLL IN A 2" DEEP TRENCH

16. [N] MIN 20 WIDE

1. COMMERCIAL DRIVEY ENCROACHMENT

und Mail & Brat

NEW RELOCATED

REMOVE [E] POWER POLE IN THE IELD WEASEMENT

POSSIBLE NEW CUSTOMER

16. [N] MIN 20' WIDE GRAVEL DRIVEWAY


50' Wide A

parcel 3

etersen/Nguy parcel 2-A s2 PM 77-7








SITE PLAN KEYNOTES:

- Drivewav Encroachment Provide a commercial drivewav encroachment at the County road per other encroachment permit and plans by others. The encroachment shall be paved back to the roadway easement line typical.
- Septic Tank: Indicates the approx location of the septic tank with the plans by others. Confirm the new septic tank is min 5' away from the building oundation typical
- **Primary Leach Field:** Indicates the approx location of the new leach field with leach field plans by others. Confirm the new leach lines are located min 10' away from the existing & new building foundations typical
- 4. Reserve Leach Field: Indicated the approx. location of the reserve leach field per plans by others. Allow an adequate space for a reserve leach field that is equal to or larger than the existing leach field. The reserve leach field shall be located min 10' away from a building foundation, 10' away from property lines, and 100' away from a well pond, or creek.
- New Propane Tank: Indicates the approx location of the new max 500 gal propane tank. The propane tank shall be located min 10' away from any buildings. Some insurance companies may require a further distance. The propane tank shall be installed per code and the supplier's requirements
- Wet Draft/ Soft Suction Fire Hydrant: Provide a fire dedicated hydrant as required per the Fire Protection District. This Hydrant shall be provided with min 4,000 gallons of water for fire protection. The hydrant shall be located min 50' to max 150 from the building(s) it serves typical.
- Hammer Head Turnaround: Provide an approved hammerhead fire engine turn-around located on an approved gravel all weather surface with in 150' of all portions of the new building. 8. New 12' Wide Gravel Driveway: New 12' wide gravel driveway per the
- grading plans by others. Field verify the driveway meets the Solano Co requirements and the slope does not exceed 12%.
- Address Signage: Provide approved address signage on a corresponding background per the Fire Protection Dist & Solano Co. requirements on shee C1
- 10. Optional Future Gated Entry: If a gate entrance is installed it shall be on a separate permit. The gated entrance would need to be min 2' wider then the driveway and located min 30' away from the county road easement. The gates if electronic would be required to have a Cordelia Fire Protection District approved Knox key and or a knox key box. 11. Storm Water Retention Pond: Indicates a storm water retention pond per the
- grading plans by others typical. 12. [N] Approx. 5,000 Gal. Water Storage Tank: Provide an approx. 5,000
- Gallon water storage tank with min 4,000 gallons dedicated for each of the fire hydrants plus an additional supply of water storage as required to run the fire sprinklers as required per the fire sprinkler plans by others. 13. Not Used
- 14. Electrical Meters: Install two new 400 amp and one 200 amp drop services w/ one 400 amp meter dedicated to the guest studio, and barn / shop, one 400 amp meter dedicated to the primary residence and garage / shop, and the 200 amp meter dedicated to the second living unit. The builder shall obtain a permit with PG&E.
- 15. (RD) Roof Drain: Roof drain down spouts shall be tied into a 4" Ø solid drain line and ran at min 2% slope to the drainage system per the grading plan by others and per the soils report and the soils engineer in the field. 16. New 20' Wide Gravel Driveway: New 20' wide gravel driveway per the
- grading plans by others. Field verify the driveway meets the Solano Co requirements and the slope does not exceed 12%.
- 17. Well: Indicates the approx location of the existing well to be used for the new residence.
- 18. Clean-outs: Provide a clean-out at grade @ max 100'o.c. and at each roof drain down spout. Locate cleanouts where they will not be susceptible to damage from being run over by a lawn mower or other hazards. Locate the outs in the field. Not all clean-outs are shown on this plan
- 19. Solid Drain Line: Indicated a min 4" Ø solid drain line or sized per the grading plan. Drain lines shall be sloped at min 2% slope to the drainage lines per the grading plans by others. All roof drains shall flow into the
- 20. <u>Trash / Recycle Storage And Sorting On Site Note</u>: Haul material such as trash and recycled items shall be placed in a dump trailer and not stored on the ground when possible. If trash and recyclable items are stored on the und a straw wattle shall be placed around the said items per note numbe 24 below typical. Said items shall have the straw wattle and tarp secured over them 24hours before and after the weather report calls for more then a 20%
- chance of rain using weather.gov 21. Tie Into Solid Drain Line Per Grading Plan: Tie the new storm drain lines into a solid storm drain line per the grading plan by others. All roof drains shall flow into the storm water retention pond(s)
- 22. DI Drain Intake: Indicate a drain intake per the grading plan by others.
- 23. Not Used
- 24. Fiber Roll / Straw waddle: Provide a Fiber Roll / Straw waddle around the Fiber Kolt / Shaw walane Fronde a Fiber Kolt / Shaw walane around the disturbed areas as required for erosion control and sediment filtering typical. Erosion control measures on the grading plan by others shall govern. Where finish grading occurs provide a straw wattle per detail 2/CL of the
- 25. Solid arrows indicate the required finish slope around the building foundation. Slope the finish grade away from the building construction @ min (5% slope) for the first 10' to an approved swale or location. Slope paved (3) solves for the first for the data proved swate of tocation. Solve pareat surfaces away from the building at min 2% slope for the first 10' to an approved swale or location. See detail 1/C1 and the site plan notes on sheet C1 for additional requirements.

Attachment C





KEYNOTES

 Board & Batten Siding: Provide pre-primed & painted Board & Batten siding with structural rough sawn plywood siding or Hardie Panel siding over structural OSB plywood shear. Provide re-sawn or Hardie trim buten boards. over the nails. Confirm Batten spacing with the owners. Align wall studs as required to center the batten layout in each wall. Battens shall be approx. U² x 2⁻ confirm w/ owners. Install the siding over 151b building paper wrap or other pre-approved building paper wrap. Caulk all the joints with space for expansion & contraction as required to seal. Provide "Z⁻ Hashing at all horizontal joints. See spec. division [09500] for Ply siding or spec. division [09450] for Hardie Siding additional requirements. Siding shall be installed per the MFG's requirements. Consult with the owners for the material selection and color approval prior to installation typical.
 <u>Asphalt Comp Roof ing</u>: Provide min 30 year class "A⁻ asphalt comp shingle roofing. Shingles shall be installed over the required roof under-layment per the MFG's warranty requirements. The minimum under layment required by the building code shall be 151b roof feit & conf ron to ASTM D 265. Type 1, ASTM D 4650 type 1 OR ASTM D 6757. Where the roof slope is less then 4:12 provide a double layer of the roof underlayment. All shingles, flashing, fasteners, etc. shall be installed per the MFG's specified & detail requirements. See roof flashing details (UDI) & spec division 07250 for the minimum industry standards and code requirements. The MFG's installation details shall be over nover nover the details provided on this set of plans. 1. Board & Batten Siding: Provide pre-primed & painted Board & Batten siding with

arvision 07250 for the minimum matching standards and cover requirements. The MFG's installation details shall govern over the details provided on this set of plans. See spec div. 07250 & 07500 for additional comp roof requirements. Consult with the owners for finish materials and color selection approval prior to purchase & intellation to priord.

owners f or finish materials and color selection approval prior to purchase & installation typical.
 Fascia Board & Gatter; Provide a 2"x8" pre-primed & painted decay resistant redwood or cedar fascia board wi an approx 4 1/2" Ogee galvanied metal rain-guter with leaf-guards. Downspouts shall be located in the field and shall terminate into a piped drainage system. The drainage system shall drain to daylight in an approved location per the grading and drainage plans & soils engineer. Paint the fascia and gutter an accent color, consult with owners for selection typical.
 Corner, Vertical Door, & Vertical Window Tim: Provide 2''x6" pre-primed & painted re-sawn decay resistant redwood or cedar or 6" Hardie Frim corner, & vertical door & window trim. Provide flashing per detail 3/D1.
 Lintel trim: Provide 2''x8" gre-primed & painted re-sawn decay resistant redwood or cedar or 8" Hardie Trim Lintel trim. Provide flashing per detail 3/D1.
 Sill trim: Provide a built-up windowsill with a pre-primed & painted re-sawn decay resistant redwood or cedar a sloping 2''x4" cap w cant back edge over a 2''x4" sill trim bard or shaped Hardie Trim. Provide flashing per detail 3/D1.
 Barge Rafter: Provide a 2''x10" pre-primed & painted re-sawn decay resistant redwood or cedar a resawn or Hardie Trim. 1/x4" nailed flash with the top of the barge rafter. Paint the Barge rafter an accent color. Consult with owners for color typical.
 Gable Cornice Trim: Provide a 2''x4" mer-primed & painted re-sawn decay resistant redwood or cedar with engage rafter 4 and accent color. Consult with owners for color of 4" Hardie trim gable cornice trim meber.
 Porch Posts: Provide a pre-primed & painted re-sawn decay resistant redwood or cedar with educy are sistant redwood or cedar word accent paint or stain color. Consult with the owner(s) for selection prior to construction. The building inspectors are verifying that corrosion resistant cedar and redwo

10. Gooseneck Light Fixtures: Provide wall mount waterproof high efficiency gooseneck accent light fixtures per the electrical plan. Provide 2[°]x solid blocking in the wall for mounting the light fixtures as required per the MFG. Consult w/ owners for selection trained.

typical.
11. Gable Trim Band: Provide a trim band w/ a shaped cap trim over a trim band. The cap trim shall be a pre-primed & painted re-sawn sloping 3"x3" w/ cant back edge cut for sloping top or shaped Hardie Trim. The band shall be a 2"x10" pre-primed & painted re-sawn or 10" Hardie trim. Provide backing with adhesive flashing behind the Hardie panel siding to secure and seal the fasteners.
12. New Fill Trim: Where typ trim details conflict provide 2"x pre-primed & painted decay resistant redwood or cedar re-sawn or 10 milet Trim to jill the space as required. Provide flashing per detail 2/DI. Provide samples / mock up for the owners to construction


to approve prior to construction. Not Used

13. Not Used 14. Triangular Gable End Vent: Provide an approx 18" tall x 4'-6" wide triangular screened and lowered galv, metal gable end vent w/ the slope angle to match w/ the roof slope. Provide 2"x4" pre-primed & painted corrosion resistant sill trim w/ adhesive flashing similar to detail 2/D1. See the roof vent calc's on the roof plan

 adhesive J tashing similar to detail 2/D1. See the roof vent calc's on the roof plan sheet for additional requirements.
 <u>15. 2"X4" Window trim:</u> Indicated 2"x4" pre-primed & painted re-sawn decay resistant redwood or cedar or 4" Hardie Trim window trim. Provide flashing per detail 3/D1. Provide samples ' mock up for the owner(s) to approve prior to construction.
 <u>16. Attic Access / Gable End Vent</u>: Provide a min 30"x30" screened and louvered gaby, wretel stic access de construction. A mice Access of our and be mice the access of the access of the access down to the bed gain, metal attice access down gable end vent. This shall be a driven down with latch wi a min 30 'x30'' clear access opening to access the attic furnace and attic space. Provide trim to match the down and windows wi adhesive flashing similar to detail 3/ D1. See detail 5/D2 & the roof vent calc's on the roof plan sheet for additional

L U ₽ 0: Ŋ Ζ Ü V n ыD <u>S</u>A ∢ 5 TAX PLANS PREPARED DY /L JAMES GEORGE PROJECT DESIGNER REVISIONS: PROOFREAD REV. PRIOR TO PLAN CHK 1-20-2020 PROJECT TITLE: S Z ⊲ZZ __] A 111 ۵__ ٩**٢** Z 4 **₹** 0 **1**⁴. Σ ወ Z Z **0** ů 0: ΩD E n S \square Z 0 ù Σ 0: 0 <u>и</u> _ _ S DATE: 12-29-19 SCALE: AS NOTED SHEET DESCRIPTION EXTERIOR ELEVATIONS FRONT & LEFT SIDES SHEET NUMBER A1 of A7W/ 29 SHEETS TOTAL

Attachment C



KEYNOTES

 Board & Batten Siding: Provide pre-primed & painted Board & Batten siding with structural rough sawn plywood siding or Hardie Panel siding over structural OSB plywood shear. Provide re-sawn or Hardie trim batten boards. over the nails. Confirm Batten spacing with the owners. Align wall studs as required to center the batten layout in each wall. Battens shall be approx. 1/2" X 2" confirm w/ owners. Install the siding over 151b building paper wrap or other pre-approved building paper wrap. Caulk all the joints with space for expansion & contraction as required to seal. Provide "Z" flashing at all horizontal joints. See spec. division [09500] for Ply siding or spec. division [09450] for Hardie Siding additional requirements. Siding shall be installed per the MFGs requirements. Consult with the owners for the material selection and color approval prior to installation typical.
 <u>Asphalt Compt Roofing:</u> Provide min 30 year class "A" asphalt compt shingle roof mg. Shingles shall be installed over the required roof under-layment per the MFG's warranty requirements. The minimum under layment required by the building code shall be 151b roof feit & conf orn to ASTM D 266. Type I, dasting fasteners, etc. shall be installed per the MFG's specified & detail requirements. See roof-flashing datable hers the dep the the MFG's install be installed per the MFG's lasting fasteners, etc. shall be installed per the MFG's specified & detail requirements. See roof-flashing datable per the MFG's installation details shall gover over the details provided on this set of plans. 1. Board & Batten Siding: Provide pre-primed & painted Board & Batten siding with

arvision 07250 for the minimum matching standards and cover requirements. The MFG's installation details shall govern over the details provided on this set of plans. See spec div. 07250 & 07500 for additional comp roof requirements. Consult with the owners for finish materials and color selection approval prior to purchase & intellation to priord.

owners f or finish materials and color selection approval prior to purchase & installation typical.
 Fascia Board & Gatter; Provide a 2"x8" pre-primed & painted decay resistant redwood or cedar fascia board wi an approx 4 1/2" Ogee galvanied metal rain-gutter with leaf-guards. Downspouts shall be located in the field and shall terminate into a piped drainage system. The drainage system shall drain to daylight in an approved location per the grading and drainage plans & soils engineer. Paint the fascia and gutter an accent color, consult with owners for selection typical.
 Corner, Vertical Door, & Vertical Window Tim: Provide 2''x6" pre-primed & painted re-sawn decay resistant redwood or cedar or 6" Hardie Frim corner, & vertical door & window trim. Provide flashing per detail 3/D1.
 Lintel trim: Provide 2''x8" gre-primed & painted re-sawn decay resistant redwood or cedar or 8" Hardie Trim Lintel trim. Provide flashing per detail 3/D1.
 Sill trim: Provide a built-up windowsill with a pre-primed & painted re-sawn decay resistant redwood or cedar a sloping 2''x4" cap w cant back edge over a 2''x4" sill trim bard or shaped Hardie Trim. Provide flashing per detail 3/D1.
 Barge Rafter: Provide a 2''x10" pre-primed & painted re-sawn decay resistant redwood or cedar a resawn or Hardie Trim 1''x4" nailed flash with the top of the barge rafter. Paint the Barge rafter an accent color. Consult with owners for color typical.
 Gable Cornice Trim: Provide a 2''x4" mer-primed & painted re-sawn decay resistant redwood or cedar with edge over a 4" and the two or estar for color typical.
 Gable Cornice Trim: Provide a 2''x40" pre-primed & painted re-sawn decay resistant redwood or cedar with the start of a data the same researce and a painted and they are making builded to the same approved accent paint or stain color. Consult with the ownerts of a color a 4" Hardie trim gable cornice trim member.
 Porch Posts: Provide pre

10. Gooseneck Light Fixtures: Provide wall mount waterproof high efficiency gooseneck accent light fixtures per the electrical plan. Provide 2[']x solid blocking in the wall for mounting the light fixtures as required per the MFG. Consult w/ owners for selection trained.

typical. <u>11. Gable Trim Band:</u> Provide a trim band w/ a shaped cap trim over a trim band. The cap trim shall be a pre-primed & painted re-sawn sloping 3"x3" w/ cant back edge cut for sloping top or shaped Hardie Trim. The band shall be a 2"x10" pre-primed & painted re-sawn or 10" Hardie trim. Provide backing with adhesive flashing behind the Hardie panel siding to secure and seal the fasteners. <u>12. New Fill Trim:</u> Where typ trim details conflict provide 2"x pre-primed & painted decay resistant redwood or cedar re-sawn or 10 right he space as required. Provide flashing per detail 2/D1. Provide samples / mock up for the owners to approve prior to construction.

required. Provide j tashing per detail 2/D1. Provide samples / mock up j or the owners to approve prior to construction.
13. Not Used
14. Triangular Gable End Vent: Provide an approx 18" tall x 4'-6" wide triangular screened and lowered galv, metal gable end vent w/ the slope angle to match w/ the roof slope. Provide 2"x4" pre-primed & painted corrosion resistant still trim w/ adhesive flashing similar to detail 2/D1. See the roof vent calc's on the roof plan ebot for arditizond transmensments.

adhesive f lashing similar to detail 2/D1. See the roof vent calc's on the roof plan sheet for additional requirements. **15.** 2"X4" Window trim: Indicated 2"x4" pre-primed & painted re-sawn decay resistant redwood or cedar or 4" Hardie Trin window trim. Provide f lashing per detail 3/D1. Provide samples / mock up for the owner(s) to approve prior to construction. **16.** Attic Access / Gable End Vent: Provide a min 30"x30" screened and louvered galy, metal attic access door / gable end vent. This shall be a hinged door with latch w/ a min 30"x30" clear access opening to access the attic f urnace and attic space. Provide trim to match the doors and windows w/ adhesive f lashing similar to detail 3/D D1. See detail 5/D2 whe profyrent cole's on the proof lane theet for additional D1. See detail 5/D2 & the roof vent calc's on the roof plan sheet for additional

L U ₽ 0: Ŋ Ζ Ü V n ыD Ī٩ ∢ 5 TAX PLANS PREPARED DY n-JAMES GEORGE PROJECT DESIGNER REVISIONS: PROOFREAD REV. PRIOR TO PLAN CHK 1-20-2020 PROJECT TITLE: S Z ⊲ZZ ___] [111 ۵__ ٩**٢** Z 4 ₹ņ 145 Σ ወ Z Z 0 ů 0: ΩD E n IN ^ΞΞ S \square Z 0 ù Σ 0: 0 S DATE: 12-29-19 SCALE: AS NOTED SHEET DESCRIPTION EXTERIOR ELEVATIONS REAR & RIGHT SIDES SHEET NUMBER A2 of A7W/ 29 SHEETS TOTAL

Attachment C

FLOOR PLAN GENERAL NOTES

SEE THE AS SHEETS FOR ADDITIONAL REQUIREMENTS A.All windows to be dual glazed with there label listing the certified u-factor SHGC and VT, shall not be removed before inspection by the enforcement agency provide screens on operable windows. Verify all window rough openings with window manuf actures prior to rough frame. See T-24 energy requirements for additional requirements. BAll exterior doors to be solid core 1 3/8" thick with waterproof tight fit –

- consult with owners for approved style. C[HH=8'] Stands for header height and indicates the elevation to set the top of the window at. The builder shall then set the bottom of the actual header up above the top of the window as required. to allow for the rough opening around the window as required, by the window mg's requirements. If the mg allows it is a good practiced to set the bottom of the header 1/2 " above the top of the window to allow for any possible deflection in the header. Then fill the void w/ spray foam after window installation.
- DProvide emergency egress from bedrooms as required. EAll windows with in 2' of a door, glass lights with in a door, windows over stairs, windows with-in 5' of the top or bottom of stairs, and windows in a
- bathroom shall be tempered glass F.Water-resistant gypsun board shall NOT be used on the ceilings typical. GInsulate and weather strip attic access panel w/min R-38 batt insulation. H.Not used I Not Used

- J.Project specifications are called out as "Spec Div. 15020" Refer to the AS sheets on this set of plans to look up the specifications by the number referenced. K.Door & Window Requirements: See spec division 8 for additional
- L. Gyp BD Requirements: See spec division 09100 for requirements
- M.<u>Mechanical & Plumbing:</u> See spec division 15 for requirements N.<u>Gas Fire Place Insert:</u> The factory built metal fireplace insert and chimney flue shall be UL listed and shall be installed per the MFG's requirements. The builder shall submit the MFG brand, make and model number with a spec sheet that indicates the UL Listing and installation requirements to the building department for approval prior to installation. Provide combustion air from the outside per the MFG's installation requirements. The insert shall be provided with tight fitting tempered glass doors.

O.Not Used

P.Mandatory Requirments to Limit Air Leakage: All joints, penetrations, and other openings in the building envelope that are potential sources of air leakage shall be caulked, gasketed, weather-stripped or otherwise sealed to limit infiltration and exfiltration.

PLUMBING GENERAL NOTES:

SEE SPEC DIVISION 15 ON THE AS SHEETS FOR ADDITIONAL REQUIREMENTS

- Additions & Alterations

 1. The plumber and or builder shall verify all existing plumbing lines & elevations to determine where & how to tie into the existing system & provide
 the required slope and sizing per code. 2. When adding on to the existing plumbing system the plumber/builder shall

verify all lines leading to the new added plumbing are correctly sized as

equired per code. General Requirements

- The plumber shall size all gas, water & sanitary drainage per current code requirements U.O.N. on plans.
- All vents terminating thru roof if able shall be located to the rear of the 2 house, or in a location not visible to guests, even though I am sure your work looks good.

Site Requirements

- No trenches shall run parallel to a bearing footing any deeper than a 45° line drawn down from the edge of the footing [typical]. 2. Water lines & sewer lines can be ran in the same trench if the sewer line material is approved for use within a building, if not the water line shall be
- located a minimum 12" above the sewer line <u>Drainage Requirements</u> 1. Min slope shall be 1/4" per ft or 1/8" per ft if the pipe is 4".

- 2. Cleanouts required each 100' for horizontal runs at all sinks at lowest level, see UPS for additional requirements. 3. Under floor cleanouts shall not exceed 20' from crawl access openings.
- 4. Trap seals shall be minimum 2" & maximum 4" typical.
- Water Supply Requirements Pressure thank & pump are required if the pressure is below 40 PSI. & a regulator is required if the pressure exceeds 80 PSI. Field verify pressure at meter & at house based on house elevation from meter.
- 2. Provide anti backf low vacuum breaker at hose bibs & minimum 3/4" supply

3. Provide a drain air gap at the dishwasher

Gas Piping Requirements 1. Fireplace gas valve / shut-off valve shall be located outside of the required hearth area but not more than 48" away from the appliance and in the same

Shower & Tub Requirements


- Shower and tub/shower valves shall be pressure balanced or thermostatic
- mixing type anti scold device listed to 120° maximum. 2. Bathtub & shower wall to be constructed of a non-absorbent material to minimum height of 72" above drain of tub or shower. Shower pan regardless of shape is to have a minimum floor area of 1,024 sq inches and capable of ncompassing a 30" circle inside drain pan.
- 3. Glass tub/shower and shower enclosures to be tempered glass labeled category II, shower door clear openings and openings are to be a minimum 22" wide. Shower doors shall swing outward.
- Shower head shall not discharge directly toward the door.
- Water dam shall be a minimum 2" tall & maximum 9" tall at shower 6. Shower pan shall slope to drain minimum 1/4" per ft & maximum 1/2" per ft.

FLOOR PLAN KEYNOTES

- Toilet: Provide a max 1.28 gallon elongated high-rise toilet. Consult w/ owner(s) for selection. See spec. Division 15600 for additional requirements.
 Shower Pan & Surround: Construct a field built shower with an accented tile surround
- 2. Shower Pan & Surround: Construct a field built shower with an accented tile surround over a 1" thick reinforced mortar base & built up waterproof membrane shower pan. The shower pan shall be sloped at min 1/4" per foot to max 1/2" per foot to the drain typical. See spec. Divisions 1550, & 15720 for additional requirements typical. Provide a min 2" tall water dam measured from the inside of the shower. The tile surround shall extend up to min 72" above the finish floor. Consult vv owner(s) for selection & layout. Shower Enclosure, Door, & W after Dam: Provide a frameless tempered glass enclosure door over a 48" tall half wall. Provide a tempered glass out swing or in and out swing shower door over a min 2" tall water dam measured on the shower pan side with tile finish & built nose tile corners over reinforced mortar layer & waterproof membrane layer. The shower door is required to be min 22" wide per code. See plan for shower door size. Consult with the owner (s) for selection. s) for selection. 4. Shower Seat: Provide an accented tile seat w/ bull nose tile corners or a stone slab seat.
- The tile or stone slab seat finish shall be installed over a reinforced mortar laver & waterproof membrane layer. Slope the seat to drain into the shower pan. Consult with the pr(s) for selection
- owner(s) for selection.
 Showerheads: Provide showerheads. Consult w/ the owner(s) for selection including height adjustment and possible lower jet and hand held. Showerheads shall flow @ max 2.0 gallons per minute at 80 psi. Showerheads shall be certified to the performance criteria of the U.S. EPA W ater Sense Specification for Showerheads.
- 6. Shower Sap Nicher Provide an accented tile soop niche w/bull nose tile corners over a reinforced mortar layer & waterproof membrane layer or pre MFG niche insert. Slope the sill to drain into the shower pan. Consult with the owner(s) for selection and layout
- approval.
 7. Tub: Provide an approx 48"x72" tub set in a raised accented tile platform w/ bull nose tile corners. The tile platform shall have tile installed over a min 1" thick reinforced mortar layer & a waterproof membrane layer. If the owner(s) choose a jetted tub or bubble message tub provide a pump access panel thru the face of the tile platform or through the adjacent wall as required. The access panel is to be located in the field with the owner(s) back of additional requirements. Consult with the owner(s) of the tub selection as well as the tile selection and the access panel location. and the access panel location.
- and the access panel location.
 8. Vanity, Mirrors, & Faucet: Provide a paint grade base cabinet with a stone slab counter top (@ 36" above the floor & Back Splash, w/ sink(s). Provide a cased out mirror at each Vanny, Mirrors, & Falleer, Provide a paint grade base cabinet with a stone stabe counter top (@.36' above the Floor & Back Splash, wi sink (s), Provide a cased out mirror at each vanity sink. Consult wi the owner(s) to refine the design prior to fabrication. Per the CAL GREEN requirements all vanity sinks shall have a max 12gm (@.60psi & min 0.8gm (@. 20psi per the CAL GREEN requirements. All sconce lights shall be aligned with the mirrors. Consult womer regarding med. Cabis.
 Stacked Clothes washer & Dryer; Provide a stacked clothes washer & clothes dryer wi a vent to the outside. Install the dryer per spec div 15200. Consult wi owner(s) for selection prior to purchase and installation.
 Fireplace Insert; Provide a MFG listed propane gas fireplace insert to be installed per the MFG srequirements. Provide a stone slab, brick or river rock veneer surround. Provide an 18" tall raised hearth to match the surround. Consult w/ the owner(s) to refine the direction prior to refine the fireplace near "0." on this sheet under the floor
- the design prior to fabrication. See the fireplace note "N" on this sheet under the floor plan general notes & see spec divisions 10050, 15250, 15525 & 15575 for additional
- 11. Kitchen Sink: Provide an apron style kitchen sink. Consult with the owner(s) for selection. Per the current CAL GREEN requirements kitchen sinks shall have a max flow

of 1.8 gallons per minute at 60 PSI. <u>12. Dishwasher:</u> Provide a slate finish dishwasher per Spec. Div. 15670 note #7. Consult w/ owner(s) for selection.

- owner(s) for selection. 13. Not used 14. Ref rigerator / Freezer: Provide a slate finish ref rigerator / freezer with icemaker, Consult w/ owner(s) for selection prior to purchase and installation. 15. Range W/ Hood: Provide a 48" propane range / double oven with a custom hood above. The hood shall have a dedicated 20 any circuit and shall be vented to the outside. The The hood shall have a back draft damner. The hood motor shall be rated as required
- exhaust ducting shall have a back draft damper. The hood motor shall be rated as required for the range unit below. Consult womer(s) for a custom hood design & selection prior to purchase and installation. See spec division 15325 for additional code requirements. 16. Kitchen Cabinets, Counter tops, & Backsplash: Provide paint grade kitchen cabinets with stone slab counter tops (a) 367 above the floor wi a full height tile or slab backsplash. Consult w the owner(s) to refine the design & layout prior to fabrication. The island shall have accent color cobinets.
- we accent color cabinets
- have accent color cabinets." 17. Kitchen Vegetable Sink: Provide under mount style kitchen sink. Consult with the owners for selection. Per the current CAL GREEN requirements kitchen sinks shall have a max flow of 1.8 gallons per minute at 60 PSI. Consult w/ the owner(s) for selection. 18. Tub/Shower: Provide a 72" cast iron / porcelain finish MFG Bah tub w/ an accented tile surround up to min 72" above the finish flor. See the plumbing notes on this sheet & spec. Divisions 15550, & 15610 for additional requirements. Consult with the owner(s) for selection and a more refined design layout prior to construction. If a glass shower enclosure is installed it shall be a tempered glass enclosure with a min 22" wide out swing or silding door.
- 19. Finish Material selection and approval: approvals on all finish materials whether the materials are specified on the plans or not. approvals on all finish materials whether the materials are specified on the pians or not. Finish materials include but are not limited to cabinets, moldings, trim, baseboards, windows, doors, flooring, concrete slab finish, Plumbing fixture finish & color, door hardware, Faucet hardware, Electrical plug covers, paint, drywall texture ETC. 20. Typ. Windows and exterior doors: Windows and exterior doors shall be black or dark accent colored vinyi as mfg by Pella, Marvin, Migard, or equal. Consult w/owner(s) for selection options. Provide all pricing for wood clad vindows, fiberglass, and vinyi.
- 21. Typ. Interior doors: All interior doors shall be paint grade w/ raised paneling or tempered glass. All bedroom entrance doors shall be solid core for sound isolation. Case Tempered glass. All bedroom entrance doors shall be solid core jur south isotation. out all interior doors w/ paint grade trim. Consult w/ owner(s) for selection prior to purchase and installation.
- 22. Typ. Wall and ceiling finish U.O.N.: Interior walls and ceilings shall be lined with drywall and have an imperfect smooth or blown in knocked down texture with bull nose corners typical U.O.N. The ceilings shall be a lighter accent color throughout. The walls Shall have baseboards. The ceitings small ob a fighter acceler coro in organize in waters shall have baseboards. Consult w/ owner(s) for options prior to pricing, purchase, and installation. Options include but are not limited to wood paneling, crown molding, etc. 23. Typ. Hardware: All exposed metal hardware shall have a matching finish. This includes but is not limited to faucets, doorknobs, hinges, towel racks, etc. consult w/ owner(s). Not
- all hardware is shown on the plans. Provide towel hangers in each bathroom, doorstops at each door, cabinet doorknobs, Etc. Consult with the owner(s) to verify what hardware is to be included in each room typical.
- 24. Not Used 25. Shower E ver Enclosure, Door, & Water Dam: Provide a frameless tempered glass enclosure W/a tempered glass out swing or in and out swing shower door over a min 2" tall water dam measured on the shower pan side with tile finish & bull nose tile corners over reinf orced mortar layer & waterproof membrane layer. The shower door is required to be min 22" wide per code. See plan for shower door size. Consult with the owner(s) for
- Selection.
 26. Pricing / Allowance Note: For bid purposes the bidders shall set cost allowances on all finish materials which shall be of an adequate amount to cover the price of the materials based on the level of quality and quantity of the materials described on the plans and or reflect the owners desired quality. The bidders shall submit samples of the finishes. fixtures, appliances, quality of work, etc. to the owner at the time of bid submittal to ensure the allowance are adequate to cover the owner(s) desired quality of the finish.







CORDELIA FIRE PROTECTION DIST. REOUIREMENTS:

1. All construction shall be sprinklered in accordance with the National Fire Protection

- a. In all existing buildings/structures when a change in occupancy classification or use occurs, or when any existing occupancy, regardless of total floor area, is converted to a
- b. In all remodels/room additions where the total area exceeds 25% of the original square footage. (Allowance above 25% will require approval by the Fire Chief of the Vaacville Fire Protection District.)
 c. In all remodels/room additions with an existing sprinkler system, the system must be

c. In all remotes from auditions with an existing sprinker system, he system must be recacutated and designed to accommodate the additional flow demands and a paper of the system must be plainly visible from the read fronting the property. The signal light shall be installed in such a manner that it will automatically activate in conjunction with the required sprinkler system. The light may also be installed in so that it may be manually activated to assist in locating buildings during other emergencies. The signal light shall be in the light shall be in the light may be manually activated to assist in locating buildings during other emergencies. The signal light shall be an explored with light shall be and the light shall be a flashing blue or white light shall be a flashing blue or white light shall be activated to assist in locating the signal light shall be a flashing blue or white light shall be activated to assist in locating the signal light shall be activated to assist in locating buildings during other emergencies. The signal light shall be activated to assist in locating the signal light shall be activated to assist in locating buildings during other emergencies. capable of a minimum of 80 flashes per minute and a minimum of 25000-candle powe

- capate of a minimum of 80 trastes per minute and a minimum of 25000-candie power. Smoke Detectors Shall be provided and installed in accordance with section 1210 of the Building Code. 1001.5.1.3 UFC A smoke detector shall be installed in each sleeping room and at a point centrally located in the corridor or area giving access to each separate sleeping area. Premises Identification a. To readily respond to emergencies, all homes, business and commercial properties
- must be easily identified with the address number. 901.4.4 CFC, 30-201 Solano County Ordinance
- b. Upon receipt of the address number from the Director of Public Works, the occupant or Upon receipt or the address number from the Director of Public Works, the occupant of owner of the property or building shall display the number upon the building or land in such a manner as to be visible from the road upon which the land or building fronts.
- Address numbers shall be conspicuous to ensure positive identification and placed on front doors, near garage doors, or at a single driveway entrance.
- d. Where residences and/or property are not clearly visible from the road, access identification other than mailboxes shall be on 4" X 4" wood posts. metal stakes, or equivalent markers elevated at least 3 feet for clear visibility and rapid directional identification. e. All numbers shall be a minimum height of 3 inches with a 3/8 inch stroke, reflective
- and/or color contrasting with the surface where placed. f Driveways - Roads

ratus access shall be provided and maintained in accordance with the provisions of Fire apparatus access shall be provided and mantamed in accordance with me provisions ou the Uniform Fire Code as adopted by the Vacaville Fire Protection District. To provide year-round, all-weather access for heavy fire engines and other emergency equipment to residential building sites that are not covered in the Solano County Road and Street Standards, these minimum access road specifications shall apply, 902.2.2.2 UFC:

- a. Plans for access shall be submitted to the District for review and approval prior to b Driveways shall extend from each building site to a public or private roadway and
- shall have an unobstructed width of not less than 20 feet (6096 mm) with suitable base material. Driveways may be a minimum 12 feet wide with authorization. 902.2.2.1 UFC
- The maximum grade allowed is 12 percent Appendix III-D Section 61 UFC
- c. The maximum grade allowed is 12 percent. Appendix III-D, Section 6.1 UFC
 d. Surface designed and maintained to support a 50,000 Ib. load.
 e. Driveways exceeding 150 feet in length, but less than 800 feet in length, shall provide a turnout near the midpoint of the driveway. Where the driveway exceeds 800 feet, turnout shall be providen on more than 400 feet apart.
 f. Turnout shall be a minimum of 10 feet wide and 30 feet long with a minimum 25 foot
- taper on each end.
- num centerline curve radius of 40 feet
- Minimum centerline curve radius of 40 feet. Necessary drainage improvements. Turnaround facilities shall be provided at all building sites on driveways over 300 feet in length, and shall be within 50 feet of the building. The minimum turning radius for a turnaround shall be 40 feet from the centerline of the road. If a hammerhead/T is used, the top of the "T" shall be a minimum of 60 feet in length. Any required culverts or bridges shall be designed for a live load of 50 tons and be certified by a professional engineer. Vehicle load limits shall be posted at both
- entrances to bridges. k. Overhead clearance of limbs, trees, etc. shall be a minimum of 15 feet.
- 6. Hydrants All residences shall be no more than 1000 road feet from a fire hydrant.
- a. All residences shall be on proved type and ordinatin a minimum of once 21/2" and one 4 1/2" NHS external thread outlets. (Equal to Model 614 Long Beach Iron Works) c. Hydrant fire flow shall conform to Fire District standards. d Fire hydrant shall be clarify identified in an approved manner to prevent obstruction by parking and other obstructions. 9014.3 CFC.
- e Fire hydrants shall be identified by the installation of blue reflective markers located in the center of the roadway 90143 CEC
- f. Fire hydrants subject to possible vehicular damage shall be adequately protected with guard posts in accordance with Section 8001.11.3 CFC g. A 3/root (914.4 mm) clear space shall be maintained around the circumference of fire build a contract of the section 2007 of the section 2
- hydrants. 1001.7.2 CFC h. The center of a hose outlet shall not be less than 18 inches (457 mm) to 36 inches above final grade. NFPA 24
- 7 Gates
 - Gates shall be at least two feet wider that the width of the traffic lane serving that gate All gates providing access from a road to a driveway shall be located at least 30 feet from the roadway and shall open to allow a vehicle to stop without obstructing traffic on that road.
- or that rotu.
 Where a one-way road with a single traffic lane provides access to a gated entrance, a 40-foot turning radius shall be used.
 Electrically Operated Gates

 Electrically Operated Gates
 The design and installation of all electrically operated gates shall be in
- In the design and instantation of an occurrency operated gaves share or in-accordance with the following criteria:
 The gate control shall be operable by an approved emergency override
- Knox key switch that is an integral part of the mechanism. In the event of a power failure, the gate shall automatically be transferred to a fail-safe mode allowing the gate to be pushed open without the use of special knowledge or
- equipment. iii. The key switch shall be labeled with a permanent red sign with not less than ?" contrasting letters reading "FIRE DEPT" or a "Knox" decal. A transmitter-operated gate shall have a Knox key switch on the right
- A transmitter-operated gate start have a Know Key Switch une right side of the gates opening approximately 4% above the roadway surface. It shall be visible and easily accessible with a label as specified above. v.Upon activation of the Knox key switch, the gate shall remain open until be unsured another become of the lase and the lase in the start.
- returned to normal operation by means of the key switch. i. Manually Operated Gates and Barriers
- A Knox padlock shall be used in order for the Fire District to enter the property during an emergency in a timely manner without the destruction of
- property uning an one of the available products, it has been determined that iii. After investigation of the available products, it has been determined that
- security needs of the Fire District and the community. The Fire District will provide the only acceptable order form.
- 8 Roof Cover
- Wood shakes or other wood materials applied as roof covering shall be fire rated as class B or better. 1504, Table 15-A UBC
- Chimneys used with fireplaces or heating appliance in which solid or liquid fuel is used shall be maintained with a spark arrester. 1109.7 UFC, 4291 (F) PF

only the product line offered by the Knox Company of Phoenix satisfies the

- All roof coverings shall be fire retardant as specified in the Uniform Building Code.
- 9. Spark Arresters

SITE PLAN GENERAL NOTES

Slope & Foundation Protection Requirements: 1. Building shall not be located on any fill unless the fill is certified by a soils Durating start no to restart on any rin units of rin 5 centred by a single engineer as compared engineered efficiency supporting loads imposed by the building without risk of foundation movement. The ground immediately adjacent to the foundation shall be sloped away from the building at a slope not less than one unit vertical in 20 units horizontal (5% slope)

The glouth almost on the back of the provided in the solution of % form said the solution of % form the form the solution of % form solutions % form the form the solution waterprofing or damp proofing material. The backfield with solid that is free of organic material. The solution water in the solution in the solution in the form the solution of % form solutions for % form solution water form the form the form the solution in the form of % form solution of % form solution water and the solution water form the solution in the form the solution of % form solution water and high point to the back of the protected be protected location.
 No water should be allowed to discharge in a concentrated manner without control over any slope. The building solution is the provide be for the protected be protected be protected be protected be form water form the provide for a solution. The solution form the solution for solution form the solution for solution form the solution solution solution solution water form the solution solution solution solution form the so

- storm water runoff from uphill slopes. The protected to protected operation of the store of the

- properties. Som water from roof drain downspouts shall be carried away from the building in closed conduits to the curb or an approved outlet location where outlet flow will not cause erosion or cause impact to adjocent properties. 9. On graded sites the top of any exterior foundation shall extend above the elevation of the street gutter at a point of discharge of the intel of an approved drainage device. A minimum of D² plus 2% unless an alternative is specifically approved by the building of frigint.
- drainage device. A minimum of \mathbb{D}^n plus 2% unless an alternative is specifically approved by the building official. O. A perforated subdrain shall be placed around the perimeter of the foundation wall. The perfipse shall have the optimings lial horizontally on the bottom one-build of the single and the bottom of the pipe shall not be higher than the base under the floor and the top of the drain shall not less than 6° above the top of the footing. The subdrain teresch and pipe shall be sloped at a minimum 2% gradient to an approved discharge location. The pipe than shall be wrapped with an approved geo filter membrane material. The drain shall be set on a minimum of 2° of crushed drain rock or gravel containing and shall cover the perf subdrain by a minimum of 1°. The drain rock shall be the other perf subdrain by a minimum of 1°. The drain rock shall be the ported in a minimum of 1° of approved ongested solutions that the be covered with a minimum of 1° of approved ongested solution rock shall be the be overed with a minimum of 1° of approved compated solit material filter membrane fahrie. The wrapped drain rock shall the be covered with a minimum of 6° of approved compacted solit material filter membrane fahries.

Addition or When Located Near Existing Construction Requirements: 1. The builder shall verify location of existing underground utilities, pipes, irrigation

- The values shall very by column in existing underground utilities, pipels, integrating times, subcharas, sever lines, writing, etc. prot to exevation and shall ensure that any of the said items which are damaged during construction are reparted and returned to avorking manner viti the approximation of the owner and the building official in a timely manner. I suggest you have extra PVC and pipe fittings on cita and raph to get writing a constraint of the owner.
- building of fical in a timely manner, I suggest you have extra PVC and pipe fittings on site and ready to go just in case. 2. Verify locations of existing possible septic tanks, leach fields or buried tanks to ensure proper setbacks are maintained per the local requirements. 3. Always verify minimum setbacks are maintained to the property lines and easements prior to excavation. Should it be discovered that the new construction may or does not fit within the said requirements notify the project designer, owner and building official so adjustments can be made to the new construction as required to comply prior to continuiny with construction.
- is required to comply prior to continuing with construction. A bilder shall protect the owner's property, landscaping, driveways, etc. to the best of the builder's ability. If said items cannot be protected the builder shall notify the owner of risks and possible added costs from heavy equipment needed for the project prior to construction so contingencies can be agreed arron nrior to construction.

apron prior to construct

- Erosion Control Notes:
 All erosion control standard measures shall be in-place prior to October 15 thru April 15 of each calendar year and or 24 hours before the weather report calls for more than a 20% chance of rain using weather gov.
 Utility trenches shall be compated with the sarlace finish slightly mounded to prevent the channeling of watering in the trench area.
 The top of the fill or cut slopes should be graded in such a way as to prevent water from flowing freedy down the slope.
 All permanent slopes fill or cut, should be protected against erosion by means of erosion control planning mulching, and in some cases by installation on jutter mating or equivalent.
 Graded slopes may experience severe erosion when grading is halted by heavy
- matting or equivalent. 5. Graded slopes may experience severe erosion when grading is halted by heavy rain, therefore before work is stopped a positive gradient away from the slopes should be provided to carry the surface runoff water away from the slopes and to areas where erosion can be controlled. It is vital that no completed slope be left standing through a winter season without erosion control measures having been
- provided.
 6. Storm Water Drainage: Where storm water is conveyed to a public drainage system, collection point, and gutter, or similar disposal method, water shall be filtered by use of a barrier system, wattle, or other method approved by the
- enforcing agency. 7. Dust Control: Shall be maintained at all times during construction until the Dust Control: Shall be maintained at all times during construction until the project is complete. The builder shall prevent may aircorne muismee dust by watering and or treating the site to prevent dust. Additional watering shall be provided during dry weather and wind conditions. The builder shall be maintained at all times during during dry weather and wind conditions. The builder shall be maintained on a daily basis.

 a. All soil piles generated in conjunction with the project shall be enclosed, covered or watered twice daily.
 b. All exposed soil shall be watered with adequate frequency to keep the soil moist all times.
 c. The loads of all haul / dump trucks shall be covered securely to keep dirt under control

- under control. d. The contractor shall apply nontoxic soil stabilizers or dust depressants to
- The contractor shall apply nontoxic soil stabilizers or dust depressants to all internal unywed hair roads, paving areas and staging areas, and enforce a ISMPH speed limit for all vehicles operating with-in the unpaved areas of the site. Exposed soil shall be replanted as soon as possible. Clean / sweep street at the end of the day if visible soil material is carried
- into adjacent public paved roads.
 Vegetate new slopes with Tactifier. Fertilizer. and seed shall applied initially. A Vegetate new supper with racin let, refutized, and seed stata applied initially. A fiber mulch of straw or approved equal shall be applied after the seed. Seeded slopes shall be irrigated to encourage growth between the date of application and the first rainy period. Hydroseed all cut and fill slopes. Cut slopes shall be

	compa	cted and cat walked prior to seeding.	1
9.	Eroŝio	on Control Hydroseed Mix.	
	а.	Bromus Carinatus / California Brome	15lbs / acre
		Elymus Glaucus / Blue Wild Rye	15lbs / acre
		Lupinus Bicolor / Miniature Lupine	10lbs / acre
	d.	Lupinus Succulentus / Arroyo Lupine	10lbs / acre
	е.	Trifolum Albopurpureum / Rancheria Clover 10lbs /	acre

 Trifolium Aldopurpureum / Ranchena Clover lolos
 Trifolium Microcephalum / Small-Head Clover
 Clarkia Purpurea / Clarkia 10lbs / acre

SITE PLAN KEYNOTES:

Driveway Encroachment Provide a commercial driveway encroachment at the County road per other encroachment permit and plans by others. The service could your performer encourancemperature permit and plants by oness, the encroachement shall be payed back to the roadway easement line typical. Septic Tank: Indicates the approx location of the septic tank with the plants by others. Confirm the new septic tank is min 5' away from the building Parcel 3

114100"W

NEW RELOCATED REMOVE |E| POWER POLE IN THE IEI D/WEASEMENT

__POSSIBLE NEW CUSTOMER POLE FOR THE SID PUMP

16. [N] MIN 20 WIDE GRAVEL DRIVEWAY

T

16. [N] MIN 20 WIDE GRAVEL DRIVEWAY

WATTLE / FILTER ROLL PER PLANS

PROVIDE WOOD STAKES DRIVEN MIN 12" INTO SOIL PERP. TO THE

MIN 12" INTO SOIL PERP. TO THE — SLOPE ANGLE AND SPACED AS REQD TO ENSURE THE WATTLE REMAINS SECURE TYPICAL

-PLACE ROLL IN A 2" DEEP TRENCH

STRAW WATTLE DETAIL

NOTES: 1. INSTALL WATTLE PARALLEL W/CONTOURLINES W/THE ENDS TURNED SLIGHTLY UP SLOPE

1270.99

PeterseniNgbyc. Parcel 2-A c2 PM 77-79

ø

Ð.

1

BARY / BORK SHOP PER

GETSENTEDIO PER HE ENGLOSED PLAN

HHING UNIT PE

3. IN HROPANE TANK

S81"14'00"W

9. ADDRESS SIGNAGE

Parcel 2 26 PM T3

14. ELECTRICAL METERS

Road, Ramp& Bridge Approach Easement Tract Three 912 O.B. 42

16. [N] MIN 20 WID GRAVEL DRIVEWA

SITE PLAN

SCALE 1"=150"

2

9. ADDRESS SIGN

8. [N] 12' WIDE G

RADING NOTE: EE GRADING PLAN BY OTHERS, THIS CRADING AND J

4°run

1. COMMERCIAL DRIV ENCROACHMEN


- by others'. Confirm the new septic tank is min 5 away from the building foundation typical.
 Primary Leach Field: Indicates the approx location of the new leach field with leach field plans by others. Confirm the new leach lines are located in 10' away from the existing & new building foundations typical
 Reserve Leach Field: Indicated the approx. location of the reserve leach field per plans by others. Allow an adequate space for a reserve leach field that is equal to or larger than the existing leach field. The reserve leach field shall be located min 10' away from a building foundation, 10' away from a well noad or creek
- rom property lines, and 100' away from a well pond, or creek.
- New Propage Tank: Indicates the approx location of the new max 500 gal propane tank. The propane tank shall be located min 10 'away from any buildings. Some insurance companies may require a further distance. The propane tank shall be installed per code and the supplier's requirements priority. 6. Wet Draft/ Soft Suction Fire Hydrant: Provide a fire dedicated hydrant as
- Wet Draft Soft Suction Fire Hydrant: Provide a fire dedicated hydrant as required per the Fire Protection District. This Hydrant shall be provided with min 4,000 gallons of water for fire protection. The hydrant shall be located min 50' to max 150 from the building(s) it serves typical.
 Hammer Head Turnaround: Provide an approved hammerhead fire engine turn-around located on an approved gravel all weather surface with in 150' of all portions of the new building.
 New 12' Wide Gravel Driveway: New 12' wide gravel driveway per the words are how by other first hydroic the drive waves to the Solem Co-
- grading plans by others. Field verify the driveway meets the Solano Co requirements and the slope does not exceed 12%. Address Signage: Provide approved address signage on a corresponding background per the Fire Protection Dist & Solano Co. requirements on
- heet C1
- 10. Optional Future Gated Entry: If a gate entrance is installed it shall be on Optional Future Cated Entry: If a gate entrance is installed it shall be on a separate permit. The gate entrance would need to be min 2' wider then the driveway and located min 30' away from the county road easement. The gates if electronic would be required to have a Cordelia Fire Protection District approved Knos key and or a knox key box.
 Storm Water Retention Pond: Indicates a storm water retention pond per nent The
- the grading plans by others typical
- The graung plans by others sypheat.
 12. [N] Approx. 5,000 Gal. Water Storage Tank: Provide an approx. 5,000 Gallon water storage tank with min 4,000 gallons dedicated for each of the fire hydrants plus an additional supply of water storage as required to run the fire sprinklers as required per the fire sprinkler plans by others. Not Used
- 14. Electrical Meters: Install two new 400 amp and one 200 amp drop services
- (KD) Kooj Drain: Kooj arčin down spous snait be itea into a 4 O solid drain line and ran at imi 2% slope to the drainage system per the grading plan by others and per the soils report and the soils engineer in the field.
 New 20 Wide Gravel Driveway: New 20 wide gravel driveway per the grading plans by others. Field verify the driveway meets the Solano Co requirements and the slope does not exceed 12%.
 Well: Indicates the approx location of the existing well to be used for the
- new residence. 18. Clean-outs: Provide a clean-out at grade (a) max 100' o.c. and at each roof
- A chain down spout. Locate cleanouts where they will not be susceptible to damage from being run over by a lawn mower or other hazards. Locate the clean-outs in the field. Not all clean-outs are shown on this plan. 9. Solid Drain Line: Indicated a min 4"O solid drain line or sized per the
- grading plan. Drain lines shall be sloped at min 2% slope to the drainage lines per the grading plans by others. All roof drains shall flow into the
- 20. <u>Trash / Recycle Storage And Sorting On Site Note:</u> Haul material such as trash and recycled items shall be placed in a dump trailer and not stored on the ground when possible. If trash and recyclable items are stored on the the ground a vinen possible. If trash and recyclable items are stored on the ground a straw wattle shall be placed around the said items per note number 24 below typical. Said items shall have the straw wattle and tarp secured over them 24hours before and after the weather report calls for more then a 20% chance of rain using weathergov
 21. The Into Solid Drain Line Per Grading Plan: The the new storm drain lines into a solid change them in the merging and the other straw.
- into a solid storm drain line per the grading plan by others. All roof drains shall flow into the storm water retention pond(s)

upreat. Erosion control measures on the grading plan by others shall govern. Where finish grading occurs provide a straw wattle per detail 2/Cl. 25. Solid arrows indicate the required finish slope around the building foundation. Slope the finish grade away from the building construction (@ min (3% slope) for the first 10' to an approved swale or location. Slope paved surfaces away from the building at min 2% slope for the first 10' to an approved swale or location. See detail 1/Cl and the site plan notes on sheet Cl for additional requirements.


NOTE: SEE THE ENLARGED SITE PLAN

ON SHEET C2 FOR ADDITIONAL

22. DI Drain Intake: Indicate a drain intake per the grading plan by others. 23 Not Usad Not Osea
 Fiber Roll / Straw waddle: Provide a Fiber Roll / Straw waddle around the disturbed areas as required for erosion control and sediment filtering typical. Erosion control measures on the grading plan by others shall








SITE PLAN KEYNOTES:

- Driveway Encroachment Provide a commercial driveway encroachment at the County road per other encroachment permit and plans by others. The encroachment shall be paved back to the roadway easement line typical.
 Septic Tank: Indicates the approx location of the septic tank with the plans by others. Confirm the new septic tank is min 5' away from the building foundation project.
- ndation typical
- Bounders Copy and the new sepher tank is min 5 and y flow the battering foundation typical.
 Primary Leach field plans by others. Confirm the new leach lines are located min 10' away from the existing & new building foundations typical
 Reserve Leach Field: Indicated the approx. location of the reserve leach field per plans by others. Allow an adequate space for a reserve leach field that is equal to or larger than the existing leach field. The reserve leach field shall be located min 10' away from a will point or reserve leach field shall be located min 10' away from a will point or revek.
 New Propane Tank: Indicates the approx location of the new max 500 gal propane tank. Shall be installed per code and the supplier's requirements typical.
- by the limit of instance per Code and the supplier's requirements typical.
 Wet Draft/ Soft Suction Fire Hydrant: Provide a fire dedicated hydrant as required per the Fire Protection District. This Hydrant shall be located min 50 'n omst 150 from the building(s)' is serves typical.
 Hammer Head Turnaround: Provide an approved hammerhead fire engine turn-around located on an approved gravel all weather surface with in 150' of all portions of the new building.
 New 12' Wide Gravel Driveway: New 12' wide gravel driveway per the grading plans by others. Field verify the driveway meets the Solano Co requirements and the slope does not exceed 12%.
 Address Signage: Provide approved address signage on a corresponding background per the Fire Protection Dist & Solano Co. requirements on sheet C1.

- sheet C1.
 Optional Future Gated Entry: If a gate entrance is installed it shall be on a separate permit. The gated entrance would need to be min 2' wider then the driveway and located min 30' away from the county road easement. The gates if electronic would be required to have a Cordelia Fire Protection District approved Knox key and or a knox key box.
 Storm Water Retention Pond: Indicates a storm water retention pond per the grading plans by others typical.
 [17] Approx. 5,000 Gal. Water Storage Tank: Provide an approx. 5,000 Gallon water storage tank with min 4,000 gallons dedicated for each of the fire hydrants plus an additional supply of water storage as required to run the fire sprinklers as required per the fire sprinkler plans by others.
 [18] Not Used
- 13. Not Used
- 13. Not Osci 14. Electrical Meters: Install two new 400 amp and one 200 amp drop services w/ one 400 amp meter dedicated to the guest studio, and barn / shop, one 400 amp meter dedicated to the primary residence and garage / shop, and the 200 amp meter dedicated to the second living unit. The builder shall
- the 200 amp meter acacate to the second tiving unit. The builder shall obtain a permit with PG&E.
 (RD) Roof Drain: Roof drain down spouts shall be tied into a 4"O solid drain line and ran at min 2% slope to the drainage system per the grading plan by others and per the soils report and the soils engineer in the field.
 New 20' Wide Gravel Driveway: New 20' wide gravel driveway per the grading plans by others. Field veryif: the driveway meets the Solano Corequirements and the slope does not exceed 12%.
 Will. Indicate the mark lossing of the aristics, well to be weed for the solar of the solar state.
- 17. Well: Indicates the approx location of the existing well to be used for the
- Well: indicates the approx tocation of the existing well to be used for the new residence.
 Clean-outs: Provide a clean-out at grade @ max 100' o.c. and at each roof drain down spout. Locate cleanouts where they will not be susceptible to damage from being run over by a lawn mower or other hazards. Locate the clean-outs in the field. Not all clean-outs are shown on this plan.
- 19. Solid Drain Line: Indicated a min 4"O solid drain line or sized per the grading plan. Drain lines shall be sloped at min 2% slope to the drainag lines per the grading plans by others. All roof drains shall flow into the unterfaced and statement of the sloped at min 2% slope to the drainag lines per the grading plans by others. All roof drains shall flow into the unterfaced and sloped at min 2% sloped at
- 20. Trash / Recycle Storage And Sorting On Site Note: Haul material such as trash and recycled items shall be placed in a dump trailer and not stored on the ground when possible. If trash and recyclable items are stored on the the ground when possible. If trash and recyclable items are stored on the ground a straw wattle shall be placed around the said items per note number 24 below typical. Said items shall have the straw wattle and tarp secured over them 24hours before and after the weather report calls for more then a 20% chance of rain using weather gov 21. Tie Into Solid Drain Line Per Grading Plan: Tie the new storm drain lines
- The find bottom build build be of offung function for the storm and in the storm and in the grading plan by others. All roof drains shall flow into the storm water retention pond(s)
 Di Drain Intake: Indicate a drain intake per the grading plan by others.
 Not Used 24. Fiber Roll / Straw waddle: Provide a Fiber Roll / Straw waddle around the
- 4. Fiber Roll / Straw waddle: Provide a Fiber Roll / Straw waddle around the disturbed areas as required for erosion control and sediment filtering typical. Erosion control measures on the grading plan by others shall govern. Where finish grading occurs provide a straw wattle per detail 2/C1. Solid arrows indicate the required finish slope around the building foundation. Slope the finish grade away from the building construction @ min (5% slope) for the first 10 to an approved swale or location. Slope paved surfaces away from the building at min 2% slope for the first 10 to an approved swale or location. See detail 1/C1 and the site plan notes on cheat C1 for a additional requirement. sheet C1 for additional requirem

Attachment D **L**





KEYNOTES

- 1. Board & Batten Siding: Provide pre-primed & painted Board & Batten siding with structural rough sawn plywood siding or Hardie Panel siding over structural OSB plywood shear. Provide re-sawn or Hardie siding over structural OSB plywood shear. Provide re-sawn or Hardie trim batten boards. over the nails. Confirm Batten spacing with the owners. Align wall studs as required to center the batten layout in each wall. Battens shall be approx. 1/2" x 2" confirm w/ owners. Install the siding over 15b building paper wrap or other pre-approved building paper wrap. Caulk all the joints with space for expansion & contraction as required to seal. Provide "2" [lashing at all horizontal joints. See spec. division [09500] for Ply siding or spec. division [09450] for Hardie Stiding additional requirements. Siding shall be installed per the MFG's requirements. Consult with the owners for the material selection and color approval prior to installation typical. Asphalt Comp Roofing: Provide min 30 year class "A" asphalt comp
- and color approval prior to installation typical.
 <u>Asphalt Comp Roofing:</u> Provide min 30 year class "A" asphalt comp shingle roof ing. Shingles shall be installed over the required roof under-layment per the MFG is warranty requirements. The minimum under layment required by the building code shall be 15b roof felt & conf orm to ASTM D 226, TYPE1, ASTM D 4869 type 1 OR ASTM D 6757. Where the roof slope is less then 4:12 provide a double layer of the roof underlayment. All shingles, flashing, fasteners, etc. shall be installed to use how MEGC avantifies the detail of currents. the roof underlayment. All shingles, J tashing, J asteners, etc. shall be installed per the MFG specified & detail requirements. See roof-flashing details (I/DI) & spec drivision 07250 for the minimum industry standards and code requirements. The MFG's installation details shall govern over the details provided on this set of plans. See spec div. 07250 & 07500 for additional comp roof requirements. Consult with the owners for finish materials and color selection approval prior to wreched & detarollations in the owners for finish materials and color selection approval prior to
- owners f or junsi materials and color selection approval prior to purchase k installation typical.
 3. Fascia Board & Gutter: Provide a 2"x8" pre-primed & painted decay resistant redwood or cedar fascia board w/ an approx 4 1/2" Ogee galvanized metal rain-gutter with leaf-guards. Downspouts shall be located in the field and shall terminate into a piped drainage system. The drainage system shall drain to daylight in an approved location per the grading and drainage pultures with source foreseloution train the fascia and around a source location per pulture shall be more foreseloution train the fascia and
- the grading and drainage plans & solis engineer. Paint the fascia and gutter an accent color, consult with owners for selection typical.
 Corner, Vertical Door, & Vertical Window Trim: Provide 2"x6" preprimed & painted re-sawn decay resistant redwood or cedar or 6" Hardie Trim corner, & vertical door & window trim. Provide flashing per detail 3/D1.
 Lintel trim: Provide 2"x8" pre-primed & painted re-sawn decay resistant redwood or cedar solong or selection typical.
 Sill trim: Provide a built-up windowsill with a pre-primed & painted re-sawn decay is a built of a cedar or 8" Hardie Trim Lintel trim. Provide flashing per detail 3/D1.
 Sill trim: Provide a built-up windowsill with a pre-primed & painted re-sawn decay with a pre-primed & painted re-sawn decay.
 Sill trim: Provide a built-up windowsill with a pre-primed & painted re-sawn decay flashing per detail 3/D1.
 Sill trim: Provide a built-up windowsill with a pre-primed & painted re-sawn decay with a pre-primed & painted re-sawn decay with a pre-primed & painted re-sawn decay.

- flashing per detail 3/D1.
 Barge Rafter: Provide a 2"x10" pre-primed & painted re-sawn decay resistant redwood or cedar barge rafter wi a re-sawn or Hardie Trim 1"x4" nailed Jush with the top of the barge rafter. Paint the Barge rafter an accent color. Consult with owners for color typical.
 Gable Cornice Trim: Provide a 2"x4" pre-primed & painted re-sawn decay resistant redwood or cedar or 4" Hardie trim gable cornice trim
- member.
 9. Porch Columns: Provide 12" square porch columns w/ a solid 2"x redwood, cedar, or Hardie post wrap w/ concealed joints over 15lb building paper wrap or other pre-approved building paper wrap. Submit a sample build-up for the ovner(s) to approve prior to
- summi a sample build-up for the owner(s) to approve prior to construction.
 10. Gooseneck Light Fixtures: Provide wall mount waterproof high efficiency gooseneck accent light fatures per the electrical plan. Provide 2'x solid blocking in the wall for mounting the light fatures as required per the MFG. Consult w/ owners for selection typical.
 11. Gabe Trim Band; Provide a tri owners for selection typical.
 11. Gabe Trim Band; Provide a trim band w' a shaped cap trim over a trim band. The cap trim shall be a pre-primed & painted re-sawn sloping 3'x3' w' can back edge cut for sloping too or shaped Hardie Trim. The band shall be a 2'x12'' pre-primed & painted re-sawn or 12'' Hardie trim. Provide backing with adhesive [Iashing behind the Hardie panel siding to secure and seal the fasteners.
 12. New Fill Trim: Where typ trim details coffict provide 2'x pre-primed & painted decay resistant redwood or cedar re-sawn or Hardie Trim to fill the space as required. Provide flashing per detail 2/D1. Provide samples / mock up or the owners to approve prior to construction.
 13. Not Used
 14. Triangular Gable End Vent: Provide an approx 18'' tall x 4'-6'' wide
- 15. Not Usea 14. Triangular Gable End Vent: Provide an approx 18" tall x 4'-6" wide triangular screened and lowered galv, metal gable end vent w/ the slope angle to match w/ the roof slope. Provide 2"x4" pre-primed & the slope angle to match w/ the roof slope. Provide 2"x4" pre-primed & nilar to painted corrosion resistant sill trim w/ adhesive flashing sin detail 2/D1. See the roof vent calc's on the roof plan sheet for additional

Attachment D **L** U ₽ 0: Ŋ Ζ L U V n ыD <u>S</u>A ∢ 5 TAX PLANS PREPARED DY n JAMES GEORGE PROJECT DESIGNER REVISIONS: PROOFREAD REV. PRION TO PLAN CHK 1-20-2020 PROJECT TITLE: S Z 7 ____ 0__ 111 |X 4 **4** w IÛ 748 σά Z \square **0** ů ΩD ທ -כ ς^ω () iL N S Σ $(\neg$ DATE: 12-29-19 SCALE: AS NOTED SHEET DESCRIPTION EXTERIOR ELEVATIONS SHEET NUMBER A1 of A6 W/ 26 SHEETS TOTAL

FLOOR PLAN KEYNOTES

- Toilet: Provide a max 1.28 gallon elongated high-rise toilet. Consult w/ owner(s) for selection. See spec. Division 15600 for additional requirements.
 Shower Pan & Surround: Construct a field built shower with an accented tile surround over a 1st thick reinforced mortar base & built up waterproof membrane shower pan. The shower pan shall be sloped at min 1/4st per foot to max 10st per foot to the drain typical. See spec. Divisions 15550, & 15720 for additional requirements typical, Provide a min 2st tall water dam measured from the inside of the shower. The tile surround shall extend up to min 72
- above the finish floor. Consult v/ owner(s) for selection & layout.
 3. Shover Enclosure, Door, & Water Dam: Provide a frameless tempered glass enclosure over a 48" tall half wall. Provide a tempered glass out swing or in and out swing shower door over a min 2" tall water dam measured on the shower pan side with tile finish & bull nose tile corners over reinforced mortar layer & waterproof membrane layer. The shower door is required to be min 22" wide per code. See plan for shower door size. Consult with the r(s) for selection 4. Shower Seat: Provide an accented tile seat w/ bull nose tile corners or a stone slab seat. The
- Shower Sett. Tile or stone slab seat finish shall be installed over a reinforced mortar layer & waterproof membrane layer. Slope the seat to drain into the shower pan. Consult with the owner(s) for

- Selection.
 Solution of the shower heads. Consult w/ the owner(s) for selection including height adjustment and possible lower jet and hand held. Showerheads shall flow (@) max 2.0 gallons per minute at 80 psi. Showerheads shall be certified to the performance criteria of the US. EPA Ware Sense Specification for Showerheads is the performance criteria of the US.
 ES Shower Soap Niche: Provide an accented tile soap niche w/ bull nose tile corners over a reinforced mortar layer & waterproof membrane layer on pre MFG nich insert. Slope the sill to drain into the shower pan. Consult with the owner(s) for selection and layout approval.
 Tub: Provide an approx 48° X72″ the set in a raised accented tile platform with bull nose tile corners. The tile platform shall have tile installed over a min 1″ thick reinforced mortar layer & a waterproof membrane tile platform or through the diagaent wall as required. The access panel its to be located in the field with the owners. Sourced on the figs pump location. See specific foll of a official role and endicem with the owners based on the mig s pump location. See specific foll of a official role areas. pump location. See spec division 15610 for additional requirements. Consult with the
- pump location. See spee dvision 156.10 for additional requirements. Consult with the owner(s) for the tub selection as well as the tile selection and the access panel location.
 8. Vanity, Mirrors, & Faucet: Provide a paint grade base cabinet with a stone slab counter top (@.96" above the floor & Back Splash, w/ sink (S), Provide a cased out mirror at each vanity sink. Consult w/ the owner(s) to refine the design prior to f abrication. Per the CAL GREEN requirements. All shows and Locace lights shall be aligned with the mirrors. Consult w/ rding med. Cah's
- 9. Stacked Clothes washer & Dryer: Provide a stacked clothes washer & clothes dryer w/ a vent to the outside. Install the dryer per spec div 15200. Consult w/ owner(s) for selection prior to purchase and installation.
- 10. Fireplace Insert: Provide a MFG listed 2-sided corner propane gas fireplace insert to be installed per the MFG's requirements. Provide a stone slab, brick or river rock veneer surround. Provide an 18" tall \pm raised hearth to match the surround and align w/ the height arround, Fronce on For that A those method in on hardy the surround and method in the resign of the tub platform. Consult with ecomer(s) to refine the design prior to fabrication. See the fureplace note "N" on this sheet under the floor plan general notes & see spec divisions 10050, 15230, 15252 & 15275 for additional requirements.
- 10 product notes (i) You has since t under the plotor plan grade grade radius over spectaristics 10050, 15250, 15525 (i) 5525 (i) 5525
- Section

 13. Not Used


 14. Finish Material selection and approval: The builder shall consult with the owner(s) for
 approvals on all finish materials whether the materials are specified on the plans or not.
 Finish materials include but are not limited to cabinets, moldings, trim, baseboards, windows,
 doors, flooring, concrete slab finish, Plumbing fixture finish & color, door hardware, Faucet
 hardware, Electrical plug covers, paint, drywall texture ETC.

 14. The Windows and extension doors: Windows and extenior doors shall be black or dark accent
- hardware, Electrical plug covers, paint, drywall texture L1C.
 15. Typ, Windows and exterior doors: Windows and exterior doors shall be black or dark accent colored vinyl as mfg by Pella, Marvin, Milgard, or equal. Consult w/ owner(s) for selection options. Provide alt pricing for wood clad vindows, fiberglass, and vinyl.
 16. Typ. Interior doors: All interior doors shall be paint grade w/ raised paneling or tempered glass. All bedroom entrance doors shall be solid core for sound isolation. Case out all interior doors w/ paint grade trin. Consult w/ owner(s) for selection prior to purchase and
- 17. Typ. Wall and ceiling finish U.O.N.: Interior walls and ceilings shall be lined with drywall and have an imperfect smooth or blown in knocked down texture with bull nose corners typical U.O.N. The ceilings shall be a lighter accent color throughout. The walls shall have the for the control of the cont eboards. Consult w/ owner(s) for options prior to pricing, purchase, and installation
- Options include but are not limited to wood paneling, crown molding, etc. 18. Typ. Hardware: All exposed metal hardware shall have a matching finish. This includes but is not limited to faucets, doorknobs, hinges, towel racks, etc. consult w/ owner(s). Not all hardware is shown on the plans. Provide towel hangers in each bathroom, doorstops at each door, cabinet doorknobs, Etc. Consult with the owner(s) to verify what hardware is to be included in each more twiced. ded in each room typical
- included in each room typical.
 19. Pricing / Allowance Nate: For bid purposes the bidders shall set cost allowances on all finish materials which shall be of an adequate amount to cover the price of the materials based on the level of quality and quantity of the materials described on the plans and or reflect the owners desired quality. The bidders shall submit samples of the finishes, fixtures, appliances, quality of work, etc. to the owner at the time of bid submittal to ensure the allowance are adequate to cover the owner (s) desired quality of the finish.
- **20. Outdoor Shower:** Construct an outdoor shower with a concrete slab pan w/ slope at min 1/4' per foot to max 1/2" per foot to the drain typical. Provide a 6' tall solid redwood or cedar privacy fence around the outdoor shower area. Provide a wood frame seat w/ possible stone privacy fence around the outdoor shower area. Provide a wood frame seat w possible stone slab top. The shower drain shall be tied into the storm drain lines or if ran into the septic system a drain cap shall be provided to prevent rain water from getting into the septic system. Consult w owner(s) for paint grade & stain grade fence & other material selection & layout options. The shower hot and cold water lines shall have a shut-off and drain to prevent damage from freezing.

DOOR & WINDOW GLAZING NOTE:

DOOR & WINDOW MANUFACTURER'S LABELING SUBSTANTIATING THE U-FACTORS AND SHGC'S AS SPECIFIED ON CERTIFICATE OF COMPLIANCE CF-1R SHALL BE IN PLACE AT THE TIME OF THE FRAMING INSPECTION THE SHGC & UFACTOR SHALL COMPLY W/ THE T-24 CF-1R ENERGY FORMS ON T24 SHEET(S)

> NOTE: SEE THE CAL GREEN REOUIREMENTS ON SHEETS AS6 & SHEETS CG-1 & CG-2



FLOOR PLAN GENERAL NOTES

- SEE THE AS SHEETS FOR ADDITIONAL REQUIREMENTS All windows to be dual glazed with there label listing the certified u-factor, SHGC and VT, shall not be removed before inspection by the enforcement agency, provide screens on operable windows. Verify all window rough openings with
- window manuf actures prior to rough frame. See T-24 energy requirements for additional requirements B.All exterior doors to be solid core 1 3/8" thick with waterproof tight fit
- consult with owners for approved style. C.[HH=8'] Stands for header height and indicates the elevation to set the top of the window at. The builder shall then set the bottom of the actual header up above the top of the window as required. to allow for the rough opening around the window as required. by the window mfg's requirements. If the mfg allows it is a good practiced to set the bottom of the header 1/2" above the top of the window to allow for any possible deflection in the header. Then fill the void w/ spray foam after window installation
- D.Provide emergency egress from bedrooms as required.
- EAll windows with-in 2' of a door, glass lights with-in a door, windows over stairs, windows with-in 5' of the top or bottom of stairs, and windows in a bathroom shall be tempered glass

F.Water-resistant gypsum board shall NOT be used on the ceilings typical. GInsulate and weather strip attic access panel w/min R-38 batt insulation HNot Used INot Used

- J.Project specifications are called out as "Spec Div. 15020" Refer to the AS sheets on this set of plans to look up the specifications by the number referenced. K.Door & Window Requirements: See spec division 8 for additional iirements
- Legy BD Requirements: See spec division 09100 for requirements <u>M.Mechanical & Plumbing</u>: See spec division 15 for requirements <u>N.Gas Fire Place Insert</u>: The factory built metal fireplace insert and chimney / flue shall be UL listed and shall be installed per the MFG's requirements. The builder shall submit the MFG brand, make and model number with a spec sheet that indicates the UL Listing and installation requirements to the building department for approval prior to installation. Provide combustion air from the outside per the MFG's installation requirements. The insert shall be provided with tight fitting tempered glass doors.

O.Not Used PMandatory Requirments to Limit Air Leakage: All joints, penetrations, and other openings in the building envelope that are potential sources of air leakage shall be caulked, gasketed, weather-stripped or otherwise sealed to limit infiltration and exfiltration.

PLUMBING GENERAL NOTES:

SEE SPEC DIVISION 15 ON THE AS SHEETS FOR ADDITIONAL REQUIREMENTS

Additions & Alterations 1. The plumber and or builder shall verify all existing plumbing lines & elevations to determine where & how to tie into the existing system & provide the required slope and sizing per code.

2. When adding on to the existing plumbing system the plumber/builder shall verify all lines leading to the new added plumbing are correctly sized as required per code

<u>General Requirements</u> 1. The plumber shall size all gas, water & sanitary drainage per current code requirements U.O.N. on plans.

2 All vents terminating thru roof if able shall be located to the rear of the house, or in a location not visible to guests, even though I am sure your work looks good.

<u>Site Requirements</u> 1. No trenches shall run parallel to a bearing f ooting any deeper than a 45° line drawn down from the edge of the footing [typical].

 Water lines & sewer lines can be ran in the same trench if the sewer line material is approved for use within a building, if not the water line shall be located a mum 12" above the sewer line

Drainage Requirements

1. Min slope shall be 1/4" per ft or 1/8" per ft if the pipe is 4". 2. Cleanouts required each 100' for horizontal runs at all sinks at lowest level, see UPS for additional requirements.

3. Under floor cleanouts shall not exceed 20' from crawl access openings. Trap seals shall be minimum 2" & maximum 4" typical.

Water Supply Requirements

1. Pressure thank & pump are required if the pressure is below 40 P.SI. & a regulator is required if the pressure exceeds 80 PSJ. Field verify pressure at meter & at house based on house elevation from meter.

Provide anti backflow vacuum breaker at hose bibs & minimum 3/4" supply line Provide a drain air gap at the dishwasher.

 Gas Piping Requirements

 1. Fireplace gas valve / shut-off valve shall be located outside of the required hearth
 area but not more than 48" away from the appliance and in the same room. Shower & Tub Requirements
1. Shower and tub/shower valves shall be pressure balanced or thermostatic mixing

type anti scold device listed to 120° maximum.

Bathtub & shower wall to be constructed of a non-absorbent material to minimum height of 72" above drain of tub or shower. Shower pan regardless of shape is to have a minimum floor area of 1.024 sa inches and capable of encompassing a 30' Glass tub/shower and shower enclosures to be tempered glass labeled category II,

shower door clear openings and openings are to be a minimum 22" wide. Shower doors shall swing outward. 4. Shower head shall not discharge directly toward the door.

Water dam shall be a minimum 2" tall & maximum 9" tall at shower

6. Shower pan shall slope to drain minimum 1/4" per ft & maximum 1/2" per ft.





State of California – Natural Resources Agency DEPARTMENT OF FISH AND WILDLIFE Bay Delta Region 2825 Cordelia Road, Suite 100 Fairfield, CA 94534 (707) 428-2002 www.wildlife.ca.gov GAVIN NEWSOM. Governor CHARLTON H. BONHAM. Director



May 18, 2021

Mr. Eric Wilberg Solano County Department of Resource Management 675 Texas Street Fairfield, CA 94533 ejwilberg@solanocounty.com

Subject: Turpin U-20-04, Negative Declaration, SCH No. 2021040583, Solano County

Dear Mr. Wilberg:

The California Department of Fish and Wildlife (CDFW) received a Notice of Intent to Adopt a Negative Declaration (ND) from the County of Solano (County) for the Turpin U-20-04 Project (Project) pursuant the California Environmental Quality Act (CEQA) and CEQA Guidelines.¹

CDFW is submitting comments on the ND to inform the County, as the Lead Agency, of our concerns regarding potentially significant impacts to sensitive resources associated with the Project.

CDFW ROLE

CDFW is a **Trustee Agency** with responsibility under CEQA pursuant to CEQA Guidelines section 15386 for commenting on projects that could impact fish, plant, and wildlife resources. CDFW is also considered a **Responsible Agency** if a project would require discretionary approval, such as permits issued under the California Endangered Species Act (CESA) or Native Plant Protection Act, the Lake and Streambed Alteration (LSA) Program, or other provisions of the Fish and Game Code that afford protection to the state's fish and wildlife trust resources.

PROJECT DESCRIPTION SUMMARY

Proponent: Susan Turpin

Objective: The Project will construct an approximately 4,738-square-foot barn-style event facility, 531-square-foot guest studio, 1,800-square-foot vacation rental home, and associated infrastructure such as a parking lot and outdoor seating areas. Primary Project activities include grading, excavation, trenching, building construction, concrete pouring, and landscaping.

¹ CEQA is codified in the California Public Resources Code in Section 21000 et seq. The "CEQA Guidelines" are found in Title 14 of the California Code of Regulations, commencing with Section 15000.

Additional activities include construction of an approximately 4,596-square-foot home and 1,600-square-foot detached garage; however, it is unclear if these activities are part of the Project, as further described below.

Location: The Project is located on a parcel associated with 2208 Morrison Lane, approximately 2.5 miles west of the City of Fairfield, in unincorporated Solano County. The Project site is approximately 1,000 feet south of the intersection of Morrison Lane and Stonefield Lane. Stonefield Lane and South Putah Canal border the western and southern sides of the Project. The Project will occur on Assessor's Parcel Number 0153-140-240. The approximate Project centroid is Latitude 38.26282°N, Longitude 122.12637°W.

Timeframe: The ND does not specify a timeframe.

ENVIRONMENTAL SETTING

The Project site is located on a 25.02-acre undeveloped agricultural lot dominated by grassland and scattered shrubs. The Rockville Trails Preserve is approximately 0.20 miles west of the Project site and agricultural land dominates the landscape to the east and north. Very low-density housing and agricultural lands are present to the south.

The Putah South Canal, a channel that diverts water from Putah Creek, flows south along the western and southern border of the Project site. An unnamed drainage ditch approximately 430 feet north and 100 feet east of the Project site flows east to Suisun Creek. Suisun Creek has a mature riparian canopy and is approximately 0.50 miles east of the Project site. Special-status species with the potential to occur in or near the Project site include, but are not limited to, Swainson's hawk (*Buteo swainsoni*), listed as threatened pursuant to CESA; burrowing owl (*Athene cunicularia*), a California Species of Special Concern (SSC); American badger (*Taxidea taxus*), an SSC, and white-tailed kite (*Elanus leucurus*), a Fully Protected Species.

REGULATORY REQUIREMENTS

California Endangered Species Act

Please be advised that a CESA Incidental Take Permit (ITP) must be obtained if the Project has the potential to result in "take" of plants or animals listed under CESA, such as Swainson's hawk, either during construction or over the life of the Project. Issuance of an ITP is subject to CEQA documentation; the CEQA document must specify impacts, mitigation measures, and a mitigation monitoring and reporting program. If the Project will impact CESA listed species, early consultation is encouraged, as significant modification to the Project and mitigation measures may be required in order to obtain an ITP.

CEQA requires a Mandatory Finding of Significance if a project is likely to substantially restrict the range or reduce the population of a threatened or endangered species. (Pub. Resources Code, §§ 21001, subd. (c) and 21083; CEQA Guidelines, §§ 15380, 15064, and 15065). Impacts must be avoided or mitigated to less-than-significant levels unless the CEQA Lead Agency makes and supports Findings of Overriding Consideration (FOC). The CEQA Lead Agency's FOC does not eliminate the Project proponent's obligation to comply with CESA.

Lake and Streambed Alteration Agreement

CDFW requires an LSA Notification, pursuant to Fish and Game Code section 1600 et seq., for Project activities affecting lakes or streams and associated riparian habitat. Notification is required for any activity that may substantially divert or obstruct the natural flow; change or use material from the bed, channel, or bank including associated riparian or wetland resources; or deposit or dispose of material where it may pass into a river, lake or stream. Work within ephemeral streams, washes, watercourses with a subsurface flow, and floodplains are subject to notification requirements. In those cases, CDFW will consider the CEQA document for the project and may issue an LSA Agreement. CDFW may not execute the final LSA Agreement until it has complied with CEQA as a Responsible Agency.

Raptors and Other Nesting Birds

CDFW also has jurisdiction over actions that may result in the disturbance or destruction of active nest sites or the unauthorized take of birds. Fish and Game Code sections protecting birds, their eggs, and nests include sections 3503 (regarding unlawful take, possession or needless destruction of the nests or eggs of any bird), 3503.5 (regarding the take, possession or destruction of any birds-of-prey or their nests or eggs), and 3513 (regarding unlawful take of any migratory nongame bird). Migratory birds are also protected under the federal Migratory Bird Treaty Act.

Fully Protected Species

Fully Protected species, such as white-tailed kite, may not be taken or possessed at any time (Fish and Game Code, §§ 3511, 4700, 5050, and 5515).

COMMENTS AND RECOMMENDATIONS

CDFW offers the comments and recommendations below to assist the County in adequately identifying and/or mitigating the Project's significant, or potentially significant, direct and indirect impacts on fish and wildlife (biological) resources. Based on the Project's avoidance of significant impacts on biological resources, in part through implementation of CDFW's below recommendations, CDFW concludes that **a Mitigated Negative Declaration would be more appropriate** for the Project.

Project Description and Related Impact Shortcoming

The CEQA Guidelines require that the initial study includes "all phases of project planning, implementation, and operation" [Cal. Code Regs., tit. 14, § 15063, subd. (a)(1)]. In addition, an ND must include a brief description of the project and project location [Cal. Code Regs., tit. 14, § 15071, subds. (a) and (b)]. "Project" means the whole of an action, which has a potential for resulting in either a direct physical change in the environment, or a reasonably foreseeable indirect physical change in the environment (Cal. Code Regs., tit.14, § 15378). The ND identifies the Project as the construction of a barn-style event facility, a guest studio, and a vacation rental home (pages 8 - 9) and provides location maps, including an aerial imagery map of the parcel (Figure 3, page 8). The ND also notes that construction of a single-family home and a detached garage will occur on the same parcel, but is not considered part of the Project and does not appear to have been considered in the initial study (page 6). A site plan is provided including the barn-style event facility, the single-family residence, and a proposed road and driveway providing access to both portions of the parcel (Figure 5, page 10, and Appendix 6.2). Based on this information in the ND, it appears that the construction of the event facility and the single-family home are part of the same activity and should be considered together as the Project. In addition, the ND describes the square feet of the proposed buildings, but does not identify the footprint of the whole Project, including buildings, parking lots, driveways, and other areas where ground disturbing activities will occur. The Project description and location must be clear and should include all associated construction and ground-disturbing activities. Without this clarity, the Project could have undescribed or unforeseen potentially significant impacts to the environment.

To reduce impacts to less-than-significant, CDFW recommends including the construction of the approximately 4,596-square-foot home and 1,600-square-foot detached garage as part of the Project description and assessing whether the entire Project may have a significant effect on the environment. Alternatively, the ND should clarify which activities are subject to CEQA review under the ND, why described activities are considered separate projects under CEQA, and the type of CEQA review for each project. The Project footprint, including but not limited to, buildings, parking lots, roads, and driveways, should be clearly described, quantified (e.g., in acres) and depicted in the CEQA document.

Environmental Setting and Related Impact Shortcoming

The ND's environmental setting states the Project area is agricultural, relatively flat, and that Putah South Canal flows along the western and southern borders of the Project site (page 6). In addition, the ND identifies that no trees are proposed for removal and that no permits from CDFW are required (page 20). The environmental setting does not describe the vegetation on-site, the potential special-status species that could occur in

or near the Project site, or provide mitigation measures to reduce potentially significant impacts to less-than-significant. Without an understanding of the environmental setting and biological baseline conditions, it is not possible to determine potentially significant impacts the Project could have on the environment.

To reduce impacts to less-than-significant, CDFW recommends that a qualified biologist conduct a biological resource assessment of the Project site and adjacent habitat the Project could impact, and incorporate it into the initial study and CEQA document prior to approval of the CEQA document. A qualified biologist shall minimally hold a science-related bachelor's degree from an accredited university and have demonstrable experience with the species and habitats in Solano County.

Swainson's Hawk

The ND does not identify that Swainson's hawk, listed as threatened pursuant to CESA, may occur within the Project site which provides potential foraging habitat, or near the Project site which provides potentially suitable nesting habitat. Potentially suitable nesting trees exist in the oak woodland to the south of the Project site, other trees in the vicinity, and in the riparian habitat of Suisun Creek to the east. In addition, the agricultural land and open space near the Project provide potentially suitable foraging habitat. There are California Natural Diversity Database (CNDDB) occurrences of nesting Swainson's hawk approximately 2 miles east of the Project site and approximately 4 miles to the south. In addition, two unprocessed CNDDB records exist approximately 2.2 miles to the southwest, and the California Wildlife Habitat Relationships Predicted Habitat Suitability for the site is Medium Suitability. Swainson's hawks are present within the vicinity of the Project site and there is potentially suitable habitat for the species on-site and in the vicinity where the species could be impacted.

The breeding population of Swainson's hawks in California has declined by an estimated 91% since 1900 and the species continues to be threatened by on-going and cumulative loss of foraging habitat (CDFW 2016). Swainson's hawks could be disturbed by Project activities, resulting in potentially significant impact to Swainson's hawk through nest abandonment or reduced health and vigor of young. In addition, the ND does not propose compensatory mitigation for removal of Swainson's hawk foraging habitat. To reduce impacts to less-than-significant, CDFW recommends including the following Mitigation Measures.

Mitigation Measure BIO-1A: Swainson's Hawk Surveys

If Project activities are scheduled during the nesting season for Swainson's hawks (March 1 to September 15), prior to beginning work on this Project, a qualified biologist shall conduct surveys according to the *Recommended Timing and Methodology for*

*Swainson's Hawk Nesting Surveys in California's Central Valley.*² Survey methods should be closely followed by starting early in the nesting season (late March to early April) to maximize the likelihood of detecting an active nest (nests, adults, and chicks are more difficult to detect later in the growing season because trees become less transparent as vegetation increases). Surveys shall be conducted: 1) within a minimum 0.5-mile radius of the Project site or a larger area if needed to identify potentially impacted active nests, and 2) for at least the two survey periods immediately prior to initiating Project-related construction activities. Surveys shall occur annually for the duration of the Project. The qualified biologist shall have a minimum of two years of experience implementing the survey methodology resulting in detections. If active Swainson's hawk nests are detected, the Project shall implement a 0.5-mile construction avoidance buffer around the nest until the nest is no longer active as determined by a qualified biologist. If take of Swainson's hawk cannot be avoided, the Project shall consult with CDFW pursuant to CESA and obtain an ITP. CDFW Bay Delta Region staff is available to provide guidance on the ITP application process.

Mitigation Measure BIO-1B: Swainson's Hawk Habitat Mitigation

Loss of foraging habitat shall be mitigated at the appropriate ratio following CDFW's (then Fish and Game) *Staff Report Regarding Mitigation for Impacts to Swainson's Hawks (Buteo swainsoni) in the Central Valley of California*³ prior to Project construction, and accepted by CDFW in writing. The Project shall be assumed to be within one mile of an active nest tree and mitigate at a 1:1 mitigation to impact ratio, unless protocol-level Swainson's hawk surveys are conducted demonstrating that Swainson's hawks are not nesting within one mile of the Project. Habitat mitigation shall include permanent preservation of foraging habitat through a conservation easement and implementing and funding a long-term management plan in perpetuity. Please be advised that the draft Solano Multispecies Habitat Conservation Plan, Section 6.4.8 and Figure 4-21, identifies 1:1 Swainson's hawk foraging habitat mitigation for the Project site (see: https://www.scwa2.com/solano-multispecies-habitat-conservation-plan/).

Burrowing Owl

The ND does not identify that burrowing owl, a California Species of Special Concern, may occur within the Project site, which provides potential foraging habitat and potential breeding and overwintering habitat, which also occurs adjacent to the Project site where the species could be impacted. There are two documented occurrences of burrowing owl within 4 and 4.5 miles southeast of the Project site according to the CNDDB, and the California Wildlife Habitat Relationships Predicted Habitat Suitability for the site is High Suitability. In accordance with CDFW's *Staff Report on Burrowing Owl Mitigation,*

² Swainson's Hawk Technical Advisory Committee, 2000.

https://nrm.dfg.ca.gov/FileHandler.ashx?DocumentID=83990&inline

³ CDFW, 1994. <u>https://nrm.dfg.ca.gov/FileHandler.ashx?DocumentID=83992&inline</u>

Appendix C: Habitat Assessment and Reporting Details⁴ (CDFW 2012 Staff Report), owls may be disturbed up to 1,640 feet (500 meters) from a project. Burrowing owls are present within the vicinity of the Project site and there is potentially suitable habitat for the species on and adjacent to the site.

The Project could result in burrowing owl nest abandonment, loss of young, reduced health and vigor of owlets, or injury or mortality of adults. Additionally, the Project would result in a permanent reduction of burrowing owl habitat in Solano County. Burrowing owls are a California Species of Special Concern due to population decline and breeding range retraction. Based on the above, the Project may potentially significantly impact burrowing owls. To reduce impacts to less-than-significant CDFW recommends the following Mitigation Measures.

Mitigation Measure BIO-2A: Burrowing Owl Habitat Assessment, Surveys, and Avoidance

Prior to Project activities, a habitat assessment shall be performed following Appendix C: Habitat Assessment and Reporting Details of the CDFW 2012 Staff Report. The habitat assessment shall extend at least 150 meters from the Project area boundary and include burrows and burrow surrogates. If the habitat assessment identifies potentially suitable burrowing owl habitat, then a qualified biologist shall conduct surveys following the CDFW 2012 Staff Report survey methodology. Surveys shall encompass the Project site and a sufficient buffer zone to detect owls nearby that may be impacted commensurate with the type of disturbance anticipated, as outlined in the CDFW 2012 Staff Report, and include burrow surrogates such as culverts, piles of concrete or rubble, and other non-natural features, in addition to burrows and mounds. Time lapses between surveys or Project activities shall trigger subsequent surveys, as determined by a gualified biologist, including but not limited to a final survey within 24 hours prior to ground disturbance. The qualified biologist shall have a minimum of two years of experience implementing the CDFW 2012 Staff Report survey methodology resulting in detections. Detected nesting burrowing owls shall be avoided pursuant to the buffer zone prescribed in the CDFW 2012 Staff Report and any passive relocation plan for non-nesting owls shall be subject to CDFW review.

Please be advised that CDFW does not consider exclusion of burrowing owls (i.e., passive removal of an owl from its burrow or other shelter) as a "take" avoidance, minimization, or mitigation measure for the reasons outlined below. Therefore, to mitigate the impacts of potentially evicting burrowing owls to less-than-significant, Mitigation Measure BIO-2B outlined below should require habitat compensation with the acreage amount identified in any eviction plan. The long-term demographic consequences of exclusion techniques have not been thoroughly evaluated, and the survival rate of excluded owls is unknown. Burrowing owls are dependent on burrows at

⁴ Department of Fish and Wildlife (then Fish and Game), 2012. <u>https://nrm.dfg.ca.gov/FileHandler.ashx?DocumentID=83843&inline</u>

all times of the year for survival or reproduction, therefore eviction from nesting, roosting, overwintering, and satellite burrows or other sheltering features may lead to indirect impacts or "take" which is prohibited under Fish and Game Code section 3503.5. All possible avoidance and minimization measures should be considered before temporary or permanent exclusion and closure of burrows is implemented to avoid "take."

Mitigation Measure BIO-2B: Burrowing Owl Habitat Mitigation

If the Project would impact an unoccupied nesting burrowing owl burrow or burrow surrogate (i.e., a burrow known to have been used in the past three years for nesting), or an occupied burrow (where a non-nesting owl would be evicted as described above), the following habitat mitigation shall be implemented prior to Project construction:

Impacts to each nesting site shall be mitigated by permanent preservation of two occupied nesting sites with appropriate foraging habitat within Solano County, unless otherwise approved by CDFW, through a conservation easement and implementing and funding a long-term management plan in perpetuity. The same requirements shall apply for impacts to non-nesting evicted owl sites.

Impacts to burrowing owl foraging habitat shall be mitigated by permanent preservation of foraging habitat at a 1:1 mitigation to impact ratio, in the same manner described above, and accepted by CDFW in writing The CDFW 2012 Staff Report states, "current scientific literature supports the conclusion that mitigation for permanent habitat loss necessitates replacement with an equivalent or greater habitat area for breeding, foraging, wintering, dispersal..." Please be advised that the draft Solano Multispecies Habitat Conservation Plan, Section 6.4.9 and Figure 4-22, identifies 1:1 burrowing owl foraging habitat mitigation for the Project site (see: https://www.scwa2.com/solano-multispecies-habitat-conservation-plan/).

The Project may implement alternative methods for preserving habitat with written acceptance from CDFW.

Nesting Birds

The ND provides an aerial map of the Project site which shows grassland and shrubs on site and mature trees adjacent to the Project's southern border (Figure 3, page 8). This vegetation may provide nesting habitat for a variety of native nesting birds. Bird species that may be considered common have still declined over the past 50 years. Human activity and removal of habitat has contributed to the loss of a significant proportion of the total number of birds in the United States and Canada since the 1970s (Rosenburg et al. 2019). Nesting birds may be disturbed by Project noise or human presence, which could lead to nest abandonment or reduced health and vigor of young, a potentially significant impact. To reduce impacts to less-than-significant, CDFW recommends including the following Mitigation Measure.

Mitigation Measure BIO-3: Nesting Bird Surveys

If construction, grading, or other Project-related activities are scheduled during the nesting season, February 1 to September 1, a focused survey for active nests shall be conducted by a qualified biologist within 7 days prior to the beginning of Project-related activities. If an active nest is found, the qualified biologist shall delineate a no-work-zone buffer distance around the nest that is site and species specific using high visibility fencing or flagging. The buffer distance shall be specified to protect the bird's normal behavior and prevent nesting failure or abandonment. No work shall occur within the no-work-zone until the nest is no longer active as determined by a qualified biologist. If a lapse in Project-related work of 7 days or longer occurs, another focused survey shall occur before Project work is reinitiated.

Special-Status Plants

The ND does not identify any special-status plants with potential to occur in the area. While the Project site is agricultural land, it appears from the aerial imagery in the ND that various shrubs and other vegetation occur on-site, and that the Project site is not regularly tilled or planted with row crops. According to the CNDDB, numerous special-status plants occur within five miles of the Project site, including pappose tarplant (*Centromadia parryi* ssp. *parryi*), California Rare Plant Rank (CRPR) 1B.2; holly-leaved ceanothus (*Ceanothus purpureus*), CRPR 1B.2; and Napa bluecurls (*Trichostema ruygtii*), CRPR 1B.2; among others. The Project has the potential to crush and kill special-status plants and could significantly impact special-status plants on-site. Special-status plants could also be indirectly impacted by the Project through, for example, changes to hydrology or introduction of invasive species. To reduce impacts to less-than-significant, CDFW recommends the following Mitigation Measure.

Mitigation Measure BIO-4: Special-Status Plant Habitat Assessment and Surveys

A qualified biologist shall conduct a habitat assessment of the Project site and identify potential for special-status plants to occur on-site and adjacent to the site where plants could be indirectly impacted. If the habitat assessment indicates potential for special-status species to occur, then a qualified biologist shall conduct surveys during the appropriate blooming period for all special-status plants that have the potential to occur on and adjacent to the Project site prior to the start of ground-disturbing activities. Surveys shall be conducted following *Protocols for Surveying and Evaluating Impacts to Special-Status Native Plant Populations and Sensitive Natural Communities*⁵. If special-status plants are found during surveys, the Project shall be re-designed to avoid impacts to special-status plants. If impacts to any special-status plants cannot be avoided completely during construction, the Project shall provide mitigation including off-site

⁵ Department of Fish and Wildlife, 2018. <u>https://www.wildlife.ca.gov/Conservation/Survey-Protocols#377281280-plants</u>

habitat preservation or another method accepted in writing by CDFW. The qualified biologist shall be knowledgeable about plant taxonomy, familiar with plants of the region, and have experience conducting botanical field surveys according to vetted protocols.

American Badger

The Project is located within grassland habitat that may be suitable for American badger, a California Species of Special Concern. Badgers range⁶ throughout most of California and can dig burrows in a single day; therefore, the species may occupy the Project site and adjacent habitat prior to Project construction (Ministry of Environment Ecosystems 2007 as cited in Brehme et al. 2015). The citizen scientist tool iNaturalist documents a badger record approximately 5 miles southwest of the Project site. Additionally, the California Wildlife Habitat Relationships Predicted Habitat Suitability for the site is Medium Suitability. This information confirms the species has occurred in the vicinity of the Project site and could use it and adjacent habitat.

The Project may result in injury or mortality to adult or young badgers, or burrow abandonment. Therefore, project impacts to American badger would be potentially significant.

To reduce impacts to less-than-significant, CDFW recommends that the ND: (1) further analyze the potential for American badger to occur on and adjacent to the Project site, and (2) include mitigation measures to ensure impacts are reduced to less-than-significant. These measures may include a qualified biologist surveying for the species including adjacent habitat prior to construction, avoiding occupied burrows including a sufficient buffer approved by CDFW, and preparing and implementing a CDFW-approved relocation plan if badgers are found on or adjacent to the Project site.

GENERAL SUGGESTIONS

In addition to the above recommendations, CDFW encourages landscaping using native trees and shrubs to benefit native wildlife such as nesting birds and insect pollinators. The removal of habitat for birds from human activities has contributed to the loss of a significant proportion of birds in the United States and Canada since the 1970s (Rosenburg et al. 2019). Similarly, insect pollinators such as monarch butterflies and native bees have declined drastically relative to 1990 levels (Xerces Society Western Monarch Thanksgiving Count 2021, Xerces Society et al. 2018, Forister et al. 2011). Planting native trees, shrubs, and flowering species, is an opportunity to improve conditions for native birds and insects. It is unclear in the ND what plant species are proposed for the landscaping of the Project site (Appendix 6.2), and CDFW

⁶ CDFW maintains range maps and life history accounts for all terrestrial species in California. The American badger range map is available at https://nrm.dfg.ca.gov/FileHandler.ashx?DocumentID=2598&inline=1

recommends native species such as valley oaks (*Quercus lobata*), western redbud (*Cercis occidentalis*), and narrow leaf milkweed (*Asclepias fascicularis*) where possible.⁷

ENVIRONMENTAL DATA

CEQA requires that information developed in environmental impact reports and negative declarations be incorporated into a database which may be used to make subsequent or supplemental environmental determinations. [Pub. Resources Code, § 21003, subd. (e)]. Accordingly, please report any special-status species and natural communities detected during Project surveys to the CNDDB. The CNNDB field survey form, online field survey form, and contact information for CNDDB staff can be found at the following link: <u>https://wildlife.ca.gov/data/CNDDB/submitting-data</u>.

FILING FEES

The Project, as proposed, would have an impact on fish and/or wildlife, and assessment of filing fees is necessary. Fees are payable upon filing of the Notice of Determination by the Lead Agency and serve to help defray the cost of environmental review by CDFW. Payment of the fee is required for the underlying Project approval to be operative, vested, and final. (Cal. Code Regs, tit. 14, § 753.5; Fish and Game Code, § 711.4; Pub. Resources Code, § 21089).

CONCLUSION

CDFW appreciates the opportunity to comment on the ND to assist the County in identifying and mitigating Project impacts on biological resources.

Questions regarding this letter or further coordination should be directed to Ms. Amanda Culpepper, Environmental Scientist, at <u>amanda.culpepper@wildlife.ca.gov</u> or Ms. Melanie Day, Senior Environmental Scientist (Supervisory), at <u>melanie.day@wildlife.ca.gov</u>.

Sincerely,

DocuSigned by: Gregg Erickson

Gregg Erickson Regional Manager Bay Delta Region

⁷ For further native species recommendations and planting tips, review the Willis L. Jepson Chapter of the California Native Plant Society document *Native Landscape Planting Guide*: <u>https://jepson.cnps.org/images/horticulture/plans/willis jepson-planting guide.pdf</u> and the Xerces Society document *Pollinator Plants: California*: <u>https://xerces.org/sites/default/files/2018-05/17-045_02_XercesSoc_Pollinator-</u> Plants_California_web-3page.pdf

ec: Office of Planning and Research, State Clearinghouse (SCH No. 2021040583) Jamielynn Harrison, Solano County, jbharrison@solanocounty.com

REFERENCES

- Brehme, C.S., Hathaway, S.A.; Booth, R.; Smith, B.H.; and Fisher, R.N.. 2015. Research of American Badgers in Western San Diego County, 2014. Data Summary prepared for California Department of Fish and Wildlife and the San Diego Association of Governments. 24pp. (42pp. with Appendix).
- CDFW. 2016. Status Review: Swainson's Hawk (*Buteo swainsoni*) in California, Reported to the California Fish and Game Commission, Five-year Status Report. State of California Natural Resources Agency, Sacramento, CA. <u>https://nrm.dfg.ca.gov/FileHandler.ashx?DocumentID=133622&inline</u>
- Forister, Matthew L.; Jahner, Joshua P.; Casner, Kayce L.; Wilson, Joseph S.; and Shapiro, Arthur M. 2011. The race is not to the swift: Long-term data reveal pervasive declines in California's low-elevation butterfly fauna. *Ecology*: 92 (12): 2222-2235.
- Rosenburg, Kenneth V.; Dokter, Adriaan M.; Blancher, Peter J.; Sauer, John R.; Smith, Adam C.; Smith, Paul A.; Stanton, Jessica C.; Panjabi, Avrind; Helft, Laura; Parr, Michael; and Marra, Peter P. 2019. Decline of the North American Avifauna. *Science*: 120-124.
- Xerces Society, Defenders of Wildlife, and Center for Food Safety. 2018. A petition to the State of California Fish and Game Commission to list the Crotch bumble bee (*Bombus crotchii*), Franklin's bumble bee (*Bombus franklini*), Suckley cuckoo bumble bee (*Bombus suckleyi*), and western bumble bee (*Bombus occidentalis occidentalis*) as endangered under the California Endangered Species Act. Available at https://nrm.dfg.ca.gov/FileHandler.ashx?DocumentID=161902&inline

Xerces Society Western Monarch Thanksgiving County. 2021. Western Monarch Thanksgiving County Data, 1997-2020. Available at www.westernmonarchcount.org.