

DIRECTORS

43885 SOUTH GRIMMER BOULEVARD • FREMONT, CALIFORNIA 94538 (510) 668-4200 • FAX (510) 770-1793 • www.acwd.org

AZIZ AKBARI
JAMES G. GUNTHER
JUDY C. HUANG
PAUL SETHY
JOHN H. WEED

ED STEVENSON
General Manager
KURT ARENDS
Operations and Maintenance
LAURA J. HIDAS
Water Resources
GIRUM AWOKE
Engineering and Technology Services
JONATHAN WUNDERLICH
Finance

MANAGEMENT

October 19, 2021

State Clearinghouse
Office of Planning and Research
1400 Tenth Street, Room 113
Sacramento, CA 95814

Dear Sir or Madam:

Subject:

Notice of Determination for the Curtner Road Booster Station Upgrade Project,

Job 21247

The Alameda County Water District (ACWD) has prepared a Draft Initial Study/Mitigated Negative Declaration (IS/MND) for the Curtner Road Booster Station Upgrade Project (Project). The Project is located in Fremont, California.

In accordance with the California Environmental Quality Act Guidelines Section 15075, the Alameda County Water District Act is filing the Notice of Determination for the subject Mitigated Negative Declaration.

Enclosed please find the following:

- 1. Two (2) copies of the completed Environmental Declaration Sheet, Notice of Determination and ACWD Resolution No. 21-056, which was submitted to the Alameda County Clerk Recorder's Office on October 19, 2021.
- 2. Proof of payment of CEQA document filing fees, in the amount of \$2,530.25, which includes \$2,480.25 for the CEQA document filing fee, and \$50.00 for the County Clerk's handling fee.



DIRECTORS

43885 SOUTH GRIMMER BOULEVARD • FREMONT, CALIFORNIA 94538 (510) 668-4200 • FAX (510) 770-1793 • www.acwd.org

AZIZ AKBARI JAMES G. GUNTHER JUDY C. HUANG PAUL SETHY JOHN H. WEED 3

MANAGEMENT ED STEVENSON

General Manager KURT ARENDS

Operations and Maintenance LAURA J. HIDAS Water Resources

GIRUM AWOKE
Engineering and Technology Services

JONATHAN WUNDERLICH Finance

If you have questions or require additional information, please contact me by telephone at (510) 668-4484 or by email at carlos.sempere@acwd.com.

Sincerely,

Carlos Sempere Associate Engineer

cs/tf

Enclosures

By FedEx

cc:

Girum Awoke, ACWD

Rekha Ippagunta, ACWD

*ENVIRONMENTAL DECLARATION

(CALIFORNIA FISH AND GAME CODE SECTION 711.4)

LEAD AGENCY NAME AND ADDRESS

FOR COUNTY CLERK USE ONLY

Alameda County Water District 43885 South Grimmer Blvd. Fremont, CA 94538

FILE NO:				
I ILL NO	 	 		ø

CLASSIFICATION OF ENVIRONMENTAL DOCUMENT:

(PLEASE MARK ONLY ONE CLASSIFICATION)

1. NOTICE OF EXEMPTION / STATEMENT OF EXEMPTION

- [] A STATUTORILY OR CATEGORICALLY EXEMPT
 - \$ 50.00 COUNTY CLERK HANDLING FEE

2. NOTICE OF DETERMINATION (NOD)

- [X] A NEGATIVE DECLARATION (OR MITIGATED NEG. DEC.)
 - \$ 2,480.25 STATE FILING FEE
 - \$ 50.00 COUNTY CLERK HANDLING FEE
- [] B ENVIRONMENTAL IMPACT REPORT (EIR)
 - \$ 3,445.25 STATE FILING FEE
 - \$ 50.00 COUNTY CLERK HANDLING FEE

3.	OTHER:			

A COPY OF THIS FORM MUST BE COMPLETED AND SUBMITTED WITH EACH COPY OF AN ENVIRONMENTAL DECLARATION BEING FILED WITH THE ALAMEDA COUNTY CLERK.

BY MAIL FILINGS:

PLEASE INCLUDE FIVE (5) COPIES OF ALL NECESSARY DOCUMENTS AND TWO (2) SELF-ADDRESSED ENVELOPES.

IN PERSON FILINGS:

PLEASE INCLUDE FIVE (5) COPIES OF ALL NECESSARY DOCUMENTS AND ONE (1) SELF-ADDRESSED ENVELOPES.

ALL APPLICABLE FEES MUST BE PAID AT THE TIME OF FILING.

FEES ARE EFFECTIVE JANUARY 1, 2021

MAKE CHECKS PAYABLE TO: ALAMEDA COUNTY CLERK

Notice of Determination	Appendix D				
To: ☐ Office of Planning and Research U.S. Mail: Street Address: P.O. Box 3044 1400 Tenth St., Rm 113 Sacramento, CA 95812-3044 Sacramento, CA 95814 ☐ County Clerk County of: Alameda Address: 1106 Madison Street Oakland, CA 94607	From: Public Agency: Alameda County Water District Address: 43885 S. Grimmer Blvd. Fremont, CA 94538 Contact: Carlos Sempere Phone: 510-668-4484 Lead Agency (if different from above): Address: Contact:				
	Phone:				
SUBJECT: Filing of Notice of Determination in compliant Resources Code. State Clearinghouse Number (if submitted to State Clearing Project Title: Curtner Road Booster Station Upgrade Project Title: Curtner Road Booster Statio	nghouse): 2021060046				
Project Applicant: Alameda County Water District					
Project Location (include county): Curtner Road and Klama	ath Street. Fremont. Alameda County				
Project Description:					
ACWD proposes to upgrade the existing Curtner Road Bo efficiency, maintainability, and worker access. Total pump proposed work includes the replacement of the pumps an center, switchboard, electrical infrastructure, lighting, and of the station's upper level and driveway approach. This is to advise that the Alameda County Water District (Lead Agency or Re	oing capacity will not change significantly. The d pumping equipment, piping, motor control vertical conveyance, as well as the expansion has approved the above				
described project on 10/14/2021 and has made the described project.	e following determinations regarding the above				
 The project [will will not] have a significant effect An Environmental Impact Report was prepared for the A Negative Declaration was prepared for this project Mitigation measures [were were not] made a con A mitigation reporting or monitoring plan [was was A statement of Overriding Considerations [was was Findings [were were not] made pursuant to the properties. 	is project pursuant to the provisions of CEQA. pursuant to the provisions of CEQA. dition of the approval of the project. s not] adopted for this project. as not] adopted for this project.				
This is to certify that the final EIR with comments and responded to the General Public at: 43885 S. Grimmer Blvd., Fremont, CA 94538	onses and record of project approval, or the				
Signature (Public Agency):	Title: GENERAL MANAGER				
Date: Date Receiv	ved for filing at OPR:				

RESOLUTION NO. 21-056

OF BOARD OF DIRECTORS OF ALAMEDA COUNTY WATER DISTRICT ADOPTING A MITIGATED NEGATIVE DECLARATION AND MITIGATION MONITORING AND REPORTING PROGRAM, AND APPROVING THE CURTNER ROAD BOOSTER STATION UPGRADE PROJECT AND DIRECTING THE FILING OF A NOTICE OF DETERMINATION

WHEREAS, the ALAMEDA COUNTY WATER DISTRICT (District) has included the Curtner Road Booster Station Upgrade Project (Project) in the District's Capital Improvement Program;

WHEREAS, the District has prepared an Initial Study of the potential environmental impacts of the Project, and found that the Project would not have a significant effect on the environment because specified mitigation measures had been incorporated into the Project;

WHEREAS, the District gave public notice of the Initial Study and of its intention to adopt a Mitigated Negative Declaration, including a 30-day public review period which ended September 26, 2021;

WHEREAS, two comment emails were received by the District during the public review period; and

WHEREAS, pursuant to the requirements of 14 CCR Section 15074, the District has considered the Initial Study and the proposed Mitigated Negative Declaration and the Mitigation Monitoring and Reporting Program;

NOW, THEREFORE, BE IT RESOLVED by the Board of Directors of the Alameda County Water District as follows:

1. The Board of Directors finds on the basis of the whole record, including the Initial Study, staff report, comments, and responses to the Public Review Draft Initial Study/Mitigated Negative Declaration and Mitigation Monitoring and Reporting Program, that there is no substantial evidence that the Project will have a significant effect on the environment and that the Mitigated Negative Declaration reflects the

District's independent judgment and analysis.

- 2. The Board of Directors adopts the Mitigated Negative Declaration for the Project because, to the extent a potentially significant adverse impact to the environment was identified in the Initial Study, specified mitigation measures have been incorporated into the Project to reduce those impacts to a less than significant level.
- 3. The Board of Directors specifies that the Secretary of the District is the custodian of the documents and other materials that constitute the record of proceedings upon which the decision to adopt the Mitigated Negative Declaration is based and that such documents will be located at the District's business office, 43885 South Grimmer Boulevard, Fremont, California, 94538.
- 4. The Board of Directors adopts and commits to implementing all mitigation measures and mitigation monitoring procedures included in the Mitigation Monitoring and Reporting Program.
- 5. The Board of Directors hereby approves implementation of the Project and directs the General Manager to file a Notice of Determination with the Alameda County Clerk and the California Office of Planning and Research within five working days from the date this resolution is adopted.

PASSED AND ADOPTED this 14th day of October 2021, by the following vote:

AYES:

Directors Weed, Gunther, Huang, Sethy, and Akbari

NOES:

None

ABSENT:

None

John H. Weed, Vice President

Board of Directors

Alameda County Water District

ATTEST:

APPROVED AS TO FORM:

Marian Hsu, Assistant District Secretary

Alameda County Water District

(Seal)

Patrick T. Miyaki, General Counsel Alameda County Water District