APPENDIX 9.7

GREENHOUSE GAS EMISSIONS REPORT

APPENDIX 9.7.1

GREENHOUSE GAS ANALYSIS



Menifee Commerce Center GREENHOUSE GAS ANALYSIS CITY OF MENIFEE

PREPARED BY:

Haseeb Qureshi hqureshi@urbanxroads.com

Michael Tirohn mtirohn@urbanxroads.com

FEBRUARY 8, 2022

TABLE OF CONTENTS

		F CONTENTS	I
		ICES II EXHIBITS	
		TABLES	
	_	ABBREVIATED TERMS	
		VE SUMMARY	
	ES.1	Summary of Findings	q
	ES.2	Project Requirements	
1	_	rroduction	
_			
	1.1	Site Location	
	1.2	Project Description	
2	CLI	MATE CHANGE SETTING	16
	2.1	Introduction to Global Climate Change (GCC)	
	2.2	Global Climate Change Defined	16
	2.3	GHGs	
	2.4	Global Warming Potential	
	2.5	GHG Emissions Inventories	
	2.6	Effects of Climate Change in California	
	2.7	Regulatory Setting	26
3	PR	OJECT GHG IMPACT	50
	3.1	Introduction	50
	3.2	Standards of Significance	
	3.3	Models Employed To Analyze GHGs	50
	3.4	Life-Cycle Analysis Not Required	51
	3.5	Construction Emissions	51
	3.6	Operational Emissions	54
	3.7	GHG Emissions Findings and Recommendations	60
4	REI	FERENCES	68
5	CEI	RTIFICATIONS	73



APPENDICES

APPENDIX 3.1:	CALEEMOD CONSTRUCTION EMISSIONS MODEL OUTPUTS
APPENDIX 3.2:	CALEEMOD SCENARIO 1 OPERATIONAL EMISSIONS MODEL OUTPUTS
APPENDIX 3.3:	CALEEMOD SCENARIO 2 OPERATIONAL EMISSIONS MODEL OUTPUTS

LIST OF EXHIBITS

EXHIBIT 1-A: LOCATION MAP	13
EXHIBIT 1-B: SITE PLAN	
EXHIBIT 2-A: SUMMARY OF PROJECTED GLOBAL WARMING IMPACT, 2070-2099 (AS COMPA	ARED WITH
1961-1990)	
<u>LIST OF TABLES</u>	
TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS	9
TABLE 2-1: GHGS	17
TABLE 2-2: GWP AND ATMOSPHERIC LIFETIME OF SELECT GHGS	23
TABLE 2-3: TOP GHG PRODUCING COUNTRIES AND THE EUROPEAN UNION	24
TABLE 3-2: CONSTRUCTION DURATION	
TABLE 3-3: CONSTRUCTION EQUIPMENT ASSUMPTIONS	52
TABLE 3-4: AMORTIZED ANNUAL CONSTRUCTION EMISSIONS	
TABLE 3-5: PASSENGER CAR FLEET MIX	
TABLE 3-6: TRUCK FLEET MIX	
TABLE 3-7: PROJECT SCENARIO 1 AND 2 GHG EMISSIONS	57
TABLE 3-8: 2017 SCOPING PLAN CONSISTENCY SUMMARY	
	······································



LIST OF ABBREVIATED TERMS

% Percent

°C Degrees Celsius
°F Degrees Fahrenheit

(1) Reference

2017 Scoping Plan Final 2017 Scoping Plan Update

AB Assembly Bill

AB 32 Global Warming Solutions Act of 2006

AB 1493 Pavley Fuel Efficiency Standards

AB 1881 California Water Conservation Landscaping Act of 2006

Annex I Industrialized Nations

APA Administrative Procedure Act

AQIA Menifee Commerce Center Air Quality Impact Analysis

BAU Business as Usual C_2F_6 Hexafluoroethane

C₂H₆ Ethane

 $C_2H_2F_4$ Tetrafluroethane $C_2H_4F_2$ Ethylidene Fluoride CAA Federal Clean Air Act

CalEEMod California Emissions Estimator Model

CalEPA California Environmental Protection Agency

CAL FIRE California Department of Forestry and Fire Protection
CALGAPS California LBNL GHG Analysis of Policies Spreadsheet

CALGreen California Green Building Standards Code
CalSTA California State Transportation Agency
Caltrans California Department of Transportation

CAP Climate Action Plan

CAPCOA California Air Pollution Control Officers Association

CARB California Air Resource Board

CAS Climate Action Strategy

CBSC California Building Standards Commission

CEC California Energy Commission
CCR California Code of Regulations

CEQA California Environmental Quality Act
CEQA Guidelines 2019 CEQA Statute and Guidelines

CDFA California Department of Food and Agriculture

CF₄ Tetrafluoromethane



CFC Chlorofluorocarbons
CFC-113 Trichlorotrifluoroethane

CH₄ Methane

City City of Menifee

CNRA California Natural Resources Agency

CNRA 2009 2009 California Climate Adaptation Strategy

CO₂ Carbon Dioxide

CO₂e Carbon Dioxide Equivalent

Convention United Nation's Framework Convention on Climate Change

COP Conference of the Parties

CPUC California Public Utilities Commission
CTC California Transportation Commission

DOF Department of Finance

DWR Department of Water Resources

EMFAC Emission Factor Model

EPA Environmental Protection Agency

EV Electric Vehicle

FED Functional Equivalent Document

GCC Global Climate Change

Gg Gigagram

GHGA Greenhouse Gas Analysis

GO-Biz Governor's Office of Business and Economic Development

gpd Gallons Per Day gpm Gallons Per Minute

GWP Global Warming Potential

H₂O Water

HFC Hydrofluorocarbons
HDT Heavy-Duty Trucks

HFC-23 Fluoroform

HFC-134a 1,1,1,2-tetrafluoroethane

HFC-152a 1,1-difluoroethane

HHDT Heavy-Heavy-Duty Trucks

hp Horsepower

IBANK California Infrastructure and Economic Development Bank

IPCC Intergovernmental Panel on Climate Change

IRP Integrated Resource Planning
ISO Independent System Operator

ITE Institute of Transportation Engineers



kWh Kilowatt Hours

lbs Pounds

LBNL Lawrence Berkeley National Laboratory

LCA Life-Cycle Analysis
LCD Liquid Crystal Display

LCFS Low Carbon Fuel Standard or Executive Order S-01-07

LDA Light-Duty Auto

LDT1/LDT2 Light-Duty Trucks

LEV III Low-Emission Vehicle

LHDT1/LHDT2 Light-Heavy-Duty Trucks

LULUCF Land-Use, Land-Use Change and Forestry

MCY Motorcycles MD Medium Duty

MDT Medium-Duty Trucks
MDV Medium-Duty Vehicles
MHDT Medium-Heavy-Duty Tucks
MMR Mandatory Reporting Rule

MMTCO₂e Million Metric Ton of Carbon Dioxide Equivalent

mpg Miles Per Gallon

MPOs Metropolitan Planning Organizations

MMTCO₂e/yr Million Metric Ton of Carbon Dioxide Equivalent Per Year

MT/yr Metric Tons Per Year

MTCO₂e Metric Ton of Carbon Dioxide Equivalent

MTCO₂e/yr Metric Ton of Carbon Dioxide Equivalent Per Year

MW Megawatts

MWh Megawatts Per Hour

MWELO California Department of Water Resources' Model Water

Efficient

N₂O Nitrous Oxide

NDC Nationally Determined Contributions

NF₃ Nitrogen Trifluoride

NHTSA National Highway Traffic Safety Administration

NIOSH National Institute for Occupational Safety and Health

NO_X Nitrogen Oxides Non-Annex I Developing Nations

OAL Office of Administrative Law
OPR Office of Planning and Research

PFC Perfluorocarbons



ppb Parts Per Billion ppm Parts Per Million ppt Parts Per Trillion

Project Menifee Commerce Center RTP Regional Transportation Plan

SAFE Safer Affordable Fuel-Efficient Vehicles Rule

SB Senate Bill

SB 32 California Global Warming Solutions Act of 2006

SB 375 Regional GHG Emissions Reduction Targets/Sustainable

Communities Strategies

SB 1078 Renewable Portfolio Standards

SB 1368 Statewide Retail Provider Emissions Performance

Standards

SCAB South Coast Air Basin

SCAG Southern California Association of Governments
SCAQMD South Coast Air Quality Management District

SCE Southern California Edison

Scoping Plan California Air Resources Board Climate Change Scoping Plan

SCS Sustainable Communities Strategy

sf Square Feet

SF₆ Sulfur Hexaflouride

SGC Strategic Growth Council

SLPS Short-Lived Climate Pollutant Strategy

SP Service Population SR-60 State Route 60

SWCRB State Water Resources Control Board

TA Menifee Commerce Center (DPR20-00004) Traffic Analysis

TDM Transportation Demand Measures

Title 20 Appliance Energy Efficiency Standards

Title 24 California Building Code

U.N. United NationsU.S. United States

UNFCCC United Nations' Framework Convention on Climate Change

URBEMIS Urban Emissions
UTR Utility Tractors

VFP Vehicle Fueling Positions
VMT Vehicle Miles Traveled
WCI Western Climate Initiative



WRCOG Western Riverside Council of Governments

WRI World Resources Institute

ZE/NZE Zero and Near-Zero Emissions

ZEV Zero-Emissions Vehicles



This page intentionally left blank



EXECUTIVE SUMMARY

ES.1 SUMMARY OF FINDINGS

The results of this *Menifee Commerce Center Greenhouse Gas Analysis* (GHGA) is summarized below based on the significance criteria in Section 3 of this report consistent with Appendix G of the *California Environmental Quality Act (CEQA) Guidelines* (CEQA Guidelines (1). Table ES-1 shows the findings of significance for potential greenhouse gas (GHG) impacts under CEQA.

TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS

Analysis	Report	Significance Findings	
Analysis	Section	Unmitigated	Mitigated
GHG Impact #1: Would the Project generate GHG emissions either directly or indirectly, that may have a significant impact on the environment?	3.7	Potentially Significant	Significant and Unavoidable
GHG Impact #2: Would the Project conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of GHGs?	3.7	Potentially Significant	Significant and Unavoidable

ES.2 PROJECT REQUIREMENTS

The Project would be required to comply with regulations imposed by the State of California and the South Coast Air Quality Management District (SCAQMD) aimed at the reduction of air pollutant emissions. Those that are directly and indirectly applicable to the Project and that would assist in the reduction of GHG emissions include:

- Global Warming Solutions Act of 2006 (Assembly Bill (AB) 32) (2).
- Regional GHG Emissions Reduction Targets/Sustainable Communities Strategies (Senate Bill (SB) 375) (3).
- Pavley Fuel Efficiency Standards (AB 1493). Establishes fuel efficiency ratings for new vehicles (4).
- California Building Code (Title 24 California Code of Regulations (CCR)) and CALGreen standards. Establishes energy efficiency requirements for new construction (5).
- Appliance Energy Efficiency Standards (Title 20 CCR). Establishes energy efficiency requirements for appliances (6).
- Low Carbon Fuel Standard (LCFS). Requires carbon content of fuel sold in California to be 10 percent (%) less by 2020 (7).
- California Water Conservation in Landscaping Act of 2006 (AB 1881). Requires local agencies to adopt the Department of Water Resources updated Water Efficient Landscape Ordinance or



- equivalent by January 1, 2010, to ensure efficient landscapes in new development and reduced water waste in existing landscapes (8).
- Statewide Retail Provider Emissions Performance Standards (SB 1368). Requires energy generators to achieve performance standards for GHG emissions (9).
- Renewable Portfolio Standards (SB 1078 also referred to as RPS). Requires electric corporations to increase the amount of energy obtained from eligible renewable energy resources to 20% by 2010 and 33% by 2020 (10).
- California Global Warming Solutions Act of 2006 (SB 32). Requires the state to reduce statewide GHG emissions to 40% below 1990 levels by 2030, a reduction target that was first introduced in Executive Order B-30-15 (11).

Promulgated regulations that will affect the Project's emissions are accounted for in the Project's GHG calculations provided in this report. In particular, AB 1493, LCFS, and RPS, and therefore are accounted for in the Project's emission calculations.



This page intentionally left blank



1 INTRODUCTION

This report presents the results of the GHGA prepared by Urban Crossroads, Inc., for the proposed Menifee Commerce Center (Project). The purpose of this GHGA is to evaluate Project-related construction and operational emissions and determine the level of GHG impacts as a result of constructing and operating the Project.

1.1 SITE LOCATION

The proposed project is located south of Ethanac Road between Trumble Road and Dawson Road in the City of Menifee. The Project location is shown on Exhibit 1-A. The Project Site is generally located east of the I-215 Freeway with the nearest residential uses located north and south of the Project site.

1.2 PROJECT DESCRIPTION

The proposed Project includes the development of two non-refrigerated warehouse buildings on approximately 72 acres. Building 1, located between Dawson Road and Sherman Road, will contain a total of 1,254,160 square feet (sf). Building 2, located between Sherman Road and Trumble Road, will contain a total of 385,970 sf. The Project site plan is shown on Exhibit 1-B. The Project is anticipated to be developed within a single phase with an Opening Year of 2024.

This report evaluates two project scenarios. Scenario 1 is based on trip rates presented in the *Menifee Commerce Center Project Traffic Impact Analysis (TIA)* prepared by Albert A. Webb Associates. Under Scenario 1, Building 1 is evaluated as high-cube fulfillment center warehouse space and Building 2 is evaluated as general warehousing space. Under Scenario 1, the Project would be expected to generate a total of approximately 8,749 vehicular trips per day, which includes 470 truck trips per day (12).

Scenario 2 is based on supplemental trip generation data provided by Albert A. Webb Associates and evaluates Building 1 as high-cube transload and short-term storage warehouse space and Building 2 as general warehousing space. Under Scenario 2, the Project would be expected to generate a total of approximately 2,429 vehicular trips per day, which includes 509 truck trips per day.



EXHIBIT 1-A: LOCATION MAP









EXHIBIT 1-B: SITE PLAN





This page intentionally left blank



2 CLIMATE CHANGE SETTING

2.1 Introduction to Global Climate Change (GCC)

GCC is defined as the change in average meteorological conditions on the earth with respect to temperature, precipitation, and storms. The majority of scientists believe that the climate shift taking place since the Industrial Revolution is occurring at a quicker rate and magnitude than in the past. Scientific evidence suggests that GCC is the result of increased concentrations of GHGs in the earth's atmosphere, including carbon dioxide (CO_2), methane (CH_4), nitrous oxide (N_2O), and fluorinated gases. The majority of scientists believe that this increased rate of climate change is the result of GHGs resulting from human activity and industrialization over the past 200 years.

An individual project like the proposed Project evaluated in this GHGA cannot generate enough GHG emissions to affect a discernible change in global climate. However, the proposed Project may participate in the potential for GCC by its incremental contribution of GHGs combined with the cumulative increase of all other sources of GHGs, which when taken together constitute potential influences on GCC. Because these changes may have serious environmental consequences, Section 3.0 will evaluate the potential for the proposed Project to have a significant effect upon the environment as a result of its potential contribution to the greenhouse effect.

2.2 GLOBAL CLIMATE CHANGE DEFINED

GCC refers to the change in average meteorological conditions on the earth with respect to temperature, wind patterns, precipitation, and storms. Global temperatures are regulated by naturally occurring atmospheric gases such as water vapor, CO_2 , N_2O , CH_4 , hydrofluorocarbons (HFCs), perfluorocarbons (PFCs), and sulfur hexafluoride (SF₆). These particular gases are important due to their residence time (duration they stay) in the atmosphere, which ranges from 10 years to more than 100 years. These gases allow solar radiation into the earth's atmosphere, but prevent radioactive heat from escaping, thus warming the earth's atmosphere. GCC can occur naturally as it has in the past with the previous ice ages.

Gases that trap heat in the atmosphere are often referred to as GHGs. GHGs are released into the atmosphere by both natural and anthropogenic activity. Without the natural GHG effect, the earth's average temperature would be approximately 61 degrees Fahrenheit (°F) cooler than it is currently. The cumulative accumulation of these gases in the earth's atmosphere is considered to be the cause for the observed increase in the earth's temperature.

2.3 GHGs

2.3.1 GHGs and Health Effects

GHGs trap heat in the atmosphere, creating a GHG effect that results in global warming and climate change. Many gases demonstrate these properties and as discussed in Table 2-1. For the purposes of this analysis, emissions of CO₂, CH₄, and N₂O were evaluated (see Table 3-1 later in this report) because these gases are the primary contributors to GCC from development projects.



Although there are other substances such as fluorinated gases that also contribute to GCC, these fluorinated gases were not evaluated as their sources are not well-defined and do not contain accepted emissions factors or methodology to accurately calculate these gases.

TABLE 2-1: GHGS

GHGs	Description	Sources	Health Effects
Water	Water is the most abundant, important, and variable GHG in the atmosphere. Water vapor is not considered a pollutant; in the atmosphere it maintains a climate necessary for life. Changes in its concentration are primarily considered to be a result of climate feedbacks related to the warming of the atmosphere rather than a direct result of industrialization. Climate feedback is an indirect, or secondary, change, either positive or negative, that occurs within the climate system in response to a forcing mechanism. The feedback loop in which water is involved is critically important to projecting future climate change. As the temperature of the atmosphere rises, more water is evaporated from ground storage (rivers, oceans, reservoirs, soil). Because the air is warmer, the relative humidity can be higher (in essence, the air is able to 'hold' more water when it is warmer), leading to more water vapor in the atmosphere. As a GHG, the higher concentration of water vapor is then able to absorb more thermal indirect energy radiated from the Earth, thus further warming the	The main source of water vapor is evaporation from the oceans (approximately 85%). Other sources include evaporation from other water bodies, sublimation (change from solid to gas) from sea ice and snow, and transpiration from plant leaves.	There are no known direct health effects related to water vapor at this time. It should be noted however that when some pollutants react with water vapor, the reaction forms a transport mechanism for some of these pollutants to enter the human body through water vapor.
	absorb more thermal indirect energy radiated from the Earth,		
	extent to which this positive feedback loop would continue is		



GHGs	Description	Sources	Health Effects
	unknown as there are also dynamics that hold the positive feedback loop in check. As an example, when water vapor increases in the atmosphere, more of it would eventually condense into clouds, which are more able to reflect incoming solar radiation (thus allowing less energy to reach the earth's surface and heat it up) (13).		
CO ₂	CO ₂ is an odorless and colorless GHG. Since the industrial revolution began in the mid-1700s, the sort of human activity that increases GHG emissions has increased dramatically in scale and distribution. Data from the past 50 years suggests a corollary increase in levels and concentrations. As an example, prior to the industrial revolution, CO ₂ concentrations were fairly stable at 280 parts per million (ppm). Today, they are around 370 ppm, an increase of more than 30%. Left unchecked, the concentration of CO ₂ in the atmosphere is projected to increase to a minimum of 540 ppm by 2100 as a direct result of anthropogenic sources (14).	CO ₂ is emitted from natural and manmade sources. Natural sources include: the decomposition of dead organic matter; respiration of bacteria, plants, animals, and fungus; evaporation from oceans; and volcanic outgassing. Anthropogenic sources include: the burning of coal, oil, natural gas, and wood. CO ₂ is naturally removed from the air by photosynthesis, dissolution into ocean water, transfer to soils and ice caps, and chemical weathering of carbonate rocks (15).	Outdoor levels of CO ₂ are not high enough to result in negative health effects. According to the National Institute for Occupational Safety and Health (NIOSH) high concentrations of CO ₂ can result in health effects such as: headaches, dizziness, restlessness, difficulty breathing, sweating, increased heart rate, increased cardiac output, increased blood pressure, coma, asphyxia, and/or convulsions. It should be noted that current concentrations of CO ₂ in the earth's atmosphere are estimated to be approximately 370 ppm, the actual reference exposure level (level at which adverse health effects typically occur) is at exposure levels of 5,000 ppm averaged over 10 hours in a 40-hour workweek and short-term reference exposure levels of 30,000 ppm averaged over a 15 minute period (16).



GHGs	Description	Sources	Health Effects
CH ₄	CH₄ is an extremely effective absorber of radiation, although its atmospheric concentration is less than CO₂ and its lifetime in the atmosphere is brief (10-12 years), compared to other GHGs.	CH ₄ has both natural and anthropogenic sources. It is released as part of the biological processes in low oxygen environments, such as in swamplands or in rice production (at the roots of the plants). Over the last 50 years, human activities such as growing rice, raising cattle, using natural gas, and mining coal have added to the atmospheric concentration of CH ₄ . Other anthropocentric sources include fossil-fuel combustion and biomass burning (17).	CH ₄ is extremely reactive with oxidizers, halogens, and other halogen-containing compounds. Exposure to elevated levels of CH ₄ can cause asphyxiation, loss of consciousness, headache and dizziness, nausea and vomiting, weakness, loss of coordination, and an increased breathing rate.
N ₂ O	N ₂ O, also known as laughing gas, is a colorless GHG. Concentrations of N ₂ O also began to rise at the beginning of the industrial revolution. In 1998, the global concentration was 314 parts per billion (ppb).	N₂O is produced by microbial processes in soil and water, including those reactions which occur in fertilizer containing nitrogen. In addition to agricultural sources, some industrial processes (fossil fuel-fired power plants, nylon production, nitric acid production, and vehicle emissions) also contribute to its atmospheric load. It is used as an aerosol spray propellant, i.e., in whipped cream	N ₂ O can cause dizziness, euphoria, and sometimes slight hallucinations. In small doses, it is considered harmless. However, in some cases, heavy and extended use can cause Olney's Lesions (brain damage) (18).



GHGs	Description	Sources	Health Effects
		bottles. It is also used in potato chip bags to keep chips fresh. It is used in rocket engines and in race cars. N ₂ O can be transported into the stratosphere, be deposited on the earth's surface, and be converted to other compounds by chemical reaction (18).	
Chlorofluorocarbons (CFCs)	CFCs are gases formed synthetically by replacing all hydrogen atoms in CH ₄ or ethane (C ₂ H ₆) with chlorine and/or fluorine atoms. CFCs are nontoxic, nonflammable, insoluble and chemically unreactive in the troposphere (the level of air at the earth's surface).	CFCs have no natural source but were first synthesized in 1928. They were used for refrigerants, aerosol propellants and cleaning solvents. Due to the discovery that they are able to destroy stratospheric ozone, a global effort to halt their production was undertaken and was extremely successful, so much so that levels of the major CFCs are now remaining steady or declining. However, their long atmospheric lifetimes mean that some of the CFCs would remain in the atmosphere for over 100 years (19).	In confined indoor locations, working with CFC-113 or other CFCs is thought to result in death by cardiac arrhythmia (heart frequency too high or too low) or asphyxiation.




GHGs	Description	Sources	Health Effects
HFCs	HFCs are synthetic, man-made chemicals that are used as a substitute for CFCs. Out of all the GHGs, they are one of three groups with the highest global warming potential (GWP). The HFCs with the largest measured atmospheric abundances are (in order), Fluoroform (HFC-23), 1,1,1,2-tetrafluoroethane (HFC-134a), and 1,1-difluoroethane (HFC-152a). Prior to 1990, the only significant emissions were of HFC-23. HCF-134a emissions are increasing due to its use as a refrigerant.	HFCs are manmade for applications such as automobile air conditioners and refrigerants.	No health effects are known to result from exposure to HFCs.
PFCs	PFCs have stable molecular structures and do not break down through chemical processes in the lower atmosphere. High-energy ultraviolet rays, which occur about 60 kilometers above earth's surface, are able to destroy the compounds. Because of this, PFCs have exceptionally long lifetimes, between 10,000 and 50,000 years. Two common PFCs are tetrafluoromethane (CF ₄) and hexafluoroethane (C ₂ F ₆). The EPA estimates that concentrations of CF ₄ in the atmosphere are over 70 parts per trillion (ppt).	The two main sources of PFCs are primary aluminum production and semiconductor manufacture.	No health effects are known to result from exposure to PFCs.
SF ₆	SF ₆ is an inorganic, odorless, colorless, nontoxic, nonflammable gas. It also has the highest GWP of any gas evaluated (23,900) (20). The EPA indicates that concentrations in the 1990s were about 4 ppt.	SF ₆ is used for insulation in electric power transmission and distribution equipment, in the magnesium industry, in semiconductor manufacturing, and as a tracer gas for leak detection.	In high concentrations in confined areas, the gas presents the hazard of suffocation because it displaces the oxygen needed for breathing.



GHGs	Description	Sources	Health Effects
Nitrogen Trifluoride (NF ₃)	NF ₃ is a colorless gas with a distinctly moldy odor. The World Resources Institute (WRI) indicates that NF ₃ has a 100-year GWP of 17,200 (21).	NF ₃ is used in industrial processes and is produced in the manufacturing of semiconductors, Liquid Crystal Display (LCD) panels, types of solar panels, and chemical lasers.	Long-term or repeated exposure may affect the liver and kidneys and may cause fluorosis (22).

The potential health effects related directly to the emissions of CO₂, CH₄, and N₂O as they relate to development projects such as the proposed Project are still being debated in the scientific community. Their cumulative effects to GCC have the potential to cause adverse effects to human health. Increases in Earth's ambient temperatures would result in more intense heat waves, causing more heat-related deaths. Scientists also purport those higher ambient temperatures would increase disease survival rates and result in more widespread disease. Climate change would likely cause shifts in weather patterns, potentially resulting in devastating droughts and food shortages in some areas (23). Exhibit 2-A presents the potential impacts of global warming (24).

EXHIBIT 2-A: SUMMARY OF PROJECTED GLOBAL WARMING IMPACT, 2070-2099 (AS COMPARED WITH 1961-1990)



Source: Barbara H. Allen-Diaz. "Climate change affects us all." University of California, Agriculture and Natural Resources, 2009.



2.4 GLOBAL WARMING POTENTIAL

GHGs have varying GWP values. GWP of a GHG indicates the amount of warming a gas cause over a given period of time and represents the potential of a gas to trap heat in the atmosphere. CO_2 is utilized as the reference gas for GWP, and thus has a GWP of 1. CO_2 equivalent (CO_2 e) is a term used for describing the difference GHGs in a common unit. CO_2 e signifies the amount of CO_2 which would have the equivalent GWP.

The atmospheric lifetime and GWP of selected GHGs are summarized at Table 2-2. As shown in the table below, GWP for the 2^{nd} Assessment Report, the Intergovernmental Panel on Climate Change (IPCC)'s scientific and socio-economic assessment on climate change, range from 1 for CO_2 to 23,900 for SF_6 and GWP for the IPCC's 5^{th} Assessment Report range from 1 for CO_2 to 23,500 for SF_6 (25).

TABLE 2-2: GWP AND ATMOSPHERIC LIFETIME OF SELECT GHGS

Gas	Atmospheric Lifetime	GWP (100-year time horizon)	
GdS	(years)	2 nd Assessment Report	5 th Assessment Report
CO ₂	See*	1	1
CH ₄	12 .4	21	28
N ₂ O	121	310	265
HFC-23	222	11,700	12,400
HFC-134a	13.4	1,300	1,300
HFC-152a	1.5	140	138
SF ₆	3,200	23,900	23,500

^{*}As per Appendix 8.A. of IPCC's 5th Assessment Report, no single lifetime can be given.

Source: Table 2.14 of the IPCC Fourth Assessment Report, 2007

2.5 GHG EMISSIONS INVENTORIES

2.5.1 GLOBAL

Worldwide anthropogenic GHG emissions are tracked by the IPCC for industrialized nations (referred to as Annex I) and developing nations (referred to as Non-Annex I). Human GHG emissions data for Annex I nations are available through 2018. Based on the latest available data, the sum of these emissions totaled approximately 28,768,440 gigagram (Gg) CO₂e¹ (26) (27) as summarized on Table 2-3.



The global emissions are the sum of Annex I and non-Annex I countries, without counting Land-Use, Land-Use Change and Forestry (LULUCF). For countries without 2018 data, the United Nations' Framework Convention on Climate Change (UNFCCC) data for the most recent year were used U.N. Framework Convention on Climate Change, "Annex I Parties – GHG total without LULUCF," The most recent GHG emissions for China and India are from 2014 and 2010, respectively.

2.5.2 UNITED STATES

As noted in Table 2-3, the United States, as a single country, was the number two producer of GHG emissions in 2018.

TABLE 2-3: TOP GHG PRODUCING COUNTRIES AND THE EUROPEAN UNION 2

Emitting Countries	GHG Emissions (Gg CO₂e)
China	12,300,200
United States	6,676,650
European Union (28-member countries)	4,232,274
Russian Federation	2,220,123
India	2,100,850
Japan	1,238,343
Total	28,768,440

2.5.3 STATE OF CALIFORNIA

California has significantly slowed the rate of growth of GHG emissions due to the implementation of energy efficiency programs as well as adoption of strict emission controls but is still a substantial contributor to the United States (U.S.) emissions inventory total (28). The California Air Resource Board (CARB) compiles GHG inventories for the State of California. Based upon the 2020 GHG inventory data (i.e., the latest year for which data are available) for the 2000-2019 GHG emissions period, California emitted an average 418.1 million metric tons of CO₂e per year (MMTCO₂e/yr) or 418,100 Gg CO₂e (6.26% of the total United States GHG emissions) (29).

2.6 EFFECTS OF CLIMATE CHANGE IN CALIFORNIA

2.6.1 PUBLIC HEALTH

Higher temperatures may increase the frequency, duration, and intensity of conditions conducive to air pollution formation. For example, days with weather conducive to ozone formation could increase from 25 to 35% under the lower warming range to 75 to 85% under the medium warming range. In addition, if global background ozone levels increase as predicted in some scenarios, it may become impossible to meet local air quality standards. Air quality could be further compromised by increases in wildfires, which emit fine particulate matter that can travel long distances, depending on wind conditions. Based on *Our Changing Climate Assessing the Risks to California by the California Climate Change Center*, large wildfires could become up to 55% more frequent if GHG emissions are not significantly reduced (30).

In addition, under the higher warming range scenario, there could be up to 100 more days per year with temperatures above 90°F in Los Angeles and 95°F in Sacramento by 2100. This is a



² Used https://unfccc.int data for Annex I countries. Consulted the CAIT Climate Data Explorer in https://www.climatewatchdata.org site to reference Non-Annex I countries of China and India.

significant increase over historical patterns and approximately twice the increase projected if temperatures remain within or below the lower warming range. Rising temperatures could increase the risk of death from dehydration, heat stroke/exhaustion, heart attack, stroke, and respiratory distress caused by extreme heat.

2.6.2 WATER RESOURCES

A vast network of man-made reservoirs and aqueducts captures and transports water throughout the state from northern California rivers and the Colorado River. The current distribution system relies on Sierra Nevada snowpack to supply water during the dry spring and summer months. Rising temperatures, potentially compounded by decreases in precipitation, could severely reduce spring snowpack, increasing the risk of summer water shortages.

If temperatures continue to increase, more precipitation could fall as rain instead of snow, and the snow that does fall could melt earlier, reducing the Sierra Nevada spring snowpack by as much as 70 to 90%. Under the lower warming range scenario, snowpack losses could be only half as large as those possible if temperatures were to rise to the higher warming range. How much snowpack could be lost depends in part on future precipitation patterns, the projections for which remain uncertain. However, even under the wetter climate projections, the loss of snowpack could pose challenges to water managers and hamper hydropower generation. It could also adversely affect winter tourism. Under the lower warming range, the ski season at lower elevations could be reduced by as much as a month. If temperatures reach the higher warming range and precipitation declines, there might be many years with insufficient snow for skiing and snowboarding.

The State's water supplies are also at risk from rising sea levels. An influx of saltwater could degrade California's estuaries, wetlands, and groundwater aquifers. Saltwater intrusion caused by rising sea levels is a major threat to the quality and reliability of water within the southern edge of the Sacramento/San Joaquin River Delta – a major fresh water supply.

2.6.3 AGRICULTURE

Increased temperatures could cause widespread changes to the agriculture industry reducing the quantity and quality of agricultural products statewide. First, California farmers could possibly lose as much as 25% of the water supply needed. Although higher CO₂ levels can stimulate plant production and increase plant water-use efficiency, California's farmers could face greater water demand for crops and a less reliable water supply as temperatures rise. Crop growth and development could change, as could the intensity and frequency of pest and disease outbreaks. Rising temperatures could aggravate ozone pollution, which makes plants more susceptible to disease and pests and interferes with plant growth.

Plant growth tends to be slow at low temperatures, increasing with rising temperatures up to a threshold. However, faster growth can result in less-than-optimal development for many crops, so rising temperatures could worsen the quantity and quality of yield for a number of California's agricultural products. Products likely to be most affected include wine grapes, fruits, and nuts.



In addition, continued GCC could shift the ranges of existing invasive plants and weeds and alter competition patterns with native plants. Range expansion could occur in many species while range contractions may be less likely in rapidly evolving species with significant populations already established. Should range contractions occur, new or different weed species could fill the emerging gaps. Continued GCC could alter the abundance and types of many pests, lengthen pests' breeding season, and increase pathogen growth rates.

2.6.4 FORESTS AND LANDSCAPES

GCC has the potential to intensify the current threat to forests and landscapes by increasing the risk of wildfire and altering the distribution and character of natural vegetation. If temperatures rise into the medium warming range, the risk of large wildfires in California could increase by as much as 55%, which is almost twice the increase expected if temperatures stay in the lower warming range. However, since wildfire risk is determined by a combination of factors, including precipitation, winds, temperature, and landscape and vegetation conditions, future risks would not be uniform throughout the state. In contrast, wildfires in northern California could increase by up to 90% due to decreased precipitation.

Moreover, continued GCC has the potential to alter natural ecosystems and biological diversity within the state. For example, alpine and subalpine ecosystems could decline by as much as 60 to 80% by the end of the century as a result of increasing temperatures. The productivity of the state's forests has the potential to decrease as a result of GCC.

2.6.5 RISING SEA LEVELS

Rising sea levels, more intense coastal storms, and warmer water temperatures could increasingly threaten the state's coastal regions. Under the higher warming range scenario, sea level is anticipated to rise 22 to 35 inches by 2100. Elevations of this magnitude would inundate low-lying coastal areas with saltwater, accelerate coastal erosion, threaten vital levees and inland water systems, and disrupt wetlands and natural habitats. Under the lower warming range scenario, sea level could rise 12-14 inches.

2.7 REGULATORY SETTING

2.7.1 International

Climate change is a global issue involving GHG emissions from all around the world; therefore, countries such as the ones discussed below have made an effort to reduce GHGs.

IPCC

In 1988, the United Nations (U.N.) and the World Meteorological Organization established the IPCC to assess the scientific, technical, and socioeconomic information relevant to understanding the scientific basis of risk of human-induced climate change, its potential impacts, and options for adaptation and mitigation.



United Nation's Framework Convention on Climate Change (UNFCCC)

On March 21, 1994, the U.S. joined a number of countries around the world in signing the Convention. Under the UNFCCC, governments gather and share information on GHG emissions, national policies, and best practices; launch national strategies for addressing GHG emissions and adapting to expected impacts, including the provision of financial and technological support to developing countries; and cooperate in preparing for adaptation to the impacts of climate change.

INTERNATIONAL CLIMATE CHANGE TREATIES

The Kyoto Protocol is an international agreement linked to the UNFCCC. The major feature of the Kyoto Protocol is that it sets binding targets for 37 industrialized countries and the European community for reducing GHG emissions at an average of 5% against 1990 levels over the five-year period 2008–2012. The Convention (as discussed above) encouraged industrialized countries to stabilize emissions; however, the Protocol commits them to do so. Developed countries have contributed more emissions over the last 150 years; therefore, the Protocol places a heavier burden on developed nations under the principle of "common but differentiated responsibilities."

In 2001, President George W. Bush indicated that he would not submit the treaty to the U.S. Senate for ratification, which effectively ended American involvement in the Kyoto Protocol. In December 2009, international leaders met in Copenhagen to address the future of international climate change commitments post-Kyoto. No binding agreement was reached in Copenhagen; however, the UN Climate Change Committee identified the long-term goal of limiting the maximum global average temperature increase to no more than 2 degrees Celsius (°C) above preindustrial levels, subject to a review in 2015. The Committee held additional meetings in Durban, South Africa in November 2011; Doha, Qatar in November 2012; and Warsaw, Poland in November 2013. The meetings gradually gained consensus among participants on individual climate change issues.

On September 23, 2014, more than 100 Heads of State and Government and leaders from the private sector and civil society met at the Climate Summit in New York hosted by the U.N. At the Summit, heads of government, business and civil society announced actions in areas that would have the greatest impact on reducing emissions, including climate finance, energy, transport, industry, agriculture, cities, forests, and building resilience.

Parties to the UNFCCC reached a landmark agreement on December 12, 2015, in Paris, charting a fundamentally new course in the two-decade-old global climate effort. Culminating a four-year negotiating round, the new treaty ends the strict differentiation between developed and developing countries that characterized earlier efforts, replacing it with a common framework that commits all countries to put forward their best efforts and to strengthen them in the years ahead. This includes, for the first time, requirements that all parties report regularly on their emissions and implementation efforts and undergo international review.



The agreement and a companion decision by parties were the key outcomes of the conference, known as the 21st session of the UNFCCC Conference of the Parties (COP) 21. Together, the Paris Agreement and the accompanying COP decision:

- Reaffirm the goal of limiting global temperature increase well below 2°C, while urging efforts to limit the increase to 1.5 degrees;
- Establish binding commitments by all parties to make "nationally determined contributions" (NDCs), and to pursue domestic measures aimed at achieving them;
- Commit all countries to report regularly on their emissions and "progress made in implementing and achieving" their NDCs, and to undergo international review;
- Commit all countries to submit new NDCs every five years, with the clear expectation that they would "represent a progression" beyond previous ones;
- Reaffirm the binding obligations of developed countries under the UNFCCC to support the
 efforts of developing countries, while for the first time encouraging voluntary contributions
 by developing countries too;
- Extend the current goal of mobilizing \$100 billion a year in support by 2020 through 2025, with a new, higher goal to be set for the period after 2025;
- Extend a mechanism to address "loss and damage" resulting from climate change, which explicitly would not "involve or provide a basis for any liability or compensation;"
- Require parties engaging in international emissions trading to avoid "double counting;" and
- Call for a new mechanism, similar to the Clean Development Mechanism under the Kyoto Protocol, enabling emission reductions in one country to be counted toward another country's NDC (C2ES 2015a) (31).

Following President Biden's day one executive order, the United States officially rejoined the landmark Paris Agreement on February 19, 2021, positioning the country to once again be part of the global climate solution. Meanwhile, city, state, business, and civic leaders across the country and around the world have been ramping up efforts to drive the clean energy advances needed to meet the goals of the agreement and put the brakes on dangerous climate change.

2.7.2 NATIONAL

Prior to the last decade, there have been no concrete federal regulations of GHGs or major planning for climate change adaptation. The following are actions regarding the federal government, GHGs, and fuel efficiency.

GHG ENDANGERMENT

In Massachusetts v. Environmental Protection Agency 549 U.S. 497 (2007), decided on April 2, 2007, the United States Supreme Court (Supreme Court) found that four GHGs, including CO₂, are air pollutants subject to regulation under Section 202(a)(1) of the Clean Air Act (CAA). The Supreme Court held that the EPA Administrator must determine whether emissions of GHGs from new motor vehicles cause or contribute to air pollution, which may reasonably be anticipated to endanger public health or welfare, or whether the science is too uncertain to make a reasoned



decision. On December 7, 2009, the EPA Administrator signed two distinct findings regarding GHGs under section 202(a) of the CAA:

- Endangerment Finding: The Administrator finds that the current and projected concentrations of the six key well-mixed GHGs— CO₂, CH₄, N₂O, HFCs, PFCs, and SF₆—in the atmosphere threaten the public health and welfare of current and future generations.
- Cause or Contribute Finding: The Administrator finds that the combined emissions of these well-mixed GHGs from new motor vehicles and new motor vehicle engines contribute to the GHG pollution, which threatens public health and welfare.

These findings do not impose requirements on industry or other entities. However, this was a prerequisite for implementing GHG emissions standards for vehicles, as discussed in the section "Clean Vehicles" below. After a lengthy legal challenge, the Supreme Court declined to review an Appeals Court ruling that upheld the EPA Administrator's findings (32).

CLEAN VEHICLES

Congress first passed the Corporate Average Fuel Economy law in 1975 to increase the fuel economy of cars and light duty trucks. The law has become more stringent over time. On May 19, 2009, President Obama put in motion a new national policy to increase fuel economy for all new cars and trucks sold in the U.S. On April 1, 2010, the EPA, and the Department of Transportation's National Highway Traffic Safety Administration (NHTSA) announced a joint final rule establishing a national program that would reduce GHG emissions and improve fuel economy for new cars and trucks sold in the U.S.

The first phase of the national program applies to passenger cars, light-duty trucks, and medium-duty (MD) passenger vehicles, covering model years 2012 through 2016. They require these vehicles to meet an estimated combined average emissions level of 250 grams of CO₂ per mile, equivalent to 35.5 miles per gallon (mpg) if the automobile industry were to meet this CO₂ level solely through fuel economy improvements. Together, these standards would cut CO₂ emissions by an estimated 960 million metric tons and 1.8 billion barrels of oil over the lifetime of the vehicles sold under the program (model years 2012–2016). The EPA and the NHTSA issued final rules on a second-phase joint rulemaking establishing national standards for light-duty vehicles for model years 2017 through 2025 in August 2012. The new standards for model years 2017 through 2025 apply to passenger cars, light-duty trucks, and MD passenger vehicles. The final standards are projected to result in an average industry fleetwide level of 163 grams/mile of CO₂ in model year 2025, which is equivalent to 54.5 mpg if achieved exclusively through fuel economy improvements.

The EPA and the U.S. Department of Transportation issued final rules for the first national standards to reduce GHG emissions and improve fuel efficiency of heavy-duty trucks (HDT) and buses on September 15, 2011, effective November 14, 2011. For combination tractors, the agencies are proposing engine and vehicle standards that begin in the 2014 model year and achieve up to a 20% reduction in CO_2 emissions and fuel consumption by the 2018 model year. For HDT and vans, the agencies are proposing separate gasoline and diesel truck standards, which phase in starting in the 2014 model year and achieve up to a 10% reduction for gasoline vehicles and a 15% reduction for diesel vehicles by the 2018 model year (12 and 17% respectively if



accounting for air conditioning leakage). Lastly, for vocational vehicles, the engine and vehicle standards would achieve up to a 10% reduction in fuel consumption and CO_2 emissions from the 2014 to 2018 model years.

On April 2, 2018, the EPA signed the Mid-term Evaluation Final Determination, which declared that the MY 2022-2025 GHG standards are not appropriate and should be revised (33). This Final Determination serves to initiate a notice to further consider appropriate standards for MY 2022-2025 light-duty vehicles. On August 2, 2018, the NHTSA in conjunction with the EPA, released a notice of proposed rulemaking, the *Safer Affordable Fuel-Efficient (SAFE) Vehicles Rule for Model Years 2021-2026 Passenger Cars and Light Trucks* (SAFE Vehicles Rule). The SAFE Vehicles Rule was proposed to amend exiting Corporate Average Fuel Economy (CAFE) and tailpipe CO₂ standards for passenger cars and light trucks and to establish new standards covering model years 2021 through 2026. As of March 31, 2020, the NHTSA and EPA finalized the SAFE Vehicle Rule which increased stringency of CAFE and CO₂ emissions standards by 1.5% each year through model year 2026 (34).

MANDATORY REPORTING OF GHGS

The Consolidated Appropriations Act of 2008, passed in December 2007, requires the establishment of mandatory GHG reporting requirements. On September 22, 2009, the EPA issued the Final Mandatory Reporting of GHGs Rule, which became effective January 1, 2010. The rule requires reporting of GHG emissions from large sources and suppliers in the U.S. and is intended to collect accurate and timely emissions data to inform future policy decisions. Under the rule, suppliers of fossil fuels or industrial GHGs, manufacturers of vehicles and engines, and facilities that emit 25,000 metric tons per year (MT/yr) or more of GHG emissions are required to submit annual reports to the EPA.

NEW SOURCE REVIEW

The EPA issued a final rule on May 13, 2010, that establishes thresholds for GHGs that define when permits under the New Source Review Prevention of Significant Deterioration and Title V Operating Permit programs are required for new and existing industrial facilities. This final rule "tailors" the requirements of these CAA permitting programs to limit which facilities would be required to obtain Prevention of Significant Deterioration and Title V permits. In the preamble to the revisions to the Federal Code of Regulations, the EPA states:

"This rulemaking is necessary because without it the Prevention of Significant Deterioration and Title V requirements would apply, as of January 2, 2011, at the 100 or 250 tons per year levels provided under the CAA, greatly increasing the number of required permits, imposing undue costs on small sources, overwhelming the resources of permitting authorities, and severely impairing the functioning of the programs. EPA is relieving these resource burdens by phasing in the applicability of these programs to GHG sources, starting with the largest GHG emitters. This rule establishes two initial steps of the phase-in. The rule also commits the agency to take certain actions on future steps addressing smaller sources but excludes certain smaller sources from Prevention of Significant



Deterioration and Title V permitting for GHG emissions until at least April 30, 2016."

The EPA estimates that facilities responsible for nearly 70% of the national GHG emissions from stationary sources would be subject to permitting requirements under this rule. This includes the nation's largest GHG emitters—power plants, refineries, and cement production facilities.

STANDARDS OF PERFORMANCE FOR GHG EMISSIONS FOR NEW STATIONARY SOURCES: ELECTRIC UTILITY GENERATING UNITS

As required by a settlement agreement, the EPA proposed new performance standards for emissions of CO₂ for new, affected, fossil fuel-fired electric utility generating units on March 27, 2012. New sources greater than 25 megawatts (MW) would be required to meet an output-based standard of 1,000 pounds (lbs) of CO₂ per MW-hour (MWh), based on the performance of widely used natural gas combined cycle technology. It should be noted that on February 9, 2016, the Supreme Court issued a stay of this regulation pending litigation. Additionally, the current EPA Administrator has also signed a measure to repeal the Clean Power Plan, including the CO₂ standards. The Clean Power Plan was officially repealed on June 19, 2019, when the EPA issued the final Affordable Clean Energy rule (ACE). Under ACE, new state emission guidelines were established that provided existing coal-fired electric utility generating units with achievable standards.

CAP-AND-TRADE

Cap-and-trade refers to a policy tool where emissions are limited to a certain amount and can be traded or provides flexibility on how the emitter can comply. Successful examples in the U.S. include the Acid Rain Program and the N_2O Budget Trading Program and Clean Air Interstate Rule in the northeast. There is no federal GHG cap-and-trade program currently; however, some states have joined to create initiatives to provide a mechanism for cap-and-trade.

The Regional GHG Initiative is an effort to reduce GHGs among the states of Connecticut, Delaware, Maine, Maryland, Massachusetts, New Hampshire, New York, Rhode Island, and Vermont. Each state caps CO₂ emissions from power plants, auctions CO₂ emission allowances, and invests the proceeds in strategic energy programs that further reduce emissions, save consumers money, create jobs, and build a clean energy economy. The Initiative began in 2008 and in 2020 has retained all participating states.

The Western Climate Initiative (WCI) partner jurisdictions have developed a comprehensive initiative to reduce regional GHG emissions to 15% below 2005 levels by 2020. The partners were originally California, British Columbia, Manitoba, Ontario, and Quebec. However, Manitoba and Ontario are not currently participating. California linked with Quebec's cap-and-trade system January 1, 2014, and joint offset auctions took place in 2015. While the WCI has yet to publish whether it has successfully reached the 2020 emissions goal initiative set in 2007, SB 32 requires that California, a major partner in the WCI, adopt the goal of reducing statewide GHG emissions to 40% below the 1990 level by 2030.



SMARTWAY PROGRAM

The SmartWay Program is a public-private initiative between the EPA, large and small trucking companies, rail carriers, logistics companies, commercial manufacturers, retailers, and other federal and state agencies. Its purpose is to improve fuel efficiency and the environmental performance (reduction of both GHG emissions and air pollution) of the goods movement supply chains. SmartWay is comprised of four components (35):

- 1. SmartWay Transport Partnership: A partnership in which freight carriers and shippers commit to benchmark operations, track fuel consumption, and improve performance annually.
- 2. SmartWay Technology Program: A testing, verification, and designation program to help freight companies identify equipment, technologies, and strategies that save fuel and lower emissions.
- 3. SmartWay Vehicles: A program that ranks light-duty cars and small trucks and identifies superior environmental performers with the SmartWay logo.
- 4. SmartWay International Interests: Guidance and resources for countries seeking to develop freight sustainability programs modeled after SmartWay.

SmartWay effectively refers to requirements geared towards reducing fuel consumption. Most large trucking fleets driving newer vehicles are compliant with SmartWay design requirements. Moreover, over time, all HDTs would have to comply with the CARB GHG Regulation that is designed with the SmartWay Program in mind, to reduce GHG emissions by making them more fuel-efficient. For instance, in 2015, 53 foot or longer dry vans or refrigerated trailers equipped with a combination of SmartWay-verified low-rolling resistance tires and SmartWay-verified aerodynamic devices would obtain a total of 10% or more fuel savings over traditional trailers.

Through the SmartWay Technology Program, the EPA has evaluated the fuel saving benefits of various devices through grants, cooperative agreements, emissions, and fuel economy testing, demonstration projects and technical literature review. As a result, the EPA has determined the following types of technologies provide fuel saving and/or emission reducing benefits when used properly in their designed applications, and has verified certain products:

- Idle reduction technologies less idling of the engine when it is not needed would reduce fuel consumption.
- Aerodynamic technologies minimize drag and improve airflow over the entire tractor-trailer vehicle. Aerodynamic technologies include gap fairings that reduce turbulence between the tractor and trailer, side skirts that minimize wind under the trailer, and rear fairings that reduce turbulence and pressure drop at the rear of the trailer.
- Low rolling resistance tires can roll longer without slowing down, thereby reducing the
 amount of fuel used. Rolling resistance (or rolling friction or rolling drag) is the force
 resisting the motion when a tire rolls on a surface. The wheel would eventually slow down
 because of this resistance.
- Retrofit technologies include things such as diesel particulate filters, emissions upgrades (to a higher tier), etc., which would reduce emissions.
- Federal excise tax exemptions.



EXECUTIVE ORDER 13990

On January 20, 2021, Federal agencies were directed to immediately review, and take action to address, Federal regulations promulgated and other actions taken during the last 4 years that conflict with national objectives to improve public health and the environment; ensure access to clean air and water; limit exposure to dangerous chemicals and pesticides; hold polluters accountable, including those who disproportionately harm communities of color and low-income communities; reduce greenhouse gas emissions; bolster resilience to the impacts of climate change; restore and expand our national treasures and monuments; and prioritize both environmental justice and employment.

2.7.3 CALIFORNIA

2.7.3.1 LEGISLATIVE ACTIONS TO REDUCE GHGS

The State of California legislature has enacted a series of bills that constitute the most aggressive program to reduce GHGs of any state in the nation. Some legislation such as the landmark AB 32 was specifically enacted to address GHG emissions. Other legislation such as Title 24 and Title 20 energy standards were originally adopted for other purposes such as energy and water conservation, but also provide GHG reductions. This section describes the major provisions of the legislation.

AB32

The California State Legislature enacted AB 32, which required that GHGs emitted in California be reduced to 1990 levels by the year 2020 (this goal has been met 3). GHGs as defined under AB 32 include CO $_2$, CH $_4$, N $_2$ O, HFCs, PFCs, and SF $_6$. Since AB 32 was enacted, a seventh chemical, NF $_3$, has also been added to the list of GHGs. CARB is the state agency charged with monitoring and regulating sources of GHGs. Pursuant to AB 32, CARB adopted regulations to achieve the maximum technologically feasible and cost-effective GHG emission reductions. AB 32 states the following:

"Global warming poses a serious threat to the economic well-being, public health, natural resources, and the environment of California. The potential adverse impacts of global warming include the exacerbation of air quality problems, a reduction in the quality and supply of water to the state from the Sierra snowpack, a rise in sea levels resulting in the displacement of thousands of coastal businesses and residences, damage to marine ecosystems and the natural environment, and an increase in the incidences of infectious diseases, asthma, and other human health-related problems."

SB 375

On September 30, 2008, SB 375 was signed by Governor Schwarzenegger. According to SB 375, the transportation sector is the largest contributor of GHG emissions, which emits over 40% of the total

³ Based upon the 2019 GHG inventory data (i.e., the latest year for which data are available) for the 2000-2017 GHG emissions period, California emitted an average 424.1 MMTCO₂e (29). This is less than the 2020 emissions target of 431 MMTCO₂e.



14616-05 GHG Report

GHG emissions in California. SB 375 states, "Without improved land use and transportation policy, California would not be able to achieve the goals of AB 32." SB 375 does the following: it (1) requires metropolitan planning organizations (MPOs) to include sustainable community strategies in their regional transportation plans for reducing GHG emissions, (2) aligns planning for transportation and housing, and (3) creates specified incentives for the implementation of the strategies.

SB 375 requires MPOs to prepare a Sustainable Communities Strategy (SCS) within the Regional Transportation Plan (RTP) that guides growth while taking into account the transportation, housing, environmental, and economic needs of the region. SB 375 uses CEQA streamlining as an incentive to encourage residential projects, which help achieve AB 32 goals to reduce GHG emissions. Although SB 375 does not prevent CARB from adopting additional regulations, such actions are not anticipated in the foreseeable future.

Concerning CEQA, SB 375, as codified in Public Resources Code Section 21159.28, states that CEQA findings for certain projects are not required to reference, describe, or discuss (1) growth inducing impacts, or (2) any project-specific or cumulative impacts from cars and light-duty truck trips generated by the project on global warming or the regional transportation network, if the project:

- 1. Is in an area with an approved sustainable communities strategy or an alternative planning strategy that CARB accepts as achieving the GHG emission reduction targets.
- 2. Is consistent with that strategy (in designation, density, building intensity, and applicable policies).
- 3. Incorporates the MMs required by an applicable prior environmental document.

AB 1493 - Pavley Fuel Efficiency Standards

Enacted on July 22, 2002, California AB 1493, also known as the Pavley Fuel Efficiency Standards, required CARB to develop and adopt regulations that reduce GHGs emitted by passenger vehicles and light duty trucks. Implementation of the regulation was delayed by lawsuits filed by automakers and by the EPA's denial of an implementation waiver. The EPA subsequently granted the requested waiver in 2009, which was upheld by the U.S. District Court for the District of Columbia in 2011.

The standards phase in during the 2009 through 2016 MY. Several technologies stand out as providing significant reductions in emissions at favorable costs. These include discrete variable valve lift or camless valve actuation to optimize valve operation rather than relying on fixed valve timing and lift as has historically been done; turbocharging to boost power and allow for engine downsizing; improved multi-speed transmissions; and improved air conditioning systems that operate optimally, leak less, and/or use an alternative refrigerant.

The second phase of the implementation for the Pavley bill was incorporated into Amendments to the Low-Emission Vehicle Program (LEV III) or the Advanced Clean Cars (ACC) program. The ACC program combines the control of smog-causing pollutants and GHG emissions into a single coordinated package of requirements for MY 2017 through 2025. The regulation would reduce GHGs from new cars by 34% from 2016 levels by 2025. The new rules would clean up gasoline and diesel-powered cars, and deliver increasing numbers of zero-emission technologies, such as full battery electric cars, newly emerging plug-in hybrid electric vehicles (EV) and hydrogen fuel



cell cars. The package would also ensure adequate fueling infrastructure is available for the increasing numbers of hydrogen fuel cell vehicles planned for deployment in California.

CLEAN ENERGY AND POLLUTION REDUCTION ACT OF 2015 (SB 350)

In October 2015, the legislature approved, and Governor Jerry Brown signed SB 350, which reaffirms California's commitment to reducing its GHG emissions and addressing climate change. Key provisions include an increase in the RPS, higher energy efficiency requirements for buildings, initial strategies towards a regional electricity grid, and improved infrastructure for EV charging stations. Provisions for a 50% reduction in the use of petroleum statewide were removed from the Bill because of opposition and concern that it would prevent the Bill's passage. Specifically, SB 350 requires the following to reduce statewide GHG emissions:

- Increase the amount of electricity procured from renewable energy sources from 33% to 50% by 2030, with interim targets of 40% by 2024, and 25% by 2027.
- Double the energy efficiency in existing buildings by 2030. This target would be achieved through the California Public Utilities Commission (CPUC), the California Energy Commission (CEC), and local publicly owned utilities.
- Reorganize the Independent System Operator (ISO) to develop more regional electrify transmission markets and to improve accessibility in these markets, which would facilitate the growth of renewable energy markets in the western United States.

SB 32

On September 8, 2016, Governor Brown signed SB 32 and its companion bill, AB 197. SB 32 requires the state to reduce statewide GHG emissions to 40% below 1990 levels by 2030, a reduction target that was first introduced in Executive Order B-30-15. The new legislation builds upon the AB 32 goal and provides an intermediate goal to achieving S-3-05, which sets a statewide GHG reduction target of 80% below 1990 levels by 2050. AB 197 creates a legislative committee to oversee regulators to ensure that CARB not only responds to the Governor, but also the Legislature (11).

CARB SCOPING PLAN UPDATE

In November 2017, CARB released the *Final 2017 Scoping Plan Update* (2017 Scoping Plan), which identifies the State's post-2020 reduction strategy. The 2017 Scoping Plan reflects the 2030 target of a 40% reduction below 1990 levels, set by Executive Order B-30-15 and codified by SB 32. Key programs that the proposed Second Update builds upon include the Cap-and-Trade Regulation, the LCFS, and much cleaner cars, trucks, and freight movement, utilizing cleaner, renewable energy, and strategies to reduce CH₄ emissions from agricultural and other wastes.

The 2017 Scoping Plan establishes a new emissions limit of 260 MMTCO₂e for the year 2030, which corresponds to a 40% decrease in 1990 levels by 2030 (36).

California's climate strategy would require contributions from all sectors of the economy, including the land base, and would include enhanced focus on zero and near-zero emission (ZE/NZE) vehicle technologies; continued investment in renewables, including solar roofs, wind, and other distributed generation; greater use of low carbon fuels; integrated land conservation



and development strategies; coordinated efforts to reduce emissions of short-lived climate pollutants (CH₄, black carbon, and fluorinated gases); and an increased focus on integrated land use planning to support livable, transit-connected communities and conservation of agricultural and other lands. Requirements for direct GHG reductions at refineries would further support air quality co-benefits in neighborhoods, including in disadvantaged communities historically located adjacent to these large stationary sources, as well as efforts with California's local air pollution control and air quality management districts (air districts) to tighten emission limits on a broad spectrum of industrial sources. Major elements of the *2017 Scoping Plan* framework include:

- Implementing and/or increasing the standards of the Mobile Source Strategy, which include increasing zero-emission vehicles (ZEV) buses and trucks.
- LCFS, with an increased stringency (18% by 2030).
- Implementing SB 350, which expands the RPS to 50% RPS and doubles energy efficiency savings by 2030.
- California Sustainable Freight Action Plan, which improves freight system efficiency, utilizes near-zero emissions technology, and deployment of ZEV trucks.
- Implementing the proposed Short-Lived Climate Pollutant Strategy (SLPS), which focuses on reducing CH₄ and HCF emissions by 40% and anthropogenic black carbon emissions by 50% by year 2030.
- Continued implementation of SB 375.
- Post-2020 Cap-and-Trade Program that includes declining caps.
- 20% reduction in GHG emissions from refineries by 2030.
- Development of a Natural and Working Lands Action Plan to secure California's land base as a net carbon sink.

Note, however, that the 2017 Scoping Plan acknowledges that:

"[a]chieving net zero increases in GHG emissions, resulting in no contribution to GHG impacts, may not be feasible or appropriate for every project, however, and the inability of a project to mitigate its GHG emissions to net zero does not imply the project results in a substantial contribution to the cumulatively significant environmental impact of climate change under CEQA."

In addition to the statewide strategies listed above, the 2017 Scoping Plan also identifies local governments as essential partners in achieving the State's long-term GHG reduction goals and identifies local actions to reduce GHG emissions. As part of the recommended actions, CARB recommends that local governments achieve a community-wide goal to achieve emissions of no more than 6 metric tons of CO₂e (MTCO₂e) or less per capita by 2030 and 2 MTCO₂e or less per capita by 2050. For CEQA projects, CARB states that lead agencies may develop evidence-based bright-line numeric thresholds—consistent with the 2017 Scoping Plan and the State's long-term GHG goals—and projects with emissions over that amount may be required to incorporate onsite design features and MMs that avoid or minimize project emissions to the degree feasible; or a performance-based metric using a CAP or other plan to reduce GHG emissions is appropriate.



According to research conducted by the Lawrence Berkeley National Laboratory (LBNL) and supported by CARB, California, under its existing and proposed GHG reduction policies, could achieve the 2030 goals under SB 32. The research utilized a new, validated model known as the California LBNL GHG Analysis of Policies Spreadsheet (CALGAPS), which simulates GHG and criteria pollutant emissions in California from 2010 to 2050 in accordance to existing and future GHG-reducing policies. The CALGAPS model showed that by 2030, emissions could range from 211 to 428 MTCO₂e per year (MTCO₂e/yr), indicating that "even if all modeled policies are not implemented, reductions could be sufficient to reduce emissions 40% below the 1990 level [of SB 32]." CALGAPS analyzed emissions through 2050 even though it did not generally account for policies that might be put in place after 2030. Although the research indicated that the emissions would not meet the State's 80% reduction goal by 2050, various combinations of policies could allow California's cumulative emissions to remain very low through 2050 (37) (38).

CAP-AND-TRADE PROGRAM

The 2017 Scoping Plan identifies a Cap-and-Trade Program as one of the key strategies for California to reduce GHG emissions. According to CARB, a cap-and-trade program would help put California on the path to meet its goal of achieving a 40% reduction in GHG emissions from 1990 levels by 2030. Under cap-and-trade, an overall limit on GHG emissions from capped sectors is established, and facilities subject to the cap would be able to trade permits to emit GHGs within the overall limit.

CARB adopted a California Cap-and-Trade Program pursuant to its authority under AB 32. The Cap-and-Trade Program is designed to reduce GHG emissions from regulated entities by more than 16% between 2013 and 2020, and by an additional 40% by 2030. The statewide cap for GHG emissions from the capped sectors (e.g., electricity generation, petroleum refining, and cement production) commenced in 2013 and would decline over time, achieving GHG emission reductions throughout the program's duration.

Covered entities that emit more than 25,000 MTCO₂e/yr must comply with the Cap-and-Trade Program. Triggering of the 25,000 MTCO₂e/yr "inclusion threshold" is measured against a subset of emissions reported and verified under the California Regulation for the Mandatory Reporting of GHG Emissions (Mandatory Reporting Rule or "MRR").

Under the Cap-and-Trade Program, CARB issues allowances equal to the total amount of allowable emissions over a given compliance period and distributes these to regulated entities. Covered entities are allocated free allowances in whole or part (if eligible), and may buy allowances at auction, purchase allowances from others, or purchase offset credits. Each covered entity with a compliance obligation is required to surrender "compliance instruments" for each MTCO₂e of GHG they emit. There also are requirements to surrender compliance instruments covering 30% of the prior year's compliance obligation by November of each year (39).

The Cap-and-Trade Program provides a firm cap, which provides the highest certainty of achieving the 2030 target. An inherent feature of the Cap-and-Trade program is that it does not guarantee GHG emissions reductions in any discrete location or by any particular source. Rather,



GHG emissions reductions are only guaranteed on an accumulative basis. As summarized by CARB in the *First Update to the Climate Change Scoping Plan*:

"The Cap-and-Trade Regulation gives companies the flexibility to trade allowances with others or take steps to cost-effectively reduce emissions at their own facilities. Companies that emit more have to turn in more allowances or other compliance instruments. Companies that can cut their GHG emissions have to turn in fewer allowances. But as the cap declines, aggregate emissions must be reduced. In other words, a covered entity theoretically could increase its GHG emissions every year and still comply with the Cap-and-Trade Program if there is a reduction in GHG emissions from other covered entities. Such a focus on aggregate GHG emissions is considered appropriate because climate change is a global phenomenon, and the effects of GHG emissions are considered cumulative." (40)

The Cap-and-Trade Program covers approximately 80% of California's GHG emissions (36). The Cap-and-Trade Program covers the GHG emissions associated with electricity consumed in California, whether generated in-state or imported. Accordingly, GHG emissions associated with CEQA projects' electricity usage are covered by the Cap-and-Trade Program. The Cap-and-Trade Program also covers fuel suppliers (natural gas and propane fuel providers and transportation fuel providers) to address emissions from such fuels and from combustion of other fossil fuels not directly covered at large sources in the Program's first compliance period. The Cap-and-Trade Program covers the GHG emissions associated with the combustion of transportation fuels in California, whether refined in-state or imported.

2.7.3.2 EXECUTIVE ORDERS RELATED TO GHG EMISSIONS

California's Executive Branch has taken several actions to reduce GHGs through the use of Executive Orders. Although not regulatory, they set the tone for the state and guide the actions of state agencies.

EXECUTIVE ORDER S-3-05

California Governor Arnold Schwarzenegger announced on June 1, 2005, through Executive Order S-3-05, the following reduction targets for GHG emissions:

- By 2010, reduce GHG emissions to 2000 levels.
- By 2020, reduce GHG emissions to 1990 levels.
- By 2050, reduce GHG emissions to 80% below 1990 levels.

The 2050 reduction goal represents what some scientists believe is necessary to reach levels that would stabilize the climate. The 2020 goal was established to be a mid-term target. Because this is an executive order, the goals are not legally enforceable for local governments or the private sector.



EXECUTIVE ORDER S-01-07 (LCFS)

Governor Schwarzenegger signed Executive Order S-01-07 on January 18, 2007. The order mandates that a statewide goal shall be established to reduce the carbon intensity of California's transportation fuels by at least 10% by 2020. CARB adopted the LCFS on April 23, 2009.

The LCFS was challenged in the U.S. District Court in Fresno in 2011. The court's ruling issued on December 29, 2011, included a preliminary injunction against CARB's implementation of the rule. The Ninth Circuit Court of Appeals stayed the injunction on April 23, 2012, pending final ruling on appeal, allowing CARB to continue to implement and enforce the regulation. The Ninth Circuit Court's decision, filed September 18, 2013, vacated the preliminary injunction. In essence, the court held that LCFS adopted by CARB were not in conflict with federal law. On August 8, 2013, the Fifth District Court of Appeal (California) ruled CARB failed to comply with CEQA and the Administrative Procedure Act (APA) when adopting regulations for LCFS. In a partially published opinion, the Court of Appeal reversed the trial court's judgment and directed issuance of a writ of mandate setting aside Resolution 09-31 and two executive orders of CARB approving LCFS regulations promulgated to reduce GHG emissions. However, the court tailored its remedy to protect the public interest by allowing the LCFS regulations to remain operative while CARB complies with the procedural requirements it failed to satisfy.

To address the Court ruling, CARB was required to bring a new LCFS regulation to the Board for consideration in February 2015. The proposed LCFS regulation was required to contain revisions to the 2010 LCFS as well as new provisions designed to foster investments in the production of the low-carbon intensity fuels, offer additional flexibility to regulated parties, update critical technical information, simplify, and streamline program operations, and enhance enforcement. On November 16, 2015, the Office of Administrative Law (OAL) approved the Final Rulemaking Package. The new LCFS regulation became effective on January 1, 2016.

In 2018, CARB approved amendments to the regulation, which included strengthening the carbon intensity benchmarks through 2030 in compliance with the SB 32 GHG emissions reduction target for 2030. The amendments included crediting opportunities to promote zero emission vehicle adoption, alternative jet fuel, carbon capture and sequestration, and advanced technologies to achieve deep decarbonization in the transportation sector (41).

EXECUTIVE ORDER S-13-08

Executive Order S-13-08 states that "climate change in California during the next century is expected to shift precipitation patterns, accelerate sea level rise and increase temperatures, thereby posing a serious threat to California's economy, to the health and welfare of its population and to its natural resources." Pursuant to the requirements in the Order, the 2009 California Climate Adaptation Strategy (CNRA 2009) was adopted, which is the "...first statewide, multi-sector, region-specific, and information-based climate change adaptation strategy in the United States." Objectives include analyzing risks of climate change in California, identifying, and exploring strategies to adapt to climate change, and specifying a direction for future research.



EXECUTIVE ORDER B-30-15

On April 29, 2015, Governor Brown issued an executive order to establish a California GHG reduction target of 40% below 1990 levels by 2030. The Governor's executive order aligned California's GHG reduction targets with those of leading international governments ahead of the U.N. Climate Change Conference in Paris late 2015. The Order sets a new interim statewide GHG emission reduction target to reduce GHG emissions to 40% below 1990 levels by 2030 in order to ensure California meets its target of reducing GHG emissions to 80% below 1990 levels by 2050 and directs CARB to update the *2017 Scoping Plan* to express the 2030 target in terms of MMTCO₂e. The Order also requires the state's climate adaptation plan to be updated every three years, and for the State to continue its climate change research program, among other provisions. As with Executive Order S-3-05, this Order is not legally enforceable as to local governments and the private sector. Legislation that would update AB 32 to make post 2020 targets and requirements a mandate is in process in the State Legislature.

EXECUTIVE ORDER B-55-18 AND SB 100

SB 100 and Executive Order B-55-18 were signed by Governor Brown on September 10, 2018. Under the existing RPS, 25% of retail sales of electricity are required to be from renewable sources by December 31, 2016, 33% by December 31, 2020, 40% by December 31, 2024, 45% by December 31, 2027, and 50% by December 31, 2030. SB 100 raises California's RPS requirement to 50% renewable resources target by December 31, 2026, and to achieve a 60% target by December 31, 2030. SB 100 also requires that retail sellers and local publicly owned electric utilities procure a minimum quantity of electricity products from eligible renewable energy resources so that the total kilowatt hours (kWh) of those products sold to their retail end-use customers achieve 44% of retail sales by December 31, 2024, 52% by December 31, 2027, and 60% by December 31, 2030. In addition to targets under AB 32 and SB 32, Executive Order B-55-18 establishes a carbon neutrality goal for the state of California by 2045; and sets a goal to maintain net negative emissions thereafter. The Executive Order directs the California Natural Resources Agency (CNRA), California EPA (CalEPA), the California Department of Food and Agriculture (CDFA), and CARB to include sequestration targets in the Natural and Working Lands Climate Change Implementation Plan consistent with the carbon neutrality goal.

2.7.3.3 CALIFORNIA REGULATIONS AND BUILDING CODES

California has a long history of adopting regulations to improve energy efficiency in new and remodeled buildings. These regulations have kept California's energy consumption relatively flat even with rapid population growth.

TITLE 20 CCR Sections 1601 ET SEQ. — APPLIANCE EFFICIENCY REGULATIONS

The Appliance Efficiency Regulations regulate the sale of appliances in California. The Appliance Efficiency Regulations include standards for both federally regulated appliances and non-federally regulated appliances. 23 categories of appliances are included in the scope of these regulations. The standards within these regulations apply to appliances that are sold or offered for sale in California, except those sold wholesale in California for final retail sale outside the state



and those designed and sold exclusively for use in recreational vehicles (RV) or other mobile equipment (CEC 2012).

TITLE 24 CCR PART 6 - CALIFORNIA ENERGY CODE

The California Energy Code was first adopted in 1978 in response to a legislative mandate to reduce California's energy consumption.

The standards are updated periodically to allow consideration and possible incorporation of new energy efficient technologies and methods.

TITLE 24 CCR PART 11 - CALIFORNIA GREEN BUILDING STANDARDS CODE

The California Green Building Standards Code (CALGreen) is a comprehensive and uniform regulatory code for all residential, commercial, and school buildings that went in effect on January 1, 2009, and is administered by the California Building Standards Commission (CBSC).

CALGreen is updated on a regular basis, with the most recent approved update consisting of the 2019 California Green Building Code Standards that became effective January 1, 2020.

Local jurisdictions are permitted to adopt more stringent requirements, as state law provides methods for local enhancements. CALGreen recognizes that many jurisdictions have developed existing construction waste and demolition ordinances and defers to them as the ruling guidance provided they establish a minimum 65% diversion requirement.

The code also provides exemptions for areas not served by construction waste and demolition recycling infrastructure. The State Building Code provides the minimum standard that buildings must meet in order to be certified for occupancy, which is generally enforced by the local building official.

Energy efficient buildings require less electricity; therefore, increased energy efficiency reduces fossil fuel consumption and decreases greenhouse gas (GHG) emissions. The 2019 version of Title 24 was adopted by the CEC and became effective on January 1, 2020.

The 2019 Title 24 standards would result in less energy use, thereby reducing air pollutant emissions associated with energy consumption in the SCAB and across the State of California. For example, the 2019 Title 24 standards would require solar photovoltaic systems for new homes, establish requirements for newly constructed healthcare facilities, encourage demand responsive technologies for residential buildings, and update indoor and outdoor lighting requirements for nonresidential buildings.

The CEC anticipates that single-family homes built with the 2019 standards would use approximately 7% less energy compared to the residential homes built under the 2016 standards. Additionally, after implementation of solar photovoltaic systems, homes built under the 2019 standards would use about 53% less energy than homes built under the 2016 standards. Nonresidential buildings (such as the Project) would use approximately 30% less energy due to lighting upgrade requirements (19).



Because the Project would be constructed after January 1, 2020, the 2019 CALGreen standards are applicable to the Project and require, among other items (20):

NONRESIDENTIAL MANDATORY MEASURES

- Short-term bicycle parking. If the new project or an additional alteration is anticipated to generate visitor traffic, provide permanently anchored bicycle racks within 200 feet of the visitors' entrance, readily visible to passers-by, for 5% of new visitor motorized vehicle parking spaces being added, with a minimum of one two-bike capacity rack (5.106.4.1.1).
- Long-term bicycle parking. For new buildings with tenant spaces that have 10 or more tenant-occupants, provide secure bicycle parking for 5% of the tenant-occupant vehicular parking spaces with a minimum of one bicycle parking facility (5.106.4.1.2).
- Designated parking for clean air vehicles. In new projects or additions to alterations that add 10 or more vehicular parking spaces, provide designated parking for any combination of low-emitting, fuel-efficient and carpool/van pool vehicles as shown in Table 5.106.5.2 (5.106.5.2).
- Electric vehicle (EV) charging stations. New construction shall facilitate the future installation of EV supply equipment. The compliance requires empty raceways for future conduit and documentation that the electrical system has adequate capacity for the future load. The number of spaces to be provided for is contained in Table 5.106. 5.3.3 (5.106.5.3).
- Outdoor light pollution reduction. Outdoor lighting systems shall be designed to meet the backlight, uplight and glare ratings per Table 5.106.8 (5.106.8).
- Construction waste management. Recycle and/or salvage for reuse a minimum of 65% of the nonhazardous construction and demolition waste in accordance with Section 5.408.1.1. 5.405.1.2, or 5.408.1.3; or meet a local construction and demolition waste management ordinance, whichever is more stringent (5.408.1).
- Excavated soil and land clearing debris. 100% of trees, stumps, rocks and associated vegetation and soils resulting primarily from land clearing shall be reused or recycled. For a phased project, such material may be stockpiled on site until the storage site is developed (5.408.3).
- Recycling by Occupants. Provide readily accessible areas that serve the entire building and are
 identified for the depositing, storage, and collection of non-hazardous materials for
 recycling, including (at a minimum) paper, corrugated cardboard, glass, plastics, organic
 waste, and metals or meet a lawfully enacted local recycling ordinance, if more restrictive
 (5.410.1).
- Water conserving plumbing fixtures and fittings. Plumbing fixtures (water closets and urinals) and fittings (faucets and showerheads) shall comply with the following:
 - Water Closets. The effective flush volume of all water closets shall not exceed
 1.28 gallons per flush (5.303.3.1)
 - Urinals. The effective flush volume of wall-mounted urinals shall not exceed
 0.125 gallons per flush (5.303.3.2.1). The effective flush volume of floor- mounted or other urinals shall not exceed 0.5 gallons per flush (5.303.3.2.2).



- Showerheads. Single showerheads shall have a minimum flow rate of not more than 1.8 gallons per minute and 80 psi (5.303.3.3.1). When a shower is served by more than one showerhead, the combine flow rate of all showerheads and/or other shower outlets controlled by a single valve shall not exceed 1.8 gallons per minute at 80 psi (5.303.3.3.2).
- Faucets and fountains. Nonresidential lavatory faucets shall have a maximum flow rate of not more than 0.5 gallons per minute at 60 psi (5.303.3.4.1). Kitchen faucets shall have a maximum flow rate of not more than 1.8 gallons per minute of 60 psi (5.303.3.4.2). Wash fountains shall have a maximum flow rate of not more than 1.8 gallons per minute (5.303.3.4.3). Metering faucets shall not deliver more than 0.20 gallons per cycle (5.303.3.4.4). Metering faucets for wash fountains shall have a maximum flow rate not more than 0.20 gallons per cycle (5.303.3.4.5).
- Outdoor potable water uses in landscaped areas. Nonresidential developments shall comply
 with a local water efficient landscape ordinance or the current California Department of
 Water Resources' Model Water Efficient Landscape Ordinance (MWELO), whichever is more
 stringent (5.304.1).
- Water meters. Separate submeters or metering devices shall be installed for new buildings or additions in excess of 50,000 sf or for excess consumption where any tenant within a new building or within an addition that is project to consume more than 1,000 gallons per day (GPD) (5.303.1.1 and 5.303.1.2).
- Outdoor water uses in rehabilitated landscape projects equal or greater than 2,500 sf. Rehabilitated landscape projects with an aggregate landscape area equal to or greater than 2,500 sf requiring a building or landscape permit (5.304.3).
- Commissioning. For new buildings 10,000 sf and over, building commissioning shall be
 included in the design and construction processes of the building project to verify that the
 building systems and components meet the owner's or owner representative's project
 requirements (5.410.2).

CARB REFRIGERANT MANAGEMENT PROGRAM

CARB adopted a regulation in 2009 to reduce refrigerant GHG emissions from stationary sources through refrigerant leak detection and monitoring, leak repair, system retirement and retrofitting, reporting and recordkeeping, and proper refrigerant cylinder use, sale, and disposal. The regulation is set forth in sections 95380 to 95398 of Title 17, CCR. The rules implementing the regulation establish a limit on statewide GHG emissions from stationary facilities with refrigeration systems with more than 50 pounds of a high GWP refrigerant. The refrigerant management program is designed to (1) reduce emissions of high-GWP GHG refrigerants from leaky stationary, non-residential refrigeration equipment; (2) reduce emissions from the installation and servicing of refrigeration and air-conditioning appliances using high-GWP refrigerants; and (3) verify GHG emission reductions.

TRACTOR-TRAILER GHG REGULATION

The tractors and trailers subject to this regulation must either use EPA SmartWay certified tractors and trailers or retrofit their existing fleet with SmartWay verified technologies. The regulation applies primarily to owners of 53-foot or longer box-type trailers, including both dryvan and refrigerated-van trailers, and owners of the HD tractors that pull them on California



highways. These owners are responsible for replacing or retrofitting their affected vehicles with compliant aerodynamic technologies and low rolling resistance tires. Sleeper cab tractors MY 2011 and later must be SmartWay certified. All other tractors must use SmartWay verified low rolling resistance tires. There are also requirements for trailers to have low rolling resistance tires and aerodynamic devices.

PHASE I AND 2 HEAVY-DUTY VEHICLE GHG STANDARDS

In September 2011, CARB has adopted a regulation for GHG emissions from HDTs and engines sold in California. It establishes GHG emission limits on truck and engine manufacturers and harmonizes with the EPA rule for new trucks and engines nationally. Existing HD vehicle regulations in California include engine criteria emission standards, tractor-trailer GHG requirements to implement SmartWay strategies (i.e., the Heavy-Duty Tractor-Trailer GHG Regulation), and in-use fleet retrofit requirements such as the Truck and Bus Regulation. The EPA rule has compliance requirements for new compression and spark ignition engines, as well as trucks from Class 2b through Class 8. Compliance requirements began with MY 2014 with stringency levels increasing through MY 2018. The rule organizes truck compliance into three groupings, which include a) HD pickups and vans; b) vocational vehicles; and c) combination tractors. The EPA rule does not regulate trailers.

CARB staff has worked jointly with the EPA and the NHTSA on the next phase of federal GHG emission standards for medium-duty trucks (MDT) and HDT vehicles, called federal Phase 2. The federal Phase 2 standards were built on the improvements in engine and vehicle efficiency required by the Phase 1 emission standards and represent a significant opportunity to achieve further GHG reductions for 2018 and later MY HDT vehicles, including trailers. The EPA and NHTSA have proposed to roll back GHG and fuel economy standards for cars and light-duty trucks, which suggests a similar rollback of Phase 2 standards for MDT and HDT vehicles may be pursued.

SB 97 AND THE CEQA GUIDELINES UPDATE

Passed in August 2007, SB 97 added Section 21083.05 to the Public Resources Code. The code states "(a) On or before July 1, 2009, the Office of Planning and Research (OPR) shall prepare, develop, and transmit to the Resources Agency guidelines for the mitigation of GHG emissions or the effects of GHG emissions as required by this division, including, but not limited to, effects associated with transportation or energy consumption. (b) On or before January 1, 2010, the Resources Agency shall certify and adopt guidelines prepared and developed by the OPR pursuant to subdivision (a)."

In 2012, Public Resources Code Section 21083.05 was amended to state:

"The Office of Planning and Research and the Natural Resources Agency shall periodically update the guidelines for the mitigation of greenhouse gas emissions or the effects of greenhouse gas emissions as required by this division, including, but not limited to, effects associated with transportation or energy consumption, to incorporate new information or criteria established by the State Air Resources Board pursuant to Division 25.5 (commencing with Section 38500) of the Health and Safety Code."



On December 28, 2018, the Natural Resources Agency announced the OAL approved the amendments to the *CEQA Guidelines* for implementing CEQA. The CEQA Amendments provide guidance to public agencies regarding the analysis and mitigation of the effects of GHG emissions in CEQA documents. The CEQA Amendments fit within the existing CEQA framework by amending existing *CEQA Guidelines* to reference climate change.

Section 15064.4 was added the *CEQA Guidelines* and states that in determining the significance of a project's GHG emissions, the lead agency should focus its analysis on the reasonably foreseeable incremental contribution of the project's emissions to the effects of climate change. A project's incremental contribution may be cumulatively considerable even if it appears relatively insignificant compared to statewide, national, or global emissions. The agency's analysis should consider a timeframe that is appropriate for the project. The agency's analysis also must reasonably reflect evolving scientific knowledge and state regulatory schemes. Additionally, a lead agency may use a model or methodology to estimate GHG emissions resulting from a project. The lead agency has discretion to select the model or methodology it considers most appropriate to enable decision makers to intelligently take into account the project's incremental contribution to climate change. The lead agency must support its selection of a model or methodology with substantial evidence. The lead agency should explain the limitations of the particular model or methodology selected for use (42).

2.7.4 REGIONAL

The project is within the SCAB, which is under the jurisdiction of the SCAQMD.

SCAQMD

SCAQMD is the agency responsible for air quality planning and regulation in the SCAB. The SCAQMD addresses the impacts to climate change of projects subject to SCAQMD permit as a lead agency if they are the only agency having discretionary approval for the project and acts as a responsible agency when a land use agency must also approve discretionary permits for the project. The SCAQMD acts as an expert commenting agency for impacts to air quality. This expertise carries over to GHG emissions, so the agency helps local land use agencies through the development of models and emission thresholds that can be used to address GHG emissions.

In 2008, SCAQMD formed a Working Group to identify GHG emissions thresholds for land use projects that could be used by local lead agencies in the SCAB. The Working Group developed several different options that are contained in the SCAQMD Draft Guidance Document – Interim CEQA GHG Significance Threshold, which could be applied by lead agencies. The working group has not provided additional guidance since release of the interim guidance in 2008. The SCAQMD Board has not approved the thresholds; however, the Guidance Document provides substantial evidence supporting the approaches to significance of GHG emissions that can be considered by the lead agency in adopting its own threshold. The current interim thresholds consist of the following tiered approach:

• Tier 1 consists of evaluating whether or not the project qualifies for any applicable exemption under CEQA.



- Tier 2 consists of determining whether the project is consistent with a GHG reduction plan.
 If a project is consistent with a qualifying local GHG reduction plan, it does not have significant GHG emissions.
- Tier 3 consists of screening values, which the lead agency can choose, but must be
 consistent with all projects within its jurisdiction. A project's construction emissions are
 averaged over 30 years and are added to the project's operational emissions. If a project's
 emissions are below one of the following screening thresholds, then the project is less than
 significant:
 - Residential and commercial land use: 3,000 MTCO₂e/yr
 - o Industrial land use: 10,000 MTCO₂e/yr
 - Based on land use type: residential: 3,500 MTCO₂e/yr; commercial: 1,400 MTCO₂e/yr; or mixed use: 3,000 MTCO₂e/yr
- Tier 4 has the following options:
 - Option 1: Reduce Business-as-Usual (BAU) emissions by a certain percentage; this
 percentage is currently undefined.
 - Option 2: Early implementation of applicable AB 32 Scoping Plan measures
 - Option 3: 2020 target for service populations (SP), which includes residents and employees: 4.8 MTCO₂e per SP per year for projects and 6.6 MTCO₂e per SP per year for plans;
 - Option 3, 2035 target: 3.0 MTCO₂e per SP per year for projects and 4.1 MTCO₂e per SP per year for plans
- Tier 5 involves mitigation offsets to achieve target significance threshold.

The SCAQMD's interim thresholds used the Executive Order S-3-05-year 2050 goal as the basis for the Tier 3 screening level. Achieving the Executive Order's objective would contribute to worldwide efforts to cap CO₂ concentrations at 450 ppm, thus stabilizing global climate.

SCAQMD only has authority over GHG emissions from development projects that include air quality permits. At this time, it is unknown if the project would include stationary sources of emissions subject to SCAQMD permits. Notwithstanding, if the Project requires a stationary permit, it would be subject to the applicable SCAQMD regulations.

SCAQMD Regulation XXVII, adopted in 2009 includes the following rules:

- Rule 2700 defines terms and post global warming potentials.
- Rule 2701, SoCal Climate Solutions Exchange, establishes a voluntary program to encourage, quantify, and certify voluntary, high quality certified GHG emission reductions in the SCAQMD.
- Rule 2702, GHG Reduction Program created a program to produce GHG emission reductions within the SCAQMD. The SCAQMD would fund projects through contracts in response to requests for proposals or purchase reductions from other parties.

SCAQMD is the agency responsible for air quality planning and regulation in the SCAB. The SCAQMD addresses the impacts to climate change of projects subject to SCAQMD permit as a lead agency if they are the only agency having discretionary approval for the project and acts as



a responsible agency when a land use agency must also approve discretionary permits for the project. The SCAQMD acts as an expert commenting agency for impacts to air quality. This expertise carries over to GHG emissions, so the agency helps local land use agencies through the development of models and emission thresholds that can be used to address GHG emissions.

SCAQMD RULE 2305

On May 8, 2021, South Coast AQMD adopted Warehouse Indirect Source Rule 2305, which includes the Warehouse Actions and Investments to Reduce Emissions Program (WAIRE), and Rule 316. Rule 2305 establishes for the first time a regulatory program designed to reduce air pollution (and indirect GHG emissions) caused by warehouse-related activities and is focused on emissions from vehicles that service large warehouses. Rule 316 establishes a fee system to support the Rule 2305 program on an ongoing basis. Rules 2305 and 316 apply to operators and owners of existing and new warehouses with floor space greater than or equal to 100,000 square feet within a single building (i.e., large warehouses). Rules 2305 and 316 require such operators and owners to annually take actions with respect to their warehouses that either reduce emissions regionally and locally or facilitate emission reductions. Specifically, owners and operators must "earn" a specific number of WAIRE Points. However, warehouse owners are only required to earn WAIRE Points if they are also a warehouse operator. If a warehouse owner is not an operator, they are not required to earn WAIRE Points even if the operator in their warehouse does not earn the required number of WAIRE Points. Warehouse owners are only required to submit a Warehouse Operations Notification to the SCAQMD.

The number of WAIRE Points required for a specific operator is based on the intensity of operations (i.e., number of truck trips and type of trucks) at each of their warehouses every year. The required points are known as the WAIRE Points Compliance Obligation (WPCO). The WPCO is calculated based on a 12-month survey of truck trips entering or exiting the site, the truck data is weighted based on the types of trucks, and activity is projected for the next year. Thus, the WAIRE Points pay for the prior year's emissions based on points earned in subsequent years.

WAIRE Points are earned by implementing a menu of items including purchasing/renting/leasing near-zero (NZE) and zero emission (ZE) yard equipment, installing on-site ZE fueling stations, and proving on-site solar PV systems that are intended to offset or reduce warehouse emissions. Owners and operators may also implement custom WAIRE plans for individual facilities, subject to South Coast AQMD approval; or pay mitigation fees to have the SCAQMD implement measures within the SCAB. Owners and operators that over-comply may transfer excess WAIRE Points earned in one year to a subsequent year or may transfer WAIRE points to another site within their control. WAIRE Points cannot be transferred to other operators and expire after 3 years. Rule 2305 also requires reporting information about facility operations and recordkeeping. Rule 316 is the companion rule to Rule 2305 and establishes the administrative fees that Rule 2305 warehouse owners and operators must pay to support South Coast AQMD compliance activities.

While the Project proponent may be defined as a warehouse owner and would submit a Warehouse Operation Notice(s), as required, the Project proponent does not intend to be the warehouse operator and has no knowledge of the future operations. Thus, the specific information required by Rule 2305 for calculating the WPCO is unavailable, and the necessary



number of points is unknown. Finally, The WAIRE points expire after 3 years and are based on actions of future operators and are thus temporary and cannot be relied upon for CEQA purposes. Therefore, even though the WAIRE program will reduce emissions warehouse activities in the region, no emission reductions from the WAIRE Program are accounted for in this analysis.



This page intentionally left blank



3 PROJECT GHG IMPACT

3.1 Introduction

The Project has been evaluated to determine if it will result in a significant GHG impact. The significance of these potential impacts is described in the following sections.

3.2 STANDARDS OF SIGNIFICANCE

The criteria used to determine the significance of potential Project-related GHG impacts are taken from the Initial Study Checklist in Appendix G of the State *CEQA Guidelines* (14 CCR of Regulations §§15000, et seq.). Based on these thresholds, a project would result in a significant impact related to GHG if it would (1):

- Generate GHG emissions, either directly or indirectly, that may have a significant impact on the environment?
- Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of GHGs?

3.2.1 DISCUSSION ON ESTABLISHMENT OF SIGNIFICANCE THRESHOLDS

The SCAQMD's adopted numerical threshold of 10,000 MTCO₂e/yr for industrial stationary source emissions is typically selected as the significance criterion. However, the City has determined that the SCAQMD's draft threshold of 3,000 MTCO₂e/yr is more conservative and appropriate for industrial and warehouse land use development projects. The 3,000 MTCO₂e/yr threshold is based on the SCAQMD staff's proposed GHG screening threshold for stationary source emissions for non-industrial projects, as described in the SCAQMD Interim Thresholds. The SCAQMD Interim Threshold identifies a screening threshold to determine whether additional analysis is required.

3.3 Models Employed To Analyze GHGs

3.3.1 CALIFORNIA EMISSIONS ESTIMATOR MODEL (CALEEMOD)

In May 2021, the SCAQMD, in conjunction with the California Air Pollution Control Officers Association (CAPCOA) and other California air districts, released the latest version of the CalEEMod Version 2020.4.0. The purpose of this model is to calculate construction-source and operational-source criteria pollutants and GHG emissions from direct and indirect sources; and quantify applicable air quality and GHG reductions achieved from mitigation measures (43). Accordingly, the latest version of CalEEMod has been used for this Project to determine GHG emissions. Output from the model runs for construction and operational activity are provided in Appendices 3.1 through 3.4. CalEEMod includes GHG emissions from the following source categories: construction, area, energy, mobile, waste, water.



3.4 LIFE-CYCLE ANALYSIS NOT REQUIRED

A full life-cycle analysis (LCA) for construction and operational activity is not included in this analysis due to the lack of consensus guidance on LCA methodology at this time (44). Life-cycle analysis (i.e., assessing economy-wide GHG emissions from the processes in manufacturing and transporting all raw materials used in the Project development, infrastructure, and on-going operations) depends on emission factors or econometric factors that are not well established for all processes. At this time, an LCA would be extremely speculative and thus has not been prepared.

Additionally, the SCAQMD recommends analyzing direct and indirect project GHG emissions generated within California and not life-cycle emissions because the life-cycle effects from a project could occur outside of California, might not be very well understood, or documented, and would be challenging to mitigate (45). Additionally, the science to calculate life cycle emissions is not yet established or well defined; therefore, SCAQMD has not recommended, and is not requiring, life-cycle emissions analysis.

3.5 CONSTRUCTION EMISSIONS

Project construction activities would generate CO₂ and CH₄ emissions The report *Menifee Commerce Center Air Quality Impact Analysis Report* (AQIA) contains detailed information regarding Project construction activities (46). As discussed in the AQIA, Construction related emissions are expected from the following construction activities:

- Demolition
- Clear Site
- Recompact
- Recompact and Import
- Fine Grading
- 2nd Move In
- Building Construction
- 3rd Move In
- Onsite Paving
- Architectural Coating
- Offsite Improvements Site Preparation
- Offsite Improvements Paving

3.5.1 CONSTRUCTION DURATION

Construction is anticipated to begin in early 2023 and will last through late 2024. The construction schedule utilized in the analysis, shown in Table 3-2, represents a "worst-case" analysis scenario should construction occur any time after the respective dates since emission factors for construction decrease as time passes and the analysis year increases due to emission regulations



becoming more stringent⁴. The duration of construction activity and associated equipment represents a reasonable approximation of the expected construction fleet as required per *CEQA Guidelines* (47).

TABLE 3-2: CONSTRUCTION DURATION

Construction Activity	Start Date	End Date	Days
Demolition	01/01/2023	01/31/2023	22
Clear Site	02/01/2023	02/09/2023	7
Recompact	02/10/2023	03/02/2023	15
Recompact and Import	03/03/2023	05/22/2023	57
Fine Grading	05/23/2023	06/12/2023	15
Offsite Site Preparation	06/13/2023	07/24/2023	30
Building Construction	06/13/2023	06/10/2024	260
2 nd Move In	11/01/2023	11/28/2023	20
3 rd Move In	02/01/2024	03/27/2024	40
Offsite Paving	06/11/2024	08/26/2024	55
Paving	06/11/2024	09/09/2024	65
Architectural Coating	09/10/2024	12/09/2024	65

3.5.2 CONSTRUCTION EQUIPMENT

Consistent with industry standards and typical construction practices, each piece of equipment listed in Table 3-3 will operate up to a total of eight (8) hours per day, or more than two-thirds of the period during which construction activities are allowed pursuant to the code.

TABLE 3-3: CONSTRUCTION EQUIPMENT ASSUMPTIONS

Construction Activity	Equipment	Amount	Hours Per Day
	Concrete/Industrial Saws	1	8
Demolition	Excavators	3	8
	Rubber Tired Dozers	2	8
Clear Site	Rubber Tired Loaders	1	8
December	Rubber Tired Dozers	1	8
Recompact	Scrapers	10	8
	Rubber Tired Dozers	2	8

⁴ As shown in the CalEEMod User's Guide Version 2020.4.0, Section 4.3 "OFFROAD Equipment" as the analysis year increases, emission factors for the same equipment pieces decrease due to the natural turnover of older equipment being replaced by newer less polluting equipment and new regulatory requirements.





Construction Activity	Equipment	Amount	Hours Per Day
December of the section	Scrapers	10	8
Recompact and Import	Sweepers/Scrubbers	1	8
	Graders	1	8
Fine Grading	Rubber Tired Dozers	1	8
	Scrapers	4	8
Officito Cita Droporation	Crawler Tractors	4	8
Offsite Site Preparation	Rubber Tired Dozers	3	8
	Cranes	2	8
	Forklifts	6	8
Building Construction	Generator Sets	2	8
	Tractors/Loaders/Backhoes	6	8
	Welders	2	8
	Graders	1	8
2 nd Move In	Rubber Tired Loaders	2	8
	Scrapers	1	8
	Graders	1	8
3 rd Move In	Rollers	1	8
3.4 Move III	Rubber Tired Loaders	2	8
	Scrapers	1	8
	Pavers	2	8
Offsite Paving	Paving Equipment	2	8
	Rollers	2	8
	Pavers	4	8
Paving	Paving Equipment	4	8
	Rollers	4	8
Architectural Coating	Air Compressors	2	8

3.5.3 CONSTRUCTION EMISSIONS SUMMARY

For construction emissions, GHGs are quantified and amortized over the life of the Project. To amortize the emissions over the life of the Project, the SCAQMD recommends calculating the total GHG emissions for the construction activities, dividing it by a 30-year Project life then adding that number to the annual operational phase GHG emissions (48). As such, construction emissions were amortized over a 30-year period and added to the annual operational phase GHG emissions. The amortized construction emissions are presented in Table 3-4.



TABLE 3-4: AMORTIZED ANNUAL CONSTRUCTION EMISSIONS

	Emissions (MT/yr)			
Year	CO ₂	CH₄	N₂O	Total CO2e
2023	3,027.43	0.33	0.21	3,096.82
2024	1,779.42	0.18	0.09	1,810.93
Total GHG Emissions	4,806.86	0.51	0.30	4,907.74
Amortized Construction Emissions (MTCO ₂ e)	160.23	0.02	0.01	163.59

Source CalEEMod annual construction-source emissions are presented in Appendix 3.1.

3.6 OPERATIONAL EMISSIONS

Operational activities associated with the Project will result in emissions of CO₂, CH₄, and N₂O from the following primary sources:

- Area Source Emissions
- Energy Source Emissions
- Mobile Source Emissions
- Water Supply, Treatment, and Distribution
- Solid Waste

3.6.1 AREA SOURCE EMISSIONS

LANDSCAPE MAINTENANCE EQUIPMENT

Landscape maintenance equipment would generate emissions from fuel combustion and evaporation of unburned fuel. Equipment in this category would include lawnmowers, shedders/grinders, blowers, trimmers, chain saws, and hedge trimmers used to maintain the landscaping of the Project. It should be noted that as October 9, 2021, Governor Gavin Newsom signed AB 1346. The bill aims to ban the sale of new gasoline-powered equipment under 25 gross horsepower (known as small off-road engines [SOREs]) by 2024. For purposes of analysis, the emissions associated with landscape maintenance equipment were calculated based on assumptions provided in CalEEMod.

3.6.2 ENERGY SOURCE EMISSIONS

COMBUSTION EMISSIONS ASSOCIATED WITH NATURAL GAS AND ELECTRICITY

Electricity and natural gas are used by almost every project. Criteria pollutant emissions are emitted through the generation of electricity and consumption of natural gas. However, because electrical generating facilities for the Project area are located either outside the region (SCAB) or offset through the use of pollution credits (RECLAIM) for generation within the SCAB, criteria

URBAN CROSSROADS

14616-05 GHG Report

pollutant emissions from offsite generation of electricity are generally excluded from the evaluation of significance and only natural gas use is considered. Based on information provided by the Project Applicant, the Project would not utilize natural gas and therefore no air quality emissions from energy sources would occur.

ELECTRIC CARGO HANDLING EQUIPMENT ENERGY CONSUMPTION

GHG emissions indirectly generated through the charging of battery-powered cargo handling equipment is included in this source category as well. In order to estimate GHG emissions that would result from electricity used to charge equipment batteries, it is estimated that four pieces of equipment would be utilized for four hours per day and that each piece of equipment would consume 15 kWh of electricity per hour (49).

3.6.3 MOBILE SOURCE EMISSIONS

The Project GHG emissions derive primarily from vehicle trips generated by the Project, including employee trips to and from the site and truck trips associated with the proposed uses. As summarized in the *Menifee Commerce Center Project Traffic Impact Analysis* prepared by Albert A. Webb Associates, under Scenario 1 the Project is expected to generate a total of approximately 8,749 vehicular trips-ends per day (actual vehicles) which includes 470 two-way truck trips per day (12). Scenario 2 is based on supplemental trip generation prepared by Albert A. Webb Associates and assumes a total of approximately 2,429 vehicular trip-ends per day (actual vehicles) which includes 509 two-way truck trips per day.

APPROACH FOR ANALYSIS OF THE PROJECT

In order to determine emissions from passenger car vehicles, the CalEEMod defaults were utilized for trip length and trip purpose for the proposed industrial land uses.

For the proposed industrial uses, it is important to note that although the *Menifee Commerce Center Project Traffic Impact Analysis* does not breakdown passenger cars by type, this analysis assumes that passenger cars include Light-Duty-Auto vehicles (LDA), Light-Duty-Trucks (LDT1⁵ & LDT2⁶), Medium-Duty-Vehicles (MDV), and Motorcycles (MCY) vehicle types. In order to account for emissions generated by passenger cars, the following fleet mix was utilized in this analysis:

TABLE 3-5: PASSENGER CAR FLEET MIX

% Vehicle Type					
Scenario	Scenario LDA LDT1 LDT2 MDV MCY				
1, 2	57.87	6.05	18.63	14.89	2.56

Note: The Project-specific passenger car fleet mix used in this analysis is based on a proportional split utilizing the default CalEEMod percentages assigned to LDA, LDT1, LDT2, and MDV vehicle types.

-



⁵ Vehicles under the LDT1 category have a gross vehicle weight rating (GVWR) of less than 6,000 lbs. and equivalent test weight (ETW) of less than or equal to 3,750 lbs.

 $^{^6}$ Vehicles under the LDT2 category have a GVWR of less than 6,000 lbs. and ETW between 3,751 lbs. and 5,750 lbs.

To determine emissions from trucks for the proposed industrial uses, the analysis incorporated the SCAQMD recommended truck trip length of 40 miles⁷ and an assumption of 100% primary trips for the proposed industrial land uses.

To be consistent with the *Menifee Commerce Center Project Traffic Impact Analysis*, trucks are broken down by truck type. The truck fleet mix is estimated by rationing the trip rates for each truck type based on information provided in the *Menifee Commerce Center Project Traffic Impact Analysis*. Heavy trucks are broken down by truck type (or axle type) and are categorized as either Light-Heavy-Duty Trucks (LHDT1⁸ & LHDT2 ⁹)/2-axle, Medium-Heavy-Duty Trucks (MHDT)/3-axle, and Heavy-Heavy-Duty Trucks (HHDT)/4+-axle. In order to account for emissions generated by trucks, the following fleet mix was utilized in this analysis based on the number of trips generated by each truck type in the traffic impact analysis:

 % Vehicle Type

 Scenario
 LHDT1
 MHDT
 HHDT

 1
 16.81
 20.64
 62.55

 2
 16.69
 20.83
 62.48

TABLE 3-6: TRUCK FLEET MIX

Note: Project-specific truck fleet mix is based on the number of trips generated by each truck type (LHDT1, LHDT2, MHDT, and HHDT) relative to the total number of truck trips.

3.6.4 WATER SUPPLY, TREATMENT AND DISTRIBUTION

Indirect GHG emissions result from the production of electricity used to convey, treat, and distribute water and wastewater. The amount of electricity required to convey, treat, and distribute water depends on the volume of water as well as the sources of the water. Water usage rates were obtained from the *Menifee Commerce Center Water Supply Assessment Report*, prepared by the Eastern Municipal Water District (50).

3.6.5 SOLID WASTE

Industrial land uses will result in the generation and disposal of solid waste. A percentage of this waste will be diverted from landfills by a variety of means, such as reducing the amount of waste generated, recycling, and/or composting. The remainder of the waste not diverted will be disposed of at a landfill. GHG emissions from landfills are associated with the anaerobic



______ 14616-05 GHG Report

⁷ The average trip length for heavy trucks were based on the SCAQMD documents for the implementation of the Facility-Based Mobile Source Measures (FBMSMs) adopted in the 2016 AQMP. SCAQMD's "Preliminary Warehouse Emission Calculations" cites 39.9-mile trip length for heavy-heavy trucks (41). As a conservative measure, a trip length of 40 miles has been utilized for all trucks for the purpose of this analysis (39)

 $^{^{8}}$ Vehicles under the LHDT1 category have a GVWR of 8,501 to 10,000 lbs.

 $^{^{9}}$ Vehicles under the LHDT2 category have a GVWR of 10,001 to 14,000 lbs.

breakdown of material. GHG emissions associated with the disposal of solid waste associated with the proposed Project were calculated by CalEEMod using default parameters.

3.6.6 EMISSIONS SUMMARY

The annual GHG emissions associated with the Project for Scenarios 1 and 2 are summarized in Table 3-7. As shown in Table 3-7, construction and operation of the Project would generate a total of 20,078.73 MTCO₂e/yr under Scenario 1 and a total of 12,722.54 MTCO₂e/yr under Scenario 2.

TABLE 3-7: PROJECT SCENARIO 1 AND 2 GHG EMISSIONS

			Emissions	(MT/yr)	
Scenario	io Emission Source		CH₄	N₂O	Total CO₂e
	Annual construction-related emissions amortized over 30 years	160.23	0.02	0.01	163.59
	Area Source	0.08	2.10E-04	0.00	0.09
	Energy Source	944.58	0.07	0.01	949.59
1	Mobile Source	17,708.77	0.63	1.40	18,142.38
	Waste	312.96	18.50	0.00	775.33
	Water Usage	35.87	0.37	8.96E- 03	47.75
	Total CO₂e (All Sources)		20,07	8.73	
	Annual construction-related emissions amortized over 30 years	160.23	0.02	0.01	163.59
	Area Source	0.08	2.10E-04	0.00	0.09
	Energy Source	944.58	0.07	0.01	949.59
2	Mobile Source	10,411.71	0.22	1.24	10,786.20
	Waste	312.96	18.50	0.00	775.33
	Water Usage	35.87	0.37	8.96E- 03	47.75
	Total CO₂e (All Sources)		12,72	2.54	

Source: CalEEMod output, See Appendices 3.2 and 3.3 for detailed model outputs.

RECOMMENDED OPERATIONAL MITIGATION MEASURES

MM AQ-2

Legible, durable, weather-proof signs shall be placed at truck access gates, loading docks, and truck parking areas that identify applicable CARB anti-idling regulations. At a minimum, each sign shall include: 1) instructions for truck drivers to shut off engines when not in use; 2) instructions for drivers of diesel trucks to restrict idling to no more than five (5) minutes once the vehicle is stopped, the transmission is set to "neutral" or "park," and the parking brake is engaged; and 3) telephone numbers of the building facilities manager and the CARB to report violations. Prior to the issuance of an occupancy permit, the City shall conduct a site inspection to ensure that the signs are in place.



MM AQ-3

All on-site outdoor cargo-handling equipment (including yard trucks, hostlers, yard goats, pallet jacks, forklifts, and other on-site equipment) shall be electric or non-diesel fueled. All on-site indoor forklifts shall be powered by electricity.

MM AQ-4

Prior to tenant occupancy, the Project Applicant or successor in interest shall provide documentation to the City demonstrating that occupants/tenants of the Project site have been provided documentation on funding opportunities, such as the Carl Moyer Program, that provide incentives for using cleaner-than-required engines and equipment.

MM AQ-5

Conduits for the installation of electrical hookups to allow future electric vehicle (EV) trucks and trucks with auxiliary power units (APU) shall be installed at a ratio of one charging station for every 50 dock high doors.

MM AQ-6

Parking areas shall be designed to accommodate EV charging stations for passenger cars consistent with CalGreen requirements.

MM AQ-8

All landscaping equipment (e.g., leaf blower) used for property management shall be electric powered only. The property manager/facility owner shall provide documentation (e.g., purchase, rental, and/or services agreement) to the City of Planning Department to verify, to the City's satisfaction, that all landscaping equipment utilized will be electric powered.

Even with the Project's compliance with applicable rules, and the imposition of all feasible mitigation measures identified above, the Project's operational GHG would exceed the applicable regional thresholds of significance under both Scenario 1 and 2. As such, Project operationalsource GHG emissions are considered significant and unavoidable. It should be noted that, approximately 90% of the Project's GHG emissions under Scenario 1 and 85% of the Project's GHG emissions under Scenario 2 are derived from vehicle usage which cannot be directly regulated by the City. Even if Project-generated emissions from all other source categories were reduced to zero, mobile source category emissions would still exceed the applicable regional significance threshold. Neither the Project Applicant nor the Lead Agency can substantively or materially affect reductions in project-related vehicular source emissions beyond regulatory requirements imposed by the federal or state governments or the SCAQMD, and mitigation measures identified herein. While there are no feasible mitigation measures that would reduce vehicular emissions, as discussed in the mitigation measures section above, the Project Applicant will install electric vehicle supply equipment in accordance with the California Building Code which will allow charging stations to be supplied based on demand. Charging stations could lead to less use of gasoline-burning automobiles and thus, less GHG emissions. Nonetheless, GHG emissions under both scenarios are considered significant and unavoidable.



Emissions associated with heavy duty trucks involved in goods movements are generally controlled on the technology side and through fleet turnover of older trucks and engines to newer and cleaner trucks and engines. The first battery-electric heavy-heavy duty trucks are being tested this year and SCAQMD is looking to integrate this new technology into large-scale truck operations (51). However, such trucks are presently not available, as is acknowledged in an August 3, 2021 letter in which SCAQMD cites a lack of production-ready models as well as difficulties in meeting the duty cycles required of current diesel-powered vehicles due to long charging times. The following state strategies reduce criteria air pollutants and GHG emissions from the medium and heavy-duty trucks:

- CARB's Mobile Source Strategy focuses on reducing emissions through the transition to zero and low emission vehicles and from medium-duty and heavy-duty trucks (52).
- CARB's Sustainable Freight Action Plan establishes a goal to improve freight efficiency by 25 percent by 2030, deploy over 100,000 freight vehicles and equipment capable of zero emission operation and maximize both zero and near-zero emission freight vehicles and equipment powered by renewable energy by 2030 (52). CARB's Emissions Reduction Plan for Ports and Goods Movement (Goods Movement Plan) in California focuses on reducing heavy-duty truck-related emissions focus on establishment of emissions standards for trucks, fleet turnover, truck retrofits, and restriction on truck idling. While the focus of Goods Movement Plan is to reduce criteria air pollutant and air toxic emissions, the strategies to reduce these pollutants would also generally have a beneficial effect in reducing GHG emissions.
- In addition, the US EPA, CARB, and SCAQMD are currently in the rule development processes for the follow strategies:
- **US EPA Cleaner Truck Initiative:** In response to a petition from SCAQMD, the US EPA has committed to updating its truck engine standard to reduce NOx emissions.
- CARB's Advanced Clean Truck Rule: Requires truck manufacturers to sell an increasing percentage of zero-emission trucks by 2030 (up to 15 percent or 50 percent, depending on truck type). Also, this proposed rule would require one-time fleet reporting for large businesses.
- CARB's Zero-Emission Fleet Rule: Would require some fleets to transition to zero-emissions.
- **CARB's Heavy-Duty Low NOx Program:** Would set new statewide engine standards, test cycles, and warranty and durability requirements to reduce NOx from trucks.
- CARB's Heavy-Duty Inspection/Maintenance Program: Would set new inspection and maintenance requirements to ensure emissions controls are functioning properly.
- SCAQMD's Warehouse Indirect Source Review (ISR): SCAQMD adopted an ISR rule for warehouse distribution centers 100,000 square feet and larger. The Warehouse ISR requires warehouse projects to implement facility-based measures or pay a fee that would reduce local air quality emissions (53).

These strategies would contribute to reducing heavy duty truck emissions associated with the proposed project. The proposed project would not conflict with these strategies. Trucks onsite are required to comply with CARB's Heavy-Duty (Tractor-Trailer) GHG Regulation, which requires SmartWay tractor trailers that include idle-reduction technologies, aerodynamic technologies, and low-rolling resistant tires that would reduce fuel consumption and associated emissions.



3.7 GHG Emissions Findings and Recommendations

3.7.1 **GHG IMPACT 1**

Potential to generate direct or indirect GHG emissions that would result in a significant impact on the environment.

A numerical threshold for determining the significance of GHG emissions in the SCAB has not been established by the SCAQMD for Projects where it is not the lead agency. As an interim threshold based on guidance provided in the CAPCOA CEQA and Climate Change handbook, the City has opted to use a non-zero threshold approach based on Approach 2 of the handbook. Threshold 2.5 (Unit-Based Thresholds Based on Market Capture) establishes a numerical threshold based on capture of approximately 90% of emissions from future development. The latest threshold developed by SCAQMD using this method is 3,000 MTCO₂e/yr for all projects (54).

The Project would result in approximately 1,936.35 MTCO₂e/yr from construction, area, energy, waste, and water usage under Scenario 1 and Scenario 2. In addition, the Project has the potential to result in an additional 18,142.38 MTCO₂e/yr from mobile sources under Scenario 1 and 10,786.20 MTCO₂e/yr under Scenario 2 if the assumption is made that all of the vehicle trips to and from the Project are "new" trips resulting from the development of the Project. As such, the Project has the potential to generate a total of approximately 20,078.73 MTCO₂e/yr under Scenario 1 and 12,722.54 under Scenario 2. As such, the Project would exceed the SCAQMD's numeric threshold of 3,000 MTCO₂e/yr if it were applied. Thus, the Project would have the potential to result in a cumulatively considerable impact with respect to GHG emissions.

The Project would have the potential to generate direct or indirect GHG emissions that would result in a significant impact on the environment.

3.7.2 **GHG IMPACT 2**

The Project would have the potential to conflict with any applicable plan, policy or regulation of an agency adopted for the purpose of reducing the emissions of GHGs.

As previously stated, pursuant to 15604.4 of the *CEQA Guidelines*, a lead agency may rely on qualitative analysis or performance-based standards to determine the significance of impacts from GHG emissions (47). Project consistency with SB 32 (2017 Scoping Plan) is evaluated in the following discussion. Here, in order to provide a more full disclosure of the Project's GHG impacts, both quantitative and qualitative analyses are employed.

SB 32/2017 Scoping Plan Consistency

The 2017 Scoping Plan Update reflects the 2030 target of a 40% reduction below 1990 levels, set by Executive Order B-30-15 and codified by SB 32. Table 3-8 summarizes the Project's consistency with the 2017 Scoping Plan. As summarized, the Project will not conflict with any of the provisions of the *Scoping Plan* and in fact supports seven of the action categories.



TABLE 3-8: 2017 SCOPING PLAN CONSISTENCY SUMMARY¹⁰

Action	Responsible Parties	Consistency
Implement SB 350 by 2030		
Increase the Renewables Portfolio Standard to 50% of retail sales by 2030 and ensure grid reliability.	-	Consistent. The Project would use energy from Southern California Edison (SCE). SCE has committed to diversify its portfolio of energy sources by increasing energy from wind and solar sources. The Project would not interfere with or obstruct SCE energy source diversification efforts.
Establish annual targets for statewide energy efficiency savings and demand reduction that will achieve a cumulative doubling of statewide energy efficiency savings in electricity and natural gas end uses by 2030.	CPUC, CEC, CARB	Consistent. The Project would be constructed in compliance with current California Building Code requirements. Specifically, new buildings must achieve compliance with 2019 Building and Energy Efficiency Standards and the 2019
Reduce GHG emissions in the electricity sector through the implementation of the above measures and other actions as modeled in Integrated Resource Planning (IRP) to meet GHG emissions reductions planning targets in the IRP process. Loadserving entities and publicly- owned utilities meet GHG emissions reductions planning targets through a combination of measures as described in IRPs.		California Green Building Standards requirements. The proposed Project includes energy efficient field lighting and fixtures that meet the current Title 24 Standards throughout the Project Site and would be a modern development with energy efficient boilers, heaters, and air conditioning systems.
Implement Mobile Source Strategy (Cleaner	Technology and Fuels)	
At least 1.5 million zero emission and plugin hybrid light-duty EVs by 2025.	CARB, California State Transportation Agency (CalSTA), Strategic Growth Council (SGC), California Department of Transportation (Caltrans), CEC, OPR, Local Agencies	Consistent. This is a CARB Mobile Source Strategy. The Project would not obstruct or interfere with CARB zero emission and plug-in hybrid light-duty EV 2025 targets. As this is a CARB enforced standard, vehicles that access the Project are required to comply with the standards and will therefore comply with the strategy.
At least 4.2 million zero emission and plugin hybrid light-duty EVs by 2030.		Consistent. This is a CARB Mobile Source Strategy. The Project would not obstruct or interfere with CARB zero emission and plug-in hybrid light-duty EV 2030 targets. As this is a CARB enforced standard, vehicles that access the Project are required to comply with the standards and will therefore comply with the strategy.

¹⁰ Measures can be found at the following link: https://www.arb.ca.gov/cc/scopingplan/scoping_plan_2017.pdf



14616-05 GHG Report

Action	Responsible Parties	Consistency
Further increase GHG stringency on all light-duty vehicles beyond existing Advanced Clean cars regulations.		Consistent. This is a CARB Mobile Source Strategy. The Project would not obstruct or interfere with CARB efforts to further increase GHG stringency on all light-duty vehicles beyond existing Advanced Clean cars regulations. As this is a CARB enforced standard, vehicles that access the Project are required to comply with the standards and will therefore comply with the strategy.
Medium- and Heavy-Duty GHG Phase 2.		Consistent. This is a CARB Mobile Source Strategy. The Project would not obstruct or interfere with CARB efforts to implement Medium- and Heavy-Duty GHG Phase 2. As this is a CARB enforced standard, vehicles that access the Project are required to comply with the standards and will therefore comply with the strategy.
Innovative Clean Transit: Transition to a suite of to-be-determined innovative clean transit options. Assumed 20% of new urban buses purchased beginning in 2018 will be zero emission buses with the penetration of zero-emission technology ramped up to 100% of new sales in 2030. Also, new natural gas buses, starting in 2018, and diesel buses, starting in 2020, meet the optional heavy-duty low-NO _X standard.		Not applicable. This measure is not within the purview of this Project.
Last Mile Delivery: New regulation that would result in the use of low NO _X or cleaner engines and the deployment of increasing numbers of zero-emission trucks primarily for class 3-7 last mile delivery trucks in California. This measure assumes ZEVs comprise 2.5% of new Class 3–7 truck sales in local fleets starting in 2020, increasing to 10% in 2025 and remaining flat through 2030.		Consistent. This is a CARB Mobile Source Strategy. The Project would not obstruct or interfere with CARB efforts to improve last mile delivery emissions.
Further reduce VMT through continued implementation of SB 375 and regional Sustainable Communities Strategies; forthcoming statewide implementation of SB 743; and potential additional VMT reduction strategies not specified in the Mobile Source Strategy but included in the document "Potential VMT Reduction Strategies for Discussion."		Consistent. This Project would not obstruct or interfere with implementation of SB 375 and would therefore not conflict with this measure.



Action	Responsible Parties	Consistency
Increase stringency of SB 375 Sustainable Communities Strategy (2035 targets).	CARB	Consistent. This is a CARB Mobile Source Strategy. The Project would not obstruct or interfere with CARB efforts to improve last mile delivery emissions.
Harmonize project performance with emissions reductions and increase competitiveness of transit and active transportation modes (e.g. via guideline documents, funding programs, project selection, etc.).	CalSTA, SGC, OPR, CARB, Governor's Office of Business and Economic Development (GO-Biz), California Infrastructure and Economic Development Bank (IBank), Department of Finance (DOF), California Transportation Commission (CTC), Caltrans	Consistent. Although this is directed towards CARB and Caltrans, the proposed Project would be designed to promote and support pedestrian activity on-site and in the Project Site area.
By 2019, develop pricing policies to support low-GHG transportation (e.g. low-emission vehicle zones for heavy duty, road user, parking pricing, transit discounts).	CalSTA, Caltrans, CTC, OPR, SGC, CARB	Not applicable. This measure is not within the purview of this Project.
Implement California Sustainable Freight Ac	tion Plan	
Improve freight system efficiency.	CalSTA, CalEPA, CNRA, CARB, Caltrans,	Consistent. This measure would apply to all trucks accessing the Project site, this may include existing trucks or new trucks that are part of the statewide goods movement sector.



Action	Responsible Parties	Consistency
Deploy over 100,000 freight vehicles and equipment capable of zero emission operation and maximize both zero and near-zero emission freight vehicles and equipment powered by renewable energy by 2030.	CEC, GO-Biz	Not applicable. This measure is not within the purview of this Project.
Adopt a Low Carbon Fuel Standard with a Carbon Intensity reduction of 18%.	CARB	Consistent. When adopted, this measure would apply to all fuel purchased and used by the Project in the state. The Project would not obstruct or interfere with agency efforts to adopt a Low Carbon Fuel Standard with a Carbon Intensity reduction of 18%.
Implement the Short-Lived Climate Pollutan	t Strategy (SLPS) by 203	30
40% reduction in methane and hydrofluorocarbon emissions below 2013 levels.	CARB, CalRecycle, CDFA, California State Water Resource	Consistent. The Project would be required to comply with this measure and reduce any Project-source SLPS emissions accordingly. The Project would not obstruct or interfere agency efforts to reduce SLPS emissions.
50% reduction in black carbon emissions below 2013 levels.	Control Board (SWRCB), Local Air Districts	Not applicable. This measure is not within the purview of this Project.
By 2019, develop regulations and programs to support organic waste landfill reduction goals in the SLCP and SB 1383.	CARB, CalRecycle, CDFA, SWRCB, Local Air Districts	Not applicable. This measure is not within the purview of this Project.
Implement the post-2020 Cap-and-Trade Program with declining annual caps.	CARB	Consistent. The Project would be required to comply with any applicable Cap-and-Trade Program provisions. The Project would not obstruct or interfere agency efforts to implement the post-2020 Cap-and-Trade Program.
By 2018, develop Integrated Natural and Wo	orking Lands Implemen	tation Plan to secure California's land base
Protect land from conversion through conservation easements and other incentives.	CNRA, Departments Within CDFA,	Not applicable. This measure is not within the purview of this Project. However, the Project site is not an identified property that needs to be conserved.
	CalEPA, CARB	Consistent. The Project site is vacant disturbed property and does not comprise an area that would effectively provide for



Action	Responsible Parties	Consistency
Increase the long-term resilience of carbon storage in the land base and enhance sequestration capacity		carbon sequestration. The Project would not obstruct or interfere agency efforts to increase the long-term resilience of carbon storage in the land base and enhance sequestration capacity.
Utilize wood and agricultural products to increase the amount of carbon stored in the natural and built environments		Consistent. To the extent appropriate for the proposed industrial buildings, wood products would be used in construction, including for the roof structure. Additionally, the proposed Project includes landscaping.
Establish scenario projections to serve as the foundation for the Implementation Plan		Not applicable. This measure is not within the purview of this Project.
Establish a carbon accounting framework for natural and working lands as described in SB 859 by 2018	CARB	Not applicable. This measure is not within the purview of this Project.
Implement Forest Carbon Plan	CNRA, California Department of Forestry and Fire Protection (CAL FIRE), CalEPA and Departments Within	Not applicable. This measure is not within the purview of this Project.
Identify and expand funding and financing mechanisms to support GHG reductions across all sectors.	State Agencies & Local Agencies	Not applicable. This measure is not within the purview of this Project.

As shown above, the Project would not conflict with any of the 2017 Scoping Plan elements as any regulations adopted would apply directly or indirectly to the Project. Further, recent studies show that the State's existing and proposed regulatory framework would allow the State to reduce its GHG emissions level to 40% below 1990 levels by 2030 (37). Notwithstanding, the Project would result in a significant and unavoidable impact with respect to this threshold, as the Project exceeds the applicable numeric screening thresholds for GHG emissions and therefore has potential to impede the State's ability to achieve the 40% below 1990 level reduction target.



The Project would have the potential to conflict with any applicable plan, policy or regulation of an agency adopted for the purpose of reducing the emissions of GHGs.



This page intentionally left blank



4 REFERENCES

- 1. **State of California.** 2020 CEQA California Environmental Quality Act. 2020.
- 2. **Air Resources Board.** Assembly Bill 32: Global Warming Solutions Act. [Online] 2006. http://www.arb.ca.gov/cc/ab32/ab32.htm.
- 3. —. Sustainable Communities. [Online] 2008. http://www.arb.ca.gov/cc/sb375/sb375.htm.
- 4. —. Clean Car Standards Pavley, Assembly Bill 1493. [Online] September 24, 2009. http://www.arb.ca.gov/cc/ccms/ccms.htm.
- 5. **Building Standards Commission.** California Building Standards Code (Title 24, California Code of Regulations). [Online] http://www.bsc.ca.gov/codes.aspx.
- 6. **California Energy Commission.** California Code of Regulations, TITLE 20, Division 2. [Online] September 3, 2013. http://www.energy.ca.gov/reports/title20/index.html.
- 7. **Air Resources Board.** Title 17 California Code of Regulation. [Online] 2010. http://www.arb.ca.gov/regs/regs-17.htm.
- 8. **Department of Water Resources.** Updated Model Water Efficient Landscape Ordinance AB 1881. [Online] 2006. [Cited: November 13, 2013.] http://www.water.ca.gov/wateruseefficiency/landscapeordinance/updatedOrd_history.cfm.
- 9. **California Energy Commission.** SB 1368 Emission Performance Standards. [Online] September 29, 2006. http://www.energy.ca.gov/emission_standards/.
- 10. —. Renewables Portfolio Standard (RPS). [Online] 2002. http://www.energy.ca.gov/portfolio/.
- 11. **California Legislative Information.** Senate Bill No. 32. [Online] September 8, 2016. https://leginfo.legislature.ca.gov/faces/billNavClient.xhtml?bill_id=201520160SB32.
- 12. Albert A. Webb Associates. Menifee Commerce Center Project Traffic Impact Analysis. 2021.
- 13. **National Oceanic and Atmospheric Administration.** Greenhouse Gases Water Vapor. *NOAA National Centers For Environmental Information.* [Online] https://www.ncdc.noaa.gov/monitoring-references/faq/greenhouse-gases.php?section=watervapor.
- 14. Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report. International Panel on Climate Change. 4, 2007.
- 15. The Carbon Cycle and Climate Change. **Bennington, Bret J.** 1, s.l.: Brooks/Cole. ISBN 13: 978-0-495-73855-8.
- 16. **The National Institute for Occupational Safety and Health.** Carbon Dioxide. *Centers for Disease Control and Prevention.* [Online] https://www.cdc.gov/niosh/npg/npgd0103.html.
- 17. **National Oceanic and Atmospheric Administration.** Greenhouse Gases Methane. *NOAA National Centers for Environmental Information.* [Online] https://www.ncdc.noaa.gov/monitoring-references/faq/greenhouse-gases.php?section=methane.
- 18. World Resources Institute. Climate Analysis Indicator Tool (CAIT). [Online] http://cait.wri.org.
- 19. **National Oceanic and Atmospheric Administration.** Greenhouse Gases Chlorofluorocarbons. *NOAA National Centers For Environmental Information*. [Online] https://www.ncdc.noaa.gov/monitoring-references/faq/greenhouse-gases.php?section=chlorofluorocarbons.
- 20. **United States Environmental Protection Agency.** Regulation for Reducting Sulfur Hexafluoride Emissions from Gas Insulated Switchgear. *Environmental Protection Agency*. [Online] May 7, 2014.



- https://www.epa.gov/sites/production/files/2016-02/documents/mehl-arb-presentation-2014-wkshp.pdf.
- 21. **World Resources Institute.** Nitrogen Trifluoride Now Required in GHG Protocol Greenhouse Gas Emissions Inventory. [Online] May 22, 2013. https://www.wri.org/blog/2013/05/nitrogen-trifluoride-now-required-ghg-protocol-greenhouse-gas-emissions-inventories.
- 22. **National Center for Biotechnology Information.** Nitrogen Trifluoride. *PubChem Compound Database.* [Online] https://pubchem.ncbi.nlm.nih.gov/compound/24553.
- 23. **American Lung Association.** Climate Change. [Online] http://www.lung.org/our-initiatives/healthy-air/outdoor/climate-change/.
- 24. **Barbara H. Allen-Diaz.** Climate change affects us all. *University of California Agriculture and Natural Resources*. [Online] April 1, 2009. http://calag.ucanr.edu/Archive/?article=ca.v063n02p51.
- 25. Intergovernmental Panel on Climate Change. Climate Change 2013 The Physical Science Basis Working Group I Contribution to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. ARS Climate Change 2013: The Physical Science Basis. [Online] September 2013. https://www.ipcc.ch/site/assets/uploads/2018/02/WG1AR5_all_final.pdf.
- 26. United Nations. GHG Profiles Annex I. [Online] http://di.unfccc.int/ghg_profile_annex1.
- 27. —. GHG Profiles Non-Annex I. [Online] http://di.unfccc.int/ghg_profile_non_annex1.
- 28. World Resources Institute. Climate Analysis Indicator Tool (CAIT). [Online] http://cait.wri.org.
- 29. **Air Resources Board.** 2020 GHG Inventory. *California Greenhouse Gas Emission Inventory 2000-2019 Edition.* [Online] https://ww3.arb.ca.gov/cc/inventory/pubs/reports/2000_2019/ghg_inventory_trends_00-19.pdf.
- 30. California Energy Commission. Our Changing Climate Assessing the Risks to California. 2006.
- 31. **Center for Climate and Energy Solutions (C2ES).** Outcomes of the U.N. Climate Change Conference. *Center for Climate and Energy Solutions (C2ES).* [Online] 2015. http://www.c2es.org/international/negotiations/cop21-paris/summary.
- 32. **Agency, United States Environmental Protection.** Endangerment and Cause or Contribute Findings for Greenhouse Gases under the Section 202(a) of the Clean Air Act. *United States Environmental Protection Agency.* [Online] 2020. https://www.epa.gov/ghgemissions/endangerment-and-cause-or-contribute-findings-greenhouse-gases-under-section-202a-clean.
- 33. **Federal Register.** Mid-Term Evaluation of Greenhouse Gas Emissions Standards for Model Year 2022-2025 Light-Duty Vehicles. [Online] 2018. https://www.federalregister.gov/documents/2018/04/13/2018-07364/mid-term-evaluation-of-greenhouse-gas-emissions-standards-for-model-year-2022-2025-light-duty.
- 34. **Administration, National Highway Traffic Safety.** SAFE: The Safer Affordable Fuel-Efficient 'SAFE' Vehicle Rule. *National Highway Traffic Safety Administration*. [Online] 2020. https://www.nhtsa.gov/corporate-average-fuel-economy/safe.
- 35. **United States Environmental Protection Agency.** SmartWay. [Online] 2017. https://www.epa.gov/smartway/learn-about-smartway.
- 36. **California Air Resources Board.** California's 2017 Climate Change Scoping Plan . [Online] 2017. https://ww3.arb.ca.gov/cc/scopingplan/scoping plan 2017 es.pdf.
- 37. Lawrence Berkeley National Laboratory. California's Policies Can Significantly Cut Greenhouse Gas Emissions through 2030. Lawrence Berkeley National Laboratory. [Online] January 22, 2015.



- http://newscenter.lbl.gov/2015/01/22/californias-policies-can-significantly-cut-greenhouse-gasemissions-2030/.
- 38. **Ernest Orlando Lawrence Berkeley National Laboratory.** Modeling California policy impacts on greenhouse gas emissions. [Online] 2015. https://eaei.lbl.gov/sites/all/files/lbnl-7008e.pdf.
- 39. **California Air Resources Board.** Legal Disclaimer & User's Notice. [Online] April 2019. https://ww3.arb.ca.gov/cc/capandtrade/capandtrade/ct_reg_unofficial.pdf.
- 40. —. Climate Change Scoping Plan. [Online] 2014. https://ww3.arb.ca.gov/cc/scopingplan/2013_update/first_update_climate_change_scoping_plan.p df.
- 41. —. Low Carbon Fuel Standard. [Online] December 2019. https://ww3.arb.ca.gov/fuels/lcfs/lcfs.htm.
- 42. **Association of Environmental Professionals.** 2018 CEQA California Environmental Quality Act. 2018.
- 43. **California Air Pollution Control Officers Association (CAPCOA).** California Emissions Estimator Model (CalEEMod). [Online] September 2016. www.caleemod.com.
- 44. **California Natural Resources Agency.** Final Statement of Reasons for Regulatory Action, Amendments to the State CEQA Guidelines Addressing Analysis and Mitigation of Greenhouse Gas Emissions Pursuant to SB97. [Online] December 2009.
- 45. Minutes for the GHG CEQA Significance. South Coast Air Quality Managment District. 2008.
- 46. **Urban Crossroads, Inc.** *Menifee Commerce Center Air Quality Impact Analysis Report.* 2022.
- 47. **State of California.** 2019 CEQA California Environmental Quality Act. 2019.
- 48. **South Coast Air Quality Management District.** *Greenhouse Gas CEQA Significance Threshold Stakeholder Working Group #13.* [Powerpoint] Diamond Bar: s.n., 2009.
- 49. **AECOM.** Zero-Emissions Cargo-Handling Equipment Feasibility Assessment. [Online] November 21, 2019. [Cited: February 7, 2022.] https://www.portofoakland.com/files/PDF/AECOM%20Zero%20emission%20CHE%20feasibility%20 assessment%20Nov%202019.pdf.
- 50. Eastern Municipal Water District. Menifee Commerce Center Water Supply Assessment Report. 2021.
- 51. South Coast AQMD provides \$16 Million to Test Integration of Battery Electric Trucks into Large-scale Fleet Operations. South Coast Air Quality Management District. 2019.
- 52. **Air Resources Board.** California's 2017 Climate Change Scoping Plan: The Strategy for Achieving Carlifornia's 2030 Greenhouse Gas Target. [Online] https://ww2.arb.ca.gov/sites/default/files/classic/cc/scopingplan/2030sp_pp_final.pdf.
- 53. **South Coast Air Quality Management District.** Warehouse ISR Working Group. [Online] 2019. http://www.aqmd.gov/docs/default-source/planning/fbmsm-docs/whse_isr_8-23-19_final.pdf?sfvrsn=6.
- 54. —. BOARD MEETING DATE: December 5, 2008 Agenda No. 31. *South Coast Air Quality Management District*. [Online] December 5, 2008. http://www.agmd.gov/hb/2008/December/081231a.htm.
- 55. **Air Resources Board.** 2019 GHG Inventory. *California Greenhouse Gas Emission Inventory 2000-2017 Edition.* [Online] [Cited: September 19, 2019.] http://www.arb.ca.gov/cc/inventory/data/data.htm.
- 56. **South Coast Air Quality Management District.** Interim CEQA GHG Significance Threshold for Stationary Sources, Rules and Plans. [Online] http://www.aqmd.gov/docs/default-source/ceqa/handbook/greenhouse-gases-(ghg)-ceqa-significance-thresholds/year-2008-2009/ghg-meeting-8/ghg-meeting-8-minutes.pdf?sfvrsn=2.



57. **Southern California Air Quality Management District.** California Emissions Estimator Model User's Guide Version 2016.3.2. [Online] http://www.aqmd.gov/docs/default-source/caleemod/01_user-39-s-guide2016-3-2_15november2017.pdf?sfvrsn=4.



This page intentionally left blank



5 CERTIFICATIONS

The contents of this GHG study report represent an accurate depiction of the GHG impacts associated with the proposed Menifee Commerce Center Project. The information contained in this GHG report is based on the best available data at the time of preparation. If you have any questions, please contact me directly at hqueshi@urbanxroads.com.

Haseeb Qureshi
Associate Principal
URBAN CROSSROADS, INC.
hqureshi@urbanxroads.com

EDUCATION

Master of Science in Environmental Studies California State University, Fullerton • May 2010

Bachelor of Arts in Environmental Analysis and Design University of California, Irvine • June, 2006

PROFESSIONAL AFFILIATIONS

AEP – Association of Environmental Planners AWMA – Air and Waste Management Association ASTM – American Society for Testing and Materials

PROFESSIONAL CERTIFICATIONS

Planned Communities and Urban Infill – Urban Land Institute • June 2011 Indoor Air Quality and Industrial Hygiene – EMSL Analytical • April 2008 Principles of Ambient Air Monitoring – California Air Resources Board • August 2007 AB2588 Regulatory Standards – Trinity Consultants • November 2006 Air Dispersion Modeling – Lakes Environmental • June 2006



This page intentionally left blank



APPENDIX 3.1:

CALEEMOD CONSTRUCTION EMISSIONS MODEL OUTPUTS



CalEEMod Version: CalEEMod.2020.4.0 Page 1 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

14616 Menifee Commerce Construction Mitigated

Riverside-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population	
Unrefrigerated Warehouse-No Rail	1,640.13	1000sqft	37.65	1,640,130.00	0	
Other Asphalt Surfaces	34.43	Acre	34.43	1,499,770.80	0	

Precipitation Freq (Days)

(lb/MWhr)

28

1.2 Other Project Characteristics

Urban

Climate Zone	10			Operational Year	2024
Utility Company	Southern California I	Edison			
CO2 Intensity	390.98	CH4 Intensity	0.033	N2O Intensity	0.004

2.4

Wind Speed (m/s)

(lb/MWhr)

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use -

(lb/MWhr)

Urbanization

Construction Phase - Construction schedule based on Project-specific data.

Off-road Equipment - Equipment based on data provided by Project team.

Off-road Equipment - Equipment based on data provided by Project team.

Off-road Equipment - Equipment based on data provided by Project team.

Off-road Equipment - Equipment based on data provided by Project team.

Off-road Equipment - Equipment based on data provided by Project team.

Off-road Equipment -

Off-road Equipment - Equipment based on data provided by Project team.

Off-road Equipment -

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Off-road Equipment -

Off-road Equipment - In order to account for fugitive dust emissions, crawler tractors were used in lieu of tractors/loaders/backhoes.

Off-road Equipment - Equipment based on data provided by Project team.

Off-road Equipment - Equipment based on data provided by Project team.

Off-road Equipment - Equipment based on data provided by Project team.

Trips and VMT -

Demolition - Equipment based on data provided by Project team.

Grading - Assumes 5 acres will be graded per day.

Architectural Coating - Project will utilize super-compliant architectural coatings.

Vehicle Trips - Construction only

Vehicle Emission Factors -

Vehicle Emission Factors -

Vehicle Emission Factors -

Consumer Products - Construction only

Area Coating - Construction only

Energy Use - Construction only

Water And Wastewater - Construction only

Solid Waste - Construction only

Construction Off-road Equipment Mitigation - Project will utilize Tier 3 construction equipment

Mobile Commute Mitigation -

Area Mitigation -

Fleet Mix -

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	EF_Nonresidential_Exterior	100.00	10.00
tblArchitecturalCoating	EF_Nonresidential_Interior	100.00	10.00
tblAreaCoating	ReapplicationRatePercent	10	0
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00

tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	4.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	6.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	6.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	6.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	7.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	9.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	5.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	26.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	6.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim

Date: 1/19/2022 3:21 PM

Tier	No Change	Tier 3
Tier	No Change	Tier 3
Tier	No Change	Tier 3
NumDays	75.00	65.00
NumDays	1,110.00	260.00
NumDays	70.00	22.00
NumDays	110.00	15.00
NumDays	110.00	57.00
NumDays	110.00	15.00
NumDays	110.00	20.00
NumDays	110.00	40.00
NumDays	75.00	55.00
NumDays	75.00	65.00
NumDays	40.00	7.00
NumDays	40.00	30.00
ROG_EF	1.98E-05	0
ROG_EF_Degreaser	3.542E-07	0
ROG_EF_PesticidesFertilizers	5.152E-08	0
LightingElect	1.17	0.00
NT24E	0.82	0.00
NT24NG	0.03	0.00
T24E	0.33	0.00
T24NG	1.98	0.00
AcresOfGrading	157.50	75.00
AcresOfGrading	627.00	285.00
AcresOfGrading	30.00	100.00
AcresOfGrading	60.00	200.00
AcresOfGrading	105.00	150.00
MaterialImported	0.00	174,100.00
	Tier NumDays The Rog_EF Rog_EF_Degreaser Rog_EF_PesticidesFertilizers LightingElect NT24E NT24NG T24E T24NG AcresOfGrading	Tier No Change Tier No Change NumDays 75.00 NumDays 1,110.00 NumDays 70.00 NumDays 110.00 NumDays 110.00 NumDays 110.00 NumDays 110.00 NumDays 75.00 NumDays 75.00 NumDays 40.00 NumDays 40.00 ROG_EF 1.98E-05 ROG_EF_Degreaser 3.542E-07 ROG_EF_PesticidesFertilizers 5.152E-08 LightingElect 1.17 NT24E 0.82 NT24NG 0.03 T24E 0.33 T24B 1.98 AcresOfGrading 157.50 AcresOfGrading 627.00 AcresOfGrading 60.00 AcresOfGrading 60.00 AcresOfGrading 105.00

tblOffRoadEquipment tblOffRoadEquipment tblOffRoadEquipment tblOffRoadEquipment tblOffRoadEquipment tblOffRoadEquipment tblOffRoadEquipment	HorsePower HorsePower HorsePower HorsePower HorsePower LoadFactor LoadFactor	247.00 367.00 212.00 203.00 203.00 0.40	158.00 187.00 97.00 247.00 247.00 0.38
tblOffRoadEquipment tblOffRoadEquipment tblOffRoadEquipment tblOffRoadEquipment tblOffRoadEquipment	HorsePower HorsePower HorsePower LoadFactor	212.00 203.00 203.00 0.40	97.00 247.00 247.00
tblOffRoadEquipment tblOffRoadEquipment tblOffRoadEquipment tblOffRoadEquipment	HorsePower HorsePower LoadFactor	203.00 203.00 0.40	247.00 247.00
tblOffRoadEquipment tblOffRoadEquipment tblOffRoadEquipment	HorsePower LoadFactor	203.00	247.00
tblOffRoadEquipment tblOffRoadEquipment	LoadFactor	0.40	
tblOffRoadEquipment	•		0.38
	LoadFactor		
		0.48	0.41
tblOffRoadEquipment	LoadFactor	0.43	0.37
tblOffRoadEquipment	LoadFactor	0.36	0.40
tblOffRoadEquipment	LoadFactor	0.36	0.40
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	6.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	4.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	4.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	4.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	10.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	10.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	4.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	1.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	1.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	6.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	UsageHours	6.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblSolidWaste	SolidWasteGenerationRate	1,541.72	0.00

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblVehicleTrips	ST_TR	1.74	0.00
tblVehicleTrips	SU_TR	1.74	0.00
tblVehicleTrips	WD_TR	1.74	0.00
tblWater	IndoorWaterUseRate	379,280,062.50	0.00

2.0 Emissions Summary

CalEEMod Version: CalEEMod.2020.4.0 Page 7 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					ton	s/yr							MT	/yr		
2023	1.0506	9.3389	9.3595	0.0328	2.5690	0.3274	2.8964	0.8305	0.3043	1.1348	0.0000	3,027.432 1	3,027.432 1	0.3292	0.2052	3,096.819 7
2024	1.6815	4.2633	6.7325	0.0193	1.2480	0.1522	1.4002	0.3190	0.1422	0.4612	0.0000	1,779.425 0	1,779.425 0	0.1761	0.0909	1,810.925 7
Maximum	1.6815	9.3389	9.3595	0.0328	2.5690	0.3274	2.8964	0.8305	0.3043	1.1348	0.0000	3,027.432 1	3,027.432 1	0.3292	0.2052	3,096.819 7

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					ton	s/yr							MT	/yr		
2023	0.6170	7.2135	10.6278	0.0328	1.9084	0.2184	2.1268	0.5689	0.2170	0.7859	0.0000	3,027.430 9	3,027.430 9	0.3292	0.2052	3,096.818 5
2024	1.5121	4.4718	7.3852	0.0193	1.1833	0.2001	1.3834	0.3120	0.1994	0.5114	0.0000	1,779.424 3	1,779.424 3	0.1761	0.0909	1,810.925 0
Maximum	1.5121	7.2135	10.6278	0.0328	1.9084	0.2184	2.1268	0.5689	0.2170	0.7859	0.0000	3,027.430 9	3,027.430 9	0.3292	0.2052	3,096.818 5

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	22.07	14.09	-11.94	0.00	19.00	12.74	18.30	23.36	6.75	18.72	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
5	12-23-2022	3-22-2023	2.8850	1.7645
6	3-23-2023	6-22-2023	3.9312	2.4658
7	6-23-2023	9-22-2023	2.3755	2.1053
8	9-23-2023	12-22-2023	2.1547	2.0174
9	12-23-2023	3-22-2024	2.2676	2.1837
10	3-23-2024	6-22-2024	1.8580	1.8709
11	6-23-2024	9-22-2024	1.4285	1.5736
12	9-23-2024	9-30-2024	0.0999	0.1000
		Highest	3.9312	2.4658

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr												МТ	/yr		
Area	1.9700e- 003	1.9000e- 004	0.0213	0.0000		8.0000e- 005	8.0000e- 005		8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443
Energy	0.0000	0.0000	0.0000	0.0000	 	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Waste	,					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Water	,					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	1.9700e- 003	1.9000e- 004	0.0213	0.0000	0.0000	8.0000e- 005	8.0000e- 005	0.0000	8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443

CalEEMod Version: CalEEMod.2020.4.0 Page 10 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Area	1.9700e- 003	1.9000e- 004	0.0213	0.0000		8.0000e- 005	8.0000e- 005		8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443
Energy	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Waste						0.0000	0.0000	 	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Water	n					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	1.9700e- 003	1.9000e- 004	0.0213	0.0000	0.0000	8.0000e- 005	8.0000e- 005	0.0000	8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/1/2023	1/31/2023	5	22	
2	Clear Site	Site Preparation	2/1/2023	2/9/2023	5	7	
3	Recompact	Grading	2/10/2023	3/2/2023	5	15	

CalEEMod Version: CalEEMod.2020.4.0 Page 11 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

4	Recompact and Import	Grading	3/3/2023	5/22/2023	5	57	
5	Fine Grade	Grading	5/23/2023	6/12/2023	5	15	
6	Offsite Site Prep	Site Preparation	6/13/2023	7/24/2023	5	30	
7	Building Construction	Building Construction	6/13/2023	6/10/2024	5	260	
8	2nd Move In	Grading	11/1/2023	11/28/2023	5	20	
9	3rd Move In	Grading	2/1/2024	3/27/2024	5	40	
10	Offsite Paving	Paving	6/11/2024	8/26/2024	5	55	
11	Paving	Paving	6/11/2024	9/9/2024	5	65	
12	Architectural Coating	Architectural Coating	9/10/2024	12/9/2024	5	65	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 75

Acres of Paving: 34.43

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 2,460,195; Non-Residential Outdoor: 820,065; Striped Parking Area: 89,986 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Clear Site	Rubber Tired Loaders	1	8.00	247	0.40
Recompact and Import	Rubber Tired Dozers	2	8.00	247	0.40
Recompact and Import	Scrapers	10	8.00	367	0.48
Recompact and Import	Sweepers/Scrubbers	1	8.00	64	0.46
Fine Grade	Graders	1	8.00	187	0.41
Fine Grade	Rubber Tired Dozers	1	8.00	247	0.40
Fine Grade	Scrapers	4	8.00	367	0.48
Offsite Site Prep	Crawler Tractors	4	8.00	97	0.37

CalEEMod Version: CalEEMod.2020.4.0 Page 12 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Rubber Tired Dozers	3	8.00	247	0.40
Cranes	2	8.00	231	0.29
Forklifts	6	8.00	89	0.20
Generator Sets	2	8.00	84	0.74
Tractors/Loaders/Backhoes	6	8.00	97	0.37
Welders	2	8.00	46	0.45
Graders	1	8.00	187	0.41
Rubber Tired Loaders	2	8.00	203	0.36
Scrapers	1	8.00	367	0.48
Graders	1	8.00	187	0.41
Rollers	1	8.00	80	0.38
Rubber Tired Loaders	2	8.00	247	0.40
Scrapers	1	8.00	367	0.48
Pavers	2	8.00	130	0.42
Paving Equipment	2	8.00	132	0.36
Rollers	2	8.00	80	0.38
Pavers	4	8.00	130	0.42
Paving Equipment	4	8.00	132	0.36
Rollers	4	8.00	80	0.38
Air Compressors	2	8.00	78	0.48
Rubber Tired Dozers	1	8.00	158	0.38
Scrapers	10	8.00	187	0.41
	Rubber Tired Dozers Cranes Forklifts Generator Sets Tractors/Loaders/Backhoes Welders Graders Rubber Tired Loaders Scrapers Graders Rollers Rubber Tired Loaders Scrapers Pavers Pavers Paving Equipment Rollers Paving Equipment Rollers Air Compressors Rubber Tired Dozers Scrapers	Cranes 2 Forklifts 6 Generator Sets 2 Tractors/Loaders/Backhoes 6 Welders 2 Graders 1 Rubber Tired Loaders 2 Scrapers 1 Rollers 1 Rubber Tired Loaders 2 Scrapers 1 Pavers 2 Paving Equipment 2 Rollers 4 Paving Equipment 4 Rollers 4 Air Compressors 2 Rubber Tired Dozers 1	Cranes 2 8.00 Forklifts 6 8.00 Generator Sets 2 8.00 Tractors/Loaders/Backhoes 6 8.00 Welders 2 8.00 Graders 1 8.00 Rubber Tired Loaders 2 8.00 Scrapers 1 8.00 Rollers 1 8.00 Rubber Tired Loaders 2 8.00 Scrapers 1 8.00 Pavers 2 8.00 Paving Equipment 2 8.00 Pavers 4 8.00 Paving Equipment 4 8.00 Rollers 4 8.00 Rubber Tired Dozers 1 8.00	Cranes 2 8.00 231 Forklifts 6 8.00 89 Generator Sets 2 8.00 84 Tractors/Loaders/Backhoes 6 8.00 97 Welders 2 8.00 46 Graders 1 8.00 187 Rubber Tired Loaders 2 8.00 203 Scrapers 1 8.00 367 Graders 1 8.00 367 Rollers 1 8.00 80 Rubber Tired Loaders 2 8.00 247 Scrapers 1 8.00 367 Pavers 2 8.00 360 Pavers 4 8.00 30 Pavers 4 8.00 30 Rollers

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	39.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Clear Site	1	3.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

CalEEMod Version: CalEEMod.2020.4.0 Page 13 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Recompact and	13	33.00	0.00	21,763.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Fine Grade	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Offsite Site Prep		18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	18	1,319.00	515.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
2nd Move In	4	10.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
3rd Move In	5	13.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Offsite Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	12	30.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	2	264.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Recompact	11	28.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment Water Exposed Area

3.2 **Demolition - 2023**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	⁻ /yr		
Fugitive Dust					4.2300e- 003	0.0000	4.2300e- 003	6.4000e- 004	0.0000	6.4000e- 004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0250	0.2363	0.2161	4.3000e- 004		0.0110	0.0110		0.0102	0.0102	0.0000	37.3913	37.3913	0.0105	0.0000	37.6531
Total	0.0250	0.2363	0.2161	4.3000e- 004	4.2300e- 003	0.0110	0.0152	6.4000e- 004	0.0102	0.0109	0.0000	37.3913	37.3913	0.0105	0.0000	37.6531

CalEEMod Version: CalEEMod.2020.4.0 Page 14 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.2 Demolition - 2023

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton				МТ	/уг						
Hauling	4.0000e- 005	2.0500e- 003	5.4000e- 004	1.0000e- 005	3.4000e- 004	2.0000e- 005	3.6000e- 004	9.0000e- 005	2.0000e- 005	1.1000e- 004	0.0000	1.0387	1.0387	1.0000e- 005	1.6000e- 004	1.0879
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.4000e- 004	4.0000e- 004	5.1800e- 003	2.0000e- 005	1.8100e- 003	1.0000e- 005	1.8200e- 003	4.8000e- 004	1.0000e- 005	4.9000e- 004	0.0000	1.3965	1.3965	3.0000e- 005	4.0000e- 005	1.4082
Total	5.8000e- 004	2.4500e- 003	5.7200e- 003	3.0000e- 005	2.1500e- 003	3.0000e- 005	2.1800e- 003	5.7000e- 004	3.0000e- 005	6.0000e- 004	0.0000	2.4352	2.4352	4.0000e- 005	2.0000e- 004	2.4961

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					1.6500e- 003	0.0000	1.6500e- 003	2.5000e- 004	0.0000	2.5000e- 004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0102	0.2014	0.2714	4.3000e- 004		9.4900e- 003	9.4900e- 003	 	9.4900e- 003	9.4900e- 003	0.0000	37.3912	37.3912	0.0105	0.0000	37.6530
Total	0.0102	0.2014	0.2714	4.3000e- 004	1.6500e- 003	9.4900e- 003	0.0111	2.5000e- 004	9.4900e- 003	9.7400e- 003	0.0000	37.3912	37.3912	0.0105	0.0000	37.6530

CalEEMod Version: CalEEMod.2020.4.0 Page 15 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.2 Demolition - 2023

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton				MT	/yr						
Hauling	4.0000e- 005	2.0500e- 003	5.4000e- 004	1.0000e- 005	3.4000e- 004	2.0000e- 005	3.6000e- 004	9.0000e- 005	2.0000e- 005	1.1000e- 004	0.0000	1.0387	1.0387	1.0000e- 005	1.6000e- 004	1.0879
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.4000e- 004	4.0000e- 004	5.1800e- 003	2.0000e- 005	1.8100e- 003	1.0000e- 005	1.8200e- 003	4.8000e- 004	1.0000e- 005	4.9000e- 004	0.0000	1.3965	1.3965	3.0000e- 005	4.0000e- 005	1.4082
Total	5.8000e- 004	2.4500e- 003	5.7200e- 003	3.0000e- 005	2.1500e- 003	3.0000e- 005	2.1800e- 003	5.7000e- 004	3.0000e- 005	6.0000e- 004	0.0000	2.4352	2.4352	4.0000e- 005	2.0000e- 004	2.4961

3.3 Clear Site - 2023

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.2800e- 003	0.0126	7.1400e- 003	3.0000e- 005		4.2000e- 004	4.2000e- 004		3.9000e- 004	3.9000e- 004	0.0000	2.5994	2.5994	8.4000e- 004	0.0000	2.6205
Total	1.2800e- 003	0.0126	7.1400e- 003	3.0000e- 005	0.0000	4.2000e- 004	4.2000e- 004	0.0000	3.9000e- 004	3.9000e- 004	0.0000	2.5994	2.5994	8.4000e- 004	0.0000	2.6205

CalEEMod Version: CalEEMod.2020.4.0 Page 16 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.3 Clear Site - 2023
Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
1	3.0000e- 005	3.0000e- 005	3.3000e- 004	0.0000	1.2000e- 004	0.0000	1.2000e- 004	3.0000e- 005	0.0000	3.0000e- 005	0.0000	0.0889	0.0889	0.0000	0.0000	0.0896
Total	3.0000e- 005	3.0000e- 005	3.3000e- 004	0.0000	1.2000e- 004	0.0000	1.2000e- 004	3.0000e- 005	0.0000	3.0000e- 005	0.0000	0.0889	0.0889	0.0000	0.0000	0.0896

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	7.3000e- 004	0.0142	0.0159	3.0000e- 005		5.4000e- 004	5.4000e- 004	1 1 1 1	5.4000e- 004	5.4000e- 004	0.0000	2.5994	2.5994	8.4000e- 004	0.0000	2.6205
Total	7.3000e- 004	0.0142	0.0159	3.0000e- 005	0.0000	5.4000e- 004	5.4000e- 004	0.0000	5.4000e- 004	5.4000e- 004	0.0000	2.5994	2.5994	8.4000e- 004	0.0000	2.6205

CalEEMod Version: CalEEMod.2020.4.0 Page 17 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.3 Clear Site - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.0000e- 005	3.0000e- 005	3.3000e- 004	0.0000	1.2000e- 004	0.0000	1.2000e- 004	3.0000e- 005	0.0000	3.0000e- 005	0.0000	0.0889	0.0889	0.0000	0.0000	0.0896
Total	3.0000e- 005	3.0000e- 005	3.3000e- 004	0.0000	1.2000e- 004	0.0000	1.2000e- 004	3.0000e- 005	0.0000	3.0000e- 005	0.0000	0.0889	0.0889	0.0000	0.0000	0.0896

3.4 Recompact - 2023

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.0849	0.0000	0.0849	0.0291	0.0000	0.0291	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0369	0.3780	0.2001	5.3000e- 004		0.0171	0.0171	 	0.0158	0.0158	0.0000	46.6157	46.6157	0.0151	0.0000	46.9927
Total	0.0369	0.3780	0.2001	5.3000e- 004	0.0849	0.0171	0.1021	0.0291	0.0158	0.0449	0.0000	46.6157	46.6157	0.0151	0.0000	46.9927

CalEEMod Version: CalEEMod.2020.4.0 Page 18 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.4 Recompact - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.8000e- 004	5.0000e- 004	6.5900e- 003	2.0000e- 005	2.3100e- 003	1.0000e- 005	2.3200e- 003	6.1000e- 004	1.0000e- 005	6.2000e- 004	0.0000	1.7773	1.7773	4.0000e- 005	5.0000e- 005	1.7923
Total	6.8000e- 004	5.0000e- 004	6.5900e- 003	2.0000e- 005	2.3100e- 003	1.0000e- 005	2.3200e- 003	6.1000e- 004	1.0000e- 005	6.2000e- 004	0.0000	1.7773	1.7773	4.0000e- 005	5.0000e- 005	1.7923

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Fugitive Dust					0.0331	0.0000	0.0331	0.0114	0.0000	0.0114	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
I on read	9.0700e- 003	0.1493	0.2931	5.3000e- 004		1.7000e- 003	1.7000e- 003		1.7000e- 003	1.7000e- 003	0.0000	46.6157	46.6157	0.0151	0.0000	46.9926
Total	9.0700e- 003	0.1493	0.2931	5.3000e- 004	0.0331	1.7000e- 003	0.0348	0.0114	1.7000e- 003	0.0131	0.0000	46.6157	46.6157	0.0151	0.0000	46.9926

CalEEMod Version: CalEEMod.2020.4.0 Page 19 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.4 Recompact - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.8000e- 004	5.0000e- 004	6.5900e- 003	2.0000e- 005	2.3100e- 003	1.0000e- 005	2.3200e- 003	6.1000e- 004	1.0000e- 005	6.2000e- 004	0.0000	1.7773	1.7773	4.0000e- 005	5.0000e- 005	1.7923
Total	6.8000e- 004	5.0000e- 004	6.5900e- 003	2.0000e- 005	2.3100e- 003	1.0000e- 005	2.3200e- 003	6.1000e- 004	1.0000e- 005	6.2000e- 004	0.0000	1.7773	1.7773	4.0000e- 005	5.0000e- 005	1.7923

3.5 Recompact and Import - 2023

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Fugitive Dust					0.5054	0.0000	0.5054	0.2067	0.0000	0.2067	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.2684	2.8156	1.9808	4.8900e- 003		0.1140	0.1140		0.1048	0.1048	0.0000	429.2270	429.2270	0.1388	0.0000	432.6975
Total	0.2684	2.8156	1.9808	4.8900e- 003	0.5054	0.1140	0.6194	0.2067	0.1048	0.3115	0.0000	429.2270	429.2270	0.1388	0.0000	432.6975

CalEEMod Version: CalEEMod.2020.4.0 Page 20 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Recompact and Import - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0230	1.1464	0.3014	5.9800e- 003	0.1877	0.0131	0.2008	0.0515	0.0126	0.0641	0.0000	579.6376	579.6376	8.1800e- 003	0.0913	607.0605
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.0500e- 003	2.2600e- 003	0.0295	9.0000e- 005	0.0103	5.0000e- 005	0.0104	2.7400e- 003	5.0000e- 005	2.7900e- 003	0.0000	7.9598	7.9598	2.0000e- 004	2.1000e- 004	8.0269
Total	0.0261	1.1487	0.3310	6.0700e- 003	0.1980	0.0132	0.2112	0.0543	0.0126	0.0669	0.0000	587.5974	587.5974	8.3800e- 003	0.0916	615.0873

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Fugitive Dust					0.1971	0.0000	0.1971	0.0806	0.0000	0.0806	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0845	1.4132	2.6152	4.8900e- 003		0.0187	0.0187	 	0.0187	0.0187	0.0000	429.2265	429.2265	0.1388	0.0000	432.6970
Total	0.0845	1.4132	2.6152	4.8900e- 003	0.1971	0.0187	0.2158	0.0806	0.0187	0.0993	0.0000	429.2265	429.2265	0.1388	0.0000	432.6970

CalEEMod Version: CalEEMod.2020.4.0 Page 21 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Recompact and Import - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0230	1.1464	0.3014	5.9800e- 003	0.1877	0.0131	0.2008	0.0515	0.0126	0.0641	0.0000	579.6376	579.6376	8.1800e- 003	0.0913	607.0605
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.0500e- 003	2.2600e- 003	0.0295	9.0000e- 005	0.0103	5.0000e- 005	0.0104	2.7400e- 003	5.0000e- 005	2.7900e- 003	0.0000	7.9598	7.9598	2.0000e- 004	2.1000e- 004	8.0269
Total	0.0261	1.1487	0.3310	6.0700e- 003	0.1980	0.0132	0.2112	0.0543	0.0126	0.0669	0.0000	587.5974	587.5974	8.3800e- 003	0.0916	615.0873

3.6 Fine Grade - 2023

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Fugitive Dust					0.0849	0.0000	0.0849	0.0291	0.0000	0.0291	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0316	0.3369	0.2201	5.7000e- 004		0.0133	0.0133		0.0122	0.0122	0.0000	49.9975	49.9975	0.0162	0.0000	50.4017
Total	0.0316	0.3369	0.2201	5.7000e- 004	0.0849	0.0133	0.0982	0.0291	0.0122	0.0413	0.0000	49.9975	49.9975	0.0162	0.0000	50.4017

CalEEMod Version: CalEEMod.2020.4.0 Page 22 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Fine Grade - 2023
Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr				МТ	√yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.7000e- 004	2.7000e- 004	3.5300e- 003	1.0000e- 005	1.2400e- 003	1.0000e- 005	1.2400e- 003	3.3000e- 004	1.0000e- 005	3.3000e- 004	0.0000	0.9521	0.9521	2.0000e- 005	2.0000e- 005	0.9602
Total	3.7000e- 004	2.7000e- 004	3.5300e- 003	1.0000e- 005	1.2400e- 003	1.0000e- 005	1.2400e- 003	3.3000e- 004	1.0000e- 005	3.3000e- 004	0.0000	0.9521	0.9521	2.0000e- 005	2.0000e- 005	0.9602

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton				MT	/yr						
Fugitive Dust					0.0331	0.0000	0.0331	0.0114	0.0000	0.0114	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0102	0.1741	0.3027	5.7000e- 004		2.7900e- 003	2.7900e- 003		2.7900e- 003	2.7900e- 003	0.0000	49.9974	49.9974	0.0162	0.0000	50.4017
Total	0.0102	0.1741	0.3027	5.7000e- 004	0.0331	2.7900e- 003	0.0359	0.0114	2.7900e- 003	0.0142	0.0000	49.9974	49.9974	0.0162	0.0000	50.4017

CalEEMod Version: CalEEMod.2020.4.0 Page 23 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Fine Grade - 2023

<u>Mitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.7000e- 004	2.7000e- 004	3.5300e- 003	1.0000e- 005	1.2400e- 003	1.0000e- 005	1.2400e- 003	3.3000e- 004	1.0000e- 005	3.3000e- 004	0.0000	0.9521	0.9521	2.0000e- 005	2.0000e- 005	0.9602
Total	3.7000e- 004	2.7000e- 004	3.5300e- 003	1.0000e- 005	1.2400e- 003	1.0000e- 005	1.2400e- 003	3.3000e- 004	1.0000e- 005	3.3000e- 004	0.0000	0.9521	0.9521	2.0000e- 005	2.0000e- 005	0.9602

3.7 Offsite Site Prep - 2023

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.3505	0.0000	0.3505	0.1576	0.0000	0.1576	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0520	0.5016	0.2875	5.7000e- 004		0.0286	0.0286		0.0263	0.0263	0.0000	50.1666	50.1666	0.0162	0.0000	50.5723
Total	0.0520	0.5016	0.2875	5.7000e- 004	0.3505	0.0286	0.3791	0.1576	0.0263	0.1839	0.0000	50.1666	50.1666	0.0162	0.0000	50.5723

CalEEMod Version: CalEEMod.2020.4.0 Page 24 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.7 Offsite Site Prep - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	8.8000e- 004	6.5000e- 004	8.4800e- 003	2.0000e- 005	2.9700e- 003	1.0000e- 005	2.9800e- 003	7.9000e- 004	1.0000e- 005	8.0000e- 004	0.0000	2.2851	2.2851	6.0000e- 005	6.0000e- 005	2.3044
Total	8.8000e- 004	6.5000e- 004	8.4800e- 003	2.0000e- 005	2.9700e- 003	1.0000e- 005	2.9800e- 003	7.9000e- 004	1.0000e- 005	8.0000e- 004	0.0000	2.2851	2.2851	6.0000e- 005	6.0000e- 005	2.3044

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton				MT	/yr						
Fugitive Dust					0.1367	0.0000	0.1367	0.0614	0.0000	0.0614	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0140	0.2860	0.3444	5.7000e- 004		0.0142	0.0142	 	0.0142	0.0142	0.0000	50.1666	50.1666	0.0162	0.0000	50.5722
Total	0.0140	0.2860	0.3444	5.7000e- 004	0.1367	0.0142	0.1509	0.0614	0.0142	0.0756	0.0000	50.1666	50.1666	0.0162	0.0000	50.5722

CalEEMod Version: CalEEMod.2020.4.0 Page 25 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.7 Offsite Site Prep - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	8.8000e- 004	6.5000e- 004	8.4800e- 003	2.0000e- 005	2.9700e- 003	1.0000e- 005	2.9800e- 003	7.9000e- 004	1.0000e- 005	8.0000e- 004	0.0000	2.2851	2.2851	6.0000e- 005	6.0000e- 005	2.3044
Total	8.8000e- 004	6.5000e- 004	8.4800e- 003	2.0000e- 005	2.9700e- 003	1.0000e- 005	2.9800e- 003	7.9000e- 004	1.0000e- 005	8.0000e- 004	0.0000	2.2851	2.2851	6.0000e- 005	6.0000e- 005	2.3044

3.8 Building Construction - 2023

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.2410	2.2230	2.4927	4.1500e- 003		0.1077	0.1077		0.1012	0.1012	0.0000	357.6976	357.6976	0.0871	0.0000	359.8760
Total	0.2410	2.2230	2.4927	4.1500e- 003		0.1077	0.1077		0.1012	0.1012	0.0000	357.6976	357.6976	0.0871	0.0000	359.8760

CalEEMod Version: CalEEMod.2020.4.0 Page 26 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.8 Building Construction - 2023 <u>Unmitigated Construction Off-Site</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0402	1.2713	0.5065	6.4900e- 003	0.2343	0.0106	0.2448	0.0676	0.0101	0.0777	0.0000	623.8729	623.8729	6.3100e- 003	0.0923	651.5209
Worker	0.3083	0.2284	2.9814	8.6600e- 003	1.0438	4.9800e- 003	1.0488	0.2772	4.5800e- 003	0.2818	0.0000	803.7442	803.7442	0.0198	0.0211	810.5206
Total	0.3485	1.4997	3.4878	0.0152	1.2781	0.0156	1.2936	0.3448	0.0147	0.3595	0.0000	1,427.617 1	1,427.617 1	0.0261	0.1133	1,462.041 5

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
	0.1037	2.1916	2.7556	4.1500e- 003		0.1386	0.1386		0.1386	0.1386	0.0000	357.6972	357.6972	0.0871	0.0000	359.8755
Total	0.1037	2.1916	2.7556	4.1500e- 003		0.1386	0.1386		0.1386	0.1386	0.0000	357.6972	357.6972	0.0871	0.0000	359.8755

CalEEMod Version: CalEEMod.2020.4.0 Page 27 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.8 Building Construction - 2023 Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	ıs/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0402	1.2713	0.5065	6.4900e- 003	0.2343	0.0106	0.2448	0.0676	0.0101	0.0777	0.0000	623.8729	623.8729	6.3100e- 003	0.0923	651.5209
Worker	0.3083	0.2284	2.9814	8.6600e- 003	1.0438	4.9800e- 003	1.0488	0.2772	4.5800e- 003	0.2818	0.0000	803.7442	803.7442	0.0198	0.0211	810.5206
Total	0.3485	1.4997	3.4878	0.0152	1.2781	0.0156	1.2936	0.3448	0.0147	0.3595	0.0000	1,427.617 1	1,427.617 1	0.0261	0.1133	1,462.041 5

3.8 Building Construction - 2024 Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr									MT/yr							
Off-Road	0.1818	1.6733	1.9983	3.3500e- 003		0.0762	0.0762		0.0715	0.0715	0.0000	288.2041	288.2041	0.0698	0.0000	289.9498	
Total	0.1818	1.6733	1.9983	3.3500e- 003		0.0762	0.0762		0.0715	0.0715	0.0000	288.2041	288.2041	0.0698	0.0000	289.9498	

CalEEMod Version: CalEEMod.2020.4.0 Page 28 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.8 Building Construction - 2024 <u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e		
Category	tons/yr										MT/yr							
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		
Vendor	0.0319	1.0242	0.4034	5.1400e- 003	0.1887	8.4500e- 003	0.1972	0.0544	8.0900e- 003	0.0625	0.0000	494.8223	494.8223	5.2600e- 003	0.0731	516.7239		
Worker	0.2319	0.1638	2.2499	6.7500e- 003	0.8409	3.8300e- 003	0.8447	0.2233	3.5300e- 003	0.2268	0.0000	631.9476	631.9476	0.0145	0.0158	637.0085		
Total	0.2637	1.1880	2.6533	0.0119	1.0296	0.0123	1.0419	0.2777	0.0116	0.2893	0.0000	1,126.769 9	1,126.769 9	0.0197	0.0888	1,153.732 4		

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr									MT/yr							
Off-Road	0.0835	1.7654	2.2198	3.3500e- 003		0.1116	0.1116		0.1116	0.1116	0.0000	288.2038	288.2038	0.0698	0.0000	289.9494	
Total	0.0835	1.7654	2.2198	3.3500e- 003		0.1116	0.1116		0.1116	0.1116	0.0000	288.2038	288.2038	0.0698	0.0000	289.9494	

CalEEMod Version: CalEEMod.2020.4.0 Page 29 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.8 Building Construction - 2024 Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e		
Category	tons/yr										MT/yr							
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		
Vendor	0.0319	1.0242	0.4034	5.1400e- 003	0.1887	8.4500e- 003	0.1972	0.0544	8.0900e- 003	0.0625	0.0000	494.8223	494.8223	5.2600e- 003	0.0731	516.7239		
Worker	0.2319	0.1638	2.2499	6.7500e- 003	0.8409	3.8300e- 003	0.8447	0.2233	3.5300e- 003	0.2268	0.0000	631.9476	631.9476	0.0145	0.0158	637.0085		
Total	0.2637	1.1880	2.6533	0.0119	1.0296	0.0123	1.0419	0.2777	0.0116	0.2893	0.0000	1,126.769 9	1,126.769 9	0.0197	0.0888	1,153.732 4		

3.9 2nd Move In - 2023 <u>Unmitigated Construction On-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e			
Category	tons/yr											MT/yr							
Fugitive Dust					0.0530	0.0000	0.0530	5.7300e- 003	0.0000	5.7300e- 003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			
Off-Road	0.0171	0.1825	0.1085	3.4000e- 004		6.5300e- 003	6.5300e- 003	 	6.0100e- 003	6.0100e- 003	0.0000	30.1376	30.1376	9.7500e- 003	0.0000	30.3813			
Total	0.0171	0.1825	0.1085	3.4000e- 004	0.0530	6.5300e- 003	0.0596	5.7300e- 003	6.0100e- 003	0.0117	0.0000	30.1376	30.1376	9.7500e- 003	0.0000	30.3813			

CalEEMod Version: CalEEMod.2020.4.0 Page 30 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.9 2nd Move In - 2023
<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	3.2000e- 004	2.4000e- 004	3.1400e- 003	1.0000e- 005	1.1000e- 003	1.0000e- 005	1.1000e- 003	2.9000e- 004	0.0000	3.0000e- 004	0.0000	0.8463	0.8463	2.0000e- 005	2.0000e- 005	0.8535
Total	3.2000e- 004	2.4000e- 004	3.1400e- 003	1.0000e- 005	1.1000e- 003	1.0000e- 005	1.1000e- 003	2.9000e- 004	0.0000	3.0000e- 004	0.0000	0.8463	0.8463	2.0000e- 005	2.0000e- 005	0.8535

Mitigated Construction On-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.0207	0.0000	0.0207	2.2300e- 003	0.0000	2.2300e- 003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	7.2000e- 003	0.1313	0.1830	3.4000e- 004		3.7100e- 003	3.7100e- 003	 	3.7100e- 003	3.7100e- 003	0.0000	30.1376	30.1376	9.7500e- 003	0.0000	30.3813
Total	7.2000e- 003	0.1313	0.1830	3.4000e- 004	0.0207	3.7100e- 003	0.0244	2.2300e- 003	3.7100e- 003	5.9400e- 003	0.0000	30.1376	30.1376	9.7500e- 003	0.0000	30.3813

CalEEMod Version: CalEEMod.2020.4.0 Page 31 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.9 2nd Move In - 2023

<u>Mitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/уг		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.2000e- 004	2.4000e- 004	3.1400e- 003	1.0000e- 005	1.1000e- 003	1.0000e- 005	1.1000e- 003	2.9000e- 004	0.0000	3.0000e- 004	0.0000	0.8463	0.8463	2.0000e- 005	2.0000e- 005	0.8535
Total	3.2000e- 004	2.4000e- 004	3.1400e- 003	1.0000e- 005	1.1000e- 003	1.0000e- 005	1.1000e- 003	2.9000e- 004	0.0000	3.0000e- 004	0.0000	0.8463	0.8463	2.0000e- 005	2.0000e- 005	0.8535

3.10 3rd Move In - 2024 Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.1061	0.0000	0.1061	0.0115	0.0000	0.0115	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0389	0.3934	0.2704	8.3000e- 004		0.0146	0.0146		0.0134	0.0134	0.0000	72.5928	72.5928	0.0235	0.0000	73.1797
Total	0.0389	0.3934	0.2704	8.3000e- 004	0.1061	0.0146	0.1207	0.0115	0.0134	0.0249	0.0000	72.5928	72.5928	0.0235	0.0000	73.1797

CalEEMod Version: CalEEMod.2020.4.0 Page 32 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.10 3rd Move In - 2024 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.9000e- 004	5.6000e- 004	7.6500e- 003	2.0000e- 005	2.8600e- 003	1.0000e- 005	2.8700e- 003	7.6000e- 004	1.0000e- 005	7.7000e- 004	0.0000	2.1477	2.1477	5.0000e- 005	5.0000e- 005	2.1649
Total	7.9000e- 004	5.6000e- 004	7.6500e- 003	2.0000e- 005	2.8600e- 003	1.0000e- 005	2.8700e- 003	7.6000e- 004	1.0000e- 005	7.7000e- 004	0.0000	2.1477	2.1477	5.0000e- 005	5.0000e- 005	2.1649

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.0414	0.0000	0.0414	4.4700e- 003	0.0000	4.4700e- 003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0179	0.3340	0.4528	8.3000e- 004		0.0111	0.0111	 	0.0111	0.0111	0.0000	72.5927	72.5927	0.0235	0.0000	73.1797
Total	0.0179	0.3340	0.4528	8.3000e- 004	0.0414	0.0111	0.0524	4.4700e- 003	0.0111	0.0155	0.0000	72.5927	72.5927	0.0235	0.0000	73.1797

CalEEMod Version: CalEEMod.2020.4.0 Page 33 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.10 3rd Move In - 2024 Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.9000e- 004	5.6000e- 004	7.6500e- 003	2.0000e- 005	2.8600e- 003	1.0000e- 005	2.8700e- 003	7.6000e- 004	1.0000e- 005	7.7000e- 004	0.0000	2.1477	2.1477	5.0000e- 005	5.0000e- 005	2.1649
Total	7.9000e- 004	5.6000e- 004	7.6500e- 003	2.0000e- 005	2.8600e- 003	1.0000e- 005	2.8700e- 003	7.6000e- 004	1.0000e- 005	7.7000e- 004	0.0000	2.1477	2.1477	5.0000e- 005	5.0000e- 005	2.1649

3.11 Offsite Paving - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0272	0.2619	0.4022	6.3000e- 004		0.0129	0.0129		0.0119	0.0119	0.0000	55.0730	55.0730	0.0178	0.0000	55.5183
Paving	0.0451		 		 	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0723	0.2619	0.4022	6.3000e- 004		0.0129	0.0129		0.0119	0.0119	0.0000	55.0730	55.0730	0.0178	0.0000	55.5183

CalEEMod Version: CalEEMod.2020.4.0 Page 34 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.11 Offsite Paving - 2024

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
I Worker	1.2500e- 003	8.8000e- 004	0.0121	4.0000e- 005	4.5300e- 003	2.0000e- 005	4.5500e- 003	1.2000e- 003	2.0000e- 005	1.2200e- 003	0.0000	3.4075	3.4075	8.0000e- 005	9.0000e- 005	3.4348
Total	1.2500e- 003	8.8000e- 004	0.0121	4.0000e- 005	4.5300e- 003	2.0000e- 005	4.5500e- 003	1.2000e- 003	2.0000e- 005	1.2200e- 003	0.0000	3.4075	3.4075	8.0000e- 005	9.0000e- 005	3.4348

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0154	0.3106	0.4756	6.3000e- 004		0.0168	0.0168		0.0168	0.0168	0.0000	55.0729	55.0729	0.0178	0.0000	55.5182
Paving	0.0451					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0605	0.3106	0.4756	6.3000e- 004		0.0168	0.0168		0.0168	0.0168	0.0000	55.0729	55.0729	0.0178	0.0000	55.5182

CalEEMod Version: CalEEMod.2020.4.0 Page 35 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.11 Offsite Paving - 2024

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.2500e- 003	8.8000e- 004	0.0121	4.0000e- 005	4.5300e- 003	2.0000e- 005	4.5500e- 003	1.2000e- 003	2.0000e- 005	1.2200e- 003	0.0000	3.4075	3.4075	8.0000e- 005	9.0000e- 005	3.4348
Total	1.2500e- 003	8.8000e- 004	0.0121	4.0000e- 005	4.5300e- 003	2.0000e- 005	4.5500e- 003	1.2000e- 003	2.0000e- 005	1.2200e- 003	0.0000	3.4075	3.4075	8.0000e- 005	9.0000e- 005	3.4348

3.12 Paving - 2024

Unmitigated Construction On-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0642	0.6191	0.9507	1.4800e- 003		0.0305	0.0305		0.0280	0.0280	0.0000	130.1725	130.1725	0.0421	0.0000	131.2250
Paving	0.0451					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.1093	0.6191	0.9507	1.4800e- 003		0.0305	0.0305		0.0280	0.0280	0.0000	130.1725	130.1725	0.0421	0.0000	131.2250

CalEEMod Version: CalEEMod.2020.4.0 Page 36 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.12 Paving - 2024

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.9600e- 003	2.0900e- 003	0.0287	9.0000e- 005	0.0107	5.0000e- 005	0.0108	2.8500e- 003	4.0000e- 005	2.8900e- 003	0.0000	8.0540	8.0540	1.8000e- 004	2.0000e- 004	8.1185
Total	2.9600e- 003	2.0900e- 003	0.0287	9.0000e- 005	0.0107	5.0000e- 005	0.0108	2.8500e- 003	4.0000e- 005	2.8900e- 003	0.0000	8.0540	8.0540	1.8000e- 004	2.0000e- 004	8.1185

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0365	0.7342	1.1242	1.4800e- 003		0.0396	0.0396		0.0396	0.0396	0.0000	130.1723	130.1723	0.0421	0.0000	131.2248
Paving	0.0451		 			0.0000	0.0000	 	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0816	0.7342	1.1242	1.4800e- 003		0.0396	0.0396		0.0396	0.0396	0.0000	130.1723	130.1723	0.0421	0.0000	131.2248

CalEEMod Version: CalEEMod.2020.4.0 Page 37 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.12 Paving - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.9600e- 003	2.0900e- 003	0.0287	9.0000e- 005	0.0107	5.0000e- 005	0.0108	2.8500e- 003	4.0000e- 005	2.8900e- 003	0.0000	8.0540	8.0540	1.8000e- 004	2.0000e- 004	8.1185
Total	2.9600e- 003	2.0900e- 003	0.0287	9.0000e- 005	0.0107	5.0000e- 005	0.0108	2.8500e- 003	4.0000e- 005	2.8900e- 003	0.0000	8.0540	8.0540	1.8000e- 004	2.0000e- 004	8.1185

3.13 Architectural Coating - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Archit. Coating	0.9687					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0157	0.1056	0.1569	2.6000e- 004		5.2800e- 003	5.2800e- 003		5.2800e- 003	5.2800e- 003	0.0000	22.1282	22.1282	1.2500e- 003	0.0000	22.1594
Total	0.9844	0.1056	0.1569	2.6000e- 004		5.2800e- 003	5.2800e- 003		5.2800e- 003	5.2800e- 003	0.0000	22.1282	22.1282	1.2500e- 003	0.0000	22.1594

CalEEMod Version: CalEEMod.2020.4.0 Page 38 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.13 Architectural Coating - 2024 <u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0260	0.0184	0.2523	7.6000e- 004	0.0943	4.3000e- 004	0.0947	0.0250	4.0000e- 004	0.0254	0.0000	70.8754	70.8754	1.6200e- 003	1.7700e- 003	71.4430
Total	0.0260	0.0184	0.2523	7.6000e- 004	0.0943	4.3000e- 004	0.0947	0.0250	4.0000e- 004	0.0254	0.0000	70.8754	70.8754	1.6200e- 003	1.7700e- 003	71.4430

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Archit. Coating	0.9687					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	5.1500e- 003	0.1176	0.1588	2.6000e- 004		8.2400e- 003	8.2400e- 003		8.2400e- 003	8.2400e- 003	0.0000	22.1282	22.1282	1.2500e- 003	0.0000	22.1593
Total	0.9739	0.1176	0.1588	2.6000e- 004		8.2400e- 003	8.2400e- 003		8.2400e- 003	8.2400e- 003	0.0000	22.1282	22.1282	1.2500e- 003	0.0000	22.1593

CalEEMod Version: CalEEMod.2020.4.0 Page 39 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.13 Architectural Coating - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0260	0.0184	0.2523	7.6000e- 004	0.0943	4.3000e- 004	0.0947	0.0250	4.0000e- 004	0.0254	0.0000	70.8754	70.8754	1.6200e- 003	1.7700e- 003	71.4430
Total	0.0260	0.0184	0.2523	7.6000e- 004	0.0943	4.3000e- 004	0.0947	0.0250	4.0000e- 004	0.0254	0.0000	70.8754	70.8754	1.6200e- 003	1.7700e- 003	71.4430

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

CalEEMod Version: CalEEMod.2020.4.0 Page 40 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Mitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

4.2 Trip Summary Information

	Ave	rage Daily Trip Ra	ate	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Other Asphalt Surfaces	0.00	0.00	0.00		
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00		
Total	0.00	0.00	0.00		

4.3 Trip Type Information

		Miles			Trip %			Trip Purpos	e %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Unrefrigerated Warehouse-No	16.60	8.40	6.90	59.00	0.00	41.00	92	5	3

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Other Asphalt Surfaces	0.537845	0.056225	0.173186	0.138405	0.025906	0.007191	0.011447	0.018769	0.000611	0.000309	0.023821	0.001097	0.005189
Unrefrigerated Warehouse-No Rail	0.537845	0.056225	0.173186	0.138405	0.025906	0.007191	0.011447	0.018769	0.000611	0.000309	0.023821	0.001097	0.005189

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Electricity Unmitigated	,					0.0000	0.0000	 	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
NaturalGas Mitigated	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
NaturalGas Unmitigated	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	 	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

CalEEMod Version: CalEEMod.2020.4.0 Page 42 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGa s Use	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					ton	s/yr							MT	/yr		
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					ton	s/yr							MT	/yr		
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

CalEEMod Version: CalEEMod.2020.4.0 Page 43 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.3 Energy by Land Use - Electricity Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr		MT	-/yr	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr		МТ	-/yr	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

6.0 Area Detail

CalEEMod Version: CalEEMod.2020.4.0 Page 44 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

6.1 Mitigation Measures Area

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Mitigated		1.9000e- 004	0.0213	0.0000		8.0000e- 005	8.0000e- 005		8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443
Unmitigated	1.9700e- 003	1.9000e- 004	0.0213	0.0000		8.0000e- 005	8.0000e- 005		8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					ton	s/yr							MT	/yr		
Architectural Coating	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.9700e- 003	1.9000e- 004	0.0213	0.0000		8.0000e- 005	8.0000e- 005		8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443
Total	1.9700e- 003	1.9000e- 004	0.0213	0.0000		8.0000e- 005	8.0000e- 005		8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443

CalEEMod Version: CalEEMod.2020.4.0 Page 45 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					ton	s/yr							МТ	/yr		
Coating	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Products	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landocaping	1.9700e- 003	1.9000e- 004	0.0213	0.0000		8.0000e- 005	8.0000e- 005		8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443
Total	1.9700e- 003	1.9000e- 004	0.0213	0.0000		8.0000e- 005	8.0000e- 005		8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443

7.0 Water Detail

7.1 Mitigation Measures Water

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	Total CO2	CH4	N2O	CO2e
Category		МТ	-/yr	
ga.ca	0.0000	0.0000	0.0000	0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000

7.2 Water by Land Use Unmitigated

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal		МТ	-/yr	
Other Asphalt Surfaces	0/0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0/0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

Date: 1/19/2022 3:21 PM

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

7.2 Water by Land Use

Mitigated

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal		MT	/yr	
Other Asphalt Surfaces	0/0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0/0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

8.0 Waste Detail

8.1 Mitigation Measures Waste

Category/Year

	Total CO2	CH4	N2O	CO2e
		MT	-/yr	
ga.oa		0.0000	0.0000	0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000

CalEEMod Version: CalEEMod.2020.4.0 Page 48 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons		МТ	/yr	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons		MT	-/yr	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

9.0 Operational Offroad

CalEEMod Version: CalEEMod.2020.4.0 Page 49 of 49 Date: 1/19/2022 3:21 PM

14616 Menifee Commerce Construction Mitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type Number Hours/Day Hours/Year Horse Power Load Factor Fuel Type	Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
------------------------------------------------------------------------------	----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

11.0 Vegetation

CalEEMod Version: CalEEMod.2020.4.0 Page 1 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

14616 Menifee Commerce Construction Unmitigated

Riverside-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Unrefrigerated Warehouse-No Rail	1,640.13	1000sqft	37.65	1,640,130.00	0
Other Asphalt Surfaces	34.43	Acre	34.43	1,499,770.80	0

Precipitation Freq (Days)

28

1.2 Other Project Characteristics

Urban

Climate Zone	10			Operational Year	2024
Utility Company	Southern California	a Edison			
CO2 Intensity (lb/MWhr)	390.98	CH4 Intensity (lb/MWhr)	0.033	N2O Intensity (lb/MWhr)	0.004

2.4

Wind Speed (m/s)

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use -

Urbanization

Construction Phase - Construction schedule based on Project-specific data.

Off-road Equipment - Equipment based on data provided by Project team.

Off-road Equipment - Equipment based on data provided by Project team.

Off-road Equipment - Equipment based on data provided by Project team.

Off-road Equipment - Equipment based on data provided by Project team.

Off-road Equipment - Equipment based on data provided by Project team.

Off-road Equipment -

Off-road Equipment - Equipment based on data provided by Project team.

Off-road Equipment -

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Off-road Equipment -

Off-road Equipment - In order to account for fugitive dust emissions, crawler tractors were used in lieu of tractors/loaders/backhoes.

Off-road Equipment - Equipment based on data provided by Project team.

Off-road Equipment - Equipment based on data provided by Project team.

Off-road Equipment - Equipment based on data provided by Project team.

Trips and VMT -

Demolition - Equipment based on data provided by Project team.

Grading - Assumes 5 acres will be graded per day.

Architectural Coating - Per Rule 1113

Vehicle Trips - Construction only

Vehicle Emission Factors -

Vehicle Emission Factors -

Vehicle Emission Factors -

Consumer Products - Construction only

Area Coating - Construction only

Energy Use - Construction only

Water And Wastewater - Construction only

Solid Waste - Construction only

Construction Off-road Equipment Mitigation - Project will utilize Tier 3 construction equipment

Mobile Commute Mitigation -

Area Mitigation -

Fleet Mix -

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	EF_Nonresidential_Exterior	100.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	100.00	50.00
tblAreaCoating	ReapplicationRatePercent	10	0
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00

tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	4.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	6.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	6.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	6.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	7.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	9.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	5.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	26.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	6.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim

Date: 1/19/2022 3:18 PM

tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstructionPhase	NumDays	75.00	65.00
tblConstructionPhase	NumDays	1,110.00	260.00
tblConstructionPhase	NumDays	70.00	22.00
tblConstructionPhase	NumDays	110.00	15.00
tblConstructionPhase	NumDays	110.00	57.00
tblConstructionPhase	NumDays	110.00	15.00
tblConstructionPhase	NumDays	110.00	20.00
tblConstructionPhase	NumDays	110.00	40.00
tblConstructionPhase	NumDays	75.00	55.00
tblConstructionPhase	NumDays	75.00	65.00
tblConstructionPhase	NumDays	40.00	7.00
tblConstructionPhase	NumDays	40.00	30.00
tblConsumerProducts	ROG_EF	1.98E-05	0
tblConsumerProducts	ROG_EF_Degreaser	3.542E-07	0
tblConsumerProducts	ROG_EF_PesticidesFertilizers	5.152E-08	0
tblEnergyUse	LightingElect	1.17	0.00
tblEnergyUse	NT24E	0.82	0.00
tblEnergyUse	NT24NG	0.03	0.00
tblEnergyUse	T24E	0.33	0.00
tblEnergyUse	T24NG	1.98	0.00
tblGrading	AcresOfGrading	157.50	75.00
tblGrading	AcresOfGrading	627.00	285.00
tblGrading	AcresOfGrading	30.00	100.00
tblGrading	AcresOfGrading	60.00	200.00
tblGrading	AcresOfGrading	105.00	150.00
tblGrading	MaterialImported	0.00	174,100.00

tblOffRoadEquipment	HorsePower	247.00	158.00
tblOffRoadEquipment	HorsePower	367.00	187.00
tblOffRoadEquipment	HorsePower	212.00	97.00
tblOffRoadEquipment	HorsePower	203.00	247.00
tblOffRoadEquipment	HorsePower	203.00	247.00
tblOffRoadEquipment	LoadFactor	0.40	0.38
tblOffRoadEquipment	LoadFactor	0.48	0.41
tblOffRoadEquipment	LoadFactor	0.43	0.37
tblOffRoadEquipment	LoadFactor	0.36	0.40
tblOffRoadEquipment	LoadFactor	0.36	0.40
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	6.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	4.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	4.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	4.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	10.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	10.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	4.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	1.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	1.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	6.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	UsageHours	6.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblSolidWaste	SolidWasteGenerationRate	1,541.72	0.00

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblVehicleTrips	ST_TR	1.74	0.00
tblVehicleTrips	SU_TR	1.74	0.00
tblVehicleTrips	WD_TR	1.74	0.00
tblWater	IndoorWaterUseRate	379,280,062.50	0.00

2.0 Emissions Summary

CalEEMod Version: CalEEMod.2020.4.0 Page 7 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					ton	s/yr							МТ	/yr		
2023	1.0506	9.3389	9.3595	0.0328	2.5690	0.3274	2.8964	0.8305	0.3043	1.1348	0.0000	3,027.432 1	3,027.432 1	0.3292	0.2052	3,096.819 7
2024	4.7223	4.2633	6.7325	0.0193	1.2480	0.1522	1.4002	0.3190	0.1422	0.4612	0.0000	1,779.425 0	1,779.425 0	0.1761	0.0909	1,810.925 7
Maximum	4.7223	9.3389	9.3595	0.0328	2.5690	0.3274	2.8964	0.8305	0.3043	1.1348	0.0000	3,027.432 1	3,027.432	0.3292	0.2052	3,096.819 7

Mitigated Construction

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					ton	s/yr							MT	/yr		
2023	0.6170	7.2135	10.6278	0.0328	1.9084	0.2184	2.1268	0.5689	0.2170	0.7859	0.0000	3,027.430 9	3,027.430 9	0.3292	0.2052	3,096.818 5
2024	4.5529	4.4718	7.3852	0.0193	1.1833	0.2001	1.3834	0.3120	0.1994	0.5114	0.0000	1,779.424 3	1,779.424 3	0.1761	0.0909	1,810.925 0
Maximum	4.5529	7.2135	10.6278	0.0328	1.9084	0.2184	2.1268	0.5689	0.2170	0.7859	0.0000	3,027.430 9	3,027.430 9	0.3292	0.2052	3,096.818 5

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	10.45	14.09	-11.94	0.00	19.00	12.74	18.30	23.36	6.75	18.72	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
5	12-23-2022	3-22-2023	2.8850	1.7645
6	3-23-2023	6-22-2023	3.9312	2.4658
7	6-23-2023	9-22-2023	2.3755	2.1053
8	9-23-2023	12-22-2023	2.1547	2.0174
9	12-23-2023	3-22-2024	2.2676	2.1837
10	3-23-2024	6-22-2024	1.8580	1.8709
11	6-23-2024	9-22-2024	1.8629	2.0080
12	9-23-2024	9-30-2024	0.3672	0.3674
		Highest	3.9312	2.4658

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
/ ""	1.9700e- 003	1.9000e- 004	0.0213	0.0000		8.0000e- 005	8.0000e- 005		8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443
Energy	0.0000	0.0000	0.0000	0.0000	 	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Waste	,,					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Water	,,					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	1.9700e- 003	1.9000e- 004	0.0213	0.0000	0.0000	8.0000e- 005	8.0000e- 005	0.0000	8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443

CalEEMod Version: CalEEMod.2020.4.0 Page 10 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Area	1.9700e- 003	1.9000e- 004	0.0213	0.0000		8.0000e- 005	8.0000e- 005		8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443
Energy	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Waste					 	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Water						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	1.9700e- 003	1.9000e- 004	0.0213	0.0000	0.0000	8.0000e- 005	8.0000e- 005	0.0000	8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/1/2023	1/31/2023	5	22	
2	Clear Site	Site Preparation	2/1/2023	2/9/2023	5	7	
3	Recompact	Grading	2/10/2023	3/2/2023	5	15	

CalEEMod Version: CalEEMod.2020.4.0 Page 11 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

4	Recompact and Import	Grading	3/3/2023	5/22/2023	5	57	
5	Fine Grade	Grading	5/23/2023	6/12/2023	5	15	
6	Offsite Site Prep	Site Preparation	6/13/2023	7/24/2023	5	30	
7	Building Construction	Building Construction	6/13/2023	6/10/2024	5	260	
8	2nd Move In	Grading	11/1/2023	11/28/2023	5	20	
9	3rd Move In	Grading	2/1/2024	3/27/2024	5	40	
10	Offsite Paving	Paving	6/11/2024	8/26/2024	5	55	
11	Paving	Paving	6/11/2024	9/9/2024	5	65	
12	Architectural Coating	Architectural Coating	9/10/2024	12/9/2024	5	65	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 75

Acres of Paving: 34.43

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 2,460,195; Non-Residential Outdoor: 820,065; Striped Parking Area: 89,986 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Clear Site	Rubber Tired Loaders	1	8.00	247	0.40
Recompact and Import	Rubber Tired Dozers	2	8.00	247	0.40
Recompact and Import	Scrapers	10	8.00	367	0.48
Recompact and Import	Sweepers/Scrubbers	1	8.00	64	0.46
Fine Grade	Graders	1	8.00	187	0.41
Fine Grade	Rubber Tired Dozers	1	8.00	247	0.40
Fine Grade	Scrapers	4	8.00	367	0.48
Offsite Site Prep	Crawler Tractors	4	8.00	97	0.37

CalEEMod Version: CalEEMod.2020.4.0 Page 12 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Offsite Site Prep	Rubber Tired Dozers	3	8.00	247	0.40
Building Construction	Cranes	2	8.00	231	0.29
Building Construction	Forklifts	6	8.00	89	0.20
Building Construction	Generator Sets	2	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	6	8.00	97	0.37
Building Construction	Welders	2	8.00	46	0.45
2nd Move In	Graders	1	8.00	187	0.41
2nd Move In	Rubber Tired Loaders	2	8.00	203	0.36
2nd Move In	Scrapers	1	8.00	367	0.48
3rd Move In	Graders	1	8.00	187	0.41
3rd Move In	Rollers	1	8.00	80	0.38
3rd Move In	Rubber Tired Loaders	2	8.00	247	0.40
3rd Move In	Scrapers	1	8.00	367	0.48
Offsite Paving	Pavers	2	8.00	130	0.42
Offsite Paving	Paving Equipment	2	8.00	132	0.36
Offsite Paving	Rollers	2	8.00	80	0.38
Paving	Pavers	4	8.00	130	0.42
Paving	Paving Equipment	4	8.00	132	0.36
Paving	Rollers	4	8.00	80	0.38
Architectural Coating	Air Compressors	2	8.00	78	0.48
Recompact	Rubber Tired Dozers	1	8.00	158	0.38
Recompact	Scrapers	10	8.00	187	0.41

Trips and VMT

	Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
I	Demolition	6	15.00	0.00	39.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
	Clear Site	1	3.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

CalEEMod Version: CalEEMod.2020.4.0 Page 13 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Recompact and	13	33.00	0.00	21,763.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Fine Grade	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Offsite Site Prep	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	18	1,319.00	515.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
2nd Move In	4	10.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
3rd Move In	5	13.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Offsite Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	12	30.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	2	264.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Recompact	11	28.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment Water Exposed Area

3.2 Demolition - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	⁻ /yr		
Fugitive Dust	 				4.2300e- 003	0.0000	4.2300e- 003	6.4000e- 004	0.0000	6.4000e- 004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0250	0.2363	0.2161	4.3000e- 004		0.0110	0.0110		0.0102	0.0102	0.0000	37.3913	37.3913	0.0105	0.0000	37.6531
Total	0.0250	0.2363	0.2161	4.3000e- 004	4.2300e- 003	0.0110	0.0152	6.4000e- 004	0.0102	0.0109	0.0000	37.3913	37.3913	0.0105	0.0000	37.6531

CalEEMod Version: CalEEMod.2020.4.0 Page 14 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.2 Demolition - 2023
<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
"	4.0000e- 005	2.0500e- 003	5.4000e- 004	1.0000e- 005	3.4000e- 004	2.0000e- 005	3.6000e- 004	9.0000e- 005	2.0000e- 005	1.1000e- 004	0.0000	1.0387	1.0387	1.0000e- 005	1.6000e- 004	1.0879
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.4000e- 004	4.0000e- 004	5.1800e- 003	2.0000e- 005	1.8100e- 003	1.0000e- 005	1.8200e- 003	4.8000e- 004	1.0000e- 005	4.9000e- 004	0.0000	1.3965	1.3965	3.0000e- 005	4.0000e- 005	1.4082
Total	5.8000e- 004	2.4500e- 003	5.7200e- 003	3.0000e- 005	2.1500e- 003	3.0000e- 005	2.1800e- 003	5.7000e- 004	3.0000e- 005	6.0000e- 004	0.0000	2.4352	2.4352	4.0000e- 005	2.0000e- 004	2.4961

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					1.6500e- 003	0.0000	1.6500e- 003	2.5000e- 004	0.0000	2.5000e- 004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0102	0.2014	0.2714	4.3000e- 004		9.4900e- 003	9.4900e- 003		9.4900e- 003	9.4900e- 003	0.0000	37.3912	37.3912	0.0105	0.0000	37.6530
Total	0.0102	0.2014	0.2714	4.3000e- 004	1.6500e- 003	9.4900e- 003	0.0111	2.5000e- 004	9.4900e- 003	9.7400e- 003	0.0000	37.3912	37.3912	0.0105	0.0000	37.6530

CalEEMod Version: CalEEMod.2020.4.0 Page 15 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.2 **Demolition - 2023**

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	MT/yr										
Hauling	4.0000e- 005	2.0500e- 003	5.4000e- 004	1.0000e- 005	3.4000e- 004	2.0000e- 005	3.6000e- 004	9.0000e- 005	2.0000e- 005	1.1000e- 004	0.0000	1.0387	1.0387	1.0000e- 005	1.6000e- 004	1.0879
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.4000e- 004	4.0000e- 004	5.1800e- 003	2.0000e- 005	1.8100e- 003	1.0000e- 005	1.8200e- 003	4.8000e- 004	1.0000e- 005	4.9000e- 004	0.0000	1.3965	1.3965	3.0000e- 005	4.0000e- 005	1.4082
Total	5.8000e- 004	2.4500e- 003	5.7200e- 003	3.0000e- 005	2.1500e- 003	3.0000e- 005	2.1800e- 003	5.7000e- 004	3.0000e- 005	6.0000e- 004	0.0000	2.4352	2.4352	4.0000e- 005	2.0000e- 004	2.4961

3.3 Clear Site - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust	ii ii				0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	1.2800e- 003	0.0126	7.1400e- 003	3.0000e- 005		4.2000e- 004	4.2000e- 004		3.9000e- 004	3.9000e- 004	0.0000	2.5994	2.5994	8.4000e- 004	0.0000	2.6205
Total	1.2800e- 003	0.0126	7.1400e- 003	3.0000e- 005	0.0000	4.2000e- 004	4.2000e- 004	0.0000	3.9000e- 004	3.9000e- 004	0.0000	2.5994	2.5994	8.4000e- 004	0.0000	2.6205

CalEEMod Version: CalEEMod.2020.4.0 Page 16 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.3 Clear Site - 2023
Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
1	3.0000e- 005	3.0000e- 005	3.3000e- 004	0.0000	1.2000e- 004	0.0000	1.2000e- 004	3.0000e- 005	0.0000	3.0000e- 005	0.0000	0.0889	0.0889	0.0000	0.0000	0.0896
Total	3.0000e- 005	3.0000e- 005	3.3000e- 004	0.0000	1.2000e- 004	0.0000	1.2000e- 004	3.0000e- 005	0.0000	3.0000e- 005	0.0000	0.0889	0.0889	0.0000	0.0000	0.0896

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	7.3000e- 004	0.0142	0.0159	3.0000e- 005		5.4000e- 004	5.4000e- 004		5.4000e- 004	5.4000e- 004	0.0000	2.5994	2.5994	8.4000e- 004	0.0000	2.6205
Total	7.3000e- 004	0.0142	0.0159	3.0000e- 005	0.0000	5.4000e- 004	5.4000e- 004	0.0000	5.4000e- 004	5.4000e- 004	0.0000	2.5994	2.5994	8.4000e- 004	0.0000	2.6205

CalEEMod Version: CalEEMod.2020.4.0 Page 17 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.3 Clear Site - 2023

<u>Mitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.0000e- 005	3.0000e- 005	3.3000e- 004	0.0000	1.2000e- 004	0.0000	1.2000e- 004	3.0000e- 005	0.0000	3.0000e- 005	0.0000	0.0889	0.0889	0.0000	0.0000	0.0896
Total	3.0000e- 005	3.0000e- 005	3.3000e- 004	0.0000	1.2000e- 004	0.0000	1.2000e- 004	3.0000e- 005	0.0000	3.0000e- 005	0.0000	0.0889	0.0889	0.0000	0.0000	0.0896

3.4 Recompact - 2023

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Fugitive Dust					0.0849	0.0000	0.0849	0.0291	0.0000	0.0291	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0369	0.3780	0.2001	5.3000e- 004		0.0171	0.0171		0.0158	0.0158	0.0000	46.6157	46.6157	0.0151	0.0000	46.9927
Total	0.0369	0.3780	0.2001	5.3000e- 004	0.0849	0.0171	0.1021	0.0291	0.0158	0.0449	0.0000	46.6157	46.6157	0.0151	0.0000	46.9927

CalEEMod Version: CalEEMod.2020.4.0 Page 18 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.4 Recompact - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.8000e- 004	5.0000e- 004	6.5900e- 003	2.0000e- 005	2.3100e- 003	1.0000e- 005	2.3200e- 003	6.1000e- 004	1.0000e- 005	6.2000e- 004	0.0000	1.7773	1.7773	4.0000e- 005	5.0000e- 005	1.7923
Total	6.8000e- 004	5.0000e- 004	6.5900e- 003	2.0000e- 005	2.3100e- 003	1.0000e- 005	2.3200e- 003	6.1000e- 004	1.0000e- 005	6.2000e- 004	0.0000	1.7773	1.7773	4.0000e- 005	5.0000e- 005	1.7923

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust			i i i		0.0331	0.0000	0.0331	0.0114	0.0000	0.0114	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	9.0700e- 003	0.1493	0.2931	5.3000e- 004		1.7000e- 003	1.7000e- 003		1.7000e- 003	1.7000e- 003	0.0000	46.6157	46.6157	0.0151	0.0000	46.9926
Total	9.0700e- 003	0.1493	0.2931	5.3000e- 004	0.0331	1.7000e- 003	0.0348	0.0114	1.7000e- 003	0.0131	0.0000	46.6157	46.6157	0.0151	0.0000	46.9926

CalEEMod Version: CalEEMod.2020.4.0 Page 19 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.4 Recompact - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.8000e- 004	5.0000e- 004	6.5900e- 003	2.0000e- 005	2.3100e- 003	1.0000e- 005	2.3200e- 003	6.1000e- 004	1.0000e- 005	6.2000e- 004	0.0000	1.7773	1.7773	4.0000e- 005	5.0000e- 005	1.7923
Total	6.8000e- 004	5.0000e- 004	6.5900e- 003	2.0000e- 005	2.3100e- 003	1.0000e- 005	2.3200e- 003	6.1000e- 004	1.0000e- 005	6.2000e- 004	0.0000	1.7773	1.7773	4.0000e- 005	5.0000e- 005	1.7923

3.5 Recompact and Import - 2023

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.5054	0.0000	0.5054	0.2067	0.0000	0.2067	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.2684	2.8156	1.9808	4.8900e- 003		0.1140	0.1140	1 1 1	0.1048	0.1048	0.0000	429.2270	429.2270	0.1388	0.0000	432.6975
Total	0.2684	2.8156	1.9808	4.8900e- 003	0.5054	0.1140	0.6194	0.2067	0.1048	0.3115	0.0000	429.2270	429.2270	0.1388	0.0000	432.6975

CalEEMod Version: CalEEMod.2020.4.0 Page 20 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Recompact and Import - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0230	1.1464	0.3014	5.9800e- 003	0.1877	0.0131	0.2008	0.0515	0.0126	0.0641	0.0000	579.6376	579.6376	8.1800e- 003	0.0913	607.0605
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.0500e- 003	2.2600e- 003	0.0295	9.0000e- 005	0.0103	5.0000e- 005	0.0104	2.7400e- 003	5.0000e- 005	2.7900e- 003	0.0000	7.9598	7.9598	2.0000e- 004	2.1000e- 004	8.0269
Total	0.0261	1.1487	0.3310	6.0700e- 003	0.1980	0.0132	0.2112	0.0543	0.0126	0.0669	0.0000	587.5974	587.5974	8.3800e- 003	0.0916	615.0873

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.1971	0.0000	0.1971	0.0806	0.0000	0.0806	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0845	1.4132	2.6152	4.8900e- 003		0.0187	0.0187		0.0187	0.0187	0.0000	429.2265	429.2265	0.1388	0.0000	432.6970
Total	0.0845	1.4132	2.6152	4.8900e- 003	0.1971	0.0187	0.2158	0.0806	0.0187	0.0993	0.0000	429.2265	429.2265	0.1388	0.0000	432.6970

CalEEMod Version: CalEEMod.2020.4.0 Page 21 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Recompact and Import - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0230	1.1464	0.3014	5.9800e- 003	0.1877	0.0131	0.2008	0.0515	0.0126	0.0641	0.0000	579.6376	579.6376	8.1800e- 003	0.0913	607.0605
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.0500e- 003	2.2600e- 003	0.0295	9.0000e- 005	0.0103	5.0000e- 005	0.0104	2.7400e- 003	5.0000e- 005	2.7900e- 003	0.0000	7.9598	7.9598	2.0000e- 004	2.1000e- 004	8.0269
Total	0.0261	1.1487	0.3310	6.0700e- 003	0.1980	0.0132	0.2112	0.0543	0.0126	0.0669	0.0000	587.5974	587.5974	8.3800e- 003	0.0916	615.0873

3.6 Fine Grade - 2023

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Fugitive Dust					0.0849	0.0000	0.0849	0.0291	0.0000	0.0291	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0316	0.3369	0.2201	5.7000e- 004		0.0133	0.0133		0.0122	0.0122	0.0000	49.9975	49.9975	0.0162	0.0000	50.4017
Total	0.0316	0.3369	0.2201	5.7000e- 004	0.0849	0.0133	0.0982	0.0291	0.0122	0.0413	0.0000	49.9975	49.9975	0.0162	0.0000	50.4017

CalEEMod Version: CalEEMod.2020.4.0 Page 22 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Fine Grade - 2023
<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.7000e- 004	2.7000e- 004	3.5300e- 003	1.0000e- 005	1.2400e- 003	1.0000e- 005	1.2400e- 003	3.3000e- 004	1.0000e- 005	3.3000e- 004	0.0000	0.9521	0.9521	2.0000e- 005	2.0000e- 005	0.9602
Total	3.7000e- 004	2.7000e- 004	3.5300e- 003	1.0000e- 005	1.2400e- 003	1.0000e- 005	1.2400e- 003	3.3000e- 004	1.0000e- 005	3.3000e- 004	0.0000	0.9521	0.9521	2.0000e- 005	2.0000e- 005	0.9602

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust	 				0.0331	0.0000	0.0331	0.0114	0.0000	0.0114	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0102	0.1741	0.3027	5.7000e- 004		2.7900e- 003	2.7900e- 003		2.7900e- 003	2.7900e- 003	0.0000	49.9974	49.9974	0.0162	0.0000	50.4017
Total	0.0102	0.1741	0.3027	5.7000e- 004	0.0331	2.7900e- 003	0.0359	0.0114	2.7900e- 003	0.0142	0.0000	49.9974	49.9974	0.0162	0.0000	50.4017

CalEEMod Version: CalEEMod.2020.4.0 Page 23 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Fine Grade - 2023

<u>Mitigated Construction Off-Site</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.7000e- 004	2.7000e- 004	3.5300e- 003	1.0000e- 005	1.2400e- 003	1.0000e- 005	1.2400e- 003	3.3000e- 004	1.0000e- 005	3.3000e- 004	0.0000	0.9521	0.9521	2.0000e- 005	2.0000e- 005	0.9602
Total	3.7000e- 004	2.7000e- 004	3.5300e- 003	1.0000e- 005	1.2400e- 003	1.0000e- 005	1.2400e- 003	3.3000e- 004	1.0000e- 005	3.3000e- 004	0.0000	0.9521	0.9521	2.0000e- 005	2.0000e- 005	0.9602

3.7 Offsite Site Prep - 2023

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.3505	0.0000	0.3505	0.1576	0.0000	0.1576	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0520	0.5016	0.2875	5.7000e- 004		0.0286	0.0286		0.0263	0.0263	0.0000	50.1666	50.1666	0.0162	0.0000	50.5723
Total	0.0520	0.5016	0.2875	5.7000e- 004	0.3505	0.0286	0.3791	0.1576	0.0263	0.1839	0.0000	50.1666	50.1666	0.0162	0.0000	50.5723

CalEEMod Version: CalEEMod.2020.4.0 Page 24 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.7 Offsite Site Prep - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	8.8000e- 004	6.5000e- 004	8.4800e- 003	2.0000e- 005	2.9700e- 003	1.0000e- 005	2.9800e- 003	7.9000e- 004	1.0000e- 005	8.0000e- 004	0.0000	2.2851	2.2851	6.0000e- 005	6.0000e- 005	2.3044
Total	8.8000e- 004	6.5000e- 004	8.4800e- 003	2.0000e- 005	2.9700e- 003	1.0000e- 005	2.9800e- 003	7.9000e- 004	1.0000e- 005	8.0000e- 004	0.0000	2.2851	2.2851	6.0000e- 005	6.0000e- 005	2.3044

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Fugitive Dust					0.1367	0.0000	0.1367	0.0614	0.0000	0.0614	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0140	0.2860	0.3444	5.7000e- 004		0.0142	0.0142		0.0142	0.0142	0.0000	50.1666	50.1666	0.0162	0.0000	50.5722
Total	0.0140	0.2860	0.3444	5.7000e- 004	0.1367	0.0142	0.1509	0.0614	0.0142	0.0756	0.0000	50.1666	50.1666	0.0162	0.0000	50.5722

CalEEMod Version: CalEEMod.2020.4.0 Page 25 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.7 Offsite Site Prep - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	8.8000e- 004	6.5000e- 004	8.4800e- 003	2.0000e- 005	2.9700e- 003	1.0000e- 005	2.9800e- 003	7.9000e- 004	1.0000e- 005	8.0000e- 004	0.0000	2.2851	2.2851	6.0000e- 005	6.0000e- 005	2.3044
Total	8.8000e- 004	6.5000e- 004	8.4800e- 003	2.0000e- 005	2.9700e- 003	1.0000e- 005	2.9800e- 003	7.9000e- 004	1.0000e- 005	8.0000e- 004	0.0000	2.2851	2.2851	6.0000e- 005	6.0000e- 005	2.3044

3.8 Building Construction - 2023

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.2410	2.2230	2.4927	4.1500e- 003		0.1077	0.1077		0.1012	0.1012	0.0000	357.6976	357.6976	0.0871	0.0000	359.8760
Total	0.2410	2.2230	2.4927	4.1500e- 003		0.1077	0.1077		0.1012	0.1012	0.0000	357.6976	357.6976	0.0871	0.0000	359.8760

CalEEMod Version: CalEEMod.2020.4.0 Page 26 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.8 Building Construction - 2023 <u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0402	1.2713	0.5065	6.4900e- 003	0.2343	0.0106	0.2448	0.0676	0.0101	0.0777	0.0000	623.8729	623.8729	6.3100e- 003	0.0923	651.5209
Worker	0.3083	0.2284	2.9814	8.6600e- 003	1.0438	4.9800e- 003	1.0488	0.2772	4.5800e- 003	0.2818	0.0000	803.7442	803.7442	0.0198	0.0211	810.5206
Total	0.3485	1.4997	3.4878	0.0152	1.2781	0.0156	1.2936	0.3448	0.0147	0.3595	0.0000	1,427.617 1	1,427.617 1	0.0261	0.1133	1,462.041 5

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.1037	2.1916	2.7556	4.1500e- 003		0.1386	0.1386	 	0.1386	0.1386	0.0000	357.6972	357.6972	0.0871	0.0000	359.8755
Total	0.1037	2.1916	2.7556	4.1500e- 003		0.1386	0.1386		0.1386	0.1386	0.0000	357.6972	357.6972	0.0871	0.0000	359.8755

CalEEMod Version: CalEEMod.2020.4.0 Page 27 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.8 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton				MT	/yr						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0402	1.2713	0.5065	6.4900e- 003	0.2343	0.0106	0.2448	0.0676	0.0101	0.0777	0.0000	623.8729	623.8729	6.3100e- 003	0.0923	651.5209
Worker	0.3083	0.2284	2.9814	8.6600e- 003	1.0438	4.9800e- 003	1.0488	0.2772	4.5800e- 003	0.2818	0.0000	803.7442	803.7442	0.0198	0.0211	810.5206
Total	0.3485	1.4997	3.4878	0.0152	1.2781	0.0156	1.2936	0.3448	0.0147	0.3595	0.0000	1,427.617 1	1,427.617 1	0.0261	0.1133	1,462.041 5

3.8 Building Construction - 2024

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.1818	1.6733	1.9983	3.3500e- 003		0.0762	0.0762		0.0715	0.0715	0.0000	288.2041	288.2041	0.0698	0.0000	289.9498
Total	0.1818	1.6733	1.9983	3.3500e- 003		0.0762	0.0762		0.0715	0.0715	0.0000	288.2041	288.2041	0.0698	0.0000	289.9498

CalEEMod Version: CalEEMod.2020.4.0 Page 28 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.8 Building Construction - 2024 <u>Unmitigated Construction Off-Site</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/уг		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0319	1.0242	0.4034	5.1400e- 003	0.1887	8.4500e- 003	0.1972	0.0544	8.0900e- 003	0.0625	0.0000	494.8223	494.8223	5.2600e- 003	0.0731	516.7239
Worker	0.2319	0.1638	2.2499	6.7500e- 003	0.8409	3.8300e- 003	0.8447	0.2233	3.5300e- 003	0.2268	0.0000	631.9476	631.9476	0.0145	0.0158	637.0085
Total	0.2637	1.1880	2.6533	0.0119	1.0296	0.0123	1.0419	0.2777	0.0116	0.2893	0.0000	1,126.769 9	1,126.769 9	0.0197	0.0888	1,153.732 4

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0835	1.7654	2.2198	3.3500e- 003		0.1116	0.1116		0.1116	0.1116	0.0000	288.2038	288.2038	0.0698	0.0000	289.9494
Total	0.0835	1.7654	2.2198	3.3500e- 003		0.1116	0.1116		0.1116	0.1116	0.0000	288.2038	288.2038	0.0698	0.0000	289.9494

CalEEMod Version: CalEEMod.2020.4.0 Page 29 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.8 Building Construction - 2024 Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/уг		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0319	1.0242	0.4034	5.1400e- 003	0.1887	8.4500e- 003	0.1972	0.0544	8.0900e- 003	0.0625	0.0000	494.8223	494.8223	5.2600e- 003	0.0731	516.7239
Worker	0.2319	0.1638	2.2499	6.7500e- 003	0.8409	3.8300e- 003	0.8447	0.2233	3.5300e- 003	0.2268	0.0000	631.9476	631.9476	0.0145	0.0158	637.0085
Total	0.2637	1.1880	2.6533	0.0119	1.0296	0.0123	1.0419	0.2777	0.0116	0.2893	0.0000	1,126.769 9	1,126.769 9	0.0197	0.0888	1,153.732 4

3.9 2nd Move In - 2023 <u>Unmitigated Construction On-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.0530	0.0000	0.0530	5.7300e- 003	0.0000	5.7300e- 003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0171	0.1825	0.1085	3.4000e- 004		6.5300e- 003	6.5300e- 003	 	6.0100e- 003	6.0100e- 003	0.0000	30.1376	30.1376	9.7500e- 003	0.0000	30.3813
Total	0.0171	0.1825	0.1085	3.4000e- 004	0.0530	6.5300e- 003	0.0596	5.7300e- 003	6.0100e- 003	0.0117	0.0000	30.1376	30.1376	9.7500e- 003	0.0000	30.3813

CalEEMod Version: CalEEMod.2020.4.0 Page 30 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.9 2nd Move In - 2023
<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.2000e- 004	2.4000e- 004	3.1400e- 003	1.0000e- 005	1.1000e- 003	1.0000e- 005	1.1000e- 003	2.9000e- 004	0.0000	3.0000e- 004	0.0000	0.8463	0.8463	2.0000e- 005	2.0000e- 005	0.8535
Total	3.2000e- 004	2.4000e- 004	3.1400e- 003	1.0000e- 005	1.1000e- 003	1.0000e- 005	1.1000e- 003	2.9000e- 004	0.0000	3.0000e- 004	0.0000	0.8463	0.8463	2.0000e- 005	2.0000e- 005	0.8535

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.0207	0.0000	0.0207	2.2300e- 003	0.0000	2.2300e- 003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	7.2000e- 003	0.1313	0.1830	3.4000e- 004		3.7100e- 003	3.7100e- 003	 	3.7100e- 003	3.7100e- 003	0.0000	30.1376	30.1376	9.7500e- 003	0.0000	30.3813
Total	7.2000e- 003	0.1313	0.1830	3.4000e- 004	0.0207	3.7100e- 003	0.0244	2.2300e- 003	3.7100e- 003	5.9400e- 003	0.0000	30.1376	30.1376	9.7500e- 003	0.0000	30.3813

CalEEMod Version: CalEEMod.2020.4.0 Page 31 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.9 2nd Move In - 2023

<u>Mitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	3.2000e- 004	2.4000e- 004	3.1400e- 003	1.0000e- 005	1.1000e- 003	1.0000e- 005	1.1000e- 003	2.9000e- 004	0.0000	3.0000e- 004	0.0000	0.8463	0.8463	2.0000e- 005	2.0000e- 005	0.8535
Total	3.2000e- 004	2.4000e- 004	3.1400e- 003	1.0000e- 005	1.1000e- 003	1.0000e- 005	1.1000e- 003	2.9000e- 004	0.0000	3.0000e- 004	0.0000	0.8463	0.8463	2.0000e- 005	2.0000e- 005	0.8535

3.10 3rd Move In - 2024 Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust	11 11 11				0.1061	0.0000	0.1061	0.0115	0.0000	0.0115	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0389	0.3934	0.2704	8.3000e- 004		0.0146	0.0146	1 1 1	0.0134	0.0134	0.0000	72.5928	72.5928	0.0235	0.0000	73.1797
Total	0.0389	0.3934	0.2704	8.3000e- 004	0.1061	0.0146	0.1207	0.0115	0.0134	0.0249	0.0000	72.5928	72.5928	0.0235	0.0000	73.1797

CalEEMod Version: CalEEMod.2020.4.0 Page 32 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.10 3rd Move In - 2024 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.9000e- 004	5.6000e- 004	7.6500e- 003	2.0000e- 005	2.8600e- 003	1.0000e- 005	2.8700e- 003	7.6000e- 004	1.0000e- 005	7.7000e- 004	0.0000	2.1477	2.1477	5.0000e- 005	5.0000e- 005	2.1649
Total	7.9000e- 004	5.6000e- 004	7.6500e- 003	2.0000e- 005	2.8600e- 003	1.0000e- 005	2.8700e- 003	7.6000e- 004	1.0000e- 005	7.7000e- 004	0.0000	2.1477	2.1477	5.0000e- 005	5.0000e- 005	2.1649

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.0414	0.0000	0.0414	4.4700e- 003	0.0000	4.4700e- 003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0179	0.3340	0.4528	8.3000e- 004		0.0111	0.0111		0.0111	0.0111	0.0000	72.5927	72.5927	0.0235	0.0000	73.1797
Total	0.0179	0.3340	0.4528	8.3000e- 004	0.0414	0.0111	0.0524	4.4700e- 003	0.0111	0.0155	0.0000	72.5927	72.5927	0.0235	0.0000	73.1797

CalEEMod Version: CalEEMod.2020.4.0 Page 33 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.10 3rd Move In - 2024 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.9000e- 004	5.6000e- 004	7.6500e- 003	2.0000e- 005	2.8600e- 003	1.0000e- 005	2.8700e- 003	7.6000e- 004	1.0000e- 005	7.7000e- 004	0.0000	2.1477	2.1477	5.0000e- 005	5.0000e- 005	2.1649
Total	7.9000e- 004	5.6000e- 004	7.6500e- 003	2.0000e- 005	2.8600e- 003	1.0000e- 005	2.8700e- 003	7.6000e- 004	1.0000e- 005	7.7000e- 004	0.0000	2.1477	2.1477	5.0000e- 005	5.0000e- 005	2.1649

3.11 Offsite Paving - 2024

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0272	0.2619	0.4022	6.3000e- 004		0.0129	0.0129		0.0119	0.0119	0.0000	55.0730	55.0730	0.0178	0.0000	55.5183
Paving	0.0451	 				0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0723	0.2619	0.4022	6.3000e- 004		0.0129	0.0129		0.0119	0.0119	0.0000	55.0730	55.0730	0.0178	0.0000	55.5183

CalEEMod Version: CalEEMod.2020.4.0 Page 34 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.11 Offsite Paving - 2024

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.2500e- 003	8.8000e- 004	0.0121	4.0000e- 005	4.5300e- 003	2.0000e- 005	4.5500e- 003	1.2000e- 003	2.0000e- 005	1.2200e- 003	0.0000	3.4075	3.4075	8.0000e- 005	9.0000e- 005	3.4348
Total	1.2500e- 003	8.8000e- 004	0.0121	4.0000e- 005	4.5300e- 003	2.0000e- 005	4.5500e- 003	1.2000e- 003	2.0000e- 005	1.2200e- 003	0.0000	3.4075	3.4075	8.0000e- 005	9.0000e- 005	3.4348

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0154	0.3106	0.4756	6.3000e- 004		0.0168	0.0168		0.0168	0.0168	0.0000	55.0729	55.0729	0.0178	0.0000	55.5182
Paving	0.0451	 				0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0605	0.3106	0.4756	6.3000e- 004		0.0168	0.0168		0.0168	0.0168	0.0000	55.0729	55.0729	0.0178	0.0000	55.5182

CalEEMod Version: CalEEMod.2020.4.0 Page 35 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.11 Offsite Paving - 2024

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.2500e- 003	8.8000e- 004	0.0121	4.0000e- 005	4.5300e- 003	2.0000e- 005	4.5500e- 003	1.2000e- 003	2.0000e- 005	1.2200e- 003	0.0000	3.4075	3.4075	8.0000e- 005	9.0000e- 005	3.4348
Total	1.2500e- 003	8.8000e- 004	0.0121	4.0000e- 005	4.5300e- 003	2.0000e- 005	4.5500e- 003	1.2000e- 003	2.0000e- 005	1.2200e- 003	0.0000	3.4075	3.4075	8.0000e- 005	9.0000e- 005	3.4348

3.12 Paving - 2024

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Oii Nodu	0.0642	0.6191	0.9507	1.4800e- 003		0.0305	0.0305		0.0280	0.0280	0.0000	130.1725	130.1725	0.0421	0.0000	131.2250
	0.0451		1	 		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.1093	0.6191	0.9507	1.4800e- 003		0.0305	0.0305		0.0280	0.0280	0.0000	130.1725	130.1725	0.0421	0.0000	131.2250

CalEEMod Version: CalEEMod.2020.4.0 Page 36 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.12 Paving - 2024

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.9600e- 003	2.0900e- 003	0.0287	9.0000e- 005	0.0107	5.0000e- 005	0.0108	2.8500e- 003	4.0000e- 005	2.8900e- 003	0.0000	8.0540	8.0540	1.8000e- 004	2.0000e- 004	8.1185
Total	2.9600e- 003	2.0900e- 003	0.0287	9.0000e- 005	0.0107	5.0000e- 005	0.0108	2.8500e- 003	4.0000e- 005	2.8900e- 003	0.0000	8.0540	8.0540	1.8000e- 004	2.0000e- 004	8.1185

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0365	0.7342	1.1242	1.4800e- 003		0.0396	0.0396		0.0396	0.0396	0.0000	130.1723	130.1723	0.0421	0.0000	131.2248
Paving	0.0451	 			 	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0816	0.7342	1.1242	1.4800e- 003		0.0396	0.0396		0.0396	0.0396	0.0000	130.1723	130.1723	0.0421	0.0000	131.2248

CalEEMod Version: CalEEMod.2020.4.0 Page 37 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.12 Paving - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.9600e- 003	2.0900e- 003	0.0287	9.0000e- 005	0.0107	5.0000e- 005	0.0108	2.8500e- 003	4.0000e- 005	2.8900e- 003	0.0000	8.0540	8.0540	1.8000e- 004	2.0000e- 004	8.1185
Total	2.9600e- 003	2.0900e- 003	0.0287	9.0000e- 005	0.0107	5.0000e- 005	0.0108	2.8500e- 003	4.0000e- 005	2.8900e- 003	0.0000	8.0540	8.0540	1.8000e- 004	2.0000e- 004	8.1185

3.13 Architectural Coating - 2024

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Archit. Coating	4.0095					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0157	0.1056	0.1569	2.6000e- 004		5.2800e- 003	5.2800e- 003		5.2800e- 003	5.2800e- 003	0.0000	22.1282	22.1282	1.2500e- 003	0.0000	22.1594
Total	4.0252	0.1056	0.1569	2.6000e- 004		5.2800e- 003	5.2800e- 003		5.2800e- 003	5.2800e- 003	0.0000	22.1282	22.1282	1.2500e- 003	0.0000	22.1594

CalEEMod Version: CalEEMod.2020.4.0 Page 38 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.13 Architectural Coating - 2024 <u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0260	0.0184	0.2523	7.6000e- 004	0.0943	4.3000e- 004	0.0947	0.0250	4.0000e- 004	0.0254	0.0000	70.8754	70.8754	1.6200e- 003	1.7700e- 003	71.4430
Total	0.0260	0.0184	0.2523	7.6000e- 004	0.0943	4.3000e- 004	0.0947	0.0250	4.0000e- 004	0.0254	0.0000	70.8754	70.8754	1.6200e- 003	1.7700e- 003	71.4430

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Archit. Coating	4.0095					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	5.1500e- 003	0.1176	0.1588	2.6000e- 004		8.2400e- 003	8.2400e- 003		8.2400e- 003	8.2400e- 003	0.0000	22.1282	22.1282	1.2500e- 003	0.0000	22.1593
Total	4.0147	0.1176	0.1588	2.6000e- 004		8.2400e- 003	8.2400e- 003		8.2400e- 003	8.2400e- 003	0.0000	22.1282	22.1282	1.2500e- 003	0.0000	22.1593

CalEEMod Version: CalEEMod.2020.4.0 Page 39 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.13 Architectural Coating - 2024

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0260	0.0184	0.2523	7.6000e- 004	0.0943	4.3000e- 004	0.0947	0.0250	4.0000e- 004	0.0254	0.0000	70.8754	70.8754	1.6200e- 003	1.7700e- 003	71.4430
Total	0.0260	0.0184	0.2523	7.6000e- 004	0.0943	4.3000e- 004	0.0947	0.0250	4.0000e- 004	0.0254	0.0000	70.8754	70.8754	1.6200e- 003	1.7700e- 003	71.4430

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

CalEEMod Version: CalEEMod.2020.4.0 Page 40 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Mitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

4.2 Trip Summary Information

	Ave	rage Daily Trip Ra	ate	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Other Asphalt Surfaces	0.00	0.00	0.00		
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00		
Total	0.00	0.00	0.00		

4.3 Trip Type Information

		Miles			Trip %			Trip Purpos	e %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Unrefrigerated Warehouse-No	16.60	8.40	6.90	59.00	0.00	41.00	92	5	3

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Other Asphalt Surfaces	0.537845	0.056225	0.173186	0.138405	0.025906	0.007191	0.011447	0.018769	0.000611	0.000309	0.023821	0.001097	0.005189
Unrefrigerated Warehouse-No Rail	0.537845	0.056225	0.173186	0.138405	0.025906	0.007191	0.011447	0.018769	0.000611	0.000309	0.023821	0.001097	0.005189

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category													MT	/yr		
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Electricity Unmitigated	,,			,	,	0.0000	0.0000	,	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
NaturalGas Mitigated	0.0000	0.0000	0.0000	0.0000	,	0.0000	0.0000	,	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
NaturalGas Unmitigated	0.0000	0.0000	0.0000	0.0000	, , ,	0.0000	0.0000	ү ! ! !	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

CalEEMod Version: CalEEMod.2020.4.0 Page 42 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use														MT	/yr		
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated

	NaturalGa s Use	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr		tons/yr											MT	/yr		
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

CalEEMod Version: CalEEMod.2020.4.0 Page 43 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.3 Energy by Land Use - Electricity Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr		MT	-/yr	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr		MT	-/yr	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

6.0 Area Detail

CalEEMod Version: CalEEMod.2020.4.0 Page 44 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

6.1 Mitigation Measures Area

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr												MT	/yr		
Mitigated		1.9000e- 004	0.0213	0.0000		8.0000e- 005	8.0000e- 005		8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443
Unmitigated	1.9700e- 003	1.9000e- 004	0.0213	0.0000		8.0000e- 005	8.0000e- 005		8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					ton	s/yr							MT	/yr		
Architectural Coating	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.9700e- 003	1.9000e- 004	0.0213	0.0000		8.0000e- 005	8.0000e- 005		8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443
Total	1.9700e- 003	1.9000e- 004	0.0213	0.0000		8.0000e- 005	8.0000e- 005		8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443

CalEEMod Version: CalEEMod.2020.4.0 Page 45 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory		tons/yr											MT	/yr		
Architectural Coating						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.07000	1.9000e- 004	0.0213	0.0000		8.0000e- 005	8.0000e- 005		8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443
Total	1.9700e- 003	1.9000e- 004	0.0213	0.0000		8.0000e- 005	8.0000e- 005		8.0000e- 005	8.0000e- 005	0.0000	0.0416	0.0416	1.1000e- 004	0.0000	0.0443

7.0 Water Detail

7.1 Mitigation Measures Water

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	Total CO2	CH4	N2O	CO2e
Category		МТ	/yr	
ga.cu	0.0000	0.0000	0.0000	0.0000
-	0.0000	0.0000	0.0000	0.0000

7.2 Water by Land Use <u>Unmitigated</u>

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal		MT	/уг	
Other Asphalt Surfaces	0/0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0/0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

Date: 1/19/2022 3:18 PM

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

7.2 Water by Land Use

Mitigated

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal		MT	/yr	
Other Asphalt Surfaces	0/0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0/0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

8.0 Waste Detail

8.1 Mitigation Measures Waste

Category/Year

	Total CO2	CH4	N2O	CO2e		
	MT/yr					
ga.oa		0.0000	0.0000	0.0000		
Unmitigated		0.0000	0.0000	0.0000		

CalEEMod Version: CalEEMod.2020.4.0 Page 48 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons		MT	/yr	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons		MT	-/yr	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

9.0 Operational Offroad

CalEEMod Version: CalEEMod.2020.4.0 Page 49 of 49 Date: 1/19/2022 3:18 PM

14616 Menifee Commerce Construction Unmitigated - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

Boilers

_					
Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

11.0 Vegetation

This page intentionally left blank



APPENDIX 3.2:

CALEEMOD SCENARIO 1 OPERATIONAL EMISSIONS MODEL OUTPUTS



CalEEMod Version: CalEEMod.2020.4.0 Page 1 of 21 Date: 1/11/2022 2:30 PM

14616 Menifee Commerce Ctr Ops Scenario 1 - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

14616 Menifee Commerce Ctr Ops Scenario 1

Riverside-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Unrefrigerated Warehouse-No Rail	1,640.13	1000sqft	37.65	1,640,130.00	0
User Defined Industrial	1,640.13	User Defined Unit	0.00	0.00	0
Other Asphalt Surfaces	34.43	Acre	34.43	1,499,770.80	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.4	Precipitation Freq (Days)	28
Climate Zone	10			Operational Year	2024

Utility Company Southern California Edison

 CO2 Intensity
 390.98
 CH4 Intensity
 0.033
 N2O Intensity
 0.004

 (Ib/MWhr)
 (Ib/MWhr)
 (Ib/MWhr)
 (Ib/MWhr)

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use -

Construction Phase - Operation only

Off-road Equipment -

Off-road Equipment - Operation only

Vehicle Trips - Trip rates based on Project traffic study.

Area Coating -

Water And Wastewater - Water consumption based on EMWD Water Facilities Master Plan and ETWU

Mobile Commute Mitigation -

Area Mitigation - Based on SCAQMD Rule 1113

Date: 1/11/2022 2:30 PM

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Fleet Mix - Fleet mix based on Project traffic study.

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	1,110.00	0.00
tblFleetMix	HHD	0.02	0.00
tblFleetMix	HHD	0.02	0.63
tblFleetMix	LDA	0.54	0.58
tblFleetMix	LDA	0.54	0.00
tblFleetMix	LDT1	0.06	0.06
tblFleetMix	LDT1	0.06	0.00
tblFleetMix	LDT2	0.17	0.19
tblFleetMix	LDT2	0.17	0.00
tblFleetMix	LHD1	0.03	0.00
tblFleetMix	LHD1	0.03	0.17
tblFleetMix	LHD2	7.1910e-003	0.00
tblFleetMix	LHD2	7.1910e-003	0.00
tblFleetMix	MCY	0.02	0.03
tblFleetMix	MCY	0.02	0.00
tblFleetMix	MDV	0.14	0.15
tblFleetMix	MDV	0.14	0.00
tblFleetMix	MH	5.1890e-003	0.00
tblFleetMix	MH	5.1890e-003	0.00
tblFleetMix	MHD	0.01	0.00
tblFleetMix	MHD	0.01	0.21
tblFleetMix	OBUS	6.1100e-004	0.00
tblFleetMix	OBUS	6.1100e-004	0.00
tblFleetMix	SBUS	1.0970e-003	0.00
tblFleetMix	SBUS	1.0970e-003	0.00
tblFleetMix	UBUS	3.0900e-004	0.00

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblFleetMix	UBUS	3.0900e-004	0.00
tblVehicleTrips	CW_TL	16.60	40.00
tblVehicleTrips	CW_TTP	0.00	100.00
tblVehicleTrips	PR_TP	0.00	100.00
tblVehicleTrips	ST_TR	1.74	5.05
tblVehicleTrips	ST_TR	0.00	0.29
tblVehicleTrips	SU_TR	1.74	5.05
tblVehicleTrips	SU_TR	0.00	0.29
tblVehicleTrips	WD_TR	1.74	5.05
tblVehicleTrips	WD_TR	0.00	0.29
tblWater	IndoorWaterUseRate	379,280,062.50	11,216,809.00
tblWater	OutdoorWaterUseRate	0.00	3,253,251.00

2.0 Emissions Summary

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					ton	s/yr							MT	/yr		
	11 11 11 11				0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Maximum					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated Construction

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					ton	s/yr							MT	/yr		
	1 11 11 11				0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Maximum					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Quarter Start Date End Date Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
--------------------------------------------------------------------------	--------------------------------------------

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	Highest	

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Area	6.8085	3.8000e- 004	0.0422	0.0000		1.5000e- 004	1.5000e- 004		1.5000e- 004	1.5000e- 004	0.0000	0.0823	0.0823	2.1000e- 004	0.0000	0.0876
Energy	0.0178	0.1616	0.1357	9.7000e- 004	 	0.0123	0.0123		0.0123	0.0123	0.0000	850.7402	850.7402	0.0603	0.0101	855.2669
Mobile	4.9247	16.8333	55.4262	0.1870	16.2713	0.2135	16.4847	4.3638	0.2022	4.5660	0.0000	17,708.77 25	17,708.77 25	0.6305	1.4022	18,142.38 01
Waste		,				0.0000	0.0000		0.0000	0.0000	312.9552	0.0000	312.9552	18.4951	0.0000	775.3333
Water						0.0000	0.0000		0.0000	0.0000	3.5586	32.3120	35.8705	0.3682	8.9600e- 003	47.7465
Total	11.7510	16.9952	55.6042	0.1880	16.2713	0.2259	16.4972	4.3638	0.2146	4.5784	316.5138	18,591.90 69	18,908.42 07	19.5544	1.4213	19,820.81 45

CalEEMod Version: CalEEMod.2020.4.0 Page 6 of 21 Date: 1/11/2022 2:30 PM

14616 Menifee Commerce Ctr Ops Scenario 1 - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Area	6.8085	3.8000e- 004	0.0422	0.0000		1.5000e- 004	1.5000e- 004		1.5000e- 004	1.5000e- 004	0.0000	0.0823	0.0823	2.1000e- 004	0.0000	0.0876
Energy	0.0178	0.1616	0.1357	9.7000e- 004		0.0123	0.0123		0.0123	0.0123	0.0000	850.7402	850.7402	0.0603	0.0101	855.2669
Mobile	4.9247	16.8333	55.4262	0.1870	16.2713	0.2135	16.4847	4.3638	0.2022	4.5660	0.0000	17,708.77 25	17,708.77 25	0.6305	1.4022	18,142.38 01
Waste	n					0.0000	0.0000		0.0000	0.0000	312.9552	0.0000	312.9552	18.4951	0.0000	775.3333
Water	n					0.0000	0.0000		0.0000	0.0000	3.5586	32.3120	35.8705	0.3682	8.9600e- 003	47.7465
Total	11.7510	16.9952	55.6042	0.1880	16.2713	0.2259	16.4972	4.3638	0.2146	4.5784	316.5138	18,591.90 69	18,908.42 07	19.5544	1.4213	19,820.81 45

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Building Construction	Building Construction	12/23/2021	12/22/2021	5	0	

Acres of Grading (Site Preparation Phase): 0

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Acres of Grading (Grading Phase): 0

Acres of Paving: 34.43

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural

Coating - sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
------------	------------------------	--------	-------------	-------------	-------------

Trips and VMT

Phase Name	Offroad Equipment	Worker Trip	Vendor Trip	Hauling Trip	Worker Trip	Vendor Trip	Hauling Trip	Worker Vehicle	Vendor	Hauling
	Count	Number	Number	Number	Length	Length	Length	Class	Vehicle Class	Vehicle Class
Building Construction		!	515.00	0.00	14.70	6.90				

3.1 Mitigation Measures Construction

3.2 Building Construction - 2021

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

CalEEMod Version: CalEEMod.2020.4.0 Page 8 of 21 Date: 1/11/2022 2:30 PM

14616 Menifee Commerce Ctr Ops Scenario 1 - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.2 Building Construction - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

CalEEMod Version: CalEEMod.2020.4.0 Page 9 of 21 Date: 1/11/2022 2:30 PM

14616 Menifee Commerce Ctr Ops Scenario 1 - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Mitigated	4.9247	16.8333	55.4262	0.1870	16.2713	0.2135	16.4847	4.3638	0.2022	4.5660	0.0000	17,708.77 25	17,708.77 25	0.6305	1.4022	18,142.38 01
Unmitigated	4.9247	16.8333	55.4262	0.1870	16.2713	0.2135	16.4847	4.3638	0.2022	4.5660	0.0000	17,708.77 25	17,708.77 25	0.6305	1.4022	18,142.38 01

4.2 Trip Summary Information

	Avei	rage Daily Trip Ra	ite	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Other Asphalt Surfaces	0.00	0.00	0.00		
Unrefrigerated Warehouse-No Rail	8,282.66	8,282.66	8282.66	35,497,121	35,497,121
User Defined Industrial	475.64	475.64	475.64	6,925,285	6,925,285
Total	8,758.29	8,758.29	8,758.29	42,422,406	42,422,406

4.3 Trip Type Information

		Miles			Trip %			Trip Purpos	e %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Unrefrigerated Warehouse-No	16.60	8.40	6.90	59.00	0.00	41.00	92	5	3
User Defined Industrial	40.00	8.40	6.90	100.00	0.00	0.00	100	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	МН
Other Asphalt Surfaces	0.537845	0.056225	0.173186	0.138405	0.025906	0.007191	0.011447	0.018769	0.000611	0.000309	0.023821	0.001097	0.005189
Unrefrigerated Warehouse-No Rail	0.578650	0.060491	0.186325	0.148906	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.025628	0.000000	0.000000

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

User Defined Industrial	0.000000	0.000000	0.000000	0.000000	0.168085	0.000000	0.206383	0.625532	0.000000	0.000000	0.000000	0.000000	0.000000
-------------------------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	674.8178	674.8178	0.0570	6.9000e- 003	678.2991
Electricity Unmitigated	,,					0.0000	0.0000		0.0000	0.0000	0.0000	674.8178	674.8178	0.0570	6.9000e- 003	678.2991
NaturalGas Mitigated	0.0178	0.1616	0.1357	9.7000e- 004		0.0123	0.0123		0.0123	0.0123	0.0000	175.9224	175.9224	3.3700e- 003	3.2300e- 003	176.9678
NaturalGas Unmitigated	0.0178	0.1616	0.1357	9.7000e- 004		0.0123	0.0123		0.0123	0.0123	0.0000	175.9224	175.9224	3.3700e- 003	3.2300e- 003	176.9678

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGa s Use	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					ton	s/yr							МТ	7/yr		
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	3.29666e +006	0.0178	0.1616	0.1357	9.7000e- 004		0.0123	0.0123		0.0123	0.0123	0.0000	175.9224	175.9224	3.3700e- 003	3.2300e- 003	176.9678
User Defined Industrial	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0178	0.1616	0.1357	9.7000e- 004		0.0123	0.0123		0.0123	0.0123	0.0000	175.9224	175.9224	3.3700e- 003	3.2300e- 003	176.9678

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					ton	s/yr							MT	/yr		
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	3.29666e +006	0.0178	0.1616	0.1357	9.7000e- 004		0.0123	0.0123		0.0123	0.0123	0.0000	175.9224	175.9224	3.3700e- 003	3.2300e- 003	176.9678
User Defined Industrial	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0178	0.1616	0.1357	9.7000e- 004		0.0123	0.0123		0.0123	0.0123	0.0000	175.9224	175.9224	3.3700e- 003	3.2300e- 003	176.9678

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.3 Energy by Land Use - Electricity Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr		МТ	-/yr	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	3.8051e +006	674.8178	0.0570	6.9000e- 003	678.2991
User Defined Industrial	0	0.0000	0.0000	0.0000	0.0000
Total		674.8178	0.0570	6.9000e- 003	678.2991

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.3 Energy by Land Use - Electricity

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr		MT	-/yr	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	3.8051e +006	674.8178	0.0570	6.9000e- 003	678.2991
User Defined Industrial	0	0.0000	0.0000	0.0000	0.0000
Total		674.8178	0.0570	6.9000e- 003	678.2991

6.0 Area Detail

6.1 Mitigation Measures Area

CalEEMod Version: CalEEMod.2020.4.0 Page 15 of 21 Date: 1/11/2022 2:30 PM

14616 Menifee Commerce Ctr Ops Scenario 1 - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Mitigated	6.8085	3.8000e- 004	0.0422	0.0000		1.5000e- 004	1.5000e- 004		1.5000e- 004	1.5000e- 004	0.0000	0.0823	0.0823	2.1000e- 004	0.0000	0.0876
Unmitigated	6.8085	3.8000e- 004	0.0422	0.0000		1.5000e- 004	1.5000e- 004		1.5000e- 004	1.5000e- 004	0.0000	0.0823	0.0823	2.1000e- 004	0.0000	0.0876

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory		tons/yr								MT	/yr					
Architectural Coating	0.7811					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	6.0236					0.0000	0.0000	 	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	3.9000e- 003	3.8000e- 004	0.0422	0.0000	 	1.5000e- 004	1.5000e- 004	 	1.5000e- 004	1.5000e- 004	0.0000	0.0823	0.0823	2.1000e- 004	0.0000	0.0876
Total	6.8085	3.8000e- 004	0.0422	0.0000		1.5000e- 004	1.5000e- 004		1.5000e- 004	1.5000e- 004	0.0000	0.0823	0.0823	2.1000e- 004	0.0000	0.0876

CalEEMod Version: CalEEMod.2020.4.0 Page 16 of 21 Date: 1/11/2022 2:30 PM

14616 Menifee Commerce Ctr Ops Scenario 1 - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr							MT	/yr							
Architectural Coating						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	6.0236					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	3.9000e- 003	3.8000e- 004	0.0422	0.0000		1.5000e- 004	1.5000e- 004		1.5000e- 004	1.5000e- 004	0.0000	0.0823	0.0823	2.1000e- 004	0.0000	0.0876
Total	6.8085	3.8000e- 004	0.0422	0.0000		1.5000e- 004	1.5000e- 004		1.5000e- 004	1.5000e- 004	0.0000	0.0823	0.0823	2.1000e- 004	0.0000	0.0876

7.0 Water Detail

7.1 Mitigation Measures Water

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	Total CO2	CH4	N2O	CO2e
Category		МТ	-/yr	
ga.ca	35.8705	0.3682	8.9600e- 003	47.7465
Unmitigated	35.8705	0.3682	8.9600e- 003	47.7465

7.2 Water by Land Use <u>Unmitigated</u>

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal		МТ	/yr	
Other Asphalt Surfaces	0/0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	11.2168 / 3.25325	35.8705	0.3682	8.9600e- 003	47.7465
User Defined Industrial	0/0	0.0000	0.0000	0.0000	0.0000
Total		35.8705	0.3682	8.9600e- 003	47.7465

CalEEMod Version: CalEEMod.2020.4.0 Page 18 of 21 Date: 1/11/2022 2:30 PM

14616 Menifee Commerce Ctr Ops Scenario 1 - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

7.2 Water by Land Use

Mitigated

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal		MT	/yr	
Other Asphalt Surfaces	0/0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	11.2168 / 3.25325	35.8705	0.3682	8.9600e- 003	47.7465
User Defined Industrial	0/0	0.0000	0.0000	0.0000	0.0000
Total		35.8705	0.3682	8.9600e- 003	47.7465

8.0 Waste Detail

8.1 Mitigation Measures Waste

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Category/Year

	Total CO2	CH4	N2O	CO2e
		MT	-/yr	
		18.4951	0.0000	775.3333
Unmitigated		18.4951	0.0000	775.3333

8.2 Waste by Land Use <u>Unmitigated</u>

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons		МТ	-/yr	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	1541.72	312.9552	18.4951	0.0000	775.3333
User Defined Industrial	0	0.0000	0.0000	0.0000	0.0000
Total		312.9552	18.4951	0.0000	775.3333

Date: 1/11/2022 2:30 PM

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

14616 Menifee Commerce Ctr Ops Scenario 1 - Riverside-South Coast County, Annual

8.2 Waste by Land Use

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons		MT	/yr	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	1541.72	312.9552	18.4951	0.0000	775.3333
User Defined Industrial	0	0.0000	0.0000	0.0000	0.0000
Total		312.9552	18.4951	0.0000	775.3333

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

CalEEMod Version: CalEEMod.2020.4.0 Page 21 of 21 Date: 1/11/2022 2:30 PM

14616 Menifee Commerce Ctr Ops Scenario 1 - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

11.0 Vegetation

This page intentionally left blank



APPENDIX 3.3:

CALEEMOD SCENARIO 2 OPERATIONAL EMISSIONS MODEL OUTPUTS



CalEEMod Version: CalEEMod.2020.4.0 Page 1 of 21 Date: 1/11/2022 1:45 PM

14616 Menifee Commerce Ctr Ops Scenario 2 - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

14616 Menifee Commerce Ctr Ops Scenario 2

Riverside-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Unrefrigerated Warehouse-No Rail	1,640.13	1000sqft	37.65	1,640,130.00	0
User Defined Industrial	1,640.13	User Defined Unit	0.00	0.00	0
Other Asphalt Surfaces	34.43	Acre	34.43	1,499,770.80	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.4	Precipitation Freq (Days) 28	3
Climate Zone	10			Operational Year 20	024
Utility Company	Southern California Ediso	on			

 CO2 Intensity
 390.98
 CH4 Intensity
 0.033
 N20 Intensity
 0.004

 (lb/MWhr)
 (lb/MWhr)
 (lb/MWhr)
 (lb/MWhr)

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use -

Construction Phase - Operation only

Off-road Equipment -

Off-road Equipment - Operation only

Vehicle Trips - Trip rates based on Project traffic study.

Area Coating -

Water And Wastewater - Water consumption based on EMWD Water Facilities Master Plan and ETWU

Mobile Commute Mitigation -

Area Mitigation - Based on SCAQMD Rule 1113

Date: 1/11/2022 1:45 PM

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Fleet Mix - Fleet mix based on Project traffic study.

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	1,110.00	0.00
tblFleetMix	HHD	0.02	0.00
tblFleetMix	HHD	0.02	0.62
tblFleetMix	LDA	0.54	0.58
tblFleetMix	LDA	0.54	0.00
tblFleetMix	LDT1	0.06	0.06
tblFleetMix	LDT1	0.06	0.00
tblFleetMix	LDT2	0.17	0.19
tblFleetMix	LDT2	0.17	0.00
tblFleetMix	LHD1	0.03	0.00
tblFleetMix	LHD1	0.03	0.17
tblFleetMix	LHD2	7.1910e-003	0.00
tblFleetMix	LHD2	7.1910e-003	0.00
tblFleetMix	MCY	0.02	0.03
tblFleetMix	MCY	0.02	0.00
tblFleetMix	MDV	0.14	0.15
tblFleetMix	MDV	0.14	0.00
tblFleetMix	MH	5.1890e-003	0.00
tblFleetMix	MH	5.1890e-003	0.00
tblFleetMix	MHD	0.01	0.00
tblFleetMix	MHD	0.01	0.21
tblFleetMix	OBUS	6.1100e-004	0.00
tblFleetMix	OBUS	6.1100e-004	0.00
tblFleetMix	SBUS	1.0970e-003	0.00
tblFleetMix	SBUS	1.0970e-003	0.00
tblFleetMix	UBUS	3.0900e-004	0.00

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblFleetMix	UBUS	3.0900e-004	0.00
tblVehicleTrips	CW_TL	16.60	40.00
tblVehicleTrips	CW_TTP	0.00	100.00
tblVehicleTrips	PR_TP	0.00	100.00
tblVehicleTrips	ST_TR	1.74	1.17
tblVehicleTrips	ST_TR	0.00	0.31
tblVehicleTrips	SU_TR	1.74	1.17
tblVehicleTrips	SU_TR	0.00	0.31
tblVehicleTrips	WD_TR	1.74	1.17
tblVehicleTrips	WD_TR	0.00	0.31
tblWater	IndoorWaterUseRate	379,280,062.50	11,216,809.00
tblWater	OutdoorWaterUseRate	0.00	3,253,251.00

2.0 Emissions Summary

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	r tons/yr										MT/yr					
	11 11 11 11				0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Maximum					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr									MT/yr						
	11 11				0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Maximum					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	Highest	

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e				
Category	tons/yr												MT	/yr		0.0000				
Area	6.8085	3.8000e- 004	0.0422	0.0000		1.5000e- 004	1.5000e- 004		1.5000e- 004	1.5000e- 004	0.0000	0.0823	0.0823	2.1000e- 004	0.0000	0.0876				
Energy	0.0178	0.1616	0.1357	9.7000e- 004		0.0123	0.0123		0.0123	0.0123	0.0000	850.7402	850.7402	0.0603	0.0101	855.2669				
Mobile	1.3528	15.0310	15.3787	0.1088	6.3172	0.1794	6.4966	1.7284	0.1711	1.8996	0.0000	10,411.71 11	10,411.71 11	0.2210	1.2381	10,786.19 62				
Waste	F) 					0.0000	0.0000		0.0000	0.0000	312.9552	0.0000	312.9552	18.4951	0.0000	775.3333				
Water	F) 					0.0000	0.0000		0.0000	0.0000	3.5586	32.3120	35.8705	0.3682	8.9600e- 003	47.7465				
Total	8.1791	15.1929	15.5566	0.1098	6.3172	0.1918	6.5090	1.7284	0.1836	1.9120	316.5138	11,294.84 55	11,611.35 93	19.1449	1.2572	12,464.63 06				

CalEEMod Version: CalEEMod.2020.4.0 Page 6 of 21 Date: 1/11/2022 1:45 PM

14616 Menifee Commerce Ctr Ops Scenario 2 - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Area	6.8085	3.8000e- 004	0.0422	0.0000		1.5000e- 004	1.5000e- 004		1.5000e- 004	1.5000e- 004	0.0000	0.0823	0.0823	2.1000e- 004	0.0000	0.0876
Energy	0.0178	0.1616	0.1357	9.7000e- 004		0.0123	0.0123		0.0123	0.0123	0.0000	850.7402	850.7402	0.0603	0.0101	855.2669
Mobile	1.3528	15.0310	15.3787	0.1088	6.3172	0.1794	6.4966	1.7284	0.1711	1.8996	0.0000	10,411.71 11	10,411.71 11	0.2210	1.2381	10,786.19 62
Waste	1 1 1 1					0.0000	0.0000		0.0000	0.0000	312.9552	0.0000	312.9552	18.4951	0.0000	775.3333
Water	1 1 1 1					0.0000	0.0000		0.0000	0.0000	3.5586	32.3120	35.8705	0.3682	8.9600e- 003	47.7465
Total	8.1791	15.1929	15.5566	0.1098	6.3172	0.1918	6.5090	1.7284	0.1836	1.9120	316.5138	11,294.84 55	11,611.35 93	19.1449	1.2572	12,464.63 06

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Building Construction	Building Construction	12/23/2021	12/22/2021	5	0	

Acres of Grading (Site Preparation Phase): 0

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Acres of Grading (Grading Phase): 0

Acres of Paving: 34.43

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural

Coating - sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor

Trips and VMT

Phase Name	Offroad Equipment	Worker Trip	Vendor Trip	Hauling Trip	Worker Trip	Vendor Trip	Hauling Trip	Worker Vehicle	Vendor	Hauling
	Count	Number	Number	Number	Length	Length	Length	Class	Vehicle Class	Vehicle Class
Building Construction		!	515.00	0.00	14.70	6.90				

3.1 Mitigation Measures Construction

3.2 Building Construction - 2021

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

CalEEMod Version: CalEEMod.2020.4.0 Page 8 of 21 Date: 1/11/2022 1:45 PM

14616 Menifee Commerce Ctr Ops Scenario 2 - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.2 Building Construction - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

CalEEMod Version: CalEEMod.2020.4.0 Page 9 of 21 Date: 1/11/2022 1:45 PM

14616 Menifee Commerce Ctr Ops Scenario 2 - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Mitigated	1.3528	15.0310	15.3787	0.1088	6.3172	0.1794	6.4966	1.7284	0.1711	1.8996	0.0000	10,411.71 11	10,411.71 11	0.2210	1.2381	10,786.19 62
Unmitigated	1.3528	15.0310	15.3787	0.1088	6.3172	0.1794	6.4966	1.7284	0.1711	1.8996	0.0000	10,411.71 11	10,411.71 11	0.2210	1.2381	10,786.19 62

4.2 Trip Summary Information

	Ave	age Daily Trip Ra	ate	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Other Asphalt Surfaces	0.00	0.00	0.00		
Unrefrigerated Warehouse-No Rail	1,918.95	1,918.95	1918.95	8,224,085	8,224,085
User Defined Industrial	508.44	508.44	508.44	7,402,891	7,402,891
Total	2,427.39	2,427.39	2,427.39	15,626,976	15,626,976

4.3 Trip Type Information

		Miles			Trip %			Trip Purpos	e %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Unrefrigerated Warehouse-No	16.60	8.40	6.90	59.00	0.00	41.00	92	5	3
User Defined Industrial	40.00	8.40	6.90	100.00	0.00	0.00	100	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	МН
Other Asphalt Surfaces	0.537845	0.056225	0.173186	0.138405	0.025906	0.007191	0.011447	0.018769	0.000611	0.000309	0.023821	0.001097	0.005189
Unrefrigerated Warehouse-No Rail	0.578650	0.060491	0.186325	0.148906	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.025628	0.000000	0.000000

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	User Defined Industrial	Ξ	0.000000	0.000000	0.000000	0.000000	0.166994	0.000000	0.208251	0.624754	0.000000	0.000000	0.000000	0.000000	0.000000
--	-------------------------	---	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	674.8178	674.8178	0.0570	6.9000e- 003	678.2991
Electricity Unmitigated				i	 	0.0000	0.0000		0.0000	0.0000	0.0000	674.8178	674.8178	0.0570	6.9000e- 003	678.2991
NaturalGas Mitigated	0.0178	0.1616	0.1357	9.7000e- 004		0.0123	0.0123		0.0123	0.0123	0.0000	175.9224	175.9224	3.3700e- 003	3.2300e- 003	176.9678
NaturalGas Unmitigated	0.0178	0.1616	0.1357	9.7000e- 004		0.0123	0.0123		0.0123	0.0123	0.0000	175.9224	175.9224	3.3700e- 003	3.2300e- 003	176.9678

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGa s Use	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					ton	s/yr							МТ	7/yr		
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	3.29666e +006	0.0178	0.1616	0.1357	9.7000e- 004		0.0123	0.0123		0.0123	0.0123	0.0000	175.9224	175.9224	3.3700e- 003	3.2300e- 003	176.9678
User Defined Industrial	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0178	0.1616	0.1357	9.7000e- 004		0.0123	0.0123		0.0123	0.0123	0.0000	175.9224	175.9224	3.3700e- 003	3.2300e- 003	176.9678

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGa s Use	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					ton	s/yr							MT	7/yr		
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	3.29666e +006	0.0178	0.1616	0.1357	9.7000e- 004		0.0123	0.0123		0.0123	0.0123	0.0000	175.9224	175.9224	3.3700e- 003	3.2300e- 003	176.9678
User Defined Industrial	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0178	0.1616	0.1357	9.7000e- 004		0.0123	0.0123		0.0123	0.0123	0.0000	175.9224	175.9224	3.3700e- 003	3.2300e- 003	176.9678

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.3 Energy by Land Use - Electricity <u>Unmitigated</u>

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr		MT	√yr	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	3.8051e +006	674.8178	0.0570	6.9000e- 003	678.2991
User Defined Industrial	0	0.0000	0.0000	0.0000	0.0000
Total		674.8178	0.0570	6.9000e- 003	678.2991

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.3 Energy by Land Use - Electricity

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr		MT	-/yr	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	3.8051e +006	674.8178	0.0570	6.9000e- 003	678.2991
User Defined Industrial	0	0.0000	0.0000	0.0000	0.0000
Total		674.8178	0.0570	6.9000e- 003	678.2991

6.0 Area Detail

6.1 Mitigation Measures Area

CalEEMod Version: CalEEMod.2020.4.0 Page 15 of 21 Date: 1/11/2022 1:45 PM

14616 Menifee Commerce Ctr Ops Scenario 2 - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Mitigated	6.8085	3.8000e- 004	0.0422	0.0000		1.5000e- 004	1.5000e- 004		1.5000e- 004	1.5000e- 004	0.0000	0.0823	0.0823	2.1000e- 004	0.0000	0.0876
Unmitigated	6.8085	3.8000e- 004	0.0422	0.0000		1.5000e- 004	1.5000e- 004		1.5000e- 004	1.5000e- 004	0.0000	0.0823	0.0823	2.1000e- 004	0.0000	0.0876

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					ton	s/yr							MT	/yr		
Architectural Coating	0.7811					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	6.0236					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	3.9000e- 003	3.8000e- 004	0.0422	0.0000		1.5000e- 004	1.5000e- 004		1.5000e- 004	1.5000e- 004	0.0000	0.0823	0.0823	2.1000e- 004	0.0000	0.0876
Total	6.8085	3.8000e- 004	0.0422	0.0000		1.5000e- 004	1.5000e- 004		1.5000e- 004	1.5000e- 004	0.0000	0.0823	0.0823	2.1000e- 004	0.0000	0.0876

CalEEMod Version: CalEEMod.2020.4.0 Page 16 of 21 Date: 1/11/2022 1:45 PM

14616 Menifee Commerce Ctr Ops Scenario 2 - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					ton	s/yr							MT	/yr		
Architectural Coating						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	6.0236					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	3.9000e- 003	3.8000e- 004	0.0422	0.0000		1.5000e- 004	1.5000e- 004		1.5000e- 004	1.5000e- 004	0.0000	0.0823	0.0823	2.1000e- 004	0.0000	0.0876
Total	6.8085	3.8000e- 004	0.0422	0.0000		1.5000e- 004	1.5000e- 004		1.5000e- 004	1.5000e- 004	0.0000	0.0823	0.0823	2.1000e- 004	0.0000	0.0876

7.0 Water Detail

7.1 Mitigation Measures Water

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	Total CO2	CH4	N2O	CO2e
Category		MT	-/yr	
ga.ca	35.8705	0.3682	8.9600e- 003	47.7465
Unmitigated	35.8705	0.3682	8.9600e- 003	47.7465

7.2 Water by Land Use <u>Unmitigated</u>

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal		МТ	/уг	
Other Asphalt Surfaces	0/0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	11.2168 / 3.25325	35.8705	0.3682	8.9600e- 003	47.7465
User Defined Industrial	0/0	0.0000	0.0000	0.0000	0.0000
Total		35.8705	0.3682	8.9600e- 003	47.7465

CalEEMod Version: CalEEMod.2020.4.0 Page 18 of 21 Date: 1/11/2022 1:45 PM

14616 Menifee Commerce Ctr Ops Scenario 2 - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

7.2 Water by Land Use

Mitigated

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal		МТ	/yr	
Other Asphalt Surfaces	0/0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	11.2168 / 3.25325	35.8705	0.3682	8.9600e- 003	47.7465
User Defined Industrial	0/0	0.0000	0.0000	0.0000	0.0000
Total		35.8705	0.3682	8.9600e- 003	47.7465

8.0 Waste Detail

8.1 Mitigation Measures Waste

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Category/Year

Total CO2	CH4	N2O	CO2e
	МТ	7/yr	
 312.9552	18.4951	0.0000	775.3333
 312.9552	18.4951	0.0000	775.3333

8.2 Waste by Land Use <u>Unmitigated</u>

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons		МТ	-/yr	
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	1541.72	312.9552	18.4951	0.0000	775.3333
User Defined Industrial	0	0.0000	0.0000	0.0000	0.0000
Total		312.9552	18.4951	0.0000	775.3333

Date: 1/11/2022 1:45 PM

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

14616 Menifee Commerce Ctr Ops Scenario 2 - Riverside-South Coast County, Annual

8.2 Waste by Land Use

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	1541.72	312.9552	18.4951	0.0000	775.3333
User Defined Industrial	0	0.0000	0.0000	0.0000	0.0000
Total		312.9552	18.4951	0.0000	775.3333

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
Equipment Type	Number	1 louis/Bay	Bays/ real	110136 1 01161	Load i doloi	r der rype

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type Nu	mber Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
-------------------	---------------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number

CalEEMod Version: CalEEMod.2020.4.0 Page 21 of 21 Date: 1/11/2022 1:45 PM

14616 Menifee Commerce Ctr Ops Scenario 2 - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

11.0 Vegetation

This page intentionally left blank

