Spring Valley Organics Mitigation Monitoring and Reporting Program Major Use Permit, UP 19-21; Initial Study, IS 19-37

Potential Impact	Mitigation Measure	Implementati on Responsibility	Monitoring & Reporting Responsibility	Timing	Date Impleme nted
	AESTHETICS				
The project is not located within a scenic vista; however, the project greenhouses will be seen Spring Valley Road. The vegetative screen plan will reduce the aesthetic impact to less than significant.	AES-1: Prior to construction, the applicant shall provide a vegetation screening plan to protect the views from New Long Valley Road.	Applicant	Applicant	Prior to construction	
	AES-2: An Outdoor Lighting Plan that meets the darkskies.org lighting recommendations shall be submitted for review and acceptance, or review and revision before cultivation.	Applicant	Applicant	Prior to construction	
	AES-3: All structures incorporating artificial lighting shall be equipped with blackout film/material to be used at night for maximum light blockage to lessen the impact on the surrounding parcels and the dark skies. The applicant shall submit a Blackout Film/Materials Plan to the Community Development Department for review and approval before the issuance of any permits.	Applicant	Applicant	Prior to construction	
	AES-4: Security lighting shall be motion-activated and all outdoor lighting shall be shielded and downcast or otherwise positioned in a manner that will not shine a light or allow light glare to exceed the boundaries of a lot of records upon which they are placed.	Applicant	Applicant	Prior to operation	
	AIR QUALITY				
The project has the potential to create short- and long- term impacts on air quality through dust from the driveway and cultivation	AQ-1: Prior to obtaining the necessary permits and/or approvals for any phase, the applicant shall contact the Lake County Air Quality Management District and obtain an Authority to Construct (A/C) Permit for all operations and for any diesel-powered equipment and/or other equipment with potential for air emissions. Or provide proof that a permit is not needed.	Applicant	Applicant	Prior to operation	
operation and odor from the cultivation operation, however, mitigation measures will be implemented to lessen the impact.	AQ-2: All mobile diesel equipment used must be in compliance with state registration requirements. Portable and stationary diesel-powered equipment must meet all Federal, State, and local requirements, including the requirements of the State Air Toxic Control Measures for CI engines. Additionally, all engines must notify LCAQMD prior to beginning construction activities and prior to engine use.	Applicant	Applicant	During site development and operation	
	AQ-3: The applicant shall maintain records of all hazardous or toxic materials used, including a Material Safety Data Sheet (MSDS) for all volatile organic compounds utilized, including cleaning materials. Said information shall be made available upon request and/or the ability to provide the Lake County Air Quality Management District such information in order to complete an updated Air Toxic emission Inventory.	Applicant	Applicant	During construction and operation	
	AQ-4: All vegetation during site development shall be chipped and spread for ground cover and/or erosion control. The burning of vegetation, construction debris, including waste material is prohibited.	Applicant	Applicant	During operation	

chip seal, asphalt, or an equivalent all-weather surfacing to reduce fugitive dust generation. The use of white rock as a road base or surface material for travel routes	Applicant	Applicant	During operation
AQ-6: All areas subject to infrequent use of driveways, overflow parking, etc., shall be surfaced with gravel. Applicant shall regularly use and/or maintain the graveled	Applicant	Applicant	During operation
AQ-7: Each greenhouse shall contain an air and odor filtration system. Method of filtration shall be provided to the Lake County Planning Department for review prior to any construction occurring on site.	Applicant	Applicant	During operation
AQ-8: The applicant shall apply water to the ground during any and all site preparation work that is required for the greenhouses and drying building, as well as during any interior driveway improvements to mitigate dust migration.	Applicant	Applicant	During operation
AQ-9: Prior to cultivation, the applicant shall submit an Odor Control Plan to the Community Development Department for review and approval, or review and revision.	Applicant	Applicant	During operation
BIOLOGICAL RESOURCES			
BIO 1: If land clearing is performed in the future, a pre-construction special-status species survey shall be conducted.	Applicant/ Contractor	Applicant	The life of the project
BIO-2: All work should incorporate erosion control measures consistent with Lake County Grading Regulations and the State Water Resources Control Board Order No. WQ 2019-001-DWQ.	Applicant/ Contractor	Applicant	Prior to site development
BIO-3: Pesticides and fertilizer storage facilities shall be located outside of the Riparian Corridor setbacks for structures. Pesticide and fertilizer storage facilities shall not be located within 100 feet of a wellhead or 50 feet of identified wetlands.	Applicant/ Contractor	Applicant	Prior to site development and construction
BIO-4: Pesticides and fertilizer storage facilities shall be located outside of the Riparian Corridor setbacks for structures and not located within 100 feet of a wellhead and all watercourses.	Applicant/ Contractor	Applicant	The life of the project
BIO-5: The use of water provided by a public water supply, unlawful water diversions, transported by a water hauler, bottled water, a water vending machine, or a retail water facility is prohibited. The utilization of water that has been or is illegally diverted from any lake, springs, wetland, stream, creek, vernal pool, and/or river is prohibited. The applicant shall not engage in any unlawful or unpermitted drawing of surface water.	Applicant/ Contractor	Applicant	The life of the project
BIO-6: The applicant shall maintain a minimum of a one-hundred-foot setback from the top of the bank of any creek (perennial and intermittent), the edge of the lake, delineated wetland, and/or vernal pool on the lot of record of land.	Applicant/ Contractor	Applicant	The life of the project
BIO-7: If tree felling is performed in the future, a pre-construction nesting bird survey shall be conducted.	Applicant/ Contractor	Applicant	The life of the project
CUL-1: Should any archaeological, paleontological, or cultural materials be discovered during site development, all activity shall be halted in the vicinity of the find(s), the applicant shall notify the culturally affiliated Tribe, and a qualified	Applicant	Applicant	The life of the project
	generation. The use of white rock as a road base or surface material for travel routes and/or parking areas is prohibited. AQ-6: All areas subject to infrequent use of driveways, overflow parking, etc., shall be surfaced with gravel. Applicant shall regularly use and/or maintain the graveled area to reduce fugitive dust generations. AQ-7: Each greenhouse shall contain an air and odor filtration system. Method of filtration shall be provided to the Lake County Planning Department for review prior to any construction occurring on site. AQ-8: The applicant shall apply water to the ground during any and all site preparation work that is required for the greenhouses and drying building, as well as during any interior driveway improvements to mitigate dust migration. AQ-9: Prior to cultivation, the applicant shall submit an Odor Control Plan to the Community Development Department for review and approval, or review and revision. BIOLOGICAL RESOURCES BIO 1: If land clearing is performed in the future, a pre-construction special-status species survey shall be conducted. BIO-2: All work should incorporate erosion control measures consistent with Lake County Grading Regulations and the State Water Resources Control Board Order No. WQ 2019-001-DWQ. BIO-3: Pesticides and fertilizer storage facilities shall be located outside of the Riparian Corridor setbacks for structures. Pesticide and fertilizer storage facilities shall not be located within 100 feet of a wellhead or 50 feet of identified wetlands. BIO-4: Pesticides and fertilizer storage facilities shall be located outside of the Riparian Corridor setbacks for structures and not located within 100 feet of a wellhead and all watercourses. BIO-5: The use of water provided by a public water supply, unlawful water diversions, transported by a water hauler, bottled water, a water vending machine, or a retail water facility is prohibited. The utilization of water that has been or is illegally diverted from any lake, springs, wetland, stream, creek, vernal pool, and/or river	chip seal, asphalt, or an equivalent all-weather surfacing to reduce fugitive dust generation. The use of white rock as a road base or surface material for travel routes and/or parking areas is prohibited. AQ-6: All areas subject to infrequent use of driveways, overflow parking, etc., shall be surfaced with gravel. Applicant shall regularly use and/or maintain the graveled area to reduce fugitive dust generations. Applicant AQ-7: Each greenhouse shall contain an air and odor filtration system. Method of filtration shall be provided to the Lake Courty Planning Department for review prior to any construction occurring on site. Applicant AQ-8: The applicant shall apply water to the ground during any and all site preparation work that is required for the greenhouses and drying building, as well as during any interior driveway improvements to mitigate dust migration. Applicant AQ-9: Prior to cultivation, the applicant shall submit an Odor Control Plan to the Community Development Department for review and approval, or review and revision. Applicant/ BIO 1: If land clearing is performed in the future, a pre-construction special-status species survey shall be conducted. Applicant/ BIO-3: Pasticides and fertilizer storage facilities shall be located outside of the Riparian Corridor setbacks for structures. Pesticide and fertilizer storage facilities shall not be located within 100 feet of a wellhead or 50 feet of identified wetlands. Applicant/ BIO-4: Pesticides and fertilizer storage facilities shall be located outside of the Riparian Corridor setbacks for structures. Pesticide and fertilizer storage facilities shall no toredo a water provided by a public water, a w	chip scal, asphalt, or an equivalent all-weather surfacing to reduce fugitive dust generation. The use of white rock as a road base or surface material for travel routes and/or parking areas is prohibited. Applicant AQ-6: All areas subject to infrequent use of driveways, overflow parking, etc., shall be surfaced with gravel. Applicant shall regularly use and/or maintain the graveled area to reduce fugitive dust generations. Applicant Applicant AO-7: Each shall contain an air and odor filtration system. Method of filtration shall be provided to the Lake County Planning Department for review prior to any construction occurring on site. Applicant Applicant AQ-8: The applicant shall apply water to the ground during any and all site preparation work that is required for the greenhouses and drying building, as well as during any interior driveway improvements to mitigate dust migration. Applicant Applicant AQ-9: Prior to cultivation, the applicant shall submit an Odor Control Plan to the Community Development Department for review and approval, or review and revision. Applicant Applicant BIO-1: If land clearing is performed in the future, a pre-construction special-status BIO-3: Pesticides and fertilizer storage facilities shall be located outside of the Riparian Corridor setbacks for structures. Pesticide and fertilizer storage facilities shall not be located within 100 feet of a wellhead or 50 feet of identified wellands. Applicant/ Contractor Applicant/ Contractor BIO-4: Pesticides and fertilizer storage facilities shall be located outside of the Riparian Corridor setbacks for structures, pestici

during construction	archaeologist to evaluate the find(s) and recommend mitigation procedures, if				
activities.	necessary, subject to the approval of the Community Development Director.				
dett vities.	Should any human remains be encountered, the applicant shall notify the Sheriff's				
	Department, the culturally affiliated Tribe, and a qualified archaeologist for proper				
	internment and Tribal rituals per Public Resources Code Section 5097.98 and				
	Health and Safety Code 7050.5.				
	CUL-2: All employees shall be trained in recognizing potentially significant	Applicant	Applicant	Prior to site	
	artifacts that may be discovered during ground disturbance. If any artifacts or	Applicant	Applicant	development	
	remains are found, the culturally affiliated Tribe shall immediately be notified; a			development	
	licensed archaeologist shall be notified, and the Lake County Community				
	Development Director shall be notified of such finds.				
	CUL-3: In the event of an unanticipated discovery of cultural resources during the	Applicant	Applicant	The life of	
	implementation of the project, all work must be halted within 100 feet (30 meters)	rippileant	Applicant	the project	
	of the find and a qualified archaeologist (36 CFR Part 61) notified so that its			the project	
	potential significance can be assessed.				
	CUL-4: The cultural site area shall be avoided by all agricultural, processing, and	Applicant	Applicant	The life of	
	material staging activities.	rippilouni	ripplicant	the project	
	CUL-5: No ground disturbance activity shall take place in the recorded prehistoric				
	area, however, if ground disturbance is ever planned, a mitigation plan must be				
	developed to protect or recover the information contained in this resource per				
	California Environmental Quality Act (CEQA).				
	TRIB-1: In the unlikely event that undiscovered cultural material is encountered	Applicant	Applicant	The life of	
	elsewhere on the project, work near the find should stop and these should be	rippiiouni	ripplicalit	the project	
	evaluated for significance by a qualified archaeologist and either preserved or			the project	
	mitigated as outlined in CEQA (sec.21083.2 [b] or 15126.4c).				
	ENERGY				
The proposed project has the	ENERGY-1: The applicant shall provide energy calculations for the proposed	Applicant	Applicant	The life of	
potential to increase	project prior to the hearing. Total amperage needs shall be provided within the	1 pp	- pp	the project	
consumption of energy	energy calculations provided. A description of energy use per building may be			FJ	
resources through the use of	necessary, as well as engineered energy calculations at the discretion of the				
structures, however, it will	Building Official.				
be minimized with					
mitigation measures and					
complying with regulatory					
agencies.					
GEOLOGY AND SOILS					
The proposed project will	GEO-1: Prior to operation, all buildings, accessible compliant parking areas, routes of	Applicant	Applicant	The life of	
not cause potential	travel, building access, and/or bathrooms shall meet all California Building Code		**	the project	
substantial adverse effects.	Requirements.			1 5	
However, a minor ground	GEO-2: Prior to any ground disturbance for building construction, the permittee shall	Applicant	Applicant	Prior to	
disturbance is proposed for	submit erosion control and sediment plans to the Water Resource Department and the		**	construction	
site preparation	Community Development Department for review and approval. Said erosion control			and	
	and sediment plans shall protect the local watershed from runoff pollution through the			operation	
	implementation of appropriate Best Management Practices (BMPs) in accordance			*	

	 with the Grading Ordinance. Typical BMPs include the placement of straw, mulch, seeding, straw wattles, silt fencing, and the planting of native vegetation on all disturbed areas. No silt, sediment, or other materials exceeding natural background levels shall be allowed to flow from the project area. The natural background level is the level of erosion that currently occurs from the area in a natural, undisturbed state. Vegetative cover and water bars shall be used as permanent erosion control after project installation. GEO-3: Excavation, filling, vegetation clearing, or other disturbance of the soil shall not occur between October 15 and April 15 unless authorized by the Community Development Department Director. The actual dates of this defined grading period may be adjusted according to weather and soil conditions at the discretion of the Community Development Director. 	Applicant	Applicant	During construction and operation
	GEO-4: The permit holder shall monitor the site during the rainy season (October 15 – May 15), including post-installation, application of BMPs, erosion control maintenance, and other improvements as needed.	Applicant	Applicant	Prior and during construction and operation
	GEO-5: If greater than fifty (50) cubic yards of soils are moved, a Grading Permit shall be required as part of this project. The project design shall incorporate Best Management Practices (BMPs) to the maximum extent practicable to prevent or reduce the discharge of all construction or post-construction pollutants into the County storm drainage system. BMPs typically include scheduling of activities, erosion and sediment control, operation and maintenance procedures, and other measures in accordance with Chapters 29 and 30 of the Lake County Code.	Applicant	Applicant; contractor	Prior to construction
	GEO-6: Prior to operation, all structure(s) used for commercial cultivation shall meet accessibility and CalFire standards. Please contact the Lake County Community Development Department's Building Division for more information.	Applicant	Applicant; contractor	Prior to construction
	HAZARDS AND HAZARDOUS MATERIA	ALS		
Exposure to hazards and hazardous materials can occur during and after construction. However, preventative measures including mitigation	HAZ-1: All equipment shall be maintained and operated to minimize spillage or leakage of hazardous materials. All equipment will be refueled in locations more than 100 feet from surface water bodies. Servicing of equipment will occur on an impermeable surface. In an event of a spill or leak, the contaminated soil will be stored, transported, and disposed of consistent with applicable local, state, and federal regulations.	Applicant	Applicant; Community Development Department	Prior to operation
measures and best management practices can be impacted to less than significant.	HAZ-2: The storage of hazardous materials equal to or greater than fifty-five (55) gallons of a liquid, 500 pounds of a solid, or 200 cubic feet of compressed gas, then a Hazardous Materials Inventory Disclosure Statement/Business Plan shall be submitted and maintained in compliance with requirements of Lake County Environmental Health Division. Industrial waste shall not be disposed of on-site without review or permit from Lake County Environmental Health Division or the California Regional Water Quality Control Board. The permit holder shall comply with petroleum fuel storage tank regulations if fuel is to be stored on site.	Applicant	Applicant	Prior to operation
	HAZ-3: Prior to operation, the applicant shall schedule an inspection with the Lake County Code Enforcement Division within the Community Development Department	Applicant	Applicant	Life of the project

	to verify adherence to all requirements of Chapter 13 of the Lake County Code, including but not limited to adherence with the Hazardous Vegetation requirements.			
	HAZ-4: Prior to operation, all employees shall have access to restrooms and hand- wash stations. The restrooms and hand wash stations shall meet all accessibility requirements.	Applicant	Applicant	Life of the project
	HAZ-5: The proper storage of equipment, removal of litter and waste, and cutting of weeds or grass shall not constitute an attractant, breeding place, or harborage for pests.	Applicant	Applicant; Environmental Health	Life of the project
	HAZ-6: All food scraps, wrappers, food containers, cans, bottles, and other trash from the project area should be deposited in trash containers with an adequate lid or cover to contain trash. All food waste should be placed in a securely covered bin and removed from the site weekly to avoid attracting animals.	Applicant	Applicant; Environmental Health	Life of the project
	HAZ-7: The applicant shall maintain records of all hazardous or toxic materials used, including a Material Safety Data Sheet (MSDS) for all volatile organic compounds utilized, including cleaning materials. Said information shall be made available upon request and/or the ability to provide the Lake County Air Quality Management District such information to complete an updated Air Toxic Emission Inventory.	Applicant	Applicant; Environmental Health	Life of the project
	HAZ-8: The applicant shall obtain an Operator Identification Number from the California Department of Pesticide Regulation prior to using pesticides onsite for cannabis cultivation.	Applicant	Applicant; Environmental Health	Life of the project
	HYDROLOGY AND WATER QUALIT	Y	1	· ·
The proposed project will create additional use of water for irrigation purposes.	HYD-1: Before this permit having any force or effect, the permittee(s) shall adhere to the Lake County Division of Environmental Health requirements regarding on-site wastewater treatment and/or potable water requirements. The permittee shall contact the Lake County Division of Environmental Health for details.	Applicant/ Contractor	Applicant/ Contractor	During site development
	HYD-2: The applicant shall prepare a groundwater management plan to ensure that the groundwater resources of the County are protected used and managed sustainably. The plan would support the Integrated Regional Water Management Plan and include an inventory of groundwater resources in the County and a management strategy to maintain the resource for the reasonable and beneficial use of the people and agencies of the County.	Applicant/ Contractor	Applicant; Contractor; Community Development Department	Prior to construction
	HYD-3: The production well shall have a meter to measure the amount of water pumped. The production wells shall have continuous water level monitors. The methodology of the monitoring program shall be described. A monitoring well of equal depth within the cone of influence of the production well may be substituted for the water level monitoring of the production well. The monitoring wells shall be constructed and monitoring began at least three months before the use of the supply well. An applicant shall maintain a record of all data collected and shall provide a report of the data collected to the County annually and/or upon made upon request.	Applicant/ Contractor	Applicant; Community Development Department; Department of Water Resources	Prior to construction
	HYD-4: Prior to construction, the applicant shall provide a new site plan for the property to show all dimensions and setbacks to meet all federal, state, and local regulations and conform to all building codes.	Applicant/ Contractor	Applicant;CommunityDevelopmentDepartment;DepartmentofWaterResources	Prior to construction

NOISE				
The proposed project will	NOI-1: All construction activities including engine warm-up shall be limited	Applicant	Applicant	During site
not have any adverse effect	Monday through Friday, between the hours of 7:00 a.m. and 7:00 p.m. to minimize			development
on the noise. However, the	noise impacts on nearby residents. Back-up beepers shall be adjusted to the lowest			and
future project may create	allowable levels.			operation
short-term increases in ambient noise levels to uncomfortable levels during project preparation, construction, and operations.	NOI -2: Maximum non-construction related sounds levels shall not exceed levels of 55 dBA between the hours of 7:00 a.m. to 10:00 p.m. and 45 dBA between the hours of 10:00 p.m. to 7:00 a.m. within residential areas as specified within Zoning Ordinance Section 21-41.11 (Table 11.1) at the property lines.	Applicant	Applicant	During site development and operation
	NOI-3: The operation of the air filtration system shall not exceed levels of 57 dBA between the hours of 7:00 a.m. to 10:00 p.m. and 50 dBA from 10:00 p.m. to 7:00 a.m. within residential areas as specified within Zoning Ordinance Section 21-41.11	Applicant	Applicant	During site development and
	(Table 11.2) measured at the property lines.			operation