## CALIFORNIA ENVIRONMENTAL QUALITY ACT NOTICE OF EXEMPTION

To: Office of Planning and Research-State Clearinghouse	From: Department of Toxic Substances Control
P.O. Box 3044, 1400 Tenth Street, Room 212	P.O. Box 806
Sacramento, CA 95812-3044	Sacramento, CA 95812-0806

**Project Title**: Variance TWW-2021-SG-00684 to Allow the Generation, Accumulation, and Transport of Treated Wood Waste under Alternate Procedures by Napa Valley Wine Train

Project Location: 800 8th St., Napa, CA 94559

County: Napa

Project Applicant: Anthony Giaccio, Director Railroad Operations, Napa Valley Wine Train

Approval Action Under Consideration by DTSC: Variance

Statutory/Regulatory Authority: California Health and Safety Code, Section 25143; CCR Title 22, Section 66260.210

**Project Description**: The Department of Toxic Substances Control (DTSC) has issued a variance to Napa Valley Wine Train to generate and accumulate treated wood waste on-site. The treated wood waste is generated by the replacement of wood railroad ties. The variance allows treated wood waste to be managed under procedures different from, but equally protective to human health and the environment to, the provisions of California Health and Safety Code (HSC) Articles 6, 6.5 and 9 of Chapter 6.5 and California Code of Regulations (CCR), Title 22, Division 4.5, Chapters 12, 13, 14, 15, 16, 18, and/or 20. Under the terms and conditions of Variance TWW-2021-SG-00684, Napa Valley Wine Train will ensure the treated wood waste will be appropriately managed.

**Background**: Treated wood waste is a fully regulated California-only hazardous waste because it exhibits the hazardous waste characteristic of toxicity. From 2007 to December 31, 2020, treated wood waste was managed under alternative management standards, established in 22 CCR 67386. The legislation that authorized the alternative management standards for treated wood waste expired on December 31, 2020.

Napa Valley Wine Train is a railroad.

**Project Activities**: Under the variance, the authorized small quantity generator may generate and accumulate treated wood waste on-site. Accumulation of treated wood waste includes taking appropriate precautions to prevent unauthorized access to and prevent leaching to the environment of the treated wood waste. No transportation activities are authorized as a part of this variance. The variance will expire on January 31, 2022 with possibility of extension for an additional six months.

Name of Public Agency Approving Project: Department of Toxic Substances Control

Name of Person or Agency Carrying Out Project: Napa Valley Wine Train

Exempt Status: Existing Facilities [CCR Title 14, Sec. 15301]

**Reasons Why Project is Exempt**: All analysis conducted included the potential extension of the variance for an additional six months. DTSC has determined none of the exceptions to the categorical exemptions apply to this project, as described in Public Resources Code Section 21084(c), (d), and (e), and 14 CCR Section 15300.2. This project consists of the accumulation and storage of the treated wood waste is consistent with the operation, repair, maintenance, permitting, leasing, licensing, or minor alteration of existing public or private structure, involving negligible or no expansion of existing or former use.

The administrative record for this project is available to the public by appointment at the following location:

Department of Toxic Substances Control Permitting Division 1001 I Street Sacramento, CA 95814

Contact Person	Contact Title	Phone Number
Rostislav Boytsan	Project Manager	(916) 327-4041

Approver's Signature:

Robert Arving

Date:

State of California – California Environmental Protection Agency		Department of Toxic Substances Control
Approver's Name	Approver's Title	Approver's Phone Number
Robert Irving	Supervising Environmental Planner	(916) 255-3988

## TO BE COMPLETED BY OPR ONLY

Date Received for Filing and Posting at OPR: