

#### CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION DETERMINATION FORM (rev. 04/2021)

# Project Information

Project Name (if applicable): Yolo 16 Culverts

DIST-CO-RTE: 03-YOL-16 PM/PM: 21.6/38.1

EA: 03-2G330 Federal-Aid Project Number: 0321000087

# Project Description

Caltrans proposed a culvert preservation maintenance project located in Yolo County on State Route 16 from postmile 21.6 to 38.1. The proposed project will repair or replace 9 <u>culverts at 9 locations</u>.

Culvert	Location
1	21.67
2	23.62
3	23.63
4	24.29
5	27.42
6	35.68
7	36.44
8	36.74
9	38.06

Caltrans CEQA Determination (Check one)

□ **Not Applicable** – Caltrans is not the CEQA Lead Agency

□ Not Applicable – Caltrans has prepared an IS or EIR under CEQA

Based on an examination of this proposal and supporting information, the project is: **Exempt by Statute.** (PRC 21080[b]; 14 CCR 15260 et seq.)

☑ Categorically Exempt. Class 1. (PRC 21084; 14 CCR 15300 et seq.)

□ No exceptions apply that would bar the use of a categorical exemption (PRC 21084 and 14 CCR 15300.2). See the <u>SER Chapter 34</u> for exceptions.

□ Covered by the Common Sense Exemption. This project does not fall within an exempt class, but it can be seen with certainty that there is no possibility that the activity may have a significant effect on the environment (14 CCR 15061[b][3].)

# Senior Environmental Planner or Environmental Branch Chief

Sandeep Sandhu	Sandeep Sandhu	8/25/2021
Print Name	Signature	Date

Project Manager



# CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION DETERMINATION FORM

Jennifer Key

<u>ennifer Key</u> ture Signature

<u>8/27/21</u> Date

Print Name



#### CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION DETERMINATION FORM

## Caltrans NEPA Determination (Check one)

## ⊠ Not Applicable

Caltrans has determined that this project has no significant impacts on the environment as defined by NEPA, and that there are no unusual circumstances as described in 23 CFR 771.117(b). See <u>SER Chapter 30</u> for unusual circumstances. As such, the project is categorically excluded from the requirements to prepare an EA or EIS under NEPA and is included under the following:

□ **23 USC 326:** Caltrans has been assigned, and hereby certifies that it has carried out the responsibility to make this determination pursuant to 23 USC 326 and the Memorandum of Understanding dated April 18, 2019, executed between FHWA and Caltrans. Caltrans has determined that the project is a Categorical Exclusion under:

# □ 23 CFR 771.117(c): activity (c)(Enter activity number)

□ 23 CFR 771.117(d): activity (d)(Enter activity number)

 $\Box$  Activity Enter activity number listed in Appendix A of the MOU between FHWA and Caltrans

□ **23 USC 327:** Based on an examination of this proposal and supporting information, Caltrans has determined that the project is a Categorical Exclusion under 23 USC 327. The environmental review, consultation, and any other actions required by applicable Federal environmental laws for this project are being, or have been, carried out by Caltrans pursuant to 23 USC 327 and the Memorandum of Understanding dated December 23, 2016 and executed by FHWA and Caltrans.

### Senior Environmental Planner or Environmental Branch Chief

N/A	N/A	N/A
Print Name	Signature	Date
Project Manager/ DLA E	Engineer	
N/A	N/A	N/A
Print Name	Signature	Date

# Date of Categorical Exclusion Checklist completion (if applicable): N/A Date of Environmental Commitment Record or equivalent: N/A

Briefly list environmental commitments on continuation sheet if needed (i.e., not necessary if included on an attached ECR). Reference additional information, as appropriate (e.g., additional studies and design conditions).



#### CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION DETERMINATION FORM

## **Continuation sheet:**

The proposed project has no effect on animal and plant species and no environment permits are required. The proposed work will not require any utility relocation, have any excess material to dispose, and has no potential to affect state-owned historical resources. No right of way acquisition is required, all work is within the boundaries of the roadway prism.