

			Print	Sta	rtOver	Save
		REC	EIPT NU	MBFR:		
			— 100		— 603	
					JSE NUMBER	R (If applicable)
SEE INSTRUCTIONS ON REVERSE. TYPE OR PRINT CLEARLY.						. (,,
LEAD AGENCY	LEAD AGENCY EMAIL			DATE		
City of Needles	ELADAGENOT LIVIALE				042021	
COUNTY/STATE AGENCY OF FILING					JMENT NUM	BER
San Bernardino						
PROJECT TITLE						
SR-95 Needles Bridge Replacement						
PROJECT APPLICANT NAME	PROJECT APPLICANT E	MAIL		PHON	IE NUMBER	
City of Needles)) 326-5740 x 12	7
PROJECT APPLICANT ADDRESS	CITY	s	TATE	ZIP C		
817 Third Street	Needles	0	Ca	923	63	
PROJECT APPLICANT (Check appropriate box)				020		
✓ Local Public Agency School District	Other Special District		State	Agency		Private Entity
CHECK APPLICABLE FEES:						
☐ Environmental Impact Report (EIR)		\$3,445		\$		0.00
☑ Mitigated/Negative Declaration (MND)(ND)		\$2,480		\$		2,480.25
☐ Certified Regulatory Program (CRP) document - payment due of	directly to CDFW	\$1,171	.25	\$		0.00
✓ Exempt from fee						
✓ Notice of Exemption (attach)						
☐ CDFW No Effect Determination (attach)						
☐ Fee previously paid (attach previously issued cash receipt copy	<i>'</i>)					
	-					
☐ Water Right Application or Petition Fee (State Water Resources	s Control Board only)	\$850	0.00 \$			0.00
County documentary handling fee			\$			50.00
☐ Other			\$			
PAYMENT METHOD:						0.500.05
☐ Cash ☐ Credit ☐ Check ☑ Other	TOTAL F	RECEI	/ED \$			2,530.25
SIGNATURE AGEN	ICY OF FILING PRINTED N	JAME A	ND TITL			
(/ () ()	i Schram, Depu			_		
110	, Dopa	-, -				

Posted On: 10 4 2 Removed On: 36 - 100 42 - 603

Print Form

Notice of Determination

Appendix D

To: Office of Planning and Resea	rch	From: Public Agency: City of Needles				
U.S. Mail:	Street Address:	Address: 817 Third Street				
P.O. Box 3044	95812-3044 Sacramento, CA 95814	Needles, CA 92363 Contact: Cindy Semione, Planner Phone: (760) 326-5740 x 127 Lead Agency (if different from above):				
Sacramento, CA 95812-3044						
County Clerk County of: San Bernardino						
San Bernardino, CA 92415	Land, Full 1001	Address:				
		Contact:				
		Phone:				
Resources Code.		lance with Section 21108 or 21152 of the Public				
		nghouse):				
Project Title: SR-95 Needles Br						
		f Transportation				
Project Location (include county)	: City of Needles, San Be	ernardino County, CA; Town of Mohave Valley				
Project Description:						
replacement of the bridge deck	and replacement of the e rehabilitation activities w	eedles Bridge, including the milling and xisting guardrail to meet current federal rould be conducted within existing City of				
replacement of the bridge deck standards. The proposed bridge Needles, State of CA, and ADO	and replacement of the e rehabilitation activities w T public ROWs. The Proj which are anticipated to	xisting guardrail to meet current federal rould be conducted within existing City of ect limits also include proposed permanent and procedur within the City of Needles.				
replacement of the bridge deck standards. The proposed bridge Needles, State of CA, and ADO temporary (i.e., staging) impacts. This is to advise that the City o (described project on 9/28/2021 (date	and replacement of the enterplacement of the enterplacement of the public ROWs. The Project of the public ROWs. Th	xisting guardrail to meet current federal rould be conducted within existing City of ect limits also include proposed permanent and				
replacement of the bridge deck standards. The proposed bridge Needles, State of CA, and ADO temporary (i.e., staging) impacts. This is to advise that the City of the control of the contr	and replacement of the enterplacement of the	xisting guardrail to meet current federal rould be conducted within existing City of ect ilmits also include proposed permanent and o occur within the City of Needles. has approved the above esponsible Agency) e following determinations regarding the above				
replacement of the bridge deck standards. The proposed bridge Needles, State of CA, and ADO temporary (i.e., staging) impacts. This is to advise that the City o (described project on 9/28/2021 (date described project. 1. The project [will will not	and replacement of the enterprise in the property of the prope	xisting guardrail to meet current federal rould be conducted within existing City of ect ilmits also include proposed permanent and coccur within the City of Needles. has approved the above esponsible Agency) e following determinations regarding the above ton the environment.				
replacement of the bridge deck standards. The proposed bridge Needles, State of CA, and ADO temporary (i.e., staging) impacts. This is to advise that the City of (described project on 9/28/2021 (date described project. 1. The project [will will not 2. An Environmental Impact F	and replacement of the enterprise in the property of the prope	xisting guardrail to meet current federal rould be conducted within existing City of ect ilmits also include proposed permanent and coccur within the City of Needles. has approved the above esponsible Agency) te following determinations regarding the above ton the environment. his project pursuant to the provisions of QEQA.				
replacement of the bridge deck standards. The proposed bridge Needles, State of CA, and ADO temporary (i.e., staging) impacts. This is to advise that the City of (described project on 9/28/2021 (date described project. 1. The project [will will not 2. An Environmental Impact F	and replacement of the enterprise in the property of the prope	xisting guardrail to meet current federal rould be conducted within existing City of ect ilmits also include proposed permanent and coccur within the City of Needles. has approved the above esponsible Agency) te following determinations regarding the above ton the environment. his project pursuant to the provisions of QEQA.				
replacement of the bridge deck standards. The proposed bridge Needles, State of CA, and ADO temporary (i.e., staging) impacts. This is to advise that the City of the control of the contr	and replacement of the elementary replacementary re	xisting guardrail to meet current federal rould be conducted within existing City of ect limits also include proposed permanent and coccur within the City of Needles. has approved the above esponsible Agency) te following determinations regarding the above to on the environment. his project pursuant to the provisions of GEQA. tipursuant to the provisions of CEQA.				
replacement of the bridge deck standards. The proposed bridge Needles, State of CA, and ADO temporary (i.e., staging) impacts. This is to advise that the City of (described project on 9/28/2021 (date described project. 1. The project [will will not 2. An Environmental Impact F A Negative Declaration was 3. Mitigation measures [were 4. A mitigation reporting or monit	and replacement of the enterprise in the property of the prope	xisting guardrail to meet current federal rould be conducted within existing City of ect ilmits also include proposed permanent and o occur within the City of Needles. has approved the above esponsible Agency) te following determinations regarding the above to on the environment. his project pursuant to the provisions of CEQA. the pursuant to the provisions of CEQA. the pursuant to the provisions of CEQA.				
replacement of the bridge deck standards. The proposed bridge Needles, State of CA, and ADO temporary (i.e., staging) impacts. This is to advise that the City of (described project on 9/28/2021 (date described project. 1. The project [will will not 2. An Environmental Impact F A Negative Declaration was 3. Mitigation measures were 4. A mitigation reporting or monit 5. A statement of Overriding Con	and replacement of the earehabilitation activities was public ROWs. The Project of Needles Lead Agency or Real Report was prepared for the property was prepared for the property were not made a coloring plan Real Report was was derations and was was derations and was replaced was was derations and was replaced was	xisting guardrail to meet current federal rould be conducted within existing City of ect ilmits also include proposed permanent and coccur within the City of Needles. has approved the above esponsible Agency) te following determinations regarding the above ton the environment. his project pursuant to the provisions of CEQA. the pursuant to the provisions of CEQA. the pursuant to the provisions of CEQA. as not] adopted for this project. vas not] adopted for this project.				
replacement of the bridge deck standards. The proposed bridge Needles, State of CA, and ADO temporary (i.e., staging) impacts. This is to advise that the City of (described project on 9/28/2021 (date described project. 1. The project [will will not 2. An Environmental Impact F A Negative Declaration was 3. Mitigation measures [were 4. A mitigation reporting or monit	and replacement of the earehabilitation activities was public ROWs. The Project of Needles Lead Agency or Real Report was prepared for the property was prepared for the property were not made a coloring plan Real Report was was derations and was was derations and was replaced was was derations and was replaced was	xisting guardrail to meet current federal rould be conducted within existing City of ect limits also include proposed permanent and coccur within the City of Needles. has approved the above esponsible Agency) te following determinations regarding the above to on the environment. In this project pursuant to the provisions of GEQA. It pursuant to the provisions of CEQA. It pursuant to the approval of the project. It as not] adopted for this project. It was not] adopted for this project. It was not] adopted for this project.				
replacement of the bridge deck standards. The proposed bridge Needles, State of CA, and ADO temporary (i.e., staging) impacts. This is to advise that the City of Catedore City	and replacement of the earehabilitation activities wat public ROWs. The Project, which are anticipated to feed	xisting guardrail to meet current federal rould be conducted within existing City of ect limits also include proposed permanent and coccur within the City of Needles. has approved the above esponsible Agency) te following determinations regarding the above to on the environment. In this project pursuant to the provisions of CEQA. It pursuant to the provisions of CEQA. It pursuant to the provisions of CEQA. It pursuant to the approval of the project. It pursuant adopted for this project. It pursuant to the approval of the project. It pursuant to the provisions of CEQA.				
replacement of the bridge deck standards. The proposed bridge Needles, State of CA, and ADO temporary (i.e., staging) impacts. This is to advise that the City of Catedore City	and replacement of the earehabilitation activities wat public ROWs. The Project, which are anticipated to feed	xisting guardrail to meet current federal rould be conducted within existing City of ect limits also include proposed permanent and coccur within the City of Needles. has approved the above esponsible Agency) te following determinations regarding the above to on the environment. In this project pursuant to the provisions of CEQA. It pursuant to the provisions of CEQA. It pursuant to the provisions of CEQA. It pursuant to the approval of the project. It pursuant adopted for this project. It pursuant to the approval of the project. It pursuant to the provisions of CEQA.				
replacement of the bridge deck standards. The proposed bridge Needles, State of CA, and ADO temporary (i.e., staging) impacts. This is to advise that the City of Catedore City	and replacement of the earehabilitation activities wat public ROWs. The Project, which are anticipated to feed	xisting guardrail to meet current federal rould be conducted within existing City of ect ilmits also include proposed permanent and o occur within the City of Needles. has approved the above esponsible Agency) te following determinations regarding the above to on the environment. In pursuant to the provisions of CEQA. It pursuant to the provisions of CEQA. It pursuant to the provisions of CEQA. It pursuant to the approval of the project. It pursuant to the approval of the project. It pursuant to the approval of the project. It pursuant to the provisions of CEQA. It pursuant to the approval of the project. It pursuant to the provisions of CEQA. It pursuant to the approval of the project. It pursuant to the provisions of CEQA. It pursuant to the provisions of CEQA.				

Authority cited: Sections 21083, Public Resources Code. Reference Section 21000-21174, Public Resources Code.