Print From

Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: _____

Project Title: Cal Water Well and Water Treatment Plant

Lead Agency: City of Long Beach

Contact Name: Sergio Gutierrez, Planner III

Email: Sergio.Gutierrez@longbeach.gov Phone Number: 562-570-5934

Project Location: Long Beach (*City*) Los Angeles (*County*)

Project Description (Proposed actions, location, and/or consequences).

The project proposes to construct a water well (known as DOM 301) and a water treatment plant on the project site. As part of the project, conveyance pipelines would also be constructed in the Long Beach Boulevard, Victoria Street, and Barclay Street rights-of-way to link two nearby existing water wells, DOM 272 and DOM 297, to the proposed treatment plant. Groundwater produced at the two existing wells and the proposed well would be delivered to the proposed water treatment plant on-site and then to the local distribution system, including Cal Water's existing Dominguez District system within the City of Long Beach and County of Los Angeles jurisdictions. City discretionary approvals for the proposed project include CEQA Clearance, Conditional Use Permit, Building Permit, Sewer Connection Permit, Encroachment Permit, and Permit for 24-Hour Drilling. Additionally, a Discharge Permit from the Los Angeles County Fire Department Petrochemical Unit, Waste Discharge Permit from the Sanitation Districts of Los Angeles County, Operation Permit from the South Coast Air Quality Management District, and a Drinking Water Permit Amendment from the State Water Resources Control Board Division of Drinking Water would be required.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

Environmental topical areas identified to have potentially significant impacts include: Aesthetics, Biological Resources, Cultural Resources, Geology and Soils, Hazards and Hazardous Materials, Noise, Transportation, and Tribal Cultural Resources.

However, implementation of Mitigation Measures AES-1, BIO-1, CUL-1, GEO-1, GEO-2, TRA-1, NOI-1, and TCR-1 would reduce potentially significant impacts to less than significant levels. No significant and unavoidable impacts would occur with project development.

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

Not applicable.

Commenters have the opportunity to submit comments to the City of Long Beach on the Initial Study/Mitigated Negative Declaration from October 8, 2021 through November 8, 2021.

Provide a list of the responsible or trustee agencies for the project.

- Los Angeles County Fire Department Petrochemical Unit
- Sanitation Districts of Los Angeles County
- South Coast Air Quality Management District
- State Water Resources Control Board Division of Drinking Water