# **Appendix 6**

**Energy Analysis** 

## **Mirman School**

## MND Appendix 6 Energy Analysis Spreadsheets

- Energy Consumption Summary
- Construction Energy Usage
  - o Electricity Usage
  - o Off-Road Equipment
  - o On-Road Fuel Usage Rates
  - o On-Road Vehicles
  - o Construction Water Usage
- Operational Energy Usage
  - o On-Road Fuel Usage Rates
  - o Existing Operations
  - o Future Operations
  - o Peak Electricity Demand Calculations
  - Total County Fuel Consumption

#### Mirman School

#### Summary of Energy Use During Construction

Electricty						
Water Consumption	1,610 kWh					
Temporary Power (lighting, tools)	10,735 kWh					
Total:	<b>12,345</b> kWh					
Gasoline						
On Road	5,496 Gallons					
Off Road	0 Gallons					
Total:	<b>5,496</b> Gallons					
Diesel						
On Road	14,207 Gallons					
Off Road	42,143 Gallons					
Total:	<b>56,350</b> Gallons					
Total Mobile	61,845					

Summary of Energy Use During Operations

Electricity		Baseline (Buildout)	Buildout With Project Features	
Electricity (building)		252,654	332,351	kWh/year
Electricity (water)		28,899	30,125	kWh/year
EV Chargers		0	0	kWh/year
	<b>Electricity Total</b>	281,553	362,476	kWh/year
Natural Gas		422,715	587,791	cu ft/year
Mobile				
Gasoline		78,719	102,497	Gallons/year
Diesel		15,492	20,172	Gallons/year
	Mobile Total	94,211	122,669	Gallons/year

## Construction Electricity Usage

## **Construction Electricity Usage**

# Caterpillar 40-C4.4 Generator<sup>a</sup>

Peak Power Rating - Prime (kW)	36
Typical Load	70%
Average Output (kW)	25.2
Hours per Day	2
Average Daily Output (kWh)	50.4
Building Construction Phase Duration (days)	213
Total Construction (kWh)	10,735
Total Construction (MWh)	10.7

<sup>&</sup>lt;sup>a</sup>https://www.albancat.com/content/uploads/2014/06/40-C4.4-Spec-Sheet.pdf

#### Calculation of Diesel Usage During Cosnstruciton (Offroad Equipment):

Phase Name	Off Road Equipment Type	Units	Hours	ΗP	Load Factor	Avg. Daily Factor	Number of Days	Diesel Fuel Usage	
Demolition	Air Compressors	2	8	78	0.48	0.6	18	323	_
Demolition	Concrete/Industrial Saws	2	8	81	0.73	0.6	18	511	
Demolition	Excavators	1	8	158	0.38	0.6	18	259	
Demolition	Rubber Tired Dozers	0	8	247	0.4	0.6	18	0	
Demolition	Tractors/Loaders/Backhoes	1	8	97	0.37	0.6	18	155	
Grading	Excavators	1	8	158	0.38	0.6	43	620	
Grading	Graders	1	8	187	0.41	0.6	43	791	
Grading	Rollers	1	8	80	0.38	0.6	43	314	
Grading	Rubber Tired Dozers	0	8	247	0.4	0.6	43	0	
Grading	Rubber Tired Loaders	1	8	203	0.36	0.6	43	754	
Grading	Tractors/Loaders/Backhoes	1	8	97	0.37	0.6	43	370	
Building Foundation	Air Compressors	1	8	78	0.48	0.6	30	270	
Building Foundation	Forklifts	0	8	89	0.2	0.6	30	0	
Building Foundation	Generator Sets	0	8	84	0.74	0.6	30	0	
Building Foundation	Plate Compactors	1	8	8	0.43	0.6	30	25	
Building Foundation	Pumps	1	8	84	0.74	0.6	30	448	
Building Foundation	Rubber Tired Loaders	1	8	203	0.36	0.6	30	526	
Building Foundation	Tractors/Loaders/Backhoes	1	8	97	0.37	0.6	30	258	
Building Foundation	Welders	1	8	46	0.45	0.6	30	149	
Building Construction	Aerial Lifts	2	8	63	0.31	0.6	213	1,997	
Building Construction	Cement and Mortar Mixers	1	8	9	0.56	0.6	213	258	
Building Construction	Cranes	1	8	231	0.29	0.6	213	3,425	
Building Construction	Forklifts	1	8	89	0.2	0.6	213	910	
Building Construction	Generator Sets	1	8	84	0.74	0.6	213	3,178	
Building Construction	Pumps	1	8	84	0.74	0.6	213	3,178	
Building Construction	Rubber Tired Loaders	1	8	203	0.36	0.6	213	3,736	
Building Construction	Tractors/Loaders/Backhoes	1	8	97	0.37	0.6	213	1,835	
Building Construction	Welders	1	8	46	0.45	0.6	213	1,058	
Architectural Coating	Air Compressors	1	6	78	0.48	0.6	86	580	
Paving	Air Compressors	1	8	78	0.48	0.6	79	710	
Paving	Cement and Mortar Mixers	1	8	9	0.56	0.6	79	96	
Paving	Concrete/Industrial Saws	1	8	81	0.73	0.6	79	1,121	
Paving	Pavers	1	8	130	0.42	0.6	79	1,035	
Paving	Paving Equipment	1	8	132	0.36	0.6	79	901	
Paving	Rollers	1	8	80	0.38	0.6	79	576	
						Total Diesel Usag	ge for Construction (Off	r 42,142.6	gallons of diesel fuel

gallons of diesel fuel per horsepower-hour=

0.05

Notes: Equipment assumptions are provide in the CalEEMod output files and fuel usage estimate of 0.05 gallons of diesel fuel per horsepower-hour is from the SCAQMD CEQA Air Quality Handbook, Table A9-3E.

Page 1 of 1 8:08 PM 7/29/2021

EMFAC2014 Emissions Inventory

Region Type: Air Basin Region: South Coast

Calendar Year: 2022

Season: Annual

Vehicle Classification: EMFAC2011 Categories

Region	Veh_Class	Fuel	Speed	Population	VMT	Trips	Fuel_Gas	Fuel_DSL	Miles per Gallon
			(miles/hr)	(vehicles)	(miles/day)	(trips/day)	(1000 gallons/day)	(1000 gallons/day)	
South Coast	LDA	GAS	Aggregate	6,370,883	246,404,319	30,101,253	7,990	0	30.8
South Coast	LDT1	GAS	Aggregate	716,397	26,563,675	3,305,301	1,003	0	26.5
South Coast	LDT2	GAS	Aggregate	2,182,002	82,381,240	10,234,301	3,340	0	24.7
						Construction	Worker Trip (Compo	site LDA/LDT1/LDT2):	28.2
South Coast	HHDT	DSL	Aggregate	98,508	11,795,119	994,225	0	1763.0	6.7

Notes: Consistent with CalEEMod, a construction worker trip is assumed to be a composite of 50% LDA, 25% for LDT1, and 25% for LDT2. Used EMFAC 2011 Categories for construction as EMFAC2011 has specific categories for vehicle class T7.

#### Calculation of Gasoline and Diesel Usage During Construction (Onroad Vehicles):

Phase Name	Daily Woker Trips	Daily Vendor Trips	Days	Total Worker Trips	Total Vendor Trips	Total Haul Trips	Trip Leng	th (miles)		Tota	l Length (mi	iles)	Avg. Daily Factor	Gallons	of Fuel
							Worker	Vendor	Haul	Worker	Vendor	Haul	(worker and vendor)	Gasoline	Diesel
Demolition	20	15	18	360	270	0	14.7	75	20	5292	20250	0	0.6	112.6	1,816.0
Grading	20	25	43	860	1075	0	14.7	75	20	12642	80625	0	0.6	268.9	7,230.5
Building Foundation	35	5 8	30	1050	240	0	14.7	13.8	20	15435	3312	0	0.6	328.3	297.0
Building Construction	55	5 14	213	11715	2982	0	14.7	13.8	20	172210.5	41151.6	0	0.6	3,663.2	3,690.5
Architectural Coating	5	5 0	86	430	0	0	14.7	6.9	20	6321	0	0	0.6	134.5	0.0
Paving	40	12	79	3160	948	0	14.7	13.8	20	46452	13082.4	0	0.6	988.1	1,173.2
													Total:	5,495.6	14,207.3

Worker Miles per gallon= 28.21 gasoline Vedor/Haul miles per gallon= 6.69 diesel

Notes: Consistent with CalEEMod worker vehicles are assumed to be gasoline and 50% LDA, 25%LDT1, and 25% LDT2. Vendor and haul trips are assumed to be 100% diesel Heavy Duty Trucks (T7).

#### **Water Usage for Control of Fugitive Dust during Construction:**

Phase	Days	<b>Average Daily Acreage Distrube</b>	d Gallons Per Year	Electricity (kWhr)
Demolition	18	0.5	27,18	30 264
Grading	43	0.5	64,93	632
Building Foundation	30	0.1	9,06	50 88
Building Construction	213	0.1	64,32	26 626
Architectural Coating	86	0		0 0
Paving	79	0		0 0
		Т	otal: 165,49	96 1,610

Water application rate= 3020 gal/acre/day kWhr equivalent= 0.01 kWhr

Notes: 1) Gallons per year of water usage for dust control is calculated based on a minimum control efficiency of 66% (three times daily) with an application rate of 3,020 gal/acre/day (Air & Waste Management Association Air Pollution Engineering Manual (1992 Edition)) and average of 26 construction days per month.

2) CalEEMod Default: Each gallon of delivered potable water in Southern California is associated with 0.009727 kWhr of electricity).

EMFAC2014 Emissions Inventory
Region Type: Air Basin
Region: South Coast
Calendar Year: 2025
Season: Annual
Vehicle Classification: EMFAC2007 Categories

Region	CalYr	Season	Veh_Class	Fuel	MdYr	Speed	Population	VMT	Trips	Fuel_Gas	Fuel_DSL		
						(miles/hr)	(vehicles)	(miles/day)	(trips/day)	(1000 gallons/day)	(1000 gallons/day)		
South Coast	2025	Annual	HHDT	DSL	Aggregated	Aggregated	104,110	12,515,660	1,062,535	0.00	1,707.97	-	
South Coast	2025	Annual	HHDT	GAS	Aggregated	Aggregated	73	8,703	1,459	1.95	0.00		
South Coast	2025	Annual	LDA	DSL	Aggregated	Aggregated	66,922	2,593,390	318,756	0.00	49.38		
South Coast	2025	Annual	LDA	GAS	Aggregated	Aggregated	6,623,933	247,134,863	31,282,323	7,386.88	0.00		
South Coast	2025	Annual	LDT1	DSL	Aggregated	Aggregated	307	7,182	1,077	0.00	0.30		
South Coast	2025	Annual	LDT1	GAS	Aggregated	Aggregated	778,182	27,926,963	3,602,143	977.96	0.00		
South Coast	2025	Annual	LDT2	DSL	Aggregated	Aggregated	17,588	702,823	85,874	0.00	18.22		
South Coast	2025	Annual	LDT2	GAS	Aggregated	Aggregated	2,295,149	83,832,765	10,772,144	3,069.91	0.00		
South Coast	2025	Annual	LHDT1	DSL	Aggregated	Aggregated	133,461	5,159,848	1,678,776	0.00	228.71		
South Coast	2025	Annual	LHDT1	GAS	Aggregated	Aggregated	168,882	5,923,526	2,516,094	543.18	0.00		
South Coast	2025	Annual	LHDT2	DSL	Aggregated	Aggregated	53,523	2,005,570	673,257	0.00	98.54		
South Coast	2025	Annual	LHDT2	GAS	Aggregated	Aggregated	29,352	993,571	437,303	104.80	0.00		
South Coast	2025	Annual	MCY	GAS	Aggregated	Aggregated	314,501	2,073,558	629,002	57.47	0.00		
South Coast	2025	Annual	MDV	DSL	Aggregated	Aggregated	40,102	1,517,288	194,655	0.00	51.21		
South Coast	2025	Annual	MDV	GAS	Aggregated	Aggregated	1,560,708	53,567,630	7,229,536	2,429.85	0.00		
South Coast	2025	Annual	MH	DSL	Aggregated	Aggregated	13,231	123,031	1,323	0.00	11.24		
South Coast	2025	Annual	MH	GAS	Aggregated	Aggregated	33,043	315,800	3,306	58.66	0.00		
South Coast	2025	Annual	MHDT	DSL	Aggregated	Aggregated	129,231	8,213,878	1,308,567	0.00	712.54		
South Coast	2025	Annual	MHDT	GAS	Aggregated	Aggregated	25,223	1,297,263	504,661	245.23	0.00		
South Coast	2025	Annual	OBUS	DSL	Aggregated	Aggregated	4,537	338,774	44,085	0.00	37.70		
South Coast	2025	Annual	OBUS	GAS	Aggregated	Aggregated	5,822	228,042	116,485	43.27	0.00		
South Coast	2025	Annual	SBUS	DSL	Aggregated	Aggregated	6,467	204,500	74,625	0.00	25.94		
South Coast	2025	Annual	SBUS	GAS	Aggregated	Aggregated	3,013	116,477	12,051	12.42	0.00		
South Coast	2025	Annual	UBUS	DSL	Aggregated	Aggregated	6	776	25	0.00	0.14		
South Coast	2025	Annual	UBUS	GAS	Aggregated	Aggregated	969	90,836	3,877	16.68	0.00		
												MPG	Gallons Per Mile
							Totals	456,892,715.68	1	14,948.24	2,941.88	25.5	0.04
							Total (GAS)	423,509,995.51	0.93			28.3	0.04
ĺ							Total (DSL)	33,382,720.17	0.07			11.3	0.09

Baseline Year

Calendar Year: 2019
Season: Annual
Vehicle Classification: EMFAC2007 Categories

Region	CalYr	Season	Veh_Class	Fuel	MdYr	Speed	Population	VMT	Trips	Fuel_Gas	Fuel_DSL	l		
						(miles/hr)	(vehicles)	(miles/day)	(trips/day)	(1000 gallons/day)	(1000 gallons/day)	l		
South Coast	2019	9 Annual	HHDT	DSL	Aggregated	Aggregated	92,086	11,035,510	918,238	0.00	1,756.36			
South Coast	2019	9 Annual	HHDT	GAS	Aggregated	Aggregated	101	7,659	2,026	2.00	0.00			
South Coast	2019	Annual 6	LDA	DSL	Aggregated	Aggregated	45,875	1,896,329	216,399	0.00	42.12			
South Coast	2019	9 Annual	LDA	GAS	Aggregated	Aggregated	6,081,048	244,446,391	28,695,373	8,546.80	0.00			
South Coast	2019	9 Annual	LDT1	DSL	Aggregated	Aggregated	482	11,462	1,689	0.00	0.52			
South Coast	2019	9 Annual	LDT1	GAS	Aggregated	Aggregated	651,943	24,807,246	2,983,370	1,008.68	0.00			
South Coast	2019	9 Annual	LDT2	DSL	Aggregated	Aggregated	9,665	445,810	48,035	0.00	13.63			
South Coast	2019	9 Annual	LDT2	GAS	Aggregated	Aggregated	2,073,197	80,872,282	9,694,322	3,631.58	0.00			
South Coast	2019	Annual	LHDT1	DSL	Aggregated	Aggregated	97,013	4,044,995	1,220,296	0.00	195.55			
South Coast	2019	9 Annual	LHDT1	GAS	Aggregated	Aggregated	175,207	6,463,196	2,610,330	629.75	0.00			
South Coast	2019	9 Annual	LHDT2	DSL	Aggregated	Aggregated	37,900	1,552,333	476,734	0.00	83.01			
South Coast	2019	9 Annual	LHDT2	GAS	Aggregated	Aggregated	28,635	1,024,337	426,614	114.60	0.00			
South Coast	2019	9 Annual	MCY	GAS	Aggregated	Aggregated	259,354	1,869,286	518,708	51.29	0.00			
South Coast	2019	Annual	MDV	DSL	Aggregated	Aggregated	23,710	1,023,301	117,204	0.00	40.71			
South Coast	2019	Annual	MDV	GAS	Aggregated	Aggregated	1,497,221	54,845,361	6,911,949	2,999.26	0.00			
South Coast	2019	Annual	MH	DSL	Aggregated	Aggregated	11,071	110,800	1,107	0.00	10.76			
South Coast	2019	9 Annual	MH	GAS	Aggregated	Aggregated	35,590	335,289	3,560	67.31	0.00			
South Coast	2019	9 Annual	MHDT	DSL	Aggregated	Aggregated	114,051	7,128,971	1,136,926	0.00	714.72			
South Coast	2019	Annual	MHDT	GAS	Aggregated	Aggregated	24,591	1,348,347	492,013	274.04	0.00			
South Coast	2019	Annual	OBUS	DSL	Aggregated	Aggregated	4,004	293,205	39,273	0.00	37.06			
South Coast	2019	9 Annual	OBUS	GAS	Aggregated	Aggregated	5,873	259,979	117,514	53.24	0.00			
South Coast	2019	9 Annual	SBUS	DSL	Aggregated	Aggregated	6,233	197,082	71,923	0.00	26.67			
South Coast	2019	9 Annual	SBUS	GAS	Aggregated	Aggregated	2,128	88,942	8,510	9.98	0.00			
South Coast	2019	Annual	UBUS	DSL	Aggregated	Aggregated	18	1,877	73	0.00	0.30			
South Coast	2019	9 Annual	UBUS	GAS	Aggregated	Aggregated	931	87,702	3,725	18.65	0.00			
												MPG	Gallons Pe	r Mile
							Totals	444,197,691.29		17,407.18	2,921.42	21.9	)	0.0
							Total (GAS)	416,456,015.85	0.94			23.9	)	0.0
							Total (DSL)	27,741,675.44	0.06			9.5	5	0.1

#### Mirman School Project - Existing Operations (Buildout Year) Los Angeles-South Coast County, Annual

#### **Land Use Details**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Elementary School	330.00	Student	5.46	42,678.00	0

#### **Trip Summary Information**

Land Uses		Averd	Annual VMT		
		Weekday	Saturday	Sunday	
Elementary School		0.0	0.0	0.0	0
User Defined Educational		776.0	0.0	0.0	2,406,040
	Total	0.00	0.00	0.00	2,406,040

#### **Gasoline and Diesel Usage**

#### **Buildout Year**

Total (Gallons):	78,719	15,492
% Fleet Mix	92.7%	7.3%
Miles/Gallon	28.3	11.3
	Gasoline	Diesel

#### Existing (Baseline) Year

93.8% <b>94,288</b>	6.2% <b>15.824</b>
23.9	9.5
Gasoline	Diesel

#### **Energy by Land Use - Natural Gas**

Land Uses		kBTU/yr	cu ft/year
Elementary School		443,851	422,715
	Total	443,851	422,715

#### **Energy by Land Use - Electricity**

Land Uses	kWH/yr
Elementary School	252,654
Tot	al 252,654

#### **Water Detail**

			Electricity
	Indoor Use	Outdoor	Use
Land Uses	(Mgal)	Use (Mgal)	(kWh/yr)
Elementary School	0.80	2.06	28898.59
Total	0.80	2.06	28,899

Notes: Indoor water results in 0.0111 kWhr of electricity usage per gallon from delivery, treatment, and distribution of water within Southern California (CalEEMod). Outdoor water results in 0.009727 kWhr of electricity usage per gallon from delivery and distribution of water within Southern California (CalEEMod).

#### Mirman School Project - Buildout Operations Los Angeles-South Coast County, Annual

#### **Land Use Details**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Elementary School	430.00	Student	5.46	65,186.00	0

#### **Trip Summary Information**

Land Uses		Average Daily Trip Rate			Mitigated
		Weekday Saturday Sunday			
User Defined Educational		1,010	0	0	3,132,818
	Total	1,010	0	0	3,132,818

#### Mitigated Gasoline and Diesel Usage

% Fleet Total (Gall		92.7% <b>102,497</b>	7.3% <b>20,172</b>
Miles/Go	allon	28.3	11.3
	Ga	soline	Diesel

Note: Fleet mix is 92.3% gasoline @ 30.6 miles/gallon and 7.7% diesel @ 12.1 miles/gallon.

#### **Energy by Land Use - Natural Gas (Mitigated)**

Land Uses		kBTU/yr	cu ft/year
Elementary School		617,181	587,791
	Total	617,181	587,791

#### **Energy by Land Use - Electricity (Mitigated)**

Land Uses		kWH/yr
Elementary School		332,351
	Total	332,351

Note: Reduction in electricity usage reflects implementation of CalGreen and GHG-PDF-1 (Exceed Title 24, Part 6, CEC baseline requriements by 10 percent for energy efficiency, based on 2016 standards and 25% for lighting).

#### Water Detail (Unmitigated)

	Indoor Use	Outdoor Use	Electricity Use
Land Uses	(Mgal)	(Mgal)	(kWh/yr)
Elementary School	0.83	2.14	30,125
Total	al 0.83	2.14	30,125

Notes: Indoor water results in 0.0111 kWhr of electricity usage per gallon from delivery, treatment, and distribution of water within Southern California (CalEEMod). Outdoor water results in 0.009727 kWhr of electricity usage per gallon from delivery and distribution of water within Southern California (CalEEMod). The City of Los Angeles Green Building Code (Chapter IX, Article 9, of the LAMC) requires newly constructed non-residential and high-rise residential buildings to reduce indoor water use by at least 20 percent by: (1) using water saving fixtures or flow restrictions; and/or (2) demonstrating a 20 percent reduction in baseline water

## **Peak Electricity Demand Calculations**

### **Electrical Load Factor Equation**

$$f_{Load} = rac{ ext{Average load}}{ ext{Maximum load in given time period}}$$
Load Factor (%) $^1$  52%

**Project Electricity Demand (Operational)** 

Project Electricity Demand (Operational)			
	Baseline		
Annual Demand	(Existing)	Project	
Building (MWh)	253	332	
Water (MWh)	29	30	
Total (MWh)	282	362	
Average Daily Demand			
Building (kWh)	692	911	
Water (kWh)	79	83	
Total (kWh)	771	993	
Average Load			
Building (kW)	29	38	
Water (kW)	3	3	
Total (kW)	32	41	
Peak Load Calculation			
Peak Load (kW) <sup>2</sup>	59	76	
Systemwide Peak Load (MW)		5,854	
Percent of Peak		0.001%	

<sup>&</sup>lt;sup>1</sup>2017 Report: System Efficiency of California's Electric Grid. California Public Utilities Co 2017. Page 11, Figure 6. Visual estimate.

<sup>&</sup>lt;sup>2</sup> Peak Load is conservatively calculated without any reductions from removal of existing uses.

#### **EMFAC Emission inventories for County**

EMFAC2014 (v1.0.7) Emissions Inventory

Region Type: County Region: Los Angeles

Calendar Year: 2022 (Construction Start Year)

Season: Annual

Vehicle Classif	ication: EMFAC201	1 Categories	F	-uel_Gasoline	Fuel_DSL
Region	CalYr VehCla	iss MdlYr Speed	Fuel (	1000 gallons/day)	(1000 gallons/day)
Los Angeles	2022 HHDT	Aggregatec Aggregat	ec DSL	0.00	1762.99
Los Angeles	2022 HHDT	Aggregatec Aggregat	ec GAS	1.88	0.00
Los Angeles	2022 LDA	Aggregatec Aggregat	ec DSL	0.00	47.39
Los Angeles	2022 LDA	Aggregatec Aggregat	ec GAS	7989.70	0.00
Los Angeles	2022 LDT1	Aggregatec Aggregat	ec DSL	0.00	0.39
Los Angeles	2022 LDT1	Aggregatec Aggregat	ec GAS	1003.18	0.00
Los Angeles	2022 LDT2	Aggregatec Aggregat	ec DSL	0.00	16.65
Los Angeles	2022 LDT2	Aggregatec Aggregat	ec GAS	3339.89	0.00
Los Angeles	2022 LHDT1	Aggregatec Aggregat	ec DSL	0.00	217.11
Los Angeles	2022 LHDT1	Aggregatec Aggregat	ec GAS	583.23	0.00
Los Angeles	2022 LHDT2	Aggregatec Aggregat	ec DSL	0.00	92.89
Los Angeles	2022 LHDT2	Aggregatec Aggregat	ec GAS	110.13	0.00
Los Angeles	2022 MCY	Aggregatec Aggregat	ec GAS	54.92	0.00
Los Angeles	2022 MDV	Aggregatec Aggregat	ec DSL	0.00	47.80
Los Angeles	2022 MDV	Aggregatec Aggregat	ec GAS	2704.45	0.00
Los Angeles	2022 MH	Aggregatec Aggregat	ec DSL	0.00	11.12
Los Angeles	2022 MH	Aggregatec Aggregat	ec GAS	62.96	0.00
Los Angeles	2022 MHDT	Aggregatec Aggregat	ec DSL	0.00	720.16
Los Angeles	2022 MHDT	Aggregatec Aggregat	ec GAS	259.39	0.00
Los Angeles	2022 OBUS	Aggregatec Aggregat	ec DSL	0.00	37.46
Los Angeles	2022 OBUS	Aggregatec Aggregat	ec GAS	47.77	0.00
Los Angeles	2022 SBUS	Aggregatec Aggregat	ec DSL	0.00	26.42
Los Angeles	2022 SBUS	Aggregatec Aggregat	ec GAS	11.27	0.00
Los Angeles	2022 UBUS	Aggregatec Aggregat	ec DSL	0.00	0.25
Los Angeles	2022 UBUS	Aggregatec Aggregat	ec GAS	18.40	0.00
				5,908,313,954	1,087,928,967
		Fuel Usage for Pro	ject Construction	5,496	56,350
		Percentage of County	•	0.0001%	0.005%

#### **EMFAC Emission inventories for County**

EMFAC2014 (v1.0.7) Emissions Inventory

Region Type: County Region: Los Angeles

Calendar Year: 2025 (Operational Start Year)

Season: Annual

Vehicle Classification: EMFAC2011 Categories						Fuel_Gasoline		Fuel_DSL
Region	CalYr	VehClass	MdlYr	Speed	Fuel	(1000 gallons/	day)	(1000 gallons/day)
Los Angeles	2025	HHDT	Aggregate	c Aggrega	tec DSL		0.00	1707.97
Los Angeles	2025	HHDT	Aggregate	c Aggrega	tec GAS		1.95	0.00
Los Angeles	2025	LDA	Aggregate	c Aggrega	tec DSL		0.00	49.38
Los Angeles	2025	LDA	Aggregate	c Aggrega	tec GAS	738	36.88	0.00
Los Angeles	2025	LDT1	Aggregate	c Aggrega	tec DSL		0.00	0.30
Los Angeles	2025	LDT1	Aggregate	c Aggrega	tec GAS	97	77.96	0.00
Los Angeles	2025	LDT2	Aggregate	c Aggrega	tec DSL		0.00	18.22
Los Angeles	2025	LDT2	Aggregate	c Aggrega	tec GAS	300	59.91	0.00
Los Angeles	2025	LHDT1	Aggregate	c Aggrega	tec DSL		0.00	228.71
Los Angeles	2025	LHDT1	Aggregate	c Aggrega	tec GAS	54	43.18	0.00
Los Angeles	2025	LHDT2	Aggregate	c Aggrega	tec DSL		0.00	98.54
Los Angeles	2025	LHDT2	Aggregate	c Aggrega	tec GAS	10	04.80	0.00
Los Angeles	2025	MCY	Aggregate	c Aggrega	tec GAS	!	57.47	0.00
Los Angeles	2025	MDV	Aggregate	c Aggrega	tec DSL		0.00	51.21
Los Angeles	2025	MDV	Aggregate	c Aggrega	tec GAS	242	29.85	0.00
Los Angeles	2025	MH	Aggregate	c Aggrega	tec DSL		0.00	11.24
Los Angeles	2025	MH	Aggregate	c Aggrega	tec GAS	!	58.66	0.00
Los Angeles	2025	MHDT	Aggregate	c Aggrega	tec DSL		0.00	712.54
Los Angeles	2025	MHDT	Aggregate	c Aggrega	tec GAS	24	45.23	0.00
Los Angeles	2025	OBUS	Aggregate	c Aggrega	tec DSL		0.00	37.70
Los Angeles	2025	OBUS	Aggregate	c Aggrega	tec GAS	4	43.27	0.00
Los Angeles	2025	SBUS	Aggregate	c Aggrega	tec DSL		0.00	25.94
Los Angeles	2025	SBUS	Aggregate	c Aggrega	tec GAS	:	12.42	0.00
Los Angeles	2025	UBUS	Aggregate	c Aggrega	tec DSL		0.00	0.14
Los Angeles	2025	UBUS	Aggregate	c Aggrega	tec GAS	:	16.68	0.00
						5,456,109	.145	1,073,785,458
			Net Fuel I	Isage for	Project Operation		,	
				•	nty for Operation		019%	•
				0	-,			5.55=275