

Appendix B

Air Quality & Greenhouse Gas Impact Analysis

AIR QUALITY & GREENHOUSE GAS IMPACT ANALYSIS

FOR

FRESNO CITY COLLEGE SOFTBALL FIELD IMPROVEMENT PROJECT

**STATE CENTER COMMUNITY
COLLEGE DISTRICT
FRESNO, CA**

JULY 2022

PREPARED FOR:

ODELL PLANNING & RESEARCH, INC.
49346 ROAD 426, SUITE 2
OAKHURST, CA 93644

PREPARED BY:



75 S HIGUERA STREET, SUITE 105
SAN LUIS OBISPO, CA 93401

TABLE OF CONTENTS

Introduction	1
Proposed Project	1
Air Quality	1
Existing Setting.....	1
Regulatory Framework.....	16
Regulatory Attainment Designations	19
Ambient Air Quality	20
Sensitive Receptors	20
Impacts & Mitigation Measures	21
Greenhouse Gases and Climate Change	30
Existing Setting.....	30
Regulatory Framework	33
Federal.....	33
State.....	34
San Joaquin Valley Air Pollution Control District.....	40
Impacts & Mitigation Measures.....	41
References	46

LIST OF TABLES

Table 1. State and Federal Criteria Air Pollutant Effects and Sources.....	10
Table 2 Summary of Ambient Air Quality Standards	17
Table 3 SJVAB Attainment Status Designations	20
Table 4 Summary of Ambient Air Quality Monitoring Data	21
Table 5 Annual Construction Emissions (Unmitigated)	24
Table 6 Daily On-Site Construction Emissions (Unmitigated)	25
Table 7 Long-term Operational Emissions (Unmitigated).....	26
Table 8 Global Warming Potential for Greenhouse Gases	31
Table 9 Construction GHG Emissions.....	43
Table 10 Operational GHG Emissions.....	44

LIST OF FIGURES

Figure 1 Project Location	2
Figure 2 Project Site Boundaries and Proposed Facilities.....	3
Figure 3 Preliminary Site Plan.....	4
Figure 4. California GHG Emissions Inventory by Sector.....	32
Figure 5. California Black Carbon Emissions Inventory (Year 2013)	33

APPENDICES

Appendix A: Emissions Modeling & Documentation

LIST OF COMMON TERMS & ACRONYMS

AHERA	Asbestos Hazard Emergency Response Act
ASHAA	Asbestos School Hazard Abatement Act
ASHARA	Asbestos School Hazard Abatement and Reauthorization Act
ATCM	Airborne Toxic Control Measure
CAAQS	California Ambient Air Quality Standards
ARB	California Air Resources Board
CCAA	California Clean Air Act
CCAR	California Climate Action Registry
CEQA	California Environmental Quality Act
CH ₄	Methane
CO	Carbon Monoxide
CO ₂	Carbon Dioxide
CO _{2e}	Carbon Dioxide Equivalent
DPM	Diesel-Exhaust Particulate Matter or Diesel-Exhaust PM
DRRP	Diesel Risk Reduction Plan
FCAA	Federal Clean Air Act
GHG	Greenhouse Gases
HAP	Hazardous Air Pollutant
IPCC	Intergovernmental Panel on Climate Change
LOS	Level of Service
N ₂ O	Nitrous Oxide
NAAQS	National Ambient Air Quality Standards
NESHAPs	National Emission Standards for HAPs
NO _x	Oxides of Nitrogen
O ₃	Ozone
Pb	Lead
PM	Particulate Matter
PM ₁₀	Particulate Matter (less than 10 µm)
PM _{2.5}	Particulate Matter (less than 2.5 µm)
ppb	Parts per Billion
ppm	Parts per Million
ROG	Reactive Organic Gases
SIP	State Implementation Plan
SCAQMD	South Coast Air Quality Management District
SJVAB	San Joaquin Valley Air Basin
SJVAPCD	San Joaquin Valley Air Pollution Control District
SO ₂	Sulfur Dioxide
SRTS	Safe Routes to School
TAC	Toxic Air Contaminant
TSCA	Toxic Substances Control Act
µg/m ³	Micrograms per cubic meter
U.S. EPA	United State Environmental Protection Agency

INTRODUCTION

This report describes the existing environment in the project vicinity and identifies potential air quality and greenhouse gas impacts associated with the proposed project. Project impacts are evaluated relative to applicable thresholds of significance. Mitigation measures have been identified for significant impacts.

PROPOSED PROJECT

The proposed project includes improvement to existing softball facilities at Fresno City College. The project location is depicted in Figures 1 and 2. The following facilities and activities are planned as part of the project. Development of the facilities would occur over the next year.

- Demolition of existing dugout, bullpen, and announcer booth, approximately 2,050 square feet.
- Replacement of the existing bleacher seating with a new 200 person seating capacity.
- Construction of an announcer's booth, in-ground dugout enclosure, batting cage area, two pitching warm-up areas, back stop fencing, and field lighting.
- Construction of a field house that contains a team room, coach's office, restrooms, snack bar. And storage areas.
- The addition of 3 ADA parking spaces along an existing access road.

AIR QUALITY

EXISTING SETTING

The project is located within the San Joaquin Valley Air Basin (SJVAB). The SJVAB is within the jurisdiction of the San Joaquin Valley Air Pollution Control District (SJVAPCD). Air quality in the SJVAB is influenced by a variety of factors, including topography, local and regional meteorology. Factors affecting regional and local air quality are discussed below.


TOPOGRAPHY, METEOROLOGY, AND POLLUTANT DISPERSION

The dispersion of air pollution in an area is determined by such natural factors as topography, meteorology, and climate, coupled with atmospheric stability conditions and the presence of inversions. The factors affecting the dispersion of air pollution with respect to the SJVAB are discussed below.

Topography

The SJVAB occupies the southern half of the Central Valley. The SJVAB is open to the north and is surrounded by mountain ranges on all other sides. The Coast Ranges, which have an average elevation of 3,000 feet, are along on the western boundary of the SJVAB, while the Sierra Nevada Mountains (8,000 to 14,000 feet in elevation) are along the eastern border. The San Emigdio Mountains, which are part of the Coast Ranges, and the Tehachapi Mountains, which are part of the Sierra Nevada, form the southern boundary, and have an elevation of 6,000 to 8,000 feet. The SJVAB is mostly flat with a downward gradient in terrain to the northwest.

Figure 1
Project Location



Source: OPR 2022

Figure 2



Fresno City College Softball Field Improvement Project
State Center Community College District

[illegible]

Air Quality & GHG Impact Analysis
Fresno City College Softball Field Improvement Project

Meteorology and Climate

The SJVAB has an inland Mediterranean climate that is strongly influenced by the presence of mountain ranges. The mountain ranges to the west and south induce winter storms from the Pacific Ocean to release precipitation on the western slopes producing a partial rain shadow over the valley. In addition, the mountain ranges block the free circulation of air to the east, trapping stable air in the valley for extended periods during the cooler half of the year.

Winter in the SJVAB is characterized as mild and fairly humid, while the summer is typically hot, dry, and cloudless. The climate is a result of the topography and the strength and location of a semi permanent, subtropical high-pressure cell. During the summer months, the Pacific high-pressure cell is centered over the northeastern Pacific Ocean, resulting in stable meteorological conditions and a steady northwesterly wind flow. Upwelling of cold ocean water from below to the surface as a result of the northwesterly flow produces a band of cold water off the California coast. In winter, the Pacific high-pressure cell weakens and shifts southward, resulting in wind flow offshore, the absence of upwelling, and the occurrence of storms.

The annual temperature, humidity, precipitation, and wind patterns reflect the topography of the SJVAB and the strength and location of the semi permanent, subtropical high-pressure cell. Summer temperatures that often exceed 100 degrees Fahrenheit (°F) and clear sky conditions are favorable to ozone formation. Most of the precipitation in the valley occurs as rainfall during winter storms. The winds and unstable atmospheric conditions associated with the passage of winter storms result in periods of low air pollution and excellent visibility. However, between winter storms, high pressure and light winds lead to the creation of low-level temperature inversions and stable atmospheric conditions, which can result in higher pollutant concentrations. The orientation of the wind flow pattern in the SJVAB is parallel to the valley and mountain ranges. Summer wind conditions promote the transport of ozone and precursors from the San Francisco Bay Area through the Carquinez Strait, a gap in the Coast Ranges, and low-mountain passes such as Altamont Pass and Pacheco Pass. During the summer, predominant wind direction is from the northwest. During the winter, the predominant wind direction is from the southeast. Calm conditions are also predominant during the winter (ARB 1992).

The climate is semi-arid, with an annual normal precipitation of approximately 11 inches. Temperatures in the project area range from an average minimum of approximately 38°F, in January, to an average maximum of 98°F, in July (WRCC 2018).

Atmospheric Stability and Inversions

Stability describes the resistance of the atmosphere to vertical motion. The stability of the atmosphere is dependent on the vertical distribution of temperature with height. Stability categories range from "Extremely Unstable" (Class A), through Neutral (Class D), to "Stable" (Class F). Unstable conditions often occur during daytime hours when solar heating warms the lower atmospheric layers sufficiently. Under Class A stability conditions, large fluctuations in horizontal wind direction occur coupled with large vertical mixing depths. Under Class B stability conditions, wind direction fluctuations and the vertical mixing depth are less pronounced because of a decrease in the amount of solar heating. Under Class C stability conditions, solar heating is weak along with horizontal and vertical fluctuations because of a combination of thermal and mechanical turbulence. Under Class D stability conditions, vertical motions are primarily generated by mechanical turbulence. Under Class E and Class F stability conditions, air pollution emitted into the atmosphere travels downwind with poor dispersion. The dispersive power of the atmosphere decreases with progression through the categories from A to F.

With respect to the SJVAB, Classes D through F are predominant during the late fall and winter because of cool temperatures and entrainment of cold air near the surface. March and August are transition months with equally occurring percentages of Class F and Class A. During the spring months of April and May and the summer months of June and July, Class A is predominant. The fall months of September, October, and November have comparable percentages of Class A and Class F.

An inversion is a layer of warmer air over a layer of cooler air. Inversions influence the mixing depth of the atmosphere, which is the vertical depth available for diluting air pollution near the ground, thus significantly affecting air quality conditions. The SJVAB experiences both surface-based and elevated inversions. The

shallow surface-based inversions are present in the morning but are often broken by daytime heating of the air layers near the ground. The deep elevated inversions occur less frequently than the surface-based inversions but generally result in more severe stagnation. The surface-based inversions occur more frequently in the fall, and the stronger elevated inversions usually occur during December and January.

AIR POLLUTANTS OF CONCERN

Criteria Air Pollutants

For the protection of public health and welfare, the Federal Clean Air Act (FCAA) required that the United States Environmental Protection Agency (U.S. EPA) establish National Ambient Air Quality Standards (NAAQS) for various pollutants. These pollutants are referred to as "criteria" pollutants because the U.S. EPA publishes criteria documents to justify the choice of standards. These standards define the maximum amount of an air pollutant that can be present in ambient air. An ambient air quality standard is generally specified as a concentration averaged over a specific time period, such as one hour, eight hours, 24 hours, or one year. The different averaging times and concentrations are meant to protect against different exposure effects. Standards established for the protection of human health are referred to as primary standards; whereas standards established for the prevention of environmental and property damage are called secondary standards. The FCAA allows states to adopt additional or more health-protective standards. The air quality regulatory framework and ambient air quality standards are discussed in greater detail later in this report.

The following provides a summary discussion of the primary and secondary criteria air pollutants of primary concern. In general, primary pollutants are directly emitted into the atmosphere, and secondary pollutants are formed by chemical reactions in the atmosphere.

Ozone (O₃) is a reactive gas consisting of three atoms of oxygen. In the troposphere, it is a product of the photochemical process involving the sun's energy. It is a secondary pollutant that is formed when NO_x and volatile organic compounds (VOC) react in the presence of sunlight. Ozone at the earth's surface causes numerous adverse health effects and is a criteria pollutant. It is a major component of smog. In the stratosphere, ozone exists naturally and shields Earth from harmful incoming ultraviolet radiation.

High concentrations of ground level ozone can adversely affect the human respiratory system and aggravate cardiovascular disease and many respiratory ailments. Ozone also damages natural ecosystems such as forests and foothill communities, agricultural crops, and some man-made materials, such as rubber, paint, and plastics.

Reactive Organic Gas (ROG) is a reactive chemical gas, composed of hydrocarbon compounds that may contribute to the formation of smog by their involvement in atmospheric chemical reactions. No separate health standards exist for ROG as a group. Because some compounds that make up ROG are also toxic, like the carcinogen benzene, they are often evaluated as part of a toxic risk assessment. Total Organic Gases (TOGs) includes all of the ROGs, in addition to low reactivity organic compounds like methane and acetone. ROGs and VOC are subsets of TOG.

Volatile Organic Compounds (VOC) are hydrocarbon compounds that exist in the ambient air. VOCs contribute to the formation of smog and may also be toxic. VOC emissions are a major precursor to the formation of ozone. VOCs often have an odor, and some examples include gasoline, alcohol, and the solvents used in paints.

Oxides of Nitrogen (NO_x) are a family of gaseous nitrogen compounds and is a precursor to the formation of ozone and particulate matter. The major component of NO_x, nitrogen dioxide (NO₂), is a reddish-brown gas that is toxic at high concentrations. NO_x results primarily from the combustion of fossil fuels under high temperature and pressure. On-road and off-road motor vehicles and fuel combustion are the major sources of this air pollutant.

Particulate Matter (PM), also known as particle pollution, is a complex mixture of extremely small particles and liquid droplets. Particle pollution is made up of a number of components, including acids (such as

nitrates and sulfates), organic chemicals, metals, and soil or dust particles. The size of particles is directly linked to their potential for causing health problems. U.S. EPA is concerned about particles that are 10 micrometers in diameter or smaller because those are the particles that generally pass through the throat and nose and enter the lungs. Once inhaled, these particles can affect the heart and lungs and cause serious health effects. U.S. EPA groups particle pollution into three categories based on their size and where they are deposited:

- "Inhalable coarse particles (PM_{2.5-10})," such as those found near roadways and dusty industries, are between 2.5 and 10 micrometers in diameter. PM_{2.5-10} is deposited in the thoracic region of the lungs.
- "Fine particles (PM_{2.5})," such as those found in smoke and haze, are 2.5 micrometers in diameter and smaller. These particles can be directly emitted from sources such as forest fires, or they can form when gases emitted from power plants, industries and automobiles react in the air. They penetrate deeply into the thoracic and alveolar regions of the lungs.
- "Ultrafine particles (UFP)," are very small particles less than 0.1 micrometers in diameter largely resulting from the combustion of fossil fuels, meat, wood and other hydrocarbons. While UFP mass is a small portion of PM_{2.5}, its high surface area, deep lung penetration, and transfer into the bloodstream can result in disproportionate health impacts relative to their mass.

PM₁₀, PM_{2.5}, and UFP include primary pollutants (emitted directly to the atmosphere) as well as secondary pollutants (formed in the atmosphere by chemical reactions among precursors). Generally speaking, PM_{2.5} and UFP are emitted by combustion sources like vehicles, power generation, industrial processes, and wood burning, while PM₁₀ sources include these same sources plus roads and farming activities. Fugitive windblown dust and other area sources also represent a source of airborne dust.

Numerous scientific studies have linked both long- and short-term particle pollution exposure to a variety of health problems. Long-term exposures, such as those experienced by people living for many years in areas with high particle levels, have been associated with problems such as reduced lung function and the development of chronic bronchitis and even premature death. Short-term exposures to particles (hours or days) can aggravate lung disease, causing asthma attacks and also acute (short-term) bronchitis, and may also increase susceptibility to respiratory infections. In people with heart disease, short-term exposures have been linked to heart attacks and arrhythmias. Healthy children and adults have not been reported to suffer serious effects from short term exposures, although they may experience temporary minor irritation when particle levels are elevated.

Carbon Monoxide (CO) is an odorless, colorless gas that is highly toxic. It is formed by the incomplete combustion of fuels and is emitted directly into the air (unlike ozone). The main source of CO is on-road motor vehicles. Other CO sources include other mobile sources, miscellaneous processes, and fuel combustion from stationary sources. Because of the local nature of CO problems, the California Air Resources Board (ARB) and U.S. EPA designate urban areas as CO nonattainment areas instead of the entire basin as with ozone and PM₁₀. Motor vehicles are by far the largest source of CO emissions. Emissions from motor vehicles have been declining since 1985, despite increases in vehicle miles traveled, with the introduction of new automotive emission controls and fleet turnover.

Sulfur Dioxide (SO₂) is a colorless, irritating gas with a "rotten egg" smell formed primarily by the combustion of sulfur-containing fossil fuels. However, like airborne NO_x, suspended SO_x particles contribute to the poor visibility. These SO_x particles can also combine with other pollutants to form PM_{2.5}. The prevalence of low-sulfur fuel use has minimized problems from this pollutant.

Lead (Pb) is a metal that is a natural constituent of air, water, and the biosphere. Lead is neither created nor destroyed in the environment, so it essentially persists forever. The health effects of lead poisoning include loss of appetite, weakness, apathy, and miscarriage. Lead can also cause lesions of the neuromuscular system, circulatory system, brain, and gastrointestinal tract. Gasoline-powered automobile engines were a major source of airborne lead through the use of leaded fuels. The use of leaded fuel has been mostly phased out, with the result that ambient concentrations of lead have dropped dramatically.

Hydrogen Sulfide (H₂S) is associated with geothermal activity, oil and gas production, refining, sewage treatment plants, and confined animal feeding operations. Hydrogen sulfide is extremely hazardous in high concentrations; especially in enclosed spaces (800 ppm can cause death). OSHA regulates workplace exposure to H₂S.

Other Pollutants

The State of California has established air quality standards for some pollutants not addressed by Federal standards. The ARB has established State standards for hydrogen sulfide, sulfates, vinyl chloride, and visibility reducing particles. The following section summarizes these pollutants and provides a description of the pollutants' physical properties, health and other effects, sources, and the extent of the problems.

Sulfates (SO₄²⁻) are the fully oxidized ionic form of sulfur. Sulfates occur in combination with metal and/or hydrogen ions. In California, emissions of sulfur compounds occur primarily from the combustion of petroleum-derived fuels (e.g., gasoline and diesel fuel) that contain sulfur. This sulfur is oxidized to SO₂ during the combustion process and subsequently converted to sulfate compounds in the atmosphere. The conversion of SO₂ to sulfates takes place comparatively rapidly and completely in urban areas of California due to regional meteorological features.

The ARB sulfates standard is designed to prevent aggravation of respiratory symptoms. Effects of sulfate exposure at levels above the standard include a decrease in ventilator function, aggravation of asthmatic symptoms, and an increased risk of cardio-pulmonary disease. Sulfates are particularly effective in degrading visibility, and, due to the fact that they are usually acidic, can harm ecosystems and damage materials and property.

Visibility Reducing Particles: Are a mixture of suspended particulate matter consisting of dry solid fragments, solid cores with liquid coatings, and small droplets of liquid. The standard is intended to limit the frequency and severity of visibility impairment due to regional haze and is equivalent to a 10-mile nominal visual range.

Vinyl Chloride (C₂H₃Cl or VCM) is a colorless gas that does not occur naturally. It is formed when other substances such as trichloroethane, trichloroethylene, and tetrachloro-ethylene are broken down. Vinyl chloride is used to make polyvinyl chloride (PVC) which is used to make a variety of plastic products, including pipes, wire and cable coatings, and packaging materials.

Odors

Typically, odors are generally regarded as an annoyance rather than a health hazard. However, manifestations of a person's reaction to foul odors can range from the psychological (i.e. irritation, anger, or anxiety) to the physiological, including circulatory and respiratory effects, nausea, vomiting, and headache.

The ability to detect odors varies considerably among the population and overall is quite subjective. Some individuals have the ability to smell very minute quantities of specific substances; others may not have the same sensitivity but may have sensitivities to odors of other substances. In addition, people may have different reactions to the same odor and in fact an odor that is offensive to one person may be perfectly acceptable to another (e.g., fast food restaurant). It is important to also note that an unfamiliar odor is more easily detected and is more likely to cause complaints than a familiar one. This is because of the phenomenon known as odor fatigue, in which a person can become desensitized to almost any odor and recognition only occurs with an alteration in the intensity.

Quality and intensity are two properties present in any odor. The quality of an odor indicates the nature of the smell experience. For instance, if a person describes an odor as flowery or sweet, then the person is describing the quality of the odor. Intensity refers to the strength of the odor. For example, a person may use the word strong to describe the intensity of an odor. Odor intensity depends on the odorant concentration in the air. When an odorous sample is progressively diluted, the odorant concentration decreases. As this occurs, the odor intensity weakens and eventually becomes so low that the detection or recognition of the odor is quite difficult. At some point during dilution, the concentration of the odorant

reaches a detection threshold. An odorant concentration below the detection threshold means that the concentration in the air is not detectable by the average human.

Neither the state nor the federal governments have adopted rules or regulations for the control of odor sources. The SJVAPCD does not have an individual rule or regulation that specifically addresses odors; however, odors would be subject to SJVAPCD *Rule 4102, Nuisance*. Any actions related to odors would be based on citizen complaints to local governments and the SJVAPCD.

Toxic Air Contaminants

Toxic air contaminants (TACs) are air pollutants that may cause or contribute to an increase in mortality or serious illness, or which may pose a hazard to human health. TACs are usually present in minute quantities in the ambient air, but due to their high toxicity, they may pose a threat to public health even at very low concentrations. Because there is no threshold level below which adverse health impacts are not expected to occur, TACs differ from criteria pollutants for which acceptable levels of exposure can be determined and for which state and federal governments have set ambient air quality standards. TACs, therefore, are not considered "criteria pollutants" under either the Federal Clean Air Act (FCAA) or the California Clean Air Act (CCAA) and are thus not subject to National or State Ambient Air Quality Standards (AAQS). TACs are not considered criteria pollutants in that the FCAA and CCAA do not address them specifically through the setting of National or State AAQS. Instead, the U.S. EPA and California Air Resources Board (ARB) regulate Hazardous Air Pollutants (HAPs) and TACs, respectively, through statutes and regulations that generally require the use of the maximum or best available control technology to limit emissions. In conjunction with District rules, these federal and state statutes and regulations establish the regulatory framework for TACs. At the national level, the U.S. EPA has established National Emission Standards for HAPs (NESHAPs), in accordance with the requirements of the FCAA and subsequent amendments. These are technology-based source-specific regulations that limit allowable emissions of HAPs.

Within California, TACs are regulated primarily through the Tanner Air Toxics Act (Assembly Bill [AB] 1807) and the Air Toxics Hot Spots Information and Assessment Act of 1987 (AB 2588). The Tanner Act sets forth a formal procedure for ARB to designate substances as TACs. This includes research, public participation, and scientific peer review before ARB designates a substance as a TAC. Existing sources of TACs that are subject to the Air Toxics Hot Spots Information and Assessment Act are required to: (1) prepare a toxic emissions inventory; (2) prepare a risk assessment if emissions are significant; (3) notify the public of significant risk levels; and (4) prepare and implement risk reduction measures.

The exposure to TACs can lead to acute health problems shortly after exposure from minor effects such as watery eyes, or more serious life threats such as respiratory damage. Other health problems may not appear until many months or years after a person's first exposure to the toxic air pollutant. Cancer is one example of a delayed health problem. (EPA 1991)

At the local level, air districts have authority over stationary or industrial sources. For SJVAPCD, if a project may emit TACs, or if toxic contaminants may already be present at the project site, and there are sensitive receptors nearby, a screening health risk assessment using worst-case scenario assumptions may be warranted.

Within California, TACs are regulated primarily through the Tanner Air Toxics Act (AB 1807) and the Air Toxics Hot Spots Information and Assessment Act of 1987 (AB 2588). The Tanner Act sets forth a formal procedure for ARB to designate substances as TACs. The following provides a summary of the primary TACs of concern within the State of California and related health effects:

Table 1. State and Federal Criteria Air Pollutant Effects and Sources

Pollutant	Principal Health and Atmospheric Effects	Typical Sources
Ozone (O ₃)	High concentrations irritate lungs. Long-term exposure may cause lung tissue damage and cancer. Long-term exposure damages plant materials and reduces crop productivity. Precursor organic compounds include many known toxic air contaminants. Biogenic VOC may also contribute.	Low-altitude ozone is almost entirely formed from reactive organic gases/volatile organic compounds (ROG or VOC) and nitrogen oxides (NOx) in the presence of sunlight and heat. Common precursor emitters include motor vehicles and other internal combustion engines, solvent evaporation, boilers, furnaces, and industrial processes.
Respirable Particulate Matter (PM ₁₀)	Irritates eyes and respiratory tract. Decreases lung capacity. Associated with increased cancer and mortality. Contributes to haze and reduced visibility. Includes some toxic air contaminants. Many toxic and other aerosol and solid compounds are part of PM ₁₀ .	Dust- and fume-producing industrial and agricultural operations; combustion smoke & vehicle exhaust; atmospheric chemical reactions; construction and other dust-producing activities; unpaved road dust and re-entrained paved road dust; natural sources.
Fine Particulate Matter (PM _{2.5})	Increases respiratory disease, lung damage, cancer, and premature death. Reduces visibility and produces surface soiling. Most diesel exhaust particulate matter – a toxic air contaminant – is in the PM _{2.5} size range. Many toxic and other aerosol and solid compounds are part of PM _{2.5} .	Combustion including motor vehicles, other mobile sources, and industrial activities; residential and agricultural burning; also formed through atmospheric chemical and photochemical reactions involving other pollutants including NOx, sulfur oxides (SOx), ammonia, and ROG.
Carbon Monoxide (CO)	CO interferes with the transfer of oxygen to the blood and deprives sensitive tissues of oxygen. CO also is a minor precursor for photochemical ozone. Colorless, odorless.	Combustion sources, especially gasoline-powered engines and motor vehicles. CO is the traditional signature pollutant for on-road mobile sources at the local and neighborhood scale.
Nitrogen Dioxide (NO ₂)	Irritating to eyes and respiratory tract. Color's atmosphere reddish-brown. Contributes to acid rain & nitrate contamination of stormwater. Part of the "NOx" group of ozone precursors.	Motor vehicles and other mobile or portable engines, especially diesel; refineries; industrial operations.
Sulfur Dioxide (SO ₂)	Irritates respiratory tract; injures lung tissue. Can yellow plant leaves. Destructive to marble, iron, steel. Contributes to acid rain. Limit's visibility.	Fuel combustion (especially coal and high-sulfur oil), chemical plants, sulfur recovery plants, metal processing; some natural sources like active volcanoes. Limited contribution possible from heavy-duty diesel vehicles if ultra-low sulfur fuel not used.
Lead (Pb)	Disturbs gastrointestinal system. Causes anemia, kidney disease, and neuromuscular and neurological dysfunction. Also, a toxic air contaminant and water pollutant.	Lead-based industrial processes like battery production and smelters. Lead paint, leaded gasoline. Aerially deposited lead from older gasoline use may exist in soils along major roads.
Visibility-Reducing Particles (VRP)	Reduces visibility. Produces haze. NOTE: not directly related to the Regional Haze program under the Federal Clean Air Act, which is oriented primarily toward visibility issues in National Parks and other "Class I" areas. However, some issues and measurement methods are similar.	See particulate matter above. May be related more to aerosols than to solid particles.
Sulfate	Premature mortality and respiratory effects. Contributes to acid rain. Some toxic air contaminants attach to sulfate aerosol particles.	Industrial processes, refineries and oil fields, mines, natural sources like volcanic areas, salt-covered dry lakes, and large sulfide rock areas.
Hydrogen Sulfide (H ₂ S)	Colorless, flammable, poisonous. Respiratory irritant. Neurological damage and premature death. Headache, nausea. Strong odor.	Industrial processes such as: refineries and oil fields, asphalt plants, livestock operations, sewage treatment plants, and mines. Some natural sources like volcanic areas and hot springs.
Vinyl Chloride	Neurological effects, liver damage, cancer. Also considered a toxic air contaminant.	Industrial processes.

Source: CAPCOA 2021

Toxic Air Contaminants

Toxic air contaminants (TACs) are air pollutants that may cause or contribute to an increase in mortality or serious illness, or which may pose a hazard to human health. TACs are usually present in minute quantities in the ambient air, but due to their high toxicity, they may pose a threat to public health even at very low concentrations. Because there is no threshold level below which adverse health impacts are not expected to occur, TACs differ from criteria pollutants for which acceptable levels of exposure can be determined and for which state and federal governments have set ambient air quality standards. TACs, therefore, are not considered "criteria pollutants" under either the Federal Clean Air Act (FCAA) or the California Clean Air Act (CCAA) and are thus not subject to National or State Ambient Air Quality Standards (AAQS). TACs are not considered criteria pollutants in that the FCAA and CCAA do not address them specifically through the setting of National or State AAQS. Instead, the U.S. EPA and California Air Resources Board (ARB) regulate Hazardous Air Pollutants (HAPs) and TACs, respectively, through statutes and regulations that generally require the use of the maximum or best available control technology to limit emissions. In conjunction with District rules, these federal and state statutes and regulations establish the regulatory framework for TACs. At the national level, the U.S. EPA has established National Emission Standards for HAPs (NESHAPs), in accordance with the requirements of the FCAA and subsequent amendments. These are technology-based source-specific regulations that limit allowable emissions of HAPs.

Within California, TACs are regulated primarily through the Tanner Air Toxics Act (Assembly Bill [AB] 1807) and the Air Toxics Hot Spots Information and Assessment Act of 1987 (AB 2588). The Tanner Act sets forth a formal procedure for ARB to designate substances as TACs. This includes research, public participation, and scientific peer review before ARB designates a substance as a TAC. Existing sources of TACs that are subject to the Air Toxics Hot Spots Information and Assessment Act are required to: (1) prepare a toxic emissions inventory; (2) prepare a risk assessment if emissions are significant; (3) notify the public of significant risk levels; and (4) prepare and implement risk reduction measures.

The exposure to TACs can lead to acute health problems shortly after exposure from minor effects such as watery eyes, or more serious life threats such as respiratory damage. Other health problems may not appear until many months or years after a person's first exposure to the toxic air pollutant. Cancer is one example of a delayed health problem. (EPA 1991)

At the local level, air districts have authority over stationary or industrial sources. For SJVAPCD, if a project may emit TACs, or if toxic contaminants may already be present at the project site, and there are sensitive receptors nearby, a screening health risk assessment using worst-case scenario assumptions may be warranted.

Within California, TACs are regulated primarily through the Tanner Air Toxics Act (AB 1807) and the Air Toxics Hot Spots Information and Assessment Act of 1987 (AB 2588). The Tanner Act sets forth a formal procedure for ARB to designate substances as TACs. The following provides a summary of the primary TACs of concern within the State of California and related health effects:

Diesel Particulate Matter (DPM) was identified as a TAC by the ARB in August 1998. DPM is emitted from both mobile and stationary sources. In California, on-road diesel-fueled vehicles contribute approximately 40% of the statewide total, with an additional 57 percent attributed to other mobile sources such as construction and mining equipment, agricultural equipment, and transport refrigeration units. Stationary sources, contributing about 3 percent of emissions, include shipyards, warehouses, heavy equipment repair yards, and oil and gas production operations. Emissions from these sources are from diesel-fueled internal combustion engines. Stationary sources that report DPM emissions also include heavy construction, manufacturers of asphalt paving materials and blocks, and diesel-fueled electrical generation facilities (ARB 2013).

In October 2000, the ARB issued a report entitled: "Risk Reduction Plan to Reduce Particulate Matter Emissions from Diesel-Fueled Engines and Vehicles", which is commonly referred to as the Diesel Risk Reduction Plan (DRRP). The DRRP provides a mechanism for combating the DPM problem. The goal of the DRRP is to reduce concentrations of DPM by 85 percent by the year 2020, in comparison to year 2000 baseline emissions. The key elements of the DRRP are to clean up existing engines through engine retrofit

emission control devices, to adopt stringent standards for new diesel engines, and to lower the sulfur content of diesel fuel to protect new, and very effective, advanced technology emission control devices on diesel engines. When fully implemented, the DRPP will significantly reduce emissions from both old and new diesel fueled motor vehicles and from stationary sources that burn diesel fuel. In addition to these strategies, the ARB continues to promote the use of alternative fuels and electrification. As a result of these actions, DPM concentrations and associated health risks in future years are projected to decline (ARB 2013, ARB 2000).

Exposure to DPM can have immediate health effects. DPM can irritate the eyes, nose, throat, and lungs, and it can cause coughs, headaches, lightheadedness, and nausea. In studies with human volunteers, Exposure to DPM also causes inflammation in the lungs, which may aggravate chronic respiratory symptoms and increase the frequency or intensity of asthma attacks. The elderly and people with emphysema, asthma, and chronic heart and lung disease are especially sensitive to fine-particle pollution. Because children's lungs and respiratory systems are still developing, they are also more susceptible than healthy adults to fine particles. Exposure to fine particles is associated with increased frequency of childhood illnesses and can also reduce lung function in children. In California, DPM has been identified as a carcinogen.

Acetaldehyde is a federal hazardous air pollutant. The ARB identified acetaldehyde as a TAC in April 1993. Acetaldehyde is both directly emitted into the atmosphere and formed in the atmosphere as a result of photochemical oxidation. Sources of acetaldehyde include emissions from combustion processes such as exhaust from mobile sources and fuel combustion from stationary internal combustion engines, boilers, and process heaters. A majority of the statewide acetaldehyde emissions can be attributed to mobile sources, including on-road motor vehicles, construction and mining equipment, aircraft, recreational boats, and agricultural equipment. Area sources of emissions include the burning of wood in residential fireplaces and wood stoves. The primary stationary sources of acetaldehyde are from fuel combustion from the petroleum industry (ARB 2013).

Acute exposure to acetaldehyde results in effects including irritation of the eyes, skin, and respiratory tract. Symptoms of chronic intoxication of acetaldehyde resemble those of alcoholism. The U.S. EPA has classified acetaldehyde as a probable human carcinogen. In California, acetaldehyde was classified on April 1, 1988, as a chemical known to the state to cause cancer (U.S. EPA 2014; ARB 2013).

Benzene is highly carcinogenic and occurs throughout California. The ARB identified benzene as a TAC in January 1985. A majority of benzene emitted in California (roughly 88 percent) comes from motor vehicles, including evaporative leakage and unburned fuel exhaust. These sources include on-road motor vehicles, recreational boats, off-road recreational vehicles, and lawn and garden equipment. Benzene is also formed as a partial combustion product of larger aromatic fuel components. To a lesser extent, industry-related stationary sources are also sources of benzene emissions. The primary stationary sources of reported benzene emissions are crude petroleum and natural gas mining, petroleum refining, and electric generation that involves the use of petroleum products. The primary area sources include residential combustion of various types such as cooking and water heating (ARB 2013).

Acute inhalation exposure of humans to benzene may cause drowsiness, dizziness, headaches, as well as eye, skin, and respiratory tract irritation, and, at high levels, unconsciousness. Chronic inhalation exposure has caused various disorders in the blood, including reduced numbers of red blood cells and aplastic anemia, in occupational settings. Reproductive effects have been reported for women exposed by inhalation to high levels, and adverse effects on the developing fetus have been observed in animal tests. Increased incidences of leukemia (cancer of the tissues that form white blood cells) have been observed in humans occupationally exposed to benzene. The U.S. EPA has classified benzene as known human carcinogen for all routes of exposure (U.S. EPA 2014).

1,3-butadiene was identified by the ARB as a TAC in 1992. Most of the emissions of 1,3-butadiene are from incomplete combustion of gasoline and diesel fuels. Mobile sources account for a majority of the total statewide emissions. Additional sources include agricultural waste burning, open burning associated with forest management, petroleum refining, manufacturing of synthetics and man-made materials, and oil and gas extraction. The primary natural sources of 1,3-butadiene emissions are wildfires (ARB 2013)

Acute exposure to 1,3-butadiene by inhalation in humans results in irritation of the eyes, nasal passages, throat, and lungs. Epidemiological studies have reported a possible association between 1,3-butadiene exposure and cardiovascular diseases. Epidemiological studies of workers in rubber plants have shown an association between 1,3-butadiene exposure and increased incidence of leukemia. Animal studies have reported tumors at various sites from 1,3-butadiene exposure. In California, 1,3-butadiene has been identified as a carcinogen.

Carbon Tetrachloride was identified by the ARB as a TAC in 1987 under California's TAC program (ARB 2013). The primary stationary sources reporting emissions of carbon tetrachloride include chemical and allied product manufacturers and petroleum refineries. In the past, carbon tetrachloride was used for dry cleaning and as a grain-fumigant. Usage for these purposes is no longer allowed in the United States. Carbon tetrachloride has not been registered for pesticidal use in California since 1987. Also, the use of carbon tetrachloride in products to be used indoors has been discontinued in the United States. The statewide emissions of carbon tetrachloride are small (about 1.96 tons per year), and background concentrations account for most of the health risk (ARB 2013).

The primary effects of carbon tetrachloride in humans are on the liver, kidneys, and central nervous system. Human symptoms of acute inhalation and oral exposures to carbon tetrachloride include headache, weakness, lethargy, nausea, and vomiting. Acute exposures to higher levels and chronic (long-term) inhalation or oral exposure to carbon tetrachloride produces liver and kidney damage in humans. Human data on the carcinogenic effects of carbon tetrachloride are limited. Studies in animals have shown that ingestion of carbon tetrachloride increases the risk of liver cancer. In California, carbon tetrachloride has been identified as a carcinogen.

Hexavalent chromium was identified as a TAC in 1986. Sources of Hexavalent chromium include industrial metal finishing processes, such as chrome plating and chromic acid anodizing, and firebrick lining of glass furnaces. Other sources include mobile sources, including gasoline motor vehicles, trains, and ships (ARB 2013).

The respiratory tract is the major target organ for hexavalent chromium toxicity, for acute and chronic inhalation exposures. Shortness of breath, coughing, and wheezing were reported from a case of acute exposure to hexavalent chromium, while perforations and ulcerations of the septum, bronchitis, decreased pulmonary function, pneumonia, and other respiratory effects have been noted from chronic exposure. Human studies have clearly established that inhaled hexavalent chromium is a human carcinogen, resulting in an increased risk of lung cancer. In California, hexavalent chromium has been identified as a carcinogen.

Para-Dichlorobenzene was identified by the ARB as a TAC in April 1993. The primary area-wide sources that have reported emissions of para-dichlorobenzene include consumer products such as non-aerosol insect repellants and solid/gel air fresheners. These sources contribute nearly all of the statewide para-dichlorobenzene emissions (ARB 2013).

Acute exposure to paradichlorobenzene via inhalation results in irritation to the eyes, skin, and throat in humans. In addition, long-term inhalation exposure may affect the liver, skin, and central nervous system in humans. The U.S. EPA has classified para-dichlorobenzene as a possible human carcinogen.

Formaldehyde was identified by the ARB as a TAC in 1992. Formaldehyde is both directly emitted into the atmosphere and formed in the atmosphere as a result of photochemical oxidation. Photochemical oxidation is the largest source of formaldehyde concentrations in California ambient air. Directly emitted formaldehyde is a product of incomplete combustion. One of the primary sources of directly-emitted formaldehyde is vehicular exhaust. Formaldehyde is also used in resins, can be found in many consumer products as an antimicrobial agent, and is also used in fumigants and soil disinfectants. The primary area sources of formaldehyde emissions include wood burning in residential fireplaces and wood stoves (ARB 2013).

Exposure to formaldehyde may occur by breathing contaminated indoor air, tobacco smoke, or ambient urban air. Acute and chronic inhalation exposure to formaldehyde in humans can result in respiratory

symptoms, and eye, nose, and throat irritation. Limited human studies have reported an association between formaldehyde exposure and lung and nasopharyngeal cancer. Animal inhalation studies have reported an increased incidence of nasal squamous cell cancer. Formaldehyde is classified as a probable human carcinogen.

Methylene Chloride was identified by the ARB as a TAC in 1987. Methylene chloride is used as a solvent, a blowing and cleaning agent in the manufacture of polyurethane foam and plastic fabrication, and as a solvent in paint stripping operations. Paint removers account for the largest use of methylene chloride in California, where methylene chloride is the main ingredient in many paint stripping formulations. Plastic product manufacturers, manufacturers of synthetics, and aircraft and parts manufacturers are stationary sources reporting emissions of methylene chloride (ARB 2013).

The acute effects of methylene chloride inhalation in humans consist mainly of nervous system effects including decreased visual, auditory, and motor functions, but these effects are reversible once exposure ceases. The effects of chronic exposure to methylene chloride suggest that the central nervous system is a potential target in humans and animals. Human data are inconclusive regarding methylene chloride and cancer. Animal studies have shown increases in liver and lung cancer and benign mammary gland tumors following the inhalation of methylene chloride. In California, methylene chloride has been identified as a carcinogen.

Perchloroethylene was identified by the ARB as a TAC in 1991. Perchloroethylene is used as a solvent, primarily in dry cleaning operations. Perchloroethylene is also used in degreasing operations, paints and coatings, adhesives, aerosols, specialty chemical production, printing inks, silicones, rug shampoos, and laboratory solvents. In California, the stationary sources that have reported emissions of perchloroethylene are dry cleaning plants, aircraft part and equipment manufacturers, and fabricated metal product manufacturers. The primary area sources include consumer products such as automotive brake cleaners and tire sealants and inflators (ARB 2013).

Acute inhalation exposure to perchloroethylene vapors can result in irritation of the upper respiratory tract and eyes, kidney dysfunction, and at lower concentrations, neurological effects, such as reversible mood and behavioral changes, impairment of coordination, dizziness, headaches sleepiness, and unconsciousness. Chronic inhalation exposure can result in neurological effects, including sensory symptoms such as headaches, impairments in cognitive and motor neurobehavioral functioning, and color vision decrements. Cardiac arrhythmia, liver damage, and possible kidney damage may also occur. In California, perchloroethylene has been identified as a carcinogen.

ASBESTOS

Asbestos is a term used for several types of naturally-occurring fibrous minerals found in many parts of California. The most common type of asbestos is chrysotile, but other types are also found in California. Serpentine rock often contains chrysotile asbestos. Serpentine rock, and its parent material, ultramafic rock, is abundant in the Sierra foothills, the Klamath Mountains, and Coast Ranges. The project site, however, is not located in an area of known ultramafic rock.

Asbestos is commonly found in ultramafic rock, including serpentine, and near fault zones. The amount of asbestos that is typically present in these rocks range from less than 1 percent up to about 25 percent, and sometimes more. Asbestos is released from ultramafic and serpentine rock when it is broken or crushed. This can happen when cars drive over unpaved roads or driveways which are surfaced with these rocks, when land is graded for building purposes, or at quarrying operations. It is also released naturally through weathering and erosion. Once released from the rock, asbestos can become airborne and may stay in the air for long periods of time.

Additional sources of asbestos include building materials and other manmade materials. The most common sources are heat-resistant insulators, cement, furnace or pipe coverings, inert filler material, fireproof gloves and clothing, and brake linings. Asbestos has been used in the United States since the early 1900's; however, asbestos is no longer allowed as a constituent in most home products and materials. Many older buildings, schools, and homes still have asbestos containing products.

Naturally-occurring asbestos was identified by ARB as a TAC in 1986. The ARB has adopted two statewide control measures which prohibits the use of serpentine or ultramafic rock for unpaved surfacing and controls dust emissions from construction, grading, and surface mining in areas with these rocks. Various other laws have also been adopted, including laws related to the control of asbestos-containing materials during the renovation and demolition of buildings.

All types of asbestos are hazardous and may cause lung disease and cancer. Health risks to people are dependent upon their exposure to asbestos. The longer a person is exposed to asbestos and the greater the intensity of the exposure, the greater the chances for a health problem. Asbestos-related disease, such as lung cancer, may not occur for decades after breathing asbestos fibers. Cigarette smoking increases the risk of lung cancer from asbestos exposure.

VALLEY FEVER

Valley fever is an infection caused by the fungus *Coccidioides*. The scientific name for valley fever is "coccidioidomycosis," and it's also sometimes called "desert rheumatism." The term "valley fever" usually refers to *Coccidioides* infection in the lungs, but the infection can spread to other parts of the body in severe cases.

Coccidioides spores circulate in the air after contaminated soil and dust are disturbed by humans, animals, or the weather. The spores are too small to see without a microscope. When people breathe in the spores, they are at risk for developing valley fever. After the spores enter the lungs, the person's body temperature allows the spores to change shape and grow into spherules. When the spherules get large enough, they break open and release smaller pieces (called endospores) which can then potentially spread within the lungs or to other organs and grow into new spherules. In extremely rare cases, the fungal spores can enter the skin through a cut, wound, or splinter and cause a skin infection.

Symptoms of valley fever may appear between 1 and 3 weeks after exposure. Symptoms commonly include fatigue, coughing, fever, shortness of breath, headaches, night sweats, muscle aches and joint pain, and rashes on the upper body or legs.

Approximately 5 to 10 percent of people who get valley fever will develop serious or long-term problems in their lungs. In an even smaller percent of people (about 1 percent), the infection spreads from the lungs to other parts of the body, such as the central nervous system (brain and spinal cord), skin, or bones and joints. Certain groups of people may be at higher risk for developing the severe forms of valley fever, such as people who have weakened immune systems. The fungus that causes valley fever, *Coccidioides*, can't spread from the lungs between people or between people and animals. However, in extremely rare instances, a wound infection with *Coccidioides* can spread valley fever to someone else, or the infection can be spread through an organ transplant with an infected organ.

For many people, the symptoms of valley fever will go away within a few months without any treatment. Healthcare providers choose to prescribe antifungal medication for some people to try to reduce the severity of symptoms or prevent the infection from getting worse. Antifungal medication is typically given to people who are at higher risk for developing severe valley fever. The treatment typically occurs over a period of roughly 3 to 6 months. In some instances, longer treatment may be required. If valley fever develops into meningitis life-long antifungal treatment is typically necessary.

Scientists continue to study how weather and climate patterns affect the habitat of the fungus that causes valley fever. *Coccidioides* is thought to grow best in soil after heavy rainfall and then disperse into the air most effectively during hot, dry conditions. For example, hot and dry weather conditions have been shown to correlate with an increase in the number of valley fever cases in Arizona and in California. The ways in which climate change may be affecting the number of valley fever infections, as well as the geographic range of *Coccidioides*, isn't known yet, but is a subject for further research (CDC 2016).

REGULATORY FRAMEWORK

Air quality within the SJVAB is regulated by several jurisdictions including the U.S. EPA, ARB, and the SJVAPCD. Each of these jurisdictions develops rules, regulations, and policies to attain the goals or directives imposed upon them through legislation. Although U.S. EPA regulations may not be superseded, both state and local regulations may be more stringent.

FEDERAL

U.S. Environmental Protection Agency

At the federal level, the U.S. EPA has been charged with implementing national air quality programs. The U.S. EPA's air quality mandates are drawn primarily from the FCAA, which was signed into law in 1970. Congress substantially amended the FCAA in 1977 and again in 1990.

Federal Clean Air Act

The FCAA required the U.S. EPA to establish National Ambient Air Quality Standards (NAAQS), and also set deadlines for their attainment. Two types of NAAQS have been established: primary standards, which protect public health, and secondary standards, which protect public welfare from non-health-related adverse effects, such as visibility restrictions. NAAQS are summarized in Table 2.

The FCAA also required each state to prepare an air quality control plan referred to as a State Implementation Plan (SIP). The FCAA Amendments of 1990 added requirements for states with nonattainment areas to revise their SIPs to incorporate additional control measures to reduce air pollution. The SIP is periodically modified to reflect the latest emissions inventories, planning documents, and rules and regulations of the air basins as reported by their jurisdictional agencies. The U.S. EPA has responsibility to review all state SIPs to determine conformance with the mandates of the FCAA, and the amendments thereof, and determine if implementation will achieve air quality goals. If the U.S. EPA determines a SIP to be inadequate, a Federal Implementation Plan (FIP) may be prepared for the nonattainment area that imposes additional control measures.

Toxic Substances Control Act

The Toxic Substances Control Act (TSCA) first authorized the U.S. EPA to regulate asbestos in schools and Public and Commercial buildings under Title II of the law, which is also known as the Asbestos Hazard Emergency Response Act (AHERA). AHERA requires Local Education Agencies (LEAs) to inspect their schools for ACBM and prepare management plans to reduce the asbestos hazard. The Act also established a program for the training and accreditation of individuals performing certain types of asbestos work.

National Emission Standards for Hazardous Air Pollutants

Pursuant to the FCAA of 1970, the U.S. EPA established the National Emission Standards for Hazardous Air Pollutants. These are technology-based source-specific regulations that limit allowable emissions of HAPs.

STATE

California Air Resources Board

The ARB is the agency responsible for coordination and oversight of state and local air pollution control programs in California and for implementing the California Clean Air Act of 1988. Other ARB duties include monitoring air quality (in conjunction with air monitoring networks maintained by air pollution control districts and air quality management districts, establishing California Ambient Air Quality Standards (CAAQS), which in many cases are more stringent than the NAAQS, and setting emissions standards for new motor vehicles. The CAAQS are summarized in Table 2. The emission standards established for motor vehicles differ depending on various factors including the model year, and the type of vehicle, fuel and engine used.

Table 2
Summary of Ambient Air Quality Standards

Summary of Ambient Air Quality Standards			
Pollutant	Averaging Time	California Standards	National Standards (Primary)
Ozone (O ₃)	1-hour	0.09 ppm	–
	8-hour	0.070 ppm	0.070 ppm
Particulate Matter (PM ₁₀)	AAM	20 µg/m ³	–
	24-hour	50 µg/m ³	150 µg/m ³
Fine Particulate Matter (PM _{2.5})	AAM	12 µg/m ³	12 µg/m ³
	24-hour	No Standard	35 µg/m ³
Carbon Monoxide (CO)	1-hour	20 ppm	35 ppm
	8-hour	9 ppm	9 ppm
	8-hour (Lake Tahoe)	6 ppm	–
Nitrogen Dioxide (NO ₂)	AAM	0.030 ppm	53 ppb
	1-hour	0.18 ppm	100 ppb
Sulfur Dioxide (SO ₂)	AAM	–	0.03 ppm
	24-hour	0.04 ppm	0.14 ppm
	3-hour	–	–
	1-hour	0.25 ppm	75 ppb
Lead	30-day Average	1.5 µg/m ³	–
	Calendar Quarter	–	1.5 µg/m ³
	Rolling 3-Month Average	–	0.15 µg/m ³
Sulfates	24-hour	25 µg/m ³	No Federal Standards
Hydrogen Sulfide	1-hour	0.03 ppm (42 µg/m ³)	
Vinyl Chloride	24-hour	0.01 ppm (26 µg/m ³)	
Visibility-Reducing Particle Matter	8-hour	Extinction coefficient: 0.23/kilometer-visibility of 10 miles or more (0.07-30 miles or more for Lake Tahoe) due to particles when the relative humidity is less than 70%.	
* For more information on standards visit : https://ww3.arb.ca.gov/research/aaqs/aaqs2.pdf Source: ARB 2019a			

California Clean Air Act

The CCAA requires that all air districts in the state endeavor to achieve and maintain CAAQS for Ozone, CO, SO₂, and NO₂ by the earliest practical date. The CCAA specifies that districts focus particular attention on reducing the emissions from transportation and area-wide emission sources, and the act provides districts with authority to regulate indirect sources. Each district plan is required to either (1) achieve a five percent annual reduction, averaged over consecutive 3-year periods, in district-wide emissions of each non-attainment pollutant or its precursors, or (2) to provide for implementation of all feasible measures to reduce emissions. Any planning effort for air quality attainment would thus need to consider both state and federal planning requirements.

California Assembly Bill 170

Assembly Bill 170, Reyes (AB 170), was adopted by state lawmakers in 2003 creating Government Code Section 65302.1 which requires cities and counties in the San Joaquin Valley to amend their general plans to include data and analysis, comprehensive goals, policies and feasible implementation strategies designed to improve air quality.

Assembly Bills 1807 & 2588 - Toxic Air Contaminants

Within California, TACs are regulated primarily through AB 1807 (Tanner Air Toxics Act) and AB 2588 (Air Toxics Hot Spots Information and Assessment Act of 1987). The Tanner Air Toxics Act sets forth a formal procedure for ARB to designate substances as TACs. This includes research, public participation, and scientific peer review before ARB designates a substance as a TAC. Existing sources of TACs that are subject to the Air Toxics Hot Spots Information and Assessment Act are required to: (1) prepare a toxic emissions inventory; (2) prepare a risk assessment if emissions are significant; (3) notify the public of significant risk levels; and (4) prepare and implement risk reduction measures.

California Air Resources Board's Truck and Bus Regulation

This regulation requires fleets that operate in California to reduce diesel truck and bus emissions by retrofitting or replacing existing engines. Amendments were adopted in December 2010 to provide more time for fleets to comply. The amended regulation required installation of PM retrofits beginning January 1, 2012 and replacement of older trucks starting January 1, 2015. By January 1, 2023, nearly all vehicles would need to have 2010 model year engines or equivalent.

The regulation applies to nearly all privately and federally owned diesel fueled trucks and buses and privately and publicly owned school buses with a gross vehicle weight rating greater than 14,000 pounds. The regulation has provisions to provide extra credit for PM filters installed prior to July 2011, has delayed requirements for fleets with 3 or fewer vehicles, provisions for agricultural vehicles and other situations.

Airborne Toxic Control Measure to Limit School Bus Idling at Schools

ARB has approved an airborne toxic control measure (ATCM) that limits school bus idling and idling at or near schools to only when necessary for safety or operational concerns. The ATCM requires a driver of a school bus or vehicle, transit bus, or other commercial motor vehicle to manually turn off the bus or vehicle engine upon arriving at a school and to restart no more than 30 seconds before departing. A driver of a school bus or vehicle is subject to the same requirement when operating within 100 feet of a school and is prohibited from idling more than five minutes at each stop beyond schools, such as parking or maintenance facilities, school bus stops, or school activity destinations. A driver of a transit bus or other commercial motor vehicle is prohibited from idling more than five minutes at each stop within 100 feet of a school. Idling necessary for health, safety, or operational concerns is exempt from these restrictions. In addition, the ATCM requires a motor carrier of an affected bus or vehicle to ensure that drivers are informed of the idling requirements, track complaints and enforcement actions, and keep records of these driver education and tracking activities. This ATCM became effective in July 2003.

SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT

The SJVAPCD is the agency primarily responsible for ensuring that NAAQS and CAAQS are not exceeded and that air quality conditions are maintained in the SJVAB, within which the proposed project is located. Responsibilities of the SJVAPCD include, but are not limited to, preparing plans for the attainment of ambient air quality standards, adopting and enforcing rules and regulations concerning sources of air pollution, issuing permits for stationary sources of air pollution, inspecting stationary sources of air pollution and responding to citizen complaints, monitoring ambient air quality and meteorological conditions, and implementing programs and regulations required by the FCAA and the CCAA. The SJVAPCD Rules and Regulations that are applicable to the proposed project include, but are not limited to, the following:

- *Regulation VIII (Fugitive Dust Prohibitions). Regulation VIII (Rules 8011-8081).* This regulation is a series of rules designed to reduce particulate emissions generated by human activity, including construction

and demolition activities, carryout and trackout, paved and unpaved roads, bulk material handling and storage, unpaved vehicle/traffic areas, open space areas, etc.

- *Rule 4002 (National Emissions Standards for Hazardous Air Pollutants)*. This rule may apply to projects in which portions of an existing building would be renovated, partially demolished or removed. With regard to asbestos, the NESHAP specifies work practices to be followed during renovation, demolition or other abatement activities when friable asbestos is involved. Prior to demolition activity, an asbestos survey of the existing structure may be required to identify the presence of any asbestos containing building materials (ACBM). Removal of identified ACBM must be removed by a certified asbestos contractor in accordance with CAL-OSHA requirements.
- *Rule 4102 (Nuisance)*. Applies to any source operation that emits or may emit air contaminants or other materials.
- *Rule 4103 (Open Burning)*. This rule regulates the use of open burning and specifies the types of materials that may be open burned. Section 5.1 of this rule prohibits the burning of trees and other vegetative (non-agricultural) material whenever the land is being developed for non-agricultural purposes.
- *Rule 4601 (Architectural Coatings)*. Limits volatile organic compounds from architectural coatings.
- *Rule 4641 (Cutback, Slow Cure, and Emulsified Asphalt, Paving and Maintenance Operations)*. This rule applies to the manufacture and use of cutback, slow cure, and emulsified asphalt during paving and maintenance operations.
- *Rule 9510 (Indirect Source Review - ISR)*. Requires developers of larger residential, commercial, recreational, and industrial projects to reduce smog-forming and particulate emissions from their projects' baselines. If project emissions still exceed the minimum baseline reductions, a project's developer will be required to mitigate the difference by paying an off-site fee to the District, which would then be used to fund clean-air projects. For projects subject to this rule, the ISR rule requires developers to mitigate and/or offset emissions sufficient to achieve: (1) 20-percent reduction of construction equipment exhaust NO_x; (2) 45-percent reduction of construction equipment exhaust PM₁₀; (3) 33-percent reduction of operational NO_x over 10 years; and (4) 50-percent reduction of operational PM₁₀ over 10 years. SJVAPCD ISR applications must be filed "no later than applying for a final discretionary approval with a public agency."

REGULATORY ATTAINMENT DESIGNATIONS

Under the CCAA, ARB is required to designate areas of the state as attainment, nonattainment, or unclassified with respect to applicable standards. An "attainment" designation for an area signifies that pollutant concentrations did not violate the applicable standard in that area. A "nonattainment" designation indicates that a pollutant concentration violated the applicable standard at least once, excluding those occasions when a violation was caused by an exceptional event, as defined in the criteria. Depending on the frequency and severity of pollutants exceeding applicable standards, the nonattainment designation can be further classified as serious nonattainment, severe nonattainment, or extreme nonattainment, with extreme nonattainment being the most severe of the classifications. An "unclassified" designation signifies that the data does not support either an attainment or nonattainment designation. The CCAA divides districts into moderate, serious, and severe air pollution categories, with increasingly stringent control requirements mandated for each category.

The U.S. EPA designates areas for ozone, CO, and NO₂ as "does not meet the primary standards," "cannot be classified," or "better than national standards." For SO₂, areas are designated as "does not meet the primary standards," "does not meet the secondary standards," "cannot be classified," or "better than national standards." However, ARB terminology of attainment, nonattainment, and unclassified is more frequently used. The U.S. EPA uses the same sub-categories for nonattainment status: serious, severe, and extreme. In 1991, U.S. EPA assigned new nonattainment designations to areas that had previously been

classified as Group I, II, or III for PM₁₀ based on the likelihood that they would violate national PM₁₀ standards. All other areas are designated “unclassified.”

The state and national attainment status designations pertaining to the SJVAB are summarized in Table 3. The SJVAB is currently designated as a nonattainment area with respect to the state PM₁₀ standard, ozone, and PM_{2.5} standards. The SJVAB is designated nonattainment for the national 8-hour ozone and PM_{2.5} standards. On September 25, 2008, the U.S. EPA redesignated the San Joaquin Valley to attainment for the PM₁₀ NAAQS and approved the PM₁₀ Maintenance Plan (SJVAPCD 2019).

Table 3
SJVAB Attainment Status Designations

Pollutant	National Designation	State Designation
Ozone, 1 hour	No Standard	Nonattainment/Severe
Ozone, 8 hour	Nonattainment/Extreme	Nonattainment
PM ₁₀	Attainment	Nonattainment
PM _{2.5}	Nonattainment	Nonattainment
Carbon Monoxide	Attainment/Unclassified	Attainment/Unclassified
Nitrogen dioxide	Attainment/Unclassified	Attainment
Sulfur dioxide	Attainment/Unclassified	Attainment
Lead (particulate)	No Designation/Classification	Attainment
Hydrogen sulfide	No Federal Standard	Unclassified
Sulfates	No Federal Standard	Attainment
Visibility-reducing particulates	No Federal Standard	Unclassified
Vinyl Chloride	No Federal Standard	Attainment
For more information visit website url: https://www.valleyair.org/aqinfo/attainment.htm .		
Source: SJVAPCD 2022		

AMBIENT AIR QUALITY

Air pollutant concentrations are measured at several monitoring stations in Fresno County. The Fresno-Drummond Street Monitoring Station is the closest representative monitoring site to the proposed project site with sufficient data to meet U.S. EPA and/or ARB criteria for quality assurance. This monitoring station monitors ambient concentrations of ozone, nitrogen dioxide, and PM₁₀. Ambient PM_{2.5} concentrations were obtained from the Fresno-Garland Street Monitoring Station. Ambient monitoring data was obtained for the last three years of available measurement data (i.e., 2018 through 2020) and are summarized in Table 4. As depicted, the state and national ozone, national PM_{2.5}, and state PM₁₀ standards were exceeded on numerous occasions during the past 3 years.

SENSITIVE RECEPTORS

One of the most important reasons for air quality standards is the protection of those members of the population who are most sensitive to the adverse health effects of air pollution, termed “sensitive receptors.” The term sensitive receptors refer to specific population groups, as well as the land uses where individuals would reside for long periods. Commonly identified sensitive population groups are children, the elderly, the acutely ill, and the chronically ill. Commonly identified sensitive land uses would include facilities that house or attract children, the elderly, people with illnesses, or others who are especially sensitive to the effects of air pollutants. Residential dwellings, schools, parks, playgrounds, childcare centers, convalescent homes, and hospitals are examples of sensitive land uses.

Table 4
Summary of Ambient Air Quality Monitoring Data¹

	2018	2019	2020
Ozone			
Maximum concentration (1-hour/8-hour average)	0.121/0.099	0.105/0.084	0.119/0.099
Number of days state/national 1-hour standard exceeded	8/0	2/0	10/0
Number of days state/national 8-hour standard exceeded	38/36	18/17	24/24
Nitrogen Dioxide (NO₂)			
Maximum concentration (1-hour average)	68.1	54.5	47.5
Annual average	11	NA	9
Number of days state/federal standard exceeded	0	0	0
Suspended Particulate Matter (PM₁₀)			
Maximum concentration (state/national)	136.2/130.4	328.2/334.9	283.7/296.4
Number of days state standard exceeded (measured/calculated ²)	101/102.7	72/72.7	99/100.1
Number of days national standard exceeded (measured/calculated ²)	0/0	3/3.0	14/14.0
Suspended Particulate Matter (PM_{2.5})			
Maximum concentration (state/national)	95.7	51.3	163.2
Annual Average (state/national)	16.6	11.2	18.6
Number of days national standard exceeded	36	10	45
<i>ppm = parts per million by volume, µg/m³ = micrograms per cubic meter, NA=Not Available</i> 1 Ambient ozone, NO₂, and PM₁₀ data was obtained from the Fresno-Drummond Street Monitoring Station. Ambient PM_{2.5} data was obtained from the Fresno-Garland Monitoring Station. 2 Measured days are those days that an actual measurement was greater than the standard. Calculated days are the estimated number of days that a measurement would have been greater than the level of the standard had measurements been collected every day. Source: ARB 2022b			

Sensitive land uses located in the vicinity of the proposed project site consist predominantly of residential land uses. The nearest residential land uses are generally located to the north of the project site, east of N. College Avenue and north and south of E. Yale Avenue (refer to Figure 2).

IMPACTS & MITIGATION MEASURES

METHODOLOGY

Short-term Impacts

Short-term construction emissions associated with the proposed project were calculated using the CalEEMod 2020.4.0 computer program. Emissions were quantified for demolition, site preparation/grading, construction, paving, and architectural coating. Detailed construction information, including construction schedules and equipment requirements, have not been identified for the proposed project. Default construction phases and equipment assumptions contained in the CalEEMod model were, therefore, relied upon for the calculation of construction-generated emissions. Modeling assumptions and output files are included in Appendix A of this report.

Long-term Impacts

Long-term operational emissions of criteria air pollutants associated with the proposed project were calculated using the CalEEMod computer program. While the seating area will be reconstructed the capacity will not be increased from existing conditions. Therefore, mobile-source emissions were not calculated. All other modeling assumptions were based on the default parameters contained in the CalEEMod computer model for Fresno County. Modeling assumptions and output files are included in Appendix A of this report. Exposure to localized pollutant concentrations, including fugitive dust, mobile-

source CO, and odors were qualitatively assessed. To be conservative, operation of the project was assumed to begin in 2024.

THRESHOLDS OF SIGNIFICANCE

In accordance with Appendix G of the CEQA Guidelines Initial Study Checklist, a project would be considered to have a significant impact to climate change if it would:

- a) Conflict with or obstruct implementation of the applicable air quality plan.
- b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard.
- c) Expose sensitive receptors to substantial pollutant concentrations.
- d) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people.

To assist local jurisdictions in the evaluation of air quality impacts, the SJVAPCD has published the Guide for Assessing and Mitigating Air Quality Impacts (SJVAPCD 2015). This guidance document includes recommended thresholds of significance to be used for the evaluation of short-term construction, long-term operational, odor, toxic air contaminant, and cumulative air quality impacts. Accordingly, the SJVAPCD-recommended thresholds of significance are used to determine whether implementation of the proposed project would result in a significant air quality impact. The thresholds of significance are summarized below.

- Short-term Emissions—Construction impacts associated with the proposed project would be considered significant if project-generated emissions would exceed 100 tons per year (TPY) of CO, 10 TPY of ROG or NO_x, 27 TPY of SO_x, or 15 TPY of PM₁₀ or PM_{2.5}.
- Long-term Emissions—Operational impacts associated with the proposed project would be considered significant if project generated emissions would exceed 100 TPY of CO, 10 TPY of ROG or NO_x, 27 TPY of SO_x, or 15 TPY of PM₁₀ or PM_{2.5}.
- Conflict with or Obstruct Implementation of Applicable Air Quality Plan—Due to the region's non-attainment status for ozone, PM_{2.5}, and PM₁₀, if project-generated emissions of ozone precursor pollutants (i.e., ROG and NO_x) or PM would exceed the SJVAPCD's significance thresholds, then the project would be considered to conflict with the attainment plans.
- Local Mobile-Source CO Concentrations—Local mobile source impacts associated with the proposed project would be considered significant if the project contributes to CO concentrations at receptor locations in excess of the CAAQS (i.e., 9.0 ppm for 8 hours or 20 ppm for 1 hour).
- Exposure to toxic air contaminants (TAC) would be considered significant if the probability of contracting cancer for the Maximally Exposed Individual (i.e., maximum individual risk) would exceed 20 in 1 million or would result in a Hazard Index greater than 1.
- Odor impacts associated with the proposed project would be considered significant if the project has the potential to frequently expose members of the public to objectionable odors.

In addition to the above thresholds, the SJVAPCD also recommends the use of daily emissions thresholds for the evaluation of project impacts on localized ambient air quality conditions. Accordingly, the proposed project would also be considered to result in a significant contribution to localized ambient air quality if on-site emissions of ROG, NO_x, PM₁₀, PM_{2.5}, CO, or SO₂ associated with either short-term construction or long-term operational activities would exceed a daily average of 100 pounds per day (lbs/day) for each of the pollutants evaluated (SJVAPCD 2015).

PROJECT IMPACTS

Impact AQ-A. Would the project conflict with or obstruct implementation of the applicable air quality plan?

In accordance with SJVAPCD-recommended methodology for the assessment of air quality impacts, projects that result in significant air quality impacts at the project level are also considered to have a significant cumulative air quality impact. As noted in Impact AQ-B, short-term construction and long-term operational emissions would not exceed applicable thresholds. In addition, the proposed project's contribution to localized concentrations of emissions, including emissions of CO, TACs, and odors, are considered less than significant. For these reasons, implementation of the proposed project would not be anticipated to conflict with air quality attainment or maintenance planning efforts. This impact would be considered ***less than significant***.

Impact AQ-B. Would the project result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?

The proposed project is located in the City of Fresno, which is within the SJVAB. The SJVAB is designated nonattainment for the national 8-hour ozone and PM_{2.5} standards. On September 25, 2008, the U.S. EPA redesignated the San Joaquin Valley to attainment for the PM₁₀ NAAQS and approved the PM₁₀ Maintenance Plan (SJVAPCD 2019). Potential air quality impacts associated with the proposed project could potentially occur during project construction or operational phases. Short-term construction and long-term air quality impacts associated with the proposed project are discussed, as follows:

SHORT-TERM CONSTRUCTION EMISSIONS

Short-term increases in emissions would occur during the construction process. Construction-generated emissions are of temporary duration, lasting only as long as construction activities occur, but have the potential to represent a significant air quality impact. The construction of the proposed project would result in the temporary generation of emissions associated with site grading and excavation, paving, motor vehicle exhaust associated with construction equipment, and worker trips; as well as, the movement of construction equipment on unpaved surfaces. Short-term construction emissions would result in increased emissions of ozone-precursor pollutants (i.e., ROG and NO_x) and emissions of PM. Emissions of ozone-precursors would result from the operation of on-road and off-road motorized vehicles and equipment. Emissions of airborne PM are largely dependent on the amount of ground disturbance associated with site grading and excavation activities and can result in increased concentrations of PM that can adversely affect nearby sensitive land uses. Estimated construction-generated annual emissions associated with the proposed project alternatives are summarized in Table 5.

As noted in Table 5, construction of the proposed project would generate maximum uncontrolled annual emissions of approximately 0.49 tons/year of ROG, 1.10 tons/year of NO_x, 1.09 tons/year of CO, 0.00 tons/year of SO₂, 0.10 tons/year of PM₁₀, and 0.07 tons/year of PM_{2.5}. Estimated construction-generated emissions would not exceed the SJVAPCD's significance thresholds of 10 tons/year of ROG, 10 tons/year of NO_x, 100 tons/year of CO, 27 tons/year of SO₂ or 15 tons/year for PM₁₀ & PM_{2.5}.

**Table 5
Annual Construction Emissions (Unmitigated)**

Construction Phase	Maximum Annual Emissions (TPY) ¹					
	ROG	NO _x	CO	SO ₂	PM ₁₀	PM _{2.5}
Construction Year 1						
Demolition	0.02	0.17	0.14	0.00	0.01	0.01
Site Preparation	0.00	0.03	0.02	0.00	0.00	0.00
Grading	0.00	0.05	0.03	0.00	0.02	0.01
Construction	0.10	0.79	0.79	0.00	0.06	0.04
Architectural Coating	0.25	0.06	0.09	0.00	0.01	0.00
Total:	0.38	1.10	1.07	0.00	0.10	0.07
Construction Year 2						
Construction	0.11	0.84	0.90	0.00	0.06	0.04
Paving	0.00	0.04	0.06	0.00	0.00	0.00
Architectural Coating	0.37	0.09	0.13	0.00	0.01	0.01
Total:	0.49	0.97	1.09	0.00	0.07	0.05
Maximum Annual Emissions:	0.49	1.10	1.09	0.00	0.10	0.07
Significance Thresholds:	10	10	100	27	15	15
Exceeds Thresholds/Significant Impact?:	No	No	No	No	No	No
<i>1. Based on CalEEMod computer modeling. Totals may not sum due to rounding. Does not include emission control measures. Refer to Appendix A for modeling results and assumptions.</i>						

Estimated average-daily on-site construction emissions are summarized in Table 6. As noted in Table 6, construction of the proposed project would generate maximum on-site emissions of approximately 3.46 lbs/day of ROG, 24.62 lbs/day of NO_x, 27.85 lbs/day of CO, 1.22 lbs/day of PM₁₀, and 1.16 lbs/day of PM_{2.5}. The highest daily emissions would generally occur during the demolition of the existing structures and site grading activities. Emissions of SO₂ would be negligible (e.g., less than 0.1 tons/year). Daily on-site construction emissions would not exceed the SJVAPCD's recommended localized ambient air quality significance thresholds of 100 lbs/day for each of the criteria air pollutants evaluated.

Short-term construction of the proposed project would not result in a significant impact to regional or local air quality conditions. Furthermore, it is important to note that project construction, including excavation and grading activities, would be required to comply with SJVAPCD Regulation VIII (Fugitive PM₁₀ Prohibitions). Mandatory compliance with SJVAPCD Regulation VIII would further reduce emissions of fugitive dust from the project site and minimize the project's potential to adversely affect nearby sensitive receptors. With compliance with SJVAPCD Regulation VIII, emissions of PM would be further reduced by approximately 50 percent, or more. Given that project-generated emissions would not exceed applicable SJVAPCD significance thresholds, this impact would be considered **less than significant**.

Table 6
Daily On-Site Construction Emissions (Unmitigated)

Construction Phase	Daily Emissions (lbs/day) ¹					
	ROG	NO _x	CO	SO ₂	PM ₁₀	PM _{2.5}
Demolition	1.69	16.62	13.96	0.02	0.94	0.80
Site Preparation	1.38	15.67	10.06	0.02	2.25	0.73
Grading	1.54	16.98	9.22	0.02	7.82	4.11
Building Construction	1.86	14.60	14.35	0.03	0.70	0.67
Paving	0.89	8.61	11.68	0.02	0.43	0.40
Architectural Coating	5.72	1.41	1.81	0.00	0.08	0.08
Maximum Daily On-site Emissions ² :	8.47	24.62	27.85	0.05	1.22	1.16
Significance Thresholds:	100	100	100	100	100	100
Exceeds Thresholds/Significant Impact?:	No	No	No	No	No	No
¹ . Based on CalEEMod computer modeling. Totals may not sum due to rounding. ² . Maximum daily on-site emissions assumes building construction, paving, and architectural coating application could potentially occur simultaneously. Refer to Appendix A for modeling results and assumptions.						

LONG-TERM OPERATIONAL EMISSIONS

Estimated annual operational emissions for the proposed project are summarized in Table 7. As depicted, the proposed project would result in total operational emissions of approximately 0.41 tons/year of ROG, 0.09 tons/year of NO_x, 0.07 tons/year of CO. Emissions of SO₂, PM₁₀, & PM_{2.5} would be negligible (i.e., less than 0.1 tons/year). Project-generated emissions would be largely associated with building operations, including energy use and area sources, such as the occasional use of cleaning products and architectural coating, and maintenance activities. It is important to note, however, that these estimates exclude mobile-source emissions associated with operations as they are not anticipated to increase compared to existing conditions. Operational emissions would not exceed SJVAPCD's mass-emissions significance thresholds.

Estimated average-daily on-site operational emissions are also summarized in Table 7. As noted above, average-daily on-site operational emissions would be largely associated with area sources (e.g., landscape maintenance activities and use of consumer products). Average-daily on-site emissions would total approximately 2.22 lbs/day of ROG, 0.48 lbs/day of NO_x, 0.40 lbs/day of CO, <0.01 lbs/day of SO₂, 0.04 lbs/day of PM₁₀ and 0.04 lbs/day of PM_{2.5}. Average-daily on-site emissions would not exceed the SJVAPCD's recommended localized ambient air quality significance thresholds of 100 lbs/day for each of the criteria air pollutants evaluated.

Long-term operation of the proposed project would not result in a significant impact to regional or local air quality conditions. This impact is considered **less than significant**.

Table 7
Long-term Operational Emissions (Unmitigated)

Season	Uncontrolled Annual Emissions (tons/year) ¹					
	ROG	NO _x	CO	SO ₂	PM ₁₀	PM _{2.5}
Area Source	0.40	0.00	<0.01	0.00	0.00	0.00
Energy Use	<0.01	0.09	0.07	<0.01	<0.01	<0.01
Mobile Source ²	0.00	0.00	0.00	0.00	0.00	0.00
Total:	0.41	0.09	0.07	<0.01	<0.01	<0.01
Significance Thresholds (tons):	10	10	100	27	15	15
Exceeds Thresholds/Significant Impact?:	No	No	No	No	No	No
Average Daily On-site Emissions (lbs) ³ :	2.22	0.48	0.40	<0.01	0.04	0.04
Significance Thresholds (lbs):	100	100	100	100	100	100
Exceeds Thresholds/Significant Impact?:	No	No	No	No	No	No
¹ Emissions were calculated using the CalEEMod computer program. Does not include implementation of emissions control measures. ² Project is not expected to result in increased vehicle trips. ³ Based on site usage of 260 days a year. Totals may not sum due to rounding. Refer to Appendix A for modeling assumptions and results.						

Impact AQ-C. Would the project expose sensitive receptors to substantial pollutant concentrations?

Sensitive land uses located in the vicinity of the proposed project site consist predominantly of residential land uses. The nearest residential land uses are generally located to the north of the project site, east of N. College Avenue and north and south of E. Yale Avenue (refer to Figure 2). Long-term operational and short-term construction activities and emission sources that could adversely impact these nearest sensitive receptors are discussed, as follows:

LONG-TERM OPERATION

Implementation of the proposed project would not result in the long-term operation of any major onsite stationary sources of emissions, nor would project implementation be anticipated to result in increased vehicle trips. For these reasons, long-term exposure to localized pollutant concentrations would be considered **less than significant**.

SHORT-TERM CONSTRUCTION

Naturally Occurring Asbestos

Naturally-occurring asbestos, which was identified by ARB as a TAC in 1986, is located in many parts of California and is commonly associated with ultramafic rock. The project site is not located near any areas that are likely to contain ultramafic rock (DOC 2000). As a result, risk of exposure to asbestos during the construction process would be considered **less than significant**.

Asbestos-Containing Materials

Demolition activities can have potential negative air quality impacts, including issues surrounding proper handling, demolition, and disposal of asbestos containing material (ACM). Asbestos containing materials could be encountered during demolition of existing buildings, particularly older structures constructed prior to 1970. Asbestos can also be found in various building products, including (but not limited to) utility pipes/pipelines (transite pipes or insulation on pipes). If a project will involve the disturbance or potential

disturbance of ACM, various regulatory requirements may apply, including the requirements stipulated in the National Emission Standard for Hazardous Air Pollutants (40CFR61, Subpart M-Asbestos NESHAP). These requirements include but are not limited to: 1) notification, within at least 10 business days of activities commencing, to the APCD, 2) an asbestos survey conducted by a Certified Asbestos Consultant, and, 3) applicable removal and disposal requirements of identified ACM.

The proposed project would include the demolition of the existing dugout, bullpen, and announcer booth, approximately 2,050 square feet. The demolition of existing structures may result in disturbance of ACM. This impact is considered **potentially significant**.

Lead-Coated Materials

Demolition of structures coated with lead based paint can have potential negative air quality impacts and may adversely affect the health of nearby individuals. Lead-based paints could be encountered during demolition of existing buildings, particularly older structures constructed prior to 1978. Improper demolition can result in the release of lead containing particles from the site. Sandblasting or removal of paint by heating with a heat gun can result in significant emissions of lead. In such instances, proper abatement of lead before demolition of these structures must be performed in order to prevent the release of lead from the site. Federal and State lead regulations, including the Lead in Construction Standard (29CFR1926.62) and California Code of Regulations (CCR Title 8, Section 1532.1, Lead) regulate disturbance of lead containing materials during construction, demolition, and maintenance-related activities. Depending on removal method, a SJVAPCD permit may be required.

The proposed project would include the demolition of existing onsite structures. The demolition of existing structures may result in disturbance of lead containing materials. This impact is considered **potentially significant**.

Diesel-Exhaust Emissions

Implementation of the proposed project would result in the generation of DPM emissions during construction associated with the use of off-road diesel equipment for site grading and excavation, paving and other construction activities. Health-related risks associated with diesel-exhaust emissions are primarily associated with long-term exposure and associated risk of contracting cancer. For residential land uses, the calculation of cancer risk associated with exposure of to TACs are typically calculated based on a 25 to 30-year period of exposure. The use of diesel-powered construction equipment, however, would be temporary and episodic and would occur over a relatively large area. Assuming that construction activities involving the use of diesel-fueled equipment would occur over an approximate 11-month period, project-related construction activities would constitute less than four percent of the typical exposure period. As a result, exposure to construction-generated DPM would not be anticipated to exceed applicable thresholds (i.e., incremental increase in cancer risk of 20 in one million). In addition, implementation of Mitigation Measure AQ-1 would result in further reductions of on-site DPM emissions. For these reasons, this impact would be considered **less than significant**.

Localized PM Concentrations

Fugitive dust emissions would be primarily associated with demolition, site preparation and grading, and vehicle travel on unpaved and paved surfaces. On-site off-road equipment and trucks would also result in short-term emissions of diesel-exhaust PM, which could contribute to elevated localized concentration at nearby receptors. Uncontrolled emissions of fugitive dust may also contribute to increased occurrences of Valley Fever and potential increases in nuisance impacts to nearby receptors. For these reasons, localized uncontrolled concentrations of construction-generated PM would be considered to have a **potentially-significant** impact.

Mitigation Measure AQ-1: The following measures shall be implemented to reduce potential expose of nearby sensitive receptors to localized pollutant concentrations associated with project construction:

1. Demolition of onsite structures shall comply with all applicable regulatory requirements, including, but not limited to, SJVAPCD Rule 4002 (NESHAP), and National Emission Standard for Hazardous Air

Pollutants (40CFR61, Subpart M - asbestos NESHAP), Lead in Construction Standard (29CFR1926.62) and California Code of Regulations Title 8, Section 1532.1, Lead. These requirements may include: 1) responsible agency notifications, 2) lead-based paint or asbestos surveys, and, 3) applicable removal and disposal requirements. More information on asbestos-containing materials and applicable regulatory requirements can be found at website url: <https://www.valleyair.org/news/asbestos.pdf>. Additional information regarding lead-based paint and applicable regulatory requirements can be found at website urls: <https://www.epa.gov/lead/lead-abatement-inspection-and-risk-assessment> and https://www.dir.ca.gov/title8/1532_1.html.

2. On-road diesel vehicles shall comply with Section 2485 of Title 13 of the California Code of Regulations. This regulation limits idling from diesel-fueled commercial motor vehicles with gross vehicular weight ratings of more than 10,000 pounds and licensed for operation on highways. It applies to California and non-California based vehicles. In general, the regulation specifies that drivers of said vehicles:
 - a. Shall not idle the vehicle's primary diesel engine for greater than 5 minutes at any location, except as noted in Subsection (d) of the regulation; and,
 - b. Shall not operate a diesel-fueled auxiliary power system to power a heater, air conditioner, or any ancillary equipment on that vehicle during sleeping or resting in a sleeper berth for greater than 5.0 minutes at any location when within 1,000 feet of a restricted area, except as noted in Subsection (d) of the regulation.
3. Off-road diesel equipment shall comply with the 5-minute idling restriction identified in Section 2449(d)(2) of the California Air Resources Board's In-Use off-Road Diesel regulation. The specific requirements and exceptions in the regulations can be reviewed at the following web sites: www.arb.ca.gov/msprog/truck-idling/2485.pdf and www.arb.ca.gov/regact/2007/ordiesl07/froodl.pdf.
4. Signs shall be posted at the project site construction entrance to remind drivers and operators of the state's 5 minute idling limit.
5. To the extent available, replace fossil-fueled equipment with alternatively-fueled (e.g., natural gas) or electrically-driven equivalents.
6. Construction truck trips shall be scheduled, to the extent feasible, to occur during non-peak hours and truck haul routes shall be selected to minimize impacts to nearby residential dwellings.
7. The burning of vegetative material shall be prohibited.
8. Low VOC-content (50 grams per liter, or less) exterior and interior building paints shall be used. To the extent locally available, use prefinished/pre-colored materials.
9. The proposed project shall comply with SJVAPCD Regulation VIII for the control of fugitive dust emissions. Regulation VIII can be obtained on the SJVAPCD's website at website URL: <https://www.valleyair.org/rules/1ruleslist.htm>. At a minimum, the following measures shall be implemented:
 - a. All disturbed areas, including storage piles, which are not being actively utilized for construction purposes, shall be effectively stabilized of dust emissions using water, chemical stabilizer/suppressant, covered with a tarp or other suitable cover or vegetative ground cover.
 - b. All on-site unpaved roads and off-site unpaved access roads shall be effectively stabilized of dust emissions using water or chemical stabilizer/suppressant.
 - c. All land clearing, grubbing, scraping, excavation, land leveling, grading, cut & fill, and demolition activities shall be effectively controlled of fugitive dust emissions utilizing application of water or by presoaking.
 - d. When materials are transported off-site, all material shall be covered, or effectively wetted to limit visible dust emissions, and at least six inches of freeboard space from the top of the container shall be maintained.
 - e. All operations shall limit or expeditiously remove the accumulation of mud or dirt from adjacent public streets at the end of each workday. (The use of dry rotary brushes is expressly prohibited

except where preceded or accompanied by sufficient wetting to limit the visible dust emissions.) (Use of blower devices is expressly forbidden.)

- f. Following the addition of materials to, or the removal of materials from, the surface of outdoor storage piles, said piles shall be effectively stabilized of fugitive dust emissions utilizing sufficient water or chemical stabilizer/suppressant.
 - g. On-road vehicle speeds on unpaved surfaces of the project site shall be limited to 15 mph.
 - h. Sandbags or other erosion control measures shall be installed sufficient to prevent silt runoff to public roadways from sites with a slope greater than one percent.
 - i. Excavation and grading activities shall be suspended when winds exceed 20 mph (Regardless of wind speed, an owner/operator must comply with Regulation VIII's 20 percent opacity limitation).
10. The above measures for the control of construction-generated emissions shall be included on site grading and construction plans.

Significance After Mitigation

Implementation of Mitigation Measure AQ-1 would include measures to ensure compliance with applicable regulatory requirements pertaining to the handling and disposal of hazardous materials that may be encountered during the construction process (e.g., asbestos containing materials, lead-based paints). Additional measures have also been included to reduce construction-generated emissions that could contribute to increases in localized pollutant concentrations at nearby sensitive receptors. These measures include SJVAPCD-recommended measures, which would help to ensure compliance with applicable SJVAPCD rules and regulations. With mitigation, this impact would be considered ***less than significant***.

Impact AQ-D. Would the project result in other emissions (such as those leading to odors) affecting a substantial number of people?

Other emissions potentially associated with the proposed project would be predominantly associated to the generation of odors during project construction. The occurrence and severity of odor impacts depends on numerous factors, including: the nature, frequency, and intensity of the source; wind speed and direction; and the sensitivity of the receptors. While offensive odors rarely cause any physical harm, they still can be very unpleasant, leading to considerable distress among the public and often generating citizen complaints to local governments and regulatory agencies.

Construction of the proposed project would involve the use of a variety of gasoline or diesel-powered equipment that would emit exhaust fumes. Exhaust fumes, particularly diesel-exhaust, may be considered objectionable by some people. In addition, pavement coatings and architectural coatings used during project construction would also emit temporary odors. However, construction-generated emissions would occur intermittently throughout the workday and would dissipate rapidly within increasing distance from the source. As a result, short-term construction activities would not expose a substantial number of people to frequent odorous emissions. In addition, no major sources of odors have been identified in the project area. This impact would be considered ***less than significant***.

GREENHOUSE GASES AND CLIMATE CHANGE

EXISTING SETTING

To fully understand global climate change, it is important to recognize the naturally occurring “greenhouse effect” and to define the greenhouse gases (GHGs) that contribute to this phenomenon. Various gases in the earth’s atmosphere, classified as atmospheric GHGs, play a critical role in determining the earth’s surface temperature. Solar radiation enters the earth’s atmosphere from space and a portion of the radiation is absorbed by the earth’s surface. The earth emits this radiation back toward space, but the properties of the radiation change from high-frequency solar radiation to lower-frequency infrared radiation. Greenhouse gases, which are transparent to solar radiation, are effective in absorbing infrared radiation. As a result, this radiation that otherwise would have escaped back into space is now retained, resulting in a warming of the atmosphere. This phenomenon is known as the greenhouse effect. Among the prominent GHGs contributing to the greenhouse effect are carbon dioxide, methane, nitrous oxide, hydrofluorocarbons, perfluorocarbons, and sulfur hexafluoride. Primary GHGs attributed to global climate change, are discussed, as follows:

- **Carbon Dioxide.** Carbon dioxide (CO₂) is a colorless, odorless gas. CO₂ is emitted in a number of ways, both naturally and through human activities. The largest source of CO₂ emissions globally is the combustion of fossil fuels such as coal, oil, and gas in power plants, automobiles, industrial facilities, and other sources. A number of specialized industrial production processes and product uses such as mineral production, metal production, and the use of petroleum-based products can also lead to CO₂ emissions. The atmospheric lifetime of CO₂ is variable because it is so readily exchanged in the atmosphere (U.S. EPA 2018).
- **Methane.** Methane (CH₄) is a colorless, odorless gas that is not flammable under most circumstances. CH₄ is the major component of natural gas, about 87 percent by volume. It is also formed and released to the atmosphere by biological processes occurring in anaerobic environments. Methane is emitted from a variety of both human-related and natural sources. Human-related sources include fossil fuel production, animal husbandry (enteric fermentation in livestock and manure management), rice cultivation, biomass burning, and waste management. These activities release significant quantities of methane to the atmosphere. Natural sources of methane include wetlands, gas hydrates, permafrost, termites, oceans, freshwater bodies, non-wetland soils, and other sources such as wildfires. Methane’s atmospheric lifetime is about 12 years (U.S. EPA 2018).
- **Nitrous Oxide.** Nitrous oxide (N₂O) is a clear, colorless gas with a slightly sweet odor. N₂O is produced by both natural and human-related sources. Primary human-related sources of N₂O are agricultural soil management, animal manure management, sewage treatment, mobile and stationary combustion of fossil fuels, acid production, and nitric acid production. N₂O is also produced naturally from a wide variety of biological sources in soil and water, particularly microbial action in wet tropical forests. The atmospheric lifetime of N₂O is approximately 114 years (U.S. EPA 2018).
- **Hydrofluorocarbons.** Hydrofluorocarbons (HFCs) are man-made chemicals, many of which have been developed as alternatives to ozone-depleting substances for industrial, commercial, and consumer products. The only significant emissions of HFCs before 1990 were of the chemical HFC-23, which is generated as a byproduct of the production of HCFC-22 (or Freon 22, used in air conditioning applications). The atmospheric lifetime for HFCs varies from just over a year for HFC-152a to 270 years for HFC-23. Most of the commercially used HFCs have atmospheric lifetimes of less than 15 years (e.g., HFC-134a, which is used in automobile air conditioning and refrigeration, has an atmospheric life of 14 years) (U.S. EPA 2018).
- **Perfluorocarbons.** Perfluorocarbons (PFCs) are colorless, highly dense, chemically inert, and nontoxic. There are seven PFC gases: perfluoromethane (CF₄), perfluoroethane (C₂F₆), perfluoropropane (C₃F₈), perfluorobutane (C₄F₁₀), perfluorocyclobutane (C₄F₈), perfluoropentane (C₅F₁₂), and perfluorohexane (C₆F₁₄). Natural geological emissions have been responsible for the PFCs that have accumulated in the atmosphere in the past; however, the largest current source is aluminum

production, which releases CF₄ and C₂F₆ as byproducts. The estimated atmospheric lifetimes for PFCs ranges from 2,600 to 50,000 years (U.S. EPA 2018).

- **Nitrogen Trifluoride.** Nitrogen trifluoride (NF₃) is an inorganic, colorless, odorless, toxic, nonflammable gas used as an etchant in microelectronics. Nitrogen trifluoride is predominantly employed in the cleaning of the plasma-enhanced chemical vapor deposition chambers in the production of liquid crystal displays and silicon-based thin film solar cells. It has a global warming potential of 16,100 carbon dioxide equivalents (CO₂e). While NF₃ may have a lower global warming potential than other chemical etchants, it is still a potent GHG. In 2009, NF₃ was listed by California as a high global warming potential GHG to be listed and regulated under Assembly Bill (AB) 32 (Section 38505 Health and Safety Code).
- **Sulfur Hexafluoride.** Sulfur hexafluoride (SF₆) is an inorganic compound that is colorless, odorless, nontoxic, and generally nonflammable. SF₆ is primarily used as an electrical insulator in high voltage equipment. The electric power industry uses roughly 80 percent of all SF₆ produced worldwide. Leaks of SF₆ occur from aging equipment and during equipment maintenance and servicing. SF₆ has an atmospheric life of 3,200 years (U.S. EPA 2018).
- **Black Carbon.** Black carbon is the strongest light-absorbing component of particulate matter (PM) emitted from burning fuels such as coal, diesel, and biomass. Black carbon contributes to climate change both directly by absorbing sunlight and indirectly by depositing on snow and by interacting with clouds and affecting cloud formation. Black carbon is considered a short-lived species, which can vary spatially and, consequently, it is very difficult to quantify associated global-warming potentials. The main sources of black carbon in California are wildfires, off-road vehicles (locomotives, marine vessels, tractors, excavators, dozers, etc.), on-road vehicles (cars, trucks, and buses), fireplaces, agricultural waste burning, and prescribed burning (planned burns of forest or wildlands) (CCAC 2018, U.S. EPA 2018).

Each GHG differs in its ability to absorb heat in the atmosphere based on the lifetime, or persistence, of the gas molecule in the atmosphere. Often, estimates of GHG emissions are presented in CO₂e, which weight each gas by its global warming potential (GWP). Expressing GHG emissions in CO₂e takes the contribution of all GHG emissions to the greenhouse effect and converts them to a single unit equivalent to the effect that would occur if only CO₂ were being emitted. Table 8 provides a summary of the GWP for GHG emissions of typical concern with regard to community development projects, based on a 100-year time horizon. As indicated, Methane traps over 25 times more heat per molecule than CO₂, and N₂O absorbs roughly 298 times more heat per molecule than CO₂. Additional GHG with high GWP include Nitrogen trifluoride, Sulfur hexafluoride, Perfluorocarbons, and black carbon.

Table 8
Global Warming Potential for Greenhouse Gases


Greenhouse Gas	Global Warming Potential (100-year)
Carbon Dioxide (CO ₂)	1
Methane (CH ₄)	25
Nitrous Dioxide (N ₂ O)	298
*Based on IPCC GWP values for 100-year time horizon Source: IPCC 2007	

SOURCES OF GHG EMISSIONS

On a global scale, GHG emissions are predominantly associated with activities related to energy production; changes in land use, such as deforestation and land clearing; industrial sources; agricultural activities; transportation; waste and wastewater generation; and commercial and residential land uses. Worldwide, energy production including the burning of coal, natural gas, and oil for electricity and heat is the largest single source of global GHG emissions (U.S. EPA 2018).

In 2019, GHG emissions within California totaled 418.2 million metric tons (MMT) of CO₂e. GHG emissions, by sector, are summarized in Figure 4. Within California, the transportation sector is the largest contributor, accounting for approximately 40 percent of the total state-wide GHG emissions. Emissions associated with industrial uses are the second largest contributor, totaling roughly 21 percent. Electricity generation totaled roughly 14 percent (ARB 2021a).

Figure 4. California GHG Emissions Inventory by Sector




Source: ARB 2021b

SHORT-LIVED CLIMATE POLLUTANTS

Short-lived climate pollutants (SLCPs), such as black carbon, fluorinated gases, and CH₄ also have a dramatic effect on climate change. Though short-lived, these pollutants create a warming influence on the climate that is many times more potent than that of carbon dioxide.

As part of the ARB's efforts to address SLCPs, the ARB has developed a statewide emission inventory for black carbon. The black carbon inventory will help support the implementation of the SLCP Strategy, but it is not part of the State's GHG Inventory that tracks progress towards the State's climate targets. The most recent inventory for year 2013 conditions is depicted in Figure 5. As depicted, off-road mobile sources account for a majority of black carbon emissions totaling roughly 36 percent of the inventory. Other major anthropogenic sources of black carbon include on-road transportation, residential wood burning, fuel combustion, and industrial processes (ARB 2021c).

Figure 5. California Black Carbon Emissions Inventory (Year 2013)



Source: ARB 2021c

EFFECTS OF GLOBAL CLIMATE CHANGE

There are uncertainties as to exactly what the climate changes will be in various local areas of the earth. There are also uncertainties associated with the magnitude and timing of other consequences of a warmer planet: sea-level rise, spread of certain diseases out of their usual geographic range, the effect on agricultural production, water supply, sustainability of ecosystems, increased strength and frequency of storms, extreme heat events, increased air pollution episodes, and the consequence of these effects on the economy.

Within California, climate changes would likely alter the ecological characteristics of many ecosystems throughout the state. Such alterations would likely include increases in surface temperatures and changes in the form, timing, and intensity of the precipitation. For instance, historical records are depicting an increasing trend toward earlier snowmelt in the Sierra Nevada. This snowpack is a principal supply of water for the state, providing roughly 50 percent of the state's annual runoff. If this trend continues, some areas of the state may experience an increased danger of floods during the winter months and possible exhaustion of the snowpack during spring and summer months. Earlier snowmelt would also impact the State's energy resources. Currently, approximately 20 percent of California's electricity comes from hydropower. Early exhaustion of the Sierra snowpack may force electricity producers to switch to more costly or non-renewable forms of electricity generation during the spring and summer months. A changing climate may also impact agricultural crop yields, coastal structures, and biodiversity. As a result, resultant changes in climate will likely have detrimental effects on some of California's largest industries, including agriculture, wine, tourism, skiing, recreational and commercial fishing, and forestry.

REGULATORY FRAMEWORK

FEDERAL

Executive Order 13514

Executive Order 13514 is focused on reducing GHGs internally in federal agency missions, programs, and operations. In addition, the executive order directs federal agencies to participate in the Interagency Climate Change Adaptation Task Force, which is engaged in developing a national strategy for adaptation to climate change.

On April 2, 2007, in *Massachusetts v. U.S. EPA*, 549 U.S. 497, the Supreme Court found that GHGs are air pollutants covered by the FCAA and that the U.S. EPA has the authority to regulate GHG. The Court held that the U.S. EPA Administrator must determine whether or not emissions of GHGs from new motor vehicles

cause or contribute to air pollution which may reasonably be anticipated to endanger public health or welfare, or whether the science is too uncertain to make a reasoned decision.

On December 7, 2009, the U.S. EPA Administrator signed two distinct findings regarding GHGs under section 202(a) of the Clean Air Act:

- Endangerment Finding: The Administrator found that the current and projected concentrations of the six key well-mixed GHGs (CO₂, CH₄, N₂O, HFCs, PFCs, and SF₆) in the atmosphere threaten public health and welfare of current and future generations.
- Cause or Contribute Finding: The Administrator found that the combined emissions of these well-mixed GHGs from new motor vehicles and new motor vehicle engines contribute to the GHG pollution which threatens public health and welfare.

Although these findings did not themselves impose any requirements on industry or other entities, this action was a prerequisite to finalizing the U.S. EPA's Proposed Greenhouse Gas Emission Standards for Light-Duty Vehicles, which was published on September 15, 2009. On May 7, 2010, the final Light-Duty Vehicle Greenhouse Gas Emissions Standards and Corporate Average Fuel Economy Standards were published in the Federal Register.

The U.S. EPA and the National Highway Traffic Safety Administration (NHTSA) are taking coordinated steps to enable the production of a new generation of clean vehicles with reduced GHG emissions and improved fuel efficiency from on-road vehicles and engines. These next steps include developing the first-ever GHG regulations for heavy-duty engines and vehicles, as well as additional light-duty vehicle GHG regulations. These steps were outlined by President Obama in a Presidential Memorandum on May 21, 2010.

The final combined U.S. EPA and NHTSA standards that make up the first phase of this national program apply to passenger cars, light-duty trucks, and medium-duty passenger vehicles, covering model years 2012 through 2016. The standards require these vehicles to meet an estimated combined average emissions level of 250 grams of CO₂ per mile (the equivalent to 35.5 miles per gallon if the automobile industry were to meet this CO₂ level solely through fuel economy improvements). Together, these standards will cut GHG emissions by an estimated 960 MMT and 1.8 billion barrels of oil over the lifetime of the vehicles sold under the program (model years 2012-2016). On August 28, 2012, U.S. EPA and NHTSA issued their joint rule to extend this national program of coordinated GHG and fuel economy standards to model years 2017 through 2025 passenger vehicles.

U.S. EPA Strategic Plan

The EPA's *Fiscal Year (FY) 2022-2026 Strategic Plan (Strategic Plan)* provides a roadmap to achieve EPA's and the Biden-Harris Administration's environmental priorities over the next four years. The *Strategic Plan* furthers the agency's commitment to protecting human health and the environment for all people, with an emphasis on historically overburdened and underserved communities. For the first time, EPA's *Strategic Plan* includes a strategic goal focused exclusively on addressing climate change, with three primary objectives: 1) Reduce Emissions that Cause Climate Change; 2) Accelerate Resilience and Adaptation to Climate Change Impacts; and 3) Advance International and Subnational Climate Efforts.

STATE

Assembly Bill 1493

AB 1493 (Pavley) of 2002 (Health and Safety Code Sections 42823 and 43018.5) requires the ARB to develop and adopt the nation's first GHG emission standards for automobiles. These standards are also known as Pavley I. The California Legislature declared in AB 1493 that global warming is a matter of increasing concern for public health and the environment. It cites several risks that California faces from climate change, including a reduction in the state's water supply; an increase in air pollution caused by higher temperatures; harm to agriculture; an increase in wildfires; damage to the coastline; and economic losses caused by higher food, water, energy, and insurance prices. The bill also states that technological solutions to reduce GHG emissions would stimulate California's economy and provide jobs. In 2004, the State of

California submitted a request for a waiver from federal clean air regulations, as the State is authorized to do under the FCAA, to allow the State to require reduced tailpipe emissions of CO₂. In late 2007, the U.S. EPA denied California's waiver request and declined to promulgate adequate federal regulations limiting GHG emissions. In early 2008, the State brought suit against the U.S. EPA related to this denial.

In January 2009, President Obama instructed the U.S. EPA to reconsider the Bush Administration's denial of California's and 13 other states' requests to implement global warming pollution standards for cars and trucks. In June 2009, the U.S. EPA granted California's waiver request, enabling the State to enforce its GHG emissions standards for new motor vehicles beginning with the current model year.

In 2009, President Obama announced a national policy aimed at both increasing fuel economy and reducing GHG pollution for all new cars and trucks sold in the US. The new standards would cover model years 2012 to 2016 and would raise passenger vehicle fuel economy to a fleet average of 35.5 miles per gallon by 2016. When the national program takes effect, California has committed to allowing automakers who show compliance with the national program to also be deemed in compliance with state requirements. California is committed to further strengthening these standards beginning in 2017 to obtain a 45 percent GHG reduction from the 2020 model year vehicles.

Executive Order No. S-3-05

Executive Order S-3-05 (State of California) proclaims that California is vulnerable to the impacts of climate change. It declares that increased temperatures could reduce the Sierra's snowpack, further exacerbate California's air quality problems, and potentially cause a rise in sea levels. To combat those concerns, the Executive Order established total GHG emission targets. Specifically, emissions are to be reduced to the 2000 level by 2010, to the 1990 level by 2020, and to 80 percent below the 1990 level by 2050.

The Executive Order directed the secretary of the California Environmental Protection Agency (CalEPA) to coordinate a multi-agency effort to reduce GHG emissions to the target levels. The secretary will also submit biannual reports to the governor and state legislature describing (1) progress made toward reaching the emission targets, (2) impacts of global warming on California's resources, and (3) mitigation and adaptation plans to combat these impacts. To comply with the Executive Order, the secretary of CalEPA created a Climate Action Team made up of members from various state agencies and commissions. The Climate Action Team released its first report in March 2006 and continues to release periodic reports on progress. The report proposed to achieve the targets by building on voluntary actions of California businesses, local government and community actions, as well as through state incentive and regulatory programs.

Executive Order B-30-15

In 2015, Governor Brown signed Executive Order B-30-15, which establishes a California GHG reduction target of 40 percent below 1990 levels by 2030.

Executive Order B-55-18

In 2018, Governor Brown signed Executive Order B-55-18, which set a target of statewide carbon neutrality by 2045.

Executive Order No. N-19-19

Executive Order N-19-19 (State of California) calls for actions from multiple state agencies to reduce greenhouse gas (GHG) emissions and mitigate the impacts of climate change. This includes a direct acknowledgment of the role the transportation sector must play in tackling climate change.

This executive order empowers the California State Transportation Agency (CalSTA) to leverage more than \$5 billion in discretionary state transportation funds to reduce GHG emissions in the transportation sector and adapt to climate change. Accordingly, CalSTA will work to align transportation spending with the state's Climate Change Scoping Plan where feasible; direct investments to strategically support smart growth to increase infill housing production; reduce congestion through strategies that encourage a

reduction in driving and invest further in walking, biking, and transit; and ensure that overall transportation costs for low income Californians do not increase as a result of these policies.

Executive Order N-79-20

Executive Order N-79-20 (State of California) calls to accelerate the transition away from fossil fuels by requiring all new cars sold in California to be zero-emission by 2035, all new commercial trucks sold in the state to be zero-emission by 2045 for all operations where feasible, and all new off-road vehicles and equipment sold to be zero-emission by 2035 where feasible. EO N-79-20 reaffirms the state's commitment to implementing EO N-19-19.

Executive Order N-79-20 reiterates the message of EO N-19-19 by highlighting three strategies to expand clean transportation options from the Climate Action Plan for Transportation Infrastructure, while also emphasizing the importance of CAPTI and the urgency of climate change. Executive Order N-79-20 furthers the state's climate goals by explicitly pointing to the critical role of transit, passenger rail, active transportation, Complete Streets, and micromobility as tools to expand mobility options, encourage mode shift, and reduce overall vehicle miles traveled (VMT).

Assembly Bill 32 - California Global Warming Solutions Act of 2006

AB 32 (Health and Safety Code Sections 38500, 38501, 28510, 38530, 38550, 38560, 38561–38565, 38570, 38571, 38574, 38580, 38590, 38592–38599) requires that statewide GHG emissions be reduced to 1990 levels by the year 2020. The gases that are regulated by AB 32 include CO₂, CH₄, N₂O, HFCs, PFCs, NF₃, and SF₆. The reduction to 1990 levels will be accomplished through an enforceable statewide cap on GHG emissions that will be phased in starting in 2012. To effectively implement the cap, AB 32 directs ARB to develop and implement regulations to reduce statewide GHG emissions from stationary sources. AB 32 specifies that regulations adopted in response to AB 1493 should be used to address GHG emissions from vehicles. However, AB 32 also includes language stating that if the AB 1493 regulations cannot be implemented, then ARB should develop new regulations to control vehicle GHG emissions under the authorization of AB 32.

AB 32 requires that ARB adopt a quantified cap on GHG emissions representing 1990 emissions levels and disclose how it arrives at the cap, institute a schedule to meet the emissions cap, and develop tracking, reporting, and enforcement mechanisms to ensure that the state achieves reductions in GHG emissions necessary to meet the cap. AB 32 also includes guidance to institute emissions reductions in an economically efficient manner and conditions to ensure that businesses and consumers are not unfairly affected by the reductions.

Climate Change Scoping Plan

In October 2008, ARB published its Climate Change Proposed Scoping Plan, which is the State's plan to achieve GHG reductions in California required by AB 32. This initial Scoping Plan contained the main strategies to be implemented in order to achieve the target emission levels identified in AB 32. The Scoping Plan included ARB-recommended GHG reductions for each emissions sector of the state's GHG inventory. The largest proposed GHG reduction recommendations were associated with improving emissions standards for light-duty vehicles, implementing the Low Carbon Fuel Standard program, implementation of energy efficiency measures in buildings and appliances, and the widespread development of combined heat and power systems, and developing a renewable portfolio standard for electricity production.

The Scoping Plan states that land use planning and urban growth decisions will play important roles in the state's GHG reductions because local governments have primary authority to plan, zone, approve, and permit how land is developed to accommodate population growth and the changing needs of their jurisdictions. ARB further acknowledges that decisions on how land is used will have large impacts on the GHG emissions that will result from the transportation, housing, industry, forestry, water, agriculture, electricity, and natural gas emissions sectors. With regard to land use planning, the Scoping Plan expects approximately 5.0 MMT CO₂e will be achieved associated with the implementation of Senate Bill (SB) 375, which is discussed further below.

The initial Scoping Plan was first approved by ARB on December 11, 2008, and is updated every five years. The first update of the Scoping Plan was approved by the ARB on May 22, 2014, which looked past 2020 to set mid-term goals (2030-2035) on the road to reaching the 2050 goals. The most recent update released by ARB is the 2017 Climate Change Scoping Plan, which was released in November 2017. The 2017 Climate Change Scoping Plan incorporates strategies for achieving the 2030 GHG-reduction target established in SB 32 and Executive Order B-30-15. Most notably, the 2017 Climate Change Scoping Plan encourages zero net increases in GHG emissions. However, the 2017 Climate Change Scoping Plan recognizes that achieving net zero increases in GHG emissions may not be feasible or appropriate for all projects and that the inability of a project to mitigate its GHG emissions to zero would not imply the project results in a substantial contribution to the cumulatively significant environmental impact of climate change under CEQA.

Senate Bill 1078 and Governor's Order S-14-08 (California Renewables Portfolio Standards)

Senate Bill 1078 (Public Utilities Code Sections 387, 390.1, 399.25 and Article 16) addresses electricity supply and requires that retail sellers of electricity, including investor-owned utilities and community choice aggregators, provide a minimum 20 percent of their supply from renewable sources by 2017. This Senate Bill will affect statewide GHG emissions associated with electricity generation. In 2008, Governor Schwarzenegger signed Executive Order S-14-08, which set the Renewables Portfolio Standard target to 33 percent by 2020. It directed state government agencies and retail sellers of electricity to take all appropriate actions to implement this target. Executive Order S-14-08 was later superseded by Executive Order S-21-09 on September 15, 2009. Executive Order S-21-09 directed the ARB to adopt regulations requiring 33 percent of electricity sold in the State come from renewable energy by 2020. Statute SB X1-2 superseded this Executive Order in 2011, which obligated all California electricity providers, including investor-owned utilities and publicly owned utilities, to obtain at least 33 percent of their energy from renewable electrical generation facilities by 2020. The State's Clean Energy Standards, adopted in 2018, require the state's utilities to generate 100 percent clean electricity by 2045 and to increase the States RPS requirements to 60 percent by 2030.

ARB is required by current law, AB 32 of 2006, to regulate sources of GHGs to meet a state goal of reducing GHG emissions to 1990 levels by 2020 and an 80 percent reduction of 1990 levels by 2050. The California Energy Commissions and California Public Utilities Commission serve in advisory roles to help ARB develop the regulations to administer the 33 percent by 2020 requirement. ARB is also authorized to increase the target and accelerate and expand the time frame.

Mandatory Reporting of GHG Emissions

The California Global Warming Solutions Act (AB 32, 2006) requires the reporting of GHGs by major sources to the ARB. Major sources required to report GHG emissions include industrial facilities, suppliers of transportation fuels, natural gas, natural gas liquids, liquefied petroleum gas, and carbon dioxide, operators of petroleum and natural gas systems, and electricity retail providers and marketers.

Cap-and-Trade Regulation

The cap-and-trade regulation is a key element in California's climate plan. It sets a statewide limit on sources responsible for 85 percent of California's GHG emissions and establishes a price signal needed to drive long-term investment in cleaner fuels and more efficient use of energy. The cap-and-trade rules came into effect on January 1, 2013, and apply to large electric power plants and large industrial plants. In 2015, fuel distributors, including distributors of heating and transportation fuels, also became subject to the cap-and-trade rules. At that stage, the program will encompass around 360 businesses throughout California and nearly 85 percent of the state's total GHG emissions.

Under the cap-and-trade regulation, companies must hold enough emission allowances to cover their emissions and are free to buy and sell allowances on the open market. California held its first auction of GHG allowances on November 14, 2012. California's GHG cap-and-trade system is projected to reduce GHG emissions to 1990 levels by the year 2020 and would achieve an approximate 80 percent reduction from 1990 levels by 2050.

Senate Bill 32

SB 32 was signed by Governor Brown on September 8, 2016. SB 32 effectively extends California's GHG emission-reduction goals from year 2020 to year 2030. This new emission-reduction target of 40 percent below 1990 levels by 2030 is intended to promote further GHG-reductions in support of the State's ultimate goal of reducing GHG emissions by 80 percent below 1990 levels by 2050. SB 32 also directs the ARB to update the Climate Change Scoping Plan to address this interim 2030 emission-reduction target.

Senate Bill 97

SB 97 was enacted in 2007. SB 97 required the Office of Planning and Research to develop, and the Natural Resources Agency to adopt, amendments to the CEQA Guidelines addressing the analysis and mitigation of GHG emissions. Those CEQA Guidelines amendments clarified several points, including the following:

- Lead agencies must analyze the GHG emissions of proposed projects and must reach a conclusion regarding the significance of those emissions.
- When a project's GHG emissions may be significant, lead agencies must consider a range of potential mitigation measures to reduce those emissions.
- Lead agencies must analyze potentially significant impacts associated with placing projects in hazardous locations, including locations potentially affected by climate change.
- Lead agencies may significantly streamline the analysis of GHGs on a project level by using a programmatic GHG emissions reduction plan meeting certain criteria.
- CEQA mandates analysis of a proposed project's potential energy use (including transportation-related energy), sources of energy supply and ways to reduce energy demand, including through the use of efficient transportation alternatives.

As part of the administrative rulemaking process, the California Natural Resources Agency developed a Final Statement of Reasons explaining the legal and factual bases, intent, and purpose of the CEQA Guidelines amendments. The amendments to the CEQA Guidelines implementing SB 97 became effective on March 18, 2010.

Senate Bill 100

SB 100 was signed by Governor Jerry Brown on September 10, 2018. SB 100 sets a goal of phasing out all fossil fuels from the state's electricity sector by 2045. SB 100 increases to 60 percent, from 50 percent, how much of California's electricity portfolio must come from renewables by 2030. It establishes a further goal to have an electric grid that is entirely powered by clean energy by 2045, which could include other carbon-free sources, like nuclear power, that are not renewable.

Senate Bill 375

SB 375 requires Metropolitan Planning Organizations (MPOs) to adopt a sustainable communities strategy (SCS) or alternative planning strategy (APS) that will address land-use allocation in that MPOs regional transportation plan. ARB, in consultation with MPOs, establishes regional reduction targets for GHGs emitted by passenger cars and light trucks for the years 2020 and 2035. These reduction targets will be updated every eight years but can be updated every four years if advancements in emissions technologies affect the reduction strategies to achieve the targets. ARB is also charged with reviewing each MPO's SCS or APS for consistency with its assigned targets. If MPOs do not meet the GHG reduction targets, funding for transportation projects may be withheld. In 2018, ARB adopted updated SB 375 targets.

California Building Code

The California Building Code (CBC) contains standards that regulate the method of use, properties, performance, or types of materials used in the construction, alteration, improvement, repair, or rehabilitation of a building or other improvement to real property. The California Building Code is adopted every three years by the Building Standards Commission (BSC). In the interim, the BSC also adopts annual updates to make necessary mid-term corrections. The CBC standards apply statewide; however, a local jurisdiction may amend a CBC standard if it makes a finding that the amendment is reasonably necessary due to local climatic, geological, or topographical conditions.

Green Building Standards

In essence, green buildings standards are indistinguishable from any other building standards. Both standards are contained in the California Building Code and regulate the construction of new buildings and improvements. The only practical distinction between the two is that whereas the focus of traditional building standards has been protecting public health and safety, the focus of green building standards is to improve environmental performance.

AB 32, which mandates the reduction of GHG emissions in California to 1990 levels by 2020, increased the urgency around the adoption of green building standards. In its scoping plan for the implementation of AB 32, ARB identified energy use as the second largest contributor to California's GHG emissions, constituting roughly 25 percent of all such emissions. In recommending a green building strategy as one element of the scoping plan, ARB estimated that green building standards would reduce GHG emissions by approximately 26 MMT of CO₂e by 2020.

The 2019 Building Energy Efficiency Standards focused on four key areas: smart residential photovoltaic systems, updated thermal envelope standards (preventing heat transfer from the interior to the exterior and vice versa), residential and nonresidential ventilation requirements, and nonresidential lighting requirements. The ventilation measures improve indoor air quality, protecting homeowners from air pollution originating from outdoor and indoor sources. Under the newly adopted standards, nonresidential buildings will use about 30 percent less energy due mainly to lighting upgrades. The recently updated 2019 Building Energy Efficiency Standards also require new homes built after January 1, 2020 to be equipped with solar photovoltaic (PV) systems. The solar PV systems are to be sized based on the buildings annual electricity demand, the building square footage, and the climate zone within which the home is located. However, under the 2019 Building Energy Efficiency Standards, homes may still rely on other energy sources, such as natural gas. Compliance with the 2019 Building Energy Efficiency Standards, including the solar PV system mandate, residential dwellings will use approximately 50 to 53 percent less energy than those under the 2016 standards. Actual reduction will vary depending on various factors (e.g., building orientation, sun exposure). Non-residential buildings will use about 30 percent less energy due mainly to lighting upgrades (CEC 2019).

The recently updated 2022 Building Energy Efficiency Standards (2022 Standards), which were approved in December 2021, encourages efficient electric heat pumps, establishes electric-ready requirements when natural gas is installed and to support the future installation of battery storage, and further expands solar photovoltaic and battery storage standards. The 2022 Standards extend solar PV system requirements, as well as battery storage capabilities for select land uses, including high-rise multi-family and non-residential land uses, such as office buildings, schools, restaurants, warehouses, theaters, grocery stores, and more. Depending on the land use and other factors, solar systems should be sized to meet targets of up to 60 percent of the structure's loads. These new solar requirements will become effective January 1, 2023 and contribute to California's goal of reaching net-zero carbon footprint by 2045 (CEC 2022).

Short-Lived Climate Pollutant Reduction Strategy

In March 2017, the ARB adopted the Short-Lived Climate Pollutant Reduction Strategy (SLCP Strategy) establishing a path to decrease GHG emissions and displace fossil-based natural gas use. Strategies include avoiding landfill methane emissions by reducing the disposal of organics through edible food recovery, composting, in-vessel digestion, and other processes; and recovering methane from wastewater treatment facilities, and manure methane at dairies, and using the methane as a renewable source of natural gas to fuel vehicles or generate electricity. The SLCP Strategy also identifies steps to reduce natural gas leaks from oil and gas wells, pipelines, valves, and pumps to improve safety, avoid energy losses, and reduce methane emissions associated with natural gas use. Lastly, the SLCP Strategy also identifies measures that can reduce HFC emissions at national and international levels, in addition to State-level action that includes an incentive program to encourage the use of low-GWP refrigerants, and limitations on the use of high-GWP refrigerants in new refrigeration and air-conditioning equipment (ARB 2021c).

SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT

SJVAPCD Climate Change Action Plan

On August 21, 2008, the SJVAPCD Governing Board approved the SJVAPCD's *Climate Change Action Plan* with the following goals and actions:

Goals:

- Assist local land-use agencies with California Environmental Quality Act (CEQA) issues relative to projects with GHG emissions increases.
- Assist Valley businesses in complying with mandates of AB 32.
- Ensure that climate protection measures do not cause increase in toxic or criteria pollutants that adversely impact public health or environmental justice communities.

Actions:

- Authorize the Air Pollution Control Officer to develop GHG significance threshold(s) or other mechanisms to address CEQA projects with GHG emissions increases. Begin the requisite public process, including public workshops, and develop recommendations for Governing Board consideration in the spring of 2009.
- Authorize the Air Pollution Control Officer to develop necessary regulations and instruments for establishment and administration of the San Joaquin Valley Carbon Exchange Bank for voluntary GHG reductions created in the Valley. Begin the requisite public process, including public workshops, and develop recommendations for Governing Board consideration in spring 2009.
- Authorize the Air Pollution Control Officer to enhance the SJVAPCD's existing criteria pollutant emissions inventory reporting system to allow businesses subject to AB32 emission reporting requirements to submit simultaneous streamlined reports to the SJVAPCD and the state of California with minimal duplication.
- Authorize the Air Pollution Control Officer to develop and administer voluntary GHG emission reduction agreements to mitigate proposed GHG increases from new projects.
- Direct the Air Pollution Control Officer to support climate protection measures that reduce GHG emissions as well as toxic and criteria pollutants. Oppose measures that result in a significant increase in toxic or criteria pollutant emissions in already impacted area.

SJVAPCD CEQA Greenhouse Gas Guidance.

On December 17, 2009, the SJVAPCD Governing Board adopted "Guidance for Valley Land-use Agencies in Addressing GHG Emission Impacts for New Projects under CEQA" and the policy, "District Policy—Addressing GHG Emission Impacts for Stationary Source Projects Under CEQA When Serving as the Lead Agency." The SJVAPCD concluded that the existing science is inadequate to support quantification of the impacts that project specific greenhouse gas emissions have on global climatic change. The SJVAPCD found the effects of project-specific emissions to be cumulative, and without mitigation, that their incremental contribution to global climatic change could be considered cumulatively considerable. The SJVAPCD found that this cumulative impact is best addressed by requiring all projects to reduce their greenhouse gas emissions, whether through project design elements or mitigation.

The SJVAPCD's approach is intended to streamline the process of determining if project-specific greenhouse gas emissions would have a significant effect. Projects exempt from the requirements of CEQA, and projects complying with an approved plan or mitigation program would be determined to have a less than significant cumulative impact. Such plans or programs must be specified in law or adopted by the public agency with jurisdiction over the affected resources and have a certified final CEQA document.

Best performance standards (BPS) would be established according to performance-based determinations. Projects complying with BPS would not require specific quantification of greenhouse gas emissions and would be determined to have a less than significant cumulative impact for greenhouse gas emissions. Projects not complying with BPS would require quantification of greenhouse gas emissions and demonstration that greenhouse gas emissions have been reduced or mitigated by 29 percent, as targeted by ARB's AB 32 Scoping Plan. Furthermore, quantification of greenhouse gas emissions would be required

for all projects for which the lead agency has determined that an Environmental Impact Report is required, regardless of whether the project incorporates Best Performance Standards.

For stationary source permitting projects, best performance standards are "the most stringent of the identified alternatives for control of greenhouse gas emissions, including type of equipment, design of equipment and operational and maintenance practices, which are achieved-in-practice for the identified service, operation, or emissions unit class." For development projects, best performance standards are "any combination of identified greenhouse gas emission reduction measures, including project design elements and land use decisions that reduce project specific greenhouse gas emission reductions by at least 29 percent compared with business as usual." The SJVAPCD proposes to create a list of all approved Best Performance Standards to help in the determination as to whether a proposed project has reduced its GHG emissions by 29 percent.

IMPACTS & MITIGATION MEASURES

METHODOLOGY

Short-term Impacts

Short-term construction emissions associated with the proposed project were calculated using the CalEEMod computer program. Modeling includes emissions generated during site preparation/grading, paving, construction, and application of architectural coatings. Construction is anticipated to begin in the summer of 2022 and be completed by June 2023. Detailed construction information, including construction schedules and equipment requirements, has not been identified for the proposed project. Default construction phases and equipment assumptions contained in the CalEEMod model were, therefore, relied upon for the calculation of construction-generated emissions. Modeling assumptions and output files are included in Appendix A of this report.

Long-term Impacts

Long-term operational GHG emissions associated with the proposed project were calculated using the CalEEMod computer program. Mobile-source emissions were excluded from the model because the project is not anticipated to increase vehicle trips to the site. All other modeling assumptions were based on the default parameters contained in the CalEEMod computer model. As previously noted, an estimated date of project construction and opening have been identified as June 2023. To be conservative, initial operation of the project was assumed to begin in 2024. Modeling assumptions and output files are included in Appendix A of this report.

THRESHOLDS OF SIGNIFICANCE

In accordance with Appendix G of the CEQA Guidelines Initial Study Checklist, a project would be considered to have a significant impact to climate change if it would:

- a) Generate GHG emissions, either directly or indirectly, that may have a significant impact on the environment; or,
- b) Conflict with any applicable plan, policy or regulation of an agency adopted for the purpose of reducing the emissions of GHGs.

The State CEQA Guidelines do not provide numeric or qualitative thresholds of significance for evaluating GHG emissions associated with proposed development projects. Instead, CEQA leaves the determination of the significance of GHG emissions up to the lead agency and authorizes the lead agency to consider thresholds of significance previously adopted or recommended by other public agencies or recommended by experts.

As of June 2022, the SJVAPCD have adopted recommended mass-emissions (e.g., bright-line) or service-population based GHG significance thresholds or Best Performance Standards applicable to development projects. However, it is important to note that other air districts within the State of California have adopted recommended CEQA significance thresholds for GHG emissions. For instance, both the South Coast Air Quality Management District (SCAQMD) and the California Air Pollution Control Officers Association (CAPCOA) have recommended the use of a 900 MTCO₂e/year threshold for GHGs. CAPCOA's *CEQA and Climate Change Evaluating and Addressing Greenhouse Gas Emissions from Projects Subject to the California Environmental Quality Act* (January 2008), identifies a recommended thresholds of 900 MTCO₂e/year. The SCAQMD's working group recommended an interim GHG thresholds of 1,400 to 3,500 MTCO₂e/year, depending on land use designation, below which development projects could be considered to have a less than significant impact. It is important to note, however, that these thresholds were based on the State's GHG-reduction target goals for year 2020 and may not be reflective of reductions required for achieving the more conservative year 2030 GHG-reduction targets. However, other air districts and jurisdictions in the State have recently adopted mass-emissions based on future year GHG reduction targets, including the State's year 2030 GHG-reduction target (e.g, 40 percent below 1990 levels) as well as, the State's goal of achieving carbon neutrality by 2045, per Executive Order (EO) B-55-18. For instance, the Sacramento Metropolitan Air Quality Management District (SMAQMD), has recently adopted a GHG significance threshold of 1,100 MTCO₂e/year for development projects, which applies to short-term construction and long-term operational emissions. For long-term operational emissions associated with development projects, the updated thresholds also incorporate best management practices (BMPs) for development projects to ensure consistency with the State's future GHG-reduction goals, including the goal of achieving carbon neutrality by 2045. The goal of achieving carbon neutrality by 2045, per EO B-55-18, is addressed in the State's *Draft 2022 Climate Change Scoping Plan*. As previously noted, the Draft 2022 Scoping Plan is anticipated to be approved in fall 2022. Recommended BMPs identified by SMAQMD include: 1) installation of natural gas infrastructure for new buildings shall be prohibited; and, 2) comply with CalGreen Tier 2 standards for parking spaces, except that all electric vehicle capable spaces shall instead be electric vehicle ready. The Bay Area Air Quality Management District (BAAQMD) has also recently released a draft update of their recommended GHG significance thresholds, which also include recommended implementation of BMPs that are generally consistent with the SMAQMD, including the prohibited installation of natural gas infrastructure for development projects. (CAPCOA 2008; SCAQMD 2008, SMAQMD 2022, BAAQMD 2022).

For purposes of this analysis, project generated GHG emissions exceeding the more conservative threshold of 900 MTCO₂e/year would be considered to have a less-than-significant impact on the environment. Project-generated GHG emissions that exceed 900 MTCO₂e/year or that do not incorporate the following BMPs, would be considered to potentially conflict with the State's goal of achieving carbon neutrality, per EO B-55-18 and the State's *Draft 2022 Scoping Plan*: 1) installation of natural gas infrastructure for new buildings shall be prohibited; and, 2) to the extent applicable, comply with CalGreen Tier 2 standards for parking spaces, except that all electric vehicle capable spaces shall instead be electric vehicle ready.

PROJECT IMPACTS

Impact GHG-A. Would the project generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment? and

Implementation of the proposed project would contribute to increases of GHG emissions that are associated with global climate change. Short-term and long-term GHG emissions associated with the development of the proposed project are discussed in greater detail, as follows:

SHORT-TERM CONSTRUCTION

Construction-generated GHG emissions are summarized in Table 9. As depicted, construction of the softball field would generate a total of approximately 362.71 MTCO₂e. Amortized GHG emissions, when averaged over an assumed 25-year life of the project, would total approximately 14.51 MTCO₂e/year. There would also be a small amount of GHG emissions from waste generated during construction; however, this amount is speculative. Construction-generated emissions would vary, depending on the final construction schedules, equipment required, and activities conducted. Short-term construction emissions are included with operational emissions for determination of impact significance.

Table 9
Construction GHG Emissions

Construction Year	Annual Emissions (MTCO ₂ e/Year)
2022	181.49
2023	181.22
Total Construction Emissions:	362.71
Amortized Net Change in Construction Emissions ¹ :	14.51
<i>1. Amortized emissions are quantified based on an estimated 25-year project life. Refer to Appendix A for emissions modeling assumptions and results.</i>	

LONG-TERM OPERATION

Operational GHG emissions for the softball field operational years 2024 and 2030 are summarized in Table 10. With the inclusion of amortized construction-generated emissions, the softball field would generate a total of approximately 193.45 MTCO₂e/year under year 2024 conditions and approximately 175.57 MTCO₂e/year under year 2030 conditions. Annual GHG emissions would not exceed the significance threshold of 900 MTCO₂e/year. As a result, the proposed project would not result in GHG emissions that would have a significant impact on the environment, nor would the proposed project conflict with applicable GHG-reduction plans, policies, or regulations. This impact would be considered **less than significant**.

Table 10
Operational GHG Emissions

Source	Annual Emissions (MTCO ₂ e/year) ¹	Percent Contribution
Year 2024		
Area	<0.01	0.0%
Energy Use	156.89	87.7%
Mobile	0.00	0.0%
Waste	16.15	9.0%
Water	5.90	3.3%
Total:	178.94	
Total with Amortized Construction Emissions: ²	193.45	
Significance Threshold:	900	
Exceeds Significance Threshold?:	No	
Year 2030		
Area	<0.01	0.0%
Energy Use	139.46	86.6%
Mobile	0.00	0.0%
Waste	16.15	10.0%
Water	5.45	3.4%
Total:	161.06	
Total with Amortized Construction Emissions: ²	175.57	
Significance Threshold:	900	
Exceeds Significance Threshold?:	No	
¹ . GHG emissions quantified for buildout conditions. ² . Refer to Table 9 for amortized construction emissions. Refer to Appendix A for emissions modeling assumptions and results.		

Impact GHG-B. Would the project conflict with any applicable plan, policy or regulation of an agency adopted for the purpose of reducing the emissions of greenhouse gases?

As noted in Impact GHG-A, the proposed project would not result in a significant increase in GHG emissions. The proposed project would be designed to meet current energy-efficiency standards, which includes measures to reduce overall energy use, water use, and waste generation. These improvements would help to further reduce the project's GHG emissions. However, the proposed project does not incorporate recommended BMPs for ensuring consistency with the State's future GHG-reduction goal of achieving carbon neutrality by 2045, per EO B-55-18 and the State's Draft 2022 Scoping Plan. As a result, this impact would be considered **potentially significant**.

Mitigation Measure GHG-1: The following measures shall be implemented to reduce GHG emissions in support of the State's future GHG-reduction goal of achieving carbon neutrality by 2045, per EO B-55-18 and the State's Draft 2022 Scoping Plan:

- a. The installation of natural gas infrastructure for new buildings shall be prohibited.
- b. At the time of development, the project shall comply with CalGreen Tier 2 standards for parking spaces, except that all electric vehicle (EV) capable spaces shall instead be EV ready. Additional information regarding current CalGreen parking standards for nonresidential development can be found at: https://www2.arb.ca.gov/sites/default/files/2020-09/CARB_Technical_Analysis_EV_Charging_Nonresidential_CALGreen_2019_2020_Intervening_Code.pdf.

Significance after Mitigation

With implementation of the above recommended mitigation measures, project-generated GHG emissions associated with the use of natural gas would be eliminated. In addition, the project's parking spaces will meet or exceed CalGreen building standards for electric vehicle parking. Together, these measures would significantly reduce GHG emissions associated with onsite energy use. With implementation of the above mitigation measures, this impact would be considered **less than significant**.

REFERENCES

Air Quality

- California Air Resources Board (ARB). Aerometric Data Division. January 1992. *California Surface Wind Climatology*.
- . 2000. *Diesel Risk Reduction Plan*. Website URL: <http://www.arb.ca.gov/diesel/documents/rrpapp.htm>.
- . 2013. *California Almanac of Emissions & Air Quality*.
- . 2019. *Ambient Air Quality Standards*. Website URL: <https://ww3.arb.ca.gov/research/aaqs/aaqs2.pdf>.
- California Building Standards Commission (BSC). April 2016. CalGreen. Website URL: <http://www.bsc.ca.gov>.
- California Department of Conservation (DOC). Division of Mines and Geology. August 2000. *A General Location Guide for Ultramafic Rocks in California-Areas More Likely to Contain Naturally Occurring Asbestos*. Open File Report 2000-19.
- California Energy Commission (CEC). Accessed: June 2022. Energy Commission Approves More Efficient Buildings for California's Future. Website URL: http://www.energy.ca.gov/releases/2012_releases/2012-05-31_energy_commission_approves_more_efficient_buildings_nr.html.
- Centers for Disease Control and Prevention (CDC). Accessed: April 2016. *Valley Fever: Awareness is Key*. Website URL: <http://www.cdc.gov/features/valleyfever/>.
- Darden Architects. 2022. Fresno City College Softball Field Improvement Project, Notice of Preparation.
- San Joaquin Valley Air Pollution Control District (SJVAPCD). March 19, 2015. *Guidance for Assessing and Mitigating Air Quality Impacts*.
- San Joaquin Valley Air Pollution Control District (SJVAPCD). Accessed: June 2022. *Ambient Air Quality Standards and Valley Attainment Status*. Website URL: <http://www.valleyair.org/aqinfo/attainment.htm>.
- U.S. Environmental Protection Agency (U.S. EPA). Accessed: June, 2022. *Technology Transfer Network – Pollutants and Sources*. Website URL: <http://www.epa.gov/ttn/atw/pollsour.html>.
- Western Regional Climate Center. Accessed: June, 2022. *Historical Period of Record Monthly Climate Summary*. Fresno Yosemite International Airport, California. Website url: <https://wrcc.dri.edu/cgi-bin/cliMAIN.pl?ca3257>.

Greenhouse Gas

- Bay Area Air Quality Management District (BAAQMD). *CEQA Thresholds and Guidelines Update*. Website url: <https://www.baaqmd.gov/plans-and-climate/california-environmental-quality-act-ceqa/updated-ceqa-guidelines>.
- California Air Resources Board (ARB). *Assembly Bill 32 Overview*. Accessed: April 2016. Website url: <http://www.arb.ca.gov/cc/ab32/ab32.htm>.
- . 2019(c). *California Greenhouse Gas Emissions Inventory: 2000-2016*. Website URL: <https://ww3.arb.ca.gov/cc/inventory/inventory.htm>.
- . May 22, 2014. *First Update to the Climate Change Scoping Plan*.
- . 2017. *Short-Lived Climate Pollutant Reduction Strategy*. Website URL: https://ww3.arb.ca.gov/cc/shortlived/meetings/03142017/final_slcp_report.pdf.
- . 2007. *California 1990 Greenhouse Gas Emissions Level and 2020 Limit — by Sector and Activity (Land Use-driven sectors only) MMT CO₂e - (based upon IPCC Fourth Assessment Report Global Warming Potentials)*. Website URL: https://ww3.arb.ca.gov/cc/inventory/pubs/reports/staff_report_1990_level.pdf.
- California Air Pollution Control Officers Association (CAPCOA). January 2008. *CEQA and Climate Change Evaluating and Addressing Greenhouse Gas Emissions from Projects Subject to the California Environmental Quality Act*.

- California Building Standards Commission (BSC). April 2016. *CalGreen*. Website URL: http://www.documents.dgs.ca.gov/bsc/CALGreen/2010_CA_Green_Bldg.pdf.
- California Department of Finance, Demographic Research Unit. 2019. *Report P-1 "State Population Projections (2010 - 2060), Total Population by County"*. Website URL: <http://www.dof.ca.gov/Forecasting/Demographics/Projections/>.
- California Employment Development Department. 2019. *Employment Projections Labor Market Information Resources and Data, "CA Long-Term. 2016-2026 Statewide Employment Projections"*. Website URL: <https://www.labormarketinfo.edd.ca.gov/data/employment-projections.html>.
- City of Fresno. December 18, 2014. *Fresno General Plan*.
- International Panel on Climate Change (IPCC). 2007. *Fourth Assessment Report: Climate Change 2007*.
- Sacramento Metropolitan Air Quality Management District (SMAQMD). *SMAQMD Thresholds of Significance*. Website url: <https://www.airquality.org/LandUseTransportation/Documents/CH2ThresholdsTable4-2020.pdf>.
- South Coast Air Quality Management District (SCAQMD). October 2008. *Draft Guidance Document–Interim CEQA Greenhouse Gas (GHG) Significance Threshold*. Website url: [http://www.aqmd.gov/docs/default-source/ceqa/handbook/greenhouse-gases-\(ghg\)-ceqa-significance-thresholds/ghgattachmentsa_d.pdf?sfvrsn=2](http://www.aqmd.gov/docs/default-source/ceqa/handbook/greenhouse-gases-(ghg)-ceqa-significance-thresholds/ghgattachmentsa_d.pdf?sfvrsn=2).
- United States Environmental Protection Agency (U.S. EPA). 2016. *Overview of Greenhouse Gas Emissions*. Website URL: <https://www3.epa.gov/climatechange/ghgemissions/gases.html>
- . June 4, 2012. *SF₆ Emission Reduction Partnership for Electric Power Systems: Basic Information*. Website URL: <http://www.c2es.org/docUploads/mrv-workshop-rand.pdf>.
- . 2010. *Inventory of U.S. Greenhouse Gas Emissions and Sinks: 1990–2008*.
- San Joaquin Valley Air Pollution Control District (SJVAPCD). December 2009. *Guidance for Valley Land-use Agencies in Addressing GHG Emission Impacts for New Projects under CEQA*.

APPENDIX A

EMISSIONS MODELING & DOCUMENTATION

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

FCC Softball

Fresno County, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Office Park	2.50	1000sqft	0.06	2,500.00	0
Parking Lot	3.00	Space	0.03	1,200.00	0
Arena	1.80	Acre	1.80	78,408.00	0
Health Club	5.20	1000sqft	0.12	5,200.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	45
Climate Zone	3			Operational Year	2024
Utility Company	Pacific Gas and Electric Company				
CO2 Intensity (lb/MW hr)	177.93	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.003

1.3 User Entered Comments & Non-Default Data

Project Characteristics - Intensity Factors have been updated to reflect PG&E Renewable Portfolio Standards.

Land Use - Health Club=Bullpen & Batting cages, Office Park=Team Building, Arena= Rest of Site Plan, Parking Lot= ADA Spaces added.

Construction Phase - Default phases left since that match project information provided by applicant. Stretched Arch coating to match realistic construction.

Trips and VMT - Hual trips are 12 miles based on project info.

Demolition - Demolition based on measurements of aerial photos of exsisting dugout, bullpen, and announcer booth.

Grading - Material export from demolition based on project infor provided.

Vehicle Trips - Project will not create any increase in traffic.

Energy Use -

Construction Off-road Equipment Mitigation - Tier 3, soil stabilizers, water exposed areas, and 15 mile per hour speed limit on unpaved roads.

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Area Mitigation - use low VOC paints.

Energy Mitigation -

Table Name	Column Name	Default Value	New Value
tblAreaMitigation	UseLowVOCPaintNonresidentialExteriorValue	150	50
tblAreaMitigation	UseLowVOCPaintNonresidentialInteriorValue	150	50
tblAreaMitigation	UseLowVOCPaintParkingCheck	False	True
tblAreaMitigation	UseLowVOCPaintParkingValue	150	50
tblAreaMitigation	UseLowVOCPaintResidentialExteriorValue	150	50
tblAreaMitigation	UseLowVOCPaintResidentialInteriorValue	150	50
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	8.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstructionPhase	NumDays	10.00	217.00
tblGrading	MaterialExported	0.00	1,599.00
tblProjectCharacteristics	CH4IntensityFactor	0.033	0.029
tblProjectCharacteristics	CO2IntensityFactor	203.98	177.93
tblProjectCharacteristics	N2OIntensityFactor	0.004	0.003
tblTripsAndVMT	HaulingTripLength	20.00	12.00
tblVehicleTrips	ST_TR	20.87	0.00
tblVehicleTrips	ST_TR	1.64	0.00
tblVehicleTrips	SU_TR	26.73	0.00
tblVehicleTrips	SU_TR	0.76	0.00
tblVehicleTrips	WD_TR	33.33	0.00
tblVehicleTrips	WD_TR	32.93	0.00
tblVehicleTrips	WD_TR	11.07	0.00

2.0 Emissions Summary

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2022	7.7769	22.0359	17.6645	0.0505	7.1647	0.8384	7.9074	3.4465	0.7834	4.1298	0.0000	5,123.7178	5,123.7178	0.7920	0.4241	5,269.8980
2023	7.5948	15.5961	17.3810	0.0340	0.4481	0.6901	1.1382	0.1210	0.6642	0.7852	0.0000	3,195.6616	3,195.6616	0.5632	0.0529	3,222.9243
Maximum	7.7769	22.0359	17.6645	0.0505	7.1647	0.8384	7.9074	3.4465	0.7834	4.1298	0.0000	5,123.7178	5,123.7178	0.7920	0.4241	5,269.8980

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2022	6.4902	18.2315	18.7381	0.0505	2.8444	0.9227	3.3298	1.3574	0.9223	1.8428	0.0000	5,123.7178	5,123.7178	0.7920	0.4241	5,269.8980
2023	6.4628	15.6483	18.5960	0.0340	0.4481	0.9185	1.3666	0.1210	0.9182	1.0392	0.0000	3,195.6616	3,195.6616	0.5632	0.0529	3,222.9243
Maximum	6.4902	18.2315	18.7381	0.0505	2.8444	0.9227	3.3298	1.3574	0.9223	1.8428	0.0000	5,123.7178	5,123.7178	0.7920	0.4241	5,269.8980

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	15.74	9.97	-6.53	0.00	56.75	-20.46	48.08	58.56	-27.14	41.36	0.00	0.00	0.00	0.00	0.00	0.00

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	2.1714	1.0000e-005	1.2700e-003	0.0000		0.0000	0.0000		0.0000	0.0000		2.7400e-003	2.7400e-003	1.0000e-005		2.9100e-003
Energy	0.0528	0.4800	0.4032	2.8800e-003		0.0365	0.0365		0.0365	0.0365		576.0147	576.0147	0.0110	0.0106	579.4377
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total	2.2242	0.4800	0.4045	2.8800e-003	0.0000	0.0365	0.0365	0.0000	0.0365	0.0365		576.0174	576.0174	0.0111	0.0106	579.4406

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	1.9526	1.0000e-005	1.2700e-003	0.0000		0.0000	0.0000		0.0000	0.0000		2.7400e-003	2.7400e-003	1.0000e-005		2.9100e-003
Energy	0.0528	0.4800	0.4032	2.8800e-003		0.0365	0.0365		0.0365	0.0365		576.0147	576.0147	0.0110	0.0106	579.4377
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total	2.0054	0.4800	0.4045	2.8800e-003	0.0000	0.0365	0.0365	0.0000	0.0365	0.0365		576.0174	576.0174	0.0111	0.0106	579.4406

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	9.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail**Construction Phase**

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	7/1/2022	7/28/2022	5	20	
2	Site Preparation	Site Preparation	7/29/2022	8/2/2022	5	3	
3	Grading	Grading	8/3/2022	8/10/2022	5	6	
4	Building Construction	Building Construction	8/11/2022	6/14/2023	5	220	
5	Architectural Coating	Architectural Coating	9/1/2022	6/30/2023	5	217	
6	Paving	Paving	6/15/2023	6/28/2023	5	10	

Acres of Grading (Site Preparation Phase): 4.5**Acres of Grading (Grading Phase): 6****Acres of Paving: 0.03****Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 129,162; Non-Residential Outdoor: 43,054; Striped Parking Area: 72 (Architectural Coating – sqft)****OffRoad Equipment**

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Rubber Tired Dozers	1	8.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Site Preparation	Graders	1	8.00	187	0.41
Site Preparation	Scrapers	1	8.00	367	0.48

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Site Preparation	Tractors/Loaders/Backhoes	1	7.00	97	0.37
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Tractors/Loaders/Backhoes	2	7.00	97	0.37
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Forklifts	2	7.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Building Construction	Welders	3	8.00	46	0.45
Architectural Coating	Air Compressors	1	6.00	78	0.48
Paving	Cement and Mortar Mixers	1	8.00	9	0.56
Paving	Pavers	1	8.00	130	0.42
Paving	Paving Equipment	1	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	5	13.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	8.00	0.00	200.00	10.80	7.30	12.00	LD_Mix	HDT_Mix	HHDT
Grading	4	10.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	8	36.00	14.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	7.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Use Soil Stabilizer

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Demolition - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.1009	0.0000	0.1009	0.0153	0.0000	0.0153			0.0000			0.0000
Off-Road	1.6889	16.6217	13.9605	0.0241		0.8379	0.8379		0.7829	0.7829		2,323.4168	2,323.4168	0.5921		2,338.2191
Total	1.6889	16.6217	13.9605	0.0241	0.1009	0.8379	0.9388	0.0153	0.7829	0.7982		2,323.4168	2,323.4168	0.5921		2,338.2191

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.2 Demolition - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0507	0.0278	0.3891	1.0000e-003	0.1068	5.3000e-004	0.1073	0.0283	4.9000e-004	0.0288		101.8824	101.8824	2.9400e-003	2.7200e-003	102.7663
Total	0.0507	0.0278	0.3891	1.0000e-003	0.1068	5.3000e-004	0.1073	0.0283	4.9000e-004	0.0288		101.8824	101.8824	2.9400e-003	2.7200e-003	102.7663

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0394	0.0000	0.0394	5.9600e-003	0.0000	5.9600e-003			0.0000			0.0000
Off-Road	0.5621	12.1033	15.4154	0.0241		0.7182	0.7182		0.7182	0.7182	0.0000	2,323.4168	2,323.4168	0.5921		2,338.2191
Total	0.5621	12.1033	15.4154	0.0241	0.0394	0.7182	0.7575	5.9600e-003	0.7182	0.7241	0.0000	2,323.4168	2,323.4168	0.5921		2,338.2191

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.2 Demolition - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0507	0.0278	0.3891	1.0000e-003	0.1068	5.3000e-004	0.1073	0.0283	4.9000e-004	0.0288		101.8824	101.8824	2.9400e-003	2.7200e-003	102.7663
Total	0.0507	0.0278	0.3891	1.0000e-003	0.1068	5.3000e-004	0.1073	0.0283	4.9000e-004	0.0288		101.8824	101.8824	2.9400e-003	2.7200e-003	102.7663

3.3 Site Preparation - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					1.6510	0.0000	1.6510	0.1809	0.0000	0.1809			0.0000			0.0000
Off-Road	1.3784	15.6673	10.0558	0.0245		0.5952	0.5952		0.5476	0.5476		2,375.1569	2,375.1569	0.7682		2,394.3613
Total	1.3784	15.6673	10.0558	0.0245	1.6510	0.5952	2.2462	0.1809	0.5476	0.7285		2,375.1569	2,375.1569	0.7682		2,394.3613

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.3 Site Preparation - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1849	6.3515	1.5648	0.0253	0.7015	0.0613	0.7629	0.1925	0.0587	0.2511		2,685.8640	2,685.8640	0.0220	0.4224	2,812.2960
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0312	0.0171	0.2395	6.2000e-004	0.0657	3.3000e-004	0.0661	0.0174	3.0000e-004	0.0177		62.6969	62.6969	1.8100e-003	1.6700e-003	63.2408
Total	0.2161	6.3686	1.8042	0.0259	0.7672	0.0617	0.8289	0.2099	0.0590	0.2689		2,748.5608	2,748.5608	0.0238	0.4241	2,875.5367

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.6439	0.0000	0.6439	0.0706	0.0000	0.0706			0.0000			0.0000
Off-Road	0.6016	11.8628	13.6431	0.0245		0.4988	0.4988		0.4988	0.4988	0.0000	2,375.1569	2,375.1569	0.7682		2,394.3613
Total	0.6016	11.8628	13.6431	0.0245	0.6439	0.4988	1.1427	0.0706	0.4988	0.5693	0.0000	2,375.1569	2,375.1569	0.7682		2,394.3613

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.3 Site Preparation - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1849	6.3515	1.5648	0.0253	0.7015	0.0613	0.7629	0.1925	0.0587	0.2511		2,685.864 0	2,685.864 0	0.0220	0.4224	2,812.296 0
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0312	0.0171	0.2395	6.2000e-004	0.0657	3.3000e-004	0.0661	0.0174	3.0000e-004	0.0177		62.6969	62.6969	1.8100e-003	1.6700e-003	63.2408
Total	0.2161	6.3686	1.8042	0.0259	0.7672	0.0617	0.8289	0.2099	0.0590	0.2689		2,748.560 8	2,748.560 8	0.0238	0.4241	2,875.536 7

3.4 Grading - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					7.0826	0.0000	7.0826	3.4247	0.0000	3.4247			0.0000			0.0000
Off-Road	1.5403	16.9836	9.2202	0.0206		0.7423	0.7423		0.6829	0.6829		1,995.482 5	1,995.482 5	0.6454		2,011.616 9
Total	1.5403	16.9836	9.2202	0.0206	7.0826	0.7423	7.8249	3.4247	0.6829	4.1076		1,995.482 5	1,995.482 5	0.6454		2,011.616 9

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.4 Grading - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0390	0.0214	0.2993	7.7000e-004	0.0822	4.1000e-004	0.0826	0.0218	3.8000e-004	0.0222		78.3711	78.3711	2.2600e-003	2.0900e-003	79.0510
Total	0.0390	0.0214	0.2993	7.7000e-004	0.0822	4.1000e-004	0.0826	0.0218	3.8000e-004	0.0222		78.3711	78.3711	2.2600e-003	2.0900e-003	79.0510

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.7622	0.0000	2.7622	1.3357	0.0000	1.3357			0.0000			0.0000
Off-Road	0.5043	10.2150	12.1450	0.0206		0.4850	0.4850		0.4850	0.4850	0.0000	1,995.4825	1,995.4825	0.6454		2,011.6169
Total	0.5043	10.2150	12.1450	0.0206	2.7622	0.4850	3.2472	1.3357	0.4850	1.8207	0.0000	1,995.4825	1,995.4825	0.6454		2,011.6169

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.4 Grading - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0390	0.0214	0.2993	7.7000e-004	0.0822	4.1000e-004	0.0826	0.0218	3.8000e-004	0.0222		78.3711	78.3711	2.2600e-003	2.0900e-003	79.0510
Total	0.0390	0.0214	0.2993	7.7000e-004	0.0822	4.1000e-004	0.0826	0.0218	3.8000e-004	0.0222		78.3711	78.3711	2.2600e-003	2.0900e-003	79.0510

3.5 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.8555	14.6040	14.3533	0.0250		0.7022	0.7022		0.6731	0.6731		2,289.2813	2,289.2813	0.4417		2,300.3230
Total	1.8555	14.6040	14.3533	0.0250		0.7022	0.7022		0.6731	0.6731		2,289.2813	2,289.2813	0.4417		2,300.3230

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Building Construction - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0293	0.7226	0.2106	2.9100e-003	0.0949	8.1200e-003	0.1030	0.0273	7.7700e-003	0.0351		308.0533	308.0533	2.3400e-003	0.0464	321.9375
Worker	0.1403	0.0771	1.0775	2.7700e-003	0.2957	1.4800e-003	0.2972	0.0784	1.3600e-003	0.0798		282.1360	282.1360	8.1300e-003	7.5300e-003	284.5836
Total	0.1696	0.7997	1.2881	5.6800e-003	0.3906	9.6000e-003	0.4002	0.1058	9.1300e-003	0.1149		590.1893	590.1893	0.0105	0.0539	606.5210

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.7139	13.6222	15.4081	0.0250		0.8178	0.8178		0.8178	0.8178	0.0000	2,289.2813	2,289.2813	0.4417		2,300.3230
Total	0.7139	13.6222	15.4081	0.0250		0.8178	0.8178		0.8178	0.8178	0.0000	2,289.2813	2,289.2813	0.4417		2,300.3230

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Building Construction - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0293	0.7226	0.2106	2.9100e-003	0.0949	8.1200e-003	0.1030	0.0273	7.7700e-003	0.0351		308.0533	308.0533	2.3400e-003	0.0464	321.9375
Worker	0.1403	0.0771	1.0775	2.7700e-003	0.2957	1.4800e-003	0.2972	0.0784	1.3600e-003	0.0798		282.1360	282.1360	8.1300e-003	7.5300e-003	284.5836
Total	0.1696	0.7997	1.2881	5.6800e-003	0.3906	9.6000e-003	0.4002	0.1058	9.1300e-003	0.1149		590.1893	590.1893	0.0105	0.0539	606.5210

3.5 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7136	13.6239	14.2145	0.0250		0.6136	0.6136		0.5880	0.5880		2,289.5233	2,289.5233	0.4330		2,300.3479
Total	1.7136	13.6239	14.2145	0.0250		0.6136	0.6136		0.5880	0.5880		2,289.5233	2,289.5233	0.4330		2,300.3479

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Building Construction - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0156	0.5886	0.1817	2.8000e-003	0.0949	3.9300e-003	0.0988	0.0273	3.7600e-003	0.0311		296.5663	296.5663	1.6300e-003	0.0446	309.9029
Worker	0.1289	0.0675	0.9827	2.6800e-003	0.2957	1.3900e-003	0.2971	0.0784	1.2800e-003	0.0797		274.7084	274.7084	7.2600e-003	6.9200e-003	276.9526
Total	0.1445	0.6561	1.1644	5.4800e-003	0.3906	5.3200e-003	0.3960	0.1058	5.0400e-003	0.1108		571.2747	571.2747	8.8900e-003	0.0515	586.8555

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.7139	13.6222	15.4081	0.0250		0.8178	0.8178		0.8178	0.8178	0.0000	2,289.5233	2,289.5233	0.4330		2,300.3479
Total	0.7139	13.6222	15.4081	0.0250		0.8178	0.8178		0.8178	0.8178	0.0000	2,289.5233	2,289.5233	0.4330		2,300.3479

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0156	0.5886	0.1817	2.8000e-003	0.0949	3.9300e-003	0.0988	0.0273	3.7600e-003	0.0311		296.5663	296.5663	1.6300e-003	0.0446	309.9029
Worker	0.1289	0.0675	0.9827	2.6800e-003	0.2957	1.3900e-003	0.2971	0.0784	1.2800e-003	0.0797		274.7084	274.7084	7.2600e-003	6.9200e-003	276.9526
Total	0.1445	0.6561	1.1644	5.4800e-003	0.3906	5.3200e-003	0.3960	0.1058	5.0400e-003	0.1108		571.2747	571.2747	8.8900e-003	0.0515	586.8555

3.6 Architectural Coating - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	5.5200					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2045	1.4085	1.8136	2.9700e-003		0.0817	0.0817		0.0817	0.0817		281.4481	281.4481	0.0183		281.9062
Total	5.7245	1.4085	1.8136	2.9700e-003		0.0817	0.0817		0.0817	0.0817		281.4481	281.4481	0.0183		281.9062

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Architectural Coating - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0273	0.0150	0.2095	5.4000e-004	0.0575	2.9000e-004	0.0578	0.0153	2.6000e-004	0.0155		54.8598	54.8598	1.5800e-003	1.4600e-003	55.3357
Total	0.0273	0.0150	0.2095	5.4000e-004	0.0575	2.9000e-004	0.0578	0.0153	2.6000e-004	0.0155		54.8598	54.8598	1.5800e-003	1.4600e-003	55.3357

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	5.5200					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.0594	1.3570	1.8324	2.9700e-003		0.0951	0.0951		0.0951	0.0951	0.0000	281.4481	281.4481	0.0183		281.9062
Total	5.5794	1.3570	1.8324	2.9700e-003		0.0951	0.0951		0.0951	0.0951	0.0000	281.4481	281.4481	0.0183		281.9062

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Architectural Coating - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0273	0.0150	0.2095	5.4000e-004	0.0575	2.9000e-004	0.0578	0.0153	2.6000e-004	0.0155		54.8598	54.8598	1.5800e-003	1.4600e-003	55.3357
Total	0.0273	0.0150	0.2095	5.4000e-004	0.0575	2.9000e-004	0.0578	0.0153	2.6000e-004	0.0155		54.8598	54.8598	1.5800e-003	1.4600e-003	55.3357

3.6 Architectural Coating - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	5.5200					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1917	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708		281.4481	281.4481	0.0168		281.8690
Total	5.7116	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708		281.4481	281.4481	0.0168		281.8690

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Architectural Coating - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0251	0.0131	0.1911	5.2000e-004	0.0575	2.7000e-004	0.0578	0.0153	2.5000e-004	0.0155		53.4155	53.4155	1.4100e-003	1.3500e-003	53.8519
Total	0.0251	0.0131	0.1911	5.2000e-004	0.0575	2.7000e-004	0.0578	0.0153	2.5000e-004	0.0155		53.4155	53.4155	1.4100e-003	1.3500e-003	53.8519

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	5.5200					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.0594	1.3570	1.8324	2.9700e-003		0.0951	0.0951		0.0951	0.0951	0.0000	281.4481	281.4481	0.0168		281.8690
Total	5.5794	1.3570	1.8324	2.9700e-003		0.0951	0.0951		0.0951	0.0951	0.0000	281.4481	281.4481	0.0168		281.8690

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Architectural Coating - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0251	0.0131	0.1911	5.2000e-004	0.0575	2.7000e-004	0.0578	0.0153	2.5000e-004	0.0155		53.4155	53.4155	1.4100e-003	1.3500e-003	53.8519
Total	0.0251	0.0131	0.1911	5.2000e-004	0.0575	2.7000e-004	0.0578	0.0153	2.5000e-004	0.0155		53.4155	53.4155	1.4100e-003	1.3500e-003	53.8519

3.7 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.8802	8.6098	11.6840	0.0179		0.4338	0.4338		0.4003	0.4003		1,709.9926	1,709.9926	0.5420		1,723.5414
Paving	7.8600e-003					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.8881	8.6098	11.6840	0.0179		0.4338	0.4338		0.4003	0.4003		1,709.9926	1,709.9926	0.5420		1,723.5414

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.7 Paving - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0537	0.0281	0.4095	1.1200e-003	0.1232	5.8000e-004	0.1238	0.0327	5.3000e-004	0.0332		114.4619	114.4619	3.0300e-003	2.8800e-003	115.3969
Total	0.0537	0.0281	0.4095	1.1200e-003	0.1232	5.8000e-004	0.1238	0.0327	5.3000e-004	0.0332		114.4619	114.4619	3.0300e-003	2.8800e-003	115.3969

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.4208	8.8511	12.9737	0.0179		0.5291	0.5291		0.5291	0.5291	0.0000	1,709.9926	1,709.9926	0.5420		1,723.5414
Paving	7.8600e-003					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.4286	8.8511	12.9737	0.0179		0.5291	0.5291		0.5291	0.5291	0.0000	1,709.9926	1,709.9926	0.5420		1,723.5414

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.7 Paving - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0537	0.0281	0.4095	1.1200e-003	0.1232	5.8000e-004	0.1238	0.0327	5.3000e-004	0.0332		114.4619	114.4619	3.0300e-003	2.8800e-003	115.3969
Total	0.0537	0.0281	0.4095	1.1200e-003	0.1232	5.8000e-004	0.1238	0.0327	5.3000e-004	0.0332		114.4619	114.4619	3.0300e-003	2.8800e-003	115.3969

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

4.2 Trip Summary Information

	Average Daily Trip Rate			Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Arena	0.00	0.00	0.00		
Health Club	0.00	0.00	0.00		
Office Park	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Total	0.00	0.00	0.00		

4.3 Trip Type Information

	Miles			Trip %			Trip Purpose %		
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Arena	9.50	7.30	7.30	0.00	81.00	19.00	66	28	6
Health Club	9.50	7.30	7.30	16.90	64.10	19.00	52	39	9
Office Park	9.50	7.30	7.30	33.00	48.00	19.00	82	15	3
Parking Lot	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Arena	0.515888	0.053153	0.175761	0.156529	0.025865	0.006829	0.014141	0.022504	0.000707	0.000289	0.023863	0.001496	0.002975
Health Club	0.515888	0.053153	0.175761	0.156529	0.025865	0.006829	0.014141	0.022504	0.000707	0.000289	0.023863	0.001496	0.002975
Office Park	0.515888	0.053153	0.175761	0.156529	0.025865	0.006829	0.014141	0.022504	0.000707	0.000289	0.023863	0.001496	0.002975
Parking Lot	0.515888	0.053153	0.175761	0.156529	0.025865	0.006829	0.014141	0.022504	0.000707	0.000289	0.023863	0.001496	0.002975

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.0528	0.4800	0.4032	2.8800e-003		0.0365	0.0365		0.0365	0.0365		576.0147	576.0147	0.0110	0.0106	579.4377
NaturalGas Unmitigated	0.0528	0.4800	0.4032	2.8800e-003		0.0365	0.0365		0.0365	0.0365		576.0147	576.0147	0.0110	0.0106	579.4377

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Arena	4446.7	0.0480	0.4360	0.3662	2.6200e-003		0.0331	0.0331		0.0331	0.0331		523.1412	523.1412	0.0100	9.5900e-003	526.2500
Health Club	294.904	3.1800e-003	0.0289	0.0243	1.7000e-004		2.2000e-003	2.2000e-003		2.2000e-003	2.2000e-003		34.6946	34.6946	6.6000e-004	6.4000e-004	34.9008
Office Park	154.521	1.6700e-003	0.0152	0.0127	9.0000e-005		1.1500e-003	1.1500e-003		1.1500e-003	1.1500e-003		18.1789	18.1789	3.5000e-004	3.3000e-004	18.2869
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0528	0.4800	0.4032	2.8800e-003		0.0365	0.0365		0.0365	0.0365		576.0147	576.0147	0.0110	0.0106	579.4377

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Arena	4.4467	0.0480	0.4360	0.3662	2.6200e-003		0.0331	0.0331		0.0331	0.0331		523.1412	523.1412	0.0100	9.5900e-003	526.2500
Health Club	0.294904	3.1800e-003	0.0289	0.0243	1.7000e-004		2.2000e-003	2.2000e-003		2.2000e-003	2.2000e-003		34.6946	34.6946	6.6000e-004	6.4000e-004	34.9008
Office Park	0.154521	1.6700e-003	0.0152	0.0127	9.0000e-005		1.1500e-003	1.1500e-003		1.1500e-003	1.1500e-003		18.1789	18.1789	3.5000e-004	3.3000e-004	18.2869
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0528	0.4800	0.4032	2.8800e-003		0.0365	0.0365		0.0365	0.0365		576.0147	576.0147	0.0110	0.0106	579.4377

6.0 Area Detail

6.1 Mitigation Measures Area

Use Low VOC Paint - Residential Interior

Use Low VOC Paint - Residential Exterior

Use Low VOC Paint - Non-Residential Interior

Use Low VOC Paint - Non-Residential Exterior

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	1.9526	1.0000e-005	1.2700e-003	0.0000		0.0000	0.0000		0.0000	0.0000		2.7400e-003	2.7400e-003	1.0000e-005		2.9100e-003
Unmitigated	2.1714	1.0000e-005	1.2700e-003	0.0000		0.0000	0.0000		0.0000	0.0000		2.7400e-003	2.7400e-003	1.0000e-005		2.9100e-003

6.2 Area by SubCategory**Unmitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.3282					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	1.8431					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	1.2000e-004	1.0000e-005	1.2700e-003	0.0000		0.0000	0.0000		0.0000	0.0000		2.7400e-003	2.7400e-003	1.0000e-005		2.9100e-003
Total	2.1714	1.0000e-005	1.2700e-003	0.0000		0.0000	0.0000		0.0000	0.0000		2.7400e-003	2.7400e-003	1.0000e-005		2.9100e-003

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.1094					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	1.8431					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	1.2000e-004	1.0000e-005	1.2700e-003	0.0000		0.0000	0.0000		0.0000	0.0000		2.7400e-003	2.7400e-003	1.0000e-005		2.9100e-003
Total	1.9527	1.0000e-005	1.2700e-003	0.0000		0.0000	0.0000		0.0000	0.0000		2.7400e-003	2.7400e-003	1.0000e-005		2.9100e-003

7.0 Water Detail

7.1 Mitigation Measures Water

FCC Softball - Fresno County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**8.0 Waste Detail**

8.1 Mitigation Measures Waste**9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**FCC Softball****Fresno County, Winter****1.0 Project Characteristics****1.1 Land Usage**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Office Park	2.50	1000sqft	0.06	2,500.00	0
Parking Lot	3.00	Space	0.03	1,200.00	0
Arena	1.80	Acre	1.80	78,408.00	0
Health Club	5.20	1000sqft	0.12	5,200.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	45
Climate Zone	3			Operational Year	2024
Utility Company	Pacific Gas and Electric Company				
CO2 Intensity (lb/MW hr)	177.93	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.003

1.3 User Entered Comments & Non-Default Data

Project Characteristics - Intensity Factors have been updated to reflect PG&E Renewable Portfolio Standards.

Land Use - Health Club=Bullpen & Batting cages, Office Park=Team Building, Arena= Rest of Site Plan, Parking Lot= ADA Spaces added.

Construction Phase - Default phases left since that match project information provided by applicant. Stretched Arch coating to match realistic construction.

Trips and VMT - Hual trips are 12 miles based on project info.

Demolition - Demolition based on measurements of aerial photos of exsisting dugout, bullpen, and announcer booth.

Grading - Material export from demolition based on project infor provided.

Vehicle Trips - Project will not create any increase in traffic.

Energy Use -

Construction Off-road Equipment Mitigation - Tier 3, soil stabilizers, water exposed areas, and 15 mile per hour speed limit on unpaved roads.

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Area Mitigation - use low VOC paints.

Energy Mitigation -

Table Name	Column Name	Default Value	New Value
tblAreaMitigation	UseLowVOCPaintNonresidentialExteriorValue	150	50
tblAreaMitigation	UseLowVOCPaintNonresidentialInteriorValue	150	50
tblAreaMitigation	UseLowVOCPaintParkingCheck	False	True
tblAreaMitigation	UseLowVOCPaintParkingValue	150	50
tblAreaMitigation	UseLowVOCPaintResidentialExteriorValue	150	50
tblAreaMitigation	UseLowVOCPaintResidentialInteriorValue	150	50
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	8.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstructionPhase	NumDays	10.00	217.00
tblGrading	MaterialExported	0.00	1,599.00
tblProjectCharacteristics	CH4IntensityFactor	0.033	0.029
tblProjectCharacteristics	CO2IntensityFactor	203.98	177.93
tblProjectCharacteristics	N2OIntensityFactor	0.004	0.003
tblTripsAndVMT	HaulingTripLength	20.00	12.00
tblVehicleTrips	ST_TR	20.87	0.00
tblVehicleTrips	ST_TR	1.64	0.00
tblVehicleTrips	SU_TR	26.73	0.00
tblVehicleTrips	SU_TR	0.76	0.00
tblVehicleTrips	WD_TR	33.33	0.00
tblVehicleTrips	WD_TR	32.93	0.00
tblVehicleTrips	WD_TR	11.07	0.00

2.0 Emissions Summary

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2022	7.7565	22.4752	17.4798	0.0504	7.1647	0.8384	7.9074	3.4465	0.7834	4.1298	0.0000	5,119.506 8	5,119.506 8	0.7918	0.4247	5,265.874 3
2023	7.5764	15.6512	17.2175	0.0337	0.4481	0.6901	1.1382	0.1210	0.6642	0.7852	0.0000	3,159.352 1	3,159.352 1	0.5638	0.0539	3,186.954 1
Maximum	7.7565	22.4752	17.4798	0.0504	7.1647	0.8384	7.9074	3.4465	0.7834	4.1298	0.0000	5,119.506 8	5,119.506 8	0.7918	0.4247	5,265.874 3

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2022	6.4698	18.6708	18.5535	0.0504	2.8444	0.9228	3.3298	1.3574	0.9223	1.8428	0.0000	5,119.506 8	5,119.506 8	0.7918	0.4247	5,265.874 3
2023	6.4444	15.7034	18.4324	0.0337	0.4481	0.9185	1.3666	0.1210	0.9182	1.0392	0.0000	3,159.352 1	3,159.352 1	0.5638	0.0539	3,186.954 1
Maximum	6.4698	18.6708	18.5535	0.0504	2.8444	0.9228	3.3298	1.3574	0.9223	1.8428	0.0000	5,119.506 8	5,119.506 8	0.7918	0.4247	5,265.874 3

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	15.77	9.84	-6.60	0.00	56.75	-20.46	48.08	58.56	-27.14	41.36	0.00	0.00	0.00	0.00	0.00	0.00

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	2.1714	1.0000e-005	1.2700e-003	0.0000		0.0000	0.0000		0.0000	0.0000		2.7400e-003	2.7400e-003	1.0000e-005		2.9100e-003
Energy	0.0528	0.4800	0.4032	2.8800e-003		0.0365	0.0365		0.0365	0.0365		576.0147	576.0147	0.0110	0.0106	579.4377
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total	2.2242	0.4800	0.4045	2.8800e-003	0.0000	0.0365	0.0365	0.0000	0.0365	0.0365		576.0174	576.0174	0.0111	0.0106	579.4406

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	1.9526	1.0000e-005	1.2700e-003	0.0000		0.0000	0.0000		0.0000	0.0000		2.7400e-003	2.7400e-003	1.0000e-005		2.9100e-003
Energy	0.0528	0.4800	0.4032	2.8800e-003		0.0365	0.0365		0.0365	0.0365		576.0147	576.0147	0.0110	0.0106	579.4377
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total	2.0054	0.4800	0.4045	2.8800e-003	0.0000	0.0365	0.0365	0.0000	0.0365	0.0365		576.0174	576.0174	0.0111	0.0106	579.4406

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	9.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	7/1/2022	7/28/2022	5	20	
2	Site Preparation	Site Preparation	7/29/2022	8/2/2022	5	3	
3	Grading	Grading	8/3/2022	8/10/2022	5	6	
4	Building Construction	Building Construction	8/11/2022	6/14/2023	5	220	
5	Architectural Coating	Architectural Coating	9/1/2022	6/30/2023	5	217	
6	Paving	Paving	6/15/2023	6/28/2023	5	10	

Acres of Grading (Site Preparation Phase): 4.5

Acres of Grading (Grading Phase): 6

Acres of Paving: 0.03

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 129,162; Non-Residential Outdoor: 43,054; Striped Parking Area: 72 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Rubber Tired Dozers	1	8.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Site Preparation	Graders	1	8.00	187	0.41
Site Preparation	Scrapers	1	8.00	367	0.48

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Site Preparation	Tractors/Loaders/Backhoes	1	7.00	97	0.37
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Tractors/Loaders/Backhoes	2	7.00	97	0.37
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Forklifts	2	7.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Building Construction	Welders	3	8.00	46	0.45
Architectural Coating	Air Compressors	1	6.00	78	0.48
Paving	Cement and Mortar Mixers	1	8.00	9	0.56
Paving	Pavers	1	8.00	130	0.42
Paving	Paving Equipment	1	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	5	13.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	8.00	0.00	200.00	10.80	7.30	12.00	LD_Mix	HDT_Mix	HHDT
Grading	4	10.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	8	36.00	14.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	7.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Use Soil Stabilizer

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Demolition - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.1009	0.0000	0.1009	0.0153	0.0000	0.0153			0.0000			0.0000
Off-Road	1.6889	16.6217	13.9605	0.0241		0.8379	0.8379		0.7829	0.7829		2,323.4168	2,323.4168	0.5921		2,338.2191
Total	1.6889	16.6217	13.9605	0.0241	0.1009	0.8379	0.9388	0.0153	0.7829	0.7982		2,323.4168	2,323.4168	0.5921		2,338.2191

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.2 Demolition - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0448	0.0327	0.3310	8.9000e-004	0.1068	5.3000e-004	0.1073	0.0283	4.9000e-004	0.0288		90.3959	90.3959	3.2800e-003	3.0300e-003	91.3798
Total	0.0448	0.0327	0.3310	8.9000e-004	0.1068	5.3000e-004	0.1073	0.0283	4.9000e-004	0.0288		90.3959	90.3959	3.2800e-003	3.0300e-003	91.3798

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0394	0.0000	0.0394	5.9600e-003	0.0000	5.9600e-003			0.0000			0.0000
Off-Road	0.5621	12.1033	15.4154	0.0241		0.7182	0.7182		0.7182	0.7182	0.0000	2,323.4168	2,323.4168	0.5921		2,338.2191
Total	0.5621	12.1033	15.4154	0.0241	0.0394	0.7182	0.7575	5.9600e-003	0.7182	0.7241	0.0000	2,323.4168	2,323.4168	0.5921		2,338.2191

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.2 Demolition - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0448	0.0327	0.3310	8.9000e-004	0.1068	5.3000e-004	0.1073	0.0283	4.9000e-004	0.0288		90.3959	90.3959	3.2800e-003	3.0300e-003	91.3798
Total	0.0448	0.0327	0.3310	8.9000e-004	0.1068	5.3000e-004	0.1073	0.0283	4.9000e-004	0.0288		90.3959	90.3959	3.2800e-003	3.0300e-003	91.3798

3.3 Site Preparation - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					1.6510	0.0000	1.6510	0.1809	0.0000	0.1809			0.0000			0.0000
Off-Road	1.3784	15.6673	10.0558	0.0245		0.5952	0.5952		0.5476	0.5476		2,375.1569	2,375.1569	0.7682		2,394.3613
Total	1.3784	15.6673	10.0558	0.0245	1.6510	0.5952	2.2462	0.1809	0.5476	0.7285		2,375.1569	2,375.1569	0.7682		2,394.3613

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.3 Site Preparation - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1759	6.7878	1.6105	0.0253	0.7015	0.0615	0.7630	0.1925	0.0588	0.2513		2,688.721 6	2,688.721 6	0.0216	0.4229	2,815.279 3
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0275	0.0201	0.2037	5.5000e-004	0.0657	3.3000e-004	0.0661	0.0174	3.0000e-004	0.0177		55.6282	55.6282	2.0200e-003	1.8600e-003	56.2337
Total	0.2035	6.8079	1.8142	0.0259	0.7672	0.0618	0.8290	0.2099	0.0591	0.2690		2,744.349 9	2,744.349 9	0.0236	0.4247	2,871.513 1

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.6439	0.0000	0.6439	0.0706	0.0000	0.0706			0.0000			0.0000
Off-Road	0.6016	11.8628	13.6431	0.0245		0.4988	0.4988		0.4988	0.4988	0.0000	2,375.156 9	2,375.156 9	0.7682		2,394.361 3
Total	0.6016	11.8628	13.6431	0.0245	0.6439	0.4988	1.1427	0.0706	0.4988	0.5693	0.0000	2,375.156 9	2,375.156 9	0.7682		2,394.361 3

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.3 Site Preparation - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1759	6.7878	1.6105	0.0253	0.7015	0.0615	0.7630	0.1925	0.0588	0.2513		2,688.721 6	2,688.721 6	0.0216	0.4229	2,815.279 3
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0275	0.0201	0.2037	5.5000e-004	0.0657	3.3000e-004	0.0661	0.0174	3.0000e-004	0.0177		55.6282	55.6282	2.0200e-003	1.8600e-003	56.2337
Total	0.2035	6.8079	1.8142	0.0259	0.7672	0.0618	0.8290	0.2099	0.0591	0.2690		2,744.349 9	2,744.349 9	0.0236	0.4247	2,871.513 1

3.4 Grading - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					7.0826	0.0000	7.0826	3.4247	0.0000	3.4247			0.0000			0.0000
Off-Road	1.5403	16.9836	9.2202	0.0206		0.7423	0.7423		0.6829	0.6829		1,995.482 5	1,995.482 5	0.6454		2,011.616 9
Total	1.5403	16.9836	9.2202	0.0206	7.0826	0.7423	7.8249	3.4247	0.6829	4.1076		1,995.482 5	1,995.482 5	0.6454		2,011.616 9

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.4 Grading - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0344	0.0251	0.2546	6.8000e-004	0.0822	4.1000e-004	0.0826	0.0218	3.8000e-004	0.0222		69.5353	69.5353	2.5200e-003	2.3300e-003	70.2922
Total	0.0344	0.0251	0.2546	6.8000e-004	0.0822	4.1000e-004	0.0826	0.0218	3.8000e-004	0.0222		69.5353	69.5353	2.5200e-003	2.3300e-003	70.2922

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.7622	0.0000	2.7622	1.3357	0.0000	1.3357			0.0000			0.0000
Off-Road	0.5043	10.2150	12.1450	0.0206		0.4850	0.4850		0.4850	0.4850	0.0000	1,995.4825	1,995.4825	0.6454		2,011.6169
Total	0.5043	10.2150	12.1450	0.0206	2.7622	0.4850	3.2472	1.3357	0.4850	1.8207	0.0000	1,995.4825	1,995.4825	0.6454		2,011.6169

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.4 Grading - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0344	0.0251	0.2546	6.8000e-004	0.0822	4.1000e-004	0.0826	0.0218	3.8000e-004	0.0222		69.5353	69.5353	2.5200e-003	2.3300e-003	70.2922
Total	0.0344	0.0251	0.2546	6.8000e-004	0.0822	4.1000e-004	0.0826	0.0218	3.8000e-004	0.0222		69.5353	69.5353	2.5200e-003	2.3300e-003	70.2922

3.5 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.8555	14.6040	14.3533	0.0250		0.7022	0.7022		0.6731	0.6731		2,289.2813	2,289.2813	0.4417		2,300.3230
Total	1.8555	14.6040	14.3533	0.0250		0.7022	0.7022		0.6731	0.6731		2,289.2813	2,289.2813	0.4417		2,300.3230

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Building Construction - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0285	0.7708	0.2180	2.9200e-003	0.0949	8.1400e-003	0.1031	0.0273	7.7900e-003	0.0351		308.3257	308.3257	2.3000e-003	0.0465	322.2334
Worker	0.1239	0.0905	0.9167	2.4600e-003	0.2957	1.4800e-003	0.2972	0.0784	1.3600e-003	0.0798		250.3270	250.3270	9.0900e-003	8.3800e-003	253.0519
Total	0.1524	0.8613	1.1347	5.3800e-003	0.3906	9.6200e-003	0.4003	0.1058	9.1500e-003	0.1149		558.6527	558.6527	0.0114	0.0549	575.2852

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.7139	13.6222	15.4081	0.0250		0.8178	0.8178		0.8178	0.8178	0.0000	2,289.2813	2,289.2813	0.4417		2,300.3230
Total	0.7139	13.6222	15.4081	0.0250		0.8178	0.8178		0.8178	0.8178	0.0000	2,289.2813	2,289.2813	0.4417		2,300.3230

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Building Construction - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0285	0.7708	0.2180	2.9200e-003	0.0949	8.1400e-003	0.1031	0.0273	7.7900e-003	0.0351		308.3257	308.3257	2.3000e-003	0.0465	322.2334
Worker	0.1239	0.0905	0.9167	2.4600e-003	0.2957	1.4800e-003	0.2972	0.0784	1.3600e-003	0.0798		250.3270	250.3270	9.0900e-003	8.3800e-003	253.0519
Total	0.1524	0.8613	1.1347	5.3800e-003	0.3906	9.6200e-003	0.4003	0.1058	9.1500e-003	0.1149		558.6527	558.6527	0.0114	0.0549	575.2852

3.5 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7136	13.6239	14.2145	0.0250		0.6136	0.6136		0.5880	0.5880		2,289.5233	2,289.5233	0.4330		2,300.3479
Total	1.7136	13.6239	14.2145	0.0250		0.6136	0.6136		0.5880	0.5880		2,289.5233	2,289.5233	0.4330		2,300.3479

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Building Construction - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0146	0.6298	0.1878	2.8100e-003	0.0949	3.9500e-003	0.0989	0.0273	3.7800e-003	0.0311		297.1345	297.1345	1.5800e-003	0.0447	310.5069
Worker	0.1143	0.0791	0.8406	2.3800e-003	0.2957	1.3900e-003	0.2971	0.0784	1.2800e-003	0.0797		243.8341	243.8341	8.1700e-003	7.7000e-003	246.3324
Total	0.1289	0.7089	1.0284	5.1900e-003	0.3906	5.3400e-003	0.3960	0.1058	5.0600e-003	0.1108		540.9685	540.9685	9.7500e-003	0.0524	556.8393

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.7139	13.6222	15.4081	0.0250		0.8178	0.8178		0.8178	0.8178	0.0000	2,289.5233	2,289.5233	0.4330		2,300.3479
Total	0.7139	13.6222	15.4081	0.0250		0.8178	0.8178		0.8178	0.8178	0.0000	2,289.5233	2,289.5233	0.4330		2,300.3479

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0146	0.6298	0.1878	2.8100e-003	0.0949	3.9500e-003	0.0989	0.0273	3.7800e-003	0.0311		297.1345	297.1345	1.5800e-003	0.0447	310.5069
Worker	0.1143	0.0791	0.8406	2.3800e-003	0.2957	1.3900e-003	0.2971	0.0784	1.2800e-003	0.0797		243.8341	243.8341	8.1700e-003	7.7000e-003	246.3324
Total	0.1289	0.7089	1.0284	5.1900e-003	0.3906	5.3400e-003	0.3960	0.1058	5.0600e-003	0.1108		540.9685	540.9685	9.7500e-003	0.0524	556.8393

3.6 Architectural Coating - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	5.5200					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2045	1.4085	1.8136	2.9700e-003		0.0817	0.0817		0.0817	0.0817		281.4481	281.4481	0.0183		281.9062
Total	5.7245	1.4085	1.8136	2.9700e-003		0.0817	0.0817		0.0817	0.0817		281.4481	281.4481	0.0183		281.9062

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Architectural Coating - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0241	0.0176	0.1783	4.8000e-004	0.0575	2.9000e-004	0.0578	0.0153	2.6000e-004	0.0155		48.6747	48.6747	1.7700e-003	1.6300e-003	49.2045
Total	0.0241	0.0176	0.1783	4.8000e-004	0.0575	2.9000e-004	0.0578	0.0153	2.6000e-004	0.0155		48.6747	48.6747	1.7700e-003	1.6300e-003	49.2045

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	5.5200					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.0594	1.3570	1.8324	2.9700e-003		0.0951	0.0951		0.0951	0.0951	0.0000	281.4481	281.4481	0.0183		281.9062
Total	5.5794	1.3570	1.8324	2.9700e-003		0.0951	0.0951		0.0951	0.0951	0.0000	281.4481	281.4481	0.0183		281.9062

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Architectural Coating - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0241	0.0176	0.1783	4.8000e-004	0.0575	2.9000e-004	0.0578	0.0153	2.6000e-004	0.0155		48.6747	48.6747	1.7700e-003	1.6300e-003	49.2045
Total	0.0241	0.0176	0.1783	4.8000e-004	0.0575	2.9000e-004	0.0578	0.0153	2.6000e-004	0.0155		48.6747	48.6747	1.7700e-003	1.6300e-003	49.2045

3.6 Architectural Coating - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	5.5200					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1917	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708		281.4481	281.4481	0.0168		281.8690
Total	5.7116	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708		281.4481	281.4481	0.0168		281.8690

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Architectural Coating - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0222	0.0154	0.1635	4.6000e-004	0.0575	2.7000e-004	0.0578	0.0153	2.5000e-004	0.0155		47.4122	47.4122	1.5900e-003	1.5000e-003	47.8980
Total	0.0222	0.0154	0.1635	4.6000e-004	0.0575	2.7000e-004	0.0578	0.0153	2.5000e-004	0.0155		47.4122	47.4122	1.5900e-003	1.5000e-003	47.8980

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	5.5200					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.0594	1.3570	1.8324	2.9700e-003		0.0951	0.0951		0.0951	0.0951	0.0000	281.4481	281.4481	0.0168		281.8690
Total	5.5794	1.3570	1.8324	2.9700e-003		0.0951	0.0951		0.0951	0.0951	0.0000	281.4481	281.4481	0.0168		281.8690

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Architectural Coating - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0222	0.0154	0.1635	4.6000e-004	0.0575	2.7000e-004	0.0578	0.0153	2.5000e-004	0.0155		47.4122	47.4122	1.5900e-003	1.5000e-003	47.8980
Total	0.0222	0.0154	0.1635	4.6000e-004	0.0575	2.7000e-004	0.0578	0.0153	2.5000e-004	0.0155		47.4122	47.4122	1.5900e-003	1.5000e-003	47.8980

3.7 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.8802	8.6098	11.6840	0.0179		0.4338	0.4338		0.4003	0.4003		1,709.9926	1,709.9926	0.5420		1,723.5414
Paving	7.8600e-003					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.8881	8.6098	11.6840	0.0179		0.4338	0.4338		0.4003	0.4003		1,709.9926	1,709.9926	0.5420		1,723.5414

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.7 Paving - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0476	0.0330	0.3503	9.9000e-004	0.1232	5.8000e-004	0.1238	0.0327	5.3000e-004	0.0332		101.5975	101.5975	3.4000e-003	3.2100e-003	102.6385
Total	0.0476	0.0330	0.3503	9.9000e-004	0.1232	5.8000e-004	0.1238	0.0327	5.3000e-004	0.0332		101.5975	101.5975	3.4000e-003	3.2100e-003	102.6385

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.4208	8.8511	12.9737	0.0179		0.5291	0.5291		0.5291	0.5291	0.0000	1,709.9926	1,709.9926	0.5420		1,723.5414
Paving	7.8600e-003					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.4286	8.8511	12.9737	0.0179		0.5291	0.5291		0.5291	0.5291	0.0000	1,709.9926	1,709.9926	0.5420		1,723.5414

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.7 Paving - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0476	0.0330	0.3503	9.9000e-004	0.1232	5.8000e-004	0.1238	0.0327	5.3000e-004	0.0332		101.5975	101.5975	3.4000e-003	3.2100e-003	102.6385
Total	0.0476	0.0330	0.3503	9.9000e-004	0.1232	5.8000e-004	0.1238	0.0327	5.3000e-004	0.0332		101.5975	101.5975	3.4000e-003	3.2100e-003	102.6385

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

4.2 Trip Summary Information

	Average Daily Trip Rate			Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Arena	0.00	0.00	0.00		
Health Club	0.00	0.00	0.00		
Office Park	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Total	0.00	0.00	0.00		

4.3 Trip Type Information

	Miles			Trip %			Trip Purpose %		
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Arena	9.50	7.30	7.30	0.00	81.00	19.00	66	28	6
Health Club	9.50	7.30	7.30	16.90	64.10	19.00	52	39	9
Office Park	9.50	7.30	7.30	33.00	48.00	19.00	82	15	3
Parking Lot	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Arena	0.515888	0.053153	0.175761	0.156529	0.025865	0.006829	0.014141	0.022504	0.000707	0.000289	0.023863	0.001496	0.002975
Health Club	0.515888	0.053153	0.175761	0.156529	0.025865	0.006829	0.014141	0.022504	0.000707	0.000289	0.023863	0.001496	0.002975
Office Park	0.515888	0.053153	0.175761	0.156529	0.025865	0.006829	0.014141	0.022504	0.000707	0.000289	0.023863	0.001496	0.002975
Parking Lot	0.515888	0.053153	0.175761	0.156529	0.025865	0.006829	0.014141	0.022504	0.000707	0.000289	0.023863	0.001496	0.002975

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.0528	0.4800	0.4032	2.8800e-003		0.0365	0.0365		0.0365	0.0365		576.0147	576.0147	0.0110	0.0106	579.4377
NaturalGas Unmitigated	0.0528	0.4800	0.4032	2.8800e-003		0.0365	0.0365		0.0365	0.0365		576.0147	576.0147	0.0110	0.0106	579.4377

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Arena	4446.7	0.0480	0.4360	0.3662	2.6200e-003		0.0331	0.0331		0.0331	0.0331		523.1412	523.1412	0.0100	9.5900e-003	526.2500
Health Club	294.904	3.1800e-003	0.0289	0.0243	1.7000e-004		2.2000e-003	2.2000e-003		2.2000e-003	2.2000e-003		34.6946	34.6946	6.6000e-004	6.4000e-004	34.9008
Office Park	154.521	1.6700e-003	0.0152	0.0127	9.0000e-005		1.1500e-003	1.1500e-003		1.1500e-003	1.1500e-003		18.1789	18.1789	3.5000e-004	3.3000e-004	18.2869
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0528	0.4800	0.4032	2.8800e-003		0.0365	0.0365		0.0365	0.0365		576.0147	576.0147	0.0110	0.0106	579.4377

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Arena	4.4467	0.0480	0.4360	0.3662	2.6200e-003		0.0331	0.0331		0.0331	0.0331		523.1412	523.1412	0.0100	9.5900e-003	526.2500
Health Club	0.294904	3.1800e-003	0.0289	0.0243	1.7000e-004		2.2000e-003	2.2000e-003		2.2000e-003	2.2000e-003		34.6946	34.6946	6.6000e-004	6.4000e-004	34.9008
Office Park	0.154521	1.6700e-003	0.0152	0.0127	9.0000e-005		1.1500e-003	1.1500e-003		1.1500e-003	1.1500e-003		18.1789	18.1789	3.5000e-004	3.3000e-004	18.2869
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0528	0.4800	0.4032	2.8800e-003		0.0365	0.0365		0.0365	0.0365		576.0147	576.0147	0.0110	0.0106	579.4377

6.0 Area Detail

6.1 Mitigation Measures Area

Use Low VOC Paint - Residential Interior

Use Low VOC Paint - Residential Exterior

Use Low VOC Paint - Non-Residential Interior

Use Low VOC Paint - Non-Residential Exterior

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	1.9526	1.0000e-005	1.2700e-003	0.0000		0.0000	0.0000		0.0000	0.0000		2.7400e-003	2.7400e-003	1.0000e-005		2.9100e-003
Unmitigated	2.1714	1.0000e-005	1.2700e-003	0.0000		0.0000	0.0000		0.0000	0.0000		2.7400e-003	2.7400e-003	1.0000e-005		2.9100e-003

6.2 Area by SubCategory**Unmitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.3282					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	1.8431					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	1.2000e-004	1.0000e-005	1.2700e-003	0.0000		0.0000	0.0000		0.0000	0.0000		2.7400e-003	2.7400e-003	1.0000e-005		2.9100e-003
Total	2.1714	1.0000e-005	1.2700e-003	0.0000		0.0000	0.0000		0.0000	0.0000		2.7400e-003	2.7400e-003	1.0000e-005		2.9100e-003

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.1094					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	1.8431					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	1.2000e-004	1.0000e-005	1.2700e-003	0.0000		0.0000	0.0000		0.0000	0.0000		2.7400e-003	2.7400e-003	1.0000e-005		2.9100e-003
Total	1.9527	1.0000e-005	1.2700e-003	0.0000		0.0000	0.0000		0.0000	0.0000		2.7400e-003	2.7400e-003	1.0000e-005		2.9100e-003

7.0 Water Detail

7.1 Mitigation Measures Water

FCC Softball - Fresno County, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**8.0 Waste Detail**

8.1 Mitigation Measures Waste**9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

FCC Softball
Fresno County, Annual

1.0 Project Characteristics**1.1 Land Usage**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Office Park	2.50	1000sqft	0.06	2,500.00	0
Parking Lot	3.00	Space	0.03	1,200.00	0
Arena	1.80	Acre	1.80	78,408.00	0
Health Club	5.20	1000sqft	0.12	5,200.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	45
Climate Zone	3			Operational Year	2024
Utility Company	Pacific Gas and Electric Company				
CO2 Intensity (lb/MW hr)	177.93	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.003

1.3 User Entered Comments & Non-Default Data

Project Characteristics - Intensity Factors have been updated to reflect PG&E Renewable Portfolio Standards.

Land Use - Health Club=Bullpen & Batting cages, Office Park=Team Building, Arena= Rest of Site Plan, Parking Lot= ADA Spaces added.

Construction Phase - Default phases left since that match project information provided by applicant. Stretched Arch coating to match realistic construction.

Trips and VMT - Hual trips are 12 miles based on project info.

Demolition - Demolition based on measurements of aerial photos of exsisting dugout, bullpen, and announcer booth.

Grading - Material export from demolition based on project infor provided.

Vehicle Trips - Project will not create any increase in traffic.

Energy Use -

Construction Off-road Equipment Mitigation - Tier 3, soil stabilizers, water exposed areas, and 15 mile per hour speed limit on unpaved roads.

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Area Mitigation - use low VOC paints.

Energy Mitigation -

Table Name	Column Name	Default Value	New Value
tblAreaMitigation	UseLowVOCPaintNonresidentialExteriorValue	150	50
tblAreaMitigation	UseLowVOCPaintNonresidentialInteriorValue	150	50
tblAreaMitigation	UseLowVOCPaintParkingCheck	False	True
tblAreaMitigation	UseLowVOCPaintParkingValue	150	50
tblAreaMitigation	UseLowVOCPaintResidentialExteriorValue	150	50
tblAreaMitigation	UseLowVOCPaintResidentialInteriorValue	150	50
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	8.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstructionPhase	NumDays	10.00	217.00
tblGrading	MaterialExported	0.00	1,599.00
tblProjectCharacteristics	CH4IntensityFactor	0.033	0.029
tblProjectCharacteristics	CO2IntensityFactor	203.98	177.93
tblProjectCharacteristics	N2OIntensityFactor	0.004	0.003
tblTripsAndVMT	HaulingTripLength	20.00	12.00
tblVehicleTrips	ST_TR	20.87	0.00
tblVehicleTrips	ST_TR	1.64	0.00
tblVehicleTrips	SU_TR	26.73	0.00
tblVehicleTrips	SU_TR	0.76	0.00
tblVehicleTrips	WD_TR	33.33	0.00
tblVehicleTrips	WD_TR	32.93	0.00
tblVehicleTrips	WD_TR	11.07	0.00

2.0 Emissions Summary

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2022	0.3768	1.1005	1.0663	2.1000e-003	0.0490	0.0515	0.1005	0.0173	0.0492	0.0664	0.0000	179.7936	179.7936	0.0300	3.1800e-003	181.4910
2023	0.4859	0.9732	1.0884	2.1100e-003	0.0267	0.0433	0.0700	7.2200e-003	0.0416	0.0488	0.0000	179.6784	179.6784	0.0272	2.8800e-003	181.2157
Maximum	0.4859	1.1005	1.0884	2.1100e-003	0.0490	0.0515	0.1005	0.0173	0.0492	0.0664	0.0000	179.7936	179.7936	0.0300	3.1800e-003	181.4910

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2022	0.2967	0.9770	1.1496	2.1000e-003	0.0339	0.0558	0.0897	0.0107	0.0558	0.0665	0.0000	179.7934	179.7934	0.0300	3.1800e-003	181.4908
2023	0.4160	0.9778	1.1667	2.1100e-003	0.0267	0.0574	0.0841	7.2200e-003	0.0574	0.0646	0.0000	179.6782	179.6782	0.0272	2.8800e-003	181.2155
Maximum	0.4160	0.9778	1.1667	2.1100e-003	0.0339	0.0574	0.0897	0.0107	0.0574	0.0665	0.0000	179.7934	179.7934	0.0300	3.1800e-003	181.4908

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	17.38	5.73	-7.50	0.00	19.93	-19.48	-1.97	26.63	-24.70	-13.79	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	7-1-2022	9-30-2022	0.6735	0.5458
2	10-1-2022	12-31-2022	0.8099	0.7336
3	1-1-2023	3-31-2023	0.7466	0.7119
4	4-1-2023	6-30-2023	0.7094	0.6789
		Highest	0.8099	0.7336

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.3963	0.0000	1.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-004	2.2000e-004	0.0000	0.0000	2.4000e-004
Energy	9.6400e-003	0.0876	0.0736	5.3000e-004		6.6600e-003	6.6600e-003		6.6600e-003	6.6600e-003	0.0000	155.7722	155.7722	0.0117	2.7700e-003	156.8885
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Waste						0.0000	0.0000		0.0000	0.0000	6.5201	0.0000	6.5201	0.3853	0.0000	16.1532
Water						0.0000	0.0000		0.0000	0.0000	1.0073	1.5604	2.5677	0.1037	2.4700e-003	5.8962
Total	0.4059	0.0876	0.0737	5.3000e-004	0.0000	6.6600e-003	6.6600e-003	0.0000	6.6600e-003	6.6600e-003	7.5273	157.3328	164.8601	0.5007	5.2400e-003	178.9382

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.3564	0.0000	1.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-004	2.2000e-004	0.0000	0.0000	2.4000e-004
Energy	9.6400e-003	0.0876	0.0736	5.3000e-004		6.6600e-003	6.6600e-003		6.6600e-003	6.6600e-003	0.0000	155.7722	155.7722	0.0117	2.7700e-003	156.8885
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Waste						0.0000	0.0000		0.0000	0.0000	6.5201	0.0000	6.5201	0.3853	0.0000	16.1532
Water						0.0000	0.0000		0.0000	0.0000	1.0073	1.5604	2.5677	0.1037	2.4700e-003	5.8962
Total	0.3660	0.0876	0.0737	5.3000e-004	0.0000	6.6600e-003	6.6600e-003	0.0000	6.6600e-003	6.6600e-003	7.5273	157.3328	164.8601	0.5007	5.2400e-003	178.9382

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	9.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	7/1/2022	7/28/2022	5	20	
2	Site Preparation	Site Preparation	7/29/2022	8/2/2022	5	3	
3	Grading	Grading	8/3/2022	8/10/2022	5	6	

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

4	Building Construction	Building Construction	8/11/2022	6/14/2023	5	220
5	Architectural Coating	Architectural Coating	9/1/2022	6/30/2023	5	217
6	Paving	Paving	6/15/2023	6/28/2023	5	10

Acres of Grading (Site Preparation Phase): 4.5**Acres of Grading (Grading Phase): 6****Acres of Paving: 0.03****Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 129,162; Non-Residential Outdoor: 43,054; Striped Parking Area: 72 (Architectural Coating – sqft)****OffRoad Equipment**

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Rubber Tired Dozers	1	8.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Site Preparation	Graders	1	8.00	187	0.41
Site Preparation	Scrapers	1	8.00	367	0.48
Site Preparation	Tractors/Loaders/Backhoes	1	7.00	97	0.37
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Tractors/Loaders/Backhoes	2	7.00	97	0.37
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Forklifts	2	7.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Building Construction	Welders	3	8.00	46	0.45
Architectural Coating	Air Compressors	1	6.00	78	0.48
Paving	Cement and Mortar Mixers	1	8.00	9	0.56
Paving	Pavers	1	8.00	130	0.42

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Paving	Paving Equipment	1	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	5	13.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	8.00	0.00	200.00	10.80	7.30	12.00	LD_Mix	HDT_Mix	HHDT
Grading	4	10.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	8	36.00	14.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	7.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

Use Soil Stabilizer

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.2 Demolition - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					1.0100e-003	0.0000	1.0100e-003	1.5000e-004	0.0000	1.5000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0169	0.1662	0.1396	2.4000e-004		8.3800e-003	8.3800e-003		7.8300e-003	7.8300e-003	0.0000	21.0777	21.0777	5.3700e-003	0.0000	21.2120
Total	0.0169	0.1662	0.1396	2.4000e-004	1.0100e-003	8.3800e-003	9.3900e-003	1.5000e-004	7.8300e-003	7.9800e-003	0.0000	21.0777	21.0777	5.3700e-003	0.0000	21.2120

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.4000e-004	3.0000e-004	3.3600e-003	1.0000e-005	1.0400e-003	1.0000e-005	1.0400e-003	2.8000e-004	0.0000	2.8000e-004	0.0000	0.8497	0.8497	3.0000e-005	3.0000e-005	0.8581
Total	4.4000e-004	3.0000e-004	3.3600e-003	1.0000e-005	1.0400e-003	1.0000e-005	1.0400e-003	2.8000e-004	0.0000	2.8000e-004	0.0000	0.8497	0.8497	3.0000e-005	3.0000e-005	0.8581

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.2 Demolition - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					3.9000e-004	0.0000	3.9000e-004	6.0000e-005	0.0000	6.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	5.6200e-003	0.1210	0.1542	2.4000e-004		7.1800e-003	7.1800e-003		7.1800e-003	7.1800e-003	0.0000	21.0777	21.0777	5.3700e-003	0.0000	21.2119
Total	5.6200e-003	0.1210	0.1542	2.4000e-004	3.9000e-004	7.1800e-003	7.5700e-003	6.0000e-005	7.1800e-003	7.2400e-003	0.0000	21.0777	21.0777	5.3700e-003	0.0000	21.2119

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.4000e-004	3.0000e-004	3.3600e-003	1.0000e-005	1.0400e-003	1.0000e-005	1.0400e-003	2.8000e-004	0.0000	2.8000e-004	0.0000	0.8497	0.8497	3.0000e-005	3.0000e-005	0.8581
Total	4.4000e-004	3.0000e-004	3.3600e-003	1.0000e-005	1.0400e-003	1.0000e-005	1.0400e-003	2.8000e-004	0.0000	2.8000e-004	0.0000	0.8497	0.8497	3.0000e-005	3.0000e-005	0.8581

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.3 Site Preparation - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.4800e-003	0.0000	2.4800e-003	2.7000e-004	0.0000	2.7000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.0700e-003	0.0235	0.0151	4.0000e-005		8.9000e-004	8.9000e-004		8.2000e-004	8.2000e-004	0.0000	3.2321	3.2321	1.0500e-003	0.0000	3.2582
Total	2.0700e-003	0.0235	0.0151	4.0000e-005	2.4800e-003	8.9000e-004	3.3700e-003	2.7000e-004	8.2000e-004	1.0900e-003	0.0000	3.2321	3.2321	1.0500e-003	0.0000	3.2582

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	2.7000e-004	9.9600e-003	2.3800e-003	4.0000e-005	1.0300e-003	9.0000e-005	1.1200e-003	2.8000e-004	9.0000e-005	3.7000e-004	0.0000	3.6565	3.6565	3.0000e-005	5.8000e-004	3.8286
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.0000e-005	3.0000e-005	3.1000e-004	0.0000	1.0000e-004	0.0000	1.0000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.0784	0.0784	0.0000	0.0000	0.0792
Total	3.1000e-004	9.9900e-003	2.6900e-003	4.0000e-005	1.1300e-003	9.0000e-005	1.2200e-003	3.1000e-004	9.0000e-005	4.0000e-004	0.0000	3.7349	3.7349	3.0000e-005	5.8000e-004	3.9078

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.3 Site Preparation - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					9.7000e-004	0.0000	9.7000e-004	1.1000e-004	0.0000	1.1000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	9.0000e-004	0.0178	0.0205	4.0000e-005		7.5000e-004	7.5000e-004		7.5000e-004	7.5000e-004	0.0000	3.2321	3.2321	1.0500e-003	0.0000	3.2582
Total	9.0000e-004	0.0178	0.0205	4.0000e-005	9.7000e-004	7.5000e-004	1.7200e-003	1.1000e-004	7.5000e-004	8.6000e-004	0.0000	3.2321	3.2321	1.0500e-003	0.0000	3.2582

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	2.7000e-004	9.9600e-003	2.3800e-003	4.0000e-005	1.0300e-003	9.0000e-005	1.1200e-003	2.8000e-004	9.0000e-005	3.7000e-004	0.0000	3.6565	3.6565	3.0000e-005	5.8000e-004	3.8286
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.0000e-005	3.0000e-005	3.1000e-004	0.0000	1.0000e-004	0.0000	1.0000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.0784	0.0784	0.0000	0.0000	0.0792
Total	3.1000e-004	9.9900e-003	2.6900e-003	4.0000e-005	1.1300e-003	9.0000e-005	1.2200e-003	3.1000e-004	9.0000e-005	4.0000e-004	0.0000	3.7349	3.7349	3.0000e-005	5.8000e-004	3.9078

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.4 Grading - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0213	0.0000	0.0213	0.0103	0.0000	0.0103	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.6200e-003	0.0510	0.0277	6.0000e-005		2.2300e-003	2.2300e-003		2.0500e-003	2.0500e-003	0.0000	5.4308	5.4308	1.7600e-003	0.0000	5.4747
Total	4.6200e-003	0.0510	0.0277	6.0000e-005	0.0213	2.2300e-003	0.0235	0.0103	2.0500e-003	0.0123	0.0000	5.4308	5.4308	1.7600e-003	0.0000	5.4747

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0000e-004	7.0000e-005	7.8000e-004	0.0000	2.4000e-004	0.0000	2.4000e-004	6.0000e-005	0.0000	6.0000e-005	0.0000	0.1961	0.1961	1.0000e-005	1.0000e-005	0.1980
Total	1.0000e-004	7.0000e-005	7.8000e-004	0.0000	2.4000e-004	0.0000	2.4000e-004	6.0000e-005	0.0000	6.0000e-005	0.0000	0.1961	0.1961	1.0000e-005	1.0000e-005	0.1980

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.4 Grading - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					8.2900e-003	0.0000	8.2900e-003	4.0100e-003	0.0000	4.0100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.5100e-003	0.0307	0.0364	6.0000e-005		1.4600e-003	1.4600e-003		1.4600e-003	1.4600e-003	0.0000	5.4308	5.4308	1.7600e-003	0.0000	5.4747
Total	1.5100e-003	0.0307	0.0364	6.0000e-005	8.2900e-003	1.4600e-003	9.7500e-003	4.0100e-003	1.4600e-003	5.4700e-003	0.0000	5.4308	5.4308	1.7600e-003	0.0000	5.4747

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0000e-004	7.0000e-005	7.8000e-004	0.0000	2.4000e-004	0.0000	2.4000e-004	6.0000e-005	0.0000	6.0000e-005	0.0000	0.1961	0.1961	1.0000e-005	1.0000e-005	0.1980
Total	1.0000e-004	7.0000e-005	7.8000e-004	0.0000	2.4000e-004	0.0000	2.4000e-004	6.0000e-005	0.0000	6.0000e-005	0.0000	0.1961	0.1961	1.0000e-005	1.0000e-005	0.1980

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0946	0.7448	0.7320	1.2800e-003		0.0358	0.0358		0.0343	0.0343	0.0000	105.9169	105.9169	0.0204	0.0000	106.4277
Total	0.0946	0.7448	0.7320	1.2800e-003		0.0358	0.0358		0.0343	0.0343	0.0000	105.9169	105.9169	0.0204	0.0000	106.4277

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.4700e-003	0.0385	0.0109	1.5000e-004	4.7300e-003	4.1000e-004	5.1500e-003	1.3700e-003	4.0000e-004	1.7600e-003	0.0000	14.2578	14.2578	1.1000e-004	2.1500e-003	14.9007
Worker	6.1800e-003	4.2100e-003	0.0475	1.3000e-004	0.0147	8.0000e-005	0.0148	3.9000e-003	7.0000e-005	3.9700e-003	0.0000	12.0007	12.0007	3.9000e-004	3.6000e-004	12.1191
Total	7.6500e-003	0.0427	0.0584	2.8000e-004	0.0194	4.9000e-004	0.0199	5.2700e-003	4.7000e-004	5.7300e-003	0.0000	26.2585	26.2585	5.0000e-004	2.5100e-003	27.0198

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Building Construction - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0364	0.6947	0.7858	1.2800e-003		0.0417	0.0417		0.0417	0.0417	0.0000	105.9167	105.9167	0.0204	0.0000	106.4276
Total	0.0364	0.6947	0.7858	1.2800e-003		0.0417	0.0417		0.0417	0.0417	0.0000	105.9167	105.9167	0.0204	0.0000	106.4276

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.4700e-003	0.0385	0.0109	1.5000e-004	4.7300e-003	4.1000e-004	5.1500e-003	1.3700e-003	4.0000e-004	1.7600e-003	0.0000	14.2578	14.2578	1.1000e-004	2.1500e-003	14.9007
Worker	6.1800e-003	4.2100e-003	0.0475	1.3000e-004	0.0147	8.0000e-005	0.0148	3.9000e-003	7.0000e-005	3.9700e-003	0.0000	12.0007	12.0007	3.9000e-004	3.6000e-004	12.1191
Total	7.6500e-003	0.0427	0.0584	2.8000e-004	0.0194	4.9000e-004	0.0199	5.2700e-003	4.7000e-004	5.7300e-003	0.0000	26.2585	26.2585	5.0000e-004	2.5100e-003	27.0198

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1011	0.8038	0.8387	1.4800e-003		0.0362	0.0362		0.0347	0.0347	0.0000	122.5442	122.5442	0.0232	0.0000	123.1236
Total	0.1011	0.8038	0.8387	1.4800e-003		0.0362	0.0362		0.0347	0.0347	0.0000	122.5442	122.5442	0.0232	0.0000	123.1236

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	8.9000e-004	0.0363	0.0109	1.7000e-004	5.4800e-003	2.3000e-004	5.7100e-003	1.5800e-003	2.2000e-004	1.8000e-003	0.0000	15.8861	15.8861	9.0000e-005	2.3900e-003	16.6008
Worker	6.5800e-003	4.2600e-003	0.0502	1.5000e-004	0.0170	8.0000e-005	0.0171	4.5100e-003	8.0000e-005	4.5900e-003	0.0000	13.5215	13.5215	4.1000e-004	3.9000e-004	13.6471
Total	7.4700e-003	0.0406	0.0611	3.2000e-004	0.0225	3.1000e-004	0.0228	6.0900e-003	3.0000e-004	6.3900e-003	0.0000	29.4076	29.4076	5.0000e-004	2.7800e-003	30.2479

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Building Construction - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0421	0.8037	0.9091	1.4800e-003		0.0483	0.0483		0.0483	0.0483	0.0000	122.5441	122.5441	0.0232	0.0000	123.1234
Total	0.0421	0.8037	0.9091	1.4800e-003		0.0483	0.0483		0.0483	0.0483	0.0000	122.5441	122.5441	0.0232	0.0000	123.1234

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	8.9000e-004	0.0363	0.0109	1.7000e-004	5.4800e-003	2.3000e-004	5.7100e-003	1.5800e-003	2.2000e-004	1.8000e-003	0.0000	15.8861	15.8861	9.0000e-005	2.3900e-003	16.6008
Worker	6.5800e-003	4.2600e-003	0.0502	1.5000e-004	0.0170	8.0000e-005	0.0171	4.5100e-003	8.0000e-005	4.5900e-003	0.0000	13.5215	13.5215	4.1000e-004	3.9000e-004	13.6471
Total	7.4700e-003	0.0406	0.0611	3.2000e-004	0.0225	3.1000e-004	0.0228	6.0900e-003	3.0000e-004	6.3900e-003	0.0000	29.4076	29.4076	5.0000e-004	2.7800e-003	30.2479

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Architectural Coating - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.2401					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	8.9000e-003	0.0613	0.0789	1.3000e-004		3.5500e-003	3.5500e-003		3.5500e-003	3.5500e-003	0.0000	11.1067	11.1067	7.2000e-004	0.0000	11.1247
Total	0.2490	0.0613	0.0789	1.3000e-004		3.5500e-003	3.5500e-003		3.5500e-003	3.5500e-003	0.0000	11.1067	11.1067	7.2000e-004	0.0000	11.1247

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0200e-003	7.0000e-004	7.8700e-003	2.0000e-005	2.4300e-003	1.0000e-005	2.4500e-003	6.5000e-004	1.0000e-005	6.6000e-004	0.0000	1.9903	1.9903	6.0000e-005	6.0000e-005	2.0099
Total	1.0200e-003	7.0000e-004	7.8700e-003	2.0000e-005	2.4300e-003	1.0000e-005	2.4500e-003	6.5000e-004	1.0000e-005	6.6000e-004	0.0000	1.9903	1.9903	6.0000e-005	6.0000e-005	2.0099

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Architectural Coating - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.2401					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.5900e-003	0.0590	0.0797	1.3000e-004		4.1400e-003	4.1400e-003		4.1400e-003	4.1400e-003	0.0000	11.1066	11.1066	7.2000e-004	0.0000	11.1247
Total	0.2427	0.0590	0.0797	1.3000e-004		4.1400e-003	4.1400e-003		4.1400e-003	4.1400e-003	0.0000	11.1066	11.1066	7.2000e-004	0.0000	11.1247

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0200e-003	7.0000e-004	7.8700e-003	2.0000e-005	2.4300e-003	1.0000e-005	2.4500e-003	6.5000e-004	1.0000e-005	6.6000e-004	0.0000	1.9903	1.9903	6.0000e-005	6.0000e-005	2.0099
Total	1.0200e-003	7.0000e-004	7.8700e-003	2.0000e-005	2.4300e-003	1.0000e-005	2.4500e-003	6.5000e-004	1.0000e-005	6.6000e-004	0.0000	1.9903	1.9903	6.0000e-005	6.0000e-005	2.0099

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Architectural Coating - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.3588					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0125	0.0847	0.1177	1.9000e-004		4.6000e-003	4.6000e-003		4.6000e-003	4.6000e-003	0.0000	16.5962	16.5962	9.9000e-004	0.0000	16.6210
Total	0.3713	0.0847	0.1177	1.9000e-004		4.6000e-003	4.6000e-003		4.6000e-003	4.6000e-003	0.0000	16.5962	16.5962	9.9000e-004	0.0000	16.6210

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.4100e-003	9.1000e-004	0.0108	3.0000e-005	3.6400e-003	2.0000e-005	3.6600e-003	9.7000e-004	2.0000e-005	9.8000e-004	0.0000	2.8966	2.8966	9.0000e-005	8.0000e-005	2.9235
Total	1.4100e-003	9.1000e-004	0.0108	3.0000e-005	3.6400e-003	2.0000e-005	3.6600e-003	9.7000e-004	2.0000e-005	9.8000e-004	0.0000	2.8966	2.8966	9.0000e-005	8.0000e-005	2.9235

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Architectural Coating - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.3588					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.8600e-003	0.0882	0.1191	1.9000e-004		6.1800e-003	6.1800e-003		6.1800e-003	6.1800e-003	0.0000	16.5961	16.5961	9.9000e-004	0.0000	16.6210
Total	0.3627	0.0882	0.1191	1.9000e-004		6.1800e-003	6.1800e-003		6.1800e-003	6.1800e-003	0.0000	16.5961	16.5961	9.9000e-004	0.0000	16.6210

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.4100e-003	9.1000e-004	0.0108	3.0000e-005	3.6400e-003	2.0000e-005	3.6600e-003	9.7000e-004	2.0000e-005	9.8000e-004	0.0000	2.8966	2.8966	9.0000e-005	8.0000e-005	2.9235
Total	1.4100e-003	9.1000e-004	0.0108	3.0000e-005	3.6400e-003	2.0000e-005	3.6600e-003	9.7000e-004	2.0000e-005	9.8000e-004	0.0000	2.8966	2.8966	9.0000e-005	8.0000e-005	2.9235

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.7 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	4.4000e-003	0.0431	0.0584	9.0000e-005		2.1700e-003	2.1700e-003		2.0000e-003	2.0000e-003	0.0000	7.7564	7.7564	2.4600e-003	0.0000	7.8179
Paving	4.0000e-005					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	4.4400e-003	0.0431	0.0584	9.0000e-005		2.1700e-003	2.1700e-003		2.0000e-003	2.0000e-003	0.0000	7.7564	7.7564	2.4600e-003	0.0000	7.8179

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.3000e-004	1.5000e-004	1.7700e-003	1.0000e-005	6.0000e-004	0.0000	6.0000e-004	1.6000e-004	0.0000	1.6000e-004	0.0000	0.4775	0.4775	1.0000e-005	1.0000e-005	0.4819
Total	2.3000e-004	1.5000e-004	1.7700e-003	1.0000e-005	6.0000e-004	0.0000	6.0000e-004	1.6000e-004	0.0000	1.6000e-004	0.0000	0.4775	0.4775	1.0000e-005	1.0000e-005	0.4819

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.7 Paving - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	2.1000e-003	0.0443	0.0649	9.0000e-005		2.6500e-003	2.6500e-003		2.6500e-003	2.6500e-003	0.0000	7.7564	7.7564	2.4600e-003	0.0000	7.8178
Paving	4.0000e-005					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	2.1400e-003	0.0443	0.0649	9.0000e-005		2.6500e-003	2.6500e-003		2.6500e-003	2.6500e-003	0.0000	7.7564	7.7564	2.4600e-003	0.0000	7.8178

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.3000e-004	1.5000e-004	1.7700e-003	1.0000e-005	6.0000e-004	0.0000	6.0000e-004	1.6000e-004	0.0000	1.6000e-004	0.0000	0.4775	0.4775	1.0000e-005	1.0000e-005	0.4819
Total	2.3000e-004	1.5000e-004	1.7700e-003	1.0000e-005	6.0000e-004	0.0000	6.0000e-004	1.6000e-004	0.0000	1.6000e-004	0.0000	0.4775	0.4775	1.0000e-005	1.0000e-005	0.4819

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

4.2 Trip Summary Information

	Average Daily Trip Rate			Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Arena	0.00	0.00	0.00		
Health Club	0.00	0.00	0.00		
Office Park	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Total	0.00	0.00	0.00		

4.3 Trip Type Information

	Miles			Trip %			Trip Purpose %		
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Arena	9.50	7.30	7.30	0.00	81.00	19.00	66	28	6
Health Club	9.50	7.30	7.30	16.90	64.10	19.00	52	39	9
Office Park	9.50	7.30	7.30	33.00	48.00	19.00	82	15	3

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	Miles			Trip %			Trip Purpose %		
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Parking Lot	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Arena	0.515888	0.053153	0.175761	0.156529	0.025865	0.006829	0.014141	0.022504	0.000707	0.000289	0.023863	0.001496	0.002975
Health Club	0.515888	0.053153	0.175761	0.156529	0.025865	0.006829	0.014141	0.022504	0.000707	0.000289	0.023863	0.001496	0.002975
Office Park	0.515888	0.053153	0.175761	0.156529	0.025865	0.006829	0.014141	0.022504	0.000707	0.000289	0.023863	0.001496	0.002975
Parking Lot	0.515888	0.053153	0.175761	0.156529	0.025865	0.006829	0.014141	0.022504	0.000707	0.000289	0.023863	0.001496	0.002975

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	60.4065	60.4065	9.8500e-003	1.0200e-003	60.9561
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	60.4065	60.4065	9.8500e-003	1.0200e-003	60.9561
NaturalGas Mitigated	9.6400e-003	0.0876	0.0736	5.3000e-004		6.6600e-003	6.6600e-003		6.6600e-003	6.6600e-003	0.0000	95.3657	95.3657	1.8300e-003	1.7500e-003	95.9324
NaturalGas Unmitigated	9.6400e-003	0.0876	0.0736	5.3000e-004		6.6600e-003	6.6600e-003		6.6600e-003	6.6600e-003	0.0000	95.3657	95.3657	1.8300e-003	1.7500e-003	95.9324

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Arena	1.62305e+006	8.7500e-003	0.0796	0.0668	4.8000e-004		6.0500e-003	6.0500e-003		6.0500e-003	6.0500e-003	0.0000	86.6119	86.6119	1.6600e-003	1.5900e-003	87.1266
Health Club	107640	5.8000e-004	5.2800e-003	4.4300e-003	3.0000e-005		4.0000e-004	4.0000e-004		4.0000e-004	4.0000e-004	0.0000	5.7441	5.7441	1.1000e-004	1.1000e-004	5.7782
Office Park	56400	3.0000e-004	2.7600e-003	2.3200e-003	2.0000e-005		2.1000e-004	2.1000e-004		2.1000e-004	2.1000e-004	0.0000	3.0097	3.0097	6.0000e-005	6.0000e-005	3.0276
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		9.6300e-003	0.0876	0.0736	5.3000e-004		6.6600e-003	6.6600e-003		6.6600e-003	6.6600e-003	0.0000	95.3657	95.3657	1.8300e-003	1.7600e-003	95.9324

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Arena	1.62305e+006	8.7500e-003	0.0796	0.0668	4.8000e-004		6.0500e-003	6.0500e-003		6.0500e-003	6.0500e-003	0.0000	86.6119	86.6119	1.6600e-003	1.5900e-003	87.1266
Health Club	107640	5.8000e-004	5.2800e-003	4.4300e-003	3.0000e-005		4.0000e-004	4.0000e-004		4.0000e-004	4.0000e-004	0.0000	5.7441	5.7441	1.1000e-004	1.1000e-004	5.7782
Office Park	56400	3.0000e-004	2.7600e-003	2.3200e-003	2.0000e-005		2.1000e-004	2.1000e-004		2.1000e-004	2.1000e-004	0.0000	3.0097	3.0097	6.0000e-005	6.0000e-005	3.0276
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		9.6300e-003	0.0876	0.0736	5.3000e-004		6.6600e-003	6.6600e-003		6.6600e-003	6.6600e-003	0.0000	95.3657	95.3657	1.8300e-003	1.7600e-003	95.9324

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**5.3 Energy by Land Use - Electricity****Unmitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Arena	675093	54.4852	8.8800e-003	9.2000e-004	54.9810
Health Club	44772	3.6134	5.9000e-004	6.0000e-005	3.6463
Office Park	28175	2.2739	3.7000e-004	4.0000e-005	2.2946
Parking Lot	420	0.0339	1.0000e-005	0.0000	0.0342
Total		60.4065	9.8500e-003	1.0200e-003	60.9561

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**5.3 Energy by Land Use - Electricity****Mitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Arena	675093	54.4852	8.8800e-003	9.2000e-004	54.9810
Health Club	44772	3.6134	5.9000e-004	6.0000e-005	3.6463
Office Park	28175	2.2739	3.7000e-004	4.0000e-005	2.2946
Parking Lot	420	0.0339	1.0000e-005	0.0000	0.0342
Total		60.4065	9.8500e-003	1.0200e-003	60.9561

6.0 Area Detail**6.1 Mitigation Measures Area**

Use Low VOC Paint - Residential Interior

Use Low VOC Paint - Residential Exterior

Use Low VOC Paint - Non-Residential Interior

Use Low VOC Paint - Non-Residential Exterior

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.3564	0.0000	1.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-004	2.2000e-004	0.0000	0.0000	2.4000e-004
Unmitigated	0.3963	0.0000	1.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-004	2.2000e-004	0.0000	0.0000	2.4000e-004

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0599					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.3364					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.0000e-005	0.0000	1.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-004	2.2000e-004	0.0000	0.0000	2.4000e-004
Total	0.3963	0.0000	1.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-004	2.2000e-004	0.0000	0.0000	2.4000e-004

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0200					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.3364					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.0000e-005	0.0000	1.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-004	2.2000e-004	0.0000	0.0000	2.4000e-004
Total	0.3563	0.0000	1.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-004	2.2000e-004	0.0000	0.0000	2.4000e-004

7.0 Water Detail

7.1 Mitigation Measures Water

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	2.5677	0.1037	2.4700e-003	5.8962
Unmitigated	2.5677	0.1037	2.4700e-003	5.8962

7.2 Water by Land Use**Unmitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Arena	2.42308 / 0.154665	1.8706	0.0791	1.8800e-003	4.4101
Health Club	0.307544 / 0.188495	0.2851	0.0101	2.4000e-004	0.6079
Office Park	0.444334 / 0.272334	0.4119	0.0145	3.5000e-004	0.8783
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		2.5677	0.1037	2.4700e-003	5.8962

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**7.2 Water by Land Use****Mitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Arena	2.42308 / 0.154665	1.8706	0.0791	1.8800e-003	4.4101
Health Club	0.307544 / 0.188495	0.2851	0.0101	2.4000e-004	0.6079
Office Park	0.444334 / 0.272334	0.4119	0.0145	3.5000e-004	0.8783
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		2.5677	0.1037	2.4700e-003	5.8962

8.0 Waste Detail

8.1 Mitigation Measures Waste

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Category/Year**

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	6.5201	0.3853	0.0000	16.1532
Unmitigated	6.5201	0.3853	0.0000	16.1532

8.2 Waste by Land Use**Unmitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Arena	0.15	0.0305	1.8000e-003	0.0000	0.0754
Health Club	29.64	6.0167	0.3556	0.0000	14.9060
Office Park	2.33	0.4730	0.0280	0.0000	1.1718
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		6.5201	0.3853	0.0000	16.1532

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**8.2 Waste by Land Use****Mitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Arena	0.15	0.0305	1.8000e-003	0.0000	0.0754
Health Club	29.64	6.0167	0.3556	0.0000	14.9060
Office Park	2.33	0.4730	0.0280	0.0000	1.1718
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		6.5201	0.3853	0.0000	16.1532

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment**Fire Pumps and Emergency Generators**

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Equipment Type	Number
----------------	--------

11.0 Vegetation

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

FCC Softball
Fresno County, Annual

1.0 Project Characteristics**1.1 Land Usage**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Office Park	2.50	1000sqft	0.06	2,500.00	0
Parking Lot	3.00	Space	0.03	1,200.00	0
Arena	1.80	Acre	1.80	78,408.00	0
Health Club	5.20	1000sqft	0.12	5,200.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	45
Climate Zone	3			Operational Year	2030
Utility Company	Pacific Gas and Electric Company				
CO2 Intensity (lb/MW hr)	127.09	CH4 Intensity (lb/MW hr)	0.021	N2O Intensity (lb/MW hr)	0.002

1.3 User Entered Comments & Non-Default Data

Project Characteristics - Intensity Factors have been updated to reflect PG&E Renewable Portfolio Standards.

Land Use - Health Club=Bullpen & Batting cages, Office Park=Team Building, Arena= Rest of Site Plan, Parking Lot= ADA Spaces added.

Construction Phase - Default phases left since that match project information provided by applicant. Stretched Arch coating to match realistic construction.

Trips and VMT - Hual trips are 12 miles based on project info.

Demolition -

Grading - Material export from demolition based on project infor provided.

Vehicle Trips - Project will not create any increase in traffic.

Energy Use -

Construction Off-road Equipment Mitigation - Tier 3, soil stabilizers, water exposed areas, and 15 mile per hour speed limit on unpaved roads.

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Area Mitigation - use low VOC paints.

Energy Mitigation -

[illegible]

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstructionPhase	NumDays	10.00	217.00
tblGrading	MaterialExported	0.00	1,599.00
tblProjectCharacteristics	CH4IntensityFactor	0.033	0.021
tblProjectCharacteristics	CO2IntensityFactor	203.98	127.09
tblProjectCharacteristics	N2OIntensityFactor	0.004	0.002
tblTripsAndVMT	HaulingTripLength	20.00	12.00
tblVehicleTrips	ST_TR	20.87	0.00
tblVehicleTrips	ST_TR	1.64	0.00
tblVehicleTrips	SU_TR	26.73	0.00
tblVehicleTrips	SU_TR	0.76	0.00
tblVehicleTrips	WD_TR	33.33	0.00
tblVehicleTrips	WD_TR	32.93	0.00
tblVehicleTrips	WD_TR	11.07	0.00

2.0 Emissions Summary

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**2.1 Overall Construction****Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2022	0.3768	1.1005	1.0663	2.1000e-003	0.0480	0.0515	0.0994	0.0171	0.0492	0.0663	0.0000	179.7936	179.7936	0.0300	3.1800e-003	181.4910
2023	0.4859	0.9732	1.0884	2.1100e-003	0.0267	0.0433	0.0700	7.2200e-003	0.0416	0.0488	0.0000	179.6784	179.6784	0.0272	2.8800e-003	181.2157
Maximum	0.4859	1.1005	1.0884	2.1100e-003	0.0480	0.0515	0.0994	0.0171	0.0492	0.0663	0.0000	179.7936	179.7936	0.0300	3.1800e-003	181.4910

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2022	0.2967	0.9770	1.1496	2.1000e-003	0.0335	0.0558	0.0893	0.0107	0.0558	0.0665	0.0000	179.7934	179.7934	0.0300	3.1800e-003	181.4908
2023	0.4160	0.9778	1.1667	2.1100e-003	0.0267	0.0574	0.0841	7.2200e-003	0.0574	0.0646	0.0000	179.6782	179.6782	0.0272	2.8800e-003	181.2155
Maximum	0.4160	0.9778	1.1667	2.1100e-003	0.0335	0.0574	0.0893	0.0107	0.0574	0.0665	0.0000	179.7934	179.7934	0.0300	3.1800e-003	181.4908

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	17.38	5.73	-7.50	0.00	19.38	-19.48	-2.35	26.43	-24.70	-13.89	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	7-1-2022	9-30-2022	0.6735	0.5458
2	10-1-2022	12-31-2022	0.8099	0.7336
3	1-1-2023	3-31-2023	0.7466	0.7119
4	4-1-2023	6-30-2023	0.7094	0.6789
		Highest	0.8099	0.7336

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.3963	0.0000	1.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-004	2.2000e-004	0.0000	0.0000	2.4000e-004
Energy	9.6400e-003	0.0876	0.0736	5.3000e-004		6.6600e-003	6.6600e-003		6.6600e-003	6.6600e-003	0.0000	138.5122	138.5122	8.9600e-003	2.4300e-003	139.4595
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Waste						0.0000	0.0000		0.0000	0.0000	6.5201	0.0000	6.5201	0.3853	0.0000	16.1532
Water						0.0000	0.0000		0.0000	0.0000	1.0073	1.1145	2.1218	0.1036	2.4600e-003	5.4460
Total	0.4059	0.0876	0.0737	5.3000e-004	0.0000	6.6600e-003	6.6600e-003	0.0000	6.6600e-003	6.6600e-003	7.5273	139.6270	147.1543	0.4979	4.8900e-003	161.0589

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.3963	0.0000	1.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-004	2.2000e-004	0.0000	0.0000	2.4000e-004
Energy	9.6400e-003	0.0876	0.0736	5.3000e-004		6.6600e-003	6.6600e-003		6.6600e-003	6.6600e-003	0.0000	138.5122	138.5122	8.9600e-003	2.4300e-003	139.4595
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Waste						0.0000	0.0000		0.0000	0.0000	6.5201	0.0000	6.5201	0.3853	0.0000	16.1532
Water						0.0000	0.0000		0.0000	0.0000	1.0073	1.1145	2.1218	0.1036	2.4600e-003	5.4460
Total	0.4059	0.0876	0.0737	5.3000e-004	0.0000	6.6600e-003	6.6600e-003	0.0000	6.6600e-003	6.6600e-003	7.5273	139.6270	147.1543	0.4979	4.8900e-003	161.0589

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	7/1/2022	7/28/2022	5	20	
2	Site Preparation	Site Preparation	7/29/2022	8/2/2022	5	3	
3	Grading	Grading	8/3/2022	8/10/2022	5	6	

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

4	Building Construction	Building Construction	8/11/2022	6/14/2023	5	220
5	Architectural Coating	Architectural Coating	9/1/2022	6/30/2023	5	217
6	Paving	Paving	6/15/2023	6/28/2023	5	10

Acres of Grading (Site Preparation Phase): 4.5**Acres of Grading (Grading Phase): 6****Acres of Paving: 0.03****Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 129,162; Non-Residential Outdoor: 43,054; Striped Parking Area: 72 (Architectural Coating – sqft)****OffRoad Equipment**

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Rubber Tired Dozers	1	8.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Site Preparation	Graders	1	8.00	187	0.41
Site Preparation	Scrapers	1	8.00	367	0.48
Site Preparation	Tractors/Loaders/Backhoes	1	7.00	97	0.37
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Tractors/Loaders/Backhoes	2	7.00	97	0.37
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Forklifts	2	7.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Building Construction	Welders	3	8.00	46	0.45
Architectural Coating	Air Compressors	1	6.00	78	0.48
Paving	Cement and Mortar Mixers	1	8.00	9	0.56
Paving	Pavers	1	8.00	130	0.42

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Paving	Paving Equipment	1	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	5	13.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	8.00	0.00	200.00	10.80	7.30	12.00	LD_Mix	HDT_Mix	HHDT
Grading	4	10.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	8	36.00	14.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	7.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

Use Soil Stabilizer

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.2 Demolition - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0169	0.1662	0.1396	2.4000e-004		8.3800e-003	8.3800e-003		7.8300e-003	7.8300e-003	0.0000	21.0777	21.0777	5.3700e-003	0.0000	21.2120
Total	0.0169	0.1662	0.1396	2.4000e-004		8.3800e-003	8.3800e-003		7.8300e-003	7.8300e-003	0.0000	21.0777	21.0777	5.3700e-003	0.0000	21.2120

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.4000e-004	3.0000e-004	3.3600e-003	1.0000e-005	1.0400e-003	1.0000e-005	1.0400e-003	2.8000e-004	0.0000	2.8000e-004	0.0000	0.8497	0.8497	3.0000e-005	3.0000e-005	0.8581
Total	4.4000e-004	3.0000e-004	3.3600e-003	1.0000e-005	1.0400e-003	1.0000e-005	1.0400e-003	2.8000e-004	0.0000	2.8000e-004	0.0000	0.8497	0.8497	3.0000e-005	3.0000e-005	0.8581

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.2 Demolition - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	5.6200e-003	0.1210	0.1542	2.4000e-004		7.1800e-003	7.1800e-003		7.1800e-003	7.1800e-003	0.0000	21.0777	21.0777	5.3700e-003	0.0000	21.2119
Total	5.6200e-003	0.1210	0.1542	2.4000e-004		7.1800e-003	7.1800e-003		7.1800e-003	7.1800e-003	0.0000	21.0777	21.0777	5.3700e-003	0.0000	21.2119

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.4000e-004	3.0000e-004	3.3600e-003	1.0000e-005	1.0400e-003	1.0000e-005	1.0400e-003	2.8000e-004	0.0000	2.8000e-004	0.0000	0.8497	0.8497	3.0000e-005	3.0000e-005	0.8581
Total	4.4000e-004	3.0000e-004	3.3600e-003	1.0000e-005	1.0400e-003	1.0000e-005	1.0400e-003	2.8000e-004	0.0000	2.8000e-004	0.0000	0.8497	0.8497	3.0000e-005	3.0000e-005	0.8581

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.3 Site Preparation - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.4800e-003	0.0000	2.4800e-003	2.7000e-004	0.0000	2.7000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.0700e-003	0.0235	0.0151	4.0000e-005		8.9000e-004	8.9000e-004		8.2000e-004	8.2000e-004	0.0000	3.2321	3.2321	1.0500e-003	0.0000	3.2582
Total	2.0700e-003	0.0235	0.0151	4.0000e-005	2.4800e-003	8.9000e-004	3.3700e-003	2.7000e-004	8.2000e-004	1.0900e-003	0.0000	3.2321	3.2321	1.0500e-003	0.0000	3.2582

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	2.7000e-004	9.9600e-003	2.3800e-003	4.0000e-005	1.0300e-003	9.0000e-005	1.1200e-003	2.8000e-004	9.0000e-005	3.7000e-004	0.0000	3.6565	3.6565	3.0000e-005	5.8000e-004	3.8286
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.0000e-005	3.0000e-005	3.1000e-004	0.0000	1.0000e-004	0.0000	1.0000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.0784	0.0784	0.0000	0.0000	0.0792
Total	3.1000e-004	9.9900e-003	2.6900e-003	4.0000e-005	1.1300e-003	9.0000e-005	1.2200e-003	3.1000e-004	9.0000e-005	4.0000e-004	0.0000	3.7349	3.7349	3.0000e-005	5.8000e-004	3.9078

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.3 Site Preparation - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					9.7000e-004	0.0000	9.7000e-004	1.1000e-004	0.0000	1.1000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	9.0000e-004	0.0178	0.0205	4.0000e-005		7.5000e-004	7.5000e-004		7.5000e-004	7.5000e-004	0.0000	3.2321	3.2321	1.0500e-003	0.0000	3.2582
Total	9.0000e-004	0.0178	0.0205	4.0000e-005	9.7000e-004	7.5000e-004	1.7200e-003	1.1000e-004	7.5000e-004	8.6000e-004	0.0000	3.2321	3.2321	1.0500e-003	0.0000	3.2582

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	2.7000e-004	9.9600e-003	2.3800e-003	4.0000e-005	1.0300e-003	9.0000e-005	1.1200e-003	2.8000e-004	9.0000e-005	3.7000e-004	0.0000	3.6565	3.6565	3.0000e-005	5.8000e-004	3.8286
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.0000e-005	3.0000e-005	3.1000e-004	0.0000	1.0000e-004	0.0000	1.0000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.0784	0.0784	0.0000	0.0000	0.0792
Total	3.1000e-004	9.9900e-003	2.6900e-003	4.0000e-005	1.1300e-003	9.0000e-005	1.2200e-003	3.1000e-004	9.0000e-005	4.0000e-004	0.0000	3.7349	3.7349	3.0000e-005	5.8000e-004	3.9078

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.4 Grading - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0213	0.0000	0.0213	0.0103	0.0000	0.0103	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.6200e-003	0.0510	0.0277	6.0000e-005		2.2300e-003	2.2300e-003		2.0500e-003	2.0500e-003	0.0000	5.4308	5.4308	1.7600e-003	0.0000	5.4747
Total	4.6200e-003	0.0510	0.0277	6.0000e-005	0.0213	2.2300e-003	0.0235	0.0103	2.0500e-003	0.0123	0.0000	5.4308	5.4308	1.7600e-003	0.0000	5.4747

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0000e-004	7.0000e-005	7.8000e-004	0.0000	2.4000e-004	0.0000	2.4000e-004	6.0000e-005	0.0000	6.0000e-005	0.0000	0.1961	0.1961	1.0000e-005	1.0000e-005	0.1980
Total	1.0000e-004	7.0000e-005	7.8000e-004	0.0000	2.4000e-004	0.0000	2.4000e-004	6.0000e-005	0.0000	6.0000e-005	0.0000	0.1961	0.1961	1.0000e-005	1.0000e-005	0.1980

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.4 Grading - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					8.2900e-003	0.0000	8.2900e-003	4.0100e-003	0.0000	4.0100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.5100e-003	0.0307	0.0364	6.0000e-005		1.4600e-003	1.4600e-003		1.4600e-003	1.4600e-003	0.0000	5.4308	5.4308	1.7600e-003	0.0000	5.4747
Total	1.5100e-003	0.0307	0.0364	6.0000e-005	8.2900e-003	1.4600e-003	9.7500e-003	4.0100e-003	1.4600e-003	5.4700e-003	0.0000	5.4308	5.4308	1.7600e-003	0.0000	5.4747

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0000e-004	7.0000e-005	7.8000e-004	0.0000	2.4000e-004	0.0000	2.4000e-004	6.0000e-005	0.0000	6.0000e-005	0.0000	0.1961	0.1961	1.0000e-005	1.0000e-005	0.1980
Total	1.0000e-004	7.0000e-005	7.8000e-004	0.0000	2.4000e-004	0.0000	2.4000e-004	6.0000e-005	0.0000	6.0000e-005	0.0000	0.1961	0.1961	1.0000e-005	1.0000e-005	0.1980

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0946	0.7448	0.7320	1.2800e-003		0.0358	0.0358		0.0343	0.0343	0.0000	105.9169	105.9169	0.0204	0.0000	106.4277
Total	0.0946	0.7448	0.7320	1.2800e-003		0.0358	0.0358		0.0343	0.0343	0.0000	105.9169	105.9169	0.0204	0.0000	106.4277

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.4700e-003	0.0385	0.0109	1.5000e-004	4.7300e-003	4.1000e-004	5.1500e-003	1.3700e-003	4.0000e-004	1.7600e-003	0.0000	14.2578	14.2578	1.1000e-004	2.1500e-003	14.9007
Worker	6.1800e-003	4.2100e-003	0.0475	1.3000e-004	0.0147	8.0000e-005	0.0148	3.9000e-003	7.0000e-005	3.9700e-003	0.0000	12.0007	12.0007	3.9000e-004	3.6000e-004	12.1191
Total	7.6500e-003	0.0427	0.0584	2.8000e-004	0.0194	4.9000e-004	0.0199	5.2700e-003	4.7000e-004	5.7300e-003	0.0000	26.2585	26.2585	5.0000e-004	2.5100e-003	27.0198

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Building Construction - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0364	0.6947	0.7858	1.2800e-003		0.0417	0.0417		0.0417	0.0417	0.0000	105.9167	105.9167	0.0204	0.0000	106.4276
Total	0.0364	0.6947	0.7858	1.2800e-003		0.0417	0.0417		0.0417	0.0417	0.0000	105.9167	105.9167	0.0204	0.0000	106.4276

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.4700e-003	0.0385	0.0109	1.5000e-004	4.7300e-003	4.1000e-004	5.1500e-003	1.3700e-003	4.0000e-004	1.7600e-003	0.0000	14.2578	14.2578	1.1000e-004	2.1500e-003	14.9007
Worker	6.1800e-003	4.2100e-003	0.0475	1.3000e-004	0.0147	8.0000e-005	0.0148	3.9000e-003	7.0000e-005	3.9700e-003	0.0000	12.0007	12.0007	3.9000e-004	3.6000e-004	12.1191
Total	7.6500e-003	0.0427	0.0584	2.8000e-004	0.0194	4.9000e-004	0.0199	5.2700e-003	4.7000e-004	5.7300e-003	0.0000	26.2585	26.2585	5.0000e-004	2.5100e-003	27.0198

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1011	0.8038	0.8387	1.4800e-003		0.0362	0.0362		0.0347	0.0347	0.0000	122.5442	122.5442	0.0232	0.0000	123.1236
Total	0.1011	0.8038	0.8387	1.4800e-003		0.0362	0.0362		0.0347	0.0347	0.0000	122.5442	122.5442	0.0232	0.0000	123.1236

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	8.9000e-004	0.0363	0.0109	1.7000e-004	5.4800e-003	2.3000e-004	5.7100e-003	1.5800e-003	2.2000e-004	1.8000e-003	0.0000	15.8861	15.8861	9.0000e-005	2.3900e-003	16.6008
Worker	6.5800e-003	4.2600e-003	0.0502	1.5000e-004	0.0170	8.0000e-005	0.0171	4.5100e-003	8.0000e-005	4.5900e-003	0.0000	13.5215	13.5215	4.1000e-004	3.9000e-004	13.6471
Total	7.4700e-003	0.0406	0.0611	3.2000e-004	0.0225	3.1000e-004	0.0228	6.0900e-003	3.0000e-004	6.3900e-003	0.0000	29.4076	29.4076	5.0000e-004	2.7800e-003	30.2479

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.5 Building Construction - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0421	0.8037	0.9091	1.4800e-003		0.0483	0.0483		0.0483	0.0483	0.0000	122.5441	122.5441	0.0232	0.0000	123.1234
Total	0.0421	0.8037	0.9091	1.4800e-003		0.0483	0.0483		0.0483	0.0483	0.0000	122.5441	122.5441	0.0232	0.0000	123.1234

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	8.9000e-004	0.0363	0.0109	1.7000e-004	5.4800e-003	2.3000e-004	5.7100e-003	1.5800e-003	2.2000e-004	1.8000e-003	0.0000	15.8861	15.8861	9.0000e-005	2.3900e-003	16.6008
Worker	6.5800e-003	4.2600e-003	0.0502	1.5000e-004	0.0170	8.0000e-005	0.0171	4.5100e-003	8.0000e-005	4.5900e-003	0.0000	13.5215	13.5215	4.1000e-004	3.9000e-004	13.6471
Total	7.4700e-003	0.0406	0.0611	3.2000e-004	0.0225	3.1000e-004	0.0228	6.0900e-003	3.0000e-004	6.3900e-003	0.0000	29.4076	29.4076	5.0000e-004	2.7800e-003	30.2479

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Architectural Coating - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.2401					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	8.9000e-003	0.0613	0.0789	1.3000e-004		3.5500e-003	3.5500e-003		3.5500e-003	3.5500e-003	0.0000	11.1067	11.1067	7.2000e-004	0.0000	11.1247
Total	0.2490	0.0613	0.0789	1.3000e-004		3.5500e-003	3.5500e-003		3.5500e-003	3.5500e-003	0.0000	11.1067	11.1067	7.2000e-004	0.0000	11.1247

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0200e-003	7.0000e-004	7.8700e-003	2.0000e-005	2.4300e-003	1.0000e-005	2.4500e-003	6.5000e-004	1.0000e-005	6.6000e-004	0.0000	1.9903	1.9903	6.0000e-005	6.0000e-005	2.0099
Total	1.0200e-003	7.0000e-004	7.8700e-003	2.0000e-005	2.4300e-003	1.0000e-005	2.4500e-003	6.5000e-004	1.0000e-005	6.6000e-004	0.0000	1.9903	1.9903	6.0000e-005	6.0000e-005	2.0099

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Architectural Coating - 2022

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.2401					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.5900e-003	0.0590	0.0797	1.3000e-004		4.1400e-003	4.1400e-003		4.1400e-003	4.1400e-003	0.0000	11.1066	11.1066	7.2000e-004	0.0000	11.1247
Total	0.2427	0.0590	0.0797	1.3000e-004		4.1400e-003	4.1400e-003		4.1400e-003	4.1400e-003	0.0000	11.1066	11.1066	7.2000e-004	0.0000	11.1247

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0200e-003	7.0000e-004	7.8700e-003	2.0000e-005	2.4300e-003	1.0000e-005	2.4500e-003	6.5000e-004	1.0000e-005	6.6000e-004	0.0000	1.9903	1.9903	6.0000e-005	6.0000e-005	2.0099
Total	1.0200e-003	7.0000e-004	7.8700e-003	2.0000e-005	2.4300e-003	1.0000e-005	2.4500e-003	6.5000e-004	1.0000e-005	6.6000e-004	0.0000	1.9903	1.9903	6.0000e-005	6.0000e-005	2.0099

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Architectural Coating - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.3588					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0125	0.0847	0.1177	1.9000e-004		4.6000e-003	4.6000e-003		4.6000e-003	4.6000e-003	0.0000	16.5962	16.5962	9.9000e-004	0.0000	16.6210
Total	0.3713	0.0847	0.1177	1.9000e-004		4.6000e-003	4.6000e-003		4.6000e-003	4.6000e-003	0.0000	16.5962	16.5962	9.9000e-004	0.0000	16.6210

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.4100e-003	9.1000e-004	0.0108	3.0000e-005	3.6400e-003	2.0000e-005	3.6600e-003	9.7000e-004	2.0000e-005	9.8000e-004	0.0000	2.8966	2.8966	9.0000e-005	8.0000e-005	2.9235
Total	1.4100e-003	9.1000e-004	0.0108	3.0000e-005	3.6400e-003	2.0000e-005	3.6600e-003	9.7000e-004	2.0000e-005	9.8000e-004	0.0000	2.8966	2.8966	9.0000e-005	8.0000e-005	2.9235

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.6 Architectural Coating - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.3588					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.8600e-003	0.0882	0.1191	1.9000e-004		6.1800e-003	6.1800e-003		6.1800e-003	6.1800e-003	0.0000	16.5961	16.5961	9.9000e-004	0.0000	16.6210
Total	0.3627	0.0882	0.1191	1.9000e-004		6.1800e-003	6.1800e-003		6.1800e-003	6.1800e-003	0.0000	16.5961	16.5961	9.9000e-004	0.0000	16.6210

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.4100e-003	9.1000e-004	0.0108	3.0000e-005	3.6400e-003	2.0000e-005	3.6600e-003	9.7000e-004	2.0000e-005	9.8000e-004	0.0000	2.8966	2.8966	9.0000e-005	8.0000e-005	2.9235
Total	1.4100e-003	9.1000e-004	0.0108	3.0000e-005	3.6400e-003	2.0000e-005	3.6600e-003	9.7000e-004	2.0000e-005	9.8000e-004	0.0000	2.8966	2.8966	9.0000e-005	8.0000e-005	2.9235

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.7 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	4.4000e-003	0.0431	0.0584	9.0000e-005		2.1700e-003	2.1700e-003		2.0000e-003	2.0000e-003	0.0000	7.7564	7.7564	2.4600e-003	0.0000	7.8179
Paving	4.0000e-005					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	4.4400e-003	0.0431	0.0584	9.0000e-005		2.1700e-003	2.1700e-003		2.0000e-003	2.0000e-003	0.0000	7.7564	7.7564	2.4600e-003	0.0000	7.8179

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.3000e-004	1.5000e-004	1.7700e-003	1.0000e-005	6.0000e-004	0.0000	6.0000e-004	1.6000e-004	0.0000	1.6000e-004	0.0000	0.4775	0.4775	1.0000e-005	1.0000e-005	0.4819
Total	2.3000e-004	1.5000e-004	1.7700e-003	1.0000e-005	6.0000e-004	0.0000	6.0000e-004	1.6000e-004	0.0000	1.6000e-004	0.0000	0.4775	0.4775	1.0000e-005	1.0000e-005	0.4819

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

3.7 Paving - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	2.1000e-003	0.0443	0.0649	9.0000e-005		2.6500e-003	2.6500e-003		2.6500e-003	2.6500e-003	0.0000	7.7564	7.7564	2.4600e-003	0.0000	7.8178
Paving	4.0000e-005					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	2.1400e-003	0.0443	0.0649	9.0000e-005		2.6500e-003	2.6500e-003		2.6500e-003	2.6500e-003	0.0000	7.7564	7.7564	2.4600e-003	0.0000	7.8178

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.3000e-004	1.5000e-004	1.7700e-003	1.0000e-005	6.0000e-004	0.0000	6.0000e-004	1.6000e-004	0.0000	1.6000e-004	0.0000	0.4775	0.4775	1.0000e-005	1.0000e-005	0.4819
Total	2.3000e-004	1.5000e-004	1.7700e-003	1.0000e-005	6.0000e-004	0.0000	6.0000e-004	1.6000e-004	0.0000	1.6000e-004	0.0000	0.4775	0.4775	1.0000e-005	1.0000e-005	0.4819

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Arena	0.00	0.00	0.00		
Health Club	0.00	0.00	0.00		
Office Park	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Total	0.00	0.00	0.00		

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Arena	9.50	7.30	7.30	0.00	81.00	19.00	66	28	6
Health Club	9.50	7.30	7.30	16.90	64.10	19.00	52	39	9
Office Park	9.50	7.30	7.30	33.00	48.00	19.00	82	15	3

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	Miles			Trip %			Trip Purpose %		
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Parking Lot	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Arena	0.542478	0.054482	0.176258	0.134700	0.021641	0.005926	0.015139	0.022678	0.000679	0.000278	0.021974	0.001325	0.002442
Health Club	0.542478	0.054482	0.176258	0.134700	0.021641	0.005926	0.015139	0.022678	0.000679	0.000278	0.021974	0.001325	0.002442
Office Park	0.542478	0.054482	0.176258	0.134700	0.021641	0.005926	0.015139	0.022678	0.000679	0.000278	0.021974	0.001325	0.002442
Parking Lot	0.542478	0.054482	0.176258	0.134700	0.021641	0.005926	0.015139	0.022678	0.000679	0.000278	0.021974	0.001325	0.002442

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	43.1465	43.1465	7.1300e-003	6.8000e-004	43.5271
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	43.1465	43.1465	7.1300e-003	6.8000e-004	43.5271
NaturalGas Mitigated	9.6400e-003	0.0876	0.0736	5.3000e-004		6.6600e-003	6.6600e-003		6.6600e-003	6.6600e-003	0.0000	95.3657	95.3657	1.8300e-003	1.7500e-003	95.9324
NaturalGas Unmitigated	9.6400e-003	0.0876	0.0736	5.3000e-004		6.6600e-003	6.6600e-003		6.6600e-003	6.6600e-003	0.0000	95.3657	95.3657	1.8300e-003	1.7500e-003	95.9324

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Arena	1.62305e+006	8.7500e-003	0.0796	0.0668	4.8000e-004		6.0500e-003	6.0500e-003		6.0500e-003	6.0500e-003	0.0000	86.6119	86.6119	1.6600e-003	1.5900e-003	87.1266
Health Club	107640	5.8000e-004	5.2800e-003	4.4300e-003	3.0000e-005		4.0000e-004	4.0000e-004		4.0000e-004	4.0000e-004	0.0000	5.7441	5.7441	1.1000e-004	1.1000e-004	5.7782
Office Park	56400	3.0000e-004	2.7600e-003	2.3200e-003	2.0000e-005		2.1000e-004	2.1000e-004		2.1000e-004	2.1000e-004	0.0000	3.0097	3.0097	6.0000e-005	6.0000e-005	3.0276
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		9.6300e-003	0.0876	0.0736	5.3000e-004		6.6600e-003	6.6600e-003		6.6600e-003	6.6600e-003	0.0000	95.3657	95.3657	1.8300e-003	1.7600e-003	95.9324

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Arena	1.62305e+006	8.7500e-003	0.0796	0.0668	4.8000e-004		6.0500e-003	6.0500e-003		6.0500e-003	6.0500e-003	0.0000	86.6119	86.6119	1.6600e-003	1.5900e-003	87.1266
Health Club	107640	5.8000e-004	5.2800e-003	4.4300e-003	3.0000e-005		4.0000e-004	4.0000e-004		4.0000e-004	4.0000e-004	0.0000	5.7441	5.7441	1.1000e-004	1.1000e-004	5.7782
Office Park	56400	3.0000e-004	2.7600e-003	2.3200e-003	2.0000e-005		2.1000e-004	2.1000e-004		2.1000e-004	2.1000e-004	0.0000	3.0097	3.0097	6.0000e-005	6.0000e-005	3.0276
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		9.6300e-003	0.0876	0.0736	5.3000e-004		6.6600e-003	6.6600e-003		6.6600e-003	6.6600e-003	0.0000	95.3657	95.3657	1.8300e-003	1.7600e-003	95.9324

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**5.3 Energy by Land Use - Electricity****Unmitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Arena	675093	38.9171	6.4300e-003	6.1000e-004	39.2604
Health Club	44772	2.5810	4.3000e-004	4.0000e-005	2.6037
Office Park	28175	1.6242	2.7000e-004	3.0000e-005	1.6385
Parking Lot	420	0.0242	0.0000	0.0000	0.0244
Total		43.1465	7.1300e-003	6.8000e-004	43.5271

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**5.3 Energy by Land Use - Electricity****Mitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Arena	675093	38.9171	6.4300e-003	6.1000e-004	39.2604
Health Club	44772	2.5810	4.3000e-004	4.0000e-005	2.6037
Office Park	28175	1.6242	2.7000e-004	3.0000e-005	1.6385
Parking Lot	420	0.0242	0.0000	0.0000	0.0244
Total		43.1465	7.1300e-003	6.8000e-004	43.5271

6.0 Area Detail**6.1 Mitigation Measures Area**

Use Low VOC Paint - Residential Interior

Use Low VOC Paint - Residential Exterior

Use Low VOC Paint - Non-Residential Interior

Use Low VOC Paint - Non-Residential Exterior

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.3963	0.0000	1.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-004	2.2000e-004	0.0000	0.0000	2.4000e-004
Unmitigated	0.3963	0.0000	1.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-004	2.2000e-004	0.0000	0.0000	2.4000e-004

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0599					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.3364					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.0000e-005	0.0000	1.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-004	2.2000e-004	0.0000	0.0000	2.4000e-004
Total	0.3963	0.0000	1.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-004	2.2000e-004	0.0000	0.0000	2.4000e-004

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0599					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.3364					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.0000e-005	0.0000	1.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-004	2.2000e-004	0.0000	0.0000	2.4000e-004
Total	0.3963	0.0000	1.1000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-004	2.2000e-004	0.0000	0.0000	2.4000e-004

7.0 Water Detail

7.1 Mitigation Measures Water

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	2.1218	0.1036	2.4600e-003	5.4460
Unmitigated	2.1218	0.1036	2.4600e-003	5.4460

7.2 Water by Land Use**Unmitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Arena	2.42308 / 0.154665	1.5558	0.0791	1.8800e-003	4.0922
Health Club	0.307544 / 0.188495	0.2315	0.0100	2.4000e-004	0.5538
Office Park	0.444334 / 0.272334	0.3345	0.0145	3.4000e-004	0.8001
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		2.1218	0.1036	2.4600e-003	5.4460

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**7.2 Water by Land Use****Mitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Arena	2.42308 / 0.154665	1.5558	0.0791	1.8800e-003	4.0922
Health Club	0.307544 / 0.188495	0.2315	0.0100	2.4000e-004	0.5538
Office Park	0.444334 / 0.272334	0.3345	0.0145	3.4000e-004	0.8001
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		2.1218	0.1036	2.4600e-003	5.4460

8.0 Waste Detail**8.1 Mitigation Measures Waste**

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Category/Year**

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	6.5201	0.3853	0.0000	16.1532
Unmitigated	6.5201	0.3853	0.0000	16.1532

8.2 Waste by Land Use**Unmitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Arena	0.15	0.0305	1.8000e-003	0.0000	0.0754
Health Club	29.64	6.0167	0.3556	0.0000	14.9060
Office Park	2.33	0.4730	0.0280	0.0000	1.1718
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		6.5201	0.3853	0.0000	16.1532

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**8.2 Waste by Land Use****Mitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Arena	0.15	0.0305	1.8000e-003	0.0000	0.0754
Health Club	29.64	6.0167	0.3556	0.0000	14.9060
Office Park	2.33	0.4730	0.0280	0.0000	1.1718
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		6.5201	0.3853	0.0000	16.1532

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment**Fire Pumps and Emergency Generators**

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

FCC Softball - Fresno County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Equipment Type	Number
----------------	--------

11.0 Vegetation
