



# Lahontan Regional Water Quality Control Board

March 30, 2022 File: CEQA San Bernardino County

**Governor's Office of Planning & Research** 

Gabrielle Duff, Senior Environmental Planner
California Department of Transportation, District 8
464 West 4<sup>th</sup> Street
San Bernardino, CA 92410
gabrielle.duff@dot.ca.gov

Comments on the Initial Study with Proposed Mitigated Negative Declaration, Minor Pavement Rehabilitation (CAPM) On I-40 Between Interstate 15/Interstate 40 Separation and 0.4 Miles East of Lava Wash Bridge, San Bernardino County, California Department of Transportation District 08-SBd-40 (PM S0.0/S0.8 & 0.0/R15.0) EA 08-1J720 PN 0818000099, State Clearinghouse No. 2022030006

Lahontan Regional Water Quality Control Board (Water Board) staff received the Initial Study with Proposed Mitigated Negative Declaration (IS/MND) for the above-referenced project (Project) on March 1, 2022. The IS/MND, prepared by California Department of Transportation (Caltrans), was submitted in compliance with provisions of the California Environmental Quality Act (CEQA), in order to solicit input on the potential impacts to the environment and ways in which those significant effects are proposed to be avoided or mitigated. Water Board staff, acting as a responsible agency, is providing these comments to specify the scope and content of the environmental information germane to our statutory responsibilities pursuant to CEQA Guidelines, California Code of Regulations, title 14, section 15096. Based on our review of the IS/MND, we recommend that if asphalt grindings will be used on site, the grindings be covered or otherwise encapsulated so as to not be transported offsite and discharged to a surface water resource. Our comments and list of potential permitting requirements are outlined below.

## PROPOSED PROJECT

The Project proposes milling and overlaying the existing pavement, digging out localized pavement failures, rehabilitating sign panels and lighting, and replacing rock slope protection in four washes (Bloom Wash, Blossom Wash, Airport Wash, and Lava Wash) on Interstate 40 (I-40) in San Bernardino County. The Project will extend from

PETER C. PUMPHREY, CHAIR | MICHAEL R. PLAZIAK, PG, EXECUTIVE OFFICER

Post Miles S0.0 to S0.8, and from Post Miles 0.0 to R15.0. Work includes the following: upgrading curb ramps to Americans with Disabilities Act (ADA) standards and upgrading highway appurtenances to improve roadside safety; replacing existing guardrail with Midwest Guardrail System, an Alternate Inline System; and replacing and installing shoulders and centerline rumble strips. With the except of several temporary construction easements needed for curb ramps upgrades, all work will occur within Caltrans right-of-way (ROW). The Project Impact Area consists of work area within the paved travel way, previously disturbed and maintained Caltrans ROW, and off-pavement staging areas.

#### WATER BOARD'S AUTHORITY

All groundwater and surface waters are considered waters of the State. Surface waters include streams, lakes, ponds, and wetlands, and may be ephemeral, intermittent, or perennial. All waters of the State are protected under California law. State law assigns responsibility for protection of the quality of waters of the State in the Lahontan Region to the Lahontan Water Board. Some waters of the State are also waters of the United States. The Federal Clean Water Act (CWA) provides additional protection for those waters of the State that are also waters of the United States.

The Water Quality Control Plan for the Lahontan Region (Basin Plan) contains policies that the Water Board uses with other laws and regulations to protect the quality of waters of the State within the Lahontan Region. The Basin Plan sets forth water quality standards for surface water and groundwater of the Region, which include designated beneficial uses as well as narrative and numerical objectives which must be maintained or attained to protect those uses. The Basin Plan can be accessed via the Water Board's web site at

http://www.waterboards.ca.gov/lahontan/water\_issues/programs/basin\_plan/references.shtml.

## COMMENTS ON THE PROPOSED PROJECT

Based on our review of the IS/MND, we recommend that the following issues be considered and addressed in applicable sections of the final environmental document.

 Page 25 of the IS/MND, Section X, Hydrology and Water Quality – Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality.

The Lahontan Water Board supports the beneficial reuse of asphalt and concrete grindings as road base so long as the grindings are covered and encapsulated by clean fill materials, asphalt, or concrete. Asphalt waste is petroleum-based and has the potential to degrade water quality. The use of asphalt waste in fill materials or on shoulders where there is a potential for transport and discharge to a surface water resource, either a natural/unaltered waterbody or an engineered channel that discharges to a natural water, is a violation of the California Water Code. If asphalt

grindings will be used on site, we request that the grindings be covered or otherwise encapsulated so as to not be transported offsite and discharged to a surface water resource.

### PERMITTING REQUIREMENTS

A number of activities associated with the proposed Project may have the potential to impact waters of the State and, therefore, may require permits issued by either the State Water Board or Lahontan Water Board. The required permits may include the following.

- 1. Construction of the Project will result in excavation in and discharge of fill to waters within the Lower Mojave Hydrologic Area and Caves Hydrologic Subarea. Caltrans will be required to obtain either (1) a CWA, section 401 water quality certification for impacts to federal waters and/or (2) dredge and fill waste discharge requirements for impacts non-federal waters of the State, both of which are issued by the Lahontan Water Board. As part of that permitting process, Caltrans will be required to avoid and minimize, to the extent possible, direct and indirect impacts to waters of the State. Information regarding these permits including application forms can be found online at
  - http://www.waterboards.ca.gov/lahontan/water\_issues/programs/clean\_water\_act\_4 01/index.shtml. Early consultation with Water Board staff is highly encouraged.
- 2. Land disturbance of more than 1-acre will require a CWA, section 402(p) storm water permit, including a National Pollutant Discharge Elimination System (NPDES) General Construction Storm Water Permit, Water Quality Order (WQO) 2009-0009-DWQ, obtained from the State Water Board. The project specific SWPPP required by the permit must fully identify and describe both construction and post-construction BMPs that will be incorporated into the Project. The IS/MND should fully describe the post-construction BMPs that will be used and show the locations of these features on Project maps and site plans.
  - a. The SWPPP should be applicable to all areas of the Project including construction areas, access roads to and through the site, equipment stating, and stockpile locations.
  - b. The Project shall not result in an exceedance of any applicable water quality objective (WQO) for the receiving water. For this Project, the receiving waters are Mojave River, the surrounding tributaries, and emergent wetlands, including the Camp Cady Wildlife Area and Afton Canyon. The primary water quality parameters potentially affected by the Project include chemical constituents (as defined by California Code of Regulations, title 22), oil and grease, pH, suspended materials, temperature, and turbidity. Numeric and narrative WQOs for these parameters in surface waters and groundwater are outlined in Chapter 3 of the Basin Plan.

- c. Temporary BMPs must be implemented for all components of the Project until such time that vegetation has been restored to pre-Project conditions or permanent post-construction BMPs are in place and functioning.
- d. All excess soil excavated as part of the Project that is not used onsite should be stockpiled in an upland location such that it will not be transported by wind or water into a surface water. An adequate combination of sediment and erosion control BMPs must be implemented and maintained to temporarily stabilize the stockpiled soils until such time that they are reused and/or permanently stabilized.
- 3. Water diversion and/or dewatering activities may be subject to discharge and monitoring requirements under either NPDES General Permit, Limited Threat Discharges to Surface Waters, Board Order R6T-2014-0049, or General Waste Discharge Requirements for Discharges to Land with a Low Threat to Water Quality, WQO-2003-0003, both issued by the Lahontan Water Board. Information regarding these permits, including application forms, can be downloaded from our web site at <a href="http://www.waterboards.ca.gov/lahontan/">http://www.waterboards.ca.gov/lahontan/</a>. Early consultation with Water Board staff is highly encouraged.

Thank you for the opportunity to comment. If you have any questions regarding this letter, please contact me at (760) 243-444 (andrew.robinson@waterboards.ca.gov) or Jan Zimmerman, Senior Engineering Geologist, at (760) 241-7376 (jan.zimmerman@waterboards.ca.gov).

Andrew Robinson

**Environmental Scientist** 

cc: California Department of Fish and Wildlife, R6LSA@wildlife.ca.gov State Clearinghouse (SCH 2022030006), state.clearinghouse@opr.ca.gov