

State of California – Natural Resources Agency DEPARTMENT OF FISH AND WILDLIFE Central Region 1234 East Shaw Avenue Fresno, California 93710 (559) 243-4005 www.wildlife.ca.gov GAVIN NEWSOM, Governor CHARLTON H. BONHAM, Director



Governor's Office of Planning & Research

# Sep 12 2022

# STATE CLEARING HOUSE

Diana Lowrance, Planner III County of Merced, Community and Economic Development Department 2222 M Street Merced, California 93540 diana.lowrance@countyofmerced.com

#### Subject: Silva Dairy Farms Expansion Project (Project) Notice of Preparation (NOP) of a Draft EIR State Clearinghouse No. 2022080190

Dear Diana Lowrance:

September 12, 2022

The California Department of Fish and Wildlife (CDFW) received a NOP from the Merced County Department of Community and Economic Development for the above-referenced Project pursuant to the California Environmental Quality Act (CEQA) and CEQA Guidelines.<sup>1</sup>

Thank you for the opportunity to provide comments and recommendations regarding those activities involved in the Project that may affect California fish and wildlife. Likewise, CDFW appreciates the opportunity to provide comments regarding those aspects of the Project that CDFW, by law, may be required to carry out or approve through the exercise of its own regulatory authority under Fish and Game Code.

# **CDFW ROLE**

CDFW is California's **Trustee Agency** for fish and wildlife resources and holds those resources in trust by statute for all the people of the State (Fish & G. Code, §§ 711.7, subd. (a) & 1802; Pub. Resources Code, § 21070; CEQA Guidelines § 15386, subd. (a)). CDFW, in its trustee capacity, has jurisdiction over the conservation, protection, and management of fish, wildlife, native plants, and habitat necessary for biologically sustainable populations of those species (*Id.*, § 1802). Similarly, for purposes of CEQA,

<sup>&</sup>lt;sup>1</sup> CEQA is codified in the California Public Resources Code in section 21000 et seq. The "CEQA Guidelines" are found in Title 14 of the California Code of Regulations, commencing with section 15000.

CDFW is charged by law to provide, as available, biological expertise during public agency environmental review efforts, focusing specifically on projects and related activities that have the potential to adversely affect fish and wildlife resources.

CDFW is also submitting comments as a **Responsible Agency** under CEQA (Pub. Resources Code, § 21069; CEQA Guidelines, § 15381). CDFW expects that it may need to exercise regulatory authority as provided by the Fish and Game Code. As proposed, for example, the Project may be subject to CDFW's lake and streambed alteration regulatory authority (Fish & G. Code, § 1600 et seq.). Likewise, to the extent implementation of the Project as proposed may result in "take" as defined by State law of any species protected under the California Endangered Species Act (CESA) (Fish & G. Code, § 2050 et seq.), related authorization as provided by the Fish and Game Code will be required.

**Nesting Birds:** CDFW has jurisdiction over actions with potential to result in the disturbance or destruction of active nest sites or the unauthorized take of birds. Fish and Game Code sections that protect birds, their eggs and nests include, sections 3503 (regarding unlawful take, possession or needless destruction of the nest or eggs of any bird), 3503.5 (regarding the take, possession or destruction of any birds-of-prey or their nests or eggs), and 3513 (regarding unlawful take of any migratory nongame bird).

# **PROJECT DESCRIPTION SUMMARY**

#### Proponent: Silva Dairy Farms

**Objective:** The Project proposes to modify and expand the existing dairy to house a total of 7,300 animals, including 4,000 milk cows, 500 dry cows, and 2,800 support stock, and to officially merge the two existing separate dairy facility permits into a single permit. The proposed Project would include construction of supporting buildings and features at the dairy facility, including five new freestall barns, two loafing barns, commodity barn, milking parlor expansion, a shop, and dry manure storage and calf hutch area. With construction of the proposed facilities, approximately 7 acres of cropped acreage would be converted to active dairy facilities. The remaining acreage would continue to be cultivated with dairy feed crops.

**Location:** The Project site located at State Route 140 and Edminster Road, approximately 2.4 miles west-southwest of the Stevinson community in unincorporated Merced County.

Timeframe: Unspecified.

#### COMMENTS AND RECOMMENDATIONS

CDFW offers the following comments and recommendations to assist the Merced County Department of Community and Economic Development in adequately identifying and/or mitigating the Project's significant, or potentially significant, direct and indirect impacts on fish and wildlife (biological) resources. Editorial comments or other suggestions may also be included to improve the EIR for this Project.

The EIR that will be prepared will determine the likely environmental impacts associated with the Project. CDFW is concerned regarding potential impacts to special-status species from the ground disturbance development activities, including but not limited to, the State threatened Swainson's hawk (*Buteo swainsoni*), and the State threatened tricolored blackbird (*Agelaius tricolor*).

#### Swainson's Hawk (SWHA)

SWHA exhibit high nest-site fidelity year after year in the San Joaquin Valley (CDFW 2016). The Project as proposed will involve noise, groundwork, and movement of workers that could affect nests and has the potential to result in nest abandonment, significantly impacting local nesting SWHA. Without appropriate avoidance and minimization measures for SWHA, potential significant impacts that may result from Project activities include nest abandonment, and reduced nesting success (loss or reduced health or vigor of eggs or young) from loss of foraging habitat.

The Project includes approximately 7 acres of cropped acreage to be converted to active dairy facilities. CDFW recommend compensation for the loss of Swainson's hawk foraging habitat as described in the Staff Report Regarding Mitigation for Impacts to Swainson's Hawks (CDFG, 1994) to reduce impacts to foraging habitat to less than significant. The Staff Report recommends that mitigation for habitat loss occur within a minimum distance of 10 miles from known nest sites. CDFW has the following recommendations based on the Staff Report:

- For projects within 1 mile of an active nest tree, a minimum of one acre of habitat management (HM) land for each acre of development is advised.
- For projects within 5 miles of an active nest but greater than 1 mile, a minimum of 0.75 acres of HM land for each acre of development is advised.
- For projects within 10 miles of an active nest tree but greater than 5 miles from an active nest tree, a minimum of 0.5 acres of HM land for each acre of development is advised.

SWHA are known to travel for miles to forage. Therefore, CDFW recommend surveys be conducted as part of the biological technical studies conducted in support of the DEIR following the survey methods developed by the Swainson's Hawk Technical

Advisory Committee (SWHA TAC 2000) and that they be conducted by a qualified wildlife biologist again prior to project implementation. CDFW recommends a minimum no-disturbance buffer of 0.5-mile be delineated around active nests until the breeding season has ended or until a qualified biologist has determined that the birds have fledged and are no longer reliant upon the nest or parental care for survival. If an active SWHA nest is detected during surveys and a 0.5-mile buffer is not feasible, consultation with CDFW is warranted to discuss how to implement the project and avoid take. If take cannot be avoided, take authorization through the issuance of an ITP, pursuant to Fish and Game Code section 2081 subdivision (b) is necessary to comply with CESA.

# Tricolored Blackbird (TRBL)

TRBL are known to nest in alfalfa, wheat, and other low agricultural crop fields. TRBL aggregate and nest colonially, forming colonies of up to 100,000 nests (Meese et al. 2014). Approximately 86% of the global population is found in the San Joaquin Valley (Kelsey 2008, Weintraub et al. 2016). Increasingly, TRBL are forming larger colonies that contain progressively larger proportions of the species' total population (Kelsey 2008). In 2008, for example, 55% of the species' global population nested in only two colonies, which were located in silage fields (Kelsey 2008). In 2017, approximately 30,000 TRBL were distributed among only 16 colonies in Merced County (Meese 2017). Nesting can occur synchronously, with all eggs laid within one week (Orians 1961). For these reasons, depending on timing, disturbance to nesting colonies can cause abandonment, significantly impacting TRBL populations (Meese et al. 2014).

TRBL have the potential to nest within the Project site; there are several California Natural Diversity Database (CNDDB) occurrence records within and adjacent to the Project site (CDFW 2022). Without appropriate avoidance and minimization measures for TRBL, potential significant impacts include nest and/or colony abandonment, reduced reproductive success, and reduced health and vigor of eggs and/or young.

CDFW recommends that construction be timed to avoid the normal bird breeding season (February 1 through September 15). However, if construction must take place during that time, CDFW recommends that a qualified wildlife biologist determine if suitable habitat is present as part of the biological technical studies conducted in support of the DEIR on or adjacent to the Project site. If suitable habitat is present, CDFW recommends a qualified wildlife biologist conduct surveys for nesting TRBL as part of the biological technical studies conducted in support of the DEIR and then repeat those surveys no more than 10 days prior to the start of ground-disturbing activities. If an active TRBL nesting colony is found during the biological technical studies or preactivity surveys, CDFW recommends implementation of a minimum 300-foot no-disturbance buffer around the colony in accordance with CDFW's "Staff Guidance Regarding Avoidance of Impacts to Tricolored Blackbird Breeding Colonies on Agricultural Fields in 2015" (CDFW 2015). CDFW advises that this buffer remain in place until the breeding season has ended or until a qualified biologist has determined

that nesting has ceased, the birds have fledged, and are no longer reliant upon the colony or parental care for survival. It is important to note that TRBL colonies can expand over time. For this reason, CDFW recommends conducting additional preactivity surveys within 10 days prior of Project initiation to reassess the colony's areal extent. If a TRBL nesting colony is detected during surveys, consultation with CDFW is warranted to discuss how to implement the Project and avoid take, or if avoidance is not feasible, to acquire an ITP, pursuant to Fish and Game Code section 2081 subdivision (b), prior to any ground-disturbing activities.

### **Nesting birds**

CDFW encourages that Project implementation occur during the bird non-nesting season; however, if ground-disturbing or vegetation-disturbing activities must occur during the breeding season (February through mid-September), the Project applicant is responsible for ensuring that implementation of the Project does not result in violation of the Migratory Bird Treaty Act or relevant Fish and Game Codes as referenced above.

To evaluate Project-related impacts on nesting birds, CDFW recommends that a qualified wildlife biologist conduct pre-activity surveys for active nests no more than 10 days prior to the start of ground or vegetation disturbance to maximize the probability that nests that could potentially be impacted are detected. CDFW also recommends that surveys cover a sufficient area around the Project site to identify nests and determine their status. A sufficient area means any area potentially affected by the Project. In addition to direct impacts (i.e. nest destruction), noise, vibration, and movement of workers or equipment could also affect nests. Prior to initiation of construction activities, CDFW recommends that a qualified biologist conduct a survey to establish a behavioral baseline of all identified nests. Once construction begins, CDFW recommends having a qualified biologist continuously monitor nests to detect behavioral changes resulting from the Project. If behavioral changes occur, CDFW recommends halting the work causing that change and consulting with CDFW for additional avoidance and minimization measures.

If continuous monitoring of identified nests by a qualified wildlife biologist is not feasible, CDFW recommends a minimum no-disturbance buffer of 250 feet around active nests of non-listed bird species and a 500-foot no-disturbance buffer around active nests of non-listed raptors. These buffers are advised to remain in place until the breeding season has ended or until a qualified biologist has determined that the birds have fledged and are no longer reliant upon the nest or on-site parental care for survival. Variance from these no-disturbance buffers is possible when there is compelling biological or ecological reason to do so, such as when the construction area would be concealed from a nest site by topography. CDFW recommends that a qualified wildlife biologist advise and support any variance from these buffers and notify CDFW in advance of implementing a variance.

**Project Alternatives Analysis:** CDFW recommends that the information and results obtained from the biological technical surveys, studies, and analysis conducted in support of the project's CEQA document be used to develop and modify the project's alternatives to avoid and minimize impacts to biological resources to the maximum extent possible. When efforts to avoid and minimize have been exhausted, remaining impacts to sensitive biological resources may need to be mitigated to reduce impacts to a less than significant level, if feasible.

**Lake and Stream Alteration:** The Project site is bordered by the San Joaquin River to the south. Also, a canal runs through the Project site and feeds into the San Joaquin River. Therefore, the Project may be subject to notification under Fish and Game Code Section 1602. Fish and Game Code section 1602 requires the Project proponent to notify CDFW prior to commencing any activity that may (a) substantially divert or obstruct the natural flow of any river, stream, or lake; (b) substantially change or use any material from the bed, bank, or channel of any river, stream, or lake; or (c) deposit debris, waste or other materials that could pass into any river, stream, or lake. "Any river, stream, or lake" includes those that are ephemeral or intermittent as well as those that are perennial in nature. If a Lake or Streambed Alteration Agreement (LSAA) is needed, CDFW is required to comply with CEQA in the issuance of an LSAA. For additional information on notification requirements, please contact our staff in the LSA Program at (559) 243-4593, or by electronic mail at <u>R4LSA@wildlife.gov</u>.

# **ENVIRONMENTAL DATA**

CEQA requires that information developed in environmental impact reports and negative declarations be incorporated into a database which may be used to make subsequent or supplemental environmental determinations (Pub. Resources Code, § 21003, subd. (e)). Accordingly, please report any special-status species and natural communities detected during Project surveys to CNDDB. The CNDDB field survey form can be found at the following link: <a href="https://www.wildlife.ca.gov/Data/CNDDB/Submitting-Data">https://www.wildlife.ca.gov/Data/CNDDB/Submitting-Data</a>. The completed form can be mailed electronically to CNDDB at the following email address: <a href="https://www.wildlife.ca.gov/Data/CNDDB/

# **FILING FEES**

If it is determined that the Project has the potential to impact biological resources, an assessment of filing fees will be necessary. Fees are payable upon filing of the Notice of Determination by the Lead Agency and serve to help defray the cost of environmental review by CDFW. Payment of the fee is required in order for the underlying project approval to be operative, vested, and final (Cal. Code Regs, tit. 14, § 753.5; Fish & G. Code, § 711.4; Pub. Resources Code, § 21089).

CDFW appreciates the opportunity to comment on the Project to assist the Merced County Department of Community and Economic Development in identifying and mitigating the Project's impacts on biological resources.

More information on survey and monitoring protocols for sensitive species can be found at CDFW's website (https://www.wildlife.ca.gov/Conservation/Survey-Protocols). If you have any questions, please contact Jim Vang, Environmental Scientist, at the address provided on this letterhead, by telephone at (559) 580-3203, or by electronic mail at Jim.Vang@wildlife.ca.gov.

Sincerely,

DocuSigned by: Julie Vance

Julie A. Vance Regional Manager

ec: CDFW LSA/1600; <u>R4LSA@wildlife.ca.gov</u>

### LITERATURE CITED

- California Department of Fish and Game (CDFG). 1994. Staff Report Regarding Mitigation for Impacts to Swainson's Hawks (*Buteo Swainsoni*) in the Central Valley of California. California Department of Fish and Game.
- California Department of Fish and Wildlife (CDFW). 2015. Staff Guidance Regarding Avoidance of Impacts to Tricolored Blackbird Breeding Colonies on Agricultural Fields in 2015. March 19, 2015.
- CDFW. 2016. Five Year Status Review for Swainson's Hawk (*Buteo swainsoni*). California Department of Fish and Wildlife. April 11, 2016.
- CDFW. 2022. Biogeographic Information and Observation System (BIOS). https://www.wildlife.ca.gov/Data/BIOS.
- Kelsey, R. 2008. Results of the tricolored blackbird 2008 census. Report submitted to U.S. Fish and Wildlife Service, Portland, OR, USA.
- Meese, R. J., E.C. Beedy, and W.J. Hamilton, III. 2014. Tricolored blackbird (Agelaius tricolor), The Birds of North America (P. G. Rodewald, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America: https://birdsna-org.bnaproxy.birds.cornell.edu/Species-Account/bna/species/tribla. Accessed December 15, 2017.
- Meese, R.J. 2017. Results of the 2017 Tricolored Blackbird Statewide Survey. California Department of Fish and Wildlife, Wildlife Branch, Nongame Wildlife Program Report 2017-04, Sacramento, CA. 27 pp. + appendices.
- Orians, G.H. 1961. The ecology of blackbird (*Agelaius*) social systems. Ecol. Monogr. 31:285-312.
- Swainson's Hawk Technical Advisory Committee (SWHA TAC). 2000. Recommended Timing and Methodology for Swainson's Hawk Nesting Surveys in California's Central Valley. Swainson's Hawk Technical Advisory Committee, May 31, 2000.
- Weintraub, K., T.L. George, and S.J. Dinsmore. 2016. Nest survival of tricolored blackbirds in California's Central Valley. The Condor 118(4): 850–861.