Biological Resource Assessment of APNs 3204-006-084, 090, and 091 Lancaster, California

March 29, 2022

Mark Hagan, Wildlife Biologist 44715 17th Street East Lancaster, CA 93535 (661) 723-0086 (661) 433-9956 (m)

B.S. Degree, Wildlife Management Humboldt State University Biological Resource Assessment of APNs 3204-006-084, 090, and 091, Lancaster, California Mark Hagan, Wildlife Biologist, 44715 17th Street East, Lancaster, CA 93535

Abstract

Residential development has been proposed for APNs 3204-006-084, 090, and 091. The approximately 7.5 acre (3 ha) study area was located north of Avenue L and east of 60th Street West, T7N, R13W, the NE1/4 of the SW1/4 of the SW1/4 of Section 26, S.B.B.M. A line transect survey was conducted on 11 August 2021 to inventory biological resources. An additional Joshua tree (Yucca brevifolia) survey was conducted on 19 March 2022. The proposed project area was characteristic of a highly disturbed desert habitat. A total of 20 plant species and 13 wildlife species or their sign were observed during the line transect survey. No desert tortoises (Gopherus agassizii) or their sign were observed during the field survey. The habitat within the study area did not appear suitable to support desert tortoises. No Mohave ground squirrels (*Xerospermophilus mohavensis*) were observed or audibly detected during the field survey. There was no suitable habitat for Mohave ground squirrels within the study area. No desert kit foxes (Vulpes macrotis) or their sign were observed during the field surveys. No burrowing owls (Athene cunicularia), or their sign were observed during the field survey. Vegetation within the study area provides potential nesting sites for migratory birds. No nesting sites for Swainson's hawk (Buteo swainsoni) have been sighted within 5 miles of the project site (eBird 2021). One Joshua tree clone, >12 foot in height, was observed within the study site on 11 August 2021. On 19 March 2022 the >12 foot Joshua tree clone was observed fallen over. Three of the smaller Joshua trees previously part of the clone appeared to survive. No other sensitive plants, specifically, alkali mariposa lily (Calochortus striatus), desert cymopterus (Cymopterus deserticola), and Barstow woolly sunflower (Eriophyllum mohanense) were observed during the field survey. No other state or federally listed species are expected to occur within the proposed project area. No wetlands or ephemeral desert washes were observed within the study area.

Recommended Protection Measures:

If the Joshua trees cannot be avoided compensation and mitigation for impacts to Joshua trees will be determined through the Section 2081 permit process and development of a California Endangered Species Act Incidental Take Permit.

Consistent with the "Staff Report on Burrowing Owl Mitigation" a take avoidance (preconstruction) burrowing owl survey will be accomplished no more than 14 days prior to ground disturbance activities to ensure no owls have moved into the study site (CDFG 2012). If burrowing owls are found to have moved into the site methods noted within the Staff Report will be applied as appropriate.

If possible, removal of vegetation will occur outside the breeding season for migratory birds. Breeding generally lasts from February to July but may extend beyond this time frame. If vegetation removal will occur during or close to the nesting season, a qualified biologist will survey all potential nesting areas to be disturbed as close as possible but no more than one week prior to removal. If active bird nests are found, impacts to nests will be avoided by either delaying work or establishing initial buffer areas of a minimum of 50 feet around active migratory bird species nests. The project biologist will determine if the buffer areas should be increased or decreased based on the nesting bird response to disturbances.

Significance:

Given the small size of the study area, the adjacent land uses, high disturbance of the habitat, and continual human use; this project is not expected to result in a significant adverse impact to biological resources.

Development of a residential area has been proposed for APNs 3204-006-084, 090, and 091 (Figure 1). Development would include installation of access roads and utilities (water, sewer, electric, etc.). The entire project area would be graded prior to construction activities.

An environmental analysis should be conducted prior to any development project. An assessment of biological resources is an integral part of environmental analyses (Gilbert and Dodds 1987). The purpose of this study was to provide an assessment of biological resources potentially occurring within or utilizing the proposed project area. Specific focus was on the presence/absence of rare, threatened, and endangered species of plants and wildlife. Species of concern included the desert tortoise (*Gopherus agassizii*), Mohave ground squirrel (*Xerospermophilus mohavensis*), desert kit fox (*Vulpes macrotis*), burrowing owl (*Athene cunicularia*), Swainson's hawk (*Buteo swainsoni*), Joshua tree (*Yucca brevifolia*), desert cymopterus (*Cymopterus deserticola*), Barstow woolly sunflower (*Eriophyllum mohanense*), and alkali mariposa lily (*Calochortus striatus*).

Study Area

The approximately 7.5 acre (3 ha) study area was located north of Avenue L and east of 60th Street West, T7N, R13W, the NE1/4 of the SW1/4 of the SW1/4 of Section 26, S.B.B.M. (Figure 2). The eastern boundary of the study site was formed by highly disturbed Joshua tree desert scrub habitat. Residential development existed adjacent to the northern, western, and southern boundaries of the study area (Figure 3). A stormwater retention basin existed near the south-southeastern boundary of the study area. Topography of the site was approximately 2,420 feet (738 m) above sea level.

Methods

A line transect survey was conducted to inventory plant and wildlife species occurring within the proposed project area (Cooperrider et al. 1986, Davis 1990). The USFWS (2010) has provided recommendations for survey methodology to determine presence/absence and abundance/distribution of desert tortoises. Line transects were walked in an east-west orientation. Consistent with survey protocol line transects were approximately 660 feet (201 m) long and spaced about 50 feet (15 m) apart (U.S. Fish & Wildlife Service 2010). The California Department of Fish and Game (2012) prepared recommendations for burrowing owl survey methodology. Consistent with the survey protocol the entire site was surveyed, and adjacent areas were evaluated (CDFG 2012). A habitat assessment was conducted for Mohave ground squirrels to determine shrub species diversity, cover, and forage potential on the study site.




Figure 1. Location of proposed project site as depicted on APN map.




Figure 2. Approximate location of study area as depicted on excerpt from Lancaster West, 1974, and Del Sur, 1995, USGS Topographical Maps.



Figure 3. Approximate location of study area as depicted on excerpt from Google Earth Aerial Photography, dated July 2017, showing surrounding land use.

All observations of plant and animal species were recorded in field notes. Field guides were used to aid in the identification of plant and animal species (Arnett and Jacques 1981, Blatt 2019, Borror and White 1970, Burt and Grossenheider 1976, eBird 2021, Gould 1981, Jaeger 1969, Knobel 980, Robbins et al. 1983, Stark 2000). Observations were aided with the use of 10x42 binoculars. Observations of animal tracks, scat, and burrows were also utilized to determine the presence of wildlife species inhabiting the proposed project area (Cooperrider et al. 1986, Halfpenny 1986, Murie 1974, Lowrey 2006). Review of documented sightings of sensitive plant and wildlife species was accomplished using the California Natural Diversity Database (CNDD) (Lancaster West 2020, Del Sur 2016) and eBird.org. Previous surveys in the area (Hagan 2013, 2014, 2016, 2018, 2019, 2020) were reviewed for historical sightings and background information. Photographs were taken of the study site (Appendix 1).

Results

A total of eight line transects were walked on 11 August 2021. Weather conditions consisted of warm temperatures (estimated 85 degrees F), 80% cloud cover, and slight to moderate winds. An additional Joshua tree survey was conducted on 19 March 2022. A sandy loam surface soil texture was characteristic throughout the study area. No blue line streams were noted within the study site on the USGS topographic map. No wetlands or ephemeral desert washes were observed within the study area.

The proposed project area was characteristic of a highly disturbed desert habitat. A total of 20 plant species were observed during the line transect survey (Table 1). Rabbit brush (*Chrysothamnus nauseosis*) and four-winged saltbush (*Atriplex canescens*) were the dominant perennial shrub species throughout the study area. Invasive grasses (*Bromus tectorum*, *Shismus* sp.) were the dominant annual species throughout the study area. One Joshua tree (*Yucca brevifolia*) clone, >12 foot in height, was observed within the study site on 11 August 2021 (Appendix 1). On 19 March 2022 the >12 foot Joshua tree clone was observed fallen over. Three of the smaller Joshua trees previously part of the clone appeared to survive (Appendix 1).

A total of 13 wildlife species, or their sign were observed during the line transect survey (Table 2). No desert tortoises or their sign were observed during the field survey. No burrowing owls or their sign were observed during the field survey. No bird nests were observed within the study site. No sensitive bird species were observed during the field survey. No Mohave ground squirrels were detected visually or audibly during the field survey. No desert kit foxes, or their sign were observed during the field survey.

Scattered litter was present throughout the study area. Children's toys and various balls were observed within the study area. Based on field observations and historical aerial photography it appeared the northern and western portions of the study site had been previously graded or disced. This was likely an effort to create fire breaks or defensible space. These highly disturbed graded/disced areas were 50-100 feet (15-30 m) in width. Off-highway vehicle (OHV) tracks were observed within the study site.

Table 1. List of plant species that were observed during the line transect survey of APNs 3204-006-084, 090, and 091, Lancaster, California.

Common Name

Joshua tree

Great basin sagebrush

Rabbit brush

Four-wing saltbush

Peachthorn

Cooper goldenbush

Fiddleneck Desert straw Blue mantle Turkey mullein

Autumn vinegar-weed

Vinegar weed Rattlesnake weed Red stemmed filaree

Fiddleneck Annual burweed Sahara mustard Tumble mustard

Cheatgrass Schismus

Scientific Name

Yucca brevifolia Artemisia tridentata

Chrysothamnus nauseosis

Atriplex canescens
Lycium cooperi
Haplopappus cooperi
Amsinckia tessellata
Stephanomeria pauciflora
Eriastrum diffusum

Eremocarpus setigerus
Lessingia germanorum
Trichostema lanceolatum
Euphorbia albomarginata
Erodium cicutarium
Amsinckia tessellata
Franseria acanthicarpa
Brassica tournefortii

Sisymbrium altisissiimum

Bromus tectorum Schismus sp.

Table 2. List of wildlife species, or their sign, that were observed during the line transect survey of APNs 3204-006-084, 090, and 091, Lancaster, California.

Common Name

Scientific Name

Rodents California ground squirrel Desert cottontail

Coyote Domestic dog

Rock dove Mourning dove Common raven Cactus wren

House finch

Harvester ants Spider

Cabbage white butterfly

Order: Rodentia Citellus beecheyi Sylvilagus auduboni

Canis latrans Canis familiaris

Columba livia Zenaida macroura Corvus corax

Campylorhynchus brunneicapillus

Carpodacus mexicanus

Order: Hymenoptera Order: Araneida *Pieris rapae*

Discussion

It is likely that some annual species were not visible during the time the field survey was performed. Based on the habitat and level of disturbance, other than the Joshua tree, no sensitive plants species are expected to exist on the study site. Several wildlife species would be expected to occur within the proposed project area (Table 3).

Human impacts are expected to increase as urban development continues to occur in the area. Habitat in the general area will continue to become degraded and fragmented. Burrowing animals within the proposed project area are not expected to survive construction activities. More mobile species, such as lagomorphs (rabbits and hares), coyotes (*Canis latrans*), and birds are expected to survive construction activities. Development of this site will result in less cover and foraging opportunities for the species occurring within and adjacent to the study area.

The desert tortoise is listed as a state endangered and federal threatened species. The proposed project area was located within the geographic range of the desert tortoise. The proposed project site was not located in critical habitat designated for the Mojave population of the desert tortoise. No desert tortoises or their sign were observed within the study area. Suitable habitat for desert tortoises was not present within or adjacent to the study area given the high level of disturbance and domestic pet presence. Desert tortoises are not expected to inhabit the study area. No protection measures are recommended for desert tortoises.

Burrowing owls are considered a species of special concern by the California Department of Fish and Wildlife (CDFW). No burrowing owls, or their sign were observed during the survey. California ground squirrel (*Citellus beecheyi*) burrows could become cover sites for burrowing owls within the study site at some point in the future.

Many species of birds and their active nests are protected under the Migratory Bird Treaty Act. Vegetation within the study area provides potential nesting sites for migratory birds. No Swainson's hawks have been observed nesting within 5 miles of the study site (eBird 2021). The study area is not considered suitable foraging habitat given the small patch size, adjacent urban uses, and high level of use by domestic pets. No protection measures are recommended for Swainson's hawks.

The Mohave ground squirrel (MGS) is a state listed threatened species. The proposed project area was not located within the geographic range of the MGS. The western limit of the geographic range of the MGS is State Highway 14. In addition, the study area lacked suitable habitat to support MGS (CDFW 2019). No protection measures are recommended for MGS.

Joshua trees are currently being considered for listing under the California Endangered Species Act. A petition for listing was accepted in November 2019 and on 22 September 2020 the California Department of Fish and Game Commission decided that listing may be warranted. This started a one year listing review. The decision made the Joshua tree a candidate species until the listing review is completed. Based on Section 2085 of the Fish and Game Code candidate species are to be treated as though listed during the review period. Although a Joshua tree survey/assessment was not the focus of this study the Joshua tree within the study site

Table 3. List of wildlife species that may occur within the study area, APNs 3204-006-084, 090, and 091, Lancaster, California.

Common Name

Deer mouse Merriam kangaroo rat Black-tailed jackrabbit

California quail Hummingbird sp. Northern mockingbird

Horned lark European starling House sparrow

White crowned sparrow

Side blotched lizard Western whiptail Gopher snake

Painted lady

Fly

European honey bee

Paper wasp Grasshopper Dragonfly

Scientific Name

Peromyscus maniculatus Dipodomys merriami Lepus californicus

Callipepla californica
Family: Trochilidae
Mimus polyglottos
Eremophila alpestris
Sturnus vulgaris
Passer domesticus
Zonotrichia leucophrys

Uta stansburiana Cnemidophorus tigris Pituophis melanoleucus

Order: Lepidoptera Order: Diptera

Order: Hymenoptera Family: Vespidae Order: Orthoptera Order: Odonata appeared to be in good condition and had well developed branching on 11 August 2021. On 17 January 2022 a site visit was accomplished by the owners/developers who discovered the downed Joshua tree and took photographs. On 19 March 2022 during the Joshua tree survey it was determined the >12 Joshua tree had split in the center of the main trunks and fallen over. It appeared 3 of the smaller trees originally within 3 meters of the main trunks were still viable. These 3 trees have been noted on an aerial map: 7 foot clone, 5 foot, 2 foot (Figure 4). If these Joshua trees can be avoided with a minimum buffer of 25 feet (9 m) then no consultation with the CDFW would be considered necessary. These trees are not considered a seed source for Joshua trees at this time.

No suitable habitat for alkali mariposa lily, Barstow woolly sunflower or desert cymopterus was observed within the study site. Based on the results of the field survey these species are not expected to occur within the study area and no protection measures are recommended. No other state or federally listed threatened or endangered species are expected to occur within the proposed project area (California Department of Fish and Wildlife 2020, 2021, Smith and Berg 1988, U.S. Fish & Wildlife Service 2016).

Landscape design should incorporate the use of native plants to the maximum extent feasible. Native plants that have food and cover value to wildlife should be used in landscape design (Adams and Dove 1989). Diversity of native plants should be maximized in landscape design (Adams and Dove 1989).

Recommended Protection Measures:

If the Joshua trees cannot be avoided compensation and mitigation for impacts to Joshua trees will be determined through the Section 2081 permit process and development of a California Endangered Species Act Incidental Take Permit.

Consistent with the "Staff Report on Burrowing Owl Mitigation" a take avoidance (preconstruction) burrowing owl survey will be accomplished no more than 14 days prior to ground disturbance activities to ensure no owls have moved into the study site (CDFG 2012). If burrowing owls are found to have moved into the site methods noted within the Staff Report will be applied as appropriate.

If possible, removal of vegetation will occur outside the breeding season for migratory birds. Breeding generally lasts from February to July but may extend beyond this time frame. If vegetation removal will occur during or close to the nesting season, a qualified biologist will survey all potential nesting areas to be disturbed as close as possible but no more than one week prior to removal. If active bird nests are found, impacts to nests will be avoided by either delaying work or establishing initial buffer areas of a minimum of 50 feet around active migratory bird species nests. The project biologist will determine if the buffer areas should be increased or decreased based on the nesting bird response to disturbances.

Significance:

Given the small size of the study area, the adjacent land uses, high disturbance of the habitat, and continual human use; this project is not expected to result in a significant adverse impact to biological resources.



Figure 4. Aerial photograph with Joshua trees located within the study site noted in red circles.


Literature Cited

- Adams, L.W. and L.E. Dove. 1989. Wildlife reserves and corridors in the urban environment. National Institute for Urban Wildlife, Columbia, MD. 91pp.
- Arnett, R.H., Jr. and R.L. Jacques, Jr. 1981. Simon and Schuster's guide to insects. Simon and Schuster, Inc. New York. 511pp.
- Blatt, Jeffrey 2019. Yosemite butterflies (1.0.16) [mobile application software].

 Developer: butterflies@coyotetracks.com.,

 https://play.google.com/store/apps/details?id=com.coyotetracks.yosemitebutterflies&hl=en-US
- Borror, D.J. and R.E. White. 1970. A field guide to insects. Houghton Mifflin Company, Boston. 404pp.
- Burt, W.H. and R.P Grossenheider. 1976. A field guide to the mammals. Houghton Mifflin Company, Boston. 289pp.
- California Department of Fish and Game. 2012. Staff report on burrowing owl mitigation. Calif. Dept. of Fish and Wildlife, Wildlife Branch, Sacramento, CA. 36pp.
- California Department of Fish and Wildlife. 2020. State and federally listed endangered and threatened animals in california. Calif. Dept. of Fish and Wildlife California Natural Diversity Database, Sacramento, CA. 32pp.
- California Department of Fish and Wildlife. 2021. State and federally listed endangered, threatened, and rare plants of california. Calif. Dept. of Fish and Wildlife California Natural Diversity Database, Sacramento, CA. 25pp.
- Cooperrider, A.L., Boyd, R.J. and H.R. Stuart, Eds. 1986. Inventory and monitoring of wildlife habitat. U.S. Dept. of Inter., Bur. Land Manage. Service Center, CO. 858pp.avis, D.E. 1990. Handbook of census methods for terrestrial vertebrates. CRC Press, Boca Raton, FL. 397pp.
- eBird. 2021. eBird: An online database of bird distribution and abundance [web application]. eBird, Ithaca, New York. Available: http://www.ebird.org. (Accessed: August 31, 2021).
- Gilbert, F.F. and D.G. Dodds. 1987. The philosophy and practice of wildlife management. Krieger Publishing Company, Malabar, FL. 279pp.
- Gould, F.W. 1981. Grasses of southwestern united states. Univ. of Arizona Press, Tucson, AZ. 343pp.
- Halfpenny, J. 1986. A field guide to mammal tracking in western america. Johnson Publishing Company, Boulder, CO. 161pp.
- Hagan, Mark. 2013. Biological resource assessment of apn 3203-018-114, lancaster, california. Mark Hagan, 44715 17th Street East, Lancaster, California. 13pp.
- Hagan, Mark. 2014. Biological resource assessment of avanti Project, lancaster, california. Mark Hagan, 44715 17th Street East, Lancaster, California. 14pp.
- Hagan, Mark. 2016. Biological resource assessment of apns 3204-001-184 and 195, lancaster, california. Mark Hagan, 44715 17th Street East, Lancaster, California. 14pp.
- Hagan, Mark. 2018. Biological resource assessment of ttm 81337, lancaster, california. Mark Hagan, 44715 17th Street East, Lancaster, California. 18pp.
- Hagan, Mark. 2019. Biological resource assessment of apn 3203-018-114, lancaster, california." Mark Hagan, 44715 17th Street East, Lancaster, California. 14pp.
- Hagan, Mark. 2020. Biological resource assessment of apns 3121-034-006 and 3121-036-069,
 lancaster, california. Mark Hagan, 44715 17th Street East, Lancaster, California. 15pp.
 Jaeger, E.C. 1969. Desert wild flowers. Stanford Univ. Press, Stanford, CA. 322pp.

- Knobel, E. 1980. Field guide to the grasses, sedges and rushes of the united states. Dover Publications Inc. New York, NY 83pp.
- Lowery, J.C. 2006. The tracker's field guide. The Globe Pequot Press, Gilford, CT 408pp.
- Murie, O.J. 1974. A field guide to animal tracks. Houghton Mifflin Company, Boston. 375pp.
- Robbins, C.S., Bruun, B. and H.S. Zim. 1983. A field guide to identification: birds of north america. Golden Press, NY. 360pp.
- Smith, J.P., Jr. and K. Berg, Eds. 1988. Inventory of rare and endangered plants vascular plants of california. Calif. Native Plant Society, Special Publication No. 1. Fourth Edition, Sacramento, CA. 168pp.
- Stark, M. 2000. A flower-watchers guide to wildflowers of the western mojave desert. Published by Milt Stark. Lancaster, CA 160pp.
- U.S. Fish & Wildlife Service. 2010. Preparing for any action that may occur within the range of the Mojave desert tortoise (*Gopherus agassizii*), 2010 field season. U.S. Fish & Wildl. Serv., 18pp.
- U.S. Fish & Wildlife Service. 2016. Listed species believed to or known to occur in California. 8pp. http://ecos.fws.gov/tess_public/reports/species-listed-by-state-report?state=CA&status=listed, accessed 22 April 2018.





Representative photographs of southern portion of the study site taken on 11 August 2021.

A-1



Representative photographs of northern portion of the study site taken on 11 August 2021.

A-2



>12 foot Joshua tree clone in northeastern corner of the study site. Photograph taken on 11 August 2021.



>12 foot Joshua tree clone in northeastern corner of the study site. Photograph taken on 17 January 2022



19 March 2022: A split at the base of the >12 Joshua tree main trunks appears to be the cause of the fall.



19 March 2022: 2 foot Joshua tree, N 34 degrees 39.8234'/W 118 degrees 13.9581'



19 March 2022: 7 foot clone, N 34 degrees 39.8234'/W 118 degrees 13.9577'



19 March 2022: 5 foot Joshua tree. N 34 degrees 39.8209'/W 118 degrees 13.9586'