


Project Specific Water Quality Management Plan

*A Template for Projects located within the **Santa Ana Watershed** Region of Riverside County*

Project Title: TTM 38151

Development No: _____

Design Review/Case No: _____



Contact Information:

Prepared for: All-Era Properties, LLC
Byron Walker
PO Box 11503
Carson, CA 90749
310-768-3338

☒ Preliminary
☐ Final

Original Date Prepared: April 30, 2021

Revision Date(s):

Prepared for Compliance with


*Regional Board Order No. **R8-2010-0033***

Template revised June 30, 2016

Prepared by: Encompass Associates, Inc.
Aaron T. Skeers, P.E.
5699 Cousins Place
Rancho Cucamonga CA 91737
909-684-0093

A Brief Introduction

This Project-Specific WQMP Template for the **Santa Ana Region** has been prepared to help guide you in documenting compliance for your project. Because this document has been designed to specifically document compliance, you will need to utilize the WQMP Guidance Document as your “how-to” manual to help guide you through this process. Both the Template and Guidance Document go hand-in-hand, and will help facilitate a well prepared Project-Specific WQMP. Below is a flowchart for the layout of this Template that will provide the steps required to document compliance.



OWNER'S CERTIFICATION

This Project-Specific Water Quality Management Plan (WQMP) has been prepared for All-Era Properties, LLC by Encompass Associates, Inc. for the TTM 38151 project.

This WQMP is intended to comply with the requirements of Jurupa Valley for _____ which includes the requirement for the preparation and implementation of a Project-Specific WQMP.

The undersigned, while owning the property/project described in the preceding paragraph, shall be responsible for the implementation and funding of this WQMP and will ensure that this WQMP is amended as appropriate to reflect up-to-date conditions on the site. In addition, the property owner accepts responsibility for interim operation and maintenance of Stormwater BMPs until such time as this responsibility is formally transferred to a subsequent owner. This WQMP will be reviewed with the facility operator, facility supervisors, employees, tenants, maintenance and service contractors, or any other party (or parties) having responsibility for implementing portions of this WQMP. At least one copy of this WQMP will be maintained at the project site or project office in perpetuity. The undersigned is authorized to certify and to approve implementation of this WQMP. The undersigned is aware that implementation of this WQMP is enforceable under Jurupa Valley Water Quality Ordinance (Municipal Code Section _____).

"I, the undersigned, certify under penalty of law that the provisions of this WQMP have been reviewed and accepted and that the WQMP will be transferred to future successors in interest."

Owner's Signature

Date

Owner's Printed Name

Owner's Title/Position

PREPARER'S CERTIFICATION

"The selection, sizing and design of stormwater treatment and other stormwater quality and quantity control measures in this plan meet the requirements of Regional Water Quality Control Board Order No. **R8-2010-0033** and any subsequent amendments thereto."

Preparer's Signature

Date

Aaron T. Skeers, P.E.
Preparer's Printed Name

President
Preparer's Title/Position

Preparer's Licensure: C 62183

Table of Contents

Section A: Project and Site Information.....	6
A.1 Maps and Site Plans.....	7
A.2 Identify Receiving Waters.....	7
A.3 Additional Permits/Approvals required for the Project:	7
Section B: Optimize Site Utilization (LID Principles)	8
Section C: Delineate Drainage Management Areas (DMAs).....	10
Section D: Implement LID BMPs	12
D.1 Infiltration Applicability	12
D.2 Harvest and Use Assessment.....	13
D.3 Bioretention and Biotreatment Assessment	15
D.4 Feasibility Assessment Summaries	16
D.5 LID BMP Sizing	17
Section E: Alternative Compliance (LID Waiver Program)	19
E.1 Identify Pollutants of Concern	20
E.2 Stormwater Credits	21
E.3 Sizing Criteria.....	21
E.4 Treatment Control BMP Selection	22
Section F: Hydromodification	23
F.1 Hydrologic Conditions of Concern (HCOC) Analysis.....	23
F.2 HCOC Mitigation.....	24
Section G: Source Control BMPs	25
Section H: Construction Plan Checklist	26
Section I: Operation, Maintenance and Funding.....	27

List of Tables

Table A.1 Identification of Receiving Waters.....	7
Table A.2 Other Applicable Permits.....	7
Table C.1 DMA Classifications.....	10
Table C.2 Type 'A', Self-Treating Areas.....	10
Table C.3 Type 'B', Self-Retaining Areas.....	10
Table C.4 Type 'C', Areas that Drain to Self-Retaining Areas.....	11
Table C.5 Type 'D', Areas Draining to BMPs.....	11
Table D.1 Infiltration Feasibility.....	12
Table D.2 LID Prioritization Summary Matrix.....	16
Table D.3 DCV Calculations for LID BMPs.....	18
Table E.1 Potential Pollutants by Land Use Type.....	20
Table E.2 Water Quality Credits.....	21
Table E.3 Treatment Control BMP Sizing.....	21
Table E.4 Treatment Control BMP Selection.....	22
Table F.1 Hydrologic Conditions of Concern Summary.....	23
Table G.1 Permanent and Operational Source Control Measures.....	25
Table H.1 Construction Plan Cross-reference.....	26

List of Appendices

Appendix 1: Maps and Site Plans.....	28
Appendix 2: Construction Plans.....	29
Appendix 3: Soils Information.....	30
Appendix 4: Historical Site Conditions.....	31
Appendix 5: LID Infeasibility.....	32
Appendix 6: BMP Design Details.....	33
Appendix 7: Hydromodification.....	34
Appendix 8: Source Control.....	35
Appendix 9: O&M.....	36
Appendix 10: Educational Materials.....	- 6 -

Section A: Project and Site Information

PROJECT INFORMATION	
Type of Project:	Residential – Condominiums
Planning Area:	_____
Community Name:	Jurupa Valley
Development Name:	TTM 38151
PROJECT LOCATION	
Latitude & Longitude (DMS): 34°00'18.8"N 117°26'52.6"W	
Project Watershed and Sub-Watershed: East Etiwanda Creek / Santa Ana River	
Gross Acres: 6.3	
APN(s): 183-030-014	
Map Book and Page No.: 9 / 26	
PROJECT CHARACTERISTICS	
Proposed or Potential Land Use(s)	Residential/condo.
Proposed or Potential SIC Code(s)	6513, "Residential"
Area of Impervious Project Footprint (SF)	135,443 sf
Total Area of <u>proposed</u> Impervious Surfaces within the Project Footprint (SF)/or Replacement	135,443 sf
Does the project consist of offsite road improvements?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Does the project propose to construct unpaved roads?	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N
Is the project part of a larger common plan of development (phased project)?	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N
EXISTING SITE CHARACTERISTICS	
Total area of <u>existing</u> Impervious Surfaces within the Project limits Footprint (SF)	0 sf
Is the project located within any MSHCP Criteria Cell?	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N
If so, identify the Cell number:	n/a
Are there any natural hydrologic features on the project site?	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N
Is a Geotechnical Report attached?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
If no Geotech. Report, list the NRCS soils type(s) present on the site (A, B, C and/or D)	n/a
What is the Water Quality Design Storm Depth for the project?	0.715 in

The proposed project is located on approximately 6 acres with frontages along Camino Real and Kirby Drive, south of Jurupa Road and the Union Pacific Railroad, and north of a Riverside County Flood Control and Water Conservation District right-of-way and Camino Real Elementary School, in the City of Jurupa Valley. The project will consist detached condominium residential units, private drives, common areas and landscaping. Drainage is predominately from northeast to southwest. On-site flows will be directed to a BMP prior to discharge off-site. An underground perforated pipe infiltration system is proposed along the southerly common space.

Overflow from the infiltration system will be directed to the existing RCFC&WCD 57-inch Jurupa Channel (Stage 2) storm drain located adjacent south of the project, via a proposed new lateral connection.

A.1 Maps and Site Plans

When completing your Project-Specific WQMP, include a map of the local vicinity and existing site. In addition, include all grading, drainage, landscape/plant palette and other pertinent construction plans in Appendix 2. At a **minimum**, your WQMP Site Plan should include the following:

- Drainage Management Areas
- Proposed Structural BMPs
- Drainage Path
- Drainage Infrastructure, Inlets, Overflows
- Source Control BMPs
- Buildings, Roof Lines, Downspouts
- Impervious Surfaces
- Standard Labeling
- BMP Locations (Lat/Long)

Use your discretion on whether or not you may need to create multiple sheets or can appropriately accommodate these features on one or two sheets. Keep in mind that the Co-Permittee plan reviewer must be able to easily analyze your project utilizing this template and its associated site plans and maps.

A.2 Identify Receiving Waters

Using Table A.1 below, list in order of upstream to downstream, the receiving waters that the project site is tributary to. Continue to fill each row with the Receiving Water's 303(d) listed impairments (if any), designated beneficial uses, and proximity, if any, to a RARE beneficial use. Include a map of the receiving waters in Appendix 1.

Table A.1 Identification of Receiving Waters

Receiving Waters	EPA Approved 303(d) List Impairments	Designated Beneficial Uses	Proximity to RARE Beneficial Use
Jurupa Channel	n/a		
Santa Ana Reach 4	Pathogens		
Santa Ana Reach 3	Pathogens		

A.3 Additional Permits/Approvals required for the Project:

Table A.2 Other Applicable Permits

Agency	Permit Required	
State Department of Fish and Game, 1602 Streambed Alteration Agreement	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N
State Water Resources Control Board, Clean Water Act (CWA) Section 401 Water Quality Cert.	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N
US Army Corps of Engineers, CWA Section 404 Permit	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N
US Fish and Wildlife, Endangered Species Act Section 7 Biological Opinion	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N
Statewide Construction General Permit Coverage	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N
Statewide Industrial General Permit Coverage	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N
Western Riverside MSHCP Consistency Approval (e.g., JPR, DBESP)	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N
Other (please list in the space below as required) City Encroachment and Grading Permits	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N

If yes is answered to any of the questions above, the Co-Permittee may require proof of approval/coverage from those agencies as applicable including documentation of any associated requirements that may affect this Project-Specific WQMP.

Section B: Optimize Site Utilization (LID Principles)

Review of the information collected in Section 'A' will aid in identifying the principal constraints on site design and selection of LID BMPs as well as opportunities to reduce imperviousness and incorporate LID Principles into the site and landscape design. For example, **constraints** might include impermeable soils, high groundwater, groundwater pollution or contaminated soils, steep slopes, geotechnical instability, high-intensity land use, heavy pedestrian or vehicular traffic, utility locations or safety concerns. **Opportunities** might include existing natural areas, low areas, oddly configured or otherwise unbuildable parcels, easements and landscape amenities including open space and buffers (which can double as locations for bioretention BMPs), and differences in elevation (which can provide hydraulic head). Prepare a brief narrative for each of the site optimization strategies described below. This narrative will help you as you proceed with your LID design and explain your design decisions to others.

The 2010 Santa Ana MS4 Permit further requires that LID Retention BMPs (Infiltration Only or Harvest and Use) be used unless it can be shown that those BMPs are infeasible. Therefore, it is important that your narrative identify and justify if there are any constraints that would prevent the use of those categories of LID BMPs. Similarly, you should also note opportunities that exist which will be utilized during project design. Upon completion of identifying Constraints and Opportunities, include these on your WQMP Site plan in Appendix 1.

Consideration of "highest and best use" of the discharge should also be considered. For example, Lake Elsinore is evaporating faster than runoff from natural precipitation can recharge it. Requiring infiltration of 85% of runoff events for projects tributary to Lake Elsinore would only exacerbate current water quality problems associated with Pollutant concentration due to lake water evaporation. In cases where rainfall events have low potential to recharge Lake Elsinore (i.e. no hydraulic connection between groundwater to Lake Elsinore, or other factors), requiring infiltration of Urban Runoff from projects is counterproductive to the overall watershed goals. Project proponents, in these cases, would be allowed to discharge Urban Runoff, provided they used equally effective filtration-based BMPs.

Site Optimization

The following questions are based upon Section 3.2 of the WQMP Guidance Document. Review of the WQMP Guidance Document will help you determine how best to optimize your site and subsequently identify opportunities and/or constraints, and document compliance.

Did you identify and preserve existing drainage patterns? If so, how? If not, why?

Drainage patterns are generally preserved.

Did you identify and protect existing vegetation? If so, how? If not, why?

The existing property is covered predominately by wild grasses and open brush. Due to the proposed site plan and associated grading, it will not be feasible to protect existing vegetation. New landscaping will be installed in the various planters located throughout the project.

Did you identify and preserve natural infiltration capacity? If so, how? If not, why?

Natural infiltration capacity will be preserved for the proposed infiltration system and landscaped areas. The bottom of the infiltration system will be below existing grade, so there will be no compaction in this area and no fill material, thereby preserving the natural infiltration capacity.

Did you identify and minimize impervious area? If so, how? If not, why?

Project requirements (building footprint, parking, and parking areas) result in limited opportunities to minimize impervious area, but landscaping has been maximized to the extent possible.

Did you identify and disperse runoff to adjacent pervious areas? If so, how? If not, why?

All site runoff drains to pervious landscaped areas prior to being discharged off-site.

Section C: Delineate Drainage Management Areas (DMAs)

Utilizing the procedure in Section 3.3 of the WQMP Guidance Document which discusses the methods of delineating and mapping your project site into individual DMAs, complete Table C.1 below to appropriately categorize the types of classification (e.g., Type A, Type B, etc.) per DMA for your project site. Upon completion of this table, this information will then be used to populate and tabulate the corresponding tables for their respective DMA classifications.

Table C.1 DMA Classifications

DMA Name or ID	Surface Type(s) ¹²	Area (Sq. Ft.)	DMA Type
A	Ornamental Landscaping	155,723	D
B	Roofs	60,430	D
C	Concrete or Asphalt	21,816	D
D	Concrete or Asphalt	50,312	D

¹Reference Table 2-1 in the WQMP Guidance Document to populate this column

²If multi-surface provide back-up

Table C.2 Type 'A', Self-Treating Areas

DMA Name or ID	Area (Sq. Ft.)	Stabilization Type	Irrigation Type (if any)
None			

Table C.3 Type 'B', Self-Retaining Areas

Self-Retaining Area				Type 'C' DMAs that are draining to the Self-Retaining Area		
DMA Name/ ID	Post-project surface type	Area (square feet)	Storm Depth (inches)	DMA Name / ID	[C] from Table C.4	Required Retention Depth (inches)
		[A]	[B]		[C]	[D]
none						

$$[D] = [B] + \frac{[B] \cdot [C]}{[A]}$$

Table C.4 Type 'C', Areas that Drain to Self-Retaining Areas

DMA					Receiving Self-Retaining DMA		
DMA Name/ ID	Area (square feet)	Post-project surface type	Impervious fraction	Product		Area (square feet)	Ratio
	[A]		[B]			[D]	
None				[C] = [A] x [B]	DMA name /ID		[C]/[D]

Table C.5 Type 'D', Areas Draining to BMPs

DMA Name or ID	BMP Name or ID
A	1 (infiltration system)
B	1 (infiltration system)
C	1 (infiltration system)
D	1 (infiltration system)

Note: More than one drainage management area can drain to a single LID BMP, however, one drainage management area may not drain to more than one BMP.

Section D: Implement LID BMPs

D.1 Infiltration Applicability

Is there an approved downstream 'Highest and Best Use' for stormwater runoff (see discussion in Chapter 2.4.4 of the WQMP Guidance Document for further details)? ☐ Y ☒ N

If yes has been checked, Infiltration BMPs shall not be used for the site; proceed to section D.3

If no, continue working through this section to implement your LID BMPs. It is recommended that you contact your Co-Permittee to verify whether or not your project discharges to an approved downstream 'Highest and Best Use' feature.

Geotechnical Report

A Geotechnical Report or Phase I Environmental Site Assessment may be required by the Copermitttee to confirm present and past site characteristics that may affect the use of Infiltration BMPs. In addition, the Co-Permittee, at their discretion, may not require a geotechnical report for small projects as described in Chapter 2 of the WQMP Guidance Document. If a geotechnical report has been prepared, include it in Appendix 3. In addition, if a Phase I Environmental Site Assessment has been prepared, include it in Appendix 4.

Is this project classified as a small project consistent with the requirements of Chapter 2 of the WQMP Guidance Document? ☐ Y ☒ N

Infiltration Feasibility

Table D.1 below is meant to provide a simple means of assessing which DMAs on your site support Infiltration BMPs and is discussed in the WQMP Guidance Document in Chapter 2.4.5. Check the appropriate box for each question and then list affected DMAs as applicable. If additional space is needed, add a row below the corresponding answer.

Table D.1 Infiltration Feasibility

Does the project site...	YES	NO
...have any DMAs with a seasonal high groundwater mark shallower than 10 feet?		x
If Yes, list affected DMAs:		
...have any DMAs located within 100 feet of a water supply well?		x
If Yes, list affected DMAs:		
...have any areas identified by the geotechnical report as posing a public safety risk where infiltration of stormwater could have a negative impact?		x
If Yes, list affected DMAs:		
...have measured in-situ infiltration rates of less than 1.6 inches / hour?		x
If Yes, list affected DMAs:		
...have significant cut and/or fill conditions that would preclude in-situ testing of infiltration rates at the final infiltration surface?		x
If Yes, list affected DMAs:		
...geotechnical report identify other site-specific factors that would preclude effective and safe infiltration?		x
Describe here:		

If you answered "Yes" to any of the questions above for any DMA, Infiltration BMPs should not be used for those DMAs and you should proceed to the assessment for Harvest and Use below.

D.2 Harvest and Use Assessment

Please check what applies:

- ☐ Reclaimed water will be used for the non-potable water demands for the project.
- ☐ Downstream water rights may be impacted by Harvest and Use as approved by the Regional Board (verify with the Copermittee).
- ☒ The Design Capture Volume will be addressed using Infiltration Only BMPs. In such a case, Harvest and Use BMPs are still encouraged, but it would not be required if the Design Capture Volume will be infiltrated or evapotranspired.

If any of the above boxes have been checked, Harvest and Use BMPs need not be assessed for the site. If none of the above criteria applies, follow the steps below to assess the feasibility of irrigation use, toilet use and other non-potable uses (e.g., industrial use).

Design Capture Volume (DCV) will be addressed using Infiltration BMPs only.

Irrigation Use Feasibility

Complete the following steps to determine the feasibility of harvesting stormwater runoff for Irrigation Use BMPs on your site:

Step 1: Identify the total area of irrigated landscape on the site, and the type of landscaping used.

Total Area of Irrigated Landscape: 3.5 ac

Type of Landscaping (Conservation Design or Active Turf): Active Turf

Step 2: Identify the planned total of all impervious areas on the proposed project from which runoff might be feasibly captured and stored for irrigation use. Depending on the configuration of buildings and other impervious areas on the site, you may consider the site as a whole, or parts of the site, to evaluate reasonable scenarios for capturing and storing runoff and directing the stored runoff to the potential use(s) identified in Step 1 above.

Total Area of Impervious Surfaces: 3.1 ac

Step 3: Cross reference the Design Storm depth for the project site (see Exhibit A of the WQMP Guidance Document) with the left column of Table 2-3 in Chapter 2 to determine the minimum area of Effective Irrigated Area per Tributary Impervious Area (EIATIA).

Enter your EIATIA factor: 0.85 ac/ac

Step 4: Multiply the unit value obtained from Step 3 by the total of impervious areas from Step 2 to develop the minimum irrigated area that would be required.

Minimum required irrigated area: 2.6 ac

Step 5: Determine if harvesting stormwater runoff for irrigation use is feasible for the project by comparing the total area of irrigated landscape (Step 1) to the minimum required irrigated area (Step 4).

Minimum required irrigated area (Step 4)	Available Irrigated Landscape (Step 1)
2.6 ac	3.5 ac

Toilet Use Feasibility

Complete the following steps to determine the feasibility of harvesting stormwater runoff for toilet flushing uses on your site:

- Step 1: Identify the projected total number of daily toilet users during the wet season, and account for any periodic shut downs or other lapses in occupancy:

Projected Number of Daily Toilet Users: 90 (est)

Project Type: Residential

- Step 2: Identify the planned total of all impervious areas on the proposed project from which runoff might be feasibly captured and stored for toilet use. Depending on the configuration of buildings and other impervious areas on the site, you may consider the site as a whole, or parts of the site, to evaluate reasonable scenarios for capturing and storing runoff and directing the stored runoff to the potential use(s) identified in Step 1 above.

Total Area of Impervious Surfaces: 3.1 ac

- Step 3: Enter the Design Storm depth for the project site (see Exhibit A) into the left column of Table 2-2 in Chapter 2 to determine the minimum number of toilet users per tributary impervious acre (TUTIA).

Enter your TUTIA factor: 123 tu/ac

- Step 4: Multiply the unit value obtained from Step 3 by the total of impervious areas from Step 2 to develop the minimum number of toilet users that would be required.

Minimum number of toilet users: 382

- Step 5: Determine if harvesting stormwater runoff for toilet flushing use is feasible for the project by comparing the Number of Daily Toilet Users (Step 1) to the minimum required number of toilet users (Step 4).

Minimum required Toilet Users (Step 4)	Projected number of toilet users (Step 1)
382	90

Other Non-Potable Use Feasibility

Are there other non-potable uses for stormwater runoff on the site (e.g. industrial use)? See Chapter 2 of the Guidance for further information. If yes, describe below. If no, write N/A.

n/a

- Step 1: Identify the projected average daily non-potable demand, in gallons per day, during the wet season and accounting for any periodic shut downs or other lapses in occupancy or operation.

Average Daily Demand: n/a

- Step 2: Identify the planned total of all impervious areas on the proposed project from which runoff might be feasibly captured and stored for the identified non-potable use. Depending on the configuration of buildings and other impervious areas on the site, you may consider the site as a whole, or parts of the site, to evaluate reasonable scenarios for capturing and storing runoff and directing the stored runoff to the potential use(s) identified in Step 1 above.

Total Area of Impervious Surfaces: n/a

Step 3: Enter the Design Storm depth for the project site (see Exhibit A) into the left column of Table 2-4 in Chapter 2 to determine the minimum demand for non-potable uses per tributary impervious acre.

Enter the factor from Table 2-4: n/a

Step 4: Multiply the unit value obtained from Step 3 by the total of impervious areas from Step 2 to develop the minimum number of gallons per day of non-potable use that would be required.

Minimum required use: n/a

Step 5: Determine if harvesting stormwater runoff for other non-potable use is feasible for the project by comparing the projected average daily use (Step 1) to the minimum required non-potable use (Step 4).

Minimum required non-potable use (Step 4)	Projected average daily use (Step 1)
n/a	n/a

If Irrigation, Toilet and Other Use feasibility anticipated demands are less than the applicable minimum values, Harvest and Use BMPs are not required and you should proceed to utilize LID Bioretention and Biotreatment per Section 3.4.2 of the WQMP Guidance Document.

Design Capture Volume (DCV) will be addressed using Infiltration BMPs only.

D.3 Bioretention and Biotreatment Assessment

Other LID Bioretention and Biotreatment BMPs as described in Chapter 2.4.7 of the WQMP Guidance Document are feasible on nearly all development sites with sufficient advance planning.

Select one of the following:

- ☐ LID Bioretention/Biotreatment BMPs will be used for some or all DMAs of the project as noted below in Section D.4 (note the requirements of Section 3.4.2 in the WQMP Guidance Document).
- ☐ A site-specific analysis demonstrating the technical infeasibility of all LID BMPs has been performed and is included in Appendix 5. If you plan to submit an analysis demonstrating the technical infeasibility of LID BMPs, request a pre-submittal meeting with the Copermittee to discuss this option. Proceed to Section E to document your alternative compliance measures.

D.4 Feasibility Assessment Summaries

From the Infiltration, Harvest and Use, Bioretention and Biotreatment Sections above, complete Table D.2 below to summarize which LID BMPs are technically feasible, and which are not, based upon the established hierarchy.

Table D.2 LID Prioritization Summary Matrix

DMA Name/ID	LID BMP Hierarchy				No LID (Alternative Compliance)
	1. Infiltration	2. Harvest and use	3. Bioretention	4. Biotreatment	
A	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

For those DMAs where LID BMPs are not feasible, provide a brief narrative below summarizing why they are not feasible, include your technical infeasibility criteria in Appendix 5, and proceed to Section E below to document Alternative Compliance measures for those DMAs. Recall that each proposed DMA must pass through the LID BMP hierarchy before alternative compliance measures may be considered.

Not applicable: Infiltration LID being utilized.

D.5 LID BMP Sizing

Each LID BMP must be designed to ensure that the Design Capture Volume will be addressed by the selected BMPs. First, calculate the Design Capture Volume for each LID BMP using the V_{BMP} worksheet in Appendix F of the LID BMP Design Handbook. Second, design the LID BMP to meet the required V_{BMP} using a method approved by the Copermittee. Utilize the worksheets found in the LID BMP Design Handbook or consult with your Copermittee to assist you in correctly sizing your LID BMPs. Complete Table D.3 below to document the Design Capture Volume and the Proposed Volume for each LID BMP. Provide the completed design procedure sheets for each LID BMP in Appendix 6. You may add additional rows to the table below as needed.

Table D.3 DCV Calculations for LID BMPs

DMA Type/ID	DMA Area (square feet)	Post-Project Surface Type	Effective Impervious Fraction, I_f	DMA Runoff Factor	DMA Areas x Runoff Factor	Enter BMP Name / Identifier Here 1 / Infiltration System		
	[A]		[B]	[C]	[A] x [C]			
A	155723	Ornamental Landscaping	0.1	0.110458	17201	Design Storm Depth (in)	Design Capture Volume, V_{BMP} (cubic feet)	Proposed Volume on Plans (cubic feet)
B	60430	Roofs	1	0.892	53904			
C	21816	Concrete or Asphalt	1	0.892	19460			
D	50312	Concrete or Asphalt	1	0.892	44878			
	$A_T = \Sigma[A]$ 288,281				$\Sigma = [D]$ 135443	[E] 0.72	$[F] = \frac{[D] \times [E]}{12}$ 8070	[G] 8070

[B], [C] is obtained as described in Section 2.3.1 of the WQMP Guidance Document

[E] is obtained from Exhibit A in the WQMP Guidance Document

[G] is obtained from a design procedure sheet, such as in LID BMP Design Handbook and placed in Appendix 6

Section E: Alternative Compliance (LID Waiver Program)

LID BMPs are expected to be feasible on virtually all projects. Where LID BMPs have been demonstrated to be infeasible as documented in Section D, other Treatment Control BMPs must be used (subject to LID waiver approval by the Co-permittee). Check one of the following Boxes:

☒ LID Principles and LID BMPs have been incorporated into the site design to fully address all Drainage Management Areas. No alternative compliance measures are required for this project and thus this Section is not required to be completed.

- Or -

☐ The following Drainage Management Areas are unable to be addressed using LID BMPs. A site-specific analysis demonstrating technical infeasibility of LID BMPs has been approved by the Co-Permittee and included in Appendix 5. Additionally, no downstream regional and/or sub-regional LID BMPs exist or are available for use by the project. The following alternative compliance measures on the following pages are being implemented to ensure that any pollutant loads expected to be discharged by not incorporating LID BMPs, are fully mitigated.

List DMAs Here. n/a

E.1 Identify Pollutants of Concern

Utilizing Table A.1 from Section A above which noted your project's receiving waters and their associated EPA approved 303(d) listed impairments, cross reference this information with that of your selected Priority Development Project Category in Table E.1 below. If the identified General Pollutant Categories are the same as those listed for your receiving waters, then these will be your Pollutants of Concern and the appropriate box or boxes will be checked on the last row. The purpose of this is to document compliance and to help you appropriately plan for mitigating your Pollutants of Concern in lieu of implementing LID BMPs.

Table E.1 Potential Pollutants by Land Use Type

Priority Development Project Categories and/or Project Features (check those that apply)	General Pollutant Categories							
	Bacterial Indicators	Metals	Nutrients	Pesticides	Toxic Organic Compounds	Sediments	Trash & Debris	Oil & Grease
<input checked="" type="checkbox"/> Detached Residential Development	P	N	P	P	N	P	P	P
<input type="checkbox"/> Attached Residential Development	P	N	P	P	N	P	P	P ⁽²⁾
<input type="checkbox"/> Commercial/Industrial Development	P ⁽³⁾	P	P ⁽¹⁾	P ⁽¹⁾	P ⁽⁵⁾	P ⁽¹⁾	P	P
<input type="checkbox"/> Automotive Repair Shops	N	P	N	N	P ^(4, 5)	N	P	P
<input type="checkbox"/> Restaurants (>5,000 ft ²)	P	N	N	N	N	N	P	P
<input type="checkbox"/> Hillside Development (>5,000 ft ²)	P	N	P	P	N	P	P	P
<input checked="" type="checkbox"/> Parking Lots (>5,000 ft ²)	P ⁽⁶⁾	P	P ⁽¹⁾	P ⁽¹⁾	P ⁽⁴⁾	P ⁽¹⁾	P	P
<input type="checkbox"/> Retail Gasoline Outlets	N	P	N	N	P	N	P	P
Project Priority Pollutant(s) of Concern	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

P = Potential

N = Not Potential

⁽¹⁾ A potential Pollutant if non-native landscaping exists or is proposed onsite; otherwise not expected

⁽²⁾ A potential Pollutant if the project includes uncovered parking areas; otherwise not expected

⁽³⁾ A potential Pollutant is land use involving animal waste

⁽⁴⁾ Specifically petroleum hydrocarbons

⁽⁵⁾ Specifically solvents

⁽⁶⁾ Bacterial indicators are routinely detected in pavement runoff

Projects that cannot implement LID BMPs but nevertheless implement smart growth principles are potentially eligible for Stormwater Credits. Utilize Table 3-8 within the WQMP Guidance Document to identify your Project Category and its associated Water Quality Credit. If not applicable, write N/A.

Qualifying Project Categories	Credit Percentage ²
n/a	
<i>Total Credit Percentage¹</i>	

¹Cannot Exceed 50%

²Obtain corresponding data from Table 3-8 in the WOMP Guidance Document

After you appropriately considered Stormwater Credits for your project, utilize Table E.3 below to appropriately size them to the DCV, or Design Flow Rate, as applicable. Please reference Chapter 3.5.2 of the WQMP Guidance Document for further information.

DMA Type/ID	DMA Area (square feet)	Post-Project Surface Type	Effective Impervious Fraction, I_f	DMA Runoff Factor	DMA Area x Runoff Factor	Enter BMP Name / Identifier Here			
	[A]		[B]	[C]	[A] x [C]				
n/a, see Section D						Design Storm Depth (in)	Minimum Design Capture Volume or Design Flow Rate (cubic feet or cfs)	Total Storm Water Credit % Reduction	Proposed Volume or Flow on Plans (cubic feet or cfs)
	$A_T = \sum [A]$				$\sum = [D]$	[E]	$[F] = \frac{[D] \times [E]}{[G]}$	$[F] \times (1 - [H])$	[I]

[B], [C] is obtained as described in Section 2.3.1 from the WQMP Guidance Document

[E] is for Flow-Based Treatment Control BMPs [E] = .2, for Volume-Based Control Treatment BMPs, [E] obtained from Exhibit A in the WQMP Guidance Document

[G] is for Flow-Based Treatment Control BMPs [G] = 43,560, for Volume-Based Control Treatment BMPs, [G] = 12

[H] is from the Total Credit Percentage as Calculated from Table E.2 above

[I] as obtained from a design procedure sheet from the BMP manufacturer and should be included in Appendix 6

E.4 Treatment Control BMP Selection

Treatment Control BMPs typically provide proprietary treatment mechanisms to treat potential pollutants in runoff, but do not sustain significant biological processes. Treatment Control BMPs must have a removal efficiency of a medium or high effectiveness as quantified below:

- **High:** equal to or greater than 80% removal efficiency
- **Medium:** between 40% and 80% removal efficiency

Such removal efficiency documentation (e.g., studies, reports, etc.) as further discussed in Chapter 3.5.2 of the WQMP Guidance Document, must be included in Appendix 6. In addition, ensure that proposed Treatment Control BMPs are properly identified on the WQMP Site Plan in Appendix 1.

Table E.4 Treatment Control BMP Selection

Selected Treatment Control BMP Name or ID ¹	Priority Pollutant(s) of Concern to Mitigate ²	Removal Efficiency Percentage ³
n/a (All LID)		

¹ Treatment Control BMPs must not be constructed within Receiving Waters. In addition, a proposed Treatment Control BMP may be listed more than once if they possess more than one qualifying pollutant removal efficiency.

² Cross Reference Table E.1 above to populate this column.

³ As documented in a Co-Permittee Approved Study and provided in Appendix 6.

Section F: Hydromodification

F.1 Hydrologic Conditions of Concern (HCOC) Analysis

Once you have determined that the LID design is adequate to address water quality requirements, you will need to assess if the proposed LID Design may still create a HCOC. Review Chapters 2 and 3 (including Figure 3-7) of the WQMP Guidance Document to determine if your project must mitigate for Hydromodification impacts. If your project meets one of the following criteria which will be indicated by the check boxes below, you do not need to address Hydromodification at this time. However, if the project does not qualify for Exemptions 1, 2 or 3, then additional measures must be added to the design to comply with HCOC criteria. This is discussed in further detail below in Section F.2.

HCOC EXEMPTION 1: The Priority Development Project disturbs less than one acre. The Copermittee has the discretion to require a Project-Specific WQMP to address HCOCs on projects less than one acre on a case by case basis. The disturbed area calculation should include all disturbances associated with larger common plans of development.

Does the project qualify for this HCOC Exemption? ☐ Y ☒ N

If Yes, HCOC criteria do not apply.

HCOC EXEMPTION 2: The volume and time of concentration¹ of storm water runoff for the post-development condition is not significantly different from the pre-development condition for a 2-year return frequency storm (a difference of 5% or less is considered insignificant) using one of the following methods to calculate:

- Riverside County Hydrology Manual
- Technical Release 55 (TR-55): Urban Hydrology for Small Watersheds (NRCS 1986), or derivatives thereof, such as the Santa Barbara Urban Hydrograph Method
- Other methods acceptable to the Co-Permittee

Does the project qualify for this HCOC Exemption? ☐ Y ☒ N

If Yes, report results in Table F.1 below and provide your substantiated hydrologic analysis in Appendix 7.

Table F.1 Hydrologic Conditions of Concern Summary

	2 year – 24 hour		
	Pre-condition	Post-condition	% Difference
Time of Concentration	INSERT VALUE	INSERT VALUE	INSERT VALUE
Volume (Cubic Feet)	INSERT VALUE	INSERT VALUE	INSERT VALUE

¹ Time of concentration is defined as the time after the beginning of the rainfall when all portions of the drainage basin are contributing to flow at the outlet.

HCOC EXEMPTION 3: All downstream conveyance channels to an adequate sump (for example, Prado Dam, Lake Elsinore, Canyon Lake, Santa Ana River, or other lake, reservoir or naturally erosion resistant feature) that will receive runoff from the project are engineered and regularly maintained to ensure design flow capacity; no sensitive stream habitat areas will be adversely affected; or are not identified on the Co-Permittees Hydromodification Susceptibility Maps.

Does the project qualify for this HCOC Exemption? ☐ Y ☒ N

If Yes, HCOC criteria do not apply and note below which adequate sump applies to this HCOC qualifier:

n/a

F.2 HCOC Mitigation

If none of the above HCOC Exemption Criteria are applicable, HCOC criteria is considered mitigated if they meet one of the following conditions:

- a. Additional LID BMPS are implemented onsite or offsite to mitigate potential erosion or habitat impacts as a result of HCOCs. This can be conducted by an evaluation of site-specific conditions utilizing accepted professional methodologies published by entities such as the California Stormwater Quality Association (CASQA), the Southern California Coastal Water Research Project (SCCRWP), or other Co-Permittee approved methodologies for site-specific HCOC analysis.
- b. The project is developed consistent with an approved Watershed Action Plan that addresses HCOC in Receiving Waters.
- c. Mimicking the pre-development hydrograph with the post-development hydrograph, for a 2-year return frequency storm. Generally, the hydrologic conditions of concern are not significant, if the post-development hydrograph is no more than 10% greater than pre-development hydrograph. In cases where excess volume cannot be infiltrated or captured and reused, discharge from the site must be limited to a flow rate no greater than 110% of the pre-development 2-year peak flow.

SEE APPENDIX 7 FOR HCOC CALCULATIONS. 2-YEAR DEVELOPED RUNOFF EXCEEDS UNDEVELOPED, HOWEVER 2-YEAR 24-HOUR VOLUME CONTAINED IN THE INFILTRATION SYSTEM, THEREFORE THERE IS NO RUNOFF FROM THE DEVELOPED SITE FOR A 2-YEAR STORM.

Be sure to include all pertinent documentation used in your analysis of the items a, b or c in Appendix 7.

Section G: Source Control BMPs

Source control BMPs include permanent, structural features that may be required in your project plans — such as roofs over and berms around trash and recycling areas — and Operational BMPs, such as regular sweeping and “housekeeping”, that must be implemented by the site’s occupant or user. The MEP standard typically requires both types of BMPs. In general, Operational BMPs cannot be substituted for a feasible and effective permanent BMP. Using the Pollutant Sources/Source Control Checklist in Appendix 8, review the following procedure to specify Source Control BMPs for your site:

1. **Identify Pollutant Sources:** Review Column 1 in the Pollutant Sources/Source Control Checklist. Check off the potential sources of Pollutants that apply to your site.
2. **Note Locations on Project-Specific WQMP Exhibit:** Note the corresponding requirements listed in Column 2 of the Pollutant Sources/Source Control Checklist. Show the location of each Pollutant source and each permanent Source Control BMP in your Project-Specific WQMP Exhibit located in Appendix 1.
3. **Prepare a Table and Narrative:** Check off the corresponding requirements listed in Column 3 in the Pollutant Sources/Source Control Checklist. In the left column of Table G.1 below, list each potential source of runoff Pollutants on your site (from those that you checked in the Pollutant Sources/Source Control Checklist). In the middle column, list the corresponding permanent, Structural Source Control BMPs (from Columns 2 and 3 of the Pollutant Sources/Source Control Checklist) used to prevent Pollutants from entering runoff. **Add additional narrative** in this column that explains any special features, materials or methods of construction that will be used to implement these permanent, Structural Source Control BMPs.
4. **Identify Operational Source Control BMPs:** To complete your table, refer once again to the Pollutant Sources/Source Control Checklist. List in the right column of your table the Operational BMPs that should be implemented as long as the anticipated activities continue at the site. Copermittee stormwater ordinances require that applicable Source Control BMPs be implemented; the same BMPs may also be required as a condition of a use permit or other revocable Discretionary Approval for use of the site.

Table G.1 Permanent and Operational Source Control Measures

Potential Sources of Runoff pollutants	Permanent Structural Source Control BMPs	Operational Source Control BMPs
Pavement runoff, trash, sediment	Infiltration LID BMPs	Routine landscape maintenance and quarterly sweeping

Section H: Construction Plan Checklist

Populate Table H.1 below to assist the plan checker in an expeditious review of your project. The first two columns will contain information that was prepared in previous steps, while the last column will be populated with the corresponding plan sheets. This table is to be completed with the submittal of your final Project-Specific WQMP.

Table H.1 Construction Plan Cross-reference

BMP No. or ID	BMP Identifier and Description	Corresponding Plan Sheet(s)	BMP Location (Lat/Long)
1	Infiltration System	CGP	34°00'16.9"N 117°26'56.2"W

Note that the updated table — or Construction Plan WQMP Checklist — is **only a reference tool** to facilitate an easy comparison of the construction plans to your Project-Specific WQMP. Co-Permittee staff can advise you regarding the process required to propose changes to the approved Project-Specific WQMP.

Section I: Operation, Maintenance and Funding

The Copermittee will periodically verify that Stormwater BMPs on your site are maintained and continue to operate as designed. To make this possible, your Copermittee will require that you include in Appendix 9 of this Project-Specific WQMP:

1. A means to finance and implement facility maintenance in perpetuity, including replacement cost.
2. Acceptance of responsibility for maintenance from the time the BMPs are constructed until responsibility for operation and maintenance is legally transferred. A warranty covering a period following construction may also be required.
3. An outline of general maintenance requirements for the Stormwater BMPs you have selected.
4. Figures delineating and designating pervious and impervious areas, location, and type of Stormwater BMP, and tables of pervious and impervious areas served by each facility. Geo-locating the BMPs using a coordinate system of latitude and longitude is recommended to help facilitate a future statewide database system.
5. A separate list and location of self-retaining areas or areas addressed by LID Principles that do not require specialized O&M or inspections but will require typical landscape maintenance as noted in Chapter 5, pages 85-86, in the WQMP Guidance. Include a brief description of typical landscape maintenance for these areas.

Your local Co-Permittee will also require that you prepare and submit a detailed Stormwater BMP Operation and Maintenance Plan that sets forth a maintenance schedule for each of the Stormwater BMPs built on your site. An agreement assigning responsibility for maintenance and providing for inspections and certification may also be required.

Details of these requirements and instructions for preparing a Stormwater BMP Operation and Maintenance Plan are in Chapter 5 of the WQMP Guidance Document.

Maintenance Mechanism: Maintenance of the BMPs will be conducted by the property owners and as part of regular, routine landscape maintenance.


Will the proposed BMPs be maintained by a Home Owners' Association (HOA) or Property Owners Association (POA)?

☒ Y ☐ N


Include your Operation and Maintenance Plan and Maintenance Mechanism in Appendix 9. Additionally, include all pertinent forms of educational materials for those personnel that will be maintaining the proposed BMPs within this Project-Specific WQMP in Appendix 10.

Appendix 1: Maps and Site Plans



Location Map, WQMP Site Plan and Receiving Waters Map



VICINITY MAP
1"=2000'




SCALE: 1:40



BMP 1 CROSS-SECTION

1"=10'



ENCOMPASS ASSOCIATES, INC.

WQMP SITE PLAN

TRACT 38151

CAMINO REAL, JURUPA VALLEY

Appendix 2: Construction Plans

Grading and Drainage Plans

Appendix 3: Soils Information

Geotechnical Study and Other Infiltration Testing Data



Converse Consultants

Geotechnical Engineering, Environmental & Groundwater Science, Inspection & Testing Services

April 22, 2021

All-ERA Properties
P.O. Box 11503
Carson, CA 90749

Subject: **PRELIMINARY GEOTECHNICAL INVESTIGATION AND WATER
INFILTRATION TEST REPORT**
36 Unit Residential Development
7586 Jurupa Road
City of Jurupa Valley, Riverside County, California
Converse Project No. 20-81-168-01

Dear Mr. Walker:

Converse Consultants (Converse) has prepared this geotechnical investigation and water infiltration test report to present the findings, conclusions and recommendations for the 36 Unit Residential Development project located 7586 Jurupa Road in the city of Jurupa Valley, Riverside County, California. This report is prepared in accordance with our proposal dated May 8, 2020 and your acceptance of the of the Agreement and Authorization to Proceed, dated August 21, 2020.

Based upon our field investigation, laboratory data, and analyses, the proposed project is considered suitable from a geotechnical standpoint, provided the recommendations presented in this report are incorporated into the design and construction of the project.

We appreciate the opportunity to be of continued service to All-ERA Properties. If you should have any questions, please contact the undersigned at 909-796-0544.

CONVERSE CONSULTANTS

Hashmi S. E. Quazi, PhD, PE, GE
Regional Manager/Principal Engineer

Dist.: 2/Addressee

HSQ/ZA/RLG/CN

PROFESSIONAL CERTIFICATION

This report has been prepared by the individuals whose seals and signatures appear herein.

The findings, recommendations, specifications, or professional opinions contained in this report were prepared in accordance with generally accepted professional engineering, engineering geologic principles, and practice in this area of Southern California. There is no warranty, either expressed or implied.



Zahangir Alam, PhD, EIT
Sr. Staff Engineer



Robert L. Gregorek II, PG, CEG
Senior Geologist



Hashmi S. E. Quazi, PhD, PE, GE
Principal Engineer



TABLE OF CONTENTS

1.0 INTRODUCTION.....	1
2.0 PROJECT DESCRIPTION	1
3.0 SITE DESCRIPTION.....	1
4.0 SCOPE OF WORK.....	4
4.1 PROJECT SET-UP.....	4
4.2 SUBSURFACE EXPLORATION	4
4.3 LABORATORY TESTING.....	5
4.4 HISTORICAL AERIAL PHOTOGRAPH REVIEW	5
4.5 ANALYSIS AND REPORT PREPARATION	5
5.0 SUBSURFACE CONDITIONS	6
5.1 SUBSURFACE PROFILE.....	6
5.2 GROUNDWATER	6
5.3 EXCAVATABILITY	7
5.4 SUBSURFACE VARIATIONS	7
5.5 CAVING.....	8
5.6 EXPANSIVE SOILS	8
5.7 COLLAPSE POTENTIAL	8
6.0 ENGINEERING GEOLOGY	9
6.1 REGIONAL GEOLOGY	9
6.2 LOCAL GEOLOGY	10
7.0 FAULTING AND SEISMICITY	11
7.1 FAULTING	11
7.2 CBC SEISMIC DESIGN PARAMETERS.....	12
7.3 SECONDARY EFFECTS OF SEISMIC ACTIVITY	13
8.0 LABORATORY TEST RESULTS.....	14
8.1 PHYSICAL TESTING	15
8.2 CHEMICAL TESTING - CORROSIVITY EVALUATION	15
9.0 PERCOLATION TESTING	16
10.0 EARTHWORK AND SITE GRADING RECOMMENDATIONS	16
10.1 GENERAL.....	16
10.2 PRIVATE SEWAGE SYSTEM ABANDONMENT	17
10.3 OVEREXCAVATION.....	17
10.4 ENGINEERED FILL	18
10.5 COMPACTED FILL PLACEMENT.....	19
10.6 SHRINKAGE AND SUBSIDENCE.....	19
10.7 SITE DRAINAGE.....	20
10.8 UTILITY TRENCH BACKFILL	20
11.0 DESIGN RECOMMENDATIONS	22



11.1	GENERAL EVALUATION	22
11.2	PRELIMINARY SHALLOW FOUNDATION DESIGN PARAMETERS.....	22
11.3	LATERAL EARTH PRESSURES AND RESISTANCE TO LATERAL LOADS.....	23
11.4	RETAINING WALLS DRAINAGE.....	24
11.5	SLABS-ON-GRADE.....	24
11.6	SETTLEMENT	25
11.7	SOIL CORROSIVITY.....	25
11.8	PAVEMENT RECOMMENDATIONS.....	26
11.9	CONCRETE FLATWORK.....	27
12.0	CONSTRUCTION RECOMMENDATIONS.....	28
12.1	GENERAL.....	28
12.2	TEMPORARY SLOPED EXCAVATIONS.....	28
13.0	GEOTECHNICAL SERVICES DURING CONSTRUCTION	29
14.0	CLOSURE	29
15.0	REFERENCES	31
	CONSOLIDATION	3

FIGURES

Figure No. 1, Approximate Project Location Map	1
Figure No. 2, Approximate Boring, Percolation Test, and Overexcavation Locations Map	5

TABLES

TABLE NO. 1, SUMMARY OF USGS GROUNDWATER DEPTH DATA.....	7
TABLE NO. 2, COLLAPSE POTENTIAL VALUES.....	9
TABLE NO. 3, SUMMARY OF REGIONAL FAULTS.....	11
TABLE NO. 4, CBC SEISMIC DESIGN PARAMETERS	12
TABLE NO. 5, ESTIMATED INFILTRATION RATES	16
TABLE NO. 6, ACTIVE AND AT-REST EARTH PRESSURES	23
TABLE NO. 7 CORRELATION BETWEEN RESISTIVITY AND CORROSION.....	26
TABLE NO. 8, RECOMMENDED PRELIMINARY PAVEMENT SECTIONS	27
TABLE NO. 9, SLOPE RATIOS FOR TEMPORARY EXCAVATIONS.....	28

APPENDICES

Appendix A	Field Exploration
Appendix B	Laboratory Testing Program
Appendix C	Percolation Testing



1.0 INTRODUCTION

This report contains the findings of the geotechnical investigation and percolation tests performed by Converse for the proposed 36 unit residential development site located at 7586 Jurupa Road in the City of Jurupa Valley, Riverside County, California. The project location is shown in Figure No. 1, *Approximate Project Location Map*.

The purpose of this investigation was to evaluate the current nature and engineering properties of the subsurface soils and groundwater conditions, and to provide geotechnical recommendations for the proposed residential development.

This report is written for the project described herein and is intended for use solely by All-ERA Properties and their design team. It should not be used as a bidding document but may be made available to the potential contractors for information on factual data only. For bidding purposes, the contractors should be responsible for making their own interpretation of the data contained in this report.

2.0 PROJECT DESCRIPTION

Based on the referenced tentative tract map and conversations with All-ERA Properties, we understand the property will be developed for 36 detached single-family units. The structures will be one to two-story story homes and founded on shallow footings with slab-on-grade. There will also be one water infiltration device in the southern portion of the site. Even though not indicated on the referenced preliminary site plan it is anticipated that maximum cuts and fills will approximately 5 feet or less.

Associated with the development there will be roadways, parking areas, concrete walkways, block wall and landscaping, as well as above and underground utilities.

The original plans used for exploration was for 44 units, however due to density changes to the project the report was delayed until the current 36 unit plan was finalized.

3.0 SITE DESCRIPTION

The approximately 6.9-acre irregular shaped site is currently vacant and undeveloped, except for 2 abandoned residential structures at the western portion of the site. Some scattered trash and debris are also present on the site. Vegetation consists of a light to moderate growth of grass and weeds with some scattered bushes and trees. The site is bounded on the north by Jurupa Road, on the east by Camino Real, on the west by Kirby Drive and on the south by an elementary school. The site is roughly flat and appears to drain towards the south and southwest. Elevations range from approximately 845 feet above mean sea level (msl) in the northeast portion of the site to approximately 830 feet above msl in the southwest portion of the site.





Approximate Project Location Map



Project: 36 Unit Residential Development
 Location: 7586 Jurupa Road
 City of Jurupa Valley, Riverside County, California
 For: All-ERA Properties

Project No
 20-81-168-01



Converse Consultants

FIGURE NO.

1

Present site conditions are shown in the photographs no. 1 through 5.



Photograph No. 1: Present site conditions, facing northwest.





Photograph No. 2: Present site conditions, facing southwest.



Photograph No. 3: Present site conditions, facing southeast.





Photograph No. 4: Present site conditions, facing northeast.

4.0 SCOPE OF WORK

The scope of Converse's investigation is described in the following sections.

4.1 Project Set-up

The project set-up consisted of the following tasks.

- Conducted a site reconnaissance to mark the boring and percolation test locations such that drill rig access to all the locations was available.
- Notified Underground Service Alert (USA) at least 48 hours prior to drilling to clear the boring locations of any conflict with existing underground utilities.
- Engaged a California-licensed driller to drill exploratory borings.

4.2 Subsurface Exploration

Five exploratory borings (BH-01 through BH-05) were drilled on August 25, 2020 to investigate subsurface conditions at the project site. The borings were drilled to depths ranging from 16.5 to 51.5 feet below existing ground surface (bgs).



Three exploratory percolation test holes (PT-01 through PT-03) were drilled on August 25, 2020 to perform percolation testing. All percolation test borings were drilled to approximately 4.5 to 6.0 feet below the existing ground surface (bgs).

Approximate boring and percolation testing locations are indicated in Figure No. 2, *Approximate Boring, Percolation Test, and Overexcavation Locations Map*. For a description of the field exploration and sampling program, see Appendix A, *Field Exploration*.

4.3 Laboratory Testing

Representative samples of the site soils were tested in the laboratory to aid in soil classification, and to evaluate relevant engineering properties. These tests included the following.

- *In-situ* moisture contents and dry densities (ASTM D2216 and D2937)
- Expansion index (ASTM D4829)
- R-value (California Test 301)
- Soil corrosivity (California Test Methods 643, 422, and 417)
- Collapse (ASTM D4546)
- Maximum dry density and optimum-moisture content (ASTM D1557)
- Organic Content
- Direct shear (ASTM D3080)
- Consolidation (ASTM D2435)

For *in-situ* moisture and dry density data, see the logs of borings in Appendix A, *Field Exploration*. For a description of the laboratory test methods and test results, see Appendix B, *Laboratory Testing Program*.

4.4 Historical Aerial Photograph Review







Historical Google aerial photographs of the site, between 1994 to 2020 were reviewed. Based on our review a portion of the site was a citrus grove, up to about 2002 to 2003, From about 2005 to 2009 the site appears to have been utilized as a nursery. After 2009 the site has been vacant except for the except for the residential structures at the western portion of the site.

4.5 Analysis and Report Preparation

Data obtained from the field exploration and laboratory testing program was assembled and evaluated. Geotechnical analyses of the compiled data were performed, followed by the preparation of this report to present our findings, conclusions, and recommendations for the proposed project.



EXPLANATION

-  Number and Approximate Location of Exploratory Borings
- BH-05**
-  Number and Approximate Location of Percolation Test Holes
- PT-03**
-  Approximate Depth of Overexcavation Below Existing Grade (ft.)
- 8.0-10.0**
-  Limits of this Report
-  N
-  30'



Project: 36 Unit Residential Development
 Location: 7586 Jurupa Road
 City of Jurupa, Riverside County, California
 For: All-ERA Properties

Approximate Boring, Percolation Test, and Overexcavation Locations Map

Project No.
20-81-168-01



Converse Consultants

Figure No.
2

5.0 SUBSURFACE CONDITIONS

A general description of the subsurface conditions, various materials and groundwater conditions encountered at the site during our field exploration is discussed below.

5.1 *Subsurface Profile*

Based on exploratory borings and laboratory test results, the subsurface soil at the project site generally consisted primarily of artificial fill, topsoil, and older alluvial fan deposits. These soils were comprised generally of silty sand and trace clay, with scattered trace gravel, up to 1 inch in largest dimension, at various depths.

At approximately 2 feet below ground surface (bgs) in PT-01, an organic layer, about 2 feet thick, in the artificial fill was encountered. A sample was collected and tested in our laboratory to confirm the presence of organic material. Laboratory analyses confirmed the presence of a significant organic content at this location. Detailed observations should be made during clearing and overexcavation of this area to evaluate the actual extent of this material.

For a detailed description of the subsurface materials encountered in the exploratory borings, see Drawings No. A-2 through A-9, *Logs of Borings*, in Appendix A, *Field Exploration*.

5.2 *Groundwater*

Groundwater was encountered during our field investigation in borings BH-01 and BH-03 at depths of approximately 27.1 feet and 24.5 feet bgs, respectively.

The GeoTracker database (SWRCB, 2021) was reviewed for groundwater data from sites within an approximately 1.0-mile radius of both the proposed development. Results of that search are as follows:

- TOSCO/CIRCLE K (Site No. #T0606500530), located approximately 4,000 feet northwest of the project site reported groundwater at depths ranging from 40.46 to 62.30 feet bgs between 1998 and 2010.
- MOBIL SERVICE STATION #18-HTY (#T0606500478), located approximately 3,600 feet northeast of the project site reported groundwater at a depth of 36.90 feet bgs in 2012.

The National Water Information System (USGS, 2021) were reviewed for groundwater data from sites within an approximately 1.0-mile radius of the proposed development and the results of that search are included below.



Table No. 1, Summary of USGS Groundwater Depth Data

Alignment No.	Location	Groundwater Depth Range (ft. bgs)	Date Range
340017117272901	NW corner of Galena Street and Tyrolite Street; approximately 3,520 feet west of project site	39.80	2016

The California Department of Water Resources, Water Data Library (CDWR, 2021) online database was reviewed for groundwater data from sites within close proximity of the project, but no data was identified within a 1.0-mile radius of the project site.

Based on available data, the historical high groundwater level near the site is estimated to be approximately 36.90 feet bgs, and the current groundwater level is estimated to be approximately 24.5 feet bgs. Groundwater is not expected to be encountered during construction of the proposed project, however perched water layers may be present at shallower depths, particularly following high precipitation or irrigation events.

5.3 Excavatability

The subsurface materials of the project site are expected to be excavatable by conventional heavy-duty earth moving equipment. Difficult excavation will occur where high concentration of gravel, cobbles or boulders (possibly) are encountered. Due to the nature of the alluvial fan deposits, boulders could be present at depths below approximately 5 feet to 10 feet bgs at the project site.

The phrase “conventional heavy-duty excavation equipment” is intended to include commonly used equipment such as excavators, scrapers, and trenching machines. It does not include hydraulic hammers (“breakers”), jackhammers, blasting, or other specialized equipment and techniques used to excavate hard earth materials. Selection of an appropriate excavation equipment model should be done by an experienced earthwork contractor.

5.4 Subsurface Variations

Based on results of the subsurface exploration and our experience, some variations in the continuity and nature of subsurface soil conditions within the project site should be anticipated. Because of the uncertainties involved in the nature and depositional characteristics of the earth material, care should be exercised in interpolating or extrapolating subsurface conditions between or beyond the boring locations.



5.5 Caving

Caving was not encountered in any of the exploratory borings. However, localized caving could occur within excavations made into granular soils of the on-site soils.

5.6 Expansive Soils

Expansive soils are characterized by their ability to undergo significant volume changes (shrink or swell) due to variations in moisture content. Changes in soil moisture content can result from precipitation, landscape irrigation, utility leakage, roof drainage, perched groundwater, drought, or other factors and may result in unacceptable settlement or heave of structures or concrete slabs supported on grade. Depending on the extent and location below finish subgrade, expansive soils can have a detrimental effect on structures.

Based on the laboratory test results, the expansion index of the upper 5 feet of the site soils was 2, corresponding to a very low expansion potential.

5.7 Collapse Potential

Soil deposits subjected to collapse/hydro-consolidation generally exist in regions of moisture deficiency. Collapsible soils are generally defined as soils that have potential to suddenly decrease in volume upon increase in moisture content even without an increase in external loads. Moreover, some soils may have a different degree of collapse/hydro-consolidation based on the amount of proposed fill or structure loads. Soils susceptible to collapse/ hydro-consolidation include wind-blown silt, weakly cemented sand, and silt where the cementing agent is soluble (e.g., soluble gypsum, halite), alluvial or colluvial deposits within semi-arid to arid climate, and certain weathered bedrock above the groundwater table.

Granular soils may have a potential to collapse upon wetting in arid climate regions. Collapse/hydro-consolidation may occur when the soluble cements (carbonates) in the soil matrix dissolve, causing the soil to densify from its loose/low density configuration from deposition.

The degree of collapse of a soil can be defined by the collapse potential value, which is expressed as a percent of collapse of the total sample using the Collapse Potential Test (ASTM D4546). According to the ASTM guideline, the severity of collapse potential is commonly evaluated by the following Table No.12, *Collapse Potential Values*.



Table No. 2, Collapse Potential Values

Collapse Potential Value (%)	Severity of Problem
0	None
0.1 to 2	Slight
2.1 to 6.0	Moderate
6.0 to 10.0	Moderately Severe
>10	Severe

Based on the laboratory test result (collapse potential of 2.0 percent at a depth of 3.0 feet bgs), a slight problem is anticipated at the site. Collapse potential distress is typically considered a concern when collapse potential is over 2% (LA County, 2013).

6.0 ENGINEERING GEOLOGY

The regional and local geology within the proposed project area are discussed below.

6.1 Regional Geology

The project site is located within the northern Peninsular Ranges Geomorphic Province of Southern California. The Peninsular Ranges Geomorphic Province consists of a series of northwest-trending mountain ranges and valleys bounded on the north by the San Bernardino and San Gabriel Mountains, on the west by the Los Angeles Basin, and on the southwest by the Pacific Ocean.

The province is a seismically active region characterized by a series of northwest-trending strike-slip faults. The most prominent of the nearby fault zones include the San Jacinto, Elsinore, and San Andreas fault zones (CGS, 2007), all of which have been known to be active during Quaternary time.

Topography within the province is generally characterized by broad alluvial valleys separated by linear mountain ranges. This northwest-trending linear fabric is created by the regional faulting within the granitic basement rock of the Southern California Batholith. Broad, linear, alluvial valleys have been formed by erosion of these principally granitic mountain ranges.

The site is located within the southeastern portion of the Chino Basin of the Peninsular Ranges province. The Chino Basin is a broad alluvial valley bounded by the San Gabriel Mountains on the north, the San Bernardino Mountains on the east and northeast, the Santa Ana Mountains on the southwest, and the Puente Hills on the west.



6.2 **Local Geology**

Based on our review of the regional mapping (Morton, 2006), available geotechnical literature, and our current exploration, it is our understanding that the proposed residential development site is primarily underlain by shallow artificial fills and a topsoil layer which overlie Pleistocene-aged older alluvial fan deposits (Qof). The older alluvial fan deposits. A description of the earth material soils encountered are described below:

Artificial Fill, Undocumented (Afu): Undocumented non-engineered artificial fills are present, scattered over southwestern portion of the subject site, likely associated with grading for the previous nursery operations. Based on exploration and geologic mapping, the approximate depth of these fill soils is estimated to about 4 feet deep. Where observed these non-engineered fill soils are generally comprised of silty sand, which is fine to coarse-grained, trace gravel, some organics, medium dense, moist and reddish brown to black. The gravel was up to 1 inch in largest dimension.

Topsoil (no map symbol): Topsoil was encountered in all borings ranging from approximately 1.0 foot to 5.5 feet thick. The thickness and depth of the topsoil likely varies through the site due to grading for the previous nursery operations. Based on the exploratory borings and laboratory test results, these materials primarily consist of silty sand, which is fine to coarse-grained, trace to few gravel, loose to dense, dry to moist and orangish brown. The gravel was up to 1 inch in largest.

Older Alluvial Fan Deposits (Qof): The topsoil is underlain by Pleistocene-aged older alluvial fan deposits. Based on the exploratory borings and laboratory test results, these materials primarily consist of silty sand, which is fine to coarse-grained, trace clay, slightly to moderately desiccated, localized caliche, localized roots and rootlets near the surface, medium dense to very dense, moist and various shades of reddish brown and orangish brown. These materials became wet below the groundwater level of approximately 27.1 feet and 24.5 feet bgs. Portions of the about the upper 0.5 foot to 1.0 feet are weathered.

Bedrock (gdgb): The old alluvial fan deposits are underlain by Cretaceous-aged granitic bedrock and was encountered in BH-03 at a depth of approximately 35 feet bgs and approximately 10.5 feet below the groundwater. The bedrock consists of granodiorite with some gabbro which was slightly weathered and hard to very hard Based on exploratory borings and laboratory test results, the bedrock generally excavates as silty sand, which is fine to coarse-grained, trace clay, very dense, moist to wet and grayish brown.



6.3 Flooding

Review of National Flood Insurance Rate Maps indicates that the project site is within a Flood Hazard Zone "X". The Zone "X" is designated as an area with an area of minimal hazard (FEMA, 2008).

7.0 FAULTING AND SEISMICITY

The approximate distance and seismic characteristics of nearby faults as well as seismic design coefficients are presented in the following subsections.

7.1 Faulting

The proposed site is situated in a seismically active region. As is the case for most areas of Southern California, ground-shaking resulting from earthquakes associated with nearby and more distant faults may occur at the project site. During the life of the project, seismic activity associated with active faults can be expected to generate moderate to strong ground shaking at the site. Review of recent seismological and geophysical publications indicates that the seismic hazard for the project is high.

The project site is not located within a currently mapped State of California Earthquake Fault Zone for surface fault rupture (CGS, 2007). Table No. 2, *Summary of Regional Faults*, summarizes selected data of known faults capable of seismic activity within 50 kilometers of the site. The data presented below was calculated using the National Seismic Hazard Maps Database (USGS, 2008) and other published geologic data.

Table No. 3, Summary of Regional Faults

Fault Name and Section	Closest Distance (km)	Slip Sense	Length (km)	Slip Rate (mm/year)	Maximum Magnitude
San Jacinto	9.64	strike slip	241	n/a	7.88
Cucamonga	11.29	thrust	28	5	6.70
Chino, alt 1	13.26	strike slip	24	1	6.70
Chino, alt 2	13.27	strike slip	29	1	6.80
Elsinore	14.46	strike slip	241	n/a	7.85
S. San Andreas	15.09	strike slip	548	n/a	8.18
San Jose	15.82	strike slip	20	0.5	6.70
Sierra Madre	18.66	reverse	57	2	7.20
Sierra Madre Connected	18.66	reverse	76	2	7.30
Cleghorn	19.64	strike slip	25	3	6.80
North Frontal (West)	23.8	reverse	50	1	7.20
Puente Hills (Coyote Hills)	25.24	thrust	17	0.7	6.90
Clamshell-Sawpit	28	reverse	16	0.5	6.70



Fault Name and Section	Closest Distance (km)	Slip Sense	Length (km)	Slip Rate (mm/year)	Maximum Magnitude
San Joaquin Hills	29.75	thrust	27	0.5	7.10
Raymond	32.97	strike slip	22	1.5	6.80
Puente Hills (Santa Fe Springs)	33.16	thrust	11	0.7	6.70
Elysian Park (Upper)	37.7	reverse	20	1.3	6.70
Newport Inglewood Conn. alt 2	38.66	strike slip	208	1.3	7.50
Newport Inglewood Conn. alt 1	38.76	strike slip	208	1.3	7.50
Newport-Inglewood, alt 1	38.76	strike slip	65	1	7.20
Puente Hills (LA)	39.05	thrust	22	0.7	7.00
Newport-Inglewood (Offshore)	39.17	strike slip	66	1.5	7.00
Verdugo	41.43	reverse	29	0.5	6.90
Helendale-So Lockhart	41.59	strike slip	114	0.6	7.40
Pinto Mtn	41.85	strike slip	74	2.5	7.30
North Frontal (East)	43.57	thrust	27	0.5	7.00
Hollywood	45.59	strike slip	17	1	6.70
Santa Monica Connected alt 2	48.54	strike slip	93	2.4	7.40
Palos Verdes Connected	49.58	strike slip	285	3	7.70
Palos Verdes	49.58	strike slip	99	3	7.30

(Source: https://earthquake.usgs.gov/cfusion/hazfaults_2008_search/)

7.2 CBC Seismic Design Parameters

Seismic parameters based on the 2019 California Building Code (CBSC, 2019) are provided in the following table. These parameters were determined using the generalized coordinates (34.0052N, 117.4481W) and the Seismic Design Maps ATC online tool.

Table No. 4, CBC Seismic Design Parameters

Seismic Parameters	
Site Coordinates	34.0052 N, 117.4481 W
Site Class	D*
Risk Category	II
Mapped Short period (0.2-sec) Spectral Response Acceleration, S_s	1.222g
Mapped 1-second Spectral Response Acceleration, S_1	0.429g
Site Coefficient (from Table 1613.5.3(1)), F_a	1.011
Site Coefficient (from Table 1613.5.3(2)), F_v	1.871



Seismic Parameters	
MCE 0.2-sec period Spectral Response Acceleration, S_{MS}	1.235g
MCE 1-second period Spectral Response Acceleration, S_{M1}	0.803g
Design Spectral Response Acceleration for short period S_{DS}	0.824g
Design Spectral Response Acceleration for 1-second period, S_{D1}	0.535g
Site Modified Peak Ground Acceleration, PGA_M	0.593g

* *Stiff Soil Classification*

7.3 Secondary Effects of Seismic Activity

In addition to ground shaking, effects of seismic activity on a project site may include surface fault rupture, soil liquefaction, landslides, lateral spreading, seismic settlement, tsunamis, seiches and earthquake-induced flooding. Results of a site-specific evaluation of each of the above secondary effects are explained below.

Surface Fault Rupture: The project site is not located within a currently designated State of California Earthquake Fault Zone (CGS, 2007). Based on review of existing geologic information, no major surface fault crosses through or extends toward the site. The potential for surface rupture resulting from the movement of a presently unrecognized fault beneath the site is not known with certainty but is considered very low.

Liquefaction: Liquefaction is defined as the phenomenon in a soil mass, because of the development of excess pore pressures, soil mass suffers a substantial reduction in its shear strength. During earthquakes, excess pore pressures in saturated soil deposits may develop as a result of induced cyclic shear stresses, resulting in liquefaction. Soil liquefaction occurs in submerged granular soils during or after strong ground shaking. There are several requirements for liquefaction to occur. They are as follows.

- Soils must be submerged.
- Soils must be primarily granular.
- Soils must be contractive, that is, loose to medium-dense.
- Ground motion must be intense.
- Duration of shaking must be sufficient for the soils to lose shear resistance.

This site is located in a Riverside County liquefaction zone designated with a risk factor of "high".

Based on the relatively dense/fine grained nature of the soils, bedrock being at approximately 35 feet and recommended remedial grading, liquefaction at the site is expected to be negligible.



Seismic Settlement: Dynamic dry settlement may occur in loose, granular, unsaturated soils during a large seismic event. The potential for seismic settlement is not known with certainty. Based on our evaluation of dynamic settlement the potential for dry seismic settlement of the site is expected to be negligible.

Landslides: Seismically induced landslides and other slope failures are common occurrences during or after earthquakes in areas of significant relief. The project site is not adjacent to any steep slopes. In the absence of significant ground slopes, the potential for seismically induced landslides to affect the proposed site is considered low.

Lateral Spreading: Seismically induced lateral spreading involves primarily lateral movement of earth materials due to ground shaking. It differs from the slope failure in that complete ground failure involving large movement does not occur due to the relatively smaller gradient of the initial ground surface. Lateral spreading is demonstrated by near-vertical cracks with predominantly horizontal movement of the soil mass involved. Due to the relatively flat nature of the project site, the relatively dense nature of the soils, recommended remedial grading and the negligible amount of potential liquefaction, the risk of lateral spreading is considered low.

Tsunamis: Tsunamis are tidal waves generated in large bodies of water by fault displacement or major ground movement. Based on the location of the site, tsunamis do not pose a hazard to this site.

Seiches: Seiches are large waves generated in enclosed bodies of water in response to ground shaking. Review of the area adjacent to the site indicates that there are no significant up-gradient lakes or reservoirs with the potential of flooding the site.

Earthquake-Induced Flooding: This is flooding caused by failure of dams or other water-retaining structures as a result of earthquakes. Review of the area adjacent to the site indicates the site is not located in any potential inundation path of any reservoir. The potential for flooding of the site due to dam failure is considered very low.

8.0 LABORATORY TEST RESULTS

Laboratory testing was performed to determine the physical and chemical characteristics and engineering properties of the subsurface soils. Tests results are included in Appendix A, *Field Exploration* and Appendix B, *Laboratory Testing Program*. Discussions of the various test results are presented below:



8.1 Physical Testing

- In-situ Moisture and Dry Density: *In-situ* dry density and moisture content of the soils were determined in accordance with ASTM Standard D2216 and D2937. Results are presented in the log of borings in Appendix A, *Field Exploration*.
 - Dry densities of the artificial fill and topsoil ranged from 94 to 117 per cubic feet (pcf) with moisture contents ranging from 5 to 19 percent.
 - Dry densities of the older fan deposits in the upper 10 feet soils at the site soils ranged from 112 to 131 pcf with moisture contents ranging from 5 to 12 percent.
- Expansion Index: One representative bulk soil sample from the upper 5 feet of the site materials was tested to evaluate the expansion potential in accordance with ASTM Standard D4829. The test result indicated expansion index is 2, corresponding to very low expansion potential.
- R-Value: One representative bulk sample was tested in accordance with Caltrans Test Method 301. The result of the R-value test was 20.
- Collapse Potential: The collapse potential of one relatively undisturbed sample was tested under a vertical stress of up to 2.0 kips per square foot (ksf) in accordance with the ASTM Standard D4546 test method. The test result showed collapse potential of 2.0 percent, indicating low collapse potential.
- Maximum Dry Density and Optimum Moisture Content: Typical moisture-density relationships of two representative soil samples were performed in accordance with ASTM Standard D1557. The test results are presented in Drawing No. B-2, *Moisture-Density Relationship Result*, in Appendix B, *Laboratory Testing Program*. The laboratory maximum dry densities were 127.0 and 130.5 pounds per cubic feet (pcf), with optimum moisture contents of 11.7 and 9.2 percent.
- Organic Content – One organic content tests were performed in accordance with ASTM Standard D2974 on a representative ring soil sample. The amount of organic material present in the artificial fill soils was 25.1%
- Direct Shear: Two direct shear tests were performed; one direct shear test was performed on a relatively undisturbed sample and one direct shear test was performed on sample remolded to 90% of the maximum dry density under soaked moisture condition in accordance with ASTM Standard D3080. The results of the direct shear tests are presented in Drawings No. B-3 and B-4, *Direct Shear Test Results* in Appendix B, *Laboratory Testing Program*.
- Consolidation Test – One consolidation test was performed on a relatively undisturbed sample of the site soil, in accordance with ASTM Standard D2435. The test result is shown on Drawing No. B-5, *Consolidation Test Results*, in Appendix B, *Laboratory Testing Program*.

8.2 Chemical Testing - Corrosivity Evaluation

One representative soil sample was tested to determine minimum electrical resistivity, pH, and chemical content, including soluble sulfate and chloride concentrations. The



purpose of this test was to determine the corrosion potential of site soils when placed in contact with common pipe materials. The test was performed by AP Engineering and Testing, Inc. (Pomona, CA) in accordance with California Test Methods 643, 422, and 417. The test results are presented in Appendix B, *Laboratory Testing Program* and are summarized in below.

- The pH measurement of the sample tested was 8.3.
- The sulfate content of the sample tested was 0.0064 percent by weight (64 ppm).
- The chloride concentration of the sample tested was 40 ppm.
- The minimum electrical resistivity when saturated was 2,720 ohm-cm.

9.0 PERCOLATION TESTING

Three percolation tests (PT-01 through PT-03) were performed on August 27 and 29, 2020 to evaluate water infiltration rate. The measured percolation test data and calculations are represented in Appendix C, *Percolation Testing*. The estimated infiltration rates at each test hole are presented in the following table.

Table No. 5, Estimated Infiltration Rates

Percolation Test	Test Depth (feet)	Soil Type	Infiltration Rate (inches/hr) (FOS 3)
PT-01	6.0	Silty Sand (SM)	0.41
PT-02	5.0	Silty Sand (SM)	6.29
PT-03	4.5	Silty Sand (SM)	0.34

Due to the presence of organics and debris present in PT-01 from approximately 2 feet to 4 feet bgs, steps were taken to isolate the infiltration test below this layer. Solid pipe was placed in the hole down to approximately 4 feet bgs. Based on the calculated infiltration rate during the final respective intervals in each test, an average infiltration rate of 2.35 inches per hour can be utilized.

10.0 EARTHWORK AND SITE GRADING RECOMMENDATIONS

Recommendations for earthwork are presented in the following subsections.

10.1 General

This section contains our general recommendations regarding earthwork for the proposed 36 unit residential development project.

These recommendations are based on the results of our field exploration and laboratory testing, our experience with similar projects, and data evaluation as presented in the



preceding sections. These recommendations may require modification by the geotechnical consultant based on observation of the actual field conditions during remedial grading.

Prior to the start of construction, all underground existing utilities and appurtenances should be located at the project site. Such utilities should either be protected in-place or removed and replaced during construction as required by the project specifications. All excavations should be conducted in such a manner as not to cause loss of bearing and/or lateral support of existing structures or utilities.

All existing structures, debris, deleterious material, highly organic soil and surficial soils containing roots and perishable materials should be stripped and removed from the project site. Deleterious material, including organics, concrete, and debris generated during excavation, should not be placed as fill.

The final bottom surfaces of all excavations should be observed and approved by the project geotechnical consultant prior to placing any fill. Based on these observations, localized areas may require remedial grading deeper than indicated herein. Therefore, some variations in the depth and lateral extent of excavation recommended in this report should be anticipated.

10.2 Private Sewage System Abandonment

From a geotechnical standpoint, any seepage pits, other private sewage systems, and/or other subsurface structures that may be encountered should be located, mapped on the grading plans, removed and/or properly abandoned. Abandonment and/or removal of septic systems that may exist should be in accordance with local codes and recommendations by Converse. Seepage pits, if abandoned in-place, should be pumped clean, backfilled with gravel or clean sand jetted into place, and then capped with a minimum of 2 feet of a 2-sack or greater slurry or concrete for a minimum distance of 2 feet outside the edge of the seepage pit. The top of the slurry or concrete cap should be at a minimum 10 feet below proposed grade.

10.3 Overexcavation

The site is generally underlain by approximately 2.0 to 5.0 feet of potentially compressible soils (artificial fill, topsoil, and the upper weathered portions of the older alluvial fan deposits). However, localized, deeper over-excavation, as much as approximately 6.0 feet to 10.0 feet exist along the southern portion of the site likely associated with grading for the previous nursery operations. These materials may be prone to future settlement under the surcharge of foundation, improvements and/or fill loads. Therefore, these materials should be over-excavated to competent older alluvial fan deposits, within all areas of proposed structures and other improvements, and replaced with compacted fill soils. Within the entire level portions of the building pad areas, over-excavations should also extend at least 4.5 feet below proposed pad grade,



as well as at least 2.0 feet below the lowest proposed footings, within the proposed building areas, whichever is deeper. Within proposed wall footings areas over-excavation should also be a minimum of 3.0 feet below proposed pad grade or 2.0 feet below the proposed wall footings areas, whichever is deeper. All over-excavations should extend outside the entire level portions of the building pad area at least 5.0 feet or equal to the depth of over-excavation, whichever is greater. Within wall and pavement areas overexcavations should extend laterally at least 2.0 feet or equal to the depth of over-excavation, whichever is greater. The final bottom surfaces of all excavations should be approved by the project geotechnical consultant prior to placing any fill or structures, based on observations and testing by the geotechnical consultant during grading of the final bottom surfaces of all excavations.

The estimated locations and approximate depths of over-excavation of unsuitable, compressible soil materials are indicated on Figure No. 2, *Approximate Boring, Percolation Test, and Overexcavation Locations Map*.

If isolated pockets of very soft, loose, eroded, or pumping soil are encountered, the unstable soil should be excavated as needed to expose undisturbed, firm, and unyielding soils.

The contractor should determine the best manner to conduct the excavations, such that there are no losses of bearing and/or lateral support to the existing structures or utilities (if any).

Areas to receive fill and/or other surface improvements should be scarified to a minimum depth of 6 inches, brought to a near-optimum moisture condition, and recompacted to at least 90 percent relative compaction (based on ASTM Test Method D1557).

10.4 Engineered Fill

No fill soils or aggregate base should be placed until excavations and/or natural ground preparation have been observed by the geotechnical consultant. The native soils encountered within the project site are generally considered suitable for re-use as compacted fill. Excavated soils should be processed, including removal of roots and debris, removal of oversized particles, mixing, and moisture conditioning, before placing as compacted fill. On-site soils used as fill should meet the following criteria.

- No particles larger than 6 inches in largest dimension.
- Rocks larger than one inch should not be placed within the upper 12 inches of subgrade soils.
- Free of all organic matter, debris, or other deleterious material.
- Expansion index of 20 or less.
- Sand equivalent greater than 15 (greater than 30 for pipe bedding).
- Contain less than 30 percent by weight retained in 3/4-inch sieve.



- Contain less than 40 percent fines (passing #200 sieve).

Based on the laboratory test results, on-site soils may be utilized as fill materials.

Imported materials, if required, should meet the above criteria prior to being used as compacted fill. Any imported fills should be tested and approved by geotechnical consultant prior to delivery to the site.

10.5 *Compacted Fill Placement*

All surfaces to receive structural fills should be scarified to a depth of 6 inches. The soil should be moisture conditioned to within ± 3 percent of optimum moisture content for coarse soils and 0 to 2 percent above optimum moisture content for fine soils. The scarified soils should be recompacted to at least 90 percent of the laboratory maximum dry density.

Fill soils should be thoroughly mixed, and moisture conditioned to within ± 3 percent of optimum moisture content for coarse soils and 0 to 2 percent above optimum moisture content for fine soils. Fill soils should be evenly spread in horizontal lifts not exceeding 8 inches in uncompacted thickness.

All fill placed at the site should be compacted to at least 90 percent of the laboratory maximum dry densities as determined by ASTM Standard D1557 test method unless a higher compaction is specified herein. At least the upper 2 feet of subgrade soils underneath pavements intended to support vehicle loads should be scarified, moisture conditioned, and compacted to at least 95 percent of the laboratory maximum dry density.

To reduce differential settlement, variations in the soil type, degree of compaction and thickness of the engineered fill placed underneath the foundations should be minimized.

Fill materials should not be placed, spread, or compacted during unfavorable weather conditions. When site grading is interrupted by heavy rain, filling operations should not resume until the geotechnical consultant approves the moisture and density conditions of the previously placed fill.

10.6 *Shrinkage and Subsidence*

The volume of excavated and recompacted soils will decrease as a result of grading. The shrinkage would depend on, among other factors, the depth of cut and/or fill, and the grading method and equipment utilized. Based on our previous experience in the other projects in close vicinity of this site, for the preliminary estimation, shrinkage factors for various units of earth material at the site may be taken as presented below.



- The shrinkage factor (defined as a percentage of soil volume reduction when moisture conditioned and compacted to the average of 92 percent relative compaction) for the upper 10 feet of soils is estimated. An average value of 5 to 10 percent in the upper 5 feet and an average value of 0 to 5 percent from 5 feet to 10 feet may be used for preliminary earthwork planning.
- Subsidence (defined as the settlement of native materials from the equipment load applied during grading) would depend on the construction methods including type of equipment utilized. Ground subsidence is estimated to be approximately 0.10 foot to 0.15 foot.

Although these values are only approximate, they represent our best estimates of the factors to be used to calculate lost volume that may occur during grading. If more accurate shrinkage and subsidence factors are needed, it is recommended that field-testing using the actual equipment and grading techniques be conducted.

10.7 Site Drainage

Adequate positive drainage should be provided away from the structures and excavation areas to prevent ponding and to reduce percolation of water into the foundation soils. A desirable drainage gradient is 1 percent for paved areas and 2 percent in landscaped areas. Surface drainage should be directed to suitable non-erosive devices.

10.8 Utility Trench Backfill

The following sections present earthwork recommendations for utility trench backfill, including subgrade preparation and trench zone backfill.

Open cuts adjacent to existing roadways or structures are not recommended within a 1:1 (horizontal: vertical) plane extending down and away from the roadway or structure perimeter (if any).

Soils from the trench excavation should not be stockpiled more than 6 feet in height or within a horizontal distance from the trench edge equal to the depth of the trench. Soils should not be stockpiled behind the shoring, if any, within a horizontal distance equal to the depth of the trench, unless the shoring has been designed for such loads.

10.8.1 Pipeline Subgrade Preparation

The final subgrade surface should be level, firm, uniform, and free of loose materials and properly graded to provide uniform bearing and support to the entire section of the pipe placed on bedding material. Protruding oversize particles larger than 2 inches in dimension, if any, should be removed from the trench bottom and replaced with compacted on-site materials.



Any loose, soft, and/or unsuitable materials encountered at the pipe subgrade should be removed and replaced with an adequate bedding material. During the digging of depressions for proper sealing of the pipe joints, the pipe should rest on a prepared bottom for as near its full length as is practicable.

10.8.2 Trench Zone Backfill

The trench zone is defined as the portion of the trench above the pipe bedding extending up to the final grade level of the trench surface. Excavated site soils free of oversize particles and deleterious matter may be used to backfill the trench zone. Detailed trench backfill recommendations are provided below.

- Trench excavations to receive backfill should be free of trash, debris or other unsatisfactory materials at the time of backfill placement.
- Trench zone backfill should be compacted to at least 90 percent of the laboratory maximum dry density as per ASTM D1557 test method. At least the upper 1 foot of trench backfill underlying pavement should be compacted to at least 95 percent of the laboratory maximum dry density as per ASTM D1557 test method.
- Particles larger than 1 inch should not be placed within 12 inches of the pavement subgrade. No more than 30 percent of the backfill volume should be larger than ¾-inch in the largest dimension. Gravel should be well mixed with finer soil. Rocks larger than 3 inches in the largest dimension should not be placed as trench backfill.
- Trench backfill should be compacted by mechanical methods, such as sheepsfoot, vibrating or pneumatic rollers or mechanical tampers to achieve the density specified herein. The backfill materials should be brought to within ± 3 percent of optimum moisture content for coarse-grained soil, and between optimum and 2 percent above optimum for fine-grained soil, then placed in horizontal layers. The thickness of uncompacted layers should not exceed 8 inches. Each layer should be evenly spread, moistened, or dried as necessary, and then tamped or rolled until the specified density has been achieved.
- The contractor should select the equipment and processes to be used to achieve the specified density without damage to adjacent ground, structures, utilities and completed work.
- The field density of the compacted soil should be measured by the ASTM D1556 (Sand Cone) or ASTM D6938 (Nuclear Gauge) or equivalent.
- Observations and field tests should be performed by the project soils consultant to confirm that the required degree of compaction has been obtained. Where compaction is less than that specified, additional compactive effort should be made with adjustment of the moisture content as necessary, until the specified compaction is obtained.
- It should be the responsibility of the contractor to maintain safe working conditions during all phases of construction.



- Trench backfill should not be placed, spread or rolled during unfavorable weather conditions. When the work is interrupted by heavy rain, fill operations should not resume until field tests by the project's geotechnical consultant indicate that the moisture content and density of the fill are in compliance with project specifications.

11.0 DESIGN RECOMMENDATIONS

The various design recommendations provided in this section are based on the assumption that the above earthwork and grading recommendations will be implemented in the project design and construction.

11.1 General Evaluation

The various design recommendations provided in this section are based on the exploration and laboratory testing as well as the assumption that in preparing the site, the earthwork recommendations provided in this report will be implemented.

11.2 Preliminary Shallow Foundation Design Parameters

The proposed one- and two-story buildings and possible retaining walls may be supported on continuous or isolated spread footings founded completely within in competent compacted fill. The design of the shallow foundations should be based on the recommended parameters presented in the table below.

Table No. 5, Recommended Foundation Parameters

Parameter	1-Story Value	2-Story Value
Minimum continuous footing width (interior and exterior)	12 inches	15 inches
Minimum continuous or isolated footing depth of embedment below lowest adjacent grade (interior and exterior)	15 inches	18 inches
Allowable net bearing capacity	3,000 psf	3,000 psf

Isolated interior footings should be at least 24 inches wide. The footing dimensions and reinforcement should be based on structural design. The allowable bearing capacity can be increased by 500 pounds per square foot (psf) with each foot of additional embedment and 100 psf with each foot of additional width up to a maximum of 4,000 psf.

The net allowable bearing values indicated above are for the dead loads and frequently applied live loads and are obtained by applying a factor of safety of 3.0 to the net ultimate bearing capacity. If normal code requirements are applied for design, the



above vertical bearing value may be increased by 33 percent for short duration loadings, which will include loadings induced by wind or seismic forces.

11.3 Lateral Earth Pressures and Resistance to Lateral Loads

In the following subsections, the lateral earth pressures and resistance to lateral loads are estimated by using on-site native soils strength parameters obtained from laboratory testing.

11.3.1 Active Earth Pressures

The active earth pressure behind any buried wall or foundation depends primarily on the allowable wall movement, type of backfill materials, backfill slopes, wall or foundation inclination, surcharges, and any hydrostatic pressures. The lateral earth pressures for the project site are presented in the following tables.

Table No. 6, Active and At-Rest Earth Pressures

Loading Conditions	Lateral Earth Pressure ¹ (psf)	Lateral Earth Pressure ² (psf)
	Level backfill	2:1 backfill
Active earth conditions (wall is free to deflect at least 0.001 radian)	35	65
At-rest (wall is restrained)	55	80

These pressures assume a level ground surface around the structure for a distance greater than the structure height, no surcharge, and no hydrostatic pressure.

If water pressure is allowed to build up behind the structure, the active pressures should be reduced by 50 percent and added to a full hydrostatic pressure to compute the design pressures against the structure.

11.3.2 Passive Earth Pressure

Resistance to lateral loads can be assumed to be provided by a combination of friction acting at the base of foundations and by passive earth pressure. A coefficient of friction of 0.40 between formed concrete and soil may be used with the dead load forces. An allowable passive earth pressure of 260 psf per foot of depth may be used for the sides of footings poured against recompacted soils. A factor of safety of 1.5 was applied in calculating passive earth pressure. The maximum value of the passive earth pressure should be limited to 2,600 psf for compacted fill.

Vertical and lateral bearing values indicated above are for the total dead loads and frequently applied live loads. If normal code requirements are applied for design, the



above vertical bearing and lateral resistance values may be increased by 33 percent for short duration loading, which will include the effect of wind or seismic forces.

Due to the low overburden stress of the soil at shallow depth, the upper 1 foot of passive resistance should be neglected unless the soil is confined by pavement or slab.

11.4 Retaining Walls Drainage

The recommended lateral earth pressure values, for any future retaining walls, do not include lateral pressures due to hydrostatic forces. Therefore, wall backfill should be free draining and provisions should be made to collect and dispose of excess water that may accumulate behind earth retaining structures. Behind wall drainage may be provided by free-draining gravel surrounded by synthetic filter fabric or by prefabricated, synthetic drain panels or weep holes. In either case, drainage should be collected by perforated pipes and directed to a sump, storm drain, or other suitable location for disposal. We recommend drain rock should consist of durable stone having 100 percent passing the 1-inch sieve and less than 5 percent passing the No. 4 sieve. Synthetic filter fabric should have an equivalent opening size (EOS), U.S. Standard Sieve, of between 40 and 70, a minimum flow rate of 110 gallons per minute per square foot of fabric, and a minimum puncture strength of 110 pounds.

11.5 Slabs-on-Grade

Slab-on-grade should be supported on properly compacted fill. Compacted fill used to support slabs-on-grade should be placed and compacted in accordance with Section 10.5 *Compacted Fill Placement*.

Structural design elements of slabs-on-grade, including but not limited to thickness, reinforcement, joint spacing of more heavily-loaded slabs will be dependent upon the anticipated loading conditions and the modulus of subgrade reaction (200 kcf) of the supporting materials and should be designed by a structural engineer.

Slabs should be designed and constructed as promulgated by the American Concrete Institute (ACI) and the Portland Cement Association (PCA). Care should be taken during concrete placement to avoid slab curling. Prior to the slab pour, all utility trenches should be properly backfilled and compacted.

Subgrade for slabs-on-grade should be firm and uniform. All loose or disturbed soils including under-slab utility trench backfill should be recomacted.

If moisture-sensitive flooring or environments are planned, slabs-on-grade should be protected by 10-mil-thick polyethylene vapor barriers. The sub-grade surface should be free of all exposed rocks or other sharp objects prior to placement of the barrier. The barrier should be overlain by 2 inches of sand, to minimize punctures and to aid in the



concrete curing. At discretion of the structure engineer, the sand layer may be eliminated.

In hot weather, the contractor should take appropriate curing precautions after placement of concrete to minimize cracking or curling of the slabs. The potential for slab cracking may be lessened by the addition of fiber mesh to the concrete and/or control of the water/cement ratio (maximum 0.40).

Concrete should be cured by protecting it against loss of moisture and rapid temperature change for at least 7 days after placement. Moist curing, waterproof paper, white polyethylene sheeting, white liquid membrane compound, or a combination thereof may be used after finishing operations have been completed. The edges of concrete slabs exposed after removal of forms should be immediately protected to provide continuous curing.

11.6 Settlement

The total settlement of shallow footings, designed as recommended above, from static structural loads and short-term settlement of properly compacted fill is anticipated to be 1/2 inch or less. The static differential settlement can be taken as equal to one-half of the static total settlement over a lateral distance of 40 feet.

The potential dynamic settlement for the project site from liquefaction and dynamic differential settlement is considered negligible.

11.7 Soil Corrosivity

The results of chemical testing of a representative sample of site soil were evaluated for corrosivity evaluation with respect to common construction materials such as concrete and steel. The test results are presented in Appendix B, *Laboratory Testing Program*, Summary of Corrosivity Test Results, and are discussed below.

The sulfate content of the sampled soil corresponds to American Concrete Institute (ACI) exposure category S0 for these sulfate concentrations (ACI 318-14, Table 19.3.1.1). No concrete type restrictions are specified for exposure category S0 (ACI 318-14, Table 19.3.2.1). A minimum compressive strength of 2,500 psi is recommended.

We anticipate that concrete structures such as footings, slab, and flatwork will be exposed to moisture from precipitation and irrigation. Based on the project location and the results of chloride testing of the site soils, we do not anticipate that concrete structures will be exposed to external sources of chlorides, such as deicing chemicals, salt, brackish water, or seawater. ACI specifies exposure category C1 where concrete is exposed to moisture, but not to external sources of chlorides (ACI 318-14, Table



19.3.1.1). ACI provides concrete design recommendations in ACI 318-14, Table 19.3.2.1, including a minimum compressive strength of 2,500 psi, and a maximum chloride content of 0.3 percent.

According to Romanoff, 1957, the following table provides general guideline of soil corrosion based on electrical resistivity.

Table No. 7 Correlation Between Resistivity and Corrosion

Soil Resistivity (ohm-cm) per Caltrans CT 643	Corrosivity Category
Over 10,000	Mildly corrosive
2,000 – 10,000	Moderately corrosive
1,000 – 2,000	corrosive
Less than 1,000	Severe corrosive

The measured value of the minimum electrical resistivity when saturated was 2,720. This indicates that the soils tested are moderately corrosive for ferrous metals in contact with the soil (Romanoff, 1957). Converse does not practice in the area of corrosion consulting. A qualified corrosion consultant should provide appropriate corrosion mitigation measures for ferrous metals in contact with the site soils.

11.8 Pavement Recommendations

One soil sample was tested to determine the R-value of the subgrade soils. Based on laboratory testing, R-value was 20. For pavement design, we have utilized R-value of 50 and design Traffic Indices (TIs) ranging from 5 to 8.

Based on the above information, asphalt concrete and aggregate base thickness results are presented using the Caltrans Highway Design Manual (Caltrans, 2017), Chapter 630 with a safety factor of 0.2 for asphalt concrete/aggregate base section and 0.1 for full depth asphalt concrete section. Preliminary asphalt concrete pavement sections are presented in the following table below. City of Jurupa Valley minimum asphalt pavement and aggregate base thickness requirements should also be considered in the pavement design.



Table No. 8, Recommended Preliminary Pavement Sections

R-value	Traffic Index (TI)	Pavement Section		
		Option 1		Option 2
		Asphalt Concrete (inches)	Aggregate Base (inches)	Full AC Section (inches)
50	5	3.5	6.0	5.5
	6	4.5	7.5	7.0
	7	5.0	10.0	8.5
	8	6.0	11.2	9.5

At or near the completion of grading, subsurface samples should be tested to evaluate the actual subgrade R-value for final pavement design.

Prior to placement of aggregate base and full AC, at least the upper 2 feet of subgrade soils should be scarified, moisture-conditioned if necessary, and recompact to at least 95 percent of the laboratory maximum dry density as defined by ASTM Standard D1557 test method.

Base materials should conform with Section 200-2.2, "*Crushed Aggregate Base*," of the current Standard Specifications for Public Works Construction (SSPWC; Public Works Standards, 2018) and should be placed in accordance with Section 301.2 of the SSPWC.

Asphaltic concrete materials should conform to Section 203 of the SSPWC and should be placed in accordance with Section 302.5 of the SSPWC.

11.9 Concrete Flatwork

Except as modified herein, concrete walks, driveways, access ramps, curb and gutters should be constructed in accordance with Section 303-5, *Concrete Curbs, Walks, Gutters, Cross-Gutters, Alley Intersections, Access Ramps, and Driveways*, of the Standard Specifications for Public Works Construction (Public Works Standards, 2018).

The subgrade soils under the above structures should consist of compacted fill placed as described in this report. Prior to placement of concrete, the upper 2 feet of subgrade soils should be moisture conditioned to between within 3 percent of optimum moisture content for coarse-grained soils and 0 and 2 percent above optimum for fine-grained soils.

The thickness of driveways for passenger vehicles should be at least 4 inches, or as required by the civil or structural engineer. Transverse control joints for driveways should be spaced not more than 10 feet apart. Driveways wider than 12 feet should be provided with a longitudinal control joint.



Concrete walks subjected to pedestrian and bicycle loading should be at least 4 inches thick, or as required by the civil or structural engineer. Transverse joints should be spaced 15 feet or less and should be cut to a depth of one-fourth the slab thickness.

Positive drainage should be provided away from all driveways and sidewalks to prevent seepage of surface and/or subsurface water into the concrete base and/or subgrade.

12.0 CONSTRUCTION RECOMMENDATIONS

Temporary sloped excavation recommendations are presented in the following sections.

12.1 General

Prior to the start of construction, all existing underground utilities should be located at the project site. Such utilities should either be protected in-place or removed and replaced during construction as required by the project specifications.

Sloped excavations may not be feasible in locations adjacent to existing utilities, pavement, or structure (if any). Recommendations pertaining to temporary excavations are presented in this section.

Excavations near existing structures may require vertical sidewall excavation. Where the side of the excavation is a vertical cut, it should be adequately supported by temporary shoring to protect workers and any adjacent structures.

All applicable requirements of the California Construction and General Industry Safety Orders, the Occupational Safety and Health Act, and the Construction Safety Act should be met. The soils exposed in cuts should be observed during excavation by the geotechnical consultant and the competent person designated by the contractor. If potentially unstable soil conditions are encountered, modifications of slope ratios for temporary cuts may be required.

12.2 Temporary Sloped Excavations

Temporary open-cut trenches may be constructed with side slopes as recommended in the following table. Temporary cuts encountering soft and wet fine-grained soils; dry loose, cohesionless soils or loose fill from trench backfill may have to be constructed at a flatter gradient than presented below.

Table No. 9, Slope Ratios for Temporary Excavations

Soil Type	OSHA Soil Type	Depth of Cut (feet)	Recommended Maximum Slope (Horizontal: Vertical) ¹
Silty Sand (SM),	C	0-10	1.5:1

¹ Slope ratio assumed to be uniform from top to toe of slope.



For shallow excavations up to 4 feet bgs, vertical excavations can be considered. For steeper temporary construction slopes or deeper excavations, or unstable soil encountered during the excavation, shoring or trench shields should be provided by the contractor to protect the workers in the excavation. Design recommendations for temporary shoring are provided in the following section.

Surfaces exposed in slope excavations should be kept moist but not saturated to retard raveling and sloughing during construction. Adequate provisions should be made to protect the slopes from erosion during periods of rainfall. Surcharge loads, including construction materials, should not be placed within 5 feet of the unsupported slope edge. Stockpiled soils with a height higher than 6 feet will require greater distance from trench edges.

13.0 GEOTECHNICAL SERVICES DURING CONSTRUCTION

The project geotechnical consultant should review plans and specifications as the project design progresses. Such review is necessary to identify design elements, assumptions, or new conditions which require revisions or additions to our geotechnical recommendations.

The project geotechnical consultant should be present to observe conditions during construction. Geotechnical observation and testing should be performed as needed to verify compliance with project specifications. Additional geotechnical recommendations may be required based on subsurface conditions encountered during construction.

14.0 CLOSURE

This report is prepared for the project described herein and is intended for use solely by Mehas Construction Inc., and their authorized agents, to assist in the development of the proposed project. Our findings and recommendations were obtained in accordance with generally accepted professional principles practiced in geotechnical engineering. We make no other warranty, either expressed or implied.

Converse Consultants is not responsible or liable for any claims or damages associated with interpretation of available information provided to others. Site exploration identifies actual soil conditions only at those points where samples are taken, when they are taken. Data derived through sampling and laboratory testing is extrapolated by Converse employees who render an opinion about the overall soil conditions. Actual conditions in areas not sampled may differ. In the event that changes to the project occur, or additional, relevant information about the project is brought to our attention, the recommendations contained in this report may not be valid unless these changes and additional relevant information are reviewed and the recommendations of this report are modified or verified in writing. In addition, the recommendations can only be finalized by observing actual subsurface conditions revealed during construction.



Converse cannot be held responsible for misinterpretation or changes to our recommendations made by others during construction.

As the project evolves, a continued consultation and construction monitoring by a qualified geotechnical consultant should be considered an extension of geotechnical investigation services performed to date. The geotechnical consultant should review plans and specifications to verify that the recommendations presented herein have been appropriately interpreted, and that the design assumptions used in this report are valid. Where significant design changes occur, Converse may be required to augment or modify the recommendations presented herein. Subsurface conditions may differ in some locations from those encountered in the explorations, and may require additional analyses and, possibly, modified recommendations.

Design recommendations given in this report are based on the assumption that the recommendations contained in this report are implemented. Additional consultation may be prudent to interpret Converse's findings for contractors, or to possibly refine these recommendations based upon the review of the actual site conditions encountered during construction. If the scope of the project changes, if project completion is to be delayed, or if the report is to be used for another purpose, this office should be consulted.



15.0 REFERENCES

- AMERICAN CONCRETE INSTITUTE (ACI), 2014, Building Code Requirements for Structural Concrete (ACI 318-14) and Commentary, dated October 2014.
- AMERICAN SOCIETY OF CIVIL ENGINEERS (ASCE), 2010, Minimum Design Loads for Buildings and Other Structures, SEI/ASCE Standard No. 7-10, dated January 1, 2010.
- AMERICAN SOCIETY OF CIVIL ENGINEERS (ASCE), 2010, Minimum Design Loads for Buildings and Other Structures, SEI/ASCE Standard No. 7-10, dated January 1, 2010.
- CALIFORNIA BUILDING STANDARDS COMMISSION (CBSC), 2019, California Building Code (CBC).
- CALIFORNIA DEPARTMENT OF TRANSPORTATION (Caltrans), 2020, Highway Design Manual, dated March 2020.
- CALIFORNIA DEPARTMENT OF WATER RESOURCES (CDWR), 2021 Water Data Library, Groundwater Levels.
- CALIFORNIA GEOLOGICAL SURVEY (CGS), 2007, Fault-Rupture Hazard Zones in California, Alquist-Priolo Earthquake Faulting Zoning Act with Index to Earthquake Fault Zone Maps, Special Publication 42, revised 2007.
- CALIFORNIA STATE WATER RESOURCES CONTROL BOARD (SWRCB), 2021, GeoTracker database (<http://geotracker.waterboards.ca.gov/>), accessed on March 29, 2021.
- DAS, B.M., 2011, Principles of Foundation Engineering, Seventh Edition, published by Global Engineering, 2011.
- DIBBLEE, T.W., AND MINCH, J.A. (DIBBLEE), 2004, Geologic map of the Riverside West/south 1/2 of Fontana quadrangles, San Bernardino and Riverside County, California: Dibblee Geological Foundation, Dibblee Foundation Map DF-128, scale 1:24,000.
- ENCOMPASS ASSOCIATES, INC., Preliminary Site Plan, Camino Real, 7586 Jurupa Rd., Jurupa Valley, CA, 92509, Sheet 1 of 1, Scale: 1"= 30', No Date.
- FEDERAL EMERGENCY MANAGEMENT AGENCY (FEMA), 2008, Flood Insurance Rate Map, Riverside, California and Incorporated Areas, Map No. 06065C0039G, effective date August 28, 2008.



MORTON, D.M. and MILLER, F.K., 2006, Geologic Map of the San Bernardino and Santa Ana 30' x 60' Quadrangles, California, U.S. Geological Survey Open-File Report 2006-1217, scale 1:100,000.

PUBLIC WORKS STANDARDS, INC., 2018, Standard Specifications for Public Works Construction ("Greenbook"), 2018.

RIVERSIDE COUNTY, 2021, Riverside County GIS - Map My County (http://mmc.rivcoit.org/mmc_public), accessed March 29, 2021.

ROMANOFF, MELVIN, 1957, Underground Corrosion, National Bureau of Standards Circular 579, dated April 1957.

U.S. GEOLOGICAL SURVEY (USGS), 2021, National Water Information System: Web Interface (<https://maps.waterdata.usgs.gov/mapper/index.html>), accessed on March 29, 2021.



APPENDIX A

FIELD EXPLORATION

Our field investigation included a site reconnaissance and a subsurface exploration program consisting of drilling soil borings. During the site reconnaissance, the surface conditions were noted, and the borings were marked in the field using approximate distances from local streets as a guide and should be considered accurate only to the degree implied by the method used to locate them.

Five borings (BH-01 through BH-05) were drilled on August 25, 2020 within the project site to investigate subsurface conditions. All borings were drilled to approximately 16.5 to 51.5 feet below ground surface bgs.

Three test holes (PT-01 through PT-03) were drilled on August 25, 2020 within the project site to perform percolation testing. All borings were drilled to were drilled to approximately 4.5 to 6.0 feet bgs.

The borings were advanced using a CME 75 truck-mounted drill rig equipped with 8-inch diameter hollow-stem augers for soils sampling. Encountered materials were continuously logged by a Converse geologist and classified in the field by visual classification in accordance with the Unified Soil Classification System. Where appropriate, the field descriptions and classifications have been modified to reflect laboratory test results.

Relatively undisturbed samples were obtained using California Modified Samplers (2.4 inches inside diameter and 3.0 inches outside diameter) lined with thin sample rings. The steel ring sampler was driven into the bottom of the borehole with successive drops of a 140-pound driving weight falling 30 inches. Blow counts at each sample interval are presented on the boring logs for each blow. The recorded blow counts for every 6 inches for a total of 1.5 feet of sampler penetration are shown on the Logs of Borings.. Samples were retained in brass rings (2.4 inches inside diameter and 1.0 inch in height) and carefully sealed in waterproof plastic containers for shipment to the Converse laboratory. Bulk samples of typical soil types were also obtained.

Standard Penetration Testing (SPT) was also performed in borings BH-01 and BH-03 in accordance with the ASTM Standard D1586 test method at 10-foot intervals beginning at 20 feet bgs using a standard (1.4 inches inside diameter and 2.0 inches outside diameter) split-barrel sampler. The mechanically driven hammer for the SPT sampler was 140 pounds, falling 30 inches for each blow. The recorded blow counts for every 6 inches for a total of 1.5 feet of sampler penetration are shown on the Logs of Borings.



The exact depths at which material changes occur cannot always be established accurately. Unless a more precise depth can be established by other means, changes in material conditions that occur between drive samples are indicated on the logs at the top of the next drive sample.

Following the completion of logging and sampling, the borings were backfilled with soil cuttings and compacted by pushing down using drill rig weight. The surface was patched with concrete, where applicable. If construction is delayed, the surface of the borings may settle over time. We recommend the owner monitor the boring locations and backfill any depressions that might occur or provide protection around the boring locations to prevent trip and fall injuries from occurring near the area of any potential settlement.

For a key to soil symbols and terminology used in the boring logs, refer to Drawing No. A-1, *Unified Soil Classification and Key to Boring Log Symbols*. For logs of borings, see Drawings No. A-2 through A-9, *Logs of Borings*.



SOIL CLASSIFICATION CHART

MAJOR DIVISIONS			SYMBOLS		TYPICAL DESCRIPTIONS
			GRAPH	LETTER	
COARSE GRAINED SOILS	GRAVEL AND GRAVELLY SOILS	CLEAN GRAVELS (LITTLE OR NO FINES)		GW	WELL-GRADED GRAVELS, GRAVEL - SAND MIXTURES, LITTLE OR NO FINES
		GRAVELS WITH FINES (APPRECIABLE AMOUNT OF FINES)		GP	POORLY-GRADED GRAVELS, GRAVEL - SAND MIXTURES, LITTLE OR NO FINES
				GM	SILTY GRAVELS, GRAVEL - SAND - SILT MIXTURES
	SAND AND SANDY SOILS	CLEAN SANDS (LITTLE OR NO FINES)		SW	WELL-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES
		SANDS WITH FINES (APPRECIABLE AMOUNT OF FINES)		SP	POORLY-GRADED SANDS, GRAVELLY SAND, LITTLE OR NO FINES
				SM	SILTY SANDS, SAND - SILT MIXTURES
FINE GRAINED SOILS	SILTS AND CLAYS	LIQUID LIMIT LESS THAN 50		ML	INORGANIC SILTS AND VERY FINE SANDS, ROCK FLOUR, SILTY OR CLAYEY FINE SANDS OR CLAYEY SILTS WITH SLIGHT PLASTICITY
				CL	INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, GRAVELLY CLAYS, SANDY CLAYS, SILTY CLAYS, LEAN CLAYS
				OL	ORGANIC SILTS AND ORGANIC SILTY CLAYS OF LOW PLASTICITY
	SILTS AND CLAYS	LIQUID LIMIT GREATER THAN 50		MH	INORGANIC SILTS, MICACEOUS OR DIATOMACEOUS FINE SAND OR SILTY SOILS
				CH	INORGANIC CLAYS OF HIGH PLASTICITY
				OH	ORGANIC CLAYS OF MEDIUM TO HIGH PLASTICITY, ORGANIC SILTS
HIGHLY ORGANIC SOILS				PT	PEAT, HUMUS, SWAMP SOILS WITH HIGH ORGANIC CONTENTS

FIELD AND LABORATORY TESTS	
C	Consolidation (ASTM D 2435)
CL	Collapse Potential (ASTM D 4546)
CP	Compaction Curve (ASTM D 1557)
CR	Corrosion, Sulfates, Chlorides (CTM 643-99; 417; 422)
CU	Consolidated Undrained Triaxial (ASTM D 4767)
DS	Direct Shear (ASTM D 3080)
EI	Expansion Index (ASTM D 4829)
M	Moisture Content (ASTM D 2216)
OC	Organic Content (ASTM D 2974)
P	Permeability (ASTM D 2434)
PA	Particle Size Analysis (ASTM D 6913 [2002])
PI	Liquid Limit, Plastic Limit, Plasticity Index (ASTM D 4318)
PL	Point Load Index (ASTM D 5731)
PM	Pressure Meter
PP	Pocket Penetrometer
R	R-Value (CTM 301)
SE	Sand Equivalent (ASTM D 2419)
SG	Specific Gravity (ASTM D 854)
SW	Swell Potential (ASTM D 4546)
TV	Pocket Torvane
UC	Unconfined Compression - Soil (ASTM D 2166)
	Unconfined Compression - Rock (ASTM D 7012)
UU	Unconsolidated Undrained Triaxial (ASTM D 2850)
UW	Unit Weight (ASTM D 2937)

NOTE: DUAL SYMBOLS ARE USED TO INDICATE BORDERLINE SOIL CLASSIFICATIONS

BORING LOG SYMBOLS

DRILLING METHOD SYMBOLS			
	Auger Drilling		Mud Rotary Drilling
	Dynamic Cone or Hand Driven		Diamond Core

SAMPLE TYPE

	STANDARD PENETRATION TEST Split barrel sampler in accordance with ASTM D-1586-84 Standard Test Method
	DRIVE SAMPLE 2.42" I.D. sampler (CMS).
	DRIVE SAMPLE No recovery
	BULK SAMPLE
	GROUNDWATER WHILE DRILLING
	GROUNDWATER AFTER DRILLING

SOIL CLASSIFICATION AND KEY TO BORING LOG SYMBOLS



Converse Consultants

Project Name:
Project Location:
For:

Project No.

Drawing No.
A-1a

Project ID: ; Template: KEY

CONSISTENCY OF COHESIVE SOILS

Descriptor	Unconfined Compressive Strength (tsf)	SPT Blow Counts	Pocket Penetrometer (tsf)	CA Sampler	Torvane (tsf)	Field Approximation
Very Soft	<0.25	< 2	<0.25	<3	<0.12	Easily penetrated several inches by fist
Soft	0.25 - 0.50	2 - 4	0.25 - 0.50	3 - 6	0.12 - 0.25	Easily penetrated several inches by thumb
Medium Stiff	0.50 - 1.0	5 - 8	0.50 - 1.0	7 - 12	0.25 - 0.50	Can be penetrated several inches by thumb with moderate effort
Stiff	1.0 - 2.0	9 - 15	1.0 - 2.0	13 - 25	0.50 - 1.0	Readily indented by thumb but penetrated only with great effort
Very Stiff	2.0 - 4.0	16 - 30	2.0 - 4.0	26 - 50	1.0 - 2.0	Readily indented by thumbnail
Hard	>4.0	>30	>4.0	>50	>2.0	Indented by thumbnail with difficulty

APPARENT DENSITY OF COHESIONLESS SOILS

Descriptor	SPT N ₆₀ Value (blows / foot)	CA Sampler
Very Loose	<4	<5
Loose	4 - 10	5 - 12
Medium Dense	11 - 30	13 - 35
Dense	31 - 50	36 - 60
Very Dense	>50	>60

MOISTURE

Descriptor	Criteria
Dry	Absence of moisture, dusty, dry to the touch
Moist	Damp but no visible water
Wet	Visible free water, usually soil is below water table

PERCENT OF PROPORTION OF SOILS

Descriptor	Criteria
Trace (fine)/ Scattered (coarse)	Particles are present but estimated to be less than 5%
Few	5 to 10%
Little	15 to 25%
Some	30 to 45%
Mostly	50 to 100%

SOIL PARTICLE SIZE

Descriptor	Size
Boulder	> 12 inches
Cobble	3 to 12 inches
Gravel	Coarse 3/4 inch to 3 inches
	Fine No. 4 Sieve to 3/4 inch
Sand	Coarse No. 10 Sieve to No. 4 Sieve
	Medium No. 40 Sieve to No. 10 Sieve
	Fine No. 200 Sieve to No. 40 Sieve
Silt and Clay	Passing No. 200 Sieve

PLASTICITY OF FINE-GRAINED SOILS

Descriptor	Criteria
Nonplastic	A 1/8-inch thread cannot be rolled at any water content.
Low	The thread can barely be rolled, and the lump cannot be formed when drier than the plastic limit.
Medium	The thread is easy to roll, and not much time is required to reach the plastic limit; it cannot be rerolled after reaching the plastic limit. The lump crumbles when drier than the plastic limit.
High	It takes considerable time rolling and kneading to reach the plastic limit. The thread can be rerolled several times after reaching the plastic limit. The lump can be formed without crumbling when drier than the plastic limit.

CEMENTATION/ Induration

Descriptor	Criteria
Weak	Crumbles or breaks with handling or little finger pressure.
Moderate	Crumbles or breaks with considerable finger pressure.
Strong	Will not crumble or break with finger pressure.

NOTE: This legend sheet provides descriptions and associated criteria for required soil description components only. Refer to Caltrans Soil and Rock Logging, Classification, and Presentation Manual (2010), Section 2, for tables of additional soil description components and discussion of soil description and identification.

SOIL CLASSIFICATION AND KEY TO BORING LOG SYMBOLS



Converse Consultants

Project Name:
Project Location:
For:

Project No.

Drawing No.
A-1b

LEGEND OF ROCK MATERIALS



IGNEOUS ROCK



SEDIMENTARY ROCK



METAMORPHIC ROCK

BEDDING SPACING

Description	Thickness/Spacing
Massive	Greater than 10 ft
Very Thickly Bedded	3 ft - 10 ft
Thickly Bedded	1 ft - 3 ft
Moderately Bedded	4 in - 1 ft
Thinly Bedded	1 in - 4 in
Very Thinly Bedded	1/4 in - 1 in
Laminated	Less than 1/4 in

WEATHERING DESCRIPTORS FOR INTACT ROCK

	Diagnostic Features					
Description	Chemical Weathering-Discoloration-Oxidation		Mechanical Weathering and Grain Boundary Conditions	Texture and Leaching		General Characteristics
	Body of Rock	Fracture Surfaces		Texture	Leaching	
Fresh	No discoloration, not oxidized	No discoloration or oxidation	No separation, intact (tight)	No change	No leaching	Hammer rings when crystalline rocks are struck.
Slightly Weathered	Discoloration or oxidation is limited to surface of, or short distance from, fractures; some feldspar crystals are dull	Minor to complete discoloration or oxidation of most surfaces	No visible separation, intact (tight)	Preserved	Minor leaching of some soluble minerals	Hammer rings when crystalline rocks are struck. Body of rock not weakened.
Moderately Weathered	Discoloration or oxidation extends from fractures usually throughout; Fe-Mg minerals are "rusty"; feldspar crystals are "cloudy"	All fracture surfaces are discolored or oxidized	Partial separation of boundaries visible	Generally preserved	Soluble minerals may be mostly leached	Hammer does not ring when rock is struck. Body of rock is slightly weakened.
Intensely Weathered	Discoloration or oxidation throughout; all feldspars and Fe-Mg minerals are altered to clay to some extent; or chemical alteration produces in situ disaggregation, grain boundary conditions	All fracture surfaces are discolored or oxidized; surfaces friable	Partial separation, rock is friable; in semi-arid conditions, granitics are disaggregated	Texture altered by chemical disintegration (hydration, argillation)	Leaching of soluble minerals may be complete	Dull sound when struck with hammer; usually can be broken with moderate to heavy manual pressure or by light hammer blow without reference to planes of weakness such as incipient or hairline fractures or veinlets. Rock is significantly weakened.
Decomposed	Discolored or oxidized throughout, but resistant minerals such as quartz may be unaltered; all feldspars and Fe-Mg minerals are completely altered to clay		Complete separation of grain boundaries (disaggregated)	Resembles a soil; partial or complete remnant rock structure may be preserved; leaching of soluble minerals usually complete		Can be granulated by hand. Resistant minerals such as quartz may be present as "stringers" or "dikes".

PERCENT CORE RECOVERY (REC)

$$\frac{\sum \text{Length of the recovered core pieces (in.)}}{\text{Total length of core run (in.)}} \times 100$$

ROCK QUALITY DESIGNATION (RQD)

$$\frac{\sum \text{Length of intact core pieces} \geq 4 \text{ in.}}{\text{Total length of core run (in.)}} \times 100$$

RQD* indicates soundness criteria not met.

ROCK HARDNESS

Description	Criteria
Extremely Hard	Cannot be scratched with a pocketknife or sharp pick. Can only be chipped with repeated heavy hammer blows
Very Hard	Cannot be scratched with a pocketknife or sharp pick. Breaks with repeated heavy hammer blows.
Hard	Can be scratched with a pocketknife or sharp pick with difficulty (heavy pressure). Breaks with heavy hammer blows.
Moderately Hard	Can be scratched with a pocketknife or sharp pick with light or moderate pressure. Breaks with moderate hammer blows
Moderately Soft	Can be grooved 1/16 in. deep with a pocketknife or sharp pick with moderate or heavy pressure. Breaks with light hammer blow or heavy manual pressure.
Soft	Can be grooved or gouged easily with a pocketknife or sharp pick with light pressure, can be scratched with fingernail. Breaks with light to moderate manual pressure.
Very Soft	Can be readily indented, grooved or gouged with fingernail, or carved with a pocketknife. Breaks with light manual pressure.

Fracturing Spacing

Description	Observed Fracture Density
Unfractured	No fractures
Very Slightly Fractured	Core lengths greater than 3 ft.
Slightly Fractured	Core lengths mostly from 1 to 3 ft.
Moderately Fractured	Core lengths mostly 4 in. to 1 ft.
Intensely Fractured	Core lengths mostly from 1 to 4 in.
Very Intensely Fractured	Mostly chips and fragments.

REFERENCE Caltrans Soil and Rock Logging, Classification, and Presentation Manual (2010).

BEDROCK CLASSIFICATION AND KEY TO BORING LOG SYMBOLS



Converse Consultants

36 Unit Residential Development
7586 Jurupa Road
City of Jurupa Valley, Riverside County, California
For: All-ERA Properties

Project No.
20-81-168-01














Drawing No.
A-1c

Log of Boring No. BH-01

Dates Drilled: 8/25/2020 Logged by: Catherine Nelson Checked By: Robert Gregorek

Equipment: 8" HOLLOW STEM AUGER Driving Weight and Drop: 140 lbs / 30 in

Ground Surface Elevation (ft): 835 Depth to Water (ft): 27.11

Depth (ft)	Graphic Log	SUMMARY OF SUBSURFACE CONDITIONS This log is part of the report prepared by Converse for this project and should be read together with the report. This summary applies only at the location of the boring and at the time of drilling. Subsurface conditions may differ at other locations and may change at this location with the passage of time. The data presented is a simplification of actual conditions encountered.	SAMPLES		BLOWS	MOISTURE (%)	DRY UNIT WT. (pcf)	OTHER
			DRIVE	BULK				
		TOPSOIL SILTY SAND (SM): fine to coarse-grained, dense, moist, orangish brown.			9/30/50	5	94	CP
5		OLD ALLUVIAL FAN DEPOSITS SILTY SAND (SM): fine to coarse-grained, trace clay, very dense, moist, light reddish brown, slight desiccation. - @6.0': no noticeable desiccation.			25/37/49	8	126	
10					9/10/17	8	126	DS
					12/16/20	6	128	
15		- @14.0': possible caliche pockets, slight desiccation.			22/39/50-5"	8	130	
20		- @19.0': dark reddish brown, moderate desiccation.			50-6"	11	114	
25		- @24.0' : medium dense.			12/12/12	15		
		 - @27.1': groundwater.						
30		- @29.0': wet, grayish brown.			25/50-6"	17	113	
		End of boring at 30.0 feet bgs. Groundwater encountered at 27.1 feet. Borehole backfilled with soil cuttings and tamped with auger using weight of drill rig on 08/25/2020.						



Converse Consultants

36 Unit Residential Development
7586 Jurupa Road
City of Jurupa Valley, Riverside County, California
For: All-ERA Properties

Project No. Drawing No.
20-81-168-01 A-2

Log of Boring No. BH-02

Dates Drilled: 8/25/2020 Logged by: Catherine Nelson Checked By: Robert Gregorek

Equipment: 8" HOLLOW STEM AUGER Driving Weight and Drop: 140 lbs / 30 in

Ground Surface Elevation (ft): 838 Depth to Water (ft): NOT ENCOUNTERED

Depth (ft)	Graphic Log	SUMMARY OF SUBSURFACE CONDITIONS This log is part of the report prepared by Converse for this project and should be read together with the report. This summary applies only at the location of the boring and at the time of drilling. Subsurface conditions may differ at other locations and may change at this location with the passage of time. The data presented is a simplification of actual conditions encountered.	SAMPLES		BLOWS	MOISTURE (%)	DRY UNIT WT. (pcf)	OTHER
			DRIVE	BULK				
		TOPSOIL SILTY SAND (SM): fine to coarse-grained, few gravel up to 1" in largest dimension, loose, dry, orangish brown.			15/18/23	11	131	EI, CR, CP, DS
5		OLD ALLUVIAL FAN DEPOSITS SILTY SAND (SM): fine to coarse-grained, trace clay, roots and rootlets, dense, moist, reddish brown, slight desiccation. - @5.0': very dense, dark reddish brown, moderate desiccation. - @8.0': trace clay, slight mottling, possible caliche, orangish brown, slight desiccation.			6/15/50	12	118	
10					14/50-6"	11	117	
					17/50-5"	12	114	
15					35/50-3"	12	118	
		End of boring at 16.8 feet bgs. No groundwater encountered. Borehole backfilled with soil cuttings and tamped with auger using weight of drill rig on 08/25/2020.						



Converse Consultants

36 Unit Residential Development
7586 Jurupa Road
City of Jurupa Valley, Riverside County, California
For: All-ERA Properties

Project No. Drawing No.
20-81-168-01 A-3

Log of Boring No. BH-03

Dates Drilled: 8/25/2020 Logged by: Catherine Nelson Checked By: Robert Gregorek

Equipment: 8" HOLLOW STEM AUGER Driving Weight and Drop: 140 lbs / 30 in

Ground Surface Elevation (ft): 836 Depth to Water (ft): 24.5

Depth (ft)	Graphic Log	SUMMARY OF SUBSURFACE CONDITIONS This log is part of the report prepared by Converse for this project and should be read together with the report. This summary applies only at the location of the boring and at the time of drilling. Subsurface conditions may differ at other locations and may change at this location with the passage of time. The data presented is a simplification of actual conditions encountered.	SAMPLES		BLOWS	MOISTURE (%)	DRY UNIT WT. (pcf)	OTHER
			DRIVE	BULK				
		TOPSOIL SILTY SAND (SM): fine to coarse-grained, few gravel up to 1" in largest dimension, loose, dry, orangish brown.			16/31/34	6	119	
5		OLD ALLUVIAL FAN DEPOSITS SILTY SAND (SM): fine to coarse-grained, trace clay, very dense, moist, orangish brown, slight to moderate desiccation.			22/50-6"	8	123	
					50-6"	7	113	
10		- @10.0': reddish brown, moderate desiccation.			16/50-6"	12	118	
15					32/50-5"	12	116	
20		- @20.0': dense.			10/14/17	11		
25		- @24.5': groundwater. - @25.0': very dense.			21/50-6"	11	127	
30					30/50-3"	13		



Converse Consultants

36 Unit Residential Development
7586 Jurupa Road
City of Jurupa Valley, Riverside County, California
For: All-ERA Properties


Project No. Drawing No.
20-81-168-01 A-4a

Log of Boring No. BH-03

Dates Drilled: 8/25/2020 Logged by: Catherine Nelson Checked By: Robert Gregorek

Equipment: 8" HOLLOW STEM AUGER Driving Weight and Drop: 140 lbs / 30 in

Ground Surface Elevation (ft): 836 Depth to Water (ft): 24.5

Depth (ft)	Graphic Log	SUMMARY OF SUBSURFACE CONDITIONS This log is part of the report prepared by Converse for this project and should be read together with the report. This summary applies only at the location of the boring and at the time of drilling. Subsurface conditions may differ at other locations and may change at this location with the passage of time. The data presented is a simplification of actual conditions encountered.	SAMPLES		BLOWS	MOISTURE (%)	DRY UNIT WT. (pcf)	OTHER
			DRIVE	BULK				
40		BEDROCK (gabbro) : Granodiorite/gabbro, slightly weathered, wet, light to dark gray. Excavates as: SILTY SAND (SM) : fine to coarse-grained, trace clay, very dense, moist, grayish brown to black.			50-4"	9	131	
45		- @40.0': wet.			37/50-6"	16		
50		- @45.0': Coarse, black sand grains.			16/50-6"			
		End of boring at 50.5 feet bgs. Groundwater encountered at 24.5 feet. Borehole backfilled with soil cuttings and tamped with auger using weight of drill rig on 08/25/2020.			50-6"	17		



Converse Consultants

36 Unit Residential Development
7586 Jurupa Road
City of Jurupa Valley, Riverside County, California
For: All-ERA Properties

Project No. Drawing No.
20-81-168-01 A-4b

Log of Boring No. BH-04

Dates Drilled: 8/25/2020 Logged by: Catherine Nelson Checked By: Robert Gregorek

Equipment: 8" HOLLOW STEM AUGER Driving Weight and Drop: 140 lbs / 30 in

Ground Surface Elevation (ft): 844 Depth to Water (ft): NOT ENCOUNTERED

Depth (ft)	Graphic Log	SUMMARY OF SUBSURFACE CONDITIONS This log is part of the report prepared by Converse for this project and should be read together with the report. This summary applies only at the location of the boring and at the time of drilling. Subsurface conditions may differ at other locations and may change at this location with the passage of time. The data presented is a simplification of actual conditions encountered.	SAMPLES		BLOWS	MOISTURE (%)	DRY UNIT WT. (pcf)	OTHER
			DRIVE	BULK				
		TOPSOIL						
		SILTY SAND (SM): fine to coarse-grained, few gravel up to 1" in largest dimension, trace clay, loose, moist, orangish brown, slight desiccation.			2/4/5	8	111	
		OLD ALLUVIAL FAN DEPOSITS			10/22/31	5	127	cl
5		SILTY SAND (SM): fine to coarse-grained, trace clay, dense, moist, reddish brown, roots and rootlets.			50-5"	5	119	
		- @6.0': very dense.						
10		- @9.0' moderate desiccation.			32/50-2"	6	113	
15		- @14.0': dark reddish brown.			50-6"	10	95	
		End of boring at 17.0 feet bgs. No groundwater encountered. Borehole backfilled with soil cuttings and tamped with auger using weight of drill rig on 08/25/2020.						



Converse Consultants

36 Unit Residential Development
7586 Jurupa Road
City of Jurupa Valley, Riverside County, California
For: All-ERA Properties

Project No. Drawing No.
20-81-168-01 A-5

Log of Boring No. BH-05

Dates Drilled: 8/25/2020 Logged by: Catherine Nelson Checked By: Robert Gregorek

Equipment: 8" HOLLOW STEM AUGER Driving Weight and Drop: 140 lbs / 30 in

Ground Surface Elevation (ft): 841 Depth to Water (ft): NOT ENCOUNTERED

Depth (ft)	Graphic Log	SUMMARY OF SUBSURFACE CONDITIONS This log is part of the report prepared by Converse for this project and should be read together with the report. This summary applies only at the location of the boring and at the time of drilling. Subsurface conditions may differ at other locations and may change at this location with the passage of time. The data presented is a simplification of actual conditions encountered.	SAMPLES		BLOWS	MOISTURE (%)	DRY UNIT WT. (pcf)	OTHER
			DRIVE	BULK				
5		TOPSOIL SILTY SAND (SM): fine to coarse-grained sand, few gravel up to 1" in largest dimension, trace clay, dense, moist, dark orangish brown, slight desiccation.			12/22/23	13	117	r
		OLD ALLUVIAL FAN DEPOSITS SILTY SAND (SM): fine to coarse-grained, trace clay, medium dense, moist, reddish brown.			5/11/12	12	112	cu
					20/50-6"	12	113	
					16/32/45	9	129	
					9/17/33	8	117	
		End of boring at 17.5 feet bgs. No groundwater encountered. Borehole backfilled with soil cuttings and tamped with auger using weight of drill rig on 08/25/2020.						



Converse Consultants

36 Unit Residential Development
7586 Jurupa Road
City of Jurupa Valley, Riverside County, California
For: All-ERA Properties





Project No. Drawing No.
20-81-168-01 A-6

Log of Boring No. PT-01

Dates Drilled: 8/25/2020 Logged by: Catherine Nelson Checked By: Robert Gregorek

Equipment: 8" HOLLOW STEM AUGER Driving Weight and Drop: 140 lbs / 30 in

Ground Surface Elevation (ft): 831 Depth to Water (ft): NOT ENCOUNTERED

Depth (ft)	Graphic Log	SUMMARY OF SUBSURFACE CONDITIONS This log is part of the report prepared by Converse for this project and should be read together with the report. This summary applies only at the location of the boring and at the time of drilling. Subsurface conditions may differ at other locations and may change at this location with the passage of time. The data presented is a simplification of actual conditions encountered.	SAMPLES		BLOWS	MOISTURE (%)	DRY UNIT WT. (pcf)	OTHER
			DRIVE	BULK				
5		ARTIFICIAL FILL SILTY SAND (SM): fine to coarse-grained, trace gravel up to 1" in largest dimension, medium dense, moist, reddish brown. - @2.0': abundant organic and debris, black.			4/12/26	13	97	
		TOPSOIL SILTY SAND (SM): fine to medium-grained, dense, dry, orangish brown. - @6.0': loose, moist.			8/9/12	3	117	
		End of boring at 7.5 feet bgs. No groundwater encountered. Borehole backfilled with soil cuttings and tamped with auger using weight of drill rig on 08/25/2020.			2/3/2	5		



Converse Consultants

36 Unit Residential Development
7586 Jurupa Road
City of Jurupa Valley, Riverside County, California
For: All-ERA Properties


Project No. Drawing No.
20-81-168-01 A-7

Log of Boring No. PT-02

Dates Drilled: 8/25/2020 Logged by: Catherine Nelson Checked By: Robert Gregorek

Equipment: 8" HOLLOW STEM AUGER Driving Weight and Drop: 140 lbs / 30 in

Ground Surface Elevation (ft): 832 Depth to Water (ft): NOT ENCOUNTERED

Depth (ft)	Graphic Log	SUMMARY OF SUBSURFACE CONDITIONS This log is part of the report prepared by Converse for this project and should be read together with the report. This summary applies only at the location of the boring and at the time of drilling. Subsurface conditions may differ at other locations and may change at this location with the passage of time. The data presented is a simplification of actual conditions encountered.	SAMPLES		BLOWS	MOISTURE (%)	DRY UNIT WT. (pcf)	OTHER
			DRIVE	BULK				
5		TOPSOIL SILTY SAND (SM): fine to coarse-grained, trace gravel up to 1" in largest dimension, loose, moist, brown. - @ 3.0': medium dense.			5/4/6	5	104	
					4/5/9	19	66	
		End of boring at 5.0 feet bgs. No groundwater encountered. Borehole backfilled with soil cuttings and tamped with auger using weight of drill rig on 08/25/2020.						



Converse Consultants

36 Unit Residential Development
7586 Jurupa Road
City of Jurupa Valley, Riverside County, California
For: All-ERA Properties


Project No. Drawing No.
20-81-168-01 A-8

Log of Boring No. PT-03

Dates Drilled: 8/25/2020 Logged by: Catherine Nelson Checked By: Robert Gregorek

Equipment: 8" HOLLOW STEM AUGER Driving Weight and Drop: 140 lbs / 30 in

Ground Surface Elevation (ft): 836 Depth to Water (ft): NOT ENCOUNTERED

Depth (ft)	Graphic Log	SUMMARY OF SUBSURFACE CONDITIONS This log is part of the report prepared by Converse for this project and should be read together with the report. This summary applies only at the location of the boring and at the time of drilling. Subsurface conditions may differ at other locations and may change at this location with the passage of time. The data presented is a simplification of actual conditions encountered.	SAMPLES		BLOWS	MOISTURE (%)	DRY UNIT WT. (pcf)	OTHER
			DRIVE	BULK				
5		TOPSOIL SILTY SAND (SM): fine to coarse-grained, few gravel up to 1" in largest dimension, trace clay, medium dense, moist, orangish to reddish brown.			7/9/9	6	116	
					5/5/6	7	111	
		End of boring at 5.5 feet bgs. No groundwater encountered. Borehole backfilled with soil cuttings and tamped with auger using weight of drill rig on 08/25/2020.						



Converse Consultants

36 Unit Residential Development
7586 Jurupa Road
City of Jurupa Valley, Riverside County, California
For: All-ERA Properties

Project No. Drawing No.
20-81-168-01 A-9

APPENDIX B

LABORATORY TESTING PROGRAM

Tests were conducted in our laboratory on representative soil samples for the purpose of classification and evaluation of their physical properties and engineering characteristics. The amount and selection of tests were based on the geotechnical parameters required for this project. Test results are presented herein and on the Logs of Borings, in Appendix A, *Field Exploration*. The following is a summary of the various laboratory tests conducted for this project.

In-Situ Moisture Content and Dry Density

In-situ dry density and moisture content tests were performed on relatively undisturbed ring samples, in accordance with ASTM Standard D2216 and D2937 to aid soils classification and to provide qualitative information on strength and compressibility characteristics of the site soils. For test results, see the Logs of Borings in Appendix A, *Field Exploration*.

Expansion Index

One representative bulk sample was tested to evaluate the expansion potential of materials encountered at the site in accordance with ASTM D4829 Standard. The test result is presented in the following table.

Table No. B-1, Expansion Index Test Result

Boring No.	Depth (feet)	Soil Description	Expansion Index	Expansion Potential
BH-02	2-5	Silty Sand (SM)	2	Very Low

R-value

One representative bulk soil sample was tested for resistance value (R-value) in accordance with California Test Method CT301. This test is designed to provide a relative measure of soil strength for use in pavement design. The test result is presented in the following table.

Table No. B-2, R-Value Test Result

Boring No.	Depth (feet)	Soil Classification	Measured R-value
BH-05	1-5	Silty Sand, trace clay (SM)	20



Soil Corrosivity

One representative soil sample was tested to determine minimum electrical resistivity, pH, and chemical content, including soluble sulfate and chloride concentrations. The purpose of the test was to determine the corrosion potential of sites soils when placed in contact with common construction materials. The test was performed by AP Engineering and Testing, Inc. (Pomona, CA) in accordance with Caltrans Test Methods 643, 422 and 417. Test results are presented in the following table.

Boring No.	Depth (feet)	pH	Soluble Sulfates (CA 417) (ppm)	Soluble Chlorides (CA 422) (ppm)	Min. Resistivity (CA 643) (Ohm-cm)
BH-02	2-5	8.3	64	40	2,720

Table No. B-3, Summary of Soil Corrosivity Test Results

Collapse

To evaluate the moisture sensitivity (collapse/swell potential) of the encountered soils, one collapse test was performed in accordance with the ASTM Standard D4546 laboratory procedure. The sample was loaded to approximately 2 kips per square foot (ksf), allowed to stabilize under load, and then submerged. The test result is presented in the following table.

Table No. B-4, Collapse Test Result

Boring No.	Depth (feet)	Soil Classification	Percent Swell (+)	Percent Collapse (-)	Collapse Potential
BH-04	3.0-4.5	Silty Sand (SM)	-2.0		Low

Maximum Dry Density and Optimum Moisture Content

Laboratory maximum dry density-optimum moisture content relationship tests were performed on two representative bulk samples. These tests were conducted in accordance with the ASTM Standard D1557 test method. The test results are presented in Drawing No. B-1, *Moisture-Density Relationship Results*, and is summarized in the following table.

Table No B-6, Summary of Moisture-Density Relationship Results

Boring No.	Depth (feet)	Soil Description	Optimum Moisture (%)	Maximum Density (lb/ft)
BH-01	0-2.5	Silty Sand (SM)	11.7	127.0
BH-02	2-5	Silty Sand (SM)	9.2	130.5



Organic Content

One Test was performed on five select samples of onsite soils to determine the organic content, in accordance with the ASTM Standard D2974 test, Methods A and C. Test results are summarized in the table below.

Table No. B-1, Summary of Organic Content Test Results

Test Pit No.	Depth (feet)	Soil Description	Total Organic Content (%)
PT-01	2.0-3.5	Silty Sand (SM), Some Organics	25.1

Direct Shear

Two direct shear tests were performed; one direct shear test was performed on a relatively undisturbed sample and another direct shear test was performed on a sample remolded to 90% of the maximum dry density under soaked moisture conditions in accordance with ASTM D3080. For these tests, three samples contained in brass sampler rings were placed, one at a time, directly into the test apparatus and subjected to a range of normal loads appropriate for the anticipated conditions. The samples were then sheared at a constant strain rate of 0.025 inch/minute. Shear deformation was recorded until a maximum of about 0.25-inch shear displacement was achieved. Ultimate strength was selected from the shear-stress deformation data and plotted to determine the shear strength parameters. For test data, including sample density and moisture content, see Drawings No. B-2 and B-3, *Direct Shear Test Results*, and the following table.

Table No. B-7, Summary of Direct Shear Test Results

Boring No.	Depth (feet)	Soil Description	Peak Strength Parameters	
			Friction Angle (degrees)	Cohesion (psf)
BH-01	6.0-7.5	Silty Sand (SM)	37.0	90.0
BH-02*	1.0-5.0	Silty Sand (SM)	33.0	100.0

(*Sample remolded to 90% of the maximum dry density)

Consolidation

One test was conducted in accordance with ASTM Standard D2435 method. Data obtained from the test performed on relatively undisturbed ring samples was used to evaluate the settlement characteristics of the on-site soils under load. Preparation for these tests involved trimming the sample, placing it in a 1-inch-high brass ring, and loading




it into the test apparatus, which contained porous stones to accommodate drainage during testing. Normal axial loads were applied to one end of the sample through the porous stones, and the resulting deflections were recorded at various time periods. The load was increased after the sample reached a reasonable state of equilibrium. Normal loads were applied at a constant load-increment ratio, successive loads being generally twice the preceding load. For test results, including sample density and initial moisture content, see Drawing No. B-4, *Consolidation Test Results*.

Sample Storage

Soil samples presently stored in our laboratory will be discarded 30 days after the date of this report, unless this office receives a specific request to retain the samples for a longer period.





SYMBOL	BORING NO.	DEPTH (ft)	DESCRIPTION	ASTM TEST METHOD	OPTIMUM WATER, %	MAXIMUM DRY DENSITY, pcf
●	BH-01	0 to 2.5	Silty Sand (SM), reddish brown	D1557 - A	11.7	127
⊠	BH-02	2 to 5	Silty Sand (SM), reddish brown	D1557 - A	9.2	130.5

MOISTURE-DENSITY RELATIONSHIP RESULTS



Converse Consultants

36 Unit Residential Development
7586 Jurupa Road
City of Jurupa Valley, Riverside County, California
For: All-ERA Properties

Project No.
20-81-168-01

Drawing No.
B-1

APPENDIX C

PERCOLATION TESTING

Percolation testing was performed at three locations (PT-01 through PT-03) on August 25 and 27, 2020. The testing was in general accordance with the Riverside County BMP Design Handbook, Appendix A, Infiltration Testing (Riverside County, 2011). The percolation testing method was used to estimate infiltration rates.

Upon completion of drilling the test holes, approximately 2-inch thick gravel layer was placed at the bottom of each hole and a 2.0-inch diameter perforated pipe was installed above the gravel to the ground surface. The boring annulus around the pipe was filled with gravel. The purpose of the pipe and gravel was to reduce the potential for erosion and caving due to the addition of water to the hole.

Each test hole was presoaked by filling with water to at least 5 times the radius of the test hole. More than 6 inches of water seeped into the test holes in less than 25 minutes for 2 consecutive measurements, meeting the criteria for testing as “sandy soil”. Percolation testing was conducted immediately after presoaking. During testing, the water level and total depth of the test hole were measured from the top of the pipe every 10 minutes for one hour. Following the completion of percolation testing, the pipe was removed from each test hole and the percolation test hole was backfilled with soil cuttings, tamped, and patched with concrete mixed with black dye.

Percolation rates describe the movement of water horizontally and downward into the soil from a boring. Infiltration rates describe the downward movement of water through a horizontal surface, such as the floor of a retention basin. Percolation rates are related to infiltration rates but are generally higher and require conversion before use in design. The percolation test data was used to estimate infiltration rates using the Porchet Inverse Borehole Method, in accordance with the Riverside County guidelines. A factor of safety of 3 was applied to the measured infiltration rates to account for subsurface variations, uncertainty in the test method, and future siltation. The infiltration structure designer should determine whether additional design-related safety factors are appropriate.

The measured percolation test data, calculations and estimated infiltration rates are shown on Plates Nos. 1 through 6. The estimated infiltration rates at the test holes are presented in the following table.



Table C-1, Estimated Infiltration Rates

Percolation Test	Test Depth (feet)	Soil Type	Infiltration Rate (inches/hour) (FOS 3)
PT-01	6.0	Silty Sand (SM)	0.41
PT-02	5.0	Silty Sand (SM)	6.29
PT-03	4.5	Silty Sand (SM)	0.34

Based on the calculated infiltration rate during the final respective intervals in each test, an average infiltration rate of 2.35 inches per hour can be utilized.



Estimated Infiltration Rate from Percolation Test Data, PT-01

Project Name	All-ERA 44-unit Development
Project Number	20-81-168-01
Test Number	PT-01
Test Location	SW corner of site
Personnel	Catherine Nelson
Presoak Date	8/28/2020
Test Date	8/28/2020

Shaded cells contain calculated values.

Test Hole Radius, r (inches)	4
Total Depth of Test hole, D _T (inches)	72
Inside Diameter of Pipe, I (inches)	2.88
Outside Diameter of Pipe, O (inches)	3.13
Factor of Safety (FOS), F	3

Interval No.	Time Interval, Δt (min)	Initial Depth to Water, D ₀ (inches)	Final Depth to Water, D _f (inches)	Elapsed Time (min)	Initial Height of Water, H ₀ (inches)	Final Height of Water, H _f (inches)	Change in Height of Water, ΔH (inches)	Average Head Height, H _{avg} (inches)	Infiltration Rate, I _t (inches/hr)		Infiltration Rate with FOS, I _f (inches/hr)
				0							0
1	25.00	36.00	48.60	25.00	36.00	23.40	12.60	29.70	1.91		0.64
2	25.00	36.00	46.92	50.00	36.00	25.08	10.92	30.54	1.61		0.54
3	10.00	36.00	42.60	60.00	36.00	29.40	6.60	32.70	2.28		0.76
4	10.00	36.00	40.92	70.00	36.00	31.08	4.92	33.54	1.66		0.55
5	10.00	36.00	39.72	80.00	36.00	32.28	3.72	34.14	1.24		0.41
6	10.00	36.00	39.96	90.00	36.00	32.04	3.96	34.02	1.32		0.44
7	10.00	36.00	40.80	100.00	36.00	31.20	4.80	33.60	1.62		0.54
8	10.00	36.00	39.72	110.00	36.00	32.28	3.72	34.14	1.24		0.41
9	10.00	36.00	40.80	120.00	36.00	31.20	4.80	33.60	1.62		0.54
10	10.00	36.00	41.16	130.00	36.00	30.84	5.16	33.42	1.75		0.58
11	10.00	36.00	39.72	140.00	36.00	32.28	3.72	34.14	1.24		0.41
12	10.00	36.00	39.84	150.00	36.00	32.16	3.84	34.08	1.28		0.43

Recommended Design Infiltration Rate (inches/hr)	0.41
---	-------------

Infiltration calculations are based on the Porchet Inverse Borehole Method presented in Riverside County BMP Design Handbook, Appendix A, Infiltration Testing (Riverside County, 2011)

$$H_0 = D_T - D_0$$

$$H_f = D_T - D_f$$

$$\Delta H = H_0 - H_f$$

$$H_{avg} = (H_0 + H_f) / 2$$

$$I_t = (\Delta H * (60 * r)) / (\Delta t * (r + (2 * H_{avg})))$$

Infiltration Rate versus Time, PT-01

Project Name	All-ERA 44-unit Development
Project Number	20-81-168-01
Test Number	PT-01
Test Location	SW corner of site
Personnel	Catherine Nelson
Presoak Date	8/28/2020
Test Date	8/28/2020




Plate No.

2

Estimated Infiltration Rate from Percolation Test Data, PT-02

Project Name	All-ERA 44-unit Development
Project Number	20-81-168-01
Test Number	PT-02
Test Location	S center of site
Personnel	Catherine Nelson
Presoak Date	8/28/2020
Test Date	8/28/2020

Shaded cells contain calculated values.

Test Hole Radius, r (inches)	4
Total Depth of Test hole, D _T (inches)	60
Inside Diameter of Pipe, I (inches)	2.88
Outside Diameter of Pipe, O (inches)	3.13
Factor of Safety (FOS), F	3

Interval No.	Time Interval, Δt (min)	Initial Depth to Water, D ₀ (inches)	Final Depth to Water, D _f (inches)	Elapsed Time (min)	Initial Height of Water, H ₀ (inches)	Final Height of Water, H _f (inches)	Change in Height of Water, ΔH (inches)	Average Head Height, H _{avg} (inches)	Infiltration Rate, I _t (inches/hr)		Infiltration Rate with FOS, I _f (inches/hr)
				0							0
1	25.00	33.60	58.60	25.00	26.40	1.40	25.00	13.90	7.55		2.52
2	25.00	33.60	58.60	50.00	26.40	1.40	25.00	13.90	7.55		2.52
3	10.00	33.60	58.60	60.00	26.40	1.40	25.00	13.90	18.87		6.29
4	10.00	33.60	58.60	70.00	26.40	1.40	25.00	13.90	18.87		6.29
5	10.00	33.60	58.60	80.00	26.40	1.40	25.00	13.90	18.87		6.29
6	10.00	33.60	58.60	90.00	26.40	1.40	25.00	13.90	18.87		6.29
7	10.00	33.60	58.60	100.00	26.40	1.40	25.00	13.90	18.87		6.29
8	10.00	33.60	58.60	110.00	26.40	1.40	25.00	13.90	18.87		6.29
9	10.00	33.60	58.60	120.00	26.40	1.40	25.00	13.90	18.87		6.29
10											
11											
12											

Recommended Design Infiltration Rate (inches/hr)	6.29
---	-------------

Infiltration calculations are based on the Porchet Inverse Borehole Method presented in Riverside County BMP Design Handbook, Appendix A, Infiltration Testing (Riverside County, 2011)

$$H_0 = D_T - D_0$$

$$H_f = D_T - D_f$$

$$\Delta H = H_0 - H_f$$

$$H_{avg} = (H_0 + H_f) / 2$$

$$I_t = (\Delta H * (60 * r)) / (\Delta t * (r + (2 * H_{avg})))$$

Infiltration Rate versus Time, PT-02

Project Name	All-ERA 44-unit Development
Project Number	20-81-168-01
Test Number	PT-02
Test Location	S center of site
Personnel	Catherine Nelson
Presoak Date	8/28/2020
Test Date	8/28/2020




Plate No.

2

Estimated Infiltration Rate from Percolation Test Data, PT-03

Project Name	All-ERA 44-unit Development
Project Number	20-81-168-01
Test Number	PT-03
Test Location	SE corner of site
Personnel	Catherine Nelson
Presoak Date	8/28/2020
Test Date	8/30/2020

Shaded cells contain calculated values.

Test Hole Radius, r (inches)	4
Total Depth of Test hole, D _T (inches)	54
Inside Diameter of Pipe, I (inches)	2.88
Outside Diameter of Pipe, O (inches)	3.13
Factor of Safety (FOS), F	3

Interval No.	Time Interval, Δt (min)	Initial Depth to Water, D ₀ (inches)	Final Depth to Water, D _f (inches)	Elapsed Time (min)	Initial Height of Water, H ₀ (inches)	Final Height of Water, H _f (inches)	Change in Height of Water, ΔH (inches)	Average Head Height, H _{avg} (inches)	Infiltration Rate, I _t (inches/hr)		Infiltration Rate with FOS, I _f (inches/hr)
				0							0
1	25.00	36.00	41.04	25.00	18.00	12.96	5.04	15.48	1.38		0.46
2	25.00	36.00	41.04	50.00	18.00	12.96	5.04	15.48	1.38		0.46
3	30.00	36.00	40.92	80.00	18.00	13.08	4.92	15.54	1.12		0.37
4	30.00	36.00	40.92	110.00	18.00	13.08	4.92	15.54	1.12		0.37
5	30.00	36.00	40.92	140.00	18.00	13.08	4.92	15.54	1.12		0.37
6	30.00	36.00	40.92	170.00	18.00	13.08	4.92	15.54	1.12		0.37
7	30.00	36.00	40.56	200.00	18.00	13.44	4.56	15.72	1.03		0.34
8	30.00	36.00	40.56	230.00	18.00	13.44	4.56	15.72	1.03		0.34
9	30.00	36.00	40.56	260.00	18.00	13.44	4.56	15.72	1.03		0.34
10	30.00	36.00	40.56	290.00	18.00	13.44	4.56	15.72	1.03		0.34
11	30.00	36.00	40.56	320.00	18.00	13.44	4.56	15.72	1.03		0.34
12	30.00	36.00	40.56	350.00	18.00	13.44	4.56	15.72	1.03		0.34

Recommended Design Infiltration Rate (inches/hr) 0.34

Infiltration calculations are based on the Porchet Inverse Borehole Method presented in Riverside County BMP Design Handbook, Appendix A, Infiltration Testing (Riverside County, 2011)

$$H_0 = D_T - D_0$$

$$H_f = D_T - D_f$$

$$\Delta H = H_0 - H_f$$

$$H_{avg} = (H_0 + H_f) / 2$$

$$I_t = (\Delta H * (60 * r)) / (\Delta t * (r + (2 * H_{avg})))$$

Infiltration Rate versus Time, PT-03

Project Name	All-ERA 44-unit Development
Project Number	20-81-168-01
Test Number	PT-03
Test Location	SE corner of site
Personnel	Catherine Nelson
Presoak Date	8/28/2020
Test Date	8/30/2020




Plate No.

2

Appendix 4: Historical Site Conditions

Phase I Environmental Site Assessment or Other Information on Past Site Use

Appendix 5: LID Infeasibility

LID Technical Infeasibility Analysis

Appendix 6: BMP Design Details

BMP Sizing, Design Details and other Supporting Documentation



WQMP Project Report

County of Riverside Stormwater Program

Santa Ana River Watershed Geodatabase

Thursday, April 30, 2020

Note: The information provided in this report and on the Stormwater Geodatabase for the County of Riverside Stormwater Program is intended to provide basic guidance in the preparation of the applicant's Water Quality Management Plan (WQMP) and should not be relied upon without independent verification.

Project Site Parcel Number(s):	183030014
Latitude/Longitude:	34.0052, -117.448
Thomas Brothers Page:	
Project Site Acreage:	6.34
Watershed(s):	SANTA ANA
This Project Site Resides in the following Hydrologic Unit(s) (HUC):	HUC Name - HUC Number East Etiwanda Creek-Santa Ana River - 180702030804
The HUCs Contribute stormwater to the following 303d listed water bodies and TMDLs which may include drainage from your proposed Project Site:	WBID Name - WBID Number Santa Ana River, Reach 3 - CAR8012100019990211140353
These 303d listed Water bodies and TMDLs have the following Pollutants of Concern (POC):	Bacterial Indicators - Pathogens Metals/Metalloids - Copper, Lead
Is the Site subject to Hydromodification:	Yes
Limitations on Infiltration:	Project Site Onsite Soils Group(s) - C Known Groundwater Contamination Plumes within 1000' - No Adjacent Water Supply Wells(s) - No information available please contact your local water agency for more information. Your local contact agency is JURUPA C.S.D.. Your local wholesaler contact agency is METROPOLITAN WATER DISTRICT.
Environmentally Sensitive Areas within 200'(Fish and Wildlife Habitat/Species):	None
Environmentally Sensitive Areas within 200'(CVMSHCP):	None
Environmentally Sensitive Areas within 200'(WRMSHCP):	Burrowing Owl Survey Required Area,Narrow Endemic Plants Survey Req. - Area 7

Groundwater elevation from Mean 775**Sea Level:**

**85th Percentile Design Storm
Depth (in):** 0.715

Groundwater Basin: Chino-East

**MSHCP/CVMSHCP Criteria Cell
(s):** No Data

Retention Ordinance Information: No Data

**Studies and Reports Related to
Project Site:** [IBI Scores - Southern Cal
bulletin118_4-sc
water_fact_3_7.11
8039-SAR-Hydromodification
final UWMP 051011
JCSD Master Water Plan 2005
Comprehensive Bacteria Reduction Plan
Jurupa-PyriteMPD
34th Annual Report Chino Basin Watermaster
2012 Annual Report of Santa Ana River](#)

(Rev. 10-2011)

Calculated Cells

155-238.006 TM38151 Camino Real Jurupa Valley

Notes:



Date: 4/12/2021
Project Name: TM38151

City / County: Jurupa Valley/Riverside Co.
State: CA

Designed By: ATS
Company: Encompass Associates, Inc.
Telephone: 909-684-0093

CMP: Underground Detention System Storage Volume Estimation

=Adjustable Input Cells

Contech Engineered Solutions, LLC is pleased to offer the following estimate of storage volume for the above named project. The results are submitted as an estimate only, without liability on the part of Contech Engineered Solutions, LLC for accuracy or suitability to any particular application and are subject to verification of the Engineer of Record. **This tool is only applicable for rectangular shaped systems.**

Summary of Inputs					
System Information		Backfill Information		Pipe & Analysis Information	
Out-to-out length (ft):	108.0	Backfill Porosity (%):	40%	System Diameter (in):	96
Out-to-out width (ft):	8.0	Depth Above Pipe (in):	12.0	Pipe Spacing (in):	36
Number of Manifolds (ea):	0.0	Depth Below Pipe (in):	12.0	Incremental Analysis (in):	12
Number of Barrels (ea):	1.0	Width At Ends (ft):	1.5	System Invert (Elevation):	0
		Width At Sides (ft):	1.5		

Storage Volume Estimation									
System		Pipe		Stone		Total System		Miscellaneous	
Depth (ft)	Elevation (ft)	Incremental Storage (cf)	Cumulative Storage (cf)	Incremental Storage (cf)	Cumulative Storage (cf)	Incremental Storage (cf)	Cumulative Storage (cf)	Percent Open Storage (%)	Ave. Surface Area (sf)
0.00	0.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0%	488.4
1.00	1.00	0.0	0.0	488.4	488.4	488.4	488.4	0.0%	488.4
2.00	2.00	391.7	391.7	331.7	820.1	723.4	1,211.8	32.3%	831.3
3.00	3.00	669.7	1,061.3	220.5	1,040.7	890.2	2,102.0	50.5%	937.3
4.00	4.00	798.1	1,859.4	169.2	1,209.8	967.3	3,069.3	60.6%	990.3
5.00	5.00	854.9	2,714.3	146.4	1,356.3	1,001.3	4,070.6	66.7%	1,006.8
6.00	6.00	854.9	3,569.2	146.4	1,502.7	1,001.3	5,071.9	70.4%	990.3
7.00	7.00	798.1	4,367.4	169.2	1,671.9	967.3	6,039.2	72.3%	937.3
8.00	8.00	669.7	5,037.0	220.5	1,892.4	890.2	6,929.4	72.7%	831.3
9.00	9.00	391.7	5,428.7	331.7	2,224.1	723.4	7,652.8	70.9%	488.4
10.00	10.00	0.0	5,428.7	488.4	2,712.5	488.4	8,141.2	66.7%	488.4

These results are submitted to you as a guideline only, without liability on the part of CONTECH Engineered Solutions, LLC for accuracy or suitability to any particular application, and are subject to your verification.

Appendix 7: Hydromodification

Supporting Detail Relating to Hydrologic Conditions of Concern

Appendix 8: Source Control

Pollutant Sources/Source Control Checklist

Appendix 9: O&M

Operation and Maintenance Plan and Documentation of Finance, Maintenance and Recording Mechanisms

Appendix 10: Educational Materials

BMP Fact Sheets, Maintenance Guidelines and Other End-User BMP Information



Design Objectives

- ☒ Maximize Infiltration
- ☒ Provide Retention
- ☒ Slow Runoff
- Minimize Impervious Land Coverage
- Prohibit Dumping of Improper Materials
- Contain Pollutants
- Collect and Convey

Description

Irrigation water provided to landscaped areas may result in excess irrigation water being conveyed into stormwater drainage systems.

Approach

Project plan designs for development and redevelopment should include application methods of irrigation water that minimize runoff of excess irrigation water into the stormwater conveyance system.

Suitable Applications

Appropriate applications include residential, commercial and industrial areas planned for development or redevelopment. (Detached residential single-family homes are typically excluded from this requirement.)

Design Considerations

Designing New Installations

The following methods to reduce excessive irrigation runoff should be considered, and incorporated and implemented where determined applicable and feasible by the Permittee:

- Employ rain-triggered shutoff devices to prevent irrigation after precipitation.
- Design irrigation systems to each landscape area's specific water requirements.
- Include design featuring flow reducers or shutoff valves triggered by a pressure drop to control water loss in the event of broken sprinkler heads or lines.
- Implement landscape plans consistent with County or City water conservation resolutions, which may include provision of water sensors, programmable irrigation times (for short cycles), etc.



- Design timing and application methods of irrigation water to minimize the runoff of excess irrigation water into the storm water drainage system.
- Group plants with similar water requirements in order to reduce excess irrigation runoff and promote surface filtration. Choose plants with low irrigation requirements (for example, native or drought tolerant species). Consider design features such as:
 - Using mulches (such as wood chips or bar) in planter areas without ground cover to minimize sediment in runoff
 - Installing appropriate plant materials for the location, in accordance with amount of sunlight and climate, and use native plant materials where possible and/or as recommended by the landscape architect
 - Leaving a vegetative barrier along the property boundary and interior watercourses, to act as a pollutant filter, where appropriate and feasible
 - Choosing plants that minimize or eliminate the use of fertilizer or pesticides to sustain growth
- Employ other comparable, equally effective methods to reduce irrigation water runoff.

Redeveloping Existing Installations

Various jurisdictional stormwater management and mitigation plans (SUSMP, WQMP, etc.) define “redevelopment” in terms of amounts of additional impervious area, increases in gross floor area and/or exterior construction, and land disturbing activities with structural or impervious surfaces. The definition of “redevelopment” must be consulted to determine whether or not the requirements for new development apply to areas intended for redevelopment. If the definition applies, the steps outlined under “designing new installations” above should be followed.

Other Resources

A Manual for the Standard Urban Stormwater Mitigation Plan (SUSMP), Los Angeles County Department of Public Works, May 2002.

Model Standard Urban Storm Water Mitigation Plan (SUSMP) for San Diego County, Port of San Diego, and Cities in San Diego County, February 14, 2002.

Model Water Quality Management Plan (WQMP) for County of Orange, Orange County Flood Control District, and the Incorporated Cities of Orange County, Draft February 2003.

Ventura Countywide Technical Guidance Manual for Stormwater Quality Control Measures, July 2002.

Site Design & Landscape Planning SD-10



Design Objectives

- ☒ Maximize Infiltration
- ☒ Provide Retention
- ☒ Slow Runoff
- ☒ Minimize Impervious Land Coverage
- Prohibit Dumping of Improper Materials
- Contain Pollutants
- Collect and Convey

Description

Each project site possesses unique topographic, hydrologic, and vegetative features, some of which are more suitable for development than others. Integrating and incorporating appropriate landscape planning methodologies into the project design is the most effective action that can be done to minimize surface and groundwater contamination from stormwater.

Approach

Landscape planning should couple consideration of land suitability for urban uses with consideration of community goals and projected growth. Project plan designs should conserve natural areas to the extent possible, maximize natural water storage and infiltration opportunities, and protect slopes and channels.

Suitable Applications

Appropriate applications include residential, commercial and industrial areas planned for development or redevelopment.

Design Considerations

Design requirements for site design and landscapes planning should conform to applicable standards and specifications of agencies with jurisdiction and be consistent with applicable General Plan and Local Area Plan policies.



SD-10 Site Design & Landscape Planning

Designing New Installations

Begin the development of a plan for the landscape unit with attention to the following general principles:

- Formulate the plan on the basis of clearly articulated community goals. Carefully identify conflicts and choices between retaining and protecting desired resources and community growth.
- Map and assess land suitability for urban uses. Include the following landscape features in the assessment: wooded land, open unwooded land, steep slopes, erosion-prone soils, foundation suitability, soil suitability for waste disposal, aquifers, aquifer recharge areas, wetlands, floodplains, surface waters, agricultural lands, and various categories of urban land use. When appropriate, the assessment can highlight outstanding local or regional resources that the community determines should be protected (e.g., a scenic area, recreational area, threatened species habitat, farmland, fish run). Mapping and assessment should recognize not only these resources but also additional areas needed for their sustenance.

Project plan designs should conserve natural areas to the extent possible, maximize natural water storage and infiltration opportunities, and protect slopes and channels.

Conserve Natural Areas during Landscape Planning

If applicable, the following items are required and must be implemented in the site layout during the subdivision design and approval process, consistent with applicable General Plan and Local Area Plan policies:

- Cluster development on least-sensitive portions of a site while leaving the remaining land in a natural undisturbed condition.
- Limit clearing and grading of native vegetation at a site to the minimum amount needed to build lots, allow access, and provide fire protection.
- Maximize trees and other vegetation at each site by planting additional vegetation, clustering tree areas, and promoting the use of native and/or drought tolerant plants.
- Promote natural vegetation by using parking lot islands and other landscaped areas.
- Preserve riparian areas and wetlands.

Maximize Natural Water Storage and Infiltration Opportunities Within the Landscape Unit

- Promote the conservation of forest cover. Building on land that is already deforested affects basin hydrology to a lesser extent than converting forested land. Loss of forest cover reduces interception storage, detention in the organic forest floor layer, and water losses by evapotranspiration, resulting in large peak runoff increases and either their negative effects or the expense of countering them with structural solutions.
- Maintain natural storage reservoirs and drainage corridors, including depressions, areas of permeable soils, swales, and intermittent streams. Develop and implement policies and

Site Design & Landscape Planning SD-10

regulations to discourage the clearing, filling, and channelization of these features. Utilize them in drainage networks in preference to pipes, culverts, and engineered ditches.

- Evaluating infiltration opportunities by referring to the stormwater management manual for the jurisdiction and pay particular attention to the selection criteria for avoiding groundwater contamination, poor soils, and hydrogeological conditions that cause these facilities to fail. If necessary, locate developments with large amounts of impervious surfaces or a potential to produce relatively contaminated runoff away from groundwater recharge areas.

Protection of Slopes and Channels during Landscape Design

- Convey runoff safely from the tops of slopes.
- Avoid disturbing steep or unstable slopes.
- Avoid disturbing natural channels.
- Stabilize disturbed slopes as quickly as possible.
- Vegetate slopes with native or drought tolerant vegetation.
- Control and treat flows in landscaping and/or other controls prior to reaching existing natural drainage systems.
- Stabilize temporary and permanent channel crossings as quickly as possible, and ensure that increases in run-off velocity and frequency caused by the project do not erode the channel.
- Install energy dissipaters, such as riprap, at the outlets of new storm drains, culverts, conduits, or channels that enter unlined channels in accordance with applicable specifications to minimize erosion. Energy dissipaters shall be installed in such a way as to minimize impacts to receiving waters.
- Line on-site conveyance channels where appropriate, to reduce erosion caused by increased flow velocity due to increases in tributary impervious area. The first choice for linings should be grass or some other vegetative surface, since these materials not only reduce runoff velocities, but also provide water quality benefits from filtration and infiltration. If velocities in the channel are high enough to erode grass or other vegetative linings, riprap, concrete, soil cement, or geo-grid stabilization are other alternatives.
- Consider other design principles that are comparable and equally effective.

Redeveloping Existing Installations

Various jurisdictional stormwater management and mitigation plans (SUSMP, WQMP, etc.) define “redevelopment” in terms of amounts of additional impervious area, increases in gross floor area and/or exterior construction, and land disturbing activities with structural or impervious surfaces. The definition of “redevelopment” must be consulted to determine whether or not the requirements for new development apply to areas intended for redevelopment. If the definition applies, the steps outlined under “designing new installations” above should be followed.

SD-10 Site Design & Landscape Planning

Redevelopment may present significant opportunity to add features which had not previously been implemented. Examples include incorporation of depressions, areas of permeable soils, and swales in newly redeveloped areas. While some site constraints may exist due to the status of already existing infrastructure, opportunities should not be missed to maximize infiltration, slow runoff, reduce impervious areas, disconnect directly connected impervious areas.

Other Resources

A Manual for the Standard Urban Stormwater Mitigation Plan (SUSMP), Los Angeles County Department of Public Works, May 2002.

Stormwater Management Manual for Western Washington, Washington State Department of Ecology, August 2001.

Model Standard Urban Storm Water Mitigation Plan (SUSMP) for San Diego County, Port of San Diego, and Cities in San Diego County, February 14, 2002.

Model Water Quality Management Plan (WQMP) for County of Orange, Orange County Flood Control District, and the Incorporated Cities of Orange County, Draft February 2003.

Ventura Countywide Technical Guidance Manual for Stormwater Quality Control Measures, July 2002.

Description

Trash storage areas are areas where a trash receptacle (s) are located for use as a repository for solid wastes. Stormwater runoff from areas where trash is stored or disposed of can be polluted. In addition, loose trash and debris can be easily transported by water or wind into nearby storm drain inlets, channels, and/or creeks. Waste handling operations that may be sources of stormwater pollution include dumpsters, litter control, and waste piles.

Approach

This fact sheet contains details on the specific measures required to prevent or reduce pollutants in stormwater runoff associated with trash storage and handling. Preventative measures including enclosures, containment structures, and impervious pavements to mitigate spills, should be used to reduce the likelihood of contamination.

Suitable Applications

Appropriate applications include residential, commercial and industrial areas planned for development or redevelopment. (Detached residential single-family homes are typically excluded from this requirement.)

Design Considerations

Design requirements for waste handling areas are governed by Building and Fire Codes, and by current local agency ordinances and zoning requirements. The design criteria described in this fact sheet are meant to enhance and be consistent with these code and ordinance requirements. Hazardous waste should be handled in accordance with legal requirements established in Title 22, California Code of Regulation.

Wastes from commercial and industrial sites are typically hauled by either public or commercial carriers that may have design or access requirements for waste storage areas. The design criteria in this fact sheet are recommendations and are not intended to be in conflict with requirements established by the waste hauler. The waste hauler should be contacted prior to the design of your site trash collection areas. Conflicts or issues should be discussed with the local agency.

Designing New Installations

Trash storage areas should be designed to consider the following structural or treatment control BMPs:

- Design trash container areas so that drainage from adjoining roofs and pavement is diverted around the area(s) to avoid run-on. This might include berming or grading the waste handling area to prevent run-on of stormwater.
- Make sure trash container areas are screened or walled to prevent off-site transport of trash.

Design Objectives

- Maximize Infiltration
- Provide Retention
- Slow Runoff
- Minimize Impervious Land Coverage
- Prohibit Dumping of Improper Materials
- ☒ Contain Pollutants
- Collect and Convey



- Use lined bins or dumpsters to reduce leaking of liquid waste.
- Provide roofs, awnings, or attached lids on all trash containers to minimize direct precipitation and prevent rainfall from entering containers.
- Pave trash storage areas with an impervious surface to mitigate spills.
- Do not locate storm drains in immediate vicinity of the trash storage area.
- Post signs on all dumpsters informing users that hazardous materials are not to be disposed of therein.

Redeveloping Existing Installations

Various jurisdictional stormwater management and mitigation plans (SUSMP, WQMP, etc.) define “redevelopment” in terms of amounts of additional impervious area, increases in gross floor area and/or exterior construction, and land disturbing activities with structural or impervious surfaces. The definition of “redevelopment” must be consulted to determine whether or not the requirements for new development apply to areas intended for redevelopment. If the definition applies, the steps outlined under “designing new installations” above should be followed.

Additional Information***Maintenance Considerations***

The integrity of structural elements that are subject to damage (i.e., screens, covers, and signs) must be maintained by the owner/operator. Maintenance agreements between the local agency and the owner/operator may be required. Some agencies will require maintenance deed restrictions to be recorded of the property title. If required by the local agency, maintenance agreements or deed restrictions must be executed by the owner/operator before improvement plans are approved.

Other Resources


A Manual for the Standard Urban Stormwater Mitigation Plan (SUSMP), Los Angeles County Department of Public Works, May 2002.

Model Standard Urban Storm Water Mitigation Plan (SUSMP) for San Diego County, Port of San Diego, and Cities in San Diego County, February 14, 2002.

Model Water Quality Management Plan (WQMP) for County of Orange, Orange County Flood Control District, and the Incorporated Cities of Orange County, Draft February 2003.

Ventura Countywide Technical Guidance Manual for Stormwater Quality Control Measures, July 2002.

10 Ways to **Save** Water Outdoors



bewaterwise.com

TIP #1 The average homeowner uses twice the amount of water needed to keep plants healthy. Use the watering calculator and index at bewaterwise.com to know exactly how much water your plants need.

TIP #2 Check your sprinkler system for leaks, overspray and broken sprinkler heads. Update with drip or other more water-efficient sprinklers where appropriate.

TIP #3 This fall, plant a portion of your garden with beautiful native and California Friendly plants. Browse the plant database at bewaterwise.com to find just the right look for your outdoor spaces.

TIP #4 Reduce the amount of water-thirsty grass. Keep only what you need and replace the rest with less-thirsty plants or permeable paving.

TIP #5 For the grass you keep, set your lawnmower blade higher.

TIP #6 Adjust your sprinkler timer downward in September. Plants need less water when days are shorter.

TIP #7 Use a broom instead of the hose for cleaning sidewalks and patios.

TIP #8 Mulch! A layer of bark, gravel, compost, sawdust or low-growing groundcover evens out soil temperature and allows better water retention.

TIP #9 Check the list of invasive plants that hurt our environment at caleppc.org and remove any from your garden.

TIP #10 Share these tips with your gardener, neighbors and friends. Water conservation should be a part of every Southern Californian's lifestyle, but that doesn't mean we can't have lush and beautiful outdoor spaces.

bewaterwise.com

For Information:

LOCAL SEWERING AGENCIES
IN RIVERSIDE COUNTY:

City of Beaumont	(909) 769-8520
Belair Homeowners Association	(909) 277-1414
City of Banning	(909) 922-3130
City of Blythe	(760) 922-6161
City of Coachella	(760) 391-5008
Coachella Valley Water District	(760) 398-2651
City of Corona	(909) 736-2259
Desert Center, CSA #51	(760) 227-3203
Eastern Municipal Water District	(909) 928-3777
Elsinore Valley MWD	(909) 674-3146
Farm Mutual Water Company	(909) 244-4198
Idyllwild Water District	(909) 659-2143
Jurupa Community Services Dist.	(909) 685-7434
Lake Hemet MWD	(909) 658-3241
Lee Lake Water District	(909) 277-1414
March Air Force Base	(909) 656-7000
Mission Springs Water District	(760) 329-6448
City of Palm Springs	(760) 323-8242
Rancho Caballero	(909) 780-9272
Rancho California Water Dist.	(909) 676-4101
Ripley, CSA #62	(760) 922-4909
Rubidoux Community Services Dist.	(909) 684-7580
City of Riverside	(909) 782-5341
Silent Valley Club, Inc	(909) 849-4501
Valley Sanitary District	(760) 347-2356
Western Municipal Water District	(909) 780-4170

SPILL RESPONSE AGENCY:

HAZ-MAT: (909) 358-5055

HAZARDOUS WASTE DISPOSAL: (909) 358-5055

TO REPORT ILLEGAL DUMPING OR A CLOGGED

STORM DRAIN: 1-800-506-2555




Storm Water
Clean Water
PROTECTION PROGRAM

Riverside County gratefully acknowledges the Bay Area Stormwater Management Agencies Association and the Cleaning Equipment Trade Association for information provided in this brochure.

StormWater Pollution

What you should know for...



GUIDELINES
for disposal of washwater
from:

- Sidewalk, plaza or parking lot cleaning
- Vehicle washing or detailing
- Building exterior cleaning
- Waterproofing
- Equipment cleaning or degreasing

Do you know . . . where the water should go?



Riverside County has two drainage systems - sanitary sewers and storm drains. The storm drain system is designed to prevent flooding by carrying excess rainwater away from streets. . . it's not designed to be a waste disposal system. Since the storm drain system does not provide for water treatment, it often serves the unintended function of transporting pollutants directly to our waterways.

Unlike sanitary sewers, storm drains are not connected to a treatment plant - they flow directly to our local streams, rivers and lakes.

Soaps, degreasers, automotive fluids, litter, and a host of other materials washed off buildings, sidewalks, plazas, parking areas, vehicles, and equipment can all pollute our waterways.

Non-stormwater discharges such as washwater generated from outdoor cleaning projects often transport harmful pollutants into storm drains and our local waterways. Polluted runoff contaminates local waterways and poses a threat to groundwater resources.

The Cities and County of Riverside
StormWater/CleanWater Protection Program

Since preventing pollution is much easier, and less costly than cleaning up “after the fact,” the Cities and County of Riverside StormWater/CleanWater Protection Program informs residents and businesses of pollution prevention activities such as those described in this pamphlet.

The Cities and County of Riverside have adopted ordinances for stormwater management and discharge control. In accordance with state and federal law, these local stormwater ordinances prohibit the discharge of wastes into the storm drain system or local surface waters. This includes non-stormwater discharges containing oil, grease, detergents, degreasers, trash, or other waste materials.



PLEASE NOTE: The discharge of pollutants into the street, gutters, storm drain system, or waterways - without a Regional Water Quality Control Board permit or waiver - is **strictly prohibited** by local ordinances and state and federal law.

Help Protect Our Waterways!

Use These Guidelines For Outdoor Cleaning Activities and Washwater Disposal

DO . . . Dispose of **small amounts** of **washwater from cleaning building exteriors, sidewalks, or plazas** onto landscaped or unpaved surfaces provided you have the owner's permission and the discharge will not cause flooding or nuisance problems, or flow into a storm drain.

DO NOT . . . Discharge **large amounts** of these types of washwater onto landscaped areas or soil where water may run to a street or storm drain. Wastewater from exterior cleaning may be pumped to a sewer line with specific permission from the local sewerage agency.

DO . . . Check with your local sewerage agency's policies and requirements concerning waste water disposal. **Water from many outdoor cleaning activities** may be acceptable for disposal to the sewer system. See the list on the back of this flyer for phone numbers of the sewerage agencies in your area.

DO NOT . . . Pour **hazardous wastes** or toxic materials into the storm drain or sewer system . . . properly dispose of it instead. When in doubt, contact the local sewerage agency! The agency will tell you what types of liquid wastes can be accepted.

DO . . . Understand that **water (without soap)** used to remove dust from clean vehicles may be discharged to a street or storm drain. **Washwater from sidewalk, plaza, and building surface cleaning** may go into a street or storm drain if ALL of the following conditions are met:

- 1) The surface being washed is free of residual oil stains, debris and similar pollutants by using dry cleanup methods (sweeping, and cleaning any oil or chemical spills with rags or other absorbent materials before using water).
- 2) Washing is done with water only - no soap or other cleaning materials.
- 3) You have not used the water to remove paint from surfaces during cleaning.


DO NOT . . . Dispose of water containing **soap or any other type of cleaning agent** into a storm drain or water body. This is a direct violation of state and/or local regulations. Because **wastewater from cleaning parking areas or roadways** normally contains metallic brake pad dust, oil and other automotive fluids, it should never be discharged to a street, gutter, or storm drain.

DO . . . Understand that **mobile auto detailers** should divert washwater to landscaped or dirt areas. Note: Be aware that soapy washwater may adversely affect landscaping; consult with the property owner. Residual washwater may remain on paved surfaces to evaporate; sweep up any remaining residue. If there is sufficient water volume to reach the storm drain, collect the runoff and obtain permission to pump it into the sanitary sewer. Follow local sewerage agency's requirements for disposal.

DO NOT . . . Dispose of left over cleaning agents into the gutter, storm drain or sanitary sewer.

Regarding Cleaning Agents:

If you must use soap, use biodegradable/phosphate free cleaners. Avoid use of petroleum based cleaning products. Although the use of nontoxic cleaning products is strongly encouraged, do understand that these products can still degrade water quality and, therefore, the discharge of these products into



the street, gutters, storm drain system, or waterways is prohibited by local ordinances and the State Water Code.

Note: When cleaning surfaces with a high pressure washer or steam cleaning methods, additional precautions should be taken to prevent the discharge of pollutants into the storm drain system. These two methods of surface cleaning, as compared to the use of a low pressure hose, can remove additional materials that can contaminate local waterways.

OTHER TIPS TO HELP PROTECT OUR WATER . . .

SCREENING WASH WATER

A thorough dry cleanup before washing (without soap) surfaces such as building exteriors and decks without loose paint, sidewalks, or plaza areas, *should be sufficient to protect storm drains*. **However**, if any debris (solids) could enter storm drains or remain in the gutter or street after cleaning, washwater should first pass through a "20 mesh" or finer screen to catch the solid material, which should then be disposed of in the trash.

DRAIN INLET PROTECTION/CONTAINING & COLLECTING WASH WATER

- Sand bags can be used to create a barrier around storm drain inlets.
- Plugs or rubber mats can be used to temporarily seal storm drain openings.
- You can also use vacuum booms, containment pads, or temporary berms to keep wash water away from the street, gutter, or storm drain.

EQUIPMENT AND SUPPLIES

Special materials such as absorbents, storm drain plugs and seals, small sump pumps, and vacuum booms are available from many vendors. For more information check catalogs such as New Pig (800-468-4647), Lab Safety Supply (800-356-0783), C&H (800-558-9966), and W.W. Grainger (800-994-9174); or call the Cleaning Equipment Trade Association (800-441-0111) or the Power Washers of North America (800-393-PWNA).

For Information:

For information on “closed-loop” suppliers and recycling/disposal vendors, contact:

County of Riverside
Health Services Agency
Department of Environmental Health
at (909) 358-5055.

SPILL RESPONSE AGENCY:

HAZ-MAT: (909) 358-5055
AFTER 5:00 P.M.: (909) 358-5245 OR 911

RECYCLING AND HAZARDOUS WASTE

DISPOSAL: (909) 358-5055

TO REPORT ILLEGAL DUMPING OR A
CLOGGED STORM DRAIN: 1-800-506-2555

To order additional brochures or to obtain information on other pollution prevention activities, call: (909) 955-1111.

The Cities and County of Riverside
StormWater/CleanWater Protection Program
1-800-506-2555



Riverside County gratefully acknowledges the Santa Clara Valley Nonpoint Source Pollution Control Program and the City of Los Angeles Stormwater Management Division for information provided in this brochure.

StormWater Pollution

What you should know for...

AUTOMOTIVE MAINTENANCE & CAR CARE



Best Management Practices (BMPs) for:

- Auto Body Shops
- Auto Repair Shops
- Car Dealerships
- Gas Stations
- Fleet Service Operations

StormWater Pollution . . . What You Should Know

Riverside County has two drainage systems - sanitary sewers and storm drains. The storm drain system is designed to help prevent flooding by carrying excess rainwater away from streets. Since the storm drain system does not provide for water treatment, it also serves the *unintended* function of transporting pollutants directly to our waterways.

Unlike sanitary sewers, storm drains are not connected to a treatment plant - they flow directly to our local streams, rivers and lakes.

Rain and water runoff from automotive shops and businesses can carry pollutant material into storm drains. Examples of pollutants include oil and grease from cars, copper and asbestos from worn brake linings, zinc from tires, and toxics from spilled fluids.

Stormwater pollution causes as much as 60% of our water pollution problem. It jeopardizes the quality of our waterways and poses a threat to groundwater resources if pollutants percolate through soil.



The Cities and County of Riverside StormWater/CleanWater Protection Program

Since preventing pollution is much easier, and less costly, than cleaning up “after the fact,” the Cities and County of Riverside StormWater/CleanWater Protection Program informs residents and businesses on pollution prevention activities such as the Best Management Practices (BMPs) described in this pamphlet.


The Cities and County of Riverside have adopted ordinances for stormwater management and discharge control. In accordance with state and federal law, these local stormwater ordinances **prohibit** the discharge of wastes into the storm drain system or local surface waters. This includes discharges containing oil, antifreeze, gasoline and other waste materials.

PLEASE NOTE: A common stormwater pollution problem associated with automotive shops and businesses is the hosing down of service bays, parking and other areas. Often, this activity flushes pollutants into the storm drain system. The discharges of pollutants is **strictly prohibited** by local ordinances and state and federal regulations.

Keep your shop in tune. Follow these Practices to help prevent stormwater pollution . . .

1. Changing Automotive Fluids

- Designate an area away from storm or sanitary drains to change automotive fluids.
- Collect, separate, and recycle motor oil, antifreeze, transmission fluid, and gear oil.
- Drain brake fluid and other non-recyclables into a proper container and handle as a hazardous waste.
- Use a radiator flushing fluid that can be recycled, and add it to the waste antifreeze.



2. Working on Transmissions, Engines, and Miscellaneous Repairs

- Keep a drip pan or a wide low-rimmed container under vehicles to catch fluids whenever you unclip hoses, unscrew filters, or change parts, to contain unexpected leaks.

3. Preventing Leaks and Spills

- Avoid spills by emptying and wiping drip pans when you move them to another vehicle or when they are half-full.
- Routinely check equipment to wipe up spills and repair leaks.
- Place large pans or an inflatable portable berm under wrecked cars.
- Drain all fluids from wrecked vehicles or “parts” cars you keep on site.

4. Cleaning up Spills

- Clean up small spills immediately using shop rags.




- Keep dry absorbent materials and/or a wet/dry vacuum cleaner on hand for mid-sized spills.
- Contain large spills immediately; block or shut off floor and parking lot drains and notify the authorities.
- Train employees to be familiar with hazardous spill response plans and emergency procedures.

5. Identify and Control Wastewater Discharges

- Ensure that shop sinks and floor drains are connected to the sanitary sewer. Check with the local sewer authority regarding permitting or other requirements.
- Post signs to prevent disposal of liquid wastes into sanitary drains.

6. Fueling Vehicles

- Clean-up minor spills, with a dry absorbent, rather than allowing them to evaporate. Dispose of the absorbent as a dry hazardous waste.
- Use a damp cloth and a damp mop to keep the area clean rather than a hose or a wet mop.



7. Removing and Storing Batteries

- Store batteries indoors, on an open rack.
- Return used batteries to a battery vendor.
- Contain cracked batteries to prevent hazardous spills.

8. Cleaning Parts

- Clean parts in a self-contained unit, solvent sink, or parts washer to prevent solvents and grease from entering a sewer or storm drain connection.



9. Metal Grinding and Finishing


- Catch metal filings in an enclosed unit or on a tarpaulin.
- Sweep filing area to prevent washing metals into floor drains.

10. Storing and Disposing of Waste

- Store recyclable and non-recyclable waste separately.
- Place liquid waste (hazardous or otherwise) within a bermed or secondary containment area.
- Cover outdoor storage areas to prevent contact with rain water.
- Collect used parts for delivery to a scrap metal dealer.

11. Selecting and Controlling Inventory

- Purchase recyclable or non-toxic materials.
- Select “closed-loop” suppliers and purchase supplies in bulk.



12. Outdoor Parking and Auto Maintenance

- Treat outdoor areas as an extension of your service bays or avoid using altogether.
- Sweep-up trash and dirt from outdoor parking and maintenance areas. Do not hose down areas. All non-storm water discharges are prohibited.
- Drain work areas to a sanitary drain rather than a storm drain. Contact the local sewer authority to determine if pretreatment is required.

13. Washing Vehicles, Cleaning Engines, and Other Steam Cleaning

- For occasional car exterior cleaning, minimize the water used and divert runoff to landscaped areas, keeping it out of the storm drain.
- Wash vehicles with biodegradable, phosphate-free detergent.
- Make sure no wastewater from engine or parts cleaning or steam cleaning is discharged where it may flow to a street, gutter, or storm drain.

14. Cleaning Work Areas

- Sweep or vacuum the shop floor frequently.
- Damp mop work areas - do not hose down work areas into the street or gutter.
- Do not pour mop water into the parking lot, street, gutter or storm drain.
- Use non-toxic cleaning products whenever possible.

Please remember:





Riverside County Stormwater Members

Flood Control District
(Lead Agency)
(951) 955-1250

County of Riverside
(951) 955-1000

City of Banning
(951) 922-3130

City of Beaumont
(951) 769-8520

City of Calimesa
(909) 795-9801

City of Canyon Lake
(951) 244-2955

Cathedral City
(760) 770-0349

City of Coachella
(760) 398-3502

City of Corona
(951) 736-2248

City of Desert Hot Springs
(760) 329-6411

City of Hemet
(951) 765-2300

City of Indian Wells
(760) 346-2489

City of San Jacinto
(951) 487-7330

City of Indio
(760) 391-4000

City of Lake Elsinore
(951) 674-3124

City of La Quinta
(760) 777-7000

City of Menifee
(951) 672-6777

City of Moreno Valley
(951) 413-3120

City of Murrieta
(951) 304-2489

City of Norco
(951) 735-3900

City of Palm Desert
(760) 346-0611

City of Palm Springs
(760) 323-8253

City of Perris
(951) 943-6100

City of Rancho Mirage
(760) 324-4511

City of Riverside
(951) 926-5311

City of Temecula
(951) 694-6444

City of Wildomar
(951) 677-7751

Coachella Valley Water
District
(760) 398-2651

The Riverside County "Only Rain Down the Storm Drain" Pollution Prevention Program gratefully acknowledges San Bernardino County's Stormwater Program for their contribution to this brochure.

Stormwater Pollution

What you should know for...

Industrial & Commercial Facilities

Best Management Practices (BMPS)
for:

- Industrial
- Commercial Facilities

