Notice of Exemption

То:		Office of Planning and Research P.O. Box 3044, Room 212 Sacramento, CA 95812-3044	From:	Sonoma County Water Agency 404 Aviation Blvd. Santa Rosa, CA 95403
		Sonoma County Clerk 585 Fiscal Drive, Room 103 Santa Rosa, CA 95403		
Proj	ect 7	Fitle: Emergency Aquifer Storage and Recover	y at Seb	astopol Road Well Project
Proj	ect L	-ocation - Specific: 5590 Sebastopol Road (H	ighway 1	12), Sonoma County, California (Figure 1)
Proj	ect L	ocation - City: Unincorporated	Coun	ty: Sonoma
is pr Stat unde time fund wate Grou alon exist from not o	oposon (\end{a} oposon (a	ling a drought emergency project involving aquitively Nell Station) to increase regional and community und aquifer, when surface water is plentiful (type purpose of the project is to install ASR system lity of the system to supplement water that coultailers (cities and water districts) and other benefater Subbasin. The project consists of installing Russian River-Cotati Intertie Aqueduct (Aquedoroduction well, including appurtenances and do Aqueduct would be used to test the capability of the designed capacity of the Well Station, Acqueduct would suppose the designed capacity of the Well Station, Acqueduct would be used to the Well Station where we was acqueduct would be used to the Well Station where we was acqueduct would be used to the Well Station where we was acqueduct where we was acqueduct where we was acqueduct where we was acqueduct would be used to the Well Station where we was acqueduct whe was acqueduct where we was acqueduct where we was acqueduct wher	fer storage deciding the storage of the ASI queduct,	e ongoing current and future drought impacts to public ers of groundwater within the Santa Rosa Plain uipment at the existing Well Station, which is located underground pipeline. The project would retrofit an well components for aquifer recharge. Surplus water R to recharge the aquifer. The proposed project would or impact mature trees or native vegetation.
Nam	e of	Public Agency Approving Project: Sonoma	County \	Nater Agency
Nam	e of	Person or Agency Carrying Out Project: So	noma C	ounty Water Agency
Exe	npt 9	Status: (check one)		
	Mir	nisterial (Sec. 21080(b)(1); 15268);		
	De	clared Emergency (Sec. 21080(b)(3); 15269(a))	;	
⊠ pre		ergency Project (Sec. 21080(b)(4); and State C t or mitigate an emergency.	EQA Gu	idelines 15269(b)(c)): Specific actions necessary to
\boxtimes	Cat	tegorical Exemption: CEQA Guidelines §15304	(f) Minor	Alterations to Land.
\boxtimes	Exe	emption under Governor's Executive Order N-7-	-22 (Sect	tion 12): Government Code section 8571
	Sta	tutory Exemptions. State code number: Click h	ere to er	iter text.
(CE)	QA) S ent o	Statute 21080(b)(4) and State CEQA Guidelines r mitigate an emergency are exempt from CEQ	: 15269(I A; categ	orily exempt under California Environmental Quality Act (c), which provide that specific actions necessary to orically exempt from CEQA under the State CEQA or's March 28, 2022, Executive Order (EO) N-7-22.
cour has July	ties o conti 8, O	due to drought conditions in the Russian River \ nued that proclamation for Sonoma and Mendo	Watershe cino cou -22 on №	State of Emergency in Sonoma and Mendocino ed (Governor's Drought Proclamation). The Governor nties through further drought proclamations on May 10, farch 28, 2022. Section 12 of EO N-7-22 suspends e impacts of drought.
Cour June	nty O 16,	perational Area due to drought conditions, whic 2021, the General Manager of Sonoma Water o	ch was m determin	noma proclaimed a local emergency for the Sonoma lost recently continued on December 13, 2022. On ed that due to drought conditions, an emergency exists on to prevent or mitigate the loss or impairment of life,

Date received for filing at OPR:_

☐ Signed by Applicant

☐ Signed by Lead Agency

Notice of Exemption

health, property, or essential public services, necessitating immediate action pursuant to the authority of the County of Sonoma Resolution #06-0649. On June 18, 2021, the Sonoma Water Board of Directors adopted a resolution ratifying the General Manager's emergency determination and declaring the need to do emergency work related to drought and that such projects are exempt for the requirements of CEQA. The Board of Directors has since continuously renewed the emergency determination every two weeks.

Sonoma Water staff are proposing work necessary to install and test ASR at the existing Sebastopol Road Well Station. Section 12 of EO N-7-22 suspends CEQA to advance groundwater recharge projects and to demonstrate feasibility of projects that can use available high water flows to recharge local groundwater while minimizing flood risk and applies to any actions taken by local agencies where the state agency with primary responsibility for the implementation of directives concurs that local action is required. The State of California Department of Water Resources (DWR) provided grant funding for the Santa Rosa Plain Water Supply Resiliency Project, which includes funding for the Emergency Aquifer Storage and Recovery at Sebastopol Road Well Project, under the Urban and Multibenefit Drought Relief Grant on December 22, 2021. In addition to the suspension of CEQA provided by EO N-7-22, CEQA Guidelines Section 15304 provides, generally, that minor alterations in the condition of land and vegetation, which do not involve removal of healthy, mature, scenic trees, is categorically exempt from CEQA. Section 15304(f) exempts minor trenching and backfill where the surface is restored.

Lead Agency Contact Person: Dave Cook	Telephone: 707-322-8176
Signature:	Title: Ceneral Manager

Kent Gylfe, Chief Enginee

☐ Signed by LeadAgency	☐ Signed by Applicant	Date received for filing at OPR:




Figure 1: Location of Sebastopol Road Well Station along Russian River-Cotati Intertie Aqueduct.