Appendix D Energy



Appendix D.1

Energy Modeling Assumptions and Calculations



Project Land Uses

| CaleEMed LandUse Type LandUse Type LandUse Type CaleEMed LandUse Subtype Amount Unit Building SF Lot Acreage Notes | Project Land Uses | | | | | | | |
|--|---------------------------------|--------------|--|-----------|-------|--------------|-------------|------------------------------------|
| Land Use Type | | | | | | | | |
| Asphalt (Total) | Lond How Town | | California de la califo | | Unite | Dullelles CF | | None |
| Parking Lots | | | CaleElviod Landose Subtype | Amount | Unit | building SF | LOT ACTEAGE | Notes |
| Fire Lanes | | | Barking Lot | 42 244 | kef | 42 244 | | |
| Hardiscape (non-asphalt) Total) Parking Other Non-Asphalt Surface 176.75.1 ksf 176.75.1 ksf | | | | | | | | |
| Sidewalks | | | | | | | | |
| Commission Control C | | raiking | Other Non-Aspiralt Surface | | | | | |
| Temis Courts (include all existing for demo) Sasdism (include all existing for demo) Sasdism (include all existing for demo) Sasdism (include all existing for demo) Sadism (included all existing for demo) Sadism | | | | | | | | |
| BasketBall Courts (include all existing for demo) Startium Seating Startium Seating | | | | | | | | |
| Stadium Seating Recreational City Park 340.764 std | | | | | | | | |
| Recreational Cotal Recreational Cotal Park 340,764 ksf 340,764 Safe Safe | | | | | | | | |
| Baseball Field | | Poccoational | City Back | | | | | |
| Softsal Field Safe Safe | | Recreational | City Faik | | | | | |
| TrackAR/inde/Shotput/Discus Strace/Inde/Shotput/Discus stf 131.885 ksf 131.885 ksf 131.885 ksf 131.885 ksf 131.885 ksf 131.885 ksf 660.182 ksf 60.182 ksf 7.37 ksf 7.37 ksf 7.37 ksf 7.37 NeW BULDING W Recreational Health Club 1.84 ksf 5.921 ksf 1.00.1880 23.00 these areas, not included in operations ksg ksg 1.00.1 | | | | | | | | |
| Softscape (Total) Recreational Recreational City Park 660.182 set 660.182 set | | | | | | | | |
| Landscaping Recreational Health Club 12.152 ksf 660.182 ksf 600.182 ksf 60 | | Poccoational | City Back | | | | | |
| Buildings Recreational Health Club 12.152 ksf 12.152 | | Recreational | City Faik | | | | | |
| NEW BULDING SU Industrial Warehouse No Rail 0.379 ksf 379 ksf 375 ksf 3,251 ksf | | Recreational | Health Club | | | | | |
| NEW BUILDING W Retail Convenience Market (24 Hour) 0.737 ksf 737 ksf 737 ksf 737 ksf 737 ksf 737 ksf 735 ksf 3.51 ksf 3.5 | | | | | | | | |
| NEW BUILDING Y Recreational Health Club 1.84 | | | | | | | | |
| Recreational Health Club 1.864 s.f | | | | | | | | |
| BUILDING L (demo and replace) Educational High School 5.921 ksf 5,921 Lassed area and Woodworth are only included in construction modeling to account for demolition and site work associated with these areas, not included in operations | | | | | | | | |
| Leased area and Woodworth are only included in construction modeling to account for demolition and site work associated with these areas, not included in operations | | | | | | | | |
| Woodworth + Leased Area Recreational City Park 1,001.880 ksf 1,001.880 23.00 | BOLDING E (demo dia replace) | Eddedtional | riigii Scriooi | 3.322 | NJ1 | 3,322 | | |
| Woodworth + Leased Area Recreational City Park 1,001.880 ksf 1,001.880 23.00 | | | | | | | | |
| Woodworth + Leased Area Recreational City Park 1,001.880 ksf 1,001.880 23.00 | | | | | | | | Leased area and Woodworth are only |
| Woodworth + Leased Area Recreational City Park 1,001,880 ksf 1,001,880 23,00 for demolition and site work associated with Woodworth + Leased Area Recreational City Park 1,001,880 ksf 1,001,880 23,00 for demolition and site work associated with Whese areas, not included in operations | | | | | | | | |
| Woodworth + Lessed Area Recreational City Park 1,001,880 ksf 1,001,880 23.00 these areas, not included in operations | | | | | | | | |
| Buildings Total NEW BUILDING SU Industrial Warehouse No Rail 0.379 ksf 379 0.25 | Woodworth + Leased Area | Recreational | City Park | 1 001 880 | ksf | 1.001.880 | 23.00 | |
| NEW BULDINGS U Industrial Warehouse No Rail 0.379 ksf 379 0.25 NEW BULDING W Real Str. jm Mail 0.737 ksf 5,115.00 0.25 NEW BULDING (Feed and replace) Recreational Health Club 5,115 ksf 5,115.00 0.88 BULDING (General and replace) Educational High School 5,921 ksf 5,921 1.00 Parking Lots Parking Parking Lots 43,244 ksf 43,244 0.99 Hardscape (non-asphalt) (Total) Parking Other Non-Asphalt Surface 25,777 ksf 25,777 0.59 Hardscape (non-asphalt) (Total) Recreational (CV) Park 45,980 Acres 20,02,826 45,98 | | | , | -, | | -,, | | |
| NEW BULDINGS U Industrial Warehouse No Rail 0.379 ksf 379 0.25 NEW BULDING W Real Str. jm Mail 0.737 ksf 5,115.00 0.25 NEW BULDING (Feed and replace) Recreational Health Club 5,115 ksf 5,115.00 0.88 BULDING (General and replace) Educational High School 5,921 ksf 5,921 1.00 Parking Lots Parking Parking Lots 43,244 ksf 43,244 0.99 Hardscape (non-asphalt) (Total) Parking Other Non-Asphalt Surface 25,777 ksf 25,777 0.59 Hardscape (non-asphalt) (Total) Recreational (CV) Park 45,980 Acres 20,02,826 45,98 | Buildings Total | | | | | | | |
| NEW BULDING Y * 2 Recreational Health Club 5.115 ksf 5,115.00 0.88 BULDING (General ond replace) Educational High School 5.921 ksf 5,921 1.00 Parking Lots Parking Parking Lots 43.244 ksf 43,244 0.99 Hardscape (non-suphal) (Total) Parking Other Apphalt Surface 25.777 ksf 25,777 0.59 Hardscape (non-suphal) (Total) Parking Other Non-Apphalt Surface 176.751 ksf 176,751 4.06 Recreational Civil (Why Park) Market Suphalt Surface 25.778 200,228.65 45.98 | | Industrial | Warehouse No Rail | 0.379 | ksf | 379 | 0.25 | |
| NEW BULDING Y * 2 Recreational Health Club 5.115 ksf 5,115.00 0.88 BULDING (General ond replace) Educational High School 5.921 ksf 5,921 1.00 Parking Lots Parking Parking Lots 43.244 ksf 43,244 0.99 Hardscape (non-suphal) (Total) Parking Other Apphalt Surface 25.777 ksf 25,777 0.59 Hardscape (non-suphal) (Total) Parking Other Non-Apphalt Surface 176.751 ksf 176,751 4.06 Recreational Civil (Why Park) Market Suphalt Surface 25.778 200,228.65 45.98 | NEW BUILDING W | Retail | Strin Mall | 0.737 | ksf | 737 | 0.25 | |
| BAULDING L(demo and replace) Educational Educational High School 5.921 ksf 5.921 1.00 Parking Lots Parking Lot 43.244 ksf 43.244 0.99 Fire Lanes Parking Other Arsphalt Surface 25.777 ksf 25,777 0.59 Hardscape (non-asphalt) [Total) Parking Other Non Asphalt Surface 176.751 ksf 176.751 4.06 Recreational (Total) Recreational (Vp Park 45.980 Acres 2,000,285 45.98 | | | | | | | | |
| Parking Lots Parking Parking Lot 43.244 ksf 43.244 0.99 Fire Lanes Parking Other Asphalt Surface 25.777 ksf 25.777 0.59 Hardscape (non-asphalt) (Total) Parking Other Non-Asphalt Surface 176.751 ksf 176,751 4.06 Recreational (Total) Recreational City Park 45.98 Acres 2002,826 45.98 | BUILDING L (demo and replace) | Educational | High School | 5.921 | ksf | | 1.00 | |
| Fire Lanes Parking Other Asphalt Surface 25.777 ksf 25.777 0.59 Hardscape (non-asphalt) (Total) Parking Other Non Asphalt Surface 176.751 ksf 176,751 4.06 Recreational (Total) Recreational City Park 45.980 Acres 2,002,226 45.98 | | Parking | | 43,244 | ksf | 43.244 | 0.99 | |
| Hardscape (non-asphalt) (Total) Parking Other Non-Asphalt Surface 176.751 ksf 176,751 4.06 Recreational (Total) Recreational City Park 45,980 Acres 2,002,826 45.98 | | | | | | | | |
| Recreational (Total) Recreational City Park 45.980 Acres 2,002,826 45.98 | Hardscape (non-asphalt) (Total) | | | 176.751 | ksf | | 4.06 | |
| | | | | 45.980 | Acres | | 45.98 | |
| | | | • | | | | 54.00 | |

| Construction Phase | Start Date | End Date | No. Work Days | Maximum Number of Daily Workers ² | Worker One Way Trips/Max Day ³ | Vendor Trips/Max Day (In/Out) | Total Haul or Concrete Truck Trips (In/Out) | Max Daily Haul Trucks/Day | Max Daily Haul Trips/Day (In/Out) | Notes |
|--|--|--|------------------------|---|--|-------------------------------------|---|------------------------------|---|--|
| Demolition | 6/1/2023 | 8/16/2023 | 55 | 9 | 18 | ,,,,,,, | 17,928 | 163 | 326 | Schedule based on 2 year duration provided by client Phase days based on CalEEMod default phase percentage of CalEEmod total work days |
| Site Prep Grading/Excavation | 8/17/2023 9/8/2023 | 9/7/2023 10/31/2023 | 16 38 | 10 12 | 20 24 | | 6,140 | 81 | 162 | Phase days based on CalEEMod default phase percentage of CalEEmod total work days Phase days based on CalEEMod default phase percentage of CalEEmod total work days Phase days based on CalEEMod default phase |
| Building Modernization + Campus Improvements | 11/1/2023 11/1/2023 1/1/2024 1/1/2025 | 4/22/2025 12/31/2023 12/31/2024 4/22/2025 | 385 43 262 80 | 475 | 950 | 372 | | | | percentage of CallEEmod total work days |
| Pavings Architectural Coatings | 4/23/2025 4/23/2025 | 5/31/2025 5/31/2025 | 28 28 | 8 95 | 16 190 | | | | | Phase days based on CalEEMod default phase percentage of CalEEmod total work days Phase days based on CalEEMod default phase percentage of CalEEmod total work days |

Note

Source: Client Provided Demolition and Excavation Quantities

| Demolition Quantities | |
|---|--------|
| Total Debris Weight (tons) | 66,553 |
| Total Demolition Debris (CY) | 89,632 |
| Haul Truck Capacity (CY) | 10 |
| Total Haul Trucks Required | 8,964 |
| Total Haul Truck Trips (In/Out) | 17,928 |
| Total Haul Truck Tring (In/Out) nor day | 226 |

Excavation Quantities

| Parameters | Amount | |
|---|--------|-----------------|
| Excavation Volume (Export) (CY) | 30,700 | From Data Needs |
| Haul Truck Capacity (CY) | 10 | Assumption |
| Total Haul Trucks Required | 3,070 | |
| Total Haul Truck Trips (In/Out) | 6,140 | |
| Total Haul Truck Trips (In/Out) per day | 162 | |

Asphalt Paving Quantities

| Parameters | Amount | |
|------------------------|--------|-----------------|
| Area of Paving (acres) | 3.40 | From Data Needs |
| | | |

Project Land Uses

| | CalEEMod | | | | | | |
|---|--------------|------------------------------|---------|-------|-------------|-------------|---|
| Land Use Type | LandUse Type | CalEEMod LandUse Subtype | Amount | Unit | Building SF | Lot Acreage | Notes |
| Asphalt (Total) | Parking | | | | | | |
| Parking Lots | Parking | Parking Lot | 43.244 | ksf | 43,244 | | |
| Fire Lanes | Parking | Other Asphalt Surface | 25.777 | ksf | 25,777 | | |
| Hardscape (non-asphalt) (Total) | Parking | Other Non-Asphalt Surface | 176.751 | ksf | 176,751 | | |
| Sidewalks | | | 66.204 | ksf | 66,204.0 | | |
| Canopies | | | 20.145 | ksf | 20,145 | | |
| Tennis Courts (include all existing for demo) | | | 46.390 | ksf | 46,390 | | |
| Basketball Courts (include all existing for demo) | | | 34.337 | ksf | 34,337 | | |
| Stadium Seating | | | 9.675 | ksf | 9,675 | | |
| Recreational (Total) | Recreational | City Park | 340.764 | ksf | 340,764 | | |
| Baseball Field | | • | 105.264 | ksf | 105,264 | | |
| Softball Field | | | 53.615 | ksf | 53,615 | | |
| Track&Field/Shotput/Discus | | | 181.885 | ksf | 181,885 | | |
| Softscape (Total) | Recreational | City Park | 660.182 | ksf | 660,182 | | |
| Landscaping | | • | 660.182 | ksf | 660,182 | | |
| Buildings | Recreational | Health Club | 12.152 | ksf | 12,152 | | |
| NEW BUILDING SU | Industrial | Warehouse No Rail | 0.379 | ksf | 379 | | |
| NEW BUILDING W | Retail | Convenience Market (24 Hour) | 0.737 | ksf | 737 | | |
| NEW BUILDING Y | Recreational | Health Club | 3.251 | ksf | 3,251 | | |
| NEW BUILDING Z | Recreational | Health Club | 1.864 | ksf | 1,864 | | |
| BUILDING L (demo and replace) | Educational | High School | 5.921 | ksf | 5,921 | | |
| | | - | | | | | |
| Buildings Total | | | | | | | |
| NEW BUILDING SU | Industrial | Warehouse No Rail | 0.379 | ksf | 379 | 0.25 | |
| NEW BUILDING W | Retail | Strip Mall | 0.737 | ksf | 737 | 0.25 | |
| NEW BUILDING Y + Z | Recreational | Health Club | 5.115 | ksf | 5,115.00 | 0.88 | |
| BUILDING L (demo and replace) | Educational | High School | 5.921 | ksf | 5,921 | 1.00 | |
| Parking Lots | Parking | Parking Lot | 43.244 | ksf | 43,244 | 0.99 | |
| Fire Lanes | Parking | Other Asphalt Surface | 25.777 | ksf | 25,777 | 0.59 | Added Parking Lot Lighting to account for general lighting. |
| Hardscape (non-asphalt) (Total) | Parking | Other Non-Asphalt Surface | 176.751 | ksf | 176,751 | 4.06 | Added Parking Lot Lighting to account for general lighting. |
| Recreational (Total) | Recreational | City Park | 22.980 | Acres | 1,000,946 | 22.98 | Added Parking Lot Lighting to account for general lighting. |
| • • | | • | | | Total | 31.00 | |

Architectural Coating Area Calculations

| CalEEMod assumes the total surface for architectural coating eq | uals: |
|---|------------------------------------|
| Residential Coating Area | 2.7 times the floor square footage |
| | 75% interior |
| | 25% exterior |
| Nonresidential Coating Area | 2 times the square footage |
| | 75% interior |
| | 25% exterior |
| Parking Lot Coating Area | 6% of the square footage |
| | 0% exterior for surface lot |
| | |

Source: SCAQMD, CEQA Air Quality Handbook, (1993) A9-124.

South Plaza

| Nonres | idential | | |
|---------------------------------|-----------|---------------|---------------|
| Land Use | Area (sf) | Interior (sf) | Exterior (sf) |
| NEW BUILDING SU | 379 | 569 | 190 |
| NEW BUILDING W | 737 | 1,106 | 369 |
| NEW BUILDING Y + Z | 5,115 | 7,673 | 2,558 |
| BUILDING L (demo and replace) | 5,921 | 8,882 | 2,961 |
| Hardscape (non-asphalt) (Total) | 176,751 | 265,127 | 88,376 |
| | | | |
| Total Nonresidential | | 283,355 | 94,452 |

| Land Use | Area (sf) | Interior (sf) | Exterior (sf) |
|--------------|-----------|---------------|---------------|
| Parking Lots | 43,244 | 2,595 | |
| Fire Lanes | 25,777 | 1,547 | |
| | | 4,141 | |

Morningside HS Construction Energy Analysis

Annual Fuel Summary

| 10 | <u>i ruei Suillillary</u> | |
|----|---------------------------|---|
| | | Heavy-Duty Construction Equipment |
| | 88,780 | Total Project Consumption |
| | 44,390 | Annual Consumption |
| | | Haul Trucks |
| | 113,872 | Total Project Consumption |
| | 56,936 | Annual Consumption |
| | | Vendor Trucks |
| | 137,088 | Total Project Consumption |
| | 68,544 | Annual Consumption |
| | | Workers |
| | 206,734 | Total Project Consumption |
| | 103,367 | Annual Consumption |
| | 250,960 | Project Consumption of diesel for Haul Trucks and Vendors |
| | 125,480 | Annual Consumption |
| | 339,740 | Total Gallons Diesel |
| | 206,734 | Total Gallons Gasoline |

2.00 Estimated Project Construction Duration (years)

169,870 Annual Average Gallons Diesel103,367 Annual Average Gallons Gasoline

| Los Ange | eles County | | Percent of Annual Project Compared to Los Angeles County |
|-----------------------------|-------------|---------------|--|
| Source | Fuel Type | Gallons | |
| Workers | Gasoline | 3,061,000,000 | 0.0034% |
| Off-Road/Vendor/Haul Trucks | Diesel | 450,700,000 | 0.0377% |
| | | | |
| | | | |
| lotes: | | | |

¹ Gasoline and diesel amounts from CEC, 2021. Available: https://www.energy.ca.gov/data-reports/energy-almanac/transportation-energy/california-retail-fuel-outlet-annual-reporting

Annual Electricity Summary

| Temporary Construction Trailer - Electricity | 25,980 | kWh/year | 26.0 |
|--|--------|----------|------|
| Water Conveyance for Dust Control | 3,770 | kWh/year | 3.8 |
| Total | 29,750 | kWh/year | 29.7 |

82,048,000 Total SCE, 2021 0.00004% Project percentage of SCE

Notes:

¹ Total SCE Electricity Sales Amount. Available: https://www.edison.com/content/dam/eix/documents/investors/sec-filings-financials/2021-eix-sce-annual-report.pdf

Morningside HS Construction Energy Construction Water Energy Estimates

| Park Zone | Source | Acreage/Day | Number of Days | Total Construction Water Use (Mgal) | Electricity Demand from Water Conveyance (MWh) | Annual Electricity Demand from Water Conveyance (MWh) |
|-----------|------------------|-------------|----------------|-------------------------------------|--|---|
| Project | Demolition | 1 | 55 | 0.165 | 2.1 | 1.1 |
| Project | Site Preparation | 1.5 | 16 | 0.072 | 0.9 | 0.5 |
| Project | Grading | 3 | 38 | 0.342 | 4.5 | 2.2 |
| | | | | | | |
| | | | | | | |
| Total | | | | 0.579 | 7.5 | 3.8 |

| CalEEMod Water Electricity Factors | Electricity Intensity Factor To Supply (kWh/Mgal) | Electricity Intensity Factor To Treat (kWh/Mgal) | Electricity Intensity Factor To Distribute (kWh/Mgal) | Electricity Intensity Factor For Wastewater Treatment (kWh/Mgal) |
|------------------------------------|---|---|--|--|
| | 9727 | 111 | 1272 | 1911 |

Sources and Assumptions:

CalEEMod Appendix A, Pg. 8, based on given piece of equipment can pass over in an 8-hour workday

- -Electricity Intensity Factors California Emissions Estimator Model (CalEEMod).
- -Estimated construction water use assumed to be generally equivalent to landscape irrigation, based on a factor of 20.94 gallons per year per square foot of landscaped area within the Los Angeles area (Mediterranean climate), which assumes high water demand landscaping materials and an irrigation system efficiency of 85%. Factor is therefore (20.94 GAL/SF/year) x (43,560 SF/acre) / (365 days/year) / (0.85) = 2,940 gallons/acre/day, rounded up to 3,000 gallons/acre/day.

 (U.S. Department of Energy, Energy Efficiency & Renewable Energy, Federal Energy Management Program. "Guidelines for Estimating Unmetered Landscaping Water Use."

 July 2010. Page 12, Table 4 Annual Irrigation Factor Landscaped Areas with High Water Requirements).

Morningside HS Construction Energy Analysis

| Land Use | Square Feet | Energy Use per year (kWh) | Total Energy Use (kWh) | GHG Emissions/ year (MTCO2e) | Total GHG Emissions for Construction Duration | Energy Use per SF |
|----------------|-------------|------------------------------|---------------------------|---------------------------------------|--|-------------------------|
| General Office | 2,000 | 25,980 | 51,960.00 | 12.0 | 48.0 | 13.0 |

Morningside HS Construction Energy Analysis

Off-Road Equipment

Equipment ≤ 100 hp pounds diesel fuel/hp-hr (lb/hp-hr):¹

0.408 lb/hp-hr 7.11 lb/gal 0.0574 gal/hp-hr 839,524 hp-hr 48,183 gal diesel density (lb/gal):1 diesel gallons/hp-hr:

Total diesel gallons:

Equipment > 100 hp pounds diesel fuel/hp-hr (lb/hp-hr):¹ diesel density (lb/gal):¹ diesel gallons/hp-hr: 0.367 lb/hp-hr 7.11 lb/gal 0.0516 gal/hp-hr 786,374 hp-hr 40,597 gal

Total diesel gallons:

Total diesel gallons (off-road equipment): 88,780 gal

1. OFFROAD2017 Emission Factor Documentation

| | | | | | | | | | | | Electric | |
|----------|-----------------------|---------------------------|--------|---|-----------|-----|-------|-----------|-------------|-----------|-------------------|--------------|
| | | | | | | | | | | Electric | Conversion | Electric |
| Scenario | Construction Phase | Equipment | Number | H | lours/Day | HP | Load | Days | Total hp-hr | Equipment | (kW/HP) | Demand (kWh) |
| Project | Demolition | Concrete/Industrial Saws | | 1 | 8 | 81 | 0.73 | 55 | 26,017 | | - | - |
| Project | Demolition | Excavators | | 3 | 8 | 158 | 0.38 | 55 | 79,253 | | - | - |
| Project | Demolition | Off-Highway Trucks | | 1 | 8 | 402 | 0.38 | 55 | 67,214 | | - | - |
| Project | Demolition | Rubber Tired Dozers | | 2 | 8 | 247 | 0.4 | 55 | 86,944 | | - | - |
| Project | Site Preparation | Off-Highway Trucks | | 1 | 8 | 402 | 0.38 | 16 | 19,553 | | - | - |
| Project | Site Preparation | Rubber Tired Dozers | | 3 | 8 | 247 | 0.4 | 16 | 37,939 | | - | - |
| Project | Site Preparation | Tractors/Loaders/Backhoes | | 4 | 8 | 97 | 0.37 | 16 | 18,376 | | - | - |
| Project | Grading | Excavators | | 2 | 8 | 158 | 0.38 | 38 | 36,504 | | - | - |
| Project | Grading | Graders | | 1 | 8 | 187 | 0.41 | 38 | 23,308 | | - | - |
| Project | Grading | Off-Highway Trucks | | 1 | 8 | 402 | 0.38 | 38 | 46,439 | | - | - |
| Project | Grading | Rubber Tired Dozers | | 1 | 8 | 247 | 0.4 | 38 | 30,035 | | - | - |
| Project | Grading | Scrapers | | 2 | 8 | 367 | 0.48 | 38 | 107,105 | | - | - |
| Project | Grading | Tractors/Loaders/Backhoes | | 2 | 8 | 97 | 0.37 | 38 | 21,821 | | - | - |
| Project | Building Construction | Cranes | | 1 | 8 | 231 | 0.29 | 385 | 206,329 | | - | - |
| Project | Building Construction | Forklifts | | 3 | 8 | 89 | 0.2 | 385 | 164,472 | | - | - |
| Project | Building Construction | Generator Sets | | 1 | 8 | 84 | 0.74 | 385 | 191,453 | | - | - |
| Project | Building Construction | Tractors/Loaders/Backhoes | | 3 | 8 | 97 | 0.37 | 385 | 331,624 | | - | - |
| Project | Building Construction | Welders | | 1 | 8 | 46 | 0.45 | 385 | 63,756 | | - | - |
| Project | Paving | Pavers | | 2 | 8 | 130 | 0.42 | 28 | 24,461 | | - | - |
| Project | Paving | Paving Equipment | | 2 | 8 | 132 | 0.36 | 28 | 21,289 | | - | - |
| Project | Paving | Rollers | | 2 | 8 | 80 | 0.38 | 28 | 13,619 | | - | - |
| Project | Architectural Coating | Air Compressors | | 1 | 8 | 78 | 0.48 | 28 | 8,387 | | - | - |
| | _ | | | | | | | | - | | - | - |
| | | | | | | | Total | - >100 hp | 786,374 | | Total Electricity | - |
| | | | | | | | Total | - <100 hp | 839,524 | A | verage per Year | |

Morningside HS Total On-Road Fuel Consumption

Morningside HS Total On-Road Fuel Consumption

| | gal/mile |
|---------------------|------------|
| 2021Hauling Hauling | 0.17163556 |
| 2021Vendor Vendor | 0.14228491 |
| 2021Worker Worker | 0.04006185 |
| 2022Hauling Hauling | 0.16994622 |
| 2022Vendor Vendor | 0.14134669 |
| 2022Worker Worker | 0.03932686 |
| 2023Hauling Hauling | 0.16765003 |
| 2023Vendor Vendor | 0.13998726 |
| 2023Worker Worker | 0.03854242 |
| 2024Hauling Hauling | 0.1656907 |
| 2024Vendor Vendor | 0.13888166 |
| 2024Worker Worker | 0.03771161 |
| 2025Hauling Hauling | 0.16346378 |
| 2025Vendor Vendor | 0.13752209 |
| 2025Worker Worker | 0.0368976 |
| 2026Hauling Hauling | 0.1612349 |
| 2026Vendor Vendor | 0.13616514 |
| 2026Worker Worker | 0.03612173 |

| Source | Fuel Type | Total Fuel Use (gal) |
|---------|-----------|----------------------|
| Hauling | Diesel | 113,872 |
| Vendor | Diesel | 137,088 |
| Worker | Gasoline | 206,734 |

| Fuel Type | Total Fuel Use | Annual Fuel Use |
|-----------|----------------|-----------------|
| Diesel | 250,960 | 120,527 |
| Gasoline | 206,734 | 99,287 |

| Duration of Construction | | | | | |
|--------------------------|-----------|--|--|--|--|
| Start | 6/1/2023 | | | | |
| End | 6/30/2025 | | | | |
| 2.1 | vears | | | | |

| | Daily | Haul Days | Work Hours | One-Way | | | | _ | l Emissions | | |
|--------------------------------|---------|-------------|-------------|---------------|-----------|----------|----------|---------|------------------|--|----------|
| Construction Phase | One-Way | per Phase | per Day | Trip Distance | Idling | | | (ga | llons) | | |
| | Trips | / · · · · · | | per Day | per Day | 17.9 | | | 7.1.10.11/ | | |
| emolition | 2023 | (days) | (hours/day) | (miles) | (minutes) | gal/mile | gal/min | gal/day | Total Gallons/yr | | <u> </u> |
| otal Haul Trips | 17928 | | | | | | | | | | |
| • | 326 | 55 | 8 | 28.2 | 15 | 0.17 | 0.00E+00 | 1,541 | 84,768 | | |
| lauling /endor | 0 | 55 55 | 8 | 6.9 | 15 | 0.17 | 0.00E+00 | 0 | 0 | | |
| Vorker | 18 | 55 | 8 | 14.7 | 0 | 0.14 | 0.00E+00 | 10 | 561 | | |
| VOIREI | 10 | 33 | 0 | 14.7 | O | 0.04 | 0.001100 | 10 | 301 | | |
| ite Prep | 2023 | | | | | | | | | | |
| otal Haul Trips | 0 | | | | | | | | | | |
| lauling | 0 | 16 | 8 | 28.2 | 15 | 0.17 | 0.00E+00 | 0 | 0 | | |
| /endor | 0 | 16 | 8 | 6.9 | 15 | 0.14 | 0.00E+00 | 0 | 0 | | |
| Vorker | 20 | 16 | 8 | 14.7 | 0 | 0.04 | 0.00E+00 | 11 | 181 | | |
| | | | | | | | | | | | |
| Grading/Excavation | 2023 | | | | | | | | | | |
| otal Haul Trips | 6140 | | | | | | | | | | |
| auling | 162 | 38 | 8 | 28.2 | 15 | 0.17 | 0.00E+00 | 766 | 29,104 | | |
| endor | 0 | 38 | 8 | 6.9 | 15 | 0.14 | 0.00E+00 | 0 | 0 | | |
| Vorker | 24 | 38 | 8 | 14.7 | 0 | 0.04 | 0.00E+00 | 14 | 517 | | |
| | | | | | | | | | | | |
| Building Modernization + Campu | 2023 | | | | | | | | | | |
| otal Haul Trips | 0 | | | | | | | | | | |
| lauling | 0 | 43 | 8 | 20 | 15 | 0.17 | 0.00E+00 | 0 | 0 | | |
| 'endor | 372 | 43 | 8 | 6.9 | 15 | 0.14 | 0.00E+00 | 359 | 15,451 | | |
| Vorker | 950 | 43 | 8 | 14.7 | 0 | 0.04 | 0.00E+00 | 538 | 23,145 | | |
| Building Modernization + Campu | 2024 | | | | | | | | | | |
| otal Haul Trips | 0 | | | | | | | | | | |
| lauling | 0 | 262 | 8 | 20 | 15 | 0.17 | 0.00E+00 | 0 | 0 | | |
| rendor | 372 | 262 | 8 | 6.9 | 15 | 0.14 | 0.00E+00 | 356 | 93,398 | | |
| Vorker | 950 | 262 | 8 | 14.7 | 0 | 0.14 | 0.00E+00 | 527 | 137,980 | | |
| VOIKEI | 330 | 202 | 0 | 14.7 | O | 0.04 | 0.001100 | 327 | 137,300 | | |
| Building Modernization + Campu | 2025 | | | | | | | | | | |
| otal Haul Trips | 0 | | | | | | | | | | |
| lauling | 0 | 80 | 8 | 20 | 15 | 0.16 | 0.00E+00 | 0 | 0 | | |
| endor | 372 | 80 | 8 | 6.9 | 15 | 0.14 | 0.00E+00 | 353 | 28,239 | | |
| Vorker | 950 | 80 | 8 | 14.7 | 0 | 0.04 | 0.00E+00 | 515 | 41,222 | | |
| | | | | | | | | | , | | |
| avings | 2025 | | | | | | | | | | |
| otal Haul Trips | 0 | | | | | | | | | | |
| auling | 0 | 28 | 8 | 20 | 15 | 0.16 | 0.00E+00 | 0 | 0 | | |
| endor | 0 | 28 | 8 | 6.9 | 15 | 0.14 | 0.00E+00 | 0 | 0 | | |
| Vorker | 16 | 28 | 8 | 14.7 | 0 | 0.04 | 0.00E+00 | 9 | 243 | | |
| | 2025 | | | | | | | | | | |
| architectural Coatings | 2025 | | | | | | | | | | |
| otal Haul Trips | 0 | 20 | | 20 | 15 | 0.16 | 0.005+00 | 0 | 0 | | |
| lauling | 0 | 28 | 8 | 20 | 15 | 0.16 | 0.00E+00 | 0 | 0 | | |
| 'endor | 0 | 28 | 8 | 6.9 | 15 | 0.14 | 0.00E+00 | 0 | 0 | | |
| Vorker | 190 | 28 | 8 | 14.7 | 0 | 0.04 | 0.00E+00 | 103 | 2,886 | | |

Morningside HS **Operational Energy Demand**

| Electricity | kWh/yr | MWh/yr |
|------------------------------------|-----------|--------|
| Project | | |
| City Park | 350,331 | 350 |
| Health Club | 42,301 | 42 |
| High School | 34,816 | 35 |
| Other Asphalt Surfaces | 9,022 | 9 |
| Other Non-Asphalt Surfaces | 61,863 | 62 |
| Parking Lot | 15,135 | 15 |
| Strip Mall | 8,203 | 8 |
| Unrefrigerated Warehouse-No Rail | 1,554 | 2 |
| EV Charging (see worksheet) | 40,150 | 40 |
| Pole Lighting (see worksheet) | 81,913 | 82 |
| Project Total Building Energy | 523,224 | 523 |
| Project Total | 645,287 | 645.29 |
| Total (including water, see below) | 1,019,601 | 1,020 |

| Electricity | MWh/yr (Supplied) |
|------------------------|-------------------|
| Total SCE, 2021 | 82,048,000 |
| Project Annual | 1,020 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Percent Project of SCE | 0.0012% |

Source: California Air Resources Board, CalEEMod, Version 2020.4.0

Source: Southern California Edison 2021 Annual Report. https://www.edison.com/content/dam/eix/documents/investors/sec-filings-financials/2021-eix-sce-annual-report.pdf

| Mgal/yr | MWh/yr | |
|----------|--|--|
| | | |
| 27.38 | 356.52 | |
| 0.49 | 6.36 | |
| 0.70 | 9.14 | |
| 0.00 | - | |
| 0.00 | - | |
| 0.00 | - | |
| 0.09 | 1.15 | |
| 0.09 | 1.14 | |
| 28.747 | 374.31 | |
| kWh/Mgal | | |
| 9,727 | | |
| 111 | | |
| 1,272 | | |
| 1,911 | | |
| | 27.38 0.49 0.70 0.00 0.00 0.09 0.09 28.747 kWh/Mgal 9,727 111 1,272 | |

Source: California Air Resources Board, CalEEMod, Version 2016.3.2.

Water Demand based on Project Water supply Assessment

 $Sewage\ Facilities\ Charge,\ Sewage\ Generation\ Factor\ for\ Residential\ and\ Commercial\ Categories,\ 2012.$

| Natural Gas | kBtu/yr | cubic foot (cf) |
|----------------------------------|---------|-----------------|
| Project | | |
| City Park | 0 | - |
| Health Club | 106,187 | 102,695 |
| High School | 69,513 | 67,227 |
| Other Asphalt Surfaces | 0 | - |
| Other Non-Asphalt Surfaces | 0 | - |
| Parking Lot | 0 | - |
| Strip Mall | 1,467 | 1,418 |
| Unrefrigerated Warehouse-No Rail | 1,474 | 1,426 |
| Mobile Sources | 325 | 314 |
| Total | 178,965 | 173,081 |
| | | |

Source: California Air Resources Board, CalEEMod, Version 2020.4.0

Conversion factor of 1,034 Btu per cubic foot based on United States Energy Information Administration data

(see: USEIA, Natural Gas, Heat Content of Natural Gas Consumed, Nov 2022.

https://www.eia.gov/dnav/ng/ng cons heat a EPGO VGTH btucf a.htm

| Natural Gas r | million cubic foot (cf) |
|-----------------------------|-------------------------|
| SoCalGas 2025 | 883,894 |
| Project Annual | 0.173 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Percent Project of SoCalGas | 0.00002% |

Report, p. 145,2020.

Annual VMT: 454,772 miles/year

| Fuel Type: ¹ | Gasoline | Diesel | Electricity | Natural Gas | Plug-in Hybrid |
|----------------------------------|----------|--------|-------------|-------------|----------------|
| Percent: | 88.4% | 5.5% | 3.8% | 0.3% | 2.1% |
| Miles per Gallon Fuel: | 25.2 | 8.7 | - | 4.4 | 59.0 |
| Annual VMT by Fuel Type (miles): | 401,905 | 24,903 | 17,144 | 1,431 | 9,388 |
| Annual Fuel Usage (gallons): | 15,940 | 2,879 | - | 325 | 159 |

| | Los Angeles County Fuel Consumption ³ | | |
|--|--|-------------|--|
| | Gasoline | Diesel | |
| Los Angeles County: | 3,061,000,000 | 450,700,000 | |
| Project Total | 16,099 | 2,879 | |
| Percent Net Project of Los Angeles County: | 0.0005% | 0.0006% | |

Notes:

- 1. California Air Resources Board, EMFAC2021 (SC Air Basin; Annual; 2025, Aggregate Fleet).
- 2. Assumes electric vehicles would replace traditional gasoline-fueled vehicles.
- 3. California Energy Commission, California Retail Fuel Outlet Annual Reporting (CEC-A15) Results, 2021. Available at: https://ww2.energy.ca.gov/almanac/transportation_data/gasoline/piira_retail_survey.html. Accessed November 2022. Diesel is adjusted to account for retail (49.7%) and non-retail (50.3%) diesel sales.
- 4. Trips provided by Project Transportation Impact Study

937 Pine

Operational Energy Analysis

Estimated Electricity demand from Electric Vehicle Supply Equipment (EVSE)

| Land Use Type | Number of EVSE Charging Spaces | Average Charge (kWh/day) ^a | Days/Year | Electricity Demand (kWh/yr) | Electricity Demand (MWh/yr) |
|---------------|-----------------------------------|---------------------------------------|-----------|-----------------------------|--------------------------------|
| Total | 25 | 4.4 | 365 | 40,150 | 40.15 |

Notes:

- a. Estimated based on reference sources listed below.
- b. Project would install 25 EV Charging Spaces
- c. Project would install pre-wiring for EV charging spaces for 20 percent of its parking capacity for future use (so 10% in addition to the immediate use).

Sources:

US Department of Energy. Alternative Fuels Data Center, 2016. Hybrid and Plug-In Electric Vehicle Emissions Data Sources and Assumptions.

Available at: https://www.afdc.energy.gov/vehicles/electric_emissions_sources.html.

US Department of Energy. Smith, Margaret, 2016. Level 1 Electric Vehicle Charging Stations at the Workplace.

Available at: https://www.afdc.energy.gov/uploads/publication/WPCC L1ChargingAtTheWorkplace 0716.pdf.

UCLA Luskin Center for Innovation. Williams, Brett and JR deShazo, 2013. Pricing Workplace Charging: Financial Viability and Fueling Costs.

Available at: http://luskin.ucla.edu/sites/default/files/Luskin-WPC-TRB-13-11-15d.pdf.

Morningside HS Pole Lighting and LED Screens

Pole Lighting

Based on Illuminance Calculations From Lighting Analysis

Circuit Summary

| rcuit Description | | re Qty |
|--|--|--|
| Football | 61.8 | 48 |
| Football Egress | 1.6 | 4 |
| | 63.400 | |
| Weekdays+Sundays/Year | 313 | |
| Saturdays (when facilities will be used) | 10 | |
| Lighting # hours per day | 4 | |
| hours operating per year | 1292 | |
| Energy usage per year | 81913 kwh/ | year |
| | Football Football Egress Weekdays+Sundays/Year Saturdays (when facilities will be used) Lighting # hours per day hours operating per year | Football 61.8 Football Egress 1.6 63.400 Weekdays+Sundays/Year 313 Saturdays (when facilities will be used) 10 Lighting # hours per day 4 hours operating per year 1292 |