



COUNTY OF SAN LUIS OBISPO  
DEPARTMENT OF PLANNING & BUILDING  
Initial Study – Environmental Checklist

PLN-2039  
12/2019

**Project Title & No. Battenburg Variance/Minor Use Permit/N-DRC2023-00005/N-DRC2021-00022/ED23-051**

**ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED:** The proposed project could have a "Potentially Significant Impact" for environmental factors checked below. Please refer to the attached pages for discussion on mitigation measures or project revisions to either reduce these impacts to less than significant levels or require further study.

<input type="checkbox"/> Aesthetics	<input type="checkbox"/> Greenhouse Gas Emissions	<input type="checkbox"/> Public Services
<input type="checkbox"/> Agriculture & Forestry Resources	<input type="checkbox"/> Hazards & Hazardous Materials	<input type="checkbox"/> Recreation
<input checked="" type="checkbox"/> Air Quality	<input checked="" type="checkbox"/> Hydrology & Water Quality	<input type="checkbox"/> Transportation
<input checked="" type="checkbox"/> Biological Resources	<input checked="" type="checkbox"/> Land Use & Planning	<input type="checkbox"/> Tribal Cultural Resources
<input type="checkbox"/> Cultural Resources	<input type="checkbox"/> Mineral Resources	<input type="checkbox"/> Utilities & Service Systems
<input type="checkbox"/> Energy	<input type="checkbox"/> Noise	<input type="checkbox"/> Wildfire
<input checked="" type="checkbox"/> Geology & Soils	<input type="checkbox"/> Population & Housing	<input checked="" type="checkbox"/> Mandatory Findings of Significance

**DETERMINATION: (To be completed by the Lead Agency)**

On the basis of this initial evaluation, the Environmental Coordinator finds that:

- ☐ The proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.
- ☒ Although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.
- ☐ The proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.
- ☐ The proposed project MAY have a "potentially significant impact" or "potentially significant unless mitigated" impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.
- ☐ Although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required.

Jeff Oliveira, Principal  
Oliveira Environmental  
Consulting LLC

Prepared by (Print)


  
Signature

5/2/2023

Date

Eric Hughes

Reviewed by (Print)

  
Signature

Eric Hughes, Principal  
Environmental Specialist

04/26/2023

Date

## Initial Study – Environmental Checklist

### Project Environmental Analysis

The County's environmental review process incorporates all of the requirements for completing the Initial Study as required by the California Environmental Quality Act (CEQA) and the CEQA Guidelines. The Initial Study includes staff's on-site inspection of the project site and surroundings and a detailed review of the information in the file for the project. In addition, available background information is reviewed for each project. Relevant information regarding soil types and characteristics, geologic information, significant vegetation and/or wildlife resources, water availability, wastewater disposal services, existing land uses and surrounding land use categories and other information relevant to the environmental review process are evaluated for each project. Exhibit A includes the references used, as well as the agencies or groups that were contacted as a part of the Initial Study. The County Planning Department uses the checklist to summarize the results of the research accomplished during the initial environmental review of the project.

Persons, agencies or organizations interested in obtaining more information regarding the environmental review process for a project should contact the County of San Luis Obispo Planning Department, 976 Osos Street, Rm. 200, San Luis Obispo, CA, 93408-2040 or call (805) 781-5600.

### A. Project

**DESCRIPTION:** A request by Miranda and John Battensburg for a Variance and Minor Use Permit to allow construction of a 3,216-square-foot single-family residence, 1,125-square-foot garage, 144-square-foot covered porch, 1,728-square-foot entry courtyard, 1,523-square-foot patio, 160-square-foot pool, 100-square-foot tower porch, and associated improvements including water tanks, utilities, and driveway access. The driveway will occur on slopes in excess of 30%, and the project will result in approximately 2.03 acres of site disturbance on a 9.02-acre parcel. The proposed project is located at 0 Villa Lots Road Paso Robles (APN 018-011-017), approximately 0.5 miles north of the city of Paso Robles. The project parcel is zoned Residential Rural (RR) by the County of San Luis Obispo and is within the North County Planning Area and Salinas River Sub Area.

#### **Background**

The Battensburg Residential project is specific to Parcel 2 of Parcel Map CO 71-62, which the final map was recorded in 1971. The parcel map includes a reference to a buried cable and telephone pole line, and a drainage easement on the parcel. The parcel fronts on Villa Lots Road via a 25-foot "flag" portion of the subject parcel. In addition, the parcel also has rights to a 15-foot-wide access easement over Parcel 3, east of the subject site. A building permit was submitted in August 2021 (PMRT2021-01139) and voided due to the requirement for a Minor Use Permit due to the proposed site disturbance exceeding 1 acre.

At the present, the parcel is undeveloped and bound by rural residential development to the north, west, and south, and by an undeveloped field to the east (see Figure 1 below). The project site is primarily grassland that was formerly an orchard with patches of remnant oak woodland and chaparral. An unnamed blue-line drainage (a tributary to Mustard Creek) flows from west to east across the southern portion of the property.

## Initial Study – Environmental Checklist




Figure 1. Aerial view of the project site and surrounding area.

### **Project Description**

Based on a review of the project files and applicant-submitted materials, the proposed project consists of an application for a Minor Use Permit to construct a 3,216-square foot, one-story, single-family residence (please refer to the attached project plans for a detailed depiction of the project site location). The project would result in a total of 2.1 acres of site disturbance with grading on slopes over 30 percent, which requires a Variance. In addition to the proposed residence, grading activities would support the following development:

- Garage – 1,125 square feet;
- Covered Porch – 144 square feet;
- Entry Courtyard – 1,728 square feet;
- Patio – 1,523 square feet;
- Pool – 160 square feet;
- Landscaping – 19,030 square feet;
- Tower Porch – 100 square feet; and
- Water Tanks (2 total) – 5,000 gallons each.

The total proposed earthwork includes 7,700 cubic yards of cut material and 6,670 cubic yards of fill material.



## Initial Study – Environmental Checklist

The total area of disturbance for all proposed earth disturbance would be 91,476 square feet (2.1 acres). See Figure 2 below.




Figure 2. Battensburg site plan showing the proposed development area.

### Access

The primary access to Villa Lots Road (private road) is from Wild Rose Lane from Vine Street. There is a proposed new 16-foot-wide paved driveway that would lead to the proposed residence site. Construction of the proposed driveway would include installation of a culvert and drain inlets. The driveway would be located within the “flag” portion of the subject parcel as well as the 15-foot easement along the westerly edge of Parcel 3 (APN 015-011-015).

### Landscaping and Vineyard

## Initial Study – Environmental Checklist

The proposed project includes a landscaping plan (see attached) that includes plantings on the project site areas of disturbance. This includes olive trees along the proposed driveway, ground cover plantings to address erosion control on graded slopes, oak and fig trees around the proposed residence, screening shrubs and low ground cover. Separate from the project Minor Use Permit, the applicant has received an agricultural offset clearance exemption (CON2022-00004) to allow for the planning of 4 acres of vineyards on the subject property.

### Water

The subject parcel includes an existing well, which would serve the proposed residence and landscaping. Two new 5,000 gallon water tanks would be located at the northwestern corner of the property, upslope from the residence. The project proposes to implement water conservation measures including low-flow fixtures, showers, and toilets. The project is located within the Paso Groundwater Basin, outside of the designated Paso Basin Area of Severe Decline. The estimated water demand for the new residence is 300 gallons per day; the estimated water demand for the new landscaping is 223 gallons per day; the total estimated daily water use is 523 gallons per day, or 0.58 acre-feet per year (AFY). Per LUO Section 22.94.025 – Paso Robles Groundwater Basin, the proposed project would be required to offset new water use through verifiable evidence or participation in an approved county water conservation program.

**ASSESSOR PARCEL NUMBER(S):** 018-011-017

**Latitude:** 35.66077 N

**Longitude:** -120.70880 W

**SUPERVISORIAL DISTRICT #**

1

### Other Public Agencies Whose Approval is Required

Permit Type/Action	Agency
SWPPP	Regional Water Quality Control Board
Section 1600 Streambed Alteration Agreement	California Department of Fish and Wildlife
Section 401 Water Quality Certification	Regional Water Quality Control Board
Minor Use Permit / Variance	County of San Luis Obispo

### B. Existing Setting

**Plan Area:** North County **Sub:** Salinas River **Comm:** NA

**Land Use Category:** Residential Rural

**Combining Designation:** None

**Parcel Size:** 9.02 acres

**Topography:** Gently sloping to steeply sloping

**Vegetation:** Grasses Scattered Oaks Chaparral

**Existing Uses:** Vacant

#### Surrounding Land Use Categories and Uses:

**North:** Residential Rural; single-family residence(s)

**East:** Rural Lands

**South:** Residential Rural; single-family residence(s)

**West:** Residential Rural; single-family residence(s)

## Initial Study – Environmental Checklist

### C. Environmental Analysis

The Initial Study Checklist provides detailed information about the environmental impacts of the proposed project and mitigation measures to lessen the impacts.

#### I. AESTHETICS

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
<i>Except as provided in Public Resources Code Section 21099, would the project:</i>				
(a) Have a substantial adverse effect on a scenic vista?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(c) In non-urbanized areas, substantially degrade the existing visual character or quality of public views of the site and its surroundings? (public views are those that are experienced from publicly accessible vantage point). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(d) Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

#### Setting

CEQA establishes that it is the policy of the state to take all action necessary to provide people of the state "with... enjoyment of aesthetic, natural, scenic and historic environmental qualities" (Public Resources Code Section 21001(b)).

A scenic vista is generally defined as a high-quality view displaying good aesthetic and compositional values that can be seen from public viewpoints. Some scenic vistas are officially or informally designated by public agencies or other organizations. A substantial adverse effect on a scenic vista would occur if the project would significantly degrade the scenic landscape as viewed from public roads or other public areas. A proposed project's potential effect on a scenic vista is largely dependent upon the degree to which it would complement or contrast with the natural setting, the degree to which it would be noticeable in the existing environment, and whether it detracts from or complements the scenic vista.

## Initial Study – Environmental Checklist

---

California's Scenic Highway Program was created by the State Legislature in 1963 with the intention of protecting and enhancing the natural scenic beauty of California highways and adjacent corridors. There are several officially designated state scenic highways and several eligible state scenic highways within the county. State Route 1 is an Officially Designated State Scenic Highway and All-American Road from the City of San Luis Obispo to the northern San Luis Obispo County boundary. A portion of Nacimiento Lake Drive is an Officially Designated County Scenic Highway. Portions of Highway 101, Highway 46, Highway 41, Highway 166, and Highway 33 are also classified as Eligible State Scenic Highways – Not Officially Designated.

The County of San Luis Obispo Inland Land Use Ordinance (LUO) establishes regulations for exterior lighting (LUO 22.10.060), height limitations for each land use category (LUO 22.10.090), scenic highway corridor standards (LUO 22.10.095), and other visual resource protection policies. These regulations are intended to help the County achieve its Strategic Growth Principles of preserving scenic natural beauty and fostering distinctive, attractive communities with a strong sense of place as set forth in the County Land Use Element.

The LUO also maps portions of the Salinas River Highway Corridor, the San Luis Obispo Highway Corridor, and the South County Highway Corridor to comply with County highway corridor design standards. These standards include but are not limited to setbacks from highway rights-of-way, guidelines for development along ridgelines, limitations on graded slopes, protection of landmark features, and standards for building height and color (LUO 22.10.095).

The County of San Luis Obispo LUO defines a Sensitive Resource Area (SRA) combining designation that applies to areas having high environmental quality and special ecological or educational significance. These designated areas are considered visual resources by the County and the LUO establishes specific standards for projects located within these areas. These standards include but are not limited to set back distances from public viewpoints, prohibition of development that silhouettes against the sky, grading slope limitations, set back distances from significant rock outcrops, design standards including height limitations and color palette, and landscaping plan requirements.

In addition to policies set forth in the LUO, the County Conservation and Open Space Element (COSE) provides guidelines for the appropriate placement of development so that the natural landscape continues to be the dominant view in rural parts of the county and to ensure the visual character contributes to a robust sense of place in urban areas. The COSE provides a number of goals and policies to protect the visual character and identify of the county while protecting private property rights, such as the identification and protection of community separators (rural-appearing land located between separate, identifiable communities and towns), designation of scenic corridors along public roads and highways throughout the county, retaining existing access to scenic vista points, and setting the standard that new development in urban and village areas shall be consistent with the local character, identify, and sense of place.

The approximately 9.02-acre subject property is within the County's Residential Rural land use designation and is currently vacant but supported historic orchard development. The topography of the site is gently sloping with areas of moderate and steep slopes and rolling hills. At this time, the parcel is undeveloped outside of the previously approved grading for the planting of approximately 4 acres of vineyards.

The project site is located in an area of existing orchard development and single-family residences. Project site elevations range from approximately 895 to 1,045 feet. The proposed residential development would have a finished floor elevation of approximately 1,020 feet. There are several residential structures located near the project site that are at a similar elevation. As shown in the project visual analysis (June 2022, see attached), there are seven areas where nearby residential structures are located at or above 1,000 feet in



## Initial Study – Environmental Checklist

---

elevation, five areas where structures are located between 900-1,000 feet in elevation, and five areas where future structures are proposed for construction between 800-900 feet in elevation.

An unnamed USGS blue line drainage, a tributary to Mustard Creek, flows from west to east across the southern portion of the property. As discussed in the project Biological Resources Assessment (June 2022, Terra Verde Environmental Consulting, attached) this drainage lacks definition due to historical and current land use and an upstream impoundment by an earthen berm west of the subject property. Outside of the drainage and areas graded for vineyard development, the project site consists of grassland and remnant oak woodland.

The portion of the subject site where the residential development is proposed falls within the County's Highway Corridor Design Standards as outlined in the Land Use Ordinance (LUO) Section 22.10.095. As discussed in the LUO, the purpose of the highway design standards is to provide public views of scenic vistas and backdrops of varied topography, significant stands of trees and wildflowers, and natural landmarks, historic buildings and pastoral settings. This section of the LUO includes standards for maintaining scenic views and the rural character along portions of Highways 41 and 101.

The proposed project development details include a steep roof and tower with a proposed maximum building height of 21 feet 3 inches. The maximum building height allowed based on the Highway Corridor Design standards is 25 feet. The finished floor elevation of the proposed residence is approximately 1,020 feet and the existing grade is located at an elevation of 1,027 feet. The driveway is proposed at a lower elevation of 1,007 feet. The project plans show details of the proposed development recessed into the hillside, avoiding development on the ridgeline.

### *Discussion*

(a) *Have a substantial adverse effect on a scenic vista?*

A scenic vista is generally defined as a high-quality view displaying good aesthetic and compositional values that can be seen from public viewpoints. Some scenic vistas are officially or informally designated by public agencies or other organizations. A substantial adverse effect on a scenic vista would occur if the project would significantly degrade the scenic landscape as viewed from public roads or other public areas. A proposed project's potential effect on a scenic vista is largely dependent upon the degree to which it would complement or contrast with the natural setting, the degree to which it would be noticeable in the existing environment, and whether it detracts from or complements the scenic vista.

The project site is located within the Highway Corridor Design standards for Highway 101 under LUO Section 22.10.095 which identifies project design requirements to address development in a designated scenic vista. As discussed in the project Visual Analysis, the proposed residential structure is setback approximately 3,600 feet from Highway 101, which exceeds the setback requirement of 100 feet as defined by LUO. Highway 101 is not visible from anywhere on the subject property. In addition, the proposed residence will not silhouette against the skyline since the tallest part of the residence has a height of 25.53 feet and an elevation of 1,045 feet whereas the hillside behind the residence has an elevation of approximately 1,046 feet.

In order to verify the existing project site conditions and potential views discussed above, a site visit was completed by County staff on December 2, 2021. In a follow-up visit on December 6, 2021, it was determined that there is a general lack of visibility of the subject property from Highway 101. A



## Initial Study – Environmental Checklist

---

subsequent field survey was completed on April 26, 2022 to confirm the visual status of the project based on a revised structural footprint.

As a result of the field verification and visual analysis, Highway 101 is not visible from any point on the property and the proposed single-family residence will not be visible from Highway 101 and the proposed structure will not silhouette against the skyline at the tallest part of the residence.

A photoset was also included in the project visual analysis showing views from key project site viewpoints. As shown, the project site and proposed residence location is screened from views along Highway 101 and portions of Villa Lots Road by existing topography and intervening vegetation. There are several existing neighboring residences located in proximity to the proposed project development site. This includes a neighboring residence located at a higher elevation compared to the proposed project, and several residential structures at similar elevations to the proposed project. These locations are mapped as part of the visual analysis showing their footprint on the landscape in association with the proposed project.

The project consistency with the applicable requirements of the County's Highway Corridor Design Standards, LUO Section 22.10.095 is summarized as follows:

- A. Applicability: The project has been determined to be located with Highway 101 corridor and is subject to the requirements of the Salinas River Highway Corridor Design Standards.
- B. Salinas River Highway Corridor Design Standards: The project is located within Area 2, the Wellsona Highway Corridor Design Standards area of the Salinas River Highway Corridor Design Standards area.
- 2. Zoning Clearance Requirements:
  - a) Site Visit Required: A site visit was conducted on December 2, 2021 (and again on December 6, 2021), by the applicant and County staff to confirm project site visibility from Highway 101. The results of the site visit and visual analysis is discussed above.
  - b) Exemption: The project includes a request for an exemption from Subsection H.2.g and h. The Visual Analysis prepared for this project includes details of the general project site visibility from Highway 101 and was approved by the County as meeting this requirement.
  - c) Highway Setback: The project development is setback approximately 3,600 feet from Highway 101, exceeding the 100-foot requirement.
  - d) Ridgetop Development: The proposed project was designed to be setback into the hillside and will not silhouette against the skyline.
  - e) Slope Limitation: The project includes grading on slopes of 35%, exceeding the slope limitation for a Zoning Clearance. Therefore, the project is required to apply for a Minor Use Permit.
  - f) Landmark Features: The subject property does not contain any rock outcrop or geologic feature; therefore, no setbacks apply.
  - g) Building Height and Color: The proposed project development maximum height is 21 feet and 3 inches, below the maximum allowed height of 25 feet. The project color palette will conform with the requirements of this design standard.

## Initial Study – Environmental Checklist

---

- h) Landscaping: The project landscape plans include trees and medium to large shrubs designed to provide the required screening, including ground cover to plant over graded areas.
- i) Biological Habitats: With implementation of the required mitigation measures discussed in Section IV, Biological Resources, the project will minimize adverse impacts to important biological resources.

The proposed project is consistent with the requirements of the County Highway Corridor Design Standards and would be considered visually consistent with the surrounding area through natural screening from public view by the existing topography, intervening vegetation and avoidance of skyline silhouetting and will provide further screening from the nearby residence through use of building siting, design and landscaping. Therefore, the project would not have a substantial adverse effect on a scenic vista and impacts would be *less than significant*.

- (b) *Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?*

The County of San Luis Obispo Inland Land Use Ordinance (LUO) establishes regulations for exterior lighting (LUO 22.30.70.D.2.g(4)), height limitations for each land use category (LUO 22.10.090), scenic highway corridor standards (LUO 22.10.095), and other visual resource protection policies. These regulations are intended to help the County achieve its Strategic Growth Principles of preserving scenic natural beauty and fostering distinctive, attractive communities with a strong sense of place as set forth in the County Land Use Element.

As discussed under item (a) above, the proposed project is considered to be consistent with the requirements of the County Highway Corridor Design Standards and would be considered visually consistent with the surrounding area through natural screening from public view by the existing topography, intervening vegetation and avoidance of skyline silhouetting and will provide further screening from the nearby residence through use of building siting, design and landscaping. The project site is vacant and does not include the removal of any trees. Project consistency with the County's Inland Land Use Ordinance will ensure that impacts will be *less than significant*.

- (c) *In non-urbanized areas, substantially degrade the existing visual character or quality of public views of the site and its surroundings? (public views are those that are experienced from publicly accessible vantage point). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?*

The proposed project is located in a rural residential and agricultural setting. As discussed above, the project site is located within the Highway Corridor Design standards for Highway 101 which identifies project design requirements to address development in a designated scenic vista. As discussed in the project Visual Analysis, the proposed residential structure is setback approximately 3,600 feet from Highway 101, which exceeds the setback requirement of 100 feet as defined by the LUO. Highway 101 is not visible from anywhere on the subject property. In addition, the proposed residence will not silhouette against the skyline since the tallest part of the residence has a height of 25.53 feet and an elevation of 1,045 feet whereas the hillside behind the residence has an elevation of approximately 1,046 feet.

A photoset was also included in the project visual analysis showing views from key project site viewpoints. As shown, the project site and proposed residence location is screened from views

## Initial Study – Environmental Checklist

---

along Highway 101 and portions of Villa Lots Road by existing topography and intervening vegetation. There are several existing neighboring residences located in proximity to the proposed project development site. This includes a neighboring residence located at a higher elevation compared to the proposed project, and several residential structures at similar elevations to the proposed project. These locations are mapped as part of the visual analysis showing their footprint on the landscape in association with the proposed project.

The proposed project is considered to be consistent with the requirements of the County Highway Corridor Design Standards and would be considered visually consistent with the surrounding area through natural screening from public view by the existing topography, intervening vegetation and avoidance of skyline silhouetting and will provide further screening from the nearby residence through use of building siting, design and landscaping. Therefore, the project would not result in a noticeable change to public views of the area or result in the degradation of the existing visual character or quality of public views of the site and its surroundings, and impacts would be *less than significant*.

- (d) *Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?*

The proposed new structural color palate will be required to avoid reflection or glare. The project would generally be consistent with the level of existing development in the project vicinity. Outdoor lighting would include downward facing metallic sconces and overall development would not differ substantially from other proximate development or that could be viewed from public vantage points. The County Land Use Ordinance (LUO) Section 22.30.070.D.2.g.4. requires all lighting fixtures be shielded so that neither the lamp nor the related reflector interior surface is visible from any location off the project site. All lighting poles, fixtures, and hoods shall be dark colored. No exterior lighting shall be installed operated in a manner that would throw light, either reflected or directly, in an upward direction. Therefore, the project would not create a new source of substantial light or glare that would adversely affect day or nighttime views in the area and potential impacts would be *less than significant*.

### Conclusion

The proposed project is considered to be consistent with existing policies and standards in the County LUO and COSE related to the protection of scenic resources and would be considered visually consistent with the surrounding area through natural screening from public view by the existing topography, intervening vegetation and avoidance of skyline silhouetting and will provide further screening from the nearby residence through use of building siting, design and landscaping. The project would be consistent. Potential impacts to aesthetic resources would be less than significant and no mitigation measures are necessary.

### Mitigation

None necessary.

## Initial Study – Environmental Checklist

## II. AGRICULTURE AND FORESTRY RESOURCES

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
<i>In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Dept. of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state's inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment project; and forest carbon measurement methodology provided in Forest Protocols adopted by the California Air Resources Board. Would the project:</i>				
(a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
(c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
(d) Result in the loss of forest land or conversion of forest land to non-forest use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
(e) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

*Setting*

The County of San Luis Obispo supports a unique, diverse, and valuable agricultural industry that can be attributed to its Mediterranean climate, fertile soils, and sufficient water supply. Wine grapes are regularly the top agricultural crop in the county. Top value agricultural products in the county also include fruit and



## Initial Study – Environmental Checklist

---

nuts, vegetables, field crops, nursery products, and animals. The County of San Luis Obispo Agriculture Element includes policies, goals, objectives, and other requirements that apply to lands designated in the Agriculture land use category. In addition to the Agriculture Element, in accordance with Sections 2272 and 2279 of the California Food and Agriculture Code, the County Agricultural Commissioner releases an annual report on the condition, acreage, production, pest management, and value of agricultural products within the county. The most recent annual crop report can be found here:

<https://www.slocounty.ca.gov/Departments/Agriculture-Weights-and-Measures/All-Forms-Documents/Information/Crop-Report.aspx>.

The project site is within the Residential Rural land use category and includes establishment of a new vineyard (approximately 4 acres) approved under a separate permit from the County. The proposed project site is surrounded by a mix of single-family residential development, orchards, winery facilities, vineyards/agricultural, and rural areas. The proposed project does not include the removal of any existing trees on-site.

The subject parcel includes an existing well, which would serve the proposed residence and landscaping. Two new 5,000-gallon water tanks would be located at the northwestern corner of the property, upslope from the residence. The estimated water demand for the new residence is 300 gallons per day; the estimated water demand for the new landscaping is 223 gallons per day or 0.25 acre-feet per year (AFY), below the maximum allowance of 0.55 AFY for residential areas. Per LUO Section 22.94.025 – Paso Robles Groundwater Basin, the proposed project would be required to offset new water use through verifiable evidence or participation in an approved county water conservation program.

As mapped by the USDA Natural Resources Conservation Service (NRCS; Soil Conservation Service, 1977) the project site contains the soil type identified as the Linne-Calodo complex, 9 to 30 percent slopes and 30 to 50 percent slopes. This soil is considered to have a very high stormwater runoff potential, with a land capability class of 4e (irrigated and non-irrigated). This soil type is defined as being well drained with moderate to slow permeability and commonly suited for rangeland use. The site does not support prime farmland and no Class I, II or III soils are located on the subject property.

The California Department of Conservation's Farmland Mapping and Monitoring Program (FMMP) produces maps and statistical data used for analyzing impacts on California's agricultural resources. Agricultural land is rated according to soil quality and current land use. For environmental review purposes under CEQA, the FMMP categories of Prime Farmland, Farmland of Statewide Importance, Unique Farmland, Farmland of Local Importance, and Grazing Land are considered 'agricultural land'. Other non-agricultural designations include Urban and Built-up Land, Other Land, and Water. Based on the FMMP, soils at the subject site are within the Unique Farmland/Grazing Land designation and defined as having lesser quality soils used for agricultural production.

The Land Conservation Act of 1965, commonly referred to as the Williamson Act, enables local governments to enter into contracts with private landowners for the purpose of restricting specific parcels of land to agriculture or related open space use. In return, landowners receive property tax assessments which are much lower than normal because they are based upon farming and open space uses as opposed to full market value. The subject property is not enrolled in the Williamson Act program.

According to Public Resources Code Section 12220(g), forest land is defined as land that can support 10-percent native tree cover of any species, including hardwoods, under natural conditions, and that allows for management of one or more forest resources, including timber, aesthetics, fish and wildlife, biodiversity, water quality, recreation, and other public benefits. Timberland is defined as land, other than land owned by

## Initial Study – Environmental Checklist

---

the federal government and land designated by the board as experimental forest land, which is available for, and capable of, growing a crop of trees of a commercial species used to produce lumber and other forest products, including Christmas trees. The project site does not support any forest land or timberland.

### Discussion

- (a) *Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?*

The project site contains land classified as Unique Farmland pursuant to the FMMP, which stipulates that the project site soils are considered to be of lesser quality. In addition, the subject property does not contain any Class I, II or III soils, or soils classified as prime. The subject property includes preparations for planting of a previously approved vineyard (approximately 4 acres).

The new proposed residential development is clustered within a single area located on the portion of the parcel outside of the vineyard area. As such, the proposed project will not result in the removal of any agricultural production and impacts are considered *less than significant*.

- (b) *Conflict with existing zoning for agricultural use, or a Williamson Act contract?*

The project site is zoned Residential Rural and is not located on property currently under a Williamson Act contract. As discussed above, the proposed project uses are compatible with the property's agriculture use. Therefore, the project would not result in a conflict with existing zoning for agricultural use or a Williamson Act contract and *no impacts would occur*.

- (c) *Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?*

The project site is not zoned for forest land, timberland, or Timberland Protection, and is not listed as Private Timberland or Public Land with Forest by the CDFW. The proposed project will not conflict with zoning or cause rezoning of forest land or timberland, therefore *no impacts would occur*.

- (d) *Result in the loss of forest land or conversion of forest land to non-forest use?*

The project site is not zoned for forest land, timberland, or Timberland Protection, and is not listed as Private Timberland or Public Land with Forest by the CDFW. The proposed project will not result in the loss of forest land or convert forest land to non-forest use, therefore *no impact would occur*.

- (e) *Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?*

The project site contains land classified as Unique Farmland pursuant to the FMMP, which stipulates that the project site soils are considered to be of lesser quality. In addition, the subject property does not contain any Class I, II or III soils, or soils classified as prime. The proposed project would not result in the indirect conversion of existing farm or forestland to another use. Therefore, *less than significant impacts would occur*.

## Initial Study – Environmental Checklist

### Conclusion

The project would not directly or indirectly result in the conversion of farmland, forest land, or timber land to non-agricultural uses or non-forest uses and would not conflict with agricultural zoning or otherwise adversely affect agricultural resources or uses. Potential impacts to agricultural resources would be less than significant and no mitigation measures are necessary.

### Mitigation

None necessary.

## III. AIR QUALITY

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
<i>Where available, the significance criteria established by the applicable air quality management district or air pollution control district may be relied upon to make the following determinations. Would the project:</i>				
(a) Conflict with or obstruct implementation of the applicable air quality plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
(c) Expose sensitive receptors to substantial pollutant concentrations?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(d) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

### Setting

#### Regulatory Agencies and Standards

San Luis Obispo County is part of the South Central Coast Air Basin, (SCCAB) which also includes Santa Barbara and Ventura Counties. Air quality within the SCCAB is regulated by several jurisdictions including the U.S. Environmental Protection Agency (EPA), California Air Resources Board (ARB), and the San Luis Obispo County Air Pollution Control District (SLOAPCD). Each of these jurisdictions develops rules, regulations, and policies to attain the goals or directives imposed upon them through legislation. The California ARB is the agency responsible for coordination and oversight of state and local air pollution control programs in California and for implementing the California Clean Air Act (CCAA) of 1988. The State Department of Public Health established California Ambient Air Quality Standards (CAAQS) in 1962 to define the maximum amount of a pollutant (averaged over a specified period of time) that can be present without any harmful effects on people or the environment. The California ARB adopted the CAAQS developed by the Department of Public Health in 1969, which had established CAAQS for 10 criteria pollutants: particulate

## Initial Study – Environmental Checklist

---

matter (PM<sub>10</sub> and PM<sub>2.5</sub>), ozone (O<sub>3</sub>), nitrogen dioxide (NO<sub>2</sub>), sulfate, carbon monoxide (CO), sulfur dioxide (SO<sub>2</sub>), visibility reducing particles, lead (Pb), hydrogen sulfide (H<sub>2</sub>S), and vinyl chloride.

The Federal Clean Air Act (FCAA) later required the U.S. EPA to establish National Ambient Air Quality Standards (NAAQS) for pollutants considered harmful to public health and the environment, and also set deadlines for their attainment. The U.S. EPA has established NAAQS for six criteria pollutants (all of which are also regulated by CAAQS): CO, lead, NO<sub>2</sub>, ozone, PM<sub>10</sub> and PM<sub>2.5</sub>, and SO<sub>2</sub>.

California law continues to mandate compliance with CAAQS, which are often more stringent than national standards. However, California law does not require that CAAQS be met by specified dates as is the case with NAAQS. Rather, it requires incremental progress toward attainment. The SLOAPCD is the agency primarily responsible for ensuring that NAAQS and CAAQS are not exceeded and that air quality conditions within the county are maintained.

### *SLOAPCD Thresholds*

The SLOAPCD has developed and updated their CEQA Air Quality Handbook (most recently updated with a November 2017 Clarification Memorandum) to help local agencies evaluate project specific impacts and determine if air quality mitigation measures are needed, or if potentially significant impacts could result.

The APCD has established thresholds for both short-term construction emissions and long-term operational emissions. Use of heavy equipment and earth moving operations during project construction can generate fugitive dust and engine combustion emissions that may have substantial temporary impacts on local air quality and climate change. Combustion emissions, such as nitrogen oxides (NO<sub>x</sub>), reactive organic gases (ROG), greenhouse gases (GHG) and diesel particulate matter (DPM), are most significant when using large, diesel-fueled scrapers, loaders, bulldozers, haul trucks, compressors, generators and other heavy equipment. SLOAPCD has established thresholds of significance for each of these contaminants.

The total earthwork for the proposed project includes 7,700 cubic yards of cut material and 6,670 cubic yards of fill material. The total area for all proposed earth disturbance would be 91,476 square feet (2.1 acres). No import or export of cut/fill material is proposed.

Operational impacts are focused primarily on the indirect emissions (i.e., motor vehicles) associated with residential, commercial, and industrial development. Certain types of projects can also include components that generate direct emissions, such as power plants, gasoline stations, dry cleaners, and refineries (source emissions).

General screening criteria are used by the SLOAPCD to determine the type and scope of air quality assessment required for a particular project (Table 1-1 in the APCD's CEQA Air Quality Handbook). These criteria are based on project size in an urban setting and are designed to identify those projects with the potential to exceed the APCD's significance thresholds. A more refined analysis of air quality impacts specific to a given project is necessary for projects that exceed the screening criteria below or are within ten percent (10%) of exceeding the screening criteria.

### *Air Quality Monitoring*

The county's air quality is measured by a total of 10 ambient air quality monitoring stations, and pollutant levels are measured continuously and averaged each hour, 24 hours a day. The significance of a given pollutant can be evaluated by comparing its atmospheric concentration to state and federal air quality standards. These standards represent allowable atmospheric containment concentrations at which the public health and welfare are protected and include a factor of safety. The SLOAPCD prepares an Annual Air



## Initial Study – Environmental Checklist

---

Quality Report detailing information on air quality monitoring and pollutant trends in the county. The most recent Annual Air Quality Report can be found here: <https://www.slocleanair.org/library/air-quality-reports.php>

In the County of San Luis Obispo, ozone, and fine particulates (particulate matter of 10 microns in diameter or smaller; PM<sub>10</sub>) are the pollutants of main concern, since exceedances of state health-based standards for these pollutants are experienced in some areas of the county. Under federal standards, the county has non-attainment status for ozone in eastern San Luis Obispo County.

### *San Luis Obispo County Clean Air Plan*

The SLOAPCD's San Luis Obispo County 2001 Clean Air Plan (CAP) is a comprehensive planning document intended to evaluate long-term emissions and cumulative effects and provide guidance to the SLOAPCD and other local agencies on how to attain and maintain the state standards for ozone and PM<sub>10</sub>. The CAP presents a detailed description of the sources and pollutants which impact the jurisdiction's attainment of state standards, future air quality impacts to be expected under current growth trends, and an appropriate control strategy for reducing ozone precursor emissions, thereby improving air quality.

### *Naturally Occurring Asbestos*

Naturally Occurring Asbestos (NOA) is identified as a toxic air contaminant by the California Air Resources Board (CARB). Serpentine and other ultramafic rocks are fairly common throughout the county and may contain NOA. If these areas are disturbed during construction, NOA-containing particles can be released into the air and have an adverse impact on local air quality and human health.

The project would not be within close proximity to any serpentine rock outcrops and/or soil formations which may have the potential to contain naturally occurring asbestos. Therefore, the project site is not within an area identified as having the potential for Naturally Occurring Asbestos (NOA).

### *Sensitive Receptors*

Sensitive receptors are people that have an increased sensitivity to air pollution or environmental contaminants, such as the elderly, children, people with asthma or other respiratory illnesses, and others who are at a heightened risk of negative health outcomes due to exposure to air pollution. Some land uses are considered more sensitive to changes in air quality than others, due to the population that occupies the uses and the activities involved. Sensitive receptor locations include schools, parks and playgrounds, day care centers, nursing homes, hospitals, and residences.

Rural residences occur on adjacent parcels to the south and east and single-family residences can be found north of the subject property. The nearest off-site neighboring residences are located on adjacent parcels 873 feet to the north and 521 feet east of the project.

### *Discussion*

#### *(a) Conflict with or obstruct implementation of the applicable air quality plan?*

The subject property includes preparations for a previously approved vineyard (approximately 4 acres) and the remainder of the property is vacant. The proposed project consists of a single-family residence and would not generate a substantial increase in population or employment opportunities and would not result in a significant increase in vehicle trips. The proposed project would not contribute to the generation of significant levels of any air contaminants upon implementation of the measures discussed below and would not conflict with or obstruct the implementation of the

## Initial Study – Environmental Checklist

San Luis Obispo County Clean Air Plan or other applicable regional and local planning documents. Therefore, impacts would be *less than significant*.

- (b) *Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?*

The County is currently designated as non-attainment for ozone and PM<sub>10</sub> under state ambient air quality standards. Construction of the project would result in emissions of ozone precursors including reactive organic gases (ROG) and nitrous oxides (NO<sub>x</sub>) and fugitive dust emissions (PM<sub>10</sub>).

### Construction Impacts

Construction activities can generate fugitive dust, which could be a nuisance to local residents and businesses in close proximity to the proposed construction site. The proposed project is not expected to generate construction emissions in excess of the quarterly thresholds approved by the APCD [Ozone Precursors (ROG + NO<sub>x</sub>) = 137 lbs. /day or 2.5 tons for projects lasting up to one quarter; Diesel Particulate Matter (DPM) = 7 lbs. /day or 0.13 tons for projects lasting up to one quarter; Fugitive Particulate Matter (PM<sub>10</sub>) = 2.5 tons for projects lasting up to one quarter]. However, the project has the potential to exceed the daily thresholds for construction emissions.

As proposed, the project includes a total area of site disturbance of 2.1 acres (91,476 square feet) with 7,700 cubic yards (CY) cut and 6,670 CY fill for a total combined volume of 14,370 CY of grading. This will result in the creation of construction dust, as well as short- and long-term vehicle emissions.

The SLOAPCD CEQA Air Quality Handbook provides thresholds of significance for construction related emissions. Table 1 lists SLOAPCD's general thresholds for determining whether a potentially significant impact could occur as a result of a project's construction activities.

**Table 1. SLOAPCD Thresholds of Significance for Construction Activities**

Pollutant	Threshold <sup>(1)</sup>		
	Daily	Quarterly Tier 1	Quarterly Tier 2
Diesel Particulate Matter (DPM)	7 lbs	0.13 tons	0.32 tons
Reactive Organic Gases (ROG) + Oxides of Nitrogen (NO <sub>x</sub> )	137 lbs	2.5	6.3 tons
Fugitive Particulate Matter (PM <sub>10</sub> ), Dust <sup>(2)</sup>		2.5 tons <sup>(2)</sup>	

1. Daily and quarterly emission thresholds are based on the California Health and Safety Code and the CARB Carl Moyer Guidelines.

2. Any project with a grading area greater than 4.0 acres of worked area can exceed the 2.5-ton PM<sub>10</sub> quarterly threshold.

The SLOAPCD CEQA Air Quality Handbook also provides preliminary screening construction emission rates based on the proposed volume of soil to be moved and the anticipated area of disturbance. Table 2 below lists the SLOAPCD's screening emission rates that would be generated

## Initial Study – Environmental Checklist

based on the amount of material to be moved. The APCD's CEQA Handbook also clarifies that any project that would require grading of 4.0 acres or more can exceed the 2.5-ton PM<sub>10</sub> quarterly threshold listed above.

**Table 2. Screening Emission Rates for Construction Activities**

Pollutant	Grams/Cubic Yard of Material Moved	Lbs/Cubic Yard of Material Moved
Diesel Particulate Matter (DPM)	2.2	0.0049
Reactive Organic Gases (ROG)	9.2	0.0203
Oxides of Nitrogen (NO <sub>x</sub> )	42.4	0.0935
Fugitive Particulate Matter (PM <sub>10</sub> )	0.75 tons/acre/month of construction activity (assuming 22 days of construction per month)	

Based on the project cut and fill estimates and the construction emission rates shown in Table 2, construction-related emissions that would result from the project were calculated and are shown in Table 3 below.

**Table 3. Proposed Project Estimated Construction Emissions.**

Pollutant	Total Estimated Emissions	SLOAPCD Threshold		Daily Threshold Exceeded?	Quarterly Threshold Exceeded?
		Daily	Quarterly (Tier 1)		
ROG + NO <sub>x</sub> (combined)	14,370 c.y. x .0203 + 14,370 c.y. x .0935 = 1,635.306 lbs.	137 pounds	2.5 tons	Yes	Yes
Diesel Particulate Matter (DPM)	14,370 c.y. x .0049 = 70.413 lbs.	7 pounds	0.13 tons	Yes	Yes
Fugitive Particulate Matter (PM <sub>10</sub> )	2.1 acres x 0.75 = 1.575 tons		2.5 tons	No	No

For projects involving construction and/or grading activities, the LUO requires that all surfaces and materials shall be managed to ensure that fugitive dust emissions are adequately controlled to below the 20% opacity limit and to ensure dust is not emitted offsite. The LUO includes a list of primary fugitive dust control measures required for all projects involving grading or site disturbance. The LUO also includes an expanded list of fugitive dust control measures for projects requiring site disturbance of greater than four acres or which are located within 1,000 feet of any sensitive

## Initial Study – Environmental Checklist

---

receptor location. All applicable fugitive dust control measures are required to be shown on grading and building plans and monitored by a designated monitor to minimize dust complaints, reduce visible emissions below the 20% opacity limit, and to prevent transport of dust offsite (LUO 22.52.160.C).

The California Code of Regulations (Section 2485 of Title 13) also prohibits idling in excess of 5 minutes from any diesel-fueled commercial motor vehicles with gross vehicular weight ratings of 10,000 pounds or more or that must be licensed for operation on highways.

As shown above, the project would exceed APCD's construction emissions thresholds for DPM and ROG + NO<sub>x</sub>. The project would not exceed the construction emissions threshold for PM<sub>10</sub>. As such, the project's construction activities would result in daily short-term emissions from heavy equipment and motor vehicles, as well as fugitive dust (PM<sub>10</sub>) emissions that could affect localized air quality within 1,000 feet of a sensitive receptor (i.e., nearby residences). It should be noted that these calculations assume a worst-case scenario since it didn't account for total number of construction days as this is unknown, but the more days it takes, the less the daily particulates will be. However, assuming worst-case scenario, the implementation of mitigation measures AQ-1 and AQ-2 will lessen particulates to below the thresholds. As such, impacts related to construction emissions are considered *less than significant with mitigation*.

### Operational Impacts

The SLOAPCD's CEQA Air Quality Handbook provides operational screening criteria to identify projects with the potential to exceed APCD operational significance thresholds (refer to Table 1-1 of the CEQA Handbook). Based on the updated Table 1-1 of the CEQA Handbook, the project does not propose a use that would have the potential to result in operational emissions that would exceed APCD thresholds (no operational screening criteria is offered for agricultural uses). Therefore, potential operational emissions would be *less than significant*.

(c) *Expose sensitive receptors to substantial pollutant concentrations?*

According to the Air Quality Handbook, projects that occur within 1,000 feet of sensitive receptors have the potential to result in adverse impacts involving construction emissions. The nearest sensitive receptor is an off-site residence located approximately 300 feet north of the project site. Due to distance, construction activities have the potential to expose sensitive receptors to substantial pollutant concentrations. As evaluated in item (b), the project has the potential to generate daily emissions resulting in potentially significant construction emissions. Mitigation Measure AQ-1 and AQ-2 have been identified to reduce project construction emissions and the potential to expose sensitive receptors emissions. Operations of the project does not include any features or components that could expose sensitive receptors to substantial pollutant concentrations. With the implementation of the mitigation measures required for item (b) the project would not expose sensitive receptors to substantial pollutant concentrations and impacts would be *less than significant with mitigation*.

(d) *Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?*

Construction could generate odors from heavy diesel machinery, equipment, and/or materials. The generation of odors during the construction period would be temporary, would be consistent with



## Initial Study – Environmental Checklist

---

odors commonly associated with construction, and would dissipate within a short distance from the active work area. No long-term operational odors would be generated by the project.

Based on the project's location in a rural residential area, and the limited number of nearby receptors, the project would not create objectionable odors affecting a substantial number of people, and the impact would be *less than significant*.

### Conclusion

The project would be consistent with the SLOAPCD's Clean Air Plan and thresholds for construction-related and operational emissions. The project has the potential to result in daily construction related emissions resulting in potentially significant impacts. However, with the implementation of mitigation measures listed below, the project would not result in cumulatively considerable emissions of any criteria pollutant for which the County is in non-attainment and would not expose sensitive receptors to substantial pollutant concentrations or result in other emissions adversely affecting a substantial number of people. Therefore, potential impacts to air quality would be *less than significant with mitigation*.

### Mitigation

**AQ-1.** To mitigate fugitive dust emissions related to project construction, the following shall be implemented:

- a) Reduce the amount of the disturbed area where possible;
- b) Use of water trucks or sprinkler systems in sufficient quantities to prevent airborne dust from leaving the site. Increased watering frequency would be required whenever wind speeds exceed 15 mph. Reclaimed (non-potable) water should be used whenever possible;
- c) All dirt stock pile areas should be sprayed daily as needed;
- d) Permanent dust control measures identified in the approved project revegetation and landscape plans should be implemented as soon as possible following completion of any soil disturbing activities;
- e) Exposed ground areas that are planned to be reworked at dates greater than one month after initial grading should be sown with a fast germinating, non-invasive grass seed and watered until vegetation is established;
- f) All disturbed soil areas not subject to revegetation should be stabilized using approved chemical soil binders, jute netting, or other methods approved in advance by the APCD;
- g) All roadways, driveways, sidewalks, etc. to be paved should be completed as soon as possible. In addition, building pads should be laid as soon as possible after grading unless seeding or soil binders are used;
- h) Vehicle speed for all construction vehicles shall not exceed 15 mph on any unpaved surface at the construction site;
- i) All trucks hauling dirt, sand, soil, or other loose materials are to be covered or should maintain at least two feet of freeboard (minimum vertical distance between top of load and top of trailer) in accordance with CVC Section 23114;
- j) Install wheel washers where vehicles enter and exit unpaved roads onto streets, or wash off trucks and equipment leaving the site;

## Initial Study – Environmental Checklist

---

- k) Sweep streets at the end of each day if visible soil material is carried onto adjacent paved roads. Water sweepers with reclaimed water should be used where feasible;
- l) All of these fugitive dust mitigation measures shall be shown on grading and building plans; and
- m) The contractor or builder shall designate a person or persons to monitor the fugitive dust emissions and enhance the implementation of the measures as necessary to minimize dust complaints, reduce visible emissions below 20% opacity, and to prevent transport of dust offsite. Their duties shall include holidays and weekend periods when work may not be in progress. The name and telephone number of such persons shall be provided to the APCD Compliance Division prior to the start of any grading, earthwork or demolition.

**AQ-2.** The required mitigation measures for reducing nitrogen oxides (NOx), reactive organic gases (ROG), and diesel particulate matter (DPM) emissions from construction equipment are listed below:

- Maintain all construction equipment in proper tune according to manufacturer's specifications;
- Fuel all off-road and portable diesel powered equipment with ARB certified motor vehicle
- diesel fuel (non-taxed version suitable for use off-road);
- Use diesel construction equipment meeting ARB's Tier 2 certified engines or cleaner off-road heavy-duty diesel engines, and comply with the State off-Road Regulation;
- Use on-road heavy-duty trucks that meet the ARB's 2007 or cleaner certification standard for on-road heavy-duty diesel engines, and comply with the State On-Road Regulation;
- Construction or trucking companies with fleets that do not have engines in their fleet that meet the engine standards identified in the above two measures (e.g. captive or NOx exempt area fleets) may be eligible by proving alternative compliance;
- All on and off-road diesel equipment shall not idle for more than 5 minutes. Signs shall be posted in the designated queuing areas and or job sites to remind drivers and operators of the 5 minute idling limit;
- Diesel idling within 1,000 feet of sensitive receptors is not permitted;
- Staging and queuing areas shall not be located within 1,000 feet of sensitive receptors;
- Electrify equipment when feasible;
- Substitute gasoline-powered in place of diesel-powered equipment, where feasible; and,
- Use alternatively fueled construction equipment on-site where feasible, such as compressed natural gas (CNG), liquefied natural gas (LNG), propane or biodiesel.

## Initial Study – Environmental Checklist

### IV. BIOLOGICAL RESOURCES

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
<i>Would the project:</i>				
(a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
(b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Game or US Fish and Wildlife Service?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
(c) Have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
(d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
(e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
(f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

#### Setting

#### Sensitive Resource Area Designations

## Initial Study – Environmental Checklist

---

The County of San Luis Obispo Land Use Ordinance (LUO) Sensitive Resource Area (SRA) combining designation applies to areas of the county with special environmental qualities, or areas containing unique or sensitive endangered vegetation or habitat resources. The combining designation standards established in the LUO require that proposed uses be designed with consideration of the identified sensitive resources and the need for their protection.

### *Federal and State Endangered Species Acts*

The Federal Endangered Species Act of 1973 (FESA) provides legislation to protect federally listed plant and animal species. The California Endangered Species Act of 1984 (CESA) ensures legal protection for plants listed as rare or endangered, and wildlife species formally listed as endangered or threatened, and also maintains a list of California Species of Special Concern (SSC). SSC status is assigned to species that have limited distribution, declining populations, diminishing habitat, or unusual scientific, recreational, or educational value. Under state law, the CDFW has the authority to review projects for their potential to impact special-status species and their habitats.

### *Migratory Bird Treaty Act*

The Migratory Bird Treaty Act (MBTA) protects all migratory birds, including their eggs, nests, and feathers. The MBTA was originally drafted to put an end to the commercial trade in bird feathers, popular in the latter part of the 1800s. The MBTA is enforced by the U.S. Fish and Wildlife Service (USFWS), and potential impacts to species protected under the MBTA are evaluated by the USFWS in consultation with other federal agencies and are required to be evaluated under CEQA.

### *Oak Woodland Ordinance*

The County of San Luis Obispo Oak Woodland Ordinance was adopted in April 2017 to regulate the clear-cutting of oak woodlands. This ordinance applies to sites located outside of Urban or Village areas within the inland portions of the county (not within the Coastal Zone). "Clear-cutting" is defined as the removal of one acre or more of contiguous trees within an oak woodland from a site or portion of a site for any reason, including harvesting of wood, or to enable the conversion of land to other land uses. "Oak woodland" includes the following species: Blue oak (*Quercus douglasii*), coast live oak (*Quercus agrifolia*), interior live oak (*Quercus wislizeni*), valley oak (*Quercus labata*), and California black oak (*Quercus kelloggii*). The ordinance applies to clear-cutting of oak woodland only and does not apply to the removal of other species of trees, individual oak trees (except for Heritage Oaks), or the thinning, tree trimming, or removal of oak woodland trees that are diseased, dead, or creating a hazardous condition. Heritage oaks are any individual oak species, as defined in the Oak Woodland Ordinance, of 48 inches diameter at breast height (dbh) or greater, separated from all Stands and Oak Woodlands by at least 500 feet. Minor Use Permit approval is required to remove any Heritage Oak.

The project site supports a remnant oak woodland but is void of any Heritage Oaks. No trees will be removed as part of the proposed project.

### *Clean Water Act and State Porter Cologne Water Quality Control Act*

The U.S. Army Corps of Engineers (USACE) regulates discharges of dredged or fill material into waters of the United States. These waters include wetland and non-wetland water bodies that meet specific criteria. USACE jurisdiction regulates almost all work in, over, and under waters listed as "navigable waters of the U.S." that results in a discharge of dredged or fill material within USACE regulatory jurisdiction, pursuant to Section 404 of the Clean Water Act (CWA). Under Section 404, USACE regulates traditional navigable waters, wetlands adjacent to traditional navigable waters, relatively permanent non-navigable tributaries that have



## Initial Study – Environmental Checklist

---

a continuous flow at least seasonally (typically 3 months), and wetlands that directly abut relatively permanent tributaries.

The State Water Resources Control Board (SWRCB) and nine Regional Water Quality Control Boards (RWQCBs) regulate discharges of fill and dredged material in California, under Section 401 of the CWA and the State Porter-Cologne Water Quality Control Act, through the State Water Quality Certification Program. State Water Quality Certification is necessary for all projects that require a USACE permit, or fall under other federal jurisdiction, and have the potential to impact waters of the State. Based on the U.S. Fish and Wildlife Service National Wetlands Inventory, the project site does not support wetlands, riparian or deep-water habitats (USFWS 2019).

### *Conservation and Open Space Element*

The intent of the goals, policies, and implementation strategies in the COSE is to identify and protect biological resources that are a critical component of the county's environmental, social, and economic well-being. Biological resources include major ecosystems; threatened, rare, and endangered species and their habitats; native trees and vegetation; creeks and riparian areas; wetlands; fisheries; and marine resources. Individual species, habitat areas, ecosystems and migration patterns must be considered together in order to sustain biological resources. The COSE identifies Critical Habitat areas for sensitive species including California condor, California red legged frog, vernal pool fairy shrimp, La Graciosa thistle, Morro Bay kangaroo rat, Morro shoulderband snail, tiger salamander, and western snowy plover. The COSE also identifies features of particular importance to wildlife for movement corridors such as riparian corridors, shorelines of the coast and bay, and ridgelines.

### *Environmental Setting*

The following discussion is based on the Biological Resources Assessment prepared for the proposed project (Terra Verde Environmental Consulting, June 2, 2022). The project site surrounding landscape consists primarily of rural residential developments, vineyards, orchards, disturbed grasslands, and patches of oak woodlands. The project site is bordered by rural residential developments to the north, west, and south, and an undeveloped field to the east. Most of the property is disturbed grasslands that were previously an orchard, with patches of remnant oak woodland and chaparral. The grassland habitat had been recently tilled prior to the biological survey completed for this project and large portions had been recently graded for vineyards under an Agricultural Offset Clearance Exemption (CON2022-00004) prior to the April 14, 2022 survey. The grading removed most of the vegetation within the vineyard areas, which includes the proposed path of the waterline from the residence to the existing well. An unnamed USGS blue-line drainage, a tributary to Mustard Creek, flows from west to east across the southern portion of the property. This drainage is ephemeral and lacks definition due to historical and current land use and an upstream impoundment by an earthen berm west of the subject property.

Please refer to the setting discussion under Section II, Agriculture and Forestry Resources, for a detailed description of on-site soils.

### **Hydrologic Features**

One drainage was identified within the subject property. The drainage is an ephemeral USGS blue-line drainage that flows west to east across the southern portion of the property. The drainage is impounded by an earthen berm just west of the project site. Based on historical aerial imagery, this berm has been present since at least 1994. The drainage does not have a clearly defined bed, bank, or evidence of an ordinary high-water mark likely due to historical and current land use and the upstream impoundment. No

## Initial Study – Environmental Checklist

---

evidence of recent flow was observed during the biological surveys; however, it is assumed this drainage would likely be considered “waters of the state” under the jurisdiction of the California Department of Fish and Wildlife (CDFW) and the Regional Water Quality Control Board (RWQCB).

### **Vegetation Communities**

#### Wild Oats and Annual Brome Grasslands (9.1 acres)

Annual grassland habitat is present throughout most of the subject property. This community is dominated by wild oats (*Avena barbata*) with totalote (*Centaurea melitensis*), red brome (*Bromus rubens*), mustard (*Hirschfeldia incana*) and California burclover (*Medicago polymorpha*). At the time of the biological survey, a large portion of the property had been recently graded for vineyard installation and very limited vegetation was present within those areas. The portion of the project site proposed for residential development was mostly ungraded and supported primarily wild oats, totalote and mustard.

#### Big Berry Manzanita Chaparral (.07 acres)

This community occurs in a remnant patch on the ridge along the northern edge of the property. This community is dominated by big berry manzanita (*Arctostaphylos glauca*) with associated species including hummingbird sage (*Salvia spathacea*), spiny redberry (*Rhamnus crocea*), and poison oak (*Toxicodendron diversilobum*).

#### Blue Oak Woodland (.08 acres)

This community occurs in a remnant patch of the ridge along the northern edge of the property. It is dominated by blue oak (*Quercus douglasii*) in the overstory, with an understory of annual grasses and forbs species found in the grassland habitat.

### **Wildlife**

The habitat within and adjacent to the subject property is suitable for a variety of common and special-status wildlife species; however, the property is enclosed in deer-proof fencing which likely limits access by large and some medium sized mammals. The remnant oak woodland and chaparral patches provide nesting opportunities for various passerine bird species, habitat for mammals, amphibians, and reptiles, and browsing opportunities for herbivores. No special-status wildlife species were observed during the biological surveys; however, a woodrat midden was observed within the remnant manzanita chaparral on-site. Numerous bird species, as well as evidence of California ground squirrels (*Otospermophilus beechyi*) and Botta's pocket gophers (*Thomomys bottae*), were observed within the subject property. Please refer to the project biological survey for a list of all wildlife species observed on-site.

### **Special Status Plant Species**

The project biological survey indicates that suitable habitat is present on-site for four special-status botanical species. In addition to species listed on the federal and California Endangered Species Acts, special-status plant species include those that are assigned a California Rare Plant Rank (CRPR) by the California Native Plant Society. Species are assigned a listing status based on the degree of rarity (Lists 1A, 1B, 2A, 2B and 4) and threat level (0.1, 0.2, and 0.3) (CNPS 2022a). Additionally, individual oak trees (*Quercus* spp.) and oak woodlands are considered a sensitive resource by the State of California and the County.

The following is a list of the special-status plant species that have the potential to occur on-site. The Spring botanical survey was appropriately timed for the blooming period for these species; however, none were observed within the subject property and none of these species are expected to occur on-site (please refer to the project Biological Resources Assessment for details on the identified species):

---

## Initial Study – Environmental Checklist

---

- Douglas' Fiddleneck (*Amsinckia douglasiana*), CRPR 4.2;
- Dwarf Calycadenia (*Calycadenia villosa*), CRPR 1B.1;
- Small-flowered Morning-glory (*Convolvulus simulans*), CRPR 4.2;
- San Benito Poppy (*Eschscholzia hypecoides*), CRPR 4.3;
- Native Oak Trees (*Quercus spp.*), protected under CEQA, Senate Bill 1334/Kuehl Bill and California Public Resources Code 21083.4;

### **Special-Status Wildlife Species**

The project Biological Resources Assessment determined that suitable habitat is present on the project site for four special-status wildlife species and nesting migratory bird species. In addition to species listed on the federal and California Endangered Species Acts, special-status wildlife species include CDFW Species of Special Concern (SSC) and CDFW Watch List species (CDFW 2022b).

The following is a list of the special-status wildlife species for which suitable habitat was identified on-site (please refer to the project Biological Resources Assessment for details on the identified species):

- Monterey Dusky-footed Woodrat (*Neotoma macrotis Luciana*), State SSC. The nearest documented occurrence of this species is from 1998, approximately 5.9 miles west of the proposed project site. A woodrat house was observed within the remnant patch of manzanita chaparral on the property;
- American Badger (*taxidea taxus*), State SSC. No signs of badgers were observed during the project biological surveys. However, the disturbed grassland within and adjacent to the proposed project site provides marginally suitable habitat and a small mammal prey base for this species;
- Northern California Legless Lizard (*Anniella pulchra*), State SSC. The nearest documented occurrence of this species is a historical record from 1954, approximately 3.8 miles northwest of the project site. The remnant patch of manzanita chaparral and blue oak woodland may provide suitable habitat for this species;
- California Horned Lark (*Eremophila alpestris actia*), State Watch List. Marginally suitable nesting and foraging habitat is present for this species within the disturbed grassland of the proposed project site. This species was not observed during surveys;
- Migratory Nesting Birds. In addition to those species protected by the state or federal government, all native avian species are protected by state and federal legislature, including the Migratory Bird Treaty Act (MBTA) and the CDFW Fish and Game Code. Avian species are expected to occur within the project area during all seasons and throughout construction of the proposed project. The potential to encounter and disrupt these species is generally highest between February 1 and August 31, when nests are likely to be active with eggs and/or young present. The oak trees and manzanita chaparral on the site present the highest quality habitat for nesting birds. Open grasslands also provide nesting habitat for ground-nesting species.

### **Sensitive Habitats**

**Federal and State Waters and Wetlands.** The drainage on-site was identified as jurisdictional waters of the state under the jurisdiction of CDFW and RWQCB, though due to historical land use and the upstream impoundment it lacks a well-defined bed, bank, or channel. In addition, the drainage lacked evidence of an ordinary high-water mark and therefore, likely does not fall under the jurisdiction of the Army Corps of

## Initial Study – Environmental Checklist

---

Engineers. Impacts to the drainage will likely require appropriate regulatory agency permits and mitigation, per CDFW and RWQCB requirements.

County-Designated San Joaquin Kit Fox (SJKF) Mitigation Area. The San Joaquin kit fox is a wide-ranging species known from northeastern and southeastern San Luis Obispo County. The SJKF occupies open country grassland, open scrubland, and oak savannah where there are friable soils for burrowing and an abundant rodent prey base. This small species of fox is known to use available ground squirrel or other existing burrows for den sites as they typically do not excavate their own dens. The project site is located in the County of San Luis Obispo-designated SJKF 3:1 mitigation area. CDFW and the USFWS coordinated with the County of San Luis Obispo to develop mitigation measures that, when implemented, will avoid take and reduce long term impacts due to the loss of SJKF habitat to a less than significant level.

### Discussion

- (a) *Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?*

The proposed project has the potential to directly and/or indirectly impact sensitive habitats, special-status wildlife, migratory nesting birds, mature oak trees, and special-status botanical species. Direct impacts to wildlife could result from injury or death via construction-related disturbances such as vehicle strikes or crushing of underground refugia from equipment or other construction activities such as grading, vegetation removal, and excavation. Indirect impacts could result from construction noise, harassment, dust emissions, or other disruptions during construction.

Impacts to Special-Status Plant Species: No special-status botanical species were observed or are expected to occur on-site. As such, no impacts to special-status botanical species are anticipated as a result of the proposed project.

Mature oak trees are located within the subject property. Based on the project plans, oak tree removals and/or impacts, including trimming and/or disturbance within the critical root zone, are not expected during project implementation. However, to ensure impacts to oaks do not occur, mitigation measure BIO-2 is required to avoid impacts to oak trees and put in measures to protect oak trees during construction. With implementation of BIO-2, potential impacts to oak trees are *less than significant with mitigation*.

Impacts to Special-Status Wildlife Species: If American badger are using or travel through the project site or a woodrat house is present within the disturbance area, there is potential for direct or indirect impacts to occur during construction. Increased short and long-term human activity in the vicinity of viable populations would result in potentially significant impacts. To address this, there will be pre-construction surveys prior to ground disturbance, and American badgers will be avoided. With implementation of BIO-4, potential impacts will be *less than significant with mitigation*.

The manzanita chaparral and oak woodland patches on-site provide marginally suitable habitat for the northern California legless lizard. Construction activities pose risks for direct and indirect impacts to special-status reptiles, including California legless lizard. Mitigation measure BIO-7 will be implemented to require pre-construction surveys and avoidance of legless lizards. Therefore, impacts will be *less than significant with mitigation*.

## Initial Study – Environmental Checklist

---

Direct significant but mitigable impacts to horned lark, and other bird species are most likely to occur if construction activities take place during the typical nesting season, generally February 1 through August 31. Direct and indirect impacts may occur if tree trimming, vegetation removal, and/or grading is required. To address this, pre-construction surveys will be required to avoid impacts nesting birds. With implementation of BIO-8, potential impacts to horned lark and other nesting birds will be *less than significant with mitigation*.

Impacts to Sensitive Habitats: Direct and indirect impacts to the on-site unnamed drainage are expected to occur during implementation of the proposed project. The entrance road is proposed to cross the drainage along the western boundary of the property and the drainage will be culverted under the roadway. It is expected that the project will require regulatory authorization from CDFW and RWQCB per Section 1600 of the Fish and Game Code and Section 401 of the Clean Water Act. Typically, these agencies require mitigation to offset permanent impacts to jurisdictional waters, including vegetation removal, with in-kind habitat at an appropriate ratio. This is considered a *significant but mitigable impact*.

With respect to impacts to the SJKF, the project site has marginally suitable habitat and is not near any known populations of kit fox that would support dispersal. However, the project site is within the known range of San Joaquin kit fox and is considered suitable habitat by CDFW. Based on the County's standard kit fox mitigation (mitigation measures BIO-5 and BIO-6), the project requires that all impacts be mitigated at a ratio of three (3) acres conserved for each acre impacted (3:1). Construction of the proposed project will result in permanent and temporary impacts to disturbed grassland areas on-site. Based on the proposed project, the estimated area of disturbance is 2.1 acres.

Since the project is smaller than 40-acres, the applicant has accepted the standard mitigation ratio of 3:1. Mitigation must be fulfilled by contribution to the preservation of habitat through a conservation easement agreement, compensation to a pre-determined mitigation bank, or payment of an in-lieu fee to the San Francisco office of The Nature Conservancy.

The total compensatory mitigation required for the project would be 6.3 acres, or 3 times 2.1 acres impacted. This is a conservative estimate and is based on the preliminary site plans. The impacted areas of kit fox habitat are subject to change during the construction permit process when the final site plans are prepared and submitted to the County. A reduction in the impacted acres would not result in additional impacts to kit fox habitat, and any increase to the estimated impacted acres of kit fox habitat could potentially require additional environmental analysis. Changes to the number of impacted acres may require coordination with CDFW. Final conservation easement acreage, in-lieu fee, and purchase credit calculations shall be based on the final number of impacted acres shown on the approved construction plans.

With the implementation of mitigation measures BIO-1 through BIO-6, impacts to special status species is considered *less than significant with mitigation*.

- (b) *Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Game or US Fish and Wildlife Service?*

Federal and State Waters and Wetlands. Direct and/or indirect impacts to the on-site drainage are expected to occur during the implementation of the proposed project. The entrance road is



## Initial Study – Environmental Checklist

---

proposed to cross the drainage along the western boundary of the property and the drainage is proposed to be culverted under the roadway. In addition, indirect impacts to the drainage could result from erosion, sedimentation, and/or discharges of hazardous materials, such as fuel, from construction equipment. To address potential impacts, mitigation measures BIO-1 and BIO-3 will be implemented to require best management practices for stormwater and sedimentation and erosion control measures. Additionally, it is expected that project activities will require regulatory permitting from CDFW and RWQCB. With the implementation of BIO-1 and BIO-3, impacts related to jurisdictional waters are considered *less than significant with mitigation*.

- (c) *Have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?*

As discussed under item (a), above, direct and/or indirect impacts to the on-site drainage are expected to occur during the implementation of the proposed project. The entrance road is proposed to cross the drainage along the western boundary of the property and the drainage is proposed to be culverted under the roadway. In addition, indirect impacts to the drainage could result from erosion, sedimentation, and/or discharges of hazardous materials, such as fuel, from construction equipment. To address potential impacts, mitigation measures BIO-1 and BIO-3 will be implemented to require best management practices for stormwater and sedimentation and erosion control measures. Additionally, it is expected that project activities will require regulatory permitting from CDFW and RWQCB. With the implementation of BIO-1 and BIO-3, impacts related to jurisdictional waters are considered *less than significant with mitigation*.

- (d) *Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?*

The CNDDB includes occurrences for wide ranging resident and migratory bird species known from the region of the project site. While the project site is not within a known wildlife corridor, and there are not vegetation communities that support migratory species, the wide ranging locally nomadic and migrant raptors listed in the CNDDB have the potential to use the site for occasional foraging habitat. Vegetation removal (clearing and grubbing) during the nesting season for birds could result in the destruction of active bird's nests, including ground-nesting birds. Even unintended destruction of active nests is prohibited by the Fish and Game Code of California Sections 3503 and 3503.1 (raptors specifically). As such, preconstruction surveys for nesting birds and special status species are required per BIO-4, BIO-6, BIO-7, and BIO-8. With implementation of these measures, potential impacts will be *less than significant with mitigation*.

- (e) *Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?*

The project would not adversely affect sensitive habitats or resources identified in the COSE or native tree species protected under the County Oak Woodland Ordinance. Additionally, mitigation measure BIO-2 requires avoidance of impacts to oak trees. The project is within the SJKF County-designated 3:1 mitigation area that requires implementation of mitigation measure BIO-5 and BIO-6 pursuant to the County Guide to SJKF Mitigation Procedures under CEQA. Construction and implementation of the proposed project will result in permanent and temporary impacts to disturbed grassland areas on-site. Mitigation under BIO-5 must be fulfilled by contribution to the

## Initial Study – Environmental Checklist

---

preservation of habitat through a conservation easement agreement, compensation to a pre-determined mitigation bank (presently Palo Prieto Conservation Bank), or payment of an in-lieu fee to the San Francisco office of The Nature Conservancy. Therefore, impacts related to SJKF are considered *less than significant with mitigation*.

- (f) *Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?*

The project is not located within an area under an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan. The project is within areas identified as critical habitat or within the County's SJKF standard mitigation ratio area (County of San Luis Obispo 2007). Please refer to the impact discussion above under Item (e) for more detail on SJKF impacts. As such, the project would result in *less than significant impacts with mitigation*.

### Conclusion

Upon implementation of mitigation measures BIO-1 through BIO-8, impacts to biological resources would be less than significant.

### Mitigation

**BIO-1. Site Maintenance and General Operations:** The following general measures shall be required to minimize impacts during active construction:

- The use of heavy equipment and vehicles shall be limited to the proposed project limits and defined staging areas and access points. The boundaries of each work area shall be clearly defined and marked with high visibility fencing. No work shall occur outside these limits.
- Project plans, drawings, and specifications shall show the boundaries of all sensitive resource areas and the location of erosion and sediment controls, delineation of construction limits, and other pertinent measures to ensure the protection of sensitive habitats and resources.
- Staging of equipment and materials shall occur in designated areas with appropriate demarcation and perimeter controls. No staging areas shall be located within 100 feet of sensitive habitat, including the on-site drainage.
- Secondary containment, such as drip pans, shall be used to prevent leaks and spills of potential contaminants.
- Washing of concrete, paint, or equipment, and refueling and maintenance of equipment shall occur only in designated staging areas. These activities will occur at a minimum of 100 feet from sensitive habitat, including the drainage. Sandbags and/or absorbent pads and spill control kits shall always be available on site to clean up and contain fuel spills and other contaminants.
- Construction equipment shall be inspected by the operator daily to ensure that equipment is in good working order and no fuel or lubricant leaks are present.
- Plastic monofilament netting (erosion control matting) or similar material will not be used on site due to the potential to entangle special-status wildlife. Acceptable substitutes

## Initial Study – Environmental Checklist

---

include cocoanut coir matting, biodegradable fiber rolls, or tackified hydroseeding compounds.

- The use of pesticides (including rodenticides) and herbicides on the property shall be in compliance with all local, state, and federal regulations to avoid primary and secondary poisoning of sensitive species that may be using the site.
- After completion of the project's construction, all protective fencing/flagging used to delineate sensitive biological resources shall be removed from the project area and disposed of in appropriate waste receptacles or reused.

**BIO-2.** Oak Tree Avoidance and Protection: To the maximum extent feasible, impacts to oak trees shall be avoided and minimized. The following avoidance and minimization measures shall be implemented to address potential impacts to oak trees:

- The canopy edge and trunk location of oak trees located within 50-feet of proposed construction shall be surveyed and placed on all plan sets. The tree map shall be used to protect oak trees during project implementation.
- Impacts to oak tree canopy or sensitive root zones shall be avoided to the extent feasible. Impacts may include pruning, ground disturbance or placement of impervious surfaces (e.g., asphalt, permanent structures) within the sensitive root zone, installation of year-round irrigation or other supplemental water within the sensitive root zone, and trunk damage.
- Prior to the start of project activities, tree protection fencing shall be installed as close to the outer limit of the sensitive root zone as practicable for construction operations to protect trees located within 50 feet of construction that will be preserved. The fencing shall be in place throughout the duration of construction. Demarcation such as t-posts and a minimum of two strands of yellow rope are considered adequate.
- All construction activity shall remain outside delineation fencing installed for protection of oak trees.
- Care shall be taken to avoid surface roots within the top 18 inches of soil. If any roots are exposed during construction, they shall be covered with a layer of soil to match existing topography.
- Impacts to oak trees shall be assessed by a licensed arborist or qualified botanist prior to final inspection and reported to the County.

**BIO-3.** Jurisdictional Waters: In addition to Measure BIO-2, the following requirements are provided to protect the drainage on site.

- Prior to project initiation, all applicable agency permits with jurisdiction over the project area (i.e., CDFW and RWQCB) shall be obtained. Additional mitigation measures may be required by these agencies and shall be implemented as necessary throughout the project.
- To prevent erosion and sedimentation into the drainage during construction, an erosion and sedimentation control plan shall be developed and implemented. It shall outline Best Management Practices for short term, temporary stabilization. Acceptable stabilization methods include (but are not limited to) use of weed-free natural fiber (i.e., non-

## Initial Study – Environmental Checklist

---

monofilament) rolls, jute, or coir netting, and/or other industry standard materials.

Erosion control devices shall be installed and maintained for the duration of the project.

**BIO-4.** Preconstruction Survey for American Badger: A qualified biologist shall conduct a preconstruction survey within 30 days prior to the start of initial project activities to ensure American badger are not present within proposed work areas. If potential dens are discovered, they shall be monitored with a remote camera or tracking medium for at least three days to determine if they are occupied. If the qualified biologist determines that a den may be active, a no-entry exclusion buffer shall be established within 50 feet of the den and the appropriate resource agencies shall be contacted for further guidance. If active dens are found during the breeding and rearing season, no activity shall occur within 200 feet of the den without agency guidance and approval. Exclusion buffers shall be prominently flagged and encircle the den. If an exclusion buffer is not feasible, the applicant will contact the County for further guidance prior to initial project activities. If construction lapses beyond 30 days from the survey, an additional survey will be required.

**BIO-5.** County Standard Mitigation of Impacts to San Joaquin Kit Fox Habitat: Prior to issuance of grading and/or construction permits, the applicant shall submit evidence to the County of San Luis Obispo that states that one or a combination of the following three San Joaquin kit fox compensatory mitigation measures has been implemented:

- a. Provide for the protection in perpetuity, through acquisition of fee or a conservation easement of 6.3 acres (2.1 acres of development multiplied by 3 as a result of an applied 3:1 mitigation ratio) of suitable habitat in the kit fox corridor area (e.g. either on-site or off-site, and provide for a non-wasting endowment to provide for management and monitoring of the property in perpetuity. Lands to be conserved shall be subject to the review and approval of the CDFW and the County. This mitigation alternative (a.) requires that all aspects of this program must be in place before County-permit issuance or initiation of any ground disturbing activities.
- b. Deposit funds into an approved in-lieu fee program, which would provide for the protection in perpetuity of suitable habitat in the kit fox corridor area within San Luis Obispo County and provide for a non-wasting endowment for management and monitoring of the property in perpetuity. Mitigation alternative (b) above can be completed by providing funds to The Nature Conservancy (TNC) pursuant to the Voluntary Fee-Based Compensatory Mitigation Program (Program). The Program was established in agreement between the CDFW and TNC to preserve San Joaquin kit fox habitat, and to provide a voluntary mitigation alternative to project proponents who must mitigate the impacts of projects in accordance with the California Environmental Quality Act (CEQA). The fee, payable to "The Nature Conservancy," would total: \$15,750 (2.1 x 3 x \$2,500). This fee is calculated based on the current cost-per-unit of \$2,500 per acre of mitigation, which is scheduled to be adjusted to address the increasing cost of property in San Luis Obispo County; actual cost may increase depending on the timing of payment. This fee must be paid after the CDFW provides written notification about your mitigation options but prior to County permit issuance and initiation of any ground disturbing activities.
- c. Purchase credits in a CDFW-approved conservation bank, which would provide for the protection in perpetuity of suitable habitat within the kit fox corridor area and provide for a non-wasting endowment for management and monitoring of the property in perpetuity. Mitigation alternative (c) above can be completed by purchasing credits from the Palo Prieto

## Initial Study – Environmental Checklist

---

Conservation Bank (see contact information below). The Palo Prieto Conservation Bank was established to preserve San Joaquin kit fox habitat, and to provide a voluntary mitigation alternative to project proponents who must mitigate the impacts of projects in accordance with CEQA. The cost payable to the owners of The Palo Prieto Conservation Bank, would total: \$15,750 (2.1 x 3 x \$2,500).

This fee is calculated based on the current cost-per-credit of \$2,500 per acre of mitigation. The fee is established by the conservation bank owner and may change at any time. Actual cost may increase depending on the timing of payment. Purchase of credits must be completed prior to County permit issuance and initiation of any ground disturbing activities.

The mitigation options identified above are based on preliminary site plans. The project has a required mitigation ratio of three (3) acres conserved for each acre impacted (3:1). Total required compensatory mitigation may change based on the final number of impacted acres shown on the construction and/or grading plans submitted to the County for review.

**BIO-6.** San Joaquin Kit Fox: To avoid direct take of SJKF during construction in accordance with the San Luis Obispo County Guide to SJKF Mitigation Procedures Under CEQA, the project owner shall adopt the Standard Kit Fox CEQA Mitigation Measures and shall be included on development plans. The following measures shall be implemented:

- A maximum 25 mph speed limit shall be required at the project site during construction activities.
- All construction activities shall cease at dusk and not start before dawn.
- A qualified biologist shall be on-site immediately prior to initiation of project activities to inspect for any large burrows (e.g., known and potential dens) and to ensure no wildlife are injured during project activities. If dens are encountered, they should be avoided as discussed below.
- Exclusion zone boundaries shall be established around all known and potential kit fox dens.
- All excavations deeper than 2 feet shall be completely covered at the end of each working day.
- All pipes, culverts, or similar structures shall be inspected for SJKF and other wildlife before burying, capping, or moving.
- All exposed openings of pipes, culverts, or similar structures shall be capped or temporarily sealed prior to the end of each working day.
- All food-related trash shall be removed from the site at the end of each workday.
- Project-related equipment shall be prohibited outside of designated work areas and access routes.
- No firearms shall be allowed in the project area.
- Disturbance to burrows shall be avoided to the greatest extent feasible.
- No rodenticides or herbicides should be applied in the project area.
- Permanent fences shall allow for SJKF passage through or underneath (i.e., an approximate 4-inch passage gap shall remain at ground level).



## Initial Study – Environmental Checklist

---

- Prior to issuance of grading and/or construction permit and within 30 days prior to initiation of site disturbance and/or construction, all personnel associated with the project shall attend a worker education training program, conducted by a qualified biologist, to avoid or reduce impacts on sensitive biological resources (i.e. San Joaquin kit fox). At a minimum, as the program relates to the kit fox, the training shall include the kit fox's life history, all mitigation measures specified by the County, as well as any related biological report(s) prepared for the project. The applicant shall notify the County shortly prior to this meeting. A kit fox fact sheet shall also be developed prior to the training program, and distributed at the training program to all contractors, employers and other personnel involved with the construction of the project.
- During the site-disturbance and/or construction phase, any contractor or employee that inadvertently kills or injures a San Joaquin kit fox or who finds any such animal either dead, injured, or entrapped shall be required to report the incident immediately to the applicant and County.
- In the event that any observations are made of injured or dead kit fox, the applicant shall immediately notify the USFWS and CDFW by telephone. In addition, formal notification shall be provided in writing within three working days of the finding of any such animal(s). Notification shall include the date, time, location and circumstances of the incident. Any threatened or endangered species found dead or injured shall be turned over immediately to CDFW for care, analysis, or disposition.

**BIO-7.** Surveys and Monitoring for Northern California Legless Lizard: If work will occur within the oak woodland or manzanita chaparral, a qualified biologist shall conduct a preconstruction survey immediately prior to the start of work to ensure legless lizards are not present within proposed work areas. During the survey the biologist shall gently disturb or rake the upper layers of leaf litter or loose soil within suitable habitat to uncover or rouse legless lizards. If work occurs within the oak woodland or manzanita chaparral, construction monitoring shall be conducted by a qualified biologist during all initial ground disturbing and vegetation removal activities (e.g., grading, grubbing, vegetation trimming). If legless lizards are found during preconstruction surveys or monitoring, they shall be allowed to leave the work area on their own volition or be hand captured and relocated to suitable habitat outside of the area or impact, if permitted.

**BIO-8.** Preconstruction Survey and Avoidance Measures for Nesting Birds: To protect nesting birds, no construction shall occur from February 1 through August 31 unless the following measures are in place. Preconstruction surveys must be completed by a qualified biologist within one week prior to project initiation. Surveys for raptors shall be conducted within a 250-foot radius of the project site. If any active non-listed raptor nests are observed, these nests and nest trees shall be protected, and a no-work buffer of 250 feet shall be established until the young have fledged and are no longer reliant on the nest tree or parental care, or the nest is no longer active. Surveys for other non-listed avian species shall be conducted within a 50-foot radius of the project site. If any active nests are observed, these nests and nest trees shall be protected with a 50-foot no-work buffer. All activity will remain outside of the designated buffers until a qualified biologist has determined that the young have fledged or that proposed construction activities would not cause adverse impacts to the nests, adults, eggs, or young. If special-status avian species are identified and nesting within the work area, no work will begin until an appropriate buffer is determined in consultation with CDFW, and/or the USFWS.

## Initial Study – Environmental Checklist

### V. CULTURAL RESOURCES

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
<i>Would the project:</i>				
(a) Cause a substantial adverse change in the significance of a historical resource pursuant to § 15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
(b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to § 15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(c) Disturb any human remains, including those interred outside of dedicated cemeteries?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

#### Setting

San Luis Obispo County possesses a rich and diverse cultural heritage and therefore has a wealth of historic and prehistoric resources, including sites and buildings associated with Native American inhabitation, Spanish missionaries, and immigrant settlers.

As defined by CEQA, a historical resource includes:

1. A resource listed in or determined to be eligible for listing in the California Register of Historical Resources (CRHR).
2. Any object, building, structure, site, area, place, record, or manuscript which a lead agency determines to be historically significant or significant. The architectural, engineering, scientific, economic, agricultural, educational, social, political, military, or cultural records of California may be considered to be a historical resource, provided the lead agency's determination is supported by substantial evidence.

The County of San Luis Obispo LUO Historic Site (H) combining designation is applied to areas of the county to recognize the importance of archeological and historic sites and/or structures important to local, state, or national history. Standards are included regarding minimum parcel size and permit processing requirements for parcels with an established structure and Historic Site combining designation. For example, all new structures and uses within an H combining designation require Minor Use Permit approval, and applications for such projects are required to include a description of measures proposed to protect the historic resource identified by the Land Use Element (LUO 22.14.080).

San Luis Obispo County was historically occupied by two Native American tribes: the northernmost subdivision of the Chumash, the Obispeño (after Mission San Luis Obispo de Tolosa), and the Salinan. However, the precise location of the boundary between the Chumashan-speaking Obispeño Chumash and their northern neighbors, the Hoka-speaking Playanos Salinan, is not known, as those boundaries may have changed over time.

## Initial Study – Environmental Checklist

---

The COSE identifies and maps anticipated culturally sensitive areas and historic resources within the county and establishes goals, policies, and implementation strategies to identify and protect areas, sites, and buildings having architectural, historical, Native American, or cultural significance. Based on the COSE, the project is not located in a designated Archaeological Sensitive Area or Historic Site.

The subject property is situated northwest of the town of Paso Robles on a series of gently to steeply sloping southwest facing slopes. The project is not located in the vicinity of any natural water features (creek, wetland, river, etc.) with the exception of the drainage feature in the southern portion of the subject property (which will be avoided by the project earth disturbance activities). The project area is within an agricultural and rural residential environment, with roads, infrastructure, vineyards, and development defining the project site boundaries.

The portion of the site proposed development is located on steeper slopes and does not exhibit qualities typically associated with archaeological resources in the vicinity; including (but not limited to) features such as year-round water resources, habitable camp sites, tool making resources (e.g., rock outcrops), travel corridors (e.g., ridgelines), hunting and gathering resources (e.g., oak woodlands, vantage points for observing game), or proximity to known archaeological sites. In addition, it is important to note that the proposed project earth disturbance is limited to the sloped area along the northern portion of the subject property and the areas near the seasonal unnamed drainage along the southern property boundary will be avoided. As such, the potential for intact archaeological deposits existing on the property is considered to be low.

Many important cultural resources, such as Tribal Cultural Resources, do not necessarily leave an archaeological footprint or have physically identifiable manifestations. It is therefore vital to seek out the possibility of these important resources and their locations through consultation with Salinan and Chumash tribal members. Under the authority of AB 52, the County has contacted the Native American Heritage Commission (NAHC) to obtain a list of regional tribal representatives. The County sent out invitations to consult on the proposed project to the identified tribal representatives on November 4, 2021. As a result of the required tribal consultation invitations, no requests for consultation were received.

In the unlikely event that buried cultural materials are encountered during construction, the County requires that all ground disturbances will cease until a qualified archaeologist is contacted to evaluate the nature, integrity, and significance of the deposit.

### *Discussion*

(a) *Cause a substantial adverse change in the significance of a historical resource pursuant to § 15064.5?*

The project site is vacant and does not contain any historic resources identified in the National Register of Historic Places or California Register of Historic Resources. The project site does not contain a site under the Historic Site (H) combining designation and does not contain other structures of historic age (50 years or older) that could be potentially significant as a historical resource. Therefore, the project would not result in an adverse change in the significance of historical resources and *no impacts would occur*.

(b) *Cause a substantial adverse change in the significance of an archaeological resource pursuant to § 15064.5?*

The project site does not exhibit qualities typically associated with archaeological resources in the vicinity and is not located in proximity to known archaeological sites. The proposed project earth

## Initial Study – Environmental Checklist

disturbance is limited to the northern portion of the property, which would avoid the areas in the vicinity of the unnamed drainage near the southern property boundary. As such, the potential for intact archaeological deposits existing on the property is considered to be low and further archaeological studies would not be required.

In the unlikely event that resources are uncovered during grading activities, implementation of LUO 22.10.040 (Archaeological Resources) would be required. This section requires that in the event archaeological resources are encountered during project construction, construction activities shall cease, and the County Planning and Building Department must be notified of the discovery so that the extent and location of discovered materials may be recorded by a qualified archaeologist, and the disposition of artifacts may be accomplished in accordance with state and federal law. Therefore, impacts related to a substantial adverse change in the significance of archaeological resources would be *less than significant*.

(c) *Disturb any human remains, including those interred outside of dedicated cemeteries?*

Based on existing conditions, buried human remains are not expected to be present in the site area. In the event of an accidental discovery or recognition of any human remains, California State Health and Safety Code Section 7050.5 and LUO 22.10.040 (Archaeological Resources) require that no further disturbances shall occur until the County Coroner has made the necessary findings as to origin and disposition pursuant to Public Resources Code Section 5097.98. With adherence to State Health and Safety Code Section 7050.5 and County LUO, impacts related to the unanticipated disturbance of archaeological resources and human remains would be reduced to less than significant; therefore, potential impacts would be *less than significant*.

### Conclusion

No archaeological or historical resources are known or expected to occur within or adjacent to the project site. In the event unanticipated sensitive archaeological resources or human remains are discovered during project construction activities, adherence with County LUO standards and State Health and Safety Code procedures would reduce potential impacts to less than significant; therefore, potential impacts to cultural resources would be less than significant and no mitigation measures are necessary.

### Mitigation

None necessary.

## VI. ENERGY

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
<i>Would the project:</i>				
(a) Result in a potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

## Initial Study – Environmental Checklist

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
(b) Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

### Setting

Pacific Gas & Electric Company (PG&E) is the primary electricity provider for urban and rural communities within the County of San Luis Obispo. Approximately 31% of electricity provided by PG&E is sourced from renewable resources and per the PG&E Power Mix chart, a total of 84% of power generation and purchases are greenhouse gas free (PG&E 2020).

The County COSE establishes goals and policies that aim to reduce vehicle miles traveled, conserve water, increase energy efficiency and the use of renewable energy, and reduce greenhouse gas emissions. The COSE provides the basis and direction for the development of the County's EnergyWise Plan (EWP), which outlines in greater detail the County's strategy to reduce government and community-wide greenhouse gas emissions through a number of goals, measures, and actions, including energy efficiency and development and use of renewable energy resources.

In 2010, the EWP established a goal to reduce community-wide greenhouse gas emissions to 15% below 2006 baseline levels by 2020. Two of the six community-wide goals identified to accomplish this were to "[a]ddress future energy needs through increased conservation and efficiency in all sectors" and "[i]ncrease the production of renewable energy from small-scale and commercial-scale renewable energy installations to account for 10% of local energy use by 2020." In addition, the County has published an EnergyWise Plan 2016 Update to summarize progress toward implementing measures established in the EWP and outline overall trends in energy use and emissions since the baseline year of the EWP inventory (2006).

The California Building Code (CBC) contains standards that regulate the method of use, properties, performance, or types of materials used in the construction, alteration, improvement, repair, or rehabilitation of a building or other improvement to real property. The CBC includes mandatory green building standards for residential and nonresidential structures, the most recent version of which are referred to as the *2019 Building Energy Efficiency Standards*. These standards focus on four key areas: smart residential photovoltaic systems, updated thermal envelope standards (preventing heat transfer from the interior to the exterior and vice versa), residential and nonresidential ventilation requirements, and non-residential lighting requirements.

The County LUO includes a Renewable Energy Area combining designation to encourage and support the development of local renewable energy resources, conserving energy resources and decreasing reliance on environmentally costly energy sources. This designation is intended to identify areas of the county where renewable energy production is favorable and establish procedures to streamline the environmental review and processing of land use permits for solar electric facilities (SEFs). The LUO establishes criteria for project eligibility, required application content for SEFs proposed within this designation, permit requirements, and development standards (LUO 22.14.100).

The project is located within the Renewable Energy Area Combining Designation.



## Initial Study – Environmental Checklist

### Discussion

- (a) *Result in a potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?*

Project implementation would require minimal consumption of energy resources. During construction, fossil fuels, electricity, and natural gas would be used by construction vehicles and equipment. The energy consumed during construction would be temporary and would not represent a significant or wasteful demand on available resources. Energy demands during project occupation would be provided through existing infrastructure and would not substantially increase over existing demands. Operational energy use would be consistent with that of similar single-family residences and would not be wasteful or inefficient. Residential construction will comply with all CBC and 2019 Building Energy Efficiency Standards. There are no unique project characteristics that would result in a significant increase in energy usage, or an inefficient, wasteful use, or unnecessary consumption of energy resources. Potential impacts would be *less than significant*.

- (b) *Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?*

Implementation of the project would not result in a significant new energy demand and there are no project components or operations that would conflict with the EWP or any other state or local plan for renewable energy or energy efficiency. Compliance with State laws and regulations, including the most recent Building Code requirements, will ensure the project continues to reduce energy demands and greenhouse gas emissions through, for example, increasing state-wide requirements that energy be sourced from renewable resources. Therefore, *no impact would occur*.

### Conclusion

The project would not result in a significant energy demand during short-term construction or long-term operations and would not conflict with state or local renewable energy or energy efficiency plans. Therefore, potential impacts related to energy would be less than significant and no mitigation measures are necessary.

### Mitigation

None necessary.

## VII. GEOLOGY AND SOILS

Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------------	--	------------------------------------	-----------

*Would the project:*

- (a) Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:

## Initial Study – Environmental Checklist

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
(i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(ii) Strong seismic ground shaking?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(iii) Seismic-related ground failure, including liquefaction?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(iv) Landslides?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(b) Result in substantial soil erosion or the loss of topsoil?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
(d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(e) Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(f) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

### Setting

The Alquist-Priolo Earthquake Fault Zoning Act (Alquist-Priolo Act) is a California state law that was developed to regulate development near active faults and mitigate the surface fault rupture potential and other hazards. The Alquist-Priolo Act identifies active earthquake fault zones and restricts the construction

## Initial Study – Environmental Checklist

---

of habitable structures over known active or potentially active faults. San Luis Obispo County is located in a geologically complex and seismically active region. The Safety Element of the County of San Luis Obispo General Plan identifies three active faults that traverse through the County and that are currently zoned under the Alquist-Priolo Act: the San Andreas, the Hosgri-San Simeon, and the Los Osos faults. The San Andreas Fault zone is located along the eastern border of San Luis Obispo County and has a length of over 600 miles. The Hosgri-San Simeon fault system generally consists of two fault zones: the Hosgri fault zone that is mapped off of the San Luis Obispo County coast; and the San Simeon fault zone, which appears to be associated with the Hosgri, and comes onshore near San Simeon Point. Lastly, the Los Osos Fault zone has been mapped generally in an east/west orientation along the northern flank of the Irish Hills.

The County Safety Element also identifies 17 other faults that are considered potentially active or have uncertain fault activity in the County. The Safety Element establishes policies that require new development to be located away from active and potentially active faults. The element also requires that the County enforce applicable building codes relating to seismic design of structures and require design professionals to evaluate the potential for liquefaction or seismic settlement to impact structures in accordance with the Uniform Building Code. As discussed in the project Geotechnical Engineering Report (Beacon Geotechnical, Inc. December 30, 2020) the proposed project site is located approximately 3.1 kilometers from the Rinconada Fault and approximately 35.3 kilometers from the San Andreas Fault Zone.

Groundshaking refers to the motion that occurs in response to local and regional earthquakes. Seismic groundshaking is influenced by the proximity of the site to an earthquake fault, the intensity of the seismic event, and the underlying soil composition. Groundshaking can endanger life and safety due to damage or collapse of structures or lifeline facilities. The California Building Code includes requirements that structures be designed to resist a certain minimum seismic force resulting from ground motion.

Liquefaction is the sudden loss of soil strength due to a rapid increase in soil pore water pressures resulting from groundshaking during an earthquake. Liquefaction potential increases with earthquake magnitude and groundshaking duration. Low-lying areas adjacent to creeks, rivers, beaches, and estuaries underlain by unconsolidated alluvial soil are most likely to be vulnerable to liquefaction. The CBC requires the assessment of liquefaction in the design of all structures. Per the project Geotechnical Report, the project is located in an area with low potential for liquefaction to occur.

Landslides and slope instability can occur as a result of wet weather, weak soils, improper grading, improper drainage, steep slopes, adverse geologic structure, earthquakes, or a combination of these factors. Despite current codes and policies that discourage development in areas of known landslide activity or high risk of landslide, there is a considerable amount of development that is impacted by landslide activity in the County each year. The County Safety Element identifies several policies to reduce risk from landslides and slope instability. These policies include the requirement for slope stability evaluations for development in areas of moderate or high landslide risk, and restrictions on new development in areas of known landslide activity unless development plans indicate that the hazard can be reduced to a less than significant level prior to beginning development. Per the project Geotechnical Report, the project is located in an area with minimal potential for landslides.

Shrink/swell potential is the extent to which the soil shrinks as it dries out or swells when it gets wet. Extent of shrinking and swelling is influenced by the amount and kind of clay in the soil. Shrinking and swelling of soils can cause damage to building foundations, roads and other structures. A high shrink/swell potential indicates a hazard to maintenance of structures built in, on, or with material having this rating. Moderate and low ratings lessen the hazard accordingly. As discussed above under Section II, Agriculture and Forestry Resources, the project site contains the soil type identified as the Linne-Calodo complex, 9 to 30 percent

## Initial Study – Environmental Checklist

---

slopes and 30 to 50 percent slopes. This soil is considered to have a very high stormwater runoff potential. This soil exhibits moderate erodibility and moderate shrink-swell characteristics.

The County LUO identifies a Geologic Study Area (GSA) combining designation for areas where geologic and soil conditions could present new developments and/or their occupants with potential hazards to life and property. All land use permit applicants located within a GSA are required to include a report prepared by a certified engineering geologist and/or registered civil/soils engineer as appropriate, with the exception of construction of one single-story single-family residence, agricultural uses not involving a building, agricultural accessory structures, and alterations or additions to any structure which does not exceed 50 percent of the assessed value of the structure. In addition, all uses within a GSA are subject to special standards regarding grading and distance from an active fault within an Earthquake Fault Zone (LUO 22.14.070). The project site is not located with a GSA per the County LUO.

Paleontological resources are fossilized remains of ancient environments, including fossilized bone, shell, and plant parts; impressions of plant, insect, or animal parts preserved in stone; and preserved tracks of insects and animals. Paleontological resources are considered nonrenewable resources under state and federal law. Paleontological sensitivity is defined as the potential for a geologic unit to produce scientifically significant fossils, as determined by rock type, history of the rock unit in producing fossil materials, and fossil sites that have been recorded in the unit. Paleontological resources are generally found below ground surface in sedimentary rock units. The boundaries of the sedimentary rock unit are used to define the limits of paleontological sensitivity in a given region.

In the county, the Coastal Franciscan domain generally lies along the mountains and hills associated with the Santa Lucia Range. Fossils recorded from the Coastal Franciscan formation include trace fossils (preserved tracks or other signs of the behaviors of animals), mollusks, and marine reptiles. Non-marine or continental deposits are more likely to contain vertebrate fossil sites. Occasionally vertebrate marine fossils such as whale, porpoise, seal, or sea lion can be found in marine rock units such as the Miocene Monterey Formation and the Pliocene Sisquoc Formations known to occur throughout Central and Southern California. Vertebrate fossils of continental material are usually rare, sporadic, and localized.

The County COSE identifies a policy for the protection of paleontological resources from the effects of development by avoiding disturbance where feasible. Where substantial subsurface disturbance is proposed in paleontologically sensitive units, Implementation Strategy CR 4.5.1 (Paleontological Studies) requires a paleontological resource assessment and mitigation plan be prepared, to identify the extent and potential significance of resources that may exist within the proposed development and provide mitigation measures to reduce potential impacts to paleontological resources.

The project Geotechnical Report (Beacon, 2020) indicates that based on the resulting percolation rates, septic systems should be designed using a rate of 50 minutes per inch.

## Initial Study – Environmental Checklist

---

### Discussion

(a) *Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:*

(a-i) *Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.*

Based on the California Department of Conservation Earthquake Zone Map, the project site is not located within a mapped Alquist-Priolo earthquake hazard zone (CGS 2018). Based on the County Safety Element Fault Hazards Map, the project site is not located within 1 mile of a known active or potentially active fault. In addition, the project Geotechnical Report stipulates that the faults closest to the site are the Rinconada Fault (3.1 kilometers from the project site) and the San Andreas Fault Zone (located 35.3 kilometers from the project site). Therefore, the project would not have the potential to result in substantial adverse effects involving rupture of a known earthquake fault and impacts would be *less than significant*.

(a-ii) *Strong seismic ground shaking?*

Based on the County Safety Element Fault Hazards Map, the project site is not located within 1 mile of a known active or potentially active fault. However, San Luis Obispo County is located in a seismically active region and there is always a potential for seismic ground shaking. The project would be required to comply with the California Building Code (CBC) and other applicable standards to ensure the effects of a potential seismic event would be minimized through compliance with current engineering practices and techniques. The project does not include unique components that would be particularly sensitive to seismic ground shaking or result in an increased risk of injury or damage as a result of ground shaking. Implementation of the project would not expose people or structures to significant increased risks associated with seismic ground shaking; therefore, impacts would be *less than significant*.

(a-iii) *Seismic-related ground failure, including liquefaction?*

Based on the County Safety Element Liquefaction Hazards Map, the project site is located in an area with primarily low potential for liquefaction. The project Geotechnical Report confirms this and lists the site as exhibiting a low liquefaction hazard. In addition, the project would be required to comply with CBC seismic requirements to address the site's potential for seismic-related ground failure including liquefaction; therefore, the potential impacts would be *less than significant*.

(a-iv) *Landslides?*

The project site has low to steeply sloping topography. Based on the County Safety Element Landslide Hazards Map the project site is in areas of Moderate Potential Landslide Risk. Areas of Moderate Potential Landslide Risk are focused along steeper banks. However, landslide hazards for the proposed project were analyzed in the project Geotechnical Report. As indicated in the report, the site topography and exposed soil types indicate that the potential for landslides is minimal at the site. Furthermore, no evidence of previous landslides was observed at the site. As the areas of the project proposed for development are not located soils with substantial landslide potential, and with the implementation of the Geotechnical Report recommendations discussed under item (c) below,



## Initial Study – Environmental Checklist

---

the project would not result in significant adverse effects associated with landslides and impacts would be *less than significant*.

(b) *Result in substantial soil erosion or the loss of topsoil?*

The project is expected to disturb approximately 2.1 acres on an approximately 9.02-acre site and does not include substantial vegetation removal. Preparation and approval of an Erosion and Sedimentation Control Plan is required for all construction and grading projects (LUO 22.52.120) to minimize potential impacts related to erosion, sedimentation, and siltation. The plan would be prepared by a civil engineer to address both temporary and long-term sedimentation and erosion impacts. Compliance with existing regulations would reduce potential impacts related to soil erosion and loss of topsoil to *less than significant*.

(c) *Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?*

Landslides typically occur in areas with steep slopes or in areas containing escarpments. Based on the Landslide Hazards Map provided in the County Safety Element, the project site is not located in an area with slopes susceptible to local failure or landslide. Furthermore, the project Geotechnical Report stipulates that based on the quality and conditions of the in-place soils and the absence of groundwater in the boring explorations, it is concluded that the potential for liquefaction and/or lateral spreading is low at the project site.

The project Geotechnical Report conclusions and recommendations indicate that the site is suitable for the proposed development from a geotechnical engineering standpoint; however, impacts related to soil collapse, soil moisture levels, unstable soils, low density soil compaction, fill slopes, foundation suitability, settlement, lateral pressures, etc. are considered to be significant. As such, the Geotechnical Report includes detailed recommendations for general grading, site-specific development, grading pads, foundation excavations, slope construction, utility trenches, foundation design, slabs on grade, lateral resistance parameters, settlement considerations, and retaining walls. These measures will reduce development impacts to less than significant levels.

In addition to the measures recommended in the Geotechnical Report, the project would be required to comply with CBC seismic requirements to address potential seismic-related ground failure including lateral spread. Based on the County Safety Element and USGS data, the project is not located in an area of historical or current land subsidence (USGS 2019). Based on the County Safety Element Liquefaction Hazards Map, the project site is located in an area with low potential for liquefaction risk and the project is not located within the GSA combining designation.

Impacts related to on- or off-site landslides, lateral spreading, subsidence, liquefaction or collapse would be *less than significant with mitigation*.

(d) *Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?*

Based on the Soil Survey of San Luis Obispo County and Web Soil Survey, the project site is located within an area known to contain moderately expansive soils as defined in the Uniform Building Code. The project Geotechnical Report indicates that the expansion determination of on-site soils is considered low. However, all future development would be required to comply with the most recent

## Initial Study – Environmental Checklist

---

CBC requirements, which have been developed to properly safeguard structures and occupants from land stability hazards, such as expansive soils. Therefore, potential impacts related to expansive soil would be *less than significant*.

- (e) *Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?*

According to the project Geotechnical Report, percolation testing was done on the site in accordance with the County of San Luis Obispo standards. Four percolation borings were drilled with their locations mapped in the report. Based on the resulting percolation rates, the report concludes that the site would support septic systems and recommends that the septic system be designed using a rate of 50 minutes per inch. Prior to building permit issuance, the standard septic systems will be evaluated in greater detail to ensure compliance with the Central Coast Basin and will not be approved if Basin Plan criteria cannot be met.

Based on compliance with existing regulations and requirements, potential wastewater impacts would be *less than significant*, and no mitigation measures are required.

- (f) *Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?*

No known paleontological resources are known to exist in the project area and the project site does not contain any unique geologic features. The project does not include substantial grading or earthwork that would disturb the underlying geologic formation in which paleontological resources may occur. Therefore, potential impacts on paleontological resources would be *less than significant*.

### Conclusion

The project site is not within the GSA combining designation or an area of high risk of landslide or liquefaction. Although geologic conditions related to high erosion and shrink swell potential exist, the project would be required to comply with CBC and standard LUO requirements which have been developed to properly safeguard against seismic and geologic hazards.

The project Geotechnical Report conclusions and recommendations indicate that the site is suitable for the proposed development from a geotechnical engineering standpoint; however, impacts related to soil collapse, soil moisture levels, unstable soils, low density soil compaction, fill slopes, foundation suitability, settlement, lateral pressures, etc. are considered to be significant. As such, the recommendations from the Geotechnical Report will be required to reduce impacts to less than significant levels.

Therefore, potential impacts related to geology and soils would be significant but mitigable.

### Mitigation

The following mitigation measure shall be required to reduce impacts related to geology and soils to less than significant levels.

- GEO-1.** Project Geotechnical Report Recommendations: The project Geotechnical Report conclusions and recommendations indicate that the site is suitable for the proposed development from a geotechnical engineering standpoint; however, impacts related to soil collapse, soil moisture levels, unstable soils, low density soil compaction, fill slopes, foundation suitability, settlement, lateral pressures, etc. are considered to be significant. As such, the Geotechnical Report includes detailed recommendations for the following issues:

## Initial Study – Environmental Checklist

- general grading,
- site-specific development,
- grading pads,
- foundation excavations,
- utility trenches,
- slope construction,
- foundation design,
- slabs on grade,
- lateral resistance parameters,
- settlement considerations, and
- retaining walls.

Therefore, the applicant shall be required to implement the recommendations listed in the project Geotechnical Report as required mitigation measures. These measures shall be listed on the building plans and implemented per the recommendations in the Geotechnical Report. Implementation of this measure will reduce impacts to less than significant levels.

### VIII. GREENHOUSE GAS EMISSIONS

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
<i>Would the project:</i>				
(a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

#### Setting

Greenhouse gases (GHG) are any gases that absorb infrared radiation in the atmosphere, and are different from the criteria pollutants discussed in Section III, Air Quality, above. The primary GHGs that are emitted into the atmosphere as a result of human activities are carbon dioxide (CO<sub>2</sub>), methane (CH<sub>4</sub>), nitrous oxide (N<sub>2</sub>O), and fluorinated gases. These are most commonly emitted through the burning of fossil fuels (oil, natural gas, and coal), agricultural practices, decay of organic waste in landfills, and a variety of other chemical reactions and industrial processes (e.g., the manufacturing of cement).

Carbon dioxide is the most abundant GHG and is estimated to represent approximately 80-90% of the principal GHGs that are currently affecting the earth's climate. According to the ARB, transportation (vehicle exhaust) and electricity generation are the main sources of GHGs in the state.

In March 2012, the SLOAPCD approved thresholds for Greenhouse Gas (GHG) emission impacts, and these thresholds have been incorporated into the CEQA Air Quality Handbook. The Bright-Line Threshold of 1,150 Metric Tons CO<sub>2</sub>/year (MT CO<sub>2</sub>e/yr) is the most applicable GHG threshold for most projects. Table 1-1 in the

## Initial Study – Environmental Checklist

---

APCD CEQA Air Quality Handbook provides a list of general land uses and the estimated sizes or capacity of those uses expected to exceed the GHG Bright Line Threshold of 1,150 Metric Tons of carbon dioxide per year (MT CO<sub>2</sub>/yr). Projects that exceed the criteria or are within ten percent of exceeding the criteria presented in Table 1-1 are required to conduct a more detailed analysis of air quality impacts.

Under CEQA, an individual project's GHG emissions will generally not result in direct significant impacts. This is because the climate change issue is global in nature. However, an individual project could be found to contribute to a potentially significant cumulative impact. Projects that have GHG emissions above the noted thresholds may be considered cumulatively considerable and require mitigation.

In October 2008, the CARB published the *Climate Change Proposed Scoping Plan*, which is the state's plan to achieve GHG reductions in California required by Assembly Bill (AB) 32. The Scoping Plan included CARB-recommended GHG reductions for each emissions sector of the state's GHG inventory. The largest proposed GHG reduction recommendations were associated with improving emissions standards for light-duty vehicles, implementing the Low Carbon Fuel Standard program, implementation of energy efficiency measures in buildings and appliances, the widespread development of combined heat and power systems, and developing a renewable portfolio standard for electricity production.

Senate Bill (SB) 32 and Executive Order (EO) S-3-05 extended the state's GHG reduction goals and require CARB to regulate sources of GHGs to meet the following goals:

- Reduce GHG emissions to 1990 levels by 2020;
- Reduce GHG emissions to 40% below 1990 levels by 2030;
- Reduce GHG emissions to 80% below 1990 levels by 2050.

The initial Scoping Plan was first approved by CARB on December 11, 2008, and is updated every 5 years. The first update of the Scoping Plan was approved by the CARB on May 22, 2014, which looked past 2020 to set mid-term goals (2030–2035) toward reaching the 2050 goals. The most recent update released by CARB is the 2017 Climate Change Scoping Plan, which was released in November 2017. The 2017 Climate Change Scoping Plan incorporates strategies for achieving the 2030 GHG-reduction target established in SB 32 and EO S-3-05.

When assessing the significance of potential impacts for CEQA compliance, an individual project's GHG emissions will generally not result in direct significant impacts because climate change is global in nature. However, an individual project could be found to contribute to a potentially significant cumulative impact. Projects that have GHG emissions above the noted thresholds may be considered cumulatively considerable and require mitigation. Accordingly, in March 2012, the SLOAPCD approved thresholds for GHG impacts that were incorporated into their 2012 CEQA Air Quality Handbook. The Handbook recommended applying a 1,150 MTCO<sub>2</sub>e per year Bright Line Threshold for commercial and residential projects and included a list of general land uses and estimated sizes or capacities of uses expected to exceed this threshold. According to the SLOAPCD, this threshold was based on a 'gap analysis' and was used for CEQA compliance evaluations to demonstrate consistency with the state's GHG emission reduction goals associated with the Global Warming Solutions Act (AB32) and the 2008 Climate Change Scoping Plan which have a target year of 2020. However, in 2015, the California Supreme Court issued an opinion in the case of *Center for Biological Diversity vs California Department of Fish and Wildlife* ("Newhall Ranch") that determined that AB 32 based thresholds derived from a gap analysis are invalid for projects with a planning horizon beyond 2020. Since the bright-line and service population GHG thresholds in the Handbook are AB 32 based, and project horizons are now

## Initial Study – Environmental Checklist

---

beyond 2020 and the SLOAPCD no longer recommends the use of these thresholds for CEQA evaluations. Instead, the following threshold options are recommended for consideration by the lead agency:

- Consistency with a Qualified Climate Action Plan: CAPs conforming to CEQA Guidelines § 15183 and 15183.5 would be qualified and eligible for project streamlining under CEQA.

The County of San Luis Obispo EnergyWise (EWP), adopted in 2011, serves as the County's GHG reduction strategy. The GHG-reducing policy provisions contained in the EWP were prepared for the purpose of complying with the requirements of AB 32 and achieving the goals of the AB 32 Scoping Plan, which have a horizon year of 2020. Therefore, the EWP is not considered a qualified GHG reduction strategy for assessing the significance of GHG emissions generated by projects with a horizon year beyond 2020.

- No-net Increase: The 2017 Scoping Plan states that no-net increase in GHG emissions relative to baseline conditions *"is an appropriate overall objective for new development"* consistent with the Court's direction provided by the Newhall Ranch case which demonstrated that no-net GHG increase was feasible and defensible. Although a desirable goal, the application of this threshold may not be appropriate for a small project where it can be clearly shown that it will not generate significant GHG emissions (i.e., di minimus: too trivial or minor to merit consideration).
- Lead Agency Adopted Defensible GHG CEQA Thresholds: Under this approach, a lead agency may establish SB 32-based local operational thresholds:

- *Meeting Local GHG Emission Targets with Best Management Practices*

On April 23, 2020, the Sacramento Metropolitan Air Quality Management District (SMAQMD) adopted Greenhouse Gas Thresholds for Sacramento County. This substantial evidenced based document sets SB 32-based local GHG emission targets for 2030 by evaluating the GHG inventory for local emission sectors relative to statewide sector inventories and the state's GHG reduction target of 40% below 1990 levels. Relative to business-as-usual, the document considered the commercial and residential sector emission reductions needed from new development to help achieve the SB 32 goal. To help secure these reductions, best management practices were established for new development.

- *GHG Bright-line and Efficiency Thresholds*

SB 32 based local bright-line and operational efficiency thresholds can be established by evaluating local emission sectors in a jurisdiction's GHG inventory relative to statewide sector inventories and the state's GHG reduction target of 40% below 1990 levels. This approach is found in earlier drafts of SMAQMD's SB 32 threshold work and the AEP Climate Change Committee may provide guidance on a similar approach.

As discussed above, SB 32 requires the state to reduce GHG levels by 40 percent below 1990 levels by the year 2030. According to the California Greenhouse Gas Emissions for 2000 to 2017, Trends of Emissions and Other Indicators published by the California Air Resources Board, emissions of GHG statewide in 2017 were 424 million MMTCO<sub>2</sub>e, which was 7 million MMTCO<sub>2</sub>e below the 2020 GHG target of 431 MMTCO<sub>2</sub>e established by AB 32. At the local level, an update of the County's EnergyWise Plan prepared in 2016 revealed that overall GHG emissions in San Luis Obispo County decreased by approximately seven percent between 2006 and 2013, or about one-half of the year



## Initial Study – Environmental Checklist

---

2020 target of reducing greenhouse gas emissions by 15% relative to the 2006 baseline<sup>1</sup>. Therefore, application of the 1,150 MTCO<sub>2</sub>e Bright Line Threshold in San Luis Obispo County, together with other local and State-wide efforts to reduce GHG emissions, proved to be an effective approach for achieving the reduction targets set forth by AB32 for the year 2020. It should be noted that the 1,150 MTCO<sub>2</sub>e per year Bright Line Threshold was based on the assumption that a project with the potential to emit less than 1,150 MTCO<sub>2</sub>e per year would result in impacts that are less than significant and less than cumulatively considerable impact and would be consistent with state and local GHG reduction goals.

Since SB 32 requires the state to reduce GHG levels by 40 percent below 1990 levels by the year 2030, the application of an interim “bright line” SB32-based working threshold that is 40 percent below the 1,150 MMTCO<sub>2</sub>e Bright Line threshold ( $1,150 \times 0.6 = 690$  MMTCO<sub>2</sub>e) would be expected to produce comparable GHG reductions “in the spirit of” the targets established by SB32. Therefore, for the purpose of evaluating the significance of GHG emissions for a project after 2020, emissions estimated to be less than 690 MMTCO<sub>2</sub>e per year GHG are considered *de minimus* (too trivial or minor to merit consideration), and will have a less than significant impact that is less than cumulatively considerable and consistent with state and local GHG reduction goals.

The County Energy Wise Plan (EWP; 2011) identifies ways in which the community and County government can reduce greenhouse gas emissions from their various sources. Looking at the four key sectors of energy, waste, transportation, and land use, the EWP incorporates best practices to provide a blueprint for achieving greenhouse gas emissions reductions in the unincorporated towns and rural areas of San Luis Obispo County by 15% below the baseline year of 2006 by the year 2020. The EWP includes an Implementation Program that provides a strategy for actions with specific measures and steps to achieve the identified GHG reduction targets including, but not limited to, the following:

- Encourage new development to exceed minimum Cal Green requirements;
- Require a minimum of 75% of nonhazardous construction and demolition debris generated on site to be recycled or salvaged;
- Continue to implement strategic growth strategies that direct the county's future growth into existing communities and to provide complete services to meet local needs;
- Continue to increase the amount of affordable housing in the County, allowing lower-income families to live closer to jobs and activity centers, and providing residents with greater access to transit and alternative modes of transportation;
- Reduce potable water use by 20% in all newly constructed buildings by using the performance methods provided in the California Green Building Code;
- Require use of energy-efficient equipment in all new development;
- Minimize the use of dark materials on roofs by requiring roofs to achieve a minimum solar reflectivity index of 10 for high-slope roofs and 68 for low-slope roofs; and
- Use light-colored aggregate in new road construction and repaving projects adjacent to existing cities.

---

<sup>1</sup> AB32 and SB32 require GHG emissions to be reduced to 1990 levels by the year 2020. The EnergyWise Plan assumes that the County's 1990 GHG emissions were about 15% below the levels identified in the 2006 baseline inventory.

## Initial Study – Environmental Checklist

---

In 2016 the County published the EnergyWise Plan 2016 Update, which describes the progress made toward implementing measures in the 2011 EWP, overall trends in energy use and emissions since the baseline year of the inventory (2006), and the addition of implementation measures intended to provide a greater understanding of the County's emissions status.

### Discussion

- (a) *Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?*

It is estimated that the construction of 110 homes would equate to the previous Bright Line threshold of 1,150 metric tons of GHG emissions due to the number of vehicle trips. Based on the nature of the proposed project and the fact it is one residence, the project would generate less than the SLOAPCD interim "bright line" of 690 metric tons of GHG emissions. The project's construction-related and operational GHG emissions and energy demands would be minimal. Therefore, the project's potential direct and cumulative GHG emissions would be less than significant and less than a cumulatively considerable contribution to regional GHG emissions.

Projects that generate less than the above-mentioned thresholds will also participate in emission reductions because air emissions, including GHGs, are under the purview of the ARB (or other regulatory agencies) and will be regulated by standards implemented by the ARB, the federal government, or other regulatory agencies. For example, new vehicles will be subject to increased fuel economy standards and emission reductions, large and small appliances will be subject to more strict emissions standards, and energy delivered to consumers will increasingly come from renewable sources. As a result, even the emissions that result from projects that produce fewer emissions than the threshold will be subject to emission reductions. Therefore, potential impacts associated with the generation of greenhouse gas emissions would be *less than significant*.

- (b) *Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?*

The proposed project would be required to comply with existing state regulations, which include increased energy conservation measures, reduced potable water use, increased waste diversion, and other actions adopted to achieve the overall GHG emissions reduction goals identified in SB 32 and EO S-3-05. The project would not conflict with the control measures identified in the CAP, EWP, or other state and local regulations related to GHG emissions and renewable energy. The project would be generally consistent with the property's existing land use and would be designed to comply with the California Green Building Code standards. Therefore, the project would be consistent with applicable plans and programs designed to reduce GHG emissions and potential impacts would be *less than significant*.

### Conclusion

The project would not generate significant GHG emissions above existing levels and would not exceed any applicable GHG thresholds, contribute considerably to cumulatively significant GHG emissions, or conflict with plans adopted to reduce GHG emissions. Therefore, potential impacts related to greenhouse gas emissions would be less than significant and no mitigation measures are necessary.

### Mitigation

None necessary.

## Initial Study – Environmental Checklist

### IX. HAZARDS AND HAZARDOUS MATERIALS

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
<i>Would the project:</i>				
(a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
(b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
(d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
(e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(g) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

## Initial Study – Environmental Checklist

---

### Setting

The Hazardous Waste and Substances Site (Cortese) List is a planning document used by the State, local agencies, and developers to comply with CEQA requirements related to the disclosure of information about the location of hazardous materials release sites. Government Code section 65962.5 requires the California EPA to develop at least annually an updated Cortese List. Various state and local government agencies are required to track and document hazardous material release information for the Cortese List. The California Department of Toxic Substance Control's (DTSC's) EnviroStor database tracks DTSC cleanup, permitting, enforcement, and investigation efforts at hazardous waste facilities and sites with known contamination, such as federal superfund sites, state response sites, voluntary cleanup sites, school cleanup sites, school investigation sites, and military evaluation sites. The State Water Resources Control Board's (SWRCB's) GeoTracker database contains records for sites that impact, or have the potential to impact, water in California, such as Leaking Underground Storage Tank (LUST) sites, Department of Defense sites, and Cleanup Program Sites. The remaining data regarding facilities or sites identified as meeting the "Cortese List" requirements can be located on the CalEPA website: <https://calepa.ca.gov/sitecleanup/corteselist/>. The project would not be located in an area of known hazardous material contamination and is not on a site listed on the Cortese List (State Water Resources Control Board [SWRCB] 2015).

The California Health and Safety Code provides regulations pertaining to the abatement of fire related hazards and requires that local jurisdictions enforce the California Building Code, which provides standards for fire resistive building and roofing materials, and other fire-related construction methods. The County Safety Element provides a Fire Hazard Zones Map that indicates unincorporated areas in the County within moderate, high, and very high fire hazard severity zones. The project is located within a high fire hazard severity zone, and based on the County's response time map, it will take approximately 5-10 minutes to respond to a call regarding fire or life safety. For more information about fire-related hazards and risk assessment, see Section XX. Wildfire.

The County also has adopted general emergency plans for multiple potential natural disasters, including the Local Hazard Mitigation Plan, County Emergency Operations Plan, Earthquake Plan, Dam and Levee Failure Plan, Hazardous Materials Response Plan, County Recovery Plan, and the Tsunami Response Plan.

### Discussion

- (a) *Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?*

The project does not propose the routine transport, use or disposal of hazardous substances. Any commonly-used hazardous substances within the project site (e.g., cleaners, solvents, oils, paints, etc.) would be transported, stored, and used according to regulatory requirements and existing procedures for the handling of hazardous materials. *No impacts* associated with the routine transport of hazardous materials would occur.

- (b) *Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?*

The project does not propose the handling or use of hazardous materials or volatile substances that would result in a significant risk of upset or accidental release conditions. Construction of the proposed project is anticipated to require use of limited quantities of hazardous substances, including gasoline, diesel fuel, hydraulic fluid, solvents, oils, paints, etc. Construction contractors would be required to comply with applicable federal and state environmental and workplace safety

## Initial Study – Environmental Checklist

---

laws for the handling of hazardous materials, including response and clean-up requirements for any minor spills. Additionally, the construction contractor would be required to implement BMPs for the storage, use, and transportation of hazardous materials during all construction activities. Therefore, potential impacts would be *less than significant*.

- (c) *Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?*

The project site is not located within 0.25 mile of an existing or proposed school facility; therefore, *no impacts would occur*.

- (d) *Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?*

Based on a search of the California Department of Toxic Substance Control's EnviroStar database, the State Water Resources Control Board's Geotracker database, and CalEPA's Cortese List website, there are no hazardous waste cleanup sites within the project site. Therefore, *no impacts would occur*.

- (e) *For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?*

The project site is not located within an airport land use plan or within 2 miles of a public airport or private airstrip. The property is located outside the Paso Robles Municipal Airport mapped flight paths, noise contours, and safety areas and is not located within the Airport Land Use Area. As such, impacts are considered to be *less than significant*.

- (f) *Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?*

Implementation of the proposed project would not result in a significant temporary or permanent impact on any adopted emergency response plans or emergency evacuation plans. No breaks in utility service or road closures would occur as a result of project implementation. Any construction-related detours would include proper signage and notification and would be short-term and limited in nature and duration. Therefore, potential impacts would be *less than significant*.

- (g) *Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?*

Based on the County Safety Element, the project is located within a high fire hazard severity zone and is listed as having a response time of 5-10 minutes. The project was referred to CalFire (Captain Dell Wells, Cal Fire, December 15, 2021) for comment and the response indicated no comments outside of meeting the Fire Code at the time of project permitting. The project will be conditioned to implement building and site improvements in accordance with the Fire Code, including, but not limited to implementation of a fire safety plan. The project would be required to comply with all applicable fire safety rules and regulations including the California Fire Code and Public Resources Code prior to issuance of building permits; therefore, potential impacts would be *less than significant*.



## Initial Study – Environmental Checklist

### Conclusion

The construction and use of the proposed project will not require the use or generation of any hazardous materials. Additionally, the project is not located on a site known to contain, use, or generate any hazardous materials. The project is outside of the Paso Robles Municipal Airport Review Area and it is unlikely that the project will result in any safety hazard or excessive noise exposure. The project is not expected to interfere with any adopted emergency response or evacuation plan. The project is located within a High Fire Hazard Severity Zone and referred to CalFire for input and recommendation for meeting the Fire Code upon project permitting. Therefore, potential impacts related to hazards and hazardous materials would be less than significant and no mitigation measures are necessary.

### Mitigation

None necessary.

## X. HYDROLOGY AND WATER QUALITY

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
<i>Would the project:</i>				
(a) Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
(b) Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:				
(i) Result in substantial erosion or siltation on- or off-site;	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(ii) Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site;	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

## Initial Study – Environmental Checklist

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
(iii) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; or	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(iv) Impede or redirect flood flows?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(d) In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
(e) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

### Setting

The Central Coast Regional Water Quality Control Board (RWQCB) has established Total Maximum Daily Load (TMDL) thresholds for waterbodies within the County. A TMDL establishes the allowable amount of a particular pollutant a waterbody can receive on a regular basis and still remain at levels that protect beneficial uses designated for that waterbody. A TMDL also establishes proportional responsibility for controlling the pollutant, numeric indicators of water quality, and measures to achieve the allowable amount of pollutant loading. Section 303(d) of the Clean Water Act (CWA) requires states to maintain a list of bodies of water that are designated as “impaired”. A body of water is considered impaired when a particular water quality objective or standard is not being met.

The RWQCB’s Water Quality Control Plan for the Central Coast Basin (Basin Plan; 2017) describes how the quality of surface water and groundwater in the Central Coast Region should be managed to provide the highest water quality reasonably possible. The Basin Plan outlines the beneficial uses of streams, lakes, and other water bodies for humans and other life. There are 24 categories of beneficial uses, including, but not limited to, municipal water supply, water contact recreation, non-water contact recreation, and cold freshwater habitat. Water quality objectives are then established to protect the beneficial uses of those water resources. The Regional Board implements the Basin Plan by issuing and enforcing waste discharge requirements to individuals, communities, or businesses whose discharges can affect water quality.

The U.S. Army Corps of Engineers (USACE), through Section 404 of the CWA, regulates the discharge of dredged or fill material into waters of the U.S., including wetlands. Waters of the U.S. are typically identified by the presence of an ordinary high water mark (OHWM) and connectivity to traditional navigable waters or other jurisdictional features. The State Water Resources Control Board (SWRCB) and nine RWQCBs regulate discharges of fill and dredged material in California, under Section 401 of the CWA and the State Porter-Cologne Water Quality Control Act, through the State Water Quality Certification Program. State Water Quality Certification is necessary for all projects that require a USACE permit, or fall under other federal

## Initial Study – Environmental Checklist

---

jurisdiction, or have the potential to impact waters of the State. Waters of the State are defined by the Porter-Cologne Act as any surface water or groundwater, including saline waters, within the boundaries of the state.

The proposed project is located within the Paso Robles Groundwater Basin, outside of the designated Paso Basin Area of Severe Decline.

Water for urban uses in the County is obtained from either surface impoundments such as Santa Margarita Lake, Whale Rock, and Lopez reservoirs, or from natural underground basins (aquifers). In October 2015, the County Board of Supervisors adopted a resolution which established the Countywide Water Conservation Program (CWWCP) in response to the declining water levels in the Nipomo Mesa sub-basin of the Santa Maria Groundwater Basin, Los Osos Groundwater Basin, and the Paso Robles Groundwater Basin (PRGWB). A key strategy of the CWWCP is to ensure that all new construction or new or expanded agriculture will be required to offset its predicted water use by reducing existing water use on other properties within the same water basin. Each of the three groundwater basin areas have specific policies that apply.

The County LUO dictates which projects are required to prepare a drainage plan, including any project that would, for example, change the runoff volume or velocity leaving any point of the site, result in an impervious surface of more than 20,000 square feet, or involve hillside development on slopes steeper than 10 percent. Preparation of a drainage plan is not required where grading is exclusively for an exempt agricultural structure, crop production, or grazing.

The County LUO also dictates that an erosion and sedimentation control plan is required year-round for all construction and grading permit projects and site disturbance activities of one-half acre or more in geologically unstable areas, on slopes steeper than 30 percent, on highly erodible soils, or within 100 feet of any watercourse.

Per the County's Stormwater Program, the Public Works Department is responsible for ensuring that new construction sites implement best management practices during construction, and that site plans incorporate appropriate post-construction stormwater runoff controls. Construction sites that disturb 1.0 acre or more must obtain coverage under the SWRCB's Construction General Permit. The Construction General Permit requires the preparation of a Stormwater Pollution Prevention Plan (SWPPP) to minimize on-site sedimentation and erosion. There are several types of projects that are exempt from preparing a SWPPP, including routine maintenance to existing developments, emergency construction activities, and projects exempted by the SWRCB or RWQCB. Projects that disturb less than 1.0 acre must implement all required elements within the site's erosion and sediment control plan as required by the San Luis Obispo County LUO.

For planning purposes, the flood event most often used to delineate areas subject to flooding is the 100-year flood. The County Safety Element establishes policies to reduce flood hazards and reduce flood damage, including but not limited to prohibition of development in areas of high flood hazard potential, discouragement of single road access into remote areas that could be closed during floods, and review of plans for construction in low-lying areas. All development located in a 100-year flood zone is subject to Federal Emergency Management Act (FEMA) regulations. The County Land Use Ordinance designates a Flood Hazard (FH) combining designation for areas of the County that could be subject to inundation by a 100-year flood or within coastal high hazard areas. Development projects within this combining designation are subject to FH permit and processing requirements, including, but not limited to, the preparation of a drainage plan, implementation of additional construction standards, and additional materials storage and

## Initial Study – Environmental Checklist

---

processing requirements for substances that could be injurious to human, animal or plant life in the event of flooding. The project site is not located within a Flood Hazard combining designation. The project site includes an existing unnamed drainage that is a tributary to Mustard Creek. The drainage is located in the southern portion of the project site, outside of the proposed development footprint.

The subject parcel includes an existing well, which would serve the proposed residence and landscaping. Two new 5,000 gallon water tanks would be located at the northwestern corner of the property, upslope from the residence. The project proposes to implement water conservation measures including low-flow fixtures, showers, and toilets. The project is located within the Paso Groundwater Basin, outside of the designated Paso Basin Area of Severe Decline.

The estimated water demand for the new residence is 300 gallons per day; the estimated water demand for the new landscaping is 223 gallons per day; the total estimated daily water use is 523 gallons per day, or 0.58 AFY. Per LUO Section 22.94.025 – Paso Robles Groundwater Basin, the proposed project would be required to offset new water use through verifiable evidence or participation in an approved county water conservation program.

The proposed project includes water conservation measures, including low-flow fixtures, showers and toilets. Vineyard water use was analyzed for consistency with the Paso Robles Subbasin Groundwater Sustainability Plan and the County's Agricultural Offset Ordinance (Project CON2022-00004)

As discussed above, the project will be required to offset the increased water demand. Based on the requirements of LUO 22.94.025, the project water offset can be accomplished through options including (but not limited to) removing irrigated ornamental landscape, implementing water management practices, implementation of the applicant-proposed measures discussed above, and payment of in-lieu fees prior to construction permit issuance.

### Discussion

- (a) *Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?*

The proposed project includes a total of 2.1 acres of disturbance, and a total of 7,700 cubic yards of cut material and 6,670 cubic yards of fill material. The project site supports erodible soils, and on-site slopes are gentle to steep. However, the project will be subject to standard County requirements for drainage, sedimentation and erosion control for construction and permanent use. Project grading will create exposed graded areas subject to increased soil erosion and down-gradient sedimentation. Adherence to the County's LUO for sedimentation and erosion control (Sec. 22.52.120) will adequately address these impacts. Additionally, disturbed areas will be permanently stabilized with impermeable surfaces and landscaping and stockpiles will be properly managed during construction to avoid material loss due to erosion.

To reduce construction-related surface water quality impacts, the project will be subject to Section 22.52.080 of the County's Land Use Ordinance (Title 22) which requires a drainage plan. Compliance with this plan will direct surface flows in a non-erosive manner through the site.

The project is subject to the County's Plumbing Code (Chapter 7 of the Building and Construction Ordinance [Title 19]), and/or the "Water Quality Control Plan, Central Coast Basin" for its domestic wastewater requirements, where wastewater impacts to the groundwater basin will be less than significant.

## Initial Study – Environmental Checklist

---

The proposed project improvements are not expected to impact the drainage that runs along the southern portion of the subject parcel.

Based on the project Biological Resources Assessment, there are no Section 404 permits required from the Army Corps of Engineers (Corps). However, Section 401 permitting from the Regional Water Quality Control Board (RWQCB), and a Section 1600 Streambed Alteration Agreement (SAA) permit from the CDFW will be required for this project. These permits will require the applicant to address erosion and sedimentation in addition to the requirements of BIO-1 and BIO-3.

Implementation of the project would not substantially change the volume or velocity of runoff leaving any point of the site or result in a significant increase in impervious surface area. Existing regulations and implementation of BIO-1 and BIO-3 will adequately address surface water quality impacts during construction and permanent use of the project. Therefore, potential impacts would be *less than significant with mitigation*.

- (b) *Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?*

The estimated water demand for the new residence is 300 gallons per day; the estimated water demand for the new landscaping is 223 gallons per day; the total estimated daily water use is 523 gallons per day, or 0.58 AFY. As discussed in the setting above, the project site lies within the Paso Robles Groundwater Basin which is in a critical state of overdraft and has been assigned a Level of Severity III by the County Resource Management System. Land Use Ordinance Section 22.94.025 sets forth regulations aimed at mitigating the effects of water demand associated with new development within the Paso Robles Groundwater Basin. Section 22.94.025 F. requires all new development requiring discretionary approval to offset the net new water demand at a ratio of 2:1 by participating in one or more of the following water conservation programs:

- Retiring the development potential of lots in the Paso Robles Groundwater basin through an agreement with the County or qualified land trust.
- Retrofitting plumbing fixtures in the Paso Robles Groundwater Basin.
- Purchasing supplemental water for a water supplier that uses groundwater from the main Paso Robles Groundwater Basin.
- Participating in an approved water conservation program in the Paso Robles Groundwater Basin that results in water savings.
- Reducing water demand in the Paso Robles Groundwater Basin through other means approved by the Planning Director.

The regulations state that any required offset of net new water demand must be completed at the time of final inspection or issuance of a certificate of occupancy unless an alternative completion time is approved by the review authority. In any case, the review authority must find the offsets to be verifiable, permanent and enforceable.

The project will be conditioned to comply with LUO Section 22.94.025. Through compliance with this code section, project impacts relating to water supply are not expected to substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin and project impacts are considered *less than significant*.



## Initial Study – Environmental Checklist

---

(c) *Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:*

(c-i) *Result in substantial erosion or siltation on- or off-site?*

The project will result in approximately 2.1 acres of site disturbance, including a total cut volume of 7,700 cubic yards and a total fill volume of 6,700 cubic yards, which has the potential to temporarily increase erosion and sedimentation on-site that could runoff into the identified hydrologic features and surrounding areas. The project would disturb more than 1 acre of soil and preparation of a SWPPP with BMPs would be required to reduce the potential for erosion to runoff from the site. All construction and grading activities within San Luis Obispo County are required to prepare an Erosion and Sedimentation Control Plan for all construction and grading permit projects per LUO Section 22.52.120. The plan would be prepared by a qualified engineer to ensure effective erosion and sedimentation control measures prior to, during, and following project construction. Although not required to reduce impacts related to a substantial increase in erosion or siltation, implementation of mitigation measures BIO-1 and BIO-3 would further protect the on-site drainages from a temporary increase in erosion at the project site. Based on required compliance with the LUO and SWRCB requirements, implementation of the proposed project would not result in substantial erosion or siltation on- or off-site, and impacts would be *less than significant*.

(c-ii) *Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site?*

Based on the County Flood Hazard Map, the project site is not located within a 100-year flood zone. The project would result in an increase in impervious surface area on the project property as a result of the construction of the proposed single-family residence and associated site improvements.

The proposed project includes ground disturbance greater than 1.0 acre and will be subject to post-construction stormwater requirements through preparation and implementation of a SWPPP. It should be noted that projects that disturb less than 1.0 acre must implement all required elements within the site's erosion and sediment control plan as required by the San Luis Obispo County LUO. Based on required compliance with applicable state and County drainage and stormwater control regulations, and implementation of the project SWPPP, the project's impacts associated with increased surface runoff resulting in flooding on- or off-site would be *less than significant*.

(c-iii) *Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff?*

The project includes ground disturbance of more than 1.0 acre and will be subject to post-construction stormwater requirements through preparation and implementation of a SWPPP. However, projects that disturb less than 1.0 acre must implement all required elements within the site's erosion and sediment control plan as required by the San Luis Obispo County LUO. Based on required compliance with applicable state and County drainage and stormwater control regulations, the project's impacts associated with increased surface runoff resulting in exceedance of the capacity of existing or planned drainage systems or provide substantial additional sources of polluted runoff would be *less than significant*.

## Initial Study – Environmental Checklist

(c-iv) *Impede or redirect flood flows?*

Based on the County Flood Hazard Map, the project site is not located within a 100-year flood zone. The project would be subject to standard County requirements for drainage, sedimentation, and erosion control for construction and operation. Compliance with County requirements will address drainage and flows. Therefore, *impacts would be less than significant*.

(d) *In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?*

Based on the County Safety Element, the project site is not located within a 100-year flood zone or within an area that would be inundated if dam failure were to occur. Based on the San Luis Obispo County Tsunami Inundation Maps, the project site is not located in an area with potential for inundation by a tsunami (DOC 2019). The project site is not located within close proximity to a standing body of water with the potential for a seiche to occur. Therefore, the project site has no potential to release pollutants due to project inundation and *no impacts would occur*.

(e) *Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?*

As discussed above, the proposed project site is in the Paso Robles Groundwater Basin and subject to the County's water off-set ordinances. Therefore, impacts relating to implementation of a water quality control plan or sustainable groundwater management plan are considered *less than significant*.

### Conclusion

With implementation of mitigation measures BIO-1 and BIO-3 and required compliance with SWRCB requirements and the LUO, the project would not result in adverse impacts related to water quality, groundwater quality, or stormwater runoff. The project is not within a flood hazard, tsunami, or seiche zone and would not risk release of pollutants due to project inundation. The project would be consistent with the RWQCB Basin Plan. Therefore, with implementation of mitigation measures BIO-1 and BIO-3, impacts related to hydrology and water quality would be *less than significant with mitigation*.

### Mitigation

Implement Mitigation Measures BIO-1 and BIO-3.

## XI. LAND USE AND PLANNING

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
<i>Would the project:</i>				
(a) Physically divide an established community?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

## Initial Study – Environmental Checklist

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
(b) Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

### Setting

The LUO was established to guide and manage the future growth in the County in accordance with the General Plan, to regulate land use in a manner that will encourage and support orderly development and beneficial use of lands, to minimize adverse effects on the public resulting from inappropriate creation, location, use or design of buildings or land uses, and to protect and enhance significant natural, historic, archeological, and scenic resources within the county. The LUO is the primary tool used by the County to carry out the goals, objectives, and policies of the County General Plan.

The County Land Use Element (LUE) provides policies and standards for the management of growth and development in each unincorporated community and rural areas of the county and serves as a reference point and guide for future land use planning studies throughout the county. The LUE identifies strategic growth principles to define and focus the county's pro-active planning approach and balance environmental, economic, and social equity concerns. Each strategic growth principle correlates with a set of policies and implementation strategies that define how land will be used and resources protected. The LUE also defines each of the 14 land use designations and identifies standards for land uses based on the designation they are located within. The proposed project site is zoned Agriculture (Ag). The surrounding properties and all adjacent parcels are also designated Ag by the County Land Use Element.

The inland LUE also contains the area plans of each of the four inland planning areas: Carrizo, North County, San Luis Obispo, and South County. The area plans establish policies and programs for land use, circulation, public facilities, services, and resources that apply "areawide", in rural areas, and in unincorporated urban areas within each planning area. Part three of the LUE contains each of the 13 inland community and village plans, which contain goals, policies, programs, and related background information for the County's unincorporated inland urban and village areas. The project is located within the North County Planning Area and El Pomar/Estrella Sub Area.

The proposed project is located in an area designated Residential Rural by the County of San Luis Obispo. The project site is surrounded by agricultural parcels and rural residences. Surrounding uses are identified on Page 2 of this Initial Study and the proposed project is considered compatible with these surrounding uses as discussed above under Section I, Aesthetics. The proposed project was reviewed for consistency with policy and regulatory documents relating to the environment and appropriate land use (e.g., County Land Use Ordinance, North County Area Plan, etc.). Referrals were sent to outside agencies and other County departments to review for policy consistencies (e.g., County Fire/CAL FIRE for Fire Code, Environmental Health, Public Works, Agricultural Department, and Native American Tribes etc.). The project was found to be consistent with these documents (refer also to Exhibit A on reference documents used).

## Initial Study – Environmental Checklist

---

The portion of the subject site where the residential development is proposed falls within the County's Highway Corridor Design Standards as outlined in the Land Use Ordinance (LUO) Section 22.10.095. As discussed in the LUO, the purpose of the highway design standards is to provide public views of scenic vistas and backdrops of varied topography, significant stands of trees and wildflowers, and natural landmarks, historic buildings and pastoral settings. This section of the LUO includes standards for maintaining scenic views and the rural character along portions of Highways 41 and 101.

### *Discussion*

(a) *Physically divide an established community?*

The project does not propose project elements or components that would physically divide the site from surrounding areas and uses. The project would be consistent with the general level of development within the project vicinity and would not create, close, or impede any existing public or private roads, or create any other barriers to movement or accessibility within the community. Therefore, the proposed project would not physically divide an established community and *no impacts would occur*.

(b) *Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?*

The project site is located within the Highway Corridor Design standards for Highway 101 under LUO Section 22.10.095 which identifies project design requirements to address development in a designated scenic vista. As discussed in the project Visual Analysis, the proposed residential structure is setback approximately 3,600 feet from Highway 101, which exceeds the setback requirement of 100 feet as defined by LUO. Highway 101 is not visible from anywhere on the subject property. In addition, the proposed residence will not silhouette against the skyline since the tallest part of the residence has a height of 25.53 feet and an elevation of 1,045 feet whereas the hillside behind the residence has an elevation of approximately 1,046 feet.

In order to verify the existing project site conditions and potential views discussed above, a site visit was completed by County staff on December 2, 2021. In a follow-up visit on December 6, 2021, it was determined that there is a general lack of visibility of the subject property from Highway 101. A subsequent field survey was completed on April 26, 2022 to confirm the visual status of the project based on a revised structural footprint.

As a result of the field verification and visual analysis, Highway 101 is not visible from any point on the property and the proposed single-family residence will not be visible from Highway 101 and the proposed structure will not silhouette against the skyline at the tallest part of the residence.

A photoset was also included in the project visual analysis showing views from key project site viewpoints. As shown, the project site and proposed residence location is screened from views along Highway 101 and portions of Villa Lots Road by existing topography and intervening vegetation. There are several existing neighboring residences located in proximity to the proposed project development site. This includes a neighboring residence located at a higher elevation compared to the proposed project, and several residential structures at similar elevations to the proposed project. These locations are mapped as part of the visual analysis showing their footprint on the landscape in association with the proposed project.

## Initial Study – Environmental Checklist

---

The project consistency with the applicable requirements of the County's Highway Corridor Design Standards, LUO Section 22.10.095 is summarized in detail above, under Section I, Aesthetics. As described, the project impacts related to consistency with this section of the LUO are considered less than significant.

In addition, the project includes a request for a Variance for grading on slopes greater than 30% per Section 22.62.070 of the County LUO. As discussed in the LUO, a Variance may be conditionally approved by the Planning Commission only where it can be demonstrated that the variance does not constitute a grant of special privileges, there are special circumstances applicable to the property, does not authorize a use that is not otherwise authorized in the land use category, and does not adversely affect public health or safety. For the proposed project, the average slope across the site is estimated at 11%; however, the driveway would be constructed on slopes of up to 35%. The applicant has indicated that other driveway design options were explored but avoidance of slopes greater than 30% was determined to be infeasible. The proposed driveway would be improved and engineered to meet County Public Works and CalFire standards and has been designed to limit impacts to the on-site unnamed drainage and result in the least amount of ground disturbance. As such, adverse effects related to public health and safety would be considered *less than significant*.

The project would be consistent with all other setback requirements, land use designations and the guidelines and policies for development within the applicable area plan, Inland LUO, and the COSE. The project was found to be consistent with standards and policies set forth in the County of San Luis Obispo General Plan, the North County Area Plan, the SLOAPCD Clean Air Plan, and other land use policies for this area. The project would be required to be consistent with standards set forth by County Fire/CAL FIRE and the County Public Works Department. With the granting of the requested modifications, the project would be consistent with existing land uses and designations for the proposed site and, therefore, would not conflict with any applicable land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating environmental effects. The project is consistent with existing surrounding developments and does not contain sensitive on-site resources; therefore, the project would not conflict with policies or regulations adopted for the purpose of avoiding or mitigating environmental effects.

The project would be required to implement measures to mitigate potential impacts associated with air quality, biological resources, and hydrology and water quality; therefore, with mitigation, the project would not conflict with policies or regulations adopted for the purpose of avoiding or mitigating environmental effects and impacts would be *less than significant with mitigation*.

### Conclusion

The project would be consistent with local and regional land use designations, plans, and policies and would not divide an established community. Potential impacts related to land use and planning would be *less than significant with mitigation* measures associated with air quality, biological resources, and geology and soils.

### Mitigation

Implement mitigation measures AQ-1 and AQ-2, BIO-1 through BIO-8, and GEO-1.



## Initial Study – Environmental Checklist

### XII. MINERAL RESOURCES

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
<i>Would the project:</i>				
(a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
(b) Result in the loss of availability of a locally- important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

#### Setting

The California Surface Mining and Reclamation Act of 1975 (SMARA) requires that the State Geologist classify land into mineral resource zones (MRZ) according to the known or inferred mineral potential of the land (Public Resources Code Sections 2710–2796).

The three MRZs used in the SMARA classification-designation process in the San Luis Obispo-Santa Barbara Production-Consumption Region are defined below (California Geological Survey 2011a):

- **MRZ-1:** Areas where available geologic information indicates that little likelihood exists for the presence of significant mineral resources.
- **MRZ-2:** Areas where adequate information indicates that significant mineral deposits are present, or where it is judged that a high likelihood for their presence exists. This zone shall be applied to known mineral deposits or where well-developed lines of reasoning, based upon economic-geologic principles and adequate data, demonstrate that the likelihood for occurrence of significant mineral deposits is high.
- **MRZ-3:** Areas containing known or inferred aggregate resources of undetermined significance.

The County LUO provides regulations for development in delineated Energy and Extractive Resource Areas (EX) and Extractive Resource Areas (EX1). The EX combining designation is used to identify areas of the county where:

1. Mineral or petroleum extraction occurs or is proposed to occur;
2. The state geologist has designated a mineral resource area of statewide or regional significance pursuant to PRC Sections 2710 et seq. (SMARA); and,
3. Major public utility electric generation facilities exist or are proposed.

The purpose of this combining designation is to protect significant resource extraction and energy production areas identified by the County LUE from encroachment by incompatible land uses that could

## Initial Study – Environmental Checklist

hinder resource extraction or energy production operations, or land uses that would be adversely affected by extraction or energy production.

### Discussion

- (a) *Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?*

The project is not located within a designated mineral resource zone or within an Extractive Resource Area combining designation. There are no known mineral resources in the project area; therefore, *no impacts would occur*.

- (b) *Result in the loss of availability of a locally- important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?*

There are no known or mapped mineral resources in the project area and the likelihood of future mining of important resources within the project area is very low. Therefore, *no impacts would occur*.

### Conclusion

No impacts to mineral resources would occur and no mitigation measures are necessary.

### Mitigation

None necessary.

## XIII. NOISE

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
<i>Would the project result in:</i>				
(a) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(b) Generation of excessive groundborne vibration or groundborne noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(c) For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

## Initial Study – Environmental Checklist

---

### *Setting*

The San Luis Obispo County Noise Element of the General Plan provides a policy framework for addressing potential noise impacts in the planning process. The purpose of the Noise Element is to minimize future noise conflicts. The Noise Element identifies the major noise sources in the county (highways and freeways, primary arterial roadways and major local streets, railroad operations, aircraft and airport operations, local industrial facilities, and other stationary sources) and includes goals, policies, and implementation programs to reduce future noise impacts. Among the most significant policies of the Noise Element are numerical noise standards that limit noise exposure within noise-sensitive land uses, and performance standards for new commercial and industrial uses that might adversely impact noise-sensitive land uses.

Noise sensitive uses that have been identified by the County include the following:

- Residential development, except temporary dwellings
- Schools – preschool to secondary, college and university, specialized education and training
- Health care services (e.g., hospitals, clinics, etc.)
- Nursing and personal care
- Churches
- Public assembly and entertainment
- Libraries and museums
- Hotels and motels
- Bed and breakfast facilities
- Outdoor sports and recreation
- Offices

All sound levels referred to in the Noise Element are expressed in A-weighted decibels (dB). A-weighting de-emphasizes the very low and very high frequencies of sound in a manner similar to the human ear.

The proposed project is limited to the development of a single-family residence and associated improvements. As discussed above under Section III, Air Quality, rural residences occur on adjacent parcels to the north, south and west. The nearest off-site neighboring residences are located on adjacent parcels approximately 250 feet to the north and over 700 feet west of the subject property.

The existing ambient noise environment is characterized by marginal traffic neighboring rural roadways, as well as agricultural equipment from surrounding agricultural and residential properties. Highway 101 is located over ½-mile west of the subject property and associated traffic noise is relatively absent.

The proposed project site is not within loud noise source based on the County's noise contour map. The nearest existing noise-sensitive land use are the rural residential developments discussed above.

## Initial Study – Environmental Checklist

### Discussion

- (a) *Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?*

The County of San Luis Obispo LUO establishes acceptable standards for exterior and interior noise levels and describe how noise shall be measured. Exterior noise level standards are applicable when a land use affected by noise is one of the sensitive uses listed in the Noise Element. Exterior noise levels are measured from the property line of the affected noise-sensitive land use.

**Table 4. Maximum Allowable Exterior Noise Level Standards<sup>(1)</sup>**

Sound Levels	Daytime 7 a.m. to 10 p.m.	Nighttime <sup>(2)</sup>
Hourly Equivalent Sound Level (L <sub>eq</sub> , dB)	50	45
Maximum level, dB	70	65

(1) When the receiving noise-sensitive land use is outdoor sports and recreation, the noise level standards are increased by 10 db.

(2) Applies only to uses that operate or are occupied during nighttime hours

The County LUO noise standards are subject to a range of exceptions, including noise sources associated with construction, provided such activities do not take place before 7 a.m. or after 9 p.m. on weekdays, or before 8 a.m. or after 5 p.m. on Saturday or Sunday. Noise associated with agricultural land uses (as listed in Section 22.06.030), traffic on public roadways, railroad line operations, and aircraft in flight are also exempt.

Project construction would result in a temporary increase in noise levels associated with construction activities, equipment, and vehicle trips. Construction noise would be variable, temporary, and limited in nature and duration. The County LUO requires that construction activities be conducted during daytime hours to be able to utilize County construction noise exception standards and that construction equipment be equipped with appropriate mufflers recommended by the manufacturer. Compliance with these standards would ensure short-term construction noise would be less than significant.

The project is not expected to generate loud noises, nor conflict with the surrounding uses. Based on the Noise Element's projected future noise generation from known stationary and vehicle-generated noise sources, the project is within an acceptable threshold area. Compliance with these standards would ensure noise impacts would be *less than significant*.

- (b) *Exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels?*

The project does not propose substantial grading/earthmoving activities, pile driving, or other high impact activities that would generate substantial groundborne noise or groundborne vibration during construction. Construction equipment has the potential to generate minor groundborne noise and/or vibration, but these activities would be limited in duration and are not likely to be perceptible from adjacent areas. The project does not propose a use that would generate long-term

## Initial Study – Environmental Checklist

operational groundborne noise or vibration. Therefore, impacts related to exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels would be *less than significant*.

- (c) *For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?*

The project site is located outside of the Paso Robles Municipal Airport Land Use Plan Noise Contours as mapped in the Airport Land Use Plan. The project would not expose people living or working in the project area to excessive noise levels; therefore, *no impact would occur*.

### Conclusion

Short-term construction activities would be limited in nature and duration and conducted during daytime periods per County LUO standards. No long-term operational noise or ground vibration would occur as a result of the project. Therefore, potential impacts related to noise would be less than significant and no mitigation measures are necessary.

### Mitigation

None necessary.

## XIV. POPULATION AND HOUSING

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
<i>Would the project:</i>				
(a) Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(b) Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

### Setting

The County of San Luis Obispo General Plan Housing Element recognizes the difficulty for residents to find suitable and affordable housing within San Luis Obispo County. The Housing Element includes an analysis of vacant and underutilized land located in urban areas that is suitable for residential development and considers zoning provisions and development standards to encourage development of these areas. Consistent with State housing element laws, these areas are categorized into potential sites for very low- and low-income households, moderate-income households, and above moderate-income households.

## Initial Study – Environmental Checklist

---

The County's Inclusionary Housing Ordinance requires the provision of new affordable housing in conjunction with both residential and nonresidential development and subdivisions. In its efforts to provide for affordable housing, the County currently administers the Home Investment Partnerships (HOME) Program and the Community Development Block Grant (CDBG) program, which provides limited financing to projects relating to affordable housing throughout the county.

New structural development under the proposed project would be limited to a single-family residence and associated improvements. The proposed residence would consist of a 3,216 square foot home, and would include a 1,125 square foot garage, 144 square foot covered porch, 1,728 square foot entry courtyard and a 1,523 square foot patio. As such, inclusionary Housing fees will not be required.

As discussed above under Section III, Air Quality, rural residences occur on adjacent parcels to the north, south and west. The nearest off-site neighboring residences are located on adjacent parcels approximately 250 feet to the north and over 700 feet west of the subject property.

### Discussion

- (a) *Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?*

The project does is limited to the development of a proposed single-family residence and associated improvements. The project would not generate a substantial number of new employment opportunities that would encourage population growth in the area. The project does not include the extension or establishment of roads, utilities, or other infrastructure that would induce development and population growth in new areas. In addition, the project would be subject to inclusionary housing fees to offset any potential increased need for housing in the area. Therefore, the project would not directly or indirectly induce substantial growth and impacts would be *less than significant*.

- (b) *Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?*

The project would not displace existing housing or necessitate the construction of replacement housing elsewhere; therefore, *no impacts would occur*.

### Conclusion

No impacts to population and housing would occur and no mitigation measures are necessary.

### Mitigation

None necessary.



## Initial Study – Environmental Checklist

## XV. PUBLIC SERVICES

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
(a) Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:				
Fire protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Police protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Schools?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Parks?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Other public facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

*Setting*

Fire protection services in unincorporated San Luis Obispo County are provided by the California Department of Forestry and Fire Protection (CAL FIRE), which has been under contract with the County of San Luis Obispo to provide full-service fire protection since 1930. Approximately 180 full-time state employees operate the County Fire Department, supplemented by as many as 100 state seasonal fire fighters, 300 County paid-call and reserve fire fighters, and 120 state inmate fire fighters. CAL FIRE responds to emergencies and other requests for assistance, plans for and takes action to prevent emergencies and to reduce their impact, coordinates regional emergency response efforts, and provides public education and training in local communities. CAL FIRE has 24 fire stations located throughout the county. The proposed project is located in a High Fire Hazard Severity Zone. The project site is within an area classified as State Responsibility Area. The nearest Cal Fire/County Fire station (Cal Fire Station 52) is located at 4050 Branch Drive, approximately 4.1 vehicular miles east of the project site. Based on the County's response time map, it will take approximately 5-10 minutes to respond to a call regarding fire or life safety.

Police protection and emergency services in the unincorporated portions of the county are provided by the San Luis Obispo County Sheriff's Office. The Sheriff's Office Patrol Division responds to calls for service, conducts proactive law enforcement activities, and performs initial investigations of crimes. Patrol personnel are deployed from three stations throughout the county, the Coast Station in Los Osos, the North

## Initial Study – Environmental Checklist

---

Station in Templeton, and the South Station in Oceano. The proposed project area is served by County Sheriff and the nearest station is the North Station in Templeton, 356 North Main Street in the Community of Templeton, located approximately 8.5 vehicular miles south of the project site.

San Luis Obispo County has a total of 12 school districts that currently enroll approximately 34,000 students in over 75 schools. The project is within the Paso Robles Joint Unified School District, which includes six elementary schools, two middle school, and two high schools.

Within the County's unincorporated areas, there are currently 23 parks, three golf courses, four trails/staging areas, and eight Special Areas that include natural areas, coastal access, and historic facilities currently operated and maintained by the County.

Public facilities fees, Quimby fees, and developer conditions are several ways the County currently funds public services. A public facility fee program (i.e., development impact fee program) has been adopted to address impacts related to public facilities (county) and schools (State Government Code 65995 et seq.). The fee amounts are assessed annually by the County based on the type of proposed development and the development's proportional impact and are collected at the time of building permit issuance. Public facility fees are used as needed to finance the construction of and/or improvements to public facilities required to serve new development, including fire protection, law enforcement, schools, parks, and roads.

### *Discussion*

- (a) *Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:*

#### *Fire protection?*

The project would be required to comply with all fire safety rules and regulations including the California Fire Code and Public Resources Code prior to issuance of building permits. Based on the limited nature of development proposed, the project would not result in a significant increase in demand for fire protection services. The project would be served by existing fire protection services and would not result in the need for new or altered fire protection services or facilities. The project would also be subject to development impact fees to offset the project's contribution to demand for fire protection services.

In addition, the proposed project was reviewed by CalFire for fire safety. In their response (December 15, 2021) CalFire specified the project must meet fire code at the time of permitting. With the incorporation of the CalFire requirements, impacts would be *less than significant*.

#### *Police protection?*

The project does not propose a new use or activity that would require additional police services above what is normally provided for similar surrounding land uses. The project would not result in a significant increase in demand for police protection services and would not result in the need for new or altered police protection services or facilities. In addition, the project would be subject to development impact fees to offset the project's contribution to demand on law enforcement services. Therefore, impacts related to police services would be *less than significant*.

## Initial Study – Environmental Checklist

### Schools?

As discussed in Section XIV. Population and Housing, the project would not induce a substantial increase in population growth and would not result in the need for additional school services or facilities to serve new student populations. Therefore, potential impacts would be *less than significant*.

### Parks?

As discussed in Section XIV. Population and Housing, the project would not induce a substantial increase in population growth and would not result in the need for additional parks or recreational services or facilities to serve new populations. Therefore, potential impacts would be *less than significant*.

### Other public facilities?

As discussed above, the proposed project would be subject to applicable fees to offset negligible increased demands on public facilities; therefore, impacts related to other public facilities would be *less than significant*.

### Conclusion

The project does not propose development that would substantially increase demands on public services and would not induce population growth that would substantially increase demands on public services. The project would be subject to payment of development impact fees to reduce the project's negligible contribution to increased demands on public services and facilities. Therefore, potential impacts related to public services would be less than significant and no mitigation measures are necessary.

### Mitigation

None necessary.

## XVI. RECREATION

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
(a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(b) Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

## Initial Study – Environmental Checklist

---

### Setting

The County of San Luis Obispo Parks and Recreation Element (Recreation Element) establishes goals, policies, and implementation measures for the management, renovation, and expansion of existing, and the development of new, parks and recreation facilities in order to meet existing and projected needs and to assure an equitable distribution of parks throughout the county.

Public facilities fees, Quimby fees, and developer conditions are several ways the County currently funds public parks and recreational facilities. Public facility fees are collected upon construction of new residential units and currently provide funding for new community-serving recreation facilities. Quimby Fees are collected when new residential lots are created and can be used to expand, acquire, rehabilitate, or develop community-serving parks. Finally, a discretionary permit issued by the County may condition a project to provide land, amenities, or facilities consistent with the Recreation Element.

The County Bikeways Plan identifies and prioritizes bikeway facilities throughout the unincorporated area of the county, including bikeways, parking, connections with public transportation, educational programs, and funding. The Bikeways Plan is updated every 5 years and was last updated in 2016. The plan identifies goals, policies, and procedures geared towards realizing significant bicycle use as a key component of the transportation options for San Luis Obispo County residents. The plan also includes descriptions of bikeway design and improvement standards, an inventory of the current bicycle circulation network, and a list of current and future bikeway projects within the county.

### Discussion

- (a) *Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?*

The proposed project is limited to a new single-family residence and associated improvements. The project is not proposed in a location that would affect any existing trail, park, recreational facility, coastal access, and/or natural area. The project would not result in substantial growth within the area and would not substantially increase demand on any proximate existing neighborhood or regional parks or other recreational facilities. Payment of standard development impact fees would ensure any incremental increase in use of existing parks and recreational facilities would be reduced to *less than significant*.

- (b) *Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?*

The proposed project does not include the construction of new recreational facilities and would not result in a substantial increase in demand for or use of parks and recreational facilities. Implementation of the project would not require the construction or expansion of recreational facilities; therefore, *less than significant impacts would occur*.

### Conclusion

The project would not result in the significant increase in use, construction, or expansion of parks or recreational facilities. Therefore, potential impacts related to recreation would be less than significant and no mitigation measures are necessary.

### Mitigation

None necessary.

## Initial Study – Environmental Checklist

### XVII. TRANSPORTATION

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
<i>Would the project:</i>				
(a) Conflict with a program plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(b) Would the project conflict or be inconsistent with CEQA Guidelines section 15064.3, subdivision (b)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(c) Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(d) Result in inadequate emergency access?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

#### Setting

The County Department of Public Works maintains updated traffic count data for all County-maintained roadways. In addition, Traffic Circulation Studies have been conducted within several community areas using traffic models to reasonably simulate current traffic flow patterns and forecast future travel demands and traffic flow patterns. These community Traffic Circulation Studies include the South County Circulation Study, Los Osos Circulation Study, Templeton Circulation Study, San Miguel Circulation Study, Avila Circulation Study, and North Coast Circulation Study. The California Department of Transportation (Caltrans) maintains annual traffic data on state highways and interchanges within the county.

In 2013, Senate Bill 743 was signed into law with the intent to “more appropriately balance the needs of congestion management with statewide goals related to infill development, promotion of public health through active transportation, and reduction of greenhouse gas emissions” and required the Governor’s Office of Planning and Research (OPR) to identify new metrics for identifying and mitigating transportation impacts within CEQA. As a result, in December 2018, the California Natural Resources Agency certified and adopted updates to the State CEQA Guidelines. The revisions included new requirements related to the implementation of Senate Bill 743 and identified vehicle miles traveled (VMT) per capita, VMT per employee, and net VMT as new metrics for transportation analysis under CEQA (as detailed in Section 15064.3 [b]). Beginning July 1, 2020, the newly adopted VMT criteria for determining significance of transportation impacts must be implemented statewide.

The San Luis Obispo Council of Governments (SLOCOG) holds several key roles in transportation planning within the county. As the Regional Transportation Planning Agency (RTPA), SLOCOG is responsible for

## Initial Study – Environmental Checklist

---

conducting a comprehensive, coordinated transportation program, preparation of a Regional Transportation Plan (RTP), programming of state funds for transportation projects, and the administration and allocation of transportation development act funds required by state statutes. As the Metropolitan Planning Organization (MPO), SLOCOG is also responsible for all transportation planning and programming activities required under federal law. This includes development of long-range transportation plans and funding programs, and the approval of transportation projects using federal funds.

The 2019 RTP, adopted June 5, 2019, is a long-term blueprint of San Luis Obispo County's transportation system. The plan identifies and analyzes transportation needs of the region and creates a framework for project priorities. SLOCOG represents and works with the County of San Luis Obispo as well as the Cities within the county in facilitating the development of the RTP.

The County Department of Public Works establishes bicycle paths and lanes in coordination with the RTP, which outlines how the region can establish an extensive bikeway network. County bikeway facilities are funded by state grants, local general funds, and developer contributions. The RTP also establishes goals and recommendations to develop, promote, and invest in the public transit systems, rail systems, air services, harbor improvements, and commodity movements within the county in order to meet the needs of transit-dependent individuals and encourage the increasing use of alternative modes by all travelers that choose public transportation. Local transit systems are presently in operation in the cities of Morro Bay and San Luis Obispo, and South County services are offered to Grover Beach, Arroyo Grande, Pismo Beach, and Oceano. Dial-a-ride systems provide intra-community transit in Morro Bay, Atascadero, and Los Osos. Inter-urban systems operate between the City of San Luis Obispo and South County, Los Osos, and the North Coast.

The County's Framework for Planning (Inland), includes the Land Use and Circulation Elements of the County's General Plan. The Framework establishes goals and strategies to meet pedestrian circulation needs by providing usable and attractive sidewalks, pathways, and trails to establish maximum access and connectivity between land use designations. Due to the location of the project site, there are no pedestrian, bicycle, or public transit facilities serving the project site.

### *Discussion*

- (a) *Conflict with a program, plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?*

The project is limited to the proposed single-family residence and does not propose the substantial temporary or long-term alteration of any proximate transportation facilities. Motor vehicle trips associated with the project are expected to be approximately 9.6 trips per day (ITE Trip Generation for Single-Family Detached Land Use). Construction activities will require temporary construction trips to and from the site.

The project would not noticeably impact traffic operations on Villa Lots Road or surrounding roadways, would not reduce levels of service on nearby roads, conflict with adopted policies, plans or programs for transportation, and would not cause congestion on the local circulatory network. The project would not be likely to generate foot or bicycle traffic, or generate public transit demand and would have a less than impact on levels of service/conditions for these facilities.

Marginal increases in traffic can be accommodated by existing local streets and the project would not result in any long-term changes in traffic or circulation or reduce the Level of Service below LOS "C". The project does not propose uses that would interfere or conflict with applicable policies



## Initial Study – Environmental Checklist

---

related to circulation, transit, roadway, bicycle, or pedestrian systems or facilities. The project would be consistent with the County Framework for Planning (Inland) and consistent with the projected level of growth and development identified in the 2019 RTP. Therefore, potential impacts would be *less than significant*.

(b) *Would the project conflict or be inconsistent with CEQA Guidelines section 15064.3, subdivision (b)?*

Section 15064.3, subdivision (b) states that if existing models or methods are not available to estimate the vehicle miles traveled for the particular project being considered, a lead agency may analyze the project's vehicle miles traveled qualitatively. As discussed in the project transportation analysis, the County released draft guidelines in 2021 for evaluating transportation impacts using VMT consistent with recently mandated changes to CEQA. Small projects consistent with the General Plan and generating fewer than 110 daily trips are presumed to have a less-than-significant impact.

As shown above, the project would generate significantly less than the 27,610 annual trip threshold. Therefore, the impacts related to VMT are considered *less than significant*, and no mitigations are required or recommended.

(c) *Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?*

The proposed project is located on Villa Lots Road and is limited to the development of a single-family residence and associated improvements. The primary access to Villa Lots Road (private road) is from Wild Rose Lane from Vine Street. There is a proposed new 16-foot-wide paved driveway that would lead to the proposed residence site. Construction of the proposed driveway would include installation of a culvert and drain inlets. The driveway would be located within the "flag" portion of the subject parcel as well as the 15-foot easement along the westerly edge of Parcel 3 (APN 015-011-015). The project is not expected to create a need for roadway improvements outside of the proposed driveway and the application for an associated easement for driveway construction. Impacts related to roadway safety are considered *less than significant*.

(d) *Result in inadequate emergency access?*

The project would not result in road closures during short-term construction activities or long-term operations. Individual access to adjacent properties would be maintained during construction activities and throughout the project area. Project implementation would not affect long-term access through the project area and sufficient alternative access exists to accommodate regional trips. Therefore, the project would not adversely affect existing emergency access and *no impacts would occur*.

### Conclusion

The project would not alter existing transportation facilities or result in the generation of substantial additional trips or vehicle miles traveled. Payment of standard development fees and compliance with existing regulations would ensure potential impacts related to conflicts with a program, plan, ordinance or policy, conflicts or inconsistency with CEQA Guidelines section 15064.3, subdivision (b), and emergency access would be reduced to less than significant. No mitigation is required.

### Mitigation

No mitigation is required.

## Initial Study – Environmental Checklist

### XVIII. TRIBAL CULTURAL RESOURCES

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
(a) Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:				
(i) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k), or	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(ii) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resource Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

#### Setting

Approved in 2014, AB 52 added tribal cultural resources to the categories of resources that must be evaluated under CEQA. Tribal cultural resources are defined as either of the following:

- 1) Sites, features, cultural landscapes, sacred places, and objects with cultural value to a California Native American tribe that are either of the following:
  - a. Included or determined to be eligible for inclusion in the California Register of Historical Resources; or
  - b. Included in a local register of historical resources as defined in subdivision (k) of California Public Resources Code Section 5020.1.

## Initial Study – Environmental Checklist

---

- 2) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of California Public Resources Code Section 5024.1. In applying these criteria for the purposes of this paragraph, the lead agency shall consider the significance of the resource to a California Native American Tribe.

Recognizing that tribes have expertise with regard to their tribal history and practices, AB 52 requires lead agencies to provide notice to tribes that are traditionally and culturally affiliated with the geographic area of a proposed project if they have requested notice of projects proposed within that area. If the tribe requests consultation within 30 days upon receipt of the notice, the lead agency must consult with the tribe regarding the potential for adverse impacts on tribal cultural resources as a result of a project. Consultation may include discussing the type of environmental review necessary, the presence and/or significance of tribal cultural resources, the level of significance of a project's impacts on the tribal cultural resources, and available project alternatives and mitigation measures recommended by the tribe to avoid or lessen potential impacts on tribal cultural resources.

In accordance with AB 52 Cultural Resources requirements, outreach to the Salinan Tribe of Monterey and San Luis Obispo Counties, *tiṭvu tiṭvu yak tiḥini* Northern Chumash, and Northern Chumash Tribal Council occurred on November 4, 2021. As of this date, the County has not received a request for consultation.

### Discussion

- (a) *Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:*

- (a-i) *Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k)?*

The County has provided notice of the opportunity to consult with appropriate tribes per the requirements of AB 52. The project site is not expected to support the presence of archaeological resources within or adjacent to the project area and no further archaeological study is recommended. Potential impacts associated with the inadvertent discovery of tribal cultural resources would be subject to LUO 22.10.040 (Archaeological Resources), which requires that in the event resources are encountered during project construction, construction activities shall cease, and the County Planning and Building Department shall be notified of the discovery so that the extent and location of discovered materials may be recorded by a qualified archaeologist, and the disposition of artifacts may be accomplished in accordance with state and federal law. Therefore, impacts related to a substantial adverse change in the significance of tribal cultural resources would be *less than significant*.

- (a-ii) *A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resources Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe.*

The project site does not contain any resources determined by the County to be a potentially significant tribal cultural resource. Impacts associated with potential inadvertent discovery would be

## Initial Study – Environmental Checklist

minimized through compliance with existing standards and regulations (LUO 22.10.040). Therefore, potential impacts would be *less than significant*.

### Conclusion

No tribal cultural resources are known or expected to occur within or adjacent to the project site. In the event unanticipated sensitive resources are discovered during project activities, adherence with County LUO standards and State Health and Safety Code procedures would reduce potential impacts to less than significant; therefore, potential impacts to tribal cultural resources would be less than significant and no mitigation measures are necessary.

### Mitigation

None necessary.

## XIX. UTILITIES AND SERVICE SYSTEMS

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
<i>Would the project:</i>				
(a) Require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
(b) Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(c) Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
(d) Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

## Initial Study – Environmental Checklist

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
(e) Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

### Setting

The County Public Works Department provides water and wastewater services for specific County Service Areas (CSAs) that are managed through issuance of water/wastewater “will serve” letters. The Department of Public Works currently maintains CSAs for the communities of Nipomo, Oak Shores, Cayucos, Avila Beach, Shandon, the San Luis Obispo County Club, and Santa Margarita. Other unincorporated areas in the County rely on on-site wells and individual wastewater systems. Regulatory standards and design criteria for onsite wastewater treatment systems are provided by the Water Quality Control Policy for Siting, Design, Operation, and Maintenance of Onsite Wastewater Treatment Systems (California OWTS Policy).

Per the County’s Stormwater Program, the Public Works Department is responsible for ensuring that new construction sites implement best management practices during construction, and that site plans incorporate appropriate post-construction stormwater runoff controls. Construction sites that disturb 1.0 acre or more must obtain coverage under the SWRCB’s Construction General Permit. Pacific Gas & Electric Company (PG&E) is the primary electricity provider and both PG&E and Southern California Gas Company provide natural gas services for urban and rural communities within the County of San Luis Obispo. Existing on-site utility infrastructure is limited to the existing residence and vineyard operation. Please refer to Section X, Hydrology and Water Quality, for a detail discussion of existing water infrastructure on the project site.

There are three landfills in San Luis Obispo County: Cold Canyon Landfill, located near the City of San Luis Obispo, Chicago Grade Landfill, located near the community of Templeton, and Paso Robles Landfill, located east of the City of Paso Robles. The project’s solid waste needs would be served by Mid-State Solid Waste and Recycling and the Paso Robles Landfill.

### Discussion

- (a) *Require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electrical power, natural gas, or telecommunications facilities, the construction of which could cause significant environmental effects?*

The subject parcel includes an existing well, which would serve the proposed residence and landscaping. Two new 5,000-gallon water tanks would be located at the northwestern corner of the property, upslope from the residence. The project proposes to implement water conservation measures including low-flow fixtures, showers, and toilets. The project is located within the Paso Groundwater Basin, outside of the designated Paso Basin Area of Severe Decline. The estimated water demand for the new residence is 300 gallons per day; the estimated water demand for the new landscaping is 223 gallons per day or 0.25 acre-feet per year (AFY), below the maximum allowance of 0.55 AFY for residential areas. Per LUO Section 22.94.025 – Paso Robles Groundwater Basin, the proposed project would be required to offset new water use through verifiable evidence or participation in an approved county water conservation program.

## Initial Study – Environmental Checklist

---

The domestic wastewater system will be required to be reviewed during the building permit process to determine if it is sized appropriately to accommodate the additional units. Energy needs will be provided through the proposed connection to existing infrastructure. The project would not require the expansion of existing community facilities. Therefore, impacts would be *less than significant*.

Prior to building permit issuance, the domestic septic systems will be evaluated in greater detail to ensure compliance with the Central Coast Basin and will not be approved if Basin Plan criteria cannot be met. Based on compliance with existing regulations and requirements, potential wastewater impacts would be *less than significant*.

- (b) *Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years?*

The subject parcel includes an existing well, which would serve the proposed residence and landscaping. The project is located within the Paso Groundwater Basin, outside of the designated Paso Basin Area of Severe Decline. Per LUO Section 22.94.025 – Paso Robles Groundwater Basin, the proposed project would be required to offset new water use through verifiable evidence or participation in an approved county water conservation program.

Two new 5,000-gallon water tanks would be located at the northwestern corner of the property, upslope from the residence. The estimated water demand for the new residence is 300 gallons per day; the estimated water demand for the new landscaping is 223 gallons per day; the total estimated daily water use is 523 gallons per day, or 0.58 AFY. Per LUO Section 22.94.025 – Paso Robles Groundwater Basin, the proposed project would be required to offset new water use at a 2:1 ratio through verifiable evidence or participation in an approved county water conservation program.

The project would be consistent with existing and planned levels and types of development in the project area and would not create new or expanded water supply entitlements. It is not anticipated that the project would deplete groundwater supplies or interfere substantially with groundwater recharge upon implementation of the required water off-sets; therefore, the project would not interfere with sustainable management of the groundwater basin. Potential impacts associated with groundwater supplies would be *less than significant*.

- (c) *Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?*

The project proposes the use of an on-site wastewater treatment system. No additional demand will be added to the community's provider's existing commitments. Therefore, impacts associated with wastewater collection and treatment capacity are considered *less than significant*.

- (d) *Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?*

Construction activities would result in the generation of minimal solid waste materials; no significant long-term increase in solid waste would occur. Local landfills have adequate permit capacity to serve the project and the project does not propose to generate solid waste in excess of State or local standards or otherwise impair the attainment of solid waste reduction goals. Therefore, potential impacts would be *less than significant*.



## Initial Study – Environmental Checklist

- (e) *Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?*

The project would not result in a substantial increase in waste generation during project construction or operation. Construction waste disposal would comply with federal, state, and local management and reduction statutes and regulations related to solid waste. Therefore, potential impacts would be *less than significant*.

### Conclusion

The project would not result in significant increased demands on water, wastewater, or stormwater infrastructure and facilities. No substantial increase in solid waste generation would occur. Therefore, potential impacts to utilities and service systems would be less than significant and no mitigation measures are necessary.

### Mitigation

None necessary.

## XX. WILDFIRE

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
<i>If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project:</i>				
(a) Substantially impair an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(b) Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(c) Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(d) Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

## Initial Study – Environmental Checklist

---

### *Setting*

In central California, the fire season usually extends from roughly May through October, however, recent events indicate that wildfire behavior, frequency, and duration of the fire season are changing in California. Fire Hazard Severity Zones (FHSZ) are defined by the California Department of Forestry and Fire Protection (CALFIRE) based on the presence of fire-prone vegetation, climate, topography, assets at risk (e.g., high population centers), and a fire protection agency's ability to provide service to the area (CAL FIRE 2007). FHSZs throughout the County have been designated as "Very High," "High," or "Moderate." In San Luis Obispo County, most of the area that has been designated as a "Very High Fire Hazard Severity Zone" is located in the Santa Lucia Mountains, which extend parallel to the coast along the entire length of San Luis Obispo County. The Moderate Hazard designation does not mean the area cannot experience a damaging fire; rather, it indicates that the probability is reduced, generally because the number of days a year that the area has "fire weather" is less than in high or very high fire severity zones. Based on the County Land Use View mapping tool, the project site fire hazard severity zone is not listed.

The County Emergency Operations Plan (EOP) addresses several overall policy and coordination functions related to emergency management. The EOP includes the following components:

- Identifies the departments and agencies designated to perform response and recovery activities and specifies tasks they must accomplish;
- Outlines the integration of assistance that is available to local jurisdictions during disaster situations that generate emergency response and recovery needs beyond what the local jurisdiction can satisfy;
- Specifies the direction, control, and communications procedures and systems that will be relied upon to alert, notify, recall, and dispatch emergency response personnel, alert the public, protect residents and property, and request aid/support from other jurisdictions and/or the federal government;
- Identifies key continuity of government operations; and
- Describes the overall logistical support process for planned operations.

Topography influences wildland fire to such an extent that slope conditions can often become a critical wildland fire factor. Conditions such as speed and direction of dominant wind patterns, the length and steepness of slopes, direction of exposure, and/or overall ruggedness of terrain influence the potential intensity and behavior of wildland fires and/or the rates at which they may spread (Barros et al. 2013).

The County of San Luis Obispo Safety Element establishes goals, policies, and programs to reduce the threat to life, structures, and the environment caused by fire. Policy S-13 identifies that new development should be carefully located, with special attention given to fuel management in higher fire risk areas, and that new development in fire hazard areas should be configured to minimize the potential for added danger. Implementation strategies for this policy include identifying high risk areas, the development and implementation of mitigation efforts to reduce the threat of fire, requiring fire resistant material to be used for building construction in fire hazard areas, and encouraging applicants applying for subdivisions in fire hazard areas to cluster development to allow for a wildfire protection zone.

The California Fire Code provides minimum standards for many aspects of fire prevention and suppression activities. These standards include provisions for emergency vehicle access, water supply, fire protection systems, and the use of fire-resistant building materials.

## Initial Study – Environmental Checklist

---

The County has prepared an Emergency Operations Plan (EOP) to outline the emergency measures that are essential for protecting public health and safety. These measures include, but are not limited to, public alert and notifications, emergency public information, and protective actions. The EOP also addresses policy and coordination related to emergency management.

In addition, the proposed project was reviewed by CalFire for fire safety. In their response (December 15, 2021) CalFire requested that the project meet all fire code requirements.

### *Discussion*

(a) *Substantially impair an adopted emergency response plan or emergency evacuation plan?*

Implementation of the proposed project would not have a permanent impact on any adopted emergency response plans or emergency evacuation plans. Temporary construction activities and staging would not substantially alter existing circulation patterns or trips. Access to adjacent areas would be maintained throughout the duration of the project. There are adequate alternative routes available to accommodate any rerouted trips through the project area for the short-term construction period. Therefore, the project would not substantially impair an adopted emergency response plan or emergency evacuation plan. Potential impacts would be *less than significant*.

(b) *Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?*

The project site is gently to steeply sloping. Approximately 4 acres have been cleared of vegetation for the development of a vineyard under a separate County approval. Proposed uses would not significantly increase or exacerbate potential fire risks and the project does not propose any design elements that would exacerbate risks and expose project occupants to pollutant concentrations from a wildfire or the uncontrolled spread of wildfire. With implementation of the CalFire project conditions potential impacts would be *less than significant*.

(c) *Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?*

The project would not require the installation or maintenance of utility or wildfire protection infrastructure and would not exacerbate fire risk or result in temporary or ongoing impacts to the environment as a result of the development of wildfire prevention, protection, and/or management techniques. Therefore, potential impacts would be *less than significant*.

(d) *Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?*

The project site has gentle to steep slopes and would not be located near a hillslope or in an area subject to downstream flooding or landslides. The applicant will be required to submit complete drainage plans and a drainage report prepared by a licensed civil engineer for review and approval in accordance with Section 22.52.110 of the Land Use Ordinance. In addition, the applicant will be required to submit complete erosion and sedimentation control plans for review and approval in accordance with Section 22.52.120 of the Land Use Ordinance. The project does not include any design elements that would expose people or structures to significant risks, including downslope or

## Initial Study – Environmental Checklist

downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes. Therefore, impacts would be *less than significant*.

### Conclusion

The project would not expose people or structures to new or exacerbated wildfire risks and would not require the development of new or expanded infrastructure or maintenance to reduce wildfire risks. Therefore, potential impacts associated with wildfire would be less than significant and no mitigation measures are necessary.

### Mitigation

None necessary.

## XXI. MANDATORY FINDINGS OF SIGNIFICANCE

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
(a) Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
(b) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
(c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Initial Study – Environmental Checklist

---

### *Setting*

Refer to setting information provided above.

### *Discussion*

- (a) *Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?*

As discussed in each resource section above, upon implementation of identified mitigation measures, the proposed project would not result in significant impacts to air quality, biological resources, geology and soils, and hydrology and water quality, and would not substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal, or eliminate important examples of the major periods of California history or prehistory. Therefore, impacts would be *less than significant with mitigation*.

- (b) *Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?*

The State CEQA Guidelines define cumulative impacts as "two or more individual effects that, when considered together, are considerable or which compound or increase other environmental impacts." Section 15355 of the State CEQA Guidelines further states that individual effects can be various changes related to a single project or the change involved in a number of other closely related past, present, and reasonably foreseeable future projects. The State CEQA Guidelines state that the discussion of cumulative impacts should reflect the severity of the impacts as well as the likelihood of their occurrence. However, the discussion need not be as detailed as the discussion of environmental impacts attributable to the project alone. Furthermore, the discussion should remain practical and reasonable in considering other projects and related cumulatively considerable impacts.

### Aesthetics

The proposed project is located in a rural residential and agricultural setting. As discussed above, the project site is located within the Highway Corridor Design standards for Highway 101 which identifies project design requirements to address development in a designated scenic vista. As discussed in the project Visual Analysis, the proposed residential structure is setback approximately 3,600 feet from Highway 101, which exceeds the setback requirement of 100 feet as defined by the LUO. Highway 101 is not visible from anywhere on the subject property. In addition, the proposed residence will not silhouette against the skyline since the tallest part of the residence has a height of 25.53 feet and an elevation of 1,045 feet whereas the hillside behind the residence has an elevation of approximately 1,046 feet.

A photoset was also included in the project visual analysis showing views from key project site viewpoints. As shown, the project site and proposed residence location is screened from views

## Initial Study – Environmental Checklist

---

along Highway 101 and portions of Villa Lots Road by existing topography and intervening vegetation. There are several existing neighboring residences located in proximity to the proposed project development site. This includes a neighboring residence located at a higher elevation compared to the proposed project, and several residential structures at similar elevations to the proposed project. These locations are mapped as part of the visual analysis showing their footprint on the landscape in association with the proposed project.

The proposed project is considered to be consistent with the requirements of the County Highway Corridor Design Standards and would be considered visually consistent with the surrounding area through natural screening from public view by the existing topography, intervening vegetation and avoidance of skyline silhouetting and will provide further screening from the nearby residence through use of building siting, design and landscaping. Therefore, the project would not result in a noticeable change to public views of the area or result in the degradation of the existing visual character or quality of public views of the site and its surroundings, and impacts would be *less than cumulatively considerable*.

### Agriculture and Forestry Resources

The analysis provided in Section II, Agriculture and Forestry Resources, indicates that the project would have a less than significant impact on important farmland and would not result in the conversion of surrounding farmland to another use. In addition, no potential impacts to forest land or timberland would occur. The project would not result in a conflict with existing zoning for agricultural use or with the existing Williamson Act contract. Therefore, when considered with the potential impacts of other reasonably foreseeable development, the contribution of the project's potential impacts to agriculture and forestry resources is considered *less than cumulatively considerable*.

### Air Quality

The analysis provided in Section III, Air Quality, concludes that the project's potential construction-related emissions would exceed SLOAPCD thresholds of significance for construction emissions. In addition, construction related emissions could adversely impact sensitive receptors on the adjoining parcels. With implementation of recommended mitigation measures AQ-1 and AQ-1, project construction, operational, and cumulative impacts would be *less than cumulatively considerable with mitigation*.

### Biological Resources

The analysis provided in Section IV, Biological Resources, concludes that the project would have a less-than-significant impact upon implementation of the identified avoidance and mitigation measures for special-status wildlife species and their habitats. With implementation of measures BIO-1 through BIO-8, potential impacts to biological resources would be less than significant. Based on the mitigation measures identified to reduce potential project impacts, when considered with the potential impacts of other reasonably foreseeable development in the area, project impacts associated with biological resources would be *less than cumulatively considerable with mitigation*.

### Cultural Resources

The analysis provided in Section V. Cultural Resources concludes that project development would not result in significant impacts to cultural resources and project related impacts are considered less than significant. Therefore, when considered with the potential impacts of other reasonably



## Initial Study – Environmental Checklist

---

foreseeable developments in the area, project impacts associated with cultural resources would be *less than cumulatively considerable*.

### Energy

The analysis provided in Section VI. Energy concludes that the project's contribution to the overall increased demand for electricity and natural gas would not have the potential to result in potentially cumulatively considerable environmental impacts the wasteful, inefficient and unnecessary use of energy because the residence would be required to comply with relevant building codes relating to energy conservation. Therefore, the project's environmental impacts associated with energy use would be *less than cumulatively considerable*.

### Geology and Soils

As discussed in Section VII. Geology and Soils, the project site is not within the GSA combining designation or an area of high risk of landslide or liquefaction. Although geologic conditions related to high erosion and shrink swell potential exist, the project would be required to comply with CBC and standard LUO requirements which have been developed to properly safeguard against seismic and geologic hazards. The project Geotechnical Report (Beacon, 2020) conclusions and recommendations indicate that the site is suitable for the proposed development from a geotechnical engineering standpoint; however, impacts related to soil collapse, soil moisture levels, unstable soils, low density soil compaction, fill slopes, foundation suitability, settlement, lateral pressures, etc. are considered to be significant. As such, the recommendations from the Geotechnical Report will be required to reduce impacts to *less than significant levels with mitigation*. Therefore, project related impacts to soils and geologic resources are considered *less than cumulatively considerable with mitigation*.

### Greenhouse Gas Emissions

As discussed in Section VI, Energy, the project would not generate significant GHG emissions above existing levels and would not exceed any applicable GHG thresholds, contribute considerably to cumulatively significant GHG emissions, or conflict with plans adopted to reduce GHG emissions. A project estimated to generate less than 690 MMTCO<sub>2e</sub> GHG is assumed to have a *less than significant* adverse impact that is not cumulatively considerable and consistent with the GHG reduction objectives of AB32 and SB32. Therefore, cumulative impacts associated with GHG emissions would be *less than cumulatively considerable*.

### Hazards and Hazardous Materials

As discussed in Section IX. Hazards and Hazardous Materials, the construction and use of the proposed project will not require the use or generation of any hazardous materials. Additionally, the project is not located on a site known to contain, use, or generate any hazardous materials. The project is outside of the Paso Robles Municipal Airport Review Area and it is unlikely that the project result in any safety hazard or excessive noise exposure. The project is not expected to interfere with any adopted emergency response or evacuation plan. The project is located within a High Fire Hazard Severity Zone and referred to CalFire for input and recommendation for meeting the Fire Code upon project permitting. Therefore, potential impacts related to hazards and hazardous materials would be *less than cumulatively considerable*.

### Hydrology and Water Quality

As discussed in Section X. Hydrology and Water Quality, project water demand is estimated to be

## Initial Study – Environmental Checklist

---

0.58 AFY and will be offset at a 2:1 ratio as required by LUO Section 22.94.025. The project will be required to implement erosion and sedimentation control measures per mitigation measures BIO 1 and BIO-3. Therefore, project impacts are considered *less than cumulatively considerable with mitigation*.

### Land Use and Planning

The project would be consistent with local and regional land use designations, plans, and policies and would not divide an established community. Potential impacts related to land use and planning would be *less than significant with mitigation* measures associated with air quality, biological resources, and geology and soils. Therefore, project related impacts are considered *less than cumulatively considerable with mitigation*.

### Noise

As discussed in Section XIII, Noise, project related noise associated with construction activities and outdoor cultivation would be less than significant. Therefore, when considered with the potential impacts of other reasonably foreseeable development, the contribution of the subject project to potential noise impacts is considered *less than cumulatively considerable*.

### Population and Housing

The most recent projection of regional growth for San Luis Obispo County is the 2050 Regional Growth Forecast (RGF) for San Luis Obispo County, prepared and adopted by SLOCOG in 2017. Using the Medium Scenario, the total county population, housing, and employment for both incorporated and unincorporated areas is projected to increase at an average annual rate of 0.50% per year. Between 2015 and 2050, the County's population is projected to increase by 44,000, or about 1,260 residents per year. Within the unincorporated area, the population is expected to increase by about 19,500 residents, or about 557 per year. Employment is expected to increase by about 6,441, or about 184 per year.

The project could be expected to be occupied by about two to three residents if ] accessory dwelling units are built. Therefore, when considered with the potential impacts of other reasonably foreseeable development in the unincorporated county, the contribution of the subject project to impacts related to housing and population is considered *less than cumulatively considerable*.

### Public Services

The project would be subject to adopted public facility (County) and school (CGC Section 65995 et seq.) fee programs to offset impacts to public services. Therefore, when considered with the potential impacts of other reasonably foreseeable projects, the contribution of the subject project to potential public services impacts would be less than cumulatively considerable.

### Transportation

As discussed in Section XVII, Transportation, the project would not result in a conflict with a plan or policy addressing the circulation system, or increase hazards due to a geometric design feature. Therefore, the project's potential traffic impacts would be *less than cumulatively considerable*.

County Fire/CAL FIRE requirements will be enforced as conditions of approval.

The County has not yet identified an appropriate model or method to estimate VMT for proposed land use development projects. State CEQA Guidelines Section 15064.3(b) states that if existing

## Initial Study – Environmental Checklist

---

models or methods are not available to estimate the VMT for the particular project being considered, a lead agency may analyze the project's VMT qualitatively.

The most recent estimate of total VMT for the county is from 2013, at which time total VMT per day was estimated to be 7,862,000 VMT. Assuming a 1% annual growth in VMT during the intervening 6 years, the current daily total is estimated to be around 8,333,720 VMT. Accordingly, the VMT associated with other development throughout the county is estimated to result in a marginal increase in the total county VMT. The marginal increase in VMT is not expected to result in a reduction of the level of service on county streets and intersections.

Moreover, each new project will be required to mitigate the project-specific impacts to the transportation network. Such mitigation may include, but is not limited to, the installation of roadway and intersection improvements necessary to serve the project and the payment of applicable road improvement fees. Therefore, when considered with the potential impacts of other reasonably foreseeable development, the contribution of the subject project to roadway impacts would be *less than cumulatively considerable*.

### Other Impact Issue Areas

Based on the project's less-than-significant impacts and the discretionary review of all surrounding reasonably foreseeable future development, the project's potential impacts associated with the following issue areas would be *less than cumulatively considerable*:

- Land Use Planning;
- Mineral Resources;
- Recreation;
- Tribal Cultural Resources;
- Utilities and Service Systems; and
- Wildfire.

- (c) *Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?*

Environmental impacts that may have an adverse effect on human beings, either directly or indirectly, are analyzed in each environmental resource section in this Initial Study. In addition, implementation of mitigation measures AQ-1 and AQ-2, BIO-1 through BIO-8, and GEO-1 would reduce potential adverse effects on human beings to less than significant, and impacts would be *less than significant with mitigation*.

### Conclusion

Potential impacts would be less than significant and no mitigation measures are necessary.

### Mitigation

Implement mitigation measures AQ-1 and AQ-2, BIO-1 through BIO-8, and GEO-1 .

## Initial Study – Environmental Checklist

### Exhibit A - Initial Study References and Agency Contacts

The County Planning Department has contacted various agencies for their comments on the proposed project. With respect to the subject application, the following have been contacted (marked with an ☒) and when a response was made, it is either attached or in the application file:

Contacted	Agency	Response
<input checked="" type="checkbox"/>	County Public Works Department	In File**
<input type="checkbox"/>	County Environmental Health Services	Not Applicable
<input type="checkbox"/>	County Agricultural Commissioner's Office	Not Applicable
<input type="checkbox"/>	County Airport Manager	Not Applicable
<input type="checkbox"/>	Airport Land Use Commission	Not Applicable
<input type="checkbox"/>	Air Pollution Control District	Not Applicable
<input type="checkbox"/>	County Sheriff's Department	Not Applicable
<input type="checkbox"/>	Regional Water Quality Control Board	Not Applicable
<input type="checkbox"/>	CA Coastal Commission	Not Applicable
<input type="checkbox"/>	CA Department of Fish and Wildlife	Not Applicable
<input checked="" type="checkbox"/>	CA Department of Forestry (Cal Fire)	Attached
<input type="checkbox"/>	CA Department of Transportation	Not Applicable
<input type="checkbox"/>	Community Services District	Not Applicable
<input type="checkbox"/>	Other _____	Not Applicable
<input type="checkbox"/>	Other _____	Not Applicable

\*\* "No comment" or "No concerns"-type responses are usually not attached

The following checked ("☒") reference materials have been used in the environmental review for the proposed project and are hereby incorporated by reference into the Initial Study. The following information is available at the County Planning and Building Department.

<input checked="" type="checkbox"/> Project File for the Subject Application	<input type="checkbox"/> Design Plan
<input checked="" type="checkbox"/> <b>County Documents</b>	<input type="checkbox"/> Specific Plan
<input type="checkbox"/> Coastal Plan Policies	<input type="checkbox"/> Annual Resource Summary Report
<input checked="" type="checkbox"/> Framework for Planning (Coastal/Inland)	<input type="checkbox"/> Circulation Study
<input checked="" type="checkbox"/> General Plan (Inland/Coastal), includes all maps/elements; more pertinent elements:	<input checked="" type="checkbox"/> <b>Other Documents</b>
<input checked="" type="checkbox"/> Agriculture Element	<input checked="" type="checkbox"/> Clean Air Plan/APCD Handbook
<input checked="" type="checkbox"/> Conservation & Open Space Element	<input checked="" type="checkbox"/> Regional Transportation Plan
<input type="checkbox"/> Economic Element	<input checked="" type="checkbox"/> Uniform Fire Code
<input checked="" type="checkbox"/> Housing Element	<input checked="" type="checkbox"/> Water Quality Control Plan (Central Coast Basin – Region 3)
<input checked="" type="checkbox"/> Noise Element	<input checked="" type="checkbox"/> Archaeological Resources Map
<input checked="" type="checkbox"/> Parks & Recreation Element/Project List	<input type="checkbox"/> Area of Critical Concerns Map
<input checked="" type="checkbox"/> Safety Element	<input type="checkbox"/> Special Biological Importance Map
<input checked="" type="checkbox"/> Land Use Ordinance (Inland/Coastal)	<input type="checkbox"/> CA Natural Species Diversity Database
<input type="checkbox"/> Building and Construction Ordinance	<input checked="" type="checkbox"/> Fire Hazard Severity Map
<input checked="" type="checkbox"/> Public Facilities Fee Ordinance	<input checked="" type="checkbox"/> Flood Hazard Maps
<input type="checkbox"/> Real Property Division Ordinance	<input checked="" type="checkbox"/> Natural Resources Conservation Service Soil Survey for SLO County
<input type="checkbox"/> Affordable Housing Fund	<input checked="" type="checkbox"/> GIS mapping layers (e.g., habitat, streams, contours, etc.)
<input checked="" type="checkbox"/> Paso Robles Airport Land Use Plan	<input type="checkbox"/> Other
<input checked="" type="checkbox"/> Energy Wise Plan	
<input type="checkbox"/> Select Planning Area	

## Initial Study – Environmental Checklist

---

In addition, the following project-specific information and/or reference materials have been considered as a part of the Initial Study:

- \_\_\_\_\_. 2017. Clarification Memorandum for the San Luis Obispo County Air Pollution Control District’ s 2012
- \_\_\_\_\_. 2019. Estrella Substation and Paso Robles Area Reinforcement Project Paleontological Resources Technical Report for the Templeton Route Alternatives, San Luis Obispo County, California. Available at: <<https://www.cpuc.ca.gov/environment/info/horizonh2o/estrella/docs/Templeton%20Route%20Alternatives%20PRTR.pdf>>.
- \_\_\_\_\_. 2015. Geotracker. Available at: <<http://geotracker.waterboards.ca.gov/>>
- \_\_\_\_\_. 2016. 2015/2016 County Bikeways Plan. July 6<sup>th</sup>, 2016.
- \_\_\_\_\_. 2016. Emergency Operation Plan. December 2016.
- \_\_\_\_\_. 2018. San Luis Obispo County Parks & Recreation Group Day Use & Facilities. Available at: <<https://slocountyparks.com/day-use-parks/>>
- \_\_\_\_\_. 2018. Water Quality Control Policy for Siting, Design, Operation, and Maintenance of Onsite Wastewater Treatment Systems (OWTUS Policy) Fact Sheet. August 2018.
- Barros, Ana M.G., Jose M.C. Pereira, Max A. Moritz, and Scott L. Stephens. 2013. Spatial Characterization of Wildfire Orientation Patterns in California. Forests 2013, 4; Pp 197-217.” 2013.
- Beacon Geotechnical, Inc. Geotechnical Engineering Report for Proposed Single Family Residence Villa Lots Road APN 018-011-017 San Luis Obispo County, California. December 30, 2020.
- CAL FIRE. 2007. “Draft Fire Hazard Severity Zones in Local Responsibility Areas.” Available at <[http://frap.fire.ca.gov/webdata/maps/san\\_luis\\_obispo/fhszl06\\_1\\_map.40.pdf](http://frap.fire.ca.gov/webdata/maps/san_luis_obispo/fhszl06_1_map.40.pdf)>
- California Department of Toxic Substances Control (DTSC). 2019. EnviroStor. Available at: <<https://www.envirostor.dtsc.ca.gov/public/>>
- California Department of Transportation (Caltrans). 2008. Scenic Highway Guidelines. October 2008.
- California Geological Survey (CGS). 2015. CGS Information Warehouse: Mineral Land Classification. Available at <<https://maps.conservation.ca.gov/cgs/informationwarehouse/index.html?map=mlc>>
- California State Water Resources Control Board. 2012. Water Quality Control Policy for Siting, Design, Operation, and Maintenance of Onsite Wastewater Treatment Systems. June 19<sup>th</sup>, 2012.
- Carollo Engineers, San Luis Obispo County 2012 Master Water Report, Volume III, Table 8.
- CEQA Air Quality Handbook. November 2017.
- County of San Luis Obispo Department of Planning and Building. 2018. Onsite Wastewater Treatment System Local Agency Management Program. January 18<sup>th</sup>, 2018.
- County of San Luis Obispo. 2007. San Joaquin Kit Fox Standard Mitigation Ratio Areas. Available at: <<https://www.slocounty.ca.gov/getattachment/2c0fc293-eb37-4a0c-af22-5e0992efd025/Kit-Fox->

## Initial Study – Environmental Checklist

---

Habitat-Area.aspx>

County of San Luis Obispo. 2016. 2015/2016 County Bikeways Plan. July 6th, 2016.

Department of Conservation (DOC). 2019. San Luis Obispo County Tsunami Inundation Maps. Available at: <<https://www.conservation.ca.gov/cgs/tsunami/maps/San-Luis-Obispo>>.

Dibblee, Thomas W., Jr. 2004. Geologic Map of the Creston & Shedd Canyon Quadrangles, San Luis Obispo County, California. National Geologic Map Database. Available at: <[https://ngmdb.usgs.gov/Prodesc/proddesc\\_71748.htm](https://ngmdb.usgs.gov/Prodesc/proddesc_71748.htm)>.

Kirk Consulting, Inc. Battensburg MUP N-DRC2021-00022 Visual Analysis. June 2022.

La Firma, Inc. Stormwater Pollution Prevention Plan for Villa Lots Parcel 2 Project. August 25, 2021.

Pacific Gas and Electric (PG&E). 2019. Delivering Low-Emission Energy. Available at: <[https://www.pge.com/en\\_US/about-pge/environment/what-we-are-doing/clean-energy-solutions/clean-energy-solutions.page](https://www.pge.com/en_US/about-pge/environment/what-we-are-doing/clean-energy-solutions/clean-energy-solutions.page)>.

San Luis Obispo Air Pollution Control District (SLOAPCD). 2012. CEQA Air Quality Handbook. April 2012.

San Luis Obispo Council of Governments (SLOCOG). 2019. Responsibilities. Available at: <<https://slocog.org/about/responsibilities>>.

San Luis Obispo County. 1999. General Plan Safety Element.

State Water Resources Control Board (SWRCB). 2015. GeoTracker. Available at <<http://geotracker.waterboards.ca.gov/>>

Terra Verde Environmental Consulting, Inc. Biological Resources Assessment, Battensburg Residence Paso Robles, San Luis Obispo County, California. June 2022.

U.S. Department of Agriculture (USDA). 1983. Soil Survey of San Luis Obispo County, California, Paso Robles Area. U.S. Department of Agriculture, Soil Conservation Service. May 1983. Available at:<[https://www.nrcs.usda.gov/Internet/FSE\\_MANUSCRIPTS/california/sanluisCA1983/sanluisCA1983.pdf](https://www.nrcs.usda.gov/Internet/FSE_MANUSCRIPTS/california/sanluisCA1983/sanluisCA1983.pdf)>

U.S. Fish and Wildlife Service (USFWS). 2019. National Wetlands Inventory Surface Waters and Wetlands. May 5, 2019. Available at: <https://www.fws.gov/wetlands/data/Mapper.html>

United States Geological Survey (USGS). 2019. Areas of Land Subsidence in California. Available at: <[https://ca.water.usgs.gov/land\\_subsidence/california-subsidence-areas.html](https://ca.water.usgs.gov/land_subsidence/california-subsidence-areas.html)>



## Initial Study – Environmental Checklist

---

### Exhibit B - Mitigation Summary

The applicant has agreed to incorporate the following measures into the project. These measures become a part of the project description and therefore become a part of the record of action upon which the environmental determination is based. All development activity must occur in strict compliance with the following mitigation measures. These measures shall be perpetual and run with the land. These measures are binding on all successors in interest of the subject property.

#### AIR QUALITY

**AQ-1.** To mitigate fugitive dust emissions related to project construction, the following shall be implemented:

- n) Reduce the amount of the disturbed area where possible;
- o) Use of water trucks or sprinkler systems in sufficient quantities to prevent airborne dust from leaving the site. Increased watering frequency would be required whenever wind speeds exceed 15 mph. Reclaimed (non-potable) water should be used whenever possible;
- p) All dirt stock pile areas should be sprayed daily as needed;
- q) Permanent dust control measures identified in the approved project revegetation and landscape plans should be implemented as soon as possible following completion of any soil disturbing activities;
- r) Exposed ground areas that are planned to be reworked at dates greater than one month after initial grading should be sown with a fast germinating, non-invasive grass seed and watered until vegetation is established;
- s) All disturbed soil areas not subject to revegetation should be stabilized using approved chemical soil binders, jute netting, or other methods approved in advance by the APCD;
- t) All roadways, driveways, sidewalks, etc. to be paved should be completed as soon as possible. In addition, building pads should be laid as soon as possible after grading unless seeding or soil binders are used;
- u) Vehicle speed for all construction vehicles shall not exceed 15 mph on any unpaved surface at the construction site;
- v) All trucks hauling dirt, sand, soil, or other loose materials are to be covered or should maintain at least two feet of freeboard (minimum vertical distance between top of load and top of trailer) in accordance with CVC Section 23114;
- w) Install wheel washers where vehicles enter and exit unpaved roads onto streets, or wash off trucks and equipment leaving the site;
- x) Sweep streets at the end of each day if visible soil material is carried onto adjacent paved roads. Water sweepers with reclaimed water should be used where feasible;
- y) All of these fugitive dust mitigation measures shall be shown on grading and building plans; and
- z) The contractor or builder shall designate a person or persons to monitor the fugitive dust emissions and enhance the implementation of the measures as necessary to minimize dust complaints, reduce visible emissions below 20% opacity, and to prevent transport of dust

## Initial Study – Environmental Checklist

---

offsite. Their duties shall include holidays and weekend periods when work may not be in progress. The name and telephone number of such persons shall be provided to the APCD Compliance Division prior to the start of any grading, earthwork or demolition.

**AQ-2.** The required mitigation measures for reducing nitrogen oxides (NOx), reactive organic gases (ROG), and diesel particulate matter (DPM) emissions from construction equipment are listed below:

- Maintain all construction equipment in proper tune according to manufacturer's specifications;
- Fuel all off-road and portable diesel powered equipment with ARB certified motor vehicle diesel fuel (non-taxed version suitable for use off-road);
- Use diesel construction equipment meeting ARB's Tier 2 certified engines or cleaner off-road heavy-duty diesel engines, and comply with the State off-Road Regulation;
- Use on-road heavy-duty trucks that meet the ARB's 2007 or cleaner certification standard for on-road heavy-duty diesel engines, and comply with the State On-Road Regulation;
- Construction or trucking companies with fleets that do not have engines in their fleet that meet the engine standards identified in the above two measures (e.g. captive or NOx exempt area fleets) may be eligible by proving alternative compliance;
- All on and off-road diesel equipment shall not idle for more than 5 minutes. Signs shall be posted in the designated queuing areas and or job sites to remind drivers and operators of the 5 minute idling limit;
- Diesel idling within 1,000 feet of sensitive receptors is not permitted;
- Staging and queuing areas shall not be located within 1,000 feet of sensitive receptors;
- Electrify equipment when feasible;
- Substitute gasoline-powered in place of diesel-powered equipment, where feasible; and,
- Use alternatively fueled construction equipment on-site where feasible, such as compressed natural gas (CNG), liquefied natural gas (LNG), propane or biodiesel.

### BIOLOGICAL RESOURCES

**BIO-1.** Site Maintenance and General Operations: The following general measures shall be required to minimize impacts during active construction:

- The use of heavy equipment and vehicles shall be limited to the proposed project limits and defined staging areas and access points. The boundaries of each work area shall be clearly defined and marked with high visibility fencing. No work shall occur outside these limits.
- Project plans, drawings, and specifications shall show the boundaries of all sensitive resource areas and the location of erosion and sediment controls, delineation of construction limits, and other pertinent measures to ensure the protection of sensitive habitats and resources.
- Staging of equipment and materials shall occur in designated areas with appropriate demarcation and perimeter controls. No staging areas shall be located within 100 feet of sensitive habitat, including the on-site drainage.

## Initial Study – Environmental Checklist

---

- Secondary containment, such as drip pans, shall be used to prevent leaks and spills of potential contaminants.
- Washing of concrete, paint, or equipment, and refueling and maintenance of equipment shall occur only in designated staging areas. These activities will occur at a minimum of 100 feet from sensitive habitat, including the drainage. Sandbags and/or absorbent pads and spill control kits shall always be available on site to clean up and contain fuel spills and other contaminants.
- Construction equipment shall be inspected by the operator daily to ensure that equipment is in good working order and no fuel or lubricant leaks are present.
- Plastic monofilament netting (erosion control matting) or similar material will not be used on site due to the potential to entangle special-status wildlife. Acceptable substitutes include cocoanut coir matting, biodegradable fiber rolls, or tackified hydroseeding compounds.
- The use of pesticides (including rodenticides) and herbicides on the property shall be in compliance with all local, state, and federal regulations to avoid primary and secondary poisoning of sensitive species that may be using the site.
- After completion of the project's construction, all protective fencing/flagging used to delineate sensitive biological resources shall be removed from the project area and disposed of in appropriate waste receptacles or reused.

**BIO-2.** Oak Tree Avoidance and Protection: To the maximum extent feasible, impacts to oak trees shall be avoided and minimized. The following avoidance and minimization measures shall be implemented to address potential impacts to oak trees:

- The canopy edge and trunk location of oak trees located within 50-feet of proposed construction shall be surveyed and placed on all plan sets. The tree map shall be used to protect oak trees during project implementation.
- Impacts to oak tree canopy or sensitive root zones shall be avoided to the extent feasible. Impacts may include pruning, ground disturbance or placement of impervious surfaces (e.g., asphalt, permanent structures) within the sensitive root zone, installation of year-round irrigation or other supplemental water within the sensitive root zone, and trunk damage.
- Prior to the start of project activities, tree protection fencing shall be installed as close to the outer limit of the sensitive root zone as practicable for construction operations to protect trees located within 50 feet of construction that will be preserved. The fencing shall be in place throughout the duration of construction. Demarcation such as t-posts and a minimum of two strands of yellow rope are considered adequate.
- All construction activity shall remain outside delineation fencing installed for protection of oak trees.
- Care shall be taken to avoid surface roots within the top 18 inches of soil. If any roots are exposed during construction, they shall be covered with a layer of soil to match existing topography.

## Initial Study – Environmental Checklist

---

- Impacts to oak trees shall be assessed by a licensed arborist or qualified botanist prior to final inspection and reported to the County.

**BIO-3.** Jurisdictional Waters: In addition to Measure BIO-2, the following requirements are provided to protect the drainage on site.

- Prior to project initiation, all applicable agency permits with jurisdiction over the project area (i.e., CDFW and RWQCB) shall be obtained. Additional mitigation measures may be required by these agencies and shall be implemented as necessary throughout the project.
- To prevent erosion and sedimentation into the drainage during construction, an erosion and sedimentation control plan shall be developed and implemented. It shall outline Best Management Practices for short term, temporary stabilization. Acceptable stabilization methods include (but are not limited to) use of weed-free natural fiber (i.e., non-monofilament) rolls, jute, or coir netting, and/or other industry standard materials. Erosion control devices shall be installed and maintained for the duration of the project.

**BIO-4.** Preconstruction Survey for American Badger: A qualified biologist shall conduct a preconstruction survey within 30 days prior to the start of initial project activities to ensure American badger are not present within proposed work areas. If potential dens are discovered, they shall be monitored with a remote camera or tracking medium for at least three days to determine if they are occupied. If the qualified biologist determines that a den may be active, a no-entry exclusion buffer shall be established within 50 feet of the den and the appropriate resource agencies shall be contacted for further guidance. If active dens are found during the breeding and rearing season, no activity shall occur within 200 feet of the den without agency guidance and approval. Exclusion buffers shall be prominently flagged and encircle the den. If an exclusion buffer is not feasible, the applicant will contact the County for further guidance prior to initial project activities. If construction lapses beyond 30 days from the survey, an additional survey will be required.

**BIO-5.** County Standard Mitigation of Impacts to San Joaquin Kit Fox Habitat: Prior to issuance of grading and/or construction permits, the applicant shall submit evidence to the County of San Luis Obispo that states that one or a combination of the following three San Joaquin kit fox compensatory mitigation measures has been implemented:

- a. Provide for the protection in perpetuity, through acquisition of fee or a conservation easement of 6.3 acres (2.1 acres of development multiplied by 3 as a result of an applied 3:1 mitigation ratio) of suitable habitat in the kit fox corridor area (e.g. either on-site or off-site, and provide for a non-wasting endowment to provide for management and monitoring of the property in perpetuity. Lands to be conserved shall be subject to the review and approval of the California Department of Fish and Wildlife and the County. This mitigation alternative (a.) requires that all aspects of this program must be in place before County-permit issuance or initiation of any ground disturbing activities.
- b. Deposit funds into an approved in-lieu fee program, which would provide for the protection in perpetuity of suitable habitat in the kit fox corridor area within San Luis Obispo County and provide for a non-wasting endowment for management and monitoring of the property in perpetuity. Mitigation alternative (b) above can be completed by providing funds to The Nature Conservancy (TNC) pursuant to the Voluntary Fee-Based Compensatory Mitigation Program (Program). The Program was established in agreement between the CDFW and TNC to preserve San Joaquin kit fox habitat, and to provide a voluntary mitigation alternative to

## Initial Study – Environmental Checklist

---

project proponents who must mitigate the impacts of projects in accordance with the California Environmental Quality Act (CEQA). The fee, payable to “The Nature Conservancy,” would total: \$15,750 (2.1 x 3 x \$2,500). This fee is calculated based on the current cost-per-unit of \$2,500 per acre of mitigation, which is scheduled to be adjusted to address the increasing cost of property in San Luis Obispo County; actual cost may increase depending on the timing of payment. This fee must be paid after the CDFW provides written notification about your mitigation options but prior to County permit issuance and initiation of any ground disturbing activities.

- c. Purchase credits in a CDFW-approved conservation bank, which would provide for the protection in perpetuity of suitable habitat within the kit fox corridor area and provide for a non-wasting endowment for management and monitoring of the property in perpetuity. Mitigation alternative (c) above can be completed by purchasing credits from the Palo Prieto Conservation Bank (see contact information below). The Palo Prieto Conservation Bank was established to preserve San Joaquin kit fox habitat, and to provide a voluntary mitigation alternative to project proponents who must mitigate the impacts of projects in accordance with CEQA. The cost payable to the owners of The Palo Prieto Conservation Bank would total: \$15,750 (2.1 x 3 x \$2,500).

This fee is calculated based on the current cost-per-credit of \$2,500 per acre of mitigation. The fee is established by the conservation bank owner and may change at any time. Actual cost may increase depending on the timing of payment. Purchase of credits must be completed prior to County permit issuance and initiation of any ground disturbing activities.

The mitigation options identified above are based on preliminary site plans. The project has a required mitigation ratio of three (3) acres conserved for each acre impacted (3:1). Total required compensatory mitigation may change based on the final number of impacted acres shown on the construction and/or grading plans submitted to the County for review.

**BIO-6.** San Joaquin Kit Fox: To avoid direct take of SJKF during construction in accordance with the San Luis Obispo County Guide to SJKF Mitigation Procedures Under CEQA, the project owner shall adopt the Standard Kit Fox CEQA Mitigation Measures and shall be included on development plans. The following measures shall be implemented:

- A maximum 25 mph speed limit shall be required at the project site during construction activities.
- All construction activities shall cease at dusk and not start before dawn.
- A qualified biologist shall be on-site immediately prior to initiation of project activities to inspect for any large burrows (e.g., known and potential dens) and to ensure no wildlife are injured during project activities. If dens are encountered, they should be avoided as discussed below.
- Exclusion zone boundaries shall be established around all known and potential kit fox dens.
- All excavations deeper than 2 feet shall be completely covered at the end of each working day.
- All pipes, culverts, or similar structures shall be inspected for SJKF and other wildlife before burying, capping, or moving.

## Initial Study – Environmental Checklist

---

- All exposed openings of pipes, culverts, or similar structures shall be capped or temporarily sealed prior to the end of each working day.
- All food-related trash shall be removed from the site at the end of each workday.
- Project-related equipment shall be prohibited outside of designated work areas and access routes.
- No firearms shall be allowed in the project area.
- Disturbance to burrows shall be avoided to the greatest extent feasible.
- No rodenticides or herbicides should be applied in the project area.
- Permanent fences shall allow for SJKF passage through or underneath (i.e., an approximate 4-inch passage gap shall remain at ground level).
- Prior to issuance of grading and/or construction permit and within 30 days prior to initiation of site disturbance and/or construction, all personnel associated with the project shall attend a worker education training program, conducted by a qualified biologist, to avoid or reduce impacts on sensitive biological resources (i.e. San Joaquin kit fox). At a minimum, as the program relates to the kit fox, the training shall include the kit fox's life history, all mitigation measures specified by the County, as well as any related biological report(s) prepared for the project. The applicant shall notify the County shortly prior to this meeting. A kit fox fact sheet shall also be developed prior to the training program, and distributed at the training program to all contractors, employers and other personnel involved with the construction of the project.
- During the site-disturbance and/or construction phase, any contractor or employee that inadvertently kills or injures a San Joaquin kit fox or who finds any such animal either dead, injured, or entrapped shall be required to report the incident immediately to the applicant and County.
- In the event that any observations are made of injured or dead kit fox, the applicant shall immediately notify the USFWS and CDFW by telephone. In addition, formal notification shall be provided in writing within three working days of the finding of any such animal(s). Notification shall include the date, time, location and circumstances of the incident. Any threatened or endangered species found dead or injured shall be turned over immediately to CDFW for care, analysis, or disposition.

**BIO-7.** Surveys and Monitoring for Northern California Legless Lizard: If work will occur within the oak woodland or manzanita chaparral, a qualified biologist shall conduct a preconstruction survey immediately prior to the start of work to ensure legless lizards are not present within proposed work areas. During the survey the biologist shall gently disturb or rake the upper layers of leaf litter or loose soil within suitable habitat to uncover or rouse legless lizards. If work occurs within the oak woodland or manzanita chaparral, construction monitoring shall be conducted by a qualified biologist during all initial ground disturbing and vegetation removal activities (e.g., grading, grubbing, vegetation trimming). If legless lizards are found during preconstruction surveys or monitoring, they shall be allowed to leave the work area on their own volition or be hand captured and relocated to suitable habitat outside of the area of impact, if permitted.



## Initial Study – Environmental Checklist

---

- BIO-8.** Preconstruction Survey and Avoidance Measures for Nesting Birds: To protect nesting birds, no construction shall occur from February 1 through August 31 unless the following measures are in place. Preconstruction surveys must be completed by a qualified biologist within one week prior to project initiation. Surveys for raptors shall be conducted within a 250-foot radius of the project site. If any active non-listed raptor nests are observed, these nests and nest trees shall be protected, and a no-work buffer of 250 feet shall be established until the young have fledged and are no longer reliant on the nest tree or parental care, or the nest is no longer active. Surveys for other non-listed avian species shall be conducted within a 50-foot radius of the project site. If any active nests are observed, these nests and nest trees shall be protected with a 50-foot no-work buffer. All activity will remain outside of the designated buffers until a qualified biologist has determined that the young have fledged or that proposed construction activities would not cause adverse impacts to the nests, adults, eggs, or young. If special-status avian species are identified and nesting within the work area, no work will begin until an appropriate buffer is determined in consultation with CDFW, and/or the USFWS.

### GEOLOGY AND SOILS

- GEO-1.** Project Geotechnical Report Recommendations: The project Geotechnical Report conclusions and recommendations indicate that the site is suitable for the proposed development from a geotechnical engineering standpoint; however, impacts related to soil collapse, soil moisture levels, unstable soils, low density soil compaction, fill slopes, foundation suitability, settlement, lateral pressures, etc. are considered to be significant. As such, the Geotechnical Report includes detailed recommendations for the following issues:

- general grading,
- site-specific development,
- grading pads,
- foundation excavations,
- utility trenches,
- slope construction,
- foundation design,
- slabs on grade,
- lateral resistance parameters,
- settlement considerations, and
- retaining walls.

Therefore, the applicant shall be required to implement the recommendations listed in the project Geotechnical Report as required mitigation measures. These measures shall be listed on the building plans and implemented per the recommendations in the Geotechnical Report. Implementation of this measure will reduce impacts to less than significant levels.

APRIL 26, 2023

**DEVELOPER'S STATEMENT FOR  
BATTENBURG VARIANCE/MINOR USE PERMIT  
N-DRC2021-00022**

The applicant agrees to incorporate the following measures into the project. These measures become a part of the project description and therefore become a part of the record of action upon which the environmental determination is based. All development activity must occur in strict compliance with the following mitigation measures. These measures shall be perpetual and run with the land. These measures are binding on all successors in interest of the subject property.

**Note:** The items contained in the boxes labeled "Monitoring" describe the County procedures to be used to ensure compliance with the mitigation measures.

**EXHIBIT B - MITIGATION SUMMARY**

The following mitigation measures address impacts that may occur as a result of the development of the project.

**AIR QUALITY**

**AQ-1 Prior to issuance of construction permits,** the following measures related to fugitive dust emissions shall be incorporated into the construction phase of the project and shown on all applicable construction plans:

- a) Reduce the amount of the disturbed area where possible;
- b) Use of water trucks or sprinkler systems in sufficient quantities to prevent airborne dust from leaving the site. Increased watering frequency would be required whenever wind speeds exceed 15 mph. Reclaimed (non-potable) water should be used whenever possible;
- c) All dirt stock pile areas should be sprayed daily as needed;
- d) Permanent dust control measures identified in the approved project revegetation and landscape plans should be implemented as soon as possible following completion of any soil disturbing activities;
- e) Exposed ground areas that are planned to be reworked at dates greater than one month after initial grading should be sown with a fast germinating, non-invasive grass seed and watered until vegetation is established;
- f) All disturbed soil areas not subject to revegetation should be stabilized using approved chemical soil binders, jute netting, or other methods approved in advance by the APCD;
- g) All roadways, driveways, sidewalks, etc. to be paved should be completed as soon as possible. In addition, building pads should be laid as soon as possible after grading unless seeding or soil binders are used;
- h) Vehicle speed for all construction vehicles shall not exceed 15 mph on any unpaved surface at the construction site;

**APRIL 26, 2023**

- i) All trucks hauling dirt, sand, soil, or other loose materials are to be covered or should maintain at least two feet of freeboard (minimum vertical distance between top of load and top of trailer) in accordance with CVC Section 23114;
- j) Install wheel washers where vehicles enter and exit unpaved roads onto streets, or wash off trucks and equipment leaving the site;
- k) Sweep streets at the end of each day if visible soil material is carried onto adjacent paved roads. Water sweepers with reclaimed water should be used where feasible;
- l) All of these fugitive dust mitigation measures shall be shown on grading and building plans; and
- m) The contractor or builder shall designate a person or persons to monitor the fugitive dust emissions and enhance the implementation of the measures as necessary to minimize dust complaints, reduce visible emissions below 20% opacity, and to prevent transport of dust offsite. Their duties shall include holidays and weekend periods when work may not be in progress. The name and telephone number of such persons shall be provided to the APCD Compliance Division prior to the start of any grading, earthwork or demolition.

**AQ-2 Prior to issuance of construction permits,** the following measures related to ROG and NOx shall be incorporated into the construction phase of the project and shown on all applicable construction plans:

- a) Maintain all construction equipment in proper tune according to manufacturer's specifications;
- b) Fuel all off-road and portable diesel-powered equipment with ARB certified motor vehicle diesel fuel (non-taxed version suitable for use off-road);
- c) Use diesel construction equipment meeting ARB's Tier 2 certified engines or cleaner off-road heavy-duty diesel engines, and comply with the State Off-Road Regulation;
- d) Use on-road heavy-duty trucks that meet the ARB's 2007 or cleaner certification standard for on-road heavy-duty diesel engines, and comply with the State On-Road Regulation;
- e) Construction or trucking companies with fleets that do not have engines in their fleet that meet the engine standards identified in the above two measures (e.g. captive or NOx exempt area fleets) may be eligible by proving alternative compliance;
- f) All on and off-road diesel equipment shall not idle for more than 5 minutes. Signs shall be posted in the designated queuing areas and or job sites to remind drivers and operators of the 5-minute idling limit;
- g) Diesel idling within 1,000 feet of sensitive receptors is not permitted;
- h) Staging and queuing areas shall not be located within 1,000 feet of sensitive receptors;
- i) Electrify equipment when feasible;
- j) Substitute gasoline-powered in place of diesel-powered equipment, where feasible; and,
- k) Use alternatively fueled construction equipment on-site where feasible, such as compressed natural gas (CNG), liquefied natural gas (LNG), propane or biodiesel.

**AQ-1 and AQ-2 Monitoring:** Required prior to issuance of construction permits. Compliance will be verified by the County Department of Planning and Building.

APRIL 26, 2023

**BIOLOGICAL RESOURCES**

**BIO-1** Site Maintenance and General Operations: The following general measures shall be required to minimize impacts during active construction:

- a) The use of heavy equipment and vehicles shall be limited to the proposed project limits and defined staging areas and access points. The boundaries of each work area shall be clearly defined and marked with high visibility fencing. No work shall occur outside these limits.
- b) Project plans, drawings, and specifications shall show the boundaries of all sensitive resource areas and the location of erosion and sediment controls, delineation of construction limits, and other pertinent measures to ensure the protection of sensitive habitats and resources.
- c) Staging of equipment and materials shall occur in designated areas with appropriate demarcation and perimeter controls. No staging areas shall be located within 100 feet of sensitive habitat, including the on-site drainage.
- d) Secondary containment, such as drip pans, shall be used to prevent leaks and spills of potential contaminants.
- e) Washing of concrete, paint, or equipment, and refueling and maintenance of equipment shall occur only in designated staging areas. These activities will occur at a minimum of 100 feet from sensitive habitat, including the drainage. Sandbags and/or absorbent pads and spill control kits shall always be available on site to clean up and contain fuel spills and other contaminants.
- f) Construction equipment shall be inspected by the operator daily to ensure that equipment is in good working order and no fuel or lubricant leaks are present.
- g) Plastic monofilament netting (erosion control matting) or similar material will not be used on site due to the potential to entangle special-status wildlife. Acceptable substitutes include cocoanut coir matting, biodegradable fiber rolls, or tackified hydroseeding compounds.
- h) The use of pesticides (including rodenticides) and herbicides on the property shall be in compliance with all local, state, and federal regulations to avoid primary and secondary poisoning of sensitive species that may be using the site.
- i) After completion of the project's construction, all protective fencing/flagging used to delineate sensitive biological resources shall be removed from the project area and disposed of in appropriate waste receptacles or reused.

<b>BIO-1 Monitoring:</b> Required during site disturbance and construction activities. Compliance will be verified by the County Department of Planning and Building.
---

**BIO-2.** Oak Tree Avoidance and Protection: To the maximum extent feasible, impacts to oak trees shall be avoided and minimized. The following avoidance and minimization measures shall be implemented to address potential impacts to oak trees:

**APRIL 26, 2023**

- a) The canopy edge and trunk location of oak trees located within 50-feet of proposed construction shall be surveyed and placed on all plan sets. The tree map shall be used to protect oak trees during project implementation.
- b) Impacts to oak tree canopy or sensitive root zones shall be avoided to the extent feasible. Impacts may include pruning, ground disturbance or placement of impervious surfaces (e.g., asphalt, permanent structures) within the sensitive root zone, installation of year-round irrigation or other supplemental water within the sensitive root zone, and trunk damage.
- c) Prior to the start of project activities, tree protection fencing shall be installed as close to the outer limit of the sensitive root zone as practicable for construction operations to protect trees located within 50 feet of construction that will be preserved. The fencing shall be in place throughout the duration of construction. Demarcation such as t-posts and a minimum of two strands of yellow rope are considered adequate.
- d) All construction activity shall remain outside delineation fencing installed for protection of oak trees.
- e) Care shall be taken to avoid surface roots within the top 18 inches of soil. If any roots are exposed during construction, they shall be covered with a layer of soil to match existing topography.
- f) Impacts to oak trees shall be assessed by a licensed arborist or qualified botanist prior to final inspection and reported to the County.

**BIO-3. Jurisdictional Waters:** In addition to Measure BIO-2, the following requirements are provided to protect the drainage on site.

- a) Prior to project initiation, all applicable agency permits with jurisdiction over the project area (i.e., CDFW and RWQCB) shall be obtained. Additional mitigation measures may be required by these agencies and shall be implemented as necessary throughout the project.
- b) To prevent erosion and sedimentation into the drainage during construction, an erosion and sedimentation control plan shall be developed and implemented. It shall outline Best Management Practices for short term, temporary stabilization. Acceptable stabilization methods include (but are not limited to) use of weed-free natural fiber (i.e., non-monofilament) rolls, jute, or coir netting, and/or other industry standard materials. Erosion control devices shall be installed and maintained for the duration of the project.

**BIO-2 and BIO-3 Monitoring:** Required prior to issuance of construction permits and prior to site disturbance and construction activities. Compliance will be verified by the County Department of Planning and Building.

**BIO-4. Preconstruction Survey for American Badger:** A qualified biologist shall conduct a preconstruction survey within 30 days prior to the start of initial project activities to ensure American badger are not present within proposed work areas. If potential dens are discovered, they shall be monitored with a remote camera or tracking medium for at least three days to determine if they are occupied. If the qualified biologist determines that a den may be active, a no-entry exclusion buffer shall be established within 50 feet of the den and the appropriate resource agencies shall be contacted for further guidance. If

**APRIL 26, 2023**

active dens are found during the breeding and rearing season, no activity shall occur within 200 feet of the den without agency guidance and approval. Exclusion buffers shall be prominently flagged and encircle the den. If an exclusion buffer is not feasible, the applicant will contact the County for further guidance prior to initial project activities. If construction lapses beyond 30 days from the survey, an additional survey will be required.

**BIO-4 Monitoring:** Required within 30 days of site disturbance or construction activities. A final report shall be provided to the County prior to initial project activities. Compliance will be verified by the County Department of Planning and Building.

**BIO-5** County Standard Mitigation of Impacts to San Joaquin Kit Fox Habitat: Prior to issuance of grading and/or construction permits, the applicant shall submit evidence to the County of San Luis Obispo that states that one or a combination of the following three San Joaquin kit fox compensatory mitigation measures has been implemented:

- a) Provide for the protection in perpetuity, through acquisition of fee or a conservation easement of 6.3 acres (2.1 acres of development multiplied by 3 as a result of an applied 3:1 mitigation ratio) of suitable habitat in the kit fox corridor area (e.g. either on-site or off-site, and provide for a non-wasting endowment to provide for management and monitoring of the property in perpetuity. Lands to be conserved shall be subject to the review and approval of the California Department of Fish and Wildlife and the County. This mitigation alternative (a.) requires that all aspects of this program must be in place before County-permit issuance or initiation of any ground disturbing activities.
- b) Deposit funds into an approved in-lieu fee program, which would provide for the protection in perpetuity of suitable habitat in the kit fox corridor area within San Luis Obispo County and provide for a non-wasting endowment for management and monitoring of the property in perpetuity. Mitigation alternative (b) above can be completed by providing funds to The Nature Conservancy (TNC) pursuant to the Voluntary Fee-Based Compensatory Mitigation Program (Program). The Program was established in agreement between the CDFW and TNC to preserve San Joaquin kit fox habitat, and to provide a voluntary mitigation alternative to project proponents who must mitigate the impacts of projects in accordance with the California Environmental Quality Act (CEQA). The fee, payable to "The Nature Conservancy," would total: \$15,750 (2.1 x 3 x \$2,500). This fee is calculated based on the current cost-per-unit of \$2,500 per acre of mitigation, which is scheduled to be adjusted to address the increasing cost of property in San Luis Obispo County; actual cost may increase depending on the timing of payment. This fee must be paid after the CDFW provides written notification about your mitigation options but prior to County permit issuance and initiation of any ground disturbing activities.
- c) Purchase credits in a CDFW-approved conservation bank, which would provide for the protection in perpetuity of suitable habitat within the kit fox corridor area and provide for a non-wasting endowment for management and monitoring of the property in perpetuity. Mitigation alternative (c) above can be completed by purchasing credits from the Palo Prieto Conservation Bank (see contact information below). The Palo Prieto Conservation Bank was established to preserve San Joaquin kit fox habitat, and to provide a voluntary mitigation alternative to project proponents who must mitigate



**APRIL 26, 2023**

the impacts of projects in accordance with CEQA. The cost payable to the owners of The Palo Prieto Conservation Bank, would total: \$15,750 (2.1 x 3 x \$2,500).

This fee is calculated based on the current cost-per-credit of \$2,500 per acre of mitigation. The fee is established by the conservation bank owner and may change at any time. Actual cost may increase depending on the timing of payment. Purchase of credits must be completed prior to County permit issuance and initiation of any ground disturbing activities.

The mitigation options identified above are based on preliminary site plans. The project has a required mitigation ratio of three (3) acres conserved for each acre impacted (3:1). Total required compensatory mitigation may change based on the final number of impacted acres shown on the construction and/or grading plans submitted to the County for review.

**BIO-5 Monitoring:** Required prior to issuance of construction permits. Compliance will be verified by the County Department of Planning and Building.

**BIO-6.** San Joaquin Kit Fox: To avoid direct take of SJKF during construction in accordance with the San Luis Obispo County Guide to SJKF Mitigation Procedures Under CEQA, the project owner shall adopt the Standard Kit Fox CEQA Mitigation Measures and shall be included on development plans. The following measures shall be implemented:

- a) A maximum 25 mph speed limit shall be required at the project site during construction activities.
- b) All construction activities shall cease at dusk and not start before dawn.
- c) A qualified biologist shall be on-site immediately prior to initiation of project activities to inspect for any large burrows (e.g., known and potential dens) and to ensure no wildlife are injured during project activities. If dens are encountered, they should be avoided as discussed below.
- d) Exclusion zone boundaries shall be established around all known and potential kit fox dens.
- e) All excavations deeper than 2 feet shall be completely covered at the end of each working day.
- f) All pipes, culverts, or similar structures shall be inspected for SJKF and other wildlife before burying, capping, or moving.
- g) All exposed openings of pipes, culverts, or similar structures shall be capped or temporarily sealed prior to the end of each working day.
- h) All food-related trash shall be removed from the site at the end of each workday.
- i) Project-related equipment shall be prohibited outside of designated work areas and access routes.
- j) No firearms shall be allowed in the project area.
- k) Disturbance to burrows shall be avoided to the greatest extent feasible.
- l) No rodenticides or herbicides should be applied in the project area.
- m) Permanent fences shall allow for SJKF passage through or underneath (i.e., an approximate 4-inch passage gap shall remain at ground level).

**APRIL 26, 2023**

- n) Prior to issuance of grading and/or construction permit and within 30 days prior to initiation of site disturbance and/or construction, all personnel associated with the project shall attend a worker education training program, conducted by a qualified biologist, to avoid or reduce impacts on sensitive biological resources (i.e. San Joaquin kit fox). At a minimum, as the program relates to the kit fox, the training shall include the kit fox's life history, all mitigation measures specified by the County, as well as any related biological report(s) prepared for the project. The applicant shall notify the County shortly prior to this meeting. A kit fox fact sheet shall also be developed prior to the training program, and distributed at the training program to all contractors, employers and other personnel involved with the construction of the project.
- o) During the site-disturbance and/or construction phase, any contractor or employee that inadvertently kills or injures a San Joaquin kit fox or who finds any such animal either dead, injured, or entrapped shall be required to report the incident immediately to the applicant and County.
- p) In the event that any observations are made of injured or dead kit fox, the applicant shall immediately notify the USFWS and CDFW by telephone. In addition, formal notification shall be provided in writing within three working days of the finding of any such animal(s). Notification shall include the date, time, location and circumstances of the incident. Any threatened or endangered species found dead or injured shall be turned over immediately to CDFW for care, analysis, or disposition.

**BIO-6 Monitoring:** Required during site disturbance and construction activities. Training is required prior to any site disturbance or construction activities, and throughout the life of the project when new construction personnel join the project. Compliance will be verified by the County Department of Planning and Building.

**BIO-7.** Surveys and Monitoring for Northern California Legless Lizard: If work will occur within the oak woodland or manzanita chaparral, a qualified biologist shall conduct a preconstruction survey immediately prior to the start of work to ensure legless lizards are not present within proposed work areas. During the survey the biologist shall gently disturb or rake the upper layers of leaf litter or loose soil within suitable habitat to uncover or rouse legless lizards. If work occurs within the oak woodland or manzanita chaparral, construction monitoring shall be conducted by a qualified biologist during all initial ground disturbing and vegetation removal activities (e.g., grading, grubbing, vegetation trimming). If legless lizards are found during preconstruction surveys or monitoring, they shall be allowed to leave the work area on their own volition or be hand captured and relocated to suitable habitat outside of the area or impact, if permitted.

**BIO-8.** Preconstruction Survey and Avoidance Measures for Nesting Birds: To protect nesting birds, no construction shall occur from February 1 through August 31 unless the following measures are in place. Preconstruction surveys must be completed by a qualified biologist within one week prior to project initiation. Surveys for raptors shall be conducted within a 250-foot radius of the project site. If any active non-listed raptor nests are observed, these nests and nest trees shall be protected, and a no-work buffer of 250 feet shall be established until the young have fledged and are no longer reliant on the nest tree or parental care, or the nest is no longer active. Surveys for other non-listed avian species shall be conducted within a 50-foot radius of the project site. If any active nests are

**APRIL 26, 2023**

observed, these nests and nest trees shall be protected with a 50-foot no-work buffer. All activity will remain outside of the designated buffers until a qualified biologist has determined that the young have fledged or that proposed construction activities would not cause adverse impacts to the nests, adults, eggs, or young. If special-status avian species are identified and nesting within the work area, no work will begin until an appropriate buffer is determined in consultation with CDFW, and/or the USFWS.

**BIO-7 and BIO-8 Monitoring:** Required within one week of site disturbance or construction activities. A final report is required within 30 days of completion of surveys. Compliance will be verified by the County Department of Planning and Building.

## **GEOLOGY AND SOILS**

**GEO-1.** Project Geotechnical Report Recommendations: The project Geotechnical Report conclusions and recommendations indicate that the site is suitable for the proposed development from a geotechnical engineering standpoint; however, impacts related to soil collapse, soil moisture levels, unstable soils, low density soil compaction, fill slopes, foundation suitability, settlement, lateral pressures, etc. are considered to be significant. As such, the Geotechnical Report includes detailed recommendations for the following issues:

- general grading,
- site-specific development,
- grading pads,
- foundation excavations,
- utility trenches,
- slope construction,
- foundation design,
- slabs on grade,
- lateral resistance parameters,
- settlement considerations, and
- retaining walls.

Therefore, the applicant shall be required to implement the recommendations listed in the project Geotechnical Report as required mitigation measures. These measures shall be listed on the building plans and implemented per the recommendations in the Geotechnical Report. Implementation of this measure will reduce impacts to less than significant levels.

**GEO-1 Monitoring:** Required prior to issuance of construction permits. Compliance will be verified by the County Department of Planning and Building.

The applicant understands that any changes made to the project description after this environmental determination must be reviewed by the Environmental Coordinator and may require a new environmental determination for the project. By signing this agreement, the owner(s) agrees to and accepts the incorporation of the above measures into the proposed project description.

DocuSigned by:  
  
 1F57D528EFDB4FB...

Signature of Agent(s)/Owner

4/26/2023

Date

Miranda Battenburg

Name (Print)

**APRIL 26, 2023**