



State of California - Department of Fish and Wildlife
2023 ENVIRONMENTAL DOCUMENT FILING FEE
CASH RECEIPT
DFW 753.5a (REV. 01/01/23) Previously DFG 753.5a

RECEIPT NUMBER:

E202310000135

STATE CLEARINGHOUSE NUMBER (if applicable)

SEE INSTRUCTIONS ON REVERSE. TYPE OR PRINT CLEARLY.

LEAD AGENCY	LEAD AGENCY EMAIL	DATE
COUNTY OF FRESNO		05/11/2023
COUNTY/STATE AGENCY OF FILING	DOCUMENT NUMBER	
FRESNO COUNTY	E202310000135	

PROJECT TITLE

ENVIRONMENTAL REVIEW APPLICATION NO. 8388

PROJECT APPLICANT NAME	PROJECT APPLICANT EMAIL	PHONE NUMBER
COUNTY OF FRESNO		
PROJECT APPLICANT ADDRESS	CITY	STATE
2220 TULARE STREET, SUITE A	FRESNO	CA
		ZIP CODE
		93721

PROJECT APPLICANT (Check appropriate box)

☒ Local Public Agency ☐ School District ☐ Other Special District ☐ State Agency ☐ Private Entity

CHECK APPLICABLE FEES:

<input type="checkbox"/> Environmental Impact Report (EIR)	\$3,839.25	\$	0.00
<input type="checkbox"/> Mitigated/Negative Declaration (MND)(ND)	\$2,764.00	\$	0.00
<input type="checkbox"/> Certified Regulatory Program (CRP) document - payment due directly to CDFW	\$1,305.25	\$	0.00

☐ Exempt from fee

☐ Notice of Exemption (attach)

☐ CDFW No Effect Determination (attach)

☐ Fee previously paid (attach previously issued cash receipt copy)


<input type="checkbox"/> Water Right Application or Petition Fee (State Water Resources Control Board only)	\$850.00	\$	0.00
<input checked="" type="checkbox"/> County documentary handling fee	\$50.00	\$	50.00
<input checked="" type="checkbox"/> Other CATEGORICAL EXEMPTION		\$	0.00

PAYMENT METHOD:

☒ Cash ☐ Credit ☐ Check ☐ Other

TOTAL RECEIVED \$ **50.00**

SIGNATURE

X 

AGENCY OF FILING PRINTED NAME AND TITLE

Thang Yang Deputy Clerk



State of California - Department of Fish and Wildlife
**2023 ENVIRONMENTAL DOCUMENT FILING FEE
CASH RECEIPT**
DFW 753.5a (REV. 01/01/23) Previously DFG 753.5a

RECEIPT NUMBER:

E202310000135

STATE CLEARINGHOUSE NUMBER (if applicable)

SEE INSTRUCTIONS ON REVERSE. TYPE OR PRINT CLEARLY.

LEAD AGENCY	LEAD AGENCY EMAIL	DATE
COUNTY OF FRESNO		05/11/2023
COUNTY/STATE AGENCY OF FILING	DOCUMENT NUMBER	
FRESNO COUNTY	E202310000135	
PROJECT TITLE		
ENVIRONMENTAL REVIEW APPLICATION NO. 8388		

PROJECT APPLICANT NAME	PROJECT APPLICANT EMAIL	PHONE NUMBER
COUNTY OF FRESNO		
PROJECT APPLICANT ADDRESS	CITY	STATE
2220 TULARE STREET, SUITE A	FRESNO	CA
		ZIP CODE
		93721

PROJECT APPLICANT (Check appropriate box)

☒ Local Public Agency ☐ School District ☐ Other Special District ☐ State Agency ☐ Private Entity

CHECK APPLICABLE FEES:

<input type="checkbox"/> Environmental Impact Report (EIR)	\$3,839.25	\$	0.00
<input type="checkbox"/> Mitigated/Negative Declaration (MND)(ND)	\$2,764.00	\$	0.00
<input type="checkbox"/> Certified Regulatory Program (CRP) document - payment due directly to CDFW	\$1,305.25	\$	0.00

☐ Exempt from fee

☐ Notice of Exemption (attach)

☐ CDFW No Effect Determination (attach)

☐ Fee previously paid (attach previously issued cash receipt copy)

<input type="checkbox"/> Water Right Application or Petition Fee (State Water Resources Control Board only)	\$850.00	\$	0.00
---	----------	----	------


<input checked="" type="checkbox"/> County documentary handling fee	\$50.00	\$	50.00
---	---------	----	-------

<input checked="" type="checkbox"/> Other CATEGORICAL EXEMPTION		\$	0.00
---	--	----	------

PAYMENT METHOD:

☒ Cash ☐ Credit ☐ Check ☐ Other

TOTAL RECEIVED \$ **50.00**

SIGNATURE	AGENCY OF FILING PRINTED NAME AND TITLE
X 	Thang Yang Deputy Clerk

County of Fresno
Clerk's Office
James A. Kus

Elections Department
(559) 600-8683

Clerk Services Department
(559) 600-2575

Finalization 2023009658
5/11/2023 02:08 PM
CCR571804 thyang

Description	Fee
EIR Administrative Fee	
Time Recorded: 2:08 PM	
Recording Fee:	\$50.00
Total Amount Due	\$50.00
Total Paid	
Cash Tendered	\$50.00
Amount Due	\$0.00

E202310000135

THANK YOU
PLEASE KEEP FOR REFERENCE



E202310000135
County of Fresno

DEPARTMENT OF PUBLIC WORKS AND PLANNING
STEVEN E. WHITE, DIRECTOR

NOTICE OF EXEMPTION

TO: ☐ Office of Planning and Research
1400 Tenth Street, Room 121
Sacramento, CA 95814

☒ County Clerk, County of Fresno
2221 Kern Street
Fresno, CA 93721

FILED
MAY 11 2023 TIME 2:10 PM
FRESNO COUNTY CLERK
By [Signature] DEPUTY

For County Clerk's Stamp

FROM: Fresno County Department of Public Works and Planning
Development Services and Capital Projects Division
2220 Tulare Street (corner of Tulare and "M") Suite "A", Fresno, CA 93721

PROJECT TITLE: Environmental Review Application No. 8388

PROJECT APPLICANT/SPONSOR: Gloria Hensley, County of Fresno, Department of Public Works and Planning, Design Division

PROJECT LOCATION – COUNTY: The project location is on the east/west side of Grantland Avenue in front of Herndon-Barstow Elementary School between west Tenaya Avenue and west Mesa Avenue. (APN: 504-030-24T) (6265 N. Grantland Avenue)

DESCRIPTION OF PROJECT: The project will replace the existing crosswalk and install a High Intensity Activated Crosswalk (HAWK) system to increase safety of pedestrians crossing Grantland Avenue going to the school. All the necessary appurtenant electrical and controllers to operate the signal will be installed as part of the work. Wiring will be installed underground in a 24" x 36" deep trench. New signage and striping will be necessary on Grantland Ave near Herndon-Barstow Elementary School between Bullard Ave and Tenaya Ave. The crosswalk will be moved approximately 50 feet south of the existing location to improve visibility and safety of the crosswalk, which meets the California Manual on Uniform Traffic Control Devices (CA MUTCD) standards for installation of a Pedestrian Hybrid Beacon. The project will also include widening a section of the road to support the crosswalk striping and building a new ADA compliant, curb ramp and new sidewalk with curb & gutter, which would be aligned with and connecting to the existing sidewalk at the south end of the school. A new curb ramp and necessary pavement and concrete work will be installed on the existing median and east side of the road to the new location of the crossing. Miscellaneous clearing and grubbing and removal of trees will be necessary to avoid obstructing visibility of the crosswalk. Right of way acquisition of parcel APN 50403082 is necessary to accommodate the improvements on the west side of the crosswalk. Existing flashing beacons located north and south of the existing crosswalk will be removed with all the appurtenant wiring. Utility poles will be relocated. A fire hydrant will be relocated. New piping will be installed in a 24" wide by 48" deep trench. All work will be within previously disturbed land.

NAME OF PUBLIC AGENCY APPROVING PROJECT: Fresno County Board of Supervisors

NAME OF PERSON OR AGENCY CARRYING OUT PROJECT: Gloria Hensley, Fresno County Department of Public Works and Planning, Design Division

EXEMPT STATUS: Categorical exemption: Section 15301(c) *Existing Facilities*

REASONS WHY THE PROJECT IS EXEMPT: The subject application proposes to replace the existing crosswalk and install a High Intensity Activated Crosswalk (HAWK) system to increase public safety of

E202310000135

pedestrians crossing Grantland Avenue going to the school. Therefore, it was determined that this project would not result in a significant impact on the environment.

LEAD AGENCY

CONTACT PERSON: Reymundo Peraza

AREA CODE/TELEPHONE: (559) 600-4224

If filed by the applicant:

1. Attach certified document of exemption finding.
2. Has a Notice of Exemption been filed by the public agency approving the project?
☐ Yes ☐ No

Signature: 
David Randall, Senior Planner

Date: 4/24/23

- ☒ Signed by Lead Agency Date received for filing at OPR: _____
☐ Signed by Applicant



E202310000135
Inter Office Memo

DATE: April 24, 2023
TO: Gloria Hensley, Design Division
FROM: Reymundo Peraza, Planner, Development Services and Capital Projects
SUBJECT: ER No. 8388 – Crosswalk Replacement

PROJECT DESCRIPTION:

The project will replace the existing crosswalk and install a High Intensity Activated Crosswalk (HAWK) system. The crosswalk will be moved approximately 50 feet south of the existing location to improve visibility and safety of the crosswalk, which meets the California Manual on Uniform Traffic Control Devices (CA MUTCD) standards for installation of a Pedestrian Hybrid Beacon. The project will also include widening a section of the road to support the crosswalk striping and building a new ADA compliant, curb ramp and new sidewalk with curb & gutter. All work will be within previously disturbed land and the project will increase safety of pedestrians crossing Grantland Avenue.

DETERMINATION:

The proposed project is categorically exempt from the provisions of California Environmental Quality (CEQA) under Section 15301(c), *Existing Facilities*.

The following support this determination:

A Class 1 Exemption consists of the operation, repair, maintenance, permitting, leasing, licensing, or minor alteration of existing public or private structures, facilities, mechanical equipment, or topographical features, involving negligible or no expansion of existing or former use.

Example c of a Class 1 Exemption include existing highways and streets, sidewalks, gutters, bicycle and pedestrian trails, and similar facilities (this include road grading for the purpose of public safety, and other alterations such as the addition of bicycle facilities, including but not limited to bicycle parking, bicycle-sharing facilities and bicycle lanes, transit improvements such as bus lanes, pedestrian crossings, street tress, and other similar alterations that do not create additional automobile lanes).

The project will replace the existing crosswalk that is not compliant with current standards and install a High Intensity Activated Crosswalk (HAWK) system that will increase the safety of pedestrians crossing Grantland. The existing facility will be moved approximately 50' south of its current location and will consist of a section of Grantland Avenue to be widened. The new location and street widening of the facility is needed to meet current California Manual on Uniform Traffic Control Devices (CA MUTCD) standards as well ADA crosswalk standards.

The project specifications require actions during construction for this project to reduce particulate matter in accordance with the San Joaquin Valley Unified Air Pollution Control Regulation VIII. These actions to reduce particulate matter are part of the proposed project, and with these air quality specifications included as a part of the project, short-term air quality impacts are not a concern. Once construction has been completed, there will be no continued emissions impact from this project

E202310000135

because the project is not expected to increase traffic flow, nor will it produce any emissions itself. As a result, this project will not affect the long-term air quality goals of the County of Fresno. Additionally, this project is not expected to have an effect on traffic or population growth because the project will only improve the functionality and safety of existing roads, and is not intended to increase capacity. Therefore, it is not expected that there will be any additional stress on surrounding roads from increased traffic flow. No cumulative impacts were identified

Construction work proposed by this project is confined previously disturbed land. No critical habitats identified on or near the subject site. The project site is not expected to be utilized as habitat for special-status species. All work will be located within existing paved roadway and construction work will not occur in any bed, bank or channel or any waterway.

The project will replace the existing crosswalk and install a High Intensity Activated Crosswalk (HAWK) system. No increase in the number of through lanes is proposed. Full closure of the road is not necessary to construct this project. Therefore, there are no impacts to transportation resulting from construction or operation of the project. No buildings are anticipated to be removed as a result of the project. There are no new areas of ground disturbance proposed with this project, as all work is confined to previously disturbed land. Therefore, no impact to historical or cultural resources are seen.

Therefore, it can be determined that Environmental Review No. 8388 is not expected to have a significant impact on the environment and is exempt from the provisions of CEQA. If you have any questions, please call me at 600-4224.



Fresno County Department of Public Works and Planning

MAILING ADDRESS:

Department of Public Works and Planning
Development Services Division
2220 Tulare St., 6th Floor
Fresno, Ca. 93721

Date Received: 4-24-2023

ER
8388

(Application No.)

LOCATION:

Southwest corner of Tulare & "M" Streets, Suite A
Street Level
Fresno Phone: (559) 600-4497
Toll Free: 1-800-742-1011 Ext. 0-4497

APPLICATION FOR:

- ☐ Pre-Application (Type) _____
- ☐ Amendment Application ☐ Director Review and Approval
- ☐ Amendment to Text ☐ for 2nd Residence
- ☐ Conditional Use Permit ☐ Determination of Merger
- ☐ Variance (Class)/Minor Variance ☐ Agreements
- ☐ Site Plan Review/Occupancy Permit ☐ ALCC/RLCC
- ☐ No Shoot/Dog Leash Law Boundary ☒ Other Environmental Review
- ☐ General Plan Amendment/Specific Plan/SP Amendment)
- ☐ Time Extension for _____

DESCRIPTION OF PROPOSED USE OR REQUEST:

Herndon-Barstow Elementary School
HAWK: The proposed project will relocate the existing crosswalk, add curb and gutter, and install a High Intensity Activated Crosswalk (HAWK) system to increase safety of pedestrians crossing Grantland Avenue going to and from the school.

CEQA DOCUMENTATION: ☐ Initial Study ☒ PER ☐ N/A

PLEASE USE FILL-IN FORM OR PRINT IN BLACK INK. Answer all questions completely. Attach required site plans, forms, statements, and deeds as specified on the Pre-Application Review. Attach Copy of Deed, including Legal Description.

LOCATION OF PROPERTY: East/West side of Grantland Avenue in front of Herndon-Barstow Elementary School

between West Tenaya Avenue and West Mesa Avenue

Street address: 6265 N Grantland Ave, Fresno, CA 93723

APN: 504-030-24T Parcel size: 10.590 Section(s)-Twp/Rg: S 5 - T 13 S/R 9 E

ADDITIONAL APN(s): 504-030-82

I, Gloria Hensley Digitally signed by Gloria Hensley
Date: 2023.04.24 15:53:08 -07'00' (signature), declare that I am the owner, or authorized representative of the owner, of the above described property and that the application and attached documents are in all respects true and correct to the best of my knowledge. The foregoing declaration is made under penalty of perjury.

County of Fresno	2220 Tulare Street	Fresno	93721
Owner (Print or Type)	Address	City	Zip
Public Works and Planning, Design Division	2220 Tulare Street	Fresno	93721
Applicant (Print or Type)	Address	City	Zip
Gloria Hensley	2220 Tulare Street, Suite 600	Fresno	93721
Representative (Print or Type)	Address	City	Zip
			Phone
			Phone
			Phone
			Phone

CONTACT EMAIL: ghensley@fresnocoutyca.gov

OFFICE USE ONLY (PRINT FORM ON GREEN PAPER)

Application Type / No.: _____ Fee: \$ _____

Application Type / No.: _____ Fee: \$ _____

Application Type / No.: _____ Fee: \$ _____

Application Type / No.: _____ Fee: \$ _____

PER/Initial Study No.: ER 8388 Fee: \$ 259.00

Ag Department Review: _____ Fee: \$ _____

Health Department Review: _____ Fee: \$ _____

Received By: R. Peraza Invoice No.: 261178 TOTAL: \$ 259.00

UTILITIES AVAILABLE:

WATER: Yes ☐ / No ☐

Agency: _____

SEWER: Yes ☐ / No ☐

Agency: _____

STAFF DETERMINATION: This permit is sought under Ordinance Section:

Sect-Twp/Rg: _____ - T _____ S/R _____ E

Related Application(s): _____

APN # _____ - _____ - _____

APN # _____ - _____ - _____

APN # _____ - _____ - _____

APN # _____ - _____ - _____

Zone District: _____

Parcel Size: _____

E202310000135

**REQUIRED FINDINGS NECESSARY FOR GRANTING A
CONDITIONAL USE PERMIT APPLICATION
AS SPECIFIED IN ZONING ORDINANCE SECTION 873**

1. That the site of the proposed use is adequate in size and shape to accommodate said use and all yards, spaces, walls and fences, parking, loading, landscaping, and other features required by this Division, to adjust said use with land and uses in the neighborhood.
2. That the site for proposed use relates to streets and highways adequate in width and pavement type to carry the quantity and kind of traffic generated by the proposed use.
3. That the proposed use will have no adverse effect on abutting property and surrounding neighborhood or the permitted use thereof.
4. That the proposed development is consistent with the General Plan.

**REQUIREMENTS FOR SUBMITTING SITE PLANS TO THE
FRESNO COUNTY PUBLIC WORKS AND PLANNING
DEPARTMENT**

The purpose of the site (or plot) plan is to enable the Development Services Division to determine whether or not a proposed development conforms to Zoning Ordinance regulations. The requirements below are necessary to ensure proper and timely review based on complete information, and to prevent unnecessary delays in the processing of applications. Improper or incomplete site plans will not be accepted.

General Requirements

1. The plan must be drawn on a sheet having the following minimum dimensions:
 - 18" x 24" for CUPs and SPRs
 - 8.5" x 11" for Variances and DRAs
2. The plan must show the entire parcel of property described in the application. If only a portion of an existing parcel is to be developed, a key map shall be included showing the entire parcel.
3. The plan must be drawn to scale, and the scale must be clearly shown. (Scale should also be large enough to adequately show required information). Parking and circulation plans must be drawn to a scale of 1"= 30', 1/32"= 1', or larger.
4. The plan shall be drawn so that north is at the top of the page and shall include a north arrow.
5. Each plan shall be folded individually, with the bottom right-hand corner facing up. Maximum acceptable folded size shall be 8.5" x 11"

Specific Information to be Shown

1. All existing and proposed building and structures, including buildings to be removed. Buildings should be labeled as either existing (E) or proposed (P).
2. The proposed use of all buildings and structures.
3. All adjacent streets and roads and their names
4. Access to the property: pedestrian, vehicular, and service.
5. Proposed street improvements and dedications.

**REQUIRED FINDINGS NECESSARY FOR THE GRANTING
OF A VARIANCE APPLICATION AS SPECIFIED IN ZONING
ORDINANCE SECTION 877**

1. There are exceptional or extraordinary circumstances or conditions applicable to the property involved which do not apply generally to other property in the vicinity having the identical zoning classification.
2. Such variance is necessary for the preservation and enjoyment of a substantial property right of the applicant, which right is possessed by other property owners under like conditions in the vicinity having the identical zoning classification.
3. The granting of a variance will not be materially detrimental to the public welfare or injurious to property and improvement in the vicinity in which the property is located.
4. The granting of such variance will not be contrary to the objectives of the General Plan.

**REQUIRED FINDINGS NECESSARY FOR THE GRANTING
OF A DIRECTOR REVIEW AND APPROVAL APPLICATION
AS SPECIFIED IN ZONING ORDINANCE SECTION 872**

1. That the site of the proposed use is adequate in size and shape to accommodate said use and all yards, spaces, walls and fences, parking, loading, landscaping and other features required by this Division, to adjust said use with land and uses in the neighborhood.
2. That the site for the proposed use relates to streets and highways adequate in width and pavement type to carry the quantity and kind of traffic generated by the proposed use.
3. That the proposed use will not be detrimental to the character of the development in the immediate neighborhood or the public health, safety, and general welfare.
4. That the proposed development be consistent with the General Plan.

6. Existing and proposed off-street parking and loading areas: location and type of paving, number of spaces (including detailed layout) and internal circulation pattern.
7. Existing and proposed signs: location, type of lighting, face area (text) and height.
8. Existing and proposed on-site lighting: location, type of fixtures, height and method of controlling glare and illumination.
9. The following measurements:
 - All dimensions of the site (or sites)
 - All dimensions of buildings and structures (including height).
 - All dimensions of off-street parking and loading areas.
 - The distance of all buildings and structures from property lines.
 - The distance between all buildings and structures.
10. Walls and fences: location, height and type of material.
11. Landscaping: location and type of plant material.
12. Pedestrian walkways: location, width and type of paving.
13. Existing wells and private sewage disposal systems.
14. Such other information as may be pertinent to the application.



E202310000135
County of Fresno

DEPARTMENT OF PUBLIC WORKS AND PLANNING

INITIAL STUDY APPLICATION

INSTRUCTIONS

Answer all questions completely. An incomplete form may delay processing of your application. Use additional paper if necessary and attach any supplemental information to this form. Attach an operational statement if appropriate. This application will be distributed to several agencies and persons to determine the potential environmental effects of your proposal. Please complete the form in a legible and reproducible manner (i.e., USE BLACK INK OR TYPE).

OFFICE USE ONLY

IS No. _____

Project
No(s). _____

Application Rec'd.:

GENERAL INFORMATION

1. **Property Owner :** County of Fresno **Phone/Fax** 559-600-4109
Mailing Address: 2220 Tulare Street 7th Floor, Fresno, CA 93721

StreetCityState/Zip
2. **Applicant :** Public Works and Planning, Design Division **Phone/Fax:** 559-600-4109
Mailing Address: Same as above

StreetCityState/Zip
3. **Representative:** Gloria Hensley **Phone/Fax:** 559-600-0523
Mailing Address: Same as above

StreetCityState/Zip
4. **Proposed Project:** Herndon-Barstow Elementary School HAWK
5. **Project Location:** Grantland Avenue, in front of Herndon-Barstow School between Tenaya and Bullard
6. **Project Address:** 6265 N Grantland Ave, Fresno, CA 93723
7. **Section/Township/Range:** 5 / 13S / 19E
8. **Parcel Size:** 10.590
9. **Assessors Parcel No.** 504-030-24T

DEVELOPMENT SERVICES DIVISION

2220 Tulare Street, Sixth Floor / Fresno, California 93721 / Phone (559) 262-4055 / 262-4029 / 262-4302 / 262-4022 / FAX 262-4893
Equal Employment Opportunity • Affirmative Action • Disabled Employer

10. Land Conservation Contract No. (If applicable): N/A

<input type="checkbox"/> <i>LAFCo (annexation)</i>	<input type="checkbox"/> <i>SJVUAPCD (Air Pollution Control District)</i>
<input type="checkbox"/> <i>CALTRANS</i>	<input type="checkbox"/> <i>Reclamation Board</i>
<input type="checkbox"/> <i>Division of Aeronautics</i>	<input type="checkbox"/> <i>Department of Energy</i>
<input type="checkbox"/> <i>Water Quality Control Board</i>	<input type="checkbox"/> <i>Airport Land Use Commission</i>
<input type="checkbox"/> <i>Other _____</i>	

If so, please provide a copy of all related grant and/or funding documents, related information and environmental review requirements.

13. Existing Zone District¹: Residential

14. Existing General Plan Land Use Designation¹: Transportation

15. **Present land use:** Transportation
Describe existing physical improvements including buildings, water (wells) and sewage facilities, roads, and lighting. Include a site plan or map showing the previously listed improvements:

Describe the major vegetative cover: Ruderal

Any perennial or intermittent water courses? If so, show on map: No

Is property in a flood prone area? Describe: No

North: Residential homes

South: Residential homes

East: Residential homes/banquet hall

West Residential homes/Elementary School

17. What land use(s) in the area may be impacted by your Project?: School

18. What land use(s) in the area may impact your project?: None

NOTE: The information below will be used in determining traffic impacts from this project. The data may also show the need for a Traffic Impact Study (TIS) for the project.

A. Will additional driveways from the proposed project site be necessary to access public roads?
 _____ Yes X No

<i>I. Residential - Number of Units</i>	<u>N/A</u>
<i>Lot Size</i>	<u>N/A</u>
<i>Single Family</i>	<u>N/A</u>
<i>Apartments</i>	<u>N/A</u>

<i>II. Commercial - Number of Employees</i>	<u>N/A</u>
<i>Number of Salesmen</i>	<u>N/A</u>
<i>Number of Delivery Trucks</i>	<u>N/A</u>
<i>Total Square Footage of Building</i>	<u>N/A</u>

III. Describe and quantify other traffic generation activities: None

20. Describe any source(s) of noise from your project that may affect the surrounding area: _____

Temporary construction noise

21. Describe any source(s) of noise in the area that may affect your project: None

22. Describe the probable source(s) of air pollution from your project: _____

Temporary dust from construction activities

23. *Proposed source of water:*

() *private well*

() *community system*³--name: N/A

E202310000135

24. Anticipated volume of water to be used (gallons per day)²: N/A
25. Proposed method of liquid waste disposal:
() septic system/individual
() community system³-name N/A
26. Estimated volume of liquid waste (gallons per day)²: N/A
27. Anticipated type(s) of liquid waste: N/A
28. Anticipated type(s) of hazardous wastes²: N/A
29. Anticipated volume of hazardous wastes²: N/A
30. Proposed method of hazardous waste disposal²: N/A
31. Anticipated type(s) of solid waste: N/A
32. Anticipated amount of solid waste (tons or cubic yards per day): N/A
33. Anticipated amount of waste that will be recycled (tons or cubic yards per day): N/A
34. Proposed method of solid waste disposal: N/A
35. Fire protection district(s) serving this area: N/A
36. Has a previous application been processed on this site? If so, list title and date: Unknown
37. Do you have any underground storage tanks (except septic tanks)? Yes _____ No X
38. If yes, are they currently in use? Yes _____ No _____

TO THE BEST OF MY KNOWLEDGE, THE FOREGOING INFORMATION IS TRUE.

SIGNATURE 

04/24/2023

DATE

¹Refer to Development Services Conference Checklist

²For assistance, contact Environmental Health System, (559) 445-3357

³For County Service Areas or Waterworks Districts, contact the Resources Division, (559) 262-4259

NOTICE AND ACKNOWLEDGMENT

INDEMNIFICATION AND DEFENSE

The Board of Supervisors has adopted a policy that applicants should be made aware that they may be responsible for participating in the defense of the County in the event a lawsuit is filed resulting from the County's action on your project. You may be required to enter into an agreement to indemnify and defend the County if it appears likely that litigation could result from the County's action. The agreement would require that you deposit an appropriate security upon notice that a lawsuit has been filed. In the event that you fail to comply with the provisions of the agreement, the County may rescind its approval of the project.

STATE FISH AND GAME FEE

State law requires that specified fees (\$3,078.25 for an EIR; \$2,216.25 for a Negative Declaration) be paid to the California Department of Fish and Game (DFG) for projects, which must be reviewed for potential adverse effect on wildlife resources. The County is required to collect the fees on behalf of the DFG. A \$50.00 handling fee will also be charged as provided for in the legislation to defray a portion of the County's costs for collecting the fees.

The following projects are exempt from the fees:

- 1. All projects statutorily exempt from the provisions of CEQA (California Environmental Quality Act).*
- 2. All projects categorically exempt by regulations of the Secretary of Resources (State of California) from the requirement to prepare environmental documents.*

A fee exemption may be issued by DFG for eligible projects determined by that agency to have "no effect on wildlife." That determination must be provided in advance from DFG to the County at the request of the applicant. You may wish to call the local office of the DFG at (559) 222-3761, if you need more information.

Upon completion of the Initial Study you will be notified of the applicable fee. Payment of the fee will be required before your project will be forwarded to the project analyst for scheduling of any required hearings and final processing. The fee will be refunded if the project should be denied by the County.

Applicant's Signature

Date

NEPAssist Report

ATP - Herndon-Barstow Elementary HAWK Improvement

E202310000135



February 22, 2023

Project Buffer

ATP - Herndon-Barstow Elementary HAWK Improvement

1:11,466

0 0.1 0.2 0.3 mi
0 0.17 0.35 0.7 km

© 2023 Microsoft Corporation. © 2023 Maxar (2023).
Outlook Atlas 2023.02.2023.02.2023


Project Location	36.825725,- 119.916553
Within 0.5 miles of an Ozone 8-hr (1997 standard) Non-Attainment/Maintenance Area?	yes
Within 0.5 miles of an Ozone 8-hr (2008 standard) Non-Attainment/Maintenance Area?	yes
Within 0.5 miles of a Lead (2008 standard) Non-Attainment/Maintenance Area?	no
Within 0.5 miles of a SO ₂ 1-hr (2010 standard) Non-Attainment/Maintenance Area?	no
Within 0.5 miles of a PM _{2.5} 24hr (2006 standard) Non-Attainment/Maintenance Area?	yes
Within 0.5 miles of a PM _{2.5} Annual (1997 standard) Non-Attainment/Maintenance Area?	yes
Within 0.5 miles of a PM _{2.5} Annual (2012 standard) Non-Attainment/Maintenance Area?	yes
Within 0.5 miles of a PM ₁₀ (1987 standard) Non-Attainment/Maintenance Area?	yes
Within 0.5 miles of a Federal Land?	no
Within 0.5 miles of an impaired stream?	no
Within 0.5 miles of an impaired waterbody?	no
Within 0.5 miles of a waterbody?	no
Within 0.5 miles of a stream?	yes
Within 0.5 miles of an NWI wetland?	Available Online
Within 0.5 miles of a Brownfields site?	no
Within 0.5 miles of a Superfund site?	no
Within 0.5 miles of a Toxic Release Inventory (TRI) site?	no
Within 0.5 miles of a water discharger (NPDES)?	no
Within 0.5 miles of a hazardous waste (RCRA) facility?	yes
Within 0.5 miles of an air emission facility?	no

E202310000135

Within 0.5 miles of a school?	yes
Within 0.5 miles of an airport?	no
Within 0.5 miles of a hospital?	no
Within 0.5 miles of a designated sole source aquifer?	yes
Within 0.5 miles of a historic property on the National Register of Historic Places?	no
Within 0.5 miles of a Toxic Substances Control Act (TSCA) site?	no
Within 0.5 miles of a Land Cession Boundary?	yes
Within 0.5 miles of a tribal area (lower 48 states)?	no
Within 0.5 miles of the service area of a mitigation or conservation bank?	yes
Within 0.5 miles of the service area of an In-Lieu-Fee Program?	yes
Within 0.5 miles of a Public Property Boundary of the Formerly Used Defense Sites?	no
Within 0.5 miles of a Munitions Response Site?	no
Within 0.5 miles of an Essential Fish Habitat (EFH)?	no
Within 0.5 miles of a Habitat Area of Particular Concern (HAPC)?	no
Within 0.5 miles of an EFH Area Protected from Fishing (EFHA)?	no
Within 0.5 miles of a Bureau of Land Management Area of Critical Environmental Concern?	no
Within 0.5 miles of an ESA-designated Critical Habitat Area per U.S. Fish & Wildlife Service?	no
Within 0.5 miles of an ESA-designated Critical Habitat river, stream or water feature per U.S. Fish & Wildlife Service?	no

Created on: 2/22/2023 3:33:06 PM

E202310000135



		San Luis Obispo		Kem	
		SCALE		DEPARTMENT OF PUBLIC WORKS AND PLANNING	
DESIGNED: KCS	DATE	3/28/23		ATP HERNDON-BARSTOW ELEMENTARY (HAWK)	
DRAWN: KCS	3/28/23	60 30 0 60		LOCATION MAP	
CHECKED: SA	3/28/23	GRAPHIC SCALE: 1"=60'		DRAWING NO.	
FOR RIGHT OF WAY DATA AND ACCURATE ACCESS DETERMINATION, SEE DOCUMENTS IN THE DEPARTMENT OF PUBLIC WORKS AND PLANNING				SHEET NO.	
				TOTAL 01	

PROJECT DESCRIPTION

ATP – Herndon-Barstow Elementary school HAWK

March 17, 2023

E202310000135

PROJECT DESCRIPTION

Project Limits and Scope of Work The project will relocate the existing crosswalk and, install a High Intensity Activated Crosswalk (HAWK) system to increase safety of pedestrians crossing Grantland Avenue going to the school. All the necessary appurtenant electrical and controllers to operate the signal will be installed as part of the work. Wiring will be installed underground in a 24" x 36" deep trench. New signage and striping will be necessary on Grantland Ave near Herndon-Barstow Elementary School between Bullard Ave and Tenaya Ave. The crosswalk will be moved approximately 50 feet south of the existing location to improve visibility and safety of the crosswalk, which meets the California Manual on Uniform Traffic Control Devices (CA MUTCD) standards for installation of a Pedestrian Hybrid Beacon. The project will also include widening a section of the road to support the crosswalk striping and building a new ADA compliant, curb ramp and new sidewalk with curb & gutter, which would be aligned with and connecting to the existing sidewalk at the south end of the school. A new curb ramp and necessary pavement and concrete work will be installed on the existing median and east side of the road to the new location of the crossing.

Miscellaneous clearing and grabbing and removal of trees will be necessary to avoid obstructing visibility of the crosswalk.

Right of way acquisition of parcel APN 50403082 is necessary to accommodate the improvements on the west side of the crosswalk. Existing flashing beacons located north and south of the existing crosswalk will be removed with all the appurtenant wiring.

Utility poles will be relocated.

A fire hydrant will be relocated. New piping will be installed in a 24" wide by 48" deep trench.

All work will be within previously disturbed land.

Full closure of the road is not necessary to construct this project.